

LOGICMEET TABLE SERIES

HBF MAILING ADDRESS

PO BOX 8 HICKORY, NC 28603-0008

HBF SHIPPING ADDRESS

900 - I2TH STREET DRIVE NW HICKORY, NC 28601-4763

TEL 855.HBF.2020

FAX 828.485.2690

HBFSERVICE@HBF.COM

HBFORDERS@HBF.COM

REFERENCE	2-32
Overview	2
Scope of Line	3
Materials and Finishes	5
Product Material Options Overview	6-7
How to Specify	
Edge Details	
Locks and Keying	
Tech Specs	
Height Reference	17
Top Shapes and Grain Direction	18
Product Reference	
Floor Monument Locations	30
Base Cover Integration	31
TYPICALS	_35-42
Meeting Rooms	36
Staff Rooms	38
Video Conference Room	40
Boardroom	41
TABLE TOPS	_43-60
Round	44
Rectangular	46
Arched Boat	52
Video Conference	58
TECHNOLOGY	_61-72
Powered Grommet & MediaConnect Tech Units _	62
Single Space AAP	66
Double Space AAP	69
Miscellaneous Accessories	71
TABLE BASES	_73-84
Intersecting Panel Base	74
Drum Base	76
Panel Base	78
Base Covers	82
CREDENZAS	_85-91
Conference Cabinets	86
Conference Cabinets with Suspended Buffet Shelf_	88
ANCILLARY PRODUCTS	_92-94
Presentation Cabinet	92
Carts	93
Lecterns	94
WEIGHTS + CUBES	98

1



MODEL NUMBER + TYPE | FINISH | TECHNOLOGY CUTOUT | Indicate type as part of model #

OPTION OVERVIEW

TYPE

PLEASE SPECIFY THE FOLLOWING TO ORDER:

W Wood

L Laminate

S Solid Surface

G Glass

Wood, Laminate, Solid Surface Edge Detail Back-painted Glass Edge Detail

WOOD TOPS

LOGICmeet Wood Veneer Conference tops come standard with a 1/2" thick hardwood edgeband, mitered on the corners. Please see page 12 for details.

LAMINATE / SOLID SURFACE / GLASS TOPS

LOGICmeet Conference tops are available in 4 materials: wood, laminate, solid surface, and glass. Wood, laminate, and solid surface tops come standard in a knife edge with an integral finger route.

TECHNOLOGY CUTOUT

There are a variety of cutout option sets for the different size tops in the LOGICmeet Conference series. Please see the corresponding cut out matrices for each size top and if cut outs are desired, order the technology separately on the specified page.

TABLE TOPS

Rectangular

Arched Boat

Video

Round









BASES FOR RECTANGULAR, ARCHED BOAT AND VIDEO TOPS

Panel Base



BASES FOR ROUND TOPS

Intersecting Panel Base



Drum Base



CREDENZAS & ANCILLARY

Conference Cabinets



Conference Cabinets

with Suspended Shelf

Presentation Cabinet



Mobile Buffet Cart



Mobile Media Cart



Lectern



Lectern with Shroud






TECHNOLOGY


MediaConnect Tech Unit - Closed




MediaConnect Tech Unit - Front View



Power Grommet - Closed



Power Grommet - Front View



MediaConnect Tech Unit - Open



 $Power\ Grommet-Open$



VENEER I	PLAIN SLICED MAPLE		LAMINATES	WOODGRAIN	
	Natural Maple	NE800		Bourbon Cherry	PL701
	Honey Maple	NE873		Shaker Cherry	PL7935
	PLAIN SLICED CHERRY			Williamsburg Cherry	PL215
	Wheat Cherry	NC706		Empire Mahogany	PL511
	Light Cherry	NC701		Natural Maple	PL800
	Canyon Cherry	NC744		Walnut Heights	PL7965
	Burnished Cherry	NC777		Columbian Walnut	PL7943
	Medium Brown Cherry	NC215		Skyline Walnut	PL7964
	Chestnut Cherry	NC293		Cafelle	PL7933
	Dark Red Cherry	NC511		Beigewood	PLBW
	Chicory Cherry	NC284		Leave Likatre	PLWP120
	•			Looks Likatre	PLWP110
	PLAIN SLICED WALNUT			Appears Likatre	PLWP115
	Light Roast Walnut	NT601			
	Coffee Walnut	NT615		SOLID	
	Sumatra Walnut	NT693		Designer White	PLWH
	Charcoal Grey Walnut	NT637		Carnation White	PLSW806
	Dark Roast Walnut	NT684		Eggshell White	PLSW803
	Nutmeg Walnut	NT629		Whitestone	PLML
	Ebony Walnut	**NT509		Greystone	PLLF
				Loft - Grey Cloud	PL15034
VENEER 2	QUARTER SLICED MAPLE			Cocoa Brown	PL15037
	Natural Maple	QE800	* See Technical Spe	ecifications for laminate manufacture	er cross reference.
	Honey Maple	QE873	orr		
	, .				
	QUARTER SLICED CHERRY	0.6707	SOLID SURFA	.CF	
	Wheat Cherry	QC706		Alabaster White	SAW
	Light Cherry	QC701		Thabaster winte	01111
	Canyon Cherry	QC744		C. 55	COF
	Burnished Cherry	QC777	GLASS	Caffe	GCF
	Medium Brown Cherry	QC215		Designer White	GWH
	Chestnut Cherry	QC293		Muslin	GML
	Dark Red Cherry	QC511		Black	GBK
	Chicory Cherry	QC284		Pearl	GPR
	QUARTER SLICED WALNUT				
	Light Roast Walnut	QT601	FSC PRODUC	Т	
	Coffee Walnut	QT615		HBF holds Forest Stewardship	Council®
	Sumatra Walnut	QT693		(FSC) Chain-of-Custody Certi	fication® (SCS-
	Charcoal Grey Walnut	QT637		COC-002143). This certification	on agreement
	Dark Roast Walnut	QT684		allows HBF to offer FSC* certification	fied veneer or core
	Nutmeg Walnut	QT629		on a project specific basis.	
	Ebony Walnut	**QT509		An upcharge of 5% list per uni	t for conference
	DIET CUT OAK			products, will apply to all FSC	
	RIFT CUT OAK	D E 2 0 1		For FSC Certified Product add	
	Light Rift Oak	RF301		ning of finish option code. (Ex	-
	Dark Rift Oak	RF331		ining of Timish option code. (Ex-	ampie. P3CNC/01)
	Mocha	RF230			
** Ebony Walnut	Veneer only available on wood bases		CUSTOM	An upcharge of 10% Net per up	nit for conference
,			FINISHES	products, with a minimum upcha	
· 					
· 	Muslin	WPML			
PAINT	Muslin Soft White - Designer White Loft - Grey Cloud	WPML WPSW WPLF		order, will apply for any custom	

MAPLE







NE873 Honey Maple

PAINTED WOOD FINISHES



WPSW Designer White (Soft White)



WPLF Loft-Grey Cloud



WPML Muslin

Note: Painted wood finishes are not available for conference tops

CHERRY



NC701 Light Cherry



NC744 Canyon Cherry



NC215 Med. Brown Cherry



NC511 Dark Red Cherry



NC706 Wheat Cherry



NC777 Burnished Cherry



NC293 Chestnut Cherry



NC284 Chicory Cherry

WALNUT



NT629 Nutmeg Walnut



NT615 Coffee Walnut



NT637 Charcoal Grey Walnut Dark Roast Walnut



NT684



NT601 Light Roast Walnut



NT693 Sumatra Walnut

WOOD LAMINATES



PLBW Beigewood



PL511



PL7943 Columbian Walnut



PL7964 Skyline Walnut



PL7933 Cafelle



PL800



Natural Maple



PL701 Bourbon Cherry



PL7935 Shaker Cherry



Williamsburg Cherry



Empire Mahogany



PLWP120 Leave Likatre



PLWP110 Looks Likatre



PLWP115 Appears Likatre

HBF Legacy finishes are considered match panel finishes. They will include a 5% net up-charge for seating/occasional tables & a 10% net up-charge for conference OR a minumum up-charge of \$500 per order.

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please contact the HBF Resource Center at resourcecenter@hbf.com for an actual sample.

SOLID LAMINATES



POWDER COATS



SOLID SURFACES



BACK PAINTED GLASS



HBF Legacy finishes are considered match panel finishes. They will include a 5% net up-charge for seating/occasional tables & a 10% net up-charge for conference OR a minumum up-charge of \$500 per order.

Screen images are intended as a guide only and should not be regarded as absolutely correct. For exact color/texture, please contact the HBF Resource Center at resourcecenter@hbf.com for an actual sample.

Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance, the final finish color, texture and grain may vary from one furniture piece to another, even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.

All HBF products are standard in a 30° sheen.

The finishes shown above are for reference only. For approval prior to placing your order, please request actual finish sample.



HOW TO ORDER LOGICMEET TABLES

HBF's LOGICmeet Conference tables are available in a wide variety of shapes and sizes designed to fulfill a multitude of conferencing requirements from informal meeting areas to the executive boardroom.

Arched Boat

STEP | SELECT SHAPE

Select the table shape that meets your requirements.







Video 42x60x108 48x72x144


Video

STEP 2 SELECT SIZE

Select the table size that fits the footprint of the conference area.

Round	Rectangula	r				
36	42x72	48x72	54x120	60x120	66x216	72x216
42	42x84	48x84	54x144	60x144	66x240	72x240
48	42x96	48x96	54x168	60x168	66x264	72x264
54	42x108	48x108	54x192	60x192	66x288	72x288
60	42x120	48x120	54x216	60x216		
66		48x144	54x240	60x240		
72		48x168		60x264		
		48x192		60x288		

STEP 3
SELECT
TOP MATERIAL



STEP 4 SELECT TOP FINISH LOGICmeet Conference tables are available in a variety of finishes and materials. Please see page 7 for specific option codes for veneer, laminate, solid surface, and glass tops.

STEP 5 SELECT TECHNOLOGY CUTOUTS

HBF's LOGICmeet Conference tables offer a choice in technology integration. When specifying a table top, use the top's corresponding cut-out matrix to see the available cut-outs for that size. LOGICmeet tables are available with some or all of the options below depending on the top size:

 $\mathsf{GN}-\mathsf{No}$ Grommet on the table

GCR - 1 Centered Round Grommet (for Round Table Tops only)

1CM - 1 Centered MediaConnect Unit in the center of the table

2EM - 2 Equally Spaced MediaConnect Units on the table

3EM - 3 Equally Spaced MediaConnect Units on the table

4EM - 4 Equally Spaced MediaConnect Units on the table

STEP 6 SELECT TECHNOLOGY INTEGRATION

After choosing the cut-outs desired for the table top, use the matrix to determine how many technology units need to be ordered to be integrated into the table. MediaConnect Tech Units are available with an aluminum door or wood door for use on wood, laminate, and solid surface tops. They are also available with a satin pewter powder coat door for use on glass tops. Use the diagrams on the corresponding MediaConnect Tech Unit pages to determine what Extron plates can be fit into the unit. Extron plates are available in single or double space AAP models.

For more information on the Extron plates, please use the given Extron part number to locate the plate on Extron's website at: www.extron.com


STEP 7 SELECT BASE

HBF's LOGICmeet round tables are available with either an intersecting panel base or a drum base. Intersecting panel bases are available in metal or wood, and drum bases are available in paint or wood. Base models are made for use with specific top sizes, so please be aware of those sizes noted on the pages.

Conference table panel bases are available in metal or wood. As with the round table tops, these bases are to be used with certain size tops, and should be ordered based on the "For use w/ top size" column noted on each page.

For example: HB1BSP2472-M is a metal panel base for use with rectangular and arched boat table tops. This is noted as "For use w/ top size $42/48 \times 72$." This means that this base model can be specified with either a 42×72 table top or a 48×72 table top.

Additionally, the number of bases are called out on the panel base pages. When ordering, please refer to page 30 if you need floor monument dimensions based on top sizes. Panel bases come standard with a thin profile base cover. Base covers are also available in 3 ½" and 7" sizes to allow for floor monuments to act as wire managers. Refer to LOGICmeet product reference pages for dimensions and more information.



FACTORY INSTALLED LOCKS

Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver or Black.

OPTION I	option code
SILVER RANDOM KEYS	RMS
BLACK RANDOM KEYS	RMB
OPTION 2	specify a number between
SILVER DESIGNATED KEYS	FT100TAS - FT150TAS
BLACK DESIGNATED KEYS	FT100TA - FT150TA

FIELD INSTALLED LOCKS

Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$5 list per lock core.

	model number	option code
SILVER DESIGNATED KEYS	HK1LCKFLD	100TAS-150TAS
BLACK DESIGNATED KEYS	HK1LCKFLD	100TA-150TA



VENEERS

LogicMeet tables are offered in 4 natural wood species: Cherry, Maple, Walnut or Oak veneer. All exposed wood surfaces utilize select Plain Sliced Cherry, Maple, Walnut veneers or premium Quarter Cut Cherry, Maple, Walnut or Rift Cut Oak veneers. These veneers are carefully selected and slip matched to assure balance and consistency throughout the product. All solid wood edgebands are species matched except for Rift Cut Oak which is paired with solid Ash hardwoods.

WOOD TABLE TOPS

Wood veneer tops feature a balanced 3-ply construction and are comprised of a premium 1" thick MDF substrate. Wood veneer tops are faced with premium veneer and backed with a polymer resin impregnated moisture resistant material. All hardwood edgebands are ½" thick, mitered on the corners. LogicMeet is standard with a knife edge profile. The bottom of the top is machined on all sides with an integral finger route. Multi-piece tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the tops end to end.

LAMINATE TABLE TOPS

Laminate tops feature a balanced 3-ply construction and are 1" thick. Tops are constructed of MDF substrate, faced with high pressure vertical grade laminate and backed with phenolic backer material. All laminate tops have a 2mm matching vinyl edgeband on all sides. LogicMeet is standard with a knife edge profile. The bottom of the top is machined on all sides with an integral finger route. Multi-piece tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the tops end to end.

Wood grain laminates have been selected because they are good matches to some HBF standard wood finishes, they are not exact matches. HBF does not guarantee an exact wood finish match to the plastic laminates. Please check with an HBF sales representative for samples of both the wood and laminate for color comparison before ordering.

To clean the surface, use a damp cloth or sponge and a mild soap or detergent. For complete Care and Maintenance instructions please visit the Wilsonart or Pionite web sites listed below.

Wilsonart laminate tops feature a 0.030" thick, Type 335 high pressure vertical grade Wilsonart laminate. For complete Wilsonart technical specifications please refer to the Wilsonart website at http://www.wilsonartcontract.com/Technical/

Pionite laminate tops feature a 0.028" thick, Type F28 high pressure vertical grade Pionite Laminate. For complete Pionite technical specifications please refer to the Pionite website at http://www.pionite.com/pionite/pages_pionite/pionite_specs.html

SOLID SURFACE TABLE TOPS

Solid surface tops are 1 ¼" thick. Tops are constructed with ½" solid surface material applied to a premium ¾" plywood with adhesive. The exposed plywood on the bottom of the top is painted black. The standard knife profile is solid surface material and includes a machined integral finger route on all sides. Multi-piece solid surface tops are connected with alignment pins and steel mechanical fasteners for horizontal and vertical alignment to firmly connect the sub tops end to end.

GLASS TABLE TOPS

LogicMeet table tops are also available with a back painted glass top available in 5 standard colors. Glass table tops are 1 ½" thick. The back painted glass top is ½" thick low iron tempered with the top surface soft acid etched. Glass edge is square, aris polished. The plywood sub top is 1" thick, faced and backed with a phenolic backer for a balanced construction. Sub top edges are beveled and painted black. Multi-piece glass sub tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the sub tops end to end.

METAL PANEL AND INTERSECTING BASES

LogicMeet metal panel bases are constructed of a welded metal tubular steel internal frame assembly which is covered in formed sheet metal and then powder coated. The bottom of the frame includes threaded inserts for glides with 1 1/8" of vertical adjustment. A steel top plate is welded to the frame assembly to attach the base to the table top. Steel frame sides include standoff bushings for attachment of removable covers. Wire management covers are punched with keyhole slots to provide a connection point to the internal

frame. Internal frame includes threaded steel inserts for support beam attachment.

WOOD PANEL AND INTERSECTING BASES

LogicMeet wood panel bases are balanced 5-ply construction and are 1 1/4" thick, comprised of particleboard. The internal panel is externally banded with profiled solid hardwood bands. The bottom of the internal panel includes threaded steel glide plates and glides with 1 1/8" of vertical adjustment. A steel top plate is attached to the internal wood panel to attach the base to the table top. Wood frame includes standoff bushings for attachment of removable covers. Wire management covers include machined keyhole slots to provide a connection point to the internal frame. The internal wood panel is machined and includes steel threaded inserts for attachment of the aluminum beams and removable wire management covers.

BEAM SUPPORT UNDERSTRUCTURE

LogicMeet panel base assemblies include dual beam construction. A powder coated extruded aluminum beam assembly (6 ½"h x 1.5"w) spans between the bases to provide support to the table top over long spans. The extruded aluminum beam is connected to the bases with steel screws and threaded inserts located in the frame. The extruded aluminum beam profile includes a notch for the connection of plastic wire management clip. Wire management clips are included with the beam assembly. The bottom of the beam is covered with a ½" thick MDF balanced 3 ply panel, faced and backed with a polymer resin impregnated moisture resistant material. Cover attaches to the bottom of the beam with nylon thumb screws. The beam, wire management clips and cover provide an area to neatly house all the electrical and data wires under the table top. When a wood base assembly is specified, a matching ¾" wood veneer panel is applied to the exterior of the frame.

See base ordering pages for number of frame sections. Longer frames ship in multiple sections. Be sure to note the length of frames and sections to accommodate any building logistical issues. Multiple section frames are field assembled.

WOOD DRUM BASES

Inner material consists of a wood composite tube. Top and bottom panels are a 3/4" particleboard glued and pinned to the composite tube. Top and bottom panels include appropriate cutouts for routing wires from the top to the floor for wire management models. The cylinder core is faced with a 2-ply material utilizing an outer plain sliced select veneer on a 1/28" poplar cross band. This 2-ply face material is attached to the cylinder care with permanent bond PVA glue. A 3/4" sub-top is attached to the base with screws and provides an attachment method to connect the base to the top. The sub-top is pre-bored for screws for easy attachment to top. Glides with 1 1/8" of adjustment are included for leveling.

CONFERENCE CABINETS

Conference cabinet suspended tops are the same construction as table tops with two exceptions; glass tops do not include subtop and tops do not include an integral finger route. All credenza tops are 1 piece. See table tops for additional technical specifications.

All chassis are constructed of balanced 3-ply particleboard panels, 1" thick exterior panels and ¾" vertical divider are securely fastened together using glued fluted dowels. Bottom panel attached with dowels and pocket bore screws. Adjustable shelves are balanced 5-ply, 1" thick particleboard internally crossbanded with veneer face and backer. Shelves are adjustable height on shelf pins.

Credenzas are available with hinged or sliding doors. Hinged door units include fully adjustable, 100° swing, self closing hinges. Sliding door units include an integrated track roller system.

Credenza legs are constructed of a welded metal tubular steel internal frame assembly which is covered in formed sheet metal and then powder coated. The bottom of the frame includes threaded inserts for glides with 1 1/8" of vertical adjustment. A steel top plate is welded to the assembly to attach the leg base to the bottom of the Credenza.

Credenza suspended shelf risers are constructed of a welded metal tubular steel internal frame assembly which is covered in formed sheet metal and then powder coated. The riser is connected to the top of the credenza with threaded inserts welded to the interior of the riser and is attached with steel fasteners. A steel top plate is welded to the assembly to attach the top of the riser to the suspended shelf.



WALL MOUNT PRESENTATION CABINET

Wall mount presentation cabinet is constructed of balanced 3 ply, ¾" thick particleboard panels. Internal frame is constructed of balanced ¾", black melamine panels. External door and side panels are constructed of balanced ¾" particleboard, faced and backed with veneer. Cabinet is held together with glued fluted dowels, wood cleats and mechanical fasteners. Back panel is faced with a writable laminate material and backed with a phenolic backer. Doors slide open horizontally on progressive steel ball bearing slides. Includes pull down projection screen, an integrated plastic pencil lip to retain marker and a marker/eraser kit. Cabinet is wall mounted. Ensure walls are properly blocked for the weight of the cabinet. Wall mounting brackets included, installers are responsible for selecting and providing the correct fasteners for wall conditions.

CHART RAIL

Chart rail is powder coated extruded aluminum, 5"d x 120"l x 1 ¾"h and is attached to the wall with a wall mounting bracket. Chart rail can be cut to length in the field to accommodate various dimensional needs. Ends of chart rail are covered by steel powered coated end caps, field installed with supplied mechanical fasteners. Wall mounting brackets included, installers are responsible for selecting and providing the correct fasteners for wall conditions.

MOBILE BUFFET CART

Buffet carts are constructed of balanced 3 ply, ¾" thick particleboard panels. Cabinet is held together with glued fluted dowels and mechanical fasteners. The bottom of the cabinet is supported by a welded metal tubular steel frame assembly. The corners of the assembly are tapped to accommodate a 3 3/16" dual wheel locking caster. Hinged doors include fully adjustable, 100° swing, self closing hinges. Unit includes (2) extendable steel wire frame baskets. Optional locks are available.

MOBILE MEDIA CART

Media carts are constructed of balanced 3 ply, ¾" thick particleboard panels. Cabinet is held together with glued fluted dowels and mechanical fasteners. The back of the cabinet includes a perforated powder coated formed sheet metal cover. The bottom of the cabinet is supported by a welded metal tubular steel frame assembly. The corners of the assembly are tapped to accommodate a 3 3/16" dual wheel locking caster. Each unit includes an adjustable shelf that is 3/4" thick particleboard, 3-ply balanced construction, veneer face and backer. Shelves are adjustable height on shelf pins. Hinged door version includes fully adjustable, 100° swing, self closing hinges. Optional locks are available on door units.

LECTERN

Lecterns are constructed of balanced 3 ply, ¾" thick particleboard panels. Cabinet is held together with glued fluted dowels and mechanical fasteners. The bottom of the cabinet is supported by a welded metal tubular steel frame assembly. The corners of the assembly are tapped to accommodate a 3 3/16" dual wheel locking caster or nylon glides. Hinged doors include fully adjustable, 100° swing, self closing hinges. Internal panels are cut short to allow vertical wire management in the lectern. The angled 5° degree presentation platform top is supported by round steel powder coated standoffs and includes a pencil lip to provide a stop for papers and pens. The front of the lectern beneath the angled platform and the top of the enclosed cabinet is wrapped in a powder coated formed steel shroud. The lectern also includes a sliding cup holder that can be extended from the left or right position. Lecterns include optional locks and a technology package (microphone, gooseneck light, power/data unit).

Microphone manufacturer is audio-technica. The 18.94" version of the U857Q, the U857QL cardioid condenser quick-mount gooseneck microphone is designed to plug directly into a panel or desk-mounted XLRF-type connector. The microphone offers unsurpassed immunity from radio frequency. It features an ultra-flexible small-diameter gooseneck and accepts interchangeable elements, available in cardioid, hypercardioid, omnidirectional and UniLine* line cardioid polar patterns. Equipped with self-contained electronics, the phantom-powered microphone also offers an 80 Hz low-cut UniSteep* filter that reduces pickup of low-frequency ambient noise. For complete specifications reference, http://www.audio-technica.com/cms/wired_mics/a4b81557c190ae16/index.html

Gooseneck light is a Littlite (IS #2-LED) L-18-LED with bottom mount cord for a clean, cord free installation. Littlite LED lampset includes three-way rotary switch enables user to toggle between white light and red light output. Littlite lampsets have a twelve-

inch cord set terminating in a 2.1mm socket. GXF-10 power supply (included) has a six-foot cable terminating in a 2.1mm plug. For complete specifications reference, http://www.littlite.com/products/product/164

Power/data unit is 4 7/16"D x 8 5/16"W, silver clear anodized aluminum finish. Unit includes a 6'-ft, 15 amp standard plug-in power cord, (2) electrical outlets and (2) voice/data openings. Voice/data communication adapter kit included. Cover is touch latch and remains open during use. Unit is field installed. UL Listed. Note: voice/data jacks not included.

Units with an external shroud are constructed of balanced 3 ply, ¾" thick particleboard panels or fused acrylic panels. Shrouds are fastened to the internal cabinet with (4) round steel powder coated stand offs.

MEDIACONNECT PORTS

Recessed in table top, unit is $6 \frac{1}{2}$ d x $8 \frac{1}{2}$ w, silver finish. Cover flips up to access power and data ports. Veneer, laminate and solid surface table tops are available with a silver anodized aluminum door, aluminum door with veneer insert or aluminum door with solid surface insert. Glass table tops can only be specified with an aluminum powder coated door unit, specifically designed for glass tops.

Each powder coated sheet metal enclosure is rated for 15 amp, 125 volt with circuit breaker. Units can be specified with 10' grounded standard plug or 6' hardwire conduit option. Units include (4) electrical outlets and (2) double space Extron AAP plates or (4) single space Extron AAP plates. Numerous jack options available, see ordering page for available options. Unit is field installed. UL Listed.

ROUND POWER/DATA

Recessed in table top, unit is 3 7/8" diameter with a brushed aluminum finish. Each machined aluminum enclosure contains a simplex power receptacle, HDMI connecter, VGA connector, 3.5mm audio connector and an RJ45 cat 5E connector. Unit only available with a 10' grounded standard plug. Unit is field installed. UL Listed – 12 amp. Units can be specified for veneer, laminate, solid surface or glass table tops

POWER CABLE KIT

Convenient way to connect all power cords to a single power source. Unit includes 10' power in feed conduit. The power cable kit is rated for 20 amps per circuit allowing the use of 2 circuits with 2 line conductors, 1 neutral and 1 ground. The line conductors, neutral and ground are all 12 AWG. The kit can be wired in both single and 3-phase configurations, 240/ 120V, 208/ 120V, respectively. UL Listed, to be installed by certified electrician.

LOCKS

Brushed nickel or black face locks are optional on all standard height and buffet height credenza units. Locks specified on the buffet credenza are located on the lower hinged doors only; sliding doors are non-locking. Lock plugs are either factory or field installed.

KEYING

Keying is available either factory or field installed. Factory installed keying offers two options: random or designated. When the random keying option is selected an arbitrary key number will be assigned to the unit. Note: some furniture units may have like key numbers when random keying is selected. When the designated keying option is selected a key number must be specified between 100TAS-150TAS for silver lock core and 100TA-150TA for black lock cores. All keys are solid brass. When the field installed keying option is selected, a lock cylinder will not be included in the furniture unit. A lock master key and lock cylinder package must be specified separately to install the lock cylinders in the field. The master key provides the ability for lock cylinders to be easily installed and removed in the field.

TRASH CAN ACCESSORY

3.5 gallon, black rubber trash can. Unit connects to back side of credenza door with sheet metal mounting bracket.



WOOD FINISH

All HBF tops feature a 20 sheen, open pore, water based, UV cured low-emitting finish. The open pore finish accentuates the natural texture of the wood. All non-writing surfaces (modesty panels) receive an application of 30 sheen, low-emitting, conversion varnish finish. Both processes enhance the beauty of the natural wood and ensure the depth, clarity, color consistency and durability throughout the life of the product.

CLEANING WOOD

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax or silicone, which can produce an oily film or haze.

CLEANING LAMINATE

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax or silicone, which can produce an oily film or haze.


LAMINATE

	D	C	
Cross	Кe	tere	nce

DESCRIPTION	OPTION CODE	MANUFACTURER	PART #
Bourbon Cherry	PL701	Wilsonart	11034-07
Shaker Cherry	PL7935	Wilsonart	7935-7
Williamsburg Cherry	PL215	Wilsonart	7936K-07
Empire Mahogany	PL511	Wilsonart	7122K-07
Natural Maple	PL800	Wilsonart	11021-38
Walnut Heights	PL7965	Wilsonart	7965K-78
Columbian Walnut	PL7943	Wilsonart	7943-7
Skyline Walnut	PL7964	Wilsonart	7964K-78
Cocoa Brown	PL15037	Wilsonart	15037
Cafelle	PL7933	Wilsonart	7933K-78
Beigewood	PLBW	Wilsonart	7850-60
Leave Likatre	PLWP120	Pionite	WP120
Looks Likatre	PLWP110	Pionite	WP110
Appears Likatre	PLWP115	Pionite	WP115
Designer White	PLWH	Wilsonart	D354-60
Carnation White	PLSW806	Pionite	SW806
Eggshell White	PLSW803	Pionite	SW803
Whitestone	PLML	Wilsonart	10809-60
Greystone	PLLF	Wilsonart	10811-60
Loft - Grey Cloud	PL15034	Wilsonart	15034

NOTE: All heights in this section include glides.

HEIGHT REFERENCE



н в F

Reference applies to wood tops only.

Contact the HBF Client Experience team for number of sections on laminate, glass, and solid surface tops.


BREADTH	OF LINE					
288" W						
264" W						
240" W						
216" W						
192" W						
168" W						
144" W						
120" W						
108" W						
96" W						
84" W						
72" W						
	42" D	48" D	54" D	60" D	66" D	72" D

Note: Lines above represent number of sections per table, wood tops only.

BREADTH OF LINE

Primary Use:

Conference room table tops for board rooms, staff conference rooms, and meeting rooms.



Grain Direction:

All wood, solid surface, and glass LogicMeet tops run short grain, grain running depth of top. For laminate, please reference grain direction column in table on right side of page.



Example: Grain Running Depth of Top





Example: Grain Running Width of Top


			wood, solid surface	
d x w	seating capacity	# of top sections	& glass grain direction	laminate grain direction
42 x 72	4-6	1	depth	width
42 x 84	6-8	1	depth	width
42 x 96	6-8	1	depth	width
42 x 108	6-8	1	depth	width
42 x 120	8-10	1	depth	width
48 x 72	4-6	1	depth	width
48 x 84	6-8	1	depth	width
48 x 96	6-8	1	depth	width
48 x 108	8-10	1	depth	width
48 x 120	8-10	1	depth	width
48 x 144	10-12	2	depth	width
48 x 168	12-14	2	depth	width
48 x 192	14-16	2	depth	width
54 x 120	8-10	3	depth	width
54 x 144	10-12	3	depth	width
54 x 168	12-14	4	depth	width
54 x 192	14-16	4	depth	width
54 x 216	16-18	5	depth	width
54 x 240	16-18	5	depth	width
60 x 120	8-10	3	depth	width
60 x 144	10-12	3	depth	width
60 x 168	12-14	4	depth	width
60 x 192	14-16	4	depth	width
60 x 216	16-18	5	depth	width
60 x 240	18-20	5	depth	width
60 x 264	20-22	6	depth	width
60 x 288	22-24	6	depth	width
66 x 216	16-18	5	depth	depth
66 x 240	18-20	5	depth	depth
66 x 264	20-22	6	depth	depth
66 x 288	22-24	6	depth	depth
72 x 216	16-18	5	depth	depth
72 x 240	18-20	5	depth	depth
72 x 264	20-22	6	depth	depth
72 x 288	22-24	6	depth	depth
-			ı.	1


BREADTH OF LINE












66



72

Note: Lines above represent number of sections per table top.

ROUND


BREADTH OF LINE

Primary Use:

Conference room table tops for video conference, meeting rooms, and small staff conference rooms.

Grain Direction:

All wood, solid surface, and glass LogicMeet tops run short grain, grain running depth of top. For laminate, please reference grain direction column in table below.



			4 с	wood, solid surface, &	
		seating	# of top	glass grain	grain
VIDEO CONFERENCE	d1 x d2 x w	capacity	sections	direction	direction
	42 x 60 x 108	8-10	2	depth	depth
	48 x 72 x 144	10-12	3	depth	width


Primary Use:

Conference room table tops for video conference, meeting rooms, and small staff conference rooms.




ROUND	diameter	seating capacity	# of top	wood, solid surface, & glass grain direction	laminate grain direction
	_ 36	3-4	1	depth	depth
	42	3-5	1	depth	depth
	48	3-5	1	depth	depth
	54	5-6	2	depth	depth
	60	5-7	2	depth	depth
	66	5-7	2	depth	depth
	72	6-8	2	depth	depth

METAL PANEL BASE DIMENSIONS FOR USE WITH 42/48" TOPS




27-15/16


Thin Metal Base Cover - End Base




Thin Metal Base Cover - Center Base




3 1/2" Metal Base Cover - End Base




3 1/2" Metal Base Cover - Center Base



7" Metal Base Cover - End Base





7" Metal Base Cover - Center Base



= Wire Management Opening

WOOD PANEL BASE DIMENSIONS FOR USE WITH 42/48" TOPS







Thin Wood Base Cover - End Base




Thin Wood Base Cover - Center Base




3 1/2" Wood Base Cover - End Base




3 1/2" Wood Base Cover - Center Base



7" Wood Base Cover - End Base





7" Wood Base Cover - Center Base



= Wire Management Opening


METAL PANEL BASE DIMENSIONS FOR USE WITH 54/60" TOPS








Thin Metal Base Cover – End Base

32
5-7/8












7" Metal Base Cover - End Base




= Wire Management Opening

WOOD PANEL BASE DIMENSIONS FOR USE WITH 54/60" TOPS








Thin Wood Base Cover - End Base




Thin Wood Base Cover - Center Base









3 1/2" Wood Base Cover - Center Base



7" Wood Base Cover - End Base



7" Wood Base Cover - Center Base




= Wire Management Opening

42

7-5/16

15-11/16




= Wire Management Opening


— 42 -10**-**3/8

7-5/16


9-3/8




Thin Wood Base Cover - End Base





Thin Wood Base Cover - Center Base






3 1/2" Wood Base Cover - Center Base






7" Wood Base Cover - Center Base




= Wire Management Opening


INTERSECTING PANEL BASE DIMENSIONS FOR USE WITH ROUND TABLE TOPS









42/48" Metal Base









54/60" Metal Base




54/60" Wood Base



66/72" Metal Base



66/72" Wood Base




= Wire Management Opening


DRUM BASE DIMENSIONS FOR USE WITH ROUND TABLE TOPS







Wire Access Door










= Wire Management Opening




PANEL BASE

Primary Use:

Conference room table tops for video conference, meeting rooms, and small staff conference rooms.





		ū	•			
		center of				
	d x w	base A	base B	base C	base D	base E
RECTANGULAR AND	42 x 72	19 9/16	-	-	-	52 7/16
ARCHED BOAT TOPS	42 x 84	19 9/16	-	-	-	64 7/16
	42 x 96	19 9/16	-	-	_	76 7/16
	42 x 108	19 9/16	-	-	-	88 7/16
	42 x 120	19 9/16	-	-	-	100 7/16
	48 x 72	19 9/16	-	-	-	52 7/16
	48 x 84	19 9/16	-	-	-	64 7/16
	48 x 96	19 9/16	-	-	-	76 7/16
	48 x 108	19 9/16	-	-	-	88 7/16
	48 x 120	19 9/16	-	-	-	100 7/16
	48 x 144	19 9/16	-	-	-	124 7/16
	48 x 168	19 9/16	-	84	-	148 7/16
	48 x 192	19 9/16	-	96	-	172 7/16
	54 x 120	19 9/16	-	-	-	100 7/16
	54 x 144	19 9/16	-	-	-	124 7/16
	54 x 168	19 9/16	-	84	-	148 7/16
	54 x 192	19 9/16	-	96	-	172 7/16
	54 x 216	19 9/16	-	108	-	196 7/16
	54 x 240	19 9/16	-	120	-	220 7/16
			_			
	60 x 120	19 9/16	-	-	-	100 7/16
	60 x 144	19 9/16	-	-	-	124 7/16
	60 x 168	19 9/16	-	84	-	148 7/16
	60 x 192	19 9/16	-	96	-	172 7/16
	60 x 216	19 9/16	-	108	-	196 7/16
	60 x 240	19 9/16	-	120	-	220 7/16
	60 x 264	19 9/16	94 1/2	-	169 1/2	244 7/16
	60 x 288	19 9/16	102 1/2	-	185 1/2	268 7/16
	66 x 216	19 9/16	-	108	-	196 7/16
	66 x 240	19 9/16	-	120	-	220 7/16
	66 x 264	19 9/16	94 1/2	-	169 1/2	244 7/16
	66 x 288	19 9/16	102 1/2	-	185 1/2	268 7/16
	72 x 216	19 9/16	-	108	-	196 7/16
	72 x 240	19 9/16	-	120	-	220 7/16
	72 x 264	19 9/16	94 1/2	-	169 1/2	244 7/16
	72 x 288	19 9/16	102 1/2	-	185 1/2	268 7/16
	d1 x d2 x w	10.0416				00 747
VIDEO CONFERENCE	42 x 60 x 108	19 9/16	-			88 7/16
TOPS	48 x 72 x 144	19 9/16	-			124 7/16

d1 x d2 x w					
42 x 60 x 108	19 9/16	-	-	-	88 7/16
48 x 72 x 144	19 9/16	-	-	-	124 7/16

All LOGICmeet bases are available with 2 base cover options:

1. Option 1 - standard thin 1" base covers



Top: HB1TRT60192-W Base: HB1BSP32192-W

Base Covers: HB1BCV1-W (qty 4)

2. Option 2 - no base covers. Covers required - ordered separately.


When the no base covers option is selected the base will not include covers and covers MUST be ordered separately. This option allows the covers to be specified in 1", 3 ½" or 7" widths to accommodate floor monuments and hide wiring. The end bases have 1 removable inward facing interchangeable cover and the center bases have 2 removable interchangeable covers. Metal and wood base covers can be used interchangeably. Reference page 82 for total # of bases required by of table top.

NOTE: Base MUST be specified with covers or unfinished interior of base will be visible.




Top: HB1TRT60192-W Base: HB1BSP32192-W

Base Covers: HB1BCV3-W (qty 4)



Top: HB1TRT60192-W Base: HB1BSP32192-W

Base Covers: HB1BCV1-W (qty 2) HB1BCV7-W (qty 2)



Top: HB1TRT60192-W Base: HB1BSP32192-W


Base Covers: HB1BCV7-W (qty 4)




Top: HB1TRT72264-W Base: HB1BSP42264-W


Base Covers: HB1BCV1-W (qty 2) HB1BCV7-W (qty 4)


TYPICALS	35-42
Meeting Rooms	36
Staff Rooms	38
Video Conference Room	40
Boardroom	41






















TABLE TOPS	43-60
Round	44
Rectangular	46
Arched Boat	52
Video Conference	58



Model	Dimensions	List Price Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
HB1TRD36-	36	1,796	1,931	1,244	3,523	4,051	3,523
HB1TRD42-	42	1,984	2,132	1,263	3,772	4,338	3,772
HB1TRD48-	48	2,469	2,654	1,728	4,692	5,395	4,692
HB1TRD54-	54	2,886	3,101	1,949	5,527	6,355	5,527
HB1TRD60-	60	3,302	3,549	2,694	7,312	8,409	7,312
HB1TRD66-	66	4,184	4,498	3,013	8,299	9,543	8,299
HB1TRD72-	72	5,432	5,840	3,803	10,322	11,870	10,322

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE	FINISH	TECHNOLOGY CUTOUT
Indicate type as part of model # W = wood L = laminate S = solid surface G = glass	See page 5	(Insert option from shaded area on next page)
G = glass		

 ${\it Example~Order~String:~HB1TRD36-W.NC701.GN}$

ROUND TABLE TOPS

technology cut-out option	cut-out option code	description	36 DIAMETER	42 DIAMETER	48 DIAMETER	54 DIAMETER	60 DIAMETER	66 DIAMETER	72 DIAMETER	technology model # required	quantity
	GN	No Grommet	•	•	•	•	•	•	•	N/A	N/A
•	GCR	Round Grommet	•	•	•	•	•	•	•	HK1PG	1
	1CM	1 Centered MediaConnect unit				•	•	•	•	HK1MC	1

	Model	Dimensions OD	MO	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
42" TOPS	HB1TRT4272-	42	72		3,005	3,229	2,037	5,299	6,095	5,299
	HB1TRT4284-	42	84		3,365	3,616	2,284	5,936	6,827	5,936
	HB1TRT4296-	42	96		3,768	4,050	2,556	6,648	7,646	6,648
	HB1TRT42108-	42	108		4,079	4,385	2,748	7,447	8,564	7,447
	HB1TRT42120-	42	120		4,524	4,864	3,072	8,552	9,836	8,552
48" TOPS	HB1TRT4872-	48	72		3,541	3,806	2,479	6,113	7,030	6,113
	HB1TRT4884-	48	84		3,964	4,262	2,776	6,848	7,875	6,848
	HB1TRT4896-	48	96		4,441	4,775	3,110	7,669	8,819	7,669
	HB1TRT48108-	48	108		4,974	5,347	3,482	8,588	9,877	8,588
	HB1TRT48120-	48	120		5,474	5,884	3,714	9,832	11,306	9,832
	HB1TRT48144-	48	144		6,831	7,342	4,781	12,130	13,950	12,130
	HB1TRT48168-	48	168		8,207	8,823	5,745	15,429	17,744	15,429

MODEL NUMBER + TYPE FINISH TECHNOLOGY CUTOUT

Indicate type as part of model # See page 5 (Insert option from shaded area on next page)

W = wood
L = laminate
S = solid surface

PLEASE SPECIFY THE FOLLOWING TO ORDER:

 $Example\ Order\ String:\ HB1TRT4272-W.NC701.GN$

G = glass

			42" DEPTH TOPS						4	8" [DEP	тн		_			
technology cut-out option	cut-out option code	description	42 × 72	42 × 84	42 × 96	42 × 108	42 x 120	48×72	48 × 84	48 × 96	48 × 108	48 × I20	48×144	48 × 168	48 × 192	technology model # required	quantity
	GN	No Grommet	•	•	•	•	•	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	•	•	•	•	•	HK1MC	1
0 0	2EM	2 Equally Spaced MediaConnect Unit			•	•	•			•	•	•	•	•	•	HK1MC	2
	3EM	3 Equally Spaced MediaConnect Unit					•					•	•	•	•	HK1MC	3
0 0 0	4EM	4 Equally Spaced MediaConnect Unit												•	•	HK1MC	4

 $N \circ T E$: Above options are for cut-out only, technology ports ordered separately on pages 63-65.

	Model	Dimensions OD	ΜO	List Price Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
54" TOPS	HB1TRT54120-	54	120	5,330	5,730	3,563	10,092	11,605	10,092
	HB1TRT54144-	54	144	7,052	7,582	4,819	12,935	14,875	12,935
	HB1TRT54168-	54	168	8,480	9,114	5,799	16,498	18,971	16,498
	HB1TRT54192-	54	192	9,573	10,291	6,539	18,362	21,116	18,362
	HB1TRT54216-	54	216	10,686	11,489	7,289	20,524	23,602	20,524
	HB1TRT54240-	54	240	12,563	13,504	8,577	23,403	26,913	23,403
60" TOPS	HB1TRT60120-	60	120	6,741	7,246	4,718	11,640	13,386	11,640
	HB1TRT60144-	60	144	8,025	8,627	5,619	14,871	17,101	14,871
	HB1TRT60168-	60	168	9,622	10,344	6,735	18,917	21,754	18,917
	HB1TRT60192-	60	192	10,919	11,738	7,644	21,071	24,232	21,071
	HB1TRT60216-	60	216	12,283	13,204	8,598	23,558	27,092	23,558
	HB1TRT60240-	60	240	14,374	15,450	10,061	26,892	30,927	26,892
	HB1TRT60264-	60	264	17,473	18,783	12,232	30,172	34,697	30,172

MODEL NUMBER + TYPE

Indicate type as part of model #

See page 5

(Insert option from shaded area on next page)

W = wood

L = laminate
S = solid surface
G = glass

 $Example\ Order\ String:\ HB1TRT54120-W.NC701.GN$

PLEASE SPECIFY THE FOLLOWING TO ORDER:

			54" DEPTH TOPS						60" DEPTH TOPS								1	
technology cut-out option	cut-out option code	description	54 × 120	54 × 144	54 × 168	54 × 192	54 × 216	54 × 240	60 x 120	60 × 144	60 × 168	60 × 192	60 × 216	60 × 240	60 × 264	60 × 288	technology model # required	quantity
	GN	No Grommet	•	•	•	•	•	•	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	HK1MC	1
0 0	2EM	2 Equally Spaced MediaConnect Unit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	HK1MC	2
	3EM	3 Equally Spaced MediaConnect Unit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	HK1MC	3
0 0 0 0	4EM	4 Equally Spaced MediaConnect Unit			•	•	•	•			•	•	•	•	•	•	HK1MC	4

	Model	Dimensions	00	MO	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
66" TOPS	HB1TRT66216-		66	216		12,619	13,564	10,846	25,749	29,612	25,749
	HB1TRT66240-		66	240		14,775	15,884	12,703	28,351	32,603	28,351
	HB1TRT66264-		66	264		18,205	19,571	14,261	32,311	37,158	32,311
	HB1TRT66288-		66	288		19,136	20,571	16,401	37,157	42,731	37,157
72" TOPS	HB1TRT72216-		72	216		14,322	15,397	12,413	29,375	33,780	29,375
	HB1TRT72240-		72	240		16,706	17,959	14,479	32,411	37,273	32,411
	HB1TRT72264-		72	264		19,611	21,083	16,996	36,980	42,527	36,980
	HB1TRT72288-		72	288		22,553	24,244	19,545	42,527	48,906	42,527

MODEL NUMBER + TYPE FINISH TECHNOLOGY CUTOUT

Indicate type as part of model # See page 5 (Insert option from shaded area on next page)

W = wood
L = laminate
S = solid surface
G = glass

PLEASE SPECIFY THE FOLLOWING TO ORDER:

 $\label{eq:example_order_string:} \textit{HB1TRT66216-W.NC701.GN}$

		•	66" DEPTH TOPS							72" DEPTH TOPS								
technology cut-out option	cut-out option code	description	66 x 216	66 × 240	66 × 264	66 x 288		72 x 216	72 × 240	72 x 264	72 x 288	technology model # required	quantity					
	GN	No Grommet	•	•	•	•		•	•	•	•	N/A	N/A					
	1CM	1 Centered MediaConnect Unit	•	•	•	•		•	•	•	•	HK1MC	1					
	2EM	2 Equally Spaced MediaConnect Unit	•	•	•	•		•	•	•	•	HK1MC	2					
	3EM	3 Equally Spaced MediaConnect Unit	•	•	•	•		•	•	•	•	HK1MC	3					
0 0 0	4EM	4 Equally Spaced MediaConnect Unit	•	•	•	•		•	•	•	•	HK1MC	4					

	Model	Dimensions	a o	ΜO	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
42" TOPS	HB1TAB4272-	4	42	72		3,243	3,487	2,304	5,989	6,888	5,989
	HB1TAB4284-	4	42	84		3,634	3,907	2,580	6,708	7,714	6,708
	HB1TAB4296-	4	42	96		4,070	4,374	2,890	7,512	8,639	7,512
	HB1TAB42108-	4	42	108		4,405	4,735	3,104	8,414	9,676	8,414
	HB1TAB42120-	4	42	120		4,886	5,253	3,472	9,664	11,114	9,664
48" TOPS	HB1TAB4872-		48	72		3,824	4,111	2,802	6,908	7,945	6,908
46 1013	HB1TAB4884-		48	84		4,282	4,604	3,137	7,737	8,898	7,737
	HB1TAB4896-		48	96		4,798	5,156	3,512	8,665	9,965	8,665
	HB1TAB48108-	4	48	108		5,371	5,774	3,935	9,706	11,161	9,706
	HB1TAB48120-	4	48	120		5,731	6,160	4,196	11,111	12,777	11,111
	HB1TAB48144-	4	48	144		7,377	7,931	5,403	13,707	15,764	13,707
	HB1TAB48168-	4	48	168		9,274	9,969	6,492	17,435	20,050	17,435
	HB1TAB48192-	4	48	192		11,709	12,589	8,198	21,699	24,954	21,699

PLEASE SPECIFY THE FOLLOWING TO ORDER:



 $Example\ Order\ String:\ HB1TAB4272-W.NC701.GN$

			42" DEPTH TOPS				PS 48" DEPTH TOPS											
technology cut-out option	cut-out option code	description	42×72	42 × 84	42 × 96	42 × 108	42 × 120		48×72	48 × 84	48 × 96	48 × 108	48 × 120	48 × 144	48 × 168	48 × 192	technology model # required	quantity
	GN	No Grommet	•	•	•	•	•		•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•		•	•	•	•	•	•	•	•	HK1MC	1
	2EM	2 Equally Spaced MediaConnect Unit			•	•	•				•	•	•	•	•	•	HK1MC	2
	3EM	3 Equally Spaced MediaConnect Unit					•						•	•	•	•	HK1MC	3
	4EM	4 Equally Spaced MediaConnect Unit													•	•	HK1MC	4

	Model	Dimensions	OD	MO	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
54" TOPS	HB1TAB54120-		54	120		6,022	6,475	4,024	11,403	13,113	11,403
	HB1TAB54144-		54	144		7,968	8,567	5,447	14,617	16,809	14,617
	HB1TAB54168-		54	168		9,582	10,300	6,553	18,642	21,438	18,642
	HB1TAB54192-		54	192		10,818	11,630	7,390	20,748	23,861	20,748
	HB1TAB54216-		54	216		12,076	12,982	8,237	23,191	26,670	23,191
	HB1TAB54240-		54	240		14,195	15,262	9,691	26,445	30,412	26,445
60" TOPS	HB1TAB60120-		60	120		7,618	8,190	5,333	13,153	15,126	13,153
	HB1TAB60144-		60	144		9,069	9,750	6,349	16,804	19,325	16,804
	HB1TAB60168-		60	168		10,874	11,688	7,612	21,375	24,581	21,375
	HB1TAB60192-		60	192		12,340	13,265	8,637	30,560	35,144	30,560
	HB1TAB60216-		60	216		13,879	14,920	9,714	26,621	30,614	26,621
	HB1TAB60240-		60	240		16,242	17,460	11,369	30,389	34,947	30,389
	HB1TAB60264-		60	264		19,745	21,226	13,822	34,093	39,208	34,093
	HB1TAB60288-		60	288		22,707	24,410	15,895	39,208	45,089	39,208

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
L = laminate
S = solid surface
G = glass

FINISH

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

 $Example\ Order\ String:\ HB1TAB54120-W.NC701.GN$

PLEASE SPECIFY THE FOLLOWING TO ORDER:

			54" DEPTH TOPS			60" DEPTH TOPS													
technology cut-out option	cut-out option code	description	54 × I20	54 × 144	54 × 168	54 × 192	54 x 216	54 × 240		60 × 120	60 × 144	60 × 168	60 × 192	60 x 216	60 × 240	60 × 264	60 × 288	technology model # required	quantity
	GN	No Grommet	•	•	•	•	•	•		•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•		•	•	•	•	•	•	•	•	HK1MC	1
	2EM	2 Equally Spaced MediaConnect Unit	•	•	•	•	•	•		•	•	•	•	•	•	•	•	HK1MC	2
	3EM	3 Equally Spaced MediaConnect Unit	•	•	•	•	•	•		•	•	•	•	•	•	•	•	HK1MC	3
	4EM	4 Equally Spaced MediaConnect Unit			•	•	•	•				•	•	•	•	•	•	HK1MC	4

	Model 1	Dimensions	OD	MO	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
66" TOPS	HB1TAB66216-		66	216		14,259	15,329	12,256	29,096	33,461	29,096
	HB1TAB66240-		66	240		16,697	17,949	14,354	32,036	36,842	32,036
	HB1TAB66264-		66	264		20,573	22,117	16,116	36,511	41,989	36,511
	HB1TAB66288-		66	288		21,623	23,245	18,534	41,988	48,287	41,988
72" TOPS	HB1TAB72216-		72	216		16,184	17,398	14,026	33,193	38,172	33,193
	HB1TAB72240-		72	240		18,878	20,294	16,361	36,624	42,118	36,624
	HB1TAB72264-		72	264		22,160	23,822	19,205	41,788	48,056	41,788
	HB1TAB72288-		72	288		25,483	27,395	22,085	48,056	55,264	48,056

MODEL NUMBER + TYPE FINISH TECHNOLOGY CUTOUT

Indicate type as part of model # See page 5 (Insert option from shaded area on next page)

W = wood
L = laminate

PLEASE SPECIFY THE FOLLOWING TO ORDER:

 $Example\ Order\ String:\ HB1TAB66216-W.NC701.GN$

S = solid surface
G = glass

		e	68"	DEP	тн	TOF	PS 7	'2"	DEF	тн	TOP	es I	
technology cut-out option	cut-out option code	description	66 x 216	66 x 240	66 x 264	66 × 288		72 x 216	72 × 240	72 x 264	72 × 288	technology model # required	quantity
	GN	No Grommet	•	•	•	•		•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•		•	•	•	•	HK1MC	1
	2EM	2 Equally Spaced MediaConnect Unit	•	•	•	•		•	•	•	•	HK1MC	2
	3EM	3 Equally Spaced MediaConnect Unit	•	•	•	•		•	•	•	•	HK1MC	3
	4EM	4 Equally Spaced MediaConnect Unit	•	•	•	•		•	•	•	•	HK1MC	4

Model	Dimensions OD	ΜO	List Price Vencer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
HB1TVC4260108-	42/60	108	5,681	6,107	4,756	10,152	11,675	10,152
HB1TVC4872144-	48/72	144	9,295	9,991	7,787	16,578	19,065	16,578

MODEL NUMBER + TYPE FINISH TECHNOLOGY CUTOUT

Indicate type as part of model # See page 5. (Insert option from shaded area on next page)

W = wood
L = laminate
S = solid surface
G = glass

 ${\it Example~Order~String:~HB1TVC4260108-W.NC701.GN}$


PLEASE SPECIFY THE FOLLOWING TO ORDER:

		VIDEC	ТА	BLE	TOPS	
technology cut-out option	cut-out option code	description	42 × 60 × 108	48×72×144	technology model # required	quantity
	GN	No Grommet	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	HK1MC	1
0 0	2EM	2 Equally Spaced MediaConnect Unit	•	•	HK1MC	2
0 0 0	3EM	3 Equally Spaced MediaConnect Unit		•	HK1MC	3


TECHNOLOGY	_61-72
Powered Grommet & MediaConnect Tech Units	62
Single Space AAP	66
Double Space AAP	69
Miscellaneous Accessories	71

	Model	Description	Dimensions	M O	List Price	
SOFTWIRE	HK1PG-SP	Brushed Aluminum	4 1/4	6 1/4	1,294	

• For use on wood, laminate, solid surface, and glass round tops







PLEASE SPECIFY THE FOLLOWING TO ORDER:

	Model	Description	Dimensions	M O	List Price Metal
HARDWIRE	HK1MC-AHW	Aluminum Door	11 1/4	10 1/4	1,294
	• For use on wood, lami	nate, and solid surface tops only			
SOFTWIRE	HK1MC-ASP	Aluminum Door	11 1/4	10 1/4	1,294

• For use on wood, laminate, and solid surface tops only

HARDWIRE HK1MC-GHW Satin Pewter Powder Coat Door 11 1/4 10 1/4 1,260


• For use on glass tops only

SOFTWIRE HK1MC-GSP Satin Pewter Powder Coat Door 11 1/4 10 1/4 1,260

• For use on glass tops only







PLEASE SPECIFY THE FOLLOWING TO ORDER:

	Model	Description	Dimensions OD	M O	List Price Veneer 1	Veneer 2
HARDWIRE	HKIMC-WHW	Wood Door	11 1/4	10 1/4	1,547	1,662


• For use on wood, laminate, and solid surface tops only

SOFTWIRE HK1MC-WSP Wood Door 11 1/4 10 1/4 1,547 1,662

• For use on wood, laminate, and solid surface tops only







PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

FINISH

See page 5

Example Order String: HKIMC-WHW.NC701




	Model	Description	Dimensions OD	» O	List Price Solid Surface	Solid Surface Premium
HARDWIRE	HK1MC-SHW	Solid Surface Door	11 1/4	10 1/4	1,434	1,649
	• For use on wood, lami	nate, and solid surface tops only				
SOFTWIRE	HK1MC-SSP	Solid Surface Door	11 1/4	10 1/4	1,434	1,649

• For use on wood, laminate, and solid surface tops only







PLEASE SPECIFY THE FOLLOWING TO ORDER: __

MODEL NUMBER

SOLID SURFACE COLOR

See page 5

 $Example\ Order\ String:\ HK1MC-SHW.SAW$



	Mod el	List Price
	HK17009011	43
.bb.	• Blank • Extron Part Number: 70-090-11	
	HK17010113	144
	(1) Audio(1) VGA F-FExtron Part Number: 70-101-13	
ODENTE MODO	HK17010173	171
	 Labeled (1) Audio (1) VGA F-F Extron Part Number: 70-101-73 	
	HK17010111	144
0 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	• (1) Audio F-F • Extron Part Number: 70-101-11	
	HK17041111	100
	• (1) RJ11 Phone F-F • Extron Part Number: 70-411-11	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

Example Order String: HK17009011



	Model	List Price
	HK17049111	144
ال المالية	• (2) RJ45 Data F-F	
	• Extron Part Number: 70-491-11	
	HK17049112	199
	• (2) RJ45 Data F-Punchdown for CAT6 AMP	
	• Extron Part Number: 70-491-12	
	HK17049113	199
	• (2) RJ45 Data F-Punchdown for CAT6 SIEMON	
	• Extron Part Number: 70-491-13	
41 41	HK17049114	199
45007 - 4150		
23	• (2) RJ45 Data F-Punchdown for CAT6 Otronics	
	• Extron Part Number: 70-491-14	
	HK17049115	199
California California		
6+ 6+ 6+	• (2) RJ45 Data F-Punchdown for CAT6 Leviton	
	• Extron Part Number: 70-491-15	

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

	Model	List Price
	HK17049116	199
	(a) D1/5 D . F.D. 11 . C. CATC D . L .	
	• (2) RJ45 Data F-Punchdown for CAT6 Panduit	
,	• Extron Part Number: 70-491-16	
COMPUTER IN AUGUS IN	HK17016111	286
• • • • • • • • • • • • • • • • • • •		
	• (1) Audio	
11. 1000 MMS FOR YES	• (1) VGA	
	• Extron Part Number: 70-161-11	
	HK17061602	150
e 🗀 e		
	• HDMI Plate F/F	
	• Extron Part Number: 70-616-02	
	HK17055111	204
	• One 15 pin HD female to five BNC on 8-12" S	
	• Extron Part Number: 70-551-11	
	HK17067712	150
	• One DisplayPort Female to One DisplayPort Female on 10" Pigtail	
	• Extron Part Number: 70-677-12	
	HK17045412	150
	• Two USB A Female to Two USB A Female on 10" Pigtails	
	• Extron Part Number: 70-454-12	
PLEASE SPECIFY TH	E FOLLOWING TO ORDER:	

MODEL NUMBER

Example Order String: HK17049116

List Price

132

169

393



HK17010314

• Two XLR 3-pin Female to Solder cups
• Extron Part Number: 70-103-14

HK17046411

• Two Fiber SC Female to Female Barrels
• Extron Part Number: 70-464-11



• (1) HDMI, (1) VGA, (1) Audio, (1) USB

• Female to Female on 10" Pigtails

HK170107602

• Extron Part Number: 70-1076-02


PLEASE SPECIFY THE FOLLOWING TO ORDER:



	M od el	List Price
	HK17009012	52
,ł, ,ł,	• Blank • Extron Part Number: 70-090-12	
53.53	HK17010011	133
	• (2) RJ45 Data F-F • Extron Part Number: 70-100-11	
	HK17014712	1,048
AUDO IN COMPUTER IN O COMPUTER	 Extender AAP (1) Audio (1) VGA Extron Part Number: 70-147-12 	
	HK17026701	237
Small Medium Large	 Cable Pass Through Set This is a set of Extron Part Numbers: Left Black: 70-270-01 	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

141



8 1/2

11 1/2



TRASH CAN

Credenza Trash Can Accessory

HK1TRASH

• Includes sheet metal mounting bracket

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

TABLE BASES	73-84
Intersecting Panel Base	74
Drum Base	76
Panel Base	78
Base Covers	82

24" BASE	HB1BSI24-M	42, 48		28	1,564
	10del	or use w/ op size) im ension (≫	detal



•					
32" BASE	HB1BSI32-M	54, 60	36	36	2,438



-					
42" BASE	HB1BSI42-M	66, 72	46	46	3,440



 $N \ \mbox{O} \ \mbox{T} \ \mbox{E}: \ \mbox{Intersecting Panel Base not available for use with 36" Round Table Tops}$

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

 $Example\ Order\ String:\ HB1BSI24-M$



	Model	For use w/ top size	Dimensions	Mo	List Price Veneer 1 Veneer 2
24" BASE	HB1BSI24-W	42, 48	28	28	1,647 1,771



32" BASE HB1BSI32-W 54,60 36 36 **2,566 2,758**



42" BASE HB1BSI42-W 66,72 46 46 **3,621 3,893**



 $N \ \mbox{O} \ \mbox{T} \ \mbox{E}: \ \mbox{Intersecting Panel Base not available for use with 36"} \ \mbox{Round Table Tops}$

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

FINISH

See page 5.

Example Order String: HB1BSI24-W.NC701



	Model	For use w/ top size	Dimensions OD	MO	List Price Painted
STANDARD	HK1BSD18-P	36, 42, 48	18	20	1,235
	HK1BSD24-P	54, 60	24	26	1,642
	HK1BSD36-P	66, 72	36	38	2,137

WIRE ACCESS DOOR



HK1BSDA18-P	36, 42, 48	18	20	2,190
HK1BSDA24-P	54, 60	24	26	2,684
HK1BSDA36-P	66, 72	36	38	3,180

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

PAINT COLOR

See page 5

Example Order String: HK1BSD18-P.WPML

	Model	For use w/ top size	Dimensions OD	M O	List Price Veneer 1 Veneer 2
STANDARD	HK1BSD18-W	36, 42, 48	18	20	1,374 1,477
	HK1BSD24-W	54, 60	24	26	1,824 1,962
	HK1BSD36-W	66, 72	36	38	2,375 2,553

WIRE	ACCESS	DOOR



HK1BSDA18-W	36, 42, 48	18	20	2,434 2,615
HK1BSDA24-W	54, 60	24	26	2,983 3,206
HK1BSDA36-W	66, 72	36	38	3,534 3,800

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

FINISH

See page 5

Example Order String: HK1BSD18-W.NC701



	Model	For use w/ top size	# of bases	# of covers	Dimensions OD	MO	List Price Metal
FOR 42" AND 48" TOPS	HB1BSP2472-M	42/48 X 72	2	2	28	37 7/8	2,243
-84	HB1BSP2484-M	42/48 X 84	2	2	28	49 7/8	2,511
	HB1BSP2496-M	42/48 X 96	2	2	28	61 7/8	2,813
1	HB1BSP24108-M	42/48 X 108	2	2	28	73 7/8	3,151
	HB1BSP24120-M	42/48 X 120	2	2	28	85 7/8	3,361
	HB1BSP24144-M	42/48 X 144	2	2	28	109 7/8	4,326
	HB1BSP24168-M	42/48 X 168	3	4	28	133 7/8	5,197
	HB1BSP24192-M	42/48 X 192	3	4	28	157 7/8	6,562
FOR 54" AND 60" TOPS	HB1BSP32120-M	54/60 X 120	2	2	36	85 7/8	4,269
	HB1BSP32144-M	54/60 X 144	2	2	36	109 7/8	5,083
	HB1BSP32168-M	54/60 X 168	3	4	36	133 7/8	6,095
	HB1BSP32192-M	54/60 X 192	3	4	36	157 7/8	6,916
	HB1BSP32216-M	54/60 X 216	3	4	36	181 7/8	7,780
	HB1BSP32240-M	54/60 X 240	3	4	36	205 7/8	9,103
	HB1BSP32264-M	54/60 X 264	4	6	36	229 7/8	11,067
	HB1BSP32288-M	54/60 X 288	4	6	36	253 7/8	12,727
FOR 66" AND 72" TOPS	HB1BSP42216-M	66/72 X 216	3	4	46	181 7/8	9,071
	HB1BSP42240-M	66/72 X 240	3	4	46	205 7/8	10,580
	HB1BSP42264-M	66/72 X 264	4	6	46	229 7/8	12,420
	HB1BSP42288-M	66/72 X 288	4	6	46	153 7/8	14,283

- If choosing NBM2, NBM4, or NBM6 (no base covers), covers MUST be ordered separately on page 82
- Please note how many covers are required for each model, as you MUST specify the appropriate TCM or NBM option for
 that model, for that order to be completed properly.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

PANEL BASE COVERS

For Tables with 2 Bases (72" - 144" Table Tops):

TCM2 - two thin profile satin pewter metal base covers included NBM2 - no base covers (deduct \$200 and order covers separately

on page 82)

For Tables with 3 Bases (168" - 240" Table Tops):

TCM4 - four thin profile satin pewter metal base covers included NBM4 - no base covers (deduct \$400 and order covers separately

on page 82)

For Tables with 4 Bases (264" - 288" Table Tops):

TCM6 - six thin profile satin pewter metal base covers included NBM6 - no base covers (deduct \$600 and order covers separately

on page 82)

Example Order String: HB1BSP2472-M.TCM2

	Model	For use w/ top size	# of bases	# of covers	Dimensions OD	MO	List Price Veneer 1	Veneer 2
FOR 42" AND 48" TOPS	HB1BSP2472-W	42/48 X 72	2	2	28	37 7/8	2,361	2,537
	HB1BSP2484-W	42/48 X 84	2	2	28	49 7/8	2,643	2,841
	HB1BSP2496-W	42/48 X 96	2	2	28	61 7/8	2,961	3,183
V	HB1BSP24108-W	42/48 X 108	2	2	28	73 7/8	3,316	3,565
	HB1BSP24120-W	42/48 X 120	2	2	28	85 7/8	3,538	3,803
	HB1BSP24144-W	42/48 X 144	2	2	28	109 7/8	4,555	4,896
	HB1BSP24168-W	42/48 X 168	3	4	28	133 7/8	5,472	5,882
	HB1BSP24192-W	42/48 X 192	3	4	28	157 7/8	6,908	7,426
FOR 54" AND 60" TOPS	HB1BSP32120-W	54/60 X 120	2	2	36	85 7/8	4,495	4,832
	HB1BSP32144-W	54/60 X 144	2	2	36	109 7/8	5,350	5,753
	HB1BSP32168-W	54/60 X 168	3	4	36	133 7/8	6,415	6,896
	HB1BSP32192-W	54/60 X 192	3	4	36	157 7/8	7,280	7,825
•	HB1BSP32216-W	54/60 X 216	3	4	36	181 7/8	8,189	8,802
	HB1BSP32240-W	54/60 X 240	3	4	36	205 7/8	9,582	10,300
	HB1BSP32264-W	54/60 X 264	4	6	36	229 7/8	11,649	12,523
	HB1BSP32288-W	54/60 X 288	4	6	36	253 7/8	13,396	14,401
FOR 66" AND 72" TOPS	HB1BSP42216-W	66/72 X 216	3	4	46	181 7/8	9,548	10,265
	HB1BSP42240-W	66/72 X 240	3	4	46	205 7/8	11,137	11,974
	HB1BSP42264-W	66/72 X 264	4	6	46	229 7/8	13,074	14,055
	HB1BSP42288-W	66/72 X 288	4	6	46	153 7/8	15,035	16,163


- If choosing NBW2, NBW4, or NBW6 (no base covers), covers MUST be ordered separately on page 82
- Please note how many covers are required for each model, as you MUST specify the appropriate TCW or NBW option for that model, for that order to be completed properly.

PLEASE SPECIFY THE FOLLOWING TO ORDER: _

MODEL NUMBER	FINISH	PANEL BASE COVERS	
	See page 5	For Tables with 2 Bases (72" - 144" Table Tops TCW2 - two thin profile wood base covers NBW2 - no base covers (deduct \$300 and of separately on page 82)	included TCW4 - four thin profile wood base covers included NBW4 - no base covers (deduct \$600 and order covers separately on page 82) For Tables with 4 Bases (264" - 288" Table Tops): TCW6 - six thin profile wood base covers included NBW6 - no base covers (deduct \$900 and order covers
•	•		separately on page 82)



Model	For use w/ top size	# of bases	# of covers	Dimensions OD	MO	List Price Metal	
HB1BSPV24108-M	66 X 108	2	2	28	73 7/8	3,402	
HB1BSPV32144-M	84 X 144	2	2	36	109 7/8	5,489	



• If choosing NBM2 (no base covers), covers MUST be ordered separately on page 82

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

PANEL BASE COVERS

For Tables with 2 Bases (108" - 144" Table Tops):

TCM2 - two thin profile satin pewter metal base covers included

 $\ensuremath{\text{NBM2}}$ - no base covers (deduct \$200 and order covers separately on page 82)

Example Order String: HB1BSPV24108-M.TCM2

Model	For use w/ top size	# of bases	# of covers	Dimensions OD	ΜO	List Price	Veneer 1	Veneer 2	
HB1BSPV24108-W	66 X 108	2	2	28	73 7/8		3,581	3,850	
HB1BSPV32144-W	84 X 144	2	2	36	109 7/8		5,777	6,211	



- If choosing NBW2 (no base covers), covers MUST be ordered separately on page $82\,$

PLEASE SPECIFY THE FOLLOWING TO ORDER:



	Model	Dimensions	Metal OD	Metal OW	Wood OD	MO booW	List Price	Metal	Veneer 1	Veneer 2
ı" COVER	HB1BCV1-		1	12	1	14		388	493	530
3-1/2" COVER	HB1BCV3-		3 5/8	12	3 13/16	14		562	986	1,060
7" COVER	HB1BCV7-		6 7/8	12	7	14		770	1,102	1,186

Cover Matrix for Panel Bases used on Conference Table Tops

Top Size	# of Bases	# of Covers Required
72	2	2
84	2	2
96	2	2
108	2	2
120	2	2
144	2	2
168	3	4
192	3	4
216	3	4
240	3	4
264	4	6
288	4	6

NOTES:

- A metal cover may be used on either a wood or metal base
- A wood cover may be used on either a wood or metal base

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

M = metal W = wood FINISH

See page 5

Finish option not required when choosing metal base covers

Example Order String: HB1BCV1-M

CREDENZAS	_85-91
Conference Cabinets	86
Conference Cabinets with Suspended Buffet Shelf_	88
ANCILLARY PRODUCTS	_92-94
Presentation Cabinet	92
Carts	93
Lecterns	94

	Model	Dimensions	OD	ΜO	НО	Number of Doors	List Price	Veneer 1	Vencer 2
ACRYLIC W/ OVAL PUL	∟ HB1CCL2036-WY		19 1/2	36	29 1/2	2		4,320	4,643
	HB1CCL2049-WY		19 1/2	49	29 1/2	2		5,416	5,822
0	HB1CCL2072-WY		19 1/2	72	29 1/2	3		6,690	7,192
	HB1CCL2096-WY		19 1/2	96	29 1/2	4		8,411	9,042

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

FINISH

See page 5

Example Order String: HB1CCL2036-WY.NC701

	Model	Dimensions	OD	ΜO	НО	Number of Doors	List Price	Veneer 1	Vencer 2
WOOD W/ BAR PULL	HB1CCL2036-WW		19 1/2	36	29 1/2	2		3,927	4,221
	HB1CCL2049-WW		19 1/2	49	29 1/2	2		4,924	5,293
	HB1CCL2072-WW		19 1/2	72	29 1/2	3		6,082	6,539
	HB1CCL2096-WW		19 1/2	96	29 1/2	4		7,647	8,219

PLEASE SPECIFY THE FOLLOWING TO ORDER: ___

MODEL NUMBER	FINISH	LOCKS	KEYING
Indicate type as part of model #	See page 5	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black
•	•	•	

	M o del	Dimensions	OD	ΜO	НО	List Price	Veneer 1	Veneer 2
ACRYLIC DOORS	HB1CCLS2240-WYW		21 1/2	40	34 5/8		4,968	5,340
W/OVAL PULL AND	HB1CCLS2253-WYW		21 1/2	53	34 5/8		6,229	6,696
WOOD TOP	HB1CCLS2276-WYW		21 1/2	76	34 5/8		8,029	8,630
	HB1CCLS22100-WYW		21 1/2	100	34 5/8		10,093	10,850



WOOD DOORS	HB1CCLS2240-WWW	21 1/2	40	34 5/8	4,516	4,853
W/BAR PULL AND	HB1CCLS2253-WWW	21 1/2	53	34 5/8	5,662	6,086
WOOD TOP	HB1CCLS2276-WWW	21 1/2	76	34 5/8	7,299	7,847
	HB1CCLS22100-WWW	21 1/2	100	34 5/8	9,175	9,864

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH	LOCKS	KEYING
	See page 5	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black
		•	

Example Order String: HB1CCLS2240-WYW.NC701.LY.FL

	Model	Dimensions	ОО	ΜO	НО	List Price	Veneer 1	Veneer 2
ACRYLIC DOORS	HB1CCLS2240-WYL		21 1/2	40	34 5/8		4,470	4,805
W/OVAL PULL AND	HB1CCLS2253-WYL		21 1/2	53	34 5/8		5,605	6,027
LAMINATE TOP	HB1CCLS2276-WYL		21 1/2	76	34 5/8		7,225	7,767
	HB1CCLS22100-WYL		21 1/2	100	34 5/8		9,084	9,764



WOOD DOORS
W/BAR PULL AND
LAMINATE TOP



HB1CCLS2240-WWL	21 1/2	40	34 5/8	4,064 4,368
HB1CCLS2253-WWL	21 1/2	53	34 5/8	5,096 5,479
HB1CCLS2276-WWL	21 1/2	76	34 5/8	6,569 7,061
HB1CCLS22100-WWL	21 1/2	100	34 5/8	8,259 8,878

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH	LAMINATE	LOCKS	KEYING
	See page 5	See page 5	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black
	•			

Example Order String: HB1CCLS2240-WYL.NC701.PLWH.LY.FL

5,870

6,310

7,912

10,201

12,882

6,554?

8,218? 10,593?

13,317?

	Model	Dimensions	ОО	ΜO	НО	List Price	Veneer 1	Veneer 2
ACRYLIC DOORS	HB1CCLS2240-WYS		21 1/2	40	34 1/8		6,457	6,941
W/OVAL PULL AND	HB1CCLS2253-WYS		21 1/2	53	34 1/8		8,097	8,705
SOLID SURFACE TOP	HB1CCLS2276-WYS		21 1/2	76	34 1/8		10,437	11,220
	HB1CCLS22100-WYS		21 1/2	100	34 1/8		13,121	14,105

21 1/2

40

34 1/8



• Locks not available on acrylic door models

HB1CCLS2240-WWS

WOOD DOORS
W/BAR PULL AND
SOLID SURFACE TOP

BAR PULL AND	HB1CCLS2253-WWS	21 1/2	53	34 1/8	7,360
ID SURFACE TOP	HB1CCLS2276-WWS	21 1/2	76	34 1/8	9,488
	HB1CCLS22100-WWS	21 1/2	100	34 1/8	11,927

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH See page 5	SOLID SURFACE See page 5	LOCKS LY - locks yes LN - locks no	KEYING FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black
•				

Example Order String: HB1CCLS2240-WYS.NC701.SAW.LY.FL

	Model	Dimensions	ОО	M O	но	List Price	Veneer 1	Vencer 2
ACRYLIC DOORS	HB1CCLS2240-WYG		21 1/2	40	34 7/8		6,457	6,941
W/OVAL PULL AND	HB1CCLS2253-WYG		21 1/2	53	34 7/8		8,097	8,705
GLASS TOP	HB1CCLS2276-WYG		21 1/2	76	34 7/8		10,437	11,220
	HB1CCLS22100-WYG		21 1/2	100	34 7/8		13,121	14,105




WOOD DOORS

W/BAR PULL AND
GLASS TOP



HB1CCLS2240-WWG	21 1/2	40	34 7/8	5,870	6,310	
HB1CCLS2253-WWG	21 1/2	53	34 7/8	7,360	7,912	
HB1CCLS2276-WWG	21 1/2	76	34 7/8	9,488	10,201	
HB1CCLS22100-WWG	21 1/2	100	34 7/8	11,927	12,822	

PLEASE SPECIFY THE FOLLOWING TO ORDER:



 ${\it Example~Order~String:~HB1CCLS2240-WYG.NC701.GCF.LY.FL}$

100

	Model	Dimensions	OD	MO	НО	List Price	Metal	Veneer 1	Veneer 2
PRESENTATION CABINET	HB1CPC48		5 11/16	48 1/8	48			5,011	5,387
CHART RAIL	HB1CHTR120-A		5	120 1/4	1 3/4		695		

5

1/8

1 3/4

END CAPS

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

FINISH

See page 5

HBICHTREND-A

NOTES:

Finish option only required when choosing

Presentation Cabinet

Example Order String: HB1CPC48.NC701

	Model	Dimensions	OD	MO	™ O	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium
MOBILE BUFFET CART	HB1CBC-W		22 3/16	42	36		4,866	5,230	4,379	6,325	7,274



• When specifying Veneer 2 on Case and Laminte or Solid Surface on Top, please add \$329.

MEDIA CART

HB1CMC-W

22 1/2 28 5/8 35 7/8

4,135

4,447

OPEN FRONT



NOTES:

• Media Cart is only available in Wood

MEDIA CART

HB1CMCD-W

22 1/2 28 5/8 35 7/8

4,808

5,170

WOOD DOORS



NOTES:

• Media Cart is only available in Wood

NOTE:

Laminate option only required when choosing Mobile Buffet Cart with laminate top.

Solid Surface option only required when choosing Mobile Buffet Cart with solid surface top.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE	FINISH	LAMINATE	SOLID SURFACE	LOCKS	KEYING
Indicate type as part of model #				LY - locks yes	FL - field installed locks
	See page 5	See page 5	See page 5	LN - locks no	RMS - random silver
W = wood top					RMB - random black
L = laminate top					FT100TAS-FT150TAS - factory installed silver
S = solid surface top					FT100TA-FT150TA - factory installed black
•	•	•			

 ${\it Example~Order~String:~HB1CBC-WW.NC701.LY.FL}$

 M	Di	10	ő	40	Lis	Ve	Ve
o de l	mensions	0	⊳	Ŧ	t Price	neer 1	neer 2

LECTERN W/WOOD HBILCTS-W 27 5/16 29 3/4 46 1/16 **6,574 7,067**SHROUD



LECTERN W/ALABASTER HB1LCTS-Y 27 5/16 29 3/4 46 1/16 **7,507 8,070**

WHITE SOLID SURFACE SHROUD



PLEASE SPECIFY THE FOLLOWING TO ORDER: __

MODEL NUMBER	FINISH See page 5	LY - locks yes LN - locks no	KEYING FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black	TECHNOLOGY OPTION LTY Technology Yes - Microphone, Gooseneck Light, Power/ Data Unit (+\$1,450) LTN Technology No	BASE FOOT GLD - base with glides CST - base with locking casters
•	•	•	•	•	

Example Order String: HB1LCT.NC701.LY.FL.LTY.GLD

MODEL NUMBER	WEIGHT	CUBES	PAGE	MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1BCV1-M	12 LBS.	0.7	82	HB1BSPV24108-M	181 LBS.	12.0	80
HB1BCV1-W	17 LBS.	0.9	82	HB1BSPV24108-W	158 LBS.	12.0	81
HB1BCV3-M	13 LBS.	1.3	82	HB1BSPV32144-M	261 LBS.	20.4	80
HB1BCV3-W	22 LBS.	1.5	82	HB1BSPV32144-W	214 LBS.	20.4	81
HB1BCV7-M	14 LBS.	2.0	82	HB1CBC-WL	110 LBS.	25.5	93
HB1BCV7-W	25 LBS.	2.2	82	HB1CBC-WS	145 LBS.	25.1	93
HB1BSI24-M	124 LBS.	17.4	74	HB1CBC-WW	110 LBS.	25.5	93
HB1BSI24-W	95 LBS.	17.4	75	HB1CCL2036-WW	131 LBS.	16.5	87
HB1BSI32-M	144 LBS.	27.5	74	HB1CCL2036-WY	131 LBS.	16.5	86
HB1BSI32-W	105 LBS.	27.5	75	HB1CCL2049-WW	168 LBS.	22.0	87
HB1BSI42-M	172 LBS.	43.4	74	HB1CCL2049-WY	168 LBS.	22.0	86
HB1BSI42-W	115 LBS.	43.4	75	HB1CCL2072-WW	131 LBS.	31.7	87
HB1BSP24108-M	181 LBS.	12.0	78	HB1CCL2072-WY	131 LBS.	31.7	86
HB1BSP24108-W	158 LBS.	12.0	79	HB1CCL2096-WW	289 LBS.	41.9	87
HB1BSP24120-M	189 LBS.	12.7	78	HB1CCL2096-WY	289 LBS.	41.9	86
HB1BSP24120-W	168 LBS.	12.7	79	HB1CCLS22100-WWG	391 LBS.	54.2	91
HB1BSP24144-M	197 LBS.	14.1	78	HB1CCLS22100-WWL	338 LBS.	54.9	89
HB1BSP24144-W	188 LBS.	14.1	79	HB1CCLS22100-WWS	346 LBS.	55.3	90
HB1BSP24168-M	285 LBS.	15.8	78	HB1CCLS22100-WWW	338 LBS.	54.9	88
HB1BSP24168-W	254 LBS.	15.8	79	HB1CCLS22100-WYG	391 LBS.	54.2	91
HB1BSP24192-M	301 LBS.	16.5	78	HB1CCLS22100-WYL	338 LBS.	54.9	89
HB1BSP24192-W	275 LBS.	16.5	79	HB1CCLS22100-WYS	346 LBS.	55.3	90
HB1BSP2472-M	157 LBS.	10.0	78	HB1CCLS22100-WYW	338 LBS.	54.9	88
HB1BSP2472-W	128 LBS.	10.0	79	HB1CCLS2240-WWG	192 LBS.	22.6	91
HB1BSP2484-M	165 LBS.	10.6	78	HB1CCLS2240-WWL	172 LBS.	22.9	89
HB1BSP2484-W	138 LBS.	10.6	79	HB1CCLS2240-WWS	174 LBS.	23.1	90
HB1BSP2496-M	173 LBS.	11.3	78	HB1CCLS2240-WWW	172 LBS.	22.9	88
HB1BSP2496-W	148 LBS.	11.3	79	HB1CCLS2240-WYG	192 LBS.	22.6	91
HB1BSP32120-M	241 LBS.	18.0	78	HB1CCLS2240-WYL	172 LBS.	22.9	89
HB1BSP32120-W	189 LBS.	18.0	79	HB1CCLS2240-WYS	174 LBS.	23.1	90
HB1BSP32144-M	261 LBS.	20.4	78	HB1CCLS2240-WYW	172 LBS.	22.9	88
HB1BSP32144-W	214 LBS.	20.4	79	HB1CCLS2253-WWG	237 LBS.	29.5	91
HB1BSP32168-M	361 LBS.	20.9	78	HB1CCLS2253-WWL	209 LBS.	29.9	89
HB1BSP32168-W	286 LBS.	20.9	79	HB1CCLS2253-WWS	214 LBS.	30.1	90
HB1BSP32192-M	384 LBS.	22.1	78	HB1CCLS2253-WWW	209 LBS.	29.9	88
HB1BSP32192-W	311 LBS.	22.1	79	HB1CCLS2253-WYG	237 LBS.	29.5	91
HB1BSP32216-M	404 LBS.	23.3	78	HB1CCLS2253-WYL	209 LBS.	29.9	89
HB1BSP32216-W	336 LBS.	23.3	79	HB1CCLS2253-WYS	214 LBS.	30.1	90
HB1BSP32240-M	224 LBS.	24.4	78	HB1CCLS2253-WYW	209 LBS.	29.9	88
HB1BSP32240-W	360 LBS.	24.4	79	HB1CCLS2276-WWG	315 LBS.	41.6	91
HB1BSP32264-M	526 LBS.	27.4	78	HB1CCLS2276-WWL	275 LBS.	42.1	89
HB1BSP32264-W	432 LBS.	27.4	79	HB1CCLS2276-WWS	271 LBS.	42.4	90
HB1BSP32288-M	546 LBS.	28.2	78	HB1CCLS2276-WWW	275 LBS.	42.1	88
HB1BSP32288-W	456 LBS.	28.2	79	HB1CCLS2276-WYG	315 LBS.	41.6	91
HB1BSP42216-M	514 LBS.	30.5	78	HB1CCLS2276-WYL	275 LBS.	42.1	89
HB1BSP42216-W	391 LBS.	30.5	79	HB1CCLS2276-WYS	271 LBS.	42.4	90
HB1BSP42240-M	536 LBS.	32.1	78	HB1CCLS2276-WYW	275 LBS.	42.1	88
HB1BSP42240-W	419 LBS.	32.1	79	HB1CHTR120-A	28 LBS.	2.7	92
HB1BSP42264-M	671 LBS.	35.1	78	HB1CHTREND-A	11 LBS.	0.1	92
HB1BSP42264-W	504 LBS.	35.1	79	HB1CMCD-W	108 LBS.	18.1	93
HB1BSP42288-M	695 LBS.	36.2	78	HB1CMC-W	93 LBS.	18.1	93
HB1BSP42288-W	532 LBS.	36.2	79	HB1CPC48	167 LBS.	13.1	92
	<i>)52</i> ED0.	50.2		110101010	10/ LD0.	1.J.1	

MODEL NUMBER	WEIGHT	CUBES	PAGE	MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1LCT	116 LBS.	21.2	94	HB1TAB4896-L	125 LBS.	11.7	52
HB1LCTS-W	168 LBS.	28.2	94	HB1TAB4896-S	257 LBS.	11.7	52
HB1LCTS-Y	187 LBS.	28.2	94	HB1TAB4896-W	125 LBS.	11.7	52
HB1TAB42108-G	337 LBS.	11.6	52	HB1TAB54120-G	463 LBS.	16.2	54
HB1TAB42108-L	123 LBS.	11.6	52	HB1TAB54120-L	171 LBS.	16.2	54
HB1TAB42108-S	253 LBS.	11.6	52	HB1TAB54120-S	342 LBS.	16.2	54
HB1TAB42108-W	123 LBS.	11.6	52	HB1TAB54120-W	171 LBS.	16.2	54
HB1TAB42120-G	369 LBS.	12.8	52	HB1TAB54144-G	546 LBS.	19.4	54
HB1TAB42120-L	135 LBS.	12.8	52	HB1TAB54144-L	203 LBS.	19.4	54
HB1TAB42120-S	276 LBS.	12.8	52	HB1TAB54144-S	401 LBS.	19.4	54
HB1TAB42120-W	135 LBS.	12.8	52	HB1TAB54144-W	203 LBS.	19.4	54
HB1TAB4272-G	241 LBS.	7.8	52	HB1TAB54168-G	629 LBS.	22.6	54
HB1TAB4272-L	85 LBS.	7.8	52	HB1TAB54168-L	235 LBS.	22.6	54
HB1TAB4272-S	185 LBS.	7.8	52	HB1TAB54168-S	459 LBS.	22.6	54
HB1TAB4272-W	85 LBS.	7.8	52	HB1TAB54168-W	235 LBS.	22.6	54
HB1TAB4284-G	273 LBS.	9.1	52	HB1TAB54192-G	712 LBS.	25.7	54
HB1TAB4284-L	98 LBS.	9.1	52	HB1TAB54192-L	268 LBS.	25.7	54
HB1TAB4284-S	207 LBS.	9.1	52	HB1TAB54192-S	518 LBS.	25.7	54
HB1TAB4284-W	98 LBS.	9.1	52	HB1TAB54192-W	268 LBS.	25.7	54
HB1TAB4296-G	305 LBS.	10.3	52	HB1TAB54216-G	796 LBS.	28.9	54
HB1TAB4296-L	110 LBS.	10.3	52	HB1TAB54216-L	300 LBS.	28.9	54
HB1TAB4296-S	230 LBS.	10.3	52	HB1TAB54216-S	577 LBS.	28.9	54
HB1TAB4296-W	110 LBS.	10.3	52	HB1TAB54216-W	300 LBS.	28.9	54
HB1TAB48108-G	379 LBS.	13.1	52	HB1TAB54240-G	879 LBS.	32.1	54
HB1TAB48108-L	139 LBS.	13.1	52	HB1TAB54240-L	332 LBS.	32.1	54
HB1TAB48108-S	283 LBS.	13.1	52	HB1TAB54240-S	636 LBS.	32.1	54
HB1TAB48108-W	139 LBS.	13.1	52	HB1TAB54240-W	332 LBS.	32.1	54
HB1TAB48120-G	416 LBS.	14.5	52	HB1TAB60120-G	510 LBS.	17.9	54
HB1TAB48120-L	153 LBS.	14.5	52	HB1TAB60120-L	189 LBS.	17.9	54
HB1TAB48120-S	309 LBS.	14.5	52	HB1TAB60120-S	375 LBS.	17.9	54
HB1TAB48120-W	153 LBS.	14.5	52	HB1TAB60120-W	189 LBS.	17.9	54
HB1TAB48144-G	490 LBS.	17.4	52	HB1TAB60144-G	602 LBS.	21.4	54
HB1TAB48144-L	182 LBS.	17.4	52	HB1TAB60144-L	225 LBS.	21.4	54
HB1TAB48144-S	361 LBS.	17.4	52	HB1TAB60144-S	440 LBS.	21.4	54
HB1TAB48144-W	182 LBS.	17.4	52	HB1TAB60144-W	225 LBS.	21.4	54
HB1TAB48168-G	564 LBS.	20.2	52	HB1TAB60168-G	695 LBS.	24.9	54
HB1TAB48168-L	210 LBS.	20.2	52	HB1TAB60168-L	261 LBS.	24.9	54
HB1TAB48168-S	413 LBS.	20.2	52	HB1TAB60168-S	405 LBS.	24.9	54
HB1TAB48168-W	210 LBS.	20.2	52	HB1TAB60168-W	261 LBS.	24.9	54
HB1TAB48192-G	638 LBS.	23.0	52	HB1TAB60192-G	787 LBS.	28.4	54
HB1TAB48192-L	239 LBS.	23.0	52	HB1TAB60192-L	296 LBS.	28.4	54
HB1TAB48192-S	465 LBS.	23.0	52	HB1TAB60192-S	571 LBS.	28.4	54
HB1TAB48192-W	239 LBS.	23.0	52	HB1TAB60192-W	296 LBS.	28.4	54
HB1TAB4872-G	269 LBS.	8.9	52	HB1TAB60216-G	880 LBS.	31.9	54
HB1TAB4872-L	96 LBS.	8.9	52	HB1TAB60216-L	332 LBS.	31.9	54
HB1TAB4872-S	204 LBS.	8.9	52	HB1TAB60216-S	637 LBS.	31.9	54
HB1TAB4872-W	96 LBS.	8.9	52	HB1TAB60216-W	332 LBS.	31.9	54
HB1TAB4884-G	305 LBS.	10.3	52	HB1TAB60240-G	973 LBS.	35.4	54
HB1TAB4884-L	110 LBS.	10.3	52	HB1TAB60240-L	368 LBS.	35.4	54
HB1TAB4884-S	231 LBS.	10.3	52	HB1TAB60240-S	702 LBS.	35.4	54
HB1TAB4884-W	110 LBS.	10.3	52	HB1TAB60240-W	368 LBS.	35.4	54
HB1TAB4896-G	342 LBS.	11.7	52	HB1TAB60264-G	1065 LBS.	38.9	54

MODEL NUMBER	WEIGHT	CUBES	PAGE	MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1TAB60264-L	404 LBS.	38.9	54	HB1TRD54-S	184 LBS.	7.5	44
HB1TAB60264-S	767 LBS.	38.9	54	HB1TRD54-W	73 LBS.	7.5	44
HB1TAB60264-W	404 LBS.	38.9	54	HB1TRD60-G	253 LBS.	9.2	44
HB1TAB60288-G	1158 LBS.	42.4	54	HB1TRD60-L	88 LBS.	9.2	44
HB1TAB60288-L	439 LBS.	42.4	54	HB1TRD60-S	215 LBS.	9.2	44
HB1TAB60288-S	833 LBS.	42.4	54	HB1TRD60-W	88 LBS.	9.2	44
HB1TAB60288-W	439 LBS.	42.4	54	HB1TRD66-G	295 LBS.	11.0	44
HB1TAB66216-G	964 LBS.	35.0	56	HB1TRD66-L	104 LBS.	11.0	44
HB1TAB66216-L	364 LBS.	35.0	56	HB1TRD66-S	249 LBS.	11.0	44
HB1TAB66216-S	696 LBS.	35.0	56	HB1TRD66-W	104 LBS.	11.0	44
HB1TAB66216-W	364 LBS.	35.0	56	HB1TRD72-G	340 LBS.	13.0	44
HB1TAB66240-G	1066 LBS.	38.8	56	HB1TRD72-L	122 LBS.	13.0	44
HB1TAB66240-L	404 LBS.	38.8	56	HB1TRD72-S	286 LBS.	13.0	44
HB1TAB66240-S	768 LBS.	38.8	56	HB1TRD72-W	122 LBS.	13.0	44
HB1TAB66240-W	404 LBS.	38.8	56	HB1TRT42108-G	369 LBS.	11.6	46
HB1TAB66264-G	1168 LBS.	42.6	56	HB1TRT42108-L	135 LBS.	11.6	46
HB1TAB66264-L	443 LBS.	42.6	56	HB1TRT42108-S	276 LBS.	11.6	46
HB1TAB66264-S	840 LBS.	42.6	56	HB1TRT42108-W	135 LBS.	11.6	46
HB1TAB66264-W	443 LBS.	42.6	56	HB1TRT42120-G	405 LBS.	12.8	46
HB1TAB66288-G	1270 LBS.	46.5	56	HB1TRT42120-L	149 LBS.	12.8	46
HB1TAB66288-L	482 LBS.	46.5	56	HB1TRT42120-S	301 LBS.	12.8	46
HB1TAB66288-S	912 LBS.	46.5	56	HB1TRT42120-W	149 LBS.	12.8	46
HB1TAB66288-W	482 LBS.	46.5	56	HB1TRT4272-G	262 LBS.	7.8	46
HB1TAB72216-G	1049 LBS.	38.0	56	HB1TRT4272-L	94 LBS.	7.8	46
HB1TAB72216-L	397 LBS.	38.0	56	HB1TRT4272-S	200 LBS.	7.8	46
HB1TAB72216-S	756 LBS.	38.0	56	HB1TRT4272-W	94 LBS.	7.8	46
HB1TAB72216-W	397 LBS.	38.0	56	HB1TRT4284-G	298 LBS.	9.1	46
HB1TAB72240-G	1160 LBS.	42.2	56	HB1TRT4284-L	107 LBS.	9.1	46
HB1TAB72240-L	439 LBS.	42.2	56	HB1TRT4284-S	225 LBS.	9.1	46
HB1TAB72240-S	834 LBS.	42.2	56	HB1TRT4284-W	107 LBS.	9.1	46
HB1TAB72240-W	439 LBS.	42.2	56	HB1TRT4296-G	333 LBS.	10.3	46
HB1TAB72264-G	1272 LBS.	46.4	56	HB1TRT4296-L	121 LBS.	10.3	46
HB1TAB72264-L	482 LBS.	46.4	56	HB1TRT4296-S	250 LBS.	10.3	46
HB1TAB72264-S	913 LBS.	46.4	56	HB1TRT4296-W	121 LBS.	10.3	46
HB1TAB72264-W	482 LBS.	46.4	56	HB1TRT48108-G	416 LBS.	13.1	46
HB1TAB72288-G	1383 LBS.	50.5	56	HB1TRT48108-L	153 LBS.	13.1	46
HB1TAB72288-L	525 LBS.	50.5	56	HB1TRT48108-S	308 LBS.	13.1	46
HB1TAB72288-S	992 LBS.	50.5	56	HB1TRT48108-W	153 LBS.	13.1	46
HB1TAB72288-W	525 LBS.	50.5	56	HB1TRT48120-G	457 LBS.	14.5	46
HB1TRD36-G	127 LBS.	3.5	44	HB1TRT48120-L	169 LBS.	14.5	46
HB1TRD36-L	38 LBS.	3.5	44	HB1TRT48120-S	337 LBS.	14.5	46
HB1TRD36-S	113 LBS.	3.5	44	HB1TRT48120-W	169 LBS.	14.5	46
HB1TRD36-W	38 LBS.	3.5	44	HB1TRT48144-G	539 LBS.	17.4	46
HB1TRD42-G	152 LBS.	4.7	44	HB1TRT48144-G	201 LBS.	17.4	46
HB1TRD42-L	48 LBS.	4.7	44	HB1TRT48144-S	395 LBS.	17.4	46
HB1TRD42-S	133 LBS.	4.7	44	HB1TRT48144-W	201 LBS.	17.4	46
HB1TRD42-W	48 LBS.	4.7	44	HB1TRT48168-G	621 LBS.	20.2	46
HB1TRD48-G	181 LBS.	6.0	44	HB1TRT48168-L	233 LBS.	20.2	46
HB1TRD48-L	60 LBS.	6.0	44	HB1TRT48168-S	453 LBS.	20.2	46
HB1TRD48-S	157 LBS.	6.0	44	HB1TRT48168-W	233 LBS.	20.2	46
HB1TRD48-W	60 LBS.	6.0	44	HB1TRT48192-G	703 LBS.	23.0	46
HB1TRD54-G	215 LBS.	7.5	44	HB1TRT48192-L	264 LBS.	23.0	46
HB1TRD54-L	73 LBS.	7.5	44	HB1TRT48192-S	511 LBS.	23.0	46

MODEL NUMBER	WEIGHT	CUBES	PAGE	MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1TRT48192-W	264 LBS.	23.0	46	HB1TRT60216-G	972 LBS.	31.9	48
HB1TRT4872-G	293 LBS.	8.9	46	HB1TRT60216-L	368 LBS.	31.9	48
HB1TRT4872-L	105 LBS.	8.9	46	HB1TRT60216-S	702 LBS.	31.9	48
HB1TRT4872-S	222 LBS.	8.9	46	HB1TRT60216-W	368 LBS.	31.9	48
HB1TRT4872-W	105 LBS.	8.9	46	HB1TRT60240-G	1075 LBS.	35.4	48
HB1TRT4884-G	334 LBS.	10.3	46	HB1TRT60240-L	408 LBS.	35.4	48
HB1TRT4884-L	121 LBS.	10.3	46	HB1TRT60240-S	774 LBS.	35.4	48
HB1TRT4884-S	251 LBS.	10.3	46	HB1TRT60240-W	408 LBS.	35.4	48
HB1TRT4884-W	121 LBS.	10.3	46	HB1TRT60264-G	1178 LBS.	38.9	48
HB1TRT4896-G	375 LBS.	11.7	46	HB1TRT60264-L	447 LBS.	38.9	48
HB1TRT4896-L	137 LBS.	11.7	46	HB1TRT60264-S	847 LBS.	38.9	48
HB1TRT4896-S	280 LBS.	11.7	46	HB1TRT60264-W	447 LBS.	38.9	48
HB1TRT4896-W	137 LBS.	11.7	46	HB1TRT60288-G	1281 LBS.	42.4	48
HB1TRT54120-G	509 LBS.	16.2	48	HB1TRT60288-L	487 LBS.	42.4	48
HB1TRT54120-L	189 LBS.	16.2	48	HB1TRT60288-S	920 LBS.	42.4	48
HB1TRT54120-S	374 LBS.	16.2	48	HB1TRT60288-W	487 LBS.	42.4	48
HB1TRT54120-W	189 LBS.	16.2	48	HB1TRT66216-G	1066 LBS.	35.0	50
HB1TRT54144-G	601 LBS.	19.4	48	HB1TRT66216-L	404 LBS.	35.0	50
HB1TRT54144-L	225 LBS.	19.4	48	HB1TRT66216-S	768 LBS.	35.0	50
HB1TRT54144-S	439 LBS.	19.4	48	HB1TRT66216-W	404 LBS.	35.0	50
HB1TRT54144-W	225 LBS.	19.4	48	HB1TRT66240-G	1179 LBS.	38.8	50
HB1TRT54168-G	694 LBS.	22.6	48	HB1TRT66240-L	447 LBS.	38.8	50
HB1TRT54168-L	261 LBS.	22.6	48	HB1TRT66240-S	848 LBS.	38.8	50
HB1TRT54168-S	505 LBS.	22.6	48	HB1TRT66240-W	447 LBS.	38.8	50
HB1TRT54168-W	261 LBS.	22.6	48	HB1TRT66264-G	1293 LBS.	42.6	50
HB1TRT54192-G	786 LBS.	25.7	48	HB1TRT66264-L	491 LBS.	42.6	50
HB1TRT54192-L	296 LBS.	25.7	48	HB1TRT66264-S	928 LBS.	42.6	50
HB1TRT54192-S	570 LBS.	25.7	48	HB1TRT66264-W	491 LBS.	42.6	50
HB1TRT54192-W	296 LBS.	25.7	48	HB1TRT66288-G	1406 LBS.	46.5	50
HB1TRT54216-G	879 LBS.	28.9	48	HB1TRT66288-L	535 LBS.	46.5	50
HB1TRT54216-L	332 LBS.	28.9	48	HB1TRT66288-S	1008 LBS.	46.5	50
HB1TRT54216-S	635 LBS.	28.9	48	HB1TRT66288-W	535 LBS.	46.5	50
HB1TRT54216-W	332 LBS.	28.9	48	HB1TRT72216-G	1160 LBS.	38.0	50
HB1TRT54240-G	971 LBS.	32.1	48	HB1TRT72216-L	439 LBS.	38.0	50
HB1TRT54240-G	368 LBS.	32.1	48	HB1TRT72216-S	834 LBS.	38.0	50
HB1TRT54240-S	701 LBS.	32.1	48	HB1TRT72216-W	439 LBS.		50
HB1TRT54240-W	368 LBS.	32.1	48	HB1TRT72240-G	1283 LBS.	38.0 42.2	50
HB1TRT60120-G	561 LBS.	17.9	48	HB1TRT72240-G	487 LBS.	42.2	50
					<u> </u>		
HB1TRT60120-L	209 LBS.	17.9	48	HB1TRT72240-S	922 LBS.	42.2	50
HB1TRT60120-S HB1TRT60120-W	411 LBS.	17.9	48	HB1TRT72240-W	487 LBS.	42.2	50
	209 LBS.	17.9	48	HB1TRT72264-G	1407 LBS.	46.4	50
HB1TRT60144-G	663 LBS.	21.4	48	HB1TRT72264-L	535 LBS.	46.4	50
HB1TRT60144-L	249 LBS.	21.4	48	HB1TRT72264-S	1009 LBS.	46.4	50
HB1TRT60144-S	484 LBS.	21.4	48	HB1TRT72264-W	535 LBS.	46.4	50
HB1TRT60144-W	249 LBS.	21.4	48	HB1TRT72288-G	1531 LBS.	50.5	50
HB1TRT60168-G	766 LBS.	24.9	48	HB1TRT72288-L	583 LBS.	50.5	50
HB1TRT60168-L	288 LBS.	24.9	48	HB1TRT72288-S	1097 LBS.	50.5	50
HB1TRT60168-S	556 LBS.	24.9	48	HB1TRT72288-W	583 LBS.	50.5	50
HB1TRT60168-W	288 LBS.	24.9	48	HB1TVC4260108-G	382 LBS.	16.2	58
HB1TRT60192-G	869 LBS.	28.4	48	HB1TVC4260108-L	165 LBS.	16.2	58
HB1TRT60192-L	328 LBS.	28.4	48	HB1TVC4260108-S	307 LBS.	16.2	58
HB1TRT60192-S	629 LBS.	28.4	48	HB1TVC4260108-W	165 LBS.	16.2	58
HB1TRT60192-W	328 LBS.	28.4	48	HB1TVC4872144-G	591 LBS.	25.5	58

LOGICMEET TABLE SERIES

MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1TVC4872144-L	258 LBS.	25.5	58
HB1TVC4872144-S	470 LBS.	25.5	58
HB1TVC4872144-W	258 LBS.	25.5	58
HK17009011	1 LBS.	0.1	66
HK17009012	1 LBS.	0.1	70
HK17010011	1 LBS.	0.1	70
HK17010111	1 LBS.	0.1	66
HK17010113	1 LBS.	0.1	66
HK17010173	1 LBS.	0.1	66
HK17010314	1 LBS.	0.1	69
HK170107602	1 LBS.	0.1	69
HK17014712	1 LBS.	0.1	70
HK17016111	1 LBS.	0.1	68
HK17026701	1 LBS.	0.1	70
HK17041111	1 LBS.	0.1	66
HK17045412	1 LBS.	0.1	68
HK17046411	1 LBS.	0.1	69
HK17049111	1 LBS.	0.1	67
HK17049112	1 LBS.	0.1	67
HK17049113	1 LBS.	0.1	67
HK17049114	1 LBS.	0.1	67
HK17049115	1 LBS.	0.1	67
HK17049116	1 LBS.	0.1	68
HK17055111	1 LBS.	0.1	68
HK17061602	1 LBS.	0.1	68
HK17067712	1 LBS.	0.1	68
HK1BSD18-P	220 LBS.	8.7	76
HK1BSD18-W	220 LBS.	8.7	77
HK1BSD24-P	230 LBS.	14.2	76
HK1BSD24-W	230 LBS.	14.2	
HK1BSD36-P	265 LBS.	28.9	77 76
HK1BSD36-W	265 LBS.		
		28.9	77
HK1BSDA18-P	220 LBS.	8.7	76
HK1BSDA18-W	220 LBS.	8.7	77
HK1BSDA24-P	230 LBS.	14.2	76
HK1BSDA24-W	230 LBS.	14.2	77
HK1BSDA36-P	265 LBS.	28.9	76
HK1BSDA36-W	265 LBS.	28.9	77
HK1MC-AHW	12 LBS.	1.1	63
HK1MC-ASP	12 LBS.	1.1	63
HK1MC-GHW	12 LBS.	1.1	63
HK1MC-GSP	12 LBS.	1.1	63
HK1MC-SHW	12 LBS.	1.1	65
HK1MC-SSP	12 LBS.	1.1	65
HK1MC-WHW	12 LBS.	1.1	64
HK1MC-WSP	12 LBS.	1.1	64
HK1PG-SP	7 LBS.	0.3	62
HK1PWRKT12	8 LBS.	5.0	71
HK1PWRKT6	5 LBS.	5.0	71
HK1TRASH	5 LBS.	1.4	71