M O D S E A T I N G
LIST PRICES EFFECTIVE
J U L Y 1 , 2 0 1 8

M O D S E A T I N G



MOD Lounge Collection

Designer: Henrik Schulz

Product Overview

HBF Lounge Seating

The MOD Lounge Collection by Henrik Schulz embodies a humanistic approach towards the workplace, crafting a piece that looks and feels at home in a range of public and private spaces. With a modular sensibility, MOD allows for a variety of customizable seating arrangements while optimizing productivity and comfort. MOD's thoughtfully designed foam cushioning and wide layout make it ideal for both collaborative and individual work. Cushions are constructed of multi-layered density foam with a down top for comfort. Ideal for relaxtion or active productivity "beyond the desk".



Two upholstery placement areas allow for individually specified upholstery choices: Cushion Upholstery and Outer Upholstery.

MOD legs come standard in powder coated finishes. Plated metal finishes are available for an upcharge.

Breadth of Line: Lounge Chair with/without Arms Two Seat Settee with/without Arms Three Seat Sofa with/without Arms

One Seat Bench Two Seat Bench Three Seat Bench All MOD units come standard without power. Power modules can be added to each unit for an upcharge. More than one module specified per unit can be daisy chained as a special.

Ottoman (Ships with Leg Kit 1)

Modular Corner Unit (Ships with Leg Kit 2) Modular Chair Left Facing Arm (Ships with Leg Kit 1) Modular Chair Right Facing Arm (Ships with Leg Kit 1)

Modular Chair without Arms (Ships with Leg Kit 1)

Modular Leg Kit 1 Contents: (4) Outside Corner Brackets (2) Connector Brackets

(4) Legs

(16) 1/4" - 20 Bolts (16) 1/4" - Flat Washers Modular Leg Kit 2 Contents:

(4) Outside Corner Brackets

(2) Connector Brackets

(1) Inside Corner Bracket

(4) Legs

(18) 1/4" - 20 Bolts

(18) 1/4" - Flat Washers

- Modular pieces ship with leg kits that include corner brackets and connector brackets for placement in any configuration. Additional kits may be purchased.
- Modular Corner Units have two unfinished edges. Modular Chairs with Left Facing Arms and Right Facing Arms have one unfinished edge.

Specification Overview

Collection Details	Sofa Settee Lounge Chair Ottoman Benches
	Modular Lounge Chair Corner Unit Ottoman
Upholstery	Dual upholstery placement areas
Metal	Black Powder Coat White Powder Coat Grey Powder Coat Polished Chrome Satin Chrome
	Antique Bronze Antique Brass
Power	Black Powder Coat
	Module "Salt": (1) double USB
	Module "Pepper": (1) single power receptacle



Coverings

All upholstered items may be ordered using HBF Textiles, HBF Leathers, or coverings provided by the customer. Prices listed as COM refer to Customer's Own Material. Prices listed as COL refer to Customer's Own Leather. Prices listed as GRADE refer to HBF Textiles and/or HBF Leather.

Yardage requirements shown in the price list are based on non-directional 54" wide material. The following conversion chart should be used to determine yardage requirements when COM is 54" wide or less and/or has a repeat of 2" or more. Add together the vertical and horizontal repeat to determine which column should be used as a reference.

Fabric Width	Plain Fabric	2"-10" Repeat	11"-20" Repeat	21"-25" Repeat		31"-35" Repeat	36"-40" Repeat	41"-45" Repeat
54"	. + 0%	+10%	+15%	. +20%	.+25%	+30%	+35%	. +40%
51"-53"	15%	20%	25%	30%	35%	40%	45%	50%
48"-50"	30%	35%	40%	45%	50%	55%	60%	65%
45"-47"	45%	50%	55%	60%	65%	70%	75%	80%
36"-44"	60%	65%	70%	75%	80%	85%	90%	95%

To determine the possibility of reduced yardage requirements for orders of thirty (30) or more units, please contact The HBF Client Experience Team. HBF reserves the right to request additional yardage of COM/COL at customer expense based on repeat and/or pattern size, and number of rolls.

All COM/COL's must be approved for application before the purchase order is submitted to HBF. Please contact The HBF Client Experience Team at hbfservice@hbf.com to verify that your COM/COL fabric has been approved. If it has not, please request COM/COL approval testing via www.hbf.com under COM/COL Request. Failure to submit a COM/COL for testing may result in additional expenses or rejection of COM/COL. For any repeat and/or pattern size not listed, please contact The HBF Client Experience Team for a yardage requirement quotation.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM/COL materials. All responsibility for COM/COL shipments is between the purchaser and the textile source. HBF reserves the right to reject any COM or COL. HBF assumes no responsibility for suitability or wearability of COM/COL. Difficult COM/COL may be subject to additional charge if additional labor costs are incurred. HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations. Orders specifying COM/COL will not be scheduled for production until all approved COM(s)/COL(s) are received by HBF. To ensure proper COM/COL expediting, please tag fabric/leather roll(s) with the following information: 1. Purchasing dealer name and purchase order number 2. HBF acknowledgement number, if available 3. Other pertinent information which will enable proper COM/COL identification.

When sending COL for use on one of our upholstered pieces, please send eighteen (18) square feet of leather for each yard of 54" plain fabric required for that item.

Coverings (Continued)

COM/COL ORDERING REQUIREMENTS:

Prior to acceptance of order specifying COM/COL, a memo sample must be submitted to HBF for determination of suitability. All COM's and COL's must be rolled separately, on individual tubes. Multiple fabrics rolled on the same tube will not be accepted.

For ease of expediting your COM/COL order, we require the following information:

1. Fabric description

Shipping Address: HBF

2. Fabric source

900 12th Street Drive NW

3. Order line, product name or number

Hickory, NC 28601-4763

4. Fabric color

5. A swatch of the covering

6. Special application instructions, if any

If COM/COL is of a type requiring choices of seam placement, face side, position of design or repeat; these instructions must be clearly stated on the original order.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile source.

HBF reserves the right to reject any COM or COL. HBF assumes no responsibility for suitability or wearability of COM/COL. Difficult COM/COL may be subject to additional charge if additional labor costs are incurred.

HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations.

Orders specifying COM/COL will not be scheduled for production until all approved COM/COL is received by HBF.

To ensure proper COM/COL expediting, please tag fabric/leather with the following information:

- 1. Purchasing dealer name and purchase order number
- 2. HBF acknowledgement number, if available
- 3. Other pertinent information which will enable proper COM/COL identification

Standard Vertical Application

The standard application of fabrics with stripes, vines or floral patterns is vertical. When specifying upholstery fabrics with any of these designs, the application direction must be noted on all purchase orders and a sketch indicating the direction of application must accompany the purchase order.



Combination of Upholstery Applications

All seating ordered with combination of upholstery applications (fabric, leather) is subject to a \$103 List Upholstery upcharge and will be entered and processed as a special model, in addition to the following pricing conditions:

- 1. Combinations using HBF Textiles and COM will be priced at the COM price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.
- 2. Combinations using HBF Textiles and HBF Leathers, or COM and HBF Leathers, will be priced at the appropriate Leather I-V price.
- Combinations using HBF Textiles and COL, two COL's, or COM and COL, will be priced at the COL
 price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the
 furniture order.
- 4. Combinations using two HBF Textiles will be invoiced at higher grade price.
- When specifying combination of upholstery applications, a sketch indicating placement of textiles and direction of applications must accompany the purchase order.

Special Code Compliance

California #117-2013

Unless otherwise specified, foam used in all HBF seating products complies with these guidelines.

California #133

Following are the Net upcharges and minimum unit requirements for special construction to comply with these guidelines.

Guest Chairs \$113 Net per unit (minimum of two units)
Swivel/Tilt Chairs \$167 Net per unit (minimum of two units)

Lounge Chairs\$233 Net per unitOttomans\$113 Net per unitLoveseats\$303 Net per unitSofas\$352 Net per unit

Bench Seating \$167 Net per unit (regardless of size)

HBF can not be held liable if original purchase order does not indicate a requirement for California #133 compliance.

Boston Fire Code

New York Port Authority

Please contact HBF Customer Service if compliance is required for these special codes.

ANSI/BIFMA e3-2012 Furniture Sustainability Standard level®

HBF's production facilities, organizational policies and component materials of the products themselves have met all of the necessary qualifications to comply with the industry's most comprehensive furniture sustainability standard.

level® is the multi-attribute, sustainability standard and third-party certification program for the furniture industry. It has been created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment.

Taking into account a company's social actions, energy usage, material selection and human ecosystem health impacts, level® addresses how a product is sustainable from multiple perspectives. With level®, customers can make informed choices about commercial furniture that exceed single attribute eco-certifications. The level® brand identifies that a product has been vetted by an independent third party certifier and its numeric marking 1, 2 or 3 which indicates the threshold of certification it has achieved.

HBF's seating, occasional tables, and conference lines are level® certified. Please download the certificates from our product pages for the complete details.

For more information about the ANSI/BIFMA level® standard, visit www.levelcertified.org

SCS Indoor Advantage™

All HBF seating products are SCS Indoor Advantage™ Gold Certified.


SCS Global Services (SCS), a reputable third-party certification and assessment body of environmental, sustainability and safety claims since 1984, has developed internationally recognized standards and certification programs to assist businesses with improving their environmental efforts, social accountability and product performance.

The advantages of holding SCS Indoor Air Quality certification are substantial: in addition to improving indoor working environments and meeting qualifications for the LEED-CI EQ 4.5 credit for office furniture as well as the BIFMA Standard for Low-Emitting Office Furniture Systems & Seating M-7.1, there is the added assurance of knowing that the company's entire breadth of products is held to such rigorous standards.

For more information regarding SCS Indoor Advantage™, please visit: http://www.scsglobalservices.com.


Please contact the HBF Client Experience Team for pricing and lead time information.


Dimension Guide




Dual Fabric Application

Two upholstery placement areas allow for individually specified upholstery choices: Cushion Upholstery (inside seat, inside back and inside arm cushions) and Outer Upholstery (placement on all exterior areas, including the outside back, outside arms, and seat rail).







GSA Contract Number GS-28F 0020M	Please refer to the GSA price list for pricing.						
HBF High Performance Products	HBF and HBF Textiles have long been leaders in contract furnishings and known for industry-leading product design coupled with the highest quality construction, comfort and aesthetic beauty.						
	consulted with healthcare designers ar quality sustainable design solutions fo	rnerstones of HBF Healthcare high performance products. We have and clients to provide products and options for interiors that will provide or the future. These effective solutions will address the unique interactions t www.hbf.com for additional high performance product information.					
	Seating Product High Performance Options:						
	Guest and Lounge SeatingArm CapsMoisture BarrierWipe Out - Clean Out	 Tandem Seating Wall Saver Legs Replaceable Components Upholstery Products from HBF Textiles					



Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Against the Grain	Bumpy Dry Run Rib Stitch Ziggy Zag	Burlap Rug Crew Cut Gravel Weekender	Beveled Line Butterfly Crosshatch Cloth Faux Real II Honest Mirage Peak Peas In a Pod	Beetle Comfort Zone Fourfold Intersect Madam Dottie Modern Tweed Pebbled Scribble XS Squiggle Stripe Straight & Narrow	Color Code Crossing the Line Equation Folded Lines High Rise Moving In Outdoor Check Smooth Wabi Sabi
Grade G	Grade H	Grade J	Grade K	Grade L	Grade M
Argyle Boucle Big Floral Big Floral Stripe Boucle Check Buckle Caterpillar Chatterbox Cloud Complex Crosstweed Digital Bloom Dot Grid Forge Lava Rock Remember Sir Stripe-a-lot Stencil Tickled Herring	Abito Belgian Meadow Braids & Bars Brushed Canvas Cutout Dot Structure Glint Heartfelt Linkage Merci Boucle Moss Paintbox Soft Angles Twist	Deco Epingle Captain Bubble Dreamy Embossed Woven Foundation Gradient Block Italian Wool Moving Blanket Needlepoint Grid Pepper Blend Sable Island Scribble XL Sideways Sister Solid Velvet Mix Woodblock Wrap Around	Afghan Changing Lanes Coco Flirt Hipster Rough Terrain Smart Sweater	Cocoon Double Stitch Honest Square Mr. Dimple Ms. Quilty	Eccentric Knitwork Velvet Tie
Leather I	Leather II Aviator	Leather III Equestrian	Leather IV Attaché	Leather V Upper Crust	Leather VI



SEATING MATERIAL OPTIONS

POWDER COATS:







WI White



LG Light Grey

METALS:



POL Polished Chrome



SCL Satin Chrome




BAL Antique Brass



ZAL Antique Bronze

MOD Series Specifications Collection Details Sofa | Settee | Lounge Chair | Ottoman | Benches Modular Lounge Chairs | Corner Unit | Ottoman Modular pieces ship with leg kits that include corner brackets and connector brackets for placement in any configuration. Additional kits may be purchased. Please refer to page 24 for details. Upholstery Dual upholstery placement areas Metal Black Powder Coat | White Powder Coat | Light Grey Powder Coat | Polished Chrome Satin Chrome | Antique Bronze | Antique Brass Power Black Powder Coat Black Powder Coat, Black Simplexes Black Simplexes

	List Prices						Dime	nsions		
MOD HLS018-011										
	COM 3800	Add below upch	arge to CON	A list fo	r Outer Upho	lstery:	ОН	30%	AH	30%
		COL 40	Grade F	409	Leather I	1280	OW	38¾	WBA	
		Grade AA 133	Grade G	471	Leather II	1600	OD	371/2	DED	
		Grade A 178	Grade H	533	Leather III	1920	SH	175/8	DEW	
		Grade B 222	Grade J	578	Leather IV	2240	SD	283/8	R	
		Grade C 267	Grade K	667	Leather V	2560				
		Grade D 311	Grade L	800	Leather VI	2880	Shipp	ing Weight		
		Grade E 356	Grade M	978			Cube	8 8		
		Add below upch	arge to CON	A list fo	r Cushion Up	holstery:				
		COL 40	Grade F	716	Leather I	2240	77.1.1 D.			
		Grade AA 233	Grade G	824	Leather II	2800		Istery Req		
		Grade A 311	Grade H	933	Leather III	3360		Application		
		Grade B 389	Grade J	1011	Leather IV	3920	Fabric		rds (outer)	
		Grade C 467	Grade K	1167	Leather V	4480			uare Feet (o	
		Grade D 544	Grade L	1400	Leather VI	5040	Fabrio	: 7 Ya	rds (cushion	(5)
		Grade E 622	Grade M	1711			Leath	er: 126 Sq	uare Feet (c	ushion
							Total	Required I	Each:	
Lounge Chair with Arms Fully U	Inhalstared Davider Coat	Matal Lage No Power					11 Ya	rds or 198	Square Feet	



List Prices Dimensions MOD HLS018-012 COM **5400** ОН Add below upcharge to COM list for Outer Upholstery: 305/8 AΗ 305/8 COL Grade F 613 Leather I OW 741/4 WBA Grade AA 200 Grade G 707 Leather II 2400 OD 371/2 DED 800 2880 Grade A 267 Grade H Leather III SH DEW 175/8 Grade B 333 Grade J 867 Leather IV 3360 SD 283/8 Grade C 400 Grade K 1000 Leather V 3840 Grade D 467 Grade L 1200 Leather VI 4320 Shipping Weight Grade E **533** Grade M 1467 Cube Add below upcharge to COM list for Cushion Upholstery: Grade F 3200 COL 40 1022 Leather I **Upholstery Requires** 1178 4000 Grade AA 333 Grade G Leather II (Per Application): 4800 Grade A 444 1333 Grade H Leather III Fabric: 6 Yards (outer) Grade B 556 Grade J 1444 Leather IV 5600 Leather: 108 Square Feet (outer) Leather V Grade C 667 Grade K 1667 6400 Fabric: 10 Yards (cushions) Grade D 778 Grade L 2000 Leather VI 7200 Grade E 889 Grade M 2444 Leather: 180 Square Feet (cushions) Total Required Each: 16 Yards or 288 Square Feet

Settee with Arms - Two Seat | Fully Upholstered | Powder Coat Metal Legs | No Power

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL TEXTILES: OUTER TEXTILES: CUSHIONS FLAMMABILITY LEG FINISH POWER NUMBER Indicate fabric Indicate fabric Indicate Options for metal finish: flammability: (Salt by Byrne) - 1 USB (2 amps per port) choice for choice for (Pepper by Byrne) - 1 Power Receptacle BL = Black Powder Coat Outer Upholstery: Cushion Upholstery: U = Cal 117 U3 = Cal 133 WI = White Powder Coat PN = No Power Unit LG = Grey Powder Coat See options for fabrics at See options for fabrics at SABL1 = Black Powder Coat -POL = Polished Chrome +\$128 www.hbftextiles.comwww.hbftextiles.com Black Simplexes +\$250 SCL = Satin Chrome +\$128 PABL1 = Black Powder Coat -ZAL = Antique Bronze +\$256 Black Simplexes +\$150 BAL = Antique Brass +\$952

List Prices **Dimensions** MOD HLS018-013 COM 7400 ОН 305/8 30% Add below upcharge to COM list for Outer Upholstery: AΗ COL 40 Grade F 818 Leather I 2560 OW 1093/4 WBA 3200 Grade AA 267 Grade G 942 Leather II OD 371/2 DED Grade A 356 Grade H 1067 Leather III 3840 SH 175/8 DEW Grade B 444 Grade J 1156 Leather IV 4480 SD 283/8 Grade C 533 Grade K 1333 Leather V 5120 Grade D **622** Grade L 1600 Leather VI 5760 Shipping Weight Grade E 711 Grade M 1956 Cube Add below upcharge to COM list for Cushion Upholstery: COL 40 Grade F 1227 Leather I 3840 **Upholstery Requires** Grade AA 400 Grade G 1413 4800 Leather II (Per Application): Grade A 533 1600 5760 Grade H Leather III Fabric: 8 Yards (outer) Grade B 667 Grade J 1733 Leather IV 6720 Leather: 144 Square Feet (outer) Grade C **800** Grade K 2000 Leather V 7680 Fabric: 12 Yards (cushions) Grade D 933 Grade L 2400 Leather VI 8640 Grade E 1067 Grade M 2933 Leather: 216 Square Feet (cushions) Total Required Each: 20 Yards or 360 Square Feet Sofa with Arms - Three Seat | Fully Upholstered | Powder Coat Metal Legs | No Power

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER
	Indicate fabric choice for Outer Upholstery:	Indicate fabric choice for Cushion Upholstery:	Indicate flammability: U = Cal 117	Options for metal finish: BL = Black Powder Coat	Power (Salt by Byrne) - 1 USB (2 amps per port) (Pepper by Byrne) - 1 Power Receptacle
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	U = Cal 11/ U3 = Cal 133	WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$192 SCL = Satin Chrome +\$192 ZAL = Antique Bronze +\$384 BAL = Antique Brass +\$1428	PN = No Power Unit SABL1 = Black Powder Coat - Black Simplexes +\$250 PABL1 = Black Powder Coat - Black Simplexes +\$150

List Prices						Dime	nsions	
OD HLS018-021								
COM 3100	Add below upcha	arge to COM	I list fo	r Outer Upho	lstery:	ОН	291/2	AH
	COL 40	Grade F	204	Leather I	640	OW	351/2	WBA
	Grade AA 67	Grade G	236	Leather II	800	OD	371/2	DED
	Grade A 89	Grade H	267	Leather III	960	SH	175/8	DEW
	Grade B 111	Grade J	289	Leather IV	1120	SD	283/8	R
	Grade C 133	Grade K	333	Leather V	1280			
	Grade D 156	Grade L	400	Leather VI	1440	Shipp	ing Weight	
1 1 1	Grade E 178	Grade M	489			Cube	88	
	Add below upcha	arge to COM	I list for	r Cushion Up	holstery:			
	COL 40	Grade F	511	Leather I	1600	** 1	1 B	
	Grade AA 167	Grade G	589	Leather II	2000	•	Istery Requ	
	Grade A 222	Grade H	667	Leather III	2400		Application	
	Grade B 278	Grade J	722	Leather IV	2800	Fabric		rds <i>(outer)</i>
	Grade C 333	Grade K	833	Leather V	3200	Leath		uare Feet (outer)
	Grade D 389	Grade L	1000	Leather VI	3600	Fabrio	:: 5 Ya	rds (cushions)
	Grade E 444	Grade M	1222			Leath	er: 90 Sq	uare Feet (cushions)
						Total	Required E	Each:
						7 Yard	ds or 126 S	quare Feet
								•
Lounge Chair without Arms Fully Upholstered Powder Co	at Metal Legs No Pow	rer						

MODEL Number		TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER
	Indicate fabric choice for Outer Upholstery: See options for fabrics at www.hbftextiles.com	Indicate fabric choice for Cushion Upholstery: See options for fabrics at www.hbftextiles.com	Indicate flammability: U = Cal 117 U3 = Cal 133	Options for metal finish: BL = Black Powder Coat WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$128 SCL = Satin Chrome +\$128 ZAL = Antique Bronze +\$256 BAL = Antique Brass +\$952	Power (Salt by Byrne) - 1 USB (2 amps per port) (Pepper by Byrne) - 1 Power Receptacle PN = No Power Unit SABL1 = Black Powder Coat - Black Simplexes +\$250 PABL1 = Black Powder Coat - Black Simplexes +\$150

MOD HLS018-022 COM 470	COL 40 Grade AA 100 Grade A 133 Grade B 167 Grade C 200 Grade D 233 Grade E 267 Add below upcha	Grade F Grade G Grade H Grade J Grade K Grade L Grade M	1 list for 307 353 400 433 500 600 733	Couter Uphol Leather I Leather II Leather IV Leather V Leather VI	960 1200 1440 1680 1920 2160	OH OW OD SH SD	29½ 71 37½ 17% 28%	AH WBA DED DEW R
COM 470	COL 40 Grade AA 100 Grade A 133 Grade B 167 Grade C 200 Grade D 233 Grade E 267 Add below upcha	Grade F Grade G Grade H Grade J Grade K Grade L Grade M	307 353 400 433 500 600	Leather I Leather II Leather III Leather IV Leather V	960 1200 1440 1680 1920	OW OD SH SD	71 37½ 17¾ 28¾	WBA DED DEW
	Grade AA 100 Grade A 133 Grade B 167 Grade C 200 Grade D 233 Grade E 267 Add below upcha	Grade G Grade H Grade J Grade K Grade L Grade M	353 400 433 500 600	Leather II Leather III Leather IV Leather V	1200 1440 1680 1920	OD SH SD	37½ 175/8 283/8	DED DEW
	Grade A 133 Grade B 167 Grade C 200 Grade D 233 Grade E 267 Add below upcha	Grade H Grade J Grade K Grade L Grade M	400 433 500 600	Leather III Leather IV Leather V	1440 1680 1920	SH SD	175/8 283/8	DEW
	Grade B 167 Grade C 200 Grade D 233 Grade E 267 Add below upcha	Grade J Grade K Grade L Grade M	433 500 600	Leather IV Leather V	1680 1920	SD	283/8	
	Grade C 200 Grade D 233 Grade E 267 Add below upcha	Grade K Grade L Grade M	500 600	Leather V	1920			R
I	Grade D 233 Grade E 267 Add below upcha	Grade L Grade M	600			Shippi		
	Grade E 267 Add below upcha	Grade M		Leather VI	2160	Shippi		
'	Add below upcha		733				ng Weight	
		rae to CON				Cube	.6 11 0.6.11	
		ige to COM	1 list for	Cushion Upl	holstery:			
	COL 40	Grade F	920	Leather I	2880	77.1.1	. D	•
	Grade AA 300 Grade G 1060 Leather II 2600	Upholstery Requires (Per Application):						
	Grade A 400	Grade H	1200	Leather III	4320			
	Grade B 500	Grade J	1300	Leather IV	5040	Fabric:		rds (outer)
	Grade C 600	Grade K	1500	Leather V	5760			uare Feet (outer)
	Grade D 700	Grade L	1800	Leather VI	6480	Fabric:	9 Ya	rds (cushions)
	Grade E 800	Grade M	2200			Leathe	r: 162 Sq	uare Feet (cushions)
						Total I	Required E	ach:
						12 Yar	ds or 216	Square Feet

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH POWER
NOMBER	Indicate fabric choice for Outer Upholstery: See options for fabrics at www.hbfiextiles.com	Indicate fabric choice for Cushion Upholstery: See options for fabrics at www.hbftextiles.com	Indicate flammability: U = Cal 117 U3 = Cal 133	Options for metal finish: BL = Black Powder Coat WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$128 SCL = Satin Chrome +\$128 ZAL = Antique Brass +\$256 BAL = Antique Brass +\$952 Power (Salt by Byrne) - 1 USB (2 amps per p (Pepper by Byrne) - 1 Power Receptacl PN = No Power Unit SABLI = Black Powder Coat - Black Simplexes +\$250 PABLI = Black Powder Coat - Black Simplexes +\$150
•	•			•

List Prices						Dimen	sions	
IOD HLS018-023								
COM 6700	Add below upch	arge to COM	l list for	Outer Upho	lstery:	ОН	291/2	AH
	COL 40	Grade F	511	Leather I	1600	OW	1061/2	WBA
	Grade AA 167	Grade G	589	Leather II	2000	OD	371/2	DED
	Grade A 222	Grade H	667	Leather III	2400	SH	175/8	DEW
	Grade B 278	Grade J	722	Leather IV	2800	SD	283/8	R
	Grade C 333	Grade K	833	Leather V	3200			
	Grade D 389	Grade L	1000	Leather VI	3600	Shippir	ng Weight	
1 1	Grade E 444	Grade M	1222			Cube	ig weight	
	Add below upch	arge to COM	l list for	Cushion Up	holstery:			
	COL 40	Grade F	1124	Leather I	3520		_	
	Grade AA 367	Grade G	1296	Leather II	4400		stery Requ	
	Grade A 489	Grade H	1467	Leather III	5280		pplication	
	Grade B 611	Grade J	1589	Leather IV	6160	Fabric:		ds (outer)
	Grade C 733	Grade K	1833	Leather V	7040	Leathe	r: 90 Sqı	iare Feet (outer)
	Grade D 856	Grade L	2200	Leather VI	7920	Fabric:	11 Yar	ds (cushions)
	Grade E 978	Grade M	2689			Leathe	r: 198 Squ	iare Feet (cushions,
							Required É	
								Square Feet
								•
Sofa without Arms - Three Seat Fully Upholstered Powde	Coat Metal Legs No	Power						

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH POWER	
. C. III	Indicate fabric choice for Outer Upholstery: See options for fabrics at www.hbftextiles.com	Indicate fabric choice for Cushion Upholstery: See options for fabrics at www.hbftextiles.com	Indicate flammability: U = Cal 117 U3 = Cal 133	Options for metal finish: BL = Black Powder Coat WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$192 SCL = Satin Chrome +\$192 ZAL = Antique Brass +\$1428 Power (Salt by Byrne) - 1 USB (2 amps per (Pepper by Byrne) - 1 Power Receptate PN = No Power Unit SABL1 = Black Powder Coat - Black Simplexes +\$250 PABL1 = Black Powder Coat - Black Simplexes +\$150	cle
•	•			•	

List Prices					Dime	nsions	
COM 1600		~		•	ОН	175/8	AH
	Grade AA 33 Grade A 44 Grade B 56 Grade C 67 Grade D 78	Grade G 11 Grade H 13 Grade J 14 Grade K 16 Grade L 20	Leather II Leather III Leather IV Leather V Leather VI	320 400 480 560 640 720	OD SH SD	20 175/8 20	WBA DED DEW R
		ge to COM li Grade F 20 Grade G 23 Grade H 20 Grade J 28 Grade K 33 Grade L 40	st for Cushion Upl 14 Leather I 15 Leather II 15 Leather III 18 Leather IV 18 Leather V 10 Leather VI	640 800 960 1120 1280	Upho (Per A Fabric Leather Fabric Leather Total	Application: 1 Ya er: 18 Sq : 2 Ya er: 36 Sq Required E	n): rds (outer) uare Feet (outer) rds (cushions) uare Feet (cushions)
		COM 1600 Add below upchar COL 40 Grade AA 33 Grade A 44 Grade B 56 Grade C 67 Grade D 78 Grade E 89 Add below upchar COL 40 Grade AA 67 Grade AA 67 Grade A 89 Grade B 111 Grade C 133 Grade D 156	COM 1600 Add below upcharge to COM li COL 40 Grade F 10 Grade AA 33 Grade G 13 Grade A 44 Grade H 15 Grade B 56 Grade J 14 Grade C 67 Grade K 10 Grade D 78 Grade L 20 Grade E 89 Grade M 25 Add below upcharge to COM li COL 40 Grade F 20 Grade AA 67 Grade G 25 Grade A 89 Grade H 20 Grade A 89 Grade H 20 Grade B 111 Grade J 20 Grade B 111 Grade J 20 Grade C 133 Grade K 35 Grade D 156 Grade L 40	COM 1600 Add below upcharge to COM list for Outer Uphol COL 40 Grade F 102 Leather I Grade AA 33 Grade G 118 Leather II Grade A 44 Grade H 133 Leather III Grade B 56 Grade J 144 Leather IV Grade C 67 Grade K 167 Leather V Grade D 78 Grade L 200 Leather VI Grade E 89 Grade M 244 Add below upcharge to COM list for Cushion Upl COL 40 Grade F 204 Leather I Grade AA 67 Grade G 236 Leather II Grade AA 67 Grade G 236 Leather III Grade A 89 Grade H 267 Leather III Grade B 111 Grade J 289 Leather IV Grade C 133 Grade K 333 Leather V Grade D 156 Grade L 400 Leather VI	COM 1600 Add below upcharge to COM list for Outer Upholstery: COL 40 Grade F 102 Leather I 320 Grade AA 33 Grade G 118 Leather III 400 Grade A 44 Grade H 133 Leather III 480 Grade B 56 Grade J 144 Leather IV 560 Grade C 67 Grade K 167 Leather V 640 Grade D 78 Grade L 200 Leather VI 720 Grade E 89 Grade M 244 Add below upcharge to COM list for Cushion Upholstery: COL 40 Grade F 204 Leather I 640 Grade AA 67 Grade G 236 Leather II 800 Grade A 89 Grade H 267 Leather III 960 Grade B 111 Grade J 289 Leather IV 1120 Grade C 133 Grade K 333 Leather V 1280 Grade D 156 Grade L 400 Leather VI 1440	COM 1600 Add below upcharge to COM list for Outer Upholstery: OH COL 40 Grade F 102 Leather I 320 OW Grade AA 33 Grade G 118 Leather II 400 OD Grade A 44 Grade H 133 Leather III 480 SH Grade B 56 Grade J 144 Leather IV 560 SD Grade C 67 Grade K 167 Leather V 640 Grade D 78 Grade L 200 Leather VI 720 Shippi Grade E 89 Grade M 244 Add below upcharge to COM list for Cushion Upholstery: COL 40 Grade F 204 Leather I 640 Grade AA 67 Grade G 236 Leather II 800 Grade A 89 Grade H 267 Leather III 960 Grade A 89 Grade H 267 Leather IV 1120 Grade C 133 Grade K 333 Leather V 1280 Grade D 156 Grade L 400 Leather V 1440 Grade E 178 Grade M 489 COH	COM 1600 Add below upcharge to COM list for Outer Upholstery: COL 40 Grade F 102 Leather I 320 OW 20 Grade AA 33 Grade G 118 Leather II 400 OD 20 Grade A 44 Grade H 133 Leather III 480 SH 175% Grade B 56 Grade J 144 Leather IV 560 SD 20 Grade C 67 Grade K 167 Leather V 640 Grade D 78 Grade L 200 Leather VI 720 Shipping Weight Grade E 89 Grade M 244 Add below upcharge to COM list for Cushion Upholstery: COL 40 Grade F 204 Leather I 640 Grade A 67 Grade G 236 Leather I 800 Grade A 89 Grade H 267 Leather III 960 Grade A 89 Grade H 267 Leather III 960 Grade B 111 Grade J 289 Leather IV 1120 Grade C 133 Grade K 333 Leather V 1280 Grade D 156 Grade L 400 Leather VI 1440 Fabric: 2 Ya

MODEL NUMBER	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER
	Indicate fabric choice for	Indicate fabric choice for	Indicate flammability:	Options for metal finish:	Power
	Outer Upholstery:	Cushion Upholstery:	U = Cal 117	BL = Black Powder Coat	(Salt by Byrne) - 1 USB (2 amps per port) (Pepper by Byrne) - 1 Power Receptacle
		, ,	U3 = Cal 133	WI = White Powder Coat	PN = No Power Unit
	See options for fabrics at	See options for fabrics at www.hbftextiles.com		LG = Grey Powder Coat POL = Polished Chrome +\$128	SABL1 = Black Powder Coat -
	www.hbftextiles.com	www.noftextiles.com		SCL = Satin Chrome +\$128	Black Simplexes +\$250
				ZAL = Antique Bronze +\$256	PABL1 = Black Powder Coat -
				BAL = Antique Brass +\$952	Black Simplexes +\$150
		•			

	List Prices							Dime	nsions	
MOD HHS018-012										
	COM 1900	Add below	upcharge to	COM	1 list fo	or Outer Upho	lstery:	ОН	17%	АН
		COL 4		de F	204	Leather I	640	OW	40	WBA
		Grade AA 6	67 Gra	de G	236	Leather II	800	OD	20	DED
		Grade A 8	8 9 Gra	de H	267	Leather III	960	SH	175/8	DEW
		Grade B 1	11 Gra	de J	289	Leather IV	1120	SD	20	R
		Grade C 1	33 Gra	de K	333	Leather V	1280			
		Grade D 1	. 56 Gra	de L	400	Leather VI	1440	Shipp	ing Weight	
		Grade E 1	.78 Gra	de M	489			Cube		
 		Add below	upcharge to	COM	I list fo	or Cushion Up	holstery:			
		COL 4	60 Gra	de F	204	Leather I	640	TT. 1	1. D	•
		Grade AA 6	67 Gra	de G	236	Leather II	800	•	Istery Requ	
-		Grade A 8	8 9 Gra	de H	267	Leather III	960		Application)	
		Grade B 1	11 Gra	de J	289	Leather IV	1120	Fabric		ds (outer)
		Grade C 1	33 Gra	de K	333	Leather V	1280			are Feet (outer)
		Grade D 1	.56 Gra	de L	400	Leather VI	1440	Fabric	: 2 Yar	ds (cushions)
		Grade E 1	78 Gra	de M	489			Leath	er: 36 Squ	are Feet (cushions)
								Total	Required Ea	ich:
								4 Yaro	ls or 72 Squ	are Feet
									1	
Bench - Two Seat Fully Upholstered I	Powder Coat Metal Les	gs No Power								

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER
NUMBER	Indicate fabric choice for Outer Upholstery: See options for fabrics at www.hbftextiles.com	Indicate fabric choice for Cushion Upholstery: See options for fabrics at www.hbftextiles.com	Indicate flammability: U = Cal 117 U3 = Cal 133	Options for metal finish: BL = Black Powder Coat WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$128 SCL = Satin Chrome +\$128	Power (Salt by Byrne) - 1 USB (2 amps per port) (Pepper by Byrne) - 1 Power Receptacle PN = No Power Unit SABL1 = Black Powder Coat - Black Simplexes +\$250
				ZAL = Antique Bronze +\$256 BAL = Antique Brass +\$952	PABLI = Black Powder Coat - Black Simplexes +\$150
				•	

List Prices					Dimen	sions	
OD HHS018-013							
COM 2200	Add below upch	arge to COM list	or Outer Upho	lstery:	ОН	173/8	AH
	COL 40	Grade F 204	Leather I	640	OW	60	WBA
	Grade AA 67	Grade G 236	Leather II	800	OD	20	DED
	Grade A 89	Grade H 267	Leather III	960	SH	175/8	DEW
	Grade B 111	Grade J 289	Leather IV	1120	SD	20	R
	Grade C 133	Grade K 333	Leather V	1280			
	Grade D 156	Grade L 400	Leather VI	1440	Shippin	ng Weight	
	Grade E 178	Grade M 489			Cube	15 11 616111	
	Add below upch	arge to COM list	or Cushion Up	holstery:			
	COL 40	Grade F 307	Leather I	960			
	Grade AA 100	Grade G 353	Leather II	1200		stery Requ	
•	Grade A 133	Grade H 400	Leather III	1440	-	pplication	
	Grade B 167	Grade J 433	Leather IV	1680	Fabric:	2 Yai	rds <i>(outer)</i>
	Grade C 200	Grade K 500	Leather V	1920	Leather	:: 36 Sq1	uare Feet (outer)
	Grade D 233	Grade L 600	Leather VI	2160	Fabric:	3 Yai	rds (cushions)
	Grade E 267	Grade M 733			Leather	:: 54 Sq	uare Feet (cushions
						Required Ê	
						or 90 Squ	
						1	
Bench - Three Seat Fully Upholstered Powder Coat Metal	Legs No Power						

ZAL = Antique Bronze +\$384 BAL = Antique Brass +\$1428 PABL1 = Black Powder Coat - Black Simplexes +\$150	MODEL NUMBER	TEXTILES: OUTER Indicate fabric choice for Outer Upholstery: See options for fabrics at www.hbftextiles.com	TEXTILES: CUSHIONS Indicate fabric choice for Cushion Upholstery: See options for fabrics at www.hbftextiles.com	FLAMMABILITY Indicate flammability: U = Cal 117 U3 = Cal 133	LEG FINISH Options for metal finish: BL = Black Powder Coat WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$192 SCL = \$3 tin Chrome +\$192	POWER Power (Salt by Byrne) - 1 USB (2 amps per port (Pepper by Byrne) - 1 Power Receptacle PN = No Power Unit SABL1 = Black Powder Coat - Black Simplexes +\$250
					ZAL = Antique Bronze +\$384	

	List Prices		Dimensions
MOD HHS018-021			
	COM 1800	Add below upcharge to COM list for Outer Upho COL 40 Grade F 102 Leather I Grade AA 33 Grade G 118 Leather II Grade A 44 Grade H 133 Leather III	Olstery: OH 17% AH 320 OW 35½ WBA 400 OD 35½ DED 480 SH 17% DEW
		Grade B 56 Grade J 144 Leather IV Grade C 67 Grade K 167 Leather V Grade D 78 Grade L 200 Leather VI Grade E 89 Grade M 244	560 SD 35½ R 640 720 Shipping Weight Cube
		Add below upcharge to COM list for Cushion Up COL 40 Grade F 307 Leather I Grade AA 100 Grade G 353 Leather II Grade A 133 Grade H 400 Leather III Grade B 167 Grade J 433 Leather IV Grade C 200 Grade K 500 Leather V Grade D 233 Grade L 600 Leather VI Grade E 267 Grade M 733 Leg Kit 1 (brackets, legs, and hardware). Idditional information.	960 1200 1440 (Per Application): 1680 Fabric: 1 Yards (outer) 1920 Leather: 18 Square Feet (outer) Fabric: 3 Yards (cushions) Leather: 54 Square Feet (cushions) Total Required Each: 4 Yards or 72 Square Feet

MODEL	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER
NUMBER	Indicate fabric choice for Outer Upholstery: See options for fabrics at www.hbftextiles.com	Indicate fabric choice for Cushion Upholstery: See options for fabrics at www.hbftextiles.com	Indicate flammability: U = Cal 117 U3 = Cal 133	Options for metal finish: BL = Black Powder Coat WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$128 SCL = Satin Chrome +\$128 ZAL = Antique Bronze +\$256 BAL = Antique Brass +\$952	Power (Salt by Byrne) - 1 USB (2 amps per port) (Pepper by Byrne) - 1 Power Receptacle PN = No Power Unit SABL1 = Black Powder Coat - Black Simplexes +\$250 PABL1 = Black Powder Coat - Black Simplexes +\$150
•	•	•	•	•	

List	Prices							Dime	nsions	
MOD HLS018-019										
CC	M 3600	Add belov	•	U		r Outer Upho	•	ОН	30%	AH
		COL	40	Grade F	30 7	Leather I	960	OW	371/8	WBA
		Grade AA	100	Grade G	353	Leather II	1200	OD	371/2	DED
		Grade A	133	Grade H	400	Leather III	1440	SH	175/8	DEW
		Grade B	167	Grade J	433	Leather IV	1680	SD	283/8	R
		Grade C	200	Grade K	500	Leather V	1920			
		Grade D	233	Grade L	600	Leather VI	2160	Shipp	ing Weight	
1 1		Grade E	267	Grade M	733			Cube		
		Add belov	w upcha	rge to CON	A list for	r Cushion Up	holstery:			
		COL	40	Grade F	716	Leather I	2240	** 1		
		Grade AA	233	Grade G	824	Leather II	2800	•	Istery Requ	
		Grade A	311	Grade H	933	Leather III	3360	(Per A	Application) :
		Grade B	389	Grade J	1011	Leather IV	3920	Fabrio	:: 3 Yar	ds (outer)
		Grade C	467	Grade K	1167	Leather V	4480	Leath	er: 54 Squ	iare Feet (outer)
		Grade D	544	Grade L	1400	Leather VI	5040	Fabrio	: 7 Yar	ds (cushions)
		Grade E	622	Grade M	1711			Leath	er: 126 Squ	are Feet (cushions)
		Grade E		Grade IVI	-,				Required E	
									rds or 180 S	
	t e: Ships with Leg			gs, and hard	ware).			10 14	143 01 100 0	quare rect
See	page 24 for addii	tional info	rmation.							
Corner Unit Fully Upholstered Powder Coa	t Metal Legs No	Power								

MODEL	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER
NUMBER	Indicate fabric choice for Outer Upholstery: See options for fabrics at www.hbftextiles.com	Indicate fabric choice for Cushion Upholstery: See options for fabrics at www.hbftextiles.com	Indicate flammability: U = Cal 117 U3 = Cal 133	Deptions for metal finish: BL = Black Powder Coat WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$128 SCL = Satin Chrome +\$128 ZAL = Antique Bronze +\$256 BAL = Antique Brass +\$952	POWER Power (Salt by Byrne) - 1 USB (2 amps per port) (Pepper by Byrne) - 1 Power Receptacle PN = No Power Unit SABL1 = Black Powder Coat - Black Simplexes +\$250 PABL1 = Black Powder Coat - Black Simplexes +\$150
•		•	•		

	List Prices					Dime	nsions	
MOD HLS018-031								
	COM 3450	Add below upcha COL 40 Grade AA 100 Grade A 133 Grade B 167 Grade C 200 Grade D 233 Grade E 267	Grade F 3: Grade G 3: Grade H 4: Grade J 4: Grade K 5: Grade L 6:	ist for Outer Upho 07 Leather I 53 Leather II 00 Leather III 33 Leather IV 00 Leather V 00 Leather VI 33	lstery: 960 1200 1440 1680 1920 2160		305/8 371/8 371/2 175/8 283/8 ng Weight	AH 30% WBA DED DEW R
	1		Grade F 6 Grade G 70 Grade H 80 Grade J 80 Grade K 10 Grade L 12 Grade M 14 egs, and hardwa	ist for Cushion Up 13 Leather I 07 Leather II 00 Leather III 67 Leather IV 000 Leather V 200 Leather VI 467	holstery: 1920 2400 2880 3360 3840 4320	(Per A Fabric Leathe Fabric Leathe Total	er: 54 Sq : 6 Ya	nd: rds (outer) uare Feet (outer) rds (cushions) uare Feet (cushions) cach:
Modular Lounge - Left Facing - O	ne Seat Fully Upholstered	l Powder Coat Metal L	.egs No Power					

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER
	Indicate fabric choice for Outer Upholstery:	Indicate fabric choice for Cushion Upholstery:	Indicate flammability: U = Cal 117	Options for metal finish: BL = Black Powder Coat	Power (Salt by Byrne) - 1 USB (2 amps per port) (Pepper by Byrne) - 1 Power Receptacle
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com	U3 = Cal 133	WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$128 SCL = Satin Chrome +\$128 ZAL = Antique Bronze +\$256 BAL = Antique Brass +\$952	PN = No Power Unit SABL1 = Black Powder Coat - Black Simplexes +\$250 PABL1 = Black Powder Coat - Black Simplexes +\$150

	List Prices				Dimensions				
COM 3450	Add below upch COL 40 Grade AA 100 Grade B 167 Grade C 200 Grade D 233 Grade E 267	arge to COM Grade F Grade G Grade H Grade J Grade K Grade L Grade M	M list for 307 353 400 433 500 600 733	Leather I Leather II Leather II Leather III Leather IV Leather VI Leather VI	960 1200 1440 1680 1920 2160		30% 371/8 371/2 175/8 283/8 ing Weight	AH 30 WBA DED DEW R	05/8
See page 24 for aa	COL 40 Grade AA 200 Grade A 267 Grade B 333 Grade C 400 Grade D 467 Grade E 533 Leg Kit 1 (brackets, I	Grade F Grade G Grade H Grade J Grade K Grade L Grade M	613 707 800 867 1000 1200 1467	r Cushion Upl Leather I Leather II Leather III Leather IV Leather V Leather VI	holstery: 1920 2400 2880 3360 3840 4320	(Per A Fabric Leathe Fabric Leathe Total	Application) :: 3 Yar er: 54 Squ :: 6 Yar er: 108 Squ Required Ea	ds (outer) tare Feet (out ds (cushions) tare Feet (cush ach:	
	Note: Ships with See page 24 for an	COL 40 Grade AA 100 Grade A 133 Grade B 167 Grade C 200 Grade D 233 Grade E 267 Add below upch COL 40 Grade A 200 Grade A 267 Grade B 333 Grade C 400 Grade D 467 Grade E 533 Note: Ships with Leg Kit 1 (brackets, 1) See page 24 for additional information	COL 40 Grade F Grade AA 100 Grade G Grade A 133 Grade H Grade B 167 Grade J Grade C 200 Grade K Grade D 233 Grade L Grade E 267 Grade M Add below upcharge to COM COL 40 Grade F Grade AA 200 Grade G Grade A 267 Grade H Grade B 333 Grade J Grade C 400 Grade G Grade C 400 Grade G Grade C 400 Grade G Grade C 533 Grade J Grade C 533 Grade M Note: Ships with Leg Kit 1 (brackets, legs, and hard See page 24 for additional information.	COL 40 Grade F 307 Grade AA 100 Grade G 353 Grade A 133 Grade H 400 Grade B 167 Grade J 433 Grade C 200 Grade K 500 Grade D 233 Grade L 600 Grade E 267 Grade M 733 Add below upcharge to COM list for COL 40 Grade G 707 Grade AA 200 Grade G 707 Grade A 267 Grade H 800 Grade B 333 Grade H 800 Grade B 333 Grade J 867 Grade C 400 Grade K 1000 Grade D 467 Grade K 1000 Grade D 467 Grade L 1200 Grade E 533 Grade M 1467 Note: Ships with Leg Kit 1 (brackets, legs, and hardware).	COL 40 Grade F 307 Leather I Grade AA 100 Grade G 353 Leather II Grade A 133 Grade H 400 Leather III Grade B 167 Grade J 433 Leather IV Grade C 200 Grade K 500 Leather VI Grade D 233 Grade L 600 Leather VI Grade E 267 Grade M 733 Add below upcharge to COM list for Cushion Upl COL 40 Grade G 707 Leather II Grade AA 200 Grade G 707 Leather II Grade A 267 Grade H 800 Leather III Grade B 333 Grade J 867 Leather IV Grade B 333 Grade J 867 Leather IV Grade D 467 Grade K 1000 Leather VI Grade D 467 Grade L 1200 Leather VI Grade E 533 Grade M 1467 Note: Ships with Leg Kit 1 (brackets, legs, and hardware). See page 24 for additional information.	COL 40 Grade F 307 Leather I 960 Grade AA 100 Grade G 353 Leather II 1200 Grade A 133 Grade H 400 Leather III 1440 Grade B 167 Grade J 433 Leather IV 1680 Grade C 200 Grade K 500 Leather V 1920 Grade D 233 Grade L 600 Leather VI 2160 Grade E 267 Grade M 733 Add below upcharge to COM list for Cushion Upholstery: COL 40 Grade F 613 Leather II 1920 Grade AA 200 Grade G 707 Leather II 2400 Grade B 333 Grade H 800 Leather III 2880 Grade B 333 Grade J 867 Leather III 2880 Grade C 400 Grade K 1000 Leather V 3840 Grade D 467 Grade L 1200 Leather V 3840 Grade E 533 Grade M 1467 Note: Ships with Leg Kit 1 (brackets, legs, and hardware). See page 24 for additional information.	COL 40 Grade F 307 Leather I 960 OW Grade AA 100 Grade G 353 Leather II 1200 OD Grade A 133 Grade H 400 Leather III 1440 SH Grade B 167 Grade J 433 Leather IV 1680 SD Grade C 200 Grade K 500 Leather V 1920 Grade D 233 Grade L 600 Leather VI 2160 Shippi Grade E 267 Grade M 733 Cube Add below upcharge to COM list for Cushion Upholstery: COL 40 Grade G 707 Leather II 1920 Grade AA 200 Grade G 707 Leather III 2880 (Per A Grade B 333 Grade J 867 Leather IIV 3360 Fabric Grade C 400 Grade K 1000 Leather V 3840 Leather Grade D 467 Grade L 1200 Leather V 4320 Fabric Grade E 533 Grade M 1467 Note: Ships with Leg Kit 1 (brackets, legs, and hardware). See page 24 for additional information.	COL 40 Grade F 307 Leather I 960 OW 37½ Grade AA 100 Grade G 353 Leather II 1200 OD 37½ Grade A 133 Grade H 400 Leather III 1440 SH 17½ Grade B 167 Grade J 433 Leather IV 1680 SD 28¾ Grade C 200 Grade K 500 Leather V 1920 Grade D 233 Grade L 600 Leather VI 2160 Shipping Weight Grade E 267 Grade M 733 Cube Add below upcharge to COM list for Cushion Upholstery: COL 40 Grade G 707 Leather II 2400 Grade AA 200 Grade G 707 Leather III 2880 Grade B 333 Grade J 867 Leather IV 3360 Fabric: 3 Yar Grade C 400 Grade K 1000 Leather V 3840 Leather: 54 Squ Grade D 467 Grade L 1200 Leather VI 4320 Fabric: 6 Yar Grade E 533 Grade M 1467 Note: Ships with Leg Kit 1 (brackets, legs, and hardware). See page 24 for additional information.	COL 40 Grade F 307 Leather I 960 OW 37½ WBA Grade AA 100 Grade G 353 Leather II 1200 OD 37½ DED Grade A 133 Grade H 400 Leather III 1440 SH 17½ DEW Grade B 167 Grade J 433 Leather IV 1680 SD 28¾ R Grade C 200 Grade K 500 Leather V 1920 Grade D 233 Grade L 600 Leather V 1 2160 Shipping Weight Grade E 267 Grade M 733 Cube Add below upcharge to COM list for Cushion Upholstery: COL 40 Grade F 613 Leather I 1920 Grade AA 200 Grade G 707 Leather II 2400 Grade B 333 Grade J 867 Leather III 2880 Grade B 333 Grade J 867 Leather IV 3360 Grade C 400 Grade K 1000 Leather V 3840 Grade D 467 Grade L 1200 Leather V 3840 Fabric: 6 Yards (outer) Grade E 533 Grade M 1467 Note: Ships with Leg Kit 1 (brackets, legs, and hardware). Note: Ships with Leg Kit 1 (brackets, legs, and hardware).

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER
	Indicate fabric choice for Outer Upholstery:	Indicate fabric choice for Cushion Upholstery:	Indicate flammability: U = Cal 117	Options for metal finish: BL = Black Powder Coat	Power (Salt by Byrne) - 1 USB (2 amps per port) (Pepper by Byrne) - 1 Power Receptacle
	See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbstextiles.com	U3 = Cal 133	WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$128 SCL = Satin Chrome +\$128 ZAL = Antique Bronze +\$256 BAL = Antique Brass +\$952	PN = No Power Unit SABL1 = Black Powder Coat - Black Simplexes +\$250 PABL1 = Black Powder Coat - Black Simplexes +\$150

	List Prices	ices			Dimensions				
MOD HLS018-051									
	COM 3100	Add below upch COL 40 Grade AA 67 Grade A 89	narge to COM Grade F Grade G Grade H	204 236 267	Leather I Leather II Leather III	lstery: 640 800 960	OH OW OD SH	29½ 35½ 37½ 175/8	AH WBA DED DEW
		Grade B 111 Grade C 133 Grade D 156 Grade E 178	Grade J Grade K Grade L Grade M	289 333 400 489	Leather IV Leather V Leather VI	1120 1280 1440	SD Shippi Cube	28¾ ing Weigh	R t
	1	Add below upch COL 40 Grade AA 167 Grade A 222 Grade B 278 Grade C 333 Grade D 389 Grade E 444 Leg Kit 1 (brackets, dditional information	Grade F Grade G Grade H Grade J Grade K Grade L Grade M	511 589 667 722 833 1000 1222	r Cushion Up Leather I Leather II Leather III Leather III Leather IV Leather V Leather VI	holstery: 1600 2000 2400 2800 3200 3600	(Per A Fabric Leathe Fabric Leathe Total	er: 36 So er: 5 Ye er: 90 So Required	n): ards (outer) quare Feet (outer) ards (cushions) quare Feet (cushions)
Modular Lounge - Without Arms	See page 24 for a	dditional information	n.	lware).					

MODEL Number	TEXTILES: OUTER	TEXTILES: CUSHIONS	FLAMMABILITY	LEG FINISH	POWER
NUMBER	Indicate fabric choice for Outer Upholstery: See options for fabrics at www.hbfiextiles.com	Indicate fabric choice for Cushion Upholstery: See options for fabrics at www.hbftextiles.com	Indicate flammability: U = Cal 117 U3 = Cal 133	Options for metal finish: BL = Black Powder Coat WI = White Powder Coat LG = Grey Powder Coat POL = Polished Chrome +\$128 SCL = Satin Chrome +\$128 ZAL = Antique Bronze +\$256 BAL = Antique Brass +\$952	Power (Salt by Byrne) - 1 USB (2 amps per port) (Pepper by Byrne) - 1 Power Receptacle PN = No Power Unit SABL1 = Black Powder Coat - Black Simplexes +\$250 PABL1 = Black Powder Coat - Black Simplexes +\$150

	Description	List Prices	
MOD HAS018-017			
	Leg Kit 1 for LAF/RAF, Chair without arms, and Ottoman Contents: 4 Outside Corner Brackets 2 Connector Brackets 4 Legs 16¼" - 20 Bolts 16¼" - Flat Washers	900	Shipping Weight Cube
Modular Leg Kit 1 (other th	an corner units) Powder Coat Metal Legs		
	Leg Kit 2 for Corner Unit Contents: 4 Outside Corner Brackets 2 Connector Brackets	970	Shipping Weight Cube
	1 Inside Corner Bracket 4 Legs 17¼" - 20 Bolts 17¼" - Flat Washers		

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL
NUMBER

Options for metal finish:

BL = Black Powder Coat
WI = White Powder Coat
LG = Grey Powder Coat
POL = Polished Chrome +\$115
SCL = Satin Chrome +\$115
ZAL = Antique Bronze +\$230
BAL = Antique Brass +\$1020