

05-9879-Z5-CL

V0

AFRODITA Led Wall fixture

Description

Wall fixture for outdoor use.

For downlighting. Structure material: High purity aluminium. Structure finish: Urban grey. Diffuser material: Glass. Diffuser finish: Partly-sandblasted. UV protection. Warranty: 2 Years.

Finish
Urban grey
Partly-sandblasted

Material
High purity aluminium
Glass

 IP65 IK04   2

TECHNICAL CHARACTERISTICS

Light source

Light source: LED LEXTAR
Output (W): 19
Total power consumption (W): 20.8 W
Color temperature: Warm White - 3000K
CRI: 80
Real Lumen: 1670
Nominal Lumen: 1959
Qty Leds: 20
Lm/Real W: 80
Life Time: 36.000h L80B20
Bin / Grup: L3003 o R3003
MacAdam steps: 3 STEPS
UGR: 21.6
Photobiological risk: RG0

GEAR



Brand: EAGLERISE
Gear included: Yes, electronic
Voltage / Frequency:
100-240VAC/50-60Hz
Power Factor: 0.95

Luminaire



Double cable exit: No
Drainage: No
Uv Protection: Yes
Warranty: 2 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435381439330
Net Weight (Kg): 2.265
Weight in Kg (packaged): 2.608
Packing: 310 x 130 x 190
Masterbox: 2



The photograph may not match the reference exactly. Please read the product description to identify the finish.



PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE

