


BENTO Downlight recessed



Description

Downlights

For downlighting. UGR <10. Maximum visual comfort with invisible lamp effect. Structure material: Aluminium, Polycarbonate. Structure finish: White, Black. Warranty: 2 Years.



TECHNICAL CHARACTERISTICS

Light source

Light source: LED CREE

Output (W): 13.2 W

Color temperature: Warm White - 2700K Voltage / Frequency: max. 700mA

CRI: 90

Real Lumen: 720

Nominal Lumen: 760

Qty Leds: 6

Lm/Real W: 55

Life Time: 40.000h L80B20

Bin / Grup: 8A3 o 8D2

MacAdam steps: 3

UGR: 7.4

Photobiological risk: RG2

GEAR

GEAR
This item requires gear. It is not included.

Luminaire

Warranty: 2 Years

Logistics

Energy Efficiency: LED A++




EAN Code: 8435526843879

Net Weight (Kg): 0.000


Packing: 100 x 100 x 260

Masterbox: 1





The photograph may not match the reference exactly. Please read the product description to identify the finish.



40x168




0-18mm






TRIMLESS

3LEDS: 36x84mm
6LEDS: 36x164mm
12LEDS: 36x323mm
18LEDS: 36x482mm
3X3LEDS: 90x90mm




TRIM



3LEDS: 40x88mm
6LEDS: 40x168mm
12LEDS: 40x328mm
18LEDS: 40x486mm
3X3LEDS: 95x95mm



TRIM/CON MARCO



TRIMLESS/SIN MARCO

