

05-9990-Z5-CL

V0

CUBE Spotlight



Description

Spotlight LED



For uplighting.. Adjustable light source. Structure material: High purity aluminium. Structure finish: Urban grey. Diffuser material: Polycarbonate. Diffuser finish: Transparent. UV protection. Warranty: 2 Years.

Finish

Urban grey
Transparent

Material

High purity aluminium
Polycarbonate



TECHNICAL CHARACTERISTICS

Light source

Light source: LED CREE
Output (W): 2.1 W
Total power consumption (W): 4 W
Color temperature: Warm White - 3000K
CRI: 80
Real Lumen: 215
Nominal Lumen: 295
Qty Leds: 1
Lm/Real W: 54
Life Time: 51.000h L90B10
Bin / Grup: 7C1 o 7B4
MacAdam steps: 3 STEPS
UGR: 4.4
Photobiological risk: RG2

GEAR

Brand: EAGLERISE
Gear included: Yes, electronic
Voltage / Frequency: 100-240V/50-60Hz
Power Factor: 0.42
Flickering: 3.8%

Luminaire

Double cable exit: No
Drainage: No
Recessed: No
Uv Protection: Yes
Warranty: 2 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435381497835
Net Weight (Kg): 0.000
Packing: - x - x -
Masterbox: 18

The photograph may not match the reference exactly. Please read the product description to identify the finish.

OPTIONAL ACCESSORIES




71-9992-Z5-Z5

Structure material: High purity aluminium
Dimensions: - x - x -
Net Weight (Kg): 0.025




71-9487-Z5-Z5V1


Structure material: Galvanized steel
Net Weight (Kg): 0.790



ACERO INOXIDABLE AISI 316
STAINLESS STEEL AISI 316



ALUMINIO INYECTADO
INJECTED ALUMINIUM



PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE

