

10-9847-Z5-CL

V1

COMPACT Beacon

Designer: Francesc Vilaró

Description

Bollard for outdoor use.

For grazing lighting. Includes accessories to exclude certain areas from illumination and create special lighting effects. Structure material: High purity aluminium. Structure finish: Urban grey. Diffuser material: Polycarbonate. Diffuser finish: Transparent. UV protection. Warranty: 2 Years.

Finish

Urban grey
Transparent

Material

High purity aluminium
Polycarbonate



IP65 IK10



4

TECHNICAL CHARACTERISTICS

Light source

Light source: LED OSRAM
Output (W): 17W
Color temperature: Warm White - 3000K
CRI: 80
Real Lumen: 835
Nominal Lumen: 2022
Qty Leds: 32
Lm/Real W: 49
Life Time: 54.000h L70B30
Bin / Grup: 7S o 7T
MacAdam steps: 3 STEPS
UGR: 16.3
Photobiological risk: RG1

GEAR

Brand: EAGLERISE
Gear included: Yes, electronic
Voltage / Frequency:
100-240VAC/50-60Hz
Power Factor: 0.90


Luminaire

Double cable exit: No
Drainage: No
Uv Protection: Yes
Warranty: 2 Years


Logistics

Energy Efficiency: LED A++
EAN Code: 8435381459536
Net Weight (Kg): 2.160
Weight in Kg (packaged): 2.514
Packing: 220 x 220 x 215
Masterbox: 4


The photograph may not match the reference exactly. Please read the product description to identify the finish.




①




②




③ option cover



④ option cover



⑤



⑥

