





Description

Wall fixture

For frontal lighting and uplighting. Ideal for deco-tech compositions. Reflector optimised for wall wash. Compact, high performance product. Fully uniform diffuser with no shadows or glare. The optical module can easily be rotated 360°. Structure material: Injected aluminium. Structure finish: Matt white. Diffuser material: Acrylic. Warranty: 2 Years.

Finish
Matt white

Material
Injected aluminium
Acrylic



TECHNICAL CHARACTERISTICS

Light source

Light source: LED SAMSUNG
Output (W): 11.6 W
Total power consumption (W): 13.2 W
Color temperature: Warm White - 3000K
CRI: 80
Real Lumen: 851
Nominal Lumen: 1595
Qty Leds: 84
Lm/Real W: 64
Life Time: 50.000h L70B30
Bin / Grup: VB o VA
MacAdam steps: 3 STEPS
UGR: 21.9
Photobiological risk: RG1

GEAR

Brand: TCI
Gear included: Yes, electronic
Voltage / Frequency:
100-240V/50-60Hz
Power Factor: 0.95
Dimming protocol: Dali
Flickering: 32.3%


Luminaire

Warranty: 2 Years



Logistics

Energy Efficiency: LED A++
EAN Code: 8435381497545
Net Weight (Kg): 0.858
Weight in Kg (packaged): 1.011
Packing: 370 x 85 x 40
Masterbox: 20


The photograph may not match the reference exactly. Please read the product description to identify the finish.




1




2




3




4





ON/OFF




1..10V




DALI




5




6



7



8



05-6399
05-6405

05-6408
05-6411

