



Prep Multi-Purpose Tables - Overview



Rectangular Top
24 x 42
24 x 48
24 x 60
24 x 72


30 x 42
30 x 48
30 x 60
30 x 72

Page 262




Square Top
30 x 30
36 x 36
42 x 42
48 x 48

Page 262




Round Top
30 dia.
36 dia.
42 dia.
48 dia.
60 dia.

Page 262




AV Top
24 x 48
30 x 60

Page 263



Trapezoid Top
24 x 48
24 x 72
30 x 60

Page 263



Half Round Top
24 x 48
30 x 60

Page 263



T Base
2 1/2 x 27 3/4 (20 base spread)
2 1/2 x 27 3/4 (26 base spread)

Page 264, 268-270, 271




X Base
20 x 27 3/4 (20 base spread)
26 x 27 3/4 (26 base spread)
34 x 27 3/4 (34 base spread)
38 x 27 3/4 (38 base spread)

Page 264-265, 272



X4 Base
38 x 27 3/4 (38 base spread)

Page 265



Counter Height X Base
26 x 34 3/4 (26 base spread)
34 x 34 3/4 (34 base spread)

Page 266



Bar Height X Base
26 x 40 3/4 (26 base spread)
34 x 40 3/4 (34 base spread)

Page 267




Fabric Modesty Panel
48 x 10 1/4
60 x 10 1/4
72 x 10 1/4

Page 273

Features

Multi-Purpose Collection has a flexible offering of shapes and sizes. The tops and bases are specified separately.



Tops


- 6 top shapes: Rectangular, Square, Round, Half Round, Trapezoid and AV
- Wilsonart standard laminate top offerings.
- 15 edge colors
- Single user paddle release for tilting models
- Power kits available

Base

- Available in T or X styles in standard, counter and bar heights with base rail lengths matched to top size
- Two color options - Black Sandtex (BSX) or Stardust Silver (STS)


Glides or Casters

- Interchangeable in the field
- Casters or glides offer same table heights
- Dual-wheel locking casters
- Color: Black



Vertical Wire Management (AVL20)

Optional vertical wire management helps control and guide cords from the floor to the table top. Available in black or silver and field installed. Sold separately on page 278



Tilting Mechanism

Tables are tilted with a release handle centrally located under the table top. Pull the handle to activate the cable release mechanism and easily raise the top into the tilted position for storage or transport. To return, just tilt the top back to the work position until the mechanism locks.

Wilsonart Standard Laminate Offering

For most up to date listing visit: wilsonart.com

PATTERN NAME	PATTERN NUMBER	PVC MATCH	PATTERN NAME	PATTERN NUMBER	PVC MATCH	PATTERN NAME	PATTERN NUMBER	PVC MATCH
Alabaster	D431-60	X	Hunter Green	D79-60		Silicon Ev	4811-60	
Almond Leather	2932-60		Huntington Maple	7929-38		Slate Grey	D91-60	X
Antique Brush	4823-60		Indigo	D379-60		Soft Gold Mesh	4911-38	
Antique White	1572-60		Irish Linen	4993-38		Solar Oak	7816-60	
Arcade	4938-38		Island**	D498-60		Spiced Zephyr	4859-60	
Atlantis	D25-60		Kensington Maple	10776-60	X	Sprout	4918-60	
Banister Oak	7806-60		Khaki	D50-60		Steel Mesh	4879-38	
Basketweaving 101	4965-38		Legacy Blue	D417-60		Sterling Ash	7995-38	
Basketweaving 202	4966-38		Light Beige	1531-60		Sunshine	D499-60	
Beige	1530-60		Limber Maple	10734-60		Tailored Linen	4992-38	
Beige Pampus	4170-60		Linen	D427-60		Tan Soapstone	4887-38	
Beigewood	7850-60		Loden Zephyr	4844-60		Tangerine	4915-60	
Black	1595-60	X	Lowell Ash	7994-38		Tawny Legacy	4663-60	
Blue Agave	4919-60		Mangalore Mango	7984-38		Titanium Ev	4810-60	
Boardwalk Oak	7983-38		Manitoba Maple	7911-60		Tungsten Ev	4814-60	
Brazil Wood	7946-38	X	Maroochy Brush	4745-60		Tuscan Walnut	7921-38	
Brittany Blue	D321-60		Mission Maple	7990-38		Twilight Zephyr	4845-60	
Bronze Legacy	4656-60		Misted Zephyr	4843-60		Urban Bronze	4967-38	
Buka Bark	7982-38		Monticello Maple	7925-38		Urban Iron	4968-38	
Burnished Chestnut	4796-60		Morelia Mango	7985-38		Venitian Ivory	4928-38	
Canyon Zephyr	4842-60		Morro Zephyr	4846-60		Wallaby	D439-60	
Carbon Ev	4820-60		Natural Almond	D30-60		Western Bronze	4873-60	
Carbon Mesh	4880-38		Natural Cotton	4946-38		Western Storm	4872-60	
Castle Oak	7928-38		Natural Glace	4143-60		Western Suede	4871-60	
Casual Linen	4944-38		Natural Nebula	4633-60		Western White	4869-60	
Classic Linen	4943-38		Natural Pear	7061-60		White	1570-60	
Cloud Nebula	4630-60		Natural Recon	7996-38		White Carrara	4924-38	
Cloud Zephyr	4856-60		Natural Rift	7954-38		White Nebula	4621-60	
Coffee Bean	D495-60		Natural Tigris	4669-60		White Sand	D403-60	
Cream Fizz	4933-38		Navy Legacy	4651-60		White Tigris	4783-60	
Crème	D456-60		Neo Walnut	7991-38		Wild Cherry	7054-60	
Crips Linen	4942-38		New Age Oak	7938-38		Windswept Bronze	4794-38	
Denim Tracery	4961-38		Nickel Ev	4813-60		Windswept Pewter	4795-60	
Desert Zephyr	4841-60		North Sea	D90-60		Woolamai Brush	4746-60	
Designer White	D354-60	X	Ocean**	D502-60				
Dove Grey	D92-60	X	Oiled Soapstone	4882-38				
Ebony Recon	7997-38		Orange Grove	D501-60				
Egg Plant	4913-60		Organic Cotton	4945-38				
Evening Tigris	4674-60		Oxide	1787-60				
Fashion Grey	D381-60		Palisades Oak	7987-38				
Fired Steel	4994-60		Pampus	4166-60				
Flamingo	D467-60		Pasadena Oak	7986-38				
Flax Linen	4990-38		Pearl Soapstone	4886-38				
Florence Walnut	7993-38		Pepperdust	D327-60				
Fonthill Pear	10745-60		Persian Cherry	7989-48				
Forged Steel	4995-60		Pewter Brush	4779-60				
Frosty White	1573-60	X	Pewter Mesh	4878-38				
Fusion Maple	7909-60		Pinball	4937-38				
Gesso Tracery	4962-38		Pinnacle Walnut	7992-38				
Ginseng Tea	4909-60		Platinum	D315-60	X			
Graphite Nebula	4623-60		Pomegranite	4914-60				
Gray Glace	4142-60		Port	D14-60				
Gray Mesh	4877-38		Pressed Linen	4991-38				
Gray Nebula	4622-60		Putty	1503-60				
Gray Pampus	4168-60		Raw Cotton	4947-38				
Green Soapstone	4885-38		River Cherry	7937-38				
Green Tigris	4667-60		Rugged Linen	4989-38				
Guilded Mesh	4912-38		Rustic Slate	4888-38				
Harvest Maple	7953-38		Sable Soapstone	4883-38				
Haze**	D97-60		Sand	D331-60				
Hibiscus Cherry	7988-38		Shadow	D96-60	X			
High Rise	4996-38		Shadow Zephyr	4857-60				
Hollyberry	D307-60		Sheer Mesh	4876-38				

Contact Wilsonart at 800-433-3222 for samples of the laminates listed above.

Standard Community Laminates

*Autumn (Collectors Cherry)	10826K-07
*Bourbon (Natural Cherry)	XM044-07
*Ale (Kensington Maple)	10776-60
*Vintage (Cafelle)	7933K-07

For samples of the four standard Community laminates call Customer Service at 800-622-5661.

For additional vendors please call Customer Service at 800-622-5661.

Prep Multi-Purpose Order Check List:



Specify:

- ☐ 1. Model Number
- ☐ 2. Base Color - Black Sandtex (BSX) or Stardust Silver (STS)
- ☐ 3. Top Laminate Color
- ☐ 4. Edge - LS/Standard PVC Eased Edge or LP/Premium Metallic Eased Edge
- ☐ 5. Edge Color

Example:

PR2472CTT
(model #)

STS
(base/modesty)

4622-60
(top laminate color)

LS
(edge)

BLK
(edge color)

1. Model Number

2. Base Color - Black Sandtex (BSX) or Stardust Silver (STS)

3. Top Laminate Color; see page 260

4. Edge:

LS/Standard PVC Eased Edge
LP/Premium Metallic Eased Edge

5. Edge Color:

1.) LS - Laminate with standard 3mm PVC eased edge -

ALB Alabaster
ALE Ale
AUT Autumn
BLK Black
BBN Bourbon
BZW Brazilwood
DWH Designer White
DOV Dove Grey
FWH Frosty White
PLT Platinum
SHD Shadow
SLG Slate Grey
VIN Vintage

2.) LP - Laminate with premium metallic 2mm PVC eased edge.


See applicable pricing column.

ALU Aluminum
TTM Titanium

Description	D	W	H (LS/LP)	CTN WT	CU FT	① Model	Standard PVC Edge (LS)	Premium PVC Edge (LP)
Rectangular Top	24	42	1 3/16	38	3	PR2442TT	\$328	\$350
	24	48	1 3/16	43	4	PR2448TT	\$380	\$408
	24	60	1 3/16	52	5	PR2460TT	\$434	\$462
	24	72	1 3/16	62	5	PR2472TT	\$484	\$519
	30	42	1 3/16	44	4	PR3042TT	\$374	\$400
	30	48	1 3/16	49	5	PR3048TT	\$426	\$457
	30	60	1 3/16	59	6	PR3060TT	\$518	\$554
	30	72	1 3/16	71	7	PR3072TT	\$576	\$617

Rectangular Conference Top	36	60	1 3/16	71	6	PR3660TT	\$627	\$670
	36	72	1 3/16	85	7	PR3672TT	\$692	\$743

Square Top	30	30	1 3/16	32	3	PR3030ST	\$297	\$318
	36	36	1 3/16	52	4	PR3636ST	\$353	\$378
	42	42	1 3/16	59	5	PR4242ST	\$512	\$548
	48	48	1 3/16	76	7	PR4848ST	\$538	\$576

Round Top	30	N/A	1 3/16	32	3	PR30RT	\$336	\$362
	36	N/A	1 3/16	52	4	PR36RT	\$419	\$448
	42	N/A	1 3/16	67	5	PR42RT	\$631	\$660
	48	N/A	1 3/16	76	7	PR48RT	\$645	\$690
	60	N/A	1 3/16	115	10	PR60RT	\$824	\$882

Description	D	W	H (LS/LP)	CTN WT	CU FT	❶ Model	Standard PVC Edge (LS)	Premium PVC Edge (LP)
AV Top	24	48	1 3/16	43	4	PR2448AT	\$655	\$701
	30	60	1 3/16	58	6	PR3060AT	\$845	\$906

Trapezoid Top	24	48	1 3/16	43	4	PR2448ZT	\$493	\$527
	24	72	1 3/16	62	5	PR2472ZT	\$614	\$657
	30	60	1 3/16	58	6	PR3060ZT	\$557	\$598

Half Round Top	24	48	1 3/16	43	4	PR2448HT	\$402	\$432
	30	60	1 3/16	58	6	PR3060HT	\$556	\$597

To Order, Specify:

- ❶ Model Number
- ❷ Top Laminate Color
- ❸ Edge
- ❹ Edge Color
- ❺ Other Product Modifications

Specifications

- Top construction is 1 1/8" thick particle board. The laminate face is horizontal grade high pressure laminate (HPL). A backer is bonded to the bottom side to ensure balanced construction.
- Welded powder coated bases are produced in a cantilever configuration to standard height with base rail lengths matched with top sizes.

Description	D	H	Base Spread	CTN WT	CU FT	① Model	List Price
T Base	2 ½	27 ¾	20	12	3	PR20TF	\$304
	2 ½	27 ¾	20	12	3	PR20TC	\$281



T base with casters

- bases sold as single units

- sold as single unit
- fixed base with glides
- PR20TF and PR20TC for 24" depth top
- specify Black Sandtex (BSX) or Stardust Silver (STS)

T Base	2 ½	27 ¾	26	12	3	PR26TF	\$317
	2 ½	27 ¾	26	12	3	PR26TC	\$294




T base with casters

- bases sold as single units


- sold as single unit
- fixed base with glides
- PR26TF and PR26TC for 30" or 36" depth top
- specify Black Sandtex (BSX) or Stardust Silver (STS)

X Base	20	27 ¾	20	19	4	PR20XF	\$462
--------	----	------	----	----	---	--------	-------




- sold as single unit
- glides
- for 24" round or square
- specify Black Sandtex (BSX) or Stardust Silver (STS)

X Base	26	27 ¾	26	21	4	PR26XF	\$486
--------	----	------	----	----	---	--------	-------




- sold as single unit
- glides
- for 30" square
- for 30" or 36" round
- specify Black Sandtex (BSX) or Stardust Silver (STS)

Description	D	H	Base Spread	CTN WT	CU FT	① Model	List Price
X Base	34	27 ¾	34	24	4	PR34XF	\$511




- sold as single unit
- glides
- for 36" square
- for 42" round
- specify Black Sandtex (BSX) or Stardust Silver (STS)

X Base	38	27 ¾	38	29	4	PR38XF	\$537
--------	----	------	----	----	---	--------	-------



- sold as single unit
- glides
- for 42" square
- for 48" round or square
- specify Black Sandtex (BSX) or Stardust Silver (STS)

X4 Base	38	27 ¾	38	32	3	PR38X4F	\$930
---------	----	------	----	----	---	---------	-------



- sold as single unit
- glides
- for 60" round
- specify Black Sandtex (BSX) or Stardust Silver (STS)

To Order, Specify:


- ① Model Number
- ② Base Color
- ③ Other Product Modifications

Description	D	H	Base Spread	CTN WT	CU FT	1 Model	List Price
Counter Height X Base	26	34 ¾	26	24	5	PR26-CHXF	\$543




- sold as single unit
- fixed base with glides
- for 30" square
- for 30" or 36" round
- specify Black Sandtex (BSX) or Stardust Silver (STS)

Counter Height X Base	34	34 ¾	34	28	5	PR34-CHXF	\$568
-----------------------	----	------	----	----	---	-----------	-------




- sold as single unit
- fixed base with glides
- for 36" square
- for 42" round
- specify Black Sandtex (BSX) or Stardust Silver (STS)

Description	D	H	Base Spread	CTN WT	CU FT	① Model	List Price
Bar Height X Base	26	40 ¾	26	25	5	PR26-BHXF	\$543



- sold as single unit
- fixed base with glides
- for 30" square
- for 30" or 36" round
- specify Black Sandtex (BSX) or Stardust Silver (STS)

Bar Height X Base	34	40 ¾	34	29	5	PR34-BHXF	\$568
-------------------	----	------	----	----	---	-----------	-------



- sold as single unit
- fixed base with glides
- for 36" square
- for 42" round
- specify Black Sandtex (BSX) or Stardust Silver (STS)


To Order, Specify:

- ① Model Number
- ② Base Color
- ③ Other Product Modifications

Description	D	H	Base Spread	CTN WT	CU FT	1 Model	List Price
T Base	2 1/2	27 3/4	20	15	3	PR20TCT-42	\$934



- sold as set of 2
- tilt base with casters
- for 24" x 42" top
- specify Black Sandtex (BSX) or Stardust Silver (STS)




* Due to tilt mechanism these bases are sold as sets.

T Base	2 1/2	27 3/4	20	15	3	PR20TCT-48	\$934
--------	-------	--------	----	----	---	------------	-------




- sold as set of 2
- tilt base with casters
- for 24" x 48" top
- specify Black Sandtex (BSX) or Stardust Silver (STS)




* Due to tilt mechanism these bases are sold as sets.

TABLES

Description	D	H	Base Spread	CTN WT	CU FT	① Model	List Price
T Base	2 ½	27 ¾	20	15	3	PR20TCT-60	\$934




- sold as set of 2
- tilt base with casters
- for 24" x 60" top
- specify Black Sandtex (BSX) or Stardust Silver (STS)




* Due to tilt mechanism these bases are sold as sets.

T Base	2 ½	27 ¾	20	15	3	PR20TCT-72	\$934
--------	-----	------	----	----	---	------------	-------



- sold as set of 2
- tilt base with casters
- for 24" x 72" top
- specify Black Sandtex (BSX) or Stardust Silver (STS)



* Due to tilt mechanism these bases are sold as sets.


To Order, Specify:

- ① Model Number
- ② Top Laminate Color
- ③ Base Color
- ④ Edge
- ⑤ Edge Color
- ⑥ Other Product Modifications


Specifications

- Assembled powder coated bases are produced in a cantilever configuration to standard height with base rail lengths matched with top sizes.

Description	D	H	Base Spread	CTN WT	CU FT	1 Model	List Price
T Base	2 1⁄2	27 ¾	26	15	3	PR26TCT-42	\$953




- sold as set of 2
- tilt base with casters
- for 30" x 42" top
- specify Black Sandtex (BSX) or Stardust Silver (STS)




* Due to tilt mechanism these bases are sold as sets.

T Base	2 1⁄2	27 ¾	26	15	3	PR26TCT-48	\$953
--------	-------	------	----	----	---	------------	-------




- sold as set of 2
- tilt base with casters
- for 30" x 48" top
- specify Black Sandtex (BSX) or Stardust Silver (STS)




* Due to tilt mechanism these bases are sold as sets.

T Base	2 1⁄2	27 ¾	26	15	3	PR26TCT-60	\$953
--------	-------	------	----	----	---	------------	-------




- sold as set of 2
- tilt base with casters
- for 30" x 60" top
- specify Black Sandtex (BSX) or Stardust Silver (STS)




* Due to tilt mechanism these bases are sold as sets.

TABLES

Description	D	H	Base Spread	CTN WT	CU FT	❶ Model	List Price
T Base	2 ½	27 ¾	26	15	3	PR26TCT-72	\$953



- sold as set of 2
- tilt base with casters
- for 30" x 72" top
- specify Black Sandtex (BSX) or Stardust Silver (STS)



* Due to tilt mechanism these bases are sold as sets.

To Order, Specify:

- ❶ Model Number
- ❷ Top Laminate Color
- ❸ Base Color
- ❹ Edge
- ❺ Edge Color
- ❻ Other Product Modifications

Specifications

- Assembled powder coated bases are produced in a cantilever configuration to standard height with base rail lengths matched with top sizes.

Description	D	H	Base Spread	CTN WT	CU FT	1 Model	List Price
X Base	2 1/2	27 3/4	20	26	5	PR20XCT	\$549



- sold as single unit
- tilt base with casters
- for 24" round or square
- specify Black Sandtex (BSX) or Stardust Silver (STS)

X Base	2 1/2	27 3/4	26	26	5	PR26XCT	\$572
--------	-------	--------	----	----	---	---------	-------



- sold as single unit
- tilt base with casters
- for 30" round or square
- for 36" round
- specify Black Sandtex (BSX) or Stardust Silver (STS)

X Base	2 1/2	27 3/4	34	28	4	PR34XCT	\$596
--------	-------	--------	----	----	---	---------	-------



- sold as single unit
- tilt base with casters
- for 36" square
- for 42" round or square
- specify Black Sandtex (BSX) or Stardust Silver (STS)

X Base	2 1/2	27 3/4	38	28	5	PR38XCT	\$662
--------	-------	--------	----	----	---	---------	-------



- sold as single unit
- tilt base with casters
- for 48" round or square
- specify Black Sandtex (BSX) or Stardust Silver (STS)

TABLES

Description	W	H	CTN WT	CU FT	❶ Model	List Price
-------------	---	---	-----------	----------	---------	------------

Fabric Modesty Panel	48	10 ¼	8	2	PR48MP	\$264
----------------------	----	------	---	---	--------	-------



- for 48" width top
- for 24" and 30" depth rectangle tops
- black mesh fabric with liner and wire management pockets



Fabric Modesty Panel	60	10 ¼	9	2	PR60MP	\$307
----------------------	----	------	---	---	--------	-------



- for 60" width top
- for 24" and 30" depth rectangle tops
- black mesh fabric with liner and wire management pockets



Fabric Modesty Panel	72	10 ¼	12	2	PR72MP	\$320
----------------------	----	------	----	---	--------	-------



- for 72" width top
- for 24" and 30" depth rectangle tops
- black mesh fabric with liner and wire management pockets




To Order, Specify:

- ❶ Model Number
- ❷ Base Color
- ❸ Other Product Modifications


Specifications

- Assembled powder coated bases are produced in a cantilever configuration to standard height with base rail lengths matched with top sizes.

Prep Conference Tables - Overview




Rectangular Conference Top
36 x 60
36 x 72
Page 275



Round Top
60 dia.
Page 275

Description	D	W	CTN WT	CU FT	❶ Model	Standard PVC Edge (LS)	Premium PVC Edge (LP)
Rectangular Conference Top	36	60	71	6	PR3660TT	\$627	\$670
	36	72	85	7	PR3672TT	\$692	\$743
Coordinating T Bases (must be ordered separately):							
Fixed Base with glides							List Price
26 single unit			12	3	PR26TF		\$317
26 single unit			12	3	PR26TC		\$294
26 set of 2			15	3	PR26TCT-60		\$953
26 set of 2			15	3	PR26TCT-72		\$953
- fixed base with glides - for 30" or 36" depth top - specify Black Sandtex (BSX) or Stardust Silver (STS)							



Round Top	60		115	10	PR60RT	\$824	\$882
	Coordinating X Base (must be ordered separately):						
X4 Base							List Price
38			32	3	PR38X4F		\$930
- sold as single unit - glides - for 60" round - specify Black Sandtex (BSX) or Stardust Silver (STS)							



To Order, Specify:

- ❶ Model Number
- ❷ Top Laminate Color
- ❸ Base Color
- ❹ Edge
- ❺ Edge Color
- ❻ Other Product Modifications

Specifications




- Top construction is 1 1/8" thick particle board. The laminate face is horizontal grade high pressure laminate (HPL). A backer is bonded to the bottom side to ensure balanced construction.
- Assembled powder coated bases are produced in a cantilever configuration to standard height with base rail lengths matched with top sizes.

Description	D	W	CTN WT	CU FT	① Model	List Price
Mini Grommet Power and Data Tilt Up  • fluid one touch tilt up access • one power receptacle - 120 volt; 15 amp with one voice/data port adapter to accept most jack manufacturers • 72" power cord with molded plug • drop in field installation required • UL listed component • specify Black (B) or Silver (S) • location cannot be over base mounting plate	4 ¼	5 ½	6		EC10	\$341
Mini Power Tilt Up  • fluid one touch tilt up access • two power receptacles - 120 volt; 15 amp • 72" power cord with molded plug • drop in field installation required • UL listed component • specify Black (B) or Silver (S) • location cannot be over base mounting plate	4 ¼	5 ½	6		EC11	\$353
Mini Power and USB Tilt Up  • fluid one touch tilt up access • one power receptacle - 120 volt; 15 amp dual powered USB • 72" power cord with molded plug • drop in field installation required • UL listed component • Black or Silver finish • location cannot be over base mounting plate	4 ¼	5 ½	6	1	EC12	\$442
Dual Power and Data Tilt Up  • for use with PR3660TT and PR3672TT only • fluid one touch tilt up access • back to back tilt sections • four power receptacles (2 per side) - 120 volt; 15 amp with four openings for voice/data jacks (2 per side) • adapter kit provided to accept jacks from most port manufacturers • accepts up to four type 3 telecom jacks • two 72" power cord with molded plug • drop in field installation required • UL listed component • Silver finish • location cannot be over base mounting plate	8	8 ¾	16		EC13	\$901

Description	CTN WT	CU FT	1 Model	List Price
Corner Electrical Jumper Cable  • 12" corner jumper cable • use for wedges, 90 degree corners and half round tables			EJK-12	\$113
3 Prong Power Infeed  • 72" plug power infeed • 20 amps/110 volts max • 3 prong plug - 15 amp adapter plug • single circuit use only			AP72	\$222
Hardwire Power Infeed  • 72" hardwire power infeed • 20 amps/120 volts max • single or two circuit • electrical contractor responsible for connection to building power source			HP72	\$180

To Order, Specify:

1 Model Number

Description	CTN WT	CU FT	1 Model	List Price
Quick Disconnect Power Infeed			MP72	\$166
 · must be used with QD1 · 72" modular power infeed · 20 amps/120 volts max · single or two circuit				
Quick Disconnect Wall Outlet			QD1	\$84
 · must be used with MP72 · single or two circuit · 20 amps/120 volts max · electrical contractor responsible for connection to building power source				
Data Port	1	1	DJ-45	\$81
  DJ-45 Locations · CAT6-RJ45 · 2 data port cut outs per power box · single unit price				
Vertical Wire Management	1	1	AVL20	\$56
 · available in Black (B) or Silver (S) · field installed				

To Order, Specify:
1 Model Number

Prep Training Tables - Overview



Rectangular Table
24 x 48
24 x 60
24 x 72

Page 290



Quarter Round Linking Top
24 x 24
30 x 30

Page 291






Wedge Linking Top
24 - 30 degree
24 - 45 degree
24 - 60 degree
24 - 90 degree

30 - 30 degree
30 - 45 degree
30 - 60 degree
30 - 90 degree

Page 291


Common Configurations



TABLES

Features

The Prep Training Tables Collection offers rectangular tops with cantilevered tilt bases and fixed metal modesty panels. To help complete your configuration quarter round and wedge linking tops are available.



Tops


- Top shapes available in rectangular and linking quarter round or linking wedges
- Wilsonart standard laminate top offerings.
- 15 edge colors
- Eased edge profile
- Power kits available

Cantilever Base

- Provides one hand tilt function for easy nesting storage
- Two color options - Black Sandtex (BSX) or Stardust Silver (STS)


Glides or Casters

- Standard with casters
- Dual-wheel locking
- Color: Black



Vertical Wire Management (AVL20)

Optional vertical wire management helps control and guide cords from the floor to the table top. Available in black or silver and field installed. Sold separately on page 293.




Tilting Mechanism

Tables are tilted with a release handle centrally located under the table top. Pull the handle to activate the cable release mechanism and easily raise the top into the tilted position for storage or transport. To return, just tilt the top back to the work position until the mechanism locks.

Leveling Linking Kit


- Easy to install, no tools required when re-configuring tables
- All table tops are pre-bored with inserts to accept field installed linking kit
- 4 black low profile knobs (2 for each table) with quick release flat plate
- 11 gauge steel
- Included on Wedge and Quarter Round table tops

Wedge and Quarter Rounds linking tops are available in ten sizes. (See page 291) All linking tables include linking kits.



Power Kits

Power kits include power boxes with grommets, connecting cables, wire clamps and safety linking plates. Data ports for internet and network connections are available. Tables can be reconfigured, tilted, nested and stored with power kits installed.



- 2 - electrical receptacles (1 duplex)
- 2 - data cut outs with plastic caps
- data jacks available
- (DJ-45 see page 293)


Prep's electrical package (EP) offers a single and double circuit capability. Data ports for easy internet access and equipment charging are also available.

Included in the power kit:

- Power box with grommet
 - One box for 42" & 48" rectangular tops, trapezoid, half round and AV
 - Two boxes for the 60" & 72" rectangular tops.
- Cables
 - One power kit - Two cables are included; one for each end of the power box
 - Two power kits - Three cables are included; one for each end of the table and one to connect the two boxes
- Wire Cable Clamps - to secure your wires to the underside of the table top



- Safety linking plate - screws to the underside of the table top to secure the tables from being pulled apart accidentally and damaging electrical cables




* Note: If tables are frequently going to be re-configured you may want to order the Leveling Linking Kit.

Non-Directional & Non-Sequential Single or Double Circuit Electrical System


A non-directional, non-sequential electrical package allows for power in virtually any configuration. Simply disconnect each table, change the configuration, and reconnect the tables no matter the order no matter the direction. Power in-feed cables can be attached to whichever end of a configuration is closest to your power source.

Non-Directional

Example 1



Example 2




Note: Power in-feed cables can be attached to either end of the table configuration


Non-Sequential

Table order is not a concern with the Prep's electrical system.
Never connect more than one power source to a table configuration.

Example 1



Example 2



Identifying Circuits

Single Circuit

USA/CSA label on power kit under table surface identifies Circuit 1.

VILIA 42 LR65415 LISTED 2054 DISTRIBUTION 	ELECTRI-CABLE A SSEMBLIES SHELTON, CT 06484 CAT# VIL-4-1-DKO-S 	INSP BY: _____ DATE: _____ 	SPECS: 20A 125V
			DESC: SYS 42 / CIRCUIT 1
			DESC: SYS 42 / CIRCUIT 1

Double Circuit


USA/CSA label on power kit under table surface identifies Circuit 1 or Circuit 2.

VILIA 42 LR65415 LISTED 2054 DISTRIBUTION 	ELECTRI-CABLE A SSEMBLIES SHELTON, CT 06484 CAT# VIL-4-2-DKO-S 	INSP BY: _____ DATE: _____ 	SPECS: 20A 125V
			DESC: SYS 42 / CIRCUIT 1
			DESC: SYS 42 / CIRCUIT 1

VILIA 42 LR65415 LISTED 2054 DISTRIBUTION 	ELECTRI-CABLE A SSEMBLIES SHELTON, CT 06484 CAT# VIL-4-2-DKO-S 	INSP BY: _____ DATE: _____ 	SPECS: 20A 125V
			DESC: SYS 42 / CIRCUIT 2
			DESC: SYS 42 / CIRCUIT 2

Single Circuit Guide

- Use for simple, quick connection electrical needs
- Up to 8 power kits can be linked on a single circuit grid
- Each table's electrical components can be connected with cables and secured with safety linking brackets (linking brackets included, field installation required).




When connecting your powered tables to building power source you have three options:

Option 1: 72" long, 3 prong, 20 amp with 15 amp adapter/110 volt maximum conventional plug (model AP72), see page 292 for ordering information. Many new construction and Canadian facilities will have 20 amp outlets for direct plug in, but power infeed includes 20 amp to 15 amp adapter.


AP72
Includes 20 amp infeed and
15 amp adapter

20 amp Infeed


15 amp Adapter



Option 2: Quick disconnect hardwired wall outlet (model QD1). 72" long modular power infeed 20amp/120 volts maximum (model MP72), see page 293 for ordering information. Four wire system with two individual circuits.



Option 3: Hardwired 4-wire power infeed, 72" long, 20 amp/120 volts maximum (model HP72), see page 293 for ordering information. Four wire system with two individual circuits.




Note: Termination of quick disconnect and hardwire power infeed connection to building power source must be completed by a certified licensed electrical contractor. Building and local code appliance is the responsibility of end user.

WARNING DO NOT ELECTRICALLY CONNECT TO MORE THAN ONE BUILDING POWER SUPPLY SOURCE.


Double Circuit Guide

- Double circuit building power source must be wired to support four wire double circuit configurations
- Use for rooms with greater electrical needs
- Up to 16 power kits can be linked on a double circuit grid
- Double circuit hardware provides 20 amp/120 volt power to each circuit
- Allowing more tables powered from one building power infeed




When connecting your powered tables to building power source you have two options:

Option 1: Quick disconnect hardwired wall outlet (model QD1). 72" long modular power infeed, 20amp/120 volt (model MP72), see page 293 for ordering information



Option 2: Hardwired 4-wire power infeed, 72" long, 20 amp/120 volts maximum (model HP72), see page 293 for ordering information. Four wire system with two individual circuits.




Note: Termination of quick disconnect and hardwire power infeed connection to building power source must be completed by a certified licensed electrical contractor. Building and local code appliance is the responsibility of end user.


WARNING DO NOT ELECTRICALLY CONNECT TO MORE THAN ONE BUILDING POWER SUPPLY SOURCE.

Top Shapes and Sizes with Corresponding Power Kit Locations


Rectangular



Wedge Linking Top*
(includes leveling linking kit)



Quarter Round Linking Top*
(includes leveling linking kit)




* Note: Wedge and quarter round linking tops require jumper cables (EKJ-12) ordered separately. (U brackets included, field installation required).

How to Specify Prep Training Tables

Follow these easy steps to create an adaptable, mobile learning environment.

1. The first step, initial requirements

- Determine room configuration which will best fit your needs
- Determine seating capacity requirements
- Determine your power and data needs
- Determine power infeed source
 - power infeed source must be within 6' of first powered table



Power

The black center references the power source location.


The shaded sphere has a 42\" radius to indicate the length of the power cord at floor level.

2. Determine the Top Shapes and Sizes, as well as the number of tops needed for the chosen table configuration.

(See page 296 for seating capacity options.)


A) Table Placement Guidelines

- 24\"– 30\" per person
- 48\" for aisles
- 48\" from side walls
- 96\"– 120\" for presenter between front wall and first row
- 48\" between rows
- 84\" from back wall



B) ADA Guidelines

- 34\"– 36\" per wheelchair table space
- 24\" minimum table depth
- 60\"– 72\" between rows for wheelchairs to be placed back-to-back
- 36\" minimum for wheelchair single passage
- 60\" minimum for wheelchair double passage
- 60\" minimum diameter to turn wheelchair
- 29\" height accommodates newer wheelchairs; however, some wheelchairs require 32\" height.



Wilsonart Standard Laminate Offering

For most up to date listing visit: wilsonart.com

PATTERN NAME	PATTERN NUMBER	PVC MATCH	PATTERN NAME	PATTERN NUMBER	PVC MATCH	PATTERN NAME	PATTERN NUMBER	PVC MATCH
Alabaster	D431-60	X	Hunter Green	D79-60		Silicon Ev	4811-60	
Almond Leather	2932-60		Huntington Maple	7929-38		Slate Grey	D91-60	X
Antique Brush	4823-60		Indigo	D379-60		Soft Gold Mesh	4911-38	
Antique White	1572-60		Irish Linen	4993-38		Solar Oak	7816-60	
Arcade	4938-38		Island**	D498-60		Spiced Zephyr	4859-60	
Atlantis	D25-60		Kensington Maple	10776-60	X	Sprout	4918-60	
Banister Oak	7806-60		Khaki	D50-60		Steel Mesh	4879-38	
Basketweaving 101	4965-38		Legacy Blue	D417-60		Sterling Ash	7995-38	
Basketweaving 202	4966-38		Light Beige	1531-60		Sunshine	D499-60	
Beige	1530-60		Limber Maple	10734-60		Tailored Linen	4992-38	
Beige Pampus	4170-60		Linen	D427-60		Tan Soapstone	4887-38	
Beigewood	7850-60		Loden Zephyr	4844-60		Tangerine	4915-60	
Black	1595-60	X	Lowell Ash	7994-38		Tawny Legacy	4663-60	
Blue Agave	4919-60		Mangalore Mango	7984-38		Titanium Ev	4810-60	
Boardwalk Oak	7983-38		Manitoba Maple	7911-60		Tungsten Ev	4814-60	
Brazil Wood	7946-38	X	Maroochy Brush	4745-60		Tuscan Walnut	7921-38	
Brittany Blue	D321-60		Mission Maple	7990-38		Twilight Zephyr	4845-60	
Bronze Legacy	4656-60		Misted Zephyr	4843-60		Urban Bronze	4967-38	
Buka Bark	7982-38		Monticello Maple	7925-38		Urban Iron	4968-38	
Burnished Chestnut	4796-60		Morelia Mango	7985-38		Venitian Ivory	4928-38	
Canyon Zephyr	4842-60		Morro Zephyr	4846-60		Wallaby	D439-60	
Carbon Ev	4820-60		Natural Almond	D30-60		Western Bronze	4873-60	
Carbon Mesh	4880-38		Natural Cotton	4946-38		Western Storm	4872-60	
Castle Oak	7928-38		Natural Glace	4143-60		Western Suede	4871-60	
Casual Linen	4944-38		Natural Nebula	4633-60		Western White	4869-60	
Classic Linen	4943-38		Natural Pear	7061-60		White	1570-60	
Cloud Nebula	4630-60		Natural Recon	7996-38		White Carrara	4924-38	
Cloud Zephyr	4856-60		Natural Rift	7954-38		White Nebula	4621-60	
Coffee Bean	D495-60		Natural Tigris	4669-60		White Sand	D403-60	
Cream Fizz	4933-38		Navy Legacy	4651-60		White Tigris	4783-60	
Crème	D456-60		Neo Walnut	7991-38		Wild Cherry	7054-60	
Crips Linen	4942-38		New Age Oak	7938-38		Windswept Bronze	4794-38	
Denim Tracery	4961-38		Nickel Ev	4813-60		Windswept Pewter	4795-60	
Desert Zephyr	4841-60		North Sea	D90-60		Woolamai Brush	4746-60	
Designer White	D354-60	X	Ocean**	D502-60				
Dove Grey	D92-60	X	Oiled Soapstone	4882-38				
Ebony Recon	7997-38		Orange Grove	D501-60				
Egg Plant	4913-60		Organic Cotton	4945-38				
Evening Tigris	4674-60		Oxide	1787-60				
Fashion Grey	D381-60		Palisades Oak	7987-38				
Fired Steel	4994-60		Pampus	4166-60				
Flamingo	D467-60		Pasadena Oak	7986-38				
Flax Linen	4990-38		Pearl Soapstone	4886-38				
Florence Walnut	7993-38		Pepperdust	D327-60				
Fonthill Pear	10745-60		Persian Cherry	7989-48				
Forged Steel	4995-60		Pewter Brush	4779-60				
Frosty White	1573-60	X	Pewter Mesh	4878-38				
Fusion Maple	7909-60		Pinball	4937-38				
Gesso Tracery	4962-38		Pinnacle Walnut	7992-38				
Ginseng Tea	4909-60		Platinum	D315-60	X			
Graphite Nebula	4623-60		Pomegranite	4914-60				
Gray Glace	4142-60		Port	D14-60				
Gray Mesh	4877-38		Pressed Linen	4991-38				
Gray Nebula	4622-60		Putty	1503-60				
Gray Pampus	4168-60		Raw Cotton	4947-38				
Green Soapstone	4885-38		River Cherry	7937-38				
Green Tigris	4667-60		Rugged Linen	4989-38				
Guilded Mesh	4912-38		Rustic Slate	4888-38				
Harvest Maple	7953-38		Sable Soapstone	4883-38				
Haze**	D97-60		Sand	D331-60				
Hibiscus Cherry	7988-38		Shadow	D96-60	X			
High Rise	4996-38		Shadow Zephyr	4857-60				
Hollyberry	D307-60		Sheer Mesh	4876-38				

Contact Wilsonart at 800-433-3222 for samples of the laminates listed above.

Standard Community Laminates

*Autumn (Collectors Cherry)	10826K-07
*Bourbon (Natural Cherry)	XM044-07
*Ale (Kensington Maple)	10776-60
*Vintage (Cafelle)	7933K-07

For samples of the four standard Community laminates call Customer Service at 800-622-5661.

For additional vendors please call Customer Service at 800-622-5661.

Prep Training Tables Order Check List:



Specify:

- ☐ 1. Model Number
- ☐ 2. Base Color - Black Sandtex (BSX) or Stardust Silver (STS)
- ☐ 3. Top Laminate Color
- ☐ 4. Edge - LS/Standard PVC Eased Edge or LP/Premium Metallic Eased Edge
- ☐ 5. Edge Color
- ☐ 6. Optional Leveling Linking Kit
- ☐ 7. Optional Electrical Package

Example:

PR2472CTT
(model #)

STS
(base/modesty)

4622-60
(top laminate color)

LS
(edge)

BLK
(edge color)

1. Model Number

2. Base Color - Black Sandtex (BSX) or Stardust Silver (STS)

3. Top Laminate Color; see page 288

4. Edge:

LS/Standard PVC Edge

LP/Premium Metallic Eased Edge

5. Edge Color:


1.) LS - Laminate with standard 3mm PVC Eased edge -

ALB Alabaster
ALE Ale
AUT Autumn
BLK Black
BBN Bourbon
BZW Brazilwood
DWH Designer White
DOV Dove Grey
FWH Frosty White
PLT Platinum
SHD Shadow
SLG Slate Grey
VIN Vintage

2.) LP - Laminate with premium metallic 2mm PVC Eased edge. See applicable pricing column.

ALU Aluminum
TTM Titanium

6. Optional Leveling Linking Kit (L) - add \$56 list



7. Optional Power Kit Package*

*Grommet color option - Black (B) or Silver (S)

Rectangular 42" & 48", AV, Trapezoid, Half Round - add \$340 list
(1 power kit per table)

PREP-EPIC (single circuit)

PREP-EP2C-1 (double circuit) (circuit 1)

PREP-EP2C-2 (double circuit) (circuit 2)


Rectangular 60" & 72" - add \$524 list
(2 power kits per table)

PREP-EPID (single circuit)


PREP-EP2D-1 (double circuit) (circuit 1)

PREP-EP2D-2 (double circuit) (circuit 2)

8. Power Infeed Cables; see page 293 for power specifications

Description	D	W	H (LS/LP)	CTN WT	CU FT	❶ Model	Standard PVC Edge (LS)	Premium PVC Edge (LP)
Rectangular Table  	24	48	29	65	9	PR2448CTT	\$1,562	\$1,588
	30	48	29	71	10	PR3048CTT	\$1,626	\$1,656
	24	60	29	75	10	PR2460CTT	\$1,640	\$1,669
	24	72	29	85	11	PR2472CTT	\$1,719	\$1,755
	30	60	29	82	11	PR3060CTT	\$1,738	\$1,776
	30	72	29	94	13	PR3072CTT	\$1,828	\$1,868

Description	D	W	H (LS/LP)	CTN WT	CU FT	① Model	Standard PVC Edge (LS)	Premium PVC Edge (LP)
Quarter Round Linking Top	24	24	1 3/16	21	2	PR24QT	\$318	\$340
	30	30	1 3/16	30	3	PR30QT	\$383	\$411



- linking brackets included
- when jumper is used in configurations with power kits an EJK-12 corner electrical jumper cable must be specified; see page 292

Wedge Linking Top	24	N/A	1 3/16	11	1	PR24-30WT 30 degree	\$318	\$340
	24	N/A	1 3/16	16	1	PR24-45WT 45 degree	\$324	\$346
	24	N/A	1 3/16	20	2	PR24-60WT 60 degree	\$327	\$348
	24	N/A	1 3/16	28	2	PR24-90WT 90 degree	\$352	\$377
	30	N/A	1 3/16	16	1	PR30-30WT 30 degree	\$320	\$342
	30	N/A	1 3/16	24	2	PR30-45WT 45 degree	\$352	\$377
	30	N/A	1 3/16	30	2	PR30-60WT 60 degree	\$368	\$396
	30	N/A	1 3/16	42	3	PR30-90WT 90 degree	\$423	\$454







- linking brackets included
- when jumper is used in configurations with power kits an EJK-12 corner electrical jumper cable must be specified; see page 292

To Order, Specify:


- ① Model Number
- ② Base/Modesty Color
- ③ Top Laminate Color
- ④ Edge
- ⑤ Edge Color
- ⑥ Other Product Modifications

Specifications


- Top construction is 1 1/8" thick particle board. The laminate face is horizontal grade high pressure laminate (HPL). A backer is bonded to the bottom side to ensure balanced construction.
- Assembled powder coated bases are produced in a cantilever configuration to standard height with base rail lengths matched with top sizes.

Description	D	W	H	CTN WT	CU FT	① Model	List Price
Corner Electrical Jumper Cable  						EJK-12	\$113
12" corner jumper cable - use for wedges, 90 degree corners and half round tables							
3 Prong Power Infeed 						AP72	\$222
72" plug power infeed 20 amps/110 volts max 3 prong plug - 15 amp adapter plug - single circuit use only							
Hardwire Power Infeed 						HP72	\$180
72" hardwire power infeed 20 amps/120 volts max - single or two circuit - electrical contractor responsible for connection to building power source							
Quick Disconnect Power Infeed 						MP72	\$166
- must be used with QD1 72" modular power infeed 20 amps/120 volts max - single or two circuit							
Quick Disconnect Wall Outlet 						QD1	\$84
- must be used with MP72 - single or two circuit 20 amps/120 volts max - electrical contractor responsible for connection to building power source							

Description	CTN WT	CU FT	❶ Model	List Price
Data Port	1	1	DJ-45	\$81



- CAT6-RJ45
- 2 data port cut outs per power box
- single unit price



DJ-45
Locations

Vertical Wire Management	1	1	AVL20	\$56
--------------------------	---	---	-------	------



- available in Black (B) or Silver (S)
- field installed

To Order, Specify:

- ❶ Model Number
- ❷ Color (EC10 & EC11)