January 3, 2011 Updated October 3, 2018 800-424-2432









Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M.,	, C.O.L., and C.O.V.	
	BONDUEL, GREEN BAY, ONTARIO, and TUPE	
	HIGH POINT	4
	Shipping Location	6
Stack/Nesting	1000 Series™	3
	Apply®	14
	Dorsal [®]	20
	Grazie®	24
	Katera	46
	Maestro®	60
	Matrix [®]	64
	Opt4®	70
	Perry®	96
	Piretti	102
	Plaza™	110
	Rapture®	114
	Silhouette®	126
	Strive®	132
	Strive® HD	170
	Strive® Nesting	176
	Torsion® on the Go!®	186
	Torsion®	192
	Torsion Air®	204
	Versa® Basic	218
	Versa® Conference	222
	Versa® Standard	228
	Versa® XL	248
	Xylon®	254
Guest Chairs	AerDyn [®]	258
	Bantam™	262
	Berlage™	266
	Itoki DP™	270
	Jubi™	274
	Mondial™	278
Index		282


BONDUEL, GREEN BAY, ONTARIO, and TUPELO

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret fabric

direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When direcBy providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous vardage.



C.O.M., C.O.L. and C.O.V. Testing

tional or patterned fabrics are used, they often require more yardage than solid colors.

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> KI Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility,
ship upholstery material to:

KI Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801 For products shipped from Bonduel, WI facility, ship material to:

KI Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:


Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests,

Drovide a

sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.



Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

Kl assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L and C.O.V. Information Form Please see information below and check the appropriate box. A copy of this form should accompany test requests and production orders. Please fill it out ☐ Submitted for testing. Test approved. Submitted for production. completely, and, if your order has been Purchase Order Number KI Acknowledgement Number acknowledged, provide the acknowledgement number. Purchasing Agent (Dealer or buying organization) In all instances, send this form to the C.O.M. Specialist. Attention B^{Selvage} Side and Side Selvage Top and Bottom Address City State Zip Project Name Type of seating and number of units of each type

Ordering C.O.M., C.O.L., and C.O.V. BONDUEL, GREEN BAY, ONTARIO, and TUPELO



Customer's Own Material ■

Specifications Form January 2017

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS

MUST BE PREPAID TO:

217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

- I. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	14"-21" REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.





Customer's Own Material ■

Specifications Form January 2017


ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)



YOUR COMPANY NAME		
PHONE	FAX	
Material Supplier		
Material Name		
Material Color		
Vertical Repeat		
COM TO BE USED ON THE FOLLOWING:		
QTY PRODUCT NAME/NUMBER		



Shipping Location

C.O.M. SHIPPING LOCATION



Architectural Walls	Wireworks	MN	Jubi Guest Chair	GB
Genius WallsMN	Unite	MN	Kismet Task/Guest Chairs & Stools	OM
			Kurv Benches	HN
Casegoods	Residence Hall Furniture		LaResta Day Beds	HN
Dante BenchesAG	RoomScape Furniture	MN	Lyra Lounge Seating	HN
Aristotle TackboardsMN			Maestro Stack Chairs	GB
	Screens		Matrix Stack Chairs	GB
Classroom Furniture	All Terrain	KP	Medical & Laboratory Stools	OM
360° Classroom Furniture BW	Connection Zone	BW	Mesa Lounge Seating	HN
Dorsal 1090 ChairsGB	True/Volition	KP	MyWay Seating	HN
Intellect Wave ChairsGB	Genesis	KP	Neena Benches	HN
Learn2GB			Oath Task Chairs and Stools	TM
	Seating		Opt4	GB
Desking	100 Series Folding Chairs	BW	Perry Stack Chairs	GB
700 Series DeskingKP	300 Series Folding Chairs	BW	Perth Multiple & Healthcare Seating	HN
Balance OverheadsMN	600 Series Stools	BW	Perth II Healthcare Seating	HN
Genesis DeskingMN	700 Series Folding Chairs	BW	Pilot Task Chairs	OM
True DeskingKP	Aerdyn Guest Seating	HN	Piretti Stack Chairs	GB
Universal OverheadsMN	Affina Collection	HN	Promenade Seating System	BW
WorkZone DeskingMN	Arissa Lounge	HN	Rapture Stack Chairs & Stools	GB
	Altus Task Chairs	TM	Ruckus	GB
Files & Storage	Apply Stack Chairs	GB	Rose Healthcare	BW
700 Series Pedestal Cushion	Auditorium Folding Chairs	BW	Sela Lounge Seating	HN
Connection Zone PadsBW	Avail Task Chairs	OM	Sift Task Chairs	TM
U-Series Pedestal CushionGB	Bantam Guest Seating	HN	Silhouette Stack Chairs & Stools	BW
	Cinturon Lounge Seating	HN	Soltice Metal Collection	HN
Fixed Seating	Cody Lounge Seating	HN	Soltice Multiple, Healthcare & Guest	HN
Concerto Auditorium Seating BW	Connection Zone Privacy Booths	s HN	Soltice II Healthcare Seating	HN
Single Pedestal SeatingGB	Doni Collection	GB	Strive Multiple, Stack & Task	GB
Jury Base SeatingGB	Dorsal Stack & Tandem Seating	GB	Sway	BW
Lancaster Auditorium Seating BW	Engage Task Chairs & Stools	GB	Tea Cup Lounge Seating	HN
Sequence Seating	FourC Seating	TM	Torsion-on-the-Go! Nesting Chairs	GB
University Seating	Front Row Seats (Silk Screening)	BW	Torsion Air Stack and Task Seating	GB
, 0	GateOne Public Seating	BW	Torsion Stack and Task Seating	GB
Panel Systems	Grazie Seating		Versa Stack Chairs & Stools	GB
All TerrainKP	Hub Modular Lounge Seating	HN		
Balance OverheadsMN	Impress Task Chairs	OM		
System 3000MN	Impress Ultra Task Chairs	OM		
Universal OverheadsMN	Jessa Lounge Seating	HN		

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

AG Contact KI at I-800-424-2432

GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3

Green Bay, WI 54302

High Point, NC 27263

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 MN KI Manitowoc Attn: COM Storage I 400 S. 4 I st St. Manitowoc, WI 54220

BW/ KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 HN KI-HN Attn: COM Storage 217 Feld Avenue

OM KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761 TM KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



Stack/Nesting 1000 Series™ General Information



Round Leg Stack Chair (1000/CH)

Features

Molded polypropyleene shell	•
Stackable	•
Round tubular steel frame	•
Powder-coated finish optional	•
Chrome finish	•
Ganging available	•
General Dimensions	
Seat width	18-1/4"
Seat depth	19-3/4"
Seat height	17-1/2"
Overall Dimensions	
Width	22"
Depth	22-1/4"
Height	31"

SPECIFICATIONS

Shells

One-piece contoured high-impact polypropylene. Heavy-duty construction with ribs to reinforce points of stress. Rolled edges for comfort and strength. Textured front and back. Fastens with four screws. Color permeates shell.

Legs

Two leg sections of 14-gauge, 3/4" o.d. seam-welded tubular steel welded into an integral unit by 2 die-formed steel crossbraces at sides. Ganging models have steel knobs on crossbrace which lock into keyhole slot on crossbrace of adjacent chair. Self-leveling glides.

Standard Bright Chrome Finish

Surfaces are chrome finished.

Optional Powder-Coated Finish

Electrostatically-applied epoxy powder, baked-on.

FD.BL Frame Stack Chair Dolly

Tubular steel frame crossed at center and welded. 3" swivel casters. Caster housings are welded to frame. Nonchipping enamel is electrostatically applied, then baked-on, alkyd urea formula. Standard chair capacities permit passage through an 80" doorway.



Stack/Nesting 1000 Series™ General Information



X-Frame Stack Chair Dolly (FD.BL)

Features

Capacity (permits passage fhrough an 80" doorway)	
1000 chairs	12
General Dimensions	
Length	25"
Width	23-1/2"
Height from floor	4-3/4"
Casters	4

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

			MODE	L NUMBER	ł				
	MODEL	Features	Basic Model	Ganging Option	Frame Color	Shell Color	Glide Option	Approx. Packaged Weight	
	Round Leg Stack Chair Injection-molded polypropylene shell	Unupholstered	1000					11.0#	
	with rounded edges Textured finish								
	Round tubular legs with bright chrome finish standard								
/ \	12 chairs on dolly pass through 80" doorway								
Д	Ganger available for chrome finish only								
1000									
			A	•	Θ	0	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect ganging option. G - Gangers NG - No gangers Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. • Select shell color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. Select glide option. PG - Plastic glides (standard) SS - Stainless steel glide; add \$8 NS - Non-skid glides; add \$16 Upcharge is for set of 4 glides



Delivered Pricing Unupholstered

\$ 0

INFORMATION

Custom-Matched Polypropylene Shell Colors

1000 Series: Any one color. Supply a 3" x 3" swatch for matching. Additional cost: 1-999 Shells = \$1186 Additional 1000-2499 Shells = \$704 Additional 2500+ Shells = No Additional Cost

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Unupholstered
Added Lead Time=1 week
Added List Price= \$25

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	
	X-Frame Stack Chair Dolly Round tubular steel frame For 1000 Series stack chairs Four 3" swivel wheels Black enamel finish only	FD.BL	12.0#	
	• 4-3/4" high from floor, empty			
HRDPT		A		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing Unupholstered

\$ 215

INFORMATION

Custom-Matched Polypropylene Shell Colors

1000 Series: Any one color. Supply a 3" x 3" swatch for matching. Additional cost: 1-999 Shells = \$1186 Additional 1000-2499 Shells = \$704 Additional 2500+ Shells = No Additional Cost

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Unupholstered Added Lead Time=1 week Added List Price= \$25

Model=Upholstered Seat Added Lead Time=1 week Added List Price= \$52

Model=Upholstered Seat and Back Added Lead Time=1 week Added List Price= \$71

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C


Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 175.

If ordering MD.S: Ships **knocked down FOB Tupelo, MS 38804, freight prepaid**. Freight class 175.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Apply® General Information



SPECIFICATIONS

Shell

One-piece contoured wood shell is constructed of formed plywood, .460"-.480" thick, 7-ply maple and poplar construction. The mold-formed seat and back provide for comfort and strength. Top/bottom and front/ back surfaces are vertical grade postforming, product type 335, high-pressure laminate thickness of .028". Standard finish is #38 or #60 with a sanded, waxed edge. The wood shell is supported by four plywood circular disks and 1/4 -20 t-nuts bonded with construction-grade adhesive and fastened to a variety of base structures with four 1/4 -20x1/2" thread-locking screws. The chair perimeter is designed such that it provides a feature to support backpacks or courier bags. Shells are available in wood grain laminates or solid laminates.

Frame

Legs are formed from ¾" OD x 13-gauge tubular steel. The seat plate is formed from 12-gauge steel and reinforced with 7/16" diameter wire crossmembers. All joints are welded. The frames are finished in either baked-on electrostatically-applied 30 degree gloss epoxy powder coating, or bright nickel-chrome plating. An injection-molded polypropylene shroud finishes the underside of the assembly, and provides a contoured surface for stacking. Sled base or 4-leg chairs stack 6-high on the floor.

Upholstered Seat

As an option, shells may be equipped with an upholstered seat pad. Urethane foam is attached to a formed plywood upholstery liner, then upholstered using a drawstring process. The foam is a nominal ½" thickness. The pad assembly is attached to the shell using 10-24 screws, engaging T-nuts in the liner.

Glides

4-leg chairs and stools have the option of a swivel glides with a stainless steel contact surface or a nylon glide. Standard sled chairs have no glides, but optional glides may be ordered. The optional glides are attached to the sled tube using screws and are available in black nylon, natural nylon, non-skid, or capped in stainless steel.

Cafe Stool


Available in nominal 24" and 30" seat heights and are not stackable. Legs are formed from 3/4" OD x 13-gauge tubular steel. The seat plate is formed from 12-gauge steel and reinforced with 7/16" diameter wire crossmembers. All joints are welded. The frames are finished in either baked-on electrostatically-applied 30 degree gloss epoxy powder coating or bright nickel-chrome plating. An injection-molded polypropylene shroud finishes the underside of the assembly. Stool frames have an added footring made of 1/2" diameter steel wire.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs


It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly


Frame construction is welded tubular steel with black powder-coat finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg or sled-base chairs and has a capacity of fifteen wood chairs or six upholstered.



Apply Four-Leg Chair



Apply 24"/30" Low Back Cafe Stool



Apply 24"/30" High Back Cafe Stool

1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required

to be applied differently than is swatched will

need a Special Cost Request written specify-

ing the direction the fabric is to be applied.

The posted standard lead time will apply to

Fabric Disclaimer

the Special Cost Request.

INFORMATION

C.O.M. Testing and ProductionRequirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered only and cushioned/upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl cannot be used on this product.

Test samples must be sent to:

Attn: C.O.M. Specialist

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Apply® Chairs

			MODEL	. NUMBE	R					
			MODEL	UIIIDL						
			Basic	Frame	Shell	Fire	Upholstery	Glide	Glide	
	MODEL	Features	Model	Color	Color	Code	Color	(4-Leg)	(Sled Base)	
	Four-Leg Armless Chair	Laminate Shell	ALNAP							
	Wood laminate shell Wood grain and solid laminate antique	Upholstered Seat Pad	ALNAU							
\	 Woodgrain and solid laminate options Tested to 300 pounds and BIFMA stan- 									
	dards									
/										
Ĭ s										
ALP										
ALU										
ALO	Sled Base Armless Chair	Laminate Shell	ASNAP							
	 Wood laminate shell 	Upholstered Seat Pad	ASNAU							
	 Woodgrain and solid laminate options Tested to 300 pounds and BIFMA stan- 									
\	dards									
ASP										
ASU	Transport Bally		ACD.BL							
M	Transport Dolly • Easy maneuverability with 5" casters;		ACD.BL							
	two fixed, two swivel									
	Black powder-coated finishFor 4-leg or sled-base chairs									
	TOT 4 log of slow base chairs									
-										
HRDPT										
			(•	Θ	0	3	a	Ф	
			•	0		•	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select laminate shell color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select 4-leg base glide option.

- Nylon glides - Steel glides

GNG - No glides - Non-marring glides - Non-skid glides; add \$27 GNM GNS GBL - Plastic glides

- Stainless steel glide; add \$27 GSS



Stack/Nesting Apply® Chairs

Approx. Packaged Weight	Prid	ivered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
20.0#	\$	367										
20.0#		N/A	500	504	520	500	520	522	538	590	610	638
00.0"		070										
20.0#	\$	379	540	54.4	500	540	500	500	540	000	000	0.40
20.0#		N/A	510	514	530	510	530	533	549	600	620	649
0.0#	\$	422										

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge:

Model=Upholstered Seat Added List Price=\$43

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Apply® Cafe Stools

			MODEL N	IIMDED					
			MODEL N	OINIDEU					
	MODEL	F4	Basic	Seat	Frame	Shell	Fire	Upholstery	0
	MODEL	Features	Model	Height	Color	Color	Code	Color	Glide
	Four-Leg High Back Armless Cafe Stool • Wood laminate shell	Laminate Shell	ALHSNAP						
7	 Woodgrain and solid laminate options 	Upholstered Seat Pad	ALHSNAU						
) (Two seat heights (24" & 30") 								
	 Tested to 300 pounds and BIFMA stan- dards 								
	uaius								
24" Showi	n								
° 24 3110WI	II								
ALHSP									
ALHSU									
ALIIOU	Four-Leg Low Back Armless Cafe Stool	Laminate Shell	ALLSNAP						
	Wood laminate shell	Upholstered Seat Pad	ALLSNAU						
	Woodgrain and solid laminate options	Ophiolatored Scat r ad	ALLONAU						
	 Two seat heights (24" & 30") Tested to 300 pounds and BIFMA stan- 								
	dards								
24" Shown									
2. 3110WII									
ALLSP									
ALLSU									
			A	•	_	_	-	A	
				•	Θ	0	•	•	Θ

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect seat height.

24 - 24" Seat Height 30 - 30" Seat Height

- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select laminate shell color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select glide option.

N - Nylon glides - Steel glides



Stack/Nesting Apply® Cafe Stools

Approx. Packaged Weight	Deliver Pricing Unuph stered		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
32.0#	\$ 54	16										
32.0#	N	/A	681	686	707	681	707	722	739	771	791	818
31.0#	\$ 53	36										
31.0#		/A	670	675	697	670	697	711	728	760	779	807

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge:

Model=Upholstered Seat Added List Price=\$43

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting

Dorsal® General Information



Armless Stacking Round Leg Chair (DRNA)



Round Leg Chair Transport Dolly (VTD.BL)

Features		
Stackable	•	
Ganging	•	
Articulating backrest	•	
Available unupholstered	•	
Available with upholstered seat only	•	
Available with upholstered seat and back	•	
General Dimensions		
Seat width	19"	
Seat depth	17-1/2"	
Seat height	18-1/4"	
Overall Dimensions		
Width	22-3/4"	24"
Depth	21-3/4"	21"
Height	32"	7"
Tablet width x depth		
Stacking on dolly		
Quantity/dimensions	8 Chairs/25" x 27" x 76"	
Stacking on floor		

5 Chairs



Ganging

SPECIFICATIONS

Seat and Back

Quantity

Unupholstered chairs have a textured thermoplastic shell. Body contact areas have textured pattern. Upholstered chairs have fabric covered, extra thick, soft foam backrest and seat cushions fastened to an inner shell. Automatic mechanism governs backrest movement.

Legs

3/4" o.d., seam-welded tubular.

Ganging Elements

Built-in couplers for ganging are optional. Monochromatic with frame color.

Self-leveling glides are replaceable. Choice of plastic or steel glides.

Stacking

See the above chart for stacking capabilities on a transport dolly. Do not exceed these

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yard sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage maybe requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed and developed by Emilio Ambasz and Giancarlo Piretti for OPENArk B.V. Manufactured in the USA by Krueger International, Inc. under license from OPENArk

Dorsal® is a registered trademark of OPENArk B.V. and is used under license by Krueger International, Inc.



Stack/Nesting
Dorsal® General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Frame Color	Shell Color	Fire Code	Uph. Color	Glide Option	Approx. Packaged Weight
	Armless Stacking Round Leg Chair	Unupholstered	DRNA						17.0#
	 Articulating backrest 	Upholstered Seat	DRNA/SO						17.0#
		Upholstered Seat/Back	DRNA/SB						19.0#
\wedge									
/ / ' /									
I									
DR									
DRU									
£	Round Leg Chair Transport Dolly		VTD.BL						19.0#
	 Easy maneuverability with caster wheels; two 3" fixed, two 5" swivel 								
	Seam-welded tubular steel frame								
T	Black powder-coated finish								
HRDPT									
			A	•	Θ	0	3	3	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Select shell color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.

- Plastic glides - Steel glides



Stack/Nesting

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 243									
N/A	378	403	413	413	420	438	475	507	535
N/A	447	514	521	521	476	517	559	594	633

\$ 388

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 5/8 yard per upholstered seat chair and 1 yard per upholstered seat and back chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L" section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=No Upholstery Added Lead Time=1 week Added List Price= \$61

Model=Upholstered Added Lead Time=1 week Added List Price= \$101

Gangers

For ganging mechanism, add "/G" to end of model numbers. List price upcharge is \$13

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Grazie® General Information











Four-Lea Flin-un Tablet

Four-Lea Flip-up Oversize

Four-Leg Flip-and-Store

	Four-Leg Armless Chair (GLNAU)	Four-Leg Cantilever Arm Chair (GLCAP)	Four-Leg Flip-up Tablet Arm Chair (GLTAURH)	Four-Leg Flip-up Oversize Tablet Arm Chair	(G2) Tablet Arm Chair
Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•
Ergonomic articulation (Perfect Pivot)	•	•	•	•	•
General Dimensions					
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Tablet to chair back clearance			14-1/2"	14-1/2"	14-1/2"
Overall Dimensions					
Width	22-3/16"	25-7/8"	23-1/2"	23-1/2"	23-1/2"
Depth	21-5/16"	21-5/16"	27-3/8"	31"	26-3/4"
Height	32-5/8"	32-5/8"	32-5/8"	32-5/8"	32-5/8"
Top of arm to floor		26-1/4"	26-3/4"	26-3/4"	26-3/4"
Stacking on Dolly					
Overall width	25"	25-7/8"			
Overall depth	36"	36"			
Quantity/height	12 Poly Chairs/60" High (6 Uph Chairs)	12 Poly Chairs/60" High (6 Uph Chairs)			
Stacking on Floor					
Width	22-3/16"	25-7/8"			
Depth	28"	28"			
Quantity/height	5 Chairs/43" High	5 Chairs/43" High			

SPECIFICATIONS

4-Leg Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Frames are 3/4" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Seat and Shroud

Injection molded polypropylene.

Frame Finishes

Baked-on electrostatically-applied 30° gloss epoxy powder coating or bright nickel-chrome plating.

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polypropylene end caps matching the leg color, (except chrome or hammertone, which use black caps). Three optional glide types are available for leg chairs: swivel poly/nylon, swivel steel and swivel felt glides. The swivel function allows the bottom of the glide to correctly match uneven floor conditions, resulting in less wear. Poly/nylon and felt glides are interchangeable and have easy-on/easy-off replaceable glide caps, which makes field replacement easy and efficient. Swivel poly glides are available in Stone color only. Optional glides for the sled base are co-extuded to provide a softer (nonskid surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic) glides, stainless steel glides, or non-marring (clear nylon) glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are double-wheel,

high-impact thermoplastic available with hard or soft wheel surface, in black only.

Arms

Optional cantilever arms are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injectionmolded, glass-reinforced nylon matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond translucent poly will have light tone armests: Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.

Flip-up Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14". Plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and sealed.

Flip-and-Store (G2) Tablet Arm

The pivot mechanism consists of two pivot cams, two steel hinge barrels, a pivot shaft, and a hinged steel support plate which fastens to the tablet board. Available in right - or lefthand models. The working surface is 13-3/4"

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1' diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.



Stack/Nesting Grazie® General Information













Sled Base Armless Chair (GSNAP)

Sled Base Cantilever Arm Chair (GSCAU)

Sled Base Flip-up Tablet Arm Chair (GSTAPRH)

Sled Base Flip-up Oversize Tablet Arm Chair

Sled Base Flip-and-Store (G2) Tablet Arm Chair

Transport Dolly (GCD.BL)

Features						
Stackable	•	•				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•	
Ergonomic articulation (Perfect Pivot)	•	•	•	•	•	
General Dimensions						
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"	
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"	18-5/16"	
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Tablet to chair back clearance			14-1/2"	14-1/2"	14-1/2"	
Overall Dimensions						
Width	22"	25-7/8"	23-1/2"	23-1/2"	23-1/2"	25"
Depth	21-1/4"	21-1/4"	27-3/8"	31"	26-3/4"	29"
Height	32-5/8"	32-5/8"	32-5/8"	32-5/8"	32-5/8"	15-3/4"
Arms to floor		26-1/4"				
Stacking on Dolly						
Overall width	25"	25-7/8"				
Overall depth	36"	36"				
Quantity/height	12 Poly Chairs/60" High (6 Uph Chairs)	12 Poly Chairs/60" High (6 Uph Chairs)				
Stacking on Floor						
Width	22-3/16"	25-7/8"				
Depth	28"	28"				
Quantity/height	5 Chairs/43" High	5 Chairs/43" High				

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Grazie® General Information



Four-Leg Armless Chair with Casters



Four-Leg Cantilever Arm Chair with Casters (GLCAUC)



Four-Leg Flip-up Tablet Arm Chair with Casters (GLTAPCRH)



Four-Leg Flip-up Oversize Tablet Arm Chair with



Four-Leg Flip-and-Store (G2) Tablet Arm Chair with

	(GLNAUC)	(GLCAUC)	(GLTAPCRH)	Casters	Casters
Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•
Ergonomic articulation (Perfect Pivot)	•	•	•	•	•
General Dimensions					
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Tablet to chair back clearance			14-1/2"	14-1/2"	14-1/2"
Overall Dimensions					
Width	23"	25-7/8"	24"	24"	24"
Depth	21-5/16"	21-5/16"	27-3/8"	31"	26-3/4"
Height	32-5/8"	32-5/8"	32-5/8"	32-5/8"	32-5/8"
Arms to floor		26-1/4"			
Stacking on Floor					
Width	23"	25-7/8"			
Depth	28"	28"			
Quantity/height	5 Chairs/43" High	5 Chairs/43" High			

SPECIFICATIONS

4-Leg Frame

Legs are 7/8" o.d. x 13 -gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Sled Frame

Frames are 3/4" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Frame Finishes

Baked-on electrostatically-applied 30° gloss epoxy powder coating or bright nickel-chrome plating.

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The

leg tubes are capped with polyproplyene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps). Optional glides for the sled base are co-extuded to provide a softer, non-skid surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic), stainless steel, or non-marring (clear nylon) glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.

Seat and Shroud

Injection molded polypropylene.

Arms

Optional cantilever arms are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced nylon

matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond translucent poly will have light tone armests; Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.

Flip-up Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14". Plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and sealed.


Flip-and-Store (G2) Tablet Arm

The pivot mechanism consists of two pivot cams, two steel hinge barrels, a pivot shaft, and a hinged steel support plate which fast ensurements to the tablet board. Available in right or left-hand models. The working surface is 13-3/4" x 18-1/8".

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1' diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.





Grazie Armless Four Leg Chair

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting



Four-Leg Armless Cafe Stool -24" or 30" Seat Height (GLSNAP)

Four-Leg Cantilever Arm Cafe Stool - 24" or 30" Seat Height

Features		
Stackable	•	•
Poly, upholstered seat, or upholstered seat/back	•	•
Ergonomic articulation (Perfect Pivot)	•	•
General Dimensions		
Seat width	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"
Seat height (upholstered add 1")	23-3/4" or 29-3/4"	23-3/4" or 29-3/4"
Overall Dimensions		
Width	22-3/16"	25-7/8"
Depth	21-5/16"	21-5/16"
Height	38-5/8" or 44-5/8"	38-5/8" or 44-5/8"
Arms to floor		32-1/4" or 38-1/4"
Stacking on Floor		
Width	22-3/16"	25-7/8"
Depth	28"	28"
Quantity/height	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High

SPECIFICATIONS

4-Leg Frame

Legs are 7/8" o.d. x 13 -gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. A 3-sided foot ring is made of a pair of 7/16" diameter steel wires. All joints are welded.

Frame Finishes

Baked-on electrostatically-applied 30° gloss epoxy powder coating or bright nickel-chrome plating.

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polyproplyene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps).

Seat and Shroud

Injection molded polypropylene.

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1' diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.


Arms

Optional cantilever arms are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced nylon matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond translucent poly will have light tone armests; Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.


Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Stools

It is recommended that stools to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.





Grazie 24" Cafe Stool



Grazie 30" Cafe Stool

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color
	Four-Leg Armless Chair	Polypropylene	GLNAP						
	Ergonomic articulation (Perfect Pivot)Stacking	Upholstered Seat	GLNAU						
	Stacking	Upholstered Seat/Back	GLNAUB						
GLP									
GLU									
GLUB									
	Four-Leg Armless Chair with Casters	Polypropylene, Casters	GLNAPC						
	Ergonomic articulation (Perfect Pivot)	Uph. Seat, Casters	GLNAUC						
	 Stacking. Caution should be excercised to prevent casters from marring compo- nents such as frames, fabric, etc., and 	Uph. Seat/Back, Casters	GLNAUBC						
4 /4 /	to prevent casters from becoming "hung								
· 1 8	up" underneath the seat of the chairStacking on dollies is NOT recommend-								
	ed								
GLP									
LU									
GLUB									
			A	3	Θ	0	3	•	Θ

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select casters.

- Carpet casters (black only)
- Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

- Select fire code.
 - NFR Compliance to TB 117-2013
 FR Compliance to TB 133

See Upholstery Information for TB133 upcharge.

G Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



24.0#

27.0#

28.0#

\$ 350

N/A

N/A

466

493

474

502

490

518

Stack/Nesting Grazie® Chairs

Approx. Packaged Weight	Delivered Pricing Unuphol- stered		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
23.0#	\$	328										
26.0#		N/A	445	453	468	445	468	476	514	530	549	576
28.0#		N/A	472	481	497	472	497	505	543	559	578	604

466

493

490

518

498

526

536

564

553

580

571

598

597

626

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$67

Model=Upholstered Seat and Back Added List Price=\$96

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

			MODEL N	UMBER						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color	
	Four-Leg Cantilever Arm Chair	Polypropylene	GLCAP							
	Ergonomic articulation (Perfect Pivot)Stacking	Upholstered Seat	GLCAU							
	Guotang	Upholstered Seat/Back	GLCAUB							
/ \" \										
Л										
GLP										
GLU										
GLUB		5	01.01.00			_				
	Four-Leg Cantilever Arm Chair with	Polypropylene, Casters	GLCAPC							
	CastersErgonomic articulation (Perfect Pivot)	Uph. Seat, Casters	GLCAUC							
	Stacking. Caution should be excercised	Uph. Seat/Back, Casters	GLCAUBC							
	to prevent casters from marring compo-									
4 1 8	nents such as frames, fabric, etc., and to prevent casters from becoming "hung									
Ø	up" underneath the seat of the chair									
OLD.	 Stacking on dollies is NOT recommend- 									
GLP	ed									
GLU GLUB										
GLUD									_	
			Ø	B	Θ	0	ⅎ	•	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select casters.

- Carpet casters (black only)
- Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

- Select fire code.
 - NFR Compliance to TB 117-2013
 FR Compliance to TB 133

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Approx. Packaged Weight	Delivered Pricing Unuphol- stered		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
26.0#	\$	437										
29.0#	N/A		554	562	576	554	576	587	625	640	659	685
31.0#	N/A		581	590	605	581	605	613	651	667	685	712
27.0#	\$	459										
30.0#		N/A	574	583	597	574	597	607	645	660	679	706
31.0#		N/A	601	611	626	601	626	634	673	689	708	735

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$67

Model=Upholstered Seat and Back Added List Price=\$96

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER							
					Seat &		Tablet			
			Basic	Frame	Back	Glide		Fire	Uph.	
	MODEL	Features	Model	Color	Color	Option	Color	Code	Color	
	Four-Leg Flip-up Tablet Arm Chair	Polypropylene, Left Hand	GLTAPLH							
	Ergonomic articulation (Perfect Pivot) NONOTACKING	Polypropylene, Right Hand	GLTAPRH							
	 NONSTACKING 	Uph. Seat, Left Hand0	GLTAULH							
		Uph. Seat, Right Hand	GLTAURH							
/ \7 \		Uph. Seat/Back, Left Hand	GLTAUBLH							
α // 1/		Uph. Seat/Back, Right Hand	GLTAUBRH							
·										
GLP							Option Color Code Co			
GLU										
GLUB										
	Four-Leg Flip-up Oversize Tablet Arm	Polypropylene, Left Hand	GLOVTAPLH							
	Chair	Polypropylene, Right Hand	GLOVTAPRH							
	Oversized tabletErgonomic articulation (Perfect Pivot)	Uph. Seat, Left Hand	GLOVTAULH							
	NONSTACKING	Uph. Seat, Right Hand	GLOVTAURH							
/ \ \ \		Uph. Seat/Back, Left Hand	GLOVTAUBLH							
N -		Uph. Seat/Back, Right Hand	GLOVTAUBRH							
P										
U										
LUB		5.1	0.0015			_				
	Four-Leg Flip-and-Store (G2) Tablet Arm	Polypropylene, Left Hand	GLG2APLH							
	ChairErgonomic articulation (Perfect Pivot)	Polypropylene, Right Hand	GLG2APRH							
	NONSTACKING	Uph. Seat, Left Hand	GLG2AULH							
		Uph. Seat, Right Hand	GLG2AURH GLG2AUBLH							
<i>U</i> 1		Uph. Seat/Back, Left Hand Uph. Seat/Back, Right Hand	GLG2AUBLH GLG2AUBRH							
И		opii. Seav dack, nigiii Hallo	GLGZAUDNH							
iLP										
alp GLU										
alu GLUB										
ULUD										
			Ø	3	Θ	O	ⅎ	ø	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.

- Felt Glides

- Plastic glides Steel glides
- Select tablet arm color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 117-2013 FR - Compliance to TB 133 See Upholstery Information for TB133

upcharge.

GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Approx. Packaged Weight	Pri Un	livered cing uphol- ered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
29.0#	\$	536										
29.0#		536										
32.0#		N/A	652	661	675	652	675	684	722	738	757	783
32.0#		N/A	652	661	675	652	675	684	722	738	757	783
34.0#		N/A	680	688	704	680	704	711	749	767	783	811
34.0#		N/A	680	688	704	680	704	711	749	767	783	811
31.0#	\$	591										
31.0#		591										
34.0#		N/A	707	716	731	707	731	739	777	793	811	839
34.0#		N/A	707	716	731	707	731	739	777	793	811	839
35.0#		N/A	735	743	759	735	759	767	805	820	839	866
35.0#		N/A	735	743	759	735	759	767	805	820	839	866
30.0#	\$	566										
30.0#		566										
33.0#		N/A	683	691	706	683	706	715	753	769	788	815
33.0#		N/A	683	691	706	683	706	715	753	769	788	815
35.0#		N/A	710	719	735	710	735	742	780	796	815	842
35.0#		N/A	710	719	735	710	735	742	780	796	815	842

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$67

Model=Upholstered Seat and Back Added List Price=\$96

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			T						
			MODEL NUMB	ER					
					Seat &		Tablet		
			Basic	Frame	Back	Caster	Arm	Fire	Uph.
	MODEL	Features	Model	Color	Color	Туре	Color	Code	Color
	Four-Leg Flip-up Tablet Arm Chair with	Poly, Left Hand, Casters	GLTAPCLH						
	Casters	Poly, Right Hand, Casters	GLTAPCRH						
	 Ergonomic articulation (Perfect Pivot) NONSTACKING 	Uph. Seat, Left Hand, Cast.	GLTAUCLH						
	NONSTACKING	Uph. Seat, Right Hand, Cast.	GLTAUCRH						
1 6		Uph. Seat/Back, Left Hand, Cast.	GLTAUBCLH						
		Uph. Seat/Back, Right Hand, Cast.	GLTAUBCRH						
J									
GLP									
GLU									
GLUB									
	Four-Leg Flip-up Oversize Tablet Arm	Poly, Left Hand, Casters	GLOVTAPCLH						
	Chair with Casters	Poly, Right Hand, Casters	GLOVTAPCRH						
	Oversized tabletErgonomic articulation (Perfect Pivot)	Uph. Seat, Left Hand, Cast.	GLOVTAUCLH						
	NONSTACKING	Uph. Seat, Right Hand, Cast.	GLOVTAUCRH						
4 / a /		Uph. Seat/Back, Left Hand, Cast.	GLOVTAUBCLH						
g		Uph. Seat/Back, Right Hand, Cast.	GLOVTAUBCRH						
GLP									
GLU									
GLUB									
	Four-Leg Flip-and-Store (G2) Tablet Arm	Poly, Left Hand, Casters	GLG2APCLH						
	Chair with Casters	Poly, Right Hand, Casters	GLG2APCRH						
	Ergonomic articulation (Perfect Pivot)NONSTACKING	Uph. Seat, Left Hand, Cast.	GLG2AUCLH						
	NONOTACINIU	Uph. Seat, Right Hand, Cast.	GLG2AUCRH						
4 / a /		Uph. Seat/Back, Left Hand, Cast.	GLG2AUBCLH						
P a		Uph. Seat/Back, Right Hand, Cast.	GLG2AUBCRH						
GLP									
GLU									
GLUB									
				B	Θ	0	•	•	О
			w	U	G	U	G	•	U

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select casters.

- Carpet casters

- Hard floor casters

Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Pri Un	livered cing uphol- ered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
30.0#	\$	557										
30.0#		557										
33.0#		N/A	673	682	697	673	697	705	743	760	777	805
33.0#		N/A	673	682	697	673	697	705	743	760	777	805
34.0#		N/A	701	709	725	701	725	734	772	788	806	832
34.0#		N/A	701	709	725	701	725	734	772	788	806	832
31.0#	\$	612										
31.0#		612										
34.0#		N/A	728	737	751	728	751	760	798	814	832	859
34.0#		N/A	728	737	751	728	751	760	798	814	832	859
36.0#		N/A	756	765	779	756	779	789	827	842	861	887
36.0#		N/A	756	765	779	756	779	789	827	842	861	887
04.0"		500										
31.0#	\$	588										
31.0#		588		=								
34.0#		N/A	704	712	727	704	727	736	774	790	808	836
34.0#		N/A	704	712	727	704	727	736	774	790	808	836
35.0#		N/A	732	740	756	732	756	765	803	814	837	863
35.0#		N/A	732	740	756	732	756	765	803	814	837	863

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

For California Technical Bulletin 133 compli ant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$67

Model=Upholstered Seat and Back Added List Price=\$96

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

MODEL Features Basic Frame Basic Frame Basic Frame Basic Color Code				MODEL	MINADED					
Sled Base Armless Chair Polypropylene GSNAP				MODEL	NOMBER	1				
Stacking Upholstered Seat Upholstered Seat/Back GSNAU GSNAUB Upholstered Seat/Back GSNAUB Upholstered Seat/Back GSNAUB Upholstered Seat/Back GSNAUB GSNAUB Upholstered Seat/Back GSNAUB GSNAUB Upholstered Seat/Back GSNAUB GSNAUB Upholstered Seat/Back GSNAUB GSCAP Upholstered Seat/Back GSCAP Upholstered Seat/Back GSCAUB		MODEL	Features			Back				Packaged
Sled Base Cantilever Arm Chair			Polypropylene	GSNAP						25.0#
GSP GSU GSUB Sied Base Cantilever Arm Chair • Ergonomic articulation (Perfect Pivot) • Stacking Stacking Polypropylene Upholstered Seat/Back GSCAP Upholstered Seat/Back GSCAU Upholstered Seat/Back Upholstered		Ergonomic articulation (Perfect Pivot) Stocking	Upholstered Seat	GSNAU						28.0#
GSUB Sled Base Cantilever Arm Chair • Ergonomic articulation (Perfect Pivot) • Stacking Polypropylene Upholstered Seat Upholstered Seat/Back Upholstered		• Stacking	Upholstered Seat/Back	GSNAUB						30.0#
GSUB Sled Base Cantilever Arm Chair • Ergonomic articulation (Perfect Pivot) • Stacking Polypropylene Upholstered Seat Upholstered Seat/Back Upholstered										
GSUB Sled Base Cantilever Arm Chair • Ergonomic articulation (Perfect Pivot) • Stacking Polypropylene Upholstered Seat Upholstered Seat/Back Upholstered										
GSUB Sled Base Cantilever Arm Chair • Ergonomic articulation (Perfect Pivot) • Stacking Polypropylene Upholstered Seat Upholstered Seat/Back Upholstered										
GSUB Sled Base Cantilever Arm Chair • Ergonomic articulation (Perfect Pivot) • Stacking Polypropylene Upholstered Seat Upholstered Seat/Back Upholstered										
Sled Base Cantilever Arm Chair • Ergonomic articulation (Perfect Pivot) • Stacking Polypropylene Upholstered Seat Upholstered Seat/Back GSCAU Upholstered Seat/Back Uphol	GSP									
Sled Base Cantilever Arm Chair • Ergonomic articulation (Perfect Pivot) • Stacking Polypropylene Upholstered Seat Upholstered Seat/Back GSCAU Upholstered Seat/Back GSCAUB Upholstered Seat/Back Upholstered S	GSU									
Ergonomic articulation (Perfect Pivot) Stacking Upholstered Seat Upholstered Seat/Back GSCAU GSCAUB	GSUB									
• Stacking Upholstered Seat/Back GSCAUB GSC			Polypropylene	GSCAP						27.0#
GSP GSU GSUB			Upholstered Seat	GSCAU						30.0#
GSU GSUB		Stacking	Upholstered Seat/Back	GSCAUB						32.0#
GSU GSUB										
GSU GSUB										
GSU GSUB										
GSU GSUB										
GSUB										
A B A D B	GSUB									
				A	3	Θ	O	(3	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

• Select glide option.

- No glides - Non-marring glides - Non-skid glides - Black plastic glides GNM GNS GBL GSS - Stainless steel glide

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Pri	ivered cing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	339										
	N/A	455	465	478	455	478	487	526	541	560	588
	N/A	483	492	507	483	507	516	555	570	589	615
 \$	448										
	N/A	564	573	588	564	588	597	635	651	670	697
	N/A	592	600	616	592	616	624	662	678	697	723

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$67

Model=Upholstered Seat and Back Added List Price=\$96

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUM	BER						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Uph. Color	
	Sled Base Flip-up Tablet Arm Chair	Polypropylene, Left Hand	GSTAPLH							
	Ergonomic articulation (Perfect Pivot)	Polypropylene, Right Hand	GSTAPRH							
	• NONSTACKING	Uph. Seat, Left Hand	GSTAULH							
		Uph. Seat, Right Hand	GSTAURH							
		Uph. Seat/Back, Left Hand	GSTAUBLH							
		Uph. Seat/Back, Right Hand	GSTAUBRH							
GSP										
GSU										
GSUB										
	Sled Base Flip-up Oversize Tablet Arm	Polypropylene, Left Hand	GSOVTAPLH							
	Chair	Polypropylene, Right Hand	GSOVTAPRH							
	Oversized tabletErgonomic articulation (Perfect Pivot)	Uph. Seat, Left Hand	GSOVTAULH							
Phyl	NONSTACKING	Uph. Seat, Right Hand	GSOVTAURH							
		Uph. Seat/Back, Left Hand	GSOVTAUBLH							
		Uph. Seat/Back, Right Hand	GSOVTAUBRH							
GSP										
GSU										
GSUB										
	Sled Base Flip-and-Store (G2) Tablet	Polypropylene, Left Hand	GSG2APLH							
	Arm Chair	Polypropylene, Right Hand	GSG2APRH							
	Ergonomic articulation (Perfect Pivot)NONSTACKING	Uph. Seat, Left Hand	GSG2AULH							
	NONOTACININA	Uph. Seat, Right Hand	GSG2AURH							
		Uph. Seat/Back, Left Hand	GSG2AUBLH							
		Uph. Seat/Back, Right Hand	GSG2AUBRH							
GSP										
GSU										
GSUB										
			Δ	3	Θ	0	(3	•	Θ	
			•	•	•	•	9	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select glide option.

- No glides - Non-skid glides GNM GNS - Black plastic glides GBL GSS - Stainless steel glide

Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Pri Un	livered cing uphol- ered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
31.0#	\$	546										
31.0#		546										
34.0#		N/A	663	672	686	663	686	696	734	748	768	795
34.0#		N/A	663	672	686	663	686	696	734	748	768	795
36.0#		N/A	690	700	715	690	715	722	761	777	795	822
36.0#		N/A	690	700	715	690	715	722	761	777	795	822
33.0#	\$	601										
33.0#		601										
36.0#		N/A	718	727	741	718	741	749	789	804	822	850
36.0#		N/A	718	727	741	718	741	749	789	804	822	850
37.0#		N/A	745	755	770	745	770	777	816	831	850	878
37.0#		N/A	745	755	770	745	770	777	816	831	850	878
 32.0#	\$	578										
32.0#		578										
35.0#		N/A	694	703	717	694	717	726	765	779	798	826
35.0#		N/A	694	703	717	694	717	726	765	779	798	826
37.0#		N/A	721	731	745	721	745	753	792	807	826	853
37.0#		N/A	721	731	745	721	745	753	792	807	826	853

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

For California Technical Bulletin 133 compli ant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$67

Model=Upholstered Seat and Back Added List Price=\$96

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBER			
	MODEL	Basic Model	Approx. Packaged Weight		
	Transport Dolly • Easy maneuverability with 5" casters:	GCD.BL	32.0#		
	two fixed, two swivel				
	Rugged weld tubular steel frameBlack powder-coat finish				
HRDPT	bidok powdor dodt iiilioli				



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 416

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Grazie® Cafe Stools

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Seat Height	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color
	Four-Leg Armless Cafe Stool • Ergonomic articulation (Perfect Pivot)	Polypropylene	GLSNAP						
	Stacking	Upholstered Seat	GLSNAU						
	Two seat heights	Upholstered Seat/Back	GLSNAUB						
U									
GLSP									
GLSU									
GLSUB									
	Four-Leg Cantilever Arm Cafe Stool	Polypropylene	GLSCAP						
	Ergonomic articulation (Perfect Pivot)Stacking	Upholstered Seat	GLSCAU						
	Two seat heights	Upholstered Seat/Back	GLSCAUB						
GLSP									
GLSU									
GLSUB									
			A	3	•	0	•	•	Œ

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect seat height.

24 - 24" Seat Height 30 - 30" Seat Height

- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.

- Felt Glides - Plastic glides - Steel glides Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

G Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Stack/Nesting Grazie® Cafe Stools

Approx. Packaged Weight	Prio	ivered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
32.0#	\$	449										
35.0#		N/A	565	574	589	565	589	597	635	651	670	698
37.0#		N/A	593	601	617	593	617	626	664	680	699	725

35.0#	\$ 558										
38.0#	N/A	674	683	698	674	698	707	745	761	779	806
40.0#	N/A	702	710	726	702	726	734	772	788	806	833

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$67

Model=Upholstered Seat and Back Added List Price=\$96

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack Seating

Katera General Information







Four-Leg Arm Chair



Transport Dolly

Features			
Stackable	•	•	
Poly, wood, upholstered seat, upholstered seat/back	•	•	
Ganger Option	•	•	
General Dimensions			
Seat width	16"	16"	
Seat depth	17"	17"	
Seat height (upholstered add 1/2")	17-3/4"	17-3/4"	
Overall Dimensions			
Width	19-3/4"	23"	23"
Depth	21-1/4"	21-1/4"	32"
Height	31-1/4"	31-1/4"	19"
Arms to Floor		26-3/4"	
Stacking on Dolly			
Overall Width	23"	24-1/2"	
Overall Depth	38"	38"	
Quantity/height-poly	12 Chairs/60-1/2" High	12 Chairs/62" High	
Quantity/height-upholstered	6 Chairs/43" High	6 Chairs/47" High	
Stacking on Floor			
Width	23"	24-1/2"	
Depth	30"	30"	
Quantity/height-poly	6 Chairs/41" High	6 Chairs/41" High	
Quantity/height-upholstered	3 Chairs/37" High	3 Chairs/37" High	

SPECIFICATIONS

Poly Seat & Backrest

The seat and backrest are injected in polypropylene copolymer with 15% foam. The seat and back each include four locations for attachment to the chair frame.

Wood Seat & Backrest

Wood seat and backrest are molded beech plywood. The seat and back are stained to KI standard specification, then varnished with a UV polyurethane containing a color fading protectant. The seat and back each include four locations for attachment to the chair frame.

Optional Upholstered Seat & Back

Seat foam is molded to a nominal 15mm thickness, attached to an injection-molded polypropylene liner board, then upholstered using a draw string process. Back foam is a nominal 5mm thickness and is attached to an injection-molded polypropylene liner. The liner and foam are then inserted into an upholstered cover and secured with heat activated glue.

The upholstered backs are finished on the lower edge with a black zipper. Attachment method for the upholstered seat and back is the same for poly seats and backs.

Four-Leg Frames

Frames legs are made from 1.9mm thick tubular D-shaped (3/4" x 1") steel. Steel wire and U-channels form the crossmembers. All joints are welded. Aluminum support brackets are inserted in the rear legs and allow the backrest of the chair to be secured. The support bracket hardware is concealed by a polypropylene cap color matched to the frame paint. When chrome is selected, the caps will be chromed metal.

Frame Finishes

Frames are finished in either powder-coat paint, or bright nickel-chrome plating. The aluminum back supports are painted to match the frame color and will be polished when chrome plating is chosen.

Clides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The leg tubes are capped with D-shaped (7/8" x 11/8") polypropylene end caps. The four caps are different, depending on the leg in which they are inserted, due to the different shape of each leg. Each cap is numbered and includes notches to differentiate their placement. Cap color is always black. Optional felt glides are the same construction as the polypropylene end caps but include felt plugs where the cap meets the floor.

Arms

Optional armrests are available. The armrests are injection-molded glass-reinforced polypropylene. When a poly shell is specified, arm color will match the shell poly. When wood shells or upholstered seat and backs are specified, arm color will need to be specified. The front of the arms includes a steel insert for greater strength and method of attachment. The front part of the arms is inserted into the front leg of the chair and secured with screws.

The rear part of the arm is inserted into the aluminum backrest support and secured with screws.


Gangers

Optional gangers are available. Gangers are retractable, made of chrome-plated steel wire and are mounted to the underside of the chair frame.

Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Black powder-coated finish.





INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

K

Attn: C.O.M. Specialist 2112 South Green Street Tupelo, MS 38801

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack Seating

Katera Guest/Stack Chair



^{*} Note: When a poly shell is specified, the arm color will match the shell poly. When wood shells or upholstered seat and back are specified, arm color will need to be specified.



Stack Seating Katera General Information

Stack Seating

Katera

			MODEL	NUMBE	R				
			Basic	Fire	Poly	Frame	Glide	Upholstery	Approx. Packaged
	MODEL	Features	Model	Code	Color	Finish	Option	Color	Weight
	Four-Leg Armless Chair with Glides	Poly Seat/Back	KT1100						21.0#
	 Polypropylene or upholstered seat and/ or back 	Uph Seat/Poly Back	KT1200						21.0#
H_{1}	Frame available in powdercoat steel or	Uph Seat/Back	KT1300						21.0#
	chrome								
	 Polypropylene glide is level with floor. Available in black. 								
u II	Stacks 12 high (6 high w/uph) on dolly								
Щ	Stacks 6 high (3 high w/uph) on floor								
KT11	 Tested to 350 pound weight rating 								
KT12									
KT13									
	Four-Leg Armless Chair with Glides,	Poly Seat/Back	KTH100						21.0#
	Ganging	Uph Seat/Poly Back	KTH200						21.0#
	Ganger mounts to underside of frameGanger is retractable	Uph Seat/Back	KTH300						21.0#
	Ganger is field installable								
	 Ganger is made of chrome-plated steel 								
U II	wire								
₩ °									
KTH1									
KTH2									
KTH3									
			A	•	•	0	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

Select Poly Color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

- ②Select frame finish.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Select glide option.

 GFT Felt glides

GPL - Plastic glides

Select upholstery grade/color.
Refer to the KI Color Addendum or KI
Fabrics & Finishes binder.



Stack Seating Katera

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
\$ 370							
N/A	407	423	432	461	488	510	520
N/A	499	515	524	553	580	602	612
\$ 432							
N/A	469	485	494	523	550	572	582
N/A	561	577	586	615	642	664	674

INFORMATION Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat/Poly Back Added List Price=\$52

Model=Upholstered Seat and Back Added List Price=\$79

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs, it is 1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Tupelo, MS 38804, freight prepaid. Freight class 125.

Stack Seating

MODEL NUMBER									
			MODEL	NOMBE	K				
	MODEL	F	Basic	Fire	Poly	Frame	Arm	Glide	Upholstery
	MODEL	Features	Model	Code	Color	Finish	Finish	Option	Color
	Four-Leg Arm Chair with Glides • Polypropylene or upholstered seat and/	Poly Seat/Back	KT1111						
	or back	Uph Seat/Poly Back	KT1211						
	Frame available in powdercoat steel or	Uph Seat/Back	KT1311						
	chrome								
	 Arm in polypropylene/glass-reinforced material with steel insert 								
l II .	 Polypropylene glide is level with floor. 								
	Available in black								
	 Stacks 12 high (6 high w/uph) on dolly 								
KT11	Stacks 6 high (3 high w/uph) on floor When a standard with the standard sta								
KT12 KT13	 When a poly seat and/or back are speci- fied, the arm color will match seat/back 								
	poly								
	 When an upholstered seat and back 								
	are specified, arm color will need to be								
	specifiedTested to 350 pound weight rating								
	- rested to 550 pound weight rating								
	Four-Leg Arm Chair with Glides, Ganging	Poly Seat/Back	KTH111						
	Ganger mounts to underside of frame	Uph Seat/Poly Back	KTH211						
	Ganger is retractableGanger is field installable	Uph Seat/Back	KTH311						
	Ganger is made of chrome-plated steel	ор.: отп п.							
	wire								
• •									
Щ									
KTH1									
KTH2									
KTH3									
			_	•	A		•	A	•
			A	₿	Θ	0	•	•	G

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133 upcharge.

Select Poly Color.
Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Arms will match poly color on poly chair models.

- ②Select frame finish.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select arm finish. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder. Select only on fully upholstered models.

Select glide option.

GFT - Felt glides
GPL - Plastic glides

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Stack Seating Katera

Appro Packa Weigl	ged D	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
21	.0# \$	458							
21	.0#	N/A	495	511	520	549	576	598	608
21	.0#	N/A	554	570	579	608	635	657	667

21.0# \$	520							
21.0#	N/A	557	573	582	611	638	660	670
21.0#	N/A	616	632	641	670	697	719	729

INFORMATION Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat/Poly Back Added List Price=\$52

Model=Upholstered Seat and Back Added List Price=\$79

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs, it is 1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking
With specially marked information

ion

N/C

Shipping

Ships assembled, FOB Tupelo, MS 38804, freight prepaid. Freight class 125.

Stack Seating

Kater:

			MODEL 1	NUMBER					
			Basic	Fire	Wood	Frame	Glide	Upholstery	
	MODEL	Features	Model	Code	Finish	Finish	Option	Color	
	Four-Leg Wood Armless Chair with Glides	Wood Seat/Back	KT1W00						
		Uph Seat/Wood Back	KT1V00	NFR					
	Wood seat and back with optional								
	upholstered seat • Frame available in powdercoat steel or chrome								
"	 Polypropylene glide is level with floor. 								
	Available in black Stacks 12 high (6 high w/uph) on dolly								
KT1W	Stacks 12 high (6 high w/uph) on floor Stacks 6 high (3 high w/uph) on floor								
KT1V	Tested to 350 pound weight rating								
	Four-Leg Wood Armless Chair with	Wood Seat/Back	KTHW00						
	Glides, Ganging	Uph Seat/Wood Back	KTHV00	NFR					
	Ganger mounts to underside of frame								
	Ganger is retractableGanger is field installable								
	Ganger is made of chrome-plated steel								
 "	wire								
KTHW									
KTHV									
			•	3	Θ	0	3	G G	
				v	G	U	J	J	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 ☐ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013

Select wood finish.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

OSelect frame finish.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select glide option.

GFT - Felt gl

GFT - Felt glides
GPL - Plastic glides

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u>

Fabrics & Finishes binder.



Stack Seating Katera

Approx. Packaged Weight	Prio	ivered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
21.0#	\$	613							
21.0#		N/A	650	666	675	704	731	753	763
21.0#	\$	675							
21.0#	•	N/A	712	728	737	766	793	815	825
			· · ·						

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs, it is 1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Tupelo, MS 38804, freight prepaid. Freight class 125.

Stack Seating

Katera

		MODEL NUMBER								
			MODEL	MOMBER						
	MODEL	Features	Basic Model	Fire Code	Wood Finish	Frame Finish	Arm Finish	Glide Option	Upholstery Color	
erro (ia)	Four-Leg Wood Arm Chair with Glides	Wood Seat/Back	KT1W11							
	 Wood seat and back with optional upholstered seat 	Uph Seat/Wood Back	KT1V11	NFR						
	Frame available in powdercoat steel or									
	chrome									
	Arm in polypropylene/glass-reinforced									
u u	material with steel insertPolypropylene glide is level with floor.									
Ш	Available in black									
KT1W	Stacks 12 high (6 high w/uph) on dolly									
KT1V	 Stacks 6 high (3 high w/uph) on floor Tested to 350 pound weight rating 									
	Tested to 350 poulld weight fathing									
TTO TO	Four-Leg Wood Arm Chair with Glides,	Wood Seat/Back	KTHW11							
	Ganging	Uph Seat/Wood Back	KTHV11	NFR						
	Ganger mounts to underside of frameGanger is retractable									
	Ganger is field installable									
1	Ganger is made of chrome-plated steel									
n II	wire									
KTHW										
KTHV										
			A	3	Θ	0	(3	()	Ѳ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013

Select wood finish.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

- Oselect frame finish.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select arm finish.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Select glide option.

GFT - Felt glides
GPL - Plastic glides

Select upholstery grade/color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Stack Seating Katera

Approx. Packaged Weight	Deli Pric	vered ing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
21.0#	\$	701							
21.0#		N/A	738	754	763	792	819	841	851
21.0#	\$	763							
21.0#		N/A	800	816	825	854	881	903	913

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs, it is 1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Ships **assembled**, **FOB Tupelo**, **MS 38804**, **freight prepaid**. Freight class 125.

Stack Seating Katera

		MODEL NUMBER			
		MODEL NOMBER			
	MODEL	Basic Model	Approx. Packaged Weight		
- CO	Transport Dolly	KCD.BL	31.0#		
M - M M	Can accomdate up to 12 chairs Easy maneuverability with 5" casters: two fixed, two swivel Black powder-coated finish				
HRDPT					
חחערו					
		Δ			



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack Seating Katera

Delivered Pricing

397

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships assembled, FOB Tupelo, MS 38804, freight prepaid. Freight class 125.

Stack/Nesting Maestro® General Information







Stacking Chair with Fixed Seat/Back Cushion (MSUSB)



Transport Dolly

Features			
Stackable	•	•	
Ganging	•	•	
Polypropyene seat and back	•	•	
Upholstered seat and back fixed cushion		•	
General Dimensions			
Seat width	18"	18"	
Seat depth	17-1/2"	17-1/2"	
Seat height	17-1/2"	18"	
Floor to back height	31-1/2"	31-1/2"	
Overall Dimensions			
Width	19-1/4"	19-1/4"	22-3/8"
Depth	21-1/4"	21-1/4"	25-5/8"
Ganging on center	20"	20"	
Stacking on Dolly			
Width	23"	23"	
Depth	42"	42"	
Quantity/height	38 Chairs/80" High	15 Chairs/80" High	
Stacking on Floor			
Width	19-1/4"	19-1/4"	
Depth	31"	31"	
Quantity/height	10 Chairs/38-3/4" High	10 Chairs/38-3/4" High	

SPECIFICATIONS

Seat and Backrest

Injection-molded polypropylene seat and back. Back features a contoured handle for easy lifting and stacking.

Seat and Back Pads

Fixed seat and back pads consist of a 3/16" thick plywood board with threaded inserts for attachment. The boards are covered in 1/2" foam padding and wrapped with fabric. The pads are attached to the seat and back with screws into the threaded fasteners.

Chair Frame

7/16" solid steel rod in bright nickel-chrome or with electrostatically-applied epoxy.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish

Electrostatically-applied epoxy, baked onto surface. Stacking powder-coated frames is not recommended.

Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powder-coated finish.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl and Kl's 2V cannot be used on the MXU Matrix® model (upholstered seat/back, no cushion) but can be used on fixed cushion models.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Stack/Nesting Maestro® General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Maestro®

			MODEL N	IIIMRFR					
	MODEL	Features	Basic Model	Glide Option	Frame Color	Seat & Back Color	Fire Code	Upholstery Color	Approx. Packaged Weight
	Stack Chair	Polypropylene	MSP						16.0#
	Polypropylene seat and backrestPolypropylene seat and back with uphol-	Fixed Seat Cushion	MSUS						18.0#
	stered seat cushion	Fixed Seat/Back Cushion	MSUSB						20.0#
	Polypropylene seat and back with uphol-								
	stered cushion on seat and back • Steel rod frame in chrome or colors								
	38 chairs on the dolly stack to 80" high								
MCD									
MSP MSUS									
MSUSB									
	Transport Dolly for Poly Chairs Easy maneuverability with 5' casters; two fixed, two swivel Black powder-coated finish		CSD.BL						30.0#
HRDPT									
	Transport Dolly for Upholstered Chairs Easy maneuverability with 5' casters; two fixed, two swivel Black powder-coated finish		MFSD.BL						30.0#
HRDPT									
			A	B	Θ	O	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect glide option.

- Ganging polycarbonate glides; add \$5 GS - Gar - Ganging steel glides; add \$5

- Polycarbonate glides; add \$5 - PVC non-skid glides; add \$5 - Stainless steel glides; add \$5 NS

Select frame color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

- Select seat and back color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fire code.

- No Fire Retardant NFR - Compliance to TB 117-2013 NFR - Compliance to TB 133

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Stack/Nesting Maestro®

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 156								
N/A	233	247	256	255	265	286	299	320
N/A	328	354	368	343	392	424	450	481

\$ 431

\$ 431

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. Requirement for orders of 11 or more with upholstered seat only is 1/2 yard per chair. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added List Price=\$25

Model=Uph. Seat Pad Only Added Lead Time=N/A Added List Price=\$70

Model=Uph. Seat/Back Pad Added Lead Time=N/A Added List Price=\$85

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting



Armless Stacking Chair (MX)



Armless Stacking Chair with Fixed Seat/Back Cushion (MXFSB)

Features		
Ganging	•	•
Polypropyene seat and back	•	
Upholstered seat and back fixed cushion		•
Overall Dimensions		
Width	18-7/8" (26" With Arm)	18-7/8" (26" With Arm)
Depth	21-3/4"	21-3/4"
Height	32-1/2"	32-1/2"
Seat height	18"	18"
Stacking on Dolly		
Polypropylene seat	45 Chairs/79" High	
Fixed seat		15 Chairs/60" High
Fixed seat and back		16 Chairs/63-1/2" High
Depth	37-1/2"	37-1/2"
Stacking on Floor		
Polypropylene seat	15 Chairs/42" High	



Tablet Arm

SPECIFICATIONS

Plastic Seats, Backrests and Armcaps Injection-molded polypropylene.

Chair Frame

7/16" solid steel rod, bright duplex nickel chrome. Optional with electrostatically-applied epoxy (not recommended on tablet arm models).

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish

Electrostatically-applied epoxy, baked onto surface. Stacking and use of tablet arms on powder-coated frames not recommended.

Tablet Arm

7/16" solid steel rod frame, hinged tablet for easy access. Standard size has resin core; high-pressure laminate surface. Round tablet edge with clear lacquer finish. Oversized has plywood core with clear lacquered edges. Black has black painted edges. Bright chrome frame only. Chairs are nonstacking when attached, not available for use with powder-coated frame chairs. Tablet flips up for easy access. Seating clearance is 14" for standard and oversized tablet arms. Standard tablet is 20-1/2" long and 12" wide. Oversized tablet is 20-1/2" long and 17" wide. Ganging with tablet is not recommended

Tablet Arm on Upholstered Chair

It is recommended that the tablet arm not be removed after it is affixed to the chair.

Upholstery

"Fixed Seat and/or Back Cushions" have padded fabric only on the seat and on the front of the back. Both the seat and front of the back have plastic exposed around the cushions.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.



Stack/Nesting Matrix® General Information



Transport Dolly (Poly Chairs only) (MXD.BL)



Transport Dolly (Fixed Cushion Chairs) (MVP.BL)

Overall Dimensions		
Width	22-3/8""	22-3/8""
Depth	25-5/8"	25-5/8"
Height		14"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl and KI's 2V cannot be used on the MXU Matrix® model (upholstered seat/back, no cushion) but can be used on fixed cushion models.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

NONSTACKING 12" wide x 20-1/2" deep Field installable For use only on chrome framed chairs MXT Oversize Flip-Up Tablet Arm NONGTACKING Left Hand MXTARM/OVS/L										
### Armless Stack Chair Polypropylene seat and backrest Polypropylene seat and back with upholstered custions on seat and back Steel rod frame in chrome or colors Wire stacking bumper frame is standard on upholstered chair **Standard Flip-Up Tablet Arm** NONSTACKING** Por use only on chrome framed chairs **MXTARM/OVS/R** **Oversize Flip-Up Tablet Arm** NONSTACKING** NONSTACKING** NONSTACKING** Polypropylene seat and back with upholstered chair **MXTARM/OVS/R** **MXTARM/OVS/R** **MXTARM/OVS/R** **MXTARM/OVS/R** **MXTARM/OVS/R** **Inicial installable** **Oversize Flip-Up Tablet Arm** NONSTACKING** NONST				MODEL NUMBE	R					
MODEL Features Basic Model Option Color Code Code Code Code Code Code Code Code										
MODEL Features Basic Model Option Color Code Code Code Code Code Code Code Code							04 0			T-1-1-4
MODEL Armless Stack Chair Polypropylene seat and backrest Polypropylene seat and back with upholstered custions on seat and back Steel rod frame in chrome or colors Wire stacking bumper frame is standard on upholstered chair Standard Flip-Up Tablet Arm NONSTACKING Field installable Features Model Option Color Color Code Color				Racio	Glide	Frame		Fire	Unh	
Polypropylene seat and backwith upholstered seat cushion Polypropylene seat and back with upholstered cushions on seat and back Steel rod frame in chrome or colors Wire stacking bumper frame is standard on upholstered chair Standard Fip-Up Tablet Arm NNNSTACKING 12' wide x 20-1/2' deep Field installable NONSTACKING		MODEL	Features							
Polypropylene seat and back with uphol- stered seat cushion Polypropylene seat and back with uphol- stered cushions on seat and back Steel rod frame in chrome or colors Wire stacking bumper frame is standard on upholstered chair Standard Flip-Up Tablet Arm NONSTACKING 12" wide x 20-1/2" deep Field installable For use only on chrome framed chairs NATERMAN MXTARM/OVS/L NONSTACKING 17" wide x 20-1/2" deep Field installable NONSTACKING			Polypropylene	MX						
stered seat cushion Polypropylene seat and back with upholstered cushions on seat and back Steel rod frame in chrome or colors Wire stacking bumper frame is standard on upholstered chair Standard Flip-Up Tablet Arm NONSTACKING 12' wide x 20-1/2' deep Field installable NONSTACKING 17' wide x 20-1/2' deep Field installable For use only on chrome framed chairs Fixed Seat/Back Cushion MXFSB MXFSB MXFSB MXTARM/STD/L Right Hand MXTARM/STD/L MXTARM/STD/R MXTARM/STD/R MXTARM/STD/R MXTARM/STD/R MXTARM/OVS/L Right Hand MXTARM/OVS/L Right Hand MXTARM/OVS/R Right Hand MXTARM/OVS/R Right Hand MXTARM/OVS/R			Fixed Seat Cushion	MXFS						
Polypropylene seat and back with uphol- stered cushions on seat and back Steel rod frame in chrome or colors Wire stacking bumper frame is standard on upholstered chair Standard Flip-Up Tablet Arm NONSTACKING 12" wide x 20-1/2" deep Field installable Oversize Flip-Up Tablet Arm NONSTACKING Right Hand MXTARM/STD/R Oversize Flip-Up Tablet Arm NONSTACKING Right Hand MXTARM/OVS/L MXTARM/OVS/L MXTARM/OVS/R Right Hand MXTARM/OVS/R MXTARM/OVS/R MXTARM/OVS/R			Fixed Seat/Back Cushion	MXFSB						
Steel rod frame in chrome or colors Wire stacking bumper frame is standard on upholstered chair Standard Flip-Up Tablet Arm NONSTACKING 12" wide x 20-1/2" deep Field installable For use only on chrome framed chairs Oversize Flip-Up Tablet Arm NONSTACKING Right Hand MXTARM/STD/L MXTARM/STD/R WXTARM/STD/R Oversize Flip-Up Tablet Arm NONSTACKING Right Hand MXTARM/OVS/L MXTARM/OVS/R Right Hand MXTARM/OVS/R MXTARM/OVS/R										
WX WXFS WXFSB Standard Flip-Up Tablet Arm NONSTACKING 12" wide x 20-1/2" deep Field installable For use only on chrome framed chairs PATE Oversize Flip-Up Tablet Arm NONSTACKING Field installable For use only on chrome framed chairs NONSTACKING Sight Hand WXTARM/STD/R WXTARM/STD/R MXTARM/STD/R MXTARM/STD/R Right Hand MXTARM/OVS/L NONSTACKING Ty" wide x 20-1/2" deep Field installable Right Hand MXTARM/OVS/R Field installable										
MX MXFS MXFSB Standard Flip-Up Tablet Arm NONSTACKING Field installable For use only on chrome framed chairs Oversize Flip-Up Tablet Arm NONSTACKING Ty' wide x 20-1/2' deep Field installable Right Hand MXTARM/STD/R MXTARM/STD/R MXTARM/STD/R MXTARM/OVS/L Right Hand MXTARM/OVS/L Right Hand MXTARM/OVS/L Right Hand MXTARM/OVS/R Pield installable										
MXFS MXFSB Standard Flip-Up Tablet Arm NONSTACKING 12" wide x 20-1/2" deep Field installable For use only on chrome framed chairs Oversize Flip-Up Tablet Arm NONSTACKING 17" wide x 20-1/2" deep Field installable NONSTACKING 17" wide x 20-1/2" deep Field installable NATARM/OVS/L NONSTACKING 17" wide x 20-1/2" deep Field installable										
MXFS MXFSB Standard Flip-Up Tablet Arm NONSTACKING 12" wide x 20-1/2" deep Field installable For use only on chrome framed chairs Oversize Flip-Up Tablet Arm NONSTACKING 17" wide x 20-1/2" deep Field installable NONSTACKING 17" wide x 20-1/2" deep Field installable	~									
MXFSB Standard Flip-Up Tablet Arm NONSTACKING 12" wide x 20-1/2" deep Field installable For use only on chrome framed chairs Oversize Flip-Up Tablet Arm NONSTACKING 17" wide x 20-1/2" deep Field installable NONSTACKING Triv wide x 20-1/2" deep Field installable	VIX									
Standard Flip-Up Tablet Arm NONSTACKING 12" wide x 20-1/2" deep Field installable For use only on chrome framed chairs Oversize Flip-Up Tablet Arm NONSTACKING 17" wide x 20-1/2" deep Field installable Field installable NONSTACKING Field installable NONSTACKING Field installable Right Hand MXTARM/OVS/L MXTARM/OVS/R MXTARM/OVS/R	MXFS									
NONSTACKING 12" wide x 20-1/2" deep Field installable For use only on chrome framed chairs Oversize Flip-Up Tablet Arm NONSTACKING 17" wide x 20-1/2" deep Field installable Right Hand MXTARM/OVS/L MXTARM/OVS/R MXTARM/OVS/R In I	IXFSB									
12" wide x 20-1/2" deep Field installable For use only on chrome framed chairs Oversize Flip-Up Tablet Arm NONSTACKING 17" wide x 20-1/2" deep Field installable			Left Hand	MXTARM/STD/L						
Field installable For use only on chrome framed chairs Oversize Flip-Up Tablet Arm NONSTACKING 17" wide x 20-1/2" deep Field installable WXTARM/OVS/L MXTARM/OVS/R MXTARM/OVS/R			Right Hand	MXTARM/STD/R						
Oversize Flip-Up Tablet Arm NONSTACKING 17" wide x 20-1/2" deep Field installable NONSTACKING Fight Hand MXTARM/OVS/R MXTARM/OVS/R										
Oversize Flip-Up Tablet Arm NONSTACKING 17" wide x 20-1/2" deep Field installable Oversize Flip-Up Tablet Arm Left Hand MXTARM/OVS/L MXTARM/OVS/R		 For use only on chrome framed chairs 								
Oversize Flip-Up Tablet Arm NONSTACKING 17" wide x 20-1/2" deep Field installable Oversize Flip-Up Tablet Arm Left Hand MXTARM/OVS/L MXTARM/OVS/R	u									
NONSTACKING 17" wide x 20-1/2" deep Field installable Right Hand MXTARM/OVS/R	TXIV									
17" wide x 20-1/2" deep Field installable										
Field installable			Right Hand	MXTARM/OVS/R						
For use only on chrome framed chairs										
		For use only on chrome framed chairs								
	ü									
MXT	MXT									
				A	ß	Θ	0	(3	(3	Θ

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect glide option.

- Ganging polycarbonate glides; add \$5 - Ganging steel glides; add \$5 GS - No glides H - Polycarbonate glides; add \$5

- PVC non-skid glides; add \$5 NS - Stainless steel glides; add \$5

Select frame color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

• Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

GSelect tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.





Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
17.0#	\$ 226										
19.0#	N/A	303	318	323	303	323	325	335	354	368	388
21.0#	N/A	398	423	439	398	439	414	464	495	520	550

7.0# \$ 183 7.0# 183

9.0# \$ 239 9.0# 239

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Custom-Matched Polypropylene Colors

Colors to be matched require a 3" \times 3" swatch. Minimum order is 100 chairs. Additional lead time required.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added List Price=\$26

Model=Upholstered Added Lead Time=1 week Added List Price=\$46

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Matrix®

		MODEL NUMBER	
			Approx.
	MODEL	Basic Model	Packaged Weight
A 1	Transport Dolly for Fixed Cushion Chairs	MVP.BL	19.0#
	 Easy maneuverability with 5" casters; two fixed, two swivel 		
	Black powder-coated finishFor use with fixed cushion chairs		
<u>~</u>	1		
HRDPT			
	Transport Dolly for Poly Chairs	MXD.BL	30.0#
	 Easy maneuverability with 5" casters; two fixed, two swivel 		
	Black powder-coated finishFor use with poly		
	1 of use with poly		
	ı		
HRDPT	I		
		A	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Matrix®

Delivered Pricing Unupholstered

\$ 453

\$ 418

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Opt4® General Information











Mesh Seat, Mesh Back Four-Leg Chair (O4LNAMSMB)

Mesh Seat, Poly Back Four-Leg Chair (O4LNAMSPB)

Poly Seat, Mesh Back Four-Leg Chair (O4LNAPSMB)

Poly Seat, Poly Back Four-Leg Chair (O4LNAPSPB)

Transport Dolly (O4LD.BL)

Features					
Stackable	•	•	•	•	
Mesh or poly seat and back	•	•	•	•	
General Dimensions					
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"	
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Seat height	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Overall Dimensions					
Width	20-1/2"	20-1/2"	20-1/2"	20-1/2"	22-1/2"
Depth	21-13/16"	21-13/16"	21-13/16"	21-13/16"	26-1/8"
Height	32-3/16"	32-3/16"	32-3/16"	32-3/16"	15-1/2"
Stacking on dolly					
Overall width	22-1/2"	22-1/2"	22-1/2"	22-1/2"	
Overall depth	37"	37"	37"	37"	
Quantity/height	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High	
Stacking on floor					
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	

SPECIFICATIONS

Frame

Frame is fabricated from 7/8" o.d. x 17-gauge tubular steel. All joints are welded.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.

Glides

Glides are molded from nylon. Available in black or stone grey.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Polypropylene frame and mesh are monochromatic. An integral handle is available on the poly-back models. Opt4 seating is engineered to be eco-friendly. Mesh material is made from 100% post-consumer PET bottles. All resin parts (back, seat, and glides) are 100% recycled polypropylene.

Armo

Optional armrests are available. When equipped with arms, a formed steel tube is welded directly to the chair frame. Armcaps are polypropylene material.


Transport Dolly

Powder coated tubular steel frame. Two swivel casters and two fixed casters.

Design

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.





INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Opt4® General Information



Mesh Seat, Mesh Back Four-Leg Arm Chair (O4LWAMSMB)



Mesh Seat, Poly Back Four-Leg Arm Chair (O4LWAMSPB)



Poly Seat, Mesh Back Four-Leg Arm Chair (O4LWAPSMB)



Poly Seat, Poly Back Four-Leg Archair (O4LWAPSPB)

Features				
Stackable	•	•	•	•
Mesh or poly seat and back	•	•	•	•
General Dimensions				
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Overall Dimensions				
Width	24-5/8"	24-5/8"	24-5/8"	24-5/8"
Depth	21-13/16"	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	32-3/16"	32-3/16"
Stacking on dolly				
Overall width	22-1/2"	22-1/2"	22-1/2"	22-1/2"
Overall depth	37"	37"	37"	37"
Quantity/height	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High
Stacking on floor				
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High

SPECIFICATIONS

Frame

Frame is fabricated from 7/8" o.d. x 17-gauge tubular steel. All joints are welded.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.

Glides

Glides are molded from nylon. Available in black or stone grey.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Polypropylene frame and mesh are monochromatic. An integral handle is available on the poly-back models. Opt4 seating is engineered to be eco-friendly. Mesh material is made from 100% post-consumer PET bottles. All resin parts (back, seat, and glides) are 100% recycled polypropylene.

Arms

Optional armrests are available. When equipped with arms, a formed steel tube is welded directly to the chair frame. Armcaps are polypropylene material.


Transport Dolly

Powder coated tubular steel frame. Two swivel casters and two fixed casters.

Nacinn

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.









Mesh Seat, Mesh Back Four-Leg Chair with Casters (O4LNAMSMBC)



Mesh Seat, Poly Back Four-Leg Chair with Casters (O4LNAMSPBC)



Poly Seat, Mesh Back **Four-Leg Chair with Casters** (O4LNAPSMBC)



Poly Seat, Poly Back Four-Leg Chair with Casters (O4LNAPSPBC)

Features				
Stackable	•	•	•	•
Mesh or poly seat and back	•	•	•	•
General Dimensions				
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Overall Dimensions				
Width	20-1/2"	20-1/2"	20-1/2"	20-1/2"
Depth	21-13/16"	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	32-3/16"	32-3/16"
Stacking on floor				
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High

SPECIFICATIONS

Frame

Frame and front cross member are fabricated from 1/2" o.d. x 16-gauge tubular steel. All joints are welded.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.

Casters are double-wheel, high-impact thermoplastic. 50mm in diameter. Available in black.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Plastic frame and mesh are monochromatic. An integral handle is available on the poly-back models. Opt4 seating is engineered to be eco-friendly. Mesh material is made from 100% post-consumer PET bottles. All resin parts (back, seat, and glides) are 100% recycled polypropylene.

Optional armrests are available. When equipped with arms, a formed steel tube is welded directly to the chair frame. Armcaps are polypropylene material.

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.



Stack/Nesting Opt4®



Mesh Seat, Mesh Back Four-Leg Arm Chair with Casters (O4LWAMSMBC)



Mesh Seat, Poly Back Four-Leg Arm Chair with Casters (O4LWAMSPBC)



Poly Seat, Mesh Back Four-Leg Arm Chair with Casters (O4LWAPSMBC)



Poly Seat, Poly Back Four-Leg Arm Chair with Casters (O4LWAPSPBC)

Features				
Stackable	•	•	•	•
Mesh or poly seat and back	•	•	•	•
General Dimensions				
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Overall Dimensions				
Width	24-5/8"	24-5/8"	24-5/8"	24-5/8"
Depth	21-13/16"	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	32-3/16"	32-3/16"
Stacking on floor				
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Opt4® General Information



Mesh Seat, Mesh Back Sled Base Chair (O4MSMB)



Mesh Seat, Poly Back Sled Base Chair (04MSPB)



Poly Seat, Mesh Back Sled Base Chair (O4PSMB)



Poly Seat, Poly Back Sled Base Chair (O4PSPB)



Transport Dolly (O4DA.BL)

Features					
Stackable	•	•	•	•	
Ganging	•	•	•	•	
Mesh or poly seat and back	•	•	•	•	
General Dimensions					
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"	
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Seat height	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Overall Dimensions					
Width	19-3/4"	19-3/4"	19-3/4"	19-3/4"	22-3/8"
Depth	21-13/16"	21-13/16"	21-13/16"	21-13/16"	32"
Height	32-3/16"	32-3/16"	32-3/16"	32-3/16"	16-3/4"
Stacking on dolly					
Overall width	22-3/8"	22-3/8"	22-3/8"	22-3/8"	
Overall depth	38-1/4"	38-1/4"	38-1/4"	38-1/4"	
Quantity/height	38 Chairs/80" High	38 Chairs/80" High	38 Chairs/80" High	38 Chairs/80" High	
Stacking on floor					
Quantity/height	10 Chairs/40-1/4" High	10 Chairs/40-1/4" High	10 Chairs/40-1/4" High	10 Chairs/40-1/4" High	

SPECIFICATIONS

Frame

Frame and front cross member are fabricated from 1/2" o.d. x 16-gauge tubular steel. All joints are welded.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.

Glides

Glides are molded from a thermoplastic elastomer and can come with or without integral ganging clips. Glides are stone grey.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Plastic frame and mesh are monochromatic. An integral handle is available on the poly-back models. Opt4 seating is engineered to be eco-friendly. Mesh material is made from 100% post-consumer PET bottles. All resin parts (back, seat, and glides) are 100% recycled polypropylene.


Transport Dolly

Powder coated tubular steel frame. Two swivel casters and two fixed casters.

Design

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.





Dimensions are the same for all mesh/poly combination chairs.

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Opt4® General Information











Mesh Seat, Mesh Back Stool (04SMSMB)

Mesh Seat, Poly Back Stool (04SMSPB)

Poly Seat, Mesh Back Stool (O4SPSMB)

Poly Seat, Poly Back Stool (O4SPSPB)

Transport Dolly (04SD.BL)

Features					
Stackable	•	•	•	•	
Ganging	•	•	•	•	
Mesh or poly seat and back	•	•	•	•	
General Dimensions					
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"	
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Seat height	28-3/8"	28-3/8"	28-3/8"	28-3/8"	
Overall Dimensions					
Width	20-1/8"	20-1/8"	20-1/8"	20-1/8"	22-3/8"
Depth	23"	23"	23"	23"	25-5/8"
Height	42"	42"	42"	42"	14"
Height on dolly	30 Chairs/80"H x 24"W x 52"D				
Height on floor	8 Chairs/48-1/2" High	8 Chairs/48-1/2" High	8 Chairs/48-1/2" High	8 Chairs/48-1/2" High	

SPECIFICATIONS

Frame

Frame and front cross member are fabricated from 1/2" o.d. x 16-gauge tubular steel. All joints are welded.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.

Glides

Glides are molded from a thermoplastic elastomer and can come with or without integral ganging clips. Glides are stone grey.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Plastic frame and mesh are monochromatic. An integral handle is available on the poly-back models. Opt4 seating is engineered to be eco-friendly. Mesh material is made from 100% post-consumer PET bottles. All resin parts (back, seat, and glides) are 100% recycled polypropylene.


Transport Dolly

Powder coated tubular steel frame. Two swivel casters and two fixed casters.

Design

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.





Dimensions are the same for all mesh/poly combination chairs.

			MODEL NUM	BER				
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Glide Option	Approx. Packaged Weight
	Four-Leg Armless Chair	Mesh Seat, Mesh Back	04LNAMSMB					12.0#
	Stacking							
OPT4L								
OPT4L	Four-Leg Armless Chair • Stacking	Mesh Seat, Poly Back	04LNAMSPB		NFR			12.0#
01112	Four-Leg Armless Chair	Poly Seat, Mesh Back	04LNAPSMB		NFR		П	12.0#
	Stacking							
OPT4L								
	Four-Leg Armless Chair • Stacking	Poly Seat, Poly Back	04LNAPSPB		NFR			12.0#
0PT4L								
			A	3	Θ	O	3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

• Select poly and/or mesh seat and back

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

GBL - Black glide - Stone Grey glide



Stack/Nesting Opt4®

▼	
Delivered	
Delivered	
Pricing	
\$ 369	
\$ 334	
\$ 334	
ψ 007	
 ė 000	
\$ 290	

INFORMATION

California TB133 Fire Safety Code

Standard Opt4[™] Chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/mesh back model only.)

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack	$\langle \rangle$	les	Ħ	n	(
Ont4®					١

MODEL Basic Frame Fire Seat & Back Caster Model Color Code C	
MODEL Features Basic Model Color Code Color Type Weight Mesh Seat, Mesh Back, Casters O4LNAMSMBC O5LNAMSMBC O5LNAMSMBC O4LNAMSMBC O5LNAMSMBC O	
Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies NOT recommended Four-Leg Armless Chair with Casters Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair	
Four-Leg Armless Chair with Casters • Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair	
OPT4L	
Four-Leg Armless Chair with Casters • Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair • Stacking on dollies NOT recommended Poly Seat, Mesh Back, Casters O4LNAPSMBC NFR 13.0#	
Four-Leg Armless Chair with Casters Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies NOT recommended	
OPT4L	
Q B Q D B	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

①Select poly and/or mesh seat and back

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select caster option.

- Soft wheel casters - Carpet casters



Delivered Pricing

\$ 407

\$ 372

\$ 372

\$ 327

INFORMATION

California TB133 Fire Safety Code

Standard Opt4" chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/mesh back model only.)

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Opt4®

			MODEL NUM	BER				
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Glide Option	Approx. Packaged Weight
	Four-Leg Arm Chair	Mesh Seat, Mesh Back	04LWAMSMB					12.0#
	Stacking							
OPT4L	Four-Leg Arm Chair	Mesh Seat, Poly Back	04LWAMSPB		NFR			12.0#
	Stacking	MESH Seat, Puly back	U4LWAWISFD		INFN			12.0#
0PT4L								
	Four-Leg Arm Chair • Stacking	Poly Seat, Mesh Back	O4LWAPSMB		NFR			12.0#
OPT4L	Four-Leg Arm Chair	Doly Cost Doly Post	04LWAPSPB		NFR			12.0#
	Stacking	Poly Seat, Poly Back	U4LWAPSPB		INFK			12.0#
OPT4L								
			Ø	3	Θ	0	€	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

• Select poly and/or mesh seat and back

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

GBL - Black

- Stone Grey glide



Delivered Pricing

\$ 442

\$ 407

\$ 407

\$ 362

INFORMATION

California TB133 Fire Safety Code

Standard Opt4" chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/mesh back model only.)

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Opt4®

			MODEL NUMBER					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Caster Type	
	Four-Leg Armchair with Casters Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies NOT recommended	Mesh Seat, Mesh Back, Casters	04LWAMSMBC					
OPT4L								
OPT4L	Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies NOT recommended	Mesh Seat, Poly Back, Casters	04LWAMSPBC		NFR			
	Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies NOT recommended	Poly Seat, Mesh Back, Casters	O4LWAPSMBC		NFR			
OPT4L	Four-Leg Armchair with Casters • Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair • Stacking on dollies NOT recommended	Poly Seat, Poly Back, Casters	04LWAPSPBC		NFR			
OPT4L			Ø	3	•	•	3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fire code. (Available on mesh seat/

mesh back model only).

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

• Select poly and/or mesh seat and back

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select caster option.

- Soft wheel casters

- Carpet casters



Stack/Nesting Opt4®

Approx.
Packaged Delivered
Weight Pricing

13.0# \$ 479

13.0# \$ 444

13.0# \$ 444

13.0# \$ 400

INFORMATION

California TB133 Fire Safety Code

Standard Opt4[™] Chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/mesh back model only.)

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Opt4®

			MODEL N	IUMBER				
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Glide Option	Approx. Packaged Weight
	Sled Base Chair • Stacking • Ganging	Mesh Seat, Mesh Back	04MSMB					11.0#
OPT4								
	Sled Base Chair • Stacking • Ganging	Mesh Seat, Poly Back	O4MSPB		NFR			11.0#
<u>OPT4</u>								
	Sled Base Chair • Stacking • Ganging	Poly Seat, Mesh Back	04PSMB		NFR			11.0#
OPT4								
STIT STITE	Sled Base Chair • Stacking • Ganging	Poly Seat, Poly Back	04PSPB		NFR			11.0#
OPT4			A	3	Θ	Ð	3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

• Select poly and/or mesh seat and back

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

G	- Ganging glides
NG	- Non-ganging glides



Stack/Nesting Opt4®

Dalis	vered	
Drio	VOICU	
Pric	ang	
\$	328	
\$	278	
φ	210	
\$	278	
¢	217	
φ	211	

INFORMATION

California TB133 Fire Safety Code

Standard Opt4™ chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/ mesh back model only.)

Cartoning 4 chairs per carton

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NU	JMBER				
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Glide Option	Approx. Packaged Weight
	Cafe Stool	Mesh Seat, Mesh Back	04SMSMB					18.0#
	StackingGanging							
OPT4S								
	Cafe Stool	Mesh Seat, Poly Back	04SMSPB		NFR			18.0#
	StackingGanging							
OPT4S								
			a	3	Θ	O	3	,

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

• Select poly and/or mesh seat and back color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u>

Fabrics & Finishes binder.

Select glide option.

- Ganging glides - Non-ganging glides



Delivered Pricing

463

\$ 413

INFORMATION

California TB133 Fire Safety Code

Standard Opt4™ chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/ mesh back model only.)

Cartoning 2 stools per carton

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

	MODEL NUMBER							
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Glide Option	Approx. Packaged Weight
	Cafe Stool	Poly Seat, Mesh Back	04SPSMB		NFR			18.0#
	StackingGanging							
	- danging							
OPT4S								
	Cafe Stool	Poly Seat, Poly Back	04SPSPB		NFR			18.0#
	StackingGanging							
OPT4S								
			A	3	Θ	O	(3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

• Select poly and/or mesh seat and back color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u>

Fabrics & Finishes binder.

Select glide option.

- Ganging glides - Non-ganging glides



Delivered Pricing

\$ 413

351 \$

INFORMATION

Cartoning 2 stools per carton

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Opt4®

		MODEL NUMBER	
			Approx.
	MODEL	Basic Model	Packaged Weight
			Weight
	Transport Dolly for Four-Leg Chair	04LD.BL	30.0#
HRDPT	 Easy maneuverability with 5" casters; two fixed, two swivel 		
	Black powder-coated finish		
	Transport Dolly for Sled Base Chair	04DA.BL	30.0#
$/\lambda$	Easy maneuverability with 5" casters;		
	two fixed, two swivel Black powder-coated finish		
	Black powder coated fillion		
HRDPT			
	Transport Dolly for Stool	04SD.BL	30.0#
HRDPT	 Easy maneuverability with 5" casters; 		
	two fixed, two swivel Black powder-coated finish		
	Diack powder-coated linish		



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Opt4®

Deli Pric	'ed		
	06		_
Ψ			
\$	06		_
Ψ			
\$	30		_
Ψ			

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Perry® General Information



Armless Stacking Chair (PRYU)



Armless Chair Dolly (PRY.D.BL)

Features		
Ganging	•	
Articulated backrest	•	
Polypropylene seat and back	•	
Upholstered seat and back	•	
Cushioned/upholstered seat and back	•	
General Dimensions		
Seat width	18-1/4"	
Seat depth	17-1/2"	
Seat height	18"	
Overall Dimensions		
Width	19-1/2"	22-1/2"
Depth	21-1/2"	25-1/2"
Height	32-1/2"	22-1/2"
Top of arm to floor		
Stacking on Dolly		
Depth	36"	
Maximum Stack Quantities and Height on Dolly		
Polypropylene seat	25 Chairs/79" High	25 Chairs
Upholstered seat, no cushion	25 Chairs/79" High	25 Chairs
Cushioned/upholstered seat	12 Chairs/60" High	12 Chairs
Stacking on Floor		
Width	20"	
Depth	35"	
Quantity/height	8 Chairs / 44" High	

SPECIFICATIONS

Plastic Chair Seats and Backrests

Injection-molded polypropylene. Seat is one piece screwed to frame. Backrest has two sections which form a snap-fit and are then screwed together. Chair seats have two die-formed 7-gauge straps welded to side frames.

Back Articulation

Articulation is achieved with a single-piece frame which flexes as the back pivots around its upper and lower crossbars.

The seat is hung from the lower back so that the user's weight perfectly counterbalances the tilting pressure of the upper back.

Chair Frame

Chair has 7/16" o.d. solid steel rod welded into a one-piece unit. Seats have two dieformed 7-gauge straps welded to side frames. Bright duplex nickel-chrome plated or painted finish.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-two step process.

Powder-Coated Finish

Electrostatically-applied epoxy baked onto surface. Tubular and plate steel welded together. 5" casters: two swivel, two fixed. Black powder-coated finish.

Stacking Bumpers

An integral part of the frame, the bumpers are welded to the lower front frame radius. Two scuff protectors will be glued to the rear crossbrace of the chair to prevent scuffing of seat wires when chairs are stacked.

Stacking

Stacking on dolly recommended.

Ganging

Wire loop ganging devide. 5/16" steel rod is bent and welded to chair frame. Factoryinstalled only. Avilable only on armless stack chairs with chrome frames.

Tablet Arm

7/16" solid steel rod frame, hinged for easy access. Resin core tablet; high pressure laminate surface. Round tablet edge with clear lacquer finish. Bright chrome frame. Chairs are nonstacking with tablet arm. Not for use with powder-coated frames. Fieldinstallable. Seating clearance is 16-1/4". Tablet is 20-5/8" long and 12" wide. An oversized tablet arm is also available. Tablet is 20-1/2" long and 17" wide.

Upholstery

Covers front of seat and backrest. Cushioned and upholstered models have 1/2" foam padding on seat and backrest. Upholstered models without cushions have upholstery fastened to shell. The back panel of the backrest is not upholstered.





Tablet Arm



Ganging Device

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered only and cushioned/upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl cannot be used on this product.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Charles O. Perry.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Perrv

MODEL NUMBER Seat & Approx. Glide Basic Frame Back Fire Upholstery Packaged MODEL **Features** Model Option Color Color Weight Armless Stack Chair Polypropylene PRYP 23.0# Articulating backrest movement is gov-Cushioned/Upholstered PRYC 24.0# erned by weight of the user to provide proper support Polypropylene seat and back Cushioned and upholstered models have foam pad and upholstery PRYP PRYC **3** 0 0 **3 (** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect glide option.

NG	- No glides
Н	 Polycarbonate glides; add \$5
NS	- PVC non-skid glides; add \$5
S	 Stainless steel glides; add \$5
W	- Ganging, no glides (only on
chrome	e frame): add \$58

WH - Ganging, polycarbonate glides (only on chrome frame); add \$63 WNS - Ganging, PVC non-skid glides (only on chrome frame); add \$63

WS - Ganging, stainless steel glides (only on chrome frame); add \$63

Select frame color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>. Select seat and back color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

When specifying an upholstered chair, a backrest backpanel color must be specified.

Select fire code.

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 272								
N/A	566	604	629	626	637	676	696	726

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added List Price=\$30

Model=Upholstered and Cushioned/Upholstered Added Lead Time=1 week Added List Price=\$85

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

			MODEL NUMBER	}	
	MODEL	Features	Basic Model	Tablet Arm Color	Approx. Packaged Weight
	Transport Dolly 5" Casters: two fixed, two swivel Black enamel finish	Armless Chairs	PRY.D.BL		30.0#
HRDPT					
	Tablet Arm • Chrome finish	Left Hand	PRYTARM/STD/L		
	Laminate surface 20-5/8" long x 12" wide NONSTACKING	Right Hand	PRYTARM/STD/R		6.0#
PRYT	Field installable				
	Oversized Tablet Arm	Left Hand	PRYTARM/OVS/L		8.0#
	Chrome finishLaminate surface	Right Hand	PRYTARM/OVS/R		8.0#
	• 17" wide x 20-1/2" deep				
	NONSTACKINGField installable				
PRYT					
			A	B	_

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select tablet arm color. Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Stack/Nesting Perry®

Deli	vered
Dric	vered ing
\$	450
-	
\$	185
Ψ	
	185
φ	040
ф	242
	242
	LTL

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Piretti Stack Chairs General Information



Four-Leg Stacking Chair (PSLNAU)



Four-Leg Flex Arm Stacking Chair (PSLFAU)



Four-Leg Tablet Arm Chair (PSLTARU)

		(* ==**********************************	()
Features			
Stackable	•	•	•
Ganging	•		•
Upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	18-3/4"	18-3/4"	18-3/4"
Seat height	17-1/4"	17-1/4"	17-1/4"
Back width	18-1/2"	18-1/2"	18-1/2"
Back height	11-1/4"	11-1/4"	11-1/4"
Overall Dimensions			
Width	19-1/2"	23-1/2"	21-3/4"
Depth	21-1/2"	21-1/2"	26-1/4"
Height	31-1/4"	31-1/4"	31-1/4"
Top of arm to floor		25-1/2"	25-1/2"
Ganging on center	19-3/4"		19-3/4"
Stacking on Dolly			
Upholstered chairs quantity/height	8 Chairs/61" High	8 Chairs/61" High	5 Chairs/65" High
Floor space	22" x 35"	22-1/2" x 35"	23" x 35"
Stacking on Floor			
Quantity/floor space	5 Chairs/20" x 27"	5 Chairs/21-3/4" x 27"	4 Chairs/23" x 27"



Ganging Device



Sled Base Glides



Bookrack



Four-Leg Carpet Glide

SPECIFICATIONS

Seat and Backrest

Seats and backrests are molded compoundcurved polypropylene with a textured finish. Backrest edges have an integral channel into which upholstery is secured. Upholstered chairs have partially exposed polypropylene surfaces. Upholstery covers 1/2" foam on the backrest and 3/4" on the seat.

Molded plastic seat liner covers the seat underside, anchors the ganging devices, and has integral bumpers for stacking chairs. Seat liner matches the seat and back color. The back tilt is 15°.

Lever Mechanism

Two hidden lever mechanisms which respond to user's weight, are located in the seat. Each has a double cam action. The rear cam is tied to the back structure and is set in motion when the occupant leans back. This, in turn, through a spring linkage, activates the front cam at a slightly different ratio (1-1/2" to 1").

The mechanisms consist of stamped steel frame and levers, a steel spring and molded Delvin and nylon components. It is calibrated at the factory and needs no further adjustment.

Four-Leg Chair Frame

The frame consists of two "U"-shaped leg sections, one front and one rear. These are 1" o.d., 14-gauge seam-welded tubular steel. Seat straps are welded to the legs. Lever mechanisms are bolted to the seat straps, and, in turn, are attached to the backrest by the backrest supports. When specifying a glide for the Piretti Four-Leg Stack Chair, the glide will be monochromatic with the frame.

Sled Base Frame

Frames are one continuous segment of 5/8" o.d., 16-gauge seam-welded tubular steel. Seat straps are welded to the legs. Lever mechanisms are bolted to the seat straps, and, in turn, are attached to the backrest by backrest supports. Carpet, nonmarring hard floor glides and stainless steel glides are optional.

Sled Base Chair Steel Guide

Stainless steel. Fixed in position by mechanical fastener.

Leg Finishes

Baked-on electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Tablet Arm

Plywood core tablet with high-pressure laminate surface. Tablet edge is painted black. Tablet arm support matches frame color. Standard tablet is 19-1/2" long and 12-3/4" wide. Oversized tablet is 22-1/2" long and 15-3/4" wide.

Flex Arm

Fiberglass reinforced nylon; color permeates armrest. Hinge pin is welded to backrest support and bolted to underside of seat. Arm attachments are not field-installable. Plastic armcap is field-installable. Flex arm is available in black only.

Bookrack

Chairs are nonstacking with bookrack attached. Welded wire frame; powder-coated finish. May be field-installed; requires attaching with eight screws.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular and plate steel welded together. 5"casters: two fixed, two swivel. Black powder-coated finish.

Stack/Nesting Piretti Stack Chairs General Information



Sled Base Stacking Chair (PSSNAU)



Sled Base Flex Arm Chair (PSSFAU)



Sled Base Tablet Arm Chair (PSSTARU)



Transport Dolly (MVP.BL)

			(**************************************	
Features				
Stackable	•			
Ganging	•		•	
Upholstered seat and back	•	•	•	
General Dimensions				
Seat width	17-1/2"	17-1/2"	17-1/2"	
Seat depth	18-3/4"	18-3/4"	18-3/4"	
Seat height	17-1/4"	17-1/4"	17-1/4"	
Back width	18-1/2"	18-1/2"	18-1/2"	
Back height	11-1/4"	11-1/4"	11-1/4"	
Overall Dimensions				
Width	19-1/2"	23-1/4"	23-1/4"	22-1/2"
Depth	21-1/2"	21-1/2"	26-1/4"	25-1/2"
Height	31-1/4"	31-1/4"	31-1/4"	12"
Top of arm to floor		25-1/2"	25-1/2"	
Ganging on center	19-3/4"		19-3/4" or 21"	
Stacking on Dolly				
Upholstered chairs quantity/height	8 Chairs/60" High			
Floor space	22" x 35"			
Stacking on Floor				
Quantity/floor space	5 Chairs/20" x 27"			

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4" yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Piretti Stack Chairs

		MODEL NUMBER							
	MODEL	Features	Basic Model	Frame Color	Poly Color	Tablet Arm Color	Fire Code	Uph. Color	Glide Option
	Four-Leg Stack Chair	Upholstered	PSLNAU		PBL				
	 Backrest tilt tension varies automati- cally based on occupant weight and is 								
	governed by the seat lever mechanism • Spring-loaded ganging device concealed								
/ \ \	under the seat • 19-3/4" on center ganging								
• N	13 0/4 on contact ganging								
PSLU									
1 020	Four-Leg Flex Arm Stack Chair	Upholstered	PSLFAU		PBL				
	 Backrest tilt tension varies automati- 	,							
	cally based on occupant weight and is governed by the seat lever mechanism								
	GANGING NOT AVAILABLE								
/ / / /									
· U									
PSLU									
	Four-Leg Stack Tablet Arm Chair	Upholstered, Left Hand	PSLTALU		PBL				
	 Backrest tilt tension varies automati- cally based on occupant weight and is 	Upholstered, Right Hand	PSLTARU		PBL				
	governed by the seat lever mechanism								
	 Tablet arm surface in high-density plastic laminate flips up for easy entry 								
/ / /	 Tablet arm is 12-3/4" wide by 19-1/2" 								
. N	deep • 19-3/4" on center ganging								
PSLU	- 13 5/4 on center ganging								
	Four-Leg Stack Oversize Tablet Arm Chair	Upholstered, Left Hand	PSLOTALU		PBL				
	Backrest tilt tension varies automati-	Upholstered, Right Hand	PSLOTARU		PBL				
	cally based on occupant weight and is								
	governed by the seat lever mechanism Tablet arm surface in high-density plastic								
/ /	laminate flips up for easy entry								
u s	 Tablet arm is 15-3/4" wide by 22-1/2" deep 								
PSLU	• 19-3/4" on center ganging								
			•	B	•		A	•	•
			A	Ø	•	0	•	U	G

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly color.

 PBL Black

- OSelect tablet arm color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

GSelect glide option.

CRD - Nickel-plated steel glides

- Plastic glides



Stack/Nesting Piretti Stack Chairs

Approx. Packaged Weight	Prio Fab	ivered cing ric Grade C.O.M.	Pri	ivered cing rric Grade	Pric	vered ing ric Grade	Pric	ivered cing yl Group	Pric Palla	vered ing as Fabric up P0	Pric Palla	vered ing as Fabric up P1	Prio Pal	ivered cing las Fabric up P2	Prio Pall	ivered cing as Fabric up P3	Pri Pal	livered cing llas Fabric oup P4
27.0#	\$	639	\$	697	\$	708	\$	708	\$	649	\$	660	\$	689	\$	722	\$	748
29.0#	\$	836	\$	951	\$	967	\$	967	\$	858	\$	869	\$	937	\$	995	\$	1053
	_		_	1010	_		_		_		_		_		_			
33.0# 33.0#	\$	901 901		1013 1013		1037 1037		1037 1037	\$	926 926	\$	938 938		1005 1005		1059 1059		1117 1117
33.0#		901		1013		1037		1037		920		930		1005		1009		1117
33.0#	\$	944	\$	1054	\$	1076	\$	1076	\$	969	\$	981	\$	1046	\$	1101	\$	1160
33.0#		944		1054		1076		1076		969		981		1046		1101		1160

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added List Price=\$125

Gangers

For ganging mechanism, add "/G" to end of model number. List price upcharge is \$8

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Piretti Stack Chairs

		MODEL NUMBER								
	MODEL	Features	Basic Model	Frame Color	Poly Color	Tablet Arm Color	Fire Code	Uph. Color	Glide Option	
	Sled Base Stack Chair	Upholstered	PSSNAU		PBL					
	Backrest tilt tension varies automati- cally based on occupant weight and is governed by the seat lever mechanism									
	 Spring-loaded ganging device concealed under the seat 19-3/4" on center ganging 									
PSSU										
	Sled Base Flex Arm Chair	Upholstered	PSSFAU		PBL					
	Backrest tilt tension varies automati- cally based on occupant weight and is									
	governed by the seat lever mechanism									
	 NONSTACKING 									
C										
PSSU										
	 Sled Base Tablet Arm Chair Backrest tilt tension varies automati- 	Upholstered, Left Hand	PSSTALU		PBL					
	cally based on occupant weight and is	Upholstered, Right Hand	PSSTARU		PBL					
	governed by the seat lever mechanism Tablet arm surface in high-density plastic									
	laminate flips up for easy entry									
	 Tablet arm is 12-3/4"W by 19-1/2" D 									
•	 NONSTACKING 									
PSSU										
	 Sled Base Oversize Tablet Arm Chair Backrest tilt tension varies automatically 	Upholstered, Left Hand	PSSOTALU PSSOTALU		PBL					
	based on occupant weight	Upholstered, Right Hand	PSSOTARU		PBL					
	 Tablet arm surface in high-density plastic laminate flips up for easy entry 									
	 Tablet arm is 15-3/4"W by 22-1/2"D 									
	 NONSTACKING 									
PSSU										
FOOU				•	•	_	A	A	•	
			A	3	Θ	0	•	•	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly color.

 PBL Black

- Select tablet arm color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select glide option.

- No glides - Clear plastic NGL GLD

- Mar-resistant white plastic GNM

SSG - Stainless steel; add \$20



Stack/Nesting Piretti Stack Chairs

Approx. Packaged Weight	Pri Fat	livered cing oric Grade & C.O.M.	Pri	livered cing oric Grade	Pri	ivered cing iric Grade	Pri	livered cing yl Group	Pri Pal	livered cing las Fabric oup P0	Prio Pall	vered ing as Fabric up P1	Pri Pal	ivered cing las Fabric oup P2	Pri Pa	livered cing llas Fabric oup P3	Prio Pall	ivered cing las Fabric up P4
27.0#	\$	639	\$	755	\$	777	\$	777	\$	672	\$	683	\$	741		805	\$	862
29.0#	\$	836	\$	892	\$	904	\$	904	\$	844	\$	854	\$	886	\$	916	\$	947
33.0#	\$	901	\$	1013		1037	\$	1037	\$	926	\$	938		1005	\$	1059		1117
33.0#		901		1013		1037		1037		926		938		1005		1059		1117
00.0"		044		1051		1070		1070		000		004		1010		1101		1100
33.0# 33.0#	\$	944 944	\$	1054 1054		1076 1076	\$	1076 1076	\$	969 969	\$	981 981		1046 1046	\$	1101 1101		1160 1160
აა.∪#		944		1004		10/0		10/0		909		901		1040		1101		1100

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added List Price=\$125

Gangers

For ganging mechanism, add "/G" to end of model number. List price upcharge is \$8

Bookrack

For bookrack, add "/BR" to end of the model number. List price upcharge is \$61

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Piretti Stack Chairs

		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	
	Bookrack	87.7844	4.0#	
HRDPT	Welded wire frameNONSTACKING			
	 Field-installable - to order with chair, 			
	see note below			
	Transport Dolly	MVP.BL	19.0#	
	 5" casters: two fixed, two swivel 			
Ψ				
HRDPT				
HRDPT	Sled Base Chair Plastic Glides - White Mar-resistant, white plastic For field-installation	53.8237.SET	0.1#	
HRDPT	Sled Base Chair Plastic Glides - Clear Mar-resistant, clear plastic For field-installation	53.8236.SET	0.1#	
HRDPT	Sled Base Chair Steel Glides Stainless steel For field-installation	06.0448.SET	0.1#	
	Tor note motenation			



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Piretti Stack Chairs

Delivered Pricing	
S 61	_
S 453	
3 4	
3 4	
5 20	_

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack Seating Plaza™ General Information









Guest Chair

Transport Dolly

General Dimensions		
Seat height	17-1/4"	
Overall Dimensions		
Overall width	19-3/4"	18-1/2"
Overall depth	21-1/4"	37-1/4"
Overall height	31-1/4"	37-1/4"
Stacking on Dolly		
Quantity/height	16 chairs/56" high	
Stacking on Floor		
Quantity/height	20 chairs	



Stack Seating
Plaza General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack Seating Plaza™ Chair

		MODEL NUM	BER			
				Approx.		
		Basic	Poly	Packaged		
	MODEL	Model	Color	Weight		
	Stack Chair • Polypropylene	PLAZA		15.0#		
	UV resistant					
·						
PLZA						
	Stack Chair with Drain Holes	PLAZAOD		15.0#		
Drainage holes	PolypropyleneUV resistant					
	 Drainage holes in seat 					
W W						
PLZA						
	Transport Dolly	PLAZA.DOLLY		0.0#		
HRDPT						
		· ·	•			
		•	0			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select poly chair color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Stack Seating Plaza™ Chair

D.F	
Deliv	vered
Prici	ing Control of the Co
Φ.	ATA
\$	154
¢	100
ф	160
\$	154
Ψ	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Tupelo, MS 38804, freight prepaid. Freight class 150.

Stack/Nesting

Rapture® General Information



Four-Leg Stacking Arm Chair (RAPWAUS)



Four-Leg Stacking Armless Chair (RAPNAP)



Four-Leg Wallsaver Arm Chair (RAPWAUSWS)



Four-Leg Arm Chair with Casters (RAPWAUSC)

Features				
Stackable	•	•	•	
Field-replaceable seat and back pad	•	•	•	•
Poly, upholstered, or combination of both	•	•	•	•
Arms	•		•	•
General Dimensions				
Seat width	16-1/2"	16-1/2"	16-1/2"	16-1/2"
Seat depth	17"	17"	17"	17"
Seat height	18"	18"	18"	18"
Floor to back height	32"	32"	32"	32"
Overall Dimensions				
Width	23-1/2"	20-1/2"	23-1/2"	23-1/2"
Depth	23"	22"	24-1/2"	23"
Height	32"	32"	32"	32"
Top of arm to floor	26-1/2"		26-1/2"	26-1/2"
Stacking on Dolly				
Width	23-1/2"	22-1/2"		
Depth	36"	36"		
Maximum quantity	10	10		
Stacking on Floor				
Maximum quantity	6	6	6	

SPECIFICATIONS

Frame

Legs are 1" o.d. x 16-gauge tubular steel. Cross members are 1" o.d. x 14-gauge tubular steel. Side members are 7/8" o.d. x 14-gauge tubular steel. On the stools, the footring is made of steel wire. For both chairs and stools, all joints are welded. Wallsaver frame has an angled rear leg. Caster-based frame has a curved front leg.

Frame Finishes

Baked-on electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Glides

Chrome plated steel or plastic.

Caster

Carpet casters available in black finish only.

Polypropylene Seat and Backrest

Injection-molded polypropylene

Upholstered Seat and Back

Molded urethane foam is attached to the seatboard, which is injection molded polypropylene. Slab urethane foam is attached to the back board, which is injection molded polypropylene. The boards are attached to the seat and back using four 10-24 x 3/8" truss head screws. Seat screws are not exposed. Backrest screws are exposed and are color matched to the polypropylene.

Armrests

Injection molded nylon. Armrests are attached to the backrest without fasteners. Arms are assembled over the backrest attachment tubes of the frame when the backrest is installed. The backrest is then locked in place using a patented "turn and lock" feature.

Tablet

Tablet measures 20-5/8 x 12" Transport Dolly Tubular steel frame, black powdercoated finish. Four 5" swivel wheels.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.





Cafe Stool with Arms (SRAPWAUB)



Armless Cafe Stool (SRAPNAP)

Features		
Stackable		
Field-replaceable seat and back pad	•	•
Poly, upholstered, or combination of both	•	•
Arms	•	
General Dimensions		
Seat width	16-1/2"	16-1/2"
Seat depth	17"	17"
Seat height	30"	30"
Floor to back height	44"	44"
Top of arm to floor	38-1/4"	
Overall Dimensions		
Width	23-1/2"	20-1/2"
Depth	23"	22"
Height	44"	44"

INFORMATION

C.O.M. Testing and ProductionRequirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample for any upholstery model must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

			MODEL NU	JMBER					
			Basic	Frame	Seat & Back	Glide	Fire	Upholstery	Approx. Packaged
	MODEL	Features	Model	Color	Color	Option	Code	Color	Weight
	Four-Leg Armless Chair	Poly Seat/Back	RAPNAP						19.0#
	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	RAPNAUS						22.0#
	Field-replaceable seat & back pad	Uph Seat/Back	RAPNAUB						23.0#
	Stackable								
•									
RAPP									
RAPU									
	Four-Leg Arm Chair	Poly Seat/Back	RAPWAP						21.0#
	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	RAPWAUS						23.0#
	Arm version	Uph Seat/Back	RAPWAUB						24.0#
	Field-replaceable seat & back pad								
	Stackable								
RAPP									
RAPU			5.555.51						22.2%
△ △	DollyAccommodates up to 10 chairs		RAPD.BL						32.0#
	 Easy maneuverability with 5" casters: 								
	two fixed, two swivel								
Ū	Black powder-coated finish								
HRDPT									
חהטרו								_	
			Φ	₿	Θ	O	ⅎ	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option.

P - Plastic glides - Steel glides

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Pri	livered cing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 285											
	N/A	345	351	352	345	352	361	400	418	437	450
	N/A	391	418	420	391	420	434	472	499	525	548
\$	304										
	N/A	361	371	372	361	372	382	420	439	453	472
	N/A	411	440	442	411	442	460	498	519	544	569
\$	434										

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L."

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Seat/Back Added Lead Time=None Added List Price=\$33

Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$96

Model=Uph Seat/Back Added Lead Time=None Added List Price=\$108

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NU	JMBER						
	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Laminate Color	Fire Code	Upholstery Color	Approx. Packaged Weight
	Right Tablet, Poly Seat/Back	RAPTARP							21.0#
	Right Tablet, Uph Seat/Poly Back	RAPTARUS							24.0#
	Right Tablet, Uph Seat/Back	RAPTARUB							25.0#
U									
U									
RAPP									
RAPU									
Four-Leg Tablet Arm Chair (Right Hand)									
Poly, upholstered, or combination of									
bothField-replaceable seat & back pad									
NONSTACKING									
(Left Tablet, Poly Seat/Back	RAPTALP							21.0#
	Left Tablet, Uph Seat/Poly Back	RAPTALUS							24.0#
	Left Tablet, Uph Seat/Back	RAPTALUB							25.0#
U									
RAPP									
RAPU									
Four-Leg Tablet Arm Chair (Left Hand)									
(Lott Halla)									
		A	3	Θ	O	(3	•	O	
		_	_	_	_	_	_	_	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.

 P Plastic glides

- Steel glides
- Select tablet arm laminate. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 476										
N/A	538	544	545	538	545	556	594	613	629	647
N/A	583	611	613	583	613	626	664	689	719	740

\$ 476										
N/A	538	544	545	538	545	556	594	613	629	647
N/A	583	611	613	583	613	626	664	689	719	740

UPHOLSTERY INFORMATION

C.O.M. Upholstery

c.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Seat/Back Added Lead Time=None Added List Price=\$33

Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$96

Model=Uph Seat/Back Added Lead Time=None Added List Price=\$108

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUM	BER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight
	Four-Leg Wallsaver Armless Chair	Poly Seat/Back	RAPNAPWS						19.0#
h	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	RAPNAUSWS						22.0#
	Field-replaceable seat & back pad	Uph Seat/Back	RAPNAUBWS						23.0#
	Stackable								
	Wallsaver rear legs touch base of wall proventing chair book from contacting								
ш - j	preventing chair back from contacting wall surface								
U	Wali Suriaco								
RAPP									
RAPU									
	Four-Leg Wallsaver Arm Chair	Poly Seat/Back	RAPWAPWS						21.0#
	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	RAPWAUSWS						23.0#
	Field-replaceable seat & back pad	Uph Seat/Back	RAPWAUBWS						24.0#
	 Stackable 								
	Wallsaver rear legs touch base of wall								
• U	preventing chair back from contacting wall surface								
•	Wall Sullace								
RAPP									
RAPU									
			•	3	0	O	(3	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option.

P - Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Delivered Pricing Unupholstered \$ 319		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	319										
	N/A	380	386	387	380	387	398	437	453	472	487
	N/A	426	452	453	426	453	469	507	535	561	583
\$	339										
	N/A	398	406	407	398	407	415	453	473	490	507
	N/A	446	474	477	446	477	496	534	556	579	605

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L."

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Seat/Back Added Lead Time=None Added List Price=\$33

Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$96

Model=Uph Seat/Back Added Lead Time=None Added List Price=\$108

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NU	MBER				
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Fire Code	Upholstery Color	Approx. Packaged Weight
	Four-Leg Armless Chair with Casters	Poly Seat/Back	RAPNAPC					19.0#
h 1	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	RAPNAUSC					22.0#
	Field-replaceable seat & back pad	Uph Seat/Back	RAPNAUBC					23.0#
	 Stacking. Caution should be exercised 							
	to prevent casters from marring compo- nents such as frames, fabric, etc., and							
op op op	to prevent casters from becoming "hung							
Q	up" underneath the seat of the chair							
	belowStackable on dollies is NOT recom-							
PP 	mended							
PU	5 1 4 01 : ::: 0	D 1 0 1/D 1	DADIMADO					01.0#
	Four-Leg Arm Chair with Casters • Poly, upholstered, or combination of	Poly Seat/Back	RAPWAPC					21.0#
	both	Uph Seat/Poly Back Uph Seat/Back	RAPWAUSC RAPWAUBC					23.0#
	Arm version Field replaces to a sect 8 heads and	ори зеальаск	NAPWAUDU					24.0#
	Field-replaceable seat & back padStacking. Caution should be exercised							
	to prevent casters from marring compo-							
OB U	nents such as frames, fabric, etc., and to prevent casters from becoming "hung							
Q	up" underneath the seat of the chair							
	below							
J	 Stackable on dollies is NOT recommended 							
	menaea							
			•	3	Θ	•	(3	1

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Unupholstered \$ 391	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
N/A	449	456	461	449	461	468	506	528	542	559
N/A	499	528	529	499	529	540	579	605	632	655
•										
										579
N/A	518	546	549	518	549	565	604	626	652	678
	Pricing Unupholstered \$ 391 N/A	Delivered Pricing Fabric Grade Unupholstered 1 & C.O.M. \$ 391 N/A 449 N/A 499 \$ 411 N/A 470	Delivered Pricing Fabric Grade Unupholstered 1 & C.O.M. Patricing Fabric Grade 2 \$ 391 N/A 449 456 N/A 499 528 \$ 411 N/A 470 477	Delivered Pricing Pricing Pricing Pricing Pricing Fabric Grade Unupholstered 1 & C.O.M. Pricing Fabric Grade 2 Pricing Fabric Grade 3 \$ 391 N/A 449 456 461 N/A 499 528 529 \$ 411 N/A 470 477 478	Delivered Pricing Pricing Pricing Unupholstered Unupholstered Unupholstered Pricing Fabric Grade 2 Pricing Fa	Delivered Pricing Pricing Pricing Pricing Fabric Grade 2 Pricing Fabric Grade 2 Pricing Pricing Fabric Grade 2 Pricing Pricing Pricing Grade 2 Pricing Pricing Pricing C.O.V. Pricing Pricing C.O.V. Pricing Pricing C.O.V. Vinyl Group 2V N/A 449 456 461 449 461 N/A 499 528 529 499 529 \$ 411 N/A 470 477 478 470 478	Delivered Pricing Pricing Pricing Pricing Fabric Grade Unupholstered Pricing Fabric Grade 2 Pricing Fabric Grade 2 Pricing Pricing Pricing C.O.V. Pricing Vinyl Group Pollars Fabric Grade 2 Pricing Vinyl Group 2 Pricing	Delivered Pricing Pricing Pricing Grade Unupholstered Pricing Fabric Grade I & C.O.M. Pricing Fabric Grade 2 Pricing Fabric Grade Sabric Grade 2 Pricing Pricing C.O.V. Pricing Vinyl Group Pallas Fabric Group P0 Pricing Pallas Fabric Group P1 \$ 391 N/A 449 456 461 449 461 468 506 N/A 499 528 529 499 529 540 579 \$ 411 N/A 470 477 478 470 478 491 529	Delivered Pricing Fabric Grade Fabric Grade Fabric Grade Pricing Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Group P1 Pallas Fabric Group P2	Delivered Pricing Fabric Grade Unupholstered Pricing Pricing Pricing Fabric Grade Pricing Pricing Pricing Pallas Fabric Grade Pricing Pallas Fabric Grade Pricing Pallas Fabric Group P1 Pricing Pallas Fabric Group P2 Pallas Fabric Group P3

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L."

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Seat/Back Added Lead Time=None Added List Price=\$33

Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$96

Model=Uph Seat/Back Added Lead Time=None Added List Price=\$108

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Rapture® Cafe Stools

			T						
			MODEL NU	MBER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight
	Four-Leg Armless Cafe Stool	Poly Seat/Back	SRAPNAP						29.0#
) h	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	SRAPNAPB						31.0#
	Field-replaceable seat & back pad	Uph Seat/Back	SRAPNAUB						33.0#
	Tiold replaced to the same part								
י ן י									
-									
SRAPP									
SRAPU									
	Four-Leg Cafe Stool with Arms	Poly Seat/Back	SRAPWAP						31.0#
	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	SRAPWAPB						33.0#
	Arm version	Uph Seat/Back	SRAPWAUB						35.0#
	Field-replaceable seat & back pad								
י ן י									
SRAPP									
SRAPU									
			A	3	•	O	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.

 P Plastic glides - Steel glides
- Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Stack/Nesting Rapture® Cafe Stools

Delivered Pricing	P F	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade	Delivered Pricing	Delivered Pricing Vinyl Group	Delivered Pricing Pallas Fabric				
Unuphols	tered 1	& C.O.M.	2	3	C.O.V.	2V	Group P0	Group P1	Group P2	Group P3	Group P4
\$ 623											
N/A		684	690	691	684	691	703	741	765	779	795
N/A		734	767	768	734	768	778	817	844	873	895
\$ 645											
Ψ 0.0		705	740	745	705	74.5	700	707	704	000	047
N/A		705	712	715	705	715	728	767	781	800	817
N/A		752	782	786	752	786	800	838	865	892	917

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Seat/Back Added Lead Time=None Added List Price=\$33

Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$96

Model=Uph Seat/Back Added Lead Time=None Added List Price=\$108

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Silhouette® General Information



Cast Aluminum Frame Armchair (SIGUFA)



Armless Cast Aluminum Frame Chair (SIGNA)



Transport Dolly (SILD)

Features			
Stackable	•	•	
Upholstered seat and back	•	•	
Nylon seat and back	•	•	
General Dimensions	·	-	
	47.4/01	47.4/08	
Seat width	17-1/2"	17-1/2"	
Seat depth	16"	16"	
Seat height	17-3/4"	17-3/4"	
Overall Dimensions			
Width	24"	18-1/4"	35"
Depth	20"	20"	33"
Height	32-1/4"	32-1/4"	48"
Arms to floor	27"		
Stacking on Dolly			
Overall width	25"	25"	
Overall depth	39"	39"	
Quantity/height	12 Chairs/65" High	12 Chairs/65" High	
Stacking on Floor			
Width	24"	20"	
Depth	30"	30"	
Quantity/height	8 Chairs/51" High	8 Chairs/51" High	

SPECIFICATIONS

One-piece, textured nylon with fiberglass reinforcement. Back of shell is ribbed to allow back flex.

Upholstered Seat

Seat is constructed of injection-molded polypropylene with 3/4" polyurethane foam cushion applied. Fastened to the shell with three screws through T-nuts embedded in inner structure.

Upholstered Backrest

Back is constructed of injection-molded polypropylene with 3/8" polyurethane foam cushion applied. Fastened to the shell with three screws through T-nuts embedded in inner structure.

Armrests

Cast aluminum on cast alu-minum frame.

Stacking Bumper

Plastic seat pan (black) for stacking support.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular steel frame, black powder-coat finish. Four 5" swivel wheels. Stacks 12 high.



Stack/Nesting
Silhouette® General Information

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 204 West South St Bonduel, WI 54107

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

		MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	
	$\overline{}$	Cast Aluminum Frame Four-Leg Armless	Polished	SIGNA	PA				25.0#	\$ 678	
		Chair in Nylon (Plastic)	Powder Coat	SIGNAPC					25.0#	626	
SIG											
\sim	\neg	Cast Aluminum Frame Four-Leg Armless	Polished	SIGUNA	PA				25.0#	N/A	
		Chair Upholstered	Powder Coat	SIGUNAPC					25.0#	N/A	
SIGU											
	3	Cast Aluminum Frame Four-Leg Arm Chair in Nylon (Plastic)	Polished Powder Coat	SIGFA SIGFAPC	PA				30.0# 30.0#	\$ 824 696	
SIG			5	0.01151					22.2"	••••	
		Cast Aluminum Frame Four-Leg Arm Chair Upholstered	Polished	SIGUFA	PA				30.0#	N/A	
the state of the s	/n	Gilaii Opiioistereu	Powder Coat	SIGUFAPC					30.0#	N/A	
SIGU											
อเนบ				A	3	•	0	3			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 133 - No Fire Retardant - Compliance to TB 117-2013 NFR

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Stack/Nesting Silhouette®

Pric Fabr	vered ing ric Grade C.O.M.	Pric	vered ing ic Grade	Prici	vered ng ic Grade	Deliv Prici C.O.		Pric	vered ing 'I Group	Prio Pall	ivered sing as Fabric up P0	Prio Pal	ivered cing las Fabric oup P1	Prio Pall	ivered sing as Fabric up P2	Pric Pall	vered ing as Fabric up P3	Prio Pall	vered sing as Fabric up P4
\$	830 772	\$	863 805	\$	864 806		830 772	\$	864 806	\$	861 804	\$	873 815	\$	912 853	\$	947 886	\$	982 922
\$	982 845	\$	1015 879	\$	016 880		982 845	\$	1016 880	\$	1013 878	\$	1024 888	\$	1062 925	\$	1097 959	\$	1134 998

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement is 3/4 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L. section."

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Upholstered Added Lead Time=1 week Added List Price=\$82

Model=Nylon Added Lead Time=1 week Added List Price=N/C

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Stack/Nesting Silhouette®

MODEL	Basic Model	Approx. Packaged Weight
• For cast aluminum frame	SILD	26.0#
HRDPT	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Silhouette®

Delivered Pricing Unupholstered

554

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShips **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 175













Ariilless rour-Ley
Chair
•
(SLNAU)

Four-Leg Cantilever

Four-Leg Loop

Four-Leg Tablet

Four-Leg Oversize

Four-Leg Cantilever Arm Cafe Stool - 23"

	Chair (SLNAU)	Arm Chair (SLCAP)	Arm Chair (SLLAU)	Arm Chair (SLTAPRH)	Tablet Arm Chair (SLOVTAURH)	or 29" Seat Height (SLSCAUB)
Features						
Stackable	•	•	•			•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•	•
Flex back	•	•	•	•	•	•
General Dimensions						
Seat width	18"	18"	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"	18"	18"
Seat height (upholstered add 1")	17-1/2"	17-1/2"	17-1/2"	17-1/2"	17-1/2"	23-1/2" / 29-1/2"
Tablet to chair back clearance				14"	14"	
Overall Dimensions						
Width	20-3/4"	25"	25"	24"	24"	25"
Depth	21-3/4"	21-3/4"	21-3/4"	27-3/4"	31"	23-1/2" / 25"
Height	33"	33"	33"	33"	33"	39-1/4" / 45-1/4"
Arms to floor		26-1/4"	26-1/4"	28-1/2"	28-1/2"	32-1/2" / 38-1/2"
Stacking on Dolly						
Overall width	24"	25"	25"			
Overall depth - poly	40"	40"	40"			
Quantity/height - poly	15 Chairs/61" High	15 Chairs/62" High	15 Chairs/63" High			
Overall depth - upholstered	45"	45"	45"			
Quantity/height - upholstered	8 Chairs/50" High	8 Chairs/51" High	8 Chairs/51" High			
Stacking on Floor						
Width	20-3/4"	25"	25"			25-7/8"
Depth	27-1/2"	27-1/2"	27-1/2"			28"
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High			4 Chairs/48" or 54" High

SPECIFICATIONS

Legs are 7/8" o.d. x 13-gauge tubular steel. Cross members are 1" o.d. x 14-gauge tubular steel and 7/16" diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations.

Frame Finishes

Baked-on electrostatically-applied 45° gloss epoxy powder coating or bright nickelchrome plating.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board,

then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Optional Upholstered Back

1/2" thick urethane foam is attached to an injection molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

Seat and Shroud

Injection molded polypropylene.

Arms

Optional cantilever arms or loop arms are available. When equipped with arms, the supporting structure is a continuation of the rear leg finished to match the frame color. The armcaps are injection molded nylon matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond

translucent poly will have light tone armests; Pewter translucent will have flannel armrests: Bronze translucent will have chocolate armrests). The armcaps are attached to the steel structure by means of screws.

Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14" plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and sealed

Four-Leg Cafe Stools

Four-leg models on glides are available in 23-1/2" and 29-1/2" seat heights. Stoolheight units are equipped with a reinforcing foot ring made of a 1/2" diameter wire ring, which is open in the back to allow stacking of armless and cantilever arm stools.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.









	Four-Leg Armless Cafe Stool - 23" or 29" Seat Height (SLSNAU)	Four-Leg Loop Arm Cafe Stool - 23" or 29" Seat Height (SLSLAP)	Armless Wallsaver Four-Leg Chair (SLNAU)	Four-Leg Wallsaver Cantilever Arm Chair (SLCAP)	Four-Leg Wallsaver Loop Arm Chair (SLLAU)
Features					
Stackable	•		•	•	•
Poly, upholstered seat, or upholstered seat/back	•		•	•	•
Flex back	•		•	•	•
General Dimensions					
Seat width	18"		18"	18"	18"
Seat depth	18"		18"	18"	18"
Seat height (upholstered add 1")	23-1/2" / 29-1/2"		17-1/2"	17-1/2"	17-1/2"
Overall Dimensions					
Width	25"		20-3/4"	25"	25"
Depth	23-1/2" / 25"		22-3/4"	22-3/4"	22-3/4"
Height	39-1/4" / 45-1/4"		33"	33"	33"
Arms to floor	32-1/2" / 38-1/2"			26-1/4"	26-1/4"
Stacking on Floor					
Width	25-7/8"		20-3/4"	25"	25"
Depth	28"		28-1/2"	28-1/2"	28-1/2"
Quantity/height	4 Chairs/48" or 54" High		4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com













Armless Four-Leg Chair with Casters (SI NAPC)

Four-Leg Cantilever Arm Chair with Casters (SLCAUC)

Four-Leg Loop Arm Chair with Casters (SLI AUC)

Armless Sled Base Chair (SSNAP)

Sled Base Cantilever Arm Chair (SSCAII)

Sled Base Tablet Arm Chair

	(SLNAPC)	(SLCAUC)	(SLLAUC)	(SSNAP)	(SSCAU)	(SSTAPRH)
Features						
Stackable	•	•	•	•	•	
Poly, upholstered seat, or upholstered seat/back	•	٠	•	٠	•	•
Flex back	•	•	•	•	•	•
General Dimensions						
Seat width	18"	18"	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"	18"	18"
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Tablet to chair back clearance						14"
Overall Dimensions						
Width	21-1/4"	25"	25"	20-3/4"	25"	24"
Depth	22-1/2"	22-1/2"	22-1/2"	21-3/4"	21-3/4"	27-3/4"
Height	33-1/4"	33-1/4"	33-1/4"	33-1/4"	33-1/4"	33-1/4"
Arms to floor		26-1/2"	26-1/2"		26-1/2"	28-1/2"
Stacking on Dolly						
Width				24"	25"	
Depth - poly				48"	48"	
Quantity/height - poly				15 Chairs/64" High	15 Chairs/64" High	
Depth - upholstered				48"	48"	
Quantity/height - upholstered				8 Chairs/50" High	8 Chairs/50" High	
Stacking on Floor						
Width	20-3/4"	25"	25"	20-3/4"	25"	
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"	27-1/2"	
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	

SPECIFICATIONS

Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. Cross members are 1" o.d. x 14-gauge tubular steel and 7/16" diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations.

Frame Finishes

Baked-on electrostatically-applied 45° gloss epoxy powder coating or bright nickel-chrome plating.

Casters

Four-leg chairs may be ordered with carpet casters or hard floor casters instead of glides (does not apply to cafe stools). Casters are double-wheel, high-impact thermoplastic and are available in black only.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the

spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Optional Upholstered Back

1/2" thick urethane foam is attached to an injection molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

Arms

Optional cantilever arms or loop arms are available. When equipped with arms, the supporting structure is a continuation of the rear leg finished to match the frame

color. The armcaps are injection molded nylon matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond manslucent poly will have light tone armests; Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The armcaps are attached to the steel structure by means of screws.

Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14" plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and sealed.

Seat and Shroud

Injection molded polypropylene.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.





Transport Dolly (SCDA.BL)

Overall Dimensions	
Width	24"
Depth	29"
Height	16-1/2"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color
	Four-Leg Armless Chair	Polypropylene	SLNAP						
	Flex backStacking	Upholstered Seat	SLNAU						
	• Stacking	Upholstered Seat/Back	SLNAUB						
·									
SLP									
SLU									
SLUB		- · · · · · · · ·	0111100			_			
	Four-Leg Armless Chair with Casters • Flex back	Polypropylene, Casters	SLNAPC						
	Stacking. Caution should be excercised	Uph. Seat, Casters	SLNAUC						
	to prevent casters from marring compo-	Uph. Seat/Back, Casters	SLNAUBC						
	nents such as frames, fabric, etc., and to prevent casters from becoming "hung								
∦ ∥ ∦ ∥	up" underneath the seat of the chair								
(b) (b)	Stacking on dollies is NOT recommend-								
LP	ed								
LU LU									
LUB									
-					_				
			A	3	Θ	0	•	•	Θ

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select casters.

- Carpet casters (black only) - Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



29.0#

N/A

354

382

396

Stack/Nesting Strive® Chairs

	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	20.0#	\$ 198										
	23.0#	N/A	261	290	303	261	303	300	339	360	382	401
	23.0#	N/A	316	345	357	316	357	356	394	414	437	454
_	26.0#	\$ 236		_					_			_
	29.0#	N/A	299	328	342	299	342	342	380	401	422	440

354

396

395

434

454

474

495

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUI	MBER							
	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	Caster Type	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight
	Upholstered Seat	SLNATSU								23.0#
	Upholstered Seat/Back	SLNATSUB								23.0#
SLTS SLBTS										
Four-Leg Armless Chair with Top Stitch on Seat										
Flex back Stacking										
	Uph. Seat, Casters	SLNATSUC								29.0#
	Uph. Seat/Back, Casters	SLNATSUBC								29.0#
SLTS										
SLBTS										
Four-Leg Armless Chair with Casters with Top Stitch on Seat										
Flex back Stacking. Caution should be excer-										
cised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from										
becoming "hung up" underneath the seat of the chair										
 Stacking on dollies is NOT recommended 										
		A	3	•	0	3	•	Ф	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select casters.

only)

- Carpet casters (black only) - Hard floor casters (black

Select glide option.

F - Felt Glides

- Plastic glides - Steel glides

GSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Delivered Pricing Pallas Fabric Group P1

\$ 382

437

\$ 422 474

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	IUMBER						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color	
	Four-Leg Cantilever Armchair	Polypropylene	SLCAP							
	• Flex back	Upholstered Seat	SLCAU							
	 Stacking 	Upholstered Seat/Back	SLCAUB							
U U										
U -										
SLP										
SLU										
SLUB										
	Four-Leg Cantilever Armchair with	Polypropylene, Casters	SLCAPC							
	Casters	Uph. Seat, Casters	SLCAUC							
	Flex backStacking. Caution should be excercised	Uph. Seat/Back, Casters	SLCAUBC							
	to prevent casters from marring compo-									
	nents such as frames, fabric, etc., and									
an	to prevent casters from becoming "hung									
ONS UNI	up" underneath the seat of the chairStacking on dollies is NOT recommend-									
SLP	ed									
SLU										
SLUB										
			A	3	0	0	(3	•	œ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select casters.

- Carpet casters (black only)
- Hard floor casters (black only)

Select glide option.

F - Felt Glides - Plastic glides - Steel glides

Select fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade I 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
23.0#	\$ 258										
26.0#	N/A	321	351	361	321	361	361	400	420	441	461
26.0#	N/A	375	404	415	375	415	415	453	473	496	513
28.0#	\$ 295										
31.0#	N/A	359	388	402	359	402	401	439	461	481	500
31.0#	N/A	413	442	455	413	455	453	492	513	536	554

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NU	MBER							
	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	Caster Type	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight
	Upholstered Seat	SLCATSU								26.0#
	Upholstered Seat/Back	SLCATSUB								26.0#
SLTS SLBTS										
Four-Leg Cantilever Armchair with Top Stitch on Seat										
Flex backStacking										
	Uph. Seat, Casters	SLCATSUC								31.0#
	Uph. Seat/Back, Casters	SLCATSUBC								31.0#
SLTS										
SLBTS										
Four-Leg Cantilever Armchair with Casters with Top Stitch on Seat										
Flex back										
 Fiex back Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies is NOT recommended 										
		A	3	Θ	0	3	•	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select casters.

- Carpet casters (black only) - Hard floor casters (black only)

Select glide option.

F - Felt Glides

- Plastic glides - Steel glides

GSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Delivered Pricing Pallas Fabric Group P1

\$ 442

497

\$ 480 535

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	IUMBER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color
	Four-Leg Loop Arm Chair	Polypropylene	SLLAP						
	Flex backStacking	Upholstered Seat	SLLAU						
	• Stacking	Upholstered Seat/Back	SLLAUB						
u "									
U									
SLP									
SLU									
SLUB									
	Four-Leg Loop Arm Chair with Casters • Flex back	Polypropylene, Casters	SLLAPC						
	 Stacking. Caution should be excercised 	Upholstered Seat, Casters	SLLAUC						
	to prevent casters from marring compo-	Uph. Seat/Back, Casters	SLLAUBC						
	nents such as frames, fabric, etc., and								
1 4	to prevent casters from becoming "hung up" underneath the seat of the chair								
on ∥ " ∭	below								
-	Stacking on dollies is NOT recommend-								
SLP	ed								
SLU									
SLUB									
			A	3	Θ	O	ⅎ	(3	Θ

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select casters.

- Carpet casters (black only)
- Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



32.0#

N/A

426

455

469

Stack/Nesting Strive® Chairs

Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
25.0#	\$ 270										
27.0#	N/A	332	361	376	332	376	375	413	434	453	472
27.0#	N/A	387	415	428	387	428	428	467	487	507	526
30.0#	\$ 309										
32.0#	N/A	372	402	415	372	415	413	451	472	496	511

426

469

467

505

526

548

565

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NU								
	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	Caster Type	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight
	Upholstered Seat	SLLATSU			0000					27.0#
	Upholstered Seat/Back	SLLATSUB								27.0#
SLTS										
SLBTS										
Four-Leg Loop Arm Chair with Top Stitch on Seat										
Flex backStacking										
	Uph. Seat, Casters	SLLATSUC								32.0#
	Uph. Seat/Back, Casters	SLLATSUBC								32.0#
SLTS SLBTS										
Four-Leg Loop Arm Chair with Casters										
with Top Stitch on SeatFlex backStacking. Caution should be excer-										
cised to prevent casters from marring components such as frames, fabric,										
etc., and to prevent casters from becoming "hung up" underneath the seat of the chair below										
Stacking on dollies is NOT recom- mended										
		A	3	Θ	•	ⅎ	•	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select casters.

- Carpet casters (black only) - Hard floor casters (black only)

Select glide option.

F - Felt Glides

- Plastic glides - Steel glides

GSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Pallas Fabric Group P1

\$ 454 508

\$ 495

546

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70 t Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUM	BER						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	
	Four-Leg Tablet Arm Chair	Polypropylene, Left Hand	SLTAPLH							
	Flex backNONSTACKING	Polypropylene, Right Hand	SLTAPRH							
	NONSTACKING	Uph. Seat, Left Hand	SLTAULH							
		Uph. Seat, Right Hand	SLTAURH							
		Uph. Seat/Back, Left Hand	SLTAUBLH							
" "		Uph. Seat/Back, Right Hand	SLTAUBRH							
•										
SLP										
SLU										
SLUB										
	Four-Leg Oversize Tablet Arm Chair	Polypropylene, Left Hand	SLOVTAPLH							
	Oversized tablet Flex back	Polypropylene, Right Hand	SLOVTAPRH							
	NONSTACKING	Uph. Seat, Left Hand	SLOVTAULH							
		Uph. Seat, Right Hand	SLOVTAURH							
		Uph. Seat/Back, Left Hand	SLOVTAUBLH							
" [Uph. Seat/Back, Right Hand	SLOVTAUBRH							
•										
SLP										
SLU										
SLUB										
			A	3	0	0	•	•	œ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option.

F - Felt Glides - Plastic glides - Steel glides

Select tablet arm color. Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Delivered d Pricing Unupholstered		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
33.0#	\$ 382	2										
33.0#	382	2										
35.0#	N/A	1	446	473	487	446	487	486	525	545	565	585
35.0#	N/A	١	446	473	487	446	487	486	525	545	565	585
35.0#	N/A	١	500	528	541	500	541	540	579	599	620	638
35.0#	N/A	١	500	528	541	500	541	540	579	599	620	638
33.0#	\$ 446	3										
33.0#	446	6										
35.0#	N/A	١	508	600	614	508	614	614	652	673	691	712
35.0#	N/A	1	508	600	614	508	614	614	652	673	691	712
35.0#	N/A	١	562	654	668	562	668	668	706	726	745	767
35.0#	N/A	١	562	654	668	562	668	668	706	726	745	767

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBE	R							
				Seat &	Тор		Tablet			Approx.
		Basic	Frame	Back	Stitch	Glide	Arm	Fire	Upholstery	Packaged
	Features	Model	Color	Color	Color	Option	Color	Code	Color	Weight
	Uph Seat, Left Hand	SLTATSULH								35.0#
	Uph Seat, Right Hand	SLTATSURH								35.0#
	Uph Seat/Back, Left Hand	SLTATSUBLH								35.0#
	Uph Seat/Back, Right Hand	SLTATSUBRH								35.0#
U U										
ll u										
SLTS										
SLBTS										
Four-Leg Tablet Arm Chair with Top										
Stitch on Seat										
Flex back										
 NONSTACKING 										
	Uph Seat, Left Hand	SLOVTATSULH								35.0#
	Uph Seat, Right Hand	SLOVTATSURH								35.0#
	Uph Seat/Back, Left Hand	SLOVTATSUBLH								35.0#
	Uph Seat/Back, Right Hand	SLOVTATSUBRH								35.0#
U U										
l) u										
SLTS										
SLBTS										
Four-Leg Oversize Tablet Arm Chair										
with Top Stitch on Seat										
Oversized tablet										
 Flex back 										
 NONSTACKING 										
		A	ß	Θ	O	3	3	Ө	0	-
		$oldsymbol{\omega}$	9	9	U	9	•	U	Ψ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select glide option.

- Felt Glides - Plastic glides - Steel glides
- Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

GSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Delivered Pricing Pallas Fabric Group P1 566

566

621

621

693

693

746

746

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NU	MBER				
	MODEL Four-Leg Wallsaver Armless Chair Flex back Stacking Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface	Features Polypropylene Upholstered Seat Upholstered Seat/Back	Basic Model SLNAPWS SLNAUWS SLNAUBWS	Frame Color	Seat & Back Color	Glide Option S S S	Fire Code	Uphoistery Color
SLP SLU SLUB	Four-Leg Wallsaver Cantilever Armchair Flex back Stacking	Polypropylene Upholstered Seat Upholstered Seat/Back	SLCAPWS SLCAUWS SLCAUBWS			S S		00000
SLP SLU SLUB	Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface					5		
	Four-Leg Wallsaver Loop Arm Chair Flex back Stacking Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface	Polypropylene Upholstered Seat Upholstered Seat/Back	SLLAPWS SLLAUWS SLLAUBWS			S S S		
SLP SLU SLUB			Q	3	•	0	9	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.
 - Steel glides
- Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Approx. Packaged Weight	De Pri	livered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
20.0#	\$	240										
23.0#		N/A	303	331	347	303	347	344	382	404	425	443
23.0#		N/A	357	386	400	357	400	398	437	456	478	498
23.0#	\$	299										
26.0#		N/A	362	392	405	362	405	404	442	464	484	503
26.0#		N/A	416	446	459	416	459	459	497	516	538	557
25.0#	\$	314										
27.0#		N/A	377	405	417	377	417	416	454	476	498	513
27.0#		N/A	430	459	471	430	471	470	508	530	550	568

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **assembled**, **FOB Green Bay**, **WI 54302**, **freight prepaid**. Freight class 125.

			MODEL NUM	BER						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	Glide Option	Fire Code	Upholstery Color	
	Four-Leg Wallsaver Armless Chair with	Upholstered Seat	SLNATSUWS				S			
	Top Stitch on Seat	Upholstered Seat/Back	SLNATSUBWS				S			
	Flex back Charling									
	StackingWallsaver rear legs touch base of wall									
	preventing chair back from contacting									
	wall surface									
l .										
SLTS										
SLBTS										
	Four-Leg Wallsaver Cantilever Armchair	Upholstered Seat	SLCATSUWS				S			
	with Top Stitch on Seat	Upholstered Seat/Back	SLCATSUBWS				S			
	Flex backStacking									
	Wallsaver rear legs touch base of wall									
/ /	preventing chair back from contacting									
" "	wall surface									
•										
SLTS										
SLBTS		Habalatana (Osat	OL LATOUNA'S				0			
	Four-Leg Wallsaver Loop Arm Chair with Top Stitch on Seat	Upholstered Seat	SLLATSUWS				-			
	Flex back	Upholstered Seat/Back	SLLATSUBWS				S			
	Stacking									
	Wallsaver rear legs touch base of wall									
	preventing chair back from contacting wall surface									
ll l	Surraco									
SLTS										
SLBTS										
			A	•	О	•	•		Ө	
			w	U	G	U	G	J	U	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color. BLTS - Black WHTS - White
- Select glide option.
 S Steel glides
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



	Deliv	rered
Approx. Packaged Weight	Prici	ng Is Fabric Ip P1
Packaged	Palla	s Fabric
Weight	Grou	n P1
00.0#	ф.	40.4
23.0#	\$	424
23.0#		477
22.2"	_	
26.0#		484
26.0#		538
27.0#	\$	498
27.0#		550
21.0//		000

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California
Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL	NUMBEF	}				
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight
	Sled Base Armless Chair	Polypropylene	SSNAP						22.0#
	Flex backStacking	Upholstered Seat	SSNAU						25.0#
	Ottoking	Upholstered Seat/Back	SSNAUB						25.0#
SSP									
SSU									
SSUB									
	Sled Base Cantilever Arm Chair	Polypropylene	SSCAP						24.0#
	Flex backStacking	Upholstered Seat	SSCAU						27.0#
	Otdoking	Upholstered Seat/Back	SSCAUB						27.0#
SSP									
SSU									
SSUB									
			A	•	•	•	•	•	I

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

• Select glide option.

- No glides - Black plastic glides; add \$35 - Non-skid glides; add \$29 - Stainless steel glide; add \$30 GBL NS GSS

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 225										
N/A	288	318	328	288	328	328	366	387	408	426
N/A	341	369	382	341	382	382	420	441	462	480

\$ 285										
N/A	349	376	388	349	388	387	425	447	468	486
N/A	401	428	442	401	442	440	478	501	521	540

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			1							
			MODEL NU	JMBER						
					Cast 0	Tan				
			Basic	Frame	Seat & Back	Top Stitch	Glide	Fire	Upholstery	
	MODEL	Features	Model	Color	Color	Color	Option	Code	Color	
	Sled Base Armless Chair with Top Stitch	Upholstered Seat	SSNATSU							
	on Seat	Upholstered Seat/Back	SSNATSUB							
	• Flex back									
	 Stacking 									
SSTS										
SSBT										
	Sled Base Cantilever Arm Chair with Top	Upholstered Seat	SSCATSU							
l	Stitch on Seat	Upholstered Seat/Back	SSCATSUB							
	• Flex back									
	 Stacking 									
SSTS										
SSBT										
			A	3	Θ	0	3	(3	Ф	
			w	U	G	U	G	U	U	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select glide option.

- No glides - Black plastic glides; add \$35 - Non-skid glides; add \$29 NS GSS - Stainless steel glide; add \$30

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

G Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Approx. Packaged Weight	Prio Pall	ivered cing las Fabric oup P1				
25.0#	\$	408				
25.0#		462				

27.0# \$ 467 27.0# 520

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUM	BER					
					Seat &		Tablet		
			Basic	Frame	Back	Glide	Arm	Fire	Upholstery
	MODEL	Features	Model	Color	Color	Option	Color	Code	Color
	Sled Base Tablet Arm Chair	Polypropylene, Left Hand	SSTAPLH						
	Flex backNONSTACKING	Polypropylene, Right Hand	SSTAPRH						
	NONSTACKING	Uph. Seat, Left Hand	SSTAULH						
		Uph. Seat, Right Hand	SSTAURH						
/ /		Upholstered Seat/Back	SSTAUBLH						
		Upholstered Seat/Back	SSTAUBRH						
•									
SSP									
SSU									
SSUB									
	Sled Base Oversize Tablet Arm Chair	Polypropylene, Left Hand	SS0VTAPLH						
	Oversized tabletFlex back	Polypropylene, Right Hand	SSOVTAPRH						
	NONSTACKING	Uph. Seat, Left Hand	SS0VTAULH						
		Uph. Seat, Right Hand	SS0VTAURH						
		Uph. Seat/Back, Left Hand	SSOVTAUBLH						
		Uph. Seat/Back, Right Hand	SSOVTAUBRH						
v									
SSP									
SSU									
SSUB									
			A	•	Θ	O	(3	(3	Θ
			•	_	•	_	_	•	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

• Select glide option.

- No glides - Black plastic glides; add \$35 - Non-skid glides; add \$29 GBL NS GSS - Stainless steel glide; add \$30

 Select tablet arm color. Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

G Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Approx. Packaged Weight	Delivered Pricing Unuphols	Delivered Pricing Fabric Grade tered 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
31.0#	\$ 426										
31.0#	426										
33.0#	N/A	490	519	534	490	534	529	568	592	610	629
33.0#	N/A	490	519	534	490	534	529	568	592	610	629
33.0#	N/A	543	572	587	543	587	584	623	646	663	683
33.0#	N/A	543	572	587	543	587	584	623	646	663	683
31.0#	\$ 490										
31.0#	490										
33.0#	N/A	554	583	596	554	596	593	631	654	674	691
33.0#	N/A	554	583	596	554	596	593	631	654	674	691
33.0#	N/A	607	635	650	607	650	647	685	708	727	745
33.0#	N/A	607	635	650	607	650	647	685	708	727	745

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBE	R							
				Seat &	Тор		Tablet			Approx.
	Features	Basic Model	Frame Color	Back Color	Stitch Color	Glide Option	Arm Color	Fire Code	Upholstery Color	Packaged Weight
	Uph Seat, Left Hand	SSTALTSU								33.0#
	Uph Seat, Right Hand	SSTARTSU								33.0#
	Uph Seat/Back, Left Hand	SSTALTSUB								33.0#
	Uph Seat/Back, Right Hand	SSTARTSUB								33.0#
// //										
SSTS										
SSBT										
Sled Base Tablet Arm Chair with Top										
Stitch on Seat										
Flex back										
NONSTACKING										
	Uph Seat, Left Hand	SSOVTATSULH								33.0#
	Uph Seat, Right Hand	SSOVTATSURH								33.0#
	Uph Seat/Back, Left Hand	SSOVTATSUBLH								33.0#
	Uph Seat/Back, Right Hand	SSOVTATSUBRH								33.0#
/ / /										
SSTS										
SSBT										
Sled Base Oversize Tablet Arm Chair										
with Top Stitch on Seat										
Oversized tablet										
Flex backNONSTACKING										
NONOTAUNINA										
		A	(3)	Θ	0	•	•	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select glide option.

- No glides - Black plastic glides; add \$34 - Non-skid glides; add \$28 GBL NS - Stainless steel glide; add \$29 GSS

Select tablet arm color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**. GSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Delivered Pricing Palas Fabric Group P1

\$ 610
663
663
663
774
727
727

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	
	Transport Dolly for 4-Leg and Sled Base Chairs	SCDA.BL	31.0#	
	Easy maneuverability with 5" casters:			
	two fixed, two swivel Rugged weld tubular steel frame			
	Black powder-coated finish			
HRDPT				

(

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 435

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Seat Height	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color
	Four-Leg Armless Cafe Stool	Polypropylene	SLSNAP						
[]	Flex back	Upholstered Seat	SLSNAU						
	StackingTwo seat heights	Upholstered Seat/Back	SLSNAUB						
	- Two southergris								
LSP									
LSU									
SLSUB	Four-Leg Cantilever Arm Cafe Stool	Polypropylene	SLSCAP						
	Flex back	Upholstered Seat	SLSCAU						
	StackingTwo seat heights	Upholstered Seat/Back	SLSCAUB						
SLSP									
LSU									
LSUB	Four Law Law Aven Cofe Chas!	Dehmanulana	CLCLAD						
	Four-Leg Loop Arm Cafe Stool Flex back	Polypropylene Upholstered Seat	SLSLAP						
	 NONSTACKING 	Upholstered Seat/Back	SLSLAU						
	Two seat heights	Opholstered Ocal Back	OLOLAGO						
Ţ									
SLSP									
LSU									
SLSUB									
			Φ	$oldsymbol{\Theta}$	Θ	0	•	•	Θ

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect seat height.

23 - 23" Seat Height 29 - 29" Seat Height

Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Approx. Packaged Weight	Pric		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
31.0#		•		_	-			э о а р т о	опостру т	опосир т =	э о ар т	
33.0#	7	N/A	359	388	402	359	402	401	439	461	481	500
33.0#		N/A	413	442	455	413	455	453	492	513	536	554
		,		· · · <u>-</u>								
33.0#	\$	356										
35.0#		N/A	418	448	462	418	462	461	499	519	540	559
35.0#		N/A	472	502	514	472	514	512	552	572	594	613
35.0#	\$	368										
37.0#		N/A	432	462	473	432	473	472	510	534	554	570
37.0#		N/A	486	514	528	486	528	526	564	587	607	625

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUI	MBER						
	MODEL	Features	Basic Model	Seat Height	Frame Color	Seat & Back Color	Top Stitch Color	Glide Option	Fire Code	Uph. Color
	Four-Leg Armless Cafe Stool with Top	Upholstered Seat	SLSNATSU							
	Stitch on Seat Flex back Stacking Two seat heights	Upholstered Seat/Back	SLSNATSUB							
	o coat nogate									
SLSTS SLSBT										
	Four-Leg Cantilever Arm Cafe Stool with	Upholstered Seat	SLSCATSU							
	Top Stitch on Seat • Flex back	Upholstered Seat/Back	SLSCATSUB							
	 Stacking 									
	Two seat heights									
U										
SLSTS SLSBT										
02001	Four-Leg Loop Arm Cafe Stool with Top	Upholstered Seat	SLSLATSU							
	Stitch on Seat • Flex back	Upholstered Seat/Back	SLSLATSUB							
	NONSTACKINGTwo seat heights									
	• Two seat neights									
SLSTS										
SLSBT										
			A	3	Θ	0	(3	•	Θ	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect seat height.

23 - 23" Seat Height 29 - 29" Seat Height

- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select top stitch color.

BLTS - Black
WHTS - White

Select glide option.

- Felt Glides - Plastic glides - Steel glides

GSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



	Dalia	Nored	
Annroy	Dell\ Drici	ivered	
Approx.	Palla	IIIy as Fahric	
Approx. Packaged Weight	Grou	ing as Fabric up P1	
33.0#	\$	480	
33.0#		535	
 35.0#	\$	540	
35.0#		594	
37.0#	\$	554	
37.0#		607	

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$70

Model=Upholstered Seat and Back Added List Price=\$100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Strive® High Density Stack Chair General Information



Wire Rod High Density Stacking Chair (SWNA)



Wire Rod High Density Stacking Chair with Uph. Seat Pad (SWNAU)



Wire Rod High Density Stacking Chair with Tablet Arm (SWTAR)



Transport Dolly (CSD.BL)

Features				
Stackable	•	•		
Poly or upholstered seat	•	•	•	
Flex back	•	•	•	
General Dimensions				
Seat width	17-3/4"	17-3/4"	17-3/4"	
Seat depth	18-1/2"	18-1/2"	18-1/2"	
Seat height	17-1/2"	17-1/2"	17-1/2"	
Tablet to chair back clearance			15-1/4"	
Overall Dimensions				
Width	19-1/2"	19-1/2"	19-1/2"	22-3/8"
Depth	22-1/4"	22-1/4"	22-1/4"	25-5/8"
Height	32-1/2"	32-1/2"	32-1/2"	
Stacking on Dolly				
Overall width	22-1/2"	23"		
Overall depth	45"	39"		
Quantity/height	30 Chairs/77" High	15 Chairs/65" High		
Stacking on Floor				
Width	19-1/2"	19-1/2"		
Depth	29-1/2"	30"		
Quantity/height	6 Chairs/37-1/2" High	5 Chairs/41" High		

SPECIFICATIONS

Seat

Injection molded polypropylene.

Backres

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Top of back has an integral handle for ease of lifting and stacking.

Chair Frame

7/16" solid steel rod in bright nickel-chrome or with electrostatically-applied epoxy.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish

Electrostatically-applied epoxy baked onto surface

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Tablet Arm

7/16" solid steel rod frame, hinged tablet for easy access. Tablet is plywood core; high pressure laminate surface. Round tablet edge with clear lacquer finish. Bright chrome frame only. Chairs are nonstacking when attached, not available for use with powder coated frame chairs. Tablet flips up for easy access. Ganging with tablet is not recommended.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular and plate steel welded together. 5"casters: two fixed, two swivel. Powder-coated finish



INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

		MODEL	NUMBER	}					
					Seat &				Tablet
			Basic	Frame	Back	Upholstery	Glide	Fire	Arm
	MODEL	Features	Model	Color	Color	Color	Option	Code	Color
	Armless Chair	Polypropylene	SWNA						
	Flex back	Upholstered Seat	SWNAU						
SWSCP									
SWSCU									
	Standard Flip-Up Tablet Arm	Left Hand	SWTAL						
	 NONSTACKING 12" wide x 20-1/2" deep 	Right Hand	SWTAR						
	• Field installable								
f.	 For use only on chrome framed chairs 								
Ť									
SWTA									
•	Transport Dolly • Accommodates up to 30 chairs (poly)		CSD.BL						
	and 15 chairs (upholstered)								
	 Easy maneuverability with 5" casters: 								
	two fixed, two swivel								
	Black powder-coated finish								
LIDDOT									
HRDPT									
			(A)	$oldsymbol{\Theta}$	Θ	O	ⅎ	•	G

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.

- Ganging polycarbonate glides; add \$5 - Ganging steel glides; add \$5 ĞS NG - No glides - Polycarbonate glides; add \$5

NS - PVC non-skid glides; add \$5 - Stainless steel glides; add \$5 Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

GSelect tablet arm color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
17.0#	\$ 194									
17.0#	N/A	259	288	299	299	298	336	358	380	398
7.0#	\$ 189									
7.0#	189									
1.0#	109									
30.0#	\$ 431									

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$70

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	MODEL NUMBER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	TB133	Upholstery Color	Glide Option
	Armless Chair with Top Stitch on Seat • Flex back	Upholstered Seat	SWNATSU						
	TIOA DUON								
SWSTS									
			A	3	•	O	(3	•	Ө

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

GSelect glide option.

- Ganging polycarbonate glides; add \$5 GS - Gan

- Ganging steel glides; add \$5 - No glides

- Polycarbonate glides; add \$5

- PVC non-skid glides; add \$5 - Stainless steel glides; add \$5 NS



Approx. Packaged Weight Delivered Pricing Pallas Fabric Group P1

17.0#

380

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$70

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Strive® Nesting General Information







Armless Chair (SNNAP)



Tablet Arm Chair (SNTAURH)

Oversize Tablet Arm Chair

Features				
Poly or upholstered seat	•	•	•	•
Flex back	•	•	•	•
Flip-up seat	•	•	•	•
Integral handle	•	•	•	•
Nesting	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	16-1/2"	16-1/2"	16-1/2"	16-1/2"
Tablet to chair back clearance			14"	14"
Overall Dimensions				
Width	23"	23"	24"	24"
Depth	22-3/4"	22-3/4"	29"	32"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Top of arm to floor	25-1/2"		28-1/4"	28-1/4"
Nesting (two chairs) (upholstered add 1")	28-1/2"	28-1/2"	34-3/4"	37-3/4"

Nesting - For each additional chair, add 5-3/4" (upholstered add 1")

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels and assembled using hidden fasteners. The seat is available in a poly version or upholstered. For the upholstered version, molded urethane foam (1" depth) is applied to the seat board. Fabric is then upholstered over the foam using a drawstring process.

Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Backrest is available poly only. Backrest has an integral molded "handle."

Seat flips up to allow chairs to nest for storage and transport.

Seat assembly and backrest are field replaceable.

Frame

The legs are 1" 13-gauge high-strength steel tubing. All frame joints are welded.

Frame Finishes

Baked-on electrostatically-applied 45° gloss epoxy powder coating or bright nickel chrome plating.

Casters/Glides

Double wheels (60mm) of high-impact thermoplastic. High-impact plastic frame. Carpet and hard floor casters are always black. Bell glide (2" high) made of highimpact plastic also available, black only.

Arm

Optional fixed-position T-arms are available. Arm supports are a continuation of the frame crossmember tube with injection-molded polypropylene armcaps attached by screws.

Tablet Arm

An optional tablet arm is available on either the RH or LH side. When so equipped, the tablet arm support structure is a continuation of the frame crossmember tube. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2 x 22-1/2 x 14" plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet arm flips up for easy access. Edges are lacquered and sealed.



Stack/Nesting
Strive® Nesting General Information

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifyined in the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Stack/Nesting Strive® Nesting Chairs

	MODEL NUMBER									
	MODEL	Basic Model	Frame Color	Poly Seat & Back Color	Base	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing	
	Armless Chair with Poly Seat	SNNAP						23.0#	\$ 420	
	Flex backNests									
SNP										
	Armless Chair with Upholstered Seat Flex back Nests	SNNAU						23.0#	N/A	
SNU										
	Armchair with Poly Seat Flex back Nests	SNCAP						25.0#	\$ 477	
SNP										
	Armchair with Upholstered Seat Flex back Nests	SNCAU						25.0#	N/A	
SNU										
		A	3	Θ	0	(3	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select poly seat and back color Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select base option.

 - Bell glides (black only)
 Carpet casters (black only)
 Hard floor casters (black only)
- Select fire code.
 - NFR Compliance to TB 117-2013
 FR Compliance to TB 133
 - Compliance to TB 133
- Select upholstery grade/color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 481	\$ 508	\$ 521	\$ 481	\$ 521	\$ 519	\$ 557	\$ 576	\$ 598	\$ 615
\$ 539	\$ 565	\$ 579	\$ 539	\$ 579	\$ 575	\$ 614	\$ 633	\$ 655	\$ 673

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$70

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Frame Color	Poly Seat & Back Color	Top Stitch Color	Base	TB133	Upholstery Color
		Upholstered Seat	SNNATSU						
	Top Stitch on Seat								
	Flex backNests								
	140010								
3)									
ONTO									
SNTS			ONIOATOLI						
	Armchair with Upholstered Seat with Top Stitch on Seat	Upholstered Seat	SNCATSU						
	Flex back								
	Nests								
d d									
SNTS									
			A	3	Θ	O	•	G	О
			w	U	G	•	G	J	U

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select poly seat and back color Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select base option.

- Bell glides (black only) - Carpet casters (black only)
 - Hard floor casters (black
- S only)
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Approx. Packaged Weight Delivered Pricing Pallas Fabric Group P1

23.0#

\$ 598

25.0#

\$ 655

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$70

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUM	IBER							
	MODEL	Basic Model	Frame Color	Poly Seat & Back Color	Base	Tablet Arm Color	Fire Code	Upholstery Color	Approx. Packaged Weight	
	Tablet Arm Chair with Poly Seat	SNTAPRH							28.0#	
SNP	Flex back Nests	SNTAPLH							28.0#	
SINF	Tablet Arm Chair with Upholstered Seat	SNTAURH							28.0#	
	Flex back	SNTAULH							28.0#	
	Nests	0.1.702.1							1000	
SNU										
	Oversize Tablet Arm Chair with Poly Seat	SNOVTAPRH							28.0#	
	Flex back	SNOVTAPLH							28.0#	
	Nests									
SNP										
	Oversize Tablet Arm Chair with Uphol- stered Seat Flex back Nests	SNOVTAURH SNOVTAULH							28.0# 28.0#	
SNU										
		A	3	Θ	0	3	•	Θ		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select poly seat and back color Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select base option.

- Bell glides (black only)
- Carpet casters (black only)
- Hard floor casters (black 5 only)

Select tablet arm color.

Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

G Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Pric		Pric Fabi	vered ing ric Grade C.O.M.	Prici	vered ng ic Grade	Deliv Prici Fabri 3		Deliv Prici C.O.	vered ng V.	Prici	vered ng I Group	Prici Palla	vered ing as Fabric up P0	Deliv Prici Palla Grou	ng s Fabric	Prici Palla	vered ng is Fabric ip P2	Deliv Prici Palla Grou	ng s Fabric	Deliv Prici Palla Grou	ng s Fabric
\$	598																				
	598																				
	N/A	\$	659	\$	686	\$	698	\$	659	\$	698	\$	697	\$	735	\$	753	\$	776	\$	793
	N/A	Ψ	659		686		698	Ψ	659	•	698		697		735		753		776		793
\$	659																				
	659																				
	N/A	\$	720		746		760 760	\$	720	\$	760		757		795		816		837		854
	N/A		720		746		760		720		760		757		795		816		837		854

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$70

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMB								
	Features	Basic Model	Frame Color	Poly Seat & Back Color	Top Stitch Color	Base	Tablet Arm Color	TB133	Upholstery Color	Approx. Packaged Weight
	Uph Seat, Left Hand	SNTATSULH								28.0#
	Uph Seat, Right Hand	SNTATSURH								28.0#
SNTS										
Tablet Arm Chair with Upholstered Seat with Top Stitch on Seat										
Flex back										
Nests										
	Uph Seat, Left Hand	SNOVTATSULH								28.0#
	Uph Seat, Right Hand	SNOVTATSURH								28.0#
030										
SNTS										
Oversize Tablet Arm Chair with Uphol- stered Seat with Top Stitch on Seat										
Flex back										
 Nests 										
		A	3	Θ	0	ⅎ	•	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select poly seat and back color Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select base option.

- Bell glides (black only)
 Carpet casters (black only)
 Hard floor casters (black
- $\overline{\mathbf{s}}$ only)
- Select tablet arm color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

GSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Delivered Pricing Pallas Fabric Group P1

\$ 776 776

\$ 837 837

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$70

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Torsion® on the Go® General Information



Upholstered Back Arm Chair (TGWAUB)



Upholstered Back Armless Chair (TGNAUB)



Poly Back Arm Chair (TGWAPB)

Features			
Back flex	•	•	•
Flip-up seat	•	•	•
Nesting	•	•	•
Casters	•	•	•
General Dimensions			
Seat width	17-1/4"	17-1/4"	17-1/4"
Seat depth	18-1/2"	18-1/2"	18-1/2"
Seat height	18"	18"	18"
Back width	18-1/4"	18-14"	18-1/4"
Back height	14"	14"	14"
Overall Dimensions			
Width	23-1/2"	23-1/2"	23-1/2"
Depth	24-1/4"	24-1/4"	24-1/4"
Height	32-1/4"	32-1/4"	32-1/4"
Top of arm to floor	24-1/4"		24-1/4"
Nesting (two chairs)	24" x 24"	24" x 24"	24" x 24"

(Each additional chair - add 5")



Arm



Caster



Back Handle



Flip-up Seat

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of molded plywood upholstery board with a molded compound curved nylon shroud with a textured finish. Seat is always upholstered. Foam (1-3/4") is applied to the molded plywood upholstery board. Fabric is then upholstered over the foam. Backrest is available in either a polypropylene or upholstered version. Backrest is molded compound curved polypropylene with a textured finish. Backrest has an integral, molded "handle."

Back upholstery liner is molded polypropylene with glued-on foam (1/2"). Fabric is upholstered over the foam. The liner is secured to the backrest by four #10 colormatched machine screws.

Seat flips up to allow chairs to nest for storage and transport.

Backrest Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism.

Torsion® Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Frame

The frame is made up of four legs welded to a steel mechanism tube. The legs are 1", 13-gauge steel tubing. Reinforcement plates are welded between front and back legs for added strength. Nylon covers fit over the plates.

Casters/Glides

Double wheels (60mm) of high-impact thermoplastic. High-impact plastic frame. Carpet and hard floor casters are always black. Bell glide (2" high) made of highimpact plastic also available, black only.

Leg Finishes

Baked-on electrostatically-applied epoxy powder coating or bright nickel-chrome plating.

Arms

Armrests are made of nylon and match the seat and back poly color. Armrests rotate with the back.

Tablet/Tablet Arm

The tablet is available in a plywood core (5/8' thick, 11-ply hardwood surfaced with .030' high-pressure laminate top and plain backer undersurface) or a black molded polyethylene. It is connected to the mechanism and supported by a 12-gauge steel plate. It has an effective working surface 12" deep by 22" across. The tablet arm is not field addable. The tablet arm is available in right-hand and left-hand versions. The tablet mechanism consists of aluminum die

cast housings and through bolted pivots with bushings on two axis. The mechanism allows for horizontal rotation for ingress/ egress without stowing the tablet. The mechanism stows the tablet so that the chair will nest with other Torsion® on the Go!® chairs with tablets and Torsion® on the Go!® Go!® chairs without tablet or arms.



Stack/Nesting Torsion® on the Go® General Information



Poly Back Armless Chair (TGNAPB)



Poly Back Tablet Arm Chair (TGTARPB)

Features		
Back flex	•	•
Flip-up seat	•	•
Nesting	•	•
Casters	•	•
General Dimensions		
Seat width	17-1/4"	17-1/4"
Seat depth	18-1/2"	18-1/2"
Seat height	18"	18"
Back width	18-14"	18-1/4"
Back height	14"	14"
Overall Dimensions		
Width	23-1/2"	27"
Depth	24-1/4"	31"
Height	32-1/4"	32-1/4"
Top of arm to floor		29"
Nesting (two chairs)	24" x 24"	24" x 24"
(Each additional chair - add 5")		

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Torsion® on the Go® Nesting Chairs

		MODEL N	IUMBER						
	MODEL	Basic Model	Frame Color	Seat/Back/ Armrest Color	Base	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	
	Armless Chair with Poly Back	TGNAPB					32.0#	\$ 656	
	 Flex back Flip-up seat Nests Casters or glides 								
TGU									
	Armless Chair with Upholstered Back Flex back Flip-up seat Nests Casters or glides	TGNAUB					33.0#	\$ 701	
TGU									
TGU	Arm Chair with Poly Back Flex back Flip-up seat Nests Casters or glides Armrest color matches seat/back poly color	TGWAPB					33.0#	\$ 686	
100	Arm Chair with Upholstered Back	TGWAUB					35.0#	\$ 730	
TGU	Flex back Flip-up seat Nests Casters or glides Poly Armrests						60.01	,	
		•	B	•	•	•			
		W	U	G	U	G			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

The metal back support matches the frame color.

Select seat and back color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Armrest color will match seat/back poly color.

OSelect base option.

- 5
- Bell glides (black only)
 Carpet casters (black only)
 Hard floor casters (black only)
- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133



Stack/Nesting Torsion® on the Go® Nesting Chairs

Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 670	\$ 686	\$ 686	\$ 681	\$ 691	\$ 726	\$ 752	\$ 783
\$ 716	\$ 731	\$ 731	\$ 726	\$ 737	\$ 770	\$ 796	\$ 829
\$ 701	\$ 715	\$ 715	\$ 711	\$ 722	\$ 749	\$ 781	\$ 810
\$ 744	\$ 759	\$ 759	\$ 757	\$ 768	\$ 796	\$ 826	\$ 855

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs either poly or upholstered is 3/4 yard of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Polypropylene Back Added Lead Time=1 week Added list price=\$50 Model=Upholstered Seat/Back Added Lead Time=1 week Added list price=\$77

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Torsion® on the Go® Nesting Chairs



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect worksurface type.

LW - Laminate worksurface; add \$58 PW - Plastic worksurface

- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. Armrest color will match seat/back poly color.
- Select surface finish. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select base option. G

- Bell glides (black only) - Carpet casters (black only) - Hard floor casters (black only)

 \overline{s}

GSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



1017

Stack/Nesting Torsion® on the Go® Nesting Chairs

1144

1112

	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
<u>. </u>	\$ 973	\$ 986	\$ 1003	\$ 1003	\$ 999	\$ 1010	\$ 1043	\$ 1070	\$ 1101
	973	986	1003	1003	999	1010	1043	1070	1101
	\$ 1017	\$ 1031	\$ 1047	\$ 1047	\$ 1041	\$ 1054	\$ 1086	\$ 1112	\$ 1144

1041

1054

1086

1047

1047

1031

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs either poly or upholstered is 3/4 yard of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Stack/Nesting





Full Sled Base Chair (TSNAU)



Four-Leg Arm Chair (TLFAU)



Transport Dolly (TVD and TLD Dolly)

Features			
Stackable	•	•	
General Dimensions			
Seat width	18"	18"	
Seat depth	18""	18"	
Seat height	17-3/8"	17-7/8"	
Back width	17-7/8"	17-7/8"	
Back height	15-1/4"	15-1/4"	
Overall Dimensions			
Width	21" No Arm	20" No Arm/24" Arm	22-1/2"
Depth	22-3/4"	23-1/4"	25-1/2"
Height	32-3/4"	32-3/4"	12"
Top of arm to floor		25-5/8"	
Stacking on Dolly			
Quantity/height	6 Chairs/50" High No Arm	5 Chairs/52" High No Arm & Arm	
Floor space (no arms)	21" x 29"	24" x 32"	
Floor space (arms)		25" x 32"	
Stacking on Floor			
Quantity/height	5 Chairs/44" High No Arm	5 Chairs/47" High No Arm & Arm	
Floor space (no arms)	21" x 28"	20" x 30"	
Floor space (arms)		24" x 30"	



Standard Flip-Up Tablet Arm



G2-Tablet Arm (Down) (only on TS and TL frames)



G2-Tablet Arm (Up) (only on TS and TL frames)



Cantilevered Arm

SPECIFICATIONS

Seat and Backrest

Seats and backrests are molded compound curved polypropylene with a textured finish. Seat is two-piece construction. Upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the backrest and 5/16" foam on the seat.

Backrest Supports

Two die-cast aluminum backrest supports attach the backrest to the Torsion® mechanism. A steel tube is cast into each backrest support for added strength.

Torsion® Mechanism

The back flex is achieved by the Torsion® mechanism. It consists of two flat torsion springs captured at both ends by steel bushings which in turn engage with the backrest supports. The Torsion® mechanism creates gradually-increasing resistance over the full 12° of back flex.

Full Sled Base Frame (TS)

The sled base frame consists of two segments of 3/4", 16-gauge seam-welded tubular steel and two steel seat supports.

Four-Leg Frame (TL)

The four-leg frame consists of two U-shaped sections, one front and one rear, welded together with two support brackets to form the four-leg chair. The sections are formed of 15/16", 15-gauge seam-welded tubular

Leg Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Cantilevered Arm (TS, TL Chairs)

Fiberglass-reinforced nylon. Arms flex with the back. Available in black only. Not fieldinstallable.

Standard Flip-Up Tablet Arm

Plywood core tablet with high-pressure laminate surface. The edge is black laminate, otherwise clear lacquer. Tablet arm support matches frame color. Tablet is 19-1/2" long and 12-3/4" wide.

Fold-Down, G2-Tablet Arm

Only available on TS and TL frames. Tablet is constructed of plywood core with high-pressure laminate surface and a clear lacquered edge. Tablet arm support matches frame color (hinge is always black). The tablet is 18" long and 13-3/4" wide. 4" of clearance is needed behind chair to allow table to fold away. Nonstacking.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powdercoated finish.





Full Sled Base G2-Tablet Arm Chair (TSG2ARU)

Four-Leg Tablet Arm Chair 25-5/8"

Features		
Stackable		
General Dimensions		
Seat width	18"	18"
Seat depth	18"	18"
Seat height	17-3/8"	17-3/8"
Back width	17-7/8"	17-7/8"
Back height	15-1/4"	15-1/4"
Overall Dimensions		
Width	21"	21"
Depth	22-3/4"	22-3/4"
Height	32-3/4"	32-3/4"
Top of arm to floor	25-5/8"	25-5/8"
Stacking on Floor		
Quantity/height		4 Chairs/47-1/2" High
Floor space (arms)		28-1/2" x 35-1/2"

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Torsion®

			MODEL	. NUMBE	R					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Armrest Color	Glide Option	Upholstery Color	Fire Code	Approx. Packaged Weight
	Four-Leg Armless Chair • Flex back	Polypropylene	TLNAP							22.0#
	No arm	Upholstered	TLNAU							24.0#
	Stacking									
	Glide is plastic and standard									
Ų.										
TLP										
TLU			ļ'						igsquare	
	Four-Leg Arm Chair • Flex back	Polypropylene	TLFAP							23.0#
	 Stacking 	Upholstered	TLFAU							25.0#
	Glide is plastic and standard									
U										
TLP										
TLU										
			A	3	Θ	0	3	(3	O	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

The metal back support matches the frame

When Hammertone or chrome frames are specified, back support matches seat and back color.

The arm support and tablet arm support match the frame color.

- C Select seat and back color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- DSelect armrest color.
- Select glide option.

- Plastic glides

- Stainless steel glides

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

GSelect fire code.

- Compliance to TB 133

- Compliance to TB 117-2013





Delivered Pricing		Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric				
Unupholstered	1 & C.O.M.	2	3	ZV	Group PO	Group P1	Group P2	Group P3	Group P4
\$ 294	=00						- 10	==.	
N/A	500	544	554	554	506	518	540	564	585
\$ 448									
N/A	653	696	706	706	655	667	691	715	738

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added list price=\$73

Model=Upholstered Added Lead Time=1 week Added list price=\$82

Note:

Torsion in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Torsion®

			MODEL N	UMBER						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Tablet Arm Color	Glide Option	Upholstery Color	Fire Code	
	Four-Leg Tablet Arm Chair	Polypropylene, Left Hand	TLTALP							
	Flex backStacking	Polypropylene, Right Hand	TLTARP							
	Glide is plastic and standard	Upholstered, Left Hand	TLTALU							
	Flip-up tablet	Upholstered, Right Hand	TLTARU							
-										
TLP										
TLU										
	Four-Leg G2-Tablet Arm Chair	Polypropylene, Left Hand	TLG2ALP							
	Flex backNONSTACKING	Polypropylene, Right Hand	TLG2ARP							
	Glide is plastic and standard	Upholstered, Left Hand	TLG2ALU							
	Fold-down tablet	Upholstered, Right Hand	TLG2ARU							
<i>y</i>										
U										
TLP										
TLU										
			A	B	Θ	0	•	G	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

The metal back support matches the frame

When Hammertone or chrome frames are specified, back support matches seat and back color.

The arm support and tablet arm support match the frame color.

- C Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select tablet arm color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select glide option.

P - Plastic glides
S - Stainless steel glides

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select fire code.

FR - Compliance to TB 133

- Compliance to TB 117-2013



Stack/Nesting Torsion®

		Delivered	Dalivared	Dalivarad	Dalivared	Delivered	Dalivarad	Dalivared	Dalivared	Dalimanad
Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
32.0#	\$ 499	1 4 0.0				aroup r o	Стопртт	GIOUP I Z	Group i o	агоар г т
32.0#	499									
34.0#	N/A	705	746	755	755	709	720	742	766	788
34.0#	N/A	705	746	755	755	709	720	742	766	788
- · · · · ·								· ·-		
32.0#	\$ 592									
32.0#	592									
34.0#	N/A	796	837	846	846	797	808	834	856	878
34.0#	N/A	796	837	846	846	797	808	834	856	878

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added list price=\$73

Model=Upholstered Added Lead Time=1 week Added list price=\$82

Note:

Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Torsion®

			MODEL	. NUMBE	R					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Armrest Color	Glide Option	Upholstery Color	Fire Code	Approx. Packaged Weight
	Full Sled Base Armless Chair	Polypropylene	TSNAP							22.0#
	Flex backNo arm	Upholstered	TSNAU							24.0#
	 Stacks 									
	Glide is an option									
TSP										
TSU										
	Full Sled Base Arm Chair	Polypropylene	TSFAP							23.0#
	Flex backNONSTACKING	Upholstered	TSFAU							25.0#
	Glide is an option									
/ 1 ()										
9										
TOD										
TSP TSU										
130										
			A	•	Θ	0	•	•	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

The metal back support matches the frame

When Hammertone or chrome frames are specified, back support matches seat and back color.

The arm support and tablet arm support match the frame color.

- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- DSelect armrest color.

Select glide option.

- No glides - Non-marring glides NGL GNM - Plastic glides - Non-skid glides; add \$30 GBL GNS GSS - Stainless steel glide; add \$30

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

GSelect fire code.

- Compliance to TB 117-2013 NFR - Compliance to TB 133





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 294									
N/A	500	544	554	554	506	518	540	564	585
\$ 448									
N/A	653	696	706	706	655	667	691	715	738

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added list price=\$73

Model=Upholstered Added Lead Time=1 week Added list price=\$82

Note:

Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Torsion®

				MODEL N	UMBER						
		MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Tablet Arm Color	Glide Option	Upholstery Color	Fire Code	
		Full Sled Base Tablet Arm Chair	Polypropylene, Left Hand	TSTALP							
		Flex backNONSTACKING	Polypropylene, Right Hand	TSTARP							
		Glide is an option	Upholstered, Left Hand	TSTALU							
		Flip-up tablet	Upholstered, Right Hand	TSTARU							
	/ YTT	 Tablet arm is 19-1/2" long and 12-3/4" 									
		wide									
TSP											
TSU											
		Full Sled Base G2-Tablet Arm Chair	Polypropylene, Left Hand	TSG2ALP							
		Flex back NONGTACKING	Polypropylene, Right Hand	TSG2ARP							
		NONSTACKINGGlide is an option	Upholstered, Left Hand	TSG2ALU							
		Fold-down tablet	Upholstered, Right Hand	TSG2ARU							
		Tablet arm is 18" long and 13-3/4" wide									
	-										
TSP											
TSU											
				A	3	Θ	0	3	•	Ө	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder

The metal back support, arm support, and tablet arm support matches the frame

When Hammertone or chrome frames are specified, back support matches seat and back color.

- Select seat and back color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select tablet arm color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select glide option.

- No glides - Non-marring glides NGL GNM - Plastic glides - Non-skid glides; add \$30 GBL GNS GSS - Stainless steel glide; add \$30

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133



Stack/Nesting Torsion®

Approx. Packaged Weight	Delive Pricing Unuph		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
32.0#	\$ 4	199									
32.0#	4	199									
34.0#	N	I/A	705	746	755	755	709	720	742	766	788
34.0#	Ν	I/A	705	746	755	755	709	720	742	766	788
32.0#	\$ 5	592									
32.0#	5	592									
34.0#	N	I/A	796	837	846	846	797	808	834	856	878
34.0#	Λ	I/A	796	837	846	846	797	808	834	856	878

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added list price=\$73

Model=Upholstered Added Lead Time=1 week Added list price=\$82

Note:

Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Torsion®

		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	Transport Dolly for Sled Base Chairs • For full sled base chairs (TS)	TVD.BL	30.0#
	5" casters: two fixed, two swivelBlack only		
9			
HRDPT			
	Transport Dolly for Four-Leg Chairs	TLD.BL	31.0#
	For four-Leg chairs only (TL)		
	5" casters: two fixed, two swivelBlack only		
<u> </u>	Black only		
HRDPT			
		Ø	-



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Torsion®

Delivered Pricing

\$ 438

\$ 438

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Torsion Air™ General Information





Four-Leg Armless Chair (TALNA)

Four-Leg Arm Chair (TALWA)

Four-Leg Standard Tablet Arm Chair (TALTAR)

	. oog / ()	(TALTAR)
•	•	•
•	•	
17"	17"	17"
18-1/2"	18-1/2"	18-1/2"
18"	18"	18"
17"	17"	17"
16"	16"	16"
21"	23-1/2"	23"
23-3/4"	23-3/4"	29-3/4"
34"	34"	34"
	25-1/2"	28"
5 Chairs/55" High	5 Chairs/55" High	
22-1/2" x 25-1/2"	23-1/2" x 25-1/2"	
4 Chairs/45" High	4 Chairs/45" High	
21" x 32"	23-1/2" x 32"	
	• 17" 18-1/2" 18" 17" 16" 21" 23-3/4" 34" 5 Chairs/55" High 22-1/2" x 25-1/2" 4 Chairs/45" High	17" 17" 17" 18-1/2" 18-1/2" 18" 18" 17" 17" 16" 16" 21" 23-1/2" 23-3/4" 23-3/4" 34" 25-1/2" 5 Chairs/55" High 5 Chairs/55" High 22-1/2" x 25-1/2" 4 Chairs/45" High 4 Chairs/45" High



Standard Flip-Up Tablet Arm

SPECIFICATIONS

Seat and Backrest

Seat is a two-piece construction with a molded polypropylene liner with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholsted. Foam (1-1/2") is applied to the molded polypropylene liner. Fabric is then upholstered over the foam. Backrest frame is molded glass-reinforced nylon. Mesh fabric is 100% polyester. Seat and backrest are field-replaceable.

Back/Arm Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism. If so equipped, optional armrest structure is integral to the backrest support. Armcaps are polypropylene and are field-replaceable.

Full Sled Base Frame (TAS)

The sled base frame consists of two segments of 3/4" 16-gauge seam welded tubular steel and two steel seat supports.

Four Leg Frame (TAL)

The four leg frame consists of two U-shaped sections, one front and one rear, welded together with two support brackets to form the four leg chair. The sections are formed of 15/16" 15-gauge seam welded tubular steel.

Leg Finishes

Baked-on, electrostatically-applied powder-coating, or bright nickel-chrome plating.

Standard Tablet Arms

5/8" 11-ply plywood tablet with high-pressure laminate surface and lacquered edge. Tablet arm support matches frame color. Seating clearance is 13 1/2". Standard tablet measures 19 1/2" long and 12 3/4" wide.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular and plate steel welded together. 5" casters; two fixed, two swivel. Powder coated finish. Two distinct dollies are available; one for full Sled Base, and one for Four Leg.



Stack/Nesting Torsion Air™ General Information







Sled Base Arm Chair



Sled Base Standard Tablet Arm Chair

	Sled Base Armless Chair (TASNA)	(TASWA)	(TASTAR)
Features			
Back flex	•	•	•
Stackable	•	•	
General Dimensions			
Seat width	17"	17"	17"
Seat depth	18-1/2"	18-1/2"	18-1/2"
Seat height	18"	18"	18"
Back width	17"	17"	17"
Back height	16°	16"	16"
Overall Dimensions			
Width	21"	23-1/2"	23"
Depth	23-3/4"	23-3/4"	29-3/4"
Height	34"	34"	34"
Top of arm to floor		25-1/2"	28"
Stacking on Dolly			
Quantity/height	5 Chairs/55" High	5 Chairs/55" High	
Floor space	22-1/2" x 25-1/2"	23-1/2" x 25-1/2"	
Stacking on Floor			
Quantity/height	4 Chairs/45" High	4 Chairs/45" High	
Floor space	21" x 32"	23-1/2" x 32"	

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Stack/Nesting Torsion Air™

		MODEL	NUMBE	R					
MODEL	Features	Basic Model	Frame Color	Tablet Arm Color	Glide Option	Upholstery Color	Fire Code	Mesh Color	
Four-Leg Armless Chair • Back flex		TALNA							
Back nex Mesh back Stacking									
li c									
TALC									
Four-Leg Arm Chair		TALWA							
Back flex Mesh back									
• Stacking									
u s									
ALC	Ctandard Tablet oft land	TALTAL							
Four-Leg Tablet Arm Chair • Back flex	Standard Tablet, Left Hand Standard Tablet, Right Hand	TALTAR							
Mesh back Neparted lines	Standard Tablet, Hight Hand	IALIAN							
Nonstacking									
U u									
TALC									
		A	3	Θ	0	(3	(3	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.
 - Plastic glides
 - Stainless steel glides
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

GSelect back mesh color.

BLMH - Black

GRMH - Grey

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Pric Fabi 1 &	ric Grade C.O.M.	Pric Fab 2	ric Grade	Pric Fabi 3	ric Grade	Pric Viny 2V	d Group	Pric Palla	as Fabric up P0	Pric Palla Gro	as Fabric up P1	Pric Pall	as Fabric up P2	Prio Pall Gro	as Fabric up P3	Pric Palla Gro	ıs Fabric ıp P4
18.0#	\$	530	\$	544	\$	560	\$	560	\$	568	\$	607	\$	624	\$	645	\$	670
20.0#	\$	559	\$	572	\$	591	\$	591	\$	596	\$	634	\$	653	\$	673	\$	698
28.0#	\$	735	\$	747	\$	767	\$	767	\$	772	\$	810	\$	829	\$	847	\$	875
28.0#		735		747		767		767		772		810		829		847		875

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added Lead Time=1 week Added list price=\$49

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Stack/Nesting Torsion Air™

			MODEL	MODEL NUMBER									
	MODEL	Features	Basic Model	Frame Color	Tablet Arm Color	Upholstery Color	Fire Code	Mesh Color	Glide Option				
	Sled Base Armless Chair		TASNA										
	Back flexMesh backStacking												
	Cittoking												
/													
TASC													
	Sled Base Arm Chair Back flex Mesh back		TASWA										
	Stacking												
TASC													
	Sled Base Tablet Arm Chair Back flex	Standard Tablet, Left Hand	TASTAL						000				
	Mesh back	Standard Tablet, Right Hand	TASTAR										
	 Nonstacking 												
TASC													
			(A)	3	Θ	0	€	•	(

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select back mesh color.

BLMH - Black GRMH - Grey

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

GSelect glide option.

- No glides - Non-marring glides GNM GNS - Non-skid glides - Plastic glides GSS - Stainless steel glide



Approx. Packaged Weight	Prio Fab	ivered cing oric Grade oric C.O.M.	Pri	ivered cing ric Grade	Prid	ivered sing ric Grade	Pric	vered ing /I Group	Pric Pall	ivered sing as Fabric up P0	Prio Pall	ivered sing as Fabric up P1	Pri Pal	ivered cing las Fabric oup P2	Prio Pall	ivered cing las Fabric oup P3	Prio Pal	ivered sing as Fabric up P4
18.0#	\$		\$	544	\$	560	\$	560	\$	568	\$	607	\$	624	\$	-	\$	670
10.0#	Ψ	330	Ψ	J44	Ψ	300	Ψ	300	Ψ	300	Ψ	007	Ψ	024	Ψ	040	Ψ	070
20.0#	\$	559	\$	572	\$	591	\$	591	\$	596	\$	634	\$	653	\$	673	\$	698
28.0#	\$	735	\$	747	\$	767	\$	767	\$	772	\$	810	\$	829	\$	847	\$	875
28.0#		735		747		767		767		772		810		829		847		875

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added Lead Time=1 week Added list price=\$49

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Stack/Nesting Torsion Air™

		MODEL NUMBER	
			A
	Mane	Basic	Approx. Packaged
	MODEL	Model	Weight
	Transport Dolly for Sled Base Chairs • For full sled base chairs	TVD.BL	30.0#
	5" casters: two fixed, two swivel		
5	Black only		
•			
HRDPT			
	Transport Dolly for Four-Leg Chairs	TLD.BL	31.0#
	For four-Leg chairs only		
	5" casters: two fixed, two swivelBlack only		
(9)	•		
HRDPT			
		A	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Torsion Air

Delivered Pricing

438

\$ 438

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Torsion Air™ Nesting General Information









Piretti Tablet Flip-up Tablet **Armless Chair Arm Chair Arm Chair Arm Chair** (TANNA) (TANWA) (TANTARPT) (TANTARFD) **Features** Back flex Flip-up seat Nesting Casters **General Dimensions** 17" 17" Seat width 17" 17" Seat depth 18-1/2' 18-1/2" 18-1/2 18-1/2" Seat height 18" 18" 18" 18" Back width 17" 17" 17' 17" 16" 16" Back height 16" 16" **Overall Dimensions** Width 23-7/8" 23-7/8" 25" 27" 24-1/4" Depth 24-1/4" 30-1/4" 31" Height 33-1/2" 33-1/2" 33-1/2" 33-1/2" Top of arm to floor 28-1/2" 28" 24-7/8" Depth of nesting (two chairs) 28" 28" 34" 35" Depth of each additional chair 7-1/2" 7-1/2" 7-1/2" 7-1/2"

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of molded plywood upholstery board with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholstered. Foam (1-3/4") is applied to the molded plywood upholstery board. Fabric is then upholstered over the foam. Backrest is available in either a poly or upholstered version. Backrest frame is molded glassreinforced nylon. Mesh fabric is 100% polyester. Backrest has an integral "handle."

Seat flips up to allow chairs to nest for storage and transport.

Seat and back are field replaceable.

Backrest Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Flip-Up Tablet

Available on RH or LH side. The tablet arm support structure is 1-inch diameter, 13-gauge tubing, welded to the main chair frame. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface is nominally 9-1/2" x 20-3/4" x 12-1/2" plywood core of 5/8" thick, 11-ply hardwood, surfaced with 0.030" high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed. When so equipped, and with the tablet flipped up, chairs will nest with other Torsion Air chairs with tablets, or without.

Arms

Armcaps are made of polypropylene. Armrests rotate with the back. Armcaps are field replaceable.

Frame

The frame is made up of four legs welded to a steel mechanism tube. The legs are 1"diameter, 13-gauge high-strength low alloy steel tubing.

Leg Finishes

Baked on electrostatically applied 45 sheen epoxy powder coating or bright nickel chrome plating.

Casters/Glides

Double wheels (60mm) of high-impact thermoplastic. High-impact plastic frame. Carpet and hard floor casters are always black. Bell glide (2" high) made of highimpact plastic also available, black only.

Piretti Tablet

Available on RH or LH side. The tablet support is 1-3/16"OD x 14-gauge round steel tubing. The support is welded to the chair frame. The tablet mechanism consists of two die cast aluminum housings and a stamped steel hinge assembly. The main housing is mounted inside the steel support tube and secured with a threadforming screw. The mechanism has two through-bolted pivot axes with bushing that allow stowing. The mechanism permits 12 degrees of horizontal rotation for ingress/ egress without stowing the tablet. With the tablet stowed, the chair will nest with other Torsion Air chairs with or without tablets. The tablet is made from blow-molded highdensity polyethylene and is only available in black. The tablet is connected to the mechanism and supported by a 12-gauge steel plate. The tablet has an effective working surface 12" deep by 16" across (overall dimensions are 12" deep by 22" across).



Stack/Nesting
Torsion Air™ Nesting General Information

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Stack/Nesting Torsion Air™ Nesting Chairs

			MODEL NUMBER										
	MODEL	Features	Basic Model	Frame Color	Tablet Arm Color	Base	Upholstery Color	Fire Code	Mesh Color				
	Armless Chair		TANNA										
	Back flexMesh back												
<u> </u>	• IVIESTI DACK												
up 1/1													
TANO													
TANC	Aumahaiu		TANWA										
	Armchair Back flex Mesh back		IANWA										
on 0													
TANC													
IANO	Flip-up Tablet Arm Chair	Flip Tablet, Left Hand	TANTALFT										
	Back flex	Flip Tablet, Right Hand	TANTARFT										
	Mesh back	p, 3											
4€													
TANC													
171110													
			(A)	•	Θ	O	ⅎ	•	Θ				

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select base option.

 - Bell glides (black only)
 Carpet casters (black only)
 Hard floor casters (black
 - only)
- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

GSelect back mesh color.

BLMH - Black GRMH - Grey

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Stack/Nesting Torsion Air™ Nesting Chairs

Approx. Packaged Weight	Prio Fab	ivered cing oric Grade c.O.M.	Pri	ivered cing rric Grade	Pric	ivered cing ric Grade	Prid	ivered cing yl Group	P P	elivered ricing allas Fabric roup PO	Pri Pa	livered icing Ilas Fabric oup P1	Pr Pa	elivered icing Illas Fabric oup P2	Pr Pa	elivered icing Illas Fabric oup P3	Pri Pa	livered cing las Fabric oup P4
24.0#	\$	716	\$	730	\$	744	\$	744	\$	753	\$	792	\$	808	\$	829	\$	855
25.0#	\$	743	\$	763	\$	775	\$	775	\$	781	\$	820	\$	838	\$	857	\$	885
29.0#	\$	919	\$	934	\$	951	\$	951	\$	957	\$	996	\$	1014	\$	1033	\$	1059
29.0#		919		934		951		951		957		996		1014		1033		1059

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added Lead Time=1 week Added list price=\$49

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Stack/Nesting Torsion Air™ Nesting Chairs



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>
- Select base option.

G - Bell glides (black only)
C - Carpet casters (black only)
S - Hard floor casters (black only)

②Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u>
<u>Fabrics & Finishes binder</u>.

Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

Select back mesh color.

BLMH - Black GRMH - Grey

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Stack/Nesting Torsion Air™ Nesting Chairs

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
34.0#	\$ 1031	\$ 1046	\$ 1062	\$ 1062	\$ 1069	\$ 1107	\$ 1126	\$ 1144	\$ 1172
34.0#	1031	1046	1062	1062	1069	1107	1126	1144	1172

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Basic General Information







Armless Chair (VRNAL)



Transport Dolly

	(VBWAL)	(ARNAL)	(ARD'RT)
Features			
Stackable	•	•	
Plastic back shroud	•	•	
Steel tube arms	•		
General Dimensions			
Seat width	17-1/2"	17-1/2"	
Seat depth	17-1/2"	17-1/2"	
Seat height	17-1/2"	17-1/2"	
Overall Dimensions			
Width	21-5/8"	19-3/8"	22-3/8"
Depth	21-1/4"	21-1/4"	24-7/8" No Arm/ 36" Arm
Height	31"	31"	
Arms to floor	25-3/8"		
Stacking on Dolly			
Quantity/height	10 Chairs/52" High	10 Chairs/52" High	
Stacking on Floor			
Quantity/height	4 Chairs/40" High	4 Chairs/40" High	



Kick Back Leg

SPECIFICATIONS

Legs of 1" o.d. x 13-gauge tubular steel. "Kick back" rear legs on four-leg model increases structural integrity and adds to stability. Side members of 7/8" o.d. x 13-gauge tubular steel. All other joints are robotically welded.

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome

Basic Tube End Caps

Molded plastic. The end cap will match the frame color.

Upholstered Seat

Innter seat is 3/8" polypropylene. Fastens to frame with four screws through T-nuts embedded in seat. 1-1/8" thick polyfoam cushion glued to seatboard.

Upholstered Backrest

Two-piece construction. Inner back is 9-ply hard maple with 3/4" thick polyurethane foam. Outer back is vacuum-formed polystyrene attached with eight wood screws.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does $not \ warrant \ the \ effects \ of \ stacking \ on \ stock$ or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" swivel wheels.



Stack/Nesting
Versa® Basic General Information

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Versa® Basic

			MODEL	NUMBE	R				
	MODEL	Features	Basic Model	Frame Color	Upholstery Color	Fire Code	Approx. Packaged Weight	Delivered Pricing	
	Four-Leg Arm Chair	Upholstered	VBWAL				20.0#	N/A	
	 Back and seat are foam cushioned and upholstered 								
	Plastic back shroudRound tubular steel frame								
	"Kick back" rear leg style enhances								
	stability • Continuous steel tubular arms								
U	Stacking								
VBUP									
	Four-Leg Armless Chair Back and seat are foam cushioned and upholstered Plastic back shroud	Upholstered	VBNAL				18.0#	N/A	
	Round tubular steel frame "Kick back" rear leg style enhances								
	stability								
	Stacking								
VBUP									
	Versa® Basic Transport Dolly		VBD.BL				19.0#	\$ 466	
W									
HRDPT									
			A	3	Θ	0			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- OSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133



Stack/Nesting Versa® Basic

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 357	\$ 392	\$ 393	\$ 357	\$ 393	\$ 393	\$ 404	\$ 443	\$ 476	\$ 513
\$ 328	\$ 362	\$ 367	\$ 328	\$ 367	\$ 363	\$ 375	\$ 413	\$ 449	\$ 487

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1 yd. of 54" wide nondirectional fabric and vinyls. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$79

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Versa® Conference General Information



Conference Arm Chair (VCWAL)



Conference Armless Chair (VCNAL)



Transport Dolly (MVP.BL)

Features			
Stackable	•	•	
Ganging	•		
General Dimensions			
Seat width	17-3/4"	17-3/4"	
Seat depth	19-1/2"	19-1/2"	
Seat height	17-1/2"	17-1/2"	
Overall Dimensions			
Width	23-7/8"	20-1/4"	22-3/8"
Depth	23-7/8"	23-7/8"	25-5/8"
Height	32-3/4"	32-3/4"	
Arms to floor	25-5/8"		
Ganging on center	24-3/8"		
Stacking on Dolly			
Overall width	23-7/8"	22-1/2"	
Overall depth	37"	37"	
Quantity/height	8 Chairs/56-3/4" High	8 Chairs/54-1/2" High	
Stacking on Floor			
Width	20-1/2"	20-1/2"	
Depth	29-1/2"	29-1/2"	
Quantity/height	4 Chairs/41" High	4 Chairs/41" High	



Ganging



Kick Back Leg



Upholstered Back

SPECIFICATIONS

Frame

Four-leg and with arm sled models have legs made of 1" o.d. x 16-gauge tubular steel. Armless sled base models have legs made of 1" o.d. x 14-gauge tubular steel. "Kick back" rear legs on all models will increase structural integrity and add to stability. Seat side supports and cross members of 1" o.d. x 14-gauge tubular steel. Legs will be joined to side members by brazing. All other joints will be robotically welded.

Frame Finishes

30 sheen epoxy powder coating is electrostatically applied. The dry coating is then fused and cured in a baking over to form a smooth, continuous film. Finish is chemical resistant, hard, touch and mar resistant. Bright chrome surfaces are duplex nickelchrome plated in a twenty-two step process.

Floor Glides

Chrome plated steel or plastic and are pressed into the bottom of the leg tubes. Plastic glides match the color of the frame unless frame is chrome or hammertone, then black.

Armres

Molded nylon and are pressed into the leg tubes.

Tube End Caps (Armless Chair)

Molded plastic. The end cap will match the frame color. With chrome and hammertone frames, the end caps will be black.

Ganging Fixtures (Armchairs Only)

Welded steel construction and chromeplated for durability. Gangers are attached to the underside of the arms with two screws. Only armchairs can be ganged. Gangers are shipped unassembled (KD).

Upholstered Seat

Seat board is made of 7 ply compound molded plywood (3/8" thick) that is glued to a 1-1/2" thick urethane foam cushion. Fabric is glued to the foam and C-Gex upholstered. Seat is fastened to the frame with four 10-24 screws that thread into T-nuts embedded in the seat board.

Upholstered Backrest

Two-piece construction. Inner back is 7-ply compound molded plywood (7/16" thick) with 1-1/2" thick urethane foam cushion that is covered in fabric and C-Gex upholstered together. Outer back shroud is 3-ply compound molded plywood (3/16" thick) with 1/4" thick urethane foam cushion that is covered in fabric and C-Gex upholstered together. The inner back is attached to the frame with four 1/4" screws and the outer back is attached to the inner back and frame with 5 steel spring clips and 2 steel rivets

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" wheels, two fixed and two swivel.



INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

		MODEL	NIIMREE	2				
		MODEL	NOMBLI	1	I		1	
								Approx.
		Basic	Frame	Upholstery	Fire	Glide	Back	Packaged
MODEL	Features	Model	Color	Color	Code	Option	Style	Weight
Four-Leg Arm Chair	Upholstered, Ganging	VCWAG						26.0#
Generously proportioned seat and back	Upholstered, Non-Ganging	VCWAL						26.0#
have thick foam cushioning and are upholstered								
Back is fully upholstered								
Brackets attaching back to frame are								
U VRB U VSB U concealed								
Round tubular steel frame "Kick back" rear leg style enhances								
VCUP stability								
 Molded nylon arms 								
Ganger fastened to armrest and chrome								
finished • Powder-coated or chrome-plated frames								
Fowder-coated of chrome-plated frames								
		A	3	Θ	0	(3	(3	
		_	_	•	_	_	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

End caps will match frame color, unless frame is chrome or hammertone (then black).

© Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

OSelect fire code.

- Compliance to TB 117-2013 - Compliance to TB 133 FR

Select glide option.

- Plastic glides - Steel glides (standard) Select back style.

VRB - Round (original style)
VSB - Square (new style)



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 632	\$ 673	\$ 679	\$ 632	\$ 679	\$ 686	\$ 752	\$ 833	\$ 908	\$ 983
624	661	667	624	667	673	739	824	897	973

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1-1/2 yards per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Conference Added Lead Time=1 week Added list price=\$79

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL	NUMBE	R				
MODEL	Features	Basic Model	Frame Color	Upholstery Color	Fire Code	Glide Option	Back Style	Approx. Packaged Weight
Four-Leg Armless Chair	Upholstered, Non-Ganging	VCNAL						23.0#
Generously proportioned seat and back								
have thick foam cushioning and are upholstered								
Back is fully upholstered								
Brackets attaching back to frame are concealed.								
UVRB UVSB concealed Round tubular steel frame								
"Kick back" rear leg style enhances								
VCUP stability								
Powder-coated or chrome plated frames								
Versa® Transport Dolly		MVP.BL						19.0#
Accomodates up to 8 conference stacking chairs								
• Easy maneuverability with 5" casters;								
two fixed, two swivel								
Rugged weld tubular steel frame Black powder-coated finish								
HRDPT Black powder-coated lillish								
		A	3	Θ	0	(3	(3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

End caps will match frame color, unless frame is chrome or hammertone (then black).

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

OSelect fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

Select glide option.

- Plastic glides - Steel glides (standard) Select back style.

VRB - Round (original style)
VSB - Square (new style)



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
N/A	\$ 591	\$ 632	\$ 635	\$ 591	\$ 635	\$ 644	\$ 709	\$ 795	\$ 866	\$ 944

\$ 453

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1-1/2 yards per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Conference Added Lead Time=1 week Added list price=\$79

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Versa® Standard General Information



Standard Four-Leg **Arm Chair** (96WAL)



Four-Leg Armless Chair (96NAL)



Round Wood Four-Leg **Armless Chair** (15NALW)



Standard Four-Leg Tablet Arm Chair (96TAR)

	,		,	, ,
Features				
Stackable	•	•	•	
Ganging	•	•	•	
General Dimensions				
Seat width	17-1/2"	17-1/2"	16-15/16"	17-1/2"
Seat depth	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat height	17-1/2"	17-1/2"	16-1/8"	17-1/2"
Overall Dimensions				
Width	22-5/8"	19-3/8"	19-1/8"	21-3/4"
Depth	20-3/4"	20-3/4"	20-3/4"	27-1/4"
Height	31"	31"	31"	31"
Ganging on center	23-1/2"	23-1/2"	23-1/2"	
Top of arm to floor	25-3/8"			
Stacking on Dolly				
Overall width	22-3/8"	22-3/8"	22-3/8"	
Overall depth	36"	36"	36"	
Quantity/height	10 Chairs/60" High	10 Chairs/54" High	8 Chairs/60" High	
Stacking on Floor				
Width	22-5/8"	19-3/8"	22-5/8"	
Depth	25-1/4"	25-1/4"	25-1/4"	
Quantity/height	4 Chairs/40" High	4 Chairs/40" High	4 Chairs/40" High	
				CHANNEL STATE











(Round Back)





(Square Back)







COS Solit Cut-outs C06 Perforated Cut-(Square Back) outs (Square Back)

SPECIFICATIONS

Standard Frame

Legs of 7/8" o.d. x 13-gauge tubular steel. "Kick back" rear legs on four-leg model increases structural integrity and adds to stability. Side members of 7/8" o.d. x 13-gauge tubular steel. Cross tube members of 7/8" o.d. x 14-gauge tubular steel. Legs are joined to side members by brazing; all other joints are robotically welded.

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plated.

Ganging Fixture

Welded steel rod. Armrest models have separate fixture that can be installed with screws to underside of arms (shipped k.d.). Armless models have fixture welded to frame.

Standard Tube End Caps

(Round Back)

Molded plastic. The end cap will match the frame color. With chrome frames, the end cap will be black (upholstered and wood chairs).

Four-Leg Floor Glides

Three optional glide types are available for leg chairs: swivel poly/nylon, swivel steel and swivel felt glides. The swivel function allows the bottom of the glide to correctly match un-even floor conditions, resulting in less wear. Poly/nylon and felt glides are interchangeable and have easy-on/easy-off replaceable glide caps, which makes field replacement easy and efficient. Swivel poly glidesare available in Stone color only.

Sled Base Non-Skid Glides

Black PVC material. Fixed in position by a screw. Field-installable.

Armrests

Molded nylon or chrome-plated aluminum (for non-ganging models).

Tablet Arm Chair

outs (Round Back)

Tablet of resin core with laminate writing surface and backing sheet. Round tablet edge with clear lacquer finish. Available in left- or right-hand models. Nonstacking. Seating clearance is 14". Tablet is 20-5/8" long and 12" wide.

Upholstered Seat

3/8" thick polypropylene. Fastens to frame with four screws through T-nuts embedded in seat. Polyfoam cushion 3/4" thick glued to seat.

Upholstered Backrest

Two-piece construction. Inner back is polypropylene with 3/4" thick polyurethane foam. Outer back is a polypropylene back insert with 1/4" thick polyurethane foam and three back clips (.018" thick cold-rolled annealed spring steel).

Wood Seat and Backrest

Backs are constructed of 9-ply hard maple with "A Grade" flat cut faces. Seats are

constructed of 3/8" hard maple. Wood seats and backs are available in maple with "A Grade" flat cut faces. Seats and backs are assembled with four ribbed carriage bolts and low profile screws with black oxideplated finish. Stacking version has 4 plastic bumpers that protect seat. Caution needs to be used when stacking.

Stacking Vinvl. Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinvl. polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Standard Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" swivel wheels.

Wallsaver Transport Dolly

Available via Special Cost Request.

Stack/Nesting Versa® Standard General Information



Standard Sled Base **Arm Chair** (96WAS)



Standard Sled Base Armless Chair (96NAS)



Square Wood Sled Base Armless Chair (15NASW)

Features			
Stackable			
Ganging	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	16-15/16"
Seat depth	17-1/2"	17-1/2"	17-1/2"
Seat height	17-1/2"	17-1/2"	16-1/8"
Overall Dimensions			
Width	22-5/8"	19-3/8"	19-1/8"
Depth	20-3/4"	20-3/4"	20-3/4"
Height	31"	31"	31"
Ganging on center	23-1/2"	23-1/2"	23-1/2"
Top of arm to floor	25-3/8"		
Stacking on Dolly			
Overall width			
Overall depth			
Quantity/height			
Stacking on Floor			
Width			
Depth			
Quantity/height			

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample for standard models and full back models must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Versa® Standard General Information



Standard Four-Leg Wallsaver Arm Chair (96WALWS)



Upholstered Seat/Wood Back Four-Leg Arm Chair (15WALUW)



Armless Upholstered Seat/ **Wood Back Sled Base Chair** (15NASGUW)



Standard Transport Dolly (MVP.BL)

Features				
Stackable	•	•		
Ganging	•	•	•	
General Dimensions				
Seat width	17-1/2"	17-1/2"	17-1/2"	
Seat depth	17-1/2"	17-1/2"	17-1/2"	
Seat height	17-1/2"	17-1/2"	17-1/2"	
Overall Dimensions				
Width	22-5/8"	22-5/8"	19-3/8"	22-3/8"
Depth	21-3/4"	20-3/4"	20-3/4"	25-5/8"
Height	31"	31"	31"	
Ganging on center	23-1/2"			
Top of arm to floor	25-3/8"	25-3/8"		
Stacking on Dolly	See Specifications Below			
Overall width		22-3/8"		
Overall depth		36"		
Quantity/height		10 Chairs/60" High		
Stacking on Floor				
Width	22-5/8"	22-5/8"		
Depth	26-1/4"	25-1/4"		
Quantity/height	4 Chairs/40" High	4 Chairs/40" High		











(Round Back)









(Square Back)

(Square Back)

CO6 Perforated Cutouts (Square Back)

SPECIFICATIONS

Standard Frame

Legs of 7/8" o.d. x 13-gauge tubular steel. "Kick back" rear legs on four-leg model increases structural integrity and adds to stability. Side members of 7/8" o.d. x 13-gauge tubular steel. Cross tube members of 7/8" o.d. x 14-gauge tubular steel. Legs are joined to side members by brazing; all other joints are robotically welded.

Stool

Legs of 7/8" o.d. x 13-gauge tubular steel. Side members of 7/8" o.d. x 13-gague tubular steel. Cross tube members of 7/8" o.d. x 14-gauge tubular steel. Legs are joined to side members by brazing; all other joints are hand welded. The footring is 7/8" outside diameter steel wire.

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plated.

Standard Tube End Caps

(Round Back)

Molded plastic. The end cap will match the frame color. With chrome frames, the end cap will be black (upholstered and wood chairs).

Armrests

Molded nylon or chrome-plated aluminum (for non-ganging models).

Four-Leg Floor Glides

Chrome plated steel or plastic.

Sled Base Non-Skid Glides

Black PVC material. Fixed in position by a screw. Field-installable.

Ganging Fixture

Welded steel rod. Armrest models have separate fixture that can be installed with screws to underside of arms (shipped k.d.). Armless models have fixture welded to frame.

Upholstered Seat

3/8" thick polypropylene. Fastens to frame with four screws through T-nuts embedded in seat. Polyfoam cushion 3/4" thick glued to seat.

Upholstered Backrest

Two-piece construction. Inner back is polypropylene with 3/4" thick polyurethane foam. Outer back is a polypropylene back insert with 1/4" thick polyurethane foam and three back clips (.018" thick cold-rolled annealed spring steel).

Upholstered Square Back

Two-piece construction. Inner back is 11ply hard maple (.44 thick) with 3/4" thick urethane foam. The outer back is 3-ply gum veneer (.19 thick) with 1/4" urethane foam. Both inner and outer back boards have formed contours. The outer back is attached to the inner back with (3) spring steel clips. The back assembly is attached to the frame with (4) 1/4"-20 screws.

Wood Seat and Backrest

Backs are constructed of 9-ply hard maple with "A Grade" flat cut faces. Seats are constructed of 3/8" hard maple. Wood seats and backs are available in maple with "A Grade" flat cut faces. Seats and backs are assembled with four ribbed carriage bolts and low profile screws with black oxideplated finish. Stacking version has 4 plastic bumpers that protect seat. Caution needs to be used when stacking.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.





Upholstered Cafe Stool with Arms (S96WAL)

Features	
Stackable	
Ganging	
General Dimensions	
Seat width	17-1/2"
Seat depth	17-1/2"
Seat height	29-1/2"
Overall Dimensions	
Width	22-5/8"
Depth	22-3/8"
Height	43"
Top of arm to floor	37-3/8"

Standard Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" swivel wheels.

Wallsaver Transport Dolly

Available via Special Cost Request.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample for standard models and full back models must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Versa® Standard

		MODEL NUN	/IBER								
	Features	Basic Model	Frame Color	Wood Seat and Back Color	Upholstery Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Wood Stacking Option	Approx. Packaged Weight
	Wood, Ganging	15NAGW									18.0#
	Wood, Non-Ganging	15NALW									18.0#
	Uph, Ganging	96NAG									19.0#
VRB VSB	Uph, Non-Ganging	96NAL									19.0#
VRWD											
VRUP											
Four-Leg Armless Chair											
Back and seat are foam cushioned/ upholstered or wood											
 Round tubular steel frame "Kick back" rear leg style enhances 											
stability											
 Ganger welded to frame and finished to match frame 											
Stacking											
	Wood, Ganging	15NAGWWS					S				18.0#
	Wood, Non-Ganging	15NALWWS					S				18.0#
	Uph, Ganging	96NAGWS					S				19.0#
	Uph, Non-Ganging	96NALWS					S				19.0#
URB UVSB UVSB U											
VRWD											
VRUP											
Four-Leg Wallsaver Armless Chair											
Back and seat are foam cushioned/											
upholstered or wood											
 Round tubular steel frame Ganger welded to frame and finished 											
to match frame											
StackingWallsaver rear legs touch base of wall											
preventing chair back from contact-											
ing wall											
											I
		A	3	Θ	0	(3	•	0	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

Arms will match frame color, unless frame is chrome or hammertone (then black).

- Select wood seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

- Select glide option.

 F Felt Glides
 - Plastic glides - Steel glides (standard)
- GSelect back style.

- Round (original style) VRB - Square (new style)

- Select wood back cut-out.
 - Square (round back only) C01
 - CO2 - Ellipse (round back only) **CO3**
 - Starburst (round back only) - Fan (square back only)
 - Split (square back only) **CO4**
 - C05
 - Perforated (square back C06 only)
- No cut-out (both styles)
- Select wood stacking option.
 - Nonstacking bumper

SB - Stacking bumper



Delivered Pricing Unupholstered	Delivered Pricing Pricing Fabric Grade 1 & C.O.M. Delivered Pricing Pabric Grade 2		Delivered Pricing Delivered Fabric Grade Pricing 3 C.O.V.		Delivered Pricing Vinyl Group 2V	Pricing Pricing Vinyl Group Pallas Fabric		Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 643										
620										
N/A	491	525	526	491	526	524	535	572	608	651
N/A	464	500	501	464	501	497	507	545	583	623

\$ 679										
655										
N/A	528	563	564	528	564	559	570	613	646	687
N/A	502	538	539	502	539	535	545	584	621	659

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan C05 - Split

C04= Fan C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54' wide nondirectional fabric. For complete information on ordering C.O.M., see 'Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$59

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

		MODEL NUM	BER							
	Features	Basic Model	Frame Color	Wood Seat and Back Color	Upholstery Color	Glide Option	Back Style	Wood Back Cut-outs	Wood Stacking Option	Arm Option
	Wood, Ganging	15WAGW								MPA
	Wood, Non-Ganging	15WALW								
	Uph, Ganging	96WAG								MPA
		96WAL								
VRB VSB										
VRWD										
VRUP										
Four-Leg Arm Chair										
•										
 Back and seat are foam cushioned/ upholstered or wood 										
Round tubular steel frame										
"Kick back" rear leg style enhances										
stability • Molded nylon or chrome plated (non-										
ganging) arms										
Ganger fastened to nylon armrest										
Stacking										
	Wood, Ganging	15WAGWWS				S				MPA
	Wood, Non-Ganging	15WALWWS				S				
	Uph, Ganging	96WAGWS				S				MPA
	Uph, Non-Ganging	96WALWS				S				
VRB VSB	Features Wood, Ganging Wood, Non-Ganging Uph, Non-Ganging Uph, Non-Ganging Uph, Non-Ganging Uph, Ranging Uph									
VRWD										
VRUP										
Four-Leg Wallsaver Arm Chair										
Back and seat are foam cushioned/										
upholstered or wood										
Round tubular steel frame										
Molded nylon or chrome plated (non-										
ganging) arms • Ganger fastened to nylon armrest										
Stacking										
Wallsaver rear legs touch base of wall										
preventing chair back from contact- ing wall surface										
my wan sunace										
		A	•	Θ	O	•	•	0	0	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select wood seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

Select glide option

CICCL (Jiluo option.
F	- Felt Glides
P	- Plastic glides
S	- Steel glides (standard)

GSelect back style.

VRB - Round (original style) - Square (new style)

Select wood back cut-out. - Square (round back only)

- Ellipse (round back only)
- Starburst (round back only) C02 CO3 - Fan (square back only)
- Split (square back only) **CO4** - Perforated (square back only)
- No cut-out (both styles) C06

Select wood stacking option.

- Nonstacking bumper - Stacking bumper

Select arm option.

- Chrome plated - Poly



Approx. Packaged Weight	Pric	9	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
20.0#	\$	655										
19.0#		643										
21.0#		N/A	502	538	539	502	539	535	545	585	621	659
20.0#		N/A	491	525	526	491	526	524	535	572	608	651

20.0#	\$ 691										
19.0#	679										
21.0#	N/A	539	572	574	539	574	572	583	623	656	696
20.0#	N/A	528	563	564	528	564	559	570	609	646	685

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only:

C04= Fan C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$59

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

	Features	Basic Model	Frame Color	Wood Seat and Back Color	Upholstery Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Tablet Arm Color	Approx. Packaged Weight
	Wood, Left Hand	15TALW									28.0#
	Wood, Right Hand	15TARW									28.0#
	Uph, Left Hand	96TAL									28.0#
	Uph, Right Hand	96TAR									28.0#
UVRB UVSB UVSB U											
VRWD											
VRUP											
Four-Leg Tablet Arm Chair											
Back and seat are foam cushioned/ upholstered or wood											
"Kick back" rear leg style enhances stablilty											
 Tablet arm available in left - or right - hand models 											
Laminate tablet arm surface											
Tablet flips up for easy accessNONSTACKING											
- NONOTAONING											
							<u> </u>				
		A	3	Θ	0	•	•	Θ	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

End caps will match frame color, unless frame is chrome or hammertone (then black).

- Select wood seat and back color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select upholstery grade/color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

- Select glide option.
 - Felt Glides - Plastic glides
 - Steel glides (standard)
- GSelect back style.
 - VRB Round (original style) - Square (new style)
- Select wood back cut-out.
 - C01 - Square (round back only)
 - CO2 - Ellipse (round back only)
 - Starburst (round back only) **CO3** C04
 - Fan (square back only)
 Split (square back only) **CO5**
 - Perforated (square back only)
 No cut-out (both styles) C06
 - NC
- Select tablet arm option. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 833										
833										
N/A	682	715	719	682	719	714	725	765	800	834
N/A	682	715	719	682	719	714	725	765	800	834

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$59

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

		MODEL NU	JMBER							
	Features	Basic Model	Frame Color	Wood Seat and Back Color	Upholstery Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Approx. Packaged Weight
	Wood, Ganging	15NASGW								23.0#
	Wood, Non-Ganging	15NASW								22.0#
	Uph, Ganging	96NASG								24.0#
	Uph, Non-Ganging	96NAS								23.0#
VRB VSB										
VRWD										
VRUP										
Sled Base Armless Chair										
 Back and seat are foam cushioned/ upholstered or wood 										
Round tubular steel frame										
Ganging version available. Ganger										
welded to frame and finished to										
match frame • NONSTACKING										
NONC MONING										
		•	₿	Θ	0	3	3	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

End caps will match frame color, unless frame is chrome or hammertone (then black).

- Select wood seat and back color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

Select glide option. NGL - No glides

- Sled base non-skid glides; add \$30

GSelect back style.

VRB - Round (original style) - Square (new style)

Select wood back cut-out.

CO1 - Square (round back only) - Ellipse (round back only)
- Starburst (round back only) CO2 **CO3** - Fan (square back only)
- Split (square back only) C04

C05 - Perforated (square back only)
- No cut-out (both styles) C06

NC



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 788										
765										
N/A	639	674	678	639	678	674	685	725	760	797
N/A	617	653	654	617	654	648	659	698	734	773

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

CO4= Fan CO5 = Split CO6 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$59

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

		MODEL NU	MBER							
	Endon	Basic	Frame	Wood Seat	Upholstery	Glide	Back	Wood Back	Arm	Approx. Packaged
	Features	Model	Color	Back Color	Color	Option	Style	Cut-outs	Option	Weight
	Wood, Ganging	15WASGW							MPA	26.0#
	Wood, Non-Ganging	15WASW								25.0#
	Uph, Ganging	96WASG							MPA	28.0#
	Uph, Non-Ganging	96WAS								27.0#
VRB VSB										
VRWD										
VRUP										
Sled Base Arm Chair										
Back and seat are foam cushioned/										
upholstered or wood										
 Round tubular steel frame 										
Molded nylon or chrome plated (non-										
ganging) arms • Ganger fastened to nylon armrest										
NONSTACKING										
		MVP.BL								19.0#
\mathcal{D}										
HRDPT										
Standard Versa Transport Dolly, Non-										
Wallsaver										
 Accommodates up to 10 stacking chairs 										
Easy maneuverability with 5" casters: two fixed, two swivel										
Rugged weld tubular steel frame										
Black powder-coated finish										
		0	3	Θ	0	Э	3	Ф	0	-

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

End caps will match frame color, unless frame is chrome or hammertone (then black).

- Select wood seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code

NED	O I' I TD 117 0010
NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

- Select glide option.
 - NGL No glides

NSG - Sled base non-skid glides; add \$30

GSelect back style.

VRB - Round (original style) - Square (new style)

Select wood back cut-out. C01

- Square (round back only) CO2 - Ellipse (round back only)

- Starburst (round back only) **CO3** - Fan (square back only)
 - Split (square back only) C04
- Perforated (square back only)
 No cut-out (both styles) C06
- Select arm option.

CHA - Chrome plated MPA - Poly



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 797										
788										
N/A	654	688	689	654	689	684	696	735	770	807
N/A	639	674	678	639	678	674	685	725	760	797

\$ 453

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$59

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

											-	
			MODEL NUMB	ER								
	MODEL	Features	Basic Model	Frame Color	Wood Color	Uph. Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Arm Option	
	Four-Leg Armless Chair • Seat is foam cushioned and upholstered	Ganging	15NAGUW									
VRUW VSB	Back is wood Round tubular steel frame "Kick back" rear leg style enhances stability Ganger welded to frame and finished to match frame	Non-Ganging	15NALUW									
	Four-Leg Wallsaver Armless Chair	Ganging	15NAGUWWS					S				
	 Seat is foam cushioned and upholstered Back is wood 	Non-Ganging	15NALUWWS					S				
	Round tubular steel frame											
	Ganger welded to frame and finished to match frame											
י מפע ט פאע ט	 Wallsaver rear legs touch base of wall 											
VRUW	preventing chair back from contacting wall surface											
	Four-Leg Arm Chair	Ganging	15WAGUW								MPA	
	 Seat is foam cushioned and upholstered 	Non-Ganging	15WALUW									
	Back is wood Round tubular steel frame "Kick back" rear leg style enhances stability Molded nylon or chrome plated (non-											
U VRB U U UVSB U												
VRUW	ganging) arms • Ganger fastened to nylon armrest											
-	danger ideterioù te llyteri di llitest											
			451444 04 114 117 17									
	Four-Leg Wallsaver Arm Chair • Seat is foam cushioned and upholstered	Ganging Non-Ganging	15WAGUWWS 15WALUWWS					S			MPA	
	Back is woodRound tubular steel frame	Mon Ganging	IONVEONANO					J				
	 Molded nylon or chrome plated (non- 											
VRB VSB VSB	ganging) arms • Ganger fastened to nylon armrest											
VRUW	 Wallsaver rear legs touch base of wall 											
VIIOVV	preventing chair back from contacting wall surface											
			A	3	Θ	0	3	()	Θ	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select wood back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- **D**Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

eieci	i gilde option.	
F	- Felt Glides	
P	- Plastic glides	
S	 Steel glides (standard) 	

GSelect back style.

VRB - Round (original style)
VSB - Square (new style)

Select wood back cut-out.

CO1 - Square (roun:

- Square (round back only)

CO2	- Ellipse (round back only)
CO3	- Starburst (round back only)
CO4	- Fan (square back only)
C05	- Split (square back only)
C06	 Perforated (square back only)
NC	- No cut-out (both styles)
Select arr	n option.
CHA	- Chrome plated
MPA	- Poly



Approx. Packaged Weight	Prio Fab	ivered cing cric Grade c.C.O.M.	Pri	ivered sing ric Grade	Prio	ivered sing ric Grade		ivered cing).V.	Pri	ivered cing yl Group	Prio Pal	ivered cing las Fabric oup P0	Prid Pal	ivered sing las Fabric up P1	Pri Pal	ivered cing las Fabric oup P2	Pri Pal	ivered cing las Fabric oup P3	Prid Pal	ivered cing as Fabric up P4
17.0#	\$	528	\$	544	\$		\$		\$	545	\$	537	\$		\$		\$	585	\$	610
15.0#		513		533		535		513		535		527		538		558		572		597
17.0#	\$	564	\$	581	\$	583	\$	564	\$	583	\$	574	\$	585	\$	607	\$	623	\$	648
15.0#		550		569		570		550		570		563		574		594		613		633
	_			=	_		_						_		_		_			
18.0# 16.0#	\$	550 540	\$	569 558	\$	570 559	\$	550 540	\$	570 559	\$	563 553	\$	574 563	\$	594 583	\$	610 597	\$	633 624
10.0#		340		556		559		540		559		555		303		303		391		024
18.0#	\$	589	\$	607	\$	608	\$	589	\$	608	\$	601	\$	613	\$	630	\$	648	\$	671
16.0#	Ψ	579	Ψ	594	Ψ	596	Ψ	579	Ψ	596	Ψ	590	Ψ	600	Ψ	621	Ψ	633	Ψ	660

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added List Price=\$52

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

		MODEL NUM	/IBER							
MODEL	Features	Basic Model	Frame Color	Wood Color	Uph. Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Arm Option
Sled Base Armless Chair • Seat is foam cushioned and upholstered	Ganging	15NASGUW								
Back is wood	Non-Ganging	15NASUW								
Round tubular steel frame General variety and leading to the conservation and leading	1									
Ganger version available. Ganger welde to frame and finished to match frame	ı									
NONSTACKING										
VRUW										
Sled Base Arm Chair • Seat is foam cushioned and upholstered	Ganging Non-Ganging	15WASGUW 15WASUW								MPA
Back is wood	Non-Ganging	ISWASOW								
Round tubular steel frame Molded nylon or chrome plated (non-										
J VBB ganging) arms										
Ganger fastened to nylon armrest NONSTACKING										
VRUW										
Standard Versa® Transport Dolly, Non-		MVP.BL								
Wallsaver										
 Accommodates up to 10 stacking chairs Easy maneuverability with 5" casters; 										
two fixed, two swivel										
Rugged weld tubular steel frame Rleak powder coated finish										
HRDPT • Black powder-coated finish			L							
		A	(3)	Θ	0	(3	•	Θ	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select wood back color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select glide option.

NGL - No glides

NSG - Sled base non-skid glides; add \$22

GSelect back style.

- Round (original style) VRB - Square (new style)

Select wood back cut-out.

CO1 - Square (round back only)

- Ellipse (round back only) C02

CO3 - Starburst (round back only) - Fan (square back only)
- Split (square back only) **CO4** C05 C06 - Perforated (square back only) - No cut-out (both styles) Select arm option. CHA - Chrome plated MPA - Poly



 Approx. Packaged Weight	Delivered Pricing Unupholstered	Prio Fab	ivered cing ric Grade c.O.M.	Pric	vered ing ic Grade	Pric	ivered cing ric Grade	Deli Pric C.O		Pric	vered ing 'I Group	Pric Pall	ivered cing las Fabric up P0	Pric Pall	ivered sing as Fabric up P1	Pric Pall	vered ing as Fabric up P2	Pric Pall	vered sing as Fabric up P3	Pric Palla	vered ing as Fabric up P4
21.0#	N/A	\$	694	\$	710	\$	712	\$	694	\$	712	\$	704	\$	715	\$	736	\$	751	\$	776
21.0#	N/A		680		698		699		680		699		691		703		722		739		766
23.0#	N/A	\$	719	\$	736	\$	737	\$	719	\$	737	\$	730	\$	740	\$	761	\$	776	\$	802
23.0#	N/A		707		722		725		707		725		718		730		746		766		789
19.0#	\$ 453																				

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added List Price=\$52

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard Cafe Stools

		MODEL NUI	MBER								
	Features	Basic Model	Frame Color	Wood Color	Upholstery Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Arm Option	Approx. Packaged Weight
	Upholstered	S96NAL									29.0#
	Uph Seat, Wood Back	S15NALUW									29.0#
VRB VSB	Wood	S15NALW									29.0#
SVRUP SVRUW											
SVRWD											
Four-Leg Armless Cafe Stool											
 Back and seat are foam cushioned/ upholstered or wood Round tubular steel frame NONSTACKING 											
	Upholstered	S96WAL									30.0#
	Uph Seat, Wood Back	S15WALUW									30.0#
	Wood	S15WALW									30.0#
VRB VSB	Wood	OTOWALW									GO.UII
SVRUP											
SVRUW											
SVRWD											
Four-Leg Cafe Stool with Arms											
Back and seat are foam cushioned/ upholstered or wood Round tubular steel frame Molded nylon or chrome plated arms NONSTACKING											
		A	B	Θ	D	3	•	О	0	0	1

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select wood color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

eieci	glide option.	
F	- Felt Glides	
P	- Plastic glides	
S	- Steel glides (standard)	Ī

VRB - Round (original style) - Square (new style)

Select wood back cut-out.

- Square (round back only) - Ellipse (round back only)
- Starburst (round back only) C02 C03 - Fan (square back only)
- Split (square back only) C04 C06

- Perforated (square back only)
- No cut-out (both styles)

Select arm option.

CHA - Chrome plated MPA - Poly



Stack/Nesting Versa® Standard Cafe Stools

Delivered Pricing Unupholstered	Pric Fabr	vered ing ic Grade C.O.M.	Pric	vered ing ric Grade	Pric	vered ing ic Grade	Deli Pric C.O.		Pric	vered ing 'I Group	Pric Palla	vered ing as Fabric up P0	Prici Palla	•	Prici Palla	vered ing as Fabric up P2	Prici Palla	vered ing as Fabric up P3	Prici Palla	vered ing as Fabric up P4
N/A	\$	800	\$	833	\$	834	\$	800	\$	834	\$	831	\$	842	\$	878	\$	914	\$	952
N/A		847		865		866		847		866		858		869		887		907		929
949																				

N/A	\$ 825	\$ 859	\$ 861	\$ 825	\$ 861	\$ 8	855	\$ 866	\$ 907	\$ 939	\$ 981
N/A	874	889	891	874	891		885	895	914	929	954
973											

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only:

C04= Fan C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$57

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Versa® XL General Information



Four-Leg Arm Chair



Four-Leg Arm Chair

Four-Leg Armless Chair

	Ganging (VXLAG)	Non-ganging (VXLAN)	Non-ganging (VXLN)
Features			
Stackable	•	•	•
Ganging	•		
Warranted to 500 lbs.	•	•	•
General Dimensions			
Seat width	30"	30"	30"
Seat depth	20"	20"	20"
Seat height	20"	20"	20"
Overall Dimensions			
Width	35-3/8"	35-3/8"	32"
Depth	25-1/4"	25-1/4"	25-1/4"
Height	37"	37"	37"
Ganging on center	24-3/8"		
Arms to floor	26-1/4 ^a	26-1/4"	
Stacking on Floor			
Width	35-3/4"	35-3/4"	32"
Depth	32-1/2"	32-1/2"	32-1/2"
Quantity/height	4 Chairs/49" High	4 Chairs/49" High	4 Chairs/49" High





Kick Back Leg

SPECIFICATIONS

Legs of 1" o.d. x 16-gauge high-strength tubular steel. "Kick back" rear legs increase structural integrity and adds to stability. The rear legs on the wallsaver frame have a greater "kick back" angle so the legs touch the wall before the backrest. Side members and cross tube members will be of 1" o.d. x 14-gauge tubular steel. 11-gauge gussets will be located on the front legs to increase strength and rigidity. Standard front and rear legs are joined to side members by brazing; all other joints are manually welded. Wallsaver rear legs are manually welded to the side members; front legs are brazed. Formed 11-gauge steel brackets welded to the rear legs are used to support the backrest.

Frame Finishes

30-sheen epoxy powder coating is electrostatically applied. The dry coating is then fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical

resistant, hard, touch and mar resistant. Bright chrome surfaces are duplex nickel chrome plated in a twenty-two step process.

Floor Glides

Available in chrome-plated steel or monochromatic plastic for standard four-leg. (Black plastic on chrome and hammertone frames.) Wallsaver chairs are only available with chrome-plated steel glides.

Molded nylon pressed into the front and rear leg tubes. Armrests are monochromatic with frame. On chrome and hammertone frames, they will be black.

Tube End Caps (No-Arm Chair)

Molded plastic. The end cap will match the frame color. Chrome and hammertone frames have black end caps.

Upholstered Seat

Seat is a flat, 5-ply 15/32" thick, radiate pine plywood (AraucoPly or similar) fastened to the frame with four screws through T-nuts embedded in the seat. A 2-1/2" thick urethane foam cushion is glued to seatboard.

Upholstered Backrest-Round or Square (option)

Two-piece construction. The front is constructed of a flat, 4-ply, 1/2" thick #3 gum veneer wood back fastened to frame with eight screws through T-nuts in wood backrest. A 2" urethane foam cushion applied to backrest. The back is constructed of 1/4" thick padding, 3-ply, 3/16" thick #3 gum veneer. Attached with eight steel fasteners and the backrest bracket.



	Four-Leg Wallsaver Arm Chair Ganging (VXLAGWS)	Four-Leg Wallsaver Arm Chair Non-ganging (VXLANWS)	Four-Leg Wallsaver Armless Chair Non-ganging (VXLNWS)
Features			
Stackable	•	•	•
Ganging	•		
Warranted to 500 lbs.	•	•	•
General Dimensions			
Seat width	30"	30"	30"
Seat depth	20"	20"	20"
Seat height	20"	20"	20"
Overall Dimensions			
Width	35-3/8"	35-3/8"	32"
Depth	28-3/4"	28-3/4"	28-3/4"
Height	37"	37"	37"
Ganging on center	24-3/8"		
Arms to floor	26-1/4"	26-1/4"	
Stacking on Floor			
Width	35-3/4"	35-3/4"	32"
Depth	35-3/4"	35-3/4"	35-3/4"
Quantity/height	4 Chairs/49" High	4 Chairs/49" High	4 Chairs/49" High

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

						_		_	
			MODEL	NUMBER			ı		
	MODEL	Features	Basic Model	Upholstery Color	Fire Code	Frame Color	Back Style	Glide Option	Approx. Packaged Weight
	Four-Leg Armless Chair	Non-Ganging	VXLN						39.0#
	 Generously proportioned seat and back have thick foam cushioning and are 								
	upholstered								
	Back is fully upholsteredRound tubular steel frame								
U VRB U U VSB U	"Kick back" rear leg style enhances								
VXLU	stability								
VALO	Powder-coated or chrome plated frames								
	Four-Leg Wallsaver Armless Chair	Non-Ganging	VXLNWS	00000				S	39.0#
	 Generously proportioned seat and back have thick foam cushioning and are 								
	upholstered								
	Back is fully upholsteredRound tubular steel frame								
U VRB U U VSB U	"Kick back" rear leg style enhances								
VALU	stability • Powder-coated or chrome plated frames								
	Wallsaver rear legs touch base of wall								
	preventing chair back from contacting								
	wall								
			A	3	Θ	O	(3	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

• Select frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Armrests or end caps will match frame color, unless frame is chrome or hammertone (then black).

Select back style.

VRB - Roun - Round (original style) - Square (new style)

Select glide option.

- Plastic glides - Steel glides (standard)



Stack/Nesting Versa® XL

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 690	\$ 725	\$ 738	\$ 690	\$ 738	\$ 820	\$ 897	\$ 956	\$ 1011	\$ 1054
\$ 777	\$ 811	\$ 825	\$ 777	\$ 825	\$ 908	\$ 984	\$ 1043	\$ 1098	\$ 1140
	Pricing Fabric Grade 1 & C.O.M. \$ 690	Pricing Pricing Fabric Grade 1 & C.O.M. 2 \$ 690 \$ 725	Pricing Pricing Pricing Fabric Grade 1 & C.O.M. 2 S 690 \$ 725 \$ 738	Pricing Pricing Pricing Delivered Fabric Grade 1 & C.O.M. 2 S 690 S 725 S 738 S 690	Pricing C.O.V. 2V \$ 690 \$ 725 \$ 738 \$ 690 \$ 738	Pricing Fabric Grade Fabric Grade 2 S Fabric Grade 1 & C.O.M. Fabric Grade 2 S Fabric Grade 2 S Fabric Grade 2 S Fabric Grade 3 S Fabric Group Poly S Fabric Grade 2 S Fabric Grade 3 S Fabric Group Poly S Fabric Grade 9 Fabric	Pricing Fabric Grade Fabric Grade 2 S 725 S 738 S 690 S 738 S 820 S 897	Pricing Fabric Grade Fabric Grade 2 S 725 S 738 S 690 S 738 S 820 S 897 S 956	Pricing Fabric Grade Fabric Grade 2 8 690 \$ 725 \$ 738 \$ 690 \$ 738 \$ 820 \$ 897 \$ 956 \$ 1011

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 2 yards per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

INFORMATION

Note:

There are 2 back styles to choose from: Round Back = VRB (original style) Square Back = VSB (new style)

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=XL Added Lead Time=1 week Added List Price=\$146

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

			MODEL N	JMBER					
	MODEL	Features	Basic Model	Upholstery Color	Fire Code	Frame Color	Back Style	Glide Option	Approx. Packaged Weight
	Four-Leg Arm Chair	Ganging	VXLAG						42.0#
	 Generously proportioned seat and back 	Non-Ganging	VXLAN						42.0#
	have thick foam cushioning and are upholstered	3 3							
	Back is fully upholstered								
U NRB U U NSB U	Round tubular steel frame								
,	"Kick back" rear leg style enhances								
VXLU	stability • Molded nylon arms								
	Ganger fastened to armrest and chrome								
	finished								
	Powder-coated or chrome plated frames								
	Four-Leg Wallsaver Arm Chair	Ganging	VXLAGWS					S	42.0#
	Generously proportioned seat and back base thick form such in ring and one	Non-Ganging	VXLANWS					S	42.0#
	have thick foam cushioning and are upholstered								
	Back is fully upholstered								
VRB VSB VSB	Round tubular steel frame								
	 "Kick back" rear leg style enhances stability 								
VXLU	 Powder-coated or chrome plated frames 								
	Wallsaver rear legs touch base of wall								
	preventing chair back from contacting wall								
			A	•	Θ	0	(3	Ð	
			-	-	-	_	-	-	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

• Select frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Armrests or end caps will match frame color, unless frame is chrome or hammertone (then black).

Select back style.

VRB - Roun - Round (original style) - Square (new style)

Select glide option.

- Plastic glides - Steel glides (standard)





Deli Pric C.O.	•	Pric	vered ing ric Grade	Prici	ing	Pric		Deli Pric C.O.		Prici	vered ing 'I Group	Pric Palla	ing	Prici Palla	vered ng is Fabric ip P1	Pric Palla	ing as Fabric	Delive Pricin Pallas Group	g Fabric	Delive Pricir Pallas Group	g Fabric
\$	749	\$	749	\$	783	\$	797	\$	749	\$	797	\$	883	\$	959	\$	1016	\$ 10	070	\$ 1	112
	733		733		767		778		733		778		861		938		995	10)52	10	095

\$ 837	\$ 837	\$ 871	\$ 884	\$ 837	\$ 884	\$ 969	\$ 1046	\$ 1102	\$ 1158	\$ 1200
819	819	853	865	819	865	948	1025	1082	1137	1181

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 2 yards per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

INFORMATION

Note:

There are 2 back styles to choose from: Round Back = VRB (original style) Square Back = VSB (new style)

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=XL Added Lead Time=1 week Added List Price=\$146

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack Seating Xylon® General Information



Metal Frame Chair (PXM)

Features		
Stackable	•	
Articulating back	•	
General Dimensions		
Seat width	16-7/8"	
Seat depth	17-1/2"	
Seat height	18-5/8"	
Back width	16-1/4"	
Back height	15-1/2"	
Overall Dimensions		
Width	16-7/8"	
Depth	20-7/8"	
Height	33-1/8"	
Stacking on Dolly		
Quantity/height	8 Chairs/54" High	
Floor space	24" x 35"	
Stacking on Floor		
Quantity/height	8 Chairs/50" High	
Floor space	24" x 35"	

SPECIFICATIONS

Seat and Backrest

Plywood is made of beechwood and gum veneer. Backrest thickness is .4". Seat thickness is .5". Seat and backrest surfaces are finished with stain and/or two applications of clear coat for a very durable finish. Seat/back support is nickel-plated aluminum. The back tilt is 15° (3-3/4").

Spring Action Backrests

Metal plate fixed under the seat containing a spring mechanism which allows movement of the backrest.

Metal Frame Chair

Frames are 7/8" o.d., 16-gauge seamwelded tubular steel.

Metal Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Metal Frame Glides

Polypropylene.

Transport Dolly

Round tubular steel frame. Four 3" swivel wheels. Back powder-coated finish. 4-3/4" high from floor, empty.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.



Stack Seating Xylon® General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack Seating

			MODE	L NUMB	ER		
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Approx. Packaged Weight
	Four-Leg Metal Frame Chair • Spring mechanism allows movement of	Stacking	PXM				16.0#
	backrestSeat and backrest available in wood						
	stains						
, 1	Round tubular steel frame						
PX							
	X-Frame Stack Chair Dolly		FD.BL				12.0#
	Four 3" swivel wheelsBlack enamel finish only						
~							
HRDPT							
			A	(3)	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select seat/back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Select glide option.

 PGL Plastic glides

SGL - Steel glides
Steel glides not available on wood legs.



Stack Seating Xylon®

Delivered Pricing

592

\$ 215

OPTIONS

Lacquered and Aniline Dyes Contact KI for pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Guest Seating AerDyn® General Information



AerDyn® (Contemporary)

General Dimensions		
Seat width	19"	
Seat depth	19"	
Seat height	18-3/4"	
Arm height (mid point)	27-3/4"	
Overall Dimensions		
Width	21-3/4"	
Depth	20-3/4"	
Height	30-1/2"	

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$70 List per item, up to 12 or a maximum charge of \$847 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



Guest Seating
AerDyn® General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Guest Seating AerDyn®

				MODE	L NUMBER				
	MODEL	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Wood Finish	Frame Color	Fire Code	Approx. Packaged Weight
	Arm Chair • 1 = Seat (Fabric Contrast 1) C.O.M. = 1	Non-contrast	1 yd	1501					25.0#
	yd								
·									
ADGS									
				(A)	3	Θ	0	(3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.
- Select wood finish color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133 See pricing column for TB133 upcharge.



Guest Seating

Grade	Grade	Grade	Grade E &	Grade	Grade	TB133 add to list						
C.O.M.	C	D	C.O.L.	F	G	Н	I	J	K	L Leather	M Leather	price
\$ 1102	\$ 1106	\$ 1118	\$ 1130	\$ 1137	\$ 1157	\$ 1174	\$ 1195	\$ 1239	\$ 1284	\$ 1328	\$ 1417	\$ 99

UPHOLSTERY INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e, $4.75 \times 18 = 85.5 \text{ sq. ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for

compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Construction

Frame is constructed of solid hardwood panel stock which is steam bent, utilizing finger joints and doweled construction (cannot be done in Beech). Rear leg and seat frame are tubular steel. Silver powder coat is standard. Seat cushion of high-density polyurethane foam (stacks 4 high).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Guest Seating

Bantam™ General Information



Bantam™ (Traditional)

General Dimensions		
Seat width	19"	
Seat depth	18-1/2"	
Seat height	18-1/2"	
Arm height (mid point)	25"	
Overall Dimensions		
Width	22-3/4"	
Depth	24-1/2"	
Height	32"	

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$70 List per item, up to 12 or a maximum charge of \$847 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



Guest Seating Bantam™ General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Guest Seating Bantam™

					MODEL N	IUMBER				
		MODEL	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Fire Code	Approx. Packaged Weight
	٦	Arm Chair	Non-contrast	1.5 yd	1301/NC					50.0#
1		• 1 = Back (Fabric Contrast 1) C.O.M. = 1	Contrast		1301/FC					50.0#
		yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1								
	12	yd								
٠	V									
BANT										
					Δ	•	•	0	3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select non-contrast or fabric contrast 2. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select wood finish color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See pricing column for TB133 upcharge.



Guest Seating

Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
\$ 1040	\$ 1054	\$ 1073	\$ 1103	\$ 1123	\$ 1159	\$ 1196	\$ 1269	\$ 1370	\$ 1488	\$ 1608	\$ 1845	\$ 204
1100	1112	1133	1161	1182	1218	1252	1326	1428	1549	1666	1908	204

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model

Model 1301/NC \$38 1301/FC \$38

UPHOLSTERY INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for

compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Construction

Frame of kiln-dried hardwood. Cushioning of high-density polyurethane foam and Dacron fiber.

SPECIAL SERVICES Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Guest Seating Berlage™ General Information







Guest Chair

Features	
Glides	•
General Dimensions	
Seat height	17-3/4"
Overall Dimensions	
Overall width	17"
Overall depth	22°
Overall height	33-1/2"



Guest Seating Berlage™ General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Guest Seating Berlage™ Chair

MODEL NUMBER Approx. Packaged Weight Basic Seat/Back MODEL Model Webbing Color Guest Chair Natural oak frame BERLAGE 15.0# Nylon webbingWhite plastic glides BERL **(** 0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select webbing color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Guest Seating Berlage™ Chair

Delivered Pricing

\$ 2230

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShips **assembled, FOB Culemborg, Netherlands freight prepaid.** Freight class 250.

Guest Seating Itoki™ General Information





DP Chair	DD Table
----------	----------

General Dimensions		
Seat width	17-1/4"	
Seat depth	16-1/4"	
Seat height	17-3/4"	
Arm width	3-1/2"	
Arm height	27" (mid point)	
Overall Dimensions		
Width	25-1/2"	42"
Depth	21-1/4"	42" - 94"
Height	32-1/2"	27-1/2"

UPHOLSTERY INFORMATION

Upholstery Finish

Some fabrics and leathers may show slight wrinkling in corners, around the seat, arms, or back which is normal. With use, comfort wrinkles may occur in seats and backs and give the upholstery a loose appearance.

WOOD INFORMATION

Wood Finish

Due to wood being a natural material, slight variations can occur in texture, color, grain configurations, and finish acceptance.

Therefore wood components may vary in tone or character from piece to piece and no guarantee of exact matches can be made.

Plywood Edge Color

The plys on the edge of wood backed shells will vary in color from the surface of the wood shell. The plys of the plywood shell edge will be visible and may create a wood contrast.



Guest Seating
Itoki™ General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Guest Seating Itoki DP™ Chair

			MODEL	NUMBE	R		
	MODEL	Features	Basic Model	Base Finish	Wood Finish	Upholstery Color	Approx. Packaged Weight
	Chair with Upholstered Seat and Back	Non-contrast	IDP/SB				30.0#
	 Natural on walnut shell 		,				
	Chrome base						
8							
IDPC							
	Chair with Upholstered Seat Only Natural on walnut shell 	Non-contrast	IDP/S0				30.0#
	Chrome base						
IDPC							
וטרט						_	
			A	•	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base finish. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- CSelect wood finish. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Guest Seating Itoki DP™ Chair

Delivered Pricing

\$ 2189

\$ 2091

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Grand Rapids, Michigan 49512, freight prepaid. Freight class 125.

Guest Seating Jubi General Information



Guest Chair (JUBU)

Features		
Pivoting glides	•	
Fiberglass	•	
Upholstered seat pad	•	
Dimensions		
Seat depth	15"	
Seat height	18"	
Overall width	25"	
Overall depth	22"	
Overall height	32.5"	



Guest Seating
Jubi General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Guest Seating Jubi™ Chair

			MODE	L NUMBER			
	MODEL	Features	Basic Model	Shell Color	Upholstery Color	Frame Color	Approx. Packaged Weight
	Guest Chair • Fiberglass shell	Fiberglass with Uph. Seat Pad	JUBU	JUWH			25.0#
	Pivoting glides						
ğ							
JBFCU							
			A	3	•	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select fiberglass shell color.

JUWH - White

- Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Guest Seating Jubi™ Chair

	Delivered	Delivered	Delivered		Delivered	Delivered	Delivered	Delivered	Delivered	Delivered
Delivered	Pricing	Pricing	Pricing	Delivered	Pricing	Pricing	Pricing	Pricing	Pricing	Pricing
Pricing	Fabric Grade	Fabric Grade	Fabric Grade	Pricing	Vinyl Group	Pallas Fabric				
C.O.M.	1	2	3	C.O.V.	2V	Group P0	Group P1	Group P2	Group P3	Group P4
\$ 424	\$ 424	\$ 452	\$ 465	\$ 424	\$ 465	\$ 462	\$ 499	\$ 520	\$ 539	\$ 558

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 250.

Guest Seating Mondial General Information



Guest Chair

General Dimensions	
Seat height	18"
Overall Dimensions	
Overall width	23"
Overall depth	18"
Overall height	30"



Guest Seating Mondial General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Guest Seating Mondial™ Chair

MODEL NUMBER Approx. Basic Paint Packaged MODEL Model Color Weight **Guest Chair** MONDIAL 20.0# • Aluminum Black plastic glidesNon-folding seat MOND **(** 0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**



Guest Seating Mondial™ Chair

Delivered Pricing

\$ 2195

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShips **assembled, FOB Culemborg, Netherlands freight prepaid.** Freight class 250.

Index

	Description	Page	Model No.	Description	Page
06.0448.SET	Piretti Stack Chairs: Sled Base Chair Steel Glides	108	MXTARM/STD/L	Matrix®: Standard Flip-Up Tablet Arm	66
1000	1000 Series™ Chairs: Round Leg Stack Chair	10	O4DA.BL	Opt4®: Transport Dolly for Sled Base Chair	94
1301/NC	Bantam™: Arm Chair	264	04LD.BL	Opt4®: Transport Dolly for Four-Leg Chair	94
1501	AerDyn®: Arm Chair	260	04LNAMSMB	Opt4®: Four-Leg Armless Chair	80
15NAGUW	Versa® Standard: Four-Leg Armless Chair	242	O4LNAMSMBC	Opt4®: Four-Leg Armless Chair with Casters	74
15NAGUWWS	Versa® Standard: Four-Leg Wallsaver Armless Chair	242	04LNAMSPB	Opt4®: Four-Leg Armless Chair	80
15NAGW	Versa® Standard: Four-Leg Armless Chair	232	04LNAMSPBC	Opt4®: Four-Leg Armless Chair with Casters	74
15NAGWWS	Versa® Standard: Four-Leg Wallsaver Armless Chair	232	04LNAPSMB	Opt4®: Four-Leg Armless Chair	80
15NASGUW	Versa® Standard: Sled Base Armless Chair	244	O4LNAPSMBC	Opt4®: Four-Leg Armless Chair with Casters	74
15NASGW	Versa® Standard: Sled Base Armless Chair	238	O4LNAPSPB	Opt4®: Four-Leg Armless Chair	80
15TALW	Versa® Standard: Four-Leg Tablet Arm Chair	236	O4LNAPSPBC	Opt4®: Four-Leg Armless Chair with Casters	74
15WAGUW	Versa® Standard: Four-Leg Arm Chair	242	04LWAMSMB	Opt4®: Four-Leg Arm Chair	84
15WAGUWWS	Versa® Standard: Four-Leg Wallsaver Arm Chair	242	O4LWAMSMBC	Opt4®: Four-Leg Arm Chair with Casters	86
15WAGW	Versa® Standard: Four-Leg Arm Chair	234	04LWAMSPB	Opt4®: Four-Leg Arm Chair	84
15WAGWWS	Versa® Standard: Four-Leg Wallsaver Arm Chair	234	04LWAMSPBC	Opt4®: Four-Leg Arm Chair with Casters	86
15WASGUW	Versa® Standard: Sled Base Arm Chair	244	04LWAPSMB	Opt4®: Four-Leg Arm Chair	84
15WASGW	Versa® Standard: Sled Base Arm Chair	240	04LWAPSMBC	Opt4®: Four-Leg Arm Chair with Casters	86
53.8236.SET	Piretti Stack Chairs: Sled Base Chair Plastic Glides - Clear	108	04LWAPSPB	Opt4®: Four-Leg Arm Chair	84
53.8237.SET	Piretti Stack Chairs: Sled Base Chair Plastic Glides - White	108	04LWAPSPBC	Opt4®: Four-Leg Arm Chair with Casters	86
87.7844				•	88
	Piretti Stack Chairs: Bookrack	108	04MSMB	Opt4®: Sled Base Chair	
ACD.BL	Apply® Chairs: Transport Dolly	16	04MSPB	Opt4®: Sled Base Chair	88
ALHSNAP	Apply® Cafe Stools: Four-Leg High Back Armless Cafe Stool	18	04PSMB	Opt4®: Sled Base Chair	88
ALLSNAP	Apply® Cafe Stools: Four-Leg Low Back Armless Cafe Stool	18	04PSPB	Opt4®: Sled Base Chair	88
ALNAP	Apply® Chairs: Four-Leg Armless Chair	16	04SD.BL	Opt4®: Transport Dolly for Stool	94
ASNAP	Apply® Chairs: Sled Base Armless Chair	16	04SMSMB	Opt4® Cafe Stools: Cafe Stool	90
BERLAGE	Berlage™ Chair: Guest Chair	268	04SMSPB	Opt4® Cafe Stools: Cafe Stool	90
CSD.BL	Maestro® Chairs: Transport Dolly for Poly Chairs	62	04SPSMB	Opt4® Cafe Stools: Cafe Stool	92
DRNA	Dorsal®: Armless Stacking Round Leg Chair	22	04SPSPB	Opt4® Cafe Stools: Cafe Stool	92
FD.BL	1000 Series™ Chairs: X-Frame Stack Chair Dolly	12	PLAZA	Plaza™ Chair: Stack Chair	112
GCD.BL	Grazie® Chairs: Transport Dolly	42	PLAZA.DOLLY	Plaza [™] Chair: Transport Dolly	112
GLCAP	Grazie® Chairs: Four-Leg Cantilever Arm Chair	32	PLAZAOD	Plaza™ Chair: Stack Chair with Drain Holes	112
GLCAPC	Grazie® Chairs: Four-Leg Cantilever Arm Chair with Casters	32	PRY.D.BL	Perry®: Transport Dolly	100
GLG2APCLH	Grazie® Chairs: Four-Leg Flip-and-Store (G2) Tablet Arm Chair with		PRYP	Perry®: Armless Stack Chair	98
	Casters	36	PRYTARM/OVS/L	Perry®: Oversized Tablet Arm	100
GLG2APLH	Grazie® Chairs: Four-Leg Flip-and-Store (G2) Tablet Arm Chair	34	PRYTARM/STD/L	Perry®: Tablet Arm	100
GLNAP	Grazie® Chairs: Four-Leg Armless Chair	30	PSLFAU	Piretti Stack Chairs: Four-Leg Flex Arm Stack Chair	104
GLNAPC	Grazie® Chairs: Four-Leg Armless Chair with Casters	30	PSLNAU	Piretti Stack Chairs: Four-Leg Stack Chair	104
GLOVTAPCLH	Grazie® Chairs: Four-Leg Flip-up Oversize Tablet Arm Chair with Cas		PSLOTALU	Piretti Stack Chairs: Four-Leg Stack Oversize Tablet Arm Chair	104
GLOVTAPLH	Grazie® Chairs: Four-Leg Flip-up Oversize Tablet Arm Chair	34	PSLTALU	Piretti Stack Chairs: Four-Leg Stack Tablet Arm Chair	104
GLSCAP	Grazie® Cafe Stools: Four-Leg Cantilever Arm Cafe Stool	44	PSSFAU	Piretti Stack Chairs: Sled Base Flex Arm Chair	106
GLSNAP	Grazie® Cafe Stools: Four-Leg Armless Cafe Stool	44	PSSNAU	Piretti Stack Chairs: Sled Base Stack Chair	106
GLTAPCLH	Grazie® Chairs: Four-Leg Flip-up Tablet Arm Chair with Casters	36	PSSOTALU	Piretti Stack Chairs: Sled Base Oversize Tablet Arm Chair	106
GLTAPLH					
GSCAP	Grazie® Chairs: Four-Leg Flip-up Tablet Arm Chair	34	PSSTALU	Piretti Stack Chairs: Sled Base Tablet Arm Chair	106
	Grazie® Chairs: Sled Base Cantilever Arm Chair	38	PXM	Xylon®: Four-Leg Metal Frame Chair	256
GSG2APLH	Grazie® Chairs: Sled Base Flip-and-Store (G2) Tablet Arm Chair	40	RAPD.BL	Rapture® Chairs: Dolly	116
GSNAP	Grazie® Chairs: Sled Base Armless Chair	38	RAPNAP	Rapture® Chairs: Four-Leg Armless Chair	116
GSOVTAPLH	Grazie® Chairs: Sled Base Flip-up Oversize Tablet Arm Chair	40	RAPNAPC	Rapture® Chairs: Four-Leg Armless Chair with Casters	122
GSTAPLH	Grazie® Chairs: Sled Base Flip-up Tablet Arm Chair	40	RAPNAPWS	Rapture® Chairs: Four-Leg Wallsaver Armless Chair	120
IDP/SB	Itoki DP Chair: Chair with Upholstered Seat and Back	272	RAPTALP	Rapture® Chairs: Four-Leg Tablet Arm Chair (Left Hand)	118
IDP/S0	Itoki DP Chair: Chair with Upholstered Seat Only	272	RAPTARP	Rapture® Chairs: Four-Leg Tablet Arm Chair (Right Hand)	118
JUBU	Jubi™ Chair: Guest Chair	276	RAPWAP	Rapture® Chairs: Four-Leg Arm Chair	116
KCD.BL	Katera: Transport Dolly	58	RAPWAPC	Rapture® Chairs: Four-Leg Arm Chair with Casters	122
KT1100	Katera: Four-Leg Armless Chair with Glides	50	RAPWAPWS	Rapture® Chairs: Four-Leg Wallsaver Arm Chair	120
KT1111	Katera: Four-Leg Arm Chair with Glides	52	S96NAL	Versa® Standard Cafe Stools: Four-Leg Armless Cafe Stool	246
KT1W00	Katera: Four-Leg Wood Armless Chair with Glides	54	S96WAL	Versa® Standard Cafe Stools: Four-Leg Cafe Stool with Arms	246
KT1W11	Katera: Four-Leg Wood Arm Chair with Glides	56	SCDA.BL	Strive® Chairs: Transport Dolly for 4-Leg and Sled Base Chairs	164
KTH100	Katera: Four-Leg Armless Chair with Glides, Ganging	50	SIGFA	Silhouette®: Cast Aluminum Frame Four-Leg Arm Chair in	
KTH111	Katera: Four-Leg Arm Chair with Glides, Ganging	52		Nylon (Plastic)	128
KTHW00	Katera: Four-Leg Wood Armless Chair with Glides, Ganging	54	SIGNA	Silhouette®: Cast Aluminum Frame Four-Leg Armless Chair in	
KTHW11	Katera: Four-Leg Wood Arm Chair with Glides, Ganging	56		Nylon (Plastic)	128
MFSD.BL	Maestro® Chairs: Transport Dolly for Upholstered Chairs	62	SIGUFA	Silhouette®: Cast Aluminum Frame Four-Leg Arm Chair Upholstered	128
MONDIAL	Mondial™ Chair: Guest Chair	280	SIGUNA	Silhouette®: Cast Aluminum Frame Four-Leg Armless Chair	. 20
MSP	Maestro® Chairs: Stack Chair	62	SIGOIWA	Upholstered	128
MVP.BL			SILD	•	
	Matrix®: Transport Dolly for Fixed Cushion Chairs	68	SILD	Silhouette®: Dolly	128
	Matrix®, Armlaga Ctack Chair				
MX	Matrix®: Armless Stack Chair	66	SLCAP	Strive® Chairs: Four-Leg Cantilever Arm Chair	140
	Matrix®: Armless Stack Chair Matrix®: Transport Dolly for Poly Chairs Matrix®: Oversize Flip-Up Tablet Arm	66 68 66	SLCAP SLCAPC SLCAPWS	Strive® Chairs: Four-Leg Cantilever Arm Chair Strive® Chairs: Four-Leg Cantilever Arm Chair with Casters Strive® Chairs: Four-Leg Wallsaver Cantilever Arm Chair	140 140 152



Index

Model No.	Description	Page	Model No.	Description	Page
SLCATSU	Strive® Chairs: Four-Leg Cantilever Arm Chair with Top Stitch on Seat	142	TALNA	Torsion Air®: Four-Leg Armless Chair	206
SLCATSUC	Strive® Chairs: Four-Leg Cantilever Arm Chair with Casters		TALTAL	Torsion Air®: Four-Leg Tablet Arm Chair	206
	with Top Stitch on Seat	142	TALWA	Torsion Air®: Four-Leg Arm Chair	206
SLCATSUWS	Strive® Chairs: Four-Leg Wallsaver Cantilever Arm Chair with		TANNA	Torsion Air® Nesting Chairs: Armless Chair	214
	Top Stitch on Seat	154	TANTALFT	Torsion Air® Nesting Chairs: Flip-up Tablet Arm Chair	214
SLLAP	Strive® Chairs: Four-Leg Loop Arm Chair	144	TANTALPT	Torsion Air® Nesting Chairs: Piretti Tablet Arm Chair	216
SLLAPC	Strive® Chairs: Four-Leg Loop Arm Chair with Casters	144	TANWA	Torsion Air® Nesting Chairs: Arm Chair	214
SLLAPWS	Strive® Chairs: Four-Leg Wallsaver Loop Arm Chair	152	TASNA	Torsion Air®: Sled Base Armless Chair	208
SLLATSU	Strive® Chairs: Four-Leg Loop Arm Chair with Top Stitch on Seat	146	TASTAL	Torsion Air®: Sled Base Tablet Arm Chair	208
SLLATSUC	Strive® Chairs: Four-Leg Loop Arm Chair with Casters with Top		TASWA	Torsion Air®: Sled Base Arm Chair	208
	Stitch on Seat	146	TGNAPB	Torsion® on the Go!® Nesting Chairs: Armless Chair with Poly Back	188
SLLATSUWS	Strive® Chairs: Four-Leg Wallsaver Loop Arm Chair with Top	454	TGNAUB	Torsion® on the Go!® Nesting Chairs: Armless Chair with	400
CLNAD	Stitch on Seat	154	TOTAL DD	Upholstered Back	188
SLNAP	Strive® Chairs: Four Log Armless Chair	136	TGTALUB	Torsion® on the Go!® Nesting Chairs: Tablet Arm Chair with Poly Bac	K 190
SLNAPC SLNAPWS	Strive® Chairs: Four-Leg Armless Chair with Casters Strive® Chairs: Four-Leg Wallsaver Armless Chair	136 152	TGTALUB	Torsion® on the Go!® Nesting Chairs: Tablet Arm Chair with Upholstered Back	190
SLNATSU	Strive® Chairs: Four-Leg Armless Chair with Top Stitch on Seat	138	TGWAPB	Torsion® on the Go!® Nesting Chairs: Arm Chair with Poly Back	188
SLNATSUC	Strive Chairs: Four-Leg Armless Chair with Top Strict on Seat	130	TGWAUB	Torsion® on the Go!® Nesting Chairs: Arm Chair with Lupholstered Ba	
OLIVATOOO	Stitch on Seat	138	TLD.BL	Torsion®: Transport Dolly for Four-Leg Chairs	202
SLNATSUWS	Strive® Chairs: Four-Leg Wallsaver Armless Chair with Top	100	TLFAP	Torsion®: Four-Leg Arm Chair	194
0211/11/0011/0	Stitch on Seat	154	TLG2ALP	Torsion®: Four-Leg G2-Tablet Arm Chair	196
SLOVTAPLH	Strive® Chairs: Four-Leg Oversize Tablet Arm Chair	148	TLNAP	Torsion®: Four-Leg Armless Chair	194
SLOVTATSULH	Strive® Chairs: Four-Leg Oversize Tablet Arm Chair with Top		TLTALP	Torsion®: Four-Leg Tablet Arm Chair	196
	Stitch on Seat	150	TSFAP	Torsion®: Full Sled Base Arm Chair	198
SLSCAP	Strive® Cafe Stools: Four-Leg Cantilever Arm Cafe Stool	166	TSG2ALP	Torsion®: Full Sled Base G2-Tablet Arm Chair	200
SLSCATSU	Strive® Cafe Stools: Four-Leg Cantilever Arm Cafe Stool with		TSNAP	Torsion®: Full Sled Base Armless Chair	198
	Top Stitch on Seat	168	TSTALP	Torsion®: Full Sled Base Tablet Arm Chair	200
SLSLAP	Strive® Cafe Stools: Four-Leg Loop Arm Cafe Stool	166	TVD.BL	Torsion®: Transport Dolly for Sled Base Chairs	202
SLSLATSU	Strive® Cafe Stools: Four-Leg Loop Arm Cafe Stool with Top		VBD.BL	Versa® Basic: Versa® Basic Transport Dolly	220
	Stitch on Seat	168	VBNAL	Versa® Basic: Four-Leg Armless Chair	220
SLSNAP	Strive® Cafe Stools: Four-Leg Armless Cafe Stool	166	VBWAL	Versa® Basic: Four-Leg Arm Chair	220
SLSNATSU	Strive® Cafe Stools: Four-Leg Armless Cafe Stool with Top		VCNAL	Versa® Conference: Four-Leg Armless Chair	226
	Stitch on Seat	168	VCWAG	Versa® Conference: Four-Leg Arm Chair	224
SLTAPLH	Strive® Chairs: Four-Leg Tablet Arm Chair	148	VTD.BL	Dorsal®: Round Leg Chair Transport Dolly	22
SLTATSULH	Strive® Chairs: Four-Leg Tablet Arm Chair with Top Stitch on Seat	150	VXLAG	Versa® XL: Four-Leg Arm Chair	252
SNCAP	Strive® Nesting Chairs: Arm Chair with Poly Seat	178	VXLAGWS	Versa® XL: Four-Leg Wallsaver Arm Chair	252
SNCATSU	Strive® Nesting Chairs: Arm Chair with Upholstered Seat with	400	VXLN	Versa® XL: Four-Leg Armless Chair	250
CNICALI	Top Stitch on Seat	180	VXLNWS	Versa® XL: Four-Leg Wallsaver Armless Chair	250
SNCAU SNNAP	Strive® Nesting Chairs: Arm Chair with Upholstered Seat Strive® Nesting Chairs: Armless Chair with Poly Seat	178 178			
SNNATSU	Strive Nesting Chairs: Armless Chair with Upholstered Seat	170			
SINIVATOU	with Top Stitch on Seat	180			
SNNAU	Strive® Nesting Chairs: Armless Chair with Upholstered Seat	178			
SNOVTAPRH	Strive® Nesting Chairs: Oversize Tablet Arm Chair with Poly Seat	182			
SNOVTATSULH	Strive® Nesting Chairs: Oversize Tablet Arm Chair with Uphol-	102			
ONOV IMPODEM	stered Seat with Top Stitch on Seat	184			
SNOVTAURH	Strive® Nesting Chairs: Oversize Tablet Arm Chair with Uphol-				
	stered Seat	182			
SNTAPRH	Strive® Nesting Chairs: Tablet Arm Chair with Poly Seat	182			
SNTATSULH	Strive® Nesting Chairs: Tablet Arm Chair with Upholstered Seat				
	with Top Stitch on Seat	184			
SNTAURH	Strive® Nesting Chairs: Tablet Arm Chair with Upholstered Seat	182			
SRAPNAP	Rapture® Cafe Stools: Four-Leg Armless Cafe Stool	124			
SRAPWAP	Rapture® Cafe Stools: Four-Leg Cafe Stool with Arms	124			
SSCAP	Strive® Chairs: Sled Base Cantilever Arm Chair	156			
SSCATSU	Strive® Chairs: Sled Base Cantilever Arm Chair with Top Stitch on Sea	t 158			
SSNAP	Strive® Chairs: Sled Base Armless Chair	156			
SSNATSU	Strive® Chairs: Sled Base Armless Chair with Top Stitch on Seat	158			
SSOVTAPLH	Strive® Chairs: Sled Base Oversize Tablet Arm Chair	160			
SSOVTATSULH	Strive® Chairs: Sled Base Oversize Tablet Arm Chair with Top				
	Stitch on Seat	162			
SSTALTSU	Strive® Chairs: Sled Base Tablet Arm Chair with Top Stitch on Seat	162			
SSTAPLH	Strive® Chairs: Sled Base Tablet Arm Chair	160			
SWNA	Strive® High Density Stack Chair: Armless Chair	172			
SWNATSU	Strive® High Density Stack Chair: Armless Chair with Top	174			
CIA/TAI	Stitch on Seat	174			
SWTAL	Strive® High Density Stack Chair: Standard Flip-Up Tablet Arm	172			

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11479R2/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.