

October 29, 2014
Updated July 2, 2018
800-424-2432



CafeWay® Rectangular Tables with Benches	
General Information	2
CafeWay® Cafeteria Tables	
Rectangular Tables with Benches (Freight Excluded)	4
Rectangular Tables with Benches (Delivered)	6
CafeWay® Rectangular Tables with Stools	
General Information	8
CafeWay® Cafeteria Tables	
Rectangular Tables with Stools (Freight Excluded)	10
Rectangular Tables with Stools (Delivered)	12
CafeWay® Round Tables	
General Information	14
CafeWay® Cafeteria Tables	
Round Tables (Freight Excluded)	20
Round Tables (Delivered)	22
Round Tables (Freight Excluded)	24
Round Tables (Delivered)	26
Round-Wheelchair Accessible Tables (Freight Excluded)	28
Round-Wheelchair Accessible Tables (Delivered)	30
CafeWay® Octagonal Tables	
General Information	32
CafeWay® Cafeteria Tables	
Octagonal Tables with Stools (Freight Excluded)	34
Octagonal Tables with Stools (Delivered)	36
CafeWay® Racetrack Tables	
General Information	38
CafeWay® Cafeteria Tables	
Racetrack Tables with Stools (Freight Excluded)	44
Racetrack Tables with Stools (Delivered)	46
Racetrack Tables with Benches/Stools (Freight Excluded)	48
Racetrack Tables with Benches/Stools (Delivered)	50
Racetrack-Wheelchair Accessible Tables (Freight Excluded)	52
Racetrack-Wheelchair Accessible Tables (Delivered)	54
Index	56

CafeWay® Rectangular Tables with Benches


General Information



Rectangular w/Benches



Rectangular w/Benches - Folded



Sprayed edge (SY)

Urethane edge (MC)

SPECIFICATIONS

CaféWay® Overview

Tables shall be listed with Underwriters Laboratories in compliance with their testing for folding rollaway tables.

Lift Mechanism and Table Undercarriage

All critical parts at the pivot points are attached to the unitized steel frame. Steel latches are automatic in both the storage and in-use positions and are located so that they cannot be accidentally opened or knocked out of adjustment. Down latch is field-adjustable. Compression springs provide significant lift assistance and controlled down-placement and are capable of holding the table in the semi-open position throughout its range of motion for safety and easy floor cleaning. Anti-tip 3" casters allow table to be folded flat (parallel tops) for safety during transport and for minimum storage space requirement. The device is permanent, fixed, non-adjustable and cannot

be disabled. The anti-tip 3" casters do not contact the floor during normal operation, but assist in rolling the table over doorway thresholds or other obstructions. All legs are robotically welded for continued consistent quality assurance.

Table Tops and Benches

Table top and bench shall be constructed of $\frac{3}{4}$ " thick particleboard with average density of 45 P.C.F. Table top and bench (sprayed or molded edge) shall have a $\frac{1}{2}$ " corner radius. Table top and bench are laminated with a .030 high-pressure laminate sheet for superior abrasion resistance. Laminates shall meet or exceed NEMA standards. A .028" phenolic backer is bonded to the bottom of the table core for stability and moisture resistance. Thickness shall be .808 +/- .004". Table top and bench are secured to frame with #10 x $\frac{3}{4}$ " screws, 9" on centers.

Edges

Table top edges shall be finished as either sprayed or molded urethane.

Sprayed Edge (SY) - Edges are sealed and finished with sprayed-on black polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper-resistant.

Molded Urethane Edge (MC) - Edges shall be made of $\frac{1}{4}$ " thick by $\frac{3}{4}$ " high, cast black polyurethane that is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edges to provide a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Self-supporting MIG welded, unitized frame design. Hinge plates and hinges are 11-gauge steel. Low profile $\frac{1}{4}$ " 16-gauge aprons with full 180-degree hem have effective strength of 11-gauge steel and provide maximum clearance under the top. Center leg assemblies are 16-gauge 1", 19/16" and 13/8" steel tubing. Grade 5 hex machine bolts with aircraft-type lock nuts or 5/16

rivets are used at all assembly points. Nylon bushings are included at all critical pivots points for ease of operation.

Frame Finishes

Frames shall be finished as either powdercoat or chrome. Powdercoat Finish - All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring, and scratching. The metal finish shall be baked-on lightly textured polyester powdercoat. Chrome Finish - Chrome plating is available on leg sets touching the ground.


Casters

Table rolls on four 4" diameter x $1\frac{1}{4}$ " wide Poly II gray rubber, non-marking, ball-bearing swivel casters. Poly II rubber wheels provide excellent floor protection, abrasion resistance, impact strength, quiet operation, and rolling ease.



CafeWay® Rectangular Tables with Benches

General Information



MODEL#	A	B	C	D	E	F
ECTRG2912BE 4 benches	149"	52"	29"	17"	78"	33"
ECTRG2712BE 4 benches	149"	52"	27"	15"	78"	33"
ECTRG2910BE 4 benches	125"	52"	29"	17"	66"	33"
ECTRG2710BE 4 benches	125"	52"	27"	15"	66"	33"
ECTRG2908BE 4 benches	101"	52"	29"	17"	54"	33"
ECTRG2708BE 4 benches	101"	52"	27"	15"	54"	33"

Casters are resistant to water, oil and most acids and chemicals.


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

CafeWay® Cafeteria Tables

Rectangular Tables with Benches (Freight Excluded)

	MODEL	H x L x W	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color	
 <p>ECRCB</p>	Rectangular Tables with Benches	29 x 144 x 30"	ECTRG2912BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	314.0#
	• Tables ship blanket wrapped as standard	27 x 144 x 30"	ECTRG2712BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	314.0#
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service	29 x 120 x 30"	ECTRG2910BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	279.0#
	• Safety latches automatically lock the table in either the up or down position	27 x 120 x 30"	ECTRG2710BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	279.0#
	• Compression springs provide smooth controlled lift assistance	29 x 96 x 30"	ECTRG2908BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	237.0#
	• Self adjusting support legs are spring loaded to ensure contact with the floor while the table is in the down position	27 x 96 x 30"	ECTRG2708BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	237.0#
	• Outrigger casters enable tables to fold flat and nest to minimize the table's storage footprint while still exceeding UL tip over requirements: (6) Tables will store in less than a 5' x 8' footprint								
	• Table tops extend past the outrigger casters to accommodate end to end table layouts without caster interference								
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select table/bench edge style.

- SY** - Sprayed Edge
MC - Urethane edge

C Select table surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select table/bench edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.

E Select bench surface.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$305

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.




CafeWay® Cafeteria Tables

Rectangular Tables with Benches (Freight Excluded)



Sprayed
Edge
(SY)



Urethane
Edge
(MC)

\$ 2247

2247

2177

2177

2113

2113

\$ 2454

2454

2384

2384

2320

2320

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **assembled**, FOB Elkhorn, WI 53121, **freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Rectangular Tables with Benches (Delivered)



ECRCB

MODEL	H x L x W	MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color	
Rectangular Tables with Benches <ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Safety latches automatically lock the table in either the up or down position• Compression springs provide smooth controlled lift assistance• Self adjusting support legs are spring loaded to ensure contact with the floor while the table is in the down position• Outrigger casters enable tables to fold flat and nest to minimize the table's storage footprint while still exceeding UL tip over requirements: (6) Tables will store in less than a 5' x 8' footprint• Table tops extend past the outrigger casters to accommodate end to end table layouts without caster interference• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	29 x 144 x 30"	ECTRG2912BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	314.0#
	27 x 144 x 30"	ECTRG2712BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	314.0#
	29 x 120 x 30"	ECTRG2910BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	279.0#
	27 x 120 x 30"	ECTRG2710BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	279.0#
	29 x 96 x 30"	ECTRG2908BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	237.0#
	27 x 96 x 30"	ECTRG2708BE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	237.0#
		A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select table/bench edge style.
SY - Sprayed Edge
MC - Urethane edge
- C** Select table surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select table/bench edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.
- E** Select bench surface.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select frame color.
**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$339
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION


Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.




CafeWay® Cafeteria Tables

Rectangular Tables with Benches (Delivered)



Sprayed
Edge
(SY)



Urethane
Edge
(MC)

\$ 2497

2497

2419

2419

2348

2348

\$ 2727

2727

2649

2649

2579

2579

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled**, FOB Elkhorn, WI 53121, **freight prepaid**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CaféWay® Rectangular Tables with Stools


General Information



Rectangular w/Stools



Rectangular w/Stools - Folded



Sprayed edge (SY)

SPECIFICATIONS

CaféWay® Overview

Tables shall be listed with Underwriters Laboratories in compliance with their testing for folding rollaway tables.

Lift Mechanism and Table Undercarriage

All critical parts at the pivot points are attached to the unitized steel frame. Steel latches are automatic in both the storage and in-use positions and are located so that they cannot be accidentally opened or knocked out of adjustment. Torsion springs in conjunction with torsion bars provide easy lifting throughout the complete operating range. Torsion bars are shot-peened to impart compressive strength and increase lifecycle. Torsion bars are epoxy e-coated to prevent rusting and extend usable life. Torsion bars have machined grooves at each end, which receive e-clips to lock in position and prevent lateral movement. All legs are robotically welded for continued consistent

quality assurance.

Table Tops

Table top shall be constructed of 5/8" thick particleboard with average density of 45 P.C.F. Table top (sprayed or molded edge) shall have a 1/2" corner radius. Table top is laminated with a .030 high-pressure laminate sheet for superior abrasion resistance. Laminates shall meet or exceed NEMA standards. A .028" phenolic backer is bonded to the bottom of the table core for stability and moisture resistance. Thickness shall be .808 +/- .004". Top is secured to frame with #10 x 5/8" screws, 9" on centers.

Stools

13" diameter, high-impact polypropylene shall be of heavy-duty construction with ribs to reinforce points of stress and rolled edges for comfort and strength. Top shall be textured and color must permeate stool. Stools are fastened directly on a 6" square 11-gauge steel plate with eight #14 x 5/8" screws. This plate is welded to a 1" diameter,

14-gauge vertical tube. Seat columns contact floor directly with rubber-cushioned, molded-in steel washer and non-skid, non-marring end cap.

Edges

Table top edges shall be finished as either sprayed or molded urethane. Sprayed Edge (SY) - Edges are sealed and finished with sprayed-on black polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper resistant.

Frames

Self-supporting MIG welded, unitized frame design uses 14-gauge 1" and 1 1/4" steel tubing. Lock plates are 7-gauge steel, laser cut to exact tolerances. Low profile 2" high, 14-gauge C-shaped aprons provide maximum top clearance. Grade 5 hex machine bolts with aircraft type lock nuts are used at all assembly points.

Frame Finishes

Frames shall be finished as either powdercoat or chrome. Powdercoat Finish - All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring, and scratching. The metal finish shall be baked-on lightly textured polyester powdercoat. Chrome Finish - Chrome plating is available on leg sets touching the ground.


Casters

Table rolls on four 4" diameter x 1 1/4" wide Poly II gray rubber, non-marking, ball-bearing swivel casters. Poly II rubber wheels provide excellent floor protection, abrasion resistance, impact strength, quiet operation, and rolling ease. Casters are resistant to water, oil and most acids and chemicals.



CafeWay® Rectangular Tables with Stools

General Information



MODEL#	A	B	C	D	E	F
ECTRC291212PY 12 stools	144"	58"	29"	17"	82"	42-1/2"
ECTRC271212PY 12 stools	144"	58"	27"	15"	80"	42-1/2"
ECTRC291012PY 12 stools	120"	58"	29"	17"	71.9"	42-1/2"
ECTRC271012PY 12 stools	120"	58"	27"	15"	69.9"	42-1/2"
ECTRC290808PY 8 stools	96"	58"	29"	17"	59.9"	42-1/2"
ECTRC270808PY 8 stools	96"	58"	27"	15"	57.9"	42-1/2"



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

CafeWay® Cafeteria Tables

Rectangular Tables with Stools (Freight Excluded)

			MODEL NUMBER						Approx. Packaged Weight
MODEL	H x L x W	Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color		
 ECRCP	Rectangular Tables with 12-Stools	29 x 144 x 30"	ECTRC291212PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	270.0#	
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard	27 x 144 x 30"	ECTRC271212PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	270.0#	
	<ul style="list-style-type: none">• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service	29 x 120 x 30"	ECTRC291012PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	245.0#	
	<ul style="list-style-type: none">• Table and bases have a third caster for additional weight distribution	27 x 120 x 30"	ECTRC271012PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	245.0#	
	<ul style="list-style-type: none">• Center support legs assist with table top weight load distribution								
	<ul style="list-style-type: none">• Seat support bars run perpendicular to the table off the floor eliminating trip hazards								
	<ul style="list-style-type: none">• Large non-marking casters make folded table movement easy								
	<ul style="list-style-type: none">• Available in Sprayed edge (SY) only								
	<ul style="list-style-type: none">• Polypropylene stools have ribs to reinforce points of stress and are recyclable								
	<ul style="list-style-type: none">• Stools require assembly• Tops have 5/8" particle board core								
 ECRCP	Rectangular Tables with 8-Stools	29 x 96 x 30"	ECTRC290808PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	225.0#	
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard	27 x 96 x 30"	ECTRC270808PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	225.0#	
	<ul style="list-style-type: none">• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service								
	<ul style="list-style-type: none">• Table and bases have a third caster for additional weight distribution								
	<ul style="list-style-type: none">• Center support legs assist with table top weight load distribution								
	<ul style="list-style-type: none">• Seat support bars run perpendicular to the table off the floor eliminating trip hazards								
	<ul style="list-style-type: none">• Large non-marking casters make folded table movement easy								
	<ul style="list-style-type: none">• Available in Sprayed edge (SY) only								
	<ul style="list-style-type: none">• Polypropylene stools have ribs to reinforce points of stress and are recyclable								
	<ul style="list-style-type: none">• Stools require assembly• Tops have 5/8" particle board core								
			A	B	C	D	E	F	

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.
SY - Sprayed Edge

C Select surface finish.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).

D Select surface edge color.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).
Edge color offerings are based on edge style selections.

E Select frame color.
**Undercarriage remains black with any choice
**Chrome Upcharge ; add \$305
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).

F Select stool color.

Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.



CafeWay® Cafeteria Tables

Rectangular Tables with Stools (Freight Excluded)



Sprayed
Edge
(SY)

\$ 2025
2025
1886
1886

\$ 1769
1769

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **assembled (stools require assembly)**, **FOB Elkhorn, WI 53121, freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Rectangular Tables with Stools (Delivered)

			MODEL NUMBER						Approx. Packaged Weight
MODEL	H x L x W	Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color		
 ECRCP	Rectangular Tables with 12-Stools	29 x 144 x 30"	ECTRC291212PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	270.0#	
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard	27 x 144 x 30"	ECTRC271212PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	270.0#	
	<ul style="list-style-type: none">• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service	29 x 120 x 30"	ECTRC291012PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	245.0#	
	<ul style="list-style-type: none">• Table and bases have a third caster for additional weight distribution	27 x 120 x 30"	ECTRC271012PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	245.0#	
	<ul style="list-style-type: none">• Center support legs assist with table top weight load distribution								
	<ul style="list-style-type: none">• Seat support bars run perpendicular to the table off the floor eliminating trip hazards								
	<ul style="list-style-type: none">• Large non-marking casters make folded table movement easy								
	<ul style="list-style-type: none">• Available in Sprayed edge (SY) only								
	<ul style="list-style-type: none">• Polypropylene stools have ribs to reinforce points of stress and are recyclable								
	<ul style="list-style-type: none">• Stools require assembly• Tops have 5/8" particle board core								
 ECRCP	Rectangular Tables with 8-Stools	29 x 96 x 30"	ECTRC290808PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	225.0#	
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard	27 x 96 x 30"	ECTRC270808PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	225.0#	
	<ul style="list-style-type: none">• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service								
	<ul style="list-style-type: none">• Table and bases have a third caster for additional weight distribution								
	<ul style="list-style-type: none">• Center support legs assist with table top weight load distribution								
	<ul style="list-style-type: none">• Seat support bars run perpendicular to the table off the floor eliminating trip hazards								
	<ul style="list-style-type: none">• Large non-marking casters make folded table movement easy								
	<ul style="list-style-type: none">• Available in Sprayed edge (SY) only								
	<ul style="list-style-type: none">• Polypropylene stools have ribs to reinforce points of stress and are recyclable								
	<ul style="list-style-type: none">• Stools require assembly• Tops have 5/8" particle board core								
			A	B	C	D	E	F	

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.
SY - Sprayed Edge

C Select surface finish.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).

D Select surface edge color.
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).
Edge color offerings are based on edge style selections.

E Select frame color.
**Undercarriage remains black with any choice
**Chrome Upcharge ; add \$339
Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).

F Select stool color.

Refer to the [KI Color Addendum](#) or [KI Fabrics & Finishes binder](#).

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.



CafeWay® Cafeteria Tables

Rectangular Tables with Stools (Delivered)



Sprayed
Edge
(SY)

\$ 2251
2251
2096
2096

\$ 1965
1965

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled (stools require assembly)**, **FOB Elkhorn, WI 53121, freight prepaid**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CaféWay® Round Tables


General Information



Round w/Stools



Round w/Stools - Folded



Sprayed edge (SY)

Urethane edge (MC)

SPECIFICATIONS

CaféWay® Overview

Tables shall be listed with Underwriters Laboratories in compliance with their testing for folding rollaway tables.

Lift Mechanism and Table Undercarriage

All critical parts at the pivot points are attached to the unitized steel frame. Steel latches are automatic in both the storage and in-use positions and are located so that they cannot be accidentally opened or knocked out of adjustment. Two-handed release mechanism protects fingers and hands during operation. Torsion bars assist in closing and opening tables. Torsion springs in conjunction with torsion bars provide easy lifting throughout the complete operating range. Torsion bars are shot-peened to impart compressive strength and increase lifecycle. Torsion bars are epoxy e-coated to prevent rusting and extend usable life. Torsion bars have machined grooves at each

end, which receive e-clips to lock in position and prevent lateral movement. All legs are robotically welded for continued consistent quality assurance.

Table Tops and Benches

Table top and bench shall be constructed of ¾" thick particleboard with average density of 45 P.C.F. Table top and bench (sprayed or molded edge) shall have a ½" corner radius. Table top and bench are laminated with a .030 high-pressure laminate sheet for superior abrasion resistance. Laminates shall meet or exceed NEMA standards. A .028" phenolic backer is bonded to the bottom of the table core for stability and moisture resistance. Thickness shall be .808 +/- .004". Top is secured to frame with #10 x ¾" screws, 9" on centers. Benches on end legs are mounted with eight #10 x ¾" screws. Two additional bench-mounting brackets secure seat plate to bench with three #10 x ¾" screws per bracket. Benches on mid-legs are secured to dual 15/8" high C-shaped 14-gauge aprons with #10 x ¾" screws. Tub-

ing is 13/8" OD 14-gauge and MIG welded to 15/16" 14-gauge tubing to form the bench attachment assembly, which is attached to the aprons using 5/16 -18" bolts and nylock nuts. Both bench attachment assemblies are inserted and anchored into the center leg assemblies with one 5/16 -18" bolt and nylock nut per down leg.

Stools

13" diameter, high-impact polypropylene shall be of heavy-duty construction with ribs to reinforce points of stress and rolled edges for comfort and strength. Top shall be textured and color must permeate stool. Stools are fastened directly on a 6" square 11-gauge steel plate with eight #14 x 5/8" screws. This plate is welded to a 1" diameter, 14-gauge vertical tube. Seat columns contact floor directly with rubber-cushioned, molded-in steel washer and non-skid, non-marring end cap.

Edges

Table top and bench edges shall be finished


as either sprayed or molded urethane.

Sprayed Edge (SY) - Edges are sealed and finished with sprayed-on black polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper-resistant.

Molded Urethane Edge (MC) - Edges shall be made of ¼" thick by ¾" high, cast black polyurethane that is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edges to provide a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Self-supporting MIG welded, unitized frame design uses 14-gauge 1", 1¼", and 1½" steel tubing. Lock plates are 8-gauge steel, laser cut to exact tolerances. Low profile 2" high, 14-gauge C-shaped aprons provide maximum top clearance. Grade 5 hex machine bolts with aircraft-type lock nuts are used at assembly points and shoulder bolts are used



MODEL#	A	B	C	D	E	F
ECTRD290508PY 8 stools	79"	83"	29"	17"	52"	36"
ECTRD270508PY 8 stools	79"	83"	27"	15"	52"	36"

at stretcher bar-to-leg connections.

Frame Finishes

Frames shall be finished as either powdercoat or chrome.

Powdercoat Finish - All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring, and scratching. The metal finish shall be baked-on lightly textured polyester powdercoat.

Chrome Finish - Chrome plating is available on leg sets touching the ground.

Casters

Table rolls on six 4" diameter x 1¼" wide Poly II gray rubber, non-marking, ball-bearing swivel casters. Poly II rubber wheels provide excellent floor protection, abrasion resistance, impact strength, quiet operation, and rolling ease. Casters are resistant to water, oil and most acids and chemicals.


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

CafeWay® Round Tables

General Information




MODEL#	A	B	C	D	E	F
ECTRD2905B4PY 4 benches	86"	87"	29"	17"	52"	44"
ECTRD2707B4PY 4 benches	86"	87"	27"	15"	52"	44"



CafeWay® Round Tables

General Information



MODEL#	A	B	C	D	E	F
ECTRD2905B2S4PY 2 benches and 4 stools	86"	83"	29"	17"	52"	44"
ECTRD2705B2S4PY 2 benches and 4 stools	86"	83"	27"	15"	52"	44"


INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

CafeWay® Round Tables

General Information




MODEL#	A	B	C	D	E	F
ECTRD320506PY 6 stools and 2 wheelchair access spaces	83"	79"	32"	17"	52"	36"



CafeWay® Round Tables

General Information



MODEL#	A	B	C	D	E	F
ECTRD3205B2S2PY 4 benches	83"	86"	32"	17"	52"	44"



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

CafeWay® Cafeteria Tables

Round Tables (Freight Excluded)

	MODEL	H x DIA	MODEL NUMBER							
			Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color	Stool Color	
 <p>ECRDP</p>	Round Tables with 8-Stools	29 x 60"	ECTRD290508PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
	• Tables ship blanket wrapped as standard	27 x 60"	ECTRD270508PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service									
	• Torsion bars and torsion springs work in conjunction to assist table lifting									
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position									
	• Large non-marking casters make folded table movement easy									
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable									
	• Stools and benches require assembly									
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge									
 <p>ECRDP</p>	Round Tables with 2-Benches/4-Stools	29 x 60"	ECTRD2905B2S4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Tables ship blanket wrapped as standard	27 x 60"	ECTRD2705B2S4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service									
	• Torsion bars and torsion springs work in conjunction to assist table lifting									
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position									
	• Large non-marking casters make folded table movement easy									
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable									
	• Stools and benches require assembly									
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge									
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select table/bench edge style.

SY - Sprayed Edge
MC - Urethane edge

C Select table surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select table/bench edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.

E Select bench surface.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$322

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION



Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

Round Tables (Freight Excluded)



Urethane
Edge
(MC)

\$ 2146

2146

\$ 2281

2281

Special Carton Marking



N/C

Ships **knocked down, FOB Elkhorn, WI 53121, freight excluded.** Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Round Tables (Delivered)

	MODEL	H x DIA	MODEL NUMBER							
			Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color	Stool Color	
 <p>ECRDP</p>	Round Tables with 8-Stools	29 x 60"	ECTRD290508PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
	• Tables ship blanket wrapped as standard	27 x 60"	ECTRD270508PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service									
	• Torsion bars and torsion springs work in conjunction to assist table lifting									
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position									
	• Large non-marking casters make folded table movement easy									
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable									
	• Stools and benches require assembly									
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge									
 <p>ECRDP</p>	Round Tables with 2-Benches/4-Stools	29 x 60"	ECTRD2905B2S4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Tables ship blanket wrapped as standard	27 x 60"	ECTRD2705B2S4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service									
	• Torsion bars and torsion springs work in conjunction to assist table lifting									
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position									
	• Large non-marking casters make folded table movement easy									
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable									
	• Stools and benches require assembly									
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge									
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select table/bench edge style.

SY - Sprayed Edge
MC - Urethane edge

C Select table surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select table/bench edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.

E Select bench surface.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$358

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION



Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

Round Tables (Delivered)

Approx.
Packaged
Weight

Sprayed
Edge
(SY)

Urethane
Edge
(MC)

209.0#

215.0#

215.0#

Special Carton Marking


With specially marked information	N/C
-----------------------------------	-----

Ships **knocked down, FOB Elkhorn, WI 53121, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Round Tables (Freight Excluded)

	MODEL	H x DIA	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color	
 <p>ECRDP</p>	Round Tables with 4-Benches	29 x 60"	ECTRD2905B4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	221.0#
	• Tables ship blanket wrapped as standard	27 x 60"	ECTRD2705B4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	221.0#
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service								
	• Torsion bars and torsion springs work in conjunction to assist table lifting								
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position								
	• Large non-marking casters make folded table movement easy								
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable								
	• Stools and benches require assembly								
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge								
<div> <div>A</div> <div>B</div> <div>C</div> <div>D</div> <div>E</div> <div>F</div> </div>									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select table/bench edge style.

- SY** - Sprayed Edge
MC - Urethane edge

C Select table surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select table/bench edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.

E Select bench surface.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$322

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.




CafeWay® Cafeteria Tables

Round Tables (Freight Excluded)



Sprayed
Edge
(SY)

\$ 2265
2265



Urethane
Edge
(MC)

\$ 2417
2417

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **knocked down**, **FOB Elkhorn, WI 53121**, **freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Round Tables (Delivered)

	MODEL	H x DIA	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color	
 <p>ECRDP</p>	Round Tables with 4-Benches	29 x 60"	ECTRD2905B4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	221.0#
	• Tables ship blanket wrapped as standard	27 x 60"	ECTRD2705B4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	221.0#
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service								
	• Torsion bars and torsion springs work in conjunction to assist table lifting								
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position								
	• Large non-marking casters make folded table movement easy								
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable								
	• Stools and benches require assembly								
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge								
<div style="display: flex; justify-content: space-around; width: 100%;"> A B C D E F </div>									

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select table/bench edge style.

- SY** - Sprayed Edge
MC - Urethane edge

C Select table surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select table/bench edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Edge color offerings are based on edge style selections.

E Select bench surface.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$358

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.




CafeWay® Cafeteria Tables

Round Tables (Delivered)



Sprayed
Edge
(SY)

\$ 2517
2517



Urethane
Edge
(MC)

\$ 2686
2686

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **knocked down**, **FOB Elkhorn, WI 53121**, **freight prepaid**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Round-Wheelchair Accessible Tables (Freight Excluded)

			MODEL NUMBER								
MODEL		H x DIA	Basic Model	Table/ Bench Edge Style	Table Surface	Table/ Bench Edge Color	Bench Surface	Frame Color	Stool Color		
 EWRDP	Wheelchair Accessible Round Tables with 6-Stools/2-Wheelchairs <ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	32 x 60"	ECTRD320506PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		
 EWRDP	Wheelchair Accessible Round Tables with 2-Benches/2-Stools/2Wheelchairs <ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools and benches require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	32 x 60"	ECTRD3205B2S2PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
			A	B	C	D	E	F	G		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select table/bench edge style.

- SY** - Sprayed Edge
MC - Urethane edge

C Select table surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select table/bench edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.

E Select bench surface.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge : add \$322

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION


Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

Approx.
Packaged
Weight




Approx.
Packaged
Weight

209.0#

Sprayed
Edge
(SY)

\$ 2196



Urethane
Edge
(MC)

\$ 2348

215.0#

\$ 2129

\$ 2281

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----



Shipping

Ships **knocked down, FOB Elkhorn, WI**
53121, freight excluded. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Round-Wheelchair Accessible Tables (Delivered)

			MODEL NUMBER							
	MODEL	H x DIA	Basic Model	Table/ Bench Edge Style	Table Surface	Table/ Bench Edge Color	Bench Surface	Frame Color	Stool Color	
 EWRDP	Wheelchair Accessible Round Tables with 6-Stools/2-Wheelchairs	32 x 60"	ECTRD320506PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge									
 EWRDP	Wheelchair Accessible Round Tables with 2-Benches/2-Stools/2Wheelchairs	32 x 60"	ECTRD3205B2S2PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools and benches require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge									

A

B

C

D

E

F

G

A

B

C

D

E

F

G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select table/bench edge style.

SY - Sprayed Edge
MC - Urethane edge

C Select table surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select table/bench edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
 Edge color offerings are based on edge style selections.

E Select bench surface.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge : add \$358

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION


Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.


Approx.
Packaged
Weight



Sprayed
Edge
(SY)

209.0#

\$ 2441



Urethane
Edge
(MC)

\$ 2610

215.0#

\$ 2366

\$ 2535

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Ships **knocked down, FOB Elkhorn, WI 53121, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Octagonal Tables


General Information



Octagonal w/Stools



Octagonal w/Stools - Folded



Sprayed edge (SY)

SPECIFICATIONS

CaféWay® Overview

Tables shall be listed with Underwriters Laboratories in compliance with their testing for folding rollaway tables.

Lift Mechanism and Table Undercarriage

All critical parts at the pivot points are attached to the unitized steel frame. Steel latches are automatic in both the storage and in-use positions and are located so that they cannot be accidentally opened or knocked out of adjustment. Two-handed release mechanism protects fingers and hands during operation. Torsion bars assist in closing and opening tables. Torsion springs in conjunction with torsion bars provide easy lifting throughout the complete operating range. Torsion bars are shot-peened to impart compressive strength and increase lifecycle. Torsion bars are epoxy e-coated to prevent rusting and extend usable life. Torsion bars have machined grooves at each

end, which receive e-clips to lock in position and prevent lateral movement. All legs are robotically welded for continued consistent quality assurance.

Table Tops

Table top shall be constructed of ¾" thick particleboard with average density of 45 P.C.F. Table top (sprayed or molded edge) shall have a ½" corner radius. Table top is laminated with a .030 high-pressure laminate sheet for superior abrasion resistance. Laminates shall meet or exceed NEMA standards. A .028" phenolic backer is bonded to the bottom of the table core for stability and moisture resistance. Thickness shall be .808 +/- .004". Top is secured to frame with #10 x ¾" screws, 9" on centers.

Stools

13" diameter, high-impact polypropylene shall be of heavy-duty construction with ribs to reinforce points of stress and rolled edges for comfort and strength. Top shall be textured and color must permeate stool.

Stools are fastened directly on a 6" square 11-gauge steel plate with eight #14 x 5/8" screws. This plate is welded to a 1" diameter, 14-gauge vertical tube. Seat columns contact floor directly with rubber-cushioned, molded-in steel washer and non-skid, non-marring end cap.

Edges

Table top edges shall be finished as either sprayed or molded urethane. Sprayed Edge (SY) - Edges are sealed and finished with sprayed-on black polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper-resistant.

Frames

Self-supporting MIG welded, unitized frame design uses 14-gauge 1", 1¼", and 1½" steel tubing. Lock plates are 8-gauge steel, laser cut to exact tolerances. Low profile 2" high, 14-gauge C-shaped aprons provide maximum top clearance. Grade 5 hex machine bolts with aircraft-type lock nuts are used at

assembly points and shoulder bolts are used at stretcher bar-to-leg connections.

Frame Finishes

Frames shall be finished as either powdercoat or chrome. Powdercoat Finish - All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring, and scratching. The metal finish shall be baked-on lightly textured polyester powdercoat. Chrome Finish - Chrome plating is available on leg sets touching the ground.


Casters

Table rolls on six 4" diameter x 1¼" wide Poly II gray rubber, non-marking, ball-bearing swivel casters. Poly II rubber wheels provide excellent floor protection, abrasion resistance, impact strength, quiet operation, and rolling ease. Casters are resistant to water, oil and most acids and chemicals.



CafeWay® Octagonal Tables

General Information



MODEL#	A	B	C	D	E	F
ECTOC290508PY 8 stools	78"	83"	29"	17"	52"	36"
ECTOC270508PY 8 stools	78"	83"	27"	15"	52"	36"


INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

CafeWay® Cafeteria Tables

Octagonal Tables with Stools (Freight Excluded)

MODEL	H x DIA	MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color	
 <p>ECOC</p> <p>Octagonal Tables with 8-Stools</p> <ul style="list-style-type: none"> • Tables ship blanket wrapped as standard • Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service • Torsion bars and torsion springs work in conjunction to assist table lifting • Table and bases have a third caster for additional weight distribution • Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position • Large non-marking casters make folded table movement easy • Available in sprayed edge (SY) only • Polypropylene stools have ribs to reinforce points of stress and are recyclable • Stools require assembly 	29 x 60"	ECTOC290508PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	209.0#
	27 x 60"	ECTOC270508PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	209.0#
		A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
SY - Sprayed Edge
- C** Select surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select surface edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.
- E** Select frame color.
**Undercarriage remains black with any choice
**Chrome Upcharge ; add \$322
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.



CafeWay® Cafeteria Tables

Octagonal Tables with Stools (Freight Excluded)



Sprayed
Edge
(SY)

\$ 1993
1993

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **knocked down**, **FOB Elkhorn, WI 53121**, **freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Octagonal Tables with Stools (Delivered)

	MODEL	H x DIA	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color	
 <p>ECOC</p> <p>Octagonal Tables with 8-Stools</p> <ul style="list-style-type: none"> • Tables ship blanket wrapped as standard • Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service • Torsion bars and torsion springs work in conjunction to assist table lifting • Table and bases have a third caster for additional weight distribution • Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position • Large non-marking casters make folded table movement easy • Available in sprayed edge (SY) only • Polypropylene stools have ribs to reinforce points of stress and are recyclable • Stools require assembly 		29 x 60"	ECTOC290508PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	209.0#
		27 x 60"	ECTOC270508PY	SY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	209.0#
				A	B	C	D	E	F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

SY - Sprayed Edge

C Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select surface edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Edge color offerings are based on edge style selections.

E Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$358

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.



CafeWay® Cafeteria Tables

Octagonal Tables with Stools (Delivered)



Sprayed
Edge
(SY)

\$ 2215
2215

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Elkhorn, WI 53121**, **freight prepaid**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Racetrack Tables

General Information




Racetrack w/Stools



Racetrack w/Stools - Folded



Racetrack
10stools/2 wheelchairs



Sprayed edge (SY)

Urethane edge (MC)

SPECIFICATIONS

CaféWay® Overview

Tables shall be listed with Underwriters Laboratories in compliance with their testing for folding rollaway tables.

Lift Mechanism and Table Undercarriage

All critical parts at the pivot points are attached to the unitized steel frame. Steel latches are automatic in both the storage and in-use positions and are located so that they cannot be accidentally opened or knocked out of adjustment. Two-handed release mechanism protects fingers and hands during operation. Torsion bars assist in closing and opening tables. Torsion springs in conjunction with torsion bars provide easy lifting throughout the complete operating range. Torsion bars are shot-peened to impart compressive strength and increase lifecycle. Torsion bars are epoxy e-coated to prevent rusting and extend usable life. Torsion bars have machined grooves at each

end, which receive e-clips to lock in position and prevent lateral movement. All legs are robotically welded for continued consistent quality assurance.

Table Tops and Benches

Table top and bench shall be constructed of ¾" thick particleboard with average density of 45 P.C.F. Table top (sprayed or molded edge) shall have a ½" corner radius. Table top is laminated with a .030 high-pressure laminate sheet for superior abrasion resistance. Laminates shall meet or exceed NEMA standards. A .028" phenolic backer is bonded to the bottom of the table core for stability and moisture resistance. Thickness shall be .808 +/- .004". Top is secured to frame with #10 x ¾" screws, 9" on centers. Benches are mounted to end legs with eight #10 x ¾" screws. Two additional bench-mounting brackets secure seat plate to bench with three #10 x ¾" screws each.

Stools

13" diameter, high-impact polypropylene

shall be of heavy-duty construction with ribs to reinforce points of stress and rolled edges for comfort and strength. Top shall be textured and color must permeate stool. Stools are fastened directly on a 6" square 11-gauge steel plate with eight #14 x 5/8" screws. This plate is welded to a 1" diameter, 14-gauge vertical tube. Seat columns contact floor directly with rubber-cushioned, molded-in steel washer and non-skid, non-marring end cap.

Edges

Table top edges shall be finished as either sprayed or molded urethane.

Sprayed Edge (SY) - Edges are sealed and finished with sprayed-on black polyurea edge treatment that provides superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper-resistant.

Molded Urethane Edge (MC) - Edges shall be made of ¼" thick by ¾" high, cast black polyurethane that is mechanically and chemically bonded to the table core and

chemically bonded to the laminate surface edges to provide a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Self-supporting MIG welded, unitized frame design uses 14-gauge 1", 1¼", and 1½" steel tubing. Lock plates are 8-gauge steel, laser cut to exact tolerances. Low profile 2" high, 14-gauge C-shaped aprons provide maximum top clearance. Grade 5 hex machine bolts with aircraft-type lock nuts are used at assembly points and shoulder bolts are used at stretcher bar-to-leg connections.


Frame Finishes

Frames shall be finished as either powdercoat or chrome.
Powdercoat Finish - All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on epoxy powdercoat for superior resistance to abrasion, marring, and scratch-



CafeWay® Racetrack Tables

General Information



MODEL#	A	B	C	D	E	F
ECTEL291012PY 12 stools	135"	70"	29"	17"	78"	46-1/2"
ECTEL271012PY 12 stools	135"	70"	27"	15"	76"	46-1/2"

ing. The metal finish shall be baked-on lightly textured polyester powdercoat. Chrome Finish - Chrome plating is available on leg sets touching the ground.

Casters

Table rolls on six 4" diameter x 1 1/4" wide Poly II gray rubber, non-marking, ball-bearing swivel casters. Poly II rubber wheels provide excellent floor protection, abrasion resistance, impact strength, quiet operation, and rolling ease. Casters are resistant to water, oil and most acids and chemicals.


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

CafeWay® Racetrack Tables

General Information




MODEL#	A	B	C	D	E	F
ECTEL291010PY 10 stools and 2 wheelchair access spaces	135"	70"	29"	17"	78"	46-1/2"



CafeWay® Racetrack Tables

General Information



MODEL#	A	B	C	D	E	F
ECTEL270508PY 8 stools	78"	70"	27"	15"	52"	34"


INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

CafeWay® Racetrack Tables

General Information



MODEL#	A	B	C	D	E	F
ECTEL2705B2S4PY 2 benches and 4 stools	86"	70"	27"	15"	52"	42"





INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

CafeWay® Cafeteria Tables

Racetrack Tables with Stools (Freight Excluded)

			MODEL NUMBER						
MODEL		H x L x W	Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color	Approx. Packaged Weight
 ECERP	Racetrack Tables with 12-Stools	29 x 120 x 44"	ECTEL291012PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	320.0#
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	27 x 120 x 44"	ECTEL271012PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	321.0#
 ECERP	Racetrack Tables with 8-Stools	27 x 60 x 48"	ECTEL270508PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	215.0#
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge								

A

B

C

D

E

F

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

- SY** - Sprayed Edge
- MC** - Urethane edge

C Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select surface edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.

E Select frame color.

**Undercarriage remains black with any choice
 **Chrome Upcharge ; add \$372
 Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.




CafeWay® Cafeteria Tables

Racetrack Tables with Stools (Freight Excluded)



Sprayed
Edge
(SY)

\$ 3101
3101



Urethane
Edge
(MC)

\$ 3332
3332

\$ 1993

\$ 2224

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Ships **knocked down**, **FOB Elkhorn, WI 53121**, **freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Racetrack Tables with Stools (Delivered)

			MODEL NUMBER						
MODEL		H x L x W	Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color	Approx. Packaged Weight
 ECLP	Racetrack Tables with 12-Stools	29 x 120 x 44"	ECTEL291012PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	320.0#
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	27 x 120 x 44"	ECTEL271012PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	321.0#
 ECLP	Racetrack Tables with 8-Stools	27 x 60 x 48"	ECTEL270508PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	215.0#
	<ul style="list-style-type: none">• Tables ship blanket wrapped as standard• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service• Torsion bars and torsion springs work in conjunction to assist table lifting• Table and bases have a third caster for additional weight distribution• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position• Large non-marking casters make folded table movement easy• Polypropylene stools have ribs to reinforce points of stress and are recyclable• Stools require assembly• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

- SY** - Sprayed Edge
MC - Urethane edge

C Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select surface edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
 Edge color offerings are based on edge style selections.

E Select frame color.

**Undercarriage remains black with any choice
 **Chrome Upcharge ; add \$413
 Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.




CafeWay® Cafeteria Tables

Racetrack Tables with Stools (Delivered)



Sprayed
Edge
(SY)

\$ 3446
3446



Urethane
Edge
(MC)

\$ 3702
3702

\$ 2215

\$ 2472

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **knocked down**, **FOB Elkhorn, WI 53121**, **freight prepaid**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Racetrack Tables with Benches/Stools (Freight Excluded)

		MODEL NUMBER							
MODEL	H x L x W	Basic Model	Table/ Bench Edge Style	Table Surface	Table/ Bench Edge Color	Bench Surface	Frame Color	Stool Color	
 ECELP	Racetrack Tables w/2-Benches/4-Stools • Tables ship blanket wrapped as standard • Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service • Torsion bars and torsion springs work in conjunction to assist table lifting • Table and bases have a third caster for additional weight distribution • Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position • Large non-marking casters make folded table movement easy • Polypropylene stools have ribs to reinforce points of stress and are recyclable • Stools and benches require assembly • Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge	27 x 60 x 48"	ECTEL2705B2S4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select table/bench edge style.

- SY** - Sprayed Edge
MC - Urethane edge

C Select table surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select table/bench edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.

E Select bench surface.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select frame color.

**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$372

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

G Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION


Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.

Delivery Note


At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

Racetrack Tables with Benches/Stools (Freight Excluded)



221.0#

\$ 1993



\$ 2224

Special Carton Marking


N/C

Ships **knocked down, FOB Elkhorn, WI**
53121, freight excluded. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Racetrack Tables with Benches/Stools (Delivered)

	MODEL	H x L x W	MODEL NUMBER							
			Basic Model	Table/Bench Edge Style	Table Surface	Table/Bench Edge Color	Bench Surface	Frame Color	Stool Color	
 ECELP	Racetrack Tables w/2-Benches/4-Stools	27 x 60 x 48"	ECTEL2705B2S4PY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Tables ship blanket wrapped as standard									
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service									
	• Torsion bars and torsion springs work in conjunction to assist table lifting									
	• Table and bases have a third caster for additional weight distribution									
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position									
	• Large non-marking casters make folded table movement easy									
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable									
	• Stools and benches require assembly									
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge									
			A	B	C	D	E	F	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select table/bench edge style.
SY - Sprayed Edge
MC - Urethane edge
- C** Select table surface finish.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select table/bench edge color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.
- E** Select bench surface.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select frame color.
**Undercarriage remains black with any choice

**Chrome Upcharge ; add \$413
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.


G Select stool color.
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Sprayed Edge
Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note
At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.

Racetrack Tables with Benches/Stools (Delivered)



Sprayed
Edge
(SY)

\$ 2215



Urethane
Edge
(MC)

\$ 2215

Special Carton Marking


N/C

Ships **knocked down, FOB Elkhorn, WI 53121, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Racetrack-Wheelchair Accessible Tables (Freight Excluded)

	MODEL	H x L x W	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color	
 <p>EWELP</p>	Wheelchair Accessible Racetrack Tables with 10-Stools/2-Wheelchairs	29 x 120 x 44"	ECTEL291010PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	320.0#
	• Tables ship blanket wrapped as standard								
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service								
	• Torsion bars and torsion springs work in conjunction to assist table lifting								
	• Table and bases have a third caster for additional weight distribution								
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position								
	• Wheelchair accessible models provide (10) stools and room for (2) wheel chairs								
	• Large non-marking casters make folded table movement easy								
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable								
	• Stools require assembly								
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

- SY** - Sprayed Edge
MC - Urethane edge

C Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select surface edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.

E Select frame color.

**Undercarriage remains black with any choice
**Chrome Upcharge ; add \$322
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.




CafeWay® Cafeteria Tables

Racetrack-Wheelchair Accessible Tables (Freight Excluded)



Sprayed
Edge
(SY)

\$ 3101



Urethane
Edge
(MC)

\$ 3332

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships **knocked down**, **FOB Elkhorn, WI 53121**, **freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.

CafeWay® Cafeteria Tables

Racetrack-Wheelchair Accessible Tables (Delivered)

	MODEL	H x L x W	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Edge Style	Surface Finish	Surface Edge Color	Frame Color	Stool Color	
 <p>EWELP</p>	Wheelchair Accessible Racetrack Tables with 10-Stools/2-Wheelchairs	29 x 120 x 44"	ECTEL291010PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	320.0#
	• Tables ship blanket wrapped as standard								
	• Orders picked up or shipments outside continental US require pallet upcharge. Contact KI Customer Service								
	• Torsion bars and torsion springs work in conjunction to assist table lifting								
	• Table and bases have a third caster for additional weight distribution								
	• Storage latches are accessible from both sides of the table and provide a secure positive lock when the table is in the upright stored position								
	• Wheelchair accessible models provide (10) stools and room for (2) wheel chairs								
	• Large non-marking casters make folded table movement easy								
	• Polypropylene stools have ribs to reinforce points of stress and are recyclable								
	• Stools require assembly								
	• Two edge styles available on table tops and benches ONLY (SY) sprayed edge and (MC) molded urethane edge								
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge style.

- SY** - Sprayed Edge
MC - Urethane edge

C Select surface finish.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

D Select surface edge color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
Edge color offerings are based on edge style selections.

E Select frame color.

**Undercarriage remains black with any choice
**Chrome Upcharge ; add \$358
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

F Select stool color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

INFORMATION

Sprayed Edge

Sprayed Edge (SY) is textured, which may result in surface variations that fall within an acceptable range.


Delivery Note

At the time of order acknowledgement the customer will be acknowledged the week their product will deliver. A delivery appointment will be made approximately 1 to 2 weeks prior to the week of delivery by one of KI's carrier partners. In some situations, specific delivery date and time requests may result in additional charges.




CafeWay® Cafeteria Tables

Racetrack-Wheelchair Accessible Tables (Delivered)



Sprayed
Edge
(SY)

\$ 3446



Urethane
Edge
(MC)

\$ 3702

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Elkhorn, WI 53121**, **freight prepaid**. Freight class 200.

Specifications and prices are subject to change without prior notice.

Index

Model No.	Description	Page
ECTEL270508PY	Racetrack Tables with Stools (Freight Excluded): Race-track Tables with 8-Stools	44
ECTEL2705B2S4PY	Racetrack Tables with Benches/Stools (Freight Excluded): Racetrack Tables w/2-Benches/4-Stools	48
ECTEL291010PY	Racetrack-Wheelchair Accessible Tables (Freight Excluded): Wheelchair Accessible Racetrack Tables with 10-Stools/2-Wheelchairs	52
ECTEL291012PY	Racetrack Tables with Stools (Freight Excluded): Race-track Tables with 12-Stools	44
ECTOC290508PY	Octagonal Tables with Stools (Freight Excluded): Octagonal Tables with 8-Stools	34
ECTRC290808PY	Rectangular Tables with Stools (Freight Excluded): Rectangular Tables with 8-Stools	10
ECTRC291212PY	Rectangular Tables with Stools (Freight Excluded): Rectangular Tables with 12-Stools	10
ECTRD290508PY	Round Tables (Freight Excluded): Round Tables with 8-Stools	20
ECTRD2905B2S4PY	Round Tables (Freight Excluded): Round Tables with 2-Benches/4-Stools	20
ECTRD2905B4PY	Round Tables (Freight Excluded): Round Tables with 4-Benches	24
ECTRD320506PY	Round-Wheelchair Accessible Tables (Freight Excluded): Wheelchair Accessible Round Tables with 6-Stools/2-Wheelchairs	28
ECTRD3205B2S2PY	Round-Wheelchair Accessible Tables (Freight Excluded): Wheelchair Accessible Round Tables with 2-Benches/2-Stools/2Wheelchairs	28
ECTRG2912BE	Rectangular Tables with Benches (Freight Excluded): Rectangular Tables with Benches	4



A series of horizontal lines of varying lengths, creating a striped effect on the left side of the page.

KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks
of Krueger International, Inc.

© 2014 Krueger International, Inc.
All Rights Reserved.
Code KI-11609/KI/PDF/1014