

January 3, 2011

Updated November 29, 2018

800-424-2432





# Contents

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com).

<b>Ordering C.O.M., C.O.L., and C.O.V.</b>		
	Bonduel, Green Bay, Ontario, and Tupelo	2
	High Point	4
	Shipping Location	6
<b>Altus™</b>		
	General Information	8
	Task Chair	10
	Altus Slip Covers	12
<b>Apply®</b>		
	General Information	14
	Task Chair and Stools	16
<b>Avail®</b>		
	General Information	20
	Task Chair	22
<b>Engage®</b>		
	General Information	26
	Task Chairs and Stools	28
<b>Grazie®</b>		
	General Information	36
	Task Chairs and Stools	38
<b>Impress®</b>		
	General Information	42
	Task Chairs and Stools	44
<b>Impress® Ultra</b>		
	General Information	46
	Task Chairs and Stools	48
<b>Oath™</b>		
	General Information	50
	Task Chairs	54
<b>Pilot®</b>		
	General Information	56
	Task Chairs	58
<b>Sift™</b>		
	General Information	60
	Task and Guest Chairs	62
<b>Strive®</b>		
	General Information	68
	Task Chairs and Stools	70
<b>Torsion®</b>		
	General Information	78
	Task Chairs and Stools	80
<b>Torsion Air®</b>		
	General Information	84
	Task Chairs and Stools	86
<b>Index</b>		90

# Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, Ontario, and Tupelo


## How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



## C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

**KI**  
**Attn: C.O.M. Specialist**  
**1687 Westminster Drive, Gate 3**  
**Green Bay WI 54302**

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

## C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1" square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

## C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

**KI**  
**Attn: C.O.M. Storage**  
**1687 Westminster Drive, Gate 3**  
**Green Bay, WI 54302**

For products shipped from Tupelo, MS facility ship material to:

**KI Tupelo**  
**Attn: C.O.M. Storage**  
**2112 South Green Street**  
**Tupelo, MS 38801**

For products shipped from Bonduel, WI facility, ship material to:

**KI**  
**Attn: C.O.M. Storage**  
**204 West South Street**  
**Bonduel, WI 54107**

For products shipped from Ontario, CA facility, ship material to:

**Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot**  
**Attn: C.O.M. Storage**  
**1110 S. Mildred Ave.**  
**Ontario, CA 91761**

## Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

## Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

## Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

## Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

## Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

## C.O.M., C.O.L. and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Please see information below and check the appropriate box.

☐ Submitted for testing.

☐ Test approved. Submitted for production.

Purchase Order Number


KI Acknowledgement Number

In all instances, send this form to the C.O.M. Specialist.

☐ A Selvage Top and Bottom



☐ B Selvage Side and Side



Purchasing Agent (Dealer or buying organization)

Attention

Address

City

State

Zip

Project Name

Type of seating and number of units of each type



# Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, Ontario, and Tupelo

# Ordering C.O.M., C.O.L., and C.O.V.

HIGH POINT

## Customer's Own Material ■

Specifications Form

January 2017

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS  
MUST BE PREPAID TO:

KI  
217 Feld Avenue  
High Point, NC 27263

COM and COL must be identified as follows:

1. Name and address
2. Your purchase order number
3. Our style number to which fabric is to be applied
4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	14"-21" REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE  $14 + 5 = 19$ .

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.





## Customer's Own Material ■

Specifications Form

January 2017


### ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO# \_\_\_\_\_
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

### ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)



YOUR COMPANY NAME \_\_\_\_\_

PHONE \_\_\_\_\_ FAX \_\_\_\_\_

Material Supplier \_\_\_\_\_

Material Name \_\_\_\_\_ Number \_\_\_\_\_

Material Color \_\_\_\_\_ Width \_\_\_\_\_

Vertical Repeat \_\_\_\_\_ Horizontal Repeat \_\_\_\_\_

Fiber Content \_\_\_\_\_

Direction Stripe/Pattern to be applied \_\_\_\_\_

### COM TO BE USED ON THE FOLLOWING:

QTY PRODUCT NAME/NUMBER

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____



# Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

## C.O.M. SHIPPING LOCATION



### Architectural Walls

Genius Walls ..... MN

### Casegoods

Dante Benches ..... AG  
Aristotle Tackboards ..... MN

### Classroom Furniture

360° Classroom Furniture ..... BW  
Dorsal 1090 Chairs ..... GB  
Intellect Wave Chairs ..... GB  
Learn2 ..... GB

### Desking

700 Series Desking ..... KP  
Balance Overheads ..... MN  
Genesis Desking ..... MN  
True Desking ..... KP  
Universal Overheads ..... MN  
WorkZone Desking ..... MN

### Files & Storage

700 Series Pedestal Cushion ..... GB  
Connection Zone Pads ..... BW  
U-Series Pedestal Cushion ..... GB

### Fixed Seating

Concerto Auditorium Seating ..... BW  
Single Pedestal Seating ..... GB  
Jury Base Seating ..... GB  
Lancaster Auditorium Seating ..... BW  
Sequence Seating ..... GB  
University Seating ..... GB

### Panel Systems

All Terrain ..... KP  
Balance Overheads ..... MN  
System 3000 ..... MN  
Universal Overheads ..... MN

Wireworks ..... MN  
Unite ..... MN

### Residence Hall Furniture

RoomScape Furniture ..... MN

### Screens

All Terrain ..... KP  
Connection Zone ..... BW  
True/Volition ..... KP  
Genesis ..... KP

### Seating

100 Series Folding Chairs ..... BW  
300 Series Folding Chairs ..... BW  
600 Series Stools ..... BW  
700 Series Folding Chairs ..... BW  
1000 Series ..... GB  
1100 Series Folding Chairs ..... BW  
Aerdyn Guest Seating ..... HN  
Affina Collection ..... HN  
Arisa Lounge ..... HN  
Altus Task Chairs ..... TM  
Apply Stack Chairs ..... GB  
Auditorium Folding Chairs ..... BW  
Avail Task Chairs ..... OM  
Bantam Guest Seating ..... HN  
Cinturon Lounge Seating ..... HN  
Cody Lounge Seating ..... HN  
Connection Zone Privacy Booths ..... HN  
Doni Collection ..... GB  
Dorsal Stack & Tandem Seating ..... GB  
Engage Task Chairs & Stools ..... GB  
FourC Seating ..... TM  
Front Row Seats (Silk Screening) ..... BW  
GateOne Public Seating ..... BW  
Grazie Seating ..... GB  
Hub Modular Lounge Seating ..... HN  
Impress Task Chairs ..... OM

Impress Ultra Task Chairs ..... OM  
Jessa Lounge Seating ..... HN  
Jubi Guest Chair ..... GB  
Kismet Task/Guest Chairs & Stools ..... OM  
Kurv Benches ..... HN  
LaResta Day Beds ..... HN  
Lyra Lounge Seating ..... HN  
Maestro Stack Chairs ..... GB  
Matrix Stack Chairs ..... GB  
Medical & Laboratory Stools ..... OM  
Mesa Lounge Seating ..... HN  
MyWay Seating ..... HN  
Neena Benches ..... HN  
Oath Task Chairs and Stools ..... TM  
Opt4 ..... GB  
Perry Stack Chairs ..... GB  
Perth Multiple & Healthcare Seating ..... HN  
Perth II Healthcare Seating ..... HN  
Pilot Task Chairs ..... OM  
Piretti Stack Chairs ..... GB  
Promenade Seating System ..... BW  
Rapture Stack Chairs & Stools ..... GB  
Ruckus ..... GB  
Rose Healthcare ..... BW  
Sela Lounge Seating ..... HN  
Sift Task Chairs ..... TM  
Silhouette Stack Chairs & Stools ..... BW  
Soltice Metal Collection ..... HN  
Soltice Multiple, Healthcare & Guest ..... HN  
Soltice II Healthcare Seating ..... HN  
Strive Multiple, Stack & Task ..... GB  
Sway ..... BW  
Tea Cup Lounge Seating ..... HN  
Torsion-on-the-Go! Nesting Chairs ..... GB  
Torsion Air Stack and Task Seating ..... GB  
Torsion Stack and Task Seating ..... GB  
Versa Stack Chairs & Stools ..... GB

## KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

### AG

Contact KI at  
1-800-424-2432

### GB

KI Green Bay  
Attn: COM Storage  
1687 Westminster Drive - Gate 3  
Green Bay, WI 54302

### KP

KI Pembroke  
Attn: COM Storage  
1000 Olympic Dr.  
Pembroke, Ontario K8A6X7

### MN

KI Manitowoc  
Attn: COM Storage  
1400 S. 41st St.  
Manitowoc, WI 54220

### BW

KI Bonduel  
Attn: COM Storage  
204 West South St.  
Bonduel, WI 54107

### HN

KI-HN  
Attn: COM Storage  
217 Feld Avenue  
High Point, NC 27263

### OM

KI  
Attn: COM Storage  
1110 S. Mildred Ave.  
Ontario, CA 91761

### TM


KI Tupelo  
2112 South Green St.  
Tupelo, MS 38804





# Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location



# Altus™

General Information



Conference Loop Armchair (ALTCLA)



Fabric Task Armless Chair (ALTUNA)



Fabric Task Headrest Adjustable Armchair (ALTUAA)

Features			
Back flex		•	•
Swivel and tilt	•		
Glides option	•		
General Dimensions			
Seat width	18-1/2"	18"	18"
Seat depth	17-1/4"	15-1/2" - 18"	15-1/2" - 18"
Seat height	16-1/4" - 19-1/2"	16-1/4" - 20-3/4"	16-1/4" - 20-3/4"
Arm height	8-3/4"		6-1/4" - 9-1/4"
Inside distance between arms	19-3/4"		19"
Overall Dimensions			
Width	24"	26"	26"
Depth	24"	26"	26"
Height	35-1/4" - 38-1/2"	39-1/2" - 44"	39-1/2" - 44"
Base diameter	24"	26"	26"

SPECIFICATIONS

Mechanism (Fabric and Mesh Task Chair)

Reinforced plastic base on cast aluminum housing with three control levers. One lever activates the pneumatic cylinder for a range in seat height. The second lever controls the back tilt angle, which has four settings. The third lever adjusts the tilt force and is located at the side of the chair for ease of use.

Mechanism (Conference Chair)

Swivel tilt mechanism is a stamped steel dual housing which includes swivel and tilt tension. Steel handle with molded urethane paddle controls seat height adjustments along with single lock-out or free-float action. Standard seat height range adjusts from 16-1/4" to 19-1/2". An auto height/auto return pneumatic cylinder option is available which returns the chair to its original front-facing and highest position.

Backrest (Conference and Mesh Task Chair)

A black reinforced plastic frame with mesh insert.

Backrest (Fabric Task Chair)

Flannel plastic back liner with polyurethane foam and a replaceable fabric slip cover attached to a black reinforced plastic frame. A plastic strip sewn to the edge of the fabric slip cover slides into a channel in the back liner.

Seat (Fabric and Mesh Task Chair)

Plastic seat liner and polyurethane foam covered with a replaceable fabric slip cover. The fabric slip cover is attached to the seat with Velcro.

Seat (Conference Chair)

Seat foam, upholstery, and underseat plastic liner are one unit which is field-replaceable.

Seat Slide (Fabric and Mesh Task Chair)

Seat depth is adjustable to one of five settings.

Adjustable Lumbar (Mesh Task Chair)

Optional clear adjustable lumbar has two control levers. One adjusts the lumbar height and the other adjusts the lumbar depth. Levers telescope and retract for ease of use.

Headrest

Upholstered in black faux leather. The headrest pad rotates forward or backward (Mesh Task Chair) or adjusts vertically and forward or backward (Fabric Task Chair). The Fabric Task Chair headrest automatically maintains a supportive position as the user tilts back. Headrests are field-installed.

Adjustable Arm (Fabric Task Chair)

Black molded arm cap is mounted to a reinforced black plastic arm post. The arm cap is made of TPU (thermal polyurethane), a non-irritating, recyclable material which is soft to the touch. It has 2" of depth adjustment and 3" of height adjustment. The arm caps pivot to provide a 4" range between the arm caps from 17 - 21".

Adjustable Arm (Mesh Task Chair)

Black molded polyurethane arm cap is mounted to a reinforced black plastic arm post. It has 2" of depth adjustment and 2" of height adjustment. The arm caps pivot to provide a 5-3/4" range between the arm caps from 16-3/4 - 22-1/2".

Fixed T-Arm and Loop Arm

Black reinforced plastic arm.

Base

Two 26" five-blade base options are available: a reinforced black nylon base or a polished aluminum base.

Casters

Double wheel black carpet or hard surface casters are molded of reinforced plastic. A reinforced plastic glide option is available on the Conference Chair.


**Mesh Task Armless Chair (ALTMNA)**

**Mesh Task Headrest  
Adjustable Armchair (ALTMMA)**

**Mesh Task  
Fixed T-Armchair (ALTMFA)**

Features			
Back flex	•	•	•
Swivel only			
Glides			
General Dimensions			
Seat width	18"	18"	18"
Seat depth	17-1/4 - 19-3/4"	17-1/4 - 19-3/4"	17-1/4 - 19-3/4"
Seat height	17 - 21-3/4"	17 - 21-3/4"	17 - 21-3/4"
Arm height		7-1/4 - 9-1/4"	7-1/4"
Inside distance between arms		20"	20"
Overall Dimensions			
Width	26"	27"	27"
Depth	26"	26"	26"
Height	38-3/4 - 43-1/2"	38-3/4 - 43-1/2"	38-3/4 - 43-1/2"
Base diameter	26"	26"	26"

## INFORMATION

### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

KI  
 Attn: C.O.M. Specialist  
 2112 South Green Street  
 Tupelo, MS 38801

### C.O.M. Availability

C.O.M. is only offered on the Mesh Task Chair.

### Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

### 24/7

Altus Fabric Task and Mesh Task chairs can be used in 24/7 applications.




## INFORMATION

### Warranty

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)

# Altus®

## Task Chair

			MODEL NUMBER										
			Basic Model	Base Finish	Cylinder Type	Base	Head-rest	Lumbar	Fire Code	Upholstery Color	Mesh Color		
	<b>Altus® Conference Chair</b> <ul style="list-style-type: none"><li>• Optional auto-return cylinder</li><li>• 6 mesh backrest colors</li><li>• Seat height adjustment</li><li>• Swivel and tilt</li></ul>	Loop Arm	ALTCLA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
ALTCL													
	<b>Altus® Fabric Task Chair</b> <ul style="list-style-type: none"><li>• Flex back</li><li>• Automatic lumbar support</li></ul>	No Arm	ALTUNA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			
		Adjustable Arm	ALTUAA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			
ALTU													
	<b>Altus® Mesh Task Chair</b> <ul style="list-style-type: none"><li>• 6 mesh backrest colors</li><li>• Flex back</li><li>• Mesh pocket for lumbar support</li><li>• Lumbar support is not available with FR</li></ul>	No Arm	ALTMNA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Adjustable Arm	ALTMMA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Fixed T-Arm	ALTMFA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
ALTM													
			A	B	C	D	E	F	G	H	I		

**A** **B** **C** **D** **E** **F** **G** **H** **I**

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select base finish.

**P** - Plastic base  
**A** - Aluminum base; add \$182

- C** Select cylinder type.

**STD** - Standard cylinder  
**AR** - Auto return cylinder; add \$116

- D** Select base option.

**G** - Glides (conference only); add \$32  
**C** - Carpet casters  
**S** - Hard floor casters; add \$49  
 Glides are only used on the Conference Chair.

- E** Select headrest.

**NHR** - No headrest  
**HR** - Headrest; add \$110

- F** Select lumbar support.

**NLS** - No lumbar support  
**LS** - Lumbar support; add \$98  
 Lumbar support is not available with FR.

- G** Select fire code.

**NFR** - Compliance to TB 117-2013  
**FR** - Compliance to TB 133

- H** Select upholstery color.

**Refer to the KI Color Addendum or KI Fabrics & Finishes binder.**

- I** Select mesh color.

**Refer to the KI Color Addendum or KI Fabrics & Finishes binder.**



Approx. Packaged Weight	Delivered Pricing Fabric Grade A1	Delivered Pricing Grade A1 Leather	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
42.0#	\$ 602	\$ 731	\$ 618	\$ 626	\$ 629	\$ 629	\$ 637	\$ 664	\$ 675	\$ 689	\$ 703

64.0#	\$ 956	\$ 1268
64.0#	967	1279

54.0#	\$ 1023	\$ 1151	\$ 1082	\$ 1095	\$ 1100	\$ 1100	\$ 1113	\$ 1163	\$ 1181	\$ 1207	\$ 1230
54.0#	1036	1163	1095	1105	1111	1111	1126	1175	1194	1219	1241
54.0#	1028	1158	1088	1100	1105	1105	1120	1169	1187	1213	1235

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery (Mesh Task Chair)

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs, it is 1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

## INFORMATION

### Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Conference  
Added Lead Time=1 week  
Added List Price=\$79

Model=Mesh Task  
Added Lead Time=1 week  
Added List Price=\$79

Note: FR is not offered on Leather and is not offered when the optional lumbar support is specified for the Mesh Task chair.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **assembled, FOB Tupelo, MS 38804, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

# Altus®

Altus Slip Covers

	MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing Fabric Grade A1	Delivered Pricing Grade A1 Leather
		Basic Model	Upholstery Color			
ALTSC	<b>Conference Chair - Entire Seat</b> • With foam and upholstery	ALTC.SC.S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.9#	\$ 49	\$ 177
ALTSC	<b>Fabric Task Chair - Back Slip Cover</b> • With foam	ALTU.SC.B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.9#	\$ 49	\$ 177
ALTSC	<b>Fabric Task Chair - Seat Slip Cover</b> • With foam	ALTU.SC.S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	1.0#	\$ 49	\$ 177
ALTSC	<b>Mesh Task Chair - Seat Slip Cover</b> • With foam	ALTM.SC.S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	0.9#	\$ 49	\$ 177

A

B

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery color.  
**Refer to the KI Color Addendum or KI Fabrics & Finishes binder.**
- C** Select fire code.
- |            |                             |
|------------|-----------------------------|
| <b>NFR</b> | - Compliance to TB 117-2013 |
| <b>FR</b>  | - Compliance to TB 133      |



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 184	\$ 188	\$ 202	\$ 202	\$ 239	\$ 249	\$ 263	\$ 280	\$ 306

\$ 61	\$ 72	\$ 85	\$ 85	\$ 97	\$ 146	\$ 157	\$ 172	\$ 182
-------	-------	-------	-------	-------	--------	--------	--------	--------

#### UPHOLSTERY INFORMATION

##### **C.O.M. Upholstery (Mesh Task Chair)**

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs, it is 1/2 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### INFORMATION

##### **Californina TB133 Fire Safety Code**

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Conference  
 Added Lead Time=1 week  
 Added List Price=\$79

Model=Mesh Task  
 Added Lead Time=1 week  
 Added List Price=\$79

Note: FR is not offered on Leather and is not offered when the optional lumbar support is specified for the Mesh Task chair.

#### SPECIAL SERVICES

##### **Special Carton Marking**

With specially marked information N/C

##### **Shipping**

Ships **assembled, FOB Tupelo, MS 38804, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Task Chair  
(APDNAP)



Task Stool  
(APSNAP)

Features		
Molded plywood, optional upholstered seat pad	•	•
300 lb tested	•	•
General Dimensions		
Seat width	17-1/2"	17-1/2"
Seat depth	17-3/8"	17-3/8"
Seat height (upholstered add 1/2")	17-1/2" - 22-1/2"	22-1/2" - 32-3/4"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"
Height	32-1/2" - 37-1/2"	35-1/2" - 43"

SPECIFICATIONS

Shell

One-piece contoured wood shell is constructed of formed plywood, .460"-.480" thick, 7-ply maple and poplar construction. The mold-formed seat and back provide for comfort and strength. Top/bottom and front/back surfaces are vertical grade postforming, product type 335, high-pressure laminate thickness of .028", standard finish is #38 or #60 with a sanded edge with tung oil finish. The wood shell is supported by four plywood circular disks and ¼ -20 T-nuts bonded with construction grade adhesive and fastened to a variety of base structures with four ¼ -20x1/2" thread-locking screws. The chair perimeter is designed such that it provides a feature to support backpacks or courier bags. Shells are available in wood grain laminates or solid laminates.

Underseat Structure

The shell is attached to an 11-gauge steel seat spider and cast aluminum height-adjust control. A single paddle under the seat operates the height adjusting pneumatic cylinder.

Base

Two five-blade base options are available: a reinforced black nylon base or a polished aluminum base.

Stools are equipped with an 18" diameter, adjustable-height footring made of die-cast aluminum with a chrome plated tubular steel ring and black "spokes."

Casters

Casters are double-wheel, high-impact thermoplastic, available with hard or soft wheel surface. Casters, base, and cylinder are available in black.


Upholstered Seat

As an option, shells may be equipped with an upholstered seat pad. Urethane foam is attached to a formed plywood upholstery liner, then upholstered using a drawstring process. The foam is a nominal ½" thickness. The pad assembly is attached to the shell using 10-24 screws, engaging T-nuts in the liner.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.





#### INFORMATION

##### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered only and cushioned/upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl cannot be used on this product.

Test samples must be sent to:

KI  
Attn: C.O.M. Specialist  
1687 Westminster Drive - Gate 3  
Green Bay, WI 54302

##### Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

#### INFORMATION

##### Warranty

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)

# Apply®

## Task Chair



APDP  
APDU

MODEL	Features	MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Base Finish	Shell Color	Fire Code	Upholstery Color	Casters	
<b>Armless Chair</b> <ul style="list-style-type: none"> <li>Height-adjusted pneumatic cylinder</li> <li>Wood laminate shell</li> <li>Woodgrain and solid laminate options</li> <li>Tested to 300 pounds and BIFMA standards</li> </ul>	Laminate Shell	APDNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/>	20.0#
	Upholstered Seat Pad	APDNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	20.0#
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base finish.

**BL** - Black

**PA** - Polished aluminum; add \$87

**C** Select laminate shell color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**D** Select fire code.

**NFR** - Compliance to TB 117-2013

**FR** - Compliance to TB 133

**E** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**F** Select caster option.

**C** - Carpet casters

**S** - Hard floor casters; add \$48



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 540										
N/A	672	676	698	672	698	694	710	762	781	810

## OPTIONS

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Seat  
Added List Price=\$43

## SPECIAL SERVICES

### Special Carton Marking


With specially marked information N/C

### Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Apply®  
Task Stool

	MODEL	Features	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Base Finish	Shell Color	Fire Code	Upholstery Color	Casters	
	<b>Armless Stool</b>	Laminate Shell	APSNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/>	22.0#
	• Height-adjusted pneumatic cylinder	Upholstered Seat Pad	APSNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	22.0#
	• 18" footring								
	• Wood laminate shell								
	• Woodgrain and solid laminate options								
	• Tested to 300 pounds and BIFMA standards								
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	

APSP  
APSU

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base finish.
- |           |                               |
|-----------|-------------------------------|
| <b>BL</b> | - Black                       |
| <b>PA</b> | - Polished aluminum; add \$87 |
- C** Select laminate shell color.  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select fire code.
- |            |                             |
|------------|-----------------------------|
| <b>NFR</b> | - Compliance to TB 117-2013 |
| <b>FR</b>  | - Compliance to TB 133      |
- E** Select upholstery grade/color.  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- F** Select caster option.
- |          |                                |
|----------|--------------------------------|
| <b>C</b> | - Carpet casters               |
| <b>S</b> | - Hard floor casters; add \$48 |



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
\$ 653	N/A	785	790	814	785	814	807	824	876	894	923

## OPTIONS

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Seat  
 Added List Price=\$43

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

# Avail®

## General Information



No-Arm Task Chair (KIUV72/NA)



4D T-Arm Task Chair (KIUV72/JR69)



Adjustable T-Arm Task Chair (KIUV72/JR39)

Features			
Free-floating back	•	•	•
Back lock	•	•	•
Height and width adjustable arms		•	•
General Dimensions			
Seat width	19"	19"	19"
Seat depth	16-1/2"	16-1/2"	16-1/2"
Seat height	16-1/2" - 21"	16-1/2" - 21"	16-1/2" - 21"
Backrest height	21-1/4"	21-1/4"	21-1/4"
Lumbar	7-3/4"	7-3/4"	7-3/4"
Overall Dimensions			
Height	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"
Width	25"	25"	25"
Depth	25"	25"	25"
Back range	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)

### SPECIFICATIONS

#### Seat

Constructed of a 1/2" thick, saddle-shaped plywood with 2-1/2" thick molded, high-resilient foam and upholstered with fabric, vinyl, or leather. Back mesh material is PE elastomeric with polyester. The entire seat assembly is mounted to the mechanism by 4 screws.

#### Mechanism

Stamped steel dual housing forms a sturdy cradle for the seat. There is only one control lever which actuates the pneumatic cylinder with infinite selection within the range and locks the chair in an upright position. The synchrotilt mechanism adjusts the back and seat in a 2:1 free-floating mode.

#### Backrest

Nylon with fiberglass reinforced frame.

#### Back Height

Fixed height.

#### 4D T-Arm (JR69)

Two-way adjustable width/height. Forward-slanting T-arms with ergonomic, maximum-mobility arm top (button-activated arm pad; 1" lateral, 2" forward and back, and diagonal adjustability.) Adjustable height range of 4.25". Adjustable width range of 1.75" each side.

#### Adjustable T-Arm (JR39)

Two-way adjustable width/height. Black molded urethane armcap. Adjustable height range of 4.25". Adjustable width range of 1.75" each side. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required).

#### Fixed Loop Arm (KR48)

Black plastic arm.

#### Adjustable Loop Arm (KR72)

Black molded urethane armcap. 2.5" of height adjustment.

#### Adjustable K-Arm (KR200)

Two-way adjustable width/height. Black molded urethane armcap. Natural grip control. Adjustable height range of 2.75". Adjustable width range of 1" each side.

#### Base

25" diameter, five-blade reinforced nylon base. Black only.

#### Casters

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high-impact frame. Carpet or hard floor casters are available.



**Fixed Loop Arm  
Task Chair (KIUV72/KR48)**



**Adjustable Loop Arm  
Task Chair (KIUV72/KR72)**



**Adjustable K-Arm  
Task Chair (KIUV72/KR200)**

Features			
Free-floating back	•	•	•
Back lock	•	•	•
Height and width adjustable arms			•
General Dimensions			
Seat width	19"	19"	19"
Seat depth	16-1/2"	16-1/2"	16-1/2"
Seat height	16-1/2" - 21"	16-1/2" - 21"	16-1/2" - 21"
Backrest height	21-1/4"	21-1/4"	21-1/4"
Lumbar	7-3/4"	7-3/4"	7-3/4"
Overall Dimensions			
Height	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"	37-3/4" - 42-1/4"
Width	25"	25"	25"
Depth	25"	25"	25"
Back range	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)	25 degrees (from 102 - 127 degrees)

## INFORMATION

### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

Avail  
 Attn: C.O.M. Department  
 1110 S. Mildred Ave.  
 Ontario, CA 91761

### Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

### Shipment

Ships partially assembled.




## INFORMATION

### Warranty

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)

# Avail®

Task Chair

MODEL	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.
	Basic Model	Back Panel	Upholstery Color	Base			
 AVAIL	KIUV72/NA	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	43.0#	\$ 485	\$ 435
<b>No-Arm Chair</b> <ul style="list-style-type: none"><li>• Free-floating back</li><li>• Back lock</li><li>• Back is black mesh</li><li>• Upholstered seat</li></ul>							
 AVAIL	KIUV72/JR69	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	51.0#	\$ 715	\$ 663
<b>4D T-Arm</b> <ul style="list-style-type: none"><li>• Free-floating back</li><li>• Back lock</li><li>• Back is black mesh</li><li>• Upholstered seat</li><li>• Front/Back Movement</li><li>• Side-to-Side Movement</li><li>• 4 dimensional arm</li></ul>							
 AVAIL	KIUV72/JR39	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	51.0#	\$ 646	\$ 595
<b>Adjustable T-Arm</b> <ul style="list-style-type: none"><li>• Free-floating back</li><li>• Back lock</li><li>• Back is black mesh</li><li>• Upholstered seat</li><li>• Height and width adjustable arms</li></ul>							
<b>A                      B                      C                      D</b>							

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select back panel.  
**BL** - Black
- C** Select upholstery color.  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select base option.  
**C** - Carpet casters  
**S** - Hard floor casters





Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 484	\$ 491	\$ 491	\$ 463	\$ 523	\$ 546	\$ 571	\$ 599	\$ 655

\$ 714	\$ 720	\$ 720	\$ 690	\$ 751	\$ 776	\$ 802	\$ 830	\$ 886
--------	--------	--------	--------	--------	--------	--------	--------	--------

\$ 645	\$ 651	\$ 651	\$ 623	\$ 683	\$ 707	\$ 734	\$ 760	\$ 816
--------	--------	--------	--------	--------	--------	--------	--------	--------

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for less than five chairs is 1 yard of 54" wide nondirectional fabric. For five or more chairs, it is 3/4 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C




### Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

# Avail®

Task Chair

	MODEL	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.
		Basic Model	Back Panel	Upholstery Color	Base			
  AVAIL	<b>Fixed Loop Arm</b> <ul style="list-style-type: none"><li>• Free-floating back</li><li>• Back lock</li><li>• Back is black mesh</li><li>• Upholstered seat</li></ul>	KIUV72/KR48	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	51.0#	\$ 633	\$ 585
  AVAIL	<b>Adjustable Loop Arm</b> <ul style="list-style-type: none"><li>• Free-floating back</li><li>• Back lock</li><li>• Back is black mesh</li><li>• Upholstered seat</li><li>• Height adjustable arms</li></ul>	KIUV72/KR72	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	51.0#	\$ 646	\$ 595
  AVAIL	<b>Adjustable K-Arm</b> <ul style="list-style-type: none"><li>• Free-floating back</li><li>• Back lock</li><li>• Back is black mesh</li><li>• Upholstered seat</li><li>• Height and width adjustable arms</li></ul>	KIUV72/KR200	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	51.0#	\$ 609	\$ 559

**A**      **B**      **C**      **D**

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select back panel.  
**BL** - Black
- C** Select upholstery color.  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select base option.  
**C** - Carpet casters  
**S** - Hard floor casters



Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 632	\$ 640	\$ 640	\$ 614	\$ 674	\$ 696	\$ 722	\$ 748	\$ 806
\$ 645	\$ 651	\$ 651	\$ 623	\$ 683	\$ 707	\$ 734	\$ 760	\$ 816
\$ 608	\$ 615	\$ 615	\$ 588	\$ 648	\$ 671	\$ 696	\$ 722	\$ 779

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for less than five chairs is 1 yard of 54" wide nondirectional fabric. For five or more chairs, it is 3/4 yard of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Upholstered Back Adjustable Arm Chair  
(ENGU/BL/AA)



Poly Back Armless Chair  
(ENGP/BL/NA)

Features		
Back flex	•	•
Seat depth adjustment	•	•
Forward seat tilt	•	•
Variable position back lock	•	•
Back height adjustment	•	•
Arms	•	
General Dimensions		
Seat width	18-3/4"	18-3/4"
Seat depth	16" - 19"	16" - 19"
Seat height	16" - 20-3/4"	16 - 20-3/4"
Back width (at lumbar)	18"	18"
Back height (above seat)	16-3/8" - 20-3/8"	16-3/8" - 20-3/8"
Overall Dimensions		
Width	28"	26"
Depth	22-1/2" - 25-1/2"	22-1/2" - 25-1/2"
Height	36-3/8" - 41-1/8"	36-3/8" - 41-1/8"
Top of arm from seat with adjustable arms	6" - 10"	
Armcap width (inside dimension) with adjustable arms	18-1/2"	

SPECIFICATIONS

Seat

Seat is constructed of a molded polypropylene seatboard with 2-1/4" thick high-resilient foam molded directly onto it. The foam-covered board is upholstered with fabric. An integral "seat slide button" is attached to the underside of the board, which allows the seat depth to be adjusted from 16" to 19" for the chairs and 16" to 17-3/4" for the stool. A textured polypropylene seat shroud attaches to the bottom of the seat and permits access to the seat slide button. The entire assembly is mounted through slots in the mechanism that allow the seat to slide in and out.

Backrest

The backrest has the same basic construction as the seat except the textured polypropylene shroud is also available in an upholstered version. The back also includes an adjustment lever that allows the back to be raised or lowered 4" vertically along the J-Bar.

Synchronized Knee Tilt Mechanism

A stamped and welded steel housing contains a set of torsion bars that supply the force to the mechanism. Controls include a back angle lock, tilt tension control and pneumatic seat height lever for both the chairs and the stool, but also a forward tilt lockout for the chairs. The seat is in a 2° reclined position. When the forward tilt lock is disengaged, the seat tilts to a 2° forward position. The back angle can be locked at three positions. The tension can be increased or decreased by turning the tension dial to set the desired amount of preset on the torsion springs. The seat height can be pneumatically adjusted from 16" - 20-3/4" on the chairs and 22" to 32-1/4" on the stools with infinite selection within the range. The plastic mechanism shroud and control handles match the color of the chair.

Engage® 24/7

J-Bar is constructed of GR50 steel.

Adjustable Armrests with Pivoting Armcaps (AA)

A curved and angled-forward arm support that is molded from reinforced nylon supports a height adjustable nylon sleeve that allows for 4" of vertical adjustment from 6" to 10" above the seat. The armrest height is adjusted by pressing a button mounted in the sleeve. The sleeve supports a self-skinning urethane armrest that pivots 360° from a point near the back of the armrest. The armrest has 4 detents that allow the armrest to snap into position, one straightforward, one each at 20° inward and 20° outward, and one at 180° reversed back position. The armrests are spaced 18-1/2" apart. All parts are color-matched to the other plastic parts of the chair. The nylon supports are bolted to the bottom of the mechanism with four 5/16" bolts and are field-installable.

Adjustable Armrests with Fixed Armcaps (HA)

A curved and angled-forward arm support that is molded from reinforced nylon, supports a height-adjustable reinforced nylon sleeve that allows for 4" of vertical adjustment from 6" to 10" above the seat. The armrest height is adjusted by pressing a button mounted in the sleeve. The sleeve supports a self-skinning urethane armrest. The armrests are spaced 18-1/2" apart. All parts are color-matched to the other plastic parts of the chair. The nylon supports are bolted to the bottom of the mechanism with four 5/16" bolts and are field-installable.

Base

The 24" diameter (on chairs) and the 26" diameter (on stools), five-blade base is molded from reinforced nylon. A telescoping cylinder shroud conceals the pneumatic cylinder. All finishes match the chair color.



**Poly Back Stool with Adjustable Arms  
(ENGSP/BL/AA)**

#### Features

Back Flex	•
Seat depth adjustment	•
Variable position back lock	•
Back height adjustment	•
Arms	•

#### General Dimensions

Seat width	18-3/4"
Seat depth	16" - 19"
Seat Height	22" - 32-1/4"
Back width (at lumbar)	18"
Back height (above seat)	16-3/8" - 20-3/8"

#### Overall Dimensions

Width	28"
Depth	26"
Height	47-7/8" - 52-5/8"
Top of arm from seat with adjustable arms (AA/HA)	6" - 10"
Armcap width (inside dimension) with pivoting arm (AA/HA)	18-1/2"

#### Carpet Casters

60mm diameter double wheels are molded of high-impact thermoplastic. High-impact plastic frame. Finish matches chair color.

#### Hard Floor Casters

60mm diameter double wheels are molded of soft plastic. High-impact plastic frame. Black finish only.

#### Universal Casters

Average performance for use on both soft and hard surfaces.

#### Footring (on Stools)

Chrome footring is standard.

#### INFORMATION

##### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI  
 Attn: C.O.M. Specialist  
 1687 Westminster Drive - Gate 3  
 Green Bay, WI 54302

#### Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

#### Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.



#### INFORMATION

##### Warranty

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)

# Engage®

## Task Chairs and Stools

			MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Base	Frame Color	Upholstery Color	
  ENGP ENGU ENGMP ENGMU	<b>MODEL</b>  <b>Armless Chair</b> <ul style="list-style-type: none"><li>• Back flex</li><li>• Seat depth adjustment</li><li>• Forward seat tilt</li><li>• Variable position back lock</li><li>• Back height adjustment</li></ul>	Poly Back	ENGP/NA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	53.0#	
		Uph Back	ENGU/NA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	53.0#	
		Poly Back, Memory Foam Seat	ENGMP/NA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	53.0#	
		Uph Back, Memory Foam Seat	ENGMU/NA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	53.0#	
  ENGP ENGU ENGMP ENGMU	<b>Armchair with Height Adjustable Arm, Pivoting Armcap</b> <ul style="list-style-type: none"><li>• Back flex</li><li>• Seat depth adjustment</li><li>• Forward seat tilt</li><li>• Variable position back lock</li><li>• Back height adjustment</li></ul>	Poly Back	ENGP/AA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#	
		Uph Back	ENGU/AA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#	
		Poly Back, Memory Foam Seat	ENGMP/AA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#	
		Uph Back, Memory Foam Seat	ENGMU/AA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base option.

- |          |                      |
|----------|----------------------|
| <b>C</b> | - Carpet casters     |
| <b>S</b> | - Hard floor casters |
| <b>U</b> | - Universal casters  |

**C** Select frame color.

- |             |                                    |
|-------------|------------------------------------|
| <b>BL</b>   | - Black                            |
| <b>CHBL</b> | - Polished aluminum base; add \$85 |

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**D** Select fire code.

- |            |                             |
|------------|-----------------------------|
| <b>NFR</b> | - Compliance to TB 117-2013 |
| <b>FR</b>  | - Compliance to TB 133      |

**E** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 961	\$ 976	\$ 986	\$ 961	\$ 986	\$ 1023	\$ 1077	\$ 1104	\$ 1140	\$ 1180	\$ 1674
1058	1087	1112			1218	1283	1339	1403	1403	1884
1025	1043	1052	1025	1052	1088	1140	1169	1206	1245	1741
1128	1154	1178			1287	1352	1407	1470	1470	1953

\$ 1272	\$ 1288	\$ 1295	\$ 1272	\$ 1295	\$ 1331	\$ 1385	\$ 1415	\$ 1450	\$ 1491	\$ 1988
1370	1399	1425			1483	1548	1594	1649	1713	2196
1334	1355	1360	1334	1360	1396	1448	1482	1516	1555	2054
1436	1464	1486			1546	1609	1658	1715	1780	2261

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide non-directional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### Engage 24/7

To order the Engage® 24/7 chair, please add "/247" to the end of the model number. Added list price is \$74. No additional leadtime.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Back  
 Added Lead Time=1 week  
 Added List Price=\$138

Model=Fully Upholstery Back  
 Added Lead Time=1 week  
 Added List Price=\$174

### California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C


### Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

# Engage®

Task Chairs and Stools

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Base	Frame Color	Fire Code	Uph. Color	
MODEL	Features							
 ENGP ENGU ENGMP ENGMU	<b>Armchair with Height Adjustable Arms, Fixed Armcap</b> <ul style="list-style-type: none"><li>• Back flex</li><li>• Seat depth adjustment</li><li>• Forward seat tilt</li><li>• Variable position back lock</li><li>• Back height adjustment</li></ul>	Poly Back	ENGP/HA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
		Uph Back	ENGU/HA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
		Poly Back, Memory Foam Seat	ENGMP/HA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
		Uph Back, Memory Foam Seat	ENGMU/HA	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	60.0#
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base option.
- |          |                      |
|----------|----------------------|
| <b>C</b> | - Carpet casters     |
| <b>S</b> | - Hard floor casters |
| <b>U</b> | - Universal casters  |
- C** Select frame color.
- |             |                                    |
|-------------|------------------------------------|
| <b>BL</b>   | - Black                            |
| <b>CHBL</b> | - Polished aluminum base; add \$85 |
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select fire code.
- |            |                             |
|------------|-----------------------------|
| <b>NFR</b> | - Compliance to TB 117-2013 |
| <b>FR</b>  | - Compliance to TB 133      |
- E** Select upholstery grade/color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.





Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 1254	\$ 1268	\$ 1277	\$ 1254	\$ 1277	\$ 1313	\$ 1365	\$ 1397	\$ 1432	\$ 1472	\$ 1964
1354	1375	1404			1465	1528	1574	1630	1693	2180
1319	1332	1340	1319	1340	1379	1432	1464	1496	1536	2032
1417	1442	1470			1531	1595	1641	1700	1759	2245

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide non-directional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### Engage 24/7

To order the Engage® 24/7 chair, please add "/247" to the end of the model number. Added list price is \$74. No additional leadtime.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Back  
 Added Lead Time=1 week  
 Added List Price=\$138

Model=Fully Upholstery Back  
 Added Lead Time=1 week  
 Added List Price=\$174

### California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C



### Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

# Engage®

## Task Chairs and Stools

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Base	Frame Color	Fire Code	Uph. Color	
MODEL	Features							
  ENGSP ENGSU EGSMP EGSMU	<b>Armless Stool</b> <ul style="list-style-type: none"><li>• Back flex</li><li>• Seat depth adjustment</li><li>• Variable position back lock</li><li>• Back height adjustment</li></ul>	Poly Back	ENGSP/NA	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	59.0#
		Uph Back	ENGSU/NA	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	59.0#
		Poly Back, Memory Foam Seat	ENGSMU/NA	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	59.0#
		Uph Back, Memory Foam Seat	ENGSMU/NA	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	59.0#
  ENGSP ENGSU EGSMP EGSMU	<b>Arm Stool with Height Adjustable Arm, Pivoting Armcap</b> <ul style="list-style-type: none"><li>• Back flex</li><li>• Seat depth adjustment</li><li>• Variable position back lock</li><li>• Back height adjustment</li></ul>	Poly Back	ENGSP/AA	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#
		Uph Back	ENGSU/AA	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#
		Poly Back, Memory Foam Seat	ENGSMU/AA	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#
		Uph Back, Memory Foam Seat	ENGSMU/AA	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	

### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base option.

- |          |                      |
|----------|----------------------|
| <b>C</b> | - Carpet casters     |
| <b>S</b> | - Hard floor casters |
| <b>U</b> | - Universal casters  |

**C** Select frame color.

- BL** - Black  
 Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**D** Select fire code.

- NFR** - Compliance to TB 117-2013  
**FR** - Compliance to TB 133

**E** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 1135	\$ 1146	\$ 1162	\$ 1135	\$ 1162	\$ 1196	\$ 1247	\$ 1278	\$ 1312	\$ 1355	\$ 1847
1234	1257	1284			1390	1453	1511	1574	1574	2059
1202	1212	1227	1202	1227	1258	1312	1344	1376	1419	1913
1298	1324	1352			1455	1519	1580	1641	1641	2126

\$ 1442	\$ 1461	\$ 1466	\$ 1442	\$ 1466	\$ 1503	\$ 1554	\$ 1590	\$ 1624	\$ 1663	\$ 2155
1547	1569	1596			1654	1717	1764	1823	1888	2372
1508	1526	1531	1508	1531	1566	1620	1652	1689	1727	2223
1608	1638	1662			1722	1785	1833	1890	1953	2439

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide non-directional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### Engage 24/7

To order the Engage® 24/7 chair, please add "/247" to the end of the model number. Added list price is \$74. No additional leadtime.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Back  
 Added Lead Time=1 week  
 Added List Price=\$138

Model=Fully Upholstery Back  
 Added Lead Time=1 week  
 Added List Price=\$174

### California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

## SPECIAL SERVICES

### Special Carton Marking


With specially marked information N/C

### Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Engage®  
Task Chairs and Stools

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Base	Frame Color	Fire Code	Uph. Color	
  ENGSP ENGSU EGSMP EGSMU	<b>Arm Stool with Height Adjustable Arm, Fixed Armcaps</b> <ul style="list-style-type: none"><li>• Back flex</li><li>• Seat depth adjustment</li><li>• Variable position back lock</li><li>• Back height adjustment</li></ul>	Poly Back	ENGSP/HA	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#	
		Uph Back	ENGSU/HA	<input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#	
		Poly Back, Memory Foam Seat	ENGSMF/HA	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#
		Uph Back, Memory Foam Seat	ENGSMU/HA	<input type="checkbox"/>	BL	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	68.0#
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base option.
- |          |                      |
|----------|----------------------|
| <b>C</b> | - Carpet casters     |
| <b>S</b> | - Hard floor casters |
| <b>U</b> | - Universal casters  |
- C** Select frame color.
- |           |         |
|-----------|---------|
| <b>BL</b> | - Black |
|-----------|---------|
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select fire code.
- |            |                             |
|------------|-----------------------------|
| <b>NFR</b> | - Compliance to TB 117-2013 |
| <b>FR</b>  | - Compliance to TB 133      |
- E** Select upholstery grade/color.
- Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 1428	\$ 1440	\$ 1448	\$ 1428	\$ 1448	\$ 1488	\$ 1542	\$ 1569	\$ 1604	\$ 1646	\$ 2140
1526	1551	1576			1637	1702	1747	1804	1866	2349
1493	1506	1513	1493	1513	1552	1604	1638	1670	1711	2203
1593	1616	1643			1702	1766	1813	1870	1935	2417

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard of 54" wide non-directional fabric; upholstered back, 1-1/2 yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### Engage 24/7

To order the Engage® 24/7 chair, please add "/247" to the end of the model number. Added list price is \$74. No additional leadtime.

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Back  
 Added Lead Time=1 week  
 Added List Price=\$138

Model=Fully Upholstery Back  
 Added Lead Time=1 week  
 Added List Price=\$174

### California TB133 Fire Safety Code

Engage® with memory foam is not FR approved.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

# Grazie®

General Information



Armless Task Chair (GPDNAP)



Task Cantilever Armchair (GPDCAU)



Armless Task Stool



Task Cantilever Arm Stool

Features				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
Ergonomic articulation (Perfect Pivot)	•	•	•	•
General Dimensions				
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height (upholstered - add 1") (stools with polished aluminum base - subtract 1-3/4")	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	22-1/2" - 32-3/4"	22-1/2" - 32-3/4"
Overall Dimensions				
Width	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Height	32-1/2" - 37-1/2"	32-1/2" - 37-1/2"	37-1/2" - 47-3/4"	37-1/2" - 47-3/4"
Arms to floor		26" - 31"		31" - 41-3/4"

SPECIFICATIONS

Underseat Structure

Support structure is die-drawn, 12-gauge steel plate. Fixed backrest mechanism structures are made from 1/2" diameter steel wire and attached by welding. Structure is finished with baked-on, electrostatically-applied, 30-degree gloss epoxy powder coating.

Arms

Optional cantilever arms are available. When equipped with arms, the supporting structure is 7/8" o.d. x 13-gauge tubular steel welded directly to the seat structure plate. The steel support tube is inserted into a socket molded into the armrest and secured with a screw. Armrests are molded from glass-reinforced nylon. Steel support tube and armcap color matches poly color. Diamond translucent poly has light tone arms; Pewter translucent has flannel arms; Bronze translucent has chocolate arms.

Backrest, Seat and Shroud

Injection molded polypropylene.

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1" diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Base

26" injection-molded, glass-reinforced, nylon 5-blade base. A single paddle under the seat operates the height-adjusting pneumatic cylinder. Standard chair base and cylinder available in black or warm grey. Standard stool base available in black or warm grey. Standard stool cylinder available in black only. An optional polished die-cast aluminum base is available on both chairs and stools.


Base color selection for black includes; black base, black cylinder and black carpet or hard floor casters.

Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carpet casters. Stool cylinder is always black.

Base color selection for polished aluminum includes; polished aluminum base, black cylinder and black carpet or hard floor casters. Hard floor casters are black only.

Casters

Casters are double-wheel, high-impact thermoplastic available with hard (warm grey or black) or soft (black only) wheel surface.



## INFORMATION

### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI  
Attn: C.O.M. Specialist  
1687 Westminster Drive - Gate 3  
Green Bay, WI 54302

### Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

### Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A



## INFORMATION

### Warranty

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)

# Grazie®

Task Chairs and Stools

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Base Color	Poly Seat & Back Color	Casters	Fire Code	Upholstery Color	
  GPDP GPDU GPDUB	<b>Task Armless Chair</b> <ul style="list-style-type: none"><li>Ergonomic articulation (Perfect Pivot)</li><li>Height-adjusting pneumatic cylinder</li></ul>	Polypropylene	GPDNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		33.0#
		Upholstered Seat	GPDNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	36.0#
		Upholstered Seat/Back	GPDNAUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	38.0#
  GPDP GPDU GPDUB	<b>Task Cantilever Armchair</b> <ul style="list-style-type: none"><li>Ergonomic articulation (Perfect Pivot)</li><li>Height-adjusting pneumatic cylinder</li></ul>	Polypropylene	GPDCAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		36.0#
		Upholstered Seat	GPDCAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	39.0#
		Upholstered Seat/Back	GPDCAUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	41.0#

**A****B****C****D****E****F**

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base color.  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.  
\*Add \$87 for polished aluminum base.
- C** Select poly seat and back color.  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- D** Select caster option.  

**C** \_\_\_\_\_ - Carpet casters

**S** \_\_\_\_\_ - Hard floor casters
- E** Select fire code.  

**NFR** \_\_\_\_\_ - Compliance to TB 117-2013

**FR** \_\_\_\_\_ - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- F** Select upholstery grade/color.  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 483										
N/A	595	605	624	595	624	628	667	682	701	728
N/A	623	631	651	623	651	654	693	708	727	755
\$ 592										
N/A	704	714	733	704	733	736	774	791	808	836
N/A	732	740	760	732	760	765	803	818	837	864

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

**California TB133 Fire Safety Code  
For California Technical Bulletin 133  
compliant models, add the following  
upcharge:**

**Model=Polypropylene  
Added List Price=\$10**

**Model=Upholstered Seat  
Added List Price=\$67**

**Model=Upholstered Seat and Back  
Added List Price=\$96**

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C



### Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

# Grazie®

## Task Chairs and Stools

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Base Color	Poly Seat & Back Color	Casters	Fire Code	Upholstery Color	
  GPSP GPSU GPSUB	<b>Task Armless Stool</b> <ul style="list-style-type: none"><li>Ergonomic articulation (Perfect Pivot)</li><li>Height-adjusting pneumatic cylinder</li></ul>	Polypropylene	GPSNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		38.0#
		Upholstered Seat	GPSNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	41.0#
		Upholstered Seat/Back	GPSNAUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43.0#
  GPSP GPSU GPSUB	<b>Task Cantilever Arm Stool</b> <ul style="list-style-type: none"><li>Ergonomic articulation (Perfect Pivot)</li><li>Height-adjusting pneumatic cylinder</li></ul>	Polypropylene	GPSCAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		41.0#
		Upholstered Seat	GPSCAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	44.0#
		Upholstered Seat/Back	GPSCAUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	46.0#
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.  
 • The absence of the ☐ indicates that no choice is required.  
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base color.  
 Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.  
 \*Add \$87 for polished aluminum base.

**C** Select poly seat and back color.  
 Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**D** Select caster option.  
**C** \_\_\_\_\_ - Carpet casters  
**S** \_\_\_\_\_ - Hard floor casters

**E** Select fire code.  
**NFR** \_\_\_\_\_ - Compliance to TB 117-2013  
**FR** \_\_\_\_\_ - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

**F** Select upholstery grade/color.  
 Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 558										
N/A	670	680	701	670	701	703	741	757	775	802
N/A	698	706	728	698	728	730	768	782	802	829
\$ 634										
N/A	745	756	778	745	778	778	817	832	851	879
N/A	774	782	807	774	807	806	845	859	879	907

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

**California TB133 Fire Safety Code  
For California Technical Bulletin 133  
compliant models, add the following  
upcharge:**

**Model=Polypropylene  
Added List Price=\$10**

**Model=Upholstered Seat  
Added List Price=\$67**

**Model=Upholstered Seat and Back  
Added List Price=\$96**

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



Task Chair (KI62/JR39)



Sled Base Chair (KI60S)



Stool (KI63)

Features			
Free-floating back	•		•
Seat slide	•		•
Back height adjustable	•		•
3 position back lock	•		•
2-1/2" thick foam cushioned seat	•	•	•
General Dimensions			
Seat width	20-1/2"	20-1/2"	20-1/2"
Seat depth	18"	18"	18"
Seat height	17-3/4" - 22-1/4"	18"	25" - 35"
Back width	20"	20"	20"
Back height (above seat)	19-1/2" - 22-1/2"	21"	19-1/2" - 22-1/2"
Overall Dimensions			
Width	26"	24"	26"
Height	37" - 45"	38-1/2"	43-1/2" - 56-1/2"



4D T-Arm (JR69)



Adjustable T-Arm (JR39)



Fixed Loop Arm (KR48)



Adjustable Loop Arm (KR72)

SPECIFICATIONS

Mechanism (KI62 and KI63)

A stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder, which adjusts the seat height with infinite selection within the range (KI62). One lever locks the chair in several positions or actuates the free-floating mode. The synchronized 2:1 free floating mode has adjustments of 8° on seat and 16° on back.

Backrest (KI62 and KI63)

The injection molded plastic board has embedded inserts for mounting. The board is covered with contoured molded high-resilient foam and upholstered with fabric. A textured black shroud covers the rear side. An easy-to-operate mechanism is installed on the back board for adjusting the back height (3").

Backrest (KI60S)

The injection molded plastic board has embedded inserts for mounting. The board is covered with contour molded foam and upholstered with fabric. A textured black shroud covers the rear side.

Seat (KI62 and KI63)

Constructed of a 1/2" thick, saddle shape plywood with 2-1/2" molded high-resilient foam and upholstered with fabric. The entire seat assembly is mounted to the mechanism by four screws.

Seat (KI60S)

Constructed of a 1/2" thick, saddle shape plywood with 2-1/2" contour molded high-resilient foam, and covered with upholstered fabric.

Seat Slide (KI62 and KI63)

Double spring-loaded: side-mounted, easy-to-use control. Adjustment range of 3.1" (18" - 21.1")

Seat Height (KI62)

In addition to the standard height cylinder whose dimensions are shown above, there are two optional cylinders:  
Low Height: 16-3/4" - 19-1/2"  
Tall Height: 20-1/2" - 26-3/4"  
To select these optional cylinders, please see the "Options" section on the following page.

Memory Foam

Double layer of foam. Molded memory foam is layered over molded, high-resiliency foam. Seat only.

Pedestal Base (KI62 and KI63)

The 26" diameter, five-blade base is made of reinforced nylon. Black only.

Sled Base (KI60S)

The sled base is formed from 1-1/8" diameter, 13-gauge thickness steel tubing. Black only.

Carpet Casters (KI62 and KI63)

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are

housed in a high impact frame. Hard floor casters are available.

Fixed Loop Arm (KR48)

Arm is black plastic.

Adjustable Loop Arm Option (KR72)

Black molded urethane armcap. Height adjustment of 2-1/2".

Adjustable T-Arm Option (JR39)

Height adjustment of 4-1/4" and width adjustment of 1-1/2" per side. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required).

4D T-Arm (JR69)

Two-way adjustable width/height. Forward-slanting T-arms with ergonomic, maximum-mobility arm top (button-activated arm pad; 1" lateral, 2" forward and back, and diagonal adjustability.) Adjustable height range of 4.25". Adjustable width range of 1.75" each side.

**INFORMATION****C.O.M. Testing and Production Requirements**

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Impress  
Attn: C.O.M. Department  
1110 S. Mildred Ave  
Ontario, CA 91761

**Fabric Disclaimer**




Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

**INFORMATION****Warranty**

Refer to K1 Terms & Conditions document or visit [ki.com](http://ki.com)

# Impress®

Task Chairs and Stools

	MODEL	Features	MODEL NUMBER							
			Basic Model	Memory Foam	Seat Slide	Back Panel	Fire Code	Uph. Color	Base	
	<b>Impress® Task Chair - Free Float</b> • 2-1/2" thick foam cushioned seat • Synchronized free-floating back • Back height adjustment • Multiple-position back lock • Pedestal base available in black only • FR models (no arm and FR39 arm) require the plastic back panel to be upholstered	No Arm	KI62/NA	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		4D T-Arm	KI62/JR69	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm	KI62/JR39	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm, Fire Retardant	KI62/FR39	<input type="checkbox"/>	SLD	DUB2	FR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Fixed Loop Arm	KI62/KR48	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable Loop Arm	KI62/KR72	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
IMPR										
	<b>Impress® Guest Chair - Sled Base</b> • 2-1/2" thick foam cushioned seat • Cantilevered sled base • Sled base available in black only • FR models (no arm and FR39 arm) require the plastic back panel to be upholstered	No Arm	KI60S/NA	<input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Fixed Loop Arm	KI60S/KR48	<input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
IMPR										
	<b>Impress® Stool</b> • 2-1/2" thick foam cushioned seat • Synchronized free-floating back • Back height adjustment • Multiple-position back lock • Pedestal base available in black only • FR models (no arm and FR39 arm) require the plastic back panel to be upholstered	No Arm	KI63/NA	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		4D T-Arm	KI63/JR69	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm	KI63/JR39	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm, Fire Retardant	KI63/FR39	<input type="checkbox"/>	SLD	DUB2	FR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Fixed Loop Arm	KI63/KR48	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable Loop Arm	KI63/KR72	<input type="checkbox"/>	SLD	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
IMPR										

**A** **B** **C** **D** **E** **F** **G**

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select memory foam.

**NF** - No memory foam

**MF** - Memory foam (for seat only); add \$109

Memory foam for seat only.

**C** Select seat option.

**SLD** - Sliding seat

**D** Select back panel.

**POLY** - Poly back (standard)

**DUB2** - Upholstered back panel; add \$79

**E** Select fire code.

**NFR** - Compliance to TB 117-2013

**FR** - Compliance to TB 133

**F** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**G** Select base option.

**C** - Carpet casters

**S** - Hard floor casters



Approx. Packaged Weight	Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing C.O.L.	Delivered Pricing Leather
42.0#	\$ 792	\$ 654	\$ 678	\$ 699	\$ 699	\$ 726	\$ 786	\$ 832	\$ 871	\$ 911	\$ 909	\$ 978
42.0#	1014	877	899	920	920	950	1010	1056	1094	1132	1130	1201
51.0#	948	810	831	853	853	884	945	989	1025	1064	1062	1134
51.0#	1281	1146	1165	1187	1187	1217	1278	1324	1360	1397	1395	1468
51.0#	945	806	829	850	850	880	940	984	1022	1062	1059	1130
51.0#	948	810	831	853	853	884	945	989	1025	1064	1062	1134

37.0#	\$ 487	\$ 352	\$ 372	\$ 393	\$ 393	\$ 423	\$ 483	\$ 529	\$ 565	\$ 604	\$ 601	\$ 674
46.0#	637	503	524	544	544	573	633	680	719	753	751	826

47.0#	\$ 905	\$ 769	\$ 790	\$ 810	\$ 810	\$ 839	\$ 899	\$ 947	\$ 983	\$ 1021	\$ 1017	\$ 1091
55.0#	1127	990	1011	1033	1033	1063	1124	1167	1205	1244	1241	1313
56.0#	1059	921	946	964	964	994	1055	1101	1137	1177	1174	1245
56.0#	1393	1255	1279	1299	1299	1329	1390	1436	1471	1512	1509	1578
56.0#	1056	918	943	962	962	989	1051	1097	1135	1172	1169	1241
56.0#	1059	921	946	964	964	994	1055	1101	1137	1177	1174	1245

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with poly back is 1 yard (1-1/2 yds with memory foam) of 54" wide nondirectional fabric; upholstered or FR back, 1-1/2" yards of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=No Arm  
 Added List Price=\$134

FR is also available on models with the Adjustable T-arm (JR39 arm). See Models KI62/FR39 and KI63/FR39 for pricing.

When FR version is ordered, the plastic back panel is upholstered (add upcharge). For C.O.M. yardage, see "C.O.M. Upholstery" note.

## Optional Seat Height

The Task chair has 2 additional seat height options.

To select Low Height (16-3/4" - 19-1/2"), add CYL4 to the end of the model number.

To select Tall Height (20-1/2" - 26-3/4"), add IPCYL6SHD to the end of the model number.

Note: No additional leadtime or upcharge required.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down**, FOB Ontario, CA **91761, freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.

# Impress® Ultra

General Information



4D T-Arm Task Chair (KI78/JR69)



Midback Adj Loop Arm Task Chair (KI74/KR72)



Guest Chair (KI71S)



Stool (KI75)

Features				
Free-floating back	•	•		•
Seat slide	•	•		•
Back height adjustable		•		•
3 position back lock	•	•		•
2-1/2" thick foam cushioned seat	•	•	•	•
General Dimensions				
Seat width	20-1/2"	20-1/2"	20-1/2"	20-1/2"
Seat depth	18" - 19-1/2"	18" - 20-1/2"	19"	18" - 20-1/2"
Seat height	17-3/4" - 23"	17-3/4" - 23"	18"	23-1/4" - 31"
Back width	20"	20"	20"	20"
Back height (above seat)	19"	17-1/2" - 20-1/2"	22" - 24"	17-1/2" - 20-1/2"
Overall Dimensions				
Width	26"	26"	24"	26"
Height	35" - 43"	36-1/2" - 41-1/2"	42"	43" - 57"



4D T-Arm (JR69)



Adjustable T-Arm (JR39)



Fixed Loop Arm (KR48)



Adjustable Loop Arm (KR72)

## SPECIFICATIONS

### Mechanism (KI74, KI75 and KI78)

Stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder. One lever locks the chair at several positions or actuates the free-floating mode. The synchronized 2:1 free-floating mode has adjustments of 8° on seat and 16° on back.

### Backrest (KI74, KI75, KI78 and KI71S)

Nylon with fiberglass reinforced frame. Back mesh material is polyethylene elastomeric with polyester.

### Back Height (KI74 and KI75)

An easy-to-operate mechanism is installed on the back board for adjusting back height 3".

### Headrest (High Back)

Headrest is black leather with adjustable height and angle.

### Seat Slide (KI74, KI75 and KI78)

Double spring-loaded: side-mounted, easy-to-use control. Adjustment range of 3.1" (18" - 21.1").

### Seat (KI74, KI75 KI78 and KI71S)

Constructed of a 1/2" thick, saddle-shaped plywood with 2-1/2" thick, molded, high-resilient foam and upholstered. The entire seat assembly is mounted to the mechanism by 4 screws.

### Seat Height (KI74 and KI78)

In addition to the standard height cylinder whose dimensions are shown above, there are two optional cylinders:  
Low Height: 16-3/4" - 19-1/2"  
Tall Height: 20-1/2" - 26-3/4"  
To select these optional cylinders, please see the "Options" section on the following page.

### Memory Foam

Double layer of foam. Molded memory foam is layered over molded, high-resiliency foam. Seat only.

### Base (KI74, KI75, and KI78)

26" diameter, five-blade reinforced nylon base. Black only.

### Sled Base (KI71S)

Sled shape, 1-1/8" diameter steel tube of 13-gauge steel. Black only.

### Carpet Casters (KI74, KI75 and KI78)

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high-impact frame. Hard floor casters are available.

### Adjustable T-Arm (JR39)

Black molded urethane armcap. 4-1/4" of height adjustment and 3" of total width adjustment. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required).

### Adjustable Loop Arm (KR72)

Black molded urethane armcap. Height adjustment of 2-1/2".

### 4D T-Arm (JR69)

Two-way adjustable width/height. Forward-slanting T-arms with ergonomic, maximum-mobility arm top (button-activated arm pad; 1" lateral, 2" forward and back, and diagonal adjustability.) Adjustable height range of 4.25". Adjustable width range of 1.75" each side.

### Fixed Loop Arm (KR48)

Arm is black plastic.





## INFORMATION

### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

Impress@Ultra  
Attn: C.O.M. Department  
1110 S. Mildred Ave  
Ontario, CA 91761

### Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.





## INFORMATION

### Warranty

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)

# Impress® Ultra

Task Chairs and Stools

			MODEL NUMBER							
			Basic Model	Memory Foam	Seat Slide	Headrest	Back Panel	Uph. Color	Base	
	<b>Impress® Ultra Task Chair - Mid Back</b> • Back is black mesh • Seat slide • Back height adjustment	No Arm	KI74/NA	<input type="checkbox"/>	SLD		BL	<input type="checkbox"/>	<input type="checkbox"/>	
		4D T-Arm	KI74/JR69	<input type="checkbox"/>	SLD		BL	<input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm	KI74/JR39	<input type="checkbox"/>	SLD		BL	<input type="checkbox"/>	<input type="checkbox"/>	
		Fixed Loop Arm	KI74/KR48	<input type="checkbox"/>	SLD		BL	<input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable Loop Arm	KI74/KR72	<input type="checkbox"/>	SLD		BL	<input type="checkbox"/>	<input type="checkbox"/>	
IMPR										
	<b>Impress® Ultra Task Chair - High Back</b> • Back is black mesh • Seat slide • Without back height adjustment • Headrest is black leather and adjustable	No Arm	KI78/NA	<input type="checkbox"/>	SLD	<input type="checkbox"/>	BL	<input type="checkbox"/>	<input type="checkbox"/>	
		4D T-Arm	KI78/JR69	<input type="checkbox"/>	SLD	<input type="checkbox"/>	BL	<input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm	KI78/JR39	<input type="checkbox"/>	SLD	<input type="checkbox"/>	BL	<input type="checkbox"/>	<input type="checkbox"/>	
		Fixed Loop Arm	KI78/KR48	<input type="checkbox"/>	SLD	<input type="checkbox"/>	BL	<input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable Loop Arm	KI78/KR72	<input type="checkbox"/>	SLD	<input type="checkbox"/>	BL	<input type="checkbox"/>	<input type="checkbox"/>	
IMPR										
	<b>Impress® Ultra Task Chair - Guest</b> • Back is black mesh	No Arm	KI71S/NA	<input type="checkbox"/>			BL	<input type="checkbox"/>	<input type="checkbox"/>	
		Fixed Loop Arm	KI71S/KR48	<input type="checkbox"/>			BL	<input type="checkbox"/>	<input type="checkbox"/>	
IMPR										
	<b>Impress® Ultra Stool</b> • Back is black mesh • Seat slide • Back height adjustment • Chrome plated 20" footring	No Arm	KI75/NA	<input type="checkbox"/>	SLD		BL	<input type="checkbox"/>	<input type="checkbox"/>	
		4D T-Arm	KI75/JR69	<input type="checkbox"/>	SLD		BL	<input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable T-Arm	KI75/JR39	<input type="checkbox"/>	SLD		BL	<input type="checkbox"/>	<input type="checkbox"/>	
		Fixed Loop Arm	KI75/KR48	<input type="checkbox"/>	SLD		BL	<input type="checkbox"/>	<input type="checkbox"/>	
		Adjustable Loop Arm	KI75/KR72	<input type="checkbox"/>	SLD		BL	<input type="checkbox"/>	<input type="checkbox"/>	
IMPR										
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	

## HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select memory foam.

**NF** - No memory foam

**MF** - Memory foam (for seat only); add \$110

Memory foam for seat only.

**C** Select seat option.

**SLD** - Sliding seat

**D** Select headrest.

**NH** - No headrest (standard)

**HR** - Headrest; add \$162

**E** Select back panel.

**BL** - Black

**F** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**G** Select base option.

**C** - Carpet casters

**S** - Hard floor casters



Approx. Packaged Weight	Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
46.0#	\$ 786	\$ 786	\$ 834	\$ 841	\$ 841	\$ 824	\$ 874	\$ 897	\$ 921	\$ 950	\$ 1003
54.0#	1013	1013	1061	1068	1068	1051	1099	1123	1148	1176	1230
54.0#	946	946	992	998	998	979	1028	1055	1078	1106	1160
54.0#	934	934	983	990	990	971	1021	1045	1070	1098	1153
54.0#	946	946	992	998	998	979	1028	1055	1078	1106	1160
54.0#	\$ 786	\$ 786	\$ 834	\$ 841	\$ 841	\$ 824	\$ 874	\$ 897	\$ 921	\$ 950	\$ 1003
62.0#	1013	1013	1061	1068	1068	1051	1099	1123	1148	1176	1230
62.0#	946	946	992	998	998	979	1028	1055	1078	1106	1160
62.0#	934	934	983	990	990	971	1021	1045	1070	1098	1153
62.0#	946	946	992	998	998	979	1028	1055	1078	1106	1160
37.0#	\$ 461	\$ 461	\$ 508	\$ 514	\$ 514	\$ 497	\$ 545	\$ 571	\$ 597	\$ 625	\$ 676
45.0#	609	609	658	664	664	644	693	720	744	774	826
58.0#	\$ 916	\$ 916	\$ 963	\$ 968	\$ 968	\$ 952	\$ 1001	\$ 1025	\$ 1052	\$ 1076	\$ 1132
66.0#	1141	1141	1188	1197	1197	1178	1229	1251	1277	1304	1357
66.0#	1071	1071	1121	1128	1128	1108	1159	1183	1208	1236	1288
66.0#	1063	1063	1111	1117	1117	1099	1148	1174	1200	1228	1279
66.0#	1071	1071	1121	1128	1128	1108	1159	1183	1208	1236	1288

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for less than five chairs is 1 yard (1-1/2 yds with memory foam) of 54" wide nondirectional fabric. For five or more chairs, it is 3/4 yard of 54" wide non-directional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### Optional Seat Height

The Task chair has 2 additional seat height options.

To select Low Height (16-3/4" - 19-1/2"), add CYL4 to the end of the model number.

To select Tall Height (20-1/2" - 26-3/4"), add IPCYL6SHD to the end of the model number.

Note: No additional leadtime or upcharge required.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Armless Task Chair  
(OH84QO)



Arm Task Chair  
(OH84QB)

Features		
Self-weighing (weight-activated) mechanism	•	•
Height adjustable arms		•
Black nylon base	•	•
300 lb weight rating	•	•
Black or Cool Grey Mesh Back	•	•
General Dimensions		
Seat width	20"	20"
Seat depth	19"	19"
Seat height	16-1/2" - 21"	16-1/2" - 21"
Back width	18"	18"
Back height (above seat)	23"	23"
Inside arm distance		19 1/2"
Arm height (from floor)		23-1/2" - 30-1/2"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	26"	26"
Height	39-1/2" - 44"	39-1/2" - 44"
Base	26" DIA	26" DIA

SPECIFICATIONS

Seat

Plywood seat board with dual molded urethane foams are upholstered using a drawstring method and finished with a black plastic under-shroud.

Mechanism

A self-weighing mechanism passively adjusts backrest tilt tension based on occupant weight. The mechanism is made of stamped steel with a black plastic trim cover. One lever operates the height-adjust cylinder and a second lever allows the backrest tilt mechanism to move freely, or locks it in one of four positions.

Backrest

A reinforced black nylon frame with mesh insert.

Armrests

Optional height-adjustable arms (2 -1/2" range) are molded in black reinforced plastic with molded black polyurethane arm caps.


Armrests mount directly to the seat board.

Base

Available in an injection-molded, glass-reinforced black nylon 5-blade base or a polished die-cast aluminum 5-blade base.

Casters

Casters are 50mm O.D., double-wheel high-impact thermoplastic, available with hard floor or carpet surface. Only available in black.



#### INFORMATION

##### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test sample must be sent to:

KI  
 Attn: C.O.M. Specialist  
 2112 South Green Street  
 Tupelo, MS 38801

##### Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

#### INFORMATION

##### Warranty

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)

## Oath Task Chair

Easy adjustments optimize ergonomic comfort

**Lumbar Support** - built-in lumbar support automatically adjusts to the user for comfort.

**Seat Height** - To lower, lift the lever while seated - to raise, lift the lever with your weight off the seat. Proper seat height allows your feet to be firmly supported by the floor - hips will be parallel to or slightly above your knees.

**300 Pound Weight Rating** - chair tested to 300 pound weight rating for increased strength.



**Back Tension** - weight-activated motion is designed to adjust the recline tension as you move - when you recline, the seat lifts your weight and provides the correct amount of tension.



**Arm Height** - push button (located inside arm support) to raise and lower the height of the armrests to support forearms and keep shoulders relaxed.

**Back Position** - push lever backward to unlock the back tilt position and move freely. Push lever forward to lock the back in one of four upright positions.



# Oath™

## Task Chairs

MODEL	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing C.O.V.
	Basic Model	Fire Code	Base Finish	Caster Type	Mesh Color	Upholstery Color		
 <b>OH84</b> <b>Armless Task Chair</b> <ul style="list-style-type: none"> <li>• Self-weighting (weight-activated) mechanism</li> <li>• Black or Cool Grey mesh backrest</li> <li>• Upholstered seat</li> </ul>	OH84Q0	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31.0#	\$ 478
 <b>OH84</b> <b>Arm Task Chair</b> <ul style="list-style-type: none"> <li>• Self-weighting (weight-activated) mechanism</li> <li>• Black or Cool Grey mesh backrest</li> <li>• Upholstered seat</li> <li>• Height adjustable arms</li> </ul>	OH84QB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	32.5#	\$ 578
		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select fire code.

**NFR** - Compliance to TB 117-2013

**FR** - Compliance to TB 133

See FR upcharge under Options.

**C** Select base finish.

**A** - Aluminum base; add \$87

**P** - Black plastic base

**D** Select caster option.

**CC** - Carpet casters

**SC** - Hard floor casters

**E** Select backrest mesh color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**F** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.





Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 478	\$ 489	\$ 495	\$ 522	\$ 559	\$ 581	\$ 602	\$ 625

\$ 578	\$ 589	\$ 595	\$ 622	\$ 659	\$ 681	\$ 702	\$ 725
--------	--------	--------	--------	--------	--------	--------	--------

#### UPHOLSTERY INFORMATION

##### **C.O.M. and C.O.V. Upholstery**

C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54" wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

##### **California TB133 Fire Safety Code**

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added Lead Time=1 week  
 Added List Price=\$73

#### SPECIAL SERVICES

##### **Special Carton Marking**

With specially marked information N/C

##### **Shipping**

Ships **knocked down, FOB Tupelo, MS 38804, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



Pilot Armless Chair (K188/NA)



Pilot Task Loop Arm Chair (K188/KR48)



Pilot Task T-Arm Chair (K188/KR300)

Features			
Adjustable back angle	•	•	•
Extra wide seat	•	•	•
Seat depth adjustment	•	•	•
Back height adjustment	•	•	•
Warranted to 400 lbs & 24/7 use	•	•	•
General Dimensions			
Seat width	24"	24"	24"
Seat depth	17" - 19-1/2"	17" - 19-1/2"	17" - 19-1/2"
Seat height	18" - 23"	18" - 23"	18" - 23"
Back width	23-1/2"	23-1/2"	23-1/2"
Back height from seat	25"	25"	25"
Overall Dimensions			
Width	27"	27"	31-1/2"
Depth	27"	27"	27"
Height	43" - 52"	43" - 52"	43" - 52"

SPECIFICATIONS

Seat

Seat is constructed of 5/8" thick, 10-ply plywood with one solid steel reinforcement plate that spans from seat edge to seat edge and 3.75" thick molded foam. The steel reinforcement plate has welded steel t-nuts for arms and mechanism. The contoured molded foam-covered board is upholstered with fabric. The front edge of the seat has a waterfall design. The seat is attached to a seat mechanism with four 5/16" screws into steel welded t-nuts.

An integral seat slide is attached to the under side of the seat board which allows the seat depth to be adjusted from 17" to 19-1/2". A black dust cover fabric shrouds the seat slide. The seat slide assembly is mounted to steel attachment brackets in the mechanism and seat plate that allow the seat to slide in and out.

Seat Mechanism

Chair features infinitely locking back angle, and tilt rocking.

Pneumatic Height Adjustment

Chair features pneumatic seat height adjustment from 18" to 23".

Backrest (vertically adjustable)

Backrest is constructed of 1/2" thick 9-ply plywood and 2-1/2" body-contoured molded foam. The outer back shell is upholstered plywood. The backrest is attached to a five-position ratcheting mechanism that provides 4" of vertical adjustment along a 1/4" thick x 4" wide high-strength steel J-bar. The J-bar is fastened directly to the seat mechanism with three 5/16" bolts.

T-Arms

Adjustable, heavy-duty arms have 2-3/4" vertical travel (from approximately 10" - 12-3/4" above the seat). There is 1-1/4" of width adjustment per side or 2-1/2" width adjustment total.

Loop Armrests

Main armrest support is made of 1/4" thick by 2-1/4" wide bent steel constructions. Armrests are attached to a solid steel reinforcement plate that spans from side to side and which is mounted to the seat board for increased arm strength. Armrest pads are self-skinning soft urethane material with steel inner structures. Loop arms are fixed height.

Base

Extra-wide 27" five-blade base constructed of heavy-duty composite. The center of the base has a patented non-slip ring where the pneumatic cylinder is mounted. A telescoping cylinder shroud conceals the heavy-duty pneumatic cylinder.

Casters

Heavy-duty 55mm diameter double wheels are molded of high-impact plastic with steel stud.


**INFORMATION**
**C.O.M. Testing and Production Requirements**

Not all materials are suitable for upholstering this product. A 2-1/2 yd x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Pilot  
 Attn: C.O.M. Department  
 1110 S. Mildred Ave.  
 Ontario, CA 91761

**Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.


**Assembly**

Ship knocked-down (KD). Minimal assembly required.

**INFORMATION**
**Warranty**

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)

Pilot®  
Task Chairs

		MODEL NUMBER			Approx. Packaged Weight      Delivered Pricing Fabric Grade 1 & C.O.M.      Delivered Pricing Fabric Grade 2		
		Basic Model	Base	Upholstery Color			
  PILOT	<b>MODEL</b>						
	<b>Features</b>						
	<b>Pilot Chair</b> <ul style="list-style-type: none"><li>• Oversized seat and back</li><li>• Extra cushioning</li><li>• Back height and seat depth adjustment</li><li>• Pedestal base available in black only</li></ul>	No Arm	□	□□□□□	68.0#	\$ 1383	\$ 1402
		Loop Arm	□	□□□□□	80.0#	1529	1549
		T-Arm	□	□□□□□	80.0#	1565	1586
		<b>A</b>	<b>B</b>	<b>C</b>			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base option.
- |          |                      |
|----------|----------------------|
| <b>C</b> | - Carpet casters     |
| <b>G</b> | - Glides             |
| <b>S</b> | - Hard floor casters |
- C** Select upholstery grade/color.  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing Leather
\$ 1422	\$ 1383	\$ 1422	\$ 1484	\$ 1561	\$ 1615	\$ 1673	\$ 1741	\$ 2308
1570	1529	1570	1630	1707	1762	1822	1888	2455
1605	1565	1605	1666	1743	1798	1855	1923	2490

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement is 2-1/2 yards per chair of 54" wide nondirectional fabric; solid colors only. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down, FOB Ontario, CA 91761, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Features					
Synchrotilt	•	•	•	•	
Seat slide	•	•	•	•	
Back lock	•	•	•	•	
Mesh seat and back	•	•	•	•	•
Upholstered Seat	•	•	•	•	•
Adjustable lumbar	•	•	•	•	•
4D adjustable T-arm		•		•	
Fixed cantilever arm					•
Black nylon or brushed aluminum base	•	•	•	•	
300 lb. tested	•	•	•	•	•
General Dimensions					
Seat width	19"	19"	19"	19"	19"
Seat depth	19"	19"	19"	19"	19"
Seat height	18-1/4" - 22-1/4"	18-1/4" - 22-1/4"	21-1/4" - 29"	21-1/4" - 29"	19-1/2"
Back width	18"	18"	18"	18"	18"
Back height (above seat)	20-1/2"	20-1/2"	20-1/2"	20-1/2"	16"
Inside arm distance		18-1/2" - 19-1/2"		18-1/2" - 19-1/2"	19"
Arm height (from floor)					26-1/8"
Overall Dimensions					
Width	27"	27"	27"	27"	22-1/4"
Depth	29-1/4"	29-1/4"	29-1/4"	29-1/4"	21-1/4"
Height	42-3/4"	42-3/4"	50-3/8"	50-3/8"	35-3/4"
Base	26"	26"	26"	26"	

SPECIFICATIONS

TASK CHAIR

**Backrest and Mesh Seat**  
Reinforced nylon frame with mesh material. *SoSoft* mesh material is made from 65% polyester and 35% nylon. Integral polypropylene lumbar support mechanism is easily adjusted by the user within a 3" range.

**Mechanism**  
Stamped steel mechanism provides for sturdy seat and back mounting. Height-adjustable pneumatic cylinder is actuated by a control lever beneath the seat. Seat height adjusts from 18-1/4" to 22-1/4". Back lock mechanism provides five back positions. Tension control knob adjusts the tension recline force. Spring-loaded seat slide mechanism controls seat depth adjustment in five positions through a distance of 1-1/2" and is side mounted for easy use. Synchronized 2:1 seat/back tilt mechanism has movement of 8 degrees on seat and 16 degrees on back.

**Base**  
Standard 26" diameter, five-blade reinforced nylon base, black only. Optional 26" diameter polished aluminum five-blade base.

**Casters**  
Double 65mm diameter black wheels are molded of reinforced plastic. Hard floor or carpet casters available.

**Adjustable T-Arm**  
Black molded urethane armcap. Armcaps move forward/backward in five positions through 1-1/2". Armcap width adjusts in five positions through 1". Arm support width can be set between 18-1/2" - 19-1/2" at assembly. Armrest height adjusts to 11 positions through 2-3/4". Armcaps rotate in three positions (+/- 20 degrees).

**Weight Capacity**  
Passes all BIFMA x 5.1-2011 and KI's internal standard for 300 pound capacity.

**GUEST CHAIR**  
**Backrest and Mesh Seat**  
Reinforced nylon frame with mesh material. *SoSoft* mesh material is made from 65% polyester and 35% nylon. Backrest and seat secured to frame with four bolts each.

**Upholstered Seat**  
Plywood seat structure with two layers of polyurethane foam with a fabric cover held in place with staples.


**Frame**  
Tubular steel frame made with .08" thick x 1.32" x .88" oval steel tubing.

**Arms**  
Arms are integral to the frame with a black molded reinforced nylon armcap.


**Glides**  
Four nylon glides.

**Weight Capacity**  
Passes all BIFMA x 5.1-2011 and KI's internal standard for 300 pound capacity.


**TASK STOOL**  
In addition to the standard height unit described under the Task Chair, a stool height version is available. Stools are equipped with a pneumatic cylinder allowing adjustment of seat height from 21-1/2" - 29". The 18" diameter adjustable footring is made of die-cast aluminum with a chrome-plated tubular steel ring and black "spokes." Stools are available with plastic or polished bases.



Task Chair



Guest Chair





Task Stool

**INFORMATION****Warranty**

Refer to KI Terms & Conditions document  
or visit [ki.com](http://ki.com)

Sift™  
Task and Guest Chairs

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Base	Casters	Fire Code	Upholstery Color	
 Mesh Seat  SIFT SIFTU	<b>Task Armless Chair</b> <ul style="list-style-type: none"><li>• "SoSoft" mesh back and mesh seat or uph seat</li><li>• Adjustable lumbar</li><li>• Tested to all 300 lb. BIFMA standards</li><li>• Ships fully assembled</li></ul>	Mesh Seat and Back	SIFTNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		43.0#
		Upholstered Seat	SIFTUNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43.0#
 Uph. Seat  SIFT SIFTU	<b>Task 4D Adjustable T-Arm Chair</b> <ul style="list-style-type: none"><li>• "SoSoft" mesh back and mesh seat or uph seat</li><li>• Adjustable lumbar</li><li>• Tested to all 300 lb. BIFMA standards</li><li>• Ships fully assembled</li></ul>	Mesh Seat and Back	SIFTAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		49.0#
		Upholstered Seat	SIFTUAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49.0#

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- Note:
- The ☐ indicates that a choice is required.
  - The absence of the ☐ indicates that no choice is required.
  - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select base option.

P- Plastic base

A- Aluminum base; add \$87
- C

Select casters.

C- Carpet casters

S- Hard floor casters; add \$48
- D

Select fire code.

NFR- Compliance to TB 117-2013

FR- Compliance to TB 133

See FR upcharge under Options.
- E



Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Specifications and prices are subject to change without prior notice.

Sift™  
Task and Guest Chairs

			MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Base	Casters	Fire Code	Upholstery Color	
 Mesh Seat  SIFTS SIFSU	<b>Task Armless Stool</b> <ul style="list-style-type: none"><li>• "SoSoft" mesh back and mesh seat or uph seat</li><li>• Adjustable lumbar</li><li>• Tested to all 300 lb. BIFMA standards</li><li>• Ships fully assembled</li></ul>	Mesh Seat and Back	SIFTSNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		43.0#
		Upholstered Seat	SIFTSUNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43.0#
 Uph. Seat  SIFTS SIFSU	<b>Task 4D Adjustable T-Arm Stool</b> <ul style="list-style-type: none"><li>• "SoSoft" mesh back and mesh seat or uph seat</li><li>• Adjustable lumbar</li><li>• Tested to all 300 lb. BIFMA standards</li><li>• Ships fully assembled</li></ul>	Mesh Seat and Back	SIFTSAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		49.0#
		Upholstered Seat	SIFTSUAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49.0#
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.


- Note:
- The ☐ indicates that a choice is required.
  - The absence of the ☐ indicates that no choice is required.
  - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select base option.
- |          |                           |
|----------|---------------------------|
| <b>P</b> | - Plastic base            |
| <b>A</b> | - Aluminum base; add \$87 |
- C** Select casters.
- |          |                                |
|----------|--------------------------------|
| <b>C</b> | - Carpet casters               |
| <b>S</b> | - Hard floor casters; add \$48 |
- D** Select fire code.
- |            |                             |
|------------|-----------------------------|
| <b>NFR</b> | - Compliance to TB 117-2013 |
| <b>FR</b>  | - Compliance to TB 133      |
- See FR upcharge under Options.
- E** Select upholstery grade/color.  
**Refer to the KI Color Addendum or KI Fabrics & Finishes binder.**

Specifications and prices are subject to change without prior notice.

Sift™  
Task and Guest Chairs

			MODEL NUMBER				
			Basic Model	Fire Code	Upholstery Color		
MODEL	Features					Approx. Packaged Weight	Delivered Pricing Unupholstered
 SIFTG SIFGU	<b>Guest Cantilever Armchair</b>	Mesh Seat and Back	SIFTGCA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		38.0#	\$ 548
	<ul style="list-style-type: none"><li>• "Suffo" mesh back and mesh seat or upholstered seat</li></ul>	Upholstered Seat	SIFTUCA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	38.0#	N/A
	<ul style="list-style-type: none"><li>• Adjustable lumbar</li></ul>						
	<ul style="list-style-type: none"><li>• Tested to all 300 lb. BIFMA standards</li></ul>						
	<ul style="list-style-type: none"><li>• Ships fully assembled</li></ul>						
			<b>A</b>	<b>B</b>	<b>C</b>		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select fire code.
- |            |                             |
|------------|-----------------------------|
| <b>NFR</b> | - Compliance to TB 117-2013 |
| <b>FR</b>  | - Compliance to TB 133      |
- See FR upcharge under Options.
- C** Select upholstery grade/color.  
**Refer to the KI Color Addendum or KI Fabrics & Finishes binder.**



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
510	523	528	510	528	556	594	616	638	662

## UPHOLSTERY INFORMATION

### C.O.M. and C.O.V. Upholstery

C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54" wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh  
Added Lead Time=1 week  
Added List Price=\$76

Model=Upholstered Seat  
Added Lead Time=1 week  
Added List Price=\$76

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **assembled, FOB Tupelo, MS 38804, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



Task Cantilever Armchair (SPDCAU)



Armless Task Stool (SPSNAU)

Features		
Poly, upholstered seat, or upholstered seat/back	•	•
Flex back	•	•
General Dimensions		
Seat width	18"	18"
Seat depth	18"	18"
Seat height (upholstered - add 1")	17-1/4" - 22-1/4"	22-1/4" - 32-1/2"
Overall Dimensions		
Width	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"
Height	32-3/4" - 37-3/4"	37-3/4" - 48"
Arms to floor	26" - 31"	

SPECIFICATIONS

Seat

Injection molded polypropylene attached directly to the structure.

Underseat Structure

Support structure is die-formed, 13-gauge steel welded to a 1" o.d. x 14-gauge tubular steel crossmember.

Arms

When equipped with optional cantilevered arms, the supporting structure is 7/8" o.d. x 13-gauge tubular steel, welded directly to the seat support structure. The armcaps are injection molded nylon and are attached to the steel structure by means of screws. Both the steel tube arm support and the armcaps will match the color of the poly seat and back.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of

the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Base

26" injection-molded glass-reinforced nylon 5-blade base (black or warm grey available on chair or stool). Casters have high-impact thermoplastic double wheels. A single control paddle under the seat operates the height-adjusting pneumatic cylinder.

Base color selection for black includes; black base, black cylinder and black carpet or hard floor casters.

Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carpet casters (hard floor casters not available in warm grey).

Stool cylinder is always black.

Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame. Casters are monochromatic with base. Carpet or hard floor casters offered. Hard floor casters are black only.

Frame Finishes

Baked-on, electrostatically-applied 45° gloss epoxy powder coating.

Optional Upholstered Seat or Seat & Back

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Task Stools

In addition to the standard height unit described above, a stool-height version is available. Stools are equipped with a pneumatic cylinder allowing adjustment of seat height. The 18" diameter adjustable-height foot ring is made of die-cast aluminum with a chrome-plated tubular steel ring and black "spokes."


**INFORMATION**
**C.O.M. Testing and Production Requirements**

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI  
 Attn: C.O.M. Specialist  
 1687 Westminster Drive - Gate 3  
 Green Bay, WI 54302

**Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



**Task chairs and task stools ship knockdown. Minimal assembly is required.**

**INFORMATION**
**Warranty**

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)

# Strive®

## Task Chairs and Stools

			MODEL NUMBER							
			Basic Model	Base Color	Fire Code	Poly Seat & Back Color	Casters	Upholstery Color		
  SPDP SPDU SPDUB	<b>MODEL</b>  <b>Task Armless Chair</b> • Flex back	Polypropylene	SPDNAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approx. Packaged Weight	32.0#
		Upholstered Seat	SPDNAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35.0#
		Upholstered Seat/Back	SPDNAUB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35.0#
  SPDP SPDU SPDUB	<b>Task Cantilever Armchair</b> • Flex back	Polypropylene	SPDCAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approx. Packaged Weight	35.0#
		Upholstered Seat	SPDCAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	38.0#
		Upholstered Seat/Back	SPDCAUB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	38.0#
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>		

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Includes base, cylinder, and carpet casters (hard floor casters are always black).

**C** Select fire code.

**NFR** - Compliance to TB 117-2013

**FR** - Compliance to TB 133

**D** Select poly seat and back color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**E** Select caster option.

**S** - Hard floor casters

**C** - Carpet casters

**F** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 335										
N/A	401	430	443	401	443	441	480	502	524	542
N/A	454	484	498	454	498	497	535	556	578	596
\$ 397										
N/A	462	490	504	462	504	503	541	562	584	602
N/A	514	543	558	514	558	557	595	616	637	656

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Specifications and prices are subject to change without prior notice.

Specifications and prices are subject to change without prior notice.

SPDTS  
SPDRT

**G** Select upholstery grade/color.  
Refer to the **KI Color Addendum** or **KI  
Fabrics & Finishes binder**.



Approx. Packaged Weight	Delivered Pricing Pallas Fabric Group P1
35.0#	\$ 521
35.0#	575
38.0#	\$ 583
38.0#	635

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene  
Added List Price=\$10

Model=Upholstered Seat  
Added List Price=\$70

Model=Upholstered Seat and Back  
Added List Price=\$100

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C



### Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

# Strive®

## Task Chairs and Stools

			MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Base Color	Fire Code	Poly Seat & Back Color	Casters	Upholstery Color	
  SPSP SPSU SPSUB	<b>Task Armless Stool</b> • Flex back	Polypropylene	SPSNAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	37.0#	
		Upholstered Seat	SPSNAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	39.0#	
		Upholstered Seat/Back	SPSNAUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	39.0#	
  SPSP SPSU SPSUB	<b>Task Cantilever Arm Stool</b> • Flex back	Polypropylene	SPSCAP	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	39.0#	
		Upholstered Seat	SPSCAU	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	41.0#	
		Upholstered Seat/Back	SPSCAUB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	41.0#	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Includes base, cylinder, and carpet casters (hard floor casters are always black).

**C** Select fire code.

**NFR** - Compliance to TB 117-2013

**FR** - Compliance to TB 133

**D** Select poly seat and back color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**E** Select caster option.

**S** - Hard floor casters

**C** - Carpet casters

**F** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

\$ 490

N/A	556	584	598	556	598	595	633	656	678	696
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

N/A	609	637	652	609	652	649	687	710	731	748
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

## SPECIAL SERVICES

### Special Carton Marking



With specially marked information	N/C
-----------------------------------	-----

Specifications and prices are subject to change without prior notice.

Model=Upholstered Seat and Back  
Added List Price=\$100

# Strive®

## Task Chairs and Stools

			MODEL NUMBER							
			Basic Model	Base Color	Fire Code	Poly Seat & Back Color	Top Stitch Color	Casters	Upholstery Color	
  SPSTS SPSBT	<b>Task Armless Stool with Top Stitch on Seat</b> • Flex back	Upholstered Seat	SPSNATSU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Upholstered Seat/Back	SPSNATSUB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
  SPSTS SPSBT	<b>Task Cantilever Arm Stool with Top Stitch on Seat</b> • Flex back	Upholstered Seat	SPSCATSU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Upholstered Seat/Back	SPSCATSUB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.  
 • The absence of the ☐ indicates that no choice is required.  
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base color.  
 Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.  
 Includes base, cylinder, and carpet casters (hard floor casters are always black).

**C** Select fire code.  
**NFR** - Compliance to TB 117-2013  
**FR** - Compliance to TB 133

**D** Select poly seat and back color.  
 Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**E** Select top stitch color.  
**BLTS** - Black  
**WHTS** - White

**F** Select caster option.

**S** - Hard floor casters  
**C** - Carpet casters

**G** Select upholstery grade/color.  
 Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Approx. Packaged Weight	Delivered Pricing Pallas Fabric Group P1
-------------------------------	---

39.0#	\$ 616
39.0#	670

41.0#	\$ 676
41.0#	730

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene  
Added List Price=\$10

Model=Upholstered Seat  
Added List Price=\$70

Model=Upholstered Seat and Back  
Added List Price=\$100

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

# Torsion®

General Information



Pedestal Base Armchair (TPCAU)

<b>Features</b>	
Back Flex	•
Available in polypropylene or upholstered	•
Pneumatic seat height adjustment	•
<b>General Dimensions</b>	
Seat width	18"
Seat depth	18"
Seat height	16" - 21"
Back width	17-7/8"
Back height	16"
<b>Overall Dimensions</b>	
Depth	24"
Height	31-3/4" - 36-3/4"
Width with arms	26-1/2"
Width with no arms	24"
Top of arm to floor	24-3/4" - 29-3/4"

## SPECIFICATIONS

### Seat and Backrest

Seats and backrests are molded compound curved polypropylene with a textured finish. Seat is two-piece construction. Upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the backrest and 15/16" on the seat for stack chairs. Fabric is upholstered over 1-1/2" foam on the seat for pedestal chairs.

### Backrest Supports

Two die-cast aluminum backrest supports attach the backrest to the Torsion® mechanism. A steel tube is cast into each backrest support for added strength.

### Armrests

A tubular steel frame supports self-skinning urethane armrests. The support is bolted to the seat underside and powder coated to match other hard surface elements. Arms are field-installable.

### Torsion® Mechanism

The back flex is achieved by the Torsion® mechanism. It consists of two flat torsion springs captured at both ends by brass bushings which in turn engage with the backrest supports. The Torsion® mechanism creates gradually increasing resistance over the full 12° of back flex.

### Pedestal Base

24" injection-molded glass-reinforced nylon, five-blade base for task. 26" for stool.

### Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame. Casters are black.




**Adjustable Stool (TPSNAPSH)**
**Features**

Back Flex	•
Available in polypropylene or upholstered	•
Pneumatic seat height adjustment	•

**General Dimensions**

Seat width	18"
Seat depth	18"
Seat height	19-3/4" - 30-1/4"
Back width	17-7/8"
Back height	16"

**Overall Dimensions**

Depth	25"
Height	36-1/2" - 47"
Width with arms	26-1/2"
Width with no arms	26"
Top of arm to floor	28-1/2" - 39-1/2"
Casters on center	26"

**INFORMATION**
**C.O.M Testing and Production Requirements**

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI  
 Attn: C.O.M. Specialist  
 1687 Westminster Drive - Gate 3  
 Green Bay, WI 54302

**Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

**Design**

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.



**Task chairs and task stools ship knockdown. Minimal assembly is required.**

**INFORMATION**
**Warranty**

Refer to KI Terms & Conditions document or visit [ki.com](http://ki.com)

# Torsion®

## Task Chairs

	MODEL	Features	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Base	Base Color	Fire Code	Poly Seat & Back Color	Upholstery Color	
 TPP TPU	<b>Pedestal Base Armless Chair</b> • Flex back • No arm • Pneumatic height adjustment • Swivel seat	Polypropylene	TPNAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		33.0#
		Upholstered	TPNAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35.0#
 TPP TPU	<b>Pedestal Base Armchair</b> • Flex back • Pneumatic height adjustment • Swivel seat	Polypropylene	TPCAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		39.0#
		Upholstered	TPCAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	41.0#

**A** **B** **C** **D** **E** **F**

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.  
 • The absence of the ☐ indicates that no choice is required.  
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base option.

- C** ☐ - Carpet casters  
**S** ☐ - Hard floor casters

**C** Select base color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.  
 The metal back support and arm support matches the frame color.

**D** Select fire code.

- FR** ☐ - Compliance to TB 133  
**NFR** ☐ - Compliance to TB 117-2013

**E** Select seat and back color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**F** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 520									
N/A	667	709	720	720	671	682	706	727	748

\$ 650									
N/A	794	839	847	847	798	809	833	856	880

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene  
Added Lead Time=1 week  
Added List Price=\$29

Model=Upholstered  
Added Lead Time=1 week  
Added List Price=\$85

### Note:

Torsion® in Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C



### Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

# Torsion®

## Task Chairs and Stools

			MODEL NUMBER						Approx. Packaged Weight	
			Basic Model	Base	Base Color	Fire Code	Poly Seat & Back Color	Upholstery Color		
  TPSP TPSU	<b>Task Stool</b> <ul style="list-style-type: none"><li>• Flex back</li><li>• No arm</li><li>• Pneumatic height adjustment</li><li>• Swivel seat</li></ul>	Polypropylene	TPSNAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		33.0#	
		Upholstered	TPSNAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35.0#
  TPSP TPSU	<b>Task Stool with Arms</b> <ul style="list-style-type: none"><li>• Flex back</li><li>• Pneumatic height adjustment</li><li>• Swivel seat</li></ul>	Polypropylene	TPSCAP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		39.0#	
		Upholstered	TPSCAU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	41.0#
			<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>		

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base option.

- C** ☐ - Carpet casters  
**S** ☐ - Hard floor casters

**C** Select base color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.  
 The metal back support and arm support matches the frame color.

**D** Select fire code.

- FR** ☐ - Compliance to TB 133  
**NFR** ☐ - Compliance to TB 117-2013

**E** Select seat and back color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**F** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 618									
	765	806	814	814	768	778	802	826	847

\$	745									
N/A	889	917	946	946	894	907	929	953	975	

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene  
Added Lead Time=1 week  
Added List Price=\$29

Model=Upholstered  
Added Lead Time=1 week  
Added List Price=\$85

Torsion® in Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

### Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

# Torsion Air<sup>®</sup>

General Information



Armless Task Chair  
(TAPDNA)



Task Armchair  
(TAPDWA)



Armless Task Stool  
(TASPNA)



Task Stool with Arms  
(TASPWA)

Features				
Back Flex	•	•	•	•
Pneumatic seat height adjustment	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat height (stools with polished aluminum base - subtract 1-3/4")	18" - 23"	18" - 23"	23" - 33-1/4"	23" - 33-1/4"
Back width	17"	17"	17"	17"
Back height	16"	16"	16"	16"
Overall Dimensions				
Depth	26-1/2"	26-1/2"	26-1/2"	26-1/2"
Height	33-1/2" x 38-1/2"	33-1/2" x 38-1/2"	38-1/2" x 48-3/4"	38-1/2" x 48-3/4"
Width	26-1/2"	26-1/2"	27-1/2"	27-1/2"
Top of arm to floor		25" - 30"		30" - 40-1/4"

SPECIFICATIONS

Seat and Backrest

Seat is a two-piece construction with a molded polypropylene liner with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholstered. Foam (1-1/2") is applied to the molded polypropylene liner. Fabric is then upholstered over the foam. Backrest frame is molded glass-reinforced nylon. Mesh fabric is 100% polyester. Seat and backrest are field-replaceable.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Back/Arm Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism. If so equipped, optional armrest structure is integral to the backrest support. Arm caps are polypropylene and are field-replaceable.

Pedestal Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame matches chair color.

Pedestal Base

26" injection-molded, glass-reinforced nylon 5-blade base. Base and cylinder are available in black. An optional polished die-cast aluminum base is available on both chairs and stools.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI  
Attn: C.O.M. Specialist  
1687 Westminster Drive - Gate 3  
Green Bay, WI 54302



Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



# Torsion Air®

## Task Chairs and Stools

MODEL	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.
	Basic Model	Base Color	Base	Fire Code	Upholstery Color	Mesh Color		
 <p><b>Task Armless Chair</b></p> <ul style="list-style-type: none"> <li>• Back flex</li> <li>• Mesh back</li> <li>• Base available in black or polished aluminum</li> </ul>	TAPDNA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	24.0#	\$ 680
TAPD								
 <p><b>Task Armchair</b></p> <ul style="list-style-type: none"> <li>• Back flex</li> <li>• Mesh back</li> <li>• Base available in black or polished aluminum</li> </ul>	TAPDWA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26.0#	\$ 709
TAPD								
	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>		

### HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base color.  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

Base color selection includes seat plate/mechanism and back/arm supports and are always black.

\*Add \$87 for polished aluminum base.

**C** Select base option.

**C** ☐ - Carpet casters

**S** ☐ - Hard floor casters

Hard floor casters and glides are available only in black.

**D** Select fire code.

**NFR** ☐ - Compliance to TB 117-2013

**FR** ☐ - Compliance to TB 133

See FR upcharge under Options.

**E** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**F** Select back mesh color.

**BLMH** ☐ - Black

**GRMH** ☐ - Grey

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



\$ 723	\$ 739	\$ 739	\$ 746	\$ 785	\$ 802	\$ 824	\$ 848
--------	--------	--------	--------	--------	--------	--------	--------

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

## California TB133 Fire Safety Code

**California TB108 Fire Safety Code**  
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Added Lead Time=1 week  
Added list price=\$49

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----



## Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

# Torsion Air®

Task Chairs and Stools

MODEL	MODEL NUMBER						Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.
	Basic Model	Base Color	Base	Fire Code	Upholstery Color	Mesh Color		
 <p><b>Task Armless Stool</b></p> <ul style="list-style-type: none"> <li>• Back flex</li> <li>• Mesh back</li> <li>• Base available in black or polished aluminum</li> </ul>	TASPNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29.0#	\$ 778
TASP								
 <p><b>Task Stool with Arms</b></p> <ul style="list-style-type: none"> <li>• Back flex</li> <li>• Mesh back</li> <li>• Base available in black or polished aluminum</li> </ul>	TASPWA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31.0#	\$ 807
TASP								
	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>		

## HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

**A** Select basic model.

**B** Select base color.  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.  
Base color selection includes seat plate/mechanism and back/arm supports and are always black.  
\*For polished aluminum selection add \$87

**C** Select base option.

**C** \_\_\_\_\_ - Carpet casters  
**S** \_\_\_\_\_ - Hard floor casters  
Hard floor casters and glides are available only in black.

**D** Select fire code.

**FR** \_\_\_\_\_ - Compliance to TB 133  
**NFR** \_\_\_\_\_ - Compliance to TB 117-2013

See FR upcharge under Options.

**E** Select upholstery grade/color.

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

**F** Select back mesh color.

**BLMH** \_\_\_\_\_ - Black  
**GRMH** \_\_\_\_\_ - Grey  
Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 793	\$ 808	\$ 808	\$ 817	\$ 855	\$ 873	\$ 891	\$ 918

\$ 824	\$ 838	\$ 838	\$ 847	\$ 885	\$ 901	\$ 920	\$ 949
--------	--------	--------	--------	--------	--------	--------	--------

## UPHOLSTERY INFORMATION

### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

## OPTIONS

### California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Added Lead Time=1 week  
Added list price=\$49

## SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

# Index

Model No.	Description	Page	Model No.	Description	Page
1025/2	Task Chairs: Mid Back - Upholstered Arm	28	TPSCAP	Task Chairs and Stools: Task Stool with Arms	92
1026/2	Task Chairs: High Back - Upholstered Arm	28	TPSNAP	Task Chairs and Stools: Task Stool	92
1125/2	Task Chairs: Mid Back - Wood Arm	30			
1126/2	Task Chairs: High Back - Wood Arm	30			
7225/2/NC	Task Chairs: Mid Back Swivel Tilt Chair	58			
7226/2/NC	Task Chairs: High Back Swivel Tilt Chair	58			
ALTC.SC.S	Altus Slip Covers: Conference Chair - Entire Seat	12			
ALTCLA	Task Chair: Altus® Conference Chair	10			
ALTM.SC.S	Altus Slip Covers: Mesh Task Chair - Seat Slip Cover	12			
ALTMNA	Task Chair: Altus® Mesh Task Chair	10			
ALTU.SC.B	Altus Slip Covers: Fabric Task Chair - Back Slip Cover	12			
ALTU.SC.S	Altus Slip Covers: Fabric Task Chair - Seat Slip Cover	12			
ALTUNA	Task Chair: Altus® Fabric Task Chair	10			
APDNAP	Task Chair: Armless Chair	16			
APSNAP	Task Stool: Armless Stool	18			
ENGP/AA	Task Chairs and Stools: Armchair with Height Adjustable Arm, Pivoting Armcap	34			
ENGP/HA	Task Chairs and Stools: Armchair with Height Adjustable Arms, Fixed Armcap	36			
ENGP/NA	Task Chairs and Stools: Armless Chair	34			
ENGSP/AA	Task Chairs and Stools: Arm Stool with Height Adjustable Arm, Pivoting Armcap	38			
ENGSP/HA	Task Chairs and Stools: Arm Stool with Height Adjustable Arm, Fixed Armcaps	40			
ENGSP/NA	Task Chairs and Stools: Armless Stool	38			
GPDCAP	Task Chairs and Stools: Task Cantilever Armchair	44			
GPDNAP	Task Chairs and Stools: Task Armless Chair	44			
GPSCAP	Task Chairs and Stools: Task Cantilever Arm Stool	46			
GPSNAP	Task Chairs and Stools: Task Armless Stool	46			
KI60S/NA	Task Chairs and Stools: Impress® Guest Chair - Sled Base	50			
KI62/NA	Task Chairs and Stools: Impress® Task Chair - Free Float	50			
KI63/NA	Task Chairs and Stools: Impress® Stool	50			
KI71S/NA	Task Chairs and Stools: Impress® Ultra Task Chair - Guest	54			
KI74/NA	Task Chairs and Stools: Impress® Ultra Task Chair - Mid Back	54			
KI75/NA	Task Chairs and Stools: Impress® Ultra Stool	54			
KI78/NA	Task Chairs and Stools: Impress® Ultra Task Chair - High Back	54			
KI88/NA	Task Chairs: Pilot Chair	68			
KIUV72/JR39	Task Chair: Adjustable T-Arm	22			
KIUV72/JR69	Task Chair: 4D Arm	22			
KIUV72/KR200	Task Chair: Adjustable K-Arm	24			
KIUV72/KR48	Task Chair: Fixed Loop Arm	24			
KIUV72/KR72	Task Chair: Adjustable Loop Arm	24			
KIUV72/NA	Task Chair: No-Arm Chair	22			
OH84Q0	Task Chairs: Armless Task Chair	64			
OH84QB	Task Chairs: Arm Task Chair	64			
SIFTAA	Task and Guest Chairs: Task 4D Adjustable T-Arm Chair	72			
SIFTGCA	Task and Guest Chairs: Guest Cantilever Armchair	76			
SIFTNA	Task and Guest Chairs: Task Armless Chair	72			
SIFTSAA	Task and Guest Chairs: Task 4D Adjustable T-Arm Stool	74			
SIFTSNA	Task and Guest Chairs: Task Armless Stool	74			
SPDCAP	Task Chairs and Stools: Task Cantilever Armchair	80			
SPDCATSU	Task Chairs and Stools: Task Cantilever Armchair with Top Stitch on Seat	82			
SPDNAP	Task Chairs and Stools: Task Armless Chair	80			
SPDNATSU	Task Chairs and Stools: Task Armless Chair with Top Stitch on Seat	82			
SPSCAP	Task Chairs and Stools: Task Cantilever Arm Stool	84			
SPSCATSU	Task Chairs and Stools: Task Cantilever Arm Stool with Top Stitch on Seat	86			
SPSNAP	Task Chairs and Stools: Task Armless Stool	84			
SPSNATSU	Task Chairs and Stools: Task Armless Stool with Top Stitch on Seat	86			
TAPDNA	Task Chairs and Stools: Task Armless Chair	96			
TAPDWA	Task Chairs and Stools: Task Armchair	96			
TASPNA	Task Chairs and Stools: Task Armless Stool	98			
TASPWA	Task Chairs and Stools: Task Stool with Arms	98			
TPCAP	Task Chairs: Pedestal Base Armchair	90			
TPNAP	Task Chairs: Pedestal Base Armless Chair	90			





KI  
1330 Bellevue Street  
P.O. Box 8100  
Green Bay, Wisconsin 54308-8100  
1-800-424-2432  
[www.ki.com](http://www.ki.com)

KI and Furnishing Knowledge  
are registered trademarks  
of Krueger International, Inc.

© 2011 KI  
All Rights Reserved.  
Litho in USA.  
Code KI-11478R2/KI/VL/211

Printed using only water-based inks,  
including metallics. Please recycle.