




CONSTANTINE®

SENDAL



Sendal



PRICE



PRICE

Milliken™



INSPIRED.

Her hand moved with dexterity and calmness, revealing her special wish only to the paper beneath her pen. Quickly folded and perfectly secured, its contents became a delightful secret to be attached and suspended in the air where good thoughts and memories were sure to be granted.

Sendal in Whittle Grass, monolithic tile installation



Sendal in Whittle Grass, broadloom installation



Sendal in Whittle Grass, monolithic tile installation

INSPIRING.

Taking cues from the shapes created when a ‘wish tree’ is populated during the ceremonial activity of ‘omikuji’, Sendal explores the angles and geometry viewed while these pieces of tied paper are suspended in the air. Light, effortless and rich in texture, Sendal’s loop and tip shear construction offers a subtle pattern in 18 colors that work elegantly in the workplace or hospitality environment.

Sendal in Winterlude, Broadloom installation




SEN39 LOW TIDE



SEN15 ABALONE



SEN83 WEATHER STONE



SEN108 GRANITE SHADOW



SEN97 LEVIATHAN



SEN87 DONNY ASHE



SEN69 RARE EARTH



SEN93 WHITTLE GRASS



SEN79 WINTERLUDE



SEN120 DARK BACKWARD



SEN23 HEIRLOOM PAPOOSE



SEN86 FORLORN THYME



SEN96 DANGUI



SEN59 MAQUINNA



SEN133 TUXEDO



SEN118 KAFTAN



SEN100 DOUBLE NEGATIVE




SEN94 HUITALOCHE

SENDAL

Have you seen our other collections? Visit us online today.



Art Media




Nordic Stories



Inis Mór



The Basics



Construction

Tufted, Tip Shear

Tile Size

50 cm x 50 cm (19.7" x 19.7")

Broadloom Width

13' 6" (4.11 m)

Pattern Repeat

18" W x 26" L

Yarn Type

Milliken-Certified WearOn® Nylon
Type 6,6

Stain Repel & Resist / Soil Release

Commercial Carpet Protector &
Stainguard Protection

Tufted Face Weight

36 oz/yd² (1,221 g/m²)

Finished Pile Height

0.15" (3.81 mm)

Average Density

6,980

Standard Backing

Tile: PVC-Free Comfort Plus® ES
Cushion / Broadloom: Endura-Loc™

Texture Appearance Retention Rating (TARR)

Heavy

Recommended Installation Methods



MONOLITHIC



BROADLOOM

TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.



This cushion-back carpet tile product is covered by one or more patents, published applications and/or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice.

Growing greener for over 100 years.

This product has a UL® Environment 3rd party verified Environmental Product Declaration (EPD). A copy of the EPD is available online at millikencarpet.com/epd and productguide.ulenvironment.com.

Customer Concierge 800.824.2246 | millikencarpet.com
© 2014 Milliken & Company | Made in the USA

Cover image: Omikujji charms at the Asakusa shrine, by T.W.
© 2014 Shutterstock

2710023534
CP 0414