

# **SOUND & FURY**

Gesture / Intensity

Milliken™





**INSPIRED. INSPIRING.**

I close my eyes, feel the weight of the paintbrush in my hand, and with the first touch of paint to canvas, lose myself in the music. Moments pass and suddenly I discover a finished painting in front of me. In its texture, I see the thick strokes of the bass line and the delicate, rhythmic marks of a piano solo. In its color, I see the brightness of a trumpet blare. In the painting, I see the song. In Sound and Fury, I see the same.



Intensity in Rhythm, ashlar installation, with Gesture in Percussion accents.



Get more at [millikencarpetsamplestudio.com](http://millikencarpetsamplestudio.com)

Gesture and Intensity in Dynamic, ashlar installation.



Gesture

Get more at [millikencarpetsamplestudio.com](http://millikencarpetsamplestudio.com)

Gesture in Stereo, quarter-turn installation.

Gesture in Stereo, monolithic installation.

Gesture in Stereo, ashlar installation.





Gesture

Gesture in Rhythm and Equalizer, ashlar installation.



Gesture in Equalizer, ashlar installation.



Get more at [millikencarpetsamplestudio.com](http://millikencarpetsamplestudio.com)

Gesture in Fidelity, ashlar installation, with Intensity in Rhythm accents.



Intensity

Get more at [millikencarpetsamplestudio.com](https://millikencarpetsamplestudio.com)

Intensity in Stereo, monolithic installation.

Intensity in Stereo, ashlar installation.

Intensity in Stereo, quarter-turn installation.



Intensity



Intensity in Decibel, ashlar installation.

Get more at [millikencarpetsamplestudio.com](http://millikencarpetsamplestudio.com)

Intensity in Rhythm, ashlar installation.



Intensity in Dynamic, ashlar installation.



# SOUND & FURY

Gesture | Intensity

Have you seen our other collections? Visit us online today.



Southern Analog



Paste Up



Ghost Artist



Consequence



## Construction

Tufted, textured loop

## Tile sizes

50cm. x 50cm. (19.7 X 19.7 In.)

## Yarn type

Aquafil Econyl 75 solution dyed nylon type 6

## Stain repel / stain resist / soil release

StainSmart®

## Tufted face weight

17 oz./Sq.Yd. (576.4 G./Sq.M.)

## Pile height

0.109 In. (2.77 mm.) Average

## Average density

5,600

## Standard backing

PVC-Free Underscore™ ES cushion

This cushion-back carpet tile product is covered by one or more patents, published applications and/or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice.

## Recommended installation



monolithic



quarter-turn



ashlar



**Growing greener for over 100 years.**  
Visit [milliken.com](http://milliken.com) for more information.