




The Basics in Mineral Cool, ashlar tile installation



The Basics in Mineral Cool, ashlar tile installation




The Basics in Mineral Spectrum, ashlar tile installation





The Basics in Palomino Warm, ashlar tile installation











# Warm, Spectrum, Cool

With 15 standard colors and three groups of accents—Warm, Cool, and Spectrum—The Basics Collection brings a balance of color and pattern to the floor in 45 standard options. Each accent color group takes a new identity when joined with the overall background color. Some accents remain bright and chromatic when combined with an overall light or mid-value while others will become less vibrant and more grounded when combined with a dark value.

**WARM** - The 'warm' accent group is a range of reds, yellows, and purples.

**COOL** - The 'cool' accent group is a range of blues, greens, and yellows.

**SPECTRUM** - The 'spectrum' accent group balances the range of warm and cool with a blend of reds, yellows, purples, blues, and greens.

# The Basics Colorline

Each color is shown in all three accent color groups: Warm, Cool, Spectrum





## THE BASICS

Have you seen our other collections? Visit us online today.













Pen & Ink



Theory 2.0

Yarn Storm

#### Construction

Tufted, Textured Loop

### **Tile Size**

50 cm x 50 cm (19.7" x 19.7")

#### Yarn Type

Milliken-Certified WearOn® Nylon and Solution Dyed Nylon

### Stain Repel & Resist / Soil Release StainSmart®

## **Tufted Face Weight**

 $16 \text{ oz/yd}^2 (542.5 \text{ g/m}^2)$ 

# **Finished Pile Height**

0.07" (1.8 mm)

## **Average Density**

7,960

#### **Standard Backing**

PVC-Free Comfort Plus® ES cushion Comfort Plus® is available with TractionBack®

### **Texture Appearance Retention** Rating (TARR)

Heavy

### **Recommended Installation Method**



ASHLAR

#### TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peeland-stick carpet tile.

This cushion-back carpet tile product is covered by one or more patents, published applications to normal manufacturing tolerances and may be certified changed without prior notice.






# Growing greener for over 100 years.

Visit milliken.com for more information.








The Basics Sans in Mineral, ashlar tile installation



The Basics Sans in Palomino, ashlar tile installation





SAN3-95 MINERAL



WRM3-95 MINERAL WARM



COO3-95 MINERAL COOL



SPE3-95 MINERAL SPECTRUM

# Sans, Warm, Cool, Spectrum

With 15 standard colors and three groups of accents—Warm, Cool, and Spectrum—The Basics Collection brings a balance of color and pattern to the floor in 60 standard options. Each accent color group takes a new identity when joined with the overall background color. Some accents remain bright and chromatic when combined with an overall light or mid-value while others will become less vibrant and more grounded when combined with a dark value.

**SANS** - The 'sans' group contains no accent stripes.

WARM - The 'warm' accent group is a range of reds, yellows, and purples.

**COOL** - The 'cool' accent group is a range of blues, greens, and

SPECTRUM - The 'spectrum' accent group balances the range of warm and cool with a blend of reds, yellows, purples, blues, and greens.

### The Basics Sans Colorline



SAN93-39 CALCUTTA (Cool COO93-39, Spectrum SPE93-39, Warm WRM93-39)



SAN90-121 PALOMINO (Cool COO90-121, Spectrum SPE90-121, Warm WRM90-121)



**SAN39-176 COWBOY** (Cool COO39-176, Spectrum SPE39-176, Warm WRM39-176)



SAN3-95 MINERAL (Cool COO3-95, Spectrum SPE3-95, Warm WRM3-95)



SAN15-94 OLIVEWOOD (Cool COO15-94, Spectrum SPE15-94, Warm WRM15-94)



SAN142-27 TEAK (Cool COO142-27, Spectrum SPE142-27, Warm WRM142-27)




SAN15-55 MARBLE (Cool COO15-55, Spectrum SPE15-55, Warm WRM15-55)



SAN144-97 VENICE (Cool COO144-97, Spectrum SAN118-27 COAL (Cool COO118-27, Spectrum SPE144-97, Warm WRM144-97)



SPE118-27, Warm WRM118-27)



SAN173-174 SHARKSKIN (Cool COO173-174, Spectrum SPE173-174, Warm WRM173-174)



SAN106-67 GUNMETAL (Cool COO106-67, Spectrum SPE106-67, Warm WRM106-67)



SAN52-46 NIGHT SKY (Cool COO52-46, Spectrum SPE52-46, Warm WRM52-46)



SAN120-54 MILANO (Cool COO120-54, Spectrum SPE120-54, Warm WRM120-54)



SAN41-78 BELIZE (Cool COO41-78, Spectrum SPE41-78, Warm WRM41-78)



SAN85-100 MONTE CARLO (Cool COO85-100, Spectrum SPE85-100, Warm WRM85-100)

## **THE BASICS**

### The Basics Sans

Have you seen our other collections? Visit us online today.









Art Media







Nordic Stories





Inis Mór

Pen & Ink

#### Construction

Tufted, Textured Loop

#### **Tile Size**

50 cm x 50 cm (19.7" x 19.7")

#### Yarn Type

Milliken-Certified WearOn® Nylon Type 6,6

# **Stain Repel & Resist / Soil Release** StainSmart®

## **Tufted Face Weight**

16 oz/yd² (542.5 g/m²)

# Finished Pile Height

0.07" (1.8 mm)

### **Average Density**

7,960

#### **Standard Backing**

PVC-Free Comfort Plus® ES Cushion
Comfort Plus® is available with TractionBack®

# **Texture Appearance Retention Rating (TARR)**

Heavy

### **Recommended Installation Method**



ASHLAR

#### TractionBack®

Simplify your modular installation with Milliken's patented TractionBack®, an innovative backing system that is faster, more cost efficient, and environmentally superior to wet adhesives and peel-and-stick carpet tile.









This cushion-back carpet tile product is covered by one or more patents, published applications and/or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice.

#### **Growing greener for over 100 years.**

This product has a UL® Environment 3<sup>rd</sup> party verified Environmental Product Declaration(EPD). A copy of the EPD is available online at millikencarpet.com/epd and productguide.ulenvironment.com.