V E L A S W I V E L S E A T I N G
L I S T P R I C E S E F F E C T I V E
J A N U A R Y 6, 2 0 1 9



2 0 1 9

A minimalistic design, Vela is an essential piece for the modern office. Inspired by "an honest expression of the evolving work-place," Vela represents a democratic design language with its unadorned yet sophisticated presence in an executive office or grouped around a large conference table. Vela's name (stemming from the word "velum" which means membrane) represents its ability to support and comfort the nuances of the body, while still offering structure and a streamlined look for the contract environment. Vela delivers necessary ergonomics for a wide range of body types with its curved back (available in a mid or high-back variant) plywood structure with molded foam cushioning, and angled, cast aluminum arms for a sculptural yet comfortable form.



- Both mid and high-back models are equipped with height adjustments and tension/locking mechanisms.
- Arms and base are standard in black metal.

  Available in polished aluminum for an upcharge.
- Mid Back Dimensions
  OH 35.5"-40"

OW 23.25" (arms) 20" (armless) OD 25"

SH 17.5"- 22" SD 17"

High Back Dimensions

OH 39.5"- 44"

OW 23.25" (arms) 20" (armless)

OD 25" SH 17.5"- 22" SD 17"

Upholstery Requirements

Fabric: 2.5 Yards

Leather: 45 Square Feet

 High Back (shown) is standard with gathered stitch detail.



### **Specification Overview**

Collection Details	Swivel Chair   Task Chair
Sizes	Mid-Back   High-Back
Arms	Black Metal   Polished Aluminum
Five-Pronged Metal Base	Black Metal   Polished Aluminum
Casters   Glides	Match Metal Base



### Coverings

All upholstered items may be ordered using HBF Textiles, HBF Leathers, or coverings provided by the customer. Prices listed as COM refer to Customer's Own Material. Prices listed as COL refer to Customer's Own Leather. Prices listed as GRADE refer to HBF Textiles and/or HBF Leather.

Yardage requirements shown in the price list are based on non-directional 54" wide material. The following conversion chart should be used to determine yardage requirements when COM is 54" wide or less and/or has a repeat of 2" or more. Add together the vertical and horizontal repeat to determine which column should be used as a reference.

Fabric Width	Plain Fabric	2"-10" Repeat	11"-20" Repeat	21"-25" Repeat		31"-35" Repeat	36"-40" Repeat	41"-45" Repeat
54"	+ 0%	+10%	+15%	. +20%	.+25%	+30%	+35%	+40%
51"-53"	15%	20%	25%	30%	35%	40%	45%	50%
48"-50"	30%	35%	40%	45%	50%	55%	60%	65%
45"-47"	45%	50%	55%	60%	65%	70%	75%	80%
36"-44"	60%	65%	70%	75%	80%	85%	90%	95%

To determine the possibility of reduced yardage requirements for orders of thirty (30) or more units, please contact The HBF Client Experience Team. HBF reserves the right to request additional yardage of COM/COL at customer expense based on repeat and/or pattern size, and number of rolls.

All COM/COL's must be approved for application before the purchase order is submitted to HBF. Please contact The HBF Client Experience Team at hbfservice@hbf.com to verify that your COM/COL fabric has been approved. If it has not, please request COM/COL approval testing via www.hbf.com under COM/COL Request. Failure to submit a COM/COL for testing may result in additional expenses or rejection of COM/COL. For any repeat and/or pattern size not listed, please contact The HBF Client Experience Team for a yardage requirement quotation.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM/COL materials. All responsibility for COM/COL shipments is between the purchaser and the textile source. HBF reserves the right to reject any COM or COL. HBF assumes no responsibility for suitability or wearability of COM/COL. Difficult COM/COL may be subject to additional charge if additional labor costs are incurred. HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations. Orders specifying COM/COL will not be scheduled for production until all approved COM(s)/COL(s) are received by HBF. To ensure proper COM/COL expediting, please tag fabric/leather roll(s) with the following information: 1. Purchasing dealer name and purchase order number 2. HBF acknowledgement number, if available 3. Other pertinent information which will enable proper COM/COL identification.

When sending COL for use on one of our upholstered pieces, please send eighteen (18) square feet of leather for each yard of 54" plain fabric required for that item.

### Coverings (Continued)

### COM/COL ORDERING REQUIREMENTS:

Prior to acceptance of order specifying COM/COL, a memo sample must be submitted to HBF for determination of suitability. All COM's and COL's must be rolled separately, on individual tubes. Multiple fabrics rolled on the same tube will not be accepted.

For ease of expediting your COM/COL order, we require the following information:

1. Fabric description

**Shipping Address:** HBF

2. Fabric source

900 12th Street Drive NW

3. Order line, product name or number

Hickory, NC 28601-4763

- 4. Fabric color
- 5. A swatch of the covering
- 6. Special application instructions, if any

If COM/COL is of a type requiring choices of seam placement, face side, position of design or repeat; these instructions must be clearly stated on the original order.

HBF cannot be held responsible for performance, color accuracy, or weaving of COM materials. All responsibility for COM shipments is between the purchaser and the textile source.

HBF reserves the right to reject any COM or COL. HBF assumes no responsibility for suitability or wearability of COM/COL. Difficult COM/COL may be subject to additional charge if additional labor costs are incurred.

HBF assumes no responsibility for the flame retardance of any COM. Customers are solely responsible for making sure that COM complies with all applicable codes and regulations.


Orders specifying COM/COL will not be scheduled for production until all approved COM/COL is received by HBF.

To ensure proper COM/COL expediting, please tag fabric/leather with the following information:

- 1. Purchasing dealer name and purchase order number
- 2. HBF acknowledgement number, if available
- 3. Other pertinent information which will enable proper COM/COL identification

## Standard Vertical Application

The standard application of fabrics with stripes, vines or floral patterns is vertical. When specifying upholstery fabrics with any of these designs, the application direction must be noted on all purchase orders and a sketch indicating the direction of application must accompany the purchase order.



### Combination of Upholstery Applications

All seating ordered with combination of upholstery applications (fabric, leather) is subject to a \$103 List Upholstery upcharge and will be entered and processed as a special model, in addition to the following pricing conditions:

- 1. Combinations using HBF Textiles and COM will be priced at the COM price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the furniture order.
- 2. Combinations using HBF Textiles and HBF Leathers, or COM and HBF Leathers, will be priced at the appropriate Leather I-V price.
- Combinations using HBF Textiles and COL, two COL's, or COM and COL, will be priced at the COL
  price. The cost of the portion of the HBF Textiles used, will be entered as a miscellaneous charge on the
  furniture order.
- 4. Combinations using two HBF Textiles will be invoiced at higher grade price.
- When specifying combination of upholstery applications, a sketch indicating placement of textiles and direction of applications must accompany the purchase order.

### Special Code Compliance

### California #117-2013

Unless otherwise specified, foam used in all HBF seating products complies with these guidelines.

#### California #133

Following are the Net upcharges and minimum unit requirements for special construction to comply with these guidelines.

Guest Chairs \$113 Net per unit (minimum of two units)
Swivel Chairs \$167 Net per unit (minimum of two units)

Lounge Chairs\$233 Net per unitOttomans\$113 Net per unitLoveseats\$303 Net per unitSofas\$352 Net per unit

Bench Seating \$167 Net per unit (regardless of size)

HBF can not be held liable if original purchase order does not indicate a requirement for California #133 compliance.

#### **Boston Fire Code**

### **New York Port Authority**

Please contact HBF Customer Service if compliance is required for these special codes.

### ANSI/BIFMA e3-2012 Furniture Sustainability Standard level®

HBF's production facilities, organizational policies and component materials of the products themselves have met all of the necessary qualifications to comply with the industry's most comprehensive furniture sustainability standard.

level® is the multi-attribute, sustainability standard and third-party certification program for the furniture industry. It has been created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment.

Taking into account a company's social actions, energy usage, material selection and human ecosystem health impacts, level® addresses how a product is sustainable from multiple perspectives. With level®, customers can make informed choices about commercial furniture that exceed single attribute eco-certifications. The level® brand identifies that a product has been vetted by an independent third party certifier and its numeric marking 1, 2 or 3 which indicates the threshold of certification it has achieved.

HBF's seating, occasional tables, and conference lines are level® certified. Please download the certificates from our product pages for the complete details.

For more information about the ANSI/BIFMA level® standard, visit www.levelcertified.org

### SCS Indoor Advantage™

All HBF seating products are SCS Indoor Advantage™ Gold Certified.


SCS Global Services (SCS), a reputable third-party certification and assessment body of environmental, sustainability and safety claims since 1984, has developed internationally recognized standards and certification programs to assist businesses with improving their environmental efforts, social accountability and product performance.

The advantages of holding SCS Indoor Air Quality certification are substantial: in addition to improving indoor working environments and meeting qualifications for the LEED-CI EQ 4.5 credit for office furniture as well as the BIFMA Standard for Low-Emitting Office Furniture Systems & Seating M-7.1, there is the added assurance of knowing that the company's entire breadth of products is held to such rigorous standards.

For more information regarding SCS Indoor Advantage™, please visit: http://www.scsglobalservices.com.

Please contact the HBF Client Experience Team for pricing and lead time information.

### **Dimension Guide**



GSA Contract Number GS-28F 0020M	Please refer to the GSA price list for p	pricing.
HBF High Performance Products	e	en leaders in contract furnishings and known for industry-leading product lity construction, comfort and aesthetic beauty.
	consulted with healthcare designers a quality sustainable design solutions f	ornerstones of HBF Healthcare high performance products. We have and clients to provide products and options for interiors that will provide for the future. These effective solutions will address the unique interactions sit www.hbf.com for additional high performance product information.
	Seating Product High Performance	Options:
	<ul><li>Guest and Lounge Seating</li><li>Arm Caps</li><li>Moisture Barrier</li><li>Wipe Out - Clean Out</li></ul>	<ul> <li>Tandem Seating</li> <li>Wall Saver Legs</li> <li>Replaceable Components</li> <li>Upholstery Products from HBF Textiles</li> </ul>



Grade A	Grade B	Grade C	Grade D	Grade E	Grade F
Against the Grain	Dry Run Ziggy Zag	Bumpy Burlap Rug Gravel Weekender	Bling Butterfly Crew Cut Crosshatch Cloth Honest Mirage Peak Roundabout	Beetle Dashing Faux Real II Fourfold Madam Dottie Modern Tweed Pebbled Squiggle Stripe Straight & Narrow	Air Mail Color Code Comfort Zone Crossing the Line Folded Lines High Rise Moving In Outdoor Check Scribble XS Wabi Sabi
Grade G	Grade H	Grade J	Grade K	Grade L	Grade M
Argyle Boucle Big Floral Big Floral Stripe Buckle Chatterbox Cloud Complex Digital Bloom Dot Grid Equation Forge Remember Sir Stripe-a-lot Smooth Tickled Herring	Abito Belgian Meadow Braids & Bars Brushed Canvas Crosstweed Cutout Dot Structure Glint Lava Rock Linkage Merci Boucle Moss Paintbox Soft Angles Twist	Deco Epingle Captain Bubble Dreamy Embossed Woven Foundation Heartfelt Italian Wool Moving Blanket Needlepoint Grid Night Earth Pepper Blend Quill Sable Island Scribble XL Sideways Sister Solid Velvet Mix Woodblock Wrap Around	Afghan Changing Lanes Flirt Hipster Poodle Smart	Double Stitch Honest Square Mr. Dimple Ms. Quilty Sweater	Bunny Eccentric Knitwork
Leather I	Leather II	Leather III	Leather IV	Leather V	Leather VI
Vivace II	Aviator Free Way	Pearl	Attaché	Upper Crust Voyage	Modern Patina



### SEATING MATERIAL OPTIONS

### POWDER COATS:



BL Black

### METALS:



POL Polished Chrome

Vela Series Specific		. 1 D 1 L A . L A	\ 1		
Collection Details	Mid Back   H	igh Back   Arms   A	Armless		
Bases	Five-prong bla	ack metal base is sta	andard. Optional	polished aluminur	m base.
Casters   Glides	Double wheel	casters and glides a	available.		
Arms	Arms are stand	dard black metal. C	Optional polished	aluminum.	
	List Prices				Dimensions
Vela HSB718-021					
	COM <b>1300</b>	Add below upcha COL 40 Grade AA 40 Grade A 55 Grade B 70 Grade C 85 Grade D 95 Grade E 110	Arge to COM list of Grade F 130 Grade G 145 Grade H 165 Grade J 180 Grade K 210 Grade L 250 Grade M 305	Leather I	OD 25 DED O SH 17½-22 DEW O SD 17 R
		Add below upcha COL 40 Grade AA 40 Grade B 70 Grade C 85 Grade D 95 Grade E 110	Arge to COM list of Grade F 130 Grade G 145 Grade H 165 Grade J 180 Grade K 210 Grade L 250 Grade M 305	Leather I	Upholstery Requires (Per Application: Fabric: 1.25 Yards (each, seat and back)

MODEL	TEXTILES	TEXTILES	FLAMMABILITY	METAL OPTIONS
NUMBE				
	Indicate fabric	Indicate fabric	Indicate flammability:	
	choice for	choice for	nammability:	
	Seat Upholstery:	Back Upholstery:	U = Cal 117	BL = Black Powder Coat
			U3 = Cal 133	PAL = Polished Aluminum +\$200
	See options for fabrics at	See options for fabrics at		
	www.hbftextiles.com	www.hbftextiles.com		
	•	•	•	

	List Prices							Dimensions	
Vela HSB718-011									
	COM <b>1350</b>	COL 4 Grade AA 4 Grade A	40 40	arge to CON Grade F Grade G Grade H Grade J	A list fo 130 145 165 180	r Seat Uphols Leather I Leather II Leather III Leather IV	tery: 400 500 600 700	OH 39½-4- OW 23½ OD 25 SH 17½-2 SD 17	WBA 20 DED
		Grade C Grade D Grade E	95 110	Grade K Grade L Grade M	210 250 305	Leather V Leather VI	800 900	Shipping Wo	
		COL Grade AA Grade B Grade C Grade D	40 40	Grade F Grade G Grade H Grade J Grade K Grade L Grade M	130 145 165 180 210 250 305	r Back Uphols Leather I Leather II Leather III Leather III Leather IV Leather V Leather VI	400 500 600 700 800 900	(each, seat ar	ation: Yards ad back) 5 Square Feet ad back)
High Back   Upholstered Back w Five-Prong Black Metal Base   D		and Seat   Black N	Metal A	ırm				Total Requi	45 Square Feet

MODEL NUMBER	TEXTILES	TEXTILES	FLAMMABILITY	METAL OPTIONS
NUMBER	Indicate fabric choice for Seat Upholstery:  See options for fabrics at www.hbftextiles.com	Indicate fabric choice for Back Upholstery:  See options for fabrics at www.hbftextiles.com	Indicate flammability:  U = Cal 117  U3 = Cal 133	BL = Black Powder Coat PAL = Polished Aluminum +\$200

COM <b>1200</b>	Add belov								
COM <b>1200</b>	Add belox								
	Add belov		arge to CON		r Seat Uphols		ОН	391/2-44	AH
	COL	40	Grade F	130	Leather I	400	OW	20	WBA
	Grade AA	40	Grade G	145	Leather II	500	OD	25	DED
	Grade A	55	Grade H	165	Leather III	600	SH	171/2-211/2	DEW
	Grade B	<b>70</b>	Grade J	180	Leather IV	700	SD	17	R
	Grade C	85	Grade K	210	Leather V	800			
	Grade D	95	Grade L	250	Leather VI	900	Shippi	no Weight	62
	Grade E	110	Grade M	305			Cube		25
	Add belov	w upch	arge to CON	A list fo	r Back Uphol	stery:			
	COL	40	Grade F	130	Leather I	400	77.1	1. 5.	
	Grade AA	40	Grade G	145	Leather II	500	•		es
	Grade A	55	Grade H	165	Leather III	600			
	Grade B	<b>70</b>	Grade I	180	Leather IV	700	Fabric	: 1.25 Yards	
	Grade C	85	Grade K	210	Leather V	800	(each,	seat and back,	)
	Grade D	95	Grade L	250	Leather VI	900	Leath	er: 22.5 Squar	e Feet
	Grade E	110		305			(each,	seat and back,	)
							Total	Required Eac	h:
Gathered Stitch Detail at	nd Seat   Armle	ss							
	ia scat   mine	33					2.7 10	01 17 0qt	ant I tet
	Gathered Stitch Detail an ble Wheel Casters	Grade AA Grade B Grade C Grade D Grade E  Add below COL Grade AA Grade AA Grade B Grade C Grade B Grade B	Grade AA 40 Grade A 55 Grade B 70 Grade C 85 Grade D 95 Grade E 110  Add below upch COL 40 Grade AA 40 Grade AA 55 Grade B 70 Grade B 70 Grade C 85 Grade C 85 Grade C 85 Grade E 110  Gathered Stitch Detail and Seat   Armless	Grade AA 40 Grade G Grade A 55 Grade H Grade B 70 Grade J Grade C 85 Grade K Grade D 95 Grade L Grade E 110 Grade M  Add below upcharge to COM COL 40 Grade F Grade AA 40 Grade G Grade AA 55 Grade H Grade B 70 Grade J Grade C 85 Grade K Grade D 95 Grade L Grade B 70 Grade J Grade C 85 Grade K Grade D 95 Grade K Grade B 70 Grade M  Gathered Stitch Detail and Seat   Armless	Grade AA 40 Grade G 145 Grade A 55 Grade H 165 Grade B 70 Grade J 180 Grade C 85 Grade K 210 Grade D 95 Grade L 250 Grade E 110 Grade M 305  Add below upcharge to COM list for COL 40 Grade G 145 Grade AA 40 Grade F 130 Grade AA 55 Grade K 165 Grade B 70 Grade J 180 Grade B 70 Grade J 180 Grade C 85 Grade K 210 Grade C 85 Grade K 210 Grade D 95 Grade L 250 Grade E 110 Grade M 305	Grade AA 40 Grade G 145 Leather II Grade A 55 Grade H 165 Leather III Grade B 70 Grade J 180 Leather IV Grade C 85 Grade K 210 Leather VI Grade D 95 Grade L 250 Leather VI Grade E 110 Grade M 305  Add below upcharge to COM list for Back Uphols COL 40 Grade F 130 Leather II Grade A 40 Grade G 145 Leather II Grade A 55 Grade H 165 Leather III Grade B 70 Grade J 180 Leather III Grade B 70 Grade J 180 Leather IV Grade C 85 Grade K 210 Leather IV Grade C 85 Grade K 210 Leather IV Grade D 95 Grade L 250 Leather VI Grade D 95 Grade L 250 Leather VI Grade E 110 Grade M 305	Grade AA 40 Grade G 145 Leather II 500 Grade A 55 Grade H 165 Leather III 600 Grade B 70 Grade J 180 Leather IV 700 Grade C 85 Grade K 210 Leather V 800 Grade D 95 Grade L 250 Leather VI 900 Grade E 110 Grade M 305  Add below upcharge to COM list for Back Upholstery: COL 40 Grade F 130 Leather I 400 Grade AA 40 Grade G 145 Leather II 500 Grade A 55 Grade H 165 Leather III 600 Grade B 70 Grade J 180 Leather III 600 Grade B 70 Grade J 180 Leather IV 700 Grade C 85 Grade K 210 Leather IV 700 Grade C 85 Grade K 210 Leather IV 800 Grade D 95 Grade L 250 Leather IV 900 Grade B 70 Grade M 305	Grade AA 40	Grade AA 40

- 1	DEL Mber	TEXTILES	TEXTILES	FLAMMABILITY	METAL OPTIONS
1401	WIDLK	Indicate fabric choice for Seat Upholstery:	Indicate fabric choice for Back Upholstery:	Indicate flammability:  U = Cal 117	BL = Black Powder Coat
		See options for fabrics at	See options for fabrics at	U3 = Cal 133	PAL = Polished Aluminum +\$200
		www.hbftextiles.com	www.hbftextiles.com		

	List Prices						Dime	nsions	
Vela HSB718-041									
	COM <b>1150</b>	_	charge to COI		or Seat Uphols	•	ОН	351/2-40	AH
		COL 40	Grade F	130	Leather I	400	OW	20	WBA
		Grade AA 40	Grade G	145	Leather II	500	OD	25	DED
		Grade A 55	Grade H	165	Leather III	600	SH	171/2-22	DEW
		Grade B 70	Grade J	180	Leather IV	700	SD	17	R
		Grade C 85	Grade K	210	Leather V	800			
i		Grade D 95	Grade L	250	Leather VI	900	Shipp	ing Weight	62
		Grade E 110	O Grade M	305			Cube		25
		Add below up	charge to COI	M list fo	or Back Uphol	stery:			
Ğ		COL 40	Grade F	130	Leather I	400	77.1	1. D.	
		Grade AA 40	Grade G	145	Leather II	500	•	Istery Requi	res
		Grade A 55	Grade H	165	Leather III	600		Application:	
		Grade B 70	Grade J	180	Leather IV	700	Fabrio	:: 1.25 Yards	
		Grade C 85	Grade K	210	Leather V	800	(each,	seat and back	?)
		Grade D 95	Grade L	250	Leather VI	900	Leath	er: 22.5 Squa	re Feet
		Grade E 110	Grade M	305			(each,	seat and back	?)
							Total	Required East	ch:
Mid Back   Plain Upholstered Bac	ck and Seat   Armless							ards or 45 Sq	
Five-Prong Black Metal Base   Do									

	TEXTILES	FLAMMABILITY	METAL OPTIONS
Indicate fabric choice for	Indicate fabric	Indicate flammability:	
Seat Upholstery:	Back Upholstery:	U = Cal 117 U3 = Cal 133	BL = Black Powder Coat PAL = Polished Aluminum +\$200
See options for fabrics at www.hbftextiles.com	See options for fabrics at www.hbftextiles.com		
	Indicate fabric choice for Seat Upholstery:  See options for fabrics at	Indicate fabric choice for Seat Upholstery:  See options for fabrics at www.hbftextiles.com  Indicate fabric choice for Back Upholstery:  See options for fabrics at www.hbftextiles.com	Indicate fabric choice for  Seat Upholstery:  See options for fabrics at www.hbftextiles.com  Indicate fabric choice for  Back Upholstery:  U = Cal 117  U3 = Cal 133

	List Prices					Dimensions
Vela HSB718-051						
	COM <b>1350</b>	Add below upch	arge to COM list fo	or Seat Upholst	ery:	OH 39½-44 AH 24¾-29¼
		COL 40	Grade F 130	Leather I	400	OW 231/4 WBA 20
		Grade AA 40	Grade G 145	Leather II	500	OD 25 DED
		Grade A 55	Grade H <b>165</b>	Leather III	600	SH 17½-22 DEW
		Grade B 70	Grade J <b>180</b>	Leather IV	700	SD 17 R
		Grade C 85	Grade K 210	Leather V	800	
		Grade D 95	Grade L <b>250</b>	Leather VI	900	Shipping Weight 62
İ		Grade E <b>110</b>	Grade M 305			Cube 25
		Add below upch	arge to COM list fo	or Back Uphols	tery:	
		COL 40	Grade F 130	Leather I	400	TT 1 1 . D .
1 1		Grade AA 40	Grade G 145	Leather II	500	Upholstery Requires
		Grade A 55	Grade H 165	Leather III	600	(Per Application:
		Grade B 70	Grade J 180	Leather IV	700	Fabric: 1.25 Yards
		Grade C 85	Grade K <b>210</b>	Leather V	800	(each, seat and back)
		Grade D 95	Grade L <b>250</b>	Leather VI	900	Leather: 22.5 Square Feet
		Grade E 110	Grade M 305			(each, seat and back)
						Total Required Each:
High Back   Upholstered Back wi Five-Prong Black Metal Base   Gl		nd Seat   Black Metal A	ırm			2.5 Yards or 45 Square Feet

MODEL	TEXTILES	TEXTILES	FLAMMABILITY	METAL OPTIONS
NUMBER	Indicate fabric choice for Seat Upholstery:  See options for fabrics at www.hbftextiles.com	Indicate fabric choice for Back Upholstery:  See options for fabrics at www.hbftextiles.com	FLAMMABILITY Indicate flammability:  U = Cal 117  U3 = Cal 133	BL = Black Powder Coat PAL = Polished Aluminum +\$200

	List Prices					Dimensions
Vela HSB718-061						
	COM <b>1300</b>	COL 40 Grade AA 40 Grade B 70 Grade C 85 Grade D 95 Grade E 110	Arage to COM list for Grade F 130  Grade G 145  Grade H 165  Grade J 180  Grade K 210  Grade L 250  Grade M 305	Leather I Leather II Leather III Leather IV Leather V Leather VI	400 500 600 700 800 900	OH 35½-40 AH 24¾-29¼ OW 23¼ WBA 20 OD 25 DED SH 17½-22 DEW SD 17 R  Shipping Weight 62 Cube 25
Mid Back   Plain Upholstered B: Five-Prong Black Metal Base   G	'	COL 40 Grade AA 40 Grade A 55 Grade B 70 Grade C 85 Grade D 95 Grade E 110	Grade F 130 Grade G 145 Grade H 165 Grade J 180 Grade K 210 Grade L 250 Grade M 305	De Back Upholo Leather I Leather II Leather III Leather IV Leather V Leather VI	400 500 600 700 800 900	Upholstery Requires (Per Application: Fabric: 1.25 Yards (each, seat and back) Leather: 22.5 Square Feet (each, seat and back) Total Required Each: 2.5 Yards or 45 Square Feet

MODEL	TEXTILES	TEXTILES	FLAMMABILITY	METAL OPTIONS
NUMBER	Indicate fabric choice for Seat Upholstery:  See options for fabrics at www.hbftextiles.com	Indicate fabric choice for Back Upholstery:  See options for fabrics at www.hbftextiles.com	Indicate flammability:  U = Cal 117  U3 = Cal 133	BL = Black Powder Coat PAL = Polished Aluminum +\$200

	List Prices						Dime	Dimensions		
Vela HSB718-071										
	COM <b>1200</b>	Add below upc	harge to CON	A list fo	r Seat Uphols	tery:	ОН	391/2-44	AH	
		COL 40	Grade F	130	Leather I	400	OW	20	WBA	
_		Grade AA 40	Grade G	145	Leather II	500	OD	25	DED	
		Grade A 55	Grade H	165	Leather III	600	SH	171/2-22	DEW	
		Grade B 70	Grade J	180	Leather IV	700	SD	17	R	
		Grade C 85	Grade K	210	Leather V	800				
		Grade D 95	Grade L	250	Leather VI	900	Shipp	ing Weight	62	
į		Grade E <b>110</b>	Grade M	305			Cube	8 8	25	
		Add below upc	harge to CON	A list fo	r Back Uphol	stery:				
		COL 40	Grade F	130	Leather I	400	TT. 1	1. D.		
1 -		Grade AA 40	Grade G	145	Leather II	500	•	lstery Requi	res	
		Grade A 55	Grade H	165	Leather III	600		Application:		
		Grade B 70	Grade J	180	Leather IV	700		: 1.25 Yards		
		Grade C 85	Grade K	210	Leather V	800	, ,	seat and back	•	
		Grade D 95	Grade L	250	Leather VI	900	Leath	er: 22.5 Squa	re Feet	
		Grade E 110	Grade M	305			(each,	seat and back	.)	
							Total	Required Eac	ch:	
High Back   Upholstered Back wi Five-Prong Black Metal Base   Gli		nd Seat   Armless					2.5 Ya	ırds or 45 Sq	uare Feet	

MODEL	TEXTILES	TEXTILES	FLAMMABILITY	METAL OPTIONS
NUMBER	Indicate fabric choice for Seat Upholstery:  See options for fabrics at www.hbftextiles.com	Indicate fabric choice for Back Upholstery:  See options for fabrics at www.hbftextiles.com	Indicate flammability:  U = Cal 117  U3 = Cal 133	BL = Black Powder Coat PAL = Polished Aluminum +\$200

	List Prices					Dime	Dimensions		
Vela HSB718-081									
	COM 1150	Add below up	ocharge to CON	A list fo	r Seat Uphols	tery:	ОН	351/2-40	AH
		COL 40	Grade F	130	Leather I	400	OW	20	WBA
		Grade AA 40	Grade G	145	Leather II	500	OD	25	DED
		Grade A 55	Grade H	165	Leather III	600	SH	171/2-22	DEW
		Grade B 70	Grade J	180	Leather IV	700	SD	17	R
		Grade C 85	Grade K	210	Leather V	800			
ì		Grade D 95	Grade L	250	Leather VI	900	Shipp	ing Weight	62
		Grade E 110	<b>0</b> Grade M	305			Cube	8 8	25
		Add below up	ocharge to CON	A list fo	r Back Uphol	stery:			
1 1		COL 40	Grade F	130	Leather I	400	** 1		
		Grade AA 40	Grade G	145	Leather II	500		lstery Requi	res
		Grade A 55	Grade H	165	Leather III	600		Application:	
		Grade B 70	Grade J	180	Leather IV	700		: 1.25 Yards	
		Grade C 85	Grade K	210	Leather V	800	(each,	seat and back	·)
		Grade D 95	Grade L	250	Leather VI	900	Leath	er: 22.5 Squa	re Feet
		Grade E 110	0 Grade M	305			(each,	seat and back	•)
							Total	Required Eac	ch:
Mid Back   Plain Upholstered Bac Five-Prong Black Metal Base   Gli							2.5 Ya	ards or 45 Sq	uare Feet

MODEL	TEXTILES	TEXTILES	FLAMMABILITY	METAL OPTIONS
MODEL NUMBER		TEXTILES Indicate fabric choice for Back Upholstery:  See options for fabrics at www.hbftextiles.com	FLAMMABILITY Indicate flammability:  U = Cal 117  U3 = Cal 133	METAL OPTIONS  BL = Black Powder Coat PAL = Polished Aluminum +\$200
•	•		•	