PRODUCT CATALOGUE 2019

shaw contract® | **shaw** hospitality®

Sometimes, work is play. Play is science.
Science is art. Art is imagination.
Imagination is innovation.

Change is how we make an impact.
It starts when we get inside an idea,
when we transform from within, when
we question how we do things, when
we choose new materials, choose
sustainability, choose creative freedom
in all that we make and do.

Change is everything.

contents


featured collections	15
tile	275
broadloom	401
resilient	477
engineered hardwood	509
accessories & resources	519
index	542

CREATE



We design our future at the Create Centre.


At the Create Centre, we are offered the opportunity to be as agile or as connected as we feel; to be energized by our peers or find a moment of calm for reflection. It is a place to do our best work and always be ready to generate transformative ideas.













GLOBAL

“Globalization and increased connectivity allow us to drive positive impact in the global communities we serve. With new showrooms, manufacturing facilities and partnerships, we’re able to collaborate, innovate and create products that matter with people across the globe.”

Todd Jarvis
GLOBAL MARKETING DIRECTOR

SHOWROOM LOCATIONS

ATLANTA
BANGALORE
BEIJING
CHICAGO
DALLAS
DUBAI
HONG KONG
MIAMI
LONDON
LOS ANGELES
MELBOURNE
MEXICO CITY
NANTONG
NEW YORK
PARIS
SAN FRANCISCO
SANTIAGO
SÃO PAULO
SHANGHAI
SINGAPORE
SYDNEY

2018 saw the addition of a new Shaw Contract showroom in Shanghai and the acquisition of a new manufacturing facility in Sanqhaur, Scotland, United Kingdom, giving us more direct access to service customers in these markets.


Our Asia-Pacific team engaged yarn artist Kelly Lim to create pieces using Shaw yarn for a local museum.













INNOVATE



A vision for the future.

A challenge to both material use and materiality. Shaw co-owns one of the largest domestic post-consumer bottle recycling facilities in the USA. PET Resilient is made from a minimum of 40% post-consumer PET bottles. We have the ability to increase this post-consumer PET percentage incrementally until it reaches 100%. Our vision is to close the loop, developing a circular product, made from 100% post consumer waste and use ocean plastics as a material source.

PET Resilent uses a minimum of 40% post-consumer PET



Choosing for good just got easier.

COMMUNITY



Design for good.

Community is about shared mission, shared impact and shared experience. Together with author and speaker John Cary, we're advocating to bring dignity to design for humanity and the planet. Cary shared this vision with our Design Award judges this year.






















COLLABORATE



Meet the shapes.

Shaw Contract has collaborated with Stockholm-based design studio Form Us With Love to develop a ground breaking flooring product. Our creative partnership started with the standard square carpet tile and challenged how it might be approached in a different way. Our mission was to design a creative response to enhance how commercial environments feel and function today. The result is a new concept in floor tiles called Inside Shapes. *See page 140 to explore the collection.*



SQUARE IN FALU RED LIGHT



CURVE IN PINE DARK AND PINE LIGHT



POINT IN GLASS DARK AND GLASS LIGHT



DIAGONAL IN KOLMÅRDEN DARK AND KOLMÅRDEN LIGHT

INSPIRE

“We develop design solutions not merely by researching trends but by placing those trends in the context of broader cultural shifts. We see design as an expression of the way we live today. The Haven collection celebrates the increasing fluidity between our work life and our home life.”

John Crews
DESIGN MANAGER, LIFESTYLE STUDIO

The Lifestyle Studio synthesizes cultural research, observation, and analysis to craft meaningful design solutions for the ways we live, work, and travel today.

See page 126 to explore the collection.



























FEATURED

COLLECTIONS

back to contents page

18X36

Shift your shape. Pattern and texture play out in thoughtful rectangular proportions. And anyway you shape it, tile installation will never be the same. Weave it. Stagger it. Give it the herringbone treatment.



overlay tile + colour plank tile | pages 357, 303

blur tile | page 291



overlay tile | page 357





fade tile | page 324

ACTIVE


Athletic textiles flex into our physical space, interjecting bold energy and graphic motion. Shape the floor in sweeping linear movement. Balance the workplace with pops of energy and optimism. Active is made to mix scale and add density with varying texture and colour.



advance tile + track tile | page 279, 390

advance tile | page 279






dash tile | page 309



turn tile | page 392



track tile | page 390



vitality field CF37447*

vigor field CF37444 + ascent field CF37423*





drive rug CR37427*

**Custom carpet available with a minimum order. Contact your account manager for more details.*

ALTERED

Welcome to an altered perspective, where things aren't quite what they seem. Layer your curiosity with creativity to blur the line between what's real and what's surreal. This is Altered, a collection of 9 x 36 and 18 x 36 tiles, where manipulation takes left, right, and center stage—redefining how we see. Not just within your space, but all that surrounds it.



distort tile + manipulate tile + color form tile | page 314, 351, 300

analog tile | page 282



distort tile | page 314





manipulate tile | page 351



glitch tile | page 331

alterNATURE

The Shaw Contract design team seeks verdant inspiration. An avant-garde runway show, cutting edge textile techniques, the weathered and worn bark of a tree. alterNATURE is a broadloom and tile collection of rich textural variations lifted from the natural world, exaggerated with a synthetic edge.



timber | page 468

natural selection | page 448



core | page 416



grounded | page 435





ingrain tile | page 342



entwine tile | page 320



earth tone tile | page 317

ART OF ESCAPE

Art of Escape embraces the allure of natural landscapes. With subtle, tactile textures and neutral tones, these patterns in nature-inspired hues enhance and never overwhelm an interior, allowing you to relax and focus on the beauty of the landscape.



chalet tile | page 296

refuge | page 454





retreat | page 455

ASSEMBLY

The places where we work, play, learn and heal are blending, becoming more flexible and multi-functional. Assembly represents a thoughtful approach to the floor that reflects the evolving needs of our interior environments. It sets the foundation for impactful moments, encouraging conversation, collaboration and a sense of belonging.Assembly is meant to encourage meaningful interactions at the intersection of community, people and place.

Assembly is a system of products thoughtfully designed to work individually or in unison. Combine pattern, scale and accents to promote wayfinding, brand identity and flexible spaces.
To see options, visit shawcontract.com/assembly.



establish tile + convene tile | page 321, 306



establish tile + convene tile | page 321, 306



support tile | page 385

TILE | COLLECTION: **ASSEMBLY**



establish tile | page 321



convene tile | page 306

TILE | COLLECTION: **ASSEMBLY**

BE BOLD

To design is to dare. To think big. To be bold. Introducing a collection that mixes pattern, colour and texture in a brave new way. Architectural scaffolding, geometric grids, linear stripes, each with a mind of their own. And each with a singularly stylish statement to make. That just so happens to end in an exclamation point.



corridor YR03016* + corridor YR03017*

field YF03002*






rug YR03024*

**Available with a minimum yardage. Contact your sales representative for more details.*

BEYOND THE FOLD 18X36

Asymmetrical folds, sculpted angles and scored geometry intersect, adding architectural form to floor designs. This is an origami movement in the making, a whole new folded edge.



folded tile + folded edge tile + expand tile | pages 328, 327, 322

expand tile | page 322



folded tile | page 328



angle tile | page 282





slide | page 461



folded edge tile | page 327

bright work

Shining design in a flash. The entire Bright Work collection is Quick Ship. Vivid styles in broadloom and tile, all set and ready to glow. Arriving at your space faster than the speed of colour. And light.



shine tile | page 377


amplify | page 405



illuminate | page 438



flicker | page 430





glimmer tile | page 330



allure tile | page 281



flare | page 430

BUILDING CHARACTER

Character is the essence of a life well lived. Our lives are enriched by all that has gone before, the process that builds our characters. In senior living communities the demand for functional, soothing environments reflects the changing needs of today's seniors. Building Character blends patterns and textures that simultaneously intrigue and soothe, a sophisticated interpretation of all the elements that enrich senior living communities.



intuition + solitude LVT | page 441, 501

intuition | page 441





sophistication | page 463



quest | page 453

Canvas Creations

An innovation in carpet technology

Every artist begins with a blank canvas. And, now that canvas is the floor. Reimagine what's possible with Canvas, a carpet innovation that blurs the line between space and design, opening the possibilities of carpet manufacturing. This advanced technology pushes the boundaries of colour and pattern variation, flexibility, refinement, ingenuity and imagination. With precise lines, photorealistic detail, vivid colour and smooth gradients, your ideas are brought to life on carpet like never before.



photoreal rug VR44326*

**Custom carpet available with a minimum order. Contact your account manager for more details.*



line detail corridor VN44329*

subtle blend rug VR44328*





graphic shift rug VR44327*

**Custom carpet available with a minimum order. Contact your account manager for more details.*

CUSTOM CANVAS BROADLOOM | COLLECTION: **CANVAS CREATIONS**

CELL THEORY

designed by
rockwellgroup + shaw contract®

The structure of plant life under a microscope unveils intricate patterns and organic shapes. A liquid wash overlay, inspired by the science of fluid dynamics, provides an ethereal view of the microscopic. Continuing our exploration of natural elements, a collection of luxe proportions develops from the most basic unit of design and is multiplied out for hospitality spaces.



phases field YF23654*

synthesis corridor YN23669*





kinetic field YF23663*

**Available with a minimum yardage. Contact your sales representative for more details.*

chenille

Chenille has a soft, fuzzy vibe and our very own organic connection to nature. Texture and pattern combine in high-luster Eco Solution Q® fibre to create simple, classic designs in both broadloom and tile.



double knit | page 421

corded | page 415



cross stitch | page 417





corded tile | page 307



chain stitch tile | page 295



knit tile | page 346


CLEAR VIEW

Clearview, a tile collection combining performance and style, at a price that makes sense. Let the value of Clearview brighten the environment around you.



transparent tile | page 391

glaze tile | page 330





clear tile | page 299


collective time

Slices of time. Gradients softly fade the boundaries of time, reflecting shifts in light. Patterns emulate our daily lives, representing dynamic movement and restful pause. Restoring the body's circadian rhythm, we are instilled with a sense of tranquility.



interval LVT | page 494

constant sheet + change sheet | page 481, 480






interval LVT | page 494

COLLIDE 18X36

Forceful connection. Nature strikes. Fractured earth, molten movement, energy unbound. Collide clashes pattern and colour, tension and release. Four sustainable tile styles liberated upon impact. It's a seismic collection unleashed.



ignite tile + still tile | pages 338, 382

still tile | page 382





ignite tile | page 338


COLOR AT WORK

Just another colourful day. Subliminal and instinctive, colour creates a vibe and sets the mood. Colour energises. It stimulates. Colour motivates. And it helps us collaborate. Available in 9 X 36 and 18 X 36 tiles, Color at Work collection merges fields of colour and pixelated pattern to create the framework for your open canvas. So show off your true colours—there's a palette of possibilities. Because life should never be dull.



achromatic tile + duotone tile + saturate tile + value tile + color form tile | page 278, 315, 372, 395, 300

achromatic tile | page 278



duotone tile | page 315





saturate tile | page 372



value tile | page 395

COLOR FRAME COLOR FORM

24X24 9X36

Let your shape run wild. You have a vision in mind. Now imagine, changing it at will. The combination of 9 x 36 and 24 x 24 tiles means you can go monochromatic subtle or make a progressive colour statement. Zag instead of zig. Explore unique shapes. Experiment diverse colour hues. You've got colour carte blanche. And the ability to let your creativity loose.



color frame tile + color form tile | pages 301, 300

color frame tile | page 301






color form tile | page 300

COMPOSITE

Standing on a city block. Light travels through the streets and across a courtyard. Shadows shift. Materials merge. Colours collide. In that decisive moment, we form perspective.




superimpose corridor YN29734*

interwoven rug YR29748*



entangle corridor YN29749*





blended rug YR29737*

**Custom carpet available with a minimum order. Contact your account manager for more details.*

CONCRETE +COMPOSED

Defined by strength and tempered by texture, Concrete & Composed is constructed with innovative COREtec® SPC with attached cork technology. The dimensionally stable construction and high density core is ideal for high traffic commercial environments with low maintenance and quick installation. Rich wood grain visuals and textured concrete provides a foundation of beauty and performance.



concrete EVT COREtec® | page 487


concrete EVT COREtec® | page 487



composed EVT COREtec® | page 487


CONFIGURE

Interact with hexagonal shapes, asymmetric patterns and deconstructed designs. Engage with bold colour and modular form. Create spontaneously put-together spaces. Configure is a new shape of thinking. Impromptu all the way.



base tile + contact tile + color shift tile | pages 286, 305, 302

plane tile + base tile | page 361, 286



contact tile | page 305





color shift tile + contact tile | page 302, 305

COREtec®

Designed with realistic wood visuals and grain textures, the Stratum series provides a beautiful traditional or transitional look and feel with natural variations and visual depth. Using our innovative COREtec® WPC with attached cork technology, Stratum EVT offers high performance with value. The dimensionally stable layered construction makes installation quick and easy, saving on time and labor cost. The low-maintenance high performing ExoGuard™ finish is resistant to scratching and scuffing.



stratum 500 EVT COREtec® | page 502

stratum 700 EVT COREtec® | page 503



stratum xl EVT COREtec® | page 503





stratum eiris EVT COREtec® | page 490



stratum linear EVT COREtec® | page 497



defined EVT COREtec® | page 489

couture

The natural beauty of wool. The hard-edged shine of metal. Our Design Lab imagined a collection where the two could peacefully co-exist. Couture features our cradle to cradle commercial carpet fibre Eco Solution Q® in a new woolen and metallic aesthetic. Fully sustainable, it is designed to coordinate perfectly with our Homage collection. The result is pure eco-couture.



dissolve tile | page 313

adorn tile | page 278





fiber | page 429



lana | page 443

CUT & COMPOSE

Letters, numbers and abstract elements are cut, rotated, deconstructed and composed to graphic effect. Education makes a bold design statement in No Rules tile and broadloom.




Shaw Contract will donate 1.5% of the sales of Cut & Compose to support the Green Apple initiative of Center for Green Schools at the U.S. Green Building Council to create healthier, safer, more sustainable learning environments. Learn more. Take action. centerforgreenschools.org

rotate tile | page 372 no rules

collage | page 413





construct tile | page 305 no rules



copy tile | page 307 no rules

d2k
dressed to kill

Dressed to kill has always been high style. Flexible enough for any mood, any environment, any area within that environment. Understated elegance. You can even customise it to your specifications. It answers your questions as it challenges you to consider many more possibilities.



float plush | page 431

shadow plush | page 460





swirl plush | page 466



bloom plush | page 410

DESIGN JOURNEY

NOVICE & MASTER

Immersed in intricacy. An expedition through rural Cambodia and Laos, a culture steeped in silk weaving. We immersed ourselves in the process, awed by the intricate techniques handed down from master to novice, generation to generation. This collection pays homage to the artistry of weaving and celebrates precision of craft.



plain weave tile + cloth tile | pages 360, 299

chok loom | page 297





artisan loom | page 405

artisan tile | page 284





cloth tile | page 299



plain weave tile | page 360

kit tile | page 346



chok tile | page 297





matmee tile | page 351

DESIGN JOURNEY
CLOTH & STONE

Three weeks in India, Cambodia and Laos, we became one with the places where ancient crafts are still being made as they were centuries ago. Stone carving and the inlay technique, Pietra Dura, hand-woven textiles, and elaborate miniature paintings were just a few of the crafts we explored.



antiquity* CF12757 + abhaneri* CF12758

marble screen* CF12761





mekong rug* CR12747 pushkar* CF12753 + uncommon ground LVT

**Available with a minimum yardage. Contact your sales representative for more details.*

DISTRICT

Whatever your Situation, Intent or Purpose the three distinct designs in this collection allow you to divide your space into districts of pattern, textures and scale. All styles are available for quick ship up to 2,500 yards within two weeks.



intent tile | page 343

purpose tile | page 366





situation tile | page 378

DyeLab

An intricate amalgamation. Colour drawn from nature merges with texture and technique. An exploration of natural dyes derived from madder root, indigo and cochineal. Ancient wash and dye techniques reinterpreted, fabric is woven, twisted, bundled, dipped and dyed. The results are unpredictable, the colour discoveries surreal. No two tiles are ever the same.



dye lab tile | page 316



dye lab tile | page 316

EMERGENCE

To appreciate light we must pass through shadows. Moments of tranquility contrasted with moments of buoyancy. Mood-setting or playful, emergence surprises us as colour and pattern appear from an elusive background. It is a rich, botanical design that takes its abstract direction from the art world to subvert realism in an aesthetically engaging form. It piques our curiosity, visually leading us through a lush landscape of tonality and pattern, with the promise that wherever we emerge, we will feel inspired.



still life tile | page 383

depth tile | page 310





presence tile | page 364

Engineered Hardwood

Nature. Reimagined.

Wood flooring, beloved for its warm, tactile nature, has been reimagined by Shaw Contract. We start with the highest quality timber. We add artisanal craftsmanship. Then we combine them in an innovative manufacturing process tha honors the authentic properties of the material while advancing its capabilities to a new level of performance.

Engineered hardwood is available in three constructions featuring a blend of two cores and two finishes. Engineered High-Density Core and Engineered Ply-Core both have the look of solid hardwood with the added durability and dimensional stability of an engineered core.



authenticity | page 511

camaret | page 513





kinship | page 516



distinctive | page 514

bespoke | page 512



handcrafted | page 515





refined | page 517



resurgence | page 518

essay of clues

Behold Essay of Clues. Eco Solution Q® on top, EcoWorx underneath, Cradle to Cradle certified™ by McDonough Braungart Design Chemistry. Completely carbon neutral. Contributes to LEED credits for recycled content, low emitting materials and innovation in design.



site lines tile | page 378



city grid tile | page 298

ethereal beauty

designed by
rockwellgroup + shaw contract®

View nature through the lens of your subconscious where atmospheric landscapes, mist-covered mountains, botanical specimens and natural phenomena layer and manipulate to form dreamlike designs. Let your imagination run wild.



atmospheric corridor CN35128* + solitude LVT + illusion rug CR35141*

lush field CF35143*



lush tile CT35181*





enchanted field CF35134*



hazy tile CT35180* + fanciful tile CT35178*

**Custom carpet available with a minimum order. Contact your account manager for more details.*

EXTRAORDINARY

A sensory experience, wild and nomadic. Rethinking the process of carpet construction, we saw something Extraordinary. What was once waste, became an essential ingredient, key to this tactile terrain. A rugged beauty, a topographic texture, micro to macro. Extraordinary is made to be touched.



foundation tile + resurface tile + primitive tile | page 329, 370, 365



foundation tile | page 329



resurface tile | page 370



primitive tile | page 365

Feeling Plush

Elegance for your space. Classic styling and texture. Rich patterning. A sophisticated colour palette. A graceful broadloom and tile connection creating unexpected luminescence in any space.



glow | page 432

shimmer | page 461



radiance tile | page 367






luminosity tile | page 350



glitz tile | page 331

FLIGHT

Study in motion. Fractal geometry folded into static. Ancient pavers formed into new paths. Patterns created by how we move, articulating texture and scale. Reinforce the structure, the architecture, the potential of space. Places to walk, places to pause, places to gather.



pause tile + vantage tile | pages 358, 396

pause tile | page 358




step tile | page 382





interact tile | page 343



vantage tile | page 396

FLOOR ARCHITECTURE

From ceiling to wall to ground floor, we are surrounded by architectural planes of influence. These surrounding spatial elements play together in Floor Architecture. This collection is constructed with nuanced colour and punctuated with realistic imprints, making a strong design statement.



stacked tile + poured tile | page 381, 363

poured tile | page 363





stacked tile | page 381

FORUM

Its graceful aesthetic blends contemporary clean lines with patterns that have a soft painterly edge, blending cultures and crafts in an inspired fusion of textures and large-scale geometry. Both the visual and tactile elements enhances the versatility of this collection designed for today's rapidly evolving hospitality environments where we no longer look at hotels as just as places to sleep but as places to gather and connect.




join rug YR51764*

**Available with a minimum yardage. Contact your sales representative for more details.*

compile corridor yn51770*






arc rug YR51769*


**Available with a minimum yardage. Contact your sales representative for more details.*

arrange field YF51759*





coincide tile CT51785*



arrange field YF51759*

FRAME*work*

Framework is a system of coordinating carpet patterns and colours offering visual variety for gathering places, wide open spaces, and everywhere in between. Three broadloom constructions curated into six style categories. From abstract organic to intricate ironwork, artisanal craft to classic motifs, whimsical florals to graphic geometry. All designed to live together, beautifully.



cyp broadloom | YF34406*

**Available with a minimum yardage. Contact your sales representative for more details.*

tufted broadloom | AF0180*



tufted broadloom | A4810*





print broadloom | PF34960*



print broadloom | PF34953*

GATHER

In Gather, past, present and future merge, fusing traditional patterns with a contemporary play on scale and color. Gather joins a wealth of design influences that reflect the sophistication of community spaces where our cultures connect and flourish.



Ikat 60786



batik 60785 + cut lvt | page 485

batik 60785 + linen 60787





tapestry 60788

Geoscape

Geoscape brings together nature and formations, blended with geometric patterns. It's the visual expression of geography shaping landscapes. Using Canvas dye-injection technology, the clarity of colours, photorealistic detail and smooth gradients create sophistication and depth.



VF50904* Field

**Available with a minimum yardage. Contact your sales representative for more details.*



VR50894* Rug

Gestures

Vivid and Compelling. Gestures express emotion, communicate intent, create movement. This uniquely human act is captured in Gestures. This collection brings spaces to life with brushstrokes, bold colors and contrasts, and abstract painting patterns. Using Canvas dye-injection technology makes these designs vivid and compelling.



VR50877* Rug

**Available with a minimum yardage. Contact your sales representative for more details.*

grain+ pigment

Plank position. Wide-format luxury vinyl plank designed for maximum versatility with a direct glue option or with our patented In*Step locking system for adhesive-free, floating installation. Modern wood-grain textures and metallic sheen mix with the subtle striations of near-solids. The integrated palette forms nuanced transitions with natural wood tones and bold contrast with pops of bright.



grain LVT + pigment LVT | pages 491, 498

grain LVT | page 491





pigment LVT | page 498

graphic nature

Like nature. Like carpet. Graphic nature is designed to bring the vitality of what's outside, to the environment within. Born from Eco Solution Q® fibre, EcoWorx® tile backing and eco worx broadloom, every square foot is fully cradle-to-cradle, just like nature. Just like carpet.



glade | page 432

prairie tile | page 363





meadow | page 444



pebble | page 450

HAND DRAWN

Trust the process. Setting electronic devices aside, we turned our attention to ink and paper and sketched. Following our instincts, we began a simple study of hand-drawn lines. We explored width, irregularity, imperfection. We experimented with line weight, abstract and analog proportion, and tactile movement. Through our own hands, we found beauty in the inconsistencies. And revealed something of ourselves.



stipple tile + fine point tile | page 383, 326

lineweight tile | pages 348






fine point tile | pages 326




stipple tile | pages 383

conté | pages 414



erase | pages 425







scribe | pages 458

stylus | pages 465

line LVT | page 496







plaster LVT | page 498

brush LVT | page 486

Haven

The Haven collection draws inspiration from the singular qualities we associate with home—comfort, well-being, warmth, softness, and a profound sense of place. In design and construction, Haven evokes the supple textures of a favorite sweater or a graceful woven fabric. The collection's inviting colour palette blends sophisticated neutrals with colourways of apricot, mint, and rosewood to create an impression of both subtlety and substance. The patterns in the Haven line are similarly understated and versatile, as familiar as a well-loved living room rug.



identity tile | pages 338



familiar tile | pages 324

honest tile | pages 336






shelter tile | pages 377

nest tile | pages 336





dwelling tile | pages 316




leisure CT43620* + host CT43614* + inhabit CT43249* + solitude lvt | page 501

**Available with a minimum yardage. Contact your sales representative for more details.*

HEXAGON

There are six sides to every connection. Hexagon reflects the cultural shift toward more collaborative environments—influencing the ways we work, walk, communicate and create. This new shape of carpet tile design will change the way you move through a space, veer you off the beaten path and encourage collaborative chemistry. Build a social hive. Form new communities.

NeoCon 2013 contract



bevel tile + plane tile | pages 287, 361

plane tile | page 361




linear tile | page 349






bevel tile | page 287



linear shift tile | page 348



level LVT | page 495

RESILIENT | COLLECTION: **HEXAGON**

HOMAGE

We're also proud to have a hand in giving back. One percent of the sales of Homage will go to Public Architecture's The 1%. The not-for-profit program encourages architecture and design professionals to donate 1% of their time to works that serve the public good. Visit theonepercent.org to learn more.



block print tile | page 290

embellish tile | page 318





embellish tile | page 318

Innate + In Tandem

Shaw Contract furthers its commitment to healthier materials with Innate and In Tandem, a collection of coordinating tile and sheet products composed of bio-based polyurethane. These extremely durable floors deliver the highest Martindale rating to scratch resistance, and are resistant to degradation from UV light, hand sanitizers, disinfectants and common stains. The sustainable nature, versatile installation and ease of maintenance allow for optimal performance in the demanding environments of healthcare, workplace, education, retail and hospitality.



innate bio-based polyurethane tile | page 493

in tandem bio-based polyurethane sheet | page 481





in tandem bio-based polyurethane tile | page 492

INSIDE SHAPES

shaw contract® + FORM US WITH LOVE

Inside Shapes is a flexible toolkit that inspires creativity. It consists of four geometric shapes – the square, the curve, the point and the diagonal – and twelve colour options, comprised of light and dark shades. Shapes, colours and shades can be chosen in pre-mixed sets, or curated individually to achieve different spatial effects: from clear wayfinding and zoning, to subtle changes of energy and mood, from areas for creative collaboration to places for quieter periods of concentration.

Inside Shapes is meant to be used in shape and color combinations. An installation key or other instructions need to be created by the specifier. See insideshapes.com/specify for more details.



square tile + diagonal tile | page 381, 310

square tile | pages 381





curve tile | pages 308

point tile | pages 362





diagonal tile | pages 310



point tile + diagonal tile + square tile | pages 362, 310, 381



impressions I tile | pages 339

TILE | COLLECTION: **INSIDE SHAPES**

impressions I tile | pages 339





impressions II tile | pages 340

impressions III tile | pages 340





impressions IV tile | pages 341

TILE | COLLECTION: **INSIDE SHAPES**

KINDRED

Create an emotional connection to a built environment through impactful moments and transitions with the Kindred tile collection. Designed to evoke feeling and personal connection, Kindred demonstrates growth within a space equivalent to that experienced by those functioning within it. It is a representation of the existence, growth and complexity that link us back to the people and places that initially brought those feelings to the surface.



memory tile + honest tile + shelter tile + inlet lvt | page 352, 336, 377, 492

belong tile | page 287





memory tile | page 352



dream tile | page 314

TILE | COLLECTION: **KINDRED**



reminisce | page 454



stay | page 464

BROADLOOM | COLLECTION: **KINDRED**

LAYERED luxe

designed by
rockwellgroup + shaw contract®

Layer upon layer of inspiration reveals new depths of rich pattern and sensuous expression to draw you in. Organic form meets linear division. Tonal shifts exchange an ebb and flow of light and shadow. And create an environment that is at once immersive and engaging.



geode CF08951*

watermark CF09111*





raku CN08961*

**Available with a minimum yardage. Contact your sales representative for more details.*

LEGACY

Independence and dignity are ever present underfoot with this new cradle-to-cradle collection designed especially for senior living. Elegant Eco Solution Q® patterns atop EcoWorx broadloom backing with intensive moisture protection. Start a new tradition.



honor | page 438

grace | page 433



tribute | page 471






wisdom | page 476


LIGHT SERIES

Projected energy. Shards of colour and jabs of light. Light Series lives in a state of perpetual motion. Vivid wavelengths in varied scale and colour intensity.




absorbed tile + vibrant tile | pages 277, 398

vibrant tile | page 398



visible tile | page 399





absorbed tile | page 277



applied tile | page 283

Lush Life

Elegant, timeless, iconic designs inspired by opulent pattern and form. Vintage chic meets clean modernism. Whimsical plays of silhouette and sculpture. The texture and hand of a treasured heirloom. It's a celebration of the things in life that ground us as they uplift us.



verve | page 473

joie | page 441



vitae | page 475






affluence tile | page 279



decor tile | page 309



riche tile | page 371

MATERIAL MATTERS

Diametrically opposed, brilliantly composed. Blur the line between hard form and imperceptible shape. Elements converge in 18 x 36 and quick ship 24 x 24. Juxtapose your space.



fringe tile + wander tile + embark tile | pages 329, 399, 317

wander tile | page 399



embark tile | page 317





fringe tile | page 329



haze tile | page 334



vapor tile | page 396

MINDFUL PLAY
no rules collection

Nonlinear thinking. Mindful Play is made for lively interaction between people and spaces. Think simple, geometric forms, boldly engineered stripes, and powerful colour blocking. Learn to collaborate. Work to reconnect.



think tile + engage tile + inspire LVT | pages 388, 319, 493

think tile | pages 388 no rules



engage tile | pages 319 no rules





impact tile | pages 339 no rules



inspire LVT | page 493

TILE + RESILIENT | COLLECTION: MINDFUL PLAY

mix

Carpet collections unite. Each and every Mix colour is designed to coordinate with these 16 shades of Gradient. So you can go tone-on-tone or total contrast, on the fly or in your own time. You be the mix master. It's colourful coexistence.




hybrid tile | page 337

meld | page 445



eclectic | page 422





catalyst tile | page 294

MODERN EDIT

Threadbare opulence. Modern Edit pays homage to vintage textile design, reframing luxury with industrial edge and unconventional scale. Ingeniously constructed and artfully instilled with a sense of place.

Silver Award
contract



rethread tile + ornate tile | pages 370, 357

rethread tile | page 370





ornate tile | page 357

edition | page 423





inherit | page 439



interlace field PF30135*

**Custom carpet available with a minimum order. Contact your account manager for more details.*

NATURAL CHOREOGRAPHY

designed by
david rockwell + shaw contract®

Natural Choreography lvt embraces variation of the natural form. Cut lvt mimics the natural end-cut of wood, connected in a beautifully organic installation. Shear lvt creates the impression of ornate marble slab with metallic inlay.



cut LVT | page 489



cut LVT | page 489



shear LVT | page 501

RESILIENT | COLLECTION: **NATURAL CHOREOGRAPHY**

natural curiosities

designed by
rockwellgroup + shaw contract®

A pheasant feather. A peacock's plumage. Inspiring iridescent hues meet vibrant pattern and intricate design. Life under a magnifying glass conveys a new sense of place. What was familiar is now exotic. What was commonplace is now extremely rare. Explore our collection of curiosities and bring a new level of creature comfort to your world.



wonder kaleidoscope rug PR13490*

**Available with a minimum yardage. Contact your sales representative for more details.*

flight rug PR13489*





ruffled feathers PF13493*

NATURAL PALETTE

Make a vibrant discovery. Experiments with colour extracted from rust, logwood and onion skins yield a palette of raw sophistication. Naturally dyed intricate weavings of exquisite fibre inform the patterns. Delicate luster and heavy gauge filaments. Blurred textures with subtle flecks and saturated gradations. Process makes imperfection.



technique tile + hint tile + vanish tile | pages 386, 335, 395

vanish tile | page 395



technique tile | page 386





blend tile | page 289



hint tile | page 335

new simplicity

The ornamental criss-cross of latticework. A basket weave, interlaced. Artfully ornate tile mosaic. Finespun patterning in its quietest form, a fresh take on classic design. Modern refinement, timeless performance, newly simplified.



basket + twine | pages 407, 471

trellis | page 470



basket | page 407



twine | page 471





expressive | page 427




essence | page 426

no rules

break all the rules.

The rules say you have to put down your carpet in a certain pattern. No Rules begs to differ. These cradle to cradle collections are designed to let you mix dye lots imperceptibly and install tiles randomly. So lose the attic stock, and express your rebel view.



diffuse tile 24 x 24 + disperse tile 9 x 36 | page 311, 312 no rules

diffuse tile 9 x 36 | page 311 no rules




diffuse tile 24 x 24 | page 311 no rules





disperse tile 9 x 36 | page 312 no rules



disperse tile 24 x 24 | page 312 no rules

infinite tile | page 342 no rules






vast tile | page 397 no rules

byline tile | page 293 no rules





link tile | page 350 no rules



linage tile | page 347 no rules

tempt tile | page 387 no rules





tangle tile | page 386 no rules

spectrum tile | page 380 no rules





chroma tile | page 297 no rules


captivate tile | page 293 no rules






intrigue tile | page 344 no rules

color play tile | page 302 no rules



kinetic tile | page 345 no rules





blox tile | page 290 no rules

NOBLE MATERIALS

Enter the alchemist. Sacred geometry. Meticulously plotted diagrams. Charted experimentation. The hierarchy of Noble Materials revealed. Gold, silver and copper inlays form opulent details in natural textures. Sleek stonework with gleaming touches of polished metal. Nature takes form, an unexpected pairing of movement and texture. A curated study of true alchemy, in tile, broadloom and resilient.



alchemy tile + honed tile | page 280, 335

alchemy tile | pages 280



honed tile | pages 335







slab tile | pages 380

form tile | pages 328

strata | pages 464



fault | pages 428







monolith | page 447

base metal | page 407




emerge LVT | page 490




cascade rug YR25718*

**Available with a minimum yardage. Contact your sales representative for more details.*

bookmatch tile CT25836* + fine agate tile CT25829*





pyrite field YF25733*



carrara corridor YN25716*

OFF THE GRID

The need to connect, to reflect, to simply stand still and be in the moment is ever more compelling. As our schedules leave little time for reflection, and our digital lives remove us from our senses, we yearn for the calming power of a soft surface, the visual harmony found in nature and for physical connection. Off The Grid is a deeply textural collection, of undulating patterns that mirror the natural world, boundaries that blur the edges, forging deeper connections to the world around us.



expanse tile + beyond tile | page 322, 288

beyond tile | page 288



discover tile | page 312





expanse tile | page 322



seek tile | page 375

beyond | page 408





escape | page 425

deep forest field CF39487*





ambrosia rug CR39478*



elevation field CF39363*

**Available with a minimum yardage. Contact your sales representative for more detail*

ON THE EDGE
18X36

Pattern and colour sketched, washed and traced along 18x36 tile edges to create daring layers of design. And installation takes audacious forms, freeing the boundaries of your space.



vertical edge tile + minimal tile | pages 398, 354

vertical edge tile | page 398



minimal tile | page 354



horizontal edge tile | page 336





abstract edge tile | page 277



merge tile | page 352



colour plank tile | page 303

OPENWORK

High luster yarns and matte fibre interlace, soft patterns form. Ikat striations, kasuri patterns and slubbed textures blend and blur. Three tile and two broadloom designs, fully Cradle to Cradle. Naturally rugged, gently finished.



kasuri tile + bias tile | pages 345, 286

inlay | page 440



effect | page 423





bias tile | page 288



kasuri tile | page 345



mesh tile | page 353

THE PARK

Transform space and spirit. The Park is designed to redefine boundaries, enhance our mood and open our minds. Colour, pattern and texture influence and enhance the way we move and gather, from large crowds to peaceful pathways. Transition from communal energy to a quiet, singular moment. Alone. Together.




reflect tile + drift tile | page 368, 315

drift tile | page 315



renew tile | page 369






linger tile | page 349




explore tile | page 323

zone tile | page 400



reflect tile | page 368






create tile | page 308

arbor tile CT20848*





night garden corridor CN20857*



current corridor CN20860*

**Available with a minimum yardage. Contact your sales representative for more details.*

PHASES

Drawn to the seamless migration of pattern and interplay of surfaces, our designers looked to fashion, architecture, sculpted art and textiles for inspiration. Colour is inherently natural, texture achieved utilising weighty yarns. Structure finds freedom, raw becomes refined.



filter tile + nuance tile + migrate tile | pages 326, 356, 354

migrate tile | page 354



filter tile | page 326





nuance tile | page 356

PLACES


no rules collection

Spend the day in a vibrant metropolis. Explore the shores of a coastline. In your travels, slow down and take in the changing landscape. Places captures memories of a destination. Calm moments in nature contrast the lights and energy of a city skyline. Quick to ship, global to local, collaborative workplace to quiet retreat.



sky tile | page 379

city central tile | page 298



central line tile | page 294





sea tile | page 374



sea edge tile | page 375



birch | page 409





summit | page 465

reTHINK

Our design team set out to rethink the way we use materials and construct flooring, weaving the boundary between hard and soft. Combining hard surface durability with soft surface aesthetics, reThink woven LVT is a hybrid floor covering that weaves utilitarian purpose with textile appeal.



reThink LVT | page 500

reThink LVT + pigment LVT | page 500, 498





reThink LVT | page 500

REWOVEN

Simple lines, rugged shapes. Rewoven is topographic to the touch. Trace, Align and Sculpt in EcoWorx tile. Layer and Dimension in Ultraloc broadloom. All Cradle to Cradle Silver Certified and engineered for the unpredictable.



sculpt tile | page 373

align tile | page 281





sculpt loop tile | page 374



trace tile | page 389

contour | page 415





outline | page 449

dimension | page 420





layer | page 443

BROADLOOM | COLLECTION: **REWOVEN**

SANCTUARY

Find space to step back. In our daily lives, surrounded by sound and movement, energy and emotion, we crave quietude amidst the action. Sanctuary is made to give us a moment of respite and the space to reset our intentions. Organic textures envelop our senses, enhancing our human connection with the natural environment.



bliss tile | page 289

serenity tile + tranquil tile | page 376, 390





tranquil tile | page 390



serenity tile | page 376

shade

It begins with a spark. A flash. A glowing moment of inspiration that grows and grows until it reaches its full and luminous potential. A collection with patterns, tones and hues that enlighten, inspire and ignite. We think you'll see carpet in a whole new light.




tone | page 469

tint | page 469



gradient | page 434





brilliance tile | page 292



striking tile | page 384



gradient tile | page 332

shadows

From sunshine springs Shadows, a brilliant new collection designed to enlighten and enliven your healing space. It's high-performance for demanding indoor environments, Cradle to Cradle for the one outside.




sketch tile | page 379

highlight + profile | pages 437, 452



profile | page 452





imprint tile | page 341



veil tile | page 397

SHIFT + TILT

Inspired by the clean lines and structured angles of modern architecture, Shift + Tilt is made to mix well with other surfaces. With a luminous metallic base and sophisticated colour palette, these 5 mm LVT tile styles are constructed to interchange with carpet tiles for unique installations–with no need for a transition strip.



shift LVT + color form tile | page 500, 300

shift LVT | page 500





tilt LVT | page 506

SOLITUDE

Peace of place. Find strength in Solitude LVT, a collection of wood visuals in subtle shades of quiet. Embossed grain textures from light to medium give a realistic look and feel. Constructed in 5mm thickness for smoother flow without transition strips, and an innovative silencing layer to reduce sound transfer. Calm and be calmed.






SPACE WORX

A place for everything and everthing in your space. The ergonomics of the workspace is limitless. A well-planned space should be accommodating, efficient and work to its full potential. Space Worx entices with functionality. It appeals with practicality. And it opens up the possibility for how you work the room.





primary tile + basic tile | page 364, 286

basic tile | page 286



primary tile | page 364





centric tile | page 295



surround tile | page 385

THE STUDIO / painting


Welcome to the studio, where paint meets canvas. The Studio / Painting explores the mastery of technique, juxtaposing control with spontaneity, through paint's liquidity, variable viscosity and the artist's sense of detail. Beauty and movement are in the eye of the beholder—and the hand of the artist.

FBFA FARMBOY FINE ARTS® + shaw contract®



pour corridor CN16645*

liquid rug CR16641* + sumi corridor CN16636* + grain LVT





ink wash tile CT16871* + tilt tile CT16870*

**Available with a minimum yardage. Contact your sales representative for more details.*

SURFACE AND STRAND

Cemented elements. Concrete characteristics. Linear stone. These are the subtle visuals of Surface and Strand, two new 18x36 resilient designs. Mix styles and add scale. Bring an air of composed balance to architectural spaces.



strand LVT | page 502

surface LVT | page 504





strand LVT | page 502

STYLEBASICS

Well dressed in varying scale and subtle colour, these Style Basics keep selection simple. Two versatile patterns, Pleat and Taper, ground the design foundation in seven go-with-everything shades. Inspired by the fabric folds and narrowed lines of carefully constructed garments, this durable broadloom collection is made to be lived on, day and night.



taper | page 467



pleat | page 451

SYNCHRONIZE

Working together is all about being in sync with your desire for choice as well as customisation. Offered in custom high-definition, dye-injection and tufted styles, Synchronize offers a wide variety of pattern scale, size and more to meet the diverse needs of the spaces you design.



ascension rug VR47722*

**Custom carpet available with a minimum order. Contact your account manager for more details.*



coalesce corridor VN47724*
**Canvas dye-injection carpet tile*

skyward tile VT47736*





upward tile VT47745*
**Canvas dye-injection carpet tile*



ascend rug CR47041*
**tufted custom broadloom*

murmuration field CF47037*





transition corridor CN47048*
**tufted custom broadloom*

TERASU

On tranquil ground. The garden is a work of peaceful design. Each plant and bloom, chosen for its symbolic purpose and intention. tile, broadloom and resilient sheet patterns in fresh colours to mix and coordinate throughout a space. Bold enough to make a statement, subtle enough to build a foundation. Grounded in the healing properties of nature.



kusa tile + brush LVT + hana tile | page 347, 486, 334

kusa tile | page 347
also available in broadloom page 442





hana tile | page 334
also available in broadloom page 436



botan tile | page 292
also available in broadloom page 411



roji + reed | page 484, 483





roji + reed | page 484, 483

TERRAIN II

Bring the rustic beauty of the outdoors in with the new Terrain II luxury vinyl tile collection. Terrain II features oak, walnut, and rustic wood visuals with 20 contemporary colourways. Made in the USA, all colours are available in 12 mil, 20 mil and 30 mil wear layers to fit various end use requirements.



terrain II LVT | page 505



terrain II LVT | page 505

TRACERY

In the details, Tracery pays homage to the intricate craftsmanship of architectural stone openwork. These modern artisans practice a craft that has been in their family for generations. Organic sophistication for your space.



engrave + facade | page 424, 428

ornament | page 449



engrave | page 424





screen | page 458



facade | page 428

TURN KEY

Easy does it fast. Neutral shades, simple patterns, all set for quick ship. Get up to 2,500 square yards of Turn Key within two weeks. Make swift work of your installation.




prime | page 452

edit | page 422



equal | page 424



divide | page 421





essential | page 426



fossil | page 431

UNEARTHED

Beneath the surface of the earth live some of nature's most healing elements. Grounded in the evidence-based design principle that nature is a proven collaborator in healing, Unearthed exposes living earth to healthcare spaces. Raw mineral patterning, shimmering layers, rocky textures. Deep down, this 18x36 collection is gracefully balanced and profoundly solid.



mica tile + quartz tile | pages 353, 366

agate tile | page 280



jasper tile | page 344





quartz tile | page 366



mica tile I page 353

unite

Demanding spaces can also be beautiful. Unite is a collection that brings together the look of refined wood and stone in neutral and bright shades. Loose lay or adhered to the floor, it combines a natural beauty and the utmost durability.



inlet lvt + honest tile | page 492, 336



cove lvt | page 488

urban reflections

The Urban Reflections tile collection explores the effects of light on objects, environments, and us. Clear. Crisp. Linear. Brilliant.



prisma tile | page 365

prisma tile | page 365





mirror image tile | page 355

VERTICAL LAYERS

Weathered and worn. Forgotten places tell the story of present and past. Scratched surfaces, peeling paint, crumbling brick. Elements of time are exposed in Vertical Layers, plank by plank. Find beauty in the unexpected.



relief tile + uncover tile | page 368, 393

expose tile | page 323




undertone tile | page 393





tinge tile | page 389




relief tile | page 368



uncover tile | page 393

unveil LVT | page 507





unveil LVT | page 507




patina rug PR29795*

**Custom carpet available with a minimum order. Contact your account manager for more details.*

VIEW

Form a new point of view. Positive and negative spaces take organic shape. Bold, energetic lines form optical texture in No Rules tile and broadloom. Eyeing a tight schedule? Looks like you're in luck. Place your order for up to 2,500 yards of broadloom or tile, and upon confirmation, we'll ship to your door in two weeks or less.



reverse tile + direction tile | pages 371, 311 no rules

reverse tile | page 371 no rules



direction tile | page 311 no rules



shape tile | page 376 no rules






switch | page 466



modify | page 445



transfer | page 470



scape tile + field tile + reverse tile + quiet cover LVT | pages 373, 325, 371, 499

scape tile | page 373





realm tile | page 367




field tile | page 325

VIRTUAL SPACES

no rules collection

Shared spaces interconnect with digital dimension and graphic patterns. A network emerges with vivid bursts of colour-blocking—fusing classrooms, media spaces, gathering spots and conference settings. It's responsive design for high-performance learning environments.



augment tile + hype tile | pages 284, 337 no rules

hype tile | page 337 no rules





augment tile | page 284 no rules

A WALK IN THE GARDEN

Form a new point of view. Positive and negative spaces take organic shape. Bold, energetic lines form optical texture in No Rules tile and broadloom. Eyeing a tight schedule? Looks like you're in luck. Place your order for up to 2,500 yards of broadloom or tile, and upon confirmation, we'll ship to your door in two weeks or less.



pavers II tile + gravel II tile + fault lines II tile | page 359, 333

basalt II tile | page 285



fault lines II tile | page 325





gravel II tile | page 333



pavers II tile | page 359

wireless

High tech and high touch come together seamlessly to expose the inner circuitry of your vision. Classic design with a geometric edge adds warmth to your most modern environments.



mainframe | page 444

blog | page 409



text | page 468





navigate | page 448

worklife


It's always doing 43 things at once. Work and life get messed up when the trains don't run on time. Design makes a plan and sticks to it.




focus tile | page 327



balance tile | page 285



emotion tile | page 319



connect tile | page 304


CARPET

TILE

back to contents page

ABSORBED TILE | LIGHT SERIES COLLECTION quick ship

TILE SIZE: 24X24



colour: **01595 glare**


coordinating products:
applied tile, vibrant tile, visible tile


product specifications

style number:	5T003	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6990 ozs./yd³	10.61 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



ionized
01111


optics
01155



aurora
01322


phase
01401


eclipse
01505



emit
01530



beam
01557


frequency
01585


glare
01595


aspect
01715


sepia
01751


equinox
01760


pixel
01761

ABSTRACT EDGE TILE | ON THE EDGE COLLECTION

TILE SIZE: 18X36



colour: **67585 shimmer fringe**

coordinating products:
color plank tile, horizontal edge tile, merge tile, minimal tile, vertical edge tile

product specifications

style number:	59145	
fibre:	eco solution q® nylon	
dye method:	92% solution dyed / 8% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6712 ozs./yd³	13.01 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, half basketweave	



oatmeal margin
67155



paprika margin
67156


dolphin brink
67505



navy brink
67506



pewter limit
67515



blue limit
67516


gunmetal verge
67555



ochre verge
67556


shimmer fringe
67585


brite green fringe
67586


mineralite boundary
67752



sundried boundary
67753


sterling seam
67761


eggplant seam
67762

ACHROMATIC TILE | COLOUR AT WORK

TILE SIZE: 18X36



colour: **07555 charcoal**

coordinating products:
duotone tile, saturate tile, value tile

product specifications

style number:	5T107	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6480 ozs./yd³	11.09 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, basketweave, half basketweave, herringbone, boxed in	


beige
07155


black
07505


silver
07518


charcoal
07555


brown
07752

ADORN TILE | COUTURE

TILE SIZE: 24X24



colour: **67111 weld**

coordinating products:
dissolve tile, fiber, lana

product specifications

style number:	59567	
fibre:	eco solution q® nylon	
dye method:	34% solution dyed / 66% yarn dyed	
tufted weight:	40 oz.	1,356.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	9474 ozs./yd³	20.40 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	


crisp
67106


weld
67111


indigo
67496


ashen
67504


natural
67516


char
67555


kohl
67597


henna
67610


fustic
67701


saffron
67713


umber
67750


abrash
67761

ADVANCE TILE | ACTIVE

TILE SIZE: 12X48



colour: **04535 coordinate**


coordinating products:
dash tile, track tile, turn tile


product specifications


style number:	5T202	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m2
gauge:	1/12	47.2/10 cm
average density:	8471 ozs./yd³	10.21 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	


focus
04111


ability
04325


meditate
04327


motivate
04375


accelerate
04432


endurance
04505


energy
04515


coordinate
04535


balance
04551


strategy
04555


flexible
04595


perform
04675


adapt
04761


strenuous
04870

AFFLUENCE TILE | LUSH LIFE

TILE SIZE: 24X24




colour: **63335 ooh la la**

coordinating products:
bellcourt, cranford, decor tile, joie, kennebunk, mortiz
riche tile, verve, vitae, wisdom

product specifications

style number:	59384	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.36 g/m2
gauge:	1/12	47.2/10 cm
average density:	8129 ozs./yd³	10.99 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	brick, quarter turn	


refined
63314


fabulous
63330


ooh la la
63335


sheer bliss
63447


charmed life
63665

on the town
63713

so glam
63725

splendid
63751

panache
63761

AGATE TILE | UNEARTHED

TILE SIZE: 18X36




colour: **14740 zircon**

coordinating products:
jasper tile, mica tile, quartz tile

product specifications

style number:	5T015	
fibre:	eco solution q® nylon	
dye method:	93% solution dyed / 7% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6236 ozs./yd³	12.15 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed-in, brick, half basketweave, ashlar	



gypsum 14111 | clay 14150 | amber 14200 | azurite 14315 | tourmaline 14320 | olivine 14330

graphite 14481 | galena 14515 | cinnabar 14713 | zircon 14740 | hematite 14760 | smoky quartz 14761

ALCHEMY TILE | NOBLE MATERIALS

TILE SIZE: 24X24




colour: **33111 alabaster gold**

coordinating products:
base metal woven, fault, form tile, honed tile, monolith woven, slab tile, strata

product specifications

style number:	5T135	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.17 g/m²
gauge:	1/10	39.4/10 cm
average density:	9231 ozs./yd³	7.59 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



carrara silver 33100 | alabaster gold 33111 | colossal bismuth 33496 | onyx silver 33505 | element platinum 33506 | forge platinum 33518

talc platinum 33535 | cornerstone copper 33555 | slate palladium 33595

ALIGN TILE | REWOVEN quick ship

TILE SIZE: 24X24




colour: **83761 clay**

coordinating products:
contour, dimension, layer, outline, sculpt tile, sculpt loop tile, trace tile

product specifications

style number:	5T006	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.11 g/m²
gauge:	1/10	39.37/10 cm
average density:	5581 ozs./yd³	11.84 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



bisque 83111 | cork 83170 | nuance 83314 | swept 83322 | night 83496 | underground 83505

zinc 83515 | carbon 83585 | canyon 83750 | suede 83755 | clay 83761 | brazen 83803

ALLURE TILE | BRIGHT WORK quick ship

TILE SIZE: 24X24




colour: **27585 gleam**

coordinating products:
amplify, flare, flicker, glimmer tile, illuminate, shine tile

product specifications

style number:	59327	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.40 g/m²
gauge:	1/12	47.2/10 cm
average density:	5276 ozs./yd³	9.50 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



golden 27150 | flashpoint 27485 | spark 27500 | starlight 27504 | moonlit 27505 | gleam 27585

bronzed 27750 | afterglow 27755 | gloss 27761

ANALOG TILE | ALTERED

TILE SIZE: 18X36




colour: **26500 filter**

coordinating products:
distort tile, glitch tile, manipulate tile

product specifications

style number:	5T126	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.30 g/m²
gauge:	1/12	47.2/10 cm
average density:	7043 ozs./yd³	10.98 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, basketweave, half basketweave, herringbone, boxed in	



blur 26150 | snapshot 26155 | perception 26320 | digital 26401 | filter 26500 | interrupt 26505

sight 26515 | unreal 26530 | image 26557 | scan 26595 | invert 26750 | expose 26761

ANGLE TILE | BEYOND THE FOLD

TILE SIZE: 18X36




colour: **59156 twine**

coordinating products:
expand tile, folded edge tile, folded tile, slide

product specifications

style number:	5T058	
fibre:	eco solution q® nylon	
dye method:	66% solution dyed / 34% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	6545 ozs./yd³	13.22 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, ashlar, half basketweave	



ecru 59105 | twine 59156 | obsidian 59505 | talc 59518 | grit 59530 | flint 59595

burlap 59706 | leather 59763

APPLIED TILE | LIGHT SERIES

TILE SIZE: 24X24




colour: **04595 glare + 04284 brilliant + 04675 lava + 04326 night vision + 04429 cosmic**

coordinating products:
absorbed tile, vibrant tile, visible tile

product specifications

style number:	5T004	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	7266 ozs./yd³	12.52 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn	



ionized 04111 | optics 04155 | marlite 04210 | brilliant 04284 | aurora 04322 | night vision 04326

aquarious 04327 | phase 04401 | cosmic 04429 | quartz 04436 | eclipse 04505 | crystal 04515

emit 04530 | beam 04557 | frequency 04585 | glare 04595 | solar flare 04668 | lava 04675



aspect 04715 | sepia 04751 | equinox 04760 | pixel 04761 | laser 04855 | amethyst 04982

ARTISAN TILE | DESIGN JOURNEY NOVICE

TILE SIZE: 24X24




colour: **96111 natural silk**

coordinating products:
artisan loom, chok loom, chok tile, cloth tile, kit tile, matmee tile, plain weave tile

product specifications

style number:	5T097	
fibre:	eco solution q® nylon	
dye method:	34% solution dyed / 66% yarn dyed	
tufted weight:	38 oz.	1,288.5 g/m²
gauge:	1/10	39.4/10 cm
average density:	12436 ozs./yd³	9.19 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, half basketweave	



natural silk 96111 | heddle 96156 | pidan 96314 | tradition 96496 | angkor 96500 | naga 96504
pagoda 96515 | handcraft 96555 | bayon 96585 | copper 96601 | temple 96713 | kadai 96760
annato 96880 | sanskrit 96906

AUGMENT TILE | VIRTUAL SPACES

TILE SIZE: 24X24




colour: **64761 lively**

coordinating products:
hype tile, social media tile, social media

product specifications

style number:	5T064	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	7347 ozs./yd³	10.58 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



inspire 64150 | heighten 64370 | revive 64420 | dynamic 64481 | vibe 64500 | magnify 64530
amplify 64549 | energize 64585 | rouse 64740 | intensify 64751 | lively 64761 | excite 64765

BALANCE TILE | WORKLIFE

TILE SIZE: 24X24




colour: **40150 bare necessities**

coordinating products:
connect tile, emotion tile, focus tile

product specifications

style number:	59340	
fibre:	eco solution q® nylon	
dye method:	86% solution dyed / 14% yarn dyed	
tufted weight:	17 oz.	576.40 g/m²
gauge:	1/12	47.2/10 cm
average density:	5885 ozs./yd³	8.56 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn	



bare necessities 40150 | exotic seasalt 40315 | harbouring desires 40485 | steeling beauty 40500 | atmosfera 40760 | ciao bella 40855

BASALT II TILE | WALK IN THE GARDEN

TILE SIZE: 9X36




colour: **98481 slate**

coordinating products:
fault lines II tile, gravel II tile, pavers II tile

product specifications


style number:	5T198	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6652 ozs./yd³	9.49 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone, stagger	



slate 98481 | storm 98500 | trail 98505 | breeze 98515 | harmony 98530 | fog 98535
path 98557 | stone 98595 | bark 98751 | branch 98760

BASE TILE | CONFIGURE

TILE SIZE: HEXAGON




colour: **59597 spatial**

coordinating products:
color shift tile, contact tile, plane tile

product specifications

style number:	5T159	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26.0	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	10065 ozs./yd³	15.07 kilotex
product size:	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia
secondary backing:	ecoworx®	
recommended installation:	raondom, diagonal, monolithic	




shift 59104 | scale 59501 | form 59505 | interact 59506 | proportion 59518 | progression 59580

connect 59581 | dialogue 59596 | spatial 59597

BASIC TILE | SPACE WORX quick ship

TILE SIZE: 24X24




colour: **17597 storm cloud**

coordinating products:
centric tile, primary tile, surround tile

product specifications

style number:	5T121	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	13 oz.	440.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	4457 ozs./yd³	7.57 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



blue herring 17481 | denim 17496 | brown bark 17500 | raven 17505 | limestone 17530 | dove grey 17557

storm cloud 17597 | slate 17760 | khaki 17761

BELONG TILE | KINDRED quick ship

TILE SIZE: 24X24




colour: **48515 hearten + 48486 serene**

coordinating products:
dream tile, memory tile, stay, reminisce

product specifications

style number:	5T261	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.2 g/m²
gauge:	1/10	39.4/10 cm
average density:	8640 ozs./yd³	10.94 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



warmth 48111 | golden 48211 | comfort 48323 | greenery 48370 | solace 48485 | serene 48486

blanket 48505 | hearten 48515 | greige 48516 | ponder 48530 | sense 48535 | rainstorm 48536

slate 48557 | nestle 48760 | fire 48856 | insight 48979

BEVEL TILE | HEXAGON

TILE SIZE: HEXAGON



colour: **55530 tweed + 55105 bleached**

coordinating products:
level lvt, linear shift tile, linear tile, plane tile

product specifications

style number:	5T057	
fibre:	eco solution q® nylon	
dye method:	63% solution dyed / 37% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7038 ozs./yd³	13.18 kilotex
product size:	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia
secondary backing:	ecoworx®	
recommended installation:	monolithic, random, diagonal	



bleached 55105 | ivory 55114 | mortar 55156 | black 55505 | pewter 55518 | tweed 55530

charcoal 55595 | tan 55706 | kiln 55763

BEYOND TILE | OFF THE GRID

TILE SIZE: 12X48




colour: **15580 ridge**


coordinating products:
beyond, discover tile, escape, expanse tile, seek tile

product specifications

style number:	5T218	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m2
gauge:	1/10	39.4/10 cm
average density:	6243 ozs./yd³	7.86 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



dune 15105 | canyon 15180 | moss 15326 | coast 15456 | vast 15505 | slope 15518



cliff 15530 | ridge 15580

BIAS TILE | OPENWORK

TILE SIZE: 24X24




colour: **93555 tinsmith**


coordinating products:
effect, inlay, kasuri tile, mesh tile

product specifications

style number:	5T043	
fibre:	eco solution q® nylon	
dye method:	53% solution dyed / 47% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	6046 ozs./yd³	12.34 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, monolithic, brick, ashlar	



gild 93111 | golden glow 93170 | molten 93314 | bismuth 93496 | ore 93505 | flux 93515



antico 93516 | tinsmith 93555 | galena 93585 | burnish 93601 | embellish 93701 | oxide 93750



tinsel 93761

BLEND TILE | NATURAL PALETTE

TILE SIZE: 24X24




colour: **25516 fustic indigo**


coordinating products:
hint tile, technique tile, vanish tile

product specifications

style number:	5T025	
fibre:	eco solution q® nylon	
dye method:	50% solution dyed / 50% yard dyed	
tufted weight:	34 oz.	1,152.80 g/m²
gauge:	1/12	47.2/10 cm
average density:	7556 ozs./yd³	15.60 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, monolithic, brick, ashlar	



sorrel 25170 | foxglove 25496 | cornflower 25504 | woad 25505 | fustic indigo 25516 | nettle 25550



mulberry 25585 | rust 25750 | cutch 25755 | lac 25761 | cochineal 25880

BLISS TILE | SANCTUARY

TILE SIZE: 9X36




colour: **97595 comfort**


coordinating products:
serenity tile, tranquil tile

product specifications

style number:	5T195	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	8471 ozs./yd³	14.26 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	herringbone, monolithic, ashlar, brick	



illuminate 97111 | replenish 97320 | escape 97481 | harmony 97515 | still 97530 | renew 97535



breathe 97549 | refuge 97557 | comfort 97595 | retreat 97740 | peace 97755 | haven 97761

BLOCK PRINT TILE | HOMAGE

TILE SIZE: 24X24



colour: **71750 carved**

coordinating products:
craft tile, embellish tile, sewn, shibori

product specifications

style number:	59572	
fibre:	eco solution q® nylon	
dye method:	88% solution dyed / 12% yarn	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6085 ozs./yd³	12.75 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



applique 71106 | woven 71111 | painted 71496 | embossed 71504 | etched 71516 | inlay 71555

lacquered 71597 | ornate 71610 | gilded 71701 | burnished 71713 | carved 71750 | engraved 71761

BLOX TILE | NO RULES

TILE SIZE: 24X24




colour: **56760 pomegranite polish**

coordinating products:
color play tile, kinetic tile, shadow play tile

product specifications

style number:	59357	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	7261 ozs./yd³	14.57 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



coconut 56111 | beechwood 56150 | spa day 56306 | indian chai tea 56309 | coastal getaway 56321 | gecko 56335

poolside 56460 | blu crush 56481 | pure titanium 56500 | moon struck 56505 | mirror, mirror 56530 | going for green 56545

pomegranite polish 56760 | coffee break 56761 | tango 56850 | plum martini 56965

BLUR TILE | 18X36

TILE SIZE: 18X36




colour: **95504 fluid**

coordinating products:
colour plank tile, fade tile, overlay tile

product specifications

style number:	59596	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6545 ozs./yd³	11.91 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	basketweave, herringbone, boxed in, brick, half basketweave	



illuminate 95103 | washed 95106 | contour 95330 | reveal 95485 | fluid 95504 | motion 95505

shaded 95585 | blend 95750 | layered 95761 | exposure 95855

BON JOUR II TILE | STEPPIN OUT

TILE SIZE: 24X24




colour: **31500 ebony**

coordinating products:
bon jour II, entrée tile, welcome II tile, welcome II

product specifications

style number:	5T032	
fibre:	pet polyester	
dye method:	100% solution dyed	
tufted weight:	50.5 oz.	1,712.2 g/m²
gauge:	1/12	47.2/10 cm
average density:	5284 ozs./yd³	9.84 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn	



tobacco 31150 | blue 31400 | multicolor 31481 | navy 31485 | ebony 31500 | charcoal 31549

sterling 31557 | walnut 31750 | black chocolate 31751 | portabella 31761 | red 31850

BOTAN TILE | TERASU

TILE SIZE: 24X24




colour: **36300 pond**

coordinating products:
botan, hana, hana tile, kusa, kusa tile, reed sheet, roji sheet, tatami sheet

product specifications

style number:	5T192	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7313 ozs./yd³	12.96 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



sand 36103 | pond 36300 | dragonfly 36315 | bamboo 36335 | sky 36447 | lantern 36515

stone 36530 | koi 36713 | pavillion 36715

BRILLIANCE TILE | SHADE

TILE SIZE: 24X24




colour: **29103 coconut shell**

coordinating products:
gradient, gradient tile, striking tile, tint, tone

product specifications

style number:	59529	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7610 ozs./yd³	15.06 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, random	



coconut shell 29103 | prairie sand 29111 | golden glow 29170 | lichen green 29300 | teal blue 29481 | brilliant blue 29485

black forest 29500 | ultraviolet 29501 | blackbird 29505 | silver cloud 29530 | bright chartreuse 29546 | grey mist 29585

pumice stone 29590 | cognac 29740 | flint stone 29755 | toasted almond 29761 | claret red 29850 | cinnamon 29858

BYLINE TILE | NO RULES quick ship

TILE SIZE: 24X24




colour: **05761 fuse**

coordinating products:
linage tile, link tile

product specifications

style number:	59113	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5615 ozs/yd³	9.32 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



crossroads 05309 | maze 05335 | timeless 05400 | labyrinth 05485 | versatile 05500 | boundaries 05505

symbolic 05512 | element 05601 | knot 05715 | wired 05730 | bridge 05750 | fuse 05761

CAPTIVATE TILE | NO RULES quick ship

TILE SIZE: 24X24




colour: **54103 golden eye**

coordinating products:
intrigue tile

product specifications

style number:	59554	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	19 oz.	644.2 g/m²
gauge:	1/12	47.2/10 cm
average density:	7355 ozs./yd³	9.76 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	random, monolithic,quarter turn, ashlar, brick	



golden eye 54103 | trench coat 54309 | roulette 54335 | lagoon 54400 | palm tree 54481 | passport 54485

gondola 54500 | jewel box 54505 | parachute 54512 | silver steak 54530 | stealth 54595 | sunbaked 54730

hammock 54740 | dusk 54750 | micro film 54761 | casino 54879 | block party 54979

CATALYST TILE | MIX quick ship

TILE SIZE: 24X24




colour: **64755 marble**

coordinating products:
eclectic, hybrid tile, meld

product specifications

style number:	59579	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5058 ozs./yd³	9.16 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	ashlar, brick, monolithic, quarter turn, random	



season 64330 | water 64485 | pepper 64500 | stipple 64505 | tortoise shell 64740 | marble 64755

dapple 64761 | mosaic 64855

CENTRAL LINE TILE | PLACES quick ship

TILE SIZE: 9X36




colour: **72516 scenic citron**

coordinating products:
birch, city central tile, grove, sea edge tile, sea tile, sky tile, summit

product specifications

style number:	5T176	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6581 ozs./yd³	10.12 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



adventure green 72482 | skyline cyan 72501 | market red 72506 | scenic citron 72516 | metro teal 72531 | ocean coral 72536

urban blue 72558 | island yellow 72596 | village azure 72759 | earthy orange 72762

CENTRIC TILE | SPACE WORX quick ship

TILE SIZE: 24X24




colour: **17481 blue herring**

coordinating products:
basic tile, primary tile, surround tile

product specifications

style number:	5T124	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	15 oz.	508.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	6353 ozs./yd³	9.27 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



blue herring 17481 | denim 17496 | brown bark 17500 | raven 17505 | limestone 17530 | dove grey 17557

storm cloud 17597 | slate 17760 | khaki 17761

CHAIN STITCH TILE | CHENILLE

TILE SIZE: 24X24




colour: **91111 sunstone**

coordinating products:
corded, corded tile, cross stitch, double knit, knit tile

product specifications

style number:	59494	
fibre:	eco solution q® nylon	
dye method:	92% solution dyed / 8% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6720 ozs./yd³	13.67 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter tun, ashlar	



wicker 91103 | sunstone 91111 | sterling 91150 | linea 91300 | green gold 91301 | azure 91481

granite 91505 | silver sage 91511 | mixed metal 91585 | serene sky 91595 | raffia 91715 | coco 91750

CHALET TILE | ART OF ESCAPE

TILE SIZE: 9X36




colour: **19110 sand dollar**

coordinating products:
refuge, retreat

product specifications

style number:	5T232	
fibre:	solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/10	39.4/10 cm
average density:	6113 ozs./yd³	9.66 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecologix®	
recommended installation:	monolithic, ashlar, brick, herringbone, stagger	




sand dollar 19110 | waterfall 19112 | dune 19120 | boardwalk 19125 | hot spring 19510 | geyser 19540

glacier 19550 | trailhead 19710 | mountaintop 19720

CHARISMA TILE quick ship


TILE SIZE: 24X24



colour: **61979 artistic**

product specifications

style number:	59561	
fibre:	eco solution q® nylon	
dye method:	74% solution dyed / 26% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	5/64	50.4/10 cm
average density:	7402 ozs./yd³	10.10kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, monolithic	



legend 61103 | grey area 61309 | foreground 61335 | aloft 61400 | celestial 61481 | top notch 61485

backdrop 61505 | citadel 61512 | channel 61530 | clean slate 61595 | burled 61730 | antique 61740

aristocrat 61750 | captions 61761 | inferno 61879 | artistic 61979

CHOK TILE | DESIGN JOURNEY MASTER

TILE SIZE: 24X24




colour: **99515 pagoda**

coordinating products:
artisan loom, artisan tile, chok loom, cloth tile, kit tile, plain weave tile, matmee tile

product specifications

style number:	5T100	
fibre:	eco solution q® nylon	
dye method:	43% solution dyed / 57% yarn dyed	
tufted weight:	40 oz.	1,356.3 g/m²
gauge:	1/10	39.4/10 cm
average density:	10,286 ozs./yd³	9.03 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



natural silk 99111 | heddle 99156 | pidan 99314 | tradition 99496 | angkor 99500 | naga 99504

pagoda 99515 | handcraft 99555 | bayon 99585 | copper 99601 | temple 99713 | kadai 99760

annato 99880 | sanskrit 99906

CHROMA TILE | NO RULES

TILE SIZE: 24X24




colour: **83750 two tone + 83860 fire brick**

coordinating products:
spectrum tile

product specifications

style number:	59583	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6372 ozs./yd³	9.30 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	ashlar, brick, monolithic, quarter turn, random	



white wash 83135 | chameleon 83405 | ensemble 83481 | ultramarine 83485 | continuum 83505 | infinite 83515

tinted grey 83530 | colorscape 83534 | golden hue 83725 | two tone 83750 | schemes 83760 | fire brick 83860

CITY CENTRAL TILE | PLACES quick ship

TILE SIZE: 9X36




colour: **72515 scenic**

coordinating products:
birch, city central tile, grove, sea edge tile, sea tile, sky tile, summit

product specifications

style number:	5T175	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.40 g/m²
gauge:	1/12	47.2/10 cm
average density:	6581 ozs./yd³	10.37 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



adventure 72481 | skyline 72500 | market 72505 | scenic 72515 | metro 72530 | ocean 72535

urban 72557 | island 72595 | village 72760 | earthy 72761

CITY GRID TILE | ESSAY OF CLUES

TILE SIZE: 24X24




colour: **38530 shoreline**

coordinating products:
site lines tile

product specifications

style number:	59537	
fibre:	eco solution q® nylon	
dye method:	84% solution dyed / 16% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	6783 ozs./yd³	13.40 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	brick, monolithic, quarter turn, ashlar, random	



restoration 38103 | new ground 38111 | spotted shell 38150 | rising above 38320 | foothills 38330 | green space 38378

onyx stone 38500 | mine your past 38505 | shoreline 38530 | natural clay 38755 | unmarked trail 38760 | just unearthed 38761

CLEAR TILE | CLEARVIEW

TILE SIZE: 24X24



colour: **62103 porcelain**

coordinating products:
glaze tile, transparent tile

**also available as StaticSmart™ ESD*

product specifications

style number:	59564	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	15 oz.	508.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	4500 ozs./yd³	8.35 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, monolithic, random	



porcelain 62103 | blue moon* 62486 | moonstone* 62500 | oxide* 62505 | sea glass* 62560 | earthenware 62750

pottery* 62755

CLOTH TILE | DESIGN JOURNEY NOVICE

TILE SIZE: 24X24




colour: **96111 natural silk**

coordinating products:
artisan tile, artisan loom, chok loom, chok tile, kit tile, matmee tile, plain weave tile

product specifications

style number:	5T096	
fibre:	eco solution q® nylon	
dye method:	41% solution dyed / 59% yarn dyed	
tufted weight:	38 oz.	1,288.5 g/m²
gauge:	1/10	39.4/10 cm
average density:	12324 ozs./yd³	9.03 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



natural silk 96111 | heddle 96156 | pidan 96314 | tradition 96496 | angkor 96500 | naga 96504

pagoda 96515 | handcraft 96555 | bayon 96585 | copper 96601 | temple 96713 | kadai 96760

annato 96880 | sanskrit 96906



colour: **81557 disappear**

coordinating products:
achromatic, chromatic tile, color frame tile, duotone tile, saturate tile, value tile, valve tile

product specifications

style number:	5T112	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6511 ozs./yd³	10.54 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone	






colour: **81557 disappear**
coordinating products:
color form tile


product specifications

style number:	5T081	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	7200 ozs./yd³	10.90 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



COLOR PLAY TILE | NO RULES quick ship

TILE SIZE: 24X24




colour: **58150 gilded**

coordinating products:
blox tile, kinetic tile

product specifications

style number:	59358	
fibre:	eco solution q® nylon	
dye method:	89% solution dyed / 11% yarn dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	7624 ozs./yd³	9.52 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, random	



cane
58111


gilded
58150



fused glass
58315



urban jungle
58335


absolute blu
58402


make a splash
58460


be jeweled
58485


colour my world
58500



black to business
58505


silver lining
58530



pistachio
58545


sheer magnetic
58585


metal guru
58595



copper frost
58760


chocolate craving
58761


haute stuff
58850

COLOR SHIFT TILE | CONFIGURE

TILE SIZE: HEXAGON




colour: **59615 social**

coordinating products:
base tile, contact tile, plane tile


product specifications

style number:	5T161	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	10,065 ozs./yd³	15.07 kilotex
product size:	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia
secondary backing:	ecoworx®	
recommended installation:	random, diagonal, monolithic	


sublime
59325


aerial
59327



electric
59429


social
59615


brilliant
59991

COLOUR PLANK TILE | 18X36

TILE SIZE: 18X36



colour: **95870 sundried + 95890 calypso + 95668 paprika + 95675 orange**

coordinating products:
abstract edge tile, blur tile, edge tile, fade tile, horizontal vertical edge tile, merge tile, minimal tile, overlay tile

product specifications

style number:	59595	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/10	39.37/10 cm
average density:	9391 ozs./yd³	16.04 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	basketweave, half basketweave, herringbone	


oatmeal
95114


tobacco
95150


mineralite
95155


ochre
95210


limelight
95284


brite green
95325


envy
95375


saxony blue
95405


global
95407


electric
95408


marina
95415


navy
95496


black
95505


shimmer
95515


cement
95517


sterling
95518

pewter
95555

dolphin
95557

gunmetal
95585

ash
95596

paprika
95668

orange
95675

cashmere
95706

bark
95752

portabella
95761

sundried
95870

calypso
95890

plumberry
95965

eggplant
95990

CONNECT TILE | WORKLIFE quick ship

TILE SIZE: 24X24




colour: **40150 bare necessities**

coordinating products:
balance tile, culture, emotion tile, evolution, space

product specifications

style number:	59342	
fibre:	eco solution q® nylon	
dye method:	86% solution dyed / 14% yarn dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5885 ozs./yd³	8.56 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn	



bare necessities 40150 | exotic seasalt 40315 | harbouring desires 40485 | steeling beauty 40500 | atmosfera 40760 | ciao bella 40855

CONSTELLATION TILE quick ship

TILE SIZE: 24X24




colour: **26710 shooting star**

coordinating products:
constellation ultraloc

product specifications

style number:	59326	
fibre:	eco solution q® nylon	
dye method:	57% solution dyed / 43% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	8727 ozs./yd³	11.03 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic	




moonlight 26110 | lunar 26210 | aquarius 26310 | orion 26320 | celestial 26410 | federation 26420

jupiter 26430 | gemini 26510 | lyra 26610 | shooting star 26710 | orbit 26810 | asteroid 26910

CONTACT TILE | CONFIGURE

TILE SIZE: HEXAGON




colour: **59596 social dialogue**

coordinating products:
base tlie, color shift tile, plane tile

product specifications


style number:	5T160	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	10065 ozs./yd³	15.07 kilotex
product size:	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia
secondary backing:	ecoworx®	
recommended installation:	random, diagonal, monolithic	



sublime shift 59104 | sublime scale 59501 | electric form 59505 | brilliant proportion 59518 | aerial progression 59580 | social dialogue 59596

CONSTRUCT TILE | CUT & COMPOSE

TILE SIZE: 24X24




colour: **03585 sector**

coordinating products:
collage, copy tile, rotate tile

product specifications

style number:	5T104	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	7121 ozs./yd³	9.71 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, brick, ashlar, random	



notation 03150 | format 03370 | abstract 03481 | ecliptic 03500 | typeset 03505 | sector 03585

cut up 03740 | integer 03751 | emblem 03753 | factor 03760 | characters 03761 | radius 03765

CONVENE TILE | ASSEMBLY

TILE SIZE: 12X48




colour: **67517 dynamic interaction**

coordinating products:
establish tile, support tile

product specifications

style number:	5T269	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	7826 ozs./yd³	11.02 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, stagger, herringbone	



COPY TILE | CUT & COMPOSE

TILE SIZE: 24X24




colour: **03585 sector**

coordinating products:
collage, construct tile, rotate tile

product specifications

style number:	5T103	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6968 ozs./yd³	9.71 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, brick, ashlar, random	



CORDED TILE | CHENILLE

TILE SIZE: 24X24




colour: **91111 sunstone**

coordinating products:
corded, chain stitch tile, knit tile, cross stitch, double knit

product specifications

style number:	59491	
fibre:	eco solution q® nylon	
dye method:	91% solution dyed / 9% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6857 ozs./yd³	12.50 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, ashlar	



CREATE TILE | THE PARK

TILE SIZE: 18X36




colour: **38530 recharge**

coordinating products:
drift tile, explore tile, linger tile, reflect tile, renew tile, zone tile

product specifications

style number:	5T140	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/10	39.37/10 cm
average density:	8244 ozs./yd³	8.60 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, basketweave, half basketweave, herringbone, boxed in	



inspire 38505 | awaken 38506 | recharge 38530 | dwell 38535 | coexist 38557 | nest 38760

CURVE TILE | INSIDE SHAPES

TILE SIZE: 24X24




colour: **86500 pine dark + 86534 pine light**

coordinating products:
diagonal, impression I, impression II, impression III, impression IV, point, square

product specifications

style number:	5T241	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m2
gauge:	1/8	31.5/10 cm
average density:	7423 ozs./yd³	13.82 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	**specified** | Shapes are meant to be used in shape and color combinations. An installation key or other instructions needs to be created by the specifier. See insideshapes.com/specify for more details.	




pine light 86150 | kolmården light 86345 | kolmården dark 86396 | glass light 86411 | glass dark 86496 | pine dark 86500

concrete light 86506 | concrete dark 86535 | steel light 86580 | steel dark 86597 | falu red light 86800 | falu red dark 86850

DASH TILE | ACTIVE

TILE SIZE: 12X48




colour: **04595 flexible**


coordinating products:
advance tile, track tile, turn tile,

product specifications


style number:	5T203	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m2
gauge:	1/12	47.2/10 cm
average density:	10,286 ozs./yd³	10.58 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



focus 04111 | ability 04325 | meditate 04327 | motivate 04375 | accelerate 04432 | endurance 04505



energy 04515 | coordinate 04535 | balance 04551 | strategy 04555 | flexible 04595 | perform 04675



adapt 04761 | strenuous 04870

DECOR TILE | LUSH LIFE

TILE SIZE: 24X24




colour: **63335 ooh la la**

coordinating products:
affluence tile, bellcourt, cranford, joie, kennebunk, mortiz, riche tile, verve, vitae, wisdom

product specifications

style number:	59390	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	9164 ozs./yd³	11.18 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	brick, quarter turn	



refined 63314 | fabulous 63330 | ooh la la 63335 | sheer bliss 63447 | charmed life 63665 | on the town 63713



so glam 63725 | splendid 63751 | panache 63761

DEPTH TILE | EMERGENCE

TILE SIZE: 18X36




colour: **11504 shadow**

coordinating products:
presence tile, still life tile

product specifications

style number:	5T211	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6882 ozs./yd³	8.07 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, herringbone, brick, ashlar, stagger	



marble 11100 | oyster 11156 | midnight 11496 | shadow 11504 | nocturne 11505 | stratus 11535

graphite 11595 | umber 11760

DIAGONAL TILE | INSIDE SHAPES

TILE SIZE: 24X24




colour: **86345 kolmården light + 86396 kolmården dark**

coordinating products:
curve, impression I, impression II, impression III, impression IV, point, square

product specifications

style number:	5T242	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	7423 ozs./yd³	13.82 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	**specified** | Shapes are meant to be used in shape and color combinations. An installation key or other instructions needs to be created by the specifier. See insideshapes.com/specify for more details.	




pine light 86150 | kolmården light 86345 | kolmården dark 86396 | glass light 86411 | glass dark 86496 | pine dark 86500

concrete light 86506 | concrete dark 86535 | steel light 86580 | steel dark 86597 | falu red light 86800 | falu red dark 86850

DIFFUSE TILE | NO RULES quick ship

TILE SIZE: 24X24 | 9X36




colour: **75597 passport**

both sizes available with Ecologix backing 5T233 and 5T244

coordinating products:
disperse tile

product specifications

style number:	59575 (24 in x 24 in) | 5T185 (9 in x 36 in)	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	6261 ozs./yd³	9.23 kilotex
product sizes:	24 in x 24 in	61 cm x 61 cm
	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®*	
recommended installation:	monolithic, ashlar, brick, quarter turn, random, herringbone	



road trip 75105 | annual 75150 | formations 75335 | flyway 75400 | movement 75481 | water rail 75485

routes 75500 | magnetic fields 75505 | river front 75535 | train station 75557 | passport 75597 | voyage 75715

southbound 75730 | nomad 75750 | navigation 75760 | flutter 75761 | climate 75765 | seasonal 75979

DIRECTION TILE | VIEW quick ship

TILE SIZE: 24X24




colour: **69505 zone**

coordinating products:
field tile, modify, realm tile, reverse tile, scape tile, shape tile, switch, transfer

product specifications

style number:	5T071	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	15 oz.	508.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	5047 ozs./yd³	8.87 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



sight 69111 | drift 69170 | flip 69335 | vista 69481 | horizon 69496 | space 69500

zone 69505 | gaze 69530 | outlook 69557 | distance 69597 | range 69755 | area 69761

DISCOVER TILE | OFF THE GRID


TILE SIZE: 12X48



colour: **15580 ridge**
coordinating products:
beyond, beyond tile, escape, expanse tile, seek tile


product specifications

style number:	5T217	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m2
gauge:	1/10	39.4 cm
average density:	6783 ozs./yd³	14.00 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



DISPERSE | NO RULES quick ship

TILE SIZE: 24X24 | 9X36




colour: **75557 train station**

coordinating products:
diffuse tile

product specifications

style number:	59576 (24 in x 24 in) | 5T184 (9 in x 36 in)	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	6128 ozs./yd³	9.24 kilotex
product sizes:	24 in x 24 in	61 cm x 61 cm
	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, quarter turn, random, herringbone	



DISSOLVE TILE | COUTURE

TILE SIZE: 24X24




colour: **66111 weld**

coordinating products:
adorn tile, fibre, lana


product specifications

style number:	59566	
fibre:	eco solution q® nylon	
dye method:	41% solution dyed / 59% yarn dyed	
tufted weight:	38 oz.	1,288.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	8941 ozs./yd³	20.51 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



DISTORT TILE | ALTERED

TILE SIZE: 18X36




colour: **26500 filter**

coordinating products:
analog tile, glitch tile, manipulate tile

product specifications

style number:	5T127	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6612 ozs./yd³	10.98 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, basketweave, half basketweave, herringbone, boxed in	



blur 26150 | snapshot 26155 | perception 26320 | digital 26401 | filter 26500 | interrupt 26505

sight 26515 | unreal 26530 | image 26557 | scan 26595 | invert 26750 | expose 26761

DREAM TILE | KINDRED quick ship

TILE SIZE: 24X24




colour: **48211 golden + 48515 hearten + 48486 serene**

coordinating products:
belong, memory

product specifications

style number:	5T265	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	19 oz.	644.2 g/m²
gauge:	1/10	39.4/10 cm
average density:	9000 ozs./yd³	10.00 kilotex
product size:	24 inx 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



warmth 48111 | golden 48211 | comfort 48323 | greenery 48370 | solace 48485 | serene 48486

blanket 48505 | hearten 48515 | greige 48516 | ponder 48530 | sense 48535 | rainstorm 48536

slate 48557 | nestle 48760 | fire 48856 | insight 48979

DRIFT TILE | THE PARK

TILE SIZE: 9X36




colour: **38515 breeze + 38284 flourish**

coordinating products:
create tile, explore tile, linger tile, reflect tile, renew tile, zone tile

product specifications

style number:	5T142	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6092 ozs./yd³	10.81 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone	




soothe 38111 | flourish 38284 | sprout 38326 | serene 38327 | play 38436 | nurture 38485

inspire 38505 | awaken 38506 | breeze 38515 | recharge 38530 | dwell 38535 | coexist 38557

hike 38751 | nest 38760

DUOTONE TILE | COLOUR AT WORK

TILE SIZE: 18X36



colour: **07436 charcoal cyan**

coordinating products:
achromatic tile, color form tile, saturate tile, value tile

product specifications

style number:	5T108	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6171 ozs./yd³	10.75 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, basketweave, half basketweave, herringbone, boxed in, ashlar	



beige yellow 07210 | chartreuse 07325 | silver aqua 07327 | black green 07375 | charcoal cyan 07436 | black blue 07486

beige orange 07668 | brown red 07855 | charcoal flame 07856 | brown pink 07890

DWELLING TILE | HAVEN

TILE SIZE: 9X36



colour: **38518 fog + 38675 apricot**

coordinating products:
familiar tile, honest tile, identity tile, nest tile, shelter tile

product specifications


style number:	5T239	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6492 ozs./yd³	11.54 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, stagger, herringbone	

golden 38210 | mint 38327 | ivy 38375 | overdye 38496 | raven 38505 | greige 38516

fog 38518 | rainstorm 38535 | espreso 38585 | apricot 38675 | truffle 38760 | rosewood 38870

DYE LAB TILE | DYE LAB

TILE SIZE: 24X24



colour: **41504 sumac + 41505 logwood**

coordinating products:
blend tile, hint tile, technique tile, vanish tile

product specifications

style number:	5T041	
fibre:	eco solution q® nylon	
dye method:	100% piece dyed	
tufted weight:	36 oz.	1,220.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	7406ozs./yd³	10.11 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, brick, ashlar	

cornflower 41480 | indigo 41496 | woad 41497 | sumac 41504 | logwood 41505 | black tea 41516

fustic indigo 41517 | iris root 41585 | walnut hull 41750 | coffee 41755 | cutch 41756 | oak gall 41761

lac 41762 | cochineal 41880 | blackberry 41906

EARTH TONE TILE | ALTERNATURE quick ship

TILE SIZE: 24X24



colour: **38103 balsa**

coordinating products:
core, entwine tile, grounded, ingrain tile, natural selection, timber

product specifications

style number:	59338	
fibre:	eco solution q® nylon	
dye method:	51% solution dyed / 49% yarn dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/12	47.2/10 cm
average density:	9846 ozs./yd³	20.97 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	

balsa 38103 | alder 38109 | yucca 38144 | spruce 38322 | tamo 38481 | linden → 38496

quince 38504 | koa → 38505 | birch 38515 | ash 38595 | burl 38713 | teak 38750

mahogany 38752 | iroko → 38761 | samara 38803 | resin 38911

EMBARK TILE | MATERIAL MATTERS quick ship

TILE SIZE: 24X24



colour: **37530 airy**

coordinating products:
fringe tile, haze tile, vapor tile, wander tile

**also available as StaticSmart™ ESD*

product specifications

style number:	5T040	
fibre:	eco solution q® nylon	
dye method:	98% solution dyed / 2% yarn dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5829 ozs./yd³	9.29 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	

whisper* → 37111 | lustrous → 37170 | poetic → 37320 | dreamy → 37481 | stardust → 37496 | myth* → 37505

delicate → 37515 | airy* → 37530 | smoke* → 37557 | linger* → 37750 | notion* → 37760 | shadow → 37761

EMBELLISH TILE | HOMAGE

TILE SIZE: 24X24




colour: **71751 carved metal**

coordinating products:
block print tile

product specifications

style number:	59573	
fibre:	eco solution q® nylon	
dye method:	89% solution dyed / 11% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	8082 ozs./yd³	12.37 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	ashlar, brick, monolithic, quarter turn	



EMOTION TILE | WORK LIFE

TILE SIZE: 24X24




colour: **40150 bare necessities**

coordinating products:
balance tile, connect tile, focus tile

product specifications

style number:	59343	
fibre:	eco solution q® nylon	
dye method:	86% solution dyed / 14% yarn dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5885 ozs./yd³	8.57 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn	



ENGAGE TILE | MINDFUL PLAY quick ship

TILE SIZE: 24X24




colour: **86536 experience lime + 86586 transform teal**

coordinating products:
impact tile, inspire lvt, think tile

product specifications

style number:	5T187	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	6990 ozs./yd³	13.02 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



ENTRÉE TILE | STEPPIN OUT

TILE SIZE: 24X24



colour: **31557 sterling**

coordinating products:
bonjour, bonjour II tile, welcome, welcome II tile

product specifications

style number:	5T033	
fibre:	pet polyester	
dye method:	100% solution dyed	
tufted weight:	44.5 oz.	1,508.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6091 ozs./yd³	11.34 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn	

tobacco 31150 · blue 31400 · multicolour 31481 · navy 31485 · ebony 31500 · charcoal 31549

sterling 31557 · walnut 31750 · black chocolate 31751 · portabella 31761 · red 31850

ENTWINE TILE | ALTERNATURE quick ship

TILE SIZE: 24X24



colour: **78713 burl**

coordinating products:
core, earth tone tile, grounded, ingrain tile, natural selection, timber

product specifications

style number:	59337	
fibre:	eco solution q® nylon	
dye method:	44% solution dyed / 56% yarn dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/12	47.2/10 cm
average density:	8170 ozs./yd³	19.91 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	

balsa 78103 · alder 78109 · spruce 78322 · linden 78496 · quince 78504 · koa 78505

burl 78713 · teak 78750 · iroko 78761 · samara 78803

ESTABLISH TILE | ASSEMBLY

TILE SIZE: 12X48



colour: **67375 vivid + 67515 interaction**

coordinating products:
convene, support

product specifications

style number:	5T268	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	8182 ozs./yd³	11.27 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, stagger, herringbone	

brilliant 67325 · vivid 67375 · clear 67486 · system 67505 · interaction 67515 · network 67535

link 67555 · foundaiton 67580 · dynamic 67850 · radian 67855

EVOLVE TILE | SEQUENCE

TILE SIZE: 24X24



colour: **14225 sparkling bliss**

coordinating products:
unity tile

product specifications

style number:	59415	
fibre:	eco solution q® nylon	
dye method:	50% solution dyed / 50% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	7200 ozs./yd³	12.02 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, ashlar	

sparkling bliss 14225 · glow with flair 14235 · mystic meadow 14325 · cultivated kelly 14335 · bittersweet chic 14345 · willow grove 14355

sweet spot 14365 · twilight moonshade 14425 · harvest jewel 14435 · divine flannel 14525 · primitive earth 14625 · herbal charm 14825

sultry nights 14925

EXPAND TILE | BEYOND THE FOLD

TILE SIZE: 18X36




colour: **59156 twine**


coordinating products:
angle tile, colour plank tile, folded edge tile, folded tile, slide

product specifications

style number:	5T059	
fibre:	eco solution q® nylon	
dye method:	84% solution dyed / 16% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6947 ozs./yd³	12.74 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, ashlar, half basketweave	



ecru 59105 | twine 59156 | obsidian 59505 | talc 59518 | grit 59530 | flint 59595



burlap 59706 | leather 59763

EXPANSE TILE | OFF THE GRID

TILE SIZE: 12X48




colour: **15580 ridge**


coordinating products:
beyond, beyond tile, discover tile, escape, seek tile

product specifications

style number:	5T219	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m2
gauge:	1/10	39.4 cm
average density:	6243 ozs./yd³	7.87 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



dune 15105 | canyon 15180 | moss 15326 | coast 15456 | vast 15505 | slope 15518



cliff 15530 | ridge 15580

EXPLORE TILE | THE PARK

TILE SIZE: 9X36




colour: **38530 recharge**

coordinating products:
create tile, drift tile, linger tile, reflect tile, renew tile

product specifications

style number:	5T143	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	39/10 cm
average density:	5610 ozs./yd³	10.93 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone	



nurture 38485 | inspire 38505 | awaken 38506 | breeze 38515 | recharge 38530 | dwell 38535



coexist 38557 | hike 38751 | nest 38760

EXPOSE TILE | VERTICAL LAYERS

TILE SIZE: 9X36




colour: **50504 restore**

coordinating products:
relief tile, tinge tile, uncover tile, undertone tile, unveil lvt

product specifications

style number:	5T151	
fibre:	eco solution q® nylon	
dye method:	98% solution dyed / 2% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6085 ozs./yd³	11.69 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	herringbone, ashlar, brick, monolithic	




natural 50103 | veil 50111 | time 50481 | restore 50504 | era 50505 | past 50515



relic 50518 | raw 50530 | plaster 50535 | element 50555 | renew 50585 | lath 50760

FADE TILE | 18X36

TILE SIZE: 18X36




colour: **95761 layered**

coordinating products:
blur tile, colour plank tile, overlay tile

product specifications

style number:	59597	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	7200 ozs./yd³	12.65 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	basketweave, herringbone, boxed in, brick, half basketweave	



illuminate 95103 | washed 95106 | contour 95330 | reveal 95485 | fluid 95504 | motion 95505

shaded 95585 | blend 95750 | layered 95761 | exposure 95855

FAMILIAR TILE | HAVEN

TILE SIZE: 9X36




colour: **35516 greige**

coordinating products:
dwelling tile, honest tile, identity tile, nest tile, shelter tile

product specifications

style number:	5T235	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	8195 ozs./yd³	8.00 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, stagger, herringbone	



golden 35210 | mint 35327 | ivy 35375 | overdye 35496 | raven 35505 | greige 35516

fog 35518 | rainstorm 35535 | espreso 35585 | apricot 35675 | truffle 35760 | rosewood 35870

FAULT LINES II TILE | WALK IN THE GARDEN

TILE SIZE: 9X36




colour: **98760 branch**

coordinating products:
basalt II tile, gravel II tile, pavers II tile

product specifications

style number:	5T199	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6725 ozs./yd³	9.49 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone, stagger	



slate 98481 | storm 98500 | trail 98505 | breeze 98515 | harmony 98530 | fog 98535

path 98557 | stone 98595 | bark 98751 | branch 98760

FIELD TILE | POINT OF VIEW quick ship

TILE SIZE: 24X24




colour: **78111 sight**

coordinating products:
direction tile, modify, realm tile, reverse tile, scape tile, shape tile, switch, transfer

product specifications

style number:	5T079	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5464 ozs./yd³	9.94 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



sight 78111 | place 78210 | dwell 78326 | survey 78429 | overlook 78436 | space 78500

domain 78502 | gaze 78530 | distance 78597 | landscape 78675 | area 78761 | glimpse 78855

FILTER TILE | PHASES

TILE SIZE: 24X24




colour: **73585 focus**

coordinating products:
migrate tile, nuance tile


product specifications

style number:	5T074	
fibre:	eco solution q® nylon	
dye method:	53% solution dyed / 47% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	7402 ozs./yd³	12.44 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



FOCUS TILE | WORKLIFE

TILE SIZE: 24X24




colour: **54335 restore**

coordinating products:
balance tile, connect tile, emotion tile

product specifications

style number:	59455	
fibre:	eco solution q® nylon	
dye method:	87% solution dyed / 13% yarn dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	4896 ozs./yd³	9.00 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, monolithic, ashlar	



FINE POINT TILE | HAND DRAWN

TILE SIZE: 18X36




colour: **13111 gesso**

coordinating products:
brush lvt (8 mil, 12 mil, 20 mil), conte', erase,
line lvt (12 mil, 20 mil), lineweight tile,
plaster lvt (12 mil, 20 mil), scribe, stipple tile, stylus

product specifications

style number:	5T113	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6372 ozs./yd³	10.19 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	synthetic	
recommended installation:	monolithic, ashlar, brick, basketweave, half basketweave, herringbone, boxed in	



FOLDED EDGE TILE | BEYOND THE FOLD

TILE SIZE: 18X36




colour: **60519 brite green talc**

coordinating products:
angle tile, colour plank tile, expand tile, folded tile, slide

product specifications

style number:	5T062	
fibre:	eco solution q® nylon	
dye method:	77% solution dyed / 23% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	7784 ozs./yd³	13.71 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, ashlar, half basketweave	



FOLDED TILE | BEYOND THE FOLD

TILE SIZE: 18X36




colour: **60105 dolphin ecru**

coordinating products:
angle tile, colour plank tile, expand tile, folded edge tile, slide

product specifications

style number:	5T060	
fibre:	eco solution q® nylon	
dye method:	66% solution dyed / 34% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	7082 ozs./yd³	13.02 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, ashlar, half basketweave	



FORM TILE | NOBLE MATERIALS

TILE SIZE: 24X24



colour: **33505 onyx silver**

coordinating products:
alchemy tile, base metal, emerge lvt, fault, honed tile, monolith woven, strata, slab tile

product specifications

style number:	5T136	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6765 ozs./yd³	7.48 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



FOUNDATION TILE | EXTRAORDINARY

TILE SIZE: 12X48




colour: **68535 calcite**

coordinating products:
primitive tile, resurface tile

product specifications

style number:	5T169	
fibre:	eco solution q® nylon	
dye method:	54% solution dyed / 46% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	7140 ozs./yd³	15.90 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



FRINGE TILE | MATERIAL MATTERS

TILE SIZE: 18X36



colour: **37557 smoke**

coordinating products:
embark tile, haze tile, vapor tile, wander tile

product specifications

style number:	5T038	
fibre:	eco solution q® nylon	
dye method:	98% solution dyed / 2% yarn dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6480 ozs./yd³	10.06 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, half basketweave, brick, basketweave, boxed in, herringbone	



GLAZE TILE | CLEARVIEW

TILE SIZE: 24X24



colour: **62103 porcelain**

coordinating products:
clear tile, transparent tile

product specifications

style number:	59562	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	15 oz.	508.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	4500 ozs./yd³	7.51 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, monolithic, random	



porcelain 62103 | blue moon 62486 | moonstone 62500 | oxide 62505 | sea glass 62560 | earthenware 62750

pottery 62755

GLIMMER TILE | BRIGHT WORK quick ship

TILE SIZE: 24X24




colour: **27585 gleam**

coordinating products:
allure tile, amplify, flare, flicker, illuminate, shine tile

product specifications

style number:	59329	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5276 ozs./yd³	9.50 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



golden 27150 | flashpoint 27485 | spark 27500 | starlight 27504 | moonlit 27505 | gleam 27585

bronzed 27750 | afterglow 27755 | gloss 27761

GLITCH TILE | ALTERED

TILE SIZE: 9X36




colour: **26500 filter**

coordinating products:
analog tile, color form tile, distort tile, manipulate tile

product specifications

style number:	5T128	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	7200 ozs./yd³	10.98 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone	



blur 26150 | snapshot 26155 | perception 26320 | digital 26401 | filter 26500 | interrupt 26505

sight 26515 | unreal 26530 | image 26557 | scan 26595 | invert 26750 | expose 26761

GLITZ TILE | FEELING PLUSH

TILE SIZE: 24X24




colour: **60755 natural tonic**

coordinating products:
glow, luminosity tile, radiance tile, shimmer

product specifications

style number:	59360	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/10	39.4/10 cm
average density:	8120 ozs./yd³	9.48 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, monolithic, ashlar	



creme de la creme 60103 | suede sensation 60201 | edamame 60309 | tahitian pearls 60400 | cerulean 60485 | chocolate silk 60500

black cashmere 60505 | seaside elegance 60530 | kiwi kani 60544 | stardust 60585 | javanese spice 60713 | natural tonic 60755

GRADIENT TILE | SHADE quick ship

TILE SIZE: 24X24



colour: **34111 sandstone**

coordinating products:
brilliance tile, gradient, striking tile, tint, tone

**denotes colourways with recommended installation of quarter turn only*

product specifications

style number:	59534	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/8	31.5/10 cm
average density:	7423 ozs./yd³	11.72 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn*, monolithic	

straw 34103 | ceramic glaze 34110 | sandstone 34111 | french silver 34150 | bronze sheen 34156 | topaz 34170

blissful yellow *34220 | lime light *34328 | essential 34330 | blue haze 34402 | waterside 34456 | deep teal *34481

sapphire blue *34485 | charcoal 34500 | total eclipse 34505 | adrift 34512 | element 34583 | mercury 34585

mystique 34590 | cobble grey 34595 | green grove *34701 | branch 34730 | char brown 34740 | mocha 34750

driftwood 34755 | bird's eye 34761 | firefly *34858 | in the red *34870 | rose wine *34879 | electric blue *34988

GRAVEL II TILE | WALK IN THE GARDEN

TILE SIZE: 9X36



colour: **98557 path**

coordinating products:
basalt II tile, fault lines II tile, pavers II tile

product specifications

style number:	5T200	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6511 ozs./yd³	9.49 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone, stagger	

stem 98326 | lichen 98327 | slate 98481 | rain 98486 | storm 98500 | starry night 98501

trail 98505 | breeze 98515 | harmony 98530 | fog 98535 | path 98557 | stone 98595

blossom 98675 | bark 98751 | branch 98760 | poppy 98871

GROUNDWORKS III TILE

TILE SIZE: 24X24



colour: **79600 cobbled street**

coordinating products:
groundworks III

product specifications

style number:	59479	
fibre:	antron® legacy nylon	
dye method:	61% solution dyed / 39% yarn dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	6000 ozs./yd³	8.29 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic	

pebble path 79103 | footpath 79200 | mossy trail 79300 | parkway 79380 | aqueduct 79410 | water course 79420

city streets 79530 | highway 79570 | cobbled street 79600 | sidewalk 79700 | runways 79710 | terminal 79720

HANA TILE | TERASU

TILE SIZE: 24X24



colour: **36300 pond**

coordinating products:
botan, botan tile, hana, kusa, kusa tile

product specifications

style number:	5T193	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7313 ozs./yd³	12.96 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



sand 36103 | pond 36300 | dragonfly 36315 | bamboo 36335 | sky 36447 | lantern 36515

stone 36530 | koi 36713 | pavillion 36715

HAZE TILE | MATERIAL MATTERS

TILE SIZE: 18X36



colour: **37557 smoke**

coordinating products:
embark tile, fringe tile, vapor tile, wander tile

product specifications

style number:	5T037	
fibre:	eco solution q® nylon	
dye method:	98% solution dyed / 2% yarn dyed	
tufted weight:	18 oz.	610.30 g/m²
gauge:	1/12	47.2/10 cm
average density:	6612 ozs./yd³	10.59 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, half basketweave, brick, basketweave, boxed in, herringbone	



whisper 37111 | lustrous 37170 | poetic 37320 | dreamy 37481 | stardust 37496 | myth 37505

delicate 37515 | airy 37530 | smoke 37557 | linger 37750 | notion 37760 | shadow 37761

HINT TILE | NATURAL PALETTE

TILE SIZE: 24X24




colour: **22516 black tea**

coordinating products:
blend tile, technique tile, vanish tile

product specifications

style number:	5T024	
fibre:	eco solution q® nylon	
dye method:	65% solution dyed / 35% yarn dyed	
tufted weight:	34 oz.	1,152.80 g/m²
gauge:	1/12	47.2/10 cm
average density:	7556 ozs./yd³	15.77 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	ashlar, brick, monolithic, quarter turn	



birch 22170 | indigo 22496 | sumac 22504 | logwood 22505 | black tea 22516 | tea tree 22550

carob 22585 | walnut hull 22750 | coffee 22755 | maple 22761 | beet 22880

HONED TILE | NOBLE MATERIALS

TILE SIZE: 24X24




colour: **33100 carrara**

coordinating products:
alchemy tile, base metal, emerge lvt, fault, form tile, monolith woven, slab tile, strata

product specifications

style number:	5T134	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	7467 ozs./yd³	7.75 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



carrara 33100 | alabaster 33111 | colossal 33496 | onyx 33505 | element 33506 | forge 33518

talc 33535 | cornerstone 33555 | slate 33595

HONEST TILE | HAVEN

TILE SIZE: 9X36




colour: **35870 rosewood**

coordinating products:
dwelling tile, familiar tile, identity tile, nest tile, shelter tile

product specifications

style number:	5T236	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	10,500 ozs./yd³	7.67 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, stagger, herringbone	



HORIZONTAL EDGE TILE | ON THE EDGE

TILE SIZE: 18X36




colour: **67556 ochre verge**

coordinating products:
abstract edge tile, colour plank tile, merge tile, minimal tile, vertical edge tile


product specifications

style number:	59115	
fibre:	eco solution q® nylon	
dye method:	92% solution dyed / 8% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6712 ozs./yd³	13.02 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, half basketweave	



HYBRID TILE | MIX quick ship

TILE SIZE: 24X24




colour: **64755 marble**

coordinating products:
catalyst tile, eclectic, meld

product specifications

style number:	59580	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.40 g/m²
gauge:	1/12	47.2/10 cm
average density:	5058 ozs./yd³	9.16 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	ashlar, brick, monolithic, quarter turn, random	



HYPE TILE | VIRTUAL SPACES

TILE SIZE: 24X24




colour: **64549 amplify**

coordinating products:
augment tile


product specifications

style number:	5T065	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	7273 ozs./yd³	10.40 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



IDENTITY TILE | HAVEN

TILE SIZE: 9X36




colour: **35516 greige**

coordinating products:
dwelling tile, familiar tile, honest tile, nest tile, shelter tile

product specifications

style number:	5T237	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6933 ozs./yd³	7.67 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, stagger, herringbone	



golden 35210 | mint 35327 | ivy 35375 | overdye 35496 | raven 35505 | greige 35516

fog 35518 | rainstorm 35535 | espreso 35585 | apricot 35675 | truffle 35760 | rosewood 35870

IGNITE TILE | COLLIDE

TILE SIZE: 18X36




colour: **48750 molten**

coordinating products:
still tile

product specifications

style number:	5T049	
fibre:	eco solution q® nylon	
dye method:	87% solution dyed / 13% yarn dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6171 ozs./yd³	10.19 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, half basketweave, boxed in, brick	



shatter 48111 | ember 48170 | iced 48481 | vex 48496 | carbon 48505 | steam 48515

fuse 48516 | ash 48530 | oxidize 48531 | char 48557 | split 48740 | molten 48750

cinder 48761

IMPACT TILE | MINDFUL PLAY quick ship

TILE SIZE: 24X24




colour: **86405 teal**

coordinating products:
engage tile, inspire lvt, think tile

product specifications


style number:	5T188	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6059 ozs./yd³	9.71 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



lime 86325 | teal 86405 | blue 86429 | orange 86668 | red 86855 | purple 86965

IMPRESSION I | INSIDE SHAPES

TILE SIZE: 24X24



colour: **IM002 warm light**

coordinating products:
curve tile, diagonal tile, impression II tile, impression III tile, impression IV tile, point tile, square tile

product specifications

style number:	5T257	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	7423 ozs./yd³	13.82 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	**random** | Impressions are premixed styles meant to be installed randomly. Mix, turn and shuffle. See insideshapes.com/specify for more details.	



grey IM001 | warm light IM002 | warm dark IM003 | cool light IM004 | cool dark IM005

IMPRESSION II | INSIDE SHAPES

TILE SIZE: 24X24



colour: **IM007 grey dark**

coordinating products:
curve, diagonal, impression I, impression III,
impression IV, point, square

product specifications

style number:	5T258	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	7423 ozs./yd³	13.82 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	**random** | Impressions are premixed styles meant to be installed randomly. Mix, turn and shuffle. See insideshapes.com/specify for more details.	



grey light IM006 | grey dark IM007 | warm light IM008 | warm dark IM009 | cool light IM010 | cool dark IM011

IMPRESSION III | INSIDE SHAPES

TILE SIZE: 24X24



colour: **IM014 cool**

coordinating products:
curve, diagonal, impression I, impression II,
impression IV, point, square

product specifications

style number:	5T259	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	7423 ozs./yd³	13.82 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	**random** | Impressions are premixed styles meant to be installed randomly. Mix, turn and shuffle. See insideshapes.com/specify for more details.	



grey IM012 | warm IM013 | cool IM014

IMPRESSION IV | INSIDE SHAPES

TILE SIZE: 24X24



colour: **IM016 warm**

coordinating products:
curve tile, diagonal tile, impression I tile, impression II tile,
impression III tile, point tile, square tile

product specifications

style number:	5T260	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	7423 ozs./yd³	13.82 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	**random** | Impressions are premixed styles meant to be installed randomly. Mix, turn and shuffle. See insideshapes.com/specify for more details.	



grey IM015 | warm IM016 | cool IM017

IMPRINT TILE | SHADOWS

TILE SIZE: 24X24




colour: **33327 canopy**

coordinating products:
highlight, profile, sketch tile, veil tile

product specifications

style number:	59592	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7548 ozs./yd³	11.35 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



desert 33201 | vapor 33315 | canopy 33327 | mist 33335 | reflect 33402 | cloud 33530

silhouette 33549 | sunwashed 33665 | illume 33725 | kindle 33750 | obscure 33760 | moonlight 33761

aura 33990

INFINITE TILE | NO RULES quick ship

TILE SIZE: 24X24




colour: **09585 immense**

coordinating products:
vast tile

product specifications

style number:	5T010	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	6128 ozs./yd³	9.12 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



indefinite 09150 | surround 09330 | boundless 09485 | limitless 09500 | endless 09504 | encompass 09505

immense 09585 | enfold 09761

INGRAIN TILE | ALTERNATURE

TILE SIZE: 24X24




colour: **39103 balsa**

coordinating products:
core, earth tone tile, entwine tile, grounded,
natural selection, timber

product specifications

style number:	59339	
fibre:	eco solution q® nylon	
dye method:	53% solution dyed / 47% yarn dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/12	47.2/10 cm
average density:	7680 ozs./yd³	19.57 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	




balsa 39103 | alder 39109 | spruce 39322 | linden 39496 | quince 39504 | koa 39505

burl 39713 | teak 39750 | iroko 39761 | samara 39803

INTENT TILE | DISTRICT quick ship

TILE SIZE: 24X24




colour: **08557 nocturne**

coordinating products:
purpose tile, situation tile

product specifications


style number:	5T208	
fibre:	solution q nylon	
dye method:	100% solution dyed	
tufted weight:	14 oz.	474.7 g/m²
gauge:	1/10	39.4/10 cm
average density:	6000 ozs./yd³	8.23 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	strataworx™	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



stellar 08505 | skylight 08530 | nocturne 08557 | shale 08597 | woodsmoke 08760 | sierra 08761

INTERACT TILE | FLIGHT

TILE SIZE: 24X24




colour: **84105 ivory heather**

coordinating products:
pause tile, step tile, vantage tile

product specifications

style number:	5T085	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	7009 ozs./yd³	13.40 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick random	



ivory heather 84105 | ivory ale 84111 | heather aloe 84325 | azure heather 84407 | element bay 84431 | element ink 84496

heather nickel 84518 | heather ale 84530 | ashen element 84555 | agate element 84585 | element earth 84750 | ashen agate 84761

ashen soul 84855

INTRIGUE TILE | NO RULES quick ship

TILE SIZE: 24X24




colour: **54761 micro film**

coordinating products:
captivate tile

product specifications

style number:	59558	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	19 oz.	644.2 g/m²
gauge:	1/12	47.2/10 cm
average density:	7355 ozs./yd³	9.76 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	random, monolithic, quarter turn, ashlar, brick	



JASPER TILE | UNEARTHED

TILE SIZE: 18X36




colour: **14150 clay**

coordinating products:
agate tile, mica tile, quartz tile

product specifications

style number:	5T016	
fibre:	eco solution q® nylon	
dye method:	93% solution dyed / 7% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6092 ozs./yd³	12.17 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, half basketweave, ashlar	



KASURI TILE | OPENWORK

TILE SIZE: 24X24




colour: **92761 alloy**

coordinating products:
bias tile, effect, inlay, mesh tile


product specifications

style number:	5T046	
fibre:	eco solution q® nylon	
dye method:	57% solution dyed / 43% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	6092 ozs./yd³	11.64 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, monolithic, brick, ashlar	



KINETIC TILE | NO RULES quick ship

TILE SIZE: 24X24




colour: **58150 gilded**

coordinating products:
blox tile, color play tile

product specifications

style number:	59359	
fibre:	eco solution q® nylon	
dye method:	86% solution dyed / 14% yarn dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	7624 ozs./yd³	9.36 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, random	



KIT TILE | DESIGN JOURNEY MASTER

TILE SIZE: 24X24




colour: **96111 natural silk**

coordinating products:
artisan loom, artisan tile, chok loom, chok tile, cloth tile, matmee tile, plain weave tile

product specifications

style number:	5T099	
fibre:	eco solution q® nylon	
dye method:	62% solution dyed / 38% yarn dyed	
tufted weight:	38 oz.	1,288.5 g/m²
gauge:	1/10	39.4/10 cm
average density:	10443 ozs./yd³	9.03 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



KNIT TILE | CHENILLE

TILE SIZE: 24X24




colour: **91111 sunstone**

coordinating products:
chain stitch tile, corded, corded tile, cross stitch, double knit

product specifications

style number:	59492	
fibre:	eco solution q® nylon	
dye method:	92% solution dyed / 8% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6720 ozs./yd³	13.47 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar	



KUSA TILE | TERASU

TILE SIZE: 24X24




colour: **36300 pond**

coordinating products:
botan, botan tile, hana, hana tile, kusa, reed sheet, roji sheet, tatami sheet

product specifications

style number:	5T194	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	7261 ozs./yd³	12.95 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



LINAGE TILE | NO RULES

TILE SIZE: 24X24




colour: **05761 fuse**

coordinating products:
byline tile, link tile

product specifications

style number:	59106	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5464 ozs/yd³	9.47 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



LINEWEIGHT TILE | HAND DRAWN

TILE SIZE: 24X24




colour: **13111 gesso**

coordinating products:
brush lvt (8 mil, 12 mil, 20 mil), conte', erase,
fine point tile, line lvt (12 mil, 20 mil),
plaster lvt (12 mil, 20 mil), scribe, stipple tile, stylus


product specifications

style number:	5T114	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6050 ozs./yd³	10.38 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, basketweave, half basketweave, herringbone, boxed in	



LINEAR SHIFT TILE | HEXAGON

TILE SIZE: HEXAGON




colour: **56531 tweed mortar**

coordinating products:
bevel tile, level lvt, linear tile, plane tile

product specifications

style number:	5T056	
fibre:	eco solution q® nylon	
dye method:	62% solution dyed / 38% yarn dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6990 ozs/yd³	10.91 kilotex
product size:	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia
secondary backing:	ecoworx®	
recommended installation:	monolithic, random, diagonal	



LINEAR TILE | HEXAGON

TILE SIZE: HEXAGON




colour: **55530 tweed**

coordinating products:
bevel tile, level lvt, linear shift tile, plane tile


product specifications

style number:	5T055	
fibre:	eco solution q® nylon	
dye method:	70% solution dyed / 30% yarn dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6050 ozs./yd³	11.22 kilotex
product size:	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia
secondary backing:	ecoworx®	
recommended installation:	random, diagonal	



LINGER TILE | THE PARK

TILE SIZE: 9X36




colour: **38530 recharge**

coordinating products:
create tile, drift tile, explore tile, reflect tile, renew tile,
zone tile


product specifications

style number:	5T144	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6496 ozs./yd³	10.90 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone	



LINK TILE | NO RULES

TILE SIZE: 24X24




colour: **05761 fuse**

coordinating products:
byline tile, linage tile

product specifications

style number:	59105	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5464 ozs./yd³	9.47 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



LUMINOSITY TILE | FEELING PLUSH

TILE SIZE: 24X24




colour: **60755 natural tonic**

coordinating products:
glitz tile, glow, radiance tile, shimmer

product specifications

style number:	59362	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/12	47.2/10 cm
average density:	7660 ozs./yd³	13.62 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar	



MANIPULATE TILE | ALTERED

TILE SIZE: 9X36




colour: **26500 filter**

coordinating products:
analog tile, color form tile, distort tile, glitch tile

product specifications

style number:	5T130	
fibre:	eco solution q® nylon	
dye method:	solution	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6750 ozs./yd³	11.35 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone	



MATMEE TILE | DESIGN JOURNEY MASTER

TILE SIZE: 24X24



colour: **99515 pagoda**

coordinating products:
artisan loom, artisan tile, chok loom, chok tile, cloth tile, kit tile, plain weave tile

product specifications

style number:	5T101	
fibre:	eco solution q® nylon	
dye method:	48% solution dyed / 52% yarn dyed	
tufted weight:	38 oz.	1,288.5 g/m²
gauge:	1/10	39.4/10 cm
average density:	9634 ozs./yd³	9.03 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



MEMORY TILE | KINDRED quick ship

TILE SIZE: 24X24




colour: **48515 hearten**

coordinating products:
belong, dream

product specifications


style number:	5T263	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	19 oz.	644.2 g/m²
gauge:	1/10	39.4/10 cm
average density:	8047 ozs./yd³	10.86 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



warmth 48111 · golden 48211 · comfort 48323 · greenery 48370 · solace 48485 · serene 48486



blanket 48505 · hearten 48515 · greige 48516 · ponder 48530 · sense 48535 · rainstorm 48536



slate 48557 · nestle 48760 · fire 48856 · insight 48979

MERGE TILE | ON THE EDGE

TILE SIZE: 18X36



colour: **67586 brite green fringe + 67585 shimmer fringe**


coordinating products:
abstract edge tile, colour plank tile, horizontal edge tile, minimal tile, vertical edge tile

product specifications


style number:	59167	
fibre:	eco solution q® nylon	
dye method:	91% solution dyed / 9% yarn dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/10	39.4/10 cm
average density:	5838 ozs./yd³	11.08 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, half basketweave	



oatmeal margin 67155 · paprika margin 67156 · dolphin brink 67505 · navy brink 67506 · pewter limit 67515 · blue limit 67516



gunmetal verge 67555 · ochre verge 67556 · shimmer fringe 67585 · brite green fringe 67586 · mineralite boundary 67752 · sundried boundary 67753



sterling seam 67761 · eggplant seam 67762

MESH TILE | OPENWORK

TILE SIZE: 24X24




colour: **93515 flux**


coordinating products:
bias tile, effect, inlay, kasuri tile

product specifications

style number:	5T044	
fibre:	eco solution q® nylon	
dye method:	57% solution dyed / 43% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	6046 ozs./yd³	12.15 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, monolithic, brick, ashlar	



gild 93111 · golden glow 93170 · molten 93314 · bismuth 93496 · ore 93505 · flux 93515



antico 93516 · tinsmith 93555 · galena 93585 · burnish 93601 · embellish 93701 · oxide 93750



tinsel 93761

MICA TILE | UNEARTHED

TILE SIZE: 18X36




colour: **14150 clay**


coordinating products:
agate tile, jasper tile, quartz tile

product specifications

style number:	5T014	
fibre:	eco solution q® nylon	
dye method:	93% solution dyed / 7% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6236 ozs./yd³	12.16 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, half basketweave	



gypsum 14111 · clay 14150 · amber 14200 · azurite 14315 · tourmaline 14320 · olivine 14330



graphite 14481 · galena 14515 · cinnabar 14713 · zircon 14740 · hematite 14760 · smoky quartz 14761

MIGRATE TILE | PHASES

TILE SIZE: 24X24




colour: **73496 clear**

coordinating products:
filter tile, nuance tile

product specifications

style number:	5T075	
fibre:	eco solution q® nylon	
dye method:	55% solution dyed / 45% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	7071 ozs./yd³	12.40 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



MINIMAL TILE | ON THE EDGE quick ship

TILE SIZE: 18X36




colour: **64515 limit**

coordinating products:
abstract edge tile, colour plank tile, horizontal edge tile, merge tile, vertical edge tile

product specifications

style number:	59164	
fibre:	eco solution q® nylon	
dye method:	87% solution dyed / 13% yarn dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/10	39.4/10 cm
average density:	6480 ozs./yd³	11.48 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, half basketweave	



MIRROR IMAGE TILE | URBAN REFLECTIONS quick ship

TILE SIZE: 24X24




colour: **63546 seaglass**

coordinating products:
prisma tile

product specifications

style number:	59466	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	19 oz.	644.2 g/m²
gauge:	1/12	47.2/10 cm
average density:	5653 ozs./yd³	10.27 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, random, quarter turn, brick	



MOMENTUM IV TILE quick ship

TILE SIZE: 24X24



colour: **02305 potential**

coordinating products:
momentum IV, unitary

product specifications

style number:	59502	
fibre:	solution q nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	6923 ozs./yd³	11.32 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic	



NEST TILE | HAVEN

TILE SIZE: 9X36




colour: **38518 fog**

coordinating products:
dwelling tile, familiar tile, honest tile, identity tile, shelter tile

product specifications

style number:	5T238	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6803 ozs./yd³	13.91 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, stagger, herringbone	



raven 38505 | greige 38516 | fog 38518 | rainstorm 38535 | ash 38555 | espresso 38585

NUANCE TILE | PHASES

TILE SIZE: 24X24




colour: **73761 illusion**

coordinating products:
filter tile, migrate tile

product specifications

style number:	5T073	
fibre:	eco solution q® nylon	
dye method:	55% solution dyed / 45% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6655 ozs./yd³	12.33 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



light 73100 | gauze 73105 | calm 73155 | sheer 73325 | clear 73496 | fog 73500

mist 73504 | aura 73505 | focus 73585 | dialog 73713 | illusion 73761 | soul 73880

ORNATE TILE | MODERN EDIT

TILE SIZE: 18X36




colour: **64595 vintage grey**

coordinating products:
edition, inherit, intricate lvt, rethread tile

product specifications

style number:	5T166	
fibre:	eco solution q® nylon	
dye method:	48% solution dyed / 52% yarn dyed	
tufted weight:	34 oz.	1,152.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	9638 ozs./yd³	20.07 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, herringbone, brick, ashlar, stagger	



ivory 64144 | apricot ivory 64145 | ochre 64155 | heritage blue 64481 | indigo 64496 | antique 64504

eternal 64505 | eternal cobalt 64506 | glass 64515 | green glass 64516 | grey slate 64535 | yellow slate 64536

vintage grey 64595 | vintage teal 64596 | hearth 64760 | coral hearth 64761 | umber 64855 | brocade 64911

OVERLAY TILE | 18X36

TILE SIZE: 18X36




colour: **95504 fluid**

coordinating products:
blur tile, colour plank tile, fade tile

product specifications

style number:	59598	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6803 ozs./yd³	11.54 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	basketweave, herringbone, boxed in, brick, half basketweave	



illuminate 95103 | washed 95106 | contour 95330 | reveal 95485 | fluid 95504 | motion 95505

shaded 95585 | blend 95750 | layered 95761 | exposure 95855

PATH TILE | ALL ACCESS quick ship

TILE SIZE: 24X24




colour: **34761 portabella**

coordinating products:
portal tile

product specifications

style number:	5T034	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	8765 ozs./yd³	16.03 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



multicolour 34481 | navy 34485 | ebony 34500 | lava 34549 | sterling 34557 | suede 34740

black chocolate 34751 | portabella 34761 | dark red 34851

PAUSE TILE | FLIGHT

TILE SIZE: 24X24




colour: **83761 agate**

coordinating products:
interact tile, step tile, vantage tile

product specifications

style number:	5T083	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746.0 g/m²
gauge:	1/12	47.2/10 cm
average density:	7920 ozs./yd³	13.40 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



ivory 83105 | ale 83111 | aloe 83325 | azure 83407 | bay 83431 | ink 83496

nickel 83518 | heather 83530 | ashen 83555 | element 83585 | earth 83750 | agate 83761

soul 83855

PAVERS II TILE | A WALK IN THE GARDEN

TILE SIZE: 9X36




colour: **98595 stone**

coordinating products:
basalt II tile, fault lines II tile, gravel II tile

product specifications

style number:	5T201	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6581 ozs./yd³	9.49 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone, stagger	



slate 98481 | storm 98500 | trail 98505 | breeze 98515 | harmony 98530 | fog 98535

path 98557 | stone 98595 | bark 98751 | branch 98760

PETO II TILE

TILE SIZE: 24X24




colour: **71761 coffee break**

coordinating products:
peto II, peto II 26 tile

**also available in 26 oz. 59371 and as StaticSmart™ ESD*

product specifications

style number:	59369	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	7742 ozs./yd³	12.32 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic	



coconut 71111 | beechwood 71150 | bronze 71205 | jade pebbles 71300 | spa day 71306 | indian chai tea 71309


coastal getaway 71321 | oak alley 71330 | geckio 71335 | water lily 71345 | sun and moon 71350 | reflecting pool 71351

mastermind 71355 | sing blue silver 71402 | nautical* 71435 | bon voyage 71440 | manhattan blues 71445

more colors

PETO II TILE

TILE SIZE: 24X24



bird bath* 71450 | bluegrass jazz 71455 | poolside 71460 | wisdom 71465 | blu crush 71481 | moonstruck* 71505 | top brass 71520 | slate 71525 | going for green 71545

pure titanium 71595 | school girl 71615 | courtyard 71700 | coffee break* 71761 | bumbleberry 71820 | tango 71825 | rose trellis 71830 | icy azure 71900 | mature 71915

pert 71920 | plum martini 71965

PLAIN WEAVE TILE | DESIGN JOURNEY NOVICE

TILE SIZE: 24X24



colour: **96111 natural silk**

coordinating products:
artisan loom, chok loom, tchok tile, cloth tile, kit tile, matmee tile

product specifications

style number:	5T098	
fibre:	eco solution q® nylon	
dye method:	43% solution dyed / 57% yarn dyed	
tufted weight:	38 oz.	1,288.5 g/m²
gauge:	1/10	39.4/10 cm
average density:	9913 ozs./yd³	8.72 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	

natural silk 99111 | heddle 99156 | pidan 99314 | tradition 99496 | angkor 99500 | naga 99504

pagoda 99515 | hand craft 99555 | bayon 99585 | copper 99601 | temple 99713 | kadai 99760

annato 99880 | sanskrit 99906

PLANE TILE | HEXAGON

TILE SIZE: HEXAGON



colour: **54518 pewter**

coordinating products:
bevel tile, level lvt, linear shift tile, linear tile

product specifications

style number:	5T054	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6887 ozs./yd³	13.24 kilotex
product size:	24.9 in h x 28.8 in dia	63.2 cm h x 73.2 cm dia
secondary backing:	ecoworx®	
recommended installation:	monolithic, random, diagonal	

tan 54103 | bleached 54105 | bare 54111 | ivory 54114 | mortar 54156 | yellow 54211

citron 54284 | turquoise 54323 | chartreuse 54325 | green 54326 | teal 54327 | aqua 54418

royal 54429 | wave 54432 | cyan 54436 | arctic 54501 | smoke 54504 | black 54505

titanium 54506 | pewter 54518 | tweed 54530 | nickel 54535 | graphite 54549 | ash 54555 | slate 54557 | steel 54580 | urban 54592

charcoal 54595 | gunmetal 54597 | coral 54615 | orange 54668 | beige 54706 | wenge 54750 | brown 54752 | taupe 54760 | gravel 54761

kiln 54763 | jute 54765 | red 54855 | poppy 54870 | pink 54890 | magenta 54991 | purple 54992

POINT TILE | INSIDE SHAPES

TILE SIZE: 24X24




colour: **86496 glass dark + 86411 glass light**

coordinating products:
curve, diagonal, impression I, impression II, impression III, impression IV, square

product specifications

style number:	5T243	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	7423 ozs./yd³	13.82 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	**specified** | Shapes are meant to be used in shape and color combinations. An installation key or other instructions needs to be created by the specifier. See insideshapes.com/specify for more details.	



PORTAL TILE | ALL ACCESS quick ship

TILE SIZE: 24X24




colour: **34500 ebony**

coordinating products:
path tile

product specifications

style number:	5T035	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	7814 ozs./yd³	15.98 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



POURED TILE | FLOOR ARCHITECTURE quick ship

TILE SIZE: 24X24




colour: **06530 mortar**

coordinating products:
stacked tile

product specifications

style number:	5T206	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	7385 ozs./yd³	13.75 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



PRAIRIE TILE | GRAPHIC NATURE

TILE SIZE: 24X24




colour: **23715 timberline**

coordinating products:
glade, meadow, pebble

product specifications

style number:	59525	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6904 ozs./yd³	10.26 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, brick, ashlar, random	



PRESENCE TILE | EMERGENCE

TILE SIZE: 18X36




colour: **11156 oyster silver**

coordinating products:
depth tile, still life tile

product specifications

style number:	5T213	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6261 ozs./yd³	8.49 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, herringbone, brick, ashlar, stagger	




oyster silver 11156 | midnight indigo 11496 | nocturne emerald 11503 | shadow platinum 11504 | nocturne pearl 11505 | nocturne magenta 11506

stratus ivory 11535 | stratus gold 11536 | graphite ash 11595 | graphite quartz 11596 | graphite copper 11598 | umber frost 11760

PRIMARY TILE | SPACE WORX quick ship

TILE SIZE: 24X24




colour: **17597 storm cloud**

coordinating products:
basic tile, centric tile, surround tile

product specifications

style number:	5T123	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	13 oz.	440.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	4875 ozs./yd³	7.51 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	




blue herring 17481 | denim 17496 | brown bark 17500 | raven 17505 | limestone 17530 | dove grey 17557

storm cloud 17597 | slate 17760 | khaki 17761

PRIMITIVE TILE | EXTRAORDINARY

TILE SIZE: 12X48




colour: **68515 glacier**

coordinating products:
foundation tile, resurface tile

product specifications

style number:	5T170	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	52 oz.	1,763.2 g/m²
gauge:	1/11	43.3/10 cm
average density:	6908 ozs./yd³	11.29 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



desert 68144 | horison 68156 | lichen 68325 | myth 68405 | landscape 68481 | tactile 68496

porous 68504 | depth 68505 | glacier 68515

PRISMA TILE | URBAN REFLECTIONS quick ship

TILE SIZE: 24X24




colour: **63546 seaglass + 63500 opaque black**

coordinating products:
mirror image tile

product specifications

style number:	59463	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	19 oz.	644.2 g/m²
gauge:	1/12	47.2/10 cm
average density:	4993 ozs./yd³	10.21 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, random, quarter turn, brick	



gleam of gold 63103 | burnished bronze 63150 | café highlights 63309 | blue smoke 63481 | opaque black 63500 | moonlight 63530

seaglass 63546 | shadow 63761

PURPOSE TILE | DISTRICT quick ship

TILE SIZE: 24X24




colour: **08557 nocturne**

coordinating products:
intent tile, situation tile

product specifications

style number:	5T209	
fibre:	solution q nylon	
dye method:	100% solution dyed	
tufted weight:	14 oz.	474.7 g/m²
gauge:	1/10	39.4/10 cm
average density:	5040 ozs./yd³	8.13 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	strataworx™	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



stellar 08505 | skylight 08530 | nocturne 08557 | shale 08597 | woodsmoke 08760 | sierra 08761

QUARTZ TILE | UNEARTHED

TILE SIZE: 18X36




colour: **14330 divine**

coordinating products:
agate tile, jasper tile, mica tile

product specifications

style number:	5T017	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6545 ozs./yd³	11.86 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, half basketweave	



gypsum 14111 | clay 14150 | amber 14200 | azurite 14315 | tourmaline 14320 | olivine 14330

graphite 14481 | galena 14515 | cinnabar 14713 | zircon 14740 | hematite 14760 | smoky quartz 14761

RADIANCE TILE | FEELING PLUSH quick ship

TILE SIZE: 24X24




colour: **60755 natural tonic**

coordinating products:
glitz tile, glow, luminosity tile, shimmer

product specifications

style number:	59361	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/12	47.2/10 cm
average density:	9076 ozs./yd³	13.45 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar	



creme de la creme 60103 | suede sensation 60201 | edamame 60309 | tahitian pearls 60400 | cerulean 60485 | chocolate silk 60500

black cashmere 60505 | seaside elegance 60530 | kiwi kani 60544 | stardust 60585 | javanese spice 60713 | natural tonic 60755

REALM TILE | VIEW quick ship

TILE SIZE: 24X24




colour: **78111 sight**

coordinating products:
modify, switch, transfer

product specifications

style number:	5T078	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	4721 ozs./yd³	9.12 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



sight 78111 | place 78210 | dwell 78326 | survey 78429 | overlook 78436 | space 78500

domain 78502 | gaze 78530 | distance 78597 | landscape 78675 | area 78761 | glimpse 78855

REFLECT TILE | THE PARK

TILE SIZE: 18X36




colour: **38530 recharge**

coordinating products:
create tile, drift tile, explore tile, linger tile, renew tile, zone tile

product specifications

style number:	5T139	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/10	39.4/10 cm
average density:	8409 ozs./yd³	8.66 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, basketweave, half basketweave, herringbone, boxed in	



inspire 38505 | awaken 38506 | recharge 38530 | dwell 38535 | coexist 38557 | nest 38760

RELIEF TILE | VERTICAL LAYERS

TILE SIZE: 9X36




colour: **50515 past**

coordinating products:
expose tile, tinge tile, uncover tile, undertone tile, unveil lvt

product specifications

style number:	5T152	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	6638 ozs./yd³	11.82 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	herringbone, ashlar, brick	



natural 50103 | veil 50111 | time 50481 | restore 50504 | era 50505 | past 50515

relic 50518 | raw 50530 | plaster 50535 | element 50555 | renew 50585 | lath 50760

RENEW TILE | THE PARK

TILE SIZE: 9X36




colour: **38530 recharge**

coordinating products:
create tile, drift tile, explore tile, linger tile, reflect tile, zone tile

product specifications

style number:	5T141	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	5684 ozs./yd³	10.94 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone	



nurture 38485 | inspire 38505 | awaken 38506 | breeze 38515 | recharge 38530 | dwell 38535

coexist 38557 | hike 38751 | nest 38760

REPARTEE TILE quick ship


TILE SIZE: 24X24



colour: **87750 word play**

product specifications

style number:	59387	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	8703 ozs./yd³	14.13 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, ashlar	



glowing remark 87103 | easy exchange 87111 | full disclosure 87150 | rap session 87309 | positive feedback 87330 | open communication 87402

witty reply 87500 | evening satire 87505 | small talk 87530 | clever retort 87544 | fiery flirt 87713 | word play 87750

RESURFACE TILE | EXTRAORDINARY

TILE SIZE: 12X48




colour: **68515 cinder**

coordinating products:
foundation tile, primitive tile

product specifications

style number:	5T168	
fibre:	eco solution q® nylon	
dye method:	56% solution dyed / 44% yarn dyed	
tufted weight:	34 oz.	1,152.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	7243 ozs./yd³	17.87 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



RETHREAD TILE | MODERN EDIT

TILE SIZE: 18X36




colour: **64595 vintage grey**

coordinating products:
edition, inherit, intricate lvt, ornate tile

product specifications

style number:	5T165	
fibre:	eco solution q® nylon	
dye method:	45% solution dyed / 55% yarn dyed	
tufted weight:	34 oz.	1,152.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	10116 ozs./yd³	17.82 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, herringbone, brick, ashlar, stagger	



REVERSE TILE | VIEW quick ship

TILE SIZE: 24X24




colour: **69505 zone**

coordinating products:
direction tile, field tile, modify, realm tile, scape tile, shape tile, switch, transfer

product specifications

style number:	5T069	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	15 oz.	508.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	5684 ozs./yd³	8.7 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



RICHE TILE | LUSH LIFE

TILE SIZE: 24X24




colour: **63335 ooh la la**

coordinating products:
affluence tile, bellcourt, cranford, decor tile, joie, kennebunk, mortiz, verve, vitae, wisdom


product specifications

style number:	59363	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	7412 ozs./yd³	12.19 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



ROTATE TILE | CUT & COMPOSE

TILE SIZE: 24X24




colour: **03585 sector**

coordinating products:
construct tile, collage ecoworx® performance broadloom, copy tile

product specifications

style number:	5T105	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6680 ozs./yd³	9.71 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, brick, ashlar, random	



SATURATE TILE | COLOUR AT WORK

TILE SIZE: 9X36




colour: **07555 charcoal**

coordinating products:
achromatic tile, color form tile, duotone tile, value tile,

product specifications

style number:	5T109	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6968 ozs./yd³	11.26 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone	



SCAPE TILE | VIEW quick ship

TILE SIZE: 24X24




colour: **7811 sight**

coordinating products:
direction tile, field tile, modify, realm tile, reverse tile, switch, shape tile, transfer

product specifications

style number:	5T080	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	4721 ozs./yd³	9.12 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



SCULPT TILE | REWOVEN quick ship

TILE SIZE: 24X24




colour: **83761 clay**

coordinating products:
align tile, contour, dimension, layer, outline, sculpt loop tile, trace tile

product specifications

style number:	5T007	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	5581 ozs./yd³	11.84 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



SCULPT LOOP TILE | REWOVEN

TILE SIZE: 24X24




colour: **83761 clay**

coordinating products:
align tile, contour, dimension, layer, outline, sculpt tile, trace tile

product specifications

style number:	5T183	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	8889 ozs./yd³	11.84 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



SEA TILE | PLACES quick ship

TILE SIZE: 24X24




colour: **72535 ocean**

coordinating products:
central line tile, city central tile, sea edge tile, sky tile

product specifications

style number:	5T172	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	7948 ozs./yd³	9.44 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



SEA EDGE TILE | PLACES quick ship

TILE SIZE: 24X24




colour: **72536 ocean coral**

coordinating products:
central line tile, city central tile, sea tile, sky tile,

product specifications

style number:	5T173	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	7116 ozs./yd³	9.45 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



SEEK TILE | OFF THE GRID

TILE SIZE: 12X48




colour: **15580 ridge**

coordinating products:
beyond, beyond tile, discover tile, escape, expanse tile

product specifications

style number:	5T216	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m2
gauge:	1/10	39.4 cm
average density:	6367 ozs./yd³	12.73 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



SERENITY TILE | SANCTUARY

TILE SIZE: 9X36




colour: **97595 comfort**

coordinating products:
bliss tile, tranquil tile

product specifications

style number:	5T196	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	8907 ozs./yd³	14.02 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	herringbone, monolithic, ashlar, brick	



illuminate 97111 | replenish 97320 | escape 97481 | harmony 97515 | still 97530 | renew 97535

breathe 97549 | refuge 97557 | comfort 97595 | retreat 97740 | peace 97755 | haven 97761

SHAPE TILE | VIEW quick ship

TILE SIZE: 24X24




colour: **69505 zone**

coordinating products:
direction tile, field tile, modify, realm tile, reverse tile, scape tile, switch, transfer

product specifications

style number:	5T070	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	15 oz.	508.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	5192 ozs./yd³	8.88 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



sight 69111 | drift 69170 | flip 69335 | vista 69481 | horizon 69496 | space 69500

zone 69505 | gaze 69530 | outlook 695557 | distance 69597 | range 69755 | area 69761

SHELTER TILE | HAVEN

TILE SIZE: 9X36




colour: **38870 rosewood**

coordinating products:
dwelling tile, familiar tile, honest tile, identity tile, nest tile

product specifications

style number:	5T240	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6092 ozs./yd³	11.37 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, stagger, herringbone	



golden 38210 | mint 38327 | ivy 38375 | overdye 38496 | raven 38505 | greige 38516

fog 38518 | rainstorm 38535 | espreso 38585 | apricot 38675 | truffle 38760 | rosewood 38870

SHINE TILE | BRIGHT WORK quick ship

TILE SIZE: 24X24




colour: **27585 gleam**

coordinating products:
allure tile, amplify, flare, flicker, glimmer tile, illuminate

product specifications

style number:	59328	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5276 ozs./yd³	9.50 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



golden 27150 | flashpoint 27485 | spark 27500 | starlight 27504 | moonlit 27505 | gleam 27585

bronzed 27750 | afterglow 27755 | gloss 27761

SITE LINES TILE | ESSAY OF CLUES

TILE SIZE: 24X24




colour: **38755 natural clay**

coordinating products:
city grid tile

product specifications

style number:	59550	
fibre:	eco solution q® nylon	
dye method:	80% solution dyed / 20% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	6261 ozs./yd³	12.90 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, random, brick	




restoration 38103 | new ground 38111 | spotted shell 38150 | rising above 38320 | foothills 38330 | green space 38378

onyx stone 38500 | mine your past 38505 | shoreline 38530 | natural clay 38755 | unmarked trail 38760 | just unearthed 38761

SITUATION TILE | DISTRICT quick ship

TILE SIZE: 24X24




colour: **08557 nocturne**

coordinating products:
intent tile, purpose tile

product specifications

style number:	5T210	
fibre:	solution q nylon	
dye method:	100% solution dyed	
tufted weight:	14 oz.	474.7 g/m²
gauge:	1/10	39.4/10 cm
average density:	5091 ozs./yd³	8.13 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	strataworx™	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



stellar 08505 | skylight 08530 | nocturne 08557 | shale 08597 | woodsmoke 08760 | sierra 08761

SKETCH TILE | SHADOWS

TILE SIZE: 24X24




colour: **33327 canopy**

coordinating products:
highlight, imprint tile, profile, veil tile

product specifications

style number:	59591	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7548 ozs./yd³	11.36 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



desert 33201 | vapor 33315 | canopy 33327 | mist 33335 | reflect 33402 | cloud 33530

silhouette 33549 | sunwashed 33665 | illume 33725 | kindle 33750 | obscure 33760 | moonlight 33761

aura 33990

SKY TILE | PLACES quick ship

TILE SIZE: 24X24




colour: **72481 adventure**

coordinating products:
central line tile, city central tile, sea edge tile, sea tile

product specifications

style number:	5T174	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6876 ozs./yd³	9.61 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



adventure 72481 | skyline 72500 | market 72505 | scenic 72515 | metro 72530 | ocean 72535

urban 72557 | island 72595 | village 72760 | earthy 72761

SLAB TILE | NOBLE MATERIALS

TILE SIZE: 24X24




colour: **33505 onyx**

coordinating products:
alchemy tile, base metal, emerge lvt, fault, form tile, honed tile, monolith woven, strata

product specifications

style number:	5T133	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	5778 ozs./yd³	7.65 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



carrara 33100 | alabaster 33111 | colossal 33496 | onyx 33505 | element 33506 | forge 33518

talc 33535 | cornerstone 33555 | slate 33595

SPECTRUM TILE | NO RULES

TILE SIZE: 24X24




colour: **83750 two tone**

coordinating products:
chroma tile

product specifications

style number:	59584	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6261 ozs./yd³	9.30 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



white wash 83135 | chameleon 83405 | ensemble 83481 | ultramarine 83485 | continuum 83505 | infinite 83515

tinted grey 83530 | colourscape 83534 | golden hue 83725 | two tone 83750 | schemes 83760 | fire brick 83860

SQUARE TILE | INSIDE SHAPES

TILE SIZE: 24X24




colour: **86850 falu red dark + 86800 falu red light**

coordinating products:
curve, diagonal, impression I, impression II, impression III, impression IV, point

product specifications

style number:	5T244	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	7423 ozs./yd³	11.72 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	**specified** | Shapes are meant to be used in shape and color combinations. An installation key or other instructions needs to be created by the specifier. See insideshapes.com/specify for more details. This style can also be installed monolithic or quarter turn.	



pine light 86150 | kolmården light 86345 | kolmården dark 86396 | glass light 86411 | glass dark 86496 | pine dark 86500

concrete light 86506 | concrete dark 86535 | steel light 86580 | steel dark 86597 | falu red light 86800 | falu red dark 86850

STACKED TILE | FLOOR ARCHITECTURE quick ship

TILE SIZE: 24X24




colour: **06481 river rock**

coordinating products:
poured tile

product specifications

style number:	5T207	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	8113 ozs./yd³	15.11 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



river rock 06481 | granite 06500 | flagstone 06505 | gypsum 06515 | mortar 06530 | shale 06557

mineral 06595 | mix 06597 | concrete 06761

STEP TILE | FLIGHT

TILE SIZE: 24X24




colour: **84761 ashen agate**

coordinating products:
interact tile, pause tile, vantage tile

product specifications

style number:	5T084	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746.0 g/m²
gauge:	1/12	47.2/10 cm
average density:	7472 ozs./yd³	13.40 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



ivory heather 84105 | ivory ale 84111 | heather aloe 84325 | azure heather 84407 | element bay 84431 | element ink 84496

heather nickel 84518 | heather ale 84530 | ashen element 84555 | agate element 84585 | element earth 84750 | ashen agate 84761

ashen soul 84855

STILL TILE | COLLIDE

TILE SIZE: 18X36




colour: **48530 ash**

coordinating products:
ignite tile

product specifications

style number:	5T051	
fibre:	eco solution q® nylon	
dye method:	87% solution dyed / 13% yarn dyed	
tufted weight:	18 oz.	610.30 g/m²
gauge:	1/12	47.2/10 cm
average density:	5635 ozs./yd³	9.89 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	basketweave, herringbone, half basketweave, boxed in, brick	



shatter 48111 | ember 48170 | iced 48481 | vex 48496 | carbon 48505 | steam 48515

fuse 48516 | ash 48530 | oxidize 48531 | char 48557 | split 48740 | molten 48750

cinder 48761

STILL LIFE TILE | EMERGENCE

TILE SIZE: 36X36




colour: **11504 shadow platinum**

coordinating products:
depth tile, presence tile

product specifications

style number:	5T214	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6261 ozs./yd³	8.03 kilotex
product size:	36 in x 36 in	91.4 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, quarter turn, random	



oyster silver 11156 | midnight indigo 11496 | nocturne emerald 11503 | shadow platinum 11504 | nocturne pearl 11505 | nocturne magenta 11506

stratus ivory 11535 | stratus gold 11536 | graphite ash 11595 | graphite quartz 11596 | graphite copper 11598 | umber frost 11760

STIPPLE TILE | HAND DRAWN

TILE SIZE: 18X36




colour: **13111 gesso**

coordinating products:
brush lvt (8 mil, 12 mil, 20 mil), conte', erase,
fine point tile, lineweight tile, line lvt (12 mil, 20 mil),
plaster lvt (12 mil, 20 mil) scribe, stylus

product specifications

style number:	5T116	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6667 ozs./yd³	10.17 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	synthetic	
recommended installation:	monolithic, ashlar, brick, basketweave, half basketweave, herringbone, boxed in	



gesso 13111 | parchment 13170 | landscape 13322 | stencil 13325 | ink 13496 | carbon 13505

graphite 13510 | charcoal 13557 | slate 13585 | bistre 13750 | gouache 13761 | sanguine 13880

STRAIGHTFORWARD TILE

TILE SIZE: 24X24



colour: **70150 mushroom**

coordinating products:
applied tile, vibrant tile, visible tile

product specifications

style number:	59224	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.40 g/m²
gauge:	1/12	47.2/10 cm
average density:	4500 ozs./yd³	9.93 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn	



sorbet 70135 | patina 70145 | mushroom 70150 | celadon 70335 | pond 70402 | cloud 70530



twine 70761

STRIKING TILE | SHADE

TILE SIZE: 24X24




colour: **29170 golden glow**


coordinating products:
brilliance tile, gradient, gradient tile, tint, tone

product specifications


style number:	59530	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.55 g/m²
gauge:	1/12	47.2/10 cm
average density:	7610 ozs./yd³	15.06 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, random	



coconut shell 29103 | prairie sand 29111 | golden glow 29170 | lichen green 29300 | teal blue 29481 | brilliant blue 29485



black forest 29500 | ultraviolet 29501 | blackbird 29505 | silver cloud 29530 | bright chartreuse 29546 | grey mist 29585



pumice stone 29590 | cognac 29740 | flint stone 29755 | toasted almond 29761 | claret red 29850 | cinnamon 29858

SUPPORT TILE | ASSEMBLY

TILE SIZE: 12X48



colour: **67515 interaction**

coordinating products:
convene, establish

product specifications

style number:	5T267	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	7579 ozs./yd³	11.27 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, brick, stagger, herringbone	



support 67505 | interaction 67515 | network 67535 | link 67555 | foundation 67580

SURROUND TILE | SPACE WORX quick ship

TILE SIZE: 24X24



colour: **17481 blue herring**

coordinating products:
basic tile, centric tile, primary tile

product specifications

style number:	5T125	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	15 oz.	508.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	6429 ozs./yd³	9.27 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



blue herring 17481 | denim 17496 | brown bark 17500 | raven 17505 | limestone 17530 | dove grey 17557



storm cloud 17597 | slate 17760 | khaki 17761

TANGLE TILE | NO RULES quick ship

TILE SIZE: 24X24




colour: **18761 wave**

coordinating products:
tempt tile

**also available as StaticSmart™ ESD*

product specifications

style number:	5T018	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.49 g/m²
gauge:	1/12	47.2/10 cm
average density:	5053 ozs./yd³	8.94 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, random, monolithic, brick, ashlar	



appeal* 18103 | entice 18335 | enchant 18406 | charm 18429 | taunt* 18485 | magnetic* 18500

tease* 18504 | dare 18505 | lure 18585 | flirt 18730 | interlace* 18740 | wave* 18761

TECHNIQUE TILE | NATURAL PALETTE

TILE SIZE: 24X24




colour: **22516 black tea**

coordinating products:
blend tile, hint tile, vanish tile

product specifications

style number:	5T022	
fibre:	eco solution q® nylon	
dye method:	65% solution dyed / 35% yarn dyed	
tufted weight:	34 oz.	1,152.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	7556 ozs./yd³	15.86 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



birch 22170 | indigo 22496 | sumac 22504 | logwood 22505 | black tea 22516 | tea tree 22550

carob 22585 | walnut hull 22750 | coffee 22755 | maple 22761 | beet 22880

TEMPT TILE | NO RULES quick ship

TILE SIZE: 24X24




colour: **18585 lure**

coordinating products:
tangle tile

**also available as StaticSmart™ ESD*

product specifications

style number:	5T019	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	5053 ozs./yd³	9.12 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, random, monolithic, brick, ashlar	



appeal 18103 | entice* 18335 | enchant* 18406 | charm* 18429 | taunt 18485 | magnetic 18500

tease 18504 | dare* 18505 | lure* 18585 | flirt* 18730 | interlace 18740 | wave 18761

THE ECCENTRIC TILE | SOCIAL

TILE SIZE: 24X24




colour: **67502 mies**

coordinating products:
the creative, the socialite, the socialite tile

product specifications

style number:	59587	
fibre:	eco solution q® nylon	
dye method:	80% solution dyed / 20% yarn dyed	
tufted weight:	28 oz.	949.36 g/m²
gauge:	1/12	47.2/10 cm
average density:	8129 ozs./yd³	11.39 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



smith 67150 | stella 67314 | mia 67322 | jackie 67496 | mies 67502 | audrey 67505

mick 67597 | luke 67706 | oscar 67713 | chloe 67750 | grace 67761 | dante 67880

THE SOCIALITE TILE | SOCIAL

TILE SIZE: 24X24




colour: **66761 grace**

coordinating products:
the creative, the eccentric tile, the socialite

product specifications

style number:	59585	
fibre:	eco solution q® nylon	
dye method:	73% solution dyed / 27% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	8615 ozs./yd³	11.58 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



smith 66150 | stella 66314 | mia 66322 | jackie 66496 | mies 66502 | audrey 66505

mick 66597 | luke 66706 | oscar 66713 | chloe 66750 | grace 66761 | dante 66880

THINK TILE | MINDFUL PLAY quick ship

TILE SIZE: 24X24




colour: **86535 experience**

coordinating products:
engage tile, impact tile

product specifications

style number:	5T186	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/10	41.0/10 cm
average density:	6063 ozs./yd³	9.26 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



clarity 86111 | escape 86505 | nuance 86515 | experience 86535 | transform 86585 | ahchieve 86760

TINGE TILE | VERTICAL LAYERS quick ship

TILE SIZE: 9X36




colour: **56516 burnished pewter**

coordinating products:
expose tile, relief tile, uncover tile, undertone tile, unveil lvt

product specifications

style number:	5T156	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	5464 ozs./yd³	8.53 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	herringbone, ashlar, brick	



weathered birch 56112 | industrial concrete 56482 | ferric metal 56483 | oxidized iron 56506 | blackened iron 56508 | burnished pewter 56516

patina steel 56536 | tarnished alum 56761

TRACE TILE | REWOVEN

TILE SIZE: 24X24




colour: **83761 clay**

coordinating products:
align tile, contour, dimension, layer, outline, sculpt loop tile, sculpt tile

product specifications

style number:	5T005	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	7129 ozs./yd³	11.85 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	




bisque 83111 | cork 83170 | nuance 83314 | swept 83322 | night 83496 | underground 83505

zinc 83515 | carbon 83585 | canyon 83750 | suede 83755 | clay 83761 | brazen 83803

TRACK TILE | ACTIVE

TILE SIZE: 12X48




colour: **04595 flexible**

coordinating products:
advance tile, dash tile, turn tile

product specifications

style number:	5T204	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m2
gauge:	1/12	47.2/10 cm
average density:	8780 ozs./yd³	10.02 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



TRANQUIL TILE | SANCTUARY

TILE SIZE: 9X36




colour: **97320 replenish**

coordinating products:
bliss tile, serenity tile

product specifications

style number:	5T197	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m2
gauge:	1/12	47.2/10 cm
average density:	8640 ozs./yd³	14.26 kilotex
product size:	9 in x 36 in	22.9 cm x91.4 cm
secondary backing:	ecoworx®	
recommended installation:	herringbone, monolithic, ashlar, brick	



TRANSPARENT TILE | CLEARVIEW quick ship

TILE SIZE: 24X24




colour: **62103 porcelain**

coordinating products:
clear tile, glaze tile

**also available as StaticSmart™ ESD*

product specifications

style number:	59563	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	15 oz.	508.6 g/m2
gauge:	1/12	47.2/10 cm
average density:	4500 ozs./yd³	8.35 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn, monolithic, ashlar, brick	




TRU COLOURS TILE quick ship

TILE SIZE: 24X24



product specifications

style number:	59368	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m2
gauge:	1/10	39.4/10 cm
average density:	11,613 ozs./yd³	16.04 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn	




TRU COLOURS TILE quick ship

TILE SIZE: 24X24



TURN TILE | ACTIVE

TILE SIZE: 12X48




colour: **04535 coordinate + 04870 strenuous**

coordinating products:
advance tile, dash tile, track tile

product specifications

style number:	5T205	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m2
gauge:	1/12	47.2/10 cm
average density:	9863 ozs./yd³	10.40 kilotex
product size:	12 in x 48 in	30.5 cm x 121.9 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, ashlar, stagger, herringbone, brick	



UNCOVER TILE | VERTICAL LAYERS

TILE SIZE: 9X36




colour: **50515 pewter**

coordinating products:
expose tile, relief tile, tinge tile, undertone tile, unveil lvt

product specifications

style number:	5T150	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6698 ozs./yd³	11.67 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	herringbone, ashlar, brick	



UNDERTONE TILE | VERTICAL LAYERS quick ship

TILE SIZE: 9X36




colour: **57515 past**

coordinating products:
expose tile, relief tile, tinge tile, uncover tile, unveil lvt

product specifications

style number:	5T157	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6652 ozs./yd³	8.35 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	herringbone, ashlar, brick	



UNITY TILE | SEQUENCE


TILE SIZE: 24X24




colour: **14345 bittersweet chic**

product specifications


style number:	59416	
fibre:	eco solution q® nylon	
dye method:	48% solution dyed / 52% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6912 ozs./yd³	11.17 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic	



sparkling bliss 14225 | glow with flair 14235 | mystic meadow 14325 | cultivated kelly 14335 | bittersweet chic 14345 | willow grove 14355



sweet spot 14365 | twilight moonshade 14425 | harvest jewel 14435 | divine flannel 14525 | primitive earth 14625 | herbal charm 14825



sultry nights 14925

UNWIND TILE | COLLECTIVE TIME

TILE SIZE: 24X24




colour: **89530 still**


coordinating products:
constant sheet, change sheet, interval lvt

product specifications

style number:	5T090	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	7472 ozs./yd³	11.65 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



pause 89103 | quietude 89327 | balane 89480 | still 89530 | fitness 89549 | energy 89715



downtime 89740 | agility 89906

VALUE TILE | COLOUR AT WORK

TILE SIZE: 9X36




colour: **07518 silver charcoal**

coordinating products:
achromatic tile, color form tile, duotone tile, saturate tile

product specifications

style number:	5T110	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6750 ozs./yd³	10.39 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, ashlar, herringbone	



beige silver 07155 | beige yellow 07210 | silver chartreuse 07325 | charcoal cyan 07436 | blue green 07486 | charcoal black 07505



silver charcoal 07518 | charcoal brown 07555 | black brown 07752 | red pink 07855

VANISH TILE | NATURAL PELETTE

TILE SIZE: 24X24




colour: **22516 black tea**


coordinating products:
blend tile, hint tile, technique tile

product specifications

style number:	5T023	
fibre:	eco solution q® nylon	
dye method:	65% solution dyed / 35% yarn dyed	
tufted weight:	34 oz.	1,152.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	8106 ozs./yd³	15.71 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	




birch 22170 | indigo 22496 | sumac 22504 | logwood 22505 | black tea 22516 | tea tree 22550



carob 22585 | walnut hull 22750 | coffee 22755 | maple 22761 | beet 22880

VANTAGE TILE | FLIGHT

TILE SIZE: 24X24




colour: **84585 agate element**


coordinating products:
interact tile, pause tile, step tile

product specifications

style number:	5T086	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746.0 g/m²
gauge:	1/12	47.2/10 cm
average density:	7472 ozs./yd³	13.40 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick random	



ivory heather 84105 | ivory ale 84111 | heather aloe 84325 | azure heather 84407 | element bay 84431 | element ink 84496



heather nickel 84518 | heather ale 84530 | ashen element 84555 | agate element 84585 | element earth 84750 | ashen agate 84761



ashen soul 84855

VAPOR TILE | MATERIAL MATTERS

TILE SIZE: 18X36




colour: **37557 smoke**


coordinating products:
embark tile, fringe tile, haze tile, wander tile

product specifications

style number:	5T036	
fibre:	eco solution q® nylon	
dye method:	98% yarn dyed / 2% solution dyed	
tufted weight:	18 oz.	610.3 g/m²
gauge:	1/12	47.2/10 cm
average density:	6480 ozs./yd³	10.41 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, brick, basketweave, herringbone, boxed in, half basketweave	



whisper 37111 | lustrous 37170 | poetic 37320 | dreamy 37481 | stardust 37496 | myth 37505



delicate 37515 | airy 37530 | smoke 37557 | linger 37750 | notion 37760 | shadow 37761

VAST TILE | NO RULES quick ship

TILE SIZE: 24X24




colour: **09505 encompass**


coordinating products:
infinite tile

product specifications

style number:	5T009	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	6128 ozs./yd³	9.12 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



indefinite 09150 | surround 09330 | boundless 09485 | limitless 09500 | endless 09504 | encompass 09505



immense 09585 | enfold 09761

VEIL TILE | SHADOWS

TILE SIZE: 24X24




colour: **33327 canopy**


coordinating products:
highlight, imprint tile, profile, sketch tile

product specifications

style number:	59594	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7313 ozs./yd³	11.36 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



desert 33201 | vapor 33315 | canopy 33327 | mist 33335 | reflect 33402 | cloud 33530



silhouette 33549 | sunwashed 33665 | illume 33725 | kindle 33750 | obscure 33760 | moonlight 33761



aura 33990

VERTICAL EDGE TILE | ON THE EDGE quick ship

TILE SIZE: 18X36




colour: **67155 oatmeal margin**

coordinating products:
abstract edge tile, colour plank tile, horizontal edge tile, merge tile, minimal tile


product specifications

style number:	59114	
fibre:	eco solution q® nylon	
dye method:	92% solution dyed / 8% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6712 ozs./yd³	12.99 kilotex
product size:	18 in x 36 in	45.7 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, basketweave, herringbone, boxed in, brick, half basketweave	



VIBRANT TILE | LIGHT SERIES quick ship

TILE SIZE: 24X24




colour: **01585 frequency**

coordinating products:
absorbed tile, applied tile, visible tile

product specifications

style number:	5T001	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6207 ozs./yd³	11.17 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



VISIBLE TILE | LIGHT SERIES quick ship

TILE SIZE: 24X24




colour: **01761 pixel**

coordinating products:
absorbed tile, applied tile, vibrant tile

product specifications

style number:	5T002	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6667 ozs./yd³	10.98 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick, random	



WANDER TILE | MATERIAL MATTERS quick ship

TILE SIZE: 24X24




colour: **37530 airy**

coordinating products:
embark tile, fringe tile, haze tile, vapor tile

product specifications

style number:	5T039	
fibre:	eco solution q® nylon	
dye method:	98% solution dyed / 2% yarn dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6000 ozs./yd³	9.17 kilotex
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



WELCOME II TILE | STEPPIN OUT

TILE SIZE: 24X24




colour: **31557 sterling**

coordinating products:
bon jour II, bon jour II tile, entrée tile, welcome II

product specifications

style number:	5T031	
fibre:	pet polyester	
dye method:	100% solution dyed	
tufted weight:	49 oz.	1661.38 g/m^2
average density:	6477 ozs./yd^3	
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	quarter turn	



tobacco
31150

blue
31400

multicolour
31481

navy
31485

ebony
31500

charcoal
31549

sterling
31557

walnut
31750


black chocolate
31751

portabella
31761

red
31850

ZONE TILE | THE PARK

TILE SIZE: 9X36



colour: **58300 green**

coordinating products:
create tile, drift tile, explore tile, linger tile, reflect tile

product specifications

style number:	5T158	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	35 oz.	1186.7 g/m^2
gauge:	3/16	21.0/10 cm
average density:	3913 ozs./yd^3	7.68 kilotex
product size:	9 in x 36 in	22.9 cm x 91.4 cm
secondary backing:	ecoworx®	
recommended installation:	herringbone	



green
58300

back to contents page

3SQUARE | L7

BROADLOOM



colour: **46111 exact proportion**

coordinating products:
24square tile

product specifications

style number:	5A046	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	34 oz.	1,152.8 g
gauge:	1/10	39.4/10 cm
average density:	6442ozs./yd³	11.63 kilotex
pattern repeat:	36 in x 36 in	91.44 cm x 91.44 cm
secondary backing:	ultraloc®	


exact proportion
46111


equal
46300


old fashioned
46400


viewfinder
46500


right angles
46505


four sided
46585


frame
46761

ACCOMPLISH | ABUNDANT LIFE II quick ship **

BROADLOOM



colour: **27251 attain**

coordinating products:
prosper, accomplish

product specifications


style number:	60727	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/8	31.5/10 cm
average density:	4383 ozs./yd³	7.45 kilotex
pattern repeat:	.5 in x .41 in	1.27 cm x 1.04 cm
secondary backing:*	ecoworx® performance broadloom	
	**also available with classicbac® - 60728*	


dream
27150


reach
27151


sustain
27250


attain
27251


achieve
27350


secure
27751

**quick ship available for orders up to 600 yds on ecoworx® performance broadloom backing only.

AMBITION III


BROADLOOM




colour: **57760 henna**

product specifications

style number:	5A240 | 5A241	
fibre:	olefin	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6102 ozs./yd³	10.75 kilotex
	5742 ozs./yd³	12.18 kilotex
pattern repeat:	none	
secondary backing:	classicbac®	




camel 57160 | gold 57260 | moss 57320 | emerald 57330 | grassy 57335 | storm 57404



chambray 57415 | mineral 57420 | fretwork 57500 | topaz 57505 | reflection 57510 | nickel 57515



chrome 57520 | pewter 57560 | indies 57705 | coffee 57710 | mushroom 57715 | twig 57720



ginger 57725 | henna 57760 | desert 57762 | dust 57764 | garnet 57801 | brandy 57805

AMPLIFY | BRIGHT WORK

quick ship

BROADLOOM




colour: **27504 starlight**

coordinating products:
allure tile, flare, flicker, glimmer tile, illuminate, shine tile

product specifications

style number:	5A176	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6769 ozs./yd³	11.47 kilotex
pattern repeat:	24 in x 2 ft 6 in	60.96 cm x 76.2 cm
secondary backing:	ultraloc®	



golden 27150 | flashpoint 27485 | spark 27500 | starlight 27504 | moonlit 27505 | gleam 27585



bronzed 27750 | afterglow 27755 | gloss 27761

ARTISAN LOOM | DESIGN JOURNEY NOVICE

BROADLOOM




colour: **96111 natural silk**


coordinating products:
artisan tile, chok loom, chok tile, cloth tile, kit tile, matmee tile, plain weave tile

product specifications


style number:	5A208	
fibre:	eco solution q® nylon	
dye method:	30% solution dyed / 70% yarn dyed	
tufted weight:	38 oz.	1,288.5 g/m²
gauge:	1/10	39.4/10 cm
average density:	9771 ozs./yd³	9.04 kilotex
pattern repeat:	48 in x 36 in	121.92 cm x 91.44 cm
secondary backing:	ultraloc®	



natural silk 96111 | heddle 96156 | pidan 96314 | tradition 96496 | angkor 96500 | naga 96504



pagoda 96515 | hand craft 96555 | bayon 96585 | copper 96601 | temple 96713 | kadai 96760



annato 96880 | sanskrit 96906

ASPIRE | ABUNDANT LIFE II

BROADLOOM



colour: **58150 desire**

coordinating products:
accomplish, prosper,

product specifications

style number:	60758	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6503 ozs./yd³	11.15 kilotex
pattern repeat:	.81 in x .94 in	2.06 cm x 2.39 cm
secondary backing:*	ecoworx® performance broadloom	


also available with classicbac® - 60759



pursue 58106 | propose 58111 | desire 58150 | wish 58251 | strive 58350 | seek 58715

ASSOCIATE


BROADLOOM



colour: **63521 partner**

product specifications

style number:	60563	
fibre:	solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	5205 ozs./yd³	11.10 kilotex
pattern repeat:	none	
secondary backing:	ultraloc®	



colleague 63121 | accomplice 63321 | fellow 63421 | partner 63521 | insider 63721 | thick n thin 63821

go to guy 63822 | together 63823 | sidekick 63921

BASE METAL | NOBLE MATERIALS

BROADLOOM




colour: **18100 carrara silver**

coordinating products:
alchemy tile, emerge lvt, fault, form tile, honed tile, monolith woven, slab tile, strata

product specifications

style number:	5A219	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
woven pile height:	38 oz.	1,288.4 g/m²
pitch:	216	315 perm
average density:	7558 ozs./yd³	11.23 kilotex
pattern repeat:	.375 in	.95 cm
secondary backing:	unitary	



carrara silver 18100 | alabaster gold 18111 | colossal bismuth 18496 | onyx silver 18505 | element platinum 18506 | forge platinum 18518

talc platinum 18535 | cornerstone copper 18555 | slate palladium 18595

BASKET | NEW SIMPLICITY

BROADLOOM



colour: **50315 sanctuary**

coordinating products:
bridge, essence, expressive, trellis, twine

product specifications

style number:	60750	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	7814 ozs./yd³	11.66 kilotex
pattern repeat:	48 in x 48 in	121.92 cm x 121.92 cm
secondary backing:	ecoworx® performance broadloom	



good life 50220 | serenity 50311 | sanctuary 50315 | free spirit 50447 | cheers 50665 | leisure 50713

daydreamer 50725 | savvy 50761

BELLCOURT | LUSH LIFE

BROADLOOM



colour: **94761 panache**

coordinating products:
affluence tile, cranford, decor tile, kennebunk, joie, moritz, riche tile, verve, vitae, wisdom

product specifications

style number:	5B094	
fibre:	eco solution q® nylon	
dye method:	100% dye injection print	
tufted weight:	36 oz.	1,220.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	5043 ozs./yd³	10.96 kilotex
pattern repeat:	18 in x 18 in	45.72 cm x 45.72 cm
secondary backing:	classicbac®	


refined
94314


ooh la la
94335



on the town
94713


so glam
94725


panache
94761

BEYOND | OFF THE GRID

BROADLOOM



colour: **15580 ridge**

coordinating products:
beyond tile, discover tile, escape, expanse tile, seek tile

product specifications

style number:	5A243	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.17 g/m²
gauge:	1/10	39.37/10 cm
average density:	7297 ozs./yd³	13.59 kilotex
pattern repeat:	144 in x 96 in	365.76 cm x 243.84 cm
secondary backing:	ultraloc®	



dune
15105


canyon
15180


moss
15326


coast
15456


vast
15505



slope
15518


cliff
15530


ridge
15580

BIRCH | PLACES quick ship

BROADLOOM



colour: **72760 village**

coordinating products:
central line tile, city central tile, grove, sea tile, sea edge tile, sky tile, summit

product specifications


style number:	5A235	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	7266 ozs./yd³	12.36 kilotex
pattern repeat:	24 in x 24 in	60.96 cm x 60.96 cm
secondary backing:	classicbac®	


skyline
72500


market
72505


scenic
72515


metro
72530


ocean
72535


urban
72557


island
72595


village
72760


earthy
72761

BLOG | TURN-KEY quick ship

BROADLOOM



colour: **25755 wild rice**

coordinating products:
text

product specifications


style number:	5A126	
fibre:	eco solution q® nylon	
dye method:	74% solution dyed / 26% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	5503 ozs./yd³	11.88 kilotex
pattern repeat:	.6 in x .1 in	1.52 cm x 2.54 cm
secondary backing:*	classicbac®	


**also available on ultraloc® 5A126 (standard lead times apply)*



buttercup
25103


bronze tone
25150


dry sage
25309


african violet
25340



blue lapis
25420


twilight blue
25485


granite
25500


harvest brown
25740


wild rice
25755


vintage taupe
25761


bonfire
25855

BLOOM PLUSH | DRESSED TO KILL — BROADLOOM




colour: **27110 muse**

coordinating products:
float plush, shadow plush, swirl plush

product specifications

style number:	5A130	
fibre:	eco solution q® nylon	
dye method:	100% yarn dyed	
tufted weight:	40 oz.	1,356.3 g/m²
gauge:	1/11	43.3/10 cm
average density:	6636 ozs./yd³	11.28 kilotex
pattern repeat:	72 in x 144 in	182.88 cm x 365.76 cm
secondary backing:	ultraloc®	



muse 27110 | lacquer 27500 | mink 27761 | sultry 27803

BON JOUR II | STEPPIN' OUT — BROADLOOM




colour: **31500 ebony**

coordinating products:
bon jour II tile, entree tile, welcome II, welcome II tile

product specifications

style number:	60746	
fibre:	pet polyester	
dye method:	100% solution dyed	
tufted weight:	51 oz.	1,729.2 g/m²
gauge:	1/12	47.2/10 cm
average density:	5379 ozs./yd³	10.02 kilotex
pattern repeat:	.28 in	.71 cm
secondary backing:	performance rubber	



tobacco 31150 | blue 31400 | multicolor 31481 | navy 31485 | ebony 31500 | charcoal 31549

sterling 31557 | walnut 31750 | black chocolate 31751 | portabella 31761 | red 31850

BOTAN | TERASU — BROADLOOM




colour: **36300 pond**

coordinating products:
botan tile, hana, hana tile, kusa, kusa tile, roji sheet, reed sheet, tatami sheet

product specifications

style number:	5A236	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7429 ozs./yd³	13.33 kilotex
pattern repeat:	72 in x 50 in	182.88 cm x 127 cm
secondary backing:	ultraloc®	




sand 36103 | pond 36300 | dragonfly 36315 | bamboo 36335 | sky 36447 | lantern 36515



stone 36530 | koi 36713 | pavillion 36715

BRIDGE | NEW SIMPLICITY — BROADLOOM




colour: **50447 free spirit**

coordinating products:
basket, essence, expressive, trellis, twine

product specifications

style number:	60755	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4 per 10 cm
average density:	7412 ozs./yd³	12.11 kilotex
pattern repeat:	.594 in x .438 in	1.51 cm x 1.11 cm
secondary backing:	ecoworx® performance broadloom	



good life 50220 | serenity 50311 | sanctuary 50315 | free spirit 50447 | cheers 50665 | leisure 50713

daydreamer 50725 | savvy 50761

CADENCE | INTEGRATE


BROADLOOM



colour: **37750 bridge**

product specifications

style number:	60737	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	6154 ozs./yd³	11.41 kilotex
pattern repeat:	36 in x 48 in	91.44 cm x 121.92 cm
secondary backing:	ecoworx® performance broadloom	




crossroads 37309 | maze 37335 | timeless 37400 | labyrinth 37485 | versatile 37500 | boundaries 37505

symbolic 37512 | element 37601 | knot 37715 | wired 37730 | bridge 37750 | fuse 37761

CHARISMA

BROADLOOM




colour: **61750 aristocrat**

coordinating products:
charisma tile

product specifications

style number:	60734	
fibre:	eco solution q® nylon	
dye method:	80% solution dyed / 20% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	5/64	50.4/10 cm
average density:	8426 ozs./yd³	11.49 kilotex
pattern repeat:	.7 in x 2.47 in	1.78 cm x 6.27 cm
secondary backing:	ecoworx® performance broadloom	



legend 61103 | foreground 61335 | aloft 61400 | celestial 61481 | top notch 61485 | backdrop 61505

channel 61530 | burled 61730 | antique 61740 | aristocrat 61750 | captions 61761 | inferno 61879

artistic 61979

CHOK LOOM | DESIGN JOURNEY MASTER

BROADLOOM




colour: **99760 kadai**

coordinating products:
artisan tile, artisan loom, chok tile, cloth tile, kit tile, matmee tile, plain weave

product specifications

style number:	5A211	
fibre:	eco solution q® nylon	
dye method:	53% solution dyed / 47% yarn dyed	
tufted weight:	38 oz.	1,288.5 g/m²
gauge:	1/10	39.4/10 cm
average density:	9060 ozs./yd³	9.34 kilotex
pattern repeat:	72 in x 74 in	182.88 cm x 187.96 cm
secondary backing:	ultraloc®	



natural silk 99111 | heddle 99156 | pidan 99314 | tradition 99496 | angkor 99500 | naga 99504

pagoda 99515 | hand craft 99555 | bayon 99585 | copper 99601 | temple 99713 | kadai 99760

annato 99880 | sanskrit 99906

COLLAGE | CUT & COMPOSE

BROADLOOM




colour: **66760 factor**

coordinating products:
construct tile, copy tile, rotate tile

product specifications

style number:	60766	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	9659 ozs./yd³	11.53 kilotex
pattern repeat:	72 in x 64 in	182.88 cm x 162.56 cm
secondary backing:	ecoworx® performance broadloom	



notation 66150 | format 66370 | abstract 66481 | ecliptic 66500 | typeset 66505 | sector 66585

cut up 66740 | integer 66751 | emblem 66753 | factor 66760 | characters 66761 | radius 66765


CONSTELLATION quick ship — BROADLOOM



colour: **26710 shooting star**

product specifications

style number:	60550	
fibre:	eco solution q® nylon	
dye method:	70% solution dyed / 30% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	7800 ozs./yd³	11.81 kilotex
pattern repeat:	.41 in x 6.91 in	1.04 cm x 17.55 cm
secondary backing:	ultraloc®	



CONTOUR | REWOVEN quick ship — BROADLOOM




colour: **86515 zinc**


coordinating products:
align tile, dimension, layer, outilne, sculpt tile, sculpt loop tile, trace tile

product specifications

style number:	5A186	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	6646 ozs./yd³	13.13 kilotex
pattern repeat:	3.6 in x 4.75 in	9.14 cm x 12.07 cm
secondary backing:	classicbac®	



CONTÉ | HAND DRAWN — BROADLOOM




colour: **13761 gouche**


coordinating products:
brush lvt (8 mil, 12 mil, 20 mil), erase, fine point tile, line weight tile, line lvt (12 mil, 20 mil), plaster lvt (12 mil, 20 mil), scribe, stipple tile, stylus

product specifications

style number:	5A213	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	5180 ozs./yd³	10.47 kilotex
pattern repeat:	36 in x 36 in	91.44 cm x 91.44 cm
secondary backing:	ultraloc®	



CORDED | CHENILLE — BROADLOOM




colour: **91111 sunstone**

coordinating products:
corded tile, chain stitch tile, cross stitch, double knit, knit tile

product specifications

style number:	5A091	
fibre:	eco solution q® nylon	
dye method:	90% solution dyed / 10% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6380 ozs./yd³	12.19 kilotex
pattern repeat:	2.6 in x .4 in	6.60 cm x 1.02 cm
secondary backing:	ultraloc®	



CORE | ALTERNATURE

BROADLOOM




colour: **78103 balsa**

coordinating products:
earth tone tile, entwine tile, grounded, ingrain tile, natural selection, timber

product specifications

style number:	5A178	
fibre:	eco solution q® nylon	
dye method:	51% solution dyed / 49% yarn dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/10	39.4/10 cm
average density:	7338 ozs./yd³	17.63 kilotex
pattern repeat:	1.2 in x .75 in	3.05 cm x 1.91 cm
secondary backing:	ultraloc®	



balsa 78103 | alder 78109 | spruce 78322 | linden 78496 | quince 78504 | koa 78505



burl 78713 | teak 78750 | iroko 78761 | samara 78803

CRANFORD | LUSH LIFE

BROADLOOM



colour: **93761 panache**

coordinating products:
affluence tile, bellcourt, decor tile, joie, kennebunk, moritz, riche tile, verve, vitae, wisdom

product specifications


style number:	5B093	
fibre:	eco solution q® nylon	
dye method:	100% dye injection print	
tufted weight:	36 oz.	1,220.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	5043 ozs./yd³	10.96 kilotex
pattern repeat:	36 in x 36 in	91.44 cm x 91.44 cm
secondary backing:	classicbac®	



refined 93314 | ooh la la 93335 | on the town 93713 | so glam 93725 | panache 93761

CROSS STITCH | CHENILLE

BROADLOOM



colour: **92111 sunstone**


coordinating products:
chain stitch tile, corded, corded tile, double knit, knit tile

product specifications

style number:	5A092	
fibre:	eco solution q® nylon	
dye method:	89% solution dyed / 11% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	5814 ozs./yd³	14.41 kilotex
pattern repeat:	.6 in x .7 in	1.52 cm x 1.78 cm
secondary backing:	ultraloc®	



wicker 92103 | sunstone 92111 | sterling 92150 | linea 92300 | green gold 92301 | azure 92481



granite 92505 | silver sage 92511 | mixed metal 92585 | serene sky 92595 | raffia 92715 | coco 92750

CROWN COLONY III

BROADLOOM




colour: **48550 silver shield**

product specifications


style number:	5A048	
fibre:	antron® legacy nylon	
dye method:	100% piece dyed	
tufted weight:	36 oz.	1,220.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	8308 ozs./yd³	15.21 kilotex
pattern repeat:	1.19 in x 1.5 in	3.02 cm x 3.81 cm
secondary backing:	ultraloc®	



gilded beige 48109 | high tea 48144 | cobblestone 48171 | avalon 48309 | agate 48371 | stonehenge 48377



noble 48404 | chivalry 48496 | stately 48500 | white knight 48504 | gothic 48517 | trust 48546




silver shield 48550 | earl grey 48585 | mercury 48598 | spire 48599 | antique copper 48601

more colors

CROWN COLONY III

BROADLOOM



travertine 48713 | tavern 48752 | joust 48755 | ginger ale 48757 | earthen 48761 | windsor haze 48777 | monarch 48855 | merlin 48978

CULTURE | TURN-KEY quick ship

BROADLOOM



colour: **12150 bare necessities**

coordinating products:
evolution, space

product specifications

style number:	50912	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6222 ozs./yd³	15.19 kilotex
pattern repeat:	1.4 in x 2.4 in	3.56 cm x 6.10 cm
secondary backing:	classicbac®	



bare necessities 12150 | exotic seasalt 12315 | harbouring desires 12485 | steeling beauty 12500 | atmosfera 12760 | ciao bella 12855

DESIGN SERIES V quick ship

BROADLOOM



colour: **32325 elephant**

product specifications

style number:	5A032	
fibre:	nylon	
dye method:	100% piece dyed	
tufted weight:*	30 oz.	1,017.2 g/m²
gauge:	1/10	39.4/10 cm
average density:	5373 ozs./yd³	8.32 kilotex
pattern repeat:	none	
secondary backing:	classicbac®	

also available in 36 oz. 5A033



pale 32100 | twill 32110 | vanilla 32115 | parchment 32120 | white light 32142 | software 32153
insert 32155 | ciao bella 32156 | bare necessities 32157 | sandalwood 32207 | glow 32220 | linen 32243
foliage 32314 | splash 32315 | exotic seasalt 32322 | elephant 32325 | envy 32340 | north sea 32343
view 32344 | willow 32356 | wireless 32366 | fennel 32370 | spectrum 32461 | matrix 32462
chip 32464 | net 32465 | deep 32490 | video port 32491 | dusk 32496 | shadow 32500
breeze 32505 | micro 32510 | atmosfera 32521 | steeling beauty 32524 | modem 32544 | heavy metal 32545
toggle 32546 | macro 32583 | escape 32591 | edit 32592 | mouse 32595 | latte 32705
fine clay 32708 | wenge 32710 | bleached leather 32713 | saddle 32721 | lava 32725

more colors

DESIGN SERIES V quick ship — BROADLOOM



double expresso 32731 | vapor 32742 | birch 32755 | wine 32843 | mirage 32844 | encrypt 32845 | barberry 32846 | crushed berry 32883 | accelerator 32891

shale 32904 | cybernaut 32940 | aura 32944 | beta 32992

DIMENSION | REWOVEN — BROADLOOM



colour: **83111 bisque**

product specifications

style number:	5A184	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	39.4/10 cm
average density:	6046 ozs./yd³	11.69 kilotex
pattern repeat:	14.4 in x 18 in	36.58 cm x 45.72 cm
secondary backing:	ultraloc®	

bisque 83111 | cork 83170 | nuance 83314 | swept 83322 | night 83496 | underground 83505

zinc 83515 | carbon 83585 | canyon 83750 | suede 83755 | clay 83761 | brazen 83803

coordinating products:
align tile, contour, layer, outline, sculpt tile, sculpt loop tile, trace tile

DIVIDE | TURN-KEY quick ship — BROADLOOM



colour: **65103 down to earth**

coordinating products:
edit, equal


product specifications

style number:	5A065	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6832 ozs./yd³	14.88 kilotex
pattern repeat:	1 in x 2.2 in	2.54 cm x 5.59 cm
secondary backing:	classicbac®	

down to earth 65103 | sweetgrass 65300 | urban jungle 65309 | raw denim 65485 | calculate 65500 | sheer magnetic 65504

cast iron 65585 | natural grain 65755 | carmine 65855

DOUBLE KNIT | CHENILLE — BROADLOOM



colour: **93111 sunstone**

coordinating products:
chain stitch tile, corded, corded tile, cross stitch, knit tile

product specifications


style number:	5A093	
fibre:	eco solution q® nylon	
dye method:	92% solution dyed / 8% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	7252 ozs./yd³	15.16 kilotex
pattern repeat:	72 in x 72 in	182.88 cm x 182.88 cm
secondary backing:	ultraloc®	

wicker 93103 | sunstone 93111 | sterling 93150 | linea 93300 | green gold 93301 | azure 93481

granite 93505 | silver sage 93511 | mixed metal 93585 | serene sky 93595 | raffia 93715 | coco 93750

ECLECTIC | MIX quick ship

BROADLOOM




colour: **64755 marble**

coordinating products:
catalyst tile, hybrid tile, meld

product specifications

style number:	5A164	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	5918 ozs./yd³	11.16 kilotex
pattern repeat:	1.81 in x 1.75 in	4.59 cm x 4.45 cm
secondary backing:	classicbac®	



EDIT | TURN-KEY quick ship

BROADLOOM




colour: **67103 down to earth**

coordinating products:
equal, divide

product specifications

style number:	5A067	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6411 ozs./yd³	13.72 kilotex
pattern repeat:	.4 in x .6 in	1.02 cm x 1.52 cm
secondary backing:	classicbac®	



EDITION | MODERN EDIT

BROADLOOM




colour: **64595 vintage grey**

coordinating products:
inherit, intricate lvt, ornate tile, rethread tile

product specifications

style number:	5A228	
fibre:	eco solution q® nylon	
dye method:	46% solution dyed / 54% yarn dyed	
tufted weight:	34 oz.	1,152.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6838 ozs./yd³	19.41 kilotex
pattern repeat:	72 in x 48 in	182.88 cm x 121.92 cm
secondary backing:	ultraloc®	



EFFECT | OPENWORK

BROADLOOM




colour: **92761 alloy**

coordinating products:
bias tile, inlay, kasuri tile, mesh tile

product specifications

style number:	5A192	
fibre:	eco solution q® nylon	
dye method:	59% solution dyed / 41% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	5739 ozs./yd³	11.95 kilotex
pattern repeat:	14.4 in x 24 in	36.58 cm x 60.96 cm
secondary backing:	ultraloc®	



ENGRAVE | TRACERY — BROADLOOM




colour: **69600 etch**

coordinating products:
facade, ornament, screen

product specifications

style number:	60770	
fibre:	eco solution q® nylon	
dye method:	67% solution dyed / 33% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6171 ozs./yd³	13.58 kilotex
pattern repeat:	72 in x 52 in	182.88 cm x 132.08 cm
secondary backing:	ecoworx® performance broadloom	



cast 69155 | carve 969171 | model 69325 | inscribe 69335 | chisel 69546 | etch 69600



sculpt 69665 | shape 69761 | relief 69803

EQUAL | TURN-KEY quick ship — BROADLOOM




colour: **66103 down to earth**

coordinating products:
edit, divide

product specifications

style number:	5A066	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6686 ozs./yd³	15.34 kilotex
pattern repeat:	.8 in x .82 in	2.03 cm x 2.08 cm
secondary backing:	classicbac®	



down to earth 66103 | sweetgrass 66300 | urban jungle 66309 | raw denim 66485 | calculate 66500 | sheer magnetic 66504



cast iron 66585 | natural grain 66755 | carmine 66855

ERASE | HAND DRAWN — BROADLOOM




colour: **13761 gouche**


coordinating products:
brush lvt (8 mil, 12 mil, 20 mil), conté, erase, fine point tile, line weight tile, line lvt (12 mil, 20 mil), plaster lvt (12 mil, 20 mil), scribe, stipple tile, stylus

product specifications

style number:	5A214	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/12	47.2/10 cm
average density:	5160 ozs./yd³	10.40 kilotex
pattern repeat:	36 in x 48 in	91.44 cm x 121.92 cm
secondary backing:	ultraloc®	



gesso 13111 | parchment 13170 | landscape 13322 | stencil 13325 | ink 13496 | carbon 13505



graphite 13510 | charcoal 13557 | slate 13585 | bistre 13750 | gouache 13761 | sanguine 13880

ESCAPE | OFF THE GRID — BROADLOOM




colour: **15580 ridge**


coordinating products:
beyond, beyond tile, discover tile, expanse tile, seek tile

product specifications

style number:	5A242	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.55 g/m²
gauge:	1/10	39.4/10 cm
average density:	5538 ozs./yd³	13.48 kilotex
pattern repeat:	72 in x 72 in	182.88 cm x 182.88 cm
secondary backing:	ultraloc®	



dune 15105 | canyon 15180 | moss 15326 | coast 15456 | vast 15505 | peak 15506



slope 15518 | cliff 15530 | ridge 15580 | shore 15592 | summit 15597 | earth 15760

ESSENCE | NEW SIMPLICITY — BROADLOOM




colour: **50315 sanctuary**

coordinating products:
basket, bridge, expressive, trellis, twine

product specifications

style number:	60754	
fibre:	solution q extreme® nylon	
dye method:	93% solution dyed / 7% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2 per 10 cm
average density:	6720 ozs./yd³	12.56 kilotex
pattern repeat:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ultraloc®	



good life 50220 | serenity 50311 | sanctuary 50315 | free spirit 50447 | cheers 50665 | leisure 50713

daydreamer 50725 | savvy 50761

EVOLUTION | TURN-KEY quick ship — BROADLOOM




colour: **13150 bare necessities**

coordinating products:
culture, space

product specifications

style number:	50913	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6411 ozs./yd³	13.46 kilotex
pattern repeat:	.8 in x 2.5 in	2.03 cm x 6.35 cm
secondary backing:	classicbac®	



bare necessities 13150 | exotic seasalt 13315 | harbouring desires 13485 | steeling beauty 13500 | atmosfera 13760 | ciao bella 13855

ESSENTIAL | TURN-KEY quick ship — BROADLOOM




colour: **88761 true taupe**

coordinating products:
prime

product specifications

style number:	5A188	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	5255 ozs./yd³	10.61 kilotex
pattern repeat:	1.2 in x .5 in	3.05 cm x 1.27 cm
secondary backing:	classicbac®	



prime tan 88111 | fresh green 88330 | smart blue 88485 | basic black 88500 | perfect charcoal 88505 | vital gray 88585

simple brown 88740 | classic khaki 88755 | true taupe 88761

EXPRESSIVE | NEW SIMPLICITY — BROADLOOM



colour: **50725 daydreamer**

coordinating products:
basket, bridge, essence, trellis, twine

product specifications

style number:	60752	
fibre:	solution q extreme® nylon	
dye method:	93% solution dyed / 7% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2 per 10 cm
average density:	6462 ozs./yd³	12.56 kilotex
pattern repeat:	18 in x 18 in	45.72 cm x 45.72 cm
secondary backing:	ultraloc®	



good life 50220 | serenity 50311 | sanctuary 50315 | free spirit 50447 | cheers 50665 | leisure 50713

daydreamer 50725 | savvy 50761

FACADE | TRACERY — BROADLOOM




colour: **72600 etch**

coordinating products:
engrave, ornament, screen

product specifications

style number:	60772	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	5739 ozs./yd³	11.37 kilotex
pattern repeat:	14.4 in x 36 in	36.58 cm x 91.44 cm
secondary backing:	ecoworx® performance broadloom	



cast 72111 | inscribe 7233 | chisel 72546 | etch 72600 | carve 72755 | shape 72761



relief 72803

FAULT | NOBLE MATERIALS — BROADLOOM




colour: **20111 alabaster gold**

coordinating products:
alchemy, alchemy tile, base metal, emerge lvt, form tile, honed tile, monolith woven, slab tile, strata

product specifications

style number:	5A221	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	40 oz.	1,356.3 g/m²
gauge:	1/11	43.3/10 cm
average density:	6261 ozs./yd³	11.13 kilotex
pattern repeat:	72 in x 72 in	182.88 cm x 182.88 cm
secondary backing:	ultraloc®	



carrara silver 20100 | alabaster gold 20111 | colossal bismuth 20496 | onyx silver 20505 | element platinum 20506 | forge platinum 20518



talc platinum 20535 | cornerstone copper 20555 | slate palladium 20595

FIBER | COUTURE — BROADLOOM




colour: **61111 weld**


coordinating products:
adorn tile, dissolve tile, lana

product specifications

style number:	5A161	
fibre:	eco solution q® nylon	
dye method:	48% solution dyed / 52% yarn dyed	
tufted weight:	36 oz.	1,220.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	8203 ozs./yd³	19.89 kilotex
pattern repeat:	1.325 in x .75 in	3.37 cm x 1.9 cm
secondary backing:	ecoworx® broadloom	




crisp 61106 | weld 61111 | indigo 61496 | ashen 61504 | natural 61516 | char 61555



kohl 61597 | henna 61610 | fustic 61701 | saffron 61713 | umber 61750 | abrash 61761

FIELD TRIP quick ship — BROADLOOM




colour: **97415 smithsonian**


product specifications

style number:	60665	
fibre:	eco solution q® nylon	
dye method:	83% solution dyed / 17% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/8	31.5/10 cm
average density:	9421 ozs./yd³	13.03 kilotex
pattern repeat:	none	
secondary backing:*	ecoworx® performance broadloom*	


**also available on ultraloc® 60497*



monument 97105 | nature trail 97205 | city hall 97305 | farm 97310 | space camp 97315 | ballpark 97405



aquarium 97410 | smithsonian 97415 | picnic 97420 | state capitol 97505 | observatory 97510 | theatre 97605



grand canyon 97805 | fire station 97810 | zoo 97815 | planetarium 97905 | art museum 97910 | sci-tek 97915

FLARE | BRIGHT WORK quick ship — BROADLOOM




colour: **27505 moonlit**


coordinating products:
allure tile, amplify, flicker, glimmer tile, illuminate, shine tile

product specifications

style number:	5A175	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	5799 ozs./yd³	12.22 kilotex
pattern repeat:	1.5 in x 3.06 in	3.81 cm x 7.77 cm
secondary backing:	classicbac®	



FLICKER | BRIGHT WORK quick ship — BROADLOOM




colour: **27505 moonlit**

coordinating products:
allure tile, amplify, flare, glimmer tile, illuminate, shine tile

product specifications

style number:	5A174	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	7024 ozs./yd³	12.41 kilotex
pattern repeat:	.593 in x .781 in	1.5 cm x 1.98 cm
secondary backing:	classicbac®	



FLOAT PLUSH | DRESSED TO KILL — BROADLOOM




colour: **27110 muse**

coordinating products:
bloom plush, shadow plush, swirl plush

product specifications

style number:	5A129	
fibre:	eco solution q® nylon	
dye method:	100% yarn dyed	
tufted weight:	40 oz.	1,356.3 g/m²
gauge:	1/11	43.3/10 cm
average density:	6636 ozs./yd³	11.28 kilotex
pattern repeat:	72 in x 72 in	182.88 cm x 182.88 cm
secondary backing:	ultraloc®	



FOSSIL | TURN-KEY quick ship — BROADLOOM




colour: **38150 burl**

coordinating products:
terra

product specifications

style number:	5A038	
fibre:	solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	6042 ozs./yd³	10.60 kilotex
pattern repeat:	none	
secondary backing:	classicbac®	



GLADE | GRAPHIC NATURE

BROADLOOM




colour: **23546 mangrove**

coordinating products:
meadow, pebble, prairie tile

product specifications


style number:	60689	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	6765 ozs./yd³	10.26 kilotex
pattern repeat:	24 in x 48 in	61 cm x 121.9 cm
secondary backing:	ecoworx® performance broadloom	



sweet clover
23309


lagoon
23315


siberian sea
23485


mangrove
23546


cumin
23665


timberline
23715


driftwood
23750


sunset
23870

GROVE | PLACES quick ship

BROADLOOM



colour: **72760 village**

coordinating products:
birch, central line tile, city central tile, sea tile, sea edge tile, sky tile, summit

product specifications


style number:	5A234	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6828 ozs./yd³	12.25 kilotex
pattern repeat:	24 in x 24 in	61 cm x 61 cm
secondary backing:	classicbac®	


skyline
72500


market
72505


scenic
72515


metro
72530


ocean
72535


urban
72557


island
72595


village
72760


earthy
72761

GLOW | FEELING PLUSH

BROADLOOM



colour: **13755 natural tonic**

coordinating products:
glitz tile, luminosity tile, radiance tile, shimmer

product specifications

style number:	5A020	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	34 oz.	1,152.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	6652 ozs./yd³	10.10 kilotex
pattern repeat:	12 in x 24 in	30.5 cm x 61 cm
secondary backing:	ultraloc®	


creme de la creme
13103


suede sensation
13201


edamame
13309


tahitian pearls
13400


cerulean
13485


chocolate silk
13500


black cashmere
13505


seaside elegance
13530


kiwi kani
13544


stardust
13585


javanese spice
13713


natural tonic
13755

GRACE | LEGACY

BROADLOOM



colour: **07220 debonair**

coordinating products:
honor, tribute, wisdom

product specifications

style number:	60707	
fibre:	eco solution q® nylon	
dye method:	77% solution dyed / 23% yarn dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/10	39.4/10 cm
average density:	7291 ozs./yd³	11.57 kilotex
pattern repeat:	36 in x 48 in	91.44 cm x x 121.9 cm
secondary backing:	ecoworx® performance broadloom	



gilded crest
07100


traditional slate
07150


debonair
07220


refined jade
07300


vintage azure
07400


elegant lapis
07450


monogram
07600

GRADIENT | SHADE quick ship

BROADLOOM



colour: **34595 cobble grey**

coordinating products:
brilliance tile, gradient tile, striking tile, tint, tone

product specifications

style number:	5A153	
fibre:	eco solution q nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/8	31.5/10 cm
average density:	11020 ozs./yd³	13.58 kilotex
pattern repeat:	none	
secondary backing:	classicbac®	

straw 34103 | ceramic glaze 34110 | sandstone 34111 | french silver 34150 | bronze sheen 34156 | topaz 34170

blissful yellow 34220 | limelight 34328 | essential 34330 | blue haze 34402 | waterside 34456 | deep teal 34481

sapphire blue 34485 | charcoal 34500 | total eclipse 34505 | adrift 34512 | element 34583 | mercury 34585

mystique 34590 | cobble grey 34595 | green grove 34701 | branch 34730 | char brown 34740 | mocha 34750

driftwood 34755 | bird's eye 34761 | firefly 34858 | in the red 34870 | rose wine 34879 | electric blue 34988

GROUNDED | ALTERNATURE

BROADLOOM



colour: **38103 balsa**

coordinating products:
core, earth tone tile, entwine tile, ingrain tile, natural selection, timber

product specifications

style number:	5A190	
fibre:	eco solution q® nylon	
dye method:	51% solution dyed / 49% yarn dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/12	47.2/10 cm
average density:	8000 ozs./yd³	21.36 kilotex
pattern repeat:	none	
secondary backing:	ultraloc®	

balsa 38103 | alder 38109 | yucca 38144 | spruce 38322 | tamo 38481 | linden 38496

quince 38504 | koa 38505 | birch 38515 | ash 38595 | burl 38713 | teak 38750

mahogany 38752 | iroko 38761 | samara 38803 | resin 38911

GROUNDWORKS III

BROADLOOM



colour: **90600 cobbled street**

coordinating products:
groundworks III tile

product specifications

style number:	5A090	
fibre:	antron® legacy nylon	
dye method:	54% solution dyed / 46% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	7038 ozs./yd³	9.58 kilotex
pattern repeat:	2.875 in x 1.813 in	7.32 cm x 4.6 cm
secondary backing:	ultraloc®	

pebble path 90103 | footpath 90200 | mossy trail 90300 | parkway 90380 | aqueduct 90410 | watercourse 90420

city streets 90530 | highway 90570 | cobbled street 90600 | sidewalk 90700 | runways 90710 | terminal 90720

HANA | TERASU

BROADLOOM



colour: **36300 pond**

coordinating products:
botan, botan tile, hana tile, kusa, kusa tile, roji sheet, reed sheet, tatami sheet

product specifications

style number:	5A237	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7429 ozs./yd³	13.14 kilotex
pattern repeat:	72 in x 68 in	182.88 cm x 172.72 cm
secondary backing:	ultraloc®	



sand 36103 | pond 36300 | dragonfly 36315 | bamboo 36335 | sky 36447 | lantern 36515



stone 36530 | koi 36713 | pavillion 36715

HIGHLIGHT | SHADOWS

BROADLOOM




colour: **35150 tobacco**


coordinating products:
profile, imprint tile, sketch tile, veil tile

product specifications

style number:	60735	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/10	39.4/10 cm
average density:	8571 ozs./yd³	15.35 kilotex
pattern repeat:	none	
secondary backing:	ecoworx® performance broadloom	



platinum 35100 | tobacco 35150 | autumn gold 35171 | citrus 35201 | russian sky 35314 | brite green 35325



glass 35330 | ivy 35335 | marina 35415 | nordic 35447 | deep navy 35485 | black 35505



sterling 35518 | fescue 35545 | lava 35549 | russet 35665 | orange 35675

more colors

HIGHLIGHT | SHADOWS

BROADLOOM



coffee 35750 | portabella 35761 | henna 35850 | clear red 35855 | eggplant 35990

HIT THE BOOKS quick ship

BROADLOOM




colour: **18450 research paper**


product specifications

style number:	60668	
fibre:	eco solution q® nylon	
dye method:	61% solution dyed / 39% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	5/64	50.4/10 cm
average density:	7333 ozs./yd³	11.87 kilotex
pattern repeat:	1.41 in x 5.1 in	3.58 cm x 12.95 cm
secondary backing:*	ecoworx® performance broadloom	


**also available on ultraloc® backing 60504*



index 18100 | page turner 18310 | passing notes 18340 | bored stiff 18390 | chapters 1843 | research paper 18450



study hall 18490 | fine print 18500 | elements 18560 | thinking cap 18570 | thousand words 18700 | card catalog 18870



dewey decimal 18910

HONOR | LEGACY — BROADLOOM



colour: **08220 debonair**

coordinating products:
grace, tribute, wisdom

product specifications


style number:	60708	
fibre:	eco solution q® nylon	
dye method:	79% solution dyed / 21% yarn dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/10	39.4/10 cm
average density:	6506 ozs./yd³	11.74 kilotex
pattern repeat:	18 in x 36 in	45.72 cm x 1.44 cm
secondary backing:	ecoworx® performance broadloom	


gilded crest
08100


traditonal slate
08150


debonair
08220


refined jade
08300


vintage azure
08400


elegant lapis
08450


monogram
08600

IMAGERY | QUITE CANVAS — BROADLOOM



colour: **00104 fancy**

coordinating products:
artisan, sentiment, villa

product specifications

style number:	60774	
fibre:	nylon	
dye method:	100% continuous dyed	
tufted weight:	29 oz.	990.1 g/m²
gauge:	5/32	25.2/10 cm
average density:	2145 ozs./yd³	5.01 kilotex
pattern repeat:	none	
secondary backing:	classicbac®	


fancy
00104


recollection
00105


sense
00111


clam gray
00112


tranquil
00510



serenity
00511


inspiration
00512


vintage
00513


symbolism
00703


artistry
00710


embers
00712

ILLUMINATE | BRIGHT WORK quick ship — BROADLOOM




colour: **27504 starlight**

coordinating products:
allure tile, amplify, flare, flicker, glimmer tile, shine tile

product specifications


style number:	5A177	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6769 ozs./yd³	11.65 kilotex
pattern repeat:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ultraloc®	


golden
27150



flashpoint
27485


spark
27500


starlight
27504


moonlit
27505


gleam
27585


bronzed
27750


afterglow
27755


gloss
27761

INHERIT | MODERN EDIT — BROADLOOM



colour: **64595 vintage grey**

coordinating products:
edition, intricate lvt, ornate tile, rethread tile

product specifications

style number:	5A229	
fibre:	eco solution q® nylon	
dye method:	47% solution dyed / 53% yarn dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/12	47.2/10 cm
average density:	6583 ozs./yd³	18.87 kilotex
pattern repeat:	72 in x 72 in	182.88 cm x 182.88 cm
secondary backing:	ultraloc®	



ivory
64144


ochre
64155


heritage blue
64481


idigo
64496


antique
64504


eternal
64505


glass
64515


grey slate
64535


vintage grey
64595

hearth
64760

umber
64855

brocade
64911

INLAY | OPENWORK

BROADLOOM



colour: **93111 gild**

coordinating products:
bias tile, effect, kasuri tile, mesh tile

product specifications

style number:	5A193	
fibre:	eco solution q® nylon	
dye method:	57% solution dyed / 43% yarn dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	5781 ozs./yd³	12.05 kilotex
pattern repeat:	14.4 in x 36 in	36.58 cm x 91.44 cm
secondary backing:	ultraloc®	



INTERPLAY quick ship


BROADLOOM



colour: **89210 mesh**

product specifications

style number:	60589	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	8069 ozs./yd³	14.62 kilotex
pattern repeat:	none	
secondary backing:	ultraloc®	



INTUITION | BUILDING CHARACTER

BROADLOOM




colour: **77515 major milestone**

coordinating products:
guest, sophistication

product specifications

style number:	60777	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	6158 ozs./yd³	12.66 kilotex
pattern repeat:	36 in x 40 in	91.44 cm x 111.76 cm
secondary backing:	ultraloc® mb	



JOIE | LUSH LIFE

BROADLOOM




colour: **63665 charmed life**

coordinating products:
affluence tile, bellcourt, cranford, decor tile, kennebunk, moritz, riche tile, verve, vitae, wisdom

product specifications

style number:	60741	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	8914 ozs./yd³	11.74 kilotex
pattern repeat:	24 in x 48 in	61 cm x 121.9 cm
secondary backing:	ecoworx® performance broadloom	



KENNEBUNK | LUSH LIFE

BROADLOOM



colour: **92761 panache**

coordinating products:
affluence tile, bellcourt, cranford, decor tile,
joie, moritz, riche tile, verve, vitae, wisdom

product specifications

style number:	5B092	
fibre:	eco solution q® nylon	
dye method:	100% dye injection print	
tufted weight:	36 oz.	1,220.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	5043 ozs./yd³	10.96 kilotex
pattern repeat:	24 in x 24 in	61 cm x 61 cm
secondary backing:	classicbac®	


refined
92314


ooh la la
92335


on the town
92713


so glam
92725


panache
92761

KUSA | TERASU

BROADLOOM



colour: **36300 pond**

coordinating products:
botan, botan tile, hana, hana tile, kusa tile, roji sheet,
reed sheet, tatami sheet

product specifications

style number:	5A238	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	6750 ozs./yd³	13.51 kilotex
pattern repeat:	72 in x 36 in	182.88 cm x 91.44 cm
secondary backing:	ultraloc®	


sand
36103


pond
36300


dragonfly
36315


bamboo
36335


sky
36447


lantern
36515


stone
36530


koi
36713


pavillion
36715

LANA | COUTURE

BROADLOOM



colour: **59111 weld**

coordinating products:
adorn tile, dissolve tile, fiber

product specifications

style number:	5A159	
fibre:	eco solution q® nylon	
dye method:	37% solution dyed / 63% yarn dyed	
tufted weight:	38 oz.	1,288.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	9702 ozs./yd³	19.20 kilotex
pattern repeat:	36 in x 36 in	91.44 cm x 91.44 cm
secondary backing:	ecoworx® broadloom	


crisp
59106


weld
59111


indigo
59496


ashen
59504


natural
59516


char
59555


kohl
59597


henna
59610


fustic
59701


saffron
59713


umber
59750


abrash
59761

LAYER | REWOVEN

BROADLOOM



colour: **83111 bisque**


coordinating products:
align tile, contour, dimension, outline, sculpt tile,
sculpt loop, trace tile

product specifications

style number:	5A183	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	6712 ozs./yd³	11.39 kilotex
pattern repeat:	14.4 in x 36 in	36.6 cm x 91.44 cm
secondary backing:	ultraloc®	


bisque
83111



cork
83170



nuance
83314


swept
83322


night
83496


underground
83505


zinc
83515


carbon
83585


canyon
83750


suede
83755

clay
83761

brazen
83803

MAINFRAME | WIRELESS

BROADLOOM



colour: **40103 buttercup**

coordinating products:
blog, text, navigate

product specifications


style number:	5A140	
fibre:	eco solution q® nylon	
dye method:	86% solution dyed / 14% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7370 ozs./yd³	11.64 kilotex
pattern repeat:	36 in x 36 in	91.44 cm x 91.44 cm
secondary backing:	ultraloc®	


buttercup
40103


bronze tone
40150


dry sage
40309


african violet
40340


blue lapis
40420



twilight blue
40485


granite
40500


harvest brown
40740


wild rice
40755


vintage taupe
40761


bonfire
40850

MELD | MIX quick ship

BROADLOOM



colour: **64755 marble**

coordinating products:
catalyst tile, eclectic, hybrid tile

product specifications

style number:	5A165	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/10	39.4/10
average density:	6171 ozs./yd³	12.07 kilotex
pattern repeat:	1.59 in x .46 in	4.04 cm x 1.17 cm
secondary backing:	classicbac®	


season
64330


water
64485


pepper
64500


stipple
64505


tortoise shell
64740


marble
64755


dapple
64761


mosaic
64855

MEADOW | GRAPHIC NATURE

BROADLOOM



colour: **96585 stardust**


coordinating products:
glade, pebble, prairie tile

product specifications

style number:	60696	
fibre:	eco solution q® nylon	
dye method:	90% solution dyed / 10% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	8920 ozs./yd³	12.36 kilotex
pattern repeat:	.4 in x .69 in	1.02 cm x 1.75 cm
secondary backing:	ecoworx® performance broadloom	



sand
96155


chicory
96201


lily pond
96310


siberian sea
96485



chocolate silk
96500


mangrove
96546


stardust
96585


cumin
96665


painted desert
96713


timberline
96715


driftwood
96750


natural tonic
96755

MODIFY | VIEW quick ship

BROADLOOM



colour: **03597 distance**


coordinating products:
direction tile, field tile, realm tile, reverse tile, transfer,
scape tile, shape tile, switch

product specifications

style number:	5A204	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g
gauge:	1/10	39.4/10 cm
average density:	5180ozs./yd³	11.35kilotex
pattern repeat:	0.8 in x 1.25 in	2.03 cm x 3.18 cm
secondary backing:	classicbac®	


sight
03111


drift
03170


flip
03335


vista
03481


horizon
03496

space
03500

zone
03505

gaze
03530

outlook
03557

distance
03597

range
03755

area
03761

MOMENTUM IV quick ship


BROADLOOM




colour: **02305 potential**

product specifications


style number:	60602	
fibre:	solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6109 ozs./yd³	12.99 kilotex
pattern repeat:	none	
secondary backing:	unitary	



tempo 02205 · friction 02211 · bowled over 02304 · potential 02305 · evolve 02312 · hustle 02323



impulse 02405 · emerge 02413 · animate 02422 · rhythm 02505 · velocity 02512 · space walk 02513



rustle 02605 · vigor 02705 · advancement 02711 · psyched out 02715 · timbre 02721 · metropolis 02812

MORITZ | LUSH LIFE

BROADLOOM



colour: **91761 panache**

coordinating products:
affluence tile, bellcourt, cranford, decor tile, joie, kennebunk, riche tile, verve, vitae, wisdom

product specifications

style number:	5B091	
fibre:	eco solution q® nylon	
dye method:	100% dye injection print	
tufted weight:	36 oz.	1,220.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	5043 ozs./yd³	10.96 kilotex
pattern repeat:	24 in x 24 in	61 cm x 61 cm
secondary backing:	classicbac®	



refined 91314 · ooh la la 91335 · on the town 91713 · so glam 91725 · panache 91761

MONOLITH | NOBLE MATERIALS

BROADLOOM




colour: **18100 carrara**

coordinating products:
alchemy tile, base metal, emerge lvt, fault, form tile, honed tile, monolith woven, slab tile, strata

product specifications

style number:	5A218	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
woven pile height:	42 oz.	1,424.04 g/m²
pitch:	216	27.56/10 cm
average density:	8173 ozs./yd³	13.57 kilotex
pattern repeat:	.75 in	1.91 cm
secondary backing:	unitary	



carrara 18100 · alabaster 18111 · colossal 18496 · onyx 18505 · element 18506 · forge 18518



talc 18535 · cornerstone 18555 · slate 18595

MOVEMENT quick ship


BROADLOOM




colour: **75761 sulu**

product specifications


style number:	50875	
fibre:	eco solution q® nylon	
dye method:	90% solution dyed / 10% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	6109 ozs./yd³	12.49 kilotex
pattern repeat:	.4 in x .6 in	1.02 cm x 1.52 cm
secondary backing:	ultraloc®	



baltic 75103 · arabian sea 75230 · molukka 75309 · caribbean 75315 · bering 75319 · atlantic 75370



bay of bengal 75490 · coral 75500 · savu sea 75505 · macassar 75515 · north sea 75560 · persian 75580



pacific 75709 · sulu 75761 · red sea 75860 · south sea 75990

NATURAL SELECTION | ALTERNATURE

BROADLOOM




colour: **79505 koa**


coordinating products:
core, earth tone tile, entwine tile, grounded, ingrain tile, timber

product specifications

style number:	5A179	
fibre:	eco solution q® nylon	
dye method:	98% solution dyed / 2% yarn dyed	
tufted weight:	42 oz.	1,424.1 g/m²
gauge:	1/11	43.3/10 cm
average density:	8494 ozs./yd³	11.19 kilotex
pattern repeat:	72 in x 96 in	182.88 cm x 243.84 cm
secondary backing:	ultraloc®	


alder
79109


linden
79496


koa
79505


teak
79750


iroko
79761

NAVIGATE | WIRELESS

BROADLOOM



colour: **40103 buttercup**

coordinating products:
blog, mainframe, text

product specifications

style number:	5A141	
fibre:	eco solution q® nylon	
dye method:	83% solution dyed / 17% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7370 ozs./yd³	11.68 kilotex
pattern repeat:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ultraloc®	


buttercup
40103


bronze tone
40150


dry sage
40309


african violet
40340


blue lapis
40420



twilight blue
40485


granite
40500


harvest brown
40740


wild rice
40755


vintage taupe
40761


bonfire
40850

ORNAMENT | TRACERY

BROADLOOM



colour: **69600 etch**

coordinating products:
engrave, facade, screen

product specifications

style number:	60769	
fibre:	eco solution q® nylon	
dye method:	64% solution dyed / 36% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	7024 ozs./yd³	13.73 kilotex
pattern repeat:	24 in x 18 in	61 cm x 45.72 cm
secondary backing:	ecoworx® performance broadloom	


cast
69155


carve
969171


model
69325


inscribe
69335


chisel
69546


etch
69600


sculpt
69665


shape
69761


relief
69803

OUTLINE | REWOVEN quick ship

BROADLOOM



colour: **87515 zinc**

coordinating products:
align tile, contour, dimension, layer, sculpt loop tile, sculpt tile, trace tile

product specifications

style number:	5A187	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	6042 ozs./yd³	12.14 kilotex
pattern repeat:	3.2 in x .8 in	8.13 cm x 2.03 cm
secondary backing:	classicbac®	


bisque
87111


swept
87322


night
87496


underground
87505


zinc
87515


carbon
87585


canyon
87750


suede
87755


clay
87761

PEBBLE | GRAPHIC NATURE

BROADLOOM




colour: **23713 painted desert**

coordinating products:
glade, meadow, prairie tile

product specifications

style number:	60687	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/12	47.2/10 cm
average density:	8000 ozs./yd³	12.11 kilotex
pattern repeat:	10 in x 11 in	25.4 cm x 27.94 cm
secondary backing:	ecoworx® performance broadloom	



PETO II


BROADLOOM



colour: **71761 coffee break**

product specifications

style number:	5A025	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6324 ozs./yd³	12.56 kilotex
pattern repeat:	none	
secondary backing:	classicbac®	



PLEAT | STYLE BASICS

BROADLOOM



colour: **11580 steel**

coordinating products:
taper


product specifications

style number:	5B110	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/10	39.4/10 cm
average density:	8662 ozs./yd³	11.19 kilotex
pattern repeat:	12 in x 18 in	30.48 cm x 45.72 cm
secondary backing:	classicbac®	



POTENTIAL III

BROADLOOM



colour: colour: **88421 probable**

product specifications

style number:	5A068	
fibre:	solution q® nylon	
dye method:	100% solution dyed	
tufted weight:*	26 oz.	881.6 g/m²
gauge:	1/8	31.5/10 cm
average density:	7313 ozs./yd³	14.85 kilotex
pattern repeat:	none	
secondary backing:	classicbac®	

**also available in 28 oz. 5A069*



PRIME | TURN-KEY quick ship

BROADLOOM



colour: **88761 true taupe**

coordinating products:
essential

product specifications

style number:	5A189	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	5255 ozs./yd³	11.81 kilotex
pattern repeat:	1.6 in x 2.5 in	4.06 cm x 6.35 cm
secondary backing:	classicbac®	


prime tan
88111


fresh green
88330


smart blue
88485


basic black
88500


perfect charcoal
88505


vital gray
88585


simple brown
88740


classic khaki
88755


true taupe
88761

PROFILE | SHADOWS

BROADLOOM





colour: **36201 desert**


coordinating products:
highlight, imprint tile, sketch tile, veil tile


product specifications


style number:	60736	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	7754 ozs./yd³	12.45 kilotex
pattern repeat:	.41 in x .5 in	1.04 cm x 1.27 cm
secondary backing:	ecoworx® performance broadloom	



desert
36201


vapor
36315



canopy
36327


mist
36335


reflect
36402


cloud
36530



silhouette
36549


sunwashed
36665


illume
36725


kindle
36750


obscure
36760


moonlight
36761


aura
36990

PROSPER | ABUNDANT LIFE II quick ship**

BROADLOOM



colour: **26251 grow**

coordinating products:
accomplish, aspire

product specifications

style number:	60726	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	5169 ozs./yd³	12.91 kilotex
pattern repeat:	.63 in x .44 in	1.6 cm x 1.12 cm
secondary backing:*	ecoworx® performance broadloom	
	**also available with classicbac® - 60730*	


emerge
26106


elevate
26150


surpass
26151


grow
26251


climb
26350


arrive
26715

**quick ship available for orders up to 600 yds on ecoworx® performance broadloom backing only.

QUEST | BUILDING CHARACTER

BROADLOOM




colour: **77515 major milestone**

coordinating products:
intuition, sophistication

product specifications

style number:	60784	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	7091 ozs./yd³	13.91 kilotex
pattern repeat:	36 in x 36 in	91.44 cm x 91.44 cm
secondary backing:	ultraloc® mb	


humble beginnings
77155



enriched wisdom
77330


first impression
77402


self reflection
77484


major milestone
77515


refined elegance
77585


adventurous spirit
77665


express gratitude
77740

warm intentions
77761

REFUGE | ART OF ESCAPE — BROADLOOM




colour: **19720 moutaintop**

coordinating products:
chalet tile, retreat

product specifications

style number:	5B118	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/10	39.4/10 cm
average density:	6400 ozs./yd³	13.22 kilotex
pattern repeat:	14.4 in x 14.4 in	36.58 cm x 36.58 cm
secondary backing:	ultraloc®	



sand dollar 19110 | waterfall 19112 | dune 19120 | boardwalk 19125 | hot springs 19510 | geyser 19540

glacier 19550 | trailhead 19710 | mountaintop 19720

RETREAT | ART OF ESCAPE — BROADLOOM




colour: **19510 hot springs**

coordinating products:
chalet tile, refuge

product specifications

style number:	5B119	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/10	39.4/10 cm
average density:	6857 ozs./yd³	13.46 kilotex
pattern repeat:	14.4 in x 20 in	36.88 cm x 50.88 cm
secondary backing:	ultraloc®	



sand dollar 19110 | waterfall 19112 | dune 19120 | boardwalk 19125 | hot springs 19510 | geyser 19540

glacier 19550 | trailhead 19710 | mountaintop 19720

REMINISCE | KINDRED quick ship — BROADLOOM




colour: **48515 hearten**

coordinating products:
stay, belong tile, dream tile, memory tile

product specifications

style number:	5A248	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	5205 ozs./yd³	10.42 kilotex
pattern repeat:	4 in x 6 in	10.16 cm x 15.24 cm
secondary backing:	ultraloc®	



warmth 48111 | solace 48485 | bundle 48500 | blanket 48505 | hearten 48515 | wrap 48516

sense 48535 | hearth 48585 | nestle 48760

SCEPTER II — BROADLOOM



colour: **43155 pebble beach**

coordinating products:
utopian

product specifications

style number:	50521	
fibre:	nylon	
dye method:	100% piece dyed	
tufted weight:	42 oz.	1,424.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	6222 ozs./yd³	10.97 kilotex
pattern repeat:	none	
secondary backing:	classicbac®	



ivory 43101 | canvas 43106 | hazelnut 43111 | buttercream 43115 | water chestnut 43120 | sorbet 43135

mushroom 43150 | pebble beach 43155 | puma 43193 | lemon 43201 | sunshine 43202 | gold run 43220

wheat field 43230 | midas 43235 | lime 43301 | retro 43302 | seacrest 43306

more colors

SCEPTER II

BROADLOOM

denver pine 43308
elephant 43309
grenada 43314
tundra 43315
boxwood 43316
basil 43319
longhorn 4332
sprout 43326
cactus 43330
mikado 43331
sagebrush 43332
shade 43340
fern 43365
avocado 43370
moss 43371
junglewood 43372
black forest 43375
grass 43399
delft 43401
nautical 43409
stonewashed 43416
blue pearl 43425
gulf stream 43445
tonic 43462
cobalt 43470
indigo 43480
sea 43484
royal 43485
blue blazer 43490
vivid 43491
night tide 43496
coal 43500
moonlight 43501
silver lining 43502
nimbus 43504
raven 43505
dover 43506
blizzard 43518
cloud 43530
khaki 43545
cannon 43555
winter cloud 43575
denim 43580
gunmetal 43585
charcoal 43597
orange 43601
fall 43606
spice 43665
antelope 43706
antique bronze 43707
mahogany 43708
everglade 43709
chocolate 43711
cattail 43713
coffee 43750
sesame 43755
suede 43760
twine 43761
hot pink 43801
henna 43855
cranberry 43860
red soul 43861
lipstick 43870
emperor 43901
bright 43903
haze 43904
garnet 43906
old spar 43910
fresno 43920
aurora 43944
muscadine 43979
fresh lilac 43981
eggplant 43990
violet 43993

SCHOLAR II

BROADLOOM



colour: **14820 textbook**

product specifications

quick ship

style number:	60514	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	7000 ozs./yd³	13.49 kilotex
pattern repeat:	none	
secondary backing:	unitary	

savant 14205
final exam 14300
pupil 14345
fellow 14350
astute 14355
academic 14365
intellect 14420
brainiac 14435
learner 14440
disciple 14445
the man 14450
sage 14455
thinker 14460
wisdom 14465
top brass 14520
genius 14525
school girl 14615
college prep 14700
textbook 14820
brilliant 14825
the graduate 14830
valedictorian 14900
mature 14915
pert 14920

SCREEN | TRACERY

BROADLOOM




colour: **69600 etch**

coordinating products:
engrave, facade, ornament

product specifications

style number:	60771	
fibre:	eco solution q® nylon	
dye method:	64% solution dyed / 36% yarn dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/12	47.2/10 cm
average density:	5722 ozs./yd³	13.77 kilotex
pattern repeat:	36 in x 36 in	91.44 cm x 91.44 cm
secondary backing:	ecoworx® performance broadloom	



cast 69155 | carve 69171 | model 69325 | inscribe 69335 | chisel 69546 | etch 69600

sculpt 69665 | shape 69761 | relief 69803

SCRIBE | HAND DRAWN quick ship

BROADLOOM




colour: **15761 gouche**

coordinating products:
brush lvt (8 mil, 12 mil, 20 mil), conté, erase, erase, fine point tile, line weight tile, line lvt (12 mil, 20 mil), plaster lvt (12 mil, 20 mil), stipple tile, stylus

product specifications

style number:	5A215	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	5106 ozs./yd³	11.01 kilotex
pattern repeat:	14.4 in x 18 in	36.58 cm x 45.72 cm
secondary backing:	classicbac®	



gesso 15111 | parchment 15170 | landscape 15322 | stencil 15325 | ink 15496 | carbon 15505

graphite 15510 | charcoal 15557 | slate 15585 | bistre 15750 | gouache 15761 | sanguine 15880

SENTIMENT | QUITE CANVAS

BROADLOOM



colour: **00102 peaceful**

coordinating products:
imagery

product specifications

style number:	60775	
fibre:	nylon	
dye method:	100% continuous dyed	
tufted weight:	25 oz.	847.7 g/m²
gauge:	1/8	31.5/10 cm
average density:	2647 ozs./yd³	6.74 kilotex
pattern repeat:	1 in x 1 in	2.54 cm x 2.54 cm
secondary backing:	classicbac®	



peaceful 00102 | gentle 00103 | still 00510 | harmony 00512 | assured 00523 | likable 00539

gracious 00541 | engaging 00544 | friendship 00703 | nostalgia 00713 | emotion 00753

SEWN | HOMAGE

BROADLOOM




colour: **71750 carved**

coordinating products:
block print tile, craft tile, embellish tile, shibori

product specifications

style number:	5A162	
fibre:	eco solution q® nylon	
dye method:	86% solution dyed / 14% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	7200 ozs./yd³	13.61 kilotex
pattern repeat:	1 in x .75 in	2.54 cm x 1.91 cm
secondary backing:	ecoworx® broadloom	



applique 71106 | woven 71111 | painted 71496 | embossed 71504 | etched 71516 | inlay 71555

lacquered 71597 | ornate 71610 | gilded 71701 | burnished 71713 | carved 71750 | engraved 71761

SHADOW PLUSH | DRESSED TO KILL

BROADLOOM




colour: **27110 muse**

coordinating products:
bloom plush, float plush, swirl plush

product specifications

style number:	5A127	
fibre:	eco solution q® nylon	
dye method:	100% yarn dyed	
tufted weight:	40 oz.	1,356.3 g/m²
gauge:	1/11	43.3/10 cm
average density:	6636 ozs./yd³	11.28 kilotex
pattern repeat:	144 in x 108 in	365.76 cm x 274.32 cm
secondary backing:	ultraloc®	



muse 27110 | lacquer 27500 | mink 27761 | sultry 27803

SHIMMER | FEELING PLUSH

BROADLOOM



colour: **17755 natural tonic**

coordinating products:
glitz tile, glow, luminosity tile, radiance tile

product specifications

style number:	5A017	
fibre:	eco solution q® nylon	
dye method:	90% solution dyed / 10% yarn dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/10	39.4/10 cm
average density:	7252 ozs./yd³	12.36 kilotex
pattern repeat:	.4 in x .7 in	1.02 cm x 1.78 cm
secondary backing:	ultraloc®	



creme de la creme 17103 | suede sensation 17201 | edamame 17309 | tahitian pearls 17400 | cerulean 17485 | chocolate silk 17500

black cashmere 17505 | seaside elegance 17530 | kiwi kani 17544 | stardust 17585 | javanese spice 17713 | natural tonic 17755

SLIDE | BEYOND THE FOLD

BROADLOOM




colour: **98505 obsidian**

coordinating products:
angle tile, expand tile, folded tile, folded edge tile

product specifications

style number:	5A198	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	42 oz.	1,424.1 g/m²
gauge:	1/11	43.3/10 cm
average density:	6632 ozs./yd³	11.28 kilotex
pattern repeat:	72 in x 72 in	182.88 cm x 182.88 cm
secondary backing:	ultraloc®	



ecru 98105 | twine 98156 | obsidian 98505 | talc 98518 | grit 98530 | flint 98595

burlap 98706 | leather 98763



colour: **37121 malt**

product specifications

style number:	5A137	
fibre:	nylon	
dye method:	100% piece dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/8	31.5/10 cm
average density:	6330 ozs./yd³	8.45 kilotex
pattern repeat:	.5 in x .5 in	1.27 cm x 1.27 cm
secondary backing:	classicbac®	






colour: **77515 major milestone**

coordinating products:
intuition, quest

product specifications

style number:	60783	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/12	47.2/10 cm
average density:	5814 ozs./yd³	12.42 kilotex
pattern repeat:	36 in x 48 in	91.44 cm x 121.92 cm
secondary backing:	ultraloc® mb	






colour: **11150 bare necessities**

coordinating products:
culture, evolution

product specifications

style number:	50911	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6545 ozs./yd³	11.31 kilotex
pattern repeat:	.3 in x 1.5 in	.76 cm x 3.81 cm
secondary backing:	classicbac®	




STAY | KINDRED quick ship — BROADLOOM



product specifications

style number:	5A247	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	5333 ozs./yd³	11.84 kilotex
pattern repeat:	.5 in x .625 in	1.27 cm x 1.59 cm
secondary backing:	ultraloc®	



warmth 47111 · solace 47485 · bundle 47500 · blanket 47505 · hearten 47515 · wrap 47516

sense 47535 · hearth 47585 · nestle 47760

colour: **47515 hearten**


coordinating products:
reminisce, belong tile, dream tile, memory tile

STRATA | NOBLE MATERIALS — BROADLOOM



product specifications

style number:	5A220	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	40 oz.	1,356.3 g/m²
gauge:	1/11	43.3/10 cm
average density:	6000 ozs./yd³	10.95 kilotex
pattern repeat:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ultraloc®	



carrara 20100 · alabaster 20111 · colossal 20496 · onyx 20505 · element 20506 · forge 20518

talc 20535 · cornerstone 20555 · slate 20595

colour: **20111 alabaster**


coordinating products:
alchemy tile, base metal, emerge lvt, fault, form tile, honed tile, monolith woven, slab tile

STYLUS | HAND DRAWN quick ship — BROADLOOM



product specifications

style number:	5A216	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	5106 ozs./yd³	11.36 kilotex
pattern repeat:	14.4 in x 24 in	36.58 cm x 61 cm
secondary backing:	classicbac®	



graphite 15510 · gesso 15111 · parchment 15170 · landscape 15322 · stencil 15325 · ink 15496

carbon 15505 · charcoal 15557 · bistre 15750 · gouache 15761 · slate 15585 · sanguine 15880

colour: **15761 gouache**


coordinating products:
brush lvt (8 mil, 12 mil, 20 mil), conté, erase, fine point tile, line weight tile, line lvt (12 mil, 20 mil), plaster lvt (12 mil, 20 mil), scribe, stipple tile

SUMMIT | PLACES quick ship — BROADLOOM



product specifications

style number:	5A233	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/12	47.2/10 cm
average density:	6712 ozs./yd³	12.24 kilotex
pattern repeat:	24 in x 24 in	61 cm x 61 cm
secondary backing:	classicbac®	



ocean 72535 · island 72595 · metro 72530 · urban 72557 · skyline 72500 · scenic 72515

earthy 72761 · village 72760 · market 72505

colour: **72760 village**

coordinating products:
birch, central line tile, city central tile, grove, sea tile, sea edge tile, sky tile

SWIRL PLUSH | DRESSED TO KILL

BROADLOOM



colour: **27110 muse**

coordinating products:
bloom plush, float plush, shadow plush

product specifications

style number:	5A128	
fibre:	eco solution q® nylon	
dye method:	100% yarn dyed	
tufted weight:	40 oz.	1,356.3 g/m²
gauge:	1/11	43.3/10 cm
average density:	6636 ozs./yd³	11.28 kilotex
pattern repeat:	72 in x 72 in	182.88 cm x 182.88 cm
secondary backing:	ultraloc®	


muse
27110


lacquer
27500


mink
27761


sultry
27803

SWITCH | VIEW quick ship

BROADLOOM



colour: **03597 distance**

coordinating products:
direction tile, field tile, modify, realm tile, reverse tile, scape tile, shape tile, transfer

product specifications

style number:	5A205	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	5035 ozs./yd³	11.64 kilotex
pattern repeat:	14.4 in x 20 in	36.58 cm x 50.8 cm
secondary backing:	classicbac®	


sight
03111


drift
03170


flip
03335


vista
03481


horizon
03496


space
03500


zone
03505


gaze
03530


outlook
03557


distance
03597


range
03755


area
03761

TAPER | STYLE BASICS

BROADLOOM





colour: **11580 steel**

coordinating products:
pleat


product specifications


style number:	5B111	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	32 oz.	1,084.98 g/m²
gauge:	1/10	39.37/10 cm
average density:	10667 ozs./yd³	19.86 kilotex
pattern repeat:	12 in x 18 in	30.48 cm x 45.72 cm
secondary backing:	classicbac®	



ore
11230



cerulean
11427


chambray
11510


steel
11580



wheat
11755


driftwood
11760


rust
11855

TERRA | TURN-KEY quick ship

BROADLOOM



colour: **37500 black gum**

coordinating products:
fossil


product specifications

style number:	5A037	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/10	39.4/10 cm
average density:	8727 ozs./yd³	12.55 kilotex
pattern repeat:	none	
secondary backing:	classicbac®	


burl
37150


cypress
37220


willow
37315



alder
37485


black gum
37500


tupelo
37510


tigerwood
37515


hemlock
37550


teak
37750



cocobola
37760


sequoia
37761


sassafras
37855

TEXT | TURN-KEY

BROADLOOM



colour: **23755 wild rice**

coordinating products:
blog

product specifications

style number:	5A123	
fibre:	eco solution q® nylon	
dye method:	86% solution dyed / 14% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6240 ozs./yd³	13.77 kilotex
pattern repeat:	.6 in x .7 in	1.52 cm x 1.78 cm
secondary backing:*	classicbac®	

**also available on ultraloc® 50124*


buttercup
23103



bronze tone
23150


dry sage
23309


african violet
23340


blue lapis
23420


twilight blue
23485


granite
23500


harvest brown
23740


wild rice
23755


vintage taupe
23761


bonfire
23855

TIMBER | ALTERNATURE

BROADLOOM



colour: **78713 burl**

coordinating products:
core, earth tone tile, entwine tile, grounded, ingrain tile, natural selection

product specifications

style number:	5A180	
fibre:	eco solution q® nylon	
dye method:	44% solution dyed / 56% yarn dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/11	47.2/10 cm
average density:	8662 ozs./yd³	21.04 kilotex
pattern repeat:	72 in x 48 in	182.88 cm x 121.92 cm
secondary backing:	ultraloc®	


balsa
78103


alder
78109


spruce
78322


linden
78496


quince
78504


koa
78505


burl
78713


teak
78750


iroko
78761


samara
78803

TINT | SHADE quick ship

BROADLOOM




colour: **51585 metal grey**

coordinating products:
brilliance tile, gradient, gradient tile, tone, striking tile

product specifications

style number:	5A151	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	8640 ozs./yd³	11.71 kilotex
pattern repeat:	.5 in x .625 in	1.27 cm x 1.59 cm
secondary backing:	classicbac®	


maple sugar
51111


forest green
51330


blue ink
51485


chimney black
51500


black ice
51505


metal grey
51585


brownstone
51740


wheat field
51755


cinderblock
51761

TONE | SHADE quick ship

BROADLOOM



colour: **51585 metal grey**

coordinating products:
brilliance tile, gradient, gradient tile, striking tile, tint

product specifications

style number:	5A152	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.8 g/m²
gauge:	1/8	31.5/10 cm
average density:	6968 ozs./yd³	11.71 kilotex
pattern repeat:	4 in x 6 in	10.16 cm x 15.24 cm
secondary backing:	classicbac®	


maple sugar
51111


forest green
51330


blue ink
51485


chimney black
51500


black ice
51505


metal grey
51585

brownstone
51740

wheat field
51755

cinderblock
51761

TRANSFER | VIEW quick ship — BROADLOOM




colour: **03597 distance**

coordinating products:
direction tile, field tile, modify, realm tile, reverse tile, scape tile, shape tile, switch

product specifications

style number:	5A203	
fibre:	eco solution q® nylon	
dye method:	100% solution	
tufted weight:	20 oz.	678.1 g/m²
gauge:	1/10	39.4/10 cm
average density:	5035 ozs./yd³	10.90 kilotex
pattern repeat:	14.4 in x 14.4 in	36.58 cm x 36.58 cm
secondary backing:	classicbac®	



TRELLIS | NEW SIMPLICITY — BROADLOOM




colour: **50761 savvy**

coordinating products:
basket, bridge, essence, expressive, twine

product specifications

style number:	60749	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/12	47.2 per 10 cm
average density:	6879 ozs./yd³	12.02 kilotex
pattern repeat:	12 in x 12 in	30.48 cm x 30.48 cm
secondary backing:	ecoworx® performance broadloom	



TRIBUTE | LEGACY — BROADLOOM




colour: **10220 debonair**

coordinating products:
grace, honor, wisdom

product specifications

style number:	60710	
fibre:	eco solution q® nylon	
dye method:	58% solution dyed / 42% yarn dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/10	39.4/10 cm
average density:	7200 ozs./yd³	11.88 kilotex
pattern repeat:	18 in x 18 in	45.72 cm x 45.72 cm
secondary backing:	ecoworx® performance broadloom	



TWINE | NEW SIMPLICITY — BROADLOOM




colour: **50315 sanctuary**

coordinating products:
basket, bridge, essence, expressive, trellis

product specifications

style number:	60748	
fibre:	solution q extreme® nylon	
dye method:	100% solution dyed	
tufted weight:	30 oz.	1,017.2 g/m²
gauge:	1/12	47.2 per 10 cm
average density:	7770 ozs./yd³	12.20 kilotex
pattern repeat:	18 in x 24 in	45.72 cm x 60.96 cm
secondary backing:	ecoworx® performance broadloom	






colour: **43155 pebble beach**

coordinating products:
scepter II

product specifications

style number:	50515	
fibre:	antron® legacy nylon	
dye method:	100% piece dyed	
tufted weight:	32 oz.	1,085 g/m²
gauge:	1/10	39.4/10 cm
average density:	7481 ozs./yd³	9.58 kilotex
pattern repeat:	none	
secondary backing:	ultraloc®	








colour: **63665 charmed life**

coordinating products:
affluence tile, bellcourt, cranford, decor tile, joie, kennebunk, moritz, riche tile, vitae, wisdom

product specifications

style number:	60742	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	8129 ozs./yd³	11.93 kilotex
pattern repeat:	72 in x 48 in	182.88 cm x 121.92 cm
secondary backing:	ecoworx® performance broadloom	



VILLA | QUITE CANVAS

BROADLOOM



colour: **00102 cloud**

product specifications

style number:	60185	
fibre:	nylon	
dye method:	100% piece dyed	
tufted weight:	39 oz.	1,322.4 g/m^2
gauge:	1/8	31.5/10 cm
average density:	2265 ozs./yd^3	5.90 kilotex
secondary backing:	classicbac®	
pattern repeat:	none	



VITAE | LUSH LIFE

BROADLOOM




colour: **63665 charmed life**

coordinating products:
affluence tile, bellcourt, cranford, decor tile, joie, kennebunk, moritz, riche tile, verve, wildom

product specifications

style number:	60743	
fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	28 oz.	949.4 g/m^2
gauge:	1/12	47.2/10 cm
average density:	7304 ozs./yd^3	11.93 kilotex
pattern repeat:	36 in x 36 in	91.44 cm x 91.44 cm
secondary backing:	ecoworx® performance broadloom	



WELCOME II | STEPPIN' OUT

BROADLOOM




colour: **31500 ebony**

coordinating products:
bonjour II, bon jour II tile, entree tile, welcome II tile

product specifications

style number:	60745	
fibre:	pet polyester	
dye method:	100% solution dyed	
tufted weight:	49.5 oz.	1,678.4 g/m^2
average density:	6504 ozs./yd^3	
pattern repeat:	none	
secondary backing:	performance rubber	





colour: **09220 debonair**

coordinating products:
affluence tile, decor tile, grace, honor, joie, riche tile, tribute, verve, vitae


product specifications


style number:	60709	
fibre:	eco solution q® nylon	
dye method:	71% solution dyed / 29% yarn dyed	
tufted weight:	26 oz.	881.6 g/m²
gauge:	1/10	39.4/10 cm
average density:	6882 ozs./yd³	10.94 kilotex
pattern repeat:	.59 in x 1.25 in	1.5 cm x 3.18 cm
secondary backing:	ecoworx® performance broadloom	



gilded crest
09100



traditional slate
09150



debonair
09220


refined jade
09300


nature walk
09315



fabulous
09330



ooh la la
09335



vintage azure
09400



sheer bliss
09447



elegant lapis
09450



hidden treasures
09485


insight
09500


monogram
09600


so glam
09725


copper imprint
09730


majestic purple
09900


COLOR AND VISUAL VARIATIONS

Color and visual variation is inherent in all modular resilient products. It can vary slightly or significantly from piece to piece within a color. V1 has little or no variation from piece to piece. V4 will have a large variation in color and visual. For more information on product variation and to view swatch installations go to shawcontract.com


V1 uniform appearance



V2 slight variation



V3 moderate variation



V4 substantial variation



Variations are listed on product pages under the color numbers



colour: **00112 stonework**

product specifications

style number:	0718V
construction:	light commercial heterogeneous sheet
class / ASTM F1303:	type I, grade 3, class C
wear layer thickness:	10 mil or 0.010 in (0.25 mm)
overall thickness:	0.080 in | 2.0 mm
actual dimensions:	12 ft wide x 108 ft long rolls | 3.66 m x 32.92 m
area per roll:	144 yd² | 120.4 m²
finish:	Urethane topcoat
installation:	direct glue



stonework
00112



corinth
00141



woodhaven
00192



historian
00201



colour: **00100 flaxen vibe**

product specifications

style number:	0301V
construction:	commercial heterogeneous sheet
class / ASTM F1303:	type I, grade 1
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.086 in | 2.2 mm
actual dimensions:	72 in wide x 75 ft long rolls | 1.83 m x 22.86 m
area per roll:	50 yd² | 41.8 m²
finish:	ExoGuard™
installation:	direct glue
weld rod style:	022VS
static load limit/ASTM F970:	passes, 1500 psi



flaxen vibe
00100
WEL 7332



ecru cadence
00110
WEL 2001



desert sound
00120
WEL 7311



polished brass
00140
WEL 9633



set off
00200
WEL 2002



camel accent
00210
WEL 2025



coastal tempo
00300
WEL 2003



underscore
00310
WEL 2004



stanza sage
00320
WEL 2005



tonal vine
00330
WEL 2003




elevate
00340
WEL 2006

more colors

BASSTONES | CHORDINATES


RESILIENT | SHEET



amplitude 00350 WEL 2007
aqua tone 00360 WEL 2008
graytone fade 00410 WEL 2009
high fidelity 00420 WEL 2010
mineral score 00430 WEL 2011
pearly melody 00500 WEL 7332
pewter serenade 00530 WEL 2013
ashen interval 00540 WEL 2014
boost 00600 WEL 2017
adobe verse 00610 WEL 2018
chorale clay 00630 WEL 1823
khaki cue 00700 WEL 2019
neutral intro 00710 WEL 2020
gilded mink 00750 WEL 2026
coffee echo 00760 WEL 2021
amplify 00800 WEL 2022
emphasize 00900 WEL 2024

CHANGE | COLLECTIVE TIME

RESILIENT | SHEET



colour: **13103 morning**

coordinating products:
constant sheet, interval lvt, unwind tile


product specifications

style number:	0513V
construction:	commercial heterogeneous sheet
class / ASM F1303:	type I, grade 1
wearlayer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.086 in | 2.2 mm
actual dimensions:	78.74 in wide x 68.50 ft long rolls | 2.03 m x 20.90
area per roll:	50.75 yd^2 | 42.43 m^2
m **finish:**	ExoGuard™
installation:	direct glue
weld rod style:	302VS
static load limit/ASTM F970:	passes, 1500 psi

morning 13103 WEL 12103 or 12155
afternoon 13310 WEL 12310 or 12327
evening 13335 WEL 12335 or 12480
twilight 13530 WEL 12530 or 12595
midnight 13549 WEL 12500 or 12549
midday 13715 WEL 12715 or 12761

CONSTANT | COLLECTIVE TIME

RESILIENT | SHEET



colour: **12335 evening**

coordinating products:
change sheet, interval lvt, unwind tile

product specifications

style number:	0512V
construction:	commercial heterogeneous sheet
class / ASTM F1303:	type I, grade 1
wearlayer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.086 in | 2.2 mm
actual dimensions:	78.74 in wide x 68.50 ft long rolls | 2.03 m x 20.90 m
area per roll:	50.75 yd^2 | 42.43 m^2
finish:	ExoGuard™
installation:	direct glue
weld rod style:	302VS
static load limit/ASTM F970:	passes, 1500 psi

morning 12103 WEL 12103
warmth 12155 WEL 12155
afternoon 12310 WEL 12310
mist 12327 WEL 12327
evening 12335 WEL 12335
frost 12480 WEL 12480
shadow 12500 WEL 12500
twilight 12530 WEL 12530
midnight 12549 WEL 12549
still 12595 WEL 12595
midday 12715 WEL 12715
calm 12761 WEL 12761

IN TANDEM | INNATE + IN TANDEM

RESILIENT | BIO-BASED POLYURETHANE SHEET



colour: **97250 spry**

coordinating products:
in tandem tile, innate tile

product specifications

style number:	0897V
construction:	commercial bio-based polyurethane heterogeneous sheet
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	13.19 in wide x 26.38 in | 33.50 cm x 67.00 cm
area per roll:	48.07 yd^2 | 40.19 m^2
finish:	ExoGuard+™
installation:	direct glue
weld rod style:	270VS
static load limit/ASTM F970:	passes, 1500 psi

buff 97105 WEL BBW7105
pane 97130 WEL BBW7130
spry 97250 WEL BBW7250
bough 97510 WEL BBW7510
winnow 97560 WEL BBW7560
link 97580 WEL BBW7580
groove 97590 WEL BBW7590
laurel 97600 WEL BBW7600
twain 97650 WEL BBW7650
raffia 97710 WEL BBW7710
burl 97760 BBW7760
linden 97790 WEL BBW7790

NATURELIFE WOOD II

RESILIENT | SHEET



colour: **09573 natural walnut**

product specifications

style number:	0002V
construction:	commercial heterogeneous sheet
class / ASTM F1303:	type I, grade 1
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.086 in | 2.2 mm
actual dimensions:	72 in wide x 75 ft long rolls | 1.83 m x 22.86 m
area per roll:	50 yd^2 | 41.8 m^2
finish:	ExoGuard™
installation:	direct glue
weld rod style:	002VS
static load limit/ASTM F970:	passes, 1500 psi



fumed wenge
02421
WEL 2421

traditional cherry
05301
WEL 5301

american cherry
05303
WEL 5303

light maple
05304
WEL 5304

brazilian cherry
05306
WEL 9446

chocolate cherry
07716
WEL 9446



weathered cherry
07717
WEL 2001

japanese oak green
07720
WEL 5254

teak
08265
WEL 8127

grey teak
08266
WEL 7329

apple
08311
WEL 5301

raw ash
08316
WEL 2027



antique mahogany
09446
WEL 9446

rosewood
09561
WEL 2023

stained walnut
09572
WEL 1823

natural walnut
09573
WEL 2026

bleached walnut
09574
WEL 2019

reclaimed hickory
09633
WEL 7325



young hickory
09634
WEL 9634

vintage hickory
09635
WEL 9635

REED SHEET | TERASU

RESILIENT | SHEET



colour: **96700 stepping stone + 96216 tea garden**

coordinating products:
botan, botan tile, hana, hana tile, kusa, kusa tile, roji sheet, tatami sheet

product specifications

style number:	0797V
construction:	commercial heterogeneous sheet
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
class / ASTM F1303:	type 1 grade 1
overall thickness:	0.086 in | 2.2 mm
actual dimensions:	78.75 in wide x 68.58 ft long | 200 cm x 2090 cm
area per roll:	50.75 yd^2 | 42.43 m^2
finish:	ExoGuard™
installation:	direct glue
weld rod style:	353VS
static load limit/ASTM F970:	passes, 2000 psi



pebble
96114
WEL7332

tea garden
96216
WEL7332

zen
96515
WEL1203

stroll
96535
WEL1203

stepping stone
96700
WEL2019

pagoda
96710
WEL1203

REXCOURT

RESILIENT | SHEET



colour: **01451 golden cherry + 06901 orange**

product specifications

style number:	0004V
construction:	commercial heterogeneous sheet
class / ASTM F2772:	grade 1, type 1, class C Athletic Indoor Sports Flooring
wear layer thickness:	37 mil or 0.95 mm (wood) 57 mil or 1.45 mm (solid)
overall thickness:	0.256 in | 6.5 mm
actual dimensions:	70.86 in wide x 49.20 ft long | 180 cm x 15 m
area per roll:	32.22 yd^2 | 26.94 m^2
finish:	urethane
installation:	direct glue
weld rod style:	021VS

Rexcourt wood



golden cherry
01451
EWR1451

indian cherry
01452
EWR1452

noble zeikova
01811
EWR1811

tiger oak
01821
EWR1821

windsor oak
01822
EWR1452

antique oak
01823
EWR1823



grand maple
02001
EWR2001

REXCOURT

RESILIENT | SHEET

Rexcourt solid

red
06200
EWR6200

beige
06301
EWR6301

gray
06303
EWR6303

dark blue
06400
EWR6400

blue
06402
EWR6402

sky blue
06403
EWR6403

yellow
06500
EWR6500

dark green
06606
EWR6606

orange
06901
EWR6901

ROJI SHEET | TERASU

RESILIENT | SHEET



colour: **96114 pebble**

coordinating products:
botan, botan tile, hana, hana tile, kusa, kusa tile,
reed sheet, tatami sheet

product specifications

style number:	0798V
construction:	commercial heterogeneous sheet
ss / ASTM F1303:	type 1 grade 1
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.086 in | 2.2 mm
actual dimensions:	78.75 in wide x 68.58 ft long | 200 cm x 2090 cm
area per roll:	50.75 yd^2 | 42.43 m^2
finish:	ExoGuard™
installation:	direct glue
weld rod style:	353VS
static load limit/ASTM F970:	passes, 2000 psi

pebble
96114
WEL7332

tea garden
96216
WEL7332

zen
96515
WEL1203

stroll
96535
WEL1203

stepping stone
96700
WEL2019

pagoda
96710
WEL1203

TATAMI | TERASU

RESILIENT | SHEET



colour: **96440 tidal basin**

coordinating products:
botan, botan tile, hana, hana tile, kusa, kusa tile,
reed sheet, roji sheet, tatami sheet

product specifications

style number:	0796V
construction:	commercial heterogeneous sheet
class / ASTM F1303:	type 1 grade 1
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.086 in | 2.2 mm
actual dimensions:	78.75 in wide x 68.58 ft long | 200 cm x 2090 cm
area per roll:	50.75 yd^2 | 42.43 m^2
finish:	ExoGuard™
installation:	direct glue
weld rod style:	353VS
static load limit/ASTM F970:	passes, 2000 psi

pebble
96114
WEL7332

zen
96515
WEL1203

cascade
96416
WEL5008

evening glow
96130
WEL1227

tea garden
96216
WEL7332

stroll
96535
WEL1203

tidal basin
96440
WEL6303

moss
96330
WEL7332

stepping stone
96700
WEL7333

pagoda
96710
WEL1203

wind chime
96530
WEL1225

shakkei
96761
WEL2001

VITALITY SHEET

RESILIENT | SHEET



colour: **73535 invigorate + 73104 inspire**

product specifications

style number:	0873V
construction:	commercial homogeneous sheet
class / ASTM F1913:	type B
overall thickness:	0.790 in | 2 mm
actual dimensions:	78.94 in wide x 65.94 ft long rolls | 200 m x 20.10 m
area per roll:	47.84 yd^2l | 40 m^2
finish:	ExoGuard™
installation:	direct glue
weld rod style:	236VS
static load limit/ASTM F970:	passes, 2000 psi

rejuvenate
73100
WEL5201

inspire
73104
WEL5202

delight
73110
WEL5206

radiate
73112
WEL5207

uplift
73120
WEL5226

heal
73144
WEL5237

warmth
73155
WEL5209

zest
73201
WEL5240

flourish
73325
WEL5242


nourish
73370
WEL5245

benefit
73415
WEL5232

soothe
73447
WEL5239

VITALITY SHEET

RESILIENT | SHEET



exhilarate
73485
WEL5241

elevate
73505
WEL5205

excite
73515
WEL5203

restore
73518
WEL5204

strength
73530
WEL5225

invigorate
73535
WEL5238

energy
73675
WEL5219

thrive
73700
WEL5243

abundance
73740
WEL5230



comfort
73755
WEL5228

balance
73761
WEL5244

robust
73855
WEL5220

BRUSH | HAND DRAWN

RESILIENT | LVT



colour: **52535 blur**

coordinating products:
conte, erase, fine point tile, line lvt (12 mil, 20 mil), lineweight tile, plaster lvt (12 mil, 20 mil), scribe, stipple tile, stylus

product specifications

style number:	0656V (8 mil) | 0565V (12 mil) | 0552V (20 mil)
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	8 mil or 0.008 in (0.2 mm) 12 mil or 0.012 in (0.3 mm) 20 mil or 0.020 in (0.5 mm)
overall thickness:	0.078 in | 2.0 mm
actual dimensions:	5.96 in x 48.00 in | 15.10 cm x 121.90 cm
area per carton:	53.63 ft² | 4.98 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi



glaze
52116
V2



fade
52216
V2



blur
52535
V2



blend
52729
V2

COMPOSED | CONCRETE & COMPOSED

RESILIENT | CORETEC®



colour: **00506 grand teton**

coordinating products:
concrete coretec®

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	098UV
construction:	multi-layer SPC with attached cork underlayment
wearlayer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.216 in | 5.5 mm
actual dimensions:	7.13 in x 48.03 ft | 18 cm x 122 cm
area per carton:	28.68 ft² | 2.66 m²
finish:	ExoGuard™
installation:	floating, direct glue



orchard
00103
V2



pale
00111
V4



cascade
00120
V3



grand teton
00506
V4



stony oak
00516
V3



buckeye
00710
V4



spice
00720
V4



bison
00751
V2



chalet
00755
V2



landscape
00760
V2

CONCRETE | CONCRETE & COMPOSED

RESILIENT | CORETEC®



colour: **03507 forged concrete**

coordinating products:
composed coretec®

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	094UV
construction:	multi-layer SPC with attached cork underlayment
wearlayer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.216 in | 5.5 mm
actual dimensions:	18.50 in x 24.02 ft | 46.99 cm x 61.01 cm
area per carton:	30.86 ft² | 2.86 m²
finish:	ExoGuard™
installation:	floating, direct glue




misty quartz
03501
V2



tempered concrete
03502
V3



rugged platinum
03503
V3



forged concrete
03507
V2

COVE | UNITE

RESILIENT | LVT



colour: **27520 gesso**

coordinating products:
inlet lvt

product specifications

style number:	0927V
construction:	commercial luxury vinyl tile with fibreglass
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.197 in | 5.0 mm
actual dimensions:	9 in x 48 in | 22.86 cm x 121.92 cm
area per carton:	24 ft² | 2.23 m²
finish:	ExoGuard™
installation:	loose lay, direct glue
static load limit/ASTM F970:	passes, 1500 psi

plaster 27111 **V2**
lure 27201 **V2**
graze 27326 **V2**
jade 27405 **V2**
wash 27436 **V2**
sapphire 27486 **V2**
silt 27504 **V2**
caster 27518 **V2**
gesso 27520 **V2**
pour 27530 **V2**
cornerstone 27585 **V2**
stoke 27855 **V2**

CRETE | CRETE & JEOGORI

RESILIENT | LVT



colour: **03520 industrial**

coordinating products:
jeogori lvt


product specifications

style number:	0203V
construction:	commercial luxury vinyl tile with fibreglass
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.125 in | 3 mm
actual dimensions:	17.72 in x 17.72 in | 45 cm x 45 cm
area per carton:	34.88 ft² | 3.24 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi

vapor 03140 **V2**
buckskin 03250 **V2**
viridian 03390 **V2**
smoke 03510 **V2**
industrial 03520 **V2**
cinder 03570 **V2**
zinc 03590 **V2**
sunset 03620 **V2**
mesa 03650 **V2**
haze 03720 **V2**
slate 03750 **V2**
leather 03770 **V2**

CUT | NATURAL CHOREOGRAPHY

RESILIENT | LVT



colour: **22704 cacao**

coordinating products:
shear lvt

product specifications

style number:	0922V
construction:	commercial luxury vinyl tile with fibreglass
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.197 in | 5 mm
actual dimensions:	18 in x 18 in | 45.72 cm x 45.72 cm
area per carton:	22.50 ft² | 2.09 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 2000 psi

ecru 22103 **V2**
mushroom 22155 **V2**
talc 22174 **V2**
honey 22280 **V2**
charcoal 22549 **V2**
ash 22599 **V2**
cacao 22704 **V2**
sienna 22760 **V2**

DEFINED

RESILIENT | CORETEC®



colour: **03002 express**

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	058UV
construction:	multi-layer WPC with attached cork underlayment
wearlayer thickness:	20 mil or 0.020 in (0.51 mm)
overall thickness:	0.321 in | 8.2 mm
actual dimensions:	7.09 in x 48.03 ft | 18.00 cm x 121.90 cm
area per carton:	23.64 ft² | 2.20 m²
finish:	ExoGuard™
installation:	floating, direct glue

specify 03001 **V4**
express 03002 **V3**
exemplify 03004 **V3**
detail 03005 **V3**
elucidate 03006 **V4**
represent 03007 **V4**
distinguish 03008 **V4**
differentiate 03009 **V3**
identify 03010 **V4**

EIRIS | STRATUM

RESILIENT | CORETEC®



colour: **06001 cinnamon**

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	053UV
construction:	multi-layer WPC with attached cork underlayment
wearlayer thickness:	30 mil or 0.030 in (0.762 mm)
overall thickness:	0.335 in | 8.5 mm
actual dimensions:	7.13 in x 59.05 in | 18.11 cm x 149.99 cm
area per carton:	17.43 ft² | 1.62 m²
finish:	ExoGuard™
installation:	floating, direct glue



cinnamon
06001
V3



tannery brown
06002
V2



summer truffle
06003
V2



abyss
06004
V3



ivory
06005
V2



bone
06006
V4



morchella
06007
V2



cremini
06008
V3

EMERGE | NOBLE MATERIALS

RESILIENT | LVT



colour: **18555 cornerstone copper**

coordinating products:
alchemy tile, base metal, form tile, honed tile, slab tile, strata, fault

product specifications

style number:	0618V
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wearlayer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	23.62 in x 23.62 in | 60 cm x 60 cm
area per carton:	65.88 ft² | 6.12 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1000 psi



carrara silver
18100
V2



alabaster gold
18111
V2



colossal bismuth
18496
V2



onyx silver
18505
V2



element platinum
18506
V2



forge platinum
18518
V2



talc platinum
18535
V2



cornerstone copper
18555
V2



slate palladium
18595
V2

GRAIN | GRAIN + PIGMENT

RESILIENT | LVT



colour: **64761 antler + 64530 mercury**

coordinating products:
pigment lvt

product specifications

style number:	0364V | floating with In*Step locking system 0502V | direct glue
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0364V .157 in | 4 mm 0502V .098 in | 2.5 mm
actual dimensions:	0364V 7.28 in x 47.72 in | 18.50 cm x 121.20 cm 0502V 7 in x 48 in | 18.50 cm x 121.20 cm
area per carton:	0364V 24.13 ft² | 2.24 m² 0502V 34.98 ft² | 3.25 m²
finish:	ExoGuard™
installation:	0364V In*Step locking system 0502V direct glue
static load limit/ASTM F970:	passes, 0364V 500 psi passes, 0502V 1500 psi



cocoa
64103
V2



glow*
64105
V3



parchment
64111
V2



alabaster
64114
V3



buff
64140
V2



nutshell
64150
V2



ashen
64155
V2



bare
64200
V2



honey
64240
V2



fog
64327
V3



alloy*
64515
V3



weathered
64518
V2



mercury*
64530
V3



char
64549
V2



cinder*
64557
V2



earthen
64710
V3



bark
64720
V2



clove
64740
V2



chickory
64752
V2



russet
64760
V2

antler
64761
V2

ginger
64820
V2

*metallic color

IN TANDEM | INNATE + IN TANDEM

RESILIENT | BIO-BASED POLYURETHANE TILE



colour: **96560 winnow**

coordinating products:
innate lvt, in tandem sheet

product specifications

style number:	0896V
construction:	commercial bio-based polyurethane heterogeneous tile
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	13.19 in x 26.38 in | 33.50 cm x 67.00 cm
area per carton:	40.37 ft² | 3.75 m²
finish:	ExoGuard+™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi

buff 96105 **V2**
pane 96130 **V1**
spry 96250 **V2**
bough 96510 **V2**
winnow 96560 **V2**
link 96580 **V1**
groove 96590 **V2**
laurel 96600 **V2**
twain 96650 **V2**
raffia 96710 **V2**
burl 96760 **V2**
linden 96790 **V1**

INLET | UNITE

RESILIENT | LVT



colour: **26140 spindle**

coordinating products:
cove lvt

product specifications

style number:	0926V
construction:	commercial luxury vinyl tile with fibreglass
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.197 in | 5.0 mm
actual dimensions:	9 in x 48 in | 22.86 cm x 121.92 cm
area per carton:	24 ft² | 2.23 m²
finish:	ExoGuard™
installation:	loose lay, direct glue
static load limit/ASTM F970:	passes, 1500 psi

nestle 26120 **V3**
spindle 26140 **V2**
refuge 26155 **V3**
beech 26502 **V3**
shade 26506 **V3**
thistle 26535 **V3**
raw 26549 **V2**
coarse 26595 **V3**
thatch 26720 **V3**
brew 26740 **V3**

INNATE | INNATE + IN TANDEM

RESILIENT | BIO-BASED POLYURETHANE TILE



colour: **95515 concrete**

coordinating products:
in tandem bpt, in tandem sheet

product specifications

style number:	0895V
construction:	commercial bio-based polyurethane heterogeneous tile
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	13.19 in wide x 26.38 in | 33.50 m x 67.00 m
area per carton:	38.64 ft² | 3.59 m²
finish:	ExoGuard+™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi

dove 95104 **V1**
natural 95110 **V1**
flax 95114 **V1**
field 95330 **V1**
mist 95405 **V1**
shade 95410 **V1**
concrete 95515 **V1**
core 95595 **V1**
umber 95715 **V1**
mineral 95760 **V1**

INSPIRE | MIINDFUL PLAY quick ship

RESILIENT | LVT



colour: **84405 teal**

coordinating products:
engage tile, impact tile, think tile

product specifications

style number:	0884V
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wearlayer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	12 in x 24 in | 30.48 cm x 60.96 cm
area per carton:	36 ft² | 3.34 m²
finish:	ExoGuard+™
installation:	direct glue
static load limit/ASTM F970:	passes, 2000 psi

clarity 84111 **V4**
lime 84325 **V4**
teal 84405 **V4**
blue 84429 **V4**
escape 84505 **V4**
nuance 84515 **V4**
encourage 84535 **V4**
transform 84585 **V4**
experience 84595 **V4**
orange 84668 **V4**
achieve 84760 **V4**
purple 84965 **V4**

INTERVAL | COLLECTIVE TIME

RESILIENT | LVT




colour: **13103 morning**

coordinating products:
change sheet, constant sheet, unwind tile

product specifications

style number:	0514V
construction:	commercial luxury vinyl tile
class / ASM F1700:	class III type B
wearlayer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	5.91 in x 47.24 in | 15 cm x 120 cm
area per carton:	42.63 ft² | 3.96 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi



morning 13103 **V4** | afternoon 13310 **V4** | evening 13335 **V4** | twilight 13530 **V4** | midnight 13549 **V4** | midday 13715 **V4**

INTRICATE | MODERN EDIT

RESILIENT | LVT




colour: **92535 mirror**

coordinating products:
edition, inherit, ornate tile, rethread tile

product specifications

style number:	0692V
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	11.80 in x 23.60 in | 30 cm x 61 cm
area per carton:	42.63 ft² | 3.96 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 2000 psi



alabaster 92100 **V2** | ceramic 92144 **V2** | urn 92155 **V2** | bone 92156 **V2** | linden 92325 **V2** | reflect 92405 **V2**

iconic 92429 **V2** | linen 92504 **V2** | mercury glass 92515 **V2** | mirror 92535 **V2** | relic 92595 **V2** | antique bronze 92760 **V2**

JEOGORI | CRETE & JEOGORI

RESILIENT | LVT



colour: **90720 fiber**


coordinating products:
crete lvt

product specifications

style number:	0215V
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.125 in | 3 mm
actual dimensions:	17.72 in x 17.72 in | 45 cm x 45 cm
area per carton:	34.88 ft² | 3.24 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 2000 psi



canvas 90100 **V1** | muslin 90120 **V1** | burlap 90130 **V1** | linen 90500 **V1** | black tie 90590 **V1** | flax 90700 **V1**



fiber 90720 **V1** | jute 90790 **V1**

LEVEL | HEXAGON

RESILIENT | LVT




colors: **51518 exact + 51595 measure + 51668 scale + 51991 precise**

coordinating products:
bevel hexagon, linear hexagon, linear shift hexagon, plane heaxgon

product specifications

style number:	0551V
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.157 in | 4 mm
actual dimensions:	24.90 in h x 28.80 in dia x 14.40 in side 63.20 cm h x 73.15 cm dia x 36.58 cm side
area per carton:	29.88 ft² | 2.76 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi




degree 51103 **V1** | focus 51105 **V1** | smooth 51201 **V1** | even 51284 **V1** | portion 51323 **V1** | volume 51326 **V1**

balance 51429 **V1** | steady 51436 **V1** | blank 51515 **V1** | exact 51518 **V1** | pivot 51530 **V1**

more colors

LEVEL | HEXAGON

RESILIENT | LVT



weight
51535
V1

point
51557
V1

measure
51595
V1

scale
51668
V1

constant
51761
V1

uniform
51855
V1

precise
51991
V1

LINE | HAND DRAWN

RESILIENT | LVT




colour: **54530 shade**

coordinating products:
brush lvt (8 mil, 12 mil, 20 mil), erase, fine point tile, lineweight tile, plaster lvt (12 mil, 20 mil), stylus, scribe, stipple tile

product specifications

style number:	0567V (12 mil) | 0554V (20 mil)
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	12 mil or 0.012 in (0.3 mm) | 20 mil or 0.020 in (0.5 mm)
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	5.96 in x 48.00 in | 15.10 cm x 121.90 cm
area per carton:	41.72 ft² | 3.88 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi



sketch
54111
V3

draw
54114
V3

shade
54530
V3

tint
54557
V3

LINEAR | STRATUM

RESILIENT | CORETEC®



colour: **04003 butter cream**

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	055UV
construction:	multi-layer WPC with attached cork underlayment
wearlayer thickness:	30 mil or 0.030 in (0.762 mm)
overall thickness:	0.323 in | 8.2 mm
actual dimensions:	8.98 in x 24.02 in | 22.81 cm x 61 cm
area per carton:	23.95 ft² | 2.23 m²
finish:	ExoGuard™
installation:	floating, direct glue



true black
04001
V2

dulled flint
04002
V2

butter cream
04003
V3

ripe olive
04004
V2

dusty suede
04005
V2

NATIVE ORIGINS

RESILIENT | LVT



colour: **00280 natural teak**

product specifications

style number:	0116V
construction:	light commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	12 mil or 0.012 in (0.3 mm)
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	6 in x 48 in | 15.24 cm x 121.92 cm
area per carton:	35.95 ft² | 3.34 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi



bleached oak
00140
V2

northern maple
00200
V2

light oak
00240
V2

golden oak
00260
V2

natural teak
00280
V2

bay chestnut
00710
V3



hand hewn figured walnut
00722
V2


barnwood
00740
V2

black forest
00780
V3

cherry wood
00840
V2

PIGMENT | GRAIN + PIGMENT

RESILIENT | LVT



colour: **65515 bone + 65530 grey + 65595 charcoal**

pigment should only be used as an accent or border with maximum of 4 tiles touching

coordinating products:
grain lvt

product specifications

style number:	0365V | floating with In*Step locking system 0503V | direct glue
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0365V .157 in | 4 mm 0503V .098 in | 2.5 mm
actual dimensions:	0365V 7.28 in x 47.72 in | 18.50 cm x 121.20 cm 0503V 7 in x 48 in | 18.50 cm x 121.20 cm
area per carton:	0365V 24.13 ft² | 2.24 m² 0503V 34.98 ft² | 3.25 m²
finish:	ExoGuard™
installation:	0365V In*Step locking system 0503V direct glue
static load limit/ASTM F970:	passes, 0365V 500 psi passes, 0503V 1500 psi



beige 65114 **V1** | stone 65115 **V1** | yellow 65201 **V1** | green 65326 **V1** | blue 65429 **V1** | cyan 65436 **V1**

bone 65515 **V1** | grey 65530 **V1** | charcoal 65595 **V1** | orange 65675 **V1** | taupe 65761 **V1** | red 65855 **V1**

PLASTER | HAND DRAWN

RESILIENT | LVT




colour: **53510 chisel**

coordinating products:
brush lvt (8 mil, 12 mil, 20 mil), conte', erase, fine point tile, lineweight tile, stipple tile, line lvt (12 mil, 20 mil), scribe, stylus

product specifications

style number:	0566V (12 mil) | 0553V (20 mil)
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	12 mil or 0.012 in (0.3 mm) | 20 mil or 0.020 in (0.5 mm)
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	5.96 in x 48.00 in | 15.10 cm x 121.90 cm
area per carton:	41.72 ft² | 3.88 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi



paste 53103 **V2** | etch 53112 **V2** | chisel 53510 **V2** | sculpt 53761 **V2**

QUIET COVER

RESILIENT | LVT



colour: **00700 cherokee**

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	0186V
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.197 in | 5 mm
actual dimensions:	7.28 in x 47.72 in | 18.50 cm x 121.20 cm
area per carton:	19.27 ft² | 1.79 m²
finish:	ExoGuard™
installation:	In*Step™ locking system
static load limit/ASTM F970:	passes, 1000 psi



cottonwood 00120 **V2** | canadian maple 00200 **V2** | wheat 00220 **V1** | red oak 00240 **V2** | urban ash 00540 **V2** | cherokee 00700 **V2**

mink 00720 **V2** | timber 00750 **V2** | lodge 00760 **V2** | reclaimed 00770 **V3** | black walnut 00790 **V2** | american cherry 00820 **V2**

toffee 00830 **V1** | redwood 00840 **V3**

RETHINK

RESILIENT | LVT




colour: **33100 hybrid**


As with all textiles, expect to see directional shade variation.

product specifications

style number:	0733V
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class II surface decorated
overall thickness:	0.118 in | 3.0 mm
dimensions:	9 in x 36 in | 22.86 cm x 91.44 cm
area per carton:	36 ft² | 3.35 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 2000 psi



hybrid 33100 **V1** | structure 33150 **V1** | minimal 33155 **V1** | essence 33340 **V1** | energy 33405 **V1** | carbon 33505 **V1**



core 33515 **V1** | metal 33530 **V1** | industry 33751 **V1** | element 33755 **V1** | smart 33856 **V1** | innovate 33991 **V1**

SHIFT | SHIFT + TILT

RESILIENT | LVT



colour: **09504 expand**

coordinating products:
tilt lvt

product specifications

style number:	0709V
construction:	commercial luxury vinyl tile with fiberglass
class / ASTM F1700:	class III type B
wear layer thickness:	nominal 40 mil (0.039 in) | 1.0 mm
overall thickness:	0.197 in | 5.0 mm
actual dimensions:	9 in x 36 in | 22.86 cm x 91.44 cm
area per carton:	27 ft² | 2.51 m²
finish:	UV urethane
installation:	direct glue
static load limit/ASTM F970:	passes, 750 psi



diverge 09111 **V2** | pulse 09115 **V2** | expand 09501 **V2** | evolve 09504 **V2** | stride 09505 **V2** | blend 09760 **V2**

SOLITUDE

RESILIENT | LVT



colour: **48120 cottonwood + 48516 fawn**

*these colors are a stone visual

product specifications

style number:	0648V
construction:	commercial luxury vinyl tile with fibreglass
class / ASTM F1303:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.197 in | 5.0 mm
actual dimensions:	6 in x 48 in | 15.24 cm x 122.00 cm
area per carton:	20 ft² | 1.86 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi



cocoa 48103 **V2** | cottonwood 48120 **V2** | natural 48250 **V2** | smoke 48506 **V2** | fawn 48516 **V2** | urban ash 48540 **V2**



char 48549 **V2** | *pewter 48595 **V2** | french grey 48599 **V3** | mink 48720 **V3** | woodland 48760 **V2** | *umber 48761 **V2**

SHEAR | NATURAL CHOREOGRAPHY

RESILIENT | LVT




colour: **45515 carrara**

coordinating products:
cut lvt

product specifications

style number:	0945V
construction:	commercial luxury vinyl tile with fiberglass
class / ASTM F1303:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.1970 in | 0.5 mm
actual dimensions:	18 in x 18 in | 45.72 cm x 45.72 cm
area per carton:	22.50 ft² | 2.09 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 2000 psi



mystic 45496 **V2** | carrara 45515 **V2** | grigio 45530 **V2** | midnight 45595 **V2**

STRAND | SURFACE & STRAND

RESILIENT | LVT




colour: **16115 wool**

coordinating products:
surface lvt

product specifications

style number:	0516V
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	18 in x 36 in | 45.72 cm x 91.44 cm
area per carton:	45 ft² | 4.18 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi



wool
16115
V2

chalk
16515
V2

dune
16516
V2

pebble
16530
V2

silt
16595
V2

clay
16761
V2

STRATUM 500 | STRATUM

RESILIENT | CORETEC®



colour: **00504 chattahoochee oak**

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	023UV
construction:	multi-layer WPC with attached cork underlayment
wearlayer thickness:	20 mil or 0.020 in (0.51 mm)
overall thickness:	0.315 in | 8 mm
actual dimensions:	4.96 in x 48.02 in | 12.60 cm x 121.90 cm
area per carton:	26.68 ft² | 2.48 m²
finish:	ExoGuard™
installation:	floating, direct glue



acacia
00201
V4

mocha oak
00202
V3

vintage oak
00205
V2

weathered oak
00206
V3

limerick oak
00207
V3

apalachicola pine
00501
V4

targhee walnut
00503
V1

chattahoochee oak
00504
V4

allegheny maple
00505
V4

wimena pine
00506
V2

oconee walnut
00507
V4

gallatin hickory
00508
V4

STRATUM 700 | STRATUM

RESILIENT | CORETEC®



colour: **00707 willamette oak**

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	024UV
construction:	multi-layer WPC with attached cork underlayment
wearlayer thickness:	20 mil or 0.020 in (0.51 mm)
overall thickness:	0.315 in | 8 mm
actual dimensions:	7.13 in x 48.02 in | 18.00 cm x 121.90 cm
area per carton:	38.24 ft² | 3.55 m²
finish:	ExoGuard™
installation:	floating, direct glue



tawny oak
00209
V2

cerused oak
00210
V2

monterrey oak
00211
V2

pinchot oak
00701
V4

angelina oak
00702
V2

gifford oak
00703
V3

hoosier oak
00704
V3

inyo oak
00705
V3

sawtooth oak
00706
V4

willamette oak
00707
V4

prescott oak
00708
V4

nantahala pine
00709
V2

STRATUM XL | STRATUM

RESILIENT | CORETEC®



colour: **00608 dorchester oak**

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	034UV
construction:	multi-layer WPC with attached cork underlayment
wearlayer thickness:	20 mil or 0.020 in (0.51 mm)
overall thickness:	0.319 in | 8.1 mm
actual dimensions:	8.98 in x 72.05 in | 22.81 cm x 183.00 cm
area per carton:	26.95 ft² | 2.50 m²
finish:	ExoGuard™
installation:	floating, direct glue



alston oak
00601
V2

back bay oak
00602
V4

charlestown pine
00603
V3

beacon hill oak
00604
V2

bennington oak
00605
V2

brighton oak
00606
V3

commonwealth oak 00607
V2

dorchester oak
00608
V4

fort hill oak
00609
V3

hyde park ash
00610
V2

newbury oak
00611
V3

more colors


roslindale oak
00612
V2


roxbury oak
00613
V3


waterfront oak
00614
V1


fenway oak
00615
V2


colour: **15595 sediment**

coordinating products:
strand lvt

product specifications

style number:	0515V
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.098 in | 2.5 mm
actual dimensions:	18 in x 36 in | 45.72 cm x 91.44 cm
area per carton:	45 ft² | 4.18 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi


granite
15111
V2


cashmere
15114
V2


natural
15155
V2


pitch
15500
V2


boulder
15506
V2


quartz
15515
V2


cement
15518
V2


gravel
15530
V2


sediment
15595
V2


soil
15740
V2


colour: **00766 echo**

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	0655V (8 mil) | 0517V (12 mil) | 0564V (20 mil)
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	8 mil or 0.008 in (.2 mm) 12 mil or 0.012 in (.3 mm) 20 mil or 0.020 in (.5 mm)
overall thickness:	8 mil or 0.079 in (2.0 mm) 12 mil or 0.098 in (2.5 mm) 20 mil or 0.098 in (2.5 mm)
actual dimensions:	5.96 in x 48.00 in | 15.10 cm x 121.90 cm
area per carton:	8 mil 53.63 ft² | 4.98 m² 12 mil and 20 mil 41.72 ft² | 3.88 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi


balsa
00243
V2


trail
00256
V2


shade
00548
V2



root
00558
V4


timber
00590
V3


pirch
00684
V2


grove
00737
V4


lodge
00740
V2


nest
00755
V3


echo
00766
V2


amber
00830
V2


valley
00850
V2


colour: **00568 root**

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	0453V (12 mil) | 0454V (20 mil) | 0892V (30 mil)
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III printed type B
wear layer thickness:	12 mil or 0.012 in (0.304 mm) | 20 mil or 0.020 in (0.508 mm) 30 mil or 0.030 in (0.762 mm)
overall thickness:	12 mil or 0.098 in (2.5 mm) | 20 mil or 0.098 in (2.5 mm) 30 mil or 0.12 in (3.0 mm)
actual dimensions:	5.96 in x 48.00 in | 15.13 cm x 121.92 cm
area per carton:	12 mil and 20 mil - 41.72 ft² | 3.88 m² 30 mil - 35.76 ft² | 3.32 m²
finish:	ExoGuard+™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi


willow
00170
V3


thatch
00173
V2


ash
00174
V3


trail
00256
V2


shade
00564
V2


root
00568
V3


timber
00572
V2


pirch
00684
V2


lodge
00740
V2


grove
00769
V3


nest
00774
V2

more colors

TERRAIN II quick ship

RESILIENT | LVT



echo 00775 **V2** | summit 05012 **V3** | orchard 05013 **V2** | lark 05016 **V3** | aspen 05019 **V3** | sequoia 07003 **V2** | sumac 07004 **V3** | alder 07005 **V4** | thicket 07008 **V3**

TILT | SHIFT + TILT

RESILIENT | LVT



colour: **10595 morph**

coordinating products:
shift lvt

product specifications

style number:	0710V
construction:	commercial luxury vinyl tile with fiberglass
class / ASTM F1700:	class III type B
wear layer thickness:	nominal 40 mil (0.039 in) | 1.0 mm
overall thickness:	0.197 in | 5 mm
actual dimensions:	9 in x 36 in | 22.86 cm x 91.44 cm
area per carton:	27 ft² | 2.51 m²
finish:	UV urethane
installation:	direct glue
static load limit/ASTM F970:	passes, 750 psi

fluctuate 10155 **V2** | advance 10500 **V2** | deviate 10506 **V2** | flow 10515 **V2** | motion 10530 **V2** | move 10535 **V2**

transpose 10555 **V2** | morph 10595 **V2** | alternate 10740 **V2** | reflect 10761 **V2**

UNVEIL | VERTICAL LAYERS

RESILIENT | LVT



colour: **01518 alter**

coordinating products:
expose tile, relief tile, tinge tile, uncover tile, undertone tile

product specifications

style number:	0601V
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	30 mil or 0.030 (0.762 mm)
overall thickness:	0.118 in | 3.0 mm
actual dimensions:	9 in x 36 in | 22.86 cm x 91.44 cm
area per carton:	36 ft² | 3.35 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 2000 psi

faded 01103 **V2** | bleached 01111 **V2** | ferric 01211 **V2** | patina 01326 **V2** | weathered 01405 **V2** | burnish 01486 **V2**

oxidize 01504 **V2** | alter 01518 **V2** | grit 01530 **V2** | tinted 01535 **V2** | char 01555 **V2** | tarnish 01585 **V2**

industrial 01675 **V2** | rust 01855 **V2** | alum 01991 **V2**

UNCOMMON GROUND

RESILIENT | LVT



colour: **02500 french grey**

product specifications

style number:	0187V (4 in) | 0188V (6 in)
construction:	commercial luxury vinyl tile
class / ASTM F1700:	class III type B
wear layer thickness:	20 mil or 0.020 in (0.5 mm)
overall thickness:	0.118 in | 3 mm
actual dimensions:	0187V 3.94 in x 36.22 in | 10 cm x 92 cm 0188V 5.91 in x 36.22 in | 15 cm x 92 cm
area per carton:	35.65 ft² | 3.12 m²
finish:	ExoGuard™
installation:	direct glue
static load limit/ASTM F970:	passes, 1500 psi

provence 02140 **V2** | driftwood 02150 **V2** | sand dune 02160 **V2** | gallery maple 02200 **V2** | french grey 02500 **V3** | white oak 02506 **V2**

zen 02520 **V1** | teak light 02530 **V3** | brazillian cherry 02534 **V3** | telluride 02540 **V4** | teak green 02544 **V2**

more colors

UNCOMMON GROUND

RESILIENT | LVT



cikel cherry
02571
V2



asian mahogany
02572
V2




chocolate cherry
02573
V2



whiskey barrel
02580
V2



olivewood
02700
V3



bamboo natural
02701
V2



bamboo coffee
02702
V2



heritage
02710
V2



andirondack
02720
V2



gallery walnut
02740
V3



colonial
02750
V2



ceylon
02760
V2



skyline
02560
V2

VORTEX | STRATUM

RESILIENT | CORETEC®



colour: **00808 ferris lake oak**

See resilient accessories section for coordinating transitions and trims, page 528

product specifications

style number:	022UV
construction:	multi-layer WPC with attached cork underlayment
wear layer thickness:	12 mil or 0.012 in (.3 mm)
overall thickness:	0.248 in | 6.3 mm
actual dimensions:	5.91 in x 48.02 in | 15.01 cm x 121.97 cm
area per carton:	31.73 ft² | 2.95 m²
finish:	ExoGuard™
installation:	floating, direct glue




crane hill acacia
00801
V3



riva oak
00802
V3



lexington walnut
00803
V2



crestview walnut
00804
V2



brentwood walnut
00805
V2



wellston ash
00806
V2



olive point
00807
V2



farris lake
00808
V3



melbourne oak
00810
V3

ENGINEERED


HARDWOOD

back to contents page


COLOR AND VISUAL VARIATIONS

Color and visual variation is inherent in all engineered hardwood products. It can vary slightly or significantly from piece to piece within a color. V1 has little or no variation from piece to piece. V4 will have a large variation in color and visual. For more information on product variation and to view swatch installations go to shawcontract.com


V1 uniform appearance



V2 slight variation



V3 moderate variation



V4 substantial variation



Variations are listed on product pages under the color numbers



colour: 05045 honesty ash

See engineered hardwood accessories section for coordinating transitions and trims, page 526

*This product not available for sale in Canada

product specifications

style number:	CA362
construction:	engineered high-density core hardwood with tongue and groove
species:	ash, oak, maple
overall thickness:	0.5 in (1/2 in) | 1.27 cm
actual dimensions:	7.00 in x 82.50 in | 17.80 cm x 209.60 cm boxes may contain random lengths
area per carton:	23.58 ft^2 | 2.19 m^2
finish:	UV cured urethane with aluminum oxide
edge profile:	micro-bevel
installation:	nail, staple, direct glue, float

Swatches represent multiple planks



expression ash
01026
V3



persona oak
01027
V3



honesty ash
05045
V3



sincerity oak
05048
V3



genuine ash
07028
V3



attribute oak
07029
V3



absolute maple
09019
V2



colour: **09016 archival oak**

See engineered hardwood accessories section for coordinating transitions and trims, page 526

product specifications

style number:	CA350
construction:	engineered ply-core hardwood with tongue and groove
species:	oak
overall thickness:	0.5 in (1/2 in) | 1.27 cm
actual dimensions:	4.75 in x 23.63 in | 12.00 cm x 60.00 cm boxes may contain random lengths
area per carton:	27.90 ft² | 2.59 m²
finish:	UV cured urethane with aluminum oxide
edge profile:	micro-bevel
installation:	direct glue only

Swatches represent multiple planks



reserve oak
01007
V2



gallery oak
01028
V3



exhibit oak
05014
V2



curated oak
07024
V3



archival oak
09016
V2



colour: **00308 lockwood oak**

See engineered hardwood accessories section for coordinating transitions and trims, page 526

product specifications

style number:	203UV
construction:	engineered ply-core hardwood with tongue and groove
species:	oak
overall thickness:	0.625 in (5/8 in) | 1.60 cm
actual dimensions:	7.50 in x 70.00 in | 19.05 cm x 190.50 cm boxes may contain random lengths
area per carton:	31.09 ft² | 2.89 m²
finish:	UV cured oil finish
edge profile:	micro-bevel
installation:	nail, staple, direct glue, float

Swatches represent multiple planks



dagwood oak
00301
V2



heywood oak
00302
V3



boyce oak
00304
V3



sherwood oak
00305
V3



walden oak
00306
V3



foster oak
00307
V3



lockwood oak
00308
V3



silvan oak
00309
V3



kirkwood oak
00310
V2



arden oak
00311
V3



colour: **02000 superlative hickory**

See engineered hardwood accessories section for coordinating transitions and trims, page 526

*This product not available for sale in Canada

product specifications

style number:	CA334
construction:	engineered high-density core hardwood with tongue and groove
species:	hickory
overall thickness:	0.375 in (3/8 in) | 0.95 cm
actual dimensions:	5.00 in x 58.50 in | 12.70 cm x 148.60 cm boxes may contain random lengths
area per carton:	23.66 ft² | 2.20 m²
finish:	UV cured urethane with aluminum oxide
edge profile:	pillowed
installation:	nail, staple, direct glue, float

Swatches represent multiple planks



singular hickory
05003
V2



defined hickory
00510
V3



preferential hickory
00879
V3



tactility hickory
00941
V3



superlative hickory
02000
V3



colour: **15019 tonal oak**

See engineered hardwood accessories section for coordinating transitions and trims, page 526

*This product not available for sale in Canada

product specifications

style number:	CA364
construction:	engineered ply-core hardwood with tongue and groove
species:	oak
overall thickness:	0.625 in (5/8 in) | 1.60 cm
actual dimensions:	8.00 in x 82.50 in | 20.32 cm x 209.60 cm boxes may contain random lengths
area per carton:	22.45 ft² | 2.09 m²
finish:	UV cured urethane with aluminum oxide
edge profile:	bevel
installation:	nail, staple, direct glue, float

Swatches represent multiple planks



artisan oak
11024
V4



tonal oak
15019
V4



impasto oak
16001
V4



patina oak
17020
V4



colour: **07021 dynasty walnut**

See engineered hardwood accessories section for coordinating transitions and trims, page 526

*This product not available for sale in Canada

product specifications

style number:	CA361
construction:	engineered high-density core hardwood with tongue and groove
species:	maple, hickory, walnut
overall thickness:	0.50 in (1/2 in) | 1.27 cm
actual dimensions:	9.25 in x 82.50 in | 23.50 cm x 209.60 cm boxes may contain random lengths
area per carton:	25.97 ft² | 2.41 m²
finish:	UV cured urethane with aluminum oxide
edge profile:	handscraped
installation:	nail, staple, direct glue, float

Swatches represent multiple planks



familiar walnut
01013
V3



rooted maple
07019
V3



dynasty walnut
07021
V2



lineage hickory
11022
V3



colour: **01007 gallant oak**

See engineered hardwood accessories section for coordinating transitions and trims, page 526

product specifications

style number:	CA308
construction:	engineered ply-core hardwood with tongue and groove
species:	oak
overall thickness:	0.50 in (1/2 in) | 1.27 cm
actual dimensions:	5.00 in x 70.88 in | 17.80 cm x 180.00 cm boxes may contain random lengths
area per carton:	29.53 ft² | 2.74 m²
finish:	UV cured urethane with aluminum oxide
edge profile:	micro-bevel
installation:	nail, staple, direct glue, float

Swatches represent multiple planks



gallant oak
01007
V2



exquisite oak
01015
V2



sophisticated oak
02012
V3



cultivated oak
05014
V3



precise oak
09008
V3



colour: **00146 invigorate oak**

See engineered hardwood accessories section for coordinating transitions and trims, page 526

product specifications

style number:	CA286
construction:	engineered ply-core hardwood with tongue and groove
species:	oak
overall thickness:	0.625 in (5/8 in) | 1.60 cm
actual dimensions:	7.50 in x 74.88 in | 19.90 cm x 190.20 cm boxes may contain random lengths
area per carton:	31.09 ft^2 | 2.89 m^2
finish:	UV cured urethane with aluminum oxide
edge profile:	micro-bevel
installation:	nail, staple, direct glue, float

Swatches represent multiple planks



invigorate oak
00146
V3



renewal oak
00508
V3



nostalgia oak
00519
V3



revival oak
00524
V2



motif oak
00533
V3



restoration oak
00986
V3



reminisce oak
01010
V3



recollect oak
05022
V3

back to contents page

ADHESIVES + EPOXY

name / description	approved products	moisture limit	spread rate
1000 Standard	ClassicBac® UltraLoc® UltraLoc® MB UltraLoc® MP UltraLoc® MPC	up to 85% RH	8-10 sq yds per gallon using 1/8" u-notch
1200 Standard	ClassicBac® UltraLoc® UltraLoc® MB UltraLoc® MP UltraLoc® MPC	up to 85% RH	8-10 sq yds per gallon using 1/8" u-notch
1036 Antimicrobial AATCC174	ClassicBac® UltraLoc® UltraLoc® MB UltraLoc® MP UltraLoc® MPC	up to 85% RH	8-10 sq yds per gallon using 1/8" u-notch
3600 Antimicrobial AATCC174	EcoWorx® Performance Broadloom (EPBL) EcoWorx® Broadloom (EBL)	up to 85% RH	**pattern carpet:** 5-7 sq yds per gallon using 1/8" u-notch **non-pattern carpet:** 8-9 sq yds per gallon using 3/32" u-notch
3800 Indoor/Outdoor	ClassicBac® UltraLoc® UltraLoc® MB UltraLoc® MP UltraLoc® MPC EcoWorx® Performance Broadloom (EPBL) EcoWorx® Broadloom (EBL)	up to 90% RH	8-10 sq yds per gallon using 1/8" u-notch
4000 Seam Sealer	ClassicBac® UltraLoc® UltraLoc® MB UltraLoc® MP UltraLoc® MPC	no moisture testing required	550-600 linear ft. per quart
4151 High Moisture, Pressure Sensitive Adhesive (non-patterned broadloom)	ClassicBac® UltraLoc® UltraLoc® MB UltraLoc® MP UltraLoc® MPC EcoWorx® Performance Broadloom (EPBL) EcoWorx® Broadloom (EBL)	up to 99% RH	**non-patterned broadloom:** 13-18 sq yds per gallon using 1/8" x 1/8" x 1/8" U-Notch
8300 Seam Sealer with moisture impervious seams	ClassicBac® UltraLoc® UltraLoc® MB UltraLoc® MP UltraLoc® MPC EcoWorx® Performance Broadloom (EPBL) EcoWorx® Broadloom (EBL)	no moisture testing required	138-150 linear ft. per 8 oz bottle
MoistureTek Two part epoxy application for high moisture concrete **for use with additional adhesive	ClassicBac® UltraLoc® UltraLoc® MB UltraLoc® MP UltraLoc® MPC EcoWorx® Performance Broadloom (EPBL) EcoWorx® Broadloom (EBL)	up to 100% RH	400 sqft/kit using 1/8" x 1/8" x 1/8" V-notch squeegee

CUSHIONS

name / description	approved products	installation	benefits	features
DuraWorx A breathable polyurethane carpet cushion that provides enhanced support and comfort to carpet in any commercial space.	ClassicBac®	direct glue stretch-in* double glue	Comfort and moisture barrier	• Enhanced Comfort • Breathable moisture barrier keeps spills from penetrating the cushion for 24 hours • Commercial limited warranty • Green label plus certified • Contributes to LEED • Made in the USA
	UltraLoc®	direct glue stretch-in* double glue		
	UltraLoc® MB	direct glue stretch-in* double glue		
	UltraLoc® MP (custom backing)	direct glue stretch-in* double glue		
	UltraLoc® MPC (custom backing)	direct glue		
	EcoWorx® Performance Broadloom (EPBL)	direct glue		
	EcoWorx® Broadloom (EBL)	direct glue stretch-in*		
Eco Fiber Touch A premium recycled synthetic fiber cushion that provides underfoot comfort and exceptional stability to broadloom carpet.	ClassicBac®	stretch-in*	Comfort	• Premium blend of fiber provides long-lasting support in high-traffic areas • Cradle to Cradle™ Certified Bronze • Contributes to LEED • Commercial Limited 10 Year Warranty
	UltraLoc®	stretch-in*		
	UltraLoc® MB	stretch-in*		
	UltraLoc® MP	stretch-in*		
	EcoWorx® Broadloom (EBL)	stretch-in*		
Fiber Select Value recycled synthetic fiber cushion that performs in high-traffic stretch-in broadloom carpet applications.	ClassicBac®	stretch-in*	Comfort in high-traffic areas	• Constructed with 100% recycled content, saving fiber from landfills • Cradle to Cradle™ Certified Bronze • Contributes to LEED • Commercial Limited 10 Year Warranty
	UltraLoc®	stretch-in*		
	UltraLoc® MB	stretch-in*		
	UltraLoc® MP	stretch-in*		
	EcoWorx® Broadloom (EBL)	stretch-in*		
DS-34 Synthetic fiber cushion is constructed of dense fiber and a smooth surface finish making it ideal for double stick broadloom carpet installations in high-traffic areas.	ClassicBac®	direct glue stretch-in* double glue	Comfort in high-traffic areas	• Dense and resilient for lasting, comfortable support in high-traffic areas • Unique surface finish for easy installation • Contains 85% recycled content • Green Label Plus Certified • Contributes to LEED • Made in the USA • Commercial Limited Warranty
	UltraLoc®	direct glue stretch-in* double glue		
	UltraLoc® MB	direct glue stretch-in* double glue		
	UltraLoc® MP	direct glue stretch-in* double glue		

*stretch-in installations should not exceed 30 ft x 30 ft area.

ADHESIVES + EPOXY

name / description	approved products	moisture limit	spread rate
5000 Standard	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	up to 95% RH	3/8" foam or medium nap roller application will yield 35-40 yds per gallon 1/16" x 1/32" x 5/64" v-notch trowel application will yield 18-20 yds per gallon
5001 Standard	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	up to 95% RH	3/8" foam or medium nap roller application will yield 35-40 yds per gallon 1/16" x 1/32" x 5/64" v-notch trowel application will yield 18-20 yds per gallon
5100	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	up to 90% RH	3/8" foam or medium nap roller application will yield 35-40 yds per gallon 1/16" x 1/32" x 5/64" v-notch trowel application will yield 18-20 yds per gallon
5036 Antimicrobial AATCC174	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	up to 95% RH	3/8" foam or medium nap roller application will yield 35-40 yds per gallon 1/16" x 1/32" x 5/64" v-notch trowel application will yield 18-20 yds per gallon
3800 Indoor/Outdoor	EcoWorx Tile EcoLogix Tile StrataWorx Tile	up to 90% RH	8-10 sq yds per gallon using 1/8" u-notch
4151 High Moisture, Pressure Sensitive Adhesive (non-patterned broadloom)	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	up to 99% RH	**carpet tile:** 28-33 sq yds per gallon using 1/16" x 1/32" x 5/64" U-Notch or 35-40 sq yds per gallon using 3/8" foam or medium nap roller **non-patterned broadloom:** 13-18 sq yds per gallon using 1/8" x 1/8" x 1/8" U-Notch
es Custom option mill applied adhesive	Ecoworx® Tile Ecologix® Tile	100% (no visible moisture)	
LokDots Field applied adhesive alternative	Ecoworx® Tile	no moisture testing required	One sleeve = 8 rolls = approx. 250 yds One case = 96 rolls = approx. 3000 yds Half sleeve = 4 rolls = approx. 125 yds
Lokworx Field applied adhesive alternative	Ecoworx® Tile		Generally 222 square yards per box, but dependent on cuts and layouts.
MoistureTek Two part epoxy application for high moisture concrete **for use with additional adhesive	EcoWorx® Modular EcoLogix® Modular StrataWorx® Modular	up to 100% RH	400 sqft/kit using 1/8" x 1/8" x 1/8" V-notch squeegee

CUSHIONS

name / description	approved products	installation	benefits	features
CushionWorx™ premium polyethylene foam cushion underlayment, performs with EcoWorx® carpet tile for comfort underfoot and sound reduction in high-traffic environments	EcoWorx® Tile	double glue	Comfort and sound reduction	• Provides more noticable comfort underfoot than with EcoWorx carpet tile alone • Reduced sound transfer when installed with EcoWorx® carpet tile in commercial public spaces • Adheres to concrete and wood subfloors with Shaw 3800 adhesive. Provide added stability by using Shaw 5100 adhesive to adhere EcoWorx® carpet tile to CushionWorx™
CushionWorx™ Lite Premium polyethylene foam cushion underlayment, performs with EcoWorx® carpet tile for comfort underfoot	EcoWorx® Tile	double glue	Comfort	• Provides comfort and sound reduction • Adheres to concrete and wood subfloors with Shaw 3800 adhesive to adhere EcoWorx® carpet tile to CushionWorx™
DuraWorx Breathable polyurethane carpet cushio that provides enhacned support and comfrt to carpet in virtually any commercial space	EcoWorx® Tile	direct glue reverse double glue	Comfort and Moisture Barrier	• High performance polyurethane provides enhanced support • Breathable moisture barrier keeps spills from penetrating cushion for 24 hours • Commercial limited warranty • Green label plus certified, contributes to LEED

MOISTURE BARRIER

name / description	approved products	moisture limit	features
KOVARA 95™ Dimensionally-stable, four-ply composite product, engineered as a rolled moisture barrier system for all grades of concrete	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	up to 95% RH	• Suppresses extreme moisture emission levels in concrete up to 95.0% RH • Ideal for vinyl tile, carpet tile, engineered wood, and laminate • Protects against alkalinity and promotes flooring adhesion • Mold and fungus resistant
KOVARA MBX™ Dimensionally-stable, four-ply composite product, engineered as a rolled moisture barrier system for all grades of concrete	EcoWorx® Tile EcoLogix® Tile StrataWorx® Tile	up to 99% RH	• Suppresses extreme moisture emission levels in concrete up to 99.5% RH • Ideal for vinyl tile, carpet tile, engineered wood, and laminate • Protects against alkalinity and promotes flooring adhesion • Mold and fungus resistant

ADHESIVES + EPOXY

name / description	approved products	moisture limit	spread rate
35 MC Moisture Curing Urethane	Engineered Hardwood	up to 95% RH	Hardwood thickness of greater than 3/8in: Up to 30 sq. ft. per U.S. gal Thickness of or less than 3/8 in: Up to 36 sq. ft. per U.S gal.
Tongue and Groove Tongue and Groove for floating installations	Engineered Hardwood	n/a	1/8" bead, 100-150 linear feet
MoistureTek* Two part epoxy application for high moisture concrete *for use with additional adhesive	Engineered Hardwood	up to 100% RH	400 sqft/kit using 1/8" x 1/8" x 1/8" V-notch squeegee

MOISTURE BARRIER

name / description	approved products	moisture limit	features
KOVARA 95™ Dimensionally-stable, four-ply composite product, engineered as a rolled moisture barrier system for all grades of concrete	Engineered Hardwood	up to 95% RH	• Suppresses extreme moisture emission levels in concrete up to 95.0% RH • Ideal for vinyl tile, carpet tile, engineered wood, and laminate • Protects against alkalinity and promotes flooring adhesion • Mold and fungus resistant
KOVARA MBX™ Dimensionally-stable, four-ply composite product, engineered as a rolled moisture barrier system for all grades of concrete	Engineered Hardwood	up to 99% RH	• Suppresses extreme moisture emission levels in concrete up to 99.5% RH • Ideal for vinyl tile, carpet tile, engineered wood, and laminate • Protects against alkalinity and promotes flooring adhesion • Mold and fungus resistant

TRANSITIONS & TRIMS

	Flush Reducer	Flush Stairnose	Overlap Reducer	Overlap Stairnose	Quarter Round	T-Mold	Threshold	Stair Cap
AUTHENTICITY CA352	CRH12	CSH12	CORH2	COSH2	CAQTR	CATMH	CCH12	n/a
BESPOKE CA350	CRH12	CSH12	n/a	n/a	CAQTR	CATMH	CCH12	n/a
CAMARET 203UV	03W38	n/a	n/a	n/a	CAQTR	04W19	02W74	03W73
DISTINCTIVE CA334	CRW38	CSW38	CORW8	COSW8	CAQTR	CATMW	CCW38	n/a
HANDCRAFTED CA364	CRD58	CSD58	CORD5	COSD5	CAQTR	CTM58	CTDH5	n/a
KINSHIP CA361	CRH12	CSH12	CORH2	COSH2	CAQTR	CATMH	CCH12	n/a
REFINED CA308	CRH12	CSH12	CORH2	COSH2	CAQTR	CATMH	CCH12	n/a
RESURGENCE CA286	CRH12	CSH12	CORH2	COSH2	CAQTR	CATMH	CCH12	n/a

UNDERLAYMENT

name / description	approved products	installation	benefits	features
Silent Step™ Ultra Silent Step™ Ultra is a superior performance acoustical flooring underlayment with unsurpassed sound absorption properties for use with laminate and hardwood floating flooring.	Engineered Hardwood	float with t&g adhesive	sound absorbtion and moisture resistant	• High density 100% closed cell polyolefin foam core • Attached 4 mil polyethylene moisture barrier for superior subfloor moisture resistance • Seam overlap protection with peel and stick adhesive strip eliminating the need to tape seams when installing over concrete. • Excellent resilience and resistance to tears and punctures • Does not absorb or trap and hold subfoor moisture • Mold and mildew resistant
Natural Cork Some of the most effective sound control and crack suppression underlayment used under hard surface floors	Engineered Hardwood	direct glue	sound suppression	• Excellent sound suppression • Resist mold and mildew • Decreases step sound in rooms

ADHESIVES + EPOXY

name / description	approved products	moisture limit	spread rate
4100 Standard	LVT, sheet, bio-based polyurethane tile, bio-based polyurethane sheet	up to 95% RH	Paint roller application will yield 35-40 yds per gallon 1/16 v-notch trowel application will yield 18-20 yds per gallon
S150 Spray Adhesive	LVT, sheet, bio-based polyurethane tile, bio-based polyurethane sheet	up to 95% RH	Paint roller application will yield 35-40 yds per gallon 1/16 v-notch trowel application will yield 18-20 yds per gallon
4151 High Moisture, Pressure Sensitive Adhesive for use with carpet and resilient. Must be used as wet set for resilient.	LVT, sheet	up to 99% RH	**resilient:** 19-22 sq yds per gallon using 1/16" x 1/32" x 1/32" U-Notch
MM800* Pressure sensitive adhesive *only applies to products Shift and Tilt	blown foam LVT	up to 90% RH	1/32 x 1/32 v-notch trowel over porus substrate
MoistureTek** Two part epoxy application for high moisture concrete **for use with additional adhesive	LVT, sheet, bio-based polyurethane tile, bio-based polyurethane sheet	up to 100% RH	400 sqft/kit using 1/8" x 1/8" x 1/8" V-notch squeegee

MOISTURE BARRIER

name / description	approved products	moisture limit	features
KOVARA 95™ Dimensionally-stable, four-ply composite product, engineered as a rolled moisture barrier system for all grades of concrete	LVT, bio-based ploryurethane tile	up to 95% RH	• Suppresses extreme moisture emission levels in concrete up to 95.0% RH • Ideal for vinyl tile, carpet tile, engineered wood, and laminate • Protects against alkalinity and promotes flooring adhesion • Mold and fungus resistant
KOVARA MBX™ Dimensionally-stable, four-ply composite product, engineered as a rolled moisture barrier system for all grades of concrete	LVT, bio-based polyurethane tile	up to 99% RH	• Suppresses extreme moisture emission levels in concrete up to 99.5% RH • Ideal for vinyl tile, carpet tile, engineered wood, and laminate • Protects against alkalinity and promotes flooring adhesion • Mold and fungus resistant

TRANSITIONS* & TRIMS

	Quarter Round	OmniTrim™	Stair Cap	Baby Threshhold	Reducer	Flush Stairnose	T-mold
COMPOSED	01X46	n/a	01X95	01X20	01X70	02W17	02X62
CONCRETE	01X46	n/a	01X95	01X20	01X70	02W17	02X62
DEFINED	01V45	n/a	01V94	01V18	01V69	02W16	02W61
STRATUM 500	01W27	n/a	01W78	01W02	01W54	02W01	02W24
STRATUM 700	01W31	n/a	01W94	01W06	01W56	02W06	02W28
STRATUM 1200	01W22	n/a	n/a	01W00	01W48	01W97	02W20
STRATUM 1800	01W25	n/a	n/a	01W02	01W50	01W99	02W22
STRATUM EIRIS	01W40	n/a	01W90	01W14	01W65	02W13	02W57
STRATUM LINEAR	01V39	n/a	01V89	01V13	01V64	02W12	02V56
STRATUM VORTEX	01W33	n/a	n/a	01W08	01X58	01W82	02W80
TERRAIN	SCQT1	SCUN1	SCSN1	n/a	n/a	n/a	n/a
TERRAIN II	SCQT2	SCUN2	SCSN2	n/a	n/a	n/a	n/a
STRATUM XL	01W29	n/a	01X78	01W04	01X54	02W04	02W26

	Quarter Round	T-Molding	Multi-Reducer	Flush Stairnose
QUIET COVER	350VS	349VS	348VS	347VS

	Pinless Metal Track	Tile-Carpet Reducer 1/8"	Carpet Reducer 5/16"	Snap-Down T-Molding 1 1/8"	Resilient Carpet Reducer	Snap-Down T-Molding 2"
UNIVERSAL TRANSITIONS	142VS	143VS	144VS	145VS	146VS	147VS

*Adhere resilient transitions with contact cement or transition tape available through flooring supply locations.

UNDERLAYMENT

name / description	approved products	installation	benefits	features
Hush II sound absorbing, environmentally friendly acoustical flooring underlayment designed for use with luxury vinyl tile/plank.	LVT, bio-based polyurethane tile	double glue direct glue	sound reduction	• Blend of cork and recycled EVA foam granules • Excellent sound suppression • Resist mold and mildew • Decreases step sound in rooms • Suitable over concrete, wood, gypsum subfloors and radiant heat flooring • Contains 85%+ pre-consumer recycled material by weight
GroundWorks Is a noise reduction underlayment that was engineered to reduce sound transmission within multi-level structures. It is ideal for use with luxury vinyl plank.	LVT, bio-based polyurethane tile	double glue direct glue	sound reduction	• Excellent sound suppression • Resist mold and mildew • Decreases step sound in rooms

WELD RODS


style name	style number	matching weld rod style number	construction	length
BASSTONES™	0301V	022VS	PVC	180'
CHANGE	0513V	302VS	PVC	180'
CONSTANT	0512V	302VS	PVC	180'
IN TANDEM	0896V	270VS	PVC-free	197'
NATURELIFE™ WOOD	0002V	002VS	PVC	180'
REED/ROJI	0797V/0798V	353VS	PVC	180'
REXCOURT™ 6.5	0004V	021VS	PVC	330'
TATAMI	0796V	353VS	PVC	180'
VITALITY	0873V	236VS	PVC	180'

For matching color information please refer to the product page.


PLANK VARIATIONS

Color and visual variation is inherent in all modular resilient and hardwood products. It can vary slightly or significantly from piece to piece within a color. V1 has little or no variation from piece to piece. V4 will have a large variation in color and visual. For more information on product variation and to view swatch installations go to shawcontract.com


V1 uniform appearance



V2 slight variation



V3 moderate variation



V4 substantial variation




Variations are listed on product pages under the color numbers



colour: **00403 ink**

product specifications

style number:	60751
construction:	needlebond
pattern:	single rib
fibre:	50% olefin / 50% PET polyester
dye method:	100% solution dyed
secondary backing:	SBR latex
total weight:	30 oz/ly
roll size:	72.0 ft x 54.0 in





colour: **00100 white**

product specifications

style number:	148VS
construction:	thermoplastic rubber
gauge:	1/8 in
size:	4 in x 120 ft
adhesive:	wall base adhesive 141VS | tube 166VS | 1 gallon 136VS | 4 gallon

black 00001 | linen 00011 | shadow 00039 | night 00066 | white 00100 | opal 00110

sterline 00120 | parchment 00130 | putty 00140 | glaze 00150 | cashmere 00160 | suede 00170

hyde 00180 | flax 00190 | blonde 00200 | tan 00210 | mica 00240 | glided 00270

mist 00300 | leaf 00310 | tropic 00320 | patina 00330 | ivy 00350 | green 00360

hemlock 00370 | marsh 00390 | fog 00400 | steel 00410 | lake 00420 | cyan 00430

nordic 00440 | regal 00450 | navy 00460 | sea 00470 | blue 00480 | lava 00490

rock 00500 | glare 00510 | metal 00515 | silver 00520 | oyster 00525 | gravel 00530

mineral 00540 | charcoal 00550 | greige 00560 | granite 00570 | slate 00580

more colors


lichen 00600 | camel 00610 | yellow 00630 | pecan 00640 | bark 00650 | coffee 00670 | dark 00680 | natural 00710 | blush 00720

silt 00730 | stone 00740 | cement 00750 | clay 00760 | earthen 00770 | agate 00780 | ebony 00785 | flint 00790 | soft 00810

deer 00820 | red 00850 | berry 00860 | plum 00880 | henna 00890

ANGLE PROFILE

SCULPTURED BASE



product specifications


style number:	149VS
construction:	thermoplastic rubber
gauge:	1/4 in
size:	4.5 in x 96 in
adhesive:	wall base adhesive 141VS | tube 166VS | 1 gallon 136VS | 4 gallon



black 00001 | night 00066 | opal 00110 | suede 00170 | dark 00680 | clay 00760

DETAIL PROFILE

SCULPTURED BASE



product specifications


style number:	150VS
construction:	thermoplastic rubber
gauge:	1/4 in
size:	4.5 in x 96 in
adhesive:	wall base adhesive 141VS | tube 166VS | 1 gallon 136VS | 4 gallon



black 00001 | night 00066 | opal 00110 | suede 00170 | dark 00680 | clay 00760

QUARTER ROUND PROFILE

SCULPTURED BASE



product specifications

style number:	151VS
construction:	thermoplastic rubber
gauge:	3/4 in
size:	0.75 in x 96 in
adhesive:	wall base adhesive 141VS | tube 166VS | 1 gallon 136VS | 4 gallon



black 00001 | night 00066 | opal 00110 | suede 00170 | dark 00680 | clay 00760

OFFICE SMART™ STATIC CONTROL

Designed for high traffic/high use networked environments to minimize nuisance static and to provide additional protection against static damage.

Level 1– General Office Use

- kV rating < 2.0kV | Not Grounded | Conductive, 15% coverage
- Waiting rooms, conference rooms, offices, lobbies, common areas
- Uses FiberSmart™ technology

DAILY PLANNER | OFFICE SMART™

TILE SIZE: 24X24




colour: **morning meeting**

matching carpet tile:
tangle tile*

**product does not contain FiberSmart™ technology*

product specifications

fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.49 g/m²
gauge:	1/12	47.2/10 cm
average density:	5035 ozs./yd³	
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, random, ashlar, brick	



morning meeting | closing time | rise & shine | month end | end of day | coffee break

COLLABORATORS | OFFICE SMART™

TILE SIZE: 24X24




colour: **brainstorm**

matching carpet tile:
tempt tile*

**product does not contain FiberSmart™ technology*

product specifications

fibre:	eco solution q® nylon	
dye method:	100% solution dyed	
tufted weight:	16 oz.	542.5 g/m²
gauge:	1/12	47.2/10 cm
average density:	4923 ozs./yd³	
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, random, ashlar, brick	



brainstorm | open forum | task force | teamwork | think tank | thought leader

WORKSPACE | OFFICE SMART™

TILE SIZE: 24X24




colour: **on the road**

matching carpet tile:
embark tile*

**product does not contain FiberSmart™ technology*

product specifications

fibre:	eco solution q® nylon	
dye method:	98% solution dyed / 2% yarn dyed	
tufted weight:	17 oz.	576.4 g/m²
gauge:	1/12	47.2/10 cm
average density:	5829 ozs./yd³	
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



high rise | home office | corner office | on the road | coffee shop | downtown

STATICSMART® STATIC CONTROL

Designed for use in technology rich environments where interruptions in computer or electronic equipment performance caused by electrostatic discharge cannot be tolerated.

Level 2 – Technology Rich Environments

- kV rating < 1.0kV | Grounded | Conductive, 33% coverage
- Broadcast and Media, Network Operations Centers, and Computer server/data centers
- Contains continuous conductive StaticSmart FibreLink™ monofilament

LAN 4.1 COLONIAL | STATICSMART®

TILE SIZE: 24X24




colour: **wigglesworth**

matching tile:
transparent tile*

**product does not contain conductive properties*

product specifications

fibre:	eco solution q® nylon	
conductive fibre technology:	StaticSmart FibreLink™ monofilament	
dye method:	100% solution dyed	
tufted weight:	22 oz.	745.9 g/m²
gauge:	1/12	47.2/10 cm
average density:	7104 ozs./yd³	
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	conductive ecoworx®	
recommended installation:	monolithic, quarter turn, ashlar, brick	



wigglesworth | wheatley | hemingway | smith | faulkner | o'neil

LAN 4.0 | STATICSMART®

TILE SIZE: 24X24




colour: **golden mocha**

matching tile:
peto II 26 tile*

**product does not contain conductive properties*

product specifications

fibre:	eco solution q® nylon	
conductive fibre technology:	StaticSmart FibreLink™ monofilament	
dye method:	solution dyed	
tufted weight:	22 oz.	745.9 g/m²
gauge:	1/10	39.4/10 cm
average density:	6637 ozs./yd³	
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	conductive ecoworx®	
recommended installation:	monolithic	



honey | olive | deep blue | golden mocha | midnight | steel gray

STATICSMART® PLUS

Designed with maximum static protection for electronics manufacturing environments and anywhere where 24/7 operational readiness, public safety, and security are at stake.

Level 3 – Mission Critical Environments

- kV rating < .4kV | Grounded | Conductive, 100% coverage
- Public Safety/ E-9-1-1/Emergency Operations, Air Traffic Control, and Electronics Manufacturing/ R&D
- Contains continuous conductive StaticSmart FibreLink™ monofilament in every tuft

PRESIDENTIAL | STATICSMART® PLUS

TILE SIZE: 24X24




colour: **roosevelt**

matching tile:
reparte tile*

**product does not contain conductive properties*

product specifications


fibre:	eco solution q® nylon	
conductive fibre technology:	continuous conductive StaticSmart FibreLink™ monofilament in every tuft	
dye method:	100% solution dyed	
tufted weight:	22 oz.	746 g/m²
gauge:	1/10	39.4/10 cm
average density:	6754 ozs./yd³	
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	conductive ecoworx®	
recommended installation:	quarter turn, ashlar	



adams | jackson | madison | truman | roosevelt | washington

DISCOVERY ECO | STATICSMART® PLUS

TILE SIZE: 24X24




colour: **houston**

coordinating products:
peto II 26 tile*


**product does not contain conductive properties*

product specifications

fibre:	eco solution q® nylon	
conductive fibre technology:	continuous conductive StaticSmart FibreLink™ monofilament in every tuft	
dye method:	100% solution dyed	
tufted weight:	24 oz.	813.7 g/m²
gauge:	1/10	39.4/10 cm
average density:	7642 ozs./yd³	
product size:	24 in x 24 in	61 cm x 61 cm
secondary backing:	conductive ecoworx®	
recommended installation:	monolithic	



houston | crockett | columbus blue | carson | livingstone | shackelton grey



galileo | magellan

We've got you covered. With more than 300 high-performance and sustainable products on the GSA schedule, we offer solutions to meet all of your requirements for carpet, and resilient installations.

carpet tile

absorbed tile: 158–159, 277 quick ship
abstract edge tile: 201, 277
achromatic tile: 58–59, 278
adorn tile: 71, 278
advance tile: 18-19, 279
affluence tile: 161, 279
agate tile: 255, 280
allure tile: 41, 281 quick ship
analog tile: 25, 282
applied tile: 159, 283
artisan tile: 78, 284
augment tile: 268-269, 284
balance tile: 274, 285
basic tile: 230–231, 286 quick ship
bias tile: 202–203, 288
blend tile: 179, 289
bliss tile: 220, 289
block print tile: 136, 290
blox tile: 189, 290
blur tile: 17, 291
brilliance tile: 223, 292
byline tile: 185, 293 quick ship
captivate tile: 188, 293 quick ship
catalyst tile: 167, 294 quick ship
central line tile: 211, 294 quick ship
centric tile: 231, 295 quick ship
chain stitch tile: 51, 295
charisma tile: 296 quick ship
chroma tile: 187, 297
city central tile: 211, 298 quick ship
clear tile: 53, 299
cloth tile: 76, 78, 299
color form tile: 24, 58, 60-61, 226, 300
color frame tile: 60–61, 301
color play tile: 189, 302 quick ship
colour plank tile: 16, 201, 303
connect tile: 274, 304 quick ship
constellation tile: 304 quick ship
construct tile: 73, 305
copy tile: 73, 307
corded tile: 51, 307
dash tile: 19, 309
decor tile: 161, 309
diffuse tile: 182–183, 311 quick ship
disperse tile: 182–183, 312 quick ship
distort tile: 24–25, 314
drift tile: 204–205, 315
duotone tile: 58–59, 315
dwelling tile: 130, 316
embark tile: 162–163, 317 quick ship
embellish tile: 137, 318
emotion tile: 274, 319
engage tile: 164–165, 319 quick ship
entrée tile: 320
expand tile: 38–39, 322
fade tile: 17, 324
familiar tile: 128, 324
field tile: 266–267, 325 quick ship
focus tile: 274, 327
folded edge tile: 38–39, 327
folded tile: 38–39, 328
foundation tile: 96–97, 329
fringe tile: 162–163, 329
glaze tile: 53, 330
glimmer tile: 41, 330 quick ship
glitch tile: 25, 331
glitz tile: 99, 331
gradient tile: 223, 332 quick ship
groundworks III tile: 333
haze tile: 163, 334
hint tile: 178–179, 335
honest tile: 130, 149, 256, 336
horizontal edge tile: 201, 336
hybrid tile: 166, 337 quick ship
hype tile: 268–269, 337
identity tile: 127, 338
ignite tile: 56-57, 338
imprint tile: 225, 341
infinite tile: 184, 342 quick ship
interact tile: 101, 343
intrigue tile: 188, 344 quick ship
jasper tile: 255, 344
kasuri tile: 202–203, 345
kinetic tile: 189, 345 quick ship
kit tile: 79, 346
knit tile: 51, 346
kusa tile: 244–245, 347
linage tile: 185, 347
linear shift tile: 133, 348
linear tile: 133, 349
linger tile: 205, 349
link tile: 185, 350
luminosity tile: 99, 350
manipulate tile: 24–25, 351
merge tile: 201, 352
mesh tile: 203, 353
mica tile: 254–255, 353
minimal tile: 200–201, 354 quick ship
mirror image tile: 259, 355 quick ship
momentum IV tile: 355 quick ship
nest tile: 129, 356
overlay tile: 16–17, 357
path tile: 358 quick ship
pause tile: 100–101, 358
peto II tile: 359-360
plain weave tile: 76, 78, 360
portal tile: 362 quick ship
prairie tile: 121, 363
primary tile: 230–231, 364 quick ship
prisma tile: 258–259, 365 quick ship
quartz tile: 254–255, 366
radiance tile: 99, 367 quick ship
realm tile: 267, 367 quick ship
resurface tile: 96-97, 370
riche tile: 161, 371
rotate tile: 72, 372
scape tile: 266–267, 373 quick ship
sea edge tile: 211, 375 quick ship
sea tile: 211, 374 quick ship
serenity tile: 221, 376
shelter tile: 129, 149, 377
shine tile: 40, 377 quick ship
site lines tile: 92, 378
sketch tile: 224, 379
spectrum tile: 187, 380
step tile: 101, 382
straightforward tile: 384
still tile: 56–57, 382
striking tile: 223, 384
surround tile: 231, 385 quick ship
tangle tile: 186, 386 quick ship
technique tile: 178–179, 386
tempt tile: 186, 387 quick ship
the eccentric tile: 387
the socialite tile: 388
think tile: 164–165, 388 quick ship
tinge tile: 261, 389 quick ship
track tile: 18, 21, 390
tranquil tile: 221, 390
transparent tile: 52, 391 quick ship
tru colours tile: 391–392 quick ship
turn tile: 20, 392
undertone tile: 261, 393
unity tile: 394
value tile: 58–59, 395
vanish tile: 178–179, 395
vantage tile: 100–101, 396
vapor tile: 163, 396
vast tile: 184, 397 quick ship
veil tile: 225, 397
vertical edge tile: 200–201, 398 quick ship
vibrant tile: 158–159, 398 quick ship
visible tile: 159, 399 quick ship
wander tile: 162–163, 399 quick ship

broadloom

3square: 403
associate: 406
blog: 273, 409 quick ship
bloom plush: 75, 410
bridge: 411
cadence: 412
charisma: 412
constellation: 414 quick ship
corded: 51, 415
cross stitch: 51, 417
crown colony III: 417–418
culture: 418 quick ship
design series V: 419–420 quick ship
engrave: 250–251, 424
essence: 181, 426
facade: 250–251, 428
fiber: 71, 429
field trip: 429 quick ship
float plush: 74, 431
glade: 120, 432
glow: 98, 432
grace: 157, 433
gradient: 223, 434 quick ship
highlight: 225, 436–437
hit the books: 437 quick ship
inlay: 203, 440
interplay: 440 quick ship
joie: 161, 441
meadow: 121, 444
modify: 265, 445 quick ship
momentum IV: 446 quick ship
natural selection: 27, 448
navigate: 273, 448
pebble: 121, 450
peto II: 450
profile: 225, 452
scepter II: 455–456
scholar II: 457 quick ship
screen: 251, 458
scribe: 124, 458 quick ship
switch: 265, 466 quick ship
text: 273, 468
tint: 223, 469 quick ship
tone: 222, 469 quick ship
transfer: 265, 470 quick ship
trellis: 181, 470
tribute: 157, 471
twine: 180–181, 471
utopian: 472–473
verve: 160, 473
vitae: 161, 475
wisdom: 157, 476

resilient

basstones: 479–480
constant sheet: 55, 481
cove LVT: 257, 488
crete LVT: 488
emerge LVT: 193, 490
grain LVT: 118–119, 233, 491
inlet LVT: 149, 256, 492
interval LVT: 54–55, 494
native origins LVT: 497
naturelife wood II: 482
quiet cover LVT: 266, 499
solitude LVT: 42, 94, 131, 228–229, 501
strand LVT: 234–235, 502
uncommon ground LVT: 81, 507–508

accessories

4" cove base: 532–533
adhesives, broadloom: 521
adhesives, carpet tile: 523
adhesives, engineered hardwood: 525
adhesives, resilient: 527
angle profile, sculptured base: 534
cushions, broadloom: 522
cushions, carpet tile: 524
detail profile, sculptured base: 534
epoxy, broadloom: 521
epoxy, carpet tile: 523
epoxy, engineered hardwood: 525
epoxy, resilient: 527
moisture barrier, carpet tile: 524
moisture barrier, engineered hardwood: 525
moisture barrier, resilient: 527
office smart: 536
quarter round, profile sculptured base: 535
sculptured base: 534–535
staticsmart plus: 540–541
staticsmart static control: 538–539
transitions, engineered hardwood: 526
transitions, resilient: 528
trims, engineered hardwood: 526
trims, resilient: 528
underlayment, engineered hardwood: 526
underlayment, resilient: 529
variations: 530
wall base: 532–533
wall coverings: 531
weld rods: 529
whisper wall coverings: 531

carpet

3square: 403
absorbed tile: 158–159, 277 quick ship
abstract edge tile: 201, 277
accomplish: 403 quick ship
achromatic tile: 58–59, 278
adorn tile: 71, 278
advance tile: 18–19, 279
affluence tile: 161, 279
agate tile: 255, 280
alchemy tile: 190–191, 280
align tile: 217, 281 quick ship
allure tile: 41, 281 quick ship
ambition III: 404
amplify: 41, 405 quick ship
analog tile: 25, 282
angle tile: 39, 282
applied tile: 159, 283
artisan loom: 77, 405
artisan tile: 78, 284
aspire: 406
associate: 406
augment tile: 268–269, 284
balance tile: 274, 285
basalt II tile: 271, 285
base metal: 192, 407
base tile: 66–67, 286
basic tile: 230–231, 286 quick ship
basket: 180–181, 407
batik: 112–113
bellcourt: 408
belong tile: 150, 287 quick ship
bevel tile: 132–133, 287
beyond: 198, 408
beyond tile: 196–197, 288
bias tile: 202–203, 288
birch: 212, 409 quick ship
blend tile: 179, 289
bliss tile: 220, 289
block print tile: 136, 290
blog: 273, 409 quick ship
bloom plush: 75, 410
blox tile: 189, 290
blur tile: 17, 291
bon jour II: 410
bon jour II tile: 291
bookmatch tile: 195
botan: 245, 411
botan tile: 245, 292
bridge: 411
brilliance tile: 223, 292
byline tile: 185, 293 quick ship
cadence: 412
captivate tile: 188, 293 quick ship
catalyst tile: 167, 294 quick ship
central line tile: 211, 294 quick ship
centric tile: 231, 295 quick ship
chain stitch tile: 51, 295
chalet tile: 28, 296
charisma: 412
charisma tile: 296 quick ship
chok loom: 77, 413
chok tile: 79, 297
chroma tile: 187, 297
city central tile: 211, 298 quick ship
city grid tile: 93, 298
clear tile: 53, 299
cloth tile: 76, 78, 299
collaborators, officesmart: 537
collage: 73, 413
color form tile: 24, 58, 60–61, 226, 300
color frame tile: 60–61, 301
color play tile: 189, 302 quick ship

color shift tile: 66–67, 302
colour plank tile: 16, 201, 303
connect tile: 274, 304 quick ship
constellation: 414 quick ship
constellation tile: 304 quick ship
construct tile: 73, 305
contact tile: 66–67, 305
conté: 124, 414
contour: 218, 415 quick ship
convene tile: 31–32, 35, 306
copy tile: 73, 307
corded: 51, 415
corded tile: 51, 307
core: 27, 416
cranford: 416
create tile: 206, 308
cross stitch: 51, 417
crown colony III: 417–418
culture: 418 quick ship`
curve tile: 142, 308
daily planner, officesmart: 536
dash tile: 19, 309
decor tile: 161, 309
depth tile: 87, 310
design series V: 419–420 quick ship
diagonal tile: 141, 143–144, 310
diffuse tile: 182–183, 311 quick ship
dimension: 219, 420
direction tile: 264–265, 311 quick ship
discover tile: 197, 312
discovery eco, staticsmart plus: 541
disperse tile: 182–183, 312 quick ship
dissolve tile: 70, 313
distort tile: 24–25, 314
divide: 253, 421 quick ship
double knit: 50, 421
dream tile: 151, 314 quick ship
drift tile: 204–205, 315
duotone tile: 58–59, 315
dwelling tile: 130, 316
dye lab tile: 84–85, 316
earth tone tile: 27, 317 quick ship
eclectic: 167, 422 quick ship
edit: 253, 422 quick ship
edition: 170, 423
effect: 203, 423
embark tile: 162–163, 317 quick ship
embellish tile: 137, 318
emotion tile: 274, 319
engage tile: 164–165, 319 quick ship
engrave: 250–251, 424
entrée tile: 320
entwine tile: 27, 320 quick ship
equal: 253, 424 quick ship
erase: 124, 425
escape: 198, 425
essence: 181, 426
essential: 253, 426 quick ship
establish tile: 31–32, 34, 321
evolution: 427 quick ship
evolve tile: 321
expand tile: 38–39, 322
expanse tile: 196–197, 322
explore tile: 205, 323
expose tile: 261, 323
expressive: 181, 427
facade: 250–251, 428
fade tile: 17, 324
familiar tile: 128, 324
fault: 192, 428
fault lines II tile: 270–271, 325
fiber: 71, 429
field tile: 266–267, 325 quick ship
field trip: 429 quick ship
filter tile: 208–209, 326
fine point tile: 122–123, 326
flare: 41, 430 quick ship
flicker: 41, 430 quick ship
float plush: 74, 431
focus tile: 274, 327
folded edge tile: 38–39, 327
folded tile: 38–39, 328
form tile: 191, 328
fossil: 253, 431 quick ship
foundation tile: 96–97, 329
fringe tile: 162–163, 329
glade: 120, 432
glaze tile: 53, 330
glimmer tile: 41, 330 quick ship
glitch tile: 25, 331
glitz tile: 99, 331
glow: 98, 432
grace: 157, 433
gradient: 223, 434 quick ship
gradient tile: 223, 332 quick ship
gravel II tile: 270–271, 333
grounded: 27, 435
groundworks III: 435
groundworks III tile: 333
grove: 213, 433 quick ship
hana: 436
hana tile: 244–245, 334
haze tile: 163, 334
highlight: 225, 436–437
hint tile: 178–179, 335
hit the books: 437 quick ship
honed tile: 190–191, 335
honest tile: 130, 149, 256, 336

honor: 156, 438
horizontal edge tile: 201, 336
hybrid tile: 166, 337
hype tile: 268–269, 337
Identity tile: 127, 338
ignite tile: 56–57, 338
illuminate: 41, 438
imagery: 439
impact tile: 165, 339
impression I: 145-146, 339
impression II: 146, 340
impression III: 147, 340
impression IV: 147, 341
imprint tile: 225, 341
infinite tile: 184, 342
ingrain tile: 27, 342
inherit: 170, 439
inlay: 203, 440
intent tile: 82, 343
interact tile: 101, 343
interplay: 440
intrigue tile: 188, 344
intuition: 42–43, 441
jasper tile: 255, 344
joie: 161, 441
kasuri tile: 202–203, 345
kennebunk: 442
kinetic tile: 189, 345
kit tile: 79, 346
knit tile: 51, 346
kusa: 442
kusa tile: 244–245, 347
LAN 4.0, staticsmart: 539
LAN 4.1 colonial, staticsmart: 539
lana: 71, 443
layer: 219, 443
linage tile: 185, 347
linear shift tile: 133, 348
linear tile: 133, 349
linen: 113
lineweight tile: 123, 348
linger tile: 205, 349
link tile: 185, 350
luminosity tile: 99, 350
mainframe: 272, 444
manipulate tile: 24–25, 351
matmee tile: 79, 351
meadow: 121, 444
meld: 167, 445
memory tile: 149–150, 352
merge tile: 201, 352
mesh tile: 203, 353
mica tile: 254–255, 353
migrate tile: 208–209, 354
minimal tile: 200–201, 354
mirror image tile: 259, 355
modify: 265, 445
momentum IV: 446
momentum IV tile: 355
monolith: 192, 447
moritz: 446
movement: 447
natural selection: 27, 448
navigate: 273, 448
nest tile: 129, 356
nuance tile: 208–209, 356
ornament: 251, 449
ornate tile: 168–169, 357
outline: 218, 449
overlay tile: 16–17, 357
path tile: 358
pause tile: 100–101, 358
pavers II tile: 270–271, 359
pebble: 121, 450
peto II: 450
peto II tile: 359–360
plain weave tile: 76, 78, 360
plane tile: 67, 132–133, 361
pleat: 237, 451
point tile: 143–144, 362
portal tile: 362
potential III: 451
poured tile: 102–103, 363
prairie tile: 121, 363
presence tile: 87, 364
presidential, staticsmart plus: 541
primary tile: 230–231, 364
prime: 252, 452
primitive tile: 96–97, 365
prisma tile: 258–259, 365
profile: 225, 452
prosper: 453
purpose tile: 83, 366
quartz tile: 254–255, 366
quest: 43, 453
radiance tile: 99, 367
realm tile: 267, 367
reflect tile: 204, 206, 368
refuge: 29, 454
relief tile: 260–261, 368
reminisce: 152, 454
renew tile: 205, 369
repartee tile: 369
resurface tile: 96–97, 370
rethread tile: 168–169, 370
retreat: 29, 455
reverse tile: 264–266, 371
riche tile: 161, 371

rotate tile: 72, 372
saturate tile: 58–59, 372
scape tile: 266–267, 373
scepter II: 455–456
scholar II: 457
screen: 251, 458
scribe: 124, 458
sculpt loop tile: 217, 374
sculpt tile: 216, 373
sea edge tile: 211, 375
sealed: 459
sea tile: 211, 374
seek tile: 197, 375
sentiment: 459
serenity tile: 221, 376
sewn: 460
shadow plush: 75, 460
shape tile: 265, 376
shelter tile: 129, 149, 377
shimmer: 99, 461
shine tile: 40, 377
site lines tile: 92, 378
situation tile: 83, 378
sketch tile: 224, 379
sky tile: 210, 379
slab tile: 191, 380
slide: 39, 461
solid: 462
sophistication: 43, 463
space: 463
spectrum tile: 187, 380
square tile: 141, 142, 144, 381
stacked tile: 102–103, 381
stay: 153, 464
step tile: 101, 382
still life tile: 86, 383
still tile: 56–57, 382
stipple tile: 122–123, 383
straightforward tile: 384
strata: 192, 464
striking tile: 223, 384
stylus: 124, 465
summit: 213, 465
support tile: 33, 385
surround tile: 231, 385
swirl plush: 75, 466
switch: 265, 466
tangle tile: 186, 386
taper: 236, 467
tapestry: 113
technique tile: 178–179, 386
tempt tile: 186, 387
terra: 467
text: 273, 468
the eccentric tile: 387
the socialite tile: 388
think tile: 164–165, 388
timber: 26, 468
tinge tile: 261, 389
tint: 223, 469
tone: 222, 469
trace tile: 217, 389
track tile: 18, 21, 390
tranquil tile: 221, 390
transfer: 265, 470
transparent tile: 52, 391
trellis: 181, 470
tribute: 157, 471
tru colours tile: 391–392
turn tile: 20, 392
twine: 180–181, 471
uncover tile: 260–261, 393
undertone tile: 261, 393
unity tile: 394
unwind tile: 394
utopian: 472–473
value tile: 58–59, 395
vanish tile: 178–179, 395
vantage tile: 100–101, 396
vapor tile: 163, 396
vast tile: 184, 397
veil tile: 225, 397
vertical edge tile: 200–201, 398
verve: 160, 473
vibrant tile: 158–159, 398
villa: 474
visible tile: 159, 399
vitae: 161, 475
wander tile: 162–163, 399
welcome II: 475
welcome II tile: 400
wisdom: 157, 476
workspace, officesmart: 537
zone tile: 206, 400

engineered hardwood

authenticity: 89, 511
bespoke: 91, 512
camaret: 90, 513
distinctive: 90, 514
handcrafted: 91, 515
kinship: 90, 516
refined: 91, 517
resurgence: 91, 518

resilient

artisan sheet: 479
basstones sheet: 479–480
brush LVT: 125, 244, 486
change sheet: 55, 480
composed EVT | COREtec®: 65, 487
concrete EVT | COREtec®: 64–65, 487
constant sheet: 55, 481
cove LVT: 257, 488
crete LVT: 488
cut LVT: 173–174, 489
defined EVT | COREtec®: 69, 489
emerge LVT: 193, 490
grain LVT: 118–119, 233, 491
inlet LVT: 149, 256, 492
innate BPT*: 138, 493
inspire LVT: 164–165, 493 quick ship
in tandem BPS**: 139, 481
in tandem BPT*: 139, 492
interval LVT: 54–55, 494
intricate LVT: 494
jeogori LVT: 495
level LVT: 135, 495–496
line LVT: 125, 496
native origins LVT: 497
naturelife wood II sheet: 482
pigment LVT: 118–119, 215, 498
plaster LVT: 498
quiet cover LVT: 266, 499
reed sheet: 246–247, 483
reThink LVT: 214–215, 500
rexcourt sheet: 483-484
roji sheet: 246–247, 484
shear LVT: 175, 501
shift LVT: 226–227, 500
solitude LVT: 42, 94, 131, 228–229, 501
strand LVT: 234–235, 502
stratum 500 EVT | COREtec®: 68, 502
stratum 700 EVT | COREtec®: 69, 503
stratum eiris EVT | COREtec®: 69, 490
stratum linear EVT | COREtec®: 69, 497
stratum vortex EVT | COREtec®: 508
stratum xl EVT | COREtec®: 69, 503–504
surface LVT: 235, 504
tatami sheet: 247, 485
terrain II LVT: 248–249, 505–506 quick ship
terrain LVT: 505
tilt LVT: 227, 506
uncommon ground LVT: 81, 507–508
unveil LVT: 262, 507
vitality sheet: 485–486

* Bio-Based Polyurethane Tile
** Bio-Based Polyurethane Sheet

re-order: SE441/901

MIX
Paper from responsible sources
FSC® C009723

Printed on elemental chlorine free, acid free, pH neutral paper containing a minimum of 10% post-consumer recovered fiber.
Please recycle when finished.