FLEET[™] Planning Guide + Price List

QUICK LINKS

Introduction

General Information Finish Information Surface Materials

Planning Guide

Planning

Price List

Fleet Tops and Bases Fleet Power and Data Options

General Information



This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact Nucraft Customer Service. Nucraft can also help arrange to have products blanket wrapped for an additional charge. Contact the Nucraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,100 net will be assessed a \$285 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

Nucraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the Nucraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for Nucraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify Nucraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by Nucraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from Nucraft's facilities.

Storage

Nucraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, Nucraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. Nucraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that Nucraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. Nucraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). Nucraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against Nucraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

Nucraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. Nucraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. Nucraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs.
- Special Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by Nucraft.
 If approved, the charge will be \$200 net plus any restocking charges
 accumulated. There may be additional costs associated with engineering
 labor required for the change order.

General Information



Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

Payment Terms

Terms consist of a 1% cash discount for payment within 10 days of invoice date, or payment of the net amount within 30 days of the invoice date (1% 10 days, net 30 days). Discount is not allowed on credit card payments.

Credit Card Payments

When paying by credit card (Visa, Mastercard or American Express), include the card number, expiration date, card holder name (printed) and card holder signature on the purchase order. A credit card payment form is available upon request. No cash discount allowed on credit card payments.

Warranty

Nucraft warrants that each piece of furniture it manufactures will be free from defects in materials and workmanship for a period of ten years of single-shift use. Textiles, decorative trim, electrical components, lamps, mechanical devices, casters and custom-made products not described in Nucraft's catalog are warranted for one year from the date of original delivery. Height adjustable desk mechanisms are warranted for two years. This warranty is applicable only if the furniture is given normal and proper care and is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft products through authorized dealers, or from others specifically authorized by Nucraft to sell its products.

Nucraft's sole obligation under this warranty is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period. Purchasers may be required to establish that a claim is within the warranty period. To initiate a warranty claim, the purchaser should contact an authorized Nucraft dealer.

This warranty does not cover: 1) Damage caused by a carrier 2) COM (Customer's Own Material) specified by the customer that is not a standard product offering 3) Color, grain or texture of wood and other covering materials (due to the natural variations over which Nucraft has no control) 4) Damages resulting from user modification, attachments to a product, misuse, abuse, alteration or negligent use.

Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

Nucraft products and pricing are available on CD via 2020 Cap, an AutoCAD[®]-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.

Finish Information



Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by Nucraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in Nucraft's rich heritage. Other's are new materials and refelct current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

Nucraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over \$5000 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. Nucraft's standard black finish (G82) can be applied to all Nucraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

Treatments

Note: Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded on pages 5-6. If no direction is provided on incoming orders, default sheen will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40-50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 - 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All Nucraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

Nucraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact Nucraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

Nucraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage Nucraft's finish, but will leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naptha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All Nucraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.

Finish Information



Laminates

Selected Formica[®] and Nevamar[®] laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates

To order a color other than those on our list (see pages 5-6), refer to Nevamar or Formica standard grade, matte texture laminate offerings (excluding manufacturers' non-standard matte offering). Add \$103 list per item for a non-standard solid, matrix or pattern. Add 20% per color for woodgrain laminates (includes stained-to-match for remainder of unit to match laminate color). Add one week to the lead-time for all non-standard laminate orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abbrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages 5-6)

General Information:

• Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping

Fleet[™] Surface Materials



WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss	
Ash			
Chalk	M48	G48	
Angora	M49	G49	
Blanco	M44	G44	
Oat	M45	G45	
Rift Cut Oak			
Nougat	M01	G01	
Wheat	M02	G02	
Carbon	M03	G03	
Bramble	M07	G07	
Cherry			
Sherry	M20	G20	
Cognac	M21	G21	
Spring	M95	G95	
Auburn	M93	G93	
Walnut			
Marron	M35	G35	
Mocha	M33	G33	
Zinc	M30	G30	
Onyx	M82	G82	
Otter	M31	G31	
Walnut	M26	G26	
Linea			
Oak Linea	M08	G08	
Walnut Linea	M27	G27	
		<u> </u>	
Paldao			
Thicket	M75	G75	
Paldao	M76	G76	

HERITAGE COLLECTION

Heritage Collection consists of popular mainstays of the Nucraft veneer collection preserved from our previous offering.

	Matte	Gloss
Natural Maple	M60	G60
Natural Walnut	M25	G25
Castano Walnut	M37	G37
Cordovan Cherry	M99	G99
CoCo Cherry	M96	G96

METAL FINISHES

Aged Bronze	A8010
Black	A44
Burnished	A8009
Clear Anodized**	CA
Cloud	A8004
Foil	A8006
Galaxy	A8007
High Polish Finish*	HPF
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

^{*}Up-Charge applies. See specific product line pages for availability and details.

 $[\]ensuremath{^{\star\star}}\xspace$ Only available on modesty panels and Power Matrix metal doors.

FleetTM Surface Materials



LAMINATES			
Wood Grain Laminates	Code	Coordinating Wood Finish	Suggested ABS Edgeband Coordinate
Formica White Ash	8841-58	M8841	R02, R01
Formica Natural Ash	8843-58	M8843	R02
Formica Aged Ash	8844-58	M8844	R04
Formica Weathered Ash	8842-58	M8842	R05
Formica Oiled Legno	8846-58	M8846	R05
Formica Bleached Legno	8845-58	M8845	R04
Formica Jarrah Legno	8847-58	M8847	R05
Formica Blackened Legno	8848-58	M8848	R05
Formica Pecan Woodline	5883-58	M5883	R04
Formica Chestnut Woodline	5884-58	M5884	R05
Formica Urban Planked Oak	9312-58	M9312	R04
Formica Natural Walnut	6401-58	M6401	R04
Formica Thermo Walnut	6402-58	M6402	R04
Formica Smoky Brown Pear	5488-58	M5488	R05
Formica Espresso Pear	5489-58	M5489	R05
Formica Smoky Walnut Woodline	6926-58	M6926	R05
Solid Laminates			
Formica Brite White	459-58		R01
Formica Dover White	7197-58		R01
Formica Pearl	934-58		R02
Formica Graystone	464-58		R02
Formica Folkstone	927-58		R03
Formica Graphite	837-58		R05
Patterned Laminates			
Nevamar Cool Chic	VA7002T		R02
Nevamar Serene Stardom	VA5001T		R05
Nevamar Calm Distinction	VA6001T		R05
Nevamar Easy Elegance	VA5002T		R05
Wilsonart Sheer Mesh	4876-38		R02
Wilsonart Grey Mesh	4877-38		RO2
Wilsonart Pewter Mesh	4878-38		R05
ABS FINISHES			
Ashen	R04		
Parchment	R02		
Shale	R05		
Stone	R03		
Whitecap	R01		



Fleet TM Overview

STATIONARY TABLES

Pages 17, 19, 21



NESTING TABLES

Pages 18, 20, 22





CONNECTING TOPS


Page 23





Legs

- Two design styles:
 - C-Leg
 - T-Leg
 - Edge-Mount allows users to be seated along the long sides of the table and provides maximum leg space
 - Inset-Mount allows users to sit around all four sides of a table (offered only on larger table sizes). Legs are inset 13-1/2" from the table edge.
- Tables are standard with four locking casters.
- Optional glides feature 1-1/4" of vertical adjustment.
- Casters and glides are the same price and can be retrofitted in the field.
- The vertical section of each leg includes a wire management channel along the inside surface. A removable cap hides cables running from the floor.










Modesty Panel

- The modesty panel is hinged, allowing it to swivel when the top is flipped up (on Nesting tables).
- The modesty panel is inset 1-1/2" from each end of the table, flush with the outer edge of the leg, creating a minimal visual gap between modesty panels in ganged applications.
- Two material options:
 - Wood
 - Metal when powder coated legs are specified, the metal modesty panel will match the finish of the legs; when High Polish legs are specified, the metal modesty panel will be Clear Anodized.

With Modesty Panel




Without Modesty Panel




5


Nesting

- Provides one-handed operation to flip the table top upward for dense storage when tables are not in use.
- Top rotates upward with pneumatic assistance for enhanced ergonomics.
- Available on both C-Leg and T-Leg tables.
- Nesting tables feature an offset nest; see illustrations to determine the dimensions of the tables while nested.



Offset nesting dimensions are the same for both C-Leg and T-Leg tables. (T-Leg Shown)





Ganging Connector (optional)

- Optional on all tables
- Allows ganging end-to-end, front-to-front and front-to-end.
- All tables ship with the necessary threaded inserts in the underside of the table to accept the ganging mechanism. This allows the ganging mechanism to be added to the table in the field.



Nested T-Leg



Technology Accommodation

Wire Management Channel


The vertical section of each leg includes a wire management channel along the inside surface. A removable cap hides cables running from the floor.

Wire Trough

This cross rail between the legs can provide the means of supplying power to the table top power options listed on the next page or, for those customers who do not want connectivity to occur on the table top, can provide a location for making connections beneath the table top. There are two power options for this location:

- Plug Strip inexpensive, flexible means of providing power outlets.
- Two-Circuit Modular Power System
 - 4-wire, 2-circuit modular system (20 amps)
 - Transfers power between adjacent tables from a single point of entry
 - Hardwired or direct plug in-feed options
 - All components, except the direct plug in-feed, are UL and cULus listed and meet NEC requirements; the direct plug in-feed is not UL listed but does meet NEC standards.
 - Each table ships with two duplex receptacles connected with a jumper, as well as one jumper to connect to an adjacent table. Power in-feeds must be ordered separately.





5

Fleet[™] Planning

Table Top Power Option: Power Matrix Compact, Grommet, Tech Node

Table Top

For easy access to power & data connectivity, the power options available here include:

- Power Matrix Compact (wood, glass and metal lids)
 - Single door design
 - 5.375" x 6" cutout
 - Two simplex outlets
 - Three AV faceplates. Standard configuration includes two blank faceplates & one faceplate with two RJ-45 (data) connectors.
- Grommet
 - 2" Removable metal cap
 - Mounted flush to the table top
- · Tech Node
 - Size: 4" x 8"
 - Power: 2 simplex receptacles
 12' 15-Amp plug-in power in-feed
 (3' cord when specified with two-circuit modular power system)
 UL Listed
 - Voice/Data: Up to two mounting locations (includes adaptor kits)
 - Optional powered USB
 - Clear Anodized finish
 - Voice/Data Adapter Kit p/n BE01421 to accept couplers & jacks
 - Fluid one touch accessibility
 - UL Listed


Power Matrix Compact



Grommet




Tech Node



Tech Node - Open Front View



Tech Node - Open Side View



Voice/Data Planning

Two (2) simplex voice/data cutouts accept customer supplied, field-installed snap-in connectors. Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.

Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com

5

Fleet[™] Planning

Table Top Power Option: Power Matrix Compact

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

Power


Power Matrix features two simplex receptacles for power connectivity. An optional dual USB charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired in-feed options add flexibility.

Data/AV Faceplates

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

Design

Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate table tops include a bezel, available in powder coat, polished chrome or clear anodized finish options.



Performance

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic.

Doors

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.






Table Top Power Option: Power Matrix Compact

Standard Configuration

Power Matrix is offered with a pre-determined quantity of simplex outlets and AV faceplates. An optional dual 2 amp USB charger (1 amp per port) replaces one of the simplex outlets.


Compact

- Single door design
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates & one faceplate with two RJ-45 (data) connectors.
- (1) 12' plug-in infeed cord



Dimensions

The compact Power Matrix unit includes a low-profile pan beneath the work surface to conceal the unit.





Field-Wired

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' conduit with hot, ground and neutral wires.







Grommet, Tech Node and Power Matrix Locations


Rectangle

Grommet and Tech Node - C-Leg Tables







Grommet and Tech Node - Edge-Mount T-Leg Tables




Grommet and Tech Node - Inset-Mount T-Leg Tables




Power Matrix - C-Leg Tables





Power Matrix - T-Leg Tables (Not available on 24"-deep or Inset T-Leg Nesting Tables)



Freestanding Power Option: Charging Cube and Tech Zone

Charging Cube

Charging Cube addresses the need for portable power. The ability to take this device anywhere for collaboration and easy connectivity makes the Charging Cube ideal for those who appreciate flexibility in their workspace.

The Charging Cube can be placed anywhere, and allow up to three devices to be charged at once.

- Three 2 amp USB charging ports
- 11,600 mAh battery capacity
- Charges completely in 4.5 hours



Charging Cube - Top View



Charging Cube - Side View



Tech Zone

Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.

Available in three configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.

- ZONE-SPEAKER includes one simplex receptacle, one dual charging USB-A charging port and a Bluetooth speaker
- ZONE-DATA includes two simplex receptacles and two open data ports
- ZONE-USB includes two simplex receptacles, one data port and one dual charging USB-A charging port



Tech Zone - Side View



ZONE-SPEAKER



ZONE-DATA



ZONE-USB




Freestanding Power Option: Charging Stand


Battery-Powered Charging Stand

At table height, this battery-powered unit provides multiple charging options for collaboration anywhere with cordless power.


- Three 2 amp USB-A charging ports
- One USB-C (18W) charging port



Battery-Powered Charging Stand Side View



Battery-Powered Charging Stand Top View



Corded Charging Stand

The corded unit offers various configurations to fit your needs, while still offering easy mobility. Includes a 10'-long plug-in infeed cord.

Three configurations to choose from:

STAND-1C


One simplex receptacle and two USB-A ports, and one USB-C port

STAND-3C


Three simplex receptacles, two USB-A ports, and one USB-C port

STAND-4C


Four simplex receptacles, two USB-A ports and one USB-C port




Corded Charging Stand Side View



Corded Charging Stand Top View



Base Plate Configuration Options



STAND-1C



_a _a o

STAND-4C

Fleet[™] C-Leg, Stationary Tables



				Laminate Top 2mm ABS Edge	Laminate Top Square Wood Edge	Veneer Top Square Wood Edge
C-Leg, Stationary	Model #	Depth	Width	-3MP	-SQP	-sQ
	Without Modesty Panel					
	FLR-2042-CS	20	42	1394	1562	1702
	FLR-2048-CS	20	48	1437	1617	1767
	FLR-2054-CS	20	54	1481	1673	1832
	FLR-2060-CS	20	60	1525	1727	1897
0	FLR-2066-CS	20	66	1568	1783	1962
8	FLR-2072-CS	20	72	1612	1838	2027
-67	FLR-2442-CS	24	42	1455	1639	1793
	FLR-2448-CS	24	48	1507	1706	1871
	FLR-2454-CS	24	54	1559	1771	1949
	FLR-2460-CS	24	60	1612	1838	2027
	FLR-2466-CS	24	66	1664	1904	2105
	FLR-2472-CS	24	72	1717	1971	2183
	FLR-3042-CS	30	42	1546	1755	1929
	FLR-3048-CS	30	48	1612	1838	2027
	FLR-3054-CS	30	54	1677	1921	2125
	FLR-3060-CS	30	60	1743	2004	2223
	FLR-3066-CS	30	66	1808	2087	2319
	FLR-3072-CS	30	72	1873	2170	2417
	Options:					





Ganging Connector -GC

•					
Metal Modesty Panel	Length	Upcharge	Wood Modesty Panel	Length	Upcharge
-MM42	42	\$324	-WM42	42	\$711
-MM48	48	\$339	-WM48	48	\$750
-MM54	54	\$354	-WM54	54	\$785
-MM60	60	\$371	-WM60	60	\$989
-MM66	66	\$387	-WM66	66	\$1,033
-MM72	72	\$405	-WM72	72	\$1.074

Glides:	Add -GB	No Upcharge
Ganging Connectors:	Add -GC	Add \$166 per table
		C

Ganging connectors are for end-to-end, front-to-front and front-to-end connections High Polish Leg Finish: Add -HPF

Add \$278 per table

Wire Trough Power & Data Options:

Modular Power System Add -MOD Add \$311 per table

- Includes two duplex receptacles per table and one jumper to connect to adjacent table - Power in-feed must be specified separately (see page 25)

Add -PLUG Plug Strip Add \$109 per table

Table Top Power & Data Options: See pages 25-28

ABS Edge



-3MP

Square Edge



-SQP and -SQ

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

Laminate Top with 2mm ABS Edge (-3MP)
• Choose Laminate

- Choose ABS Color
- Choose Metal Finish. Add \$278 per table for HPF option.

Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Wood Edge Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.

Veneer Top with Square Wood Edge (-SQ)

- Choose Wood Species & Finish
 Choose Metal Finish. Add \$278 per table for HPF option.

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy legs have Black casters)

Fleet[™] C-Leg, Nesting Tables



				Laminate Top 2mm ABS Edge	Laminate Top Square Wood Edge	Veneer Top Square Wood Edge
C-Leg, Nesting	Model #	Depth	Width	-3MP	-SQP	-SQ
	Without Modesty Panel					
Ma	FLR-2042-CN	20	42	1942	2110	2250
	FLR-2048-CN	20	48	1985	2165	2315
	FLR-2054-CN	20	54	2029	2221	2380
	FLR-2060-CN	20	60	2073	2275	2445
	FLR-2066-CN	20	66	2116	2331	2510
	FLR-2072-CN	20	72	2160	2386	2575
	FLR-2442-CN	24	42	2003	2187	2341
	FLR-2448-CN	24	48	2055	2254	2419
	FLR-2454-CN	24	54	2107	2319	2497
	FLR-2460-CN	24	60	2160	2386	2575
	FLR-2466-CN	24	66	2212	2452	2653
	FLR-2472-CN	24	72	2265	2519	2731
	FLR-3042-CN	30	42	2094	2303	2477
	FLR-3048-CN	30	48	2160	2386	2575
	FLR-3054-CN	30	54	2225	2469	2673
	FLR-3060-CN	30	60	2291	2552	2771
	FLR-3066-CN	30	66	2356	2635	2867
	FLR-3072-CN	30	72	2421	2718	2965





Ganging Connector ${\hbox{\bf -GC}}$

Options:

Motal Modocty Panal

ivietai iviouesty Pariei	Length	opcharge	wood wodesty ranei	Lengin	opcharge
-MM42	42	\$324	-WM42	42	\$711
-MM48	48	\$339	-WM48	48	\$750
-MM54	54	\$354	-WM54	54	\$785
-MM60	60	\$371	-WM60	60	\$989
-MM66	66	\$387	-WM66	66	\$1,033
-MM72	72	\$405	-WM72	72	\$1,074
Glides:		∆dd -GB	No Uncharge		

No Upcharge Add \$166 per table Add -GC Ganging Connectors:

Unchargo

Ganging connectors are for end-to-end, front-to-front and front-to-end connections High Polish Leg Finish: Add -HPF Add \$278 per table

See pages 25-28

Wood Modocty Panal

Wire Trough Power & Data Options:

Table Top Power & Data Options:

Modular Power System Add -MOD Add \$311 per table

- Includes two duplex receptacles per table and one jumper to connect to adjacent table

Unchargo

- Power in-feed must be specified separately (see page 25)

Add -PLUG Plug Strip Add \$109 per table

ABS Edge



-3MP

Square Edge



-SQP and -SQ

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

Laminate Top with 2mm ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color
- Choose Metal Finish. Add \$278 per table for HPF option.

Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Wood Edge Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.


Veneer Top with Square Wood Edge (-SQ)

- · Choose Wood Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy legs have Black casters)

Fleet™ T-Leg, Edge-Mounted, Stationary Tables

Price









No Upcharge Add \$166 per table

See pages 25-28

Ganging connectors are for end-to-end, front-to-front and front-to-end connections Add \$278 per table

Wire Trough Power & Data Options:

Modular Power System Add **-MOD** Add

- Includes two duplex receptacles per table and one jumper to connect to adjacent table

- Power in-feed must be specified separately (see page 25)

Add **-PLUG** Add \$109 per table

Table Top Power & Data Options:

lable lop Power & Data Options

Plug Strip

Options:

ABS Edge

Ganging Connector ${\hbox{\bf -GC}}$



-3MP

Square Edge



-SQP and -SQ

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

Laminate Top with 2mm ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color
- Choose Metal Finish. Add \$278 per table for HPF option.

Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Wood Edge Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.

Veneer Top with Square Wood Edge (-SQ)

- Choose Wood Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"
- Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy legs have Black casters)



Fleet[™] T-Leg, Edge-Mounted, Nesting Tables

				Laminate Top 2mm ABS Edge	Laminate Top Square Wood Edge	Veneer Top Square Wood Edge
T-Leg, Edge-Mounted, Nesting	Model #	Depth	Width	-3MP	-SQP	-sQ
	Without Modesty Panel					
	FLR-2442-TEN	24	42	2003	2187	2341
	FLR-2448-TEN	24	48	2055	2254	2419
	FLR-2454-TEN	24	54	2107	2319	2497
	FLR-2460-TEN	24	60	2160	2386	2575
	FLR-2466-TEN	24	66	2212	2452	2653
	FLR-2472-TEN	24	72	2265	2519	2731
	FLR-3042-TEN	30	42	2094	2303	2477
~~	FLR-3048-TEN	30	48	2160	2386	2575
	FLR-3054-TEN	30	54	2225	2469	2673
	FLR-3060-TEN	30	60	2291	2552	2771
	FLR-3066-TEN	30	66	2356	2635	2867
	FLR-3072-TEN	30	72	2421	2718	2965





Ganging Connector -GC

ABS Edge

-3MP

Square Edge

-SQP and -SQ

Options:

Plug Strip

Metal Modesty Panel

-MM42	42	\$324	-WM42	42	\$711	
-MM48	48	\$339	-WM48	48	\$750	
-MM54	54	\$354	-WM54	54	\$785	
-MM60	60	\$371	-WM60	60	\$989	
-MM66	66	\$387	-WM66	66	\$1,033	
-MM72	72	\$405	-WM72	72	\$1,074	
Glides: Ganging Connectors:		Add -GB Add -GC	No Upcharge Add \$166 per table			
High Polish Leg Finish:		Add -HPF	Ganging connectors are for e	end-to-end, front-	to-front and front-to-e	nd connections

Wood Modesty Panel

Wire Trough Power & Data Options:

Add -MOD Modular Power System Add \$311 per table

Length

Upcharge

- Includes two duplex receptacles per table and one jumper to connect to adjacent table

Length

Upcharge

- Power in-feed must be specified separately (see page 25)

Add \$109 per table See pages 25-28

Table Top Power & Data Options:

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

Add -PLUG

See pages 5-6 for surface material options.

Laminate Top with 2mm ABS Edge (-3MP)

- Choose Laminate
- · Choose ABS Color
- Choose Metal Finish. Add \$278 per table for HPF option.

Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Wood Edge Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.


Veneer Top with Square Wood Edge (-SQ)

- Choose Wood Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"
- Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy legs have Black casters)

Fleet[™] T-Leg, Inset-Mounted, Stationary Tables

Price







Ganging Connector -GC

Options:

Metal Modesty Panel -MM60 -MM66 -MM72	Length 60 66 72	Upcharge \$371 \$387 \$405	Wood Modesty Panel -WM60 -WM66 -WM72	Length 60 66 72	Upcharge \$989 \$1,033 \$1,074	
Glides:		Add -GB	No Upcharge			
Ganging Connectors:		Add -GC	Add \$166 per table Ganging connectors are for end-t	to-end, front-	to-front and front-to-end c	onnections
High Polish Leg Finish:		Add -HPF	Add \$278 per table			

Table Top Power & Data Options: See pages 25-28



-3MP

Square Edge

-SQP and -SQ

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

Laminate Top with 2mm ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color
- Choose Metal Finish. Add \$278 per table for HPF option.

Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Wood Edge Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.

Veneer Top with Square Wood Edge (-SQ)

- Choose Wood Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"
- Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy legs have Black casters)
- Wire trough power options not available on inset-mounted T-Leg tables



Fleet[™] T-Leg, Inset-Mounted, Nesting Tables

				aminate Top nm ABS Edge	Laminate Top Square Wood Edge	Veneer Top Square Wood Edge
T-Leg, Inset-Mounted, Nesting	Model #	Depth	Width	-3MP	-SQP	-SQ
_	Without Modesty Panel					
i	FLR-3060-TIN	30	60	2291	2552	2771
	FLR-3066-TIN	30	66	2356	2635	2867
	FLR-3072-TIN	30	72	2421	2718	2965





Ganging Connector ${\hbox{\bf -GC}}$

Options:

Metal Modesty Panel	Length	Upcharge	Wood Modesty Panel	Length	Upcharge	
-MM60	60	\$371	-WM60	60	\$989	
-MM66	66	\$387	-WM66	66	\$1,033	
-MM72	72	\$405	-WM72	72	\$1,074	
Glides:		Add -GB	No Upcharge			
Ganging Connectors:		Add -GC	Add \$166 per table Ganging connectors are for end-to	o-end, front-t	o-front and front-to-e	end connections

High Polish Leg Finish: Add -HPF Add \$278 per table

Table Top Power & Data Options: See pages 25-28



-3MP



-SQP and -SQ

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

Laminate Top with 2mm ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color
- Choose Metal Finish. Add \$278 per table for HPF option.

Laminate Top with Square Wood Edge (-SQP)

Choose Laminate

- Choose Wood Edge Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.

Veneer Top with Square Wood Edge (-SQ)

- Choose Wood Species & Finish
- Choose Metal Finish. Add \$278 per table for HPF option.

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Overall table height 29-1/2"
- Tops are 1-1/8" thick
- Metal modesty panel finish color will match the color of the legs if powder coated, or will be Clear Anodized if -HPF leg finish is selected
- Tables ship standard with four locking casters
- Caster color will default based on leg finish (High Polish Finish, Cloud, Burnished, and Foil legs have Smoke casters; Shadow and Galaxy legs
- Wire trough power options not available on inset-mounted T-Leg tables

Fleet[™] Connecting Tops



Price

			Laminate Top 2mm ABS Edge	Laminate Top Square Wood Edge	Veneer Top Square Wood Edge
Connecting Tops	Model #	Depth	-3MP	-SQP	-SQ
	30°				
	FLC-2030	20	832	1009	1158
	FLC-2430	24	922	1124	1293
	FLC-3030	30	1089	1336	1542
-					
	90°				
	FLC-2090	20	832	1009	1158
	FLC-2490	24	922	1124	1293
	FLC-3090	30	1089	1336	1542

Options:

Modular Power System

Add -MODC Add \$243 per table

- Includes one jumper to connect to adjacent rectangle tables

ABS Edge

-3MP

Square Edge

-SQP and -SQ

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

Laminate Top with 2mm ABS Edge (-3MP)

- Choose Laminate
- Choose ABS Color

Laminate Top with Square Wood Edge (-SQP)

- Choose Laminate
- Choose Wood Edge Species & Finish

Veneer Top with Square Wood Edge (-SQ)
• Choose Wood Species & Finish

- Note: Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/8" thick
- Connecting Tops include two ganging connectors. Tables to which Connecting Tops will be connected must also have ganging connectors.
 No table top power and data options available on connecting tops

Fleet[™] Accessories



Casters Model # Price FL-CST 114 Casters, set of 4



General Information:

- For retrofitting in the field
 All four casters feature lock
- Wheels are hard ABS

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

• Choose Caster Color: Black or Smoke





General Information:

- For retrofitting in the field
- All four glides include an adjustable glide with 1-1/4" range

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION) See pages 5-6 for surface material options. • Choose Metal Finish. Add \$81 for HPF option.

Ganging Connector	Model #	Description	Price
	FL-GNG	Ganging Connectors, set of 2	166



General Information:

• For retrofitting in the field





Modular Power System Power In-Feeds	Model #	Description	Price
	FLP-H	Hardwire Power In-Feed	109
	FLP-P	Plug-In Power In-Feed	146

General Information:

- Plug-in power in-feed will only utilize one circuit of the two-circuit modular power system. To utilize both circuits, the hardwire power in-feed must be specified.
- Power in-feeds can be placed at any location along a string of connected tables
- Plug-in power infeed can accommodate a maximum of 6 tables per infeed. Hardwire power infeed can accommodate a maximum of 12 tables per infeed.





General Information:

- 15 amps Mounts into Wire Trough
- Includes (6) outlets, surge protection and 10' electrical cord

Modular Power System Retrofit Kits - Rectangle Tables	Model #	Price
	F-MOD42R	311
	F-MOD48R	311
	F-MOD54R	311
	F-MOD60R	311
	F-MOD66R	311
	F-MOD72R	311

Options:

Two-circuit version

Add -2CIR

- No Upcharge
- Includes two receptacles, each accessing a different circuit
- Only works with hardwired power in-feeds

General Information:

- Includes two receptacles (each on the same circuit unless the -2CIR option is specified) and one jumper to connect to adjacent table
- Standard version works with either hardwired or direct plug-in power in-feeds (unless -2CIR option is selected, in which case it only works with hardwired power in-feeds)

Modular Power System Retrofit Kits - Connecting Tops	Model #	Price
	F-MOD30C	243
	F-MOD90C	243

- Includes one jumper to connect to adjacent tables
- Works with either hardwired or direct plug-in power in-feeds



Fleet[™] Power & Data Options

Data/AV Faceplates

				Simplex Outlets	Blank	Data*	
r Matrix - Compact	Model #	Description	WxD				Price
	PM-SM-G-C	Compact - Glass Door	6 x 5.375	2	2	1	1044
\mathcal{A}	PM-SM-M-C	Compact - Metal Door	6 x 5.375	2	2	1	1044
	PM-SM-W-C	Compact - Wood Door	6 x 5.375	2	2	1	1318

No Upcharge

Add -FOUR



Power



3 Simplex Receptacles/Dual Charging USB Add -THREE No Upcharge USB Charging Polished Chrome Door Add -USB \$79 per unit \$155 per unit Add -PD Polished Chrome Bezel Add -PB \$221 per unit Add -FW Deduct \$29 per unit Field-Wired

Replace AAP's with 2 additional simplex receptacles Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB

Dual USB charger, replaces one of the simplex outlets Only available with metal door option

Only available on glass, stone and laminate top tables May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.



-THREE



-USB

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- See pages 5-6 for surface material options.

 Choose location code & quantity from the chart below
- Choose Glass Door Finish, if glass door version is specified

*Each data faceplate includes two RJ-45 (Data) connectors

• Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate tables

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4"-thick, metal doors are 1/8"-thick
- Glass door is back painted low-iron glass
- Interior body is clear anodized aluminum

- Each unit includes a 15 amp, 12' power infeed (plug in only). If specified with modular power, the infeed will be 3' long.
 Standard configuration: Two simplex receptacles, two RJ-45 data connectors and two single blank faceplates
 When specified on tables with laminate tops, each Power Matrix unit will include a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are on page 27



Fleet[™] Power & Data Options

Data Faceplates Model #	Description	Style	WXH	Price
FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	50
FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	180
FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	141
FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	141
FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	115
FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	155
FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	219
FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	219
FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	219
FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	245
FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	62
FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	155
FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	271
FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	180

General Information:

- Faceplates are Extron® Architectural Adapter Plates (AAP)
- Faceplates are black

				Simplex	Open	Dual	Bluetooth	
Tech Node	Model #	Location	WxD	Receptacles	Data Ports	Charging USB	Speaker	Price
	PUP	Centered, near edge	8 x 4	2	2	-	-	380
	PUP-C	Center of Table	8 x 4	2	2	=	=	380
	PUP-USB	Centered, near edge	8 x 4	2	1	1	-	453
	PUP-USB-C	Center of Table	8 x 4	2	1	1	-	453
	PUP-SPEAKER	Centered, near edge	8 x 4	1	-	-	1	581
V	PUP-SPEAKER-C	Center of Table	8 x 4	1	-	-	1	581



PLIP-LISB

Options: Field-Wired

General Information:

May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. Add -FW \$0

- 12' 15-Amp plug-in power in-feed standard. 3' cord when specified with modular power system (UL Listed).
 Voice/data modules must be ordered separately; contact your local AV integrator
 Default color to metal finish specified on tables (Shadow, Storm, Black, Aged Bronze, Satin Bronze and Galaxy receive Black Anodized Tech Node; Cloud, Burnished and Foil receive Clear Anodized Tech Node)
- Not available on Connecting tops
- Centered near edge option not available on Inset-Mounted T-Leg Rectangle Tables
- Center of Table option only available on Inset-Mounted T-Leg Rectangle Tables
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required



Round Grommets	Option	Location	Diameter	Price
	GR	Centered, near edge	2" diameter	152
	GR2	Left & Right, near edge	2" diameter	304
	GR-C	Center of Table	2" diameter	152



Polished Chrome Grommet Add -PCG

- Not available on Connecting tops
 Left & Right option not available on Trapezoid, Sight Line, 42" and 48"-wide Rectangle Tables, or on T-Leg Inset-Mounted Rectangle Tables
 Centered, near edge option not available on T-Leg Inset-mounted Rectangle Tables
 Center of Table option only available on 30"-deep T-Leg Rectangle Tables and Inset-mounted T-Leg Rectangle Tables
 Metal finish will default to metal finish on table if powder coated. If metal finish on table is high polish, the grommet will be Clear Anodized.

Fleet[™] Power & Data Options

Charging Stand (Battery-Powered)



		Simplex	U3D-A	U3D-C	
Model #	Description	Receptacles	Ports	Ports	Price
STAND-B-W	Battery-Powered White Unit	-	3	1	1619
STAND-B-B	Battery-Powered Black Unit	-	3	1	1619

General Information:

- Three ports for USB-A and one 18 Watt USB-C
- Charging cord included
- LED lights on top of the unit indicate charge level of the battery. When all 4 lights are on, the battery is fully charged.
- Uses a 40 Amp Hour battery with a 128 Watt Hour capacity. For optimal use, it should be charged every night.
- Charging capacities are estimated, based on charging from no power to full power.
- 10-12 smart phones
- 8-10 small tablets (5-7" in size)
- 4 large tablets (9-11" in size)
- White unit is a combination of White aluminum on the base and neck area, and plastic in the Fog color for the trim inserts

			Simplex	U3D-A	U3D-C	
Charging Stand (Corded)	Model #	Description	Receptacles	Ports	Ports	Price
	STAND-1C-W	Corded White Unit	1	2	1	711
(F)	STAND-3C-W	Corded White Unit	3	2	1	720
ПС	STAND-4C-W	Corded White Unit	4	2	1	733
111						
111	STAND-1C-B	Corded Black Unit	1	2	1	711
111	STAND-3C-B	Corded Black Unit	3	2	1	720
	STAND-4C-B	Corded Black Unit	4	2	1	733
111 >						

General Information:

- 10' Plug-In Infeed Cord
- Capable of charging laptops, tablets and mobile phones simultaneously
- STAND-4C version includes a circuit breaker in the base
- Weight: 10lbs

		Simplex	Open Data	Dual Charging	Bluetooth	
Model #	Description	Receptacles	Ports	USB	Speaker	Price
ZONE-DATA	(2) Simplex receptacles (2) Open data ports	2	2	-	-	239
ZONE-USB	(2) Simplex receptacles (1) Dual charging USB (1) Open data port	2	1	1	-	299
ZONE-SPEAKER	(1) Simplex receptacle (1) Dual charging USB (1) Bluetooth speaker	1	-	1	1	608

Tech Zone

ZONE-SPEAKER

General Information:

- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required



ZONE-DATA



70NF-USB



ZONE-SPEAKER

Charging Cube	Model #	Description	Price
	CUBE-W	White Power Cube	290
	CUBE-B	Black Power Cube	290



- Includes (3) 2 Amp USB charging ports
 The Cube can be recharged completely in 4.5 hours