

TESANO™

Planning Guide + Price List

QUICK LINKS

Introduction

General Information

Finish Information

Surface Materials

Planning Guide

Planning

Price List

Tesano Conference Tables

Tesano Monitor Tables

Tesano Benches

Tesano Power and Data Options



General Information

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,100 net will be assessed a \$285 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs.
- Special Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$200 net plus any restocking charges accumulated. There may be additional costs associated with engineering labor required for the change order.



General Information

Repair Authorization

Prior written approval is required for repairs of merchandise charged to NuCraft. Failure to do so will result in customer funded repairs.

Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@NuCraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@NuCraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty

NuCraft warrants that each piece of furniture it manufactures will be free from defects in materials and workmanship for a period of ten years of single-shift use. Textiles, decorative trim, electrical components, lamps, mechanical devices, casters and custom-made products not described in NuCraft's catalog are warranted for one year from the date of original delivery. Height adjustable desk mechanisms are warranted for two years. This warranty is applicable only if the furniture is given normal and proper care and is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new NuCraft products through authorized dealers, or from others specifically authorized by NuCraft to sell its products.

NuCraft's sole obligation under this warranty is to repair or replace, at NuCraft's discretion, products which prove to be defective during the warranty period. Purchasers may be required to establish that a claim is within the warranty period. To initiate a warranty claim, the purchaser should contact an authorized NuCraft dealer.

This warranty does not cover: 1) Damage caused by a carrier 2) COM (Customer's Own Material) specified by the customer that is not a standard product offering 3) Color, grain or texture of wood and other covering materials (due to the natural variations over which NuCraft has no control) 4) Damages resulting from user modification, attachments to a product, misuse, abuse, alteration or negligent use.

NuCraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. NuCraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

NuCraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

NuCraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

NuCraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all NuCraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



Finish Information

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over \$5000 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

Treatments

Note: Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded on pages 5-6. If no direction is provided on incoming orders, default sheen will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but will leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



Finish Information

Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages 5-6)

General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping



WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash		
Chalk	M48	G48
Angora	M49	G49
Blanco	M44	G44
Oat	M45	G45

Rift Cut Oak

Nougat	M01	G01
Wheat	M02	G02
Carbon	M03	G03
Bramble	M07	G07

Cherry

Sherry	M20	G20
Cognac	M21	G21
Spring	M95	G95
Auburn	M93	G93

Walnut

Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31
Walnut	M26	G26

Linea

Oak Linea	M08	G08
Walnut Linea	M27	G27

Paldao

Thicket	M75	G75
Paldao	M76	G76

PLANK

Plank offers dramatic variations in veneer leaf color, length, and natural characteristics; it stimulates randomly matched veneers

	Matte	Gloss
Plank Walnut		
Clear Coat	M38	G38

HERITAGE COLLECTION

Heritage Collection consists of popular mainstays of the Nucraft veneer collection preserved from our previous offering.

	Matte	Gloss
Natural Maple	M60	G60
Natural Walnut	M25	G25
Castano Walnut	M37	G37
Cordovan Cherry	M99	G99
CoCo Cherry	M96	G96

PREMIUM

Quartered Figured Anigre

Roux	M11	G11
Truffle	M12	G12
Velvet	M18	G18

Black Limba

Morel	M73	G73
Sable	M71	G71

NOVAWRAP

Only available on Tesano

White	NW-30
-------	-------

METAL FINISHES

Available on metal trim pieces for Tesano table and Tech Node

Black Anodized*	MBA
Clear Anodized	CA

*Up-Charge applies.

Available on Power Rail and Foot Rail

Aged Bronze	A8010
Black	A44
Burnished	A8009
Cloud	A8004
Foil	A8006
Galaxy	A8007
Polished Chrome*	PC
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

*Finish option available on Foot Rail only. Up-Charge applies.



GLASS (SATIN OR GLOSS)

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Quill	QS	QG
White	WS	WG

LAMINATES

Wood Grain Laminates

Formica White Ash	8841-58
Formica Natural Ash	8843-58
Formica Aged Ash	8844-58
Formica Weathered Ash	8842-58
Formica Oiled Legno	8846-58
Formica Bleached Legno	8845-58
Formica Jarrah Legno	8847-58
Formica Blackened Legno	8848-58
Formica Pecan Woodline	5883-58
Formica Chestnut Woodline	5884-58
Formica Urban Planked Oak	9312-58
Formica Natural Walnut	6401-58
Formica Thermo Walnut	6402-58
Formica Smoky Brown Pear	5488-58
Formica Espresso Pear	5489-58
Formica Smoky Walnut Woodline	6926-58



Upholstery Fabric

Applies to Benches

Nucraft is pleased to have partnered with KnollTextiles, Spinneybeck, and UltraFabrics to offer a concise selection of standard upholstery fabrics pre-approved for use on our products, with prices that are figured into our graded-in system. We've carefully curated a selection of each of the textile's color lines to coordinate with our materials offering. However, all colorways are approved and available as standard. Please contact fabric manufacturer for sampling support.

Knoll Felt* | K1207 | Grade C

Ivory	1
Apple	3
Canary	5
Poppy	7
Cadet	11
Mocha	15
Pewter	17
Tar	20

Knoll Hopsack* | K1206 | Grade C

Buff	1
Stucco	2
Lime	4
Magenta	9
Red	10
Admiral	11
Putty	13
Black	16

Knoll Hourglass* | K1523 | Grade A

Gull	2
Sandbar	3
Flax	5
Beeswax	6
Sizzle	9
Tart	11
Bluebird	13
Spring	16
Bark	21
Misty	24
Alley	27

CF-Stinson | Sundance with Sta-Kleen

Avalanche	SND 12
Beeswax	SND 16
Frothe	SND 21
Arabica	SND 33
Festival	SND 11
Lucent	SND 22
Cyrpress	SND 13
Yuma	SND 26
Cider	SND 14
Macaroon	SND 32
Pale Aqua	SND 15
Mica	SND 31
Valentine	SND 19
Zin	SND 29
Ballpoint	SND 25
Magic	SND 30
Sangria	SND 24
Chicory	SND 28
Concord	SND 34
Pitch	SND 35

GRADED-IN FABRIC PROGRAM

Top quality upholstery and fabrics from some of the biggest names in the textile industry have been graded into this price list. For a current list of graded-in manufacturers and additional information on our graded-in fabrics program, please go to www.nucraft.com. All Graded-In and COM fabrics will require pre-approval for use on Talis and Arena benches. Please contact Nucraft Customer Service for assistance with this process.

NET PRICE PER YARD

\$0 - \$20.00
\$20.01 - \$35.00
\$35.01 - \$50.00
\$50.01 - \$65.00
\$65.01 - \$80.00
\$80.01 - \$95.00
\$95.01 - \$110.00
\$110.01 - \$125.00

NUCRAFT GRADE

A
B
C
D
E
F
G
H



COM Specification

For COM orders please include the following:

- Name of customer
- Customer's purchase order number
- Model number and quantity of piece(s) to be covered
- Specify right-way or railroad application (railroad is the default if no selection is made)
- If fabric is a stripe or pattern, specify vertical or horizontal application
- Supplier's name, material number and description

YARDAGE ESTIMATING

All yardages in the price list are based on 54" wide plain (no match) fabric. The following is a guide for fabrics that are less than 54" wide or have a pattern match.

Fabric Less Than 54" Wide

For 50" wide fabrics allow 10% additional fabric
For 48" wide fabrics allow 15% additional fabric
For 45" wide fabrics allow 20% additional fabric
For 36" wide fabrics allow 50% additional fabric

For Pattern Match Fabrics

3" to 14" repeat allow 15% additional fabric
15" to 19" repeat allow 20% additional fabric
20" to 27" repeat allow 25% additional fabric
28" to 36" repeat allow 30% additional fabric

Nucraft may add a charge for sewing, cutting and matching unusual COM or COL materials to cover additional costs. Call customer service for pricing.

It is the sole responsibility of the customer to determine that the fabric is appropriate for the application in which it will be used.

Once COM/COL is accepted, Nucraft assumes no responsibility for its overall appearance, flammability, normal durability, color fastness or any other quality after upholstered on a Nucraft product beyond our normal quality standards.

All Graded-In and COM fabrics will require pre-approval for use on Talis and Arena benches. Please contact Nucraft Customer Service for assistance with this process.

The fabric should be sent to the following address:
Nucraft Furniture Company
5151 West River Drive
Comstock Park, MI 49321
Attn: Order Processing

FIRE RESISTANCE

Nucraft will only work with textiles that meet the ACT Voluntary Performance Guidelines:

- Nucraft fabric tack panels incorporate fabrics that meet the ASTM E 84 standard US flammability test for wrapped panels.
- Nucraft upholstery fabrics for benches and cushions must meet one or more of the following flammability tests; NFPA 260, NFPA 701, or CAL 117.
- All COM fabrics must meet the required flammability standards per fabric application.
- Nucraft reserves the right to decline any fabrics that do not meet ACT standard flammability requirements.

COM LEATHER SPECIFICS

The following is a guide for specifying leather requirements. The guide is based on the following general information.

A full "domestic" hide is approximately 50-60 square feet. A specialty or calf hide is approximately 35 square feet. Of this footage there are various non-usable areas included in the hide's size. Conversion of fabric yardage to leather is approximately 1 yard = 18 square feet.

Bench Requirements

48" benches will require 1/2 domestic hide or 1 full calf hide.

60" benches will require 1 domestic hide or 2 calf hides.


72" benches will require approximately 1 full domestic hide or 3 calf hides.

The boxing around the seat, if required, will have 4-6 seams that will be placed aesthetically based on the yield and usable remains of the hides.




SEATED HEIGHT CONFERENCE TABLES

Pages 24-27




STANDING HEIGHT CONFERENCE TABLES

Pages 24-27




MONITOR TABLES

Pages 28-29



BENCHES

Page 30




Tesano is a high performance table that addresses the need for conference and standing height tables in collaborative settings. Such settings could include lobbies, conference rooms, or any open spaces in an office setting. Designed by Joey Ruiters, Tesano is a combination of beautiful simplicity and elegantly executed functionality. With a variety of technology accommodation features and surface material options and finishes, Tesano can address a wide range of application needs.

Table Types


Tesano is available in two table types (Conference and Monitor):

- Conference Table – this style includes a panel base at both ends of the table and is available in three depths and in lengths from 48” to 132” (in 12” increments).



Height: 30", 42"
 Depths: 24", 30", 36", 42"
 Widths: 48", 60", 72", 84", 96", 108", 120", 132"

- Monitor Table – this style includes a panel base at one end and a column base at the other end, with a vertical panel (finished on the back side) onto which a monitor can be mounted. This style is available in three depths and in lengths from 48” to 108” (in 12” increments).



Height: 42"
 Depths: 30", 36", 42"
 Widths: 48", 60", 72", 84", 96", 108"



Design Details

Tesano features a variety of design details that make this hard working table as much a design statement as a highly functional addition to any environment.

3"-Thick Design

This overall thickness strikes an appropriate balance between mass and lightness, giving Tesano tables a sense of both structural integrity and clean lines. An internal steel frame provides structural support, allowing for 132"-long Tesano tables with just two bases.

Mitered Corners

This design element gives Tesano tables a more refined aesthetic and invokes a sense of solid wood.

Metal Accents



Each Tesano conference table includes two ½"-thick metal accents inset 9" from each end of the table and flush to adjacent surfaces. These accents are available in clear or black anodized aluminum, and provide an elegant touch of metal at the joints between the end panels and the center top section.

Wrapped Veneer Design


When specified with standard or premium veneers, Tesano features a unique reverse flip veneer lay-up design that results in a superior aesthetic. Each individual veneer leaf is flipped and reversed, resulting in a continuous flow of veneer that is both unidirectional and balanced, has no visible seams, and gives the table a natural appearance, reminiscent of a solid slab of wood. An optional Plank Veneer layup offers dramatic variations in veneer leaf color, length and natural characteristics, resulting in the appearance of randomly matched veneers.

Glass Top Option

Available on both Conference and Monitor tables, this top option is 1/4"-thick, tempered, back-painted glass in either standard gloss or satin etched top finishes. The glass top option covers the entire top of the table on Monitor tables. For Conference tables, it is only in the center section of the table, between the two metal trim pieces, and is flush with the top of the metal trim and the adjacent 9" end sections.



1/4" glass inlay




Tesano tables feature two base styles depending on the table type and base location.


Panel Base

This base is standard on both ends of Conference tables and on one end of Monitor tables. It is the same width as the table top and features a removable panel on the inside surface of the base to access the hollow core of the base for cable management. A scallop at the bottom of the base panel provides access and egress for cables.

With Panel




Panel Removed






Monitor Table Column Base

On the opposite end of the Monitor table from the Panel base is the Column base.

With Front Access Panel




With Back Panel Removed



Conference Table Foot Rail

Optional Foot Rail available on standing height conference tables. Tables more than 96" in length will include a center support. Available in powder coat and polished chrome finish options. Foot Rail is located 5" in from the edge of the base and measures 2.5" high x 1.5" deep.



Conference Table with Optional Foot Rail



Monitor Table Foot Rail


Optional Foot Rail available on monitor tables. Tables 96" in length and longer will include a center support. Available in powder coat and polished chrome finish options. Foot Rail is located 5" in from the edge of the base and measures 2.5" high x 1.5" deep.

Monitor Table with Optional Foot Rail







Tech Node - Cover Open




Tech Node - Cover Open with Optional USB




Tech Node - Cover Open with Optional Bluetooth Speaker




Tech Node Placement



Tech Node - Open Front View



Tech Node - Open Side View



Voice/Data Planning

Two (2) simplex voice/data cutouts accept customer supplied, field-installed snap-in connectors.

Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.

Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com




Tesano™ Planning

Table Top Power Options: Tech Node, Power Spec and USB Spec


Tech Node Location Options

*Not available on 24"-wide tables



TN-1

TN-1 or SP-1	
Length	Center of Tech Node
48	24
60	30
72	36
84	42
96	48
108	54
120	60
132	66



TN-2

TN-2 or SP-2		
Length	Center of 1st Tech Node	Center of 2nd Tech Node
84	21	63
96	24	72
108	27	81
120	30	90
132	33	99


Power Spec and USB Spec

This compact unit allows for the addition of power or data to a work surface in a discreet way. Available in round or square shapes, and multiple finish options.

Power Spec

- Spill-proof power simplex
- Compact design
- 1-3/4" cutout for installation
- UL Listed


Power Spec



USB Spec

- Used to charge devices or transfer data
- Compact design
- Offered with USB
- 1-3/4" cutout for installation
- UL Listed

USB Spec



Power & Data

Tesano is offered with two power & data options:


Power Rail

This low-profile option addresses the need for power & data connectivity just below the table top. This is an ideal choice for those who desire a visually uninterrupted table top. Power Rails are available in three configurations:


- Two simplex receptacles
- One simplex receptacle and two USB chargers
- Blank faceplate designed for use with two Single Space Extron Architectural Adaptor Plates (AAPs)

Mounted to the underside of the table top near the edge of the long sides of the table, these units can be placed anywhere along the length of the table. The flexible mounting design allows units to be installed closer to the edge of the table top or recessed further back. Additional units can be added as necessary, or can be removed altogether when no longer needed.


Power Rail




Front Elevation




Side Elevation



Mounted Near Edge (Side Elevation)



Mounted Recessed (Side Elevation)



Maximum Number of Power Rails per Table Size

Table Length	48"	60"	72"	84"	96"	108"	120"	132"
Total maximum combined number of power and data rails that can fit onto the table	6	8	12	14	16	18	20	20
Total maximum number of power rails that can go on the table	4	4	8	8	8	8	8	8




Charging Trac


Charging Trac is a low voltage, under surface power system with 2 USB ports per unit. It's modular configuration provides a customizable solution. Offered in a 2 or 4 unit kit of parts with a plug-in infeed. USB-A compatible.

Charging Trac Wire Management


(Flow table with rectangle bases shown)



Front Elevation




Side Elevation



Two-Unit Configuration includes:

- 2 Brackets, each bracket offers 2 USB-A ports
- 1 Puck
- 1 Plug-in infeed


Two-Unit Configuration



Four-Unit Configuration includes:

- 4 Brackets, each bracket offers 2 USB-A ports
- 2 Pucks
- Jumpers
- 1 Plug-in infeed

Four-Unit Configuration





Tesano™ Planning


Freestanding Power Option: Charging Cube and Tech Zone

Charging Cube

Charging Cube addresses the need for portable power. The ability to take this device anywhere for collaboration and easy connectivity makes the Charging Cube ideal for those who appreciate flexibility in their workspace.

The Charging Cube can be placed anywhere, and allow up to three devices to be charged at once.

- Three 2 amp USB charging ports
- 11,600 mAh battery capacity
- Charges completely in 4.5 hours



Charging Cube - Top View



Charging Cube - Side View




Tech Zone


Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.

Available in three configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.


- ZONE-SPEAKER includes one simplex receptacle, one dual charging USB-A charging port and a Bluetooth speaker
- ZONE-DATA includes two simplex receptacles and two open data ports
- ZONE-USB includes two simplex receptacles, one data port and one dual charging USB-A charging port



Tech Zone - Side View



ZONE-SPEAKER



ZONE-DATA



ZONE-USB






Tesano™ Planning

Freestanding Power Option: Charging Stand


Battery-Powered Charging Stand

At table height, this battery-powered unit provides multiple charging options for collaboration anywhere with cordless power.


- Three 2 amp USB-A charging ports
- One USB-C (18W) charging port



Battery-Powered Charging Stand
Side View



Battery-Powered Charging Stand
Top View



Cordless Charging Stand

The corded unit offers various configurations to fit your needs, while still offering easy mobility. Includes a 10'-long plug-in infeed cord.

Three configurations to choose from:

STAND-1C


One simplex receptacle and two USB-A ports, and one USB-C port

STAND-3C


Three simplex receptacles, two USB-A ports, and one USB-C port

STAND-4C


Four simplex receptacles, two USB-A ports and one USB-C port




Cordless Charging Stand
Side View



Cordless Charging Stand
Top View



Base Plate Configuration Options



STAND-1C



STAND-3C



STAND-4C




Modular Electrical System

With either of the two power & data connectivity options on Tesano, a modular electrical system is available with the table with a direct plug-in connection or a hardwired connection. If the direct plug-in connection option is selected, all outlets will be on a single circuit. If the hardwired connection option is selected, the modular electrical system will have two circuits. The modular power system includes two duplex receptacles for tables 60" and shorter, and four duplex receptacles for tables longer than 60". The duplex receptacles are concealed beneath the table top and are designed to be used in conjunction with the Power Rail and Tech Node units.

- 4-wire, 20-amp modular electrical system
- One-circuit system with plug-in infeed two-circuit system when specified with the hardwired infeed connector
- All tables are pre-wired
- When specified with the hardwired infeed, a licensed electrician is required to complete hardwire connections to building's power source. The hardwire power connector is 84" long. The infeed will travel from the last duplex down the leg where there will be approximately 9" of cord that will extend beyond the base. It is important that the floor core is near or under the base.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed
- When ordering Power Rails that require power (simplex receptacles), the maximum quantity per table will be based on the number of power receptacles included with the modular power system, as follows:
 - Tables 60" and shorter - four power receptacles
 - Tables over 60" long - eight power receptacles

Electrical Diagram — Hardwired Power Connection Only





Wire Management

Tesano tables specified with power options also require a modular electrical system, available with either a hardwired or direct plug-in connection option (if no selection is made, the table will ship with the direct plug-in option as standard). This power system is housed behind a metal shroud allowing access to duplex receptacles while concealing power jumpers. Cable management clips allow cables to be neatly stored and concealed beneath the table top.

Monitor Area


- Monitor area panel size: 27" H x Width of Table
- Monitor and attaching hardware are COM options
- We suggest not exceeding 43" sized monitors as the unit will overhang the tops or sides of the monitor panel

Wire Management Cross Section







Panel Base




Column Base




Base Dimensions




Base Dimensions



Wire Management Openings



Wire Management Openings












Tesano™ Planning

Bench and Clearance Dimensions

Bench



Bench Clearance (when used with a Tesano table)



Tesano Bench Clearance (C)


Tesano Table Length (A)	48"	Tesano Bench Length (B)		
	0	Tesano Bench Clearance (C)		
	60"	6	0	
	72"	12	6	0
	84"	18	12	6
	96"	24	18	12
	108"	30	24	18
	120"	36	30	24
	132"	42	36	30
		48"	60"	72"

Tesano Bench Length (B)




Tesano™ Conference Tables

Veneer, Premium Veneer, Plank Veneer



Seated Height Conference Table	Model #	L x W x H	Recommended Seating		Description	Veneer	Veneer with Inset Glass Top	Premium Veneer	Premium Veneer with Inset Glass Top	Plank Veneer	Plank Veneer with Inset Glass Top
			Qty	Capacity		-V	-V-G	-PV	-PV-G	-PW	-PW-G
	TETC-4824-30	48x24x30	2	4	Seated Height	5406	5783	5947	6324	6758	7135
	TETC-4830-30	48x30x30	2	4	Seated Height	5573	6045	6131	6602	6967	7438
	TETC-4836-30	48x36x30	2	4	Seated Height	5740	6306	6314	6880	7175	7741
	TETC-4842-30	48x42x30	2	4	Seated Height	5906	6566	6497	7157	7383	8043
	TETC-6024-30	60x24x30	2	4	Seated Height	5573	6106	6131	6664	6967	7500
	TETC-6030-30	60x30x30	2	4	Seated Height	5781	6448	6360	7026	7227	7893
	TETC-6036-30	60x36x30	2	4	Seated Height	5990	6790	6589	7389	7488	8287
	TETC-6042-30	60x42x30	2	4	Seated Height	6198	7131	6818	7751	7748	8681
	TETC-7224-30	72x24x30	2	4	Seated Height	5740	6429	6314	7003	7175	7864
	TETC-7230-30	72x30x30	2	4	Seated Height	5990	6852	6589	7451	7488	8349
	TETC-7236-30	72x36x30	2	4	Seated Height	6240	7274	6864	7898	7800	8834
	TETC-7242-30	72x42x30	2	4	Seated Height	6490	7696	7139	8345	8113	9319
	TETC-8424-30	84x24x30	2	6	Seated Height	5906	6751	6497	7342	7383	8228
	TETC-8430-30	84x30x30	2	6	Seated Height	6198	7255	6818	7875	7748	8804
	TETC-8436-30	84x36x30	2	6	Seated Height	6490	7758	7139	8407	8113	9380
	TETC-8442-30	84x42x30	2	6	Seated Height	6782	8261	7461	8939	8478	9957
	TETC-9624-30	96x24x30	2	6	Seated Height	6073	7074	6681	7682	7592	8593
	TETC-9630-30	96x30x30	2	6	Seated Height	6406	7658	7047	8298	8008	9259
	TETC-9636-30	96x36x30	2	6	Seated Height	6740	8242	7414	8916	8425	9927
	TETC-9642-30	96x42x30	2	6	Seated Height	7073	8825	7781	9533	8842	10593
	TETC-10824-30	108x24x30	2	8	Seated Height	6240	7397	6864	8021	7800	8957
	TETC-10830-30	108x30x30	2	8	Seated Height	6615	8062	7277	8723	8269	9715
	TETC-10836-30	108x36x30	2	8	Seated Height	6990	8726	7689	9425	8738	10473
	TETC-10842-30	108x42x30	2	8	Seated Height	7365	9390	8102	10127	9207	11231
	TETC-12024-30	120x24x30	2	8	Seated Height	6406	7719	7047	8360	8008	9321
	TETC-12030-30	120x30x30	2	8	Seated Height	6823	8465	7506	9147	8529	10170
	TETC-12036-30	120x36x30	2	8	Seated Height	7240	9210	7964	9934	9050	11020
	TETC-12042-30	120x42x30	2	8	Seated Height	7657	9955	8423	10721	9572	11869
	TETC-13224-30	132x24x30	2	10	Seated Height	6573	-	7231	-	8217	-
	TETC-13230-30	132x30x30	2	10	Seated Height	7032	-	7736	-	8790	-
	TETC-13236-30	132x36x30	2	10	Seated Height	7490	-	8239	-	9363	-
	TETC-13242-30	132x42x30	2	10	Seated Height	7948	-	8743	-	9935	-




Standing Height Conference Table	Model #	L x W x H	Recommended Seating		Description	Veneer	Veneer with Inset Glass Top	Premium Veneer	Veneer with Inset Glass Top	Plank Veneer	Veneer with Inset Glass Top
			Qty	Capacity		-V	-V-G	-PV	-PV-G	-PW	-PW-G
	TETC-4824-42	48x24x42	2	4	Standing Height	6276	6653	6904	7281	7845	8222
	TETC-4830-42	48x30x42	2	4	Standing Height	6443	6915	7088	7559	8054	8525
	TETC-4836-42	48x36x42	2	4	Standing Height	6610	7176	7271	7837	8263	8828
	TETC-4842-42	48x42x42	2	4	Standing Height	6776	7436	7454	8114	8470	9130
	TETC-6024-42	60x24x42	2	4	Standing Height	6443	6976	7088	7621	8054	8587
	TETC-6030-42	60x30x42	2	4	Standing Height	6651	7318	7317	7983	8314	8980
	TETC-6036-42	60x36x42	2	4	Standing Height	6860	7660	7546	8346	8575	9375
	TETC-6042-42	60x42x42	2	4	Standing Height	7068	8001	7775	8708	8835	9768
	TETC-7224-42	72x24x42	2	4	Standing Height	6610	7299	7271	7960	8263	8952
	TETC-7230-42	72x30x42	2	4	Standing Height	6860	7722	7546	8408	8575	9437
	TETC-7236-42	72x36x42	2	4	Standing Height	7110	8144	7821	8855	8888	9921
	TETC-7242-42	72x42x42	2	4	Standing Height	7360	8566	8096	9302	9200	10406
	TETC-8424-42	84x24x42	2	6	Standing Height	6776	7621	7454	8299	8470	9315
	TETC-8430-42	84x30x42	2	6	Standing Height	7068	8125	7775	8832	8835	9892
	TETC-8436-42	84x36x42	2	6	Standing Height	7360	8628	8096	9364	9200	10468
	TETC-8442-42	84x42x42	2	6	Standing Height	7652	9131	8418	9896	9565	11044
	TETC-9624-42	96x24x42	2	6	Standing Height	6943	7944	7638	8639	8679	9680
	TETC-9630-42	96x30x42	2	6	Standing Height	7276	8528	8004	9255	9095	10347
	TETC-9636-42	96x36x42	2	6	Standing Height	7610	9112	8371	9873	9513	11014
	TETC-9642-42	96x42x42	2	6	Standing Height	7943	9695	8738	10490	9929	11681
	TETC-10824-42	108x24x42	2	8	Standing Height	7110	8267	7821	8978	8888	10045
	TETC-10830-42	108x30x42	2	8	Standing Height	7485	8932	8234	9680	9357	10803
	TETC-10836-42	108x36x42	2	8	Standing Height	7860	9596	8646	10382	9825	11561
	TETC-10842-42	108x42x42	2	8	Standing Height	8235	10260	9059	11084	10294	12319
	TETC-12024-42	120x24x42	2	8	Standing Height	7276	8589	8004	9317	9095	10408
	TETC-12030-42	120x30x42	2	8	Standing Height	7693	9335	8463	10104	9617	11258
	TETC-12036-42	120x36x42	2	8	Standing Height	8110	10080	8921	10891	10138	12107
	TETC-12042-42	120x42x42	2	8	Standing Height	8527	10825	9380	11678	10659	12957
	TETC-13224-42	132x24x42	2	10	Standing Height	7443	-	8188	-	9304	-
	TETC-13230-42	132x30x42	2	10	Standing Height	7902	-	8693	-	9878	-
	TETC-13236-42	132x36x42	2	10	Standing Height	8360	-	9196	-	10450	-
	TETC-13242-42	132x42x42	2	10	Standing Height	8818	-	9700	-	11023	-



Tesano™ Conference Tables

Veneer, Premium Veneer, Plank Veneer



TETC-9630-42-V-FR

Options:

Satin Glass:	Add -TSSG	\$267 for 48"x30" – 72"x30" tables \$374 for 72"x36" – 96"x42" tables \$480 for 108"x30" – 120"x42" tables
Foot Rail:	Add -FR	\$998 for 48" – 84" and \$1315 for 96" – 132" (Available on standing height tables only)
Polished Chrome Foot Rail:	Add -PCFR	\$1315 for 48" – 84" and \$1838 for 96" – 132" (Available on standing height tables only)
Black Anodized Metal Accents:	Add -MBA	\$129
Power and Data Options:	See pages 31-34	

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish
- Choose Glass Finish, if glass top option is selected (Satin Glass upcharges apply, see options above)
- Choose Metal Finish, if Foot Rail (-FR or -PCFR) is specified. Choose from Powder Coat or Polished Chrome metal finish options.


General Information:

- Metal accents on table top default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified
- Glass top option is 1/4"-thick, back-painted low-iron glass, located between the metal accents
- Plank veneer is hand selected walnut veneers of varying character and color, with a clear coat finish, to accentuate the plank appearance
- Tables 96"x 30" or smaller in size will ship fully assembled. If the table is over 30" wide, the table will ship knocked down (KD).
- 24"-wide tables not available with table top power options
- Foot Rails on tables 96" and longer will have a center support




Tesano™ Conference Tables

Wood Grain Laminate and Novawrap



Seated Height Conference Table	Model #	L x W x H	Base Qty	Recommended		Wood Grain Laminate	Wood Grain Laminate with Inset Glass Top	Novawrap	Novawrap with Inset Glass Top
				Seating Capacity	Description	-PL	-PL-G	-NW	-NW-G
	TETC-4824-30	48x24x30	2	4	Seated Height	5109	5486	5947	6324
	TETC-4830-30	48x30x30	2	4	Seated Height	5267	5738	6131	6602
	TETC-4836-30	48x36x30	2	4	Seated Height	5425	5990	6314	6880
	TETC-4842-30	48x42x30	2	4	Seated Height	5582	6241	6497	7157
	TETC-6024-30	60x24x30	2	4	Seated Height	5267	5800	6131	6664
	TETC-6030-30	60x30x30	2	4	Seated Height	5464	6130	6360	7026
	TETC-6036-30	60x36x30	2	4	Seated Height	5661	6461	6589	7389
	TETC-6042-30	60x42x30	2	4	Seated Height	5858	6790	6818	7751
	TETC-7224-30	72x24x30	2	4	Seated Height	5425	6114	6314	7003
	TETC-7230-30	72x30x30	2	4	Seated Height	5661	6522	6589	7451
	TETC-7236-30	72x36x30	2	4	Seated Height	5897	6931	6864	7898
	TETC-7242-30	72x42x30	2	4	Seated Height	6134	7339	7139	8345
	TETC-8424-30	84x24x30	2	6	Seated Height	5582	6427	6497	7342
	TETC-8430-30	84x30x30	2	6	Seated Height	5858	6914	6818	7875
	TETC-8436-30	84x36x30	2	6	Seated Height	6134	7401	7139	8407
	TETC-8442-30	84x42x30	2	6	Seated Height	6409	7888	7461	8939
	TETC-9624-30	96x24x30	2	6	Seated Height	5739	6740	6681	7682
	TETC-9630-30	96x30x30	2	6	Seated Height	6054	7305	7047	8298
	TETC-9636-30	96x36x30	2	6	Seated Height	6370	7871	7414	8916
	TETC-9642-30	96x42x30	2	6	Seated Height	6684	8436	7781	9533
	TETC-10824-30	108x24x30	2	8	Seated Height	5897	7054	6864	8021
	TETC-10830-30	108x30x30	2	8	Seated Height	6252	7698	7277	8723
	TETC-10836-30	108x36x30	2	8	Seated Height	6606	8342	7689	9425
	TETC-10842-30	108x42x30	2	8	Seated Height	6960	8985	8102	10127
	TETC-12024-30	120x24x30	2	8	Seated Height	6054	7367	7047	8360
	TETC-12030-30	120x30x30	2	8	Seated Height	6448	8089	7506	9147
	TETC-12036-30	120x36x30	2	8	Seated Height	6842	8812	7964	9934
	TETC-12042-30	120x42x30	2	8	Seated Height	7236	9534	8423	10721
	TETC-13224-30	132x24x30	2	10	Seated Height	6212	-	7231	-
	TETC-13230-30	132x30x30	2	10	Seated Height	6646	-	7736	-
	TETC-13236-30	132x36x30	2	10	Seated Height	7079	-	8239	-
	TETC-13242-30	132x42x30	2	10	Seated Height	7511	-	8743	-




Standing Height Conference Table	Model #	L x W x H	Base Qty	Recommended		Wood Grain Laminate	Wood Grain Laminate with Inset Glass Top	Novawrap	Novawrap with Inset Glass Top
				Seating Capacity	Description	-PL	-PL-G	-NW	-NW-G
	TETC-4824-42	48x24x42	2	4	Standing Height	5931	6308	6904	7281
	TETC-4830-42	48x30x42	2	4	Standing Height	6089	6560	7088	7559
	TETC-4836-42	48x36x42	2	4	Standing Height	6247	6812	7271	7837
	TETC-4842-42	48x42x42	2	4	Standing Height	6404	7064	7454	8114
	TETC-6024-42	60x24x42	2	4	Standing Height	6089	6622	7088	7621
	TETC-6030-42	60x30x42	2	4	Standing Height	6286	6952	7317	7983
	TETC-6036-42	60x36x42	2	4	Standing Height	6483	7283	7546	8346
	TETC-6042-42	60x42x42	2	4	Standing Height	6680	7613	7775	8708
	TETC-7224-42	72x24x42	2	4	Standing Height	6247	6936	7271	7960
	TETC-7230-42	72x30x42	2	4	Standing Height	6483	7344	7546	8408
	TETC-7236-42	72x36x42	2	4	Standing Height	6719	7753	7821	8855
	TETC-7242-42	72x42x42	2	4	Standing Height	6956	8161	8096	9302
	TETC-8424-42	84x24x42	2	6	Standing Height	6404	7249	7454	8299
	TETC-8430-42	84x30x42	2	6	Standing Height	6680	7736	7775	8832
	TETC-8436-42	84x36x42	2	6	Standing Height	6956	8223	8096	9364
	TETC-8442-42	84x42x42	2	6	Standing Height	7232	8710	8418	9896
	TETC-9624-42	96x24x42	2	6	Standing Height	6562	7563	7638	8639
	TETC-9630-42	96x30x42	2	6	Standing Height	6876	8128	8004	9255
	TETC-9636-42	96x36x42	2	6	Standing Height	7192	8693	8371	9873
	TETC-9642-42	96x42x42	2	6	Standing Height	7507	9258	8738	10490
	TETC-10824-42	108x24x42	2	8	Standing Height	6719	7876	7821	8978
	TETC-10830-42	108x30x42	2	8	Standing Height	7074	8520	8234	9680
	TETC-10836-42	108x36x42	2	8	Standing Height	7428	9164	8646	10382
	TETC-10842-42	108x42x42	2	8	Standing Height	7783	9807	9059	11084
	TETC-12024-42	120x24x42	2	8	Standing Height	6876	8189	8004	9317
	TETC-12030-42	120x30x42	2	8	Standing Height	7270	8912	8463	10104
	TETC-12036-42	120x36x42	2	8	Standing Height	7664	9634	8921	10891
	TETC-12042-42	120x42x42	2	8	Standing Height	8059	10356	9380	11678
	TETC-13224-42	132x24x42	2	10	Standing Height	7034	-	8188	-
	TETC-13230-42	132x30x42	2	10	Standing Height	7468	-	8693	-
	TETC-13236-42	132x36x42	2	10	Standing Height	7901	-	9196	-
	TETC-13242-42	132x42x42	2	10	Standing Height	8334	-	9700	-



Tesano™ Conference Tables

Wood Grain Laminate and Novawrap



TETC-9630-42-V-FR

Options:

Satin Glass:	Add -TSSG	\$267 for 48"x30" – 72"x30" tables \$374 for 72"x36" – 96"x42" tables \$480 for 108"x30" – 120"x42" tables
Foot Rail:	Add -FR	\$998 for 48" – 84" and \$1315 for 96" – 132" (Available on standing height tables only)
Polished Chrome Foot Rail:	Add -PCFR	\$1315 for 48" – 84" and \$1838 for 96" – 132" (Available on standing height tables only)
Black Anodized Metal Accents:	Add -MBA	\$129
Power and Data Options:	See pages 31-34	

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate, if applicable
- Choose Novawrap Color, if applicable: NW-30 White
- Choose Glass Finish, if Laminate with Inset Glass Top option is selected (Satin Glass upcharges apply, see options above).
If Novawrap with Inset Glass Top option is selected, finish defaults to back-painted white to coordinate with Novawrap.
- Choose Metal Finish, if Foot Rail (-FR or -PCFR) is specified. Choose from Powder Coat or Polished Chrome metal finish options.



General Information:

- Metal accents on table top default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified
- Glass top option is 1/4"-thick, back-painted low-iron glass, located between the metal accents
- Tables 96"x 30" or smaller in size will ship fully assembled. If the table is over 30" wide, the table will ship knocked down (KD).
- 24"-wide tables not available with table top power options
- Foot Rails on tables 96" and longer will have a center support



Tesano™ Monitor Tables

Veneer, Premium Veneer, Plank Veneer

Monitor Table	Model #	L x W x H	Recommended		Description	Veneer	Veneer with Glass Top	Premium Veneer	Premium Veneer with Glass Top	Plank Veneer	Plank Veneer with Glass Top
			Base	Seating							
	TEMP-4830-42	48 x 30 x 42	2	4	Standing Height	6671	7143	7339	7810	8339	8810
	TEMP-4836-42	48 x 36 x 42	2	4	Standing Height	6838	7404	7522	8088	8548	9113
	TEMP-4842-42	48 x 42 x 42	2	4	Standing Height	7004	7664	7705	8365	8755	9415
	TEMP-6030-42	60 x 30 x 42	2	4	Standing Height	6879	7546	7567	8234	8599	9265
	TEMP-6036-42	60 x 36 x 42	2	4	Standing Height	7088	7888	7797	8597	8860	9660
	TEMP-6042-42	60 x 42 x 42	2	4	Standing Height	7296	8229	8026	8959	9120	10053
	TEMP-7230-42	72 x 30 x 42	2	4	Standing Height	7088	7950	7797	8659	8860	9722
	TEMP-7236-42	72 x 36 x 42	2	4	Standing Height	7338	8372	8072	9106	9173	10206
	TEMP-7242-42	72 x 42 x 42	2	4	Standing Height	7588	8794	8347	9553	9485	10691
	TEMP-8430-42	84 x 30 x 42	2	6	Standing Height	7296	8353	8026	9082	9120	10177
	TEMP-8436-42	84 x 36 x 42	2	6	Standing Height	7588	8856	8347	9615	9485	10753
	TEMP-8442-42	84 x 42 x 42	2	6	Standing Height	7880	9359	8668	10147	9850	11329
	TEMP-9630-42	96 x 30 x 42	2	6	Standing Height	7504	8756	8255	9506	9380	10632
	TEMP-9636-42	96 x 36 x 42	2	6	Standing Height	7838	9340	8622	10124	9798	11299
	TEMP-9642-42	96 x 42 x 42	2	6	Standing Height	8171	9923	8989	10740	10214	11966
	TEMP-10830-42	108 x 30 x 42	2	8	Standing Height	7713	-	8485	-	9642	-
	TEMP-10836-42	108 x 36 x 42	2	8	Standing Height	8088	-	8897	-	10110	-
	TEMP-10842-42	108 x 42 x 42	2	8	Standing Height	8463	-	9310	-	10579	-

Options:

Satin Glass:	Add -TSSG	\$267 for 48"x30" – 72"x30" tables \$374 for 72"x36" – 96"x42" tables
Foot Rail:	Add -FR	\$1208 for 48" – 72" and \$1628 for 84" – 108"
Polished Chrome Foot Rail:	Add -PCFR	\$1315 for 48" – 72" and \$1943 for 84" – 108"
Power and Data Options:	See pages 31-34	

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish
- Choose Glass Finish, if glass top option is selected (Satin Glass upcharges apply, see options above)
- Choose Metal Finish, if Foot Rail (-FR or -PCFR) is specified. Choose from Powder Coat or Polished Chrome metal finish options.

General Information:



- Glass top option is 1/4"-thick, back-painted low-iron glass
- Plank veneer is hand selected walnut veneers of varying character and color, with a clear coat finish, to accentuate the plank appearance
- Tables ship knocked down (KD)
- Footrails on tables 96" and longer will have a center support
- Monitor area panel size: 27" H x Width of Table
- Monitor and attaching hardware are COM options
- We suggest not exceeding 43" sized monitors as the unit will overhang the tops or sides of the monitor panel

TEMP-9630-42-V-FR



Tesano™ Monitor Tables

Wood Grain Laminate

Monitor Table	Model #	L x W x H	Base Qty	Recommended Seating Capacity	Description	Wood Grain Laminate	Laminate with Glass Top
						-PL	-PL-G
	TEMP-4830-42	48 x 30 x 42	2	4	Standing Height	6305	6776
	TEMP-4836-42	48 x 36 x 42	2	4	Standing Height	6462	7028
	TEMP-4842-42	48 x 42 x 42	2	4	Standing Height	6619	7279
	TEMP-6030-42	60 x 30 x 42	2	4	Standing Height	6501	7167
	TEMP-6036-42	60 x 36 x 42	2	4	Standing Height	6699	7498
	TEMP-6042-42	60 x 42 x 42	2	4	Standing Height	6895	7828
	TEMP-7230-42	72 x 30 x 42	2	4	Standing Height	6699	7560
	TEMP-7236-42	72 x 36 x 42	2	4	Standing Height	6935	7968
	TEMP-7242-42	72 x 42 x 42	2	4	Standing Height	7171	8377
	TEMP-8430-42	84 x 30 x 42	2	6	Standing Height	6895	7951
	TEMP-8436-42	84 x 36 x 42	2	6	Standing Height	7171	8439
	TEMP-8442-42	84 x 42 x 42	2	6	Standing Height	7447	8926
	TEMP-9630-42	96 x 30 x 42	2	6	Standing Height	7092	8343
	TEMP-9636-42	96 x 36 x 42	2	6	Standing Height	7407	8909
	TEMP-9642-42	96 x 42 x 42	2	6	Standing Height	7722	9474
	TEMP-10830-42	108 x 30 x 42	2	8	Standing Height	7289	-
	TEMP-10836-42	108 x 36 x 42	2	8	Standing Height	7644	-
	TEMP-10842-42	108 x 42 x 42	2	8	Standing Height	7998	-

TEMP-9630-42-PL-FR

Options:

Satin Glass:	Add -TSSG	\$267 for 48"x30" – 72"x30" tables \$374 for 72"x36" – 96"x42" tables \$480 for 108" tables
Foot Rail:	Add -FR	\$1208 for 48" – 72" and \$1628 for 84" – 108"
Polished Chrome Foot Rail:	Add -PCFR	\$1315 for 48" – 72" and \$1943 for 84" – 108"
Power and Data Options:	See pages 31-34	

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.


- Choose Laminate
- Choose Glass Finish, if glass top option is selected (Satin Glass upcharges apply, see options above)
- Choose Metal Finish, if Foot Rail (-FR or -PCFR) is specified. Choose from Powder Coat or Polished Chrome metal finish options.


General Information:


- Glass top option is 1/4" -thick, back-painted low-iron glass
- Tables ship knocked down (KD)
- Monitor area panel size: 27" H x Width of Table
- Monitor and attaching hardware are COM options
- We suggest not exceeding 43" sized monitors as the unit will overhang the tops or sides of the monitor panel





Tesano™ Benches

Novawrap Bench	Model #	L x W x H	Yardage	Without Pad		With Pad Price							
				Price	COM	A	B	C	D	E	F	G	H
	TETB-48-NW	48 x 15 x 17	1.25	-	3831	3946	4064	4186	4312	4441	4574	4712	4853
	TETB-60-NW	60 x 15 x 17	1.75	-	3990	4110	4234	4360	4491	4626	4764	4908	5055
	TETB-72-NW	72 x 15 x 17	2.15	-	4150	4275	4403	4535	4671	4812	4955	5105	5257

Wood Grain Laminate Bench	Model #	L x W x H	Yardage	Without Pad		With Pad Price							
				Price	COM	A	B	C	D	E	F	G	H
	TETB-48-PL	48 x 15 x 17	1.25	3043	3135	3228	3326	3426	3527	3633	3743	3855	3971
	TETB-60-PL	60 x 15 x 17	1.75	3170	3265	3363	3464	3567	3674	3785	3898	4016	4136
	TETB-72-PL	72 x 15 x 17	2.15	3296	3396	3498	3602	3710	3821	3937	4055	4176	4301

Veneer Bench	Model #	L x W x H	Yardage	Without Pad		With Pad Price							
				Price	COM	A	B	C	D	E	F	G	H
	TETB-48-V	48 x 15 x 17	1.25	3381	3482	3587	3694	3806	3920	4038	4158	4283	4412
	TETB-60-V	60 x 15 x 17	1.75	3522	3628	3736	3849	3964	4083	4206	4332	4462	4595
	TETB-72-V	72 x 15 x 17	2.15	3663	3773	3887	4003	4123	4247	4374	4505	4640	4779

Premium Veneer Bench	Model #	L x W x H	Yardage	Without Pad		With Pad Price							
				Price	COM	A	B	C	D	E	F	G	H
	TETB-48-PV	48 x 15 x 17	1.25	3720	3831	3946	4064	4186	4312	4441	4574	4712	4853
	TETB-60-PV	60 x 15 x 17	1.75	3874	3990	4110	4234	4360	4491	4626	4764	4908	5055
	TETB-72-PV	72 x 15 x 17	2.15	4029	4150	4275	4403	4535	4671	4812	4955	5105	5257

Plank Veneer Bench	Model #	L x W x H	Yardage	Without Pad		With Pad Price							
				Price	COM	A	B	C	D	E	F	G	H
	TETB-48-PW	48 x 15 x 17	1.25	4227	4354	4484	4618	4757	4900	5047	5198	5353	5514
	TETB-60-PW	60 x 15 x 17	1.75	4403	4534	4671	4811	4955	5103	5257	5414	5577	5744
	TETB-72-PW	72 x 15 x 17	2.15	4578	4716	4858	5004	5153	5308	5467	5631	5800	5974

Options:

Black Anodized Metal Accents: Add -MBA \$129


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Wood Species & Finish, if applicable
- Choose Novawrap Finish, if applicable
- Choose Wood Grain Laminate Finish, if applicable
- Choose Metal Finish: Clear Anodized (-CA) or Black Anodized (-MBA). Upcharge applies for -MBA option
- Choose Upholstery or Leather Finish, if applicable


General Information:

- All products ship assembled
- Pad is 1/4" thick for bench material protection, not intended to serve as a cushion
- Metal accents default to clear anodized aluminum unless black anodized aluminum (-MBA) is specified





Tesano™ Power and Data Options

Tech Node	Model #	W x D	Simplex	Open	Dual	Bluetooth	Price
			Receptacles	Data Ports	Charging USB	Speaker	
 PUP	PUP	8 x 4	2	2	-	-	380
	PUP-USB	8 x 4	2	1	1	-	453
	PUP-SPEAKER	8 x 4	1	-	-	1	581

Options:

Field-Wired

Add **-FW**

\$0

May be required in New York City, Chicago and San Francisco.
Check with an electrician for local codes and requirements.

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Metal Finish: Clear or Black Anodized
- Choose location code and quantity from chart below



General Information:

- 12' cord and a 15-amp plug-in power infeed
- Voice/data modules must be ordered separately; contact your local A/V integrator
- Default color is Clear Anodized. Also available in Black Anodized.
- UL Listed
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required
- Not available on 24"-wide tables
- Detailed planning information found on pages 14-15

Single Infeed Option	Model #	Description	Price
	SI-H	Single Infeed Option, Hard-wired	386
	SI-C	Single Infeed Option, Corded (Plug-in)	468

General Information:

- Tables 72"-120" in length include 2 duplex receptacles with the modular power system
- Tables 132" in length include 3 duplex receptacles with the modular power system
- Hardwired and Corded Single Infeed options are 7' long
- Single Infeed option cannot be specified in conjunction with the Field-Wired (-FW) option



Power Spec	Model #	Description	Price
 PWR-R-B	PWR-R-B	Round Power Spec with Black Faceplate	79
	PWR-R-W	Round Power Spec with White Faceplate	79
 PWR-SQ-B	PWR-SQ-B	Square Power Spec with Black Faceplate	79
	PWR-SQ-W	Square Power Spec with White Faceplate	79

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

General Information:

- Includes (1) Simplex receptacle
- 12' cord
- Not available on 24"-wide tables

USB Spec	Model #	Description	Price
 USB-R-B	USB-R-B	Round Data Spec with Black Faceplate	170
	USB-R-W	Round Data Spec with White Faceplate	170
 USB-SQ-B	USB-SQ-B	Square Data Spec with Black Faceplate	170
	USB-SQ-W	Square Data Spec with White Faceplate	170

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

General Information:

- Includes (1) 2-port charging USB
- 6' cord
- Not available on 24"-wide tables

Location Codes



Please Note: 24"-wide tables not available with table top power options

Tech Node	Power Spec	USB Spec	Location	Qty of Units to Order
TN-1	SP-1	SP-1	One at center	1
TN-2	SP-2	SP-2	One at each end*	2
	SP-3	SP-3	One at center and one at each end	3
	SP-4	SP-4	Four equally spaced	4

*TN-2 only offered on tables 84" and longer



Tesano™ Power and Data Options

Hardwire Infeed Power Rail Kit (Includes Power Rails, Hardwire Infeed and Modular Power Components)	Model #	Total # of Rails	Electrical Outlets	(2) Simplex -S2	Electrical Outlets	(1) Simplex / (1) Charging USB
						-S1
 -S2  -S1	TE-RAIL-1-H	1	2	934	1	934
	TE-RAIL-2-H	2	4	1483	2	1483
	TE-RAIL-3-H	3	6	2032	3	2032
	TE-RAIL-4-H	4	8	2580	4	2580
	TE-RAIL-5-H	5	10	3129	5	3129
	TE-RAIL-6-H	6	12	3679	6	3679
	TE-RAIL-7-H	7	14	4227	7	4227
	TE-RAIL-8-H	8	16	4776	8	4776



REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Includes modular power electrical system
- Hardwire infeed is 7' long
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

Corded Infeed Power Rail Kit (Includes Power Rails, Corded Infeed and Modular Power Components)	Model #	Total # of Rails	Electrical Outlets	(2) Simplex -S2	Electrical Outlets	(1) Simplex / (1) Charging USB
						-S1
 -S2  -S1	TE-RAIL-1-C	1	2	1016	1	1016
	TE-RAIL-2-C	2	4	1565	2	1565
	TE-RAIL-3-C	3	6	2114	3	2114
	TE-RAIL-4-C	4	8	2662	4	2662
	TE-RAIL-5-C	5	10	3211	5	3211
	TE-RAIL-6-C	6	12	3761	6	3761
	TE-RAIL-7-C	7	14	4310	7	4310
	TE-RAIL-8-C	8	16	4858	8	4858

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish


General Information:

- Includes modular power electrical system
- Corded single infeed is 7' long
- Corded Single Infeed option will require a 20amp outlet in the floor monument and reduces the modular electrical system in the table to a single circuit
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized



Tesano™ Table Power and Data Options

Data Rail	Model #	Description	Price
-----------	---------	-------------	-------



TE-RAIL-DATA

TE-RAIL-DATA Data Rail includes (1) blank faceplate and (1) dual RJ-45 faceplate

424

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Data Rails not available in Clear or Black Anodized

(2) Simplex (1) Simplex /
(1) Charging USB

Field-Wired	Model #	Description	-S2	-S1
-------------	---------	-------------	-----	-----

TE-RAIL-FW Field-Wired Power Rail

487

487

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Includes 6' flexible metal conduit and required a hardwire connection
- May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. A junction box will be provided when ordering the TE-RAIL-FW option.
- Power Rails not available in Clear or Black Anodized

AV Connectors and Mounting Plates	Model #	Description		W x D	Price
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	50
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	180
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	141
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	141
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	115
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	155
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	219
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	219
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	219
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	245
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	62
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	155
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	271
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	180

General Information:

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Each TE-RAIL-DATA unit holds two Single Space faceplates
- Faceplates are black

Charging Trac	Model #	Total Brackets	Number of USB Ports	Price
---------------	---------	----------------	---------------------	-------



TRAC-2 2

4

1417

TRAC-4 4

8

2390

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Plug-in Infeed only
- Field Installed
- 15 amp



Tesano™ Power & Data Options

Charging Stand (Battery-Powered)	Model #	Description	Simplex	USB-A	USB-C	Price
			Receptacles	Ports	Ports	
	STAND-B-W	Battery-Powered White Unit	-	3	1	1619
	STAND-B-B	Battery-Powered Black Unit	-	3	1	1619



General Information:

- Three ports for USB-A and one 18 Watt USB-C
- Charging cord included
- LED lights on top of the unit indicate charge level of the battery. When all 4 lights are on, the battery is fully charged.
- Uses a 40 Amp Hour battery with a 128 Watt Hour capacity. For optimal use, it should be charged every night.
- Charging capacities are estimated, based on charging from no power to full power.
 - 10-12 smart phones
 - 8-10 small tablets (5-7" in size)
 - 4 large tablets (9-11" in size)
- White unit is a combination of White aluminum on the base and neck area, and plastic in the Fog color for the trim inserts
- Weight: 12lbs


Charging Stand (Corded)	Model #	Description	Simplex	USB-A	USB-C	Price
			Receptacles	Ports	Ports	
	STAND-1C-W	Corded White Unit	1	2	1	711
	STAND-3C-W	Corded White Unit	3	2	1	720
	STAND-4C-W	Corded White Unit	4	2	1	733
	STAND-1C-B	Corded Black Unit	1	2	1	711
	STAND-3C-B	Corded Black Unit	3	2	1	720
	STAND-4C-B	Corded Black Unit	4	2	1	733



General Information:

- 10' Plug-In Infeed Cord
- Capable of charging laptops, tablets and mobile phones simultaneously
- STAND-4C version includes a circuit breaker in the base
- Weight: 10lbs

Tech Zone	Model #	Description	Simplex	Open Data	Dual Charging	Bluetooth	Price
			Receptacles	Ports	USB	Speaker	
	ZONE-DATA	(2) Simplex receptacles (2) Open data ports	2	2	-	-	239
	ZONE-USB	(2) Simplex receptacles (1) Dual charging USB (1) Open data port	2	1	1	-	299
	ZONE-SPEAKER	(1) Simplex receptacle (1) Dual charging USB (1) Bluetooth speaker	1	-	1	1	608



ZONE-SPEAKER



ZONE-DATA



ZONE-USB




ZONE-SPEAKER

General Information:

- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required

Charging Cube	Model #	Description	Price
	CUBE-W	White Power Cube	290
	CUBE-B	Black Power Cube	290



General Information:

- Includes (3) 2 Amp USB charging ports
- The Cube can be recharged completely in 4.5 hours