

BAJA™

Planning Guide + Price List

QUICK LINKS

Introduction

General Information

Finish Information

Surface Materials

Planning Guide

Planning

Price List

Baja Tops and Bases

Baja Power & Data Options



General Information

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,100 net will be assessed a \$285 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs.
- Special Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$200 net plus any restocking charges accumulated. There may be additional costs associated with engineering labor required for the change order.



General Information

Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@Nucraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@Nucraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty

Nucraft warrants that each piece of furniture it manufactures will be free from defects in materials and workmanship for a period of ten years of single-shift use. Textiles, decorative trim, electrical components, lamps, mechanical devices, casters and custom-made products not described in Nucraft's catalog are warranted for one year from the date of original delivery. Height adjustable desk mechanisms are warranted for two years. This warranty is applicable only if the furniture is given normal and proper care and is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft products through authorized dealers, or from others specifically authorized by Nucraft to sell its products.

Nucraft's sole obligation under this warranty is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period. Purchasers may be required to establish that a claim is within the warranty period. To initiate a warranty claim, the purchaser should contact an authorized Nucraft dealer.

This warranty does not cover: 1) Damage caused by a carrier 2) COM (Customer's Own Material) specified by the customer that is not a standard product offering 3) Color, grain or texture of wood and other covering materials (due to the natural variations over which Nucraft has no control) 4) Damages resulting from user modification, attachments to a product, misuse, abuse, alteration or negligent use.

Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

Nucraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



Finish Information

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over \$5000 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

Treatments

Note: Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded on pages 5-6. If no direction is provided on incoming orders, default sheen will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but will leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



Finish Information

Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates

To order a color other than those on our list (see pages 5-6), refer to Nevamar or Formica standard grade, matte texture laminate offerings (excluding manufacturers' non-standard matte offering). **Add \$103 list per item for a non-standard solid, matrix or pattern.** Add 20% per color for woodgrain laminates (includes stained-to-match for remainder of unit to match laminate color). Add one week to the lead-time for all non-standard laminate orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See Pages 5-6)

General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping

WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash		
Chalk	M48	G48
Angora	M49	G49
Blanco	M44	G44
Oat	M45	G45

Rift Cut Oak

Nougat	M01	G01
Wheat	M02	G02
Carbon	M03	G03
Bramble	M07	G07

Cherry

Sherry	M20	G20
Cognac	M21	G21
Spring	M95	G95
Auburn	M93	G93

Walnut

Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31
Walnut	M26	G26

Linea

Oak Linea	M08	G08
Walnut Linea	M27	G27

Paldao

Thicket	M75	G75
Paldao	M76	G76

PLANK

Plank offers dramatic variations in veneer leaf color, length, and natural characteristics; it stimulates randomly matched veneers

	Matte	Gloss
Plank Walnut		
Clear Coat	M38	G38

HERITAGE COLLECTION

Heritage Collection consists of popular mainstays of the NuCraft veneer collection preserved from our previous offering.

	Matte	Gloss
Natural Maple	M60	G60
Natural Walnut	M25	G25
Castano Walnut	M37	G37
Cordovan Cherry	M99	G99
CoCo Cherry	M96	G96

PREMIUM

(Please refer to specific product lines for application restrictions)

Quartered Figured Anigre

Roux	M11	G11
Truffle	M12	G12
Velvet	M18	G18

Black Limba

Morel	M73	G73
Sable	M71	G71



METAL FINISHES

Aged Bronze	A8010
Black	A44
Blackened Nickel*	ABN
Burnished	A8009
Clear Anodized	CA
Cloud	A8004
Foil	A8006
Galaxy	A8007
Polished Chrome*	PC
Satin Bronze	A8011
Satin Chrome*	SC
Shadow	A8005
Storm	A8012

*Up-Charge applies. See specific product line pages for availability and details.

PAINTS

Aged Bronze	S8010
Black	S44
Burnished	S88
Cloud	S8004
Foil	S8006
Galaxy	S8007
Oyster	HS8003
Satin Bronze	S8011
Shadow	S8005
Moonlight	S87
Shadow	S8005
Storm	S8012

Paint to Match

To request a custom paint color, contact Nucraft Customer Service. A paint sample must be matched and approved prior to order.

GLASS (SATIN OR GLOSS)

Note: Due to color variation inherent in the natural acid etching process, Satin Etched Glass is not available on tables longer than 180" or wider than 60"

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Quill	QS	QG
White	WS	WG

LAMINATES

	Code	Coordinating Wood Finish	Suggested ABS Edgeband Coordinate
Wood Grain Laminates[§]			
Formica White Ash	8841-58	M8841	R02, R01
Formica Natural Ash	8843-58	M8843	R02
Formica Aged Ash	8844-58	M8844	R04
Formica Weathered Ash	8842-58	M8842	R05
Formica Oiled Legno	8846-58	M8846	R05
Formica Bleached Legno	8845-58	M8845	R0
Formica Jarrah Legno	8847-58	M8847	R05
Formica Blackened Legno	8848-58	M8848	R05
Formica Urban Planked Oak	9312-58	M9312	R04
Formica Natural Walnut	6401-58	M6401	R04
Formica Thermo Walnut	6402-58	M6402	R04
Formica Smoky Brown Pear	5488-58	M5488	R05
Formica Espresso Pear	5489-58	M5489	R05

[§]Not available on multiple piece conference tables

Wood Grain Laminates Suitable for Multiple Piece Conference Tables

Formica Pecan Woodline	5883-58	M5883	R04
Formica Chestnut Woodline	5884-58	M5884	R05
Formica Smoky Walnut Woodline	6926-58	M6926	R05

Solid Laminates

Formica Brite White	459-58	R01
Formica Dover White	7197-58	R01
Formica Pearl	934-58	R02
Formica Graystone	464-58	R02
Formica Folkstone	927-58	R03
Formica Graphite	837-58	R05

Patterned Laminates

Nevamar Cool Chic	VA7002T	R02
Nevamar Serene Stardom	VA5001T	R05
Nevamar Calm Distinction	VA6001T	R05
Nevamar Easy Elegance	VA5002T	R05
Wilsonart Sheer Mesh	4876-38	R02
Wilsonart Grey Mesh	4877-38	R02
Wilsonart Pewter Mesh	4878-38	R05

ABS FINISHES

Ashen	R04
Parchment	R02
Shale	R05
Stone	R03
Whitecap	R01



CONFERENCE TABLES


Pages 32-61



Round




Square



Soft Square




Rectangle




Soft Rectangle

BASES

Pages 32-61



Wire Frame



Hoop Base

Section Contents

Specification Overview


Detail Overview

Power and Data Planning

Wire Management Openings

Base Dimensions

Base Locations



Specification Overview

1. Select the Top Shape

Options include Round, Square, Soft Square, Rectangle and Soft Rectangle.

2. Select the Top Surface Material

Choose between standard or premium veneer with hardwood edge, laminate with either ABS edge or hardwood edge, and back-painted glass.

3. Select the Top Size

Sizes range from 42" to 60" wide and from 72" to 240" long.

4. Select the Top Edge Profile

Baja tables are offered with two edge profile options on non-glass tops.

- Surf Edge Profile: This edge profile is characterized by a gentle radius along the entire perimeter of the table top. This edge profile is offered in veneer with hardwood edge only. The bottom of these table tops features a black polymer resin and the same radius along the perimeter of the table, creating a unique edge profile that gives it both a thick and thin aesthetic.

- Crest Edge Profile: This edge profile features a flat top with an undercut edge. It is available on veneer and laminate tops.

5. Select the Base Style and Finish

Baja tables are available with two base options:

- Wire Frame: This base style features four steel posts and a steel "wire" design. All surfaces are available in powder coat with options for polished chrome or blackened nickel plating.
- Hoop Base: This base style features an open steel hoop design and is available in powder coat as well as options for polished chrome or blackened nickel plating.

6. Select the Power/AV Option (if desired)

Options for power and AV connectivity include:

- Table Top: Tech Node or Power Matrix (Small or Medium versions)
- Sub-Top: Power Rail



Table Top Edge Profile Styles

Baja tables are available with three top styles and edge profile combinations; Surf, Crest and Glass.


Surf Top

These table tops are characterized by a gentle radius along the entire perimeter of the table top. They are offered in veneer with hardwood edge only. The bottom of these table tops features a black polymer resin and the same radius along the perimeter of the table, creating a unique edge profile that gives it a thick aesthetic that transitions down to a thin profile. Available in Round and Soft Square shapes (42" and 48") as well as a Soft Rectangle shape (from 72" to 120" in length, and 42" and 48" in width).

Surf Top




Surf Edge Profile




Crest Top

These table tops feature a flat top with an undercut edge. They are offered in veneer with hardwood edge, inset laminate with hardwood edge and laminate with ABS edge. Available in Round, Soft Square and Square shapes (42" to 60") as well as a Soft Rectangle and Rectangle shape (from 72" to 240" in length and 42" to 60" in width).

Crest Top



Crest Edge Profile




Glass Top

These tops feature a 1/4"-thick back-painted glass top with pencil edge. The rests on a painted sub-top. Available in Round, Soft Square and Square shapes (42" to 60") as well as a Soft Rectangle and Rectangle shape (from 72" to 240" in length and 42" to 60" in width).

Glass Top



Glass Edge Profile






Base Options

Baja tables are available with two base styles:


Hoop Base

This base style features an open steel hoop design and is available in powder coat as well as options for polished chrome or blackened nickel plating. On tables longer than 144", a center Hoop base is included. An optional Center Column Base can be specified for additional cable storage and routing.

Hoop Base




Hoop Base with Optional Center Column Base




Wire Frame

This base style features four steel posts and a steel "wire" design. All surfaces are available in powder coat with options for polished chrome or blackened nickel plating. On tables longer than 144", a center base is included. The Center Column Base includes a hinged door for access to the inside of the base for cable storage and routing.

Wire Frame



Wire Frame with Optional Center Column Base





Baja™ Planning


Power and Data Planning

Wire Management

For tables specified with power options, there are multiple choices relative to managing cables from the floor to the table top.


Hoop Base

When the Hoop base is specified, a wire channel can be adhered to one of the vertical elements of the base. This channel includes a hinged door and is capable of storing an electrical infeed and several data cables. Each table includes one wire manager.



Wire Frame

When the wire frame base is specified, a wire channel can be attached to one of the four posts at the corners of the table. This channel is capable of storing an electrical infeed and several data cables. Each table includes one wire manager.







Baja™ Planning

Table Top Power Option: Power Matrix




Available in a variety of sizes, styles and connectivity options, Power Matrix is Nucraft's most versatile power option. Power Matrix incorporates a broad array of scalable features and is available across multiple product lines, making it the "go to" solution for power and AV-connectivity needs.

Offered in a Small and Medium size on Baja tables, Power Matrix can handle any power and AV-connectivity need, from the simplest to the most demanding.

Small



Medium





Baja™ Planning

Table Top Power Option: Power Matrix

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

Power

Power Matrix features simplex receptacles for power connectivity, the quantity of which is pre-determined based on the size of the unit. An optional dual USB charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired infeed options add flexibility.


Data/AV Faceplates

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

Design

Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate and glass table tops include a bezel, available in powder coat, polished chrome, blackened nickel plating, or clear anodized finish options.

(Medium size shown)



Performance


Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic. Cable storage is both concealed and ample.

Doors

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.

Field Wired

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' flexible metal conduit with hot, ground and neutral wires.





Baja™ Planning


Table Top Power Option: Power Matrix

Standard Configurations

Power Matrix is available in two sizes for Baja, each with a pre-determined quantity of simplex outlets and AV faceplates. With each size, an optional dual 2 amp USB charger (1 amp per port) replaces one of the simplex outlets.


Small

- Single door design
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates & one faceplate with two RJ-45 (CAT6) connectors.



Medium



- Single door design
- 5.375" x 8.25" cutout
- Four simplex outlets
- Four AV faceplates. Standard configuration includes three blank faceplates & one faceplate with two RJ-45 (CAT6) connectors.





Dimensions

Each Power Matrix unit includes a low-profile pan beneath the work surface to conceal the unit and provide ample storage capacity for excess cables. The size of the cutout in the table top varies with each size of Power Matrix unit.

Small



Medium




Power Planning


Power Matrix is available with two options for connection with building power:

- **Direct Plug-In** - the 15-amp power cord from each Power Matrix unit is plugged into a floor monument. The floor monument must have at least one power outlet per small or medium Power Matrix unit in the table and two power outlets per large or extra large Power Matrix (e.g., a table with four small or medium Power Matrix units would need four power outlets in the floor monument).
- **Single Infeed** - each Power Matrix unit is plugged into a two-circuit modular electrical system in the table from which a single connection is made to a floor monument. This connection can be either hardwired (to utilize both of the circuits in the modular electrical system) or corded (which requires a 20-amp power outlet in the floor monument and reduces the modular electrical system in the table to a single circuit).

Direct Plug-In




Single Infeed



Two-Circuit Modular Electrical System

- 4-wire, 20-amp, 2-circuit modular electrical system.
- Only present on tables specified with the Single Infeed option.
- Hardwire or corded (20-amp) infeed options. A licensed electrician is required to complete hardwire connections to building's power source.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge.
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed.

Electrical Diagram — Hardwire Power Infeed Only





Location Codes

Power Matrix is offered in a variety of locations and quantities per table size, offering a broad range of performance and pricing options.

Location Codes			
Power Matrix Small	Power Matrix Medium	Location	Qty of Units to Order
PS-1	PM-1	One at center	1
PS-2	PM-2	One at each end	2
PS-3	PM-3	One at center and one at each end	3
PS-4	PM-4	Four equally spaced	4

Door Material and Location Availability by Table Size

W = Wood Door G = Glass Door M = Metal Door

Length	Top Sections	Power Matrix Small				Power Matrix Medium			
		PS-1	PS-2	PS-3	PS-4	PM-1	PM-2	PM-3	PM-4
42*	1	W/G/M	-	-	-	W/G/M	-	-	-
48*	1	W/G/M	-	-	-	W/G/M	-	-	-
54*	1	W/G/M	-	-	-	W/G/M	-	-	-
60	1	W/G/M	-	-	-	W/G/M	-	-	-
72	1	W/G/M	W/G/M	-	-	W/G/M	W/G/M	-	-
78	1	W/G/M	W/G/M	-	-	W/G/M	W/G/M	-	-
84	1	W/G/M	W/G/M	-	-	W/G/M	W/G/M	-	-
90	1	W/G/M	W/G/M	-	-	W/G/M	W/G/M	-	-
96	1	W/G/M	W/G/M	W/G/M	-	W/G/M	W/G/M	W/G/M	-
102	1	W/G/M	W/G/M	W/G/M	-	W/G/M	W/G/M	W/G/M	-
102	2	-	W/G/M	-	-	-	W/G/M	-	-
108	1	W/G/M	W/G/M	W/G/M	-	W/G/M	W/G/M	W/G/M	-
108	2	-	W/G/M	-	-	-	W/G/M	-	-
114	1	W/G/M	W/G/M	W/G/M	-	W/G/M	W/G/M	W/G/M	-
114	2	-	W/G/M	-	-	-	W/G/M	-	-
120	1	W/G/M	W/G/M	W/G/M	-	W/G/M	W/G/M	W/G/M	-
120	2	-	W/G/M	-	-	-	W/G/M	-	-
132	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
144	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
156	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
168	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
180	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
192	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
192	4	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
204	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
204	4	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
216	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
216	4	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
228	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
228	4	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
240	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M
240	4	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M




Baja™ Planning


Table Top Power Option: Power Matrix

Power Matrix Small or Medium Location Options

Please Note: For floor core placement, please reference base location information on page 31.




PS-1 or PM-1



PS-1 or PM-1

PS-1 or PM-1	
Length	Center of Power Matrix
42	21
48	24
54	27
60	30
72	36
78	39
84	42
90	45
96	48
102	51
108	54
114	57
120	60



PS-2 or PM-2

PS-2 or PM-2		
Length	Center of 1st Power Matrix	Center of 2nd Power Matrix
72	26	46
78	26	52
84	26	58
90	26	64
96	26	70
102	26	76
108	26	82
114	26	88
120	26	94
132	26	106
144	26	118
156	26	130
168	26	142
180	26	154
192	26	166
204	26	178
216	26	190
228	26	202
240	26	214




Baja™ Planning

Table Top Power Option: Power Matrix


Power Matrix Small or Medium Location Options

Please Note: For floor core placement, please reference base location information on page 31.



PS-3 or PM-3

PS-3 or PM-3			
Length	Center of 1st Power Matrix	Center of 2nd Power Matrix	Center of 3rd Power Matrix
96	26	48	70
102	26	51	76
108	26	54	82
114	26	57	88
120	26	60	94




PS-4 or PM-4

PS-4 or PM-4				
Length	Center of 1st Power Matrix	Center of 2nd Power Matrix	Center of 3rd Power Matrix	Center of 4th Power Matrix
132	26	53	79	106
144	26	57	87	118
156	26	61	95	130
168	26	65	103	142
180	26	69	111	154
192	26	73	119	166
204	26	77	127	178
216	26	81	135	190
228	26	85	143	202
240	26	89	151	214




Retractors

Cable retractors mount directly to the underside of conference room tables using the included mounting bracket. Loaded with 12' of cable that extends out 5' from the retractor. Retractors have a female input from the building infrastructure and a male connector on the output side. Not available on square, round or soft square tables.




Retractor Wire Management


(Flow table with rectangle bases shown)




CAT6 Retractor



HDMI Retractor



Data USB Retractor





Tech Node


Tech Node offers convenient access to power and voice/data connections. Tech Node features include a push/push open design that conceals internal components.

Each Tech Node is equipped with the following components:


- Clear or Black Anodized Aluminum
- Fluid one touch accessibility
- Two (2) Simplexes
- Up to two voice/data ports
- Optional powered USB
- 12' 15-Amp cord
- Voice/Data Adapter Kit p/n BE01421 to accept couplers & jacks
- UL Listed
- Overall dimensions - 4-7/16" x 8-5/16"

All electrical components are UL listed.


Tech Node - Cover Open




Tech Node - Cover Open with Optional USB




Tech Node - Cover Closed




Tech Node - Cover Open with Optional Bluetooth Speaker



Tech Node - Open Front View



Tech Node - Open Side View



Voice/Data Planning

Two (2) simplex voice/data cutouts accept customer supplied, field-installed snap-in connectors.

Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.

Voice/Data Product Manufacturers


Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.te.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com

Location Codes


Location Codes		
Tech Node	Location	Qty of Units to Order
TN-1	One at center	1
TN-2	One at each end	2
TN-3	One at center and one at each end	3
TN-4	Four equally spaced	4

Tech Node Location Options

Please Note: For floor core placement, please reference base location information on page 31.




TN-1	
Length	Center of Tech Node
42	21
48	24
54	27
60	30
72	36
78	39
84	42
90	45
96	48
102	51
108	54
114	57
120	60
120	60



TN-2		
Length	Center of 1st Tech Node	Center of 2nd Tech Node
72	26	46
78	26	52
84	26	58
90	26	64
96	26	70
102	26	76
108	26	82
114	26	88
120	26	94
132	26	106
144	26	118
156	26	130
168	26	142
180	26	154
192	26	166
204	26	178
216	26	190
228	26	202
240	26	214


Tech Node Location Options

Please Note: For floor core placement, please reference base location information on page 31.



TN-3

TN-3			
Length	Center of 1st Tech Node	Center of 2nd Tech Node	Center of 3rd Tech Node
96	26	48	70
102	26	51	76
108	26	54	82
114	26	57	88
120	26	60	94



TN-4

TN-4				
Length	Center of 1st Tech Node	Center of 2nd Tech Node	Center of 3rd Tech Node	Center of 4th Tech Node
132	26	53	79	106
144	26	57	87	118
156	26	61	95	130
168	26	65	103	142
180	26	69	111	154
192	26	73	119	166
204	26	77	127	178
216	26	81	135	190
228	26	85	143	202
240	26	89	151	214



Baja™ Planning

Table Top Power Options: Power Spec and USB Spec


Power Spec and USB Spec

This compact unit allows for the addition of power or data to a work surface in a discreet way. Available in round or square shapes, and multiple finish options.

Power Spec

- Spill-proof power simplex
- Compact design
- 1-3/4" cutout for installation
- UL Listed


Power Spec



USB Spec

- Used to charge devices or transfer data
- Compact design
- Offered with USB
- 1-3/4" cutout for installation
- UL Listed

USB Spec






Power Rail

This low-profile option addresses the need for power & data connectivity just below the table top. This is an ideal choice for those who desire a visually uninterrupted table top and appreciate the inherent flexibility of the Power Rail to be removed at a later date as they transition to a truly wireless environment.

Held in place with screws, Power Rail units can be placed anywhere along the perimeter of the table. This flexible mounting design allows for additional units to be added as necessary, or to be removed when no longer needed.




Power Rails are available in three configurations:


- Two simplex receptacles (UL Listed)
- One simplex receptacle and one dual powered USB connector (UL Listed)
- Two single space A/V faceplate designed for use with Extron Architectural Adaptor Plates (AAPs)

When Power Rails are specified on a Baja table, a direct plug-in infeed or hardwired option is available. The direct plug-in infeed option has a single circuit electrical system and the hardwire option requires a two-circuit electrical system. Maximum of 12 Power Rails per table

Front Elevation



Side Elevation




Charging Trac


Charging Trac is a low voltage, under surface power system with 2 USB ports per unit. It's modular configuration provides a customizable solution. Offered in a 2 or 4 unit kit of parts with a plug-in infeed. USB-A compatible.

Charging Trac Wire Management

(Flow table with rectangle bases shown)



Front Elevation




Side Elevation



Two-Unit Configuration includes:

- 2 Brackets, each bracket offers 2 USB-A ports
- 1 Puck
- 1 Plug-in infeed


Two-Unit Configuration



Four-Unit Configuration includes:

- 4 Brackets, each bracket offers 2 USB-A ports
- 2 Pucks
- Jumpers
- 1 Plug-in infeed

Four-Unit Configuration





Baja™ Planning


Freestanding Power Option: Charging Cube and Tech Zone

Charging Cube


Charging Cube addresses the need for portable power. The ability to take this device anywhere for collaboration and easy connectivity makes the Charging Cube ideal for those who appreciate flexibility in their workspace.

The Charging Cube can be placed anywhere, and allow up to three devices to be charged at once.

- Three 2 amp USB charging ports
- 11,600 mAh battery capacity
- Charges completely in 4.5 hours



Charging Cube - Top View



Charging Cube - Side View




Tech Zone


Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.

Available in three configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.


- ZONE-SPEAKER includes one simplex receptacle, one dual charging USB-A charging port and a Bluetooth speaker
- ZONE-DATA includes two simplex receptacles and two open data ports
- ZONE-USB includes two simplex receptacles, one data port and one dual charging USB-A charging port



Tech Zone - Side View



ZONE-SPEAKER



ZONE-DATA




ZONE-USB




Battery-Powered Charging Stand

At table height, this battery-powered unit provides multiple charging options for collaboration anywhere with cordless power.


- Three 2 amp USB-A charging ports
- One USB-C (18W) charging port



Battery-Powered Charging Stand
Side View



Battery-Powered Charging Stand
Top View



Corded Charging Stand

The corded unit offers various configurations to fit your needs, while still offering easy mobility. Includes a 10'-long plug-in infeed cord.

Three configurations to choose from:

STAND-1C


One simplex receptacle and two USB-A ports, and one USB-C port

STAND-3C


Three simplex receptacles, two USB-A ports, and one USB-C port

STAND-4C


Four simplex receptacles, two USB-A ports and one USB-C port




Corded Charging Stand
Side View



Corded Charging Stand
Top View



Base Plate Configuration Options



STAND-1C



STAND-3C



STAND-4C



Wire Management Openings

Wire Frame Base with Wire Manager




Wire management opening is the same for all tables, regardless of top size. Each table includes one wire management channel.

Hoop Base with Wire Manager



Wire management opening is the same for all tables, regardless of top size. Each table includes one wire management channel.




Wire Frame / Hoop Base (Optional Center Column)



Wire management opening is the same for all tables, regardless of top size



Base Dimensions

Wire Frame Base - Round, Square and Soft Square Tables



Same size base utilized for all sizes (42"-60") round, square and soft square tables

Wire Frame Base - Rectangle and Soft Rectangle Tables



The span between the glides will remain the same for all table sizes







Table Length	A	B
72	2	15-1/2
78	4	15-1/2
84	6	15-1/2
90	2	15-1/2
96	4	15-1/2
102	10	15-1/2
108	2	15-1/2
114	8	15-1/2
120	14	15-1/2
132	2	15-1/2
144	14	15-1/2
156	26	15-1/2
168	2	15-1/2
180	14	15-1/2



Base Dimensions

Hoop Base - Round, Square and Soft Square Tables



60" Wide Tops



A	B (table top)	C (floor)
40.0"	32.91"	30.04"




54" Wide Tops

A	B (table top)	C (floor)
40.0"	28.67"	25.79"


Hoop Base - Rectangle and Soft Rectangle Tables




60" Wide Tops




54" Wide Tops



48" Wide Tops





42" Wide Tops




W	A	B	C
42	5	6-1/4	8-1/2
48, 54, 60	6	7-1/4	9-1/2


Center Hoop Base - 54" and 60"-Wide Soft Rectangle Tables




60"-wide Boat tops will have a 48"-wide center base and 42"-wide bases on either end



54"-wide Boat tops will have a 42"-wide center base and 36"-wide bases on either end




Base Locations



Wire Frame (all table shapes)

Table Length (inches)	Center of 1st Base	Center of 2nd Base	Center of 3rd Base
72	16	56	-
78	18	60	-
84	20	64	-
90	22	68	-
96	24	72	-
102	24	78	-
108	24	84	-
114	24	90	-
120	24	96	-
132	24	108	-
144	24	120	-
156	24	78	132
168	24	84	144
180	24	90	156
192	24	96	168
204	24	102	180
216	24	108	192
228	24	114	204
240	24	120	216

*Wire Frame will not fit over a floor core.



Hoop Base (all table shapes)


Table Length (inches)	Center of 1st Base	Center of 2nd Base	Center of 3rd Base
72	20.25	52	-
78	22.25	56	-
84	24.25	60	-
90	26.25	64	-
96	26	70	-
102	26	76	-
108	26	82	-
114	26	88	-
120	26	94	-
132	26	106	-
144	26	118	-
156	26	78	130
168	26	84	142
180	26	90	154
192	26	96	166
204	26	102	178
216	26	108	190
228	26	114	202
240	26	120	214


*Hoop Base will not fit over a floor core.




Baja™ Tops and Bases

Veneer Top

Round	Model #	Diameter	Top Sections	Recommended Seating Capacity	Surf Edge Profile		Crest Edge Profile	
					Wire Frame		Wire Frame	
					-SWF	-WF	-HP	-HP
	BJR-42-V	42	1	4	4903	3511	-	-
	BJR-48-V	48	1	4	5983	4218	-	-
	BJR-54-V	54	1	4	-	5063	4436	-
	BJR-60-V	60	1	4	-	5853	5188	-

Soft Square	Model #	Diameter	Top Sections	Recommended Seating Capacity	Surf Edge Profile		Crest Edge Profile	
					Wire Frame		Wire Frame	
					-SWF	-WF	-HP	-HP
	BJQ-42-V	42 x 42	1	4	4903	3511	-	-
	BJQ-48-V	48 x 48	1	4	5983	4218	-	-
	BJQ-54-V	54 x 54	1	4	-	5063	4436	-
	BJQ-60-V	60 x 60	1	4	-	5853	5188	-

Square	Model #	L x W	Top Sections	Recommended Seating Capacity	Crest Edge Profile	
					Wire Frame	
					-WF	-HP
	BJS-42-V	42 x 42	1	4	3511	-
	BJS-48-V	48 x 48	1	4	4218	-
	BJS-54-V	54 x 54	1	4	5063	4436
	BJS-60-V	60 x 60	1	4	5853	5188

Options:



Power and Data Options:

See pages 62-70


Description	Polished Chrome	Price	Blackened Nickel	Price
Wire Frame Base	-PCWFS	\$1853	-BNWFS	\$899
Hoop Base	-PCH4	\$2944	-BNH4	\$2944

Wire Frame Combination Finish

	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTS-BN	\$1762
Polished Chrome Wires with Satin Chrome Posts	-TTS-BC	\$1523
Polished Chrome Wires with Powdercoat Posts	-TTS-P	\$1193



Surf Edge Profile



Crest Edge Profile

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.


General Information:


- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29-1/2"
- Standard with flat cut veneer




Baja™ Tops and Bases

Premium Veneer Top

Round	Model #	Diameter	Top Sections	Recommended Seating Capacity	Surf Edge Profile		Crest Edge Profile	
					Wire Frame		Wire Frame 4-Leg Hoop	
					-SWF	-WF	-HP	
	BJR-42-PV	42	1	4	5394	3863	-	
	BJR-48-PV	48	1	4	6582	4640	-	
	BJR-54-PV	54	1	4	-	5570	4880	
	BJR-60-PV	60	1	4	-	6439	5707	

Soft Square	Model #	Diameter	Top Sections	Recommended Seating Capacity	Surf Edge Profile		Crest Edge Profile	
					Wire Frame		Wire Frame 4-Leg Hoop	
					-SWF	-WF	-HP	
	BJQ-42-PV	42 x 42	1	4	5394	3863	-	
	BJQ-48-PV	48 x 48	1	4	6582	4640	-	
	BJQ-54-PV	54 x 54	1	4	-	5570	4880	
	BJQ-60-PV	60 x 60	1	4	-	6439	5707	

Square	Model #	L x W	Top Sections	Recommended Seating Capacity	Crest Edge Profile	
					Wire Frame 4-Leg Hoop	
					-WF	-HP
	BJS-42-PV	42 x 42	1	4	3863	-
	BJS-48-PV	48 x 48	1	4	4640	-
	BJS-54-PV	54 x 54	1	4	5570	4880
	BJS-60-PV	60 x 60	1	4	6439	5707

Options:



Power and Data Options:

See pages 62-70


Description	Polished Chrome	Price	Blackened Nickel	Price
Wire Frame Base	-PCWFS	\$1853	-BNWFS	\$899
Hoop Base	-PCH4	\$2944	-BNH4	\$2944

Wire Frame Combination Finish

	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTS-BN	\$1762
Polished Chrome Wires with Satin Chrome Posts	-TTS-BC	\$1523
Polished Chrome Wires with Powdercoat Posts	-TTS-P	\$1193



Surf Edge Profile



Crest Edge Profile

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Premium Veneer Species & Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.


General Information:


- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29-1/2"
- Standard with flat cut veneer




Baja™ Tops and Bases

Plank Veneer Top

Round	Model #	Diameter	Top Sections	Recommended Seating Capacity	Surf Edge Profile		Crest Edge Profile	
					Wire Frame		Wire Frame 4-Leg Hoop	
					-SWF	-WF	-HP	
	BJR-42-PW	42	1	4	5639	4038	-	
	BJR-48-PW	48	1	4	6881	4851	-	
	BJR-54-PW	54	1	4	-	5823	5102	
	BJR-60-PW	60	1	4	-	6731	5967	

Soft Square	Model #	Diameter	Top Sections	Recommended Seating Capacity	Surf Edge Profile		Crest Edge Profile	
					Wire Frame		Wire Frame 4-Leg Hoop	
					-SWF	-WF	-HP	
	BJQ-42-PW	42 x 42	1	4	5639	4038	-	
	BJQ-48-PW	48 x 48	1	4	6881	4851	-	
	BJQ-54-PW	54 x 54	1	4	-	5823	5102	
	BJQ-60-PW	60 x 60	1	4	-	6731	5967	

Square	Model #	L x W	Top Sections	Recommended Seating Capacity	Crest Edge Profile	
					Wire Frame 4-Leg Hoop	
					-WF	-HP
	BJS-42-PW	42 x 42	1	4	4038	-
	BJS-48-PW	48 x 48	1	4	4851	-
	BJS-54-PW	54 x 54	1	4	5823	5102
	BJS-60-PW	60 x 60	1	4	6731	5967

Options:



Power and Data Options:

See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
Wire Frame Base	-PCWFS	\$1853	-BNWFS	\$899
Hoop Base	-PCH4	\$2944	-BNH4	\$2944

Wire Frame Combination Finish

	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTS-BN	\$1762
Polished Chrome Wires with Satin Chrome Posts	-TTS-BC	\$1523
Polished Chrome Wires with Powdercoat Posts	-TTS-P	\$1193



Surf Edge Profile



Crest Edge Profile

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish. Clear Anodized (-CA) not available.


General Information:


- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29-1/2"
- Standard with flat cut veneer




Baja™ Tops and Bases

Laminate Top with ABS Edge

Round	Model #	Diameter	Top Sections	Recommended Seating Capacity	Crest Edge Profile	
					Wire Frame -WF	4-Leg Hoop -HP
	BJR-42-PA	42	1	4	3160	-
	BJR-48-PA	48	1	4	3797	-
	BJR-54-PA	54	1	4	4557	3993
	BJR-60-PA	60	1	4	5268	4670

Soft Square	Model #	Diameter	Top Sections	Recommended Seating Capacity	Crest Edge Profile	
					Wire Frame -WF	4-Leg Hoop -HP
	BJQ-42-PA	42 x 42	1	4	3160	-
	BJQ-48-PA	48 x 48	1	4	3797	-
	BJQ-54-PA	54 x 54	1	4	4557	3993
	BJQ-60-PA	60 x 60	1	4	5268	4670

Square	Model #	Diameter	Top Sections	Recommended Seating Capacity	Crest Edge Profile	
					Wire Frame -WF	4-Leg Hoop -HP
	BJS-42-PA	42 x 42	1	4	3160	-
	BJS-48-PA	48 x 48	1	4	3797	-
	BJS-54-PA	54 x 54	1	4	4557	3993
	BJS-60-PA	60 x 60	1	4	5268	4670

Options:



Power and Data Options:

See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
Wire Frame Base	-PCWFS	\$1853	-BNWFS	\$899
Hoop Base	-PCH4	\$2944	-BNH4	\$2944

Wire Frame Combination Finish

	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTS-BN	\$1762
Polished Chrome Wires with Satin Chrome Posts	-TTS-BC	\$1523
Polished Chrome Wires with Powdercoat Posts	-TTS-P	\$1193



REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate
- Choose ABS Edge Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.


General Information:


- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29-1/2"




Baja™ Tops and Bases

Inset Laminate Top with Hardwood Edge

Round	Model #	Diameter	Top Sections	Recommended Seating Capacity	Crest Edge Profile	
					Wire Frame -WF	4-Leg Hoop -HP
	BJR-42-P	42	1	4	3160	-
	BJR-48-P	48	1	4	3797	-
	BJR-54-P	54	1	4	4557	3993
	BJR-60-P	60	1	4	5268	4670

Soft Square	Model #	Diameter	Top Sections	Recommended Seating Capacity	Crest Edge Profile	
					Wire Frame -WF	4-Leg Hoop -HP
	BJQ-42-P	42 x 42	1	4	3160	-
	BJQ-48-P	48 x 48	1	4	3797	-
	BJQ-54-P	54 x 54	1	4	4557	3993
	BJQ-60-P	60 x 60	1	4	5268	4670

Square	Model #	Diameter	Top Sections	Recommended Seating Capacity	Crest Edge Profile	
					Wire Frame -WF	4-Leg Hoop -HP
	BJS-42-P	42 x 42	1	4	3160	-
	BJS-48-P	48 x 48	1	4	3797	-
	BJS-54-P	54 x 54	1	4	4557	3993
	BJS-60-P	60 x 60	1	4	5268	4670

Options:



Power and Data Options:

See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
Wire Frame Base	-PCWFS	\$1853	-BNWFS	\$899
Hoop Base	-PCH4	\$2944	-BNH4	\$2944

Wire Frame Combination Finish

	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTS-BN	\$1762
Polished Chrome Wires with Satin Chrome Posts	-TTS-BC	\$1523
Polished Chrome Wires with Powdercoat Posts	-TTS-P	\$1193



REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate
- Choose Veneer Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29-1/2"



Baja™ Tops and Bases

Glass Top



Round	Model #	Diameter	Sub-Top		Glass	Recommended Seating Capacity	Crest Edge Profile	
			Sections	Sections			Wire Frame -WF	4-Leg Hoop -HP
	BJR-42-G	42	1	1	1	4	4903	-
	BJR-48-G	48	1	1	1	4	5983	-
	BJR-54-G	54	1	1	1	4	7289	6662
	BJR-60-G	60	1	1	1	4	8541	7876



Soft Square	Model #	W x L	Sub-Top		Glass	Recommended Seating Capacity	Crest Edge Profile	
			Sections	Sections			Wire Frame -WF	4-Leg Hoop -HP
	BJQ-42-G	42 x 42	1	1	1	4	4903	-
	BJQ-48-G	48 x 48	1	1	1	4	5983	-
	BJQ-54-G	54 x 54	1	1	1	4	7289	6662
	BJQ-60-G	60 x 60	1	1	1	4	8541	7876




Square	Model #	W x L	Sub-Top		Glass	Recommended Seating Capacity	Crest Edge Profile	
			Sections	Sections			Wire Frame -WF	4-Leg Hoop -HP
	BJS-42-G	42 x 42	1	1	1	4	4903	-
	BJS-48-G	48 x 48	1	1	1	4	5983	-
	BJS-54-G	54 x 54	1	1	1	4	7289	6662
	BJS-60-G	60 x 60	1	1	1	4	8541	7876


Options:

Power and Data Options:

See pages 62-70



Description	Polished Chrome	Price	Blackened Nickel	Price
Wire Frame Base	-PCWFS	\$1853	-BNWFS	\$899
Hoop Base	-PCH4	\$2944	-BNH4	\$2944
Wire Frame Combination Finish		Code	Price	
Polished Chrome Wires with Blackened Nickel Posts		-TTS-BN	\$1762	
Polished Chrome Wires with Satin Chrome Posts		-TTS-BC	\$1523	
Polished Chrome Wires with Powdercoat Posts		-TTS-P	\$1193	
Satin Glass		Add -RSG	\$254	



REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Paint Sub-Top Finish
- Choose Metal Finish. Clear Anodized (-CA) not available


General Information:







- Tops include a 1-1/8" thick sub-top with 3/16" deep hardwood edge band and 1/4" thick back-painted, low iron glass
- Seating capacity based on 27" per person
- Overall table height 29-1/2"
- Unless otherwise specified, the sub-top finish will match the base finish, if Polished Chrome finish is specified for the base, the sub-top finish will be Foil



Baja™ Tops and Bases

Veneer Top

Soft Rectangle	Model #	L x W	Top			Recommended Seating Capacity	Surf Edge Profile		Crest Edge Profile	
			Sections	Base Quantity	Wire Frame		Hoop Base	Wire Frame	Hoop Base	
	BJF-7242-V	72 x 42	1	2	6	6557	5786	4966	4195	
	BJF-7842-V	78 x 42	1	2	6	7245	6421	5458	4634	
	BJF-8442-V	84 x 42	1	2	8	7476	6653	5604	4781	
	BJF-8448-V	84 x 48	1	2	8	8167	7315	6055	5203	
	BJF-9042-V	90 x 42	1	2	8	8109	7243	6050	5184	
	BJF-9048-V	90 x 48	1	2	8	8876	7979	6549	5652	
	BJF-9642-V	96 x 42	1	2	8	8353	7486	6206	5339	
	BJF-9648-V	96 x 48	1	2	8	9161	8264	6729	5832	
	BJF-10242-V	102 x 42	1	2	8	9075	8160	6714	5799	
	BJF-10248-V	102 x 48	1	2	8	9970	9024	7292	6346	
	BJF-10842-V	108 x 42	1	2	10	9333	8418	6878	5963	
	BJF-10848-V	108 x 48	1	2	10	10272	9325	7482	6535	
	BJF-11442-V	114 x 42	1	2	10	10095	9132	7411	6448	
	BJF-11448-V	114 x 48	1	2	10	11129	10133	8075	7079	
	BJF-12042-V	120 x 42	1	2	10	10366	9403	7583	6620	
	BJF-12048-V	120 x 48	1	2	10	11446	10450	8274	7278	
	BJF-12054-V	120 x 54	1	2	12	-	-	9090	6620	
	BJF-13248-V	132 x 48	2	2	10	-	-	9034	7996	
	BJF-13254-V	132 x 54	2	2	12	-	-	9950	8866	
	BJF-14448-V	144 x 48	2	2	12	-	-	9828	8748	
	BJF-14454-V	144 x 54	2	2	14	-	-	10848	9720	
	BJF-14460-V	144 x 60	2	2	14	-	-	12038	10851	
	BJF-15654-V	156 x 54	2	3	14	-	-	14047	12339	
	BJF-15660-V	156 x 60	2	3	14	-	-	15467	13667	
	BJF-16854-V	168 x 54	2	3	16	-	-	14616	12908	
	BJF-16860-V	168 x 60	2	3	16	-	-	16117	14318	
	BJF-18054-V	180 x 54	2	3	16	-	-	15184	13476	
	BJF-18060-V	180 x 60	2	3	16	-	-	16767	14968	
	BJF-19254-V	192 x 54	2	3	18	-	-	15753	14045	
	BJF-19260-V	192 x 60	2	3	18	-	-	17418	15619	
BJF-20454-V	204 x 54	2	3	18	-	-	16984	15207		
BJF-20460-V	204 x 60	2	3	18	-	-	18803	16930		
BJF-21654-V	216 x 54	2	3	20	-	-	18005	16184		
BJF-21660-V	216 x 60	2	3	20	-	-	19955	18037		
BJF-22854-V	228 x 54	2	3	20	-	-	18789	16950		
BJF-22860-V	228 x 60	2	3	20	-	-	20845	18908		
BJF-24054-V	240 x 54	2	3	20	-	-	19620	17760		
BJF-24060-V	240 x 60	2	3	20	-	-	21789	19831		



Options:

Power and Data Options:

See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538

Wire Frame Combination Finish

Description	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792

Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge

(Replaces existing middle base on Hoop Base)

*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)

Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections
204", 216", 228" or 240" two-piece tops split into four sections

Specify -2** \$523
Specify -4 \$1046

**Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified when this option is selected.



Baja™ Tops and Bases

Veneer Top

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish. Clear Anodized (-CA) not available


General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Standard with flat cut veneer
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Veneer Top

Rectangle	Model #	L x W	Top		Recommended Seating Capacity	Crest Edge Profile	
			Sections	Base Quantity		Wire Frame -WF	Hoop Base -HP
	BJT-7242-V	72 x 42	1	2	6	4966	4195
	BJT-7842-V	78 x 42	1	2	6	5458	4634
	BJT-8442-V	84 x 42	1	2	8	5604	4781
	BJT-8448-V	84 x 48	1	2	8	6055	5203
	BJT-9042-V	90 x 42	1	2	8	6050	5184
	BJT-9048-V	90 x 48	1	2	8	6549	5652
	BJT-9642-V	96 x 42	1	2	8	6206	5339
	BJT-9648-V	96 x 48	1	2	8	6729	5832
	BJT-10242-V	102 x 42	1	2	8	6714	5799
	BJT-10248-V	102 x 48	1	2	8	7292	6346
	BJT-10842-V	108 x 42	1	2	10	6878	5963
	BJT-10848-V	108 x 48	1	2	10	7482	6535
	BJT-11442-V	114 x 42	1	2	10	7411	6448
	BJT-11448-V	114 x 48	1	2	10	8075	7079
	BJT-12042-V	120 x 42	1	2	10	7583	6620
	BJT-12048-V	120 x 48	1	2	10	8274	7278
	BJT-12054-V	120 x 54	1	2	12	9090	6620
	BJT-13248-V	132 x 48	2	2	10	9034	7996
	BJT-13254-V	132 x 54	2	2	12	9950	8866
	BJT-14448-V	144 x 48	2	2	12	9828	8748
	BJT-14454-V	144 x 54	2	2	14	10848	9720
	BJT-14460-V	144 x 60	2	2	14	12038	10851
	BJT-15654-V	156 x 54	2	3	14	14047	12339
	BJT-15660-V	156 x 60	2	3	14	15467	13667
	BJT-16854-V	168 x 54	2	3	16	14616	12908
	BJT-16860-V	168 x 60	2	3	16	16117	14318
	BJT-18054-V	180 x 54	2	3	16	15184	13476
	BJT-18060-V	180 x 60	2	3	16	16767	14968
	BJT-19254-V	192 x 54	2	3	18	15753	14045
	BJT-19260-V	192 x 60	2	3	18	17418	15619
	BJT-20454-V	204 x 54	2	3	18	16984	15207
	BJT-20460-V	204 x 60	2	3	18	18803	16930
	BJT-21654-V	216 x 54	2	3	20	18005	16184
	BJT-21660-V	216 x 60	2	3	20	19955	18037
	BJT-22854-V	228 x 54	2	3	20	18789	16950
	BJT-22860-V	228 x 60	2	3	20	20845	18908
	BJT-24054-V	240 x 54	2	3	20	19620	17760
	BJT-24060-V	240 x 60	2	3	20	21789	19831




Options:


Power and Data Options:

See pages 62-70


Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538



Wire Frame Combination Finish	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792



Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge



*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)

Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections	Specify -2**	\$523
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	\$1046

**Power Matrix (center of table location only) cannot be specified when this option is selected.



Baja™ Tops and Bases

Veneer Top

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish


General Information:



- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Standard with flat cut veneer
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Premium Veneer Top

Soft Rectangle	Model #	L x W	Top Sections	Base Quantity	Recommended Seating Capacity	Surf Edge Profile		Crest Edge Profile	
						Wire Frame -SWF	Hoop Base -SHP	Wire Frame -WF	Hoop Base -HP
	BJF-7242-PV	72 x 42	1	2	6	7213	6365	5463	4615
	BJF-7842-PV	78 x 42	1	2	6	7970	7064	6004	5098
	BJF-8442-PV	84 x 42	1	2	8	8224	7319	6165	5260
	BJF-8448-PV	84 x 48	1	2	8	8984	8047	6661	5724
	BJF-9042-PV	90 x 42	1	2	8	8920	7968	6655	5703
	BJF-9048-PV	90 x 48	1	2	8	9764	8777	7204	6218
	BJF-9642-PV	96 x 42	1	2	8	9189	8235	6827	5873
	BJF-9648-PV	96 x 48	1	2	8	10078	9091	7402	6416
	BJF-10242-PV	102 x 42	1	2	8	9983	8976	7386	6379
	BJF-10248-PV	102 x 48	1	2	8	10967	9927	8022	6981
	BJF-10842-PV	108 x 42	1	2	10	10267	9260	7566	6560
	BJF-10848-PV	108 x 48	1	2	10	11300	10258	8231	7189
	BJF-11442-PV	114 x 42	1	2	10	11105	10046	8153	7093
	BJF-11448-PV	114 x 48	1	2	10	12242	11147	8883	7787
	BJF-12042-PV	120 x 42	1	2	10	11403	10344	8342	7282
	BJF-12048-PV	120 x 48	1	2	10	12591	11495	9102	8006
	BJF-12054-PV	120 x 54	1	2	12	-	-	9999	7282
	BJF-13248-PV	132 x 48	2	2	10	-	-	9938	8796
	BJF-13254-PV	132 x 54	2	2	12	-	-	10945	9753
	BJF-14448-PV	144 x 48	2	2	12	-	-	10811	9623
	BJF-14454-PV	144 x 54	2	2	14	-	-	11933	10692
	BJF-14460-PV	144 x 60	2	2	14	-	-	13242	11937
	BJF-15654-PV	156 x 54	2	3	14	-	-	15452	13573
	BJF-15660-PV	156 x 60	2	3	14	-	-	17014	15034
	BJF-16854-PV	168 x 54	2	3	16	-	-	16078	14199
	BJF-16860-PV	168 x 60	2	3	16	-	-	17729	15750
	BJF-18054-PV	180 x 54	2	3	16	-	-	16703	14824
	BJF-18060-PV	180 x 60	2	3	16	-	-	18444	16465
	BJF-19254-PV	192 x 54	2	3	18	-	-	17329	15450
	BJF-19260-PV	192 x 60	2	3	18	-	-	19160	17181
	BJF-20454-PV	204 x 54	2	3	18	-	-	18683	16728
	BJF-20460-PV	204 x 60	2	3	18	-	-	20684	18623
	BJF-21654-PV	216 x 54	2	3	20	-	-	19806	17803
	BJF-21660-PV	216 x 60	2	3	20	-	-	21951	19841
	BJF-22854-PV	228 x 54	2	3	20	-	-	20668	18645
	BJF-22860-PV	228 x 60	2	3	20	-	-	22930	20799
	BJF-24054-PV	240 x 54	2	3	20	-	-	21582	19536
	BJF-24060-PV	240 x 60	2	3	20	-	-	23968	21815



Options:

Power and Data Options:

See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538

Wire Frame Combination Finish

Description	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792

Description




Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge (Replaces existing middle base on Hoop Base)

*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)

Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections	Specify -2**	\$523
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	\$1046

**Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified when this option is selected.





Baja™ Tops and Bases

Premium Veneer Top

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Premium Veneer Species & Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.

General Information:


- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Standard with flat cut veneer
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Premium Veneer Top

Rectangle	Model #	L x W	Top		Recommended Seating Capacity	Crest Edge Profile	
			Sections	Base Quantity		Wire Frame -WF	Hoop Base -HP
	BJT-7242-PV	72 x 42	1	2	6	5463	4615
	BJT-7842-PV	78 x 42	1	2	6	6004	5098
	BJT-8442-PV	84 x 42	1	2	8	6165	5260
	BJT-8448-PV	84 x 48	1	2	8	6661	5724
	BJT-9042-PV	90 x 42	1	2	8	6655	5703
	BJT-9048-PV	90 x 48	1	2	8	7204	6218
	BJT-9642-PV	96 x 42	1	2	8	6827	5873
	BJT-9648-PV	96 x 48	1	2	8	7402	6416
	BJT-10242-PV	102 x 42	1	2	8	7386	6379
	BJT-10248-PV	102 x 48	1	2	8	8022	6981
	BJT-10842-PV	108 x 42	1	2	10	7566	6560
	BJT-10848-PV	108 x 48	1	2	10	8231	7189
	BJT-11442-PV	114 x 42	1	2	10	8153	7093
	BJT-11448-PV	114 x 48	1	2	10	8883	7787
	BJT-12042-PV	120 x 42	1	2	10	8342	7282
	BJT-12048-PV	120 x 48	1	2	10	9102	8006
	BJT-12054-PV	120 x 54	1	2	12	9999	7282
	BJT-13248-PV	132 x 48	2	2	10	9938	8796
	BJT-13254-PV	132 x 54	2	2	12	10945	9753
	BJT-14448-PV	144 x 48	2	2	12	10811	9623
	BJT-14454-PV	144 x 54	2	2	14	11933	10692
	BJT-14460-PV	144 x 60	2	2	14	13242	11937
	BJT-15654-PV	156 x 54	2	3	14	15452	13573
	BJT-15660-PV	156 x 60	2	3	14	17014	15034
	BJT-16854-PV	168 x 54	2	3	16	16078	14199
	BJT-16860-PV	168 x 60	2	3	16	17729	15750
	BJT-18054-PV	180 x 54	2	3	16	16703	14824
	BJT-18060-PV	180 x 60	2	3	16	18444	16465
	BJT-19254-PV	192 x 54	2	3	18	17329	15450
	BJT-19260-PV	192 x 60	2	3	18	19160	17181
	BJT-20454-PV	204 x 54	2	3	18	18683	16728
	BJT-20460-PV	204 x 60	2	3	18	20684	18623
	BJT-21654-PV	216 x 54	2	3	20	19806	17803
	BJT-21660-PV	216 x 60	2	3	20	21951	19841
	BJT-22854-PV	228 x 54	2	3	20	20668	18645
	BJT-22860-PV	228 x 60	2	3	20	22930	20799
	BJT-24054-PV	240 x 54	2	3	20	21582	19536
	BJT-24060-PV	240 x 60	2	3	20	23968	21815




Options:


Power and Data Options:

See pages 62-70


Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538



Wire Frame Combination Finish	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792



Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge



*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)

Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections	Specify -2**	\$523
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	\$1046

**Power Matrix (center of table location only) cannot be specified when this option is selected.



Baja™ Tops and Bases

Premium Veneer Top

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Premium Veneer Species & Finish
- Choose Metal Finish


General Information:


- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Standard with flat cut veneer
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Plank Veneer Top

Soft Rectangle	Model #	L x W	Top		Recommended Seating Capacity	Surf Edge Profile		Crest Edge Profile	
			Sections	Base Quantity		Wire Frame -SWF	Hoop Base -SHP	Wire Frame -WF	Hoop Base -HP
	BJF-7242-PW	72 x 42	1	2	6	7541	6654	5711	4825
	BJF-7842-PW	78 x 42	1	2	6	8332	7385	6277	5330
	BJF-8442-PW	84 x 42	1	2	8	8598	7651	6445	5499
	BJF-8448-PW	84 x 48	1	2	8	9393	8413	6964	5984
	BJF-9042-PW	90 x 42	1	2	8	9326	8330	6958	5962
	BJF-9048-PW	90 x 48	1	2	8	10208	9176	7532	6500
	BJF-9642-PW	96 x 42	1	2	8	9606	8609	7137	6140
	BJF-9648-PW	96 x 48	1	2	8	10536	9504	7739	6707
	BJF-10242-PW	102 x 42	1	2	8	10437	9384	7722	6669
	BJF-10248-PW	102 x 48	1	2	8	11466	10378	8386	7298
	BJF-10842-PW	108 x 42	1	2	10	10733	9681	7910	6858
	BJF-10848-PW	108 x 48	1	2	10	11813	10724	8605	7516
	BJF-11442-PW	114 x 42	1	2	10	11610	10502	8523	7416
	BJF-11448-PW	114 x 48	1	2	10	12799	11653	9287	8141
	BJF-12042-PW	120 x 42	1	2	10	11921	10814	8721	7613
	BJF-12048-PW	120 x 48	1	2	10	13163	12018	9516	8370
	BJF-12054-PW	120 x 54	1	2	12	-	-	10454	9258
	BJF-13248-PW	132 x 48	2	2	10	-	-	10390	9196
	BJF-13254-PW	132 x 54	2	2	12	-	-	11443	10196
	BJF-14448-PW	144 x 48	2	2	12	-	-	11303	10061
	BJF-14454-PW	144 x 54	2	2	14	-	-	12476	11178
	BJF-14460-PW	144 x 60	2	2	14	-	-	13844	12479
	BJF-15654-PW	156 x 54	2	3	14	-	-	16155	14190
	BJF-15660-PW	156 x 60	2	3	14	-	-	17788	15718
	BJF-16854-PW	168 x 54	2	3	16	-	-	16809	14845
	BJF-16860-PW	168 x 60	2	3	16	-	-	18535	16466
	BJF-18054-PW	180 x 54	2	3	16	-	-	17462	15498
	BJF-18060-PW	180 x 60	2	3	16	-	-	19283	17214
	BJF-19254-PW	192 x 54	2	3	18	-	-	18116	16152
	BJF-19260-PW	192 x 60	2	3	18	-	-	20031	17962
	BJF-20454-PW	204 x 54	2	3	18	-	-	19532	17489
	BJF-20460-PW	204 x 60	2	3	18	-	-	21624	19470
	BJF-21654-PW	216 x 54	2	3	20	-	-	20706	18612
	BJF-21660-PW	216 x 60	2	3	20	-	-	22949	20743
	BJF-22854-PW	228 x 54	2	3	20	-	-	21608	19493
	BJF-22860-PW	228 x 60	2	3	20	-	-	23972	21745
	BJF-24054-PW	240 x 54	2	3	20	-	-	22563	20424
	BJF-24060-PW	240 x 60	2	3	20	-	-	25058	22806



Options:

Power and Data Options:

See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538

Wire Frame Combination Finish

Description	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792

Description




Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge (Replaces existing middle base on Hoop Base)

*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)

Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections	Specify -2**	\$523
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	\$1046

**Note: Two-Piece top option not available with surf edge profile. Also, Power Matrix (center of table location only) cannot be specified when this option is selected.





Baja™ Tops and Bases

Plank Veneer Top

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish. Clear Anodized (-CA) not available


General Information:


- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Standard with flat cut veneer
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Plank Veneer Top

Rectangle	Model #	L x W	Top		Recommended Seating Capacity	Crest Edge Profile	
			Sections	Base Quantity		Wire Frame -WF	Hoop Base -HP
	BJT-7242-PW	72 x 42	1	2	6	5711	4825
	BJT-7842-PW	78 x 42	1	2	6	6277	5330
	BJT-8442-PW	84 x 42	1	2	8	6445	5499
	BJT-8448-PW	84 x 48	1	2	8	6964	5984
	BJT-9042-PW	90 x 42	1	2	8	6958	5962
	BJT-9048-PW	90 x 48	1	2	8	7532	6500
	BJT-9642-PW	96 x 42	1	2	8	7137	6140
	BJT-9648-PW	96 x 48	1	2	8	7739	6707
	BJT-10242-PW	102 x 42	1	2	8	7722	6669
	BJT-10248-PW	102 x 48	1	2	8	8386	7298
	BJT-10842-PW	108 x 42	1	2	10	7910	6858
	BJT-10848-PW	108 x 48	1	2	10	8605	7516
	BJT-11442-PW	114 x 42	1	2	10	8523	7416
	BJT-11448-PW	114 x 48	1	2	10	9287	8141
	BJT-12042-PW	120 x 42	1	2	10	8721	7613
	BJT-12048-PW	120 x 48	1	2	10	9516	8370
	BJT-12054-PW	120 x 54	1	2	12	10454	9258
	BJT-13248-PW	132 x 48	2	2	10	10390	9196
	BJT-13254-PW	132 x 54	2	2	12	11443	10196
	BJT-14448-PW	144 x 48	2	2	12	11303	10061
	BJT-14454-PW	144 x 54	2	2	14	12476	11178
	BJT-14460-PW	144 x 60	2	2	14	13844	12479
	BJT-15654-PW	156 x 54	2	3	14	16155	14190
	BJT-15660-PW	156 x 60	2	3	14	17788	15718
	BJT-16854-PW	168 x 54	2	3	16	16809	14845
	BJT-16860-PW	168 x 60	2	3	16	18535	16466
	BJT-18054-PW	180 x 54	2	3	16	17462	15498
	BJT-18060-PW	180 x 60	2	3	16	19283	17214
	BJT-19254-PW	192 x 54	2	3	18	18116	16152
	BJT-19260-PW	192 x 60	2	3	18	20031	17962
	BJT-20454-PW	204 x 54	2	3	18	19532	17489
	BJT-20460-PW	204 x 60	2	3	18	21624	19470
	BJT-21654-PW	216 x 54	2	3	20	20706	18612
	BJT-21660-PW	216 x 60	2	3	20	22949	20743
	BJT-22854-PW	228 x 54	2	3	20	21608	19493
	BJT-22860-PW	228 x 60	2	3	20	23972	21745
	BJT-24054-PW	240 x 54	2	3	20	22563	20424
	BJT-24060-PW	240 x 60	2	3	20	25058	22806




Options:

Power and Data Options:


See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538



Wire Frame Combination Finish	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792

Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge




*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)

Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections	Specify -2**	\$523
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	\$1046

**Power Matrix (center of table location only) cannot be specified when this option is selected.





Baja™ Tops and Bases

Plank Veneer Top

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish


General Information:


- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Standard with flat cut veneer
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Laminate Top with ABS Edge

Soft Rectangle	Model #	L x W	Top		Recommended Seating Capacity	Crest Edge Profile	
			Sections	Base Quantity		Wire Frame -WF	Hoop Base -HP
	BJF-7242-PA	72 x 42	1	2	6	4470	3776
	BJF-7842-PA	78 x 42	1	2	6	4913	4171
	BJF-8442-PA	84 x 42	1	2	8	5044	4303
	BJF-8448-PA	84 x 48	1	2	8	5450	4683
	BJF-9042-PA	90 x 42	1	2	8	5445	4666
	BJF-9048-PA	90 x 48	1	2	8	5895	5087
	BJF-9642-PA	96 x 42	1	2	8	5586	4806
	BJF-9648-PA	96 x 48	1	2	8	6057	5249
	BJF-10242-PA	102 x 42	1	2	8	6043	5220
	BJF-10248-PA	102 x 48	1	2	8	6563	5712
	BJF-10842-PA	108 x 42	1	2	10	6191	5367
	BJF-10848-PA	108 x 48	1	2	10	6734	5882
	BJF-11442-PA	114 x 42	1	2	10	6670	5804
	BJF-11448-PA	114 x 48	1	2	10	7268	6372
	BJF-12042-PA	120 x 42	1	2	10	6825	5958
	BJF-12048-PA	120 x 48	1	2	10	7447	6551
	BJF-12054-PA	120 x 54	1	2	12	8181	5958
	BJF-13248-PA	132 x 48	2	2	10	8131	7197
	BJF-13254-PA	132 x 54	2	2	12	8955	7980
	BJF-14448-PA	144 x 48	2	2	12	8846	7874
	BJF-14454-PA	144 x 54	2	2	14	9764	8748
	BJF-14460-PA	144 x 60	2	2	14	10835	9766
	BJF-15654-PA	156 x 54	2	3	14	12643	11106
	BJF-15660-PA	156 x 60	2	3	14	13921	12301
	BJF-16854-PA	168 x 54	2	3	16	13155	11618
	BJF-16860-PA	168 x 60	2	3	16	14506	12887
	BJF-18054-PA	180 x 54	2	3	16	13666	12129
	BJF-18060-PA	180 x 60	2	3	16	15091	13472
	BJF-19254-PA	192 x 54	2	3	18	14178	12641
	BJF-19260-PA	192 x 60	2	3	18	15677	14058
	BJF-20454-PA	204 x 54	2	3	18	15286	13687
	BJF-20460-PA	204 x 60	2	3	18	16923	15237
	BJF-21654-PA	216 x 54	2	3	20	16205	14566
	BJF-21660-PA	216 x 60	2	3	20	17960	16234
	BJF-22854-PA	228 x 54	2	3	20	16911	15255
	BJF-22860-PA	228 x 60	2	3	20	18761	17018
	BJF-24054-PA	240 x 54	2	3	20	17658	15984
	BJF-24060-PA	240 x 60	2	3	20	19611	17848




Options:


Power and Data Options:

See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538




Wire Frame Combination Finish	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792



Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge

*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)



Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections	Specify -2**	\$523
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	\$1046

**Power Matrix (center of table location only) cannot be specified when this option is selected.



Baja™ Tops and Bases

Laminate Top with ABS Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate
- Choose ABS Edge Finish
- Choose Metal Finish. Clear Anodized (-CA) not available.

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Laminate Top with ABS Edge

Rectangle	Model #	L x W	Top		Recommended Seating Capacity	Crest Edge Profile	
			Sections	Base Quantity		Wire Frame -WF	Hoop Base -HP
	BJT-7242-PA	72 x 42	1	2	6	4470	3776
	BJT-7842-PA	78 x 42	1	2	6	4913	4171
	BJT-8442-PA	84 x 42	1	2	8	5044	4303
	BJT-8448-PA	84 x 48	1	2	8	5450	4683
	BJT-9042-PA	90 x 42	1	2	8	5445	4666
	BJT-9048-PA	90 x 48	1	2	8	5895	5087
	BJT-9642-PA	96 x 42	1	2	8	5586	4806
	BJT-9648-PA	96 x 48	1	2	8	6057	5249
	BJT-10242-PA	102 x 42	1	2	8	6043	5220
	BJT-10248-PA	102 x 48	1	2	8	6563	5712
	BJT-10842-PA	108 x 42	1	2	10	6191	5367
	BJT-10848-PA	108 x 48	1	2	10	6734	5882
	BJT-11442-PA	114 x 42	1	2	10	6670	5804
	BJT-11448-PA	114 x 48	1	2	10	7268	6372
	BJT-12042-PA	120 x 42	1	2	10	6825	5958
	BJT-12048-PA	120 x 48	1	2	10	7447	6551
	BJT-12054-PA	120 x 54	1	2	12	8181	5958
	BJT-13248-PA	132 x 48	2	2	10	8131	7197
	BJT-13254-PA	132 x 54	2	2	12	8955	7980
	BJT-14448-PA	144 x 48	2	2	12	8846	7874
	BJT-14454-PA	144 x 54	2	2	14	9764	8748
	BJT-14460-PA	144 x 60	2	2	14	10835	9766
	BJT-15654-PA	156 x 54	2	3	14	12643	11106
	BJT-15660-PA	156 x 60	2	3	14	13921	12301
	BJT-16854-PA	168 x 54	2	3	16	13155	11618
	BJT-16860-PA	168 x 60	2	3	16	14506	12887
	BJT-18054-PA	180 x 54	2	3	16	13666	12129
	BJT-18060-PA	180 x 60	2	3	16	15091	13472
	BJT-19254-PA	192 x 54	2	3	18	14178	12641
	BJT-19260-PA	192 x 60	2	3	18	15677	14058
	BJT-20454-PA	204 x 54	2	3	18	15286	13687
	BJT-20460-PA	204 x 60	2	3	18	16923	15237
	BJT-21654-PA	216 x 54	2	3	20	16205	14566
	BJT-21660-PA	216 x 60	2	3	20	17960	16234
	BJT-22854-PA	228 x 54	2	3	20	16911	15255
	BJT-22860-PA	228 x 60	2	3	20	18761	17018
	BJT-24054-PA	240 x 54	2	3	20	17658	15984
	BJT-24060-PA	240 x 60	2	3	20	19611	17848




Options:


Power and Data Options:

See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538




Wire Frame Combination Finish	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792



Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge

*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)



Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections	Specify -2**	\$523
204", 216", 228" or 240" two-piece tops split into four sections	Specify -4	\$1046

**Power Matrix (center of table location only) cannot be specified when this option is selected.



Baja™ Tops and Bases

Laminate Top with ABS Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate
- Choose ABS Edge Finish
- Choose Metal Finish


General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Inset Laminate Top with Hardwood Edge

Soft Rectangle	Model #	L x W	Top		Recommended Seating Capacity	Crest Edge Profile	
			Sections	Base Quantity		Wire Frame -WF	Hoop Base -HP
	BJF-7242-P	72 x 42	1	2	6	4470	3776
	BJF-7842-P	78 x 42	1	2	6	4913	4171
	BJF-8442-P	84 x 42	1	2	8	5044	4303
	BJF-8448-P	84 x 48	1	2	8	5450	4683
	BJF-9042-P	90 x 42	1	2	8	5445	4666
	BJF-9048-P	90 x 48	1	2	8	5895	5087
	BJF-9642-P	96 x 42	1	2	8	5586	4806
	BJF-9648-P	96 x 48	1	2	8	6057	5249
	BJF-10242-P	102 x 42	1	2	8	6043	5220
	BJF-10248-P	102 x 48	1	2	8	6563	5712
	BJF-10842-P	108 x 42	1	2	10	6191	5367
	BJF-10848-P	108 x 48	1	2	10	6734	5882
	BJF-11442-P	114 x 42	1	2	10	6670	5804
	BJF-11448-P	114 x 48	1	2	10	7268	6372
	BJF-12042-P	120 x 42	1	2	10	6825	5958
	BJF-12048-P	120 x 48	1	2	10	7447	6551
	BJF-12054-P	120 x 54	1	2	12	8181	5958
	BJF-13248-P	132 x 48	2	2	10	8131	7197
	BJF-13254-P	132 x 54	2	2	12	8955	7980
	BJF-14448-P	144 x 48	2	2	12	8846	7874
	BJF-14454-P	144 x 54	2	2	14	9764	8748
	BJF-14460-P	144 x 60	2	2	14	10835	9766
	BJF-15654-P	156 x 54	2	3	14	12643	11106
	BJF-15660-P	156 x 60	2	3	14	13921	12301
	BJF-16854-P	168 x 54	2	3	16	13155	11618
	BJF-16860-P	168 x 60	2	3	16	14506	12887
	BJF-18054-P	180 x 54	2	3	16	13666	12129
	BJF-18060-P	180 x 60	2	3	16	15091	13472
	BJF-19254-P	192 x 54	2	3	18	14178	12641
	BJF-19260-P	192 x 60	2	3	18	15677	14058
	BJF-20454-P	204 x 54	2	3	18	15286	13687
	BJF-20460-P	204 x 60	2	3	18	16923	15237
	BJF-21654-P	216 x 54	2	3	20	16205	14566
	BJF-21660-P	216 x 60	2	3	20	17960	16234
	BJF-22854-P	228 x 54	2	3	20	16911	15255
	BJF-22860-P	228 x 60	2	3	20	18761	17018
	BJF-24054-P	240 x 54	2	3	20	17658	15984
	BJF-24060-P	240 x 60	2	3	20	19611	17848




Options:


Power and Data Options:

See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538




Wire Frame Combination Finish	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792



Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge

*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)



Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections
204", 216", 228" or 240" two-piece tops split into four sections

Specify -2** \$523
Specify -4 \$1046

**Power Matrix (center of table location only) cannot be specified when this option is selected.



Baja™ Tops and Bases

Inset Laminate Top with Hardwood Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate
- Choose Veneer
- Choose Metal Finish. Clear Anodized (-CA) not available.

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Inset Laminate Top with Hardwood Edge

Rectangle	Model #	L x W	Top		Recommended Seating Capacity	Crest Edge Profile	
			Sections	Base Quantity		Wire Frame -WF	Hoop Base -HP
	BJT-7242-P	72 x 42	1	2	6	4470	3776
	BJT-7842-P	78 x 42	1	2	6	4913	4171
	BJT-8442-P	84 x 42	1	2	8	5044	4303
	BJT-8448-P	84 x 48	1	2	8	5450	4683
	BJT-9042-P	90 x 42	1	2	8	5445	4666
	BJT-9048-P	90 x 48	1	2	8	5895	5087
	BJT-9642-P	96 x 42	1	2	8	5586	4806
	BJT-9648-P	96 x 48	1	2	8	6057	5249
	BJT-10242-P	102 x 42	1	2	8	6043	5220
	BJT-10248-P	102 x 48	1	2	8	6563	5712
	BJT-10842-P	108 x 42	1	2	10	6191	5367
	BJT-10848-P	108 x 48	1	2	10	6734	5882
	BJT-11442-P	114 x 42	1	2	10	6670	5804
	BJT-11448-P	114 x 48	1	2	10	7268	6372
	BJT-12042-P	120 x 42	1	2	10	6825	5958
	BJT-12048-P	120 x 48	1	2	10	7447	6551
	BJT-12054-P	120 x 54	1	2	12	8181	5958
	BJT-13248-P	132 x 48	2	2	10	8131	7197
	BJT-13254-P	132 x 54	2	2	12	8955	7980
	BJT-14448-P	144 x 48	2	2	12	8846	7874
	BJT-14454-P	144 x 54	2	2	14	9764	8748
	BJT-14460-P	144 x 60	2	2	14	10835	9766
	BJT-15654-P	156 x 54	2	3	14	12643	11106
	BJT-15660-P	156 x 60	2	3	14	13921	12301
	BJT-16854-P	168 x 54	2	3	16	13155	11618
	BJT-16860-P	168 x 60	2	3	16	14506	12887
	BJT-18054-P	180 x 54	2	3	16	13666	12129
	BJT-18060-P	180 x 60	2	3	16	15091	13472
	BJT-19254-P	192 x 54	2	3	18	14178	12641
	BJT-19260-P	192 x 60	2	3	18	15677	14058
	BJT-20454-P	204 x 54	2	3	18	15286	13687
	BJT-20460-P	204 x 60	2	3	18	16923	15237
	BJT-21654-P	216 x 54	2	3	20	16205	14566
	BJT-21660-P	216 x 60	2	3	20	17960	16234
	BJT-22854-P	228 x 54	2	3	20	16911	15255
	BJT-22860-P	228 x 60	2	3	20	18761	17018
	BJT-24054-P	240 x 54	2	3	20	17658	15984
	BJT-24060-P	240 x 60	2	3	20	19611	17848




Crest Edge Profile

Options:


Power and Data Options:

See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538



Wire Frame Combination Finish	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792




-BRP or -PCCB

Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge

(Replaces existing middle base on Hoop Base)

*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)



-BRP or -PCCB

Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections
204", 216", 228" or 240" two-piece tops split into four sections

Specify -2** \$523
Specify -4 \$1046

**Power Matrix (center of table location only) cannot be specified when this option is selected.



Baja™ Tops and Bases

Inset Laminate Top with Hardwood Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate
- Choose Veneer
- Choose Metal Finish

General Information:



- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Glass Top

Soft Rectangle	Model #	L x W	Sub-Top	Glass	Base	Recommended Seating Capacity	Wire Frame	Hoop Base
			Sections	Sections	Quantity	Capacity	-WF	-HP
	BJF-7242-G	72 x 42	1	1	2	6	6557	5786
	BJF-7842-G	78 x 42	1	1	2	6	7245	6421
	BJF-8442-G	84 x 42	1	1	2	8	7476	6653
	BJF-8448-G	84 x 48	1	1	2	8	8167	7315
	BJF-9042-G	90 x 42	1	1	2	8	8109	7243
	BJF-9048-G	90 x 48	1	1	2	8	8876	7979
	BJF-9642-G	96 x 42	1	1	2	8	8353	7486
	BJF-9648-G	96 x 48	1	1	2	8	9161	8264
	BJF-10242-G	102 x 42	1	2	2	8	9075	8160
	BJF-10248-G	102 x 48	1	2	2	8	9970	9024
	BJF-10842-G	108 x 42	1	2	2	10	9333	8418
	BJF-10848-G	108 x 48	1	2	2	10	10272	9325
	BJF-11442-G	114 x 42	1	2	2	10	10095	9132
	BJF-11448-G	114 x 48	1	2	2	10	11129	10133
	BJF-12042-G	120 x 42	1	2	2	10	10366	9403
	BJF-12048-G	120 x 48	1	2	2	10	11446	10450
	BJF-12054-G	120 x 54	1	2	2	12	12708	9403
	BJF-13248-G	132 x 48	2	3	2	10	12582	11544
	BJF-13254-G	132 x 54	2	3	2	12	14006	12922
	BJF-14448-G	144 x 48	2	3	2	12	13772	12692
	BJF-14454-G	144 x 54	2	3	2	14	15365	14237
	BJF-14460-G	144 x 60	2	2	2	14	17215	16028
	BJF-15654-G	156 x 54	2	3	3	14	18912	17204
	BJF-15660-G	156 x 60	2	3	3	14	21049	19249
	BJF-16854-G	168 x 54	2	3	3	16	19782	18074
	BJF-16860-G	168 x 60	2	3	3	16	22052	20253
	BJF-18054-G	180 x 54	2	3	3	16	20652	18944
	BJF-18060-G	180 x 60	2	3	3	16	23055	21256
	BJF-19254-G	192 x 54	2	4	3	18	21522	19814
	BJF-19260-G	192 x 60	2	4	3	18	24059	22260
	BJF-20454-G	204 x 54	2	4	3	18	23302	21525
	BJF-20460-G	204 x 60	2	4	3	18	26080	24207
	BJF-21654-G	216 x 54	2	4	3	20	24798	22977
	BJF-21660-G	216 x 60	2	4	3	20	27785	25867
	BJF-22854-G	228 x 54	2	4	3	20	25971	24132
	BJF-22860-G	228 x 60	2	4	3	20	29130	27193
	BJF-24054-G	240 x 54	2	4	3	20	27212	25352
	BJF-24060-G	240 x 60	2	4	3	20	30552	28594




Options:

Power and Data Options:


See pages 62-70

Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538




Wire Frame Combination Finish

Description	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792



Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge



(Replaces existing middle base on Hoop Base)

*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)

Satin Glass

Add -BSG

\$457 for 72"-96" tables, \$609 for 102"-132" tables and \$762 for 144"-180" tables

Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections
204", 216", 228" or 240" two-piece tops split into four sections

Specify -2** \$523
Specify -4 \$1046

**Note: Power Matrix (center of table location only) cannot be specified when this option is selected.



REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Paint Sub-Top Finish
- Choose Metal Finish. Clear Anodized (-CA) not available


General Information:


- Tops include a 1-1/8" thick sub-top with 3/16" deep hardwood edge band and 1/4" thick back-painted, low iron glass
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Unless otherwise specified, the sub-top finish will match the base finish, if Polished Chrome finish is specified for the base, the sub-top finish will be Foil
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Tops and Bases

Glass Top

Rectangle	Model #	L x W	Sub-Top Sections	Glass Sections	Base Quantity	Recommended Seating Capacity	Wire Frame	
							-WF	Hoop Base -HP
	BJT-7242-G	72 x 42	1	1	2	6	6557	5786
	BJT-7842-G	78 x 42	1	1	2	6	7245	6421
	BJT-8442-G	84 x 42	1	1	2	8	7476	6653
	BJT-8448-G	84 x 48	1	1	2	8	8167	7315
	BJT-9042-G	90 x 42	1	1	2	8	8109	7243
	BJT-9048-G	90 x 48	1	1	2	8	8876	7979
	BJT-9642-G	96 x 42	1	1	2	8	8353	7486
	BJT-9648-G	96 x 48	1	1	2	8	9161	8264
	BJT-10242-G	102 x 42	1	2	2	8	9075	8160
	BJT-10248-G	102 x 48	1	2	2	8	9970	9024
	BJT-10842-G	108 x 42	1	2	2	10	9333	8418
	BJT-10848-G	108 x 48	1	2	2	10	10272	9325
	BJT-11442-G	114 x 42	1	2	2	10	10095	9132
	BJT-11448-G	114 x 48	1	2	2	10	11129	10133
	BJT-12042-G	120 x 42	1	2	2	10	10366	9403
	BJT-12048-G	120 x 48	1	2	2	10	11446	10450
	BJT-12054-G	120 x 54	1	2	2	12	12708	9403
	BJT-13248-G	132 x 48	2	3	2	10	12582	11544
	BJT-13254-G	132 x 54	2	3	2	12	14006	12922
	BJT-14448-G	144 x 48	2	3	2	12	13772	12692
	BJT-14454-G	144 x 54	2	3	2	14	15365	14237
	BJT-14460-G	144 x 60	2	2	2	14	17215	16028
	BJT-15654-G	156 x 54	2	3	3	14	18912	17204
	BJT-15660-G	156 x 60	2	3	3	14	21049	19249
	BJT-16854-G	168 x 54	2	3	3	16	19782	18074
	BJT-16860-G	168 x 60	2	3	3	16	22052	20253
	BJT-18054-G	180 x 54	2	3	3	16	20652	18944
	BJT-18060-G	180 x 60	2	3	3	16	23055	21256
	BJT-19254-G	192 x 54	2	4	3	18	21522	19814
	BJT-19260-G	192 x 60	2	4	3	18	24059	22260
	BJT-20454-G	204 x 54	2	4	3	18	23302	21525
	BJT-20460-G	204 x 60	2	4	3	18	26080	24207
	BJT-21654-G	216 x 54	2	4	3	20	24798	22977
	BJT-21660-G	216 x 60	2	4	3	20	27785	25867
	BJT-22854-G	228 x 54	2	4	3	20	25971	24132
	BJT-22860-G	228 x 60	2	4	3	20	29130	27193
	BJT-24054-G	240 x 54	2	4	3	20	27212	25352
	BJT-24060-G	240 x 60	2	4	3	20	30552	28594




Options:

Power and Data Options:

See pages 62-70


Description	Polished Chrome	Price	Blackened Nickel	Price
(2) Hoop Bases	-PCH2	\$2436	-BNH2	\$2436
(3) Hoop Bases	-PCH3	\$3654	-BNH3	\$3654
Wire Frame Base 72"-132"	-PCWFR-1	\$1523	-BNWFR-1	\$1523
Wire Frame Base 144"-240"	-PCWFR-2	\$2538	-BNWFR-2	\$2538



Wire Frame Combination Finish	Code	Price
Polished Chrome Wires with Blackened Nickel Posts	-TTR-BN	\$1939
Polished Chrome Wires with Satin Chrome Posts	-TTR-BC	\$2030
Polished Chrome Wires with Powdercoat Posts	-TTR-P	\$1792

Description	Code	Price
Polished Chrome Center Column Base	-PCCB	\$812
Powder Coat Center Column Base*	-BRP	No Upcharge (Replaces existing middle base on Hoop Base)

*When specifying -BRP in conjunction with a Polished Chrome finish on Hoop Base tables with 3 bases, use the upcharge code and pricing for 2 base tables (-PCH2)



-BRP or -PCCB

Satin Glass

Add -BSG


\$457 for 72"-96" tables, \$609 for 102"-132" tables and \$762 for 144"-180" tables

Multi-Section Tops:

102", 108", 114" and 120" one-piece tops split into two sections
204", 216", 228" or 240" two-piece tops split into four sections

Specify -2** \$523
Specify -4 \$1046

**Note: Power Matrix (center of table location only) cannot be specified when this option is selected.



-BRP or -PCCB



REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Paint Sub-Top Finish
- Choose Metal Finish. Clear Anodized (-CA) not available


General Information:

- Tops include a 1-1/8" thick sub-top with 3/16" deep hardwood edge band and 1/4" thick back-painted, low iron glass
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Tables with three Hoop bases will default to three of the same base. If an alternate center base is needed, specify the -BRP or -PCCB Center Column Base option above.
- Wire Frame base tables 156" or longer include a center column in the same finish as the base. When the Wire Frame base is polished chrome, the center column base will default to Foil. When blackened nickel is specified, the center column base will default to Storm. When specified with the combination finish option, the center column base finish will need to be specified.
- Unless otherwise specified, the sub-top finish will match the base finish, if Polished Chrome finish is specified for the base, the sub-top finish will be Foil
- When Hoop Base or Wire Frame Base is specified in Polished Chrome, the support rails for the table will default to Black



Baja™ Power & Data Options

Power Matrix Small


Power Matrix - Small	Model #	Description	W x D	Data/AV Faceplates			Price
				Simplex Outlets	Blank	Data*	
	PM-SM-G	Small - Glass Door	6 x 5.375	2	2	1	1044
	PM-SM-M	Small - Metal Door	6 x 5.375	2	2	1	1044
	PM-SM-W	Small - Wood Door	6 x 5.375	2	2	1	1318

*Each data faceplate includes two RJ-45 (Data) connectors


Options:

4 Simplex Receptacles	Add -FOUR	No Upcharge
3 Simplex Receptacles/Dual Charging USB	Add -THREE	No Upcharge
USB Charging	Add -USB	\$79 per unit
Polished Chrome Door	Add -PD	\$155 per unit
Polished Chrome Bezel	Add -PB	\$209 per unit
Field-Wired	Add -FW	Deduct \$29 per unit


Replace AAP's with 2 additional simplex receptacles
 Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB
 Dual USB charger, replaces one of the simplex outlets
 Only available with metal door option
 Only available on glass and laminate top tables
 May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.



-FOUR



-THREE



-USB

Single Infeed Option Available

See below

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose location code & quantity from the chart below
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate and glass tables

General Information:

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4" thick, metal doors are 1/8" thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Two simplex receptacles, two RJ-45 data connectors and two single blank faceplates
- When specified on tables with laminate tops, each Power Matrix unit will include a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are on page 68

Location Codes

Power Matrix Small	Location	Qty of Units to Order
PS-1	One at center	1
PS-2	One at each end	2
PS-3	One at center and one at each end	3
PS-4	Four equally space	4


Single Infeed Option

Model #	Description	Price
SI-H	Single Infeed Option, Hard-wired	386
SI-C	Single Infeed Option, Corded (Plug-in)	468

General Information:

- Tables 48"-96" in length include 2 duplex receptacles with the modular power system
- Hardwired and Corded Single Infeed options are 7' long
- Single Infeed option cannot be specified in conjunction with the Field-Wired (-FW) option

Retractors



CR-HDMI

Model #	Description	Price
CR-CAT6	CAT6 Retractor	636
CR-HDMI	HDMI Retractor	636
CR-DISPLAY	Display Port Retractor	636
CR-USB	Data USB Retractor	636

General Information:

- Mounting bracket and attaching hardware included with each retractor
- Not available on Square, round or soft square tables
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP



Baja™ Power & Data Options

Power Matrix Small

Door Material and Location Availability by Table Size


W = Wood Door G = Glass Door M = Metal Door

Power Matrix Small					
Length	Top Sections	PS-1	PS-2	PS-3	PS-4
42	1	W/G/M			
48	1	W/G/M			
54	1	W/G/M			
60	1	W/G/M			
72	1	W/G/M	W/G/M		
78	1	W/G/M	W/G/M		
84	1	W/G/M	W/G/M		
90	1	W/G/M	W/G/M		
96	1	W/G/M	W/G/M	W/G/M	
102	1	W/G/M	W/G/M	W/G/M	
102	2		W/G/M		
108	1	W/G/M	W/G/M	W/G/M	
108	2		W/G/M		
114	1	W/G/M	W/G/M	W/G/M	
114	2		W/G/M		
120	1	W/G/M	W/G/M	W/G/M	
120	2		W/G/M		
132	2		W/G/M		W/G/M
144	2		W/G/M		W/G/M
156	2		W/G/M		W/G/M
168	2		W/G/M		W/G/M
180	2		W/G/M		W/G/M
192	2		W/G/M		W/G/M
192	4		W/G/M		W/G/M
204	2		W/G/M		W/G/M
204	4		W/G/M		W/G/M
216	2		W/G/M		W/G/M
216	4		W/G/M		W/G/M
228	2		W/G/M		W/G/M
228	4		W/G/M		W/G/M
240	2		W/G/M		W/G/M
240	4		W/G/M		W/G/M



Baja™ Power & Data Options

Power Matrix Medium



Data/AV Faceplates

Power Matrix - Medium	Model #	Description	W x D	Data/AV Faceplates			Price
				Simplex Outlets	Blank	Data*	
	PM-MD-G	Medium - Glass Door	8.25 x 5.375	4	3	1	1647
	PM-MD-M	Medium - Metal Door	8.25 x 5.375	4	3	1	1647
	PM-MD-W	Medium - Wood Door	8.25 x 5.375	4	3	1	1922

*Each data faceplate includes two RJ-45 (Data) connectors

Options:

USB Charging	Add -USB	\$79 per unit	Dual USB charger, replaces one of the simplex outlets
Polished Chrome Door	Add -PD	\$209 per unit	Only available with metal door option
Polished Chrome Bezel	Add -PB	\$247 per unit	Only available on glass and laminate top tables
Field-Wired	Add -FW	Deduct \$29 per unit	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.
Single Infeed Option Available		See bekw	

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose location code & quantity from the chart below
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate and glass tables

General Information:

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4" -thick, metal doors are 1/8" -thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Four simplex receptacles, two RJ-45 (data) connectors and three single space blank faceplates
- When specified on tables with laminate tops, each Power Matrix unit includes a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are on page 68

Location Codes

Power Matrix Medium	Location	Qty of Units to Order
PM-1	One at center	1
PM-2	One at each end	2
PM-3	One at center and one at each end	3
PM-4	Four equally space	4

Single Infeed Option

Model #	Description	Price
SI-H	Single Infeed Option, Hard-wired	386
SI-C	Single Infeed Option, Corded (Plug-in)	468

General Information:

- Tables 48"-96" in length include 2 duplex receptacles with the modular power system
- Hardwired and Corded Single Infeed options are 7' long
- Single Infeed option cannot be specified in conjunction with the Field-Wired (-FW) option

Retractors



Model #	Description	Price
CR-CAT6	CAT6 Retractor	636
CR-HDMI	HDMI Retractor	636
CR-DISPLAY	Display Port Retractor	636
CR-USB	Data USB Retractor	636

General Information:

- Mounting bracket and attaching hardware included with each retractor
- Not available on square, round or soft square tables
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP



Baja™ Power & Data Options

Power Matrix Medium


Door Material and Location Availability by Table Size

W = Wood Door G = Glass Door M = Metal Door

Power Matrix Medium					
Length	Top Sections	PM-1	PM-2	PM-3	PM-4
72	1	W/G/M	W/G/M		
84	1	W/G/M	W/G/M		
90	1	W/G/M	W/G/M		
96	1	W/G/M	W/G/M	W/G/M	
102	1	W/G/M	W/G/M	W/G/M	
102	2		W/G/M		
108	1	W/G/M	W/G/M	W/G/M	
108	2		W/G/M		
114	1	W/G/M	W/G/M	W/G/M	
114	2		W/G/M		
120	1	W/G/M	W/G/M	W/G/M	
120	2		W/G/M		
132	2		W/G/M		W/G/M
144	2		W/G/M		W/G/M
156	2		W/G/M		W/G/M
168	2		W/G/M		W/G/M
180	2		W/G/M		W/G/M
192	2		W/G/M		W/G/M
192	4		W/G/M		W/G/M
204	2		W/G/M		W/G/M
204	4		W/G/M		W/G/M
216	2		W/G/M		W/G/M
216	4		W/G/M		W/G/M
228	2		W/G/M		W/G/M
228	4		W/G/M		W/G/M
240	2		W/G/M		W/G/M
240	4		W/G/M		W/G/M



Baja™ Power & Data Options

Tech Node	Model #	W x D	Simplex	Open	Dual	Bluetooth	Price
			Receptacles	Data Ports	Charging USB	Speaker	
 PUP	PUP	8 x 4	2	2	-	-	380
	PUP-USB	8 x 4	2	1	1	-	453
	PUP-SPEAKER	8 x 4	1	-	-	1	581

Options:

Field-Wired

Add -FW

\$0

May be required in New York City, Chicago and San Francisco.
Check with an electrician for local codes and requirements.



REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Location Code and quantity from chart below

General Information:

- 12' cord and a 15 amp plug-in power infeed
- Voice/data modules must be ordered separately; contact your local AV integrator
- PUP defaults to color of metal finish specified on tables (Shadow, Storm, Black, Aged Bronze, Satin Bronze and Galaxy receive Black Anodized Tech Node; Cloud, Burnished and Foil receive Clear Anodized Tech Node)
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required
- UL Listed



Power Spec	Model #	Description	Price
 PWR-R-W	PWR-R-B	Round Power Spec with Black Faceplate	79
	PWR-R-W	Round Power Spec with White Faceplate	79
 PWR-SQ-W	PWR-SQ-B	Square Power Spec with Black Faceplate	79
	PWR-SQ-W	Square Power Spec with White Faceplate	79

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

General Information:

- Includes (1) Simplex receptacle
- 12' cord


USB Spec	Model #	Description	Price
 PWR-R-W	USB-R-B	Round Data Spec with Black Faceplate	170
	USB-R-W	Round Data Spec with White Faceplate	170
 USB-SQ-W	USB-SQ-B	Square Data Spec with Black Faceplate	170
	USB-SQ-W	Square Data Spec with White Faceplate	170

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

General Information:

- Includes (1) 2-port charging USB
- 6' cord

Round Grommet	Model #	W x D	Description	Price
	GR	2" Diameter	Round Grommet	152

Options:

Polished Chrome Grommet
Satin Nickel Finish

Add -PCG

\$58

Add -SNF

\$58

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish: Cloud (A8004), Burnished (A8009), Foil (A8006), Shadow (A8005), Galaxy (A8007) or Clear Anodized (CA)

General Information:


- Available at center location only

Location Codes

Tech Node	Round Grommet	Power Spec	USB Spec	Location	Order Qty
TN-1	G-1	SP-1	SP-1	One at center	1
TN-2		SP-2	SP-2	One at each end	2
TN-3		SP-3	SP-3	One at center and one at each end	3
TN-4		SP-4	SP-4	Four equally spaced	4



Baja™ Power & Data Options

Hardwire Infeed Power Rail Kit (Includes Power Rails, Hardwire Infeed and Modular Power Components)	Model #	Total # of Rails	Electrical Outlets	(2) Simplex		(1) Simplex / (1) Charging USB	
				-S2	Outlets	-S1	
	BJ-RAIL-1-H	1	2	934	1	934	
	BJ-RAIL-2-H	2	4	1483	2	1483	
	BJ-RAIL-3-H	3	6	2032	3	2032	
	BJ-RAIL-4-H	4	8	2580	4	2580	
	BJ-RAIL-5-H	5	10	3129	5	3129	
	BJ-RAIL-6-H	6	12	3679	6	3679	
	BJ-RAIL-7-H	7	14	4227	7	4227	
	BJ-RAIL-8-H	8	16	4776	8	4776	
	BJ-RAIL-9-H	9	18	5325	9	5325	
	BJ-RAIL-10-H	10	20	5874	10	5874	
	BJ-RAIL-11-H	11	22	6422	11	6422	
	BJ-RAIL-12-H	12	24	6971	12	6971	


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Includes modular power electrical system
- Hardwire infeed is 7' long
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

Corded Infeed Power Rail Kit (Includes Power Rails, Corded Infeed and Modular Power Components)	Model #	Total # of Rails	Electrical Outlets	(2) Simplex		(1) Simplex / (1) Charging USB	
				-S2	Outlets	-S1	
	BJ-RAIL-1-C	1	2	1016	1	1016	
	BJ-RAIL-2-C	2	4	1565	2	1565	
	BJ-RAIL-3-C	3	6	2114	3	2114	
	BJ-RAIL-4-C	4	8	2662	4	2662	
	BJ-RAIL-5-C	5	10	3211	5	3211	
	BJ-RAIL-6-C	6	12	3761	6	3761	
	BJ-RAIL-7-C	7	14	4310	7	4310	
	BJ-RAIL-8-C	8	16	4858	8	4858	
	BJ-RAIL-9-C	9	18	5407	9	5407	
	BJ-RAIL-10-C	10	20	5956	10	5956	
	BJ-RAIL-11-C	11	22	6505	11	6505	
	BJ-RAIL-12-C	12	24	7053	12	7053	


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Includes modular power electrical system
- Corded single infeed is 7' long
- Corded Single Infeed option will require a 20amp outlet in the floor monument and reduces the modular electrical system in the table to a single circuit
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

Data Rail	Model #	Description	Price
	BJ-RAIL-DATA	Data Rail includes (1) blank faceplate and (1) dual RJ-45 faceplate	423


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Data Rails not available in Clear or Black Anodized

Field-Wired	Model #	Description	(2) Simplex		(1) Simplex / (1) Charging USB	
			-S2	Outlets	-S1	
	BJ-RAIL-FW	Field-Wired Power Rail	487		487	

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish


General Information:

- Includes 6' flexible metal conduit and required a hardwire connection
- May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. A junction box will be provided when ordering the BJ-RAIL-FW option.
- Power Rails not available in Clear or Black Anodized



Baja™ Power & Data Options

Individual Power Rail	Model #	Description	(2) Simplex	(1) Simplex / (1) Charging USB
			-S2	-S1
	BJ-RAIL	Power Rail	550	550



-S2



-S1

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Individual power rails do not include a modular power system. Each Power Rail must directly plug into a floor core with a 6'-corded 15-amp plug-in infeed. (Typically used with smaller tables, rounds, squares, soft squares, where a modular power system is not required.)
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

Single Infeed Option	Model #	Description	Price
	SI-H	Single Infeed Option, Hard-wired	386
	SI-C	Single Infeed Option, Corded (Plug-in)	468

General Information:

- Tables 48"-96" in length include 2 duplex receptacles with the modular power system
- Hardwired and Corded Single Infeed options are 7' long
- Single Infeed option cannot be specified in conjunction with the Field-Wired (-FW) option


Data Faceplates	Model #	Description	Style	W X H	Price
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	50
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	180
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	141
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	141
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	115
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	155
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	219
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	219
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	219
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	245
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	62
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	155
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	271
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	180

General Information:

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Each BJ-RAIL-DATA unit holds two Single Space faceplates
- Faceplates are black



Baja™ Power & Data Options

Charging Trac	Model #	Total Brackets	Number of USB Ports	Price
	TRAC-2	2	4	1417
	TRAC-4	4	8	2390


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Plug-in Infeed only
- Field Installed
- 15 amp

Wire Manager	Model #	Description	Price
	HPWM	Hoop Base Wire Manager	276
	WFWM	Wire Frame Wire Manager	254

Options:

Polished Chrome Finish Add **-PCF** \$267

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

Metal Wire Chase Column	Model #	Description	Price
	BICB-P	Wire Chase Column	797

Options:

Polished Chrome Finish Add **-PCCB** \$812

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- To be used with (2) base tables (Not intended as a center support)
- Wire management opening is 9.75" x 6.375"
- Cannot be specified on 72"-long tables



Baja™ Power & Data Options

Charging Stand (Battery-Powered)	Model #	Description	Simplex	USB-A	USB-C	Price
			Receptacles	Ports	Ports	
	STAND-B-W	Battery-Powered White Unit	-	3	1	1619
	STAND-B-B	Battery-Powered Black Unit	-	3	1	1619



General Information:

- Three ports for USB-A and one 18 Watt USB-C
- Charging cord included
- LED lights on top of the unit indicate charge level of the battery. When all 4 lights are on, the battery is fully charged.
- Uses a 40 Amp Hour battery with a 128 Watt Hour capacity. For optimal use, it should be charged every night.
- Charging capacities are estimated, based on charging from no power to full power.
 - 10-12 smart phones
 - 8-10 small tablets (5-7" in size)
 - 4 large tablets (9-11" in size)
- White unit is a combination of White aluminum on the base and neck area, and plastic in the Fog color for the trim inserts
- Weight: 12lbs


Charging Stand (Corded)	Model #	Description	Simplex	USB-A	USB-C	Price
			Receptacles	Ports	Ports	
	STAND-1C-W	Corded White Unit	1	2	1	711
	STAND-3C-W	Corded White Unit	3	2	1	720
	STAND-4C-W	Corded White Unit	4	2	1	733
	STAND-1C-B	Corded Black Unit	1	2	1	711
	STAND-3C-B	Corded Black Unit	3	2	1	720
	STAND-4C-B	Corded Black Unit	4	2	1	733



General Information:

- 10' Plug-In Infeed Cord
- Capable of charging laptops, tablets and mobile phones simultaneously
- STAND-4C version includes a circuit breaker in the base
- Weight: 10lbs

Tech Zone	Model #	Description	Simplex	Open Data	Dual Charging	Bluetooth	Price
			Receptacles	Ports	USB	Speaker	
	ZONE-DATA	(2) Simplex receptacles (2) Open data ports	2	2	-	-	239
	ZONE-USB	(2) Simplex receptacles (1) Dual charging USB (1) Open data port	2	1	1	-	299
	ZONE-SPEAKER	(1) Simplex receptacle (1) Dual charging USB (1) Bluetooth speaker	1	-	1	1	608




ZONE-SPEAKER



ZONE-DATA



ZONE-USB




ZONE-SPEAKER

General Information:

- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required

Charging Cube	Model #	Description	Price
	CUBE-W	White Power Cube	290
	CUBE-B	Black Power Cube	290



General Information:

- Includes (3) 2 Amp USB charging ports
- The Cube can be recharged completely in 4.5 hours