

SABER[®]

Planning Guide + Price List

QUICK LINKS

Introduction

General Information

Finish Information

Surface Materials

Planning Guide

Planning

Price List

Saber Tops and Bases

Saber Power and Data Options



General Information

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,100 net will be assessed a \$285 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs.
- Special Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$200 net plus any restocking charges accumulated. There may be additional costs associated with engineering labor required for the change order.



General Information

Repair Authorization

Prior written approval is required for repairs of merchandise charged to NuCraft. Failure to do so will result in customer funded repairs.

Payment Terms

Terms consist of a 1% cash discount for payment within 10 days of invoice date, or payment of the net amount within 30 days of the invoice date (1% 10 days, net 30 days). Discount is not allowed on credit card payments.

Credit Card Payments

When paying by credit card (Visa, Mastercard or American Express), include the card number, expiration date, card holder name (printed) and card holder signature on the purchase order. A credit card payment form is available upon request. No cash discount allowed on credit card payments.

Warranty

NuCraft warrants that each piece of furniture it manufactures will be free from defects in materials and workmanship for a period of ten years of single-shift use. Textiles, decorative trim, electrical components, lamps, mechanical devices, casters and custom-made products not described in NuCraft's catalog are warranted for one year from the date of original delivery. Height adjustable desk mechanisms are warranted for two years. This warranty is applicable only if the furniture is given normal and proper care and is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new NuCraft products through authorized dealers, or from others specifically authorized by NuCraft to sell its products.

NuCraft's sole obligation under this warranty is to repair or replace, at NuCraft's discretion, products which prove to be defective during the warranty period. Purchasers may be required to establish that a claim is within the warranty period. To initiate a warranty claim, the purchaser should contact an authorized NuCraft dealer.

This warranty does not cover: 1) Damage caused by a carrier 2) COM (Customer's Own Material) specified by the customer that is not a standard product offering 3) Color, grain or texture of wood and other covering materials (due to the natural variations over which NuCraft has no control) 4) Damages resulting from user modification, attachments to a product, misuse, abuse, alteration or negligent use.

NuCraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. NuCraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

NuCraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

NuCraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

NuCraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all NuCraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



Finish Information

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over \$5000 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

Treatments

Note: Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded on page 5. If no direction is provided on incoming orders, default sheen will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but will leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



Finish Information

Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates

To order a color other than those on our list (see pages 5-6), refer to Nevamar or Formica standard grade, matte texture laminate offerings (excluding manufacturers' non-standard matte offering). **Add \$103 list per item for a non-standard solid, matrix or pattern.** Add 20% per color for woodgrain laminates (includes stained-to-match for remainder of unit to match laminate color). Add one week to the lead-time for all non-standard laminate orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, Nucraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. Nucraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See Pages 5-6)

General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping



WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash*		
Chalk	M48	G48
Angora	M49	G49
Blanco	M44	G44
Oat	M45	G45

Rift Cut Oak*

Nougat	M01	G01
Wheat	M02	G02
Carbon	M03	G03
Bramble	M07	G07

Cherry

Sherry	M20	G20
Cognac	M21	G21
Spring	M95	G95
Auburn	M93	G93

Walnut

Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31
Walnut	M26	G26

Linea

Oak Linea	M08	G08
Walnut Linea	M27	G27

Paldao

Thicket	M75	G75
Paldao	M76	G76

HERITAGE COLLECTION

Heritage Collection consists of popular mainstays of the Nucraft veneer collection preserved from our previous offering.

	Matte	Gloss
Natural Maple	M60	G60
Natural Walnut	M25	G25
Castano Walnut	M37	G37
Cordovan Cherry	M99	G99
CoCo Cherry	M96	G96

METAL FINISHES

Aged Bronze	A8010
Black	A44
Burnished	A8009
Cloud	A8004
Foil	A8006
Galaxy	A8007
Polished Chrome*	PC
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

*Up-Charge applies. See specific product line pages for availability and details.

GLASS (SATIN OR GLOSS)

Power Matrix glass doors only

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Quill	QS	QG
White	WS	WG



LAMINATES

	Code	Coordinating Wood Finish
--	------	-----------------------------

Wood Grain Laminates[§]

Formica White Ash	8841-58	M8841
Formica Natural Ash	8843-58	M8843
Formica Aged Ash	8844-58	M8844
Formica Weathered Ash	8842-58	M8842
Formica Oiled Legno	8846-58	M8846
Formica Bleached Legno	8845-58	M8845
Formica Jarrah Legno	8847-58	M8847
Formica Blackened Legno	8848-58	M8848
Formica Urban Planked Oak	9312-58	M9312
Formica Natural Walnut	6401-58	M6401
Formica Thermo Walnut	6402-58	M6402
Formica Smoky Brown Pear	5488-58	M5488
Formica Espresso Pear	5489-58	M5489

[§]Not available on multiple piece conference tables

Wood Grain Laminates Suitable for Multiple Piece Conference Tables

Formica Pecan Woodline	5883-58	M5883
Formica Chestnut Woodline	5884-58	M5884
Formica Smoky Walnut Woodline	6926-58	M6926

Solid Laminates

Formica Brite White	459-58
Formica Dover White	7197-58
Formica Pearl	934-58
Formica Graystone	464-58
Formica Folkstone	927-58
Formica Graphite	837-58

Patterned Laminates

Nevamar Cool Chic	VA7002T
Nevamar Serene Stardom	VA5001T
Nevamar Calm Distinction	VA6001T
Nevamar Easy Elegance	VA5002T
Wilsonart Sheer Mesh	4876-38
Wilsonart Grey Mesh	4877-38
Wilsonart Pewter Mesh	4878-38



TOPS


Pages 29-32



Round




Rectangle




Boat

BASES

Pages 29-32



Panel Base




Metal X-Base



Section Contents

- Power and Data Planning
- Wire Management Openings
- Base Dimensions
- Floor Monument Locations

8-23
23
24-25
26



Power Option — Top Shape and Base Style Availability

Options:	Round**	Rectangle	Boat
Perimeter Power*		•	•
Power Matrix	•	•	•
Tech Node	•	•	•
Round Grommet	•	•	•

*Only available on 96" or longer tops.
** Only available with Concave Column base





Saber® Planning

Table Top Power Option: Power Matrix



Available in a variety of sizes, styles and connectivity options, Power Matrix is Nucraft's most versatile power option. Power Matrix incorporates a broad array of scalable features and is available across multiple product lines, making it the "go to" solution for power and AV connectivity needs.

Offered in four sizes and two door configurations (single and double), Power Matrix can handle any power and AV connectivity need, from the simplest to the most demanding.



Small






Medium



Large



Extra Large





Saber® Planning

Table Top Power Option: Power Matrix

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

Power

Power Matrix features simplex receptacles for power connectivity, the quantity of which is pre-determined based on the size of the unit. An optional dual USB charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired in-feed options add flexibility.


Data/AV Faceplates

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

Design

Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate table tops include a bezel, available in powder coat, polished chrome or clear anodized finish options.

(Medium size shown)



Performance

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic. Cable storage is both concealed and ample.

Doors

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.



Saber® Planning

Table Top Power Option: Power Matrix

Standard Configurations

Power Matrix is offered in four standard sizes, each with a pre-determined quantity of simplex outlets and AV faceplates. With each size, an optional dual 2 amp USB charger (1 amp per port) replaces one of the simplex outlets.


Small and Compact

- Single door design
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates & one faceplate with two RJ-45 (data) connectors.
- (1) 12' plug-in infeed cord




Medium

- Single door design
- 5.375" x 8.25" cutout
- Four simplex outlets
- Four AV faceplates. Standard configuration includes three blank faceplates & one faceplate with two RJ-45 (data) connectors.
- (1) 12' plug-in infeed cord



Large

- Double door design
- 10.75" x 15.25" cutout
- Six simplex outlets (three per side)
- Six AV faceplates (three per side). Standard configuration includes two blank faceplates & one faceplate with two RJ-45 (data) connectors per side.
- (2) 12' plug-in infeed cords



Extra Large

- Double door design
- 10.75" x 30.25" cutout
- Eight simplex outlets (four per side)
- Twelve AV faceplates (six per side). Standard configuration includes four blank faceplates & two faceplates with two RJ-45 (data) connectors per side.
- (2) 12' plug-in infeed cords



Field-Wired


Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' flexible metal conduit with hot, ground and neutral wires.




Dimensions

Each Power Matrix unit includes a low-profile pan beneath the work surface to conceal the unit and provide ample storage capacity for excess cables. The size of the cutout in the table top varies with each size of Power Matrix unit.


Small




Compact




Medium



Large



Extra Large




Power Planning


Power Matrix is available with two options for connection with building power:

- **Direct Plug-In** - the 15-amp power cord from each Power Matrix unit is plugged into a floor monument. The floor monument must have at least one power outlet per small or medium Power Matrix unit in the table and two power outlets per large or extra large Power Matrix (e.g., a table with four small or medium Power Matrix units would need four power outlets in the floor monument).
- **Single In-Feed** - each Power Matrix unit is plugged into a two-circuit modular electrical system in the table from which a single connection is made to a floor monument. This connection can be either hardwired (to utilize both of the circuits in the modular electrical system) or corded (which requires a 20-amp power outlet in the floor monument and reduces the modular electrical system in the table to a single circuit).

Direct Plug-In




Single In-Feed



Two-Circuit Modular Electrical System

- 4-wire, 20-amp, 2-circuit modular electrical system.
- Only present on tables specified with the Single In-Feed option.
- Hardwire or corded (20-amp) in-feed options. A licensed electrician is required to complete hardwire connections to building's power source.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge.
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed.

Electrical Diagram — Hardwire Power Infeed Only





Saber® Planning

Table Top Power Option: Power Matrix

Location Codes

Power Matrix is offered in a variety of locations and quantities per table size, offering a broad range of performance and pricing options.

Location Codes

Power Matrix Small & Compact	Power Matrix Medium	Power Matrix Large	Power Matrix Extra Large	Location	Qty of Units to Order
PS-1	PM-1	PL-1	PX-1	One at center	1
PS-2	PM-2	PL-2	PX-2	One at each end	2
PS-3	PM-3	PL-3	PX-3	One at center and one at each end	3
PS-4	PM-4			Four equally spaced	4

Door Material and Location Availability by Table Size

W = Wood Door G = Glass Door M = Metal Door

Length	Top Sections	Power Matrix Small or Compact				Power Matrix Medium				Power Matrix Large*			Power Matrix Extra Large*		
		PS-1	PS-2	PS-3	PS-4	PM-1	PM-2	PM-3	PM-4	PL-1	PL-2	PL-3	PX-1	PX-2	PX-3
42	1	W/G/M	-	-	-	-	-	-	-	-	-	-	-	-	-
48	1	W/G/M	-	-	-	-	-	-	-	-	-	-	-	-	-
54	1	W/G/M	-	-	-	-	-	-	-	-	-	-	-	-	-
60	1	W/G/M	-	-	-	-	-	-	-	-	-	-	-	-	-
72*	1	W/G/M	W/G/M	-	-	W/G/M	W/G/M	-	-	-	-	-	-	-	-
84	1	W/G/M	W/G/M	-	-	W/G/M	W/G/M	-	-	-	-	-	-	-	-
96	1	W/G/M	W/G/M	W/G/M	-	W/G/M	W/G/M	W/G/M	-	W/G/M	-	-	W/G/M	-	-
120	1	W/G/M	W/G/M	W/G/M	-	W/G/M	W/G/M	W/G/M	-	W/G/M	-	-	W/G/M	-	-
120	2	-	W/G/M	-	-	-	W/G/M	-	-	G/M	-	-	G/M	-	-
144	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M	G/M	W/G/M	-	G/M	W/G/M	-
168	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M	G/M	W/G/M	-	G/M	W/G/M	-
192	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M	G/M	W/G/M	-	G/M	W/G/M	-
192	4	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M	G/M	G/M	-	G/M	G/M	-
216	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M	G/M	W/G/M	G/M	G/M	W/G/M	G/M
216	4	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M	G/M	G/M	G/M	G/M	G/M	G/M
240	2	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M	G/M	W/G/M	G/M	G/M	W/G/M	G/M
240	4	-	W/G/M	-	W/G/M	-	W/G/M	-	W/G/M	G/M	G/M	G/M	G/M	G/M	G/M

*72" Round tables are only available with PS-2 Compact option




Saber® Planning


Table Top Power Option: Power Matrix

Power Matrix Small or Medium Location Options

Please Note: For floor core placement, please reference floor monument location information on page 26.




PS-1 or PM-1



PS-1 or PM-1

Center of Power Matrix


Length	PS-1	PM-1
42	21	21
48	24	24
54	27	27
60	30	30
72	36	36
84	42	42
96	48	48
120	60	60




PS-2 or PM-2

Center of 2nd, 3rd or 4th Power Matrix

Length	PS-2	PS-3	PS-4	PM-2	PM-3	PM-4
72-240	Contact Nucraft Customer Service for detailed dimension information.					



PS-3 or PM-3



PS-4 or PM-4




Saber® Planning

Table Top Power Option: Power Matrix


Power Matrix Large or Extra Large Location Options

Please Note: For floor core placement, please reference floor monument location information on page 26.




PL-1 or PX-1

Center of Power Matrix		
Length	PL-1	PX-1
96	48	48
120	60	60
144	72	72
168	84	84
192	96	96
216	108	108
240	120	120



PL-2 or PX-2

Center of 2nd or 3rd Power Matrix				
Length	PL-2	PL-3	PX-2	PX-3
144-240	Contact Nucraft Customer Service for detailed dimension information.			



PL-3 or PX-3



Saber® Planning

Table Top Power Option: Tech Node


Tech Node offers convenient access to power and voice/data connections. Tech Node features include a push/push open design that conceals internal components.

Each Tech Node is equipped with the following components:


- Clear or Black Anodized Aluminum
- Fluid one touch accessibility
- Two (2) Simplexes
- Up to two voice/data ports
- Optional powered USB
- 12' 15-Amp cord
- Voice/Data Adapter Kit p/n BE01421 to accept couplers & jacks
- UL Listed
- Overall dimensions - 4-7/16" x 8-5/16"

All electrical components are UL listed.


Tech Node - Cover Open




Tech Node - Cover Open with Optional USB




Tech Node - Cover Closed




Tech Node - Cover Open with Optional Bluetooth Speaker



Tech Node - Open Front View



Tech Node - Open Side View



Voice/Data Planning

Two (2) simplex voice/data cutouts accept customer supplied, field-installed snap-in connectors.

Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.

Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com





Saber® Planning


Table Top Power Option: Tech Node

Tech Node Location Options



Please Note: For floor core placement, please reference floor monument location information on page 26.



Center of Tech Node	
Length	TN-1
42	21
48	24
54	27
60	30
72	36
84	42
96	48
120	60



Center of 2nd, 3rd or 4th Tech Node			
Length	TN-2	TN-3	TN-4
72-240	Contact Nucraft Customer Service for detailed dimension information.		





Saber® Planning

Under Surface Power Option: Perimeter Power


Perimeter Power provides enhanced power and communication connectivity for each individual seated at a conference table. Attached to the table's apron, Perimeter Power maintains a clean aesthetic on the table top.

Perimeter Power is equipped with the following components:


- Hardwire power in-feed (6')
- Duplex receptacles
- NEMA size single-gang cutouts (voice/data)
- Single-gang wallplate cover (blank)
- 20 AMP system

The hardwire power in-feed has a modular connector on one end; the connector attaches to the back side of any power block mounted on the table's apron. This feature allows total flexibility in determining floor monument location under any table base. All tables ship pre-wired.

Note: Clearance from the floor to the bottom of the apron is 24-3/4". Apron is recessed 2-1/8" under the table.



Saber Shown




Power and Voice/Data Capabilities

Refer to the individual product sections for specific Perimeter Power application guidelines.

Not available with round tops.

Table Length	Total Power Brackets	Brackets Per Side	Brackets Per End	Simplex Receptacles	Circuits	Single-Gang Cutouts
96"	6	2	1	12	1	6
120"	6	2	1	12	1	6
144"	8	3	1	16	2	8
168"	8	3	1	16	2	8
192"	8	3	1	16	2	8
216"	10	4	1	20	2	10
240"	10	4	1	20	2	10


Note: Voice/Data Jacks are customer supplied




Fortè® Shown

Perimeter Power Bracket Dimensions

Front Elevation View



End Elevation View




Power Planning

Perimeter Power Electrical System

- 8-wire, 4-circuit modular electrical system
- All tables are pre-wired
- Hardwire power in-feed only. A licensed electrician is required to complete hardwire connections to building's power source.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge.
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed


Electrical Diagram — Hardwire Power Infeed Only



Four circuits, one isolated. This electrical schematic can be used with three-phase or single-phase power.

Field-Wired Electrical Requirements

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, Perimeter Power includes power junction boxes instead of the standard modular electrical system. Specific electrical components such as receptacles must be furnished separately.




Voice/Data Planning

The Perimeter Power assembly does not include any factory-installed voice/data components. It does include one (1) NEMA size cutout per bracket with a blank wall-plate cover.

Faceplates and data connectors must be purchased and installed in the field.

Cutout Opening Dimensions



Voice/Data Product Manufacturers

Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com



Saber® Planning


Freestanding Power Option: Charging Cube and Tech Zone

Charging Cube

Charging Cube addresses the need for portable power. The ability to take this device anywhere for collaboration and easy connectivity makes the Charging Cube ideal for those who appreciate flexibility in their workspace.

The Charging Cube can be placed anywhere, and allow up to three devices to be charged at once.

- Three 2 amp USB charging ports
- 11,600 mAh battery capacity
- Charges completely in 4.5 hours



Charging Cube - Top View



Charging Cube - Side View




Tech Zone


Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.

Available in three configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.


- ZONE-SPEAKER includes one simplex receptacle, one dual charging USB-A charging port and a Bluetooth speaker
- ZONE-DATA includes two simplex receptacles and two open data ports
- ZONE-USB includes two simplex receptacles, one data port and one dual charging USB-A charging port



Tech Zone - Side View



ZONE-SPEAKER



ZONE-DATA




ZONE-USB




Battery-Powered Charging Stand

At table height, this battery-powered unit provides multiple charging options for collaboration anywhere with cordless power.


- Three 2 amp USB-A charging ports
- One USB-C (18W) charging port



Battery-Powered Charging Stand
Side View



Battery-Powered Charging Stand
Top View



Cordless Charging Stand

The corded unit offers various configurations to fit your needs, while still offering easy mobility. Includes a 10'-long plug-in infeed cord.

Three configurations to choose from:

STAND-1C


One simplex receptacle and two USB-A ports, and one USB-C port

STAND-3C


Three simplex receptacles, two USB-A ports, and one USB-C port

STAND-4C


Four simplex receptacles, two USB-A ports and one USB-C port




Cordless Charging Stand
Side View



Cordless Charging Stand
Top View



Base Plate Configuration Options



STAND-1C



STAND-3C



STAND-4C









Saber® Planning

Wire Management Openings

Panel Base





Concave Column Base



Base Dimensions



Panel Base



60" Wide
Tops

48" Wide
Tops

Concave Column Base








54/60/72" Diameter
Tops

48" Diameter
Tops

Base Dimensions



Metal X-Base





Saber® Planning

Floor Monument Locations



Rectangle

(Panel Bases)

Table Size (inches)	Center of 1st Base	Center of 2nd Base	Center of 3rd Base
72 x 36	18	54	
84 x 42	21	63	
96 x 48	24	72	
120 x 48	24	96	
144 x 48	24	120	
144 x 60	30	114	
168 x 48	24	84	144
168 x 60	30	84	138
192 x 48	24	96	168
192 x 60	30	96	162
216 x 48	24	108	192
216 x 60	30	108	186
240 x 48	24	120	216
240 x 60	30	120	210

Boat

(Pane Bases)






Table Size (inches)	Center of 1st Base	Center of 2nd Base	Center of 3rd Base
72 x 30/36	19	53	
84 x 43/48	24	60	
96 x 43/48	24	72	
120 x 43/48	24	96	
144 x 48/54	27	117	
168 x 48/54	27	84	141
192 x 54/60	30	96	162
216 x 54/60	30	108	186
240 x 54/60	30	120	210



Saber® Tops and Bases

Veneer Top with Hardwood Edge

Round	Model #	Diameter	Base Qty.	Top Sections	Recommended Seating Capacity	Price	
						Metal X-Base -XB	Concave Column Base -SB
	SR-42	42	1	1	4	2602	-
	SR-48	48	1	1	4	3225	4415
	SR-54	54	1	1	6	3986	5302
	SR-60	60	1	1	6	4734	6130
	SR-72	72	1	2	8	-	8408

Options:


Power and Data Options:

See pages 31-37 (only available on Concave Column Base)


Polished Chrome Base Finish (only available on Metal X-Base)

Add **-PCCH**

\$394



Concave Column Base
-SB



Metal X-Base
-XB

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish
- Choose Wood Species & Finish


General Information:

- Tops are 1-1/4" thick with 3/8" deep wood edge band
- Concave Column base is standard with removable panels for wire access
- Seating capacity based on 27" per person
- Overall table height 29.5"
- No power options are available on the Metal X-Base
- Metal X-Bases are for round tops only
- Metal X-Bases are not wire management capable



Saber® Tops and Bases

Inset Laminate Top with Hardwood Edge

Round	Model #	Diameter	Base Qty.	Top Sections	Recommended Seating Capacity	Price	
						Metal X-Base -XB	Concave Column Base -SB
	SR-42-P	42	1	1	4	2459	-
	SR-48-P	48	1	1	4	3048	4173
	SR-54-P	54	1	1	6	3767	5011
	SR-60-P	60	1	1	6	4474	5793
	SR-72-P	72	1	2	8	-	7946

Options:


Power and Data Options:

See pages 31-37 (only available on Concave Column Base)

Polished Chrome Base Finish (only available on Metal X-Base)

Add **-PCCH**

\$394



Concave Column Base
-SB


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish
- Choose Wood Species & Finish
- Choose Laminate

General Information:

- Tops are 1-1/4" thick with 3/8" deep wood edge band
- Concave Column base is standard with removable panels for wire access
- Seating capacity based on 27" per person
- Overall table height 29.5"
- No power options are available on the Metal X-Base
- Metal X-Bases are for round tops only
- Metal X-Bases are not wire management capable





Metal X-Base
-XB



Saber® Tops and Bases

Veneer Top with Hardwood Edge

Rectangle	Model #	L x W	Base Qty.	Top Sections	Recommended		Panel Base
					Seating Capacity		
	ST-7236	72 x 36	2	1	6		4574
	ST-8442	84 x 42	2	1	8		5850
	ST-9648	96 x 48	2	1	8		7024
	ST-12048	120 x 48	2	1	10		8637
	ST-14448	144 x 48	2	2	12		10257
	ST-14460	144 x 60	2	2	14		12572
	ST-16848	168 x 48	3	2	14		13879
	ST-16860	168 x 60	3	2	16		16786
	ST-19248	192 x 48	3	2	16		14911
	ST-19260	192 x 60	3	2	18		18139
	ST-21648	216 x 48	3	2	18		16996
	ST-21660	216 x 60	3	2	20		20777
	ST-24048	240 x 48	3	2	18		18475
	ST-24060	240 x 60	3	2	20		22685

Boat	Model #	L x W	Base Qty.	Top Sections	Recommended		Panel Base
					Seating Capacity		
	SB-7236	72 x 30/36	2	1	6		4574
	SB-8448	84 x 43/48	2	1	8		6321
	SB-9648	96 x 43/48	2	1	8		7024
	SB-12048	120 x 43/48	2	1	10		8637
	SB-14454	144 x 48/54	2	2	12		11325
	SB-16854	168 x 48/54	3	2	14		15217
	SB-19260	192 x 54/60	3	2	18		18139
	SB-21660	216 x 54/60	3	2	20		20777
	SB-24060	240 x 54/60	3	2	20		22685

Options:

Power and Data Options:

See pages 31-37



PB-Panel Base

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish
- Choose Wood Species & Finish


General Information:


- Tops are 1-1/4" thick with 3/8" deep wood edge band
- Bases can be repositioned in a range up to 4" to conceal floor monuments
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Panel bases are standard with removable panels for wire access



Saber® Tops and Bases

Inset Laminate Top with Hardwood Edge

Rectangle	Model #	L x W	Base Qty.	Top Sections	Recommended		Panel Base
					Seating Capacity		
	ST-7236-P	72 x 36	2	1	6		4323
	ST-8442-P	84 x 42	2	1	8		5529
	ST-9648-P	96 x 48	2	1	8		6638
	ST-12048-P	120 x 48	2	1	10		8162
	ST-14448-P	144 x 48	2	2	12		9693
	ST-14460-P	144 x 60	2	2	14		11881
	ST-16848-P	168 x 48	3	2	14		13116
	ST-16860-P	168 x 60	3	2	16		15863
	ST-19248-P	192 x 48	3	2	16		14091
	ST-19260-P	192 x 60	3	2	18		17142
	ST-21648-P	216 x 48	3	2	18		16062
	ST-21660-P	216 x 60	3	2	20		19635
	ST-24048-P	240 x 48	3	2	18		17459
	ST-24060-P	240 x 60	3	2	20		21438

Boat	Model #	L x W	Base Qty.	Top Sections	Recommended		Panel Base
					Seating Capacity		
	SB-7236-P	72 x 30/36	2	1	6		4323
	SB-8448-P	84 x 43/48	2	1	8		5974
	SB-9648-P	96 x 43/48	2	1	8		6638
	SB-12048-P	120 x 43/48	2	1	10		8162
	SB-14454-P	144 x 48/54	2	2	12		10703
	SB-16854-P	168 x 48/54	3	2	14		14381
	SB-19260-P	192 x 54/60	3	2	18		17142
	SB-21660-P	216 x 54/60	3	2	20		19635
	SB-24060-P	240 x 54/60	3	2	20		21438

Options:

Power and Data Options:

See pages 31-37



PB-Panel Base

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish
- Choose Wood Species & Finish
- Choose Laminate

General Information:


- Tops are 1-1/4" thick with 3/8" deep wood edge band
- Bases can be repositioned in a range up to 4" to conceal floor monuments
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Panel bases are standard with removable panels for wire access




Saber® Power & Data Options

Power Matrix - Small or Compact	Model #	Description	W x D	Data/AV Faceplates			Price
				Simplex Outlets	Blank	Data*	
	PM-SM-G	Small - Glass Door	6 x 5.375	2	2	1	1044
	PM-SM-M	Small - Metal Door	6 x 5.375	2	2	1	1044
	PM-SM-W	Small - Wood Door	6 x 5.375	2	2	1	1318
	PM-SM-G-C	Compact - Glass Door	6 x 5.375	2	2	1	1044
	PM-SM-M-C	Compact - Metal Door	6 x 5.375	2	2	1	1044
	PM-SM-W-C	Compact - Wood Door	6 x 5.375	2	2	1	1318


*Each data faceplate includes two RJ-45 (Data) connectors



-FOUR



-THREE



-USB

Options:

4 Simplex Receptacles

Add **-FOUR**

No Upcharge

3 Simplex Receptacles/Dual Charging USB

Add **-THREE**

No Upcharge

USB Charging

Add **-USB**

\$79

Polished Chrome Door

Add **-PD**

\$155

Polished Chrome Bezel

Add **-PB**

\$221

Field-Wired

Add **-FW**

Deduct \$29 per unit

Replace AAP's with 2 additional simplex receptacles

Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB

Dual USB charger, replaces one of the simplex outlets

Only available with metal door option

Only available on laminate top tables

May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.

Single In-Feed Option Available

See page 35

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose location code & quantity from the chart below
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate tables

General Information:

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4"-thick, metal doors are 1/8"-thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Two simplex receptacles, two RJ-45 data connectors and two single blank faceplates
- When specified on tables with laminate tops, each Power Matrix unit will include a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are on page 35

Location Codes

Power Matrix Small or Compact	Location	Qty of Units to Order
PS-1	One at center	1
PS-2	One at each end	2
PS-3	One at center and one at each end	3
PS-4	Four equally spaced (tables 132" and longer)	4

Door Material and Location Availability by Table Size


W = Wood Door G = Glass Door M = Metal Door

Power Matrix Small or Compact					
Length	Top Sections	PS-1	PS-2	PS-3	PS-4
42	1	W/G/M	-	-	-
48	1	W/G/M	-	-	-
54	1	W/G/M	-	-	-
60	1	W/G/M	-	-	-
72*	1	W/G/M	W/G/M	-	-
84	1	W/G/M	W/G/M	-	-
96	1	W/G/M	W/G/M	W/G/M	-
120	1	W/G/M	W/G/M	W/G/M	-
120	2	-	W/G/M	-	-
144	2	-	W/G/M	-	W/G/M
168	2	-	W/G/M	-	W/G/M
192	2	-	W/G/M	-	W/G/M
192	4	-	W/G/M	-	W/G/M
216	2	-	W/G/M	-	W/G/M
216	4	-	W/G/M	-	W/G/M
240	2	-	W/G/M	-	W/G/M
240	4	-	W/G/M	-	W/G/M

*72" Round tables are only available with PS-2 Compact option



Saber® Power & Data Options

Power Matrix - Medium	Model #	Description	W x D	Data/AV Faceplates			Price
				Simplex Outlets	Blank	Data*	
	PM-MD-G	Medium - Glass Door	8.25 x 5.375	4	3	1	1647
	PM-MD-M	Medium - Metal Door	8.25 x 5.375	4	3	1	1647
	PM-MD-W	Medium - Wood Door	8.25 x 5.375	4	3	1	1922

*Each data faceplate includes two RJ-45 (Data) connectors

Options:

USB Charging	Add -USB	\$79 per unit	Dual USB charger, replaces one of the simplex outlets
Polished Chrome Door	Add -PD	\$209 per unit	Only available with metal door option
Polished Chrome Bezel	Add -PB	\$247 per unit	Only available on laminate top tables
Field-Wired	Add -FW	Deduct \$29 per unit	May be required in New York City, Chicago and San Francisco.

Check with an electrician for local codes and requirements.

Single In-Feed Option Available

See page 35

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose location code & quantity from the chart below
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate tables

General Information:

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4"-thick, metal doors are 1/8"-thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Four simplex receptacles, two RJ-45 (data) connectors and three single space blank faceplates
- When specified on tables with laminate tops, each Power Matrix unit includes a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are on page 35

Location Codes

Power Matrix Medium	Location	Qty of Units to Order
PM-1	One at center	1
PM-2	One at each end	2
PM-3	One at center and one at each end	3
PM-4	Four equally spaced (tables 132" and longer)	4

Door Material and Location Availability by Table Size


W = Wood Door G = Glass Door M = Metal Door

Power Matrix Medium					
Length	Top Sections	PM-1	PM-2	PM-3	PM-4
72*	1	W/G/M	W/G/M	-	-
84	1	W/G/M	W/G/M	-	-
96	1	W/G/M	W/G/M	W/G/M	-
120	1	W/G/M	W/G/M	W/G/M	-
120	2	-	W/G/M	-	-
144	2	-	W/G/M	-	W/G/M
168	2	-	W/G/M	-	W/G/M
192	2	-	W/G/M	-	W/G/M
192	4	-	W/G/M	-	W/G/M
216	2	-	W/G/M	-	W/G/M
216	4	-	W/G/M	-	W/G/M
240	2	-	W/G/M	-	W/G/M
240	4	-	W/G/M	-	W/G/M

*72" Round tables are only available with PS-1 option



Saber® Power & Data Options

Power Matrix - Large	Model #	Description	W x D	Data/AV Faceplates			Price
				Simplex Outlets	Blank	Data*	
	PM-LG-G	Large - Glass Door	15.25 x 10.75	6	4	2	2745
	PM-LG-M	Large - Metal Door	15.25 x 10.75	6	4	2	2745
	PM-LG-W	Large - Wood Door	15.25 x 10.75	6	4	2	3184

*Each data faceplate includes two RJ-45 (Data) connectors

Options:

USB Option	Add - USB	\$156 per unit	Dual USB charger, replaces one of the simplex outlets (one per side)
Polished Chrome Door	Add - PD	\$516 per unit	Only available with metal door option
Polished Chrome Bezel	Add - PB	\$396 per unit	Only available on laminate top tables
Field-Wired	Add - FW	Deduct \$58 per unit	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.
Single In-Feed Option Available		See page 35	

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose location code & quantity from the chart below
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate tables

General Information:

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4"-thick, metal doors are 1/8"-thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes (2) 15 amp, 12' power infeeds (plug in only)
- If Field-Wired option is specified, each unit includes (2) 6' flexible metal conduits and requires a hardwire connection
- Standard configuration: Six simplex receptacles, four RJ-45 (data) connectors and four single space blank faceplates
- When specified on tables with laminate tops, each Power Matrix unit includes a metal bezel and is limited to glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are on page 35

Location Codes

Power Matrix Large	Location	Qty of Units to Order
PL-1	One at center	1
PL-2	One at each end	2
PL-3	One at center and one at each end	3


Door Material and Location Availability by Table Size

W = Wood Door G = Glass Door M = Metal Door

Power Matrix Large				
Length	Top Sections	PL-1	PL-2	PL-3
96	1	W/G/M	-	-
120	1	W/G/M	-	-
120	2	G/M	-	-
144	2	G/M	W/G/M	-
168	2	G/M	W/G/M	-
192	2	G/M	W/G/M	-
192	4	G/M	G/M	-
216	2	G/M	W/G/M	G/M
216	4	G/M	G/M	G/M
240	2	G/M	W/G/M	G/M
240	4	G/M	G/M	G/M



Saber® Power & Data Options

Power Matrix - Extra Large	Model #	Description	W x D	Data/AV Faceplates			Price
				Simplex Outlets	Blank	Data*	
	PM-XL-G	Extra Large - Glass Door	30.25 x 10.75	8	8	4	3842
	PM-XL-M	Extra Large - Metal Door	30.25 x 10.75	8	8	4	3842
	PM-XL-W	Extra Large - Wood Door	30.25 x 10.75	8	8	4	4281

*Each data faceplate includes two RJ-45 (Data) connectors

Options:

USB Option	Add -USB	\$156 per unit	Dual USB charger, replaces one of the simplex outlets (one per side)
Polished Chrome Door	Add -PD	\$725 per unit	Only available with metal door option
Polished Chrome Bezel	Add -PB	\$521 per unit	Only available on laminate top tables
Field-Wired	Add -FW	Deduct \$58 per unit	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.
Single In-Feed Option Available		See page 35	

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose location code & quantity from the chart below
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate tables

General Information:

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4" -thick, metal doors are 1/8" -thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes (2) 15 amp, 12' power infeeds (plug in only)
- If Field-Wired option is specified, each unit includes (2) 6' flexible metal conduits and requires a hardwire connection
- Standard configuration: Eight simplex receptacles, eight RJ-45 (data) connectors and eight single space blank faceplates
- When specified on tables with laminate tops, each Power Matrix unit includes a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are on page 35

Location Codes

Power Matrix Extra Large	Location	Qty of Units to Order
PX-1	One at center	1
PX-2	One at each end	2
PX-3	One at center and one at each end	3

Door Material and Location Availability by Table Size

W = Wood Door G = Glass Door M = Metal Door

Power Matrix Extra Large				
Length	Top Sections	PX-1	PX-2	PX-3
96	1	W/G/M	-	-
120	1	W/G/M	-	-
120	2	G/M	-	-
144	2	G/M	W/G/M	-
168	2	G/M	W/G/M	-
192	2	G/M	W/G/M	-
192	4	G/M	G/M	-
216	2	G/M	W/G/M	G/M
216	4	G/M	G/M	G/M
240	2	G/M	W/G/M	G/M
240	4	G/M	G/M	G/M



Saber® Power & Data Options

Data Faceplates	Model #	Description	Style	W X H	Price
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	50
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	180
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	141
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	141
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	115
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	155
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	219
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	219
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	219
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	245
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	62
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	155
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	271
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	180


General Information:

- Faceplates are Extron® Architectural Adapter Plates (AAP)
- Faceplates are black

Single In-Feed Option	Model #	Description	Price
	SI-H	Single In-Feed Option, Hard-wired	386
	SI-C	Single In-Feed Option, Corded (Plug-in)	468

General Information:

- Tables 72"-120" in length include 2 duplex receptacles with the modular power system
- Tables 132"-240" in length include 3 duplex receptacles with the modular power system
- Hardwired and Corded Single In-Feed options are 7' long
- Single In-Feed option cannot be specified in conjunction with the Field-Wired (-FW) option

Perimeter Power	Model #	Table Length	Electrical Outlets	Total Brackets	Brackets Per Side	Price
	PER-96	96 x 48	12	6	2	4199
	PER-120	120 x 48	12	6	2	4199
	PER-144	144 x 48	16	8	3	5598
	PER-144-60	144 x 60	16	8	3	5598
	PER-168	168 x 48	16	8	3	5598
	PER-168-60	168 x 60	16	8	3	5598
	PER-192	192 x 48	16	8	3	5598
	PER-192-60	192 x 60	16	8	3	5598
	PER-216	216 x 48	20	10	4	6995
	PER-216-60	216 x 60	20	10	4	6995
	PER-240	240 x 48	20	10	4	8016
	PER-240-60	240 x 60	20	10	4	8016

Options:


Field-Wired

Add **-FW** Deduct \$1360 for 96"-120" tables
Deduct \$1664 for 144"-192" tables
Deduct \$2037 for 216"-240" tables

Some local electrical codes may require hardwiring of components and may not allow the use of standard modular power systems. A junction box will be provided when ordering the **-FW** option

General Information:


- Available on Rectangle, Racetrack, and Boat tops
- Wood species and finish will default to the same as the table top and bases
- One Power Bracket per end
- All electrical components included (unless **-FW** option is chosen)
- 24-3/4" clearance from floor to underside of apron
- Detailed information on Perimeter Power found on 20-21



Power Bracket



Saber® Power & Data Options

Tech Node	Model #	W x D	Simplex	Open	Dual	Bluetooth	Price
			Receptacles	Data Ports	Charging USB	Speaker	
 PUP	PUP	8 x 4	2	2	-	-	380
	PUP-USB	8 x 4	2	1	1	-	453
	PUP-SPEAKER	8 x 4	1	-	-	1	581

Options:

Field-Wired

Add **-FW**

\$0

May be required in New York City, Chicago and San Francisco.
Check with an electrician for local codes and requirements.

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose location code and quantity from chart below

General Information:

- PUP option includes two simplex receptacles and two voice/data openings
- PUP-USB option includes two simplex receptacles, one dual USB charger and one voice/data openings
- 12' cord and a 15amp plug-in power in-feed
- Voice/data modules must be ordered separately; contact your local AV integrator
- Default color to metal finish specified on tables (Shadow, Storm, Black, Aged Bronze, Satin Bronze and Galaxy receive Black Anodized Tech Node; Cloud, Burnished and Foil receive Clear Anodized Tech Node)
- UL listed
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required
- Detailed planning information found on pages 17-18

Round Grommet	Model #	W x D	Price
	GR	2" Diameter	152



Options:

Polished Chrome Grommet

Add **-PCG**

\$58

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Metal finish will default to the metal chosen for the table unless otherwise specified
- Available at center location only

Location Codes

Tech Node	Round Grommet	Location	Order Qty
TN-1	G-1	One at center	1
TN-2		One at each end	2
TN-3		One at center and one at each end	3
TN-4		Four equally spaced	4



Saber® Power & Data Options

Charging Stand (Battery-Powered)	Model #	Description	Simplex	USB-A	USB-C	Price
			Receptacles	Ports	Ports	
	STAND-B-W	Battery-Powered White Unit	-	3	1	1619
	STAND-B-B	Battery-Powered Black Unit	-	3	1	1619



General Information:

- Three ports for USB-A and one 18 Watt USB-C
- Charging cord included
- LED lights on top of the unit indicate charge level of the battery. When all 4 lights are on, the battery is fully charged.
- Uses a 40 Amp Hour battery with a 128 Watt Hour capacity. For optimal use, it should be charged every night.
- Charging capacities are estimated, based on charging from no power to full power.
 - 10-12 smart phones
 - 8-10 small tablets (5-7" in size)
 - 4 large tablets (9-11" in size)
- White unit is a combination of White aluminum on the base and neck area, and plastic in the Fog color for the trim inserts
- Weight: 12lbs


Charging Stand (Corded)	Model #	Description	Simplex	USB-A	USB-C	Price
			Receptacles	Ports	Ports	
	STAND-1C-W	Corded White Unit	1	2	1	711
	STAND-3C-W	Corded White Unit	3	2	1	720
	STAND-4C-W	Corded White Unit	4	2	1	733
	STAND-1C-B	Corded Black Unit	1	2	1	711
	STAND-3C-B	Corded Black Unit	3	2	1	720
	STAND-4C-B	Corded Black Unit	4	2	1	733




General Information:

- 10' Plug-In Infeed Cord
- Capable of charging laptops, tablets and mobile phones simultaneously
- STAND-4C version includes a circuit breaker in the base
- Weight: 10lbs


Tech Zone	Model #	Description	Simplex	Open Data	Dual Charging	Bluetooth	Price
			Receptacles	Ports	USB	Speaker	
	ZONE-DATA	(2) Simplex receptacles (2) Open data ports	2	2	-	-	239
	ZONE-USB	(2) Simplex receptacles (1) Dual charging USB (1) Open data port	2	1	1	-	299
	ZONE-SPEAKER	(1) Simplex receptacle (1) Dual charging USB (1) Bluetooth speaker	1	-	1	1	608




ZONE-SPEAKER



ZONE-DATA



ZONE-USB




ZONE-SPEAKER

General Information:

- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required

Charging Cube	Model #	Description	Price
	CUBE-W	White Power Cube	290
	CUBE-B	Black Power Cube	290



General Information:

- Includes (3) 2 Amp USB charging ports
- The Cube can be recharged completely in 4.5 hours