

CROSSBEAM

Planning Guide + Price List

QUICK LINKS

Introduction

General Information

Finish Information

Surface Materials

Planning Guide

Planning

Price List

Crossbeam Tables with Power Drawer

Crossbeam Tables without Power Drawer



GENERAL INFORMATION

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,100 net will be assessed a \$285 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs.
- Special Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$200 net plus any restocking charges accumulated. There may be additional costs associated with engineering labor required for the change order.



GENERAL INFORMATION

Repair Authorization

Prior written approval is required for repairs of merchandise charged to NuCraft. Failure to do so will result in customer funded repairs.

Payment Terms

Terms consist of a 1% cash discount for payment within 10 days of invoice date, or payment of the net amount within 30 days of the invoice date (1% 10 days, net 30 days). Discount is not allowed on credit card payments.

Credit Card Payments

When paying by credit card (Visa, Mastercard or American Express), include the card number, expiration date, card holder name (printed) and card holder signature on the purchase order. A credit card payment form is available upon request. No cash discount allowed on credit card payments.

Warranty

NuCraft warrants that each piece of furniture it manufactures will be free from defects in materials and workmanship for a period of ten years of single-shift use. Textiles, decorative trim, electrical components, lamps, mechanical devices, casters and custom-made products not described in NuCraft's catalog are warranted for one year from the date of original delivery. Height adjustable desk mechanisms are warranted for two years. This warranty is applicable only if the furniture is given normal and proper care and is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new NuCraft products through authorized dealers, or from others specifically authorized by NuCraft to sell its products.

NuCraft's sole obligation under this warranty is to repair or replace, at NuCraft's discretion, products which prove to be defective during the warranty period. Purchasers may be required to establish that a claim is within the warranty period. To initiate a warranty claim, the purchaser should contact an authorized NuCraft dealer.

This warranty does not cover: 1) Damage caused by a carrier 2) COM (Customer's Own Material) specified by the customer that is not a standard product offering 3) Color, grain or texture of wood and other covering materials (due to the natural variations over which NuCraft has no control) 4) Damages resulting from user modification, attachments to a product, misuse, abuse, alteration or negligent use.

NuCraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. NuCraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

NuCraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

NuCraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

NuCraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all NuCraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



FINISH INFORMATION

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over \$5000 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

Treatments

Note: Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded on pages 5-6. If no direction is provided on incoming orders, default sheen will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but will leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



FINISH INFORMATION

Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates

To order a color other than those on our list (see pages 5-6), refer to Nevamar or Formica standard grade, matte texture laminate offerings (excluding manufacturers' non-standard matte offering). **Add \$103 list per item for a non-standard solid, matrix or pattern.** Add 20% per color for woodgrain laminates (includes stained-to-match for remainder of unit to match laminate color). Add one week to the lead-time for all non-standard laminate orders. Call the NuCraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, NuCraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. NuCraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. NuCraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages 5-6)

General Information:

- Touch-up kits must be ordered on a purchase order separate from NuCraft product due to Hazmat shipping



CROSSBEAM SURFACE MATERIALS

WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash		
Chalk	M48	G48
Angora	M49	G49
Blanco	M44	G44
Oat	M45	G45

Rift Cut Oak

Nougat	M01	G01
Wheat	M02	G02
Carbon	M03	G03
Bramble	M07	G07

Cherry

Sherry	M20	G20
Cognac	M21	G21
Spring	M95	G95
Auburn	M93	G93

Walnut

Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31
Walnut	M26	G26

Linea

Oak Linea	M08	G08
Walnut Linea	M27	G27

Paldao

Thicket	M75	G75
Paldao	M76	G76

SOLID SURFACE TOPS

Wilsonart Designer White	ST11
--------------------------	------

HERITAGE COLLECTION

Heritage Collection consists of popular mainstays of the NuCraft veneer collection preserved from our previous offering.

	Matte	Gloss
Natural Maple	M60	G60
Natural Walnut	M25	G25
Castano Walnut	M37	G37
Cordovan Cherry	M99	G99
CoCo Cherry	M96	G96

PREMIUM

Quartered Figured Anigre

Roux	M11	G11
Truffle	M12	G12
Velvet	M18	G18

Black Limba

Morel	M73	G73
Sable	M71	G71

STONE TOPS

Stone orders may affect lead times. Please contact NuCraft Customer Service for details.

Stone

Absolute Black Honed Granite	ST01
Carrara Marble	ST16

Quartz | Caesarstone

Pure White	ST04
Blizzard	ST07
Haze	ST15
Concrete	ST08
Raven	ST06

Quartz | Wilsonart

Haida	ST14
-------	------

LEATHER

Spinneybeck | Vicenza

Ponte Furo	VZ 2012
Salvi	VZ 2012
Villabalzana	VZ 2108
Castello di Bellaguardia	VZ 2112
Scamozzi	VZ 2114
Peralolo	VZ 2115
Costozza	VZ 2116
Nocciola	VZ 2117
Appia Antica	VZ 2120
Cinque Terre	VZ 2122
Black	VZ BLCK



CROSSBEAM SURFACE MATERIALS

METAL FINISHES

Aged Bronze	A8010
Black	A44
Burnished	A8009
Cloud	A8004
Foil	A8006
Galaxy	A8007
Polished Chrome*	PC
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

*Up-Charge applies.

PAINTS

Aged Bronze	S8010
Black	S44
Burnished	S88
Cloud	S8004
Foil	S8006
Galaxy	S8007
Satin Bronze	S8011
Shadow	S8005
Storm	S8012

Paint to Match

To request a custom paint color, contact NuCraft Customer Service. A paint sample must be matched and approved prior to order.

GLASS (SATIN OR GLOSS)

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Quill	QS	QG
White	WS	WG

Note: Due to color variation inherent in the natural acid etching process, Satin Etched Glass is not available on tables longer than 180" or wider than 60"

ACRYLIC

Crossbeam Center Base Panels only. Upcharge applies.

Bronze Mirrored	MABP
-----------------	------

CHEMETAL

Crossbeam Center Base Panels only. Upcharge applies.

Light Stainless Aluminum	927
Brushed Golden Aluminum	931

LAMINATES

	Code	Coordinating Wood Finish	Suggested ABS Edgeband Coordinate
Wood Grain Laminates[§]			
Formica White Ash	8841-58	M8841	R02, R01
Formica Natural Ash	8843-58	M8843	R02
Formica Aged Ash	8844-58	M8844	R04
Formica Weathered Ash	8842-58	M8842	R05
Formica Oiled Legno	8846-58	M8846	R05
Formica Bleached Legno	8845-58	M8845	R04
Formica Jarrah Legno	8847-58	M8847	R05
Formica Blackened Legno	8848-58	M8848	R05
Formica Urban Planked Oak	9312-58	M9312	R04
Formica Natural Walnut	6401-58	M6401	R04
Formica Thermo Walnut	6402-58	M6402	R04
Formica Smoky Brown Pear	5488-58	M5488	R05
Formica Espresso Pear	5489-58	M5489	R05

[§]Not available on multiple piece conference tables

Wood Grain Laminates Suitable for Multiple Piece Conference Tables

Formica Pecan Woodline	5883-58	M5883	R04
Formica Chestnut Woodline	5884-58	M5884	R05
Formica Smoky Walnut Woodline	6926-58	M6926	R05

Solid Laminates

Formica Brite White	459-58	R01
Formica Dover White	7197-58	R01
Formica Pearl	934-58	R02
Formica Graystone	464-58	R02
Formica Folkstone	927-58	R03
Formica Graphite	837-58	R05

Patterned Laminates

Nevamar Cool Chic	VA7002T	R02
Nevamar Serene Stardom	VA5001T	R05
Nevamar Calm Distinction	VA6001T	R05
Nevamar Easy Elegance	VA5002T	R05
Wilsonart Sheer Mesh	4876-38	R02
Wilsonart Grey Mesh	4877-38	R02
Wilsonart Pewter Mesh	4878-38	R05

ABS FINISHES

Ashen	R04
Parchment	R02
Shale	R05
Stone	R03
Whitecap	R01



CROSSBEAM PLANNING

Section Contents

Specification Overview


Detail Overview

Power and Data Planning

Base Cut-Out Openings

Edge Profiles

Recommended Seating Capacity



SPECIFICATION OVERVIEW

1. Select the Table Size

Crossbeam tables are available from 120" to 240" in length.

2. Select the Top Material and Edge Profile

Crossbeam tables are available with laminate, veneer, glass, solid surface and stone top options. Edge profile options are Square and Knife edge.

3. Select the Metal Finish

Crossbeam metal elements can be specified in a variety of powder coated finishes.

4. Select the Center Base Material

The center base of Crossbeam tables features removable panels to access the interior cavity of the base. These panels can be specified with veneer, paint, laminate, Chemetal or acrylic finishes.

5. Select the Power Option (Optional)

Crossbeam tables can be specified with or without power. Power options include:

- Table top: Power Matrix (Small version) can be specified in a variety of locations and quantities
- Below Table top: Power Drawers, the quantity and locations of which are pre-determined based on table size.



CROSSBEAM PLANNING

Crossbeam Table

With its attention to detail, the Crossbeam table provides a fresh angle on premium conference room products. Designed for large group gatherings, high-end formal conference rooms and board rooms, this table brings inspiration and sophistication to any conference room.

Center Base

The center base on Crossbeam provides a substantial visual element, robust in length while at the same time narrow in width, offering an expansive zone in which to cover floor outlets delivering building power and AV connections. Side panels are offered in veneer, paint, laminate, Chemetal and acrylic options for a broad aesthetic variety.

Cross Legs


In contrast to the strong visual of the center base, the metal cross legs on Crossbeam are much lighter in visual appearance, offering a dichotomy in scale on the same table. The cross legs are available in a wide range of powder coat options and are spaced to always fall between chairs based on the seating capacity for each table size.

Edge Profiles


Crossbeam tables are available with two edge profile options, square and knife, offering alternate aesthetic options for a thicker or thinner appearance (excluding solid surface and glass tops).

Power Drawers


Discreetly incorporated into the apron of the table, Power Drawers provide convenient yet covert access to power and AV connectivity while leaving the table surface uninterrupted. The quantity of Power Drawers per table is determined based on the size of the table.




Square Edge Profile



Knife Edge Profile



Crossbeam Table with Power Drawers






CROSSBEAM PLANNING

Under Surface Power Option: Power Drawers


Power Drawers

Discreetly incorporated into the apron of the table, Power Drawers provide convenient yet covert access to power and AV connectivity while leaving the table surface uninterrupted. The quantity of Power Drawers per table is determined based on the size of the table. The drawer front features the same profile as the apron, allowing it to blend seamlessly into the table design so technology is unobtrusive. A small gap at the top of the drawer front allows the drawer to be closed while cables are connected to devices on the table top. Connectivity options includes power (simplex and charging USB) as well as Extron Architectural Adaptor Plates (AAPs) for easy customization of AV connectivity. The leather-lined drawers also provide storage for extra cables or other items.


When Power Drawers are specified, Crossbeam tables include a modular electrical system within the center base of the table, allowing for a single point of connection to building power. This connection can be either hardwired or corded (which requires a 20-amp power outlet in the floor monument), both of which are included with the table. See page 12 for more information on this electrical system.



Power Drawer Dashboard



Wire Management Gap Between Table Top and Power Drawer



Power Drawers per Table Size

The quantity of Power Drawers per table is determined based on the size of the table.

TABLE SIZE	SEATING CAPACITY	POWER DRAWERS PER TABLE	POWER DRAWERS PER LONG SIDE	POWER DRAWERS PER END	TOTAL # OF RECEPTACLES	TOTAL # OF USB-A PORTS	TOTAL # OF RJ-45 CONNECTORS	BLANK FACEPLATES
120 x 60	10	4	1 per side	1 per end	4	8	8	12
144 x 60	12	6	2 per side	1 per end	6	12	12	18
168 x 60	14	6	2 per side	1 per end	6	12	12	18
192 x 60	16	6	2 per side	1 per end	6	12	12	18
216 x 60	18	10	4 per side	1 per end	10	20	20	30
240 x 60	20	10	4 per side	1 per end	10	20	20	30



CROSSBEAM PLANNING

Table Top Power Option: Power Matrix Small

For table top access, Power Matrix is offered in various quantities based on table length and location choice.

Power

Power Matrix units feature one simplex receptacle and a dual USB charger for power connectivity. Where more power is desired and AV connectivity is not required, an optional version includes three simplex receptacles and a dual USB charger with no Extron AAPs (see below).

Data/AV Faceplates

Power Matrix includes three Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity. One faceplate includes two RJ-45 (Data) connectors and two faceplates are blank. Optional faceplates provide a wide range of AV connectivity choices.

Design



Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate, solid surface, stone, and glass table tops include a bezel, available in powder coat, polished chrome, blackened nickel plating, or clear anodized finish options.

Performance

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic. Cable storage is both concealed and ample.

Doors

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.



Power Matrix Locations

Table Length (inches)	Center of 1st Power Matrix	Center of 2nd Power Matrix	Center of 3rd Power Matrix	Center of 4th Power Matrix
120	30	-	-	90
144	30	54	90	114
168	30	67	101	138
192	30	68	124	162
216	30	83	133	186
240	30	73	167	210



CROSSBEAM PLANNING

Table Top Power Option: Power Matrix Small


Standard Configuration

Power Matrix is standard with one simplex receptacle and dual USB-A chargers.


Power Matrix Small

- Single door design
- 5.375" x 6" cutout
- One simplex receptacle
- One dual USB-A charger
- Three AV faceplates. Standard configuration includes two blank faceplates & one faceplate with two RJ-45 (data) connectors. Where more power is desired and AV connectivity is not required, an optional version includes three simplex receptacles and a dual USB-A charger with no AV faceplates.

Standard Configuration





Optional Configuration



Dimensions

The small Power Matrix unit includes ample storage capacity for excess cables.




Locations

Power Matrix units can be specified with one at the center of the table, one at each end, or four equally spaced.

Modular Electrical System

When Power Matrix units are specified, Crossbeam tables include a modular electrical system within the center base of the table, allowing for a single point of connection to building power. This connection can be either hardwired or corded (which requires a 20-amp power outlet in the floor monument), both of which are included with the table. See page 12 for more information on this electrical system.






CROSSBEAM PLANNING

Pre-Wired Electrical System

With Crossbeam, connections to building power include hardwired or direct plug-in infeed options, both of which are included with the table. Key elements of the pre-wired electrical system include:


- 4-wire, 20-amp modular electrical system
- All tables are pre-wired on a single circuit
- When connected to building power via the direct plug-in infeed, a 20-amp outlet is required. The direct plug-in infeed is 84" long.
- When connected to building power via the hardwired infeed, a licensed electrician is required to complete the hardwire connections to the building's power source. The hardwire power infeed is 84" long.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed

Electrical Diagram — Hardwire Power Infeed Only



Field Wired

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified for Power Drawers and Power Matrix units. In this configuration, each Power Matrix unit will be supplied with a 6' flexible metal conduit with hot, ground and neutral wires.






CROSSBEAM PLANNING


Base Cut-Out Locations

Crossbeam's center base provides multiple locations from which building power (floor cores) can be accessed. The location of these 5" x 5" square cut-outs, as measured from the end of the table, vary based on table length and are documented in the drawings below.


120" Tables




192" Tables




144" Tables




216" Tables



168" Tables



240" Tables






CROSSBEAM PLANNING


Table Top Edge Profile Styles

Crossbeam tables are available with two edge profile options, square and knife, offering alternate aesthetic options for a thicker or thinner appearance on veneer, laminate and stone tops. Glass and solid surface tops have one edge profile each.


Veneer or Laminate Square Edge




Veneer or Laminate Knife Edge




Stone Square Edge




Stone Knife Edge



Glass Square Edge



Solid Surface Square Edge






CROSSBEAM PLANNING

Seating Capacity


Rectangle Tables

Note: Seating capacity is based on 27" per person.


120" Seating Capacity




144" Seating Capacity




168" Seating Capacity



192" Seating Capacity



216" Seating Capacity




240" Seating Capacity





CROSSBEAM TOPS AND BASES

Rectangle Table with Power Drawer



RECTANGLE

MODEL #	L x W	LAMINATE & VENEER TOP SECTIONS	GLASS & SOLID SURFACE TOP SECTIONS	STONE TOP SECTIONS	CROSS LEG QTY	SEATING CAPACITY	POWER DRAWERS	-PE	-P	-V	-PV	-G	-SS	-S
CMT-12060-PD	120 x 60	1	2	2	4	10	4	20,443	21,245	22,225	24,008	26,682	27,573	35,594
CMT-14460-PD	144 x 60	2	3	3	4	12	6	25,369	26,308	27,454	29,540	32,668	33,711	43,095
CMT-16860-PD	168 x 60	2	3	4	6	14	6	26,966	27,984	29,228	31,491	34,885	36,017	46,199
CMT-19260-PD	192 x 60	2	4	4	6	16	6	28,370	29,458	30,788	33,207	36,835	38,045	48,929
CMT-21660-PD	216 x 60	2	4	4	6	18	10	35,704	36,939	38,448	41,193	45,310	46,683	59,034
CMT-24060-PD	240 x 60	2	4	5	6	20	10	37,749	39,087	40,721	43,694	48,152	49,638	63,012

Laminate with ABS Edge
Inset Laminate with Hardwood Edge
Veneer
Premium Veneer
Glass
Solid Surface
Stone

OPTIONS

CODE

PRICE

NOTES

Center Base Panel Finish:

Bronze Mirrored Acrylic Center Base Panel	Add -MABP	\$1,480 for 120"-144" tables \$2,220 for 168"-192" tables \$2,960 for 216"-240" tables
Chemetal Center Base Panel	Add -CBP	\$2,280 for 120"-144" tables \$3,420 for 168"-192" tables \$4,560 for 216"-240" tables

Polished Chrome Base:

120" - 144" -Long Tables	Add -PCMB4	\$3,708
168" - 240" -Long Tables	Add -PCMB6	\$5,558

Satin Glass:

120"-Long Tables	Add -CSG1	\$508
144"-Long Tables	Add -CSG2	\$762
168"-Long Tables	Add -CSG3	\$1,016

Field Wiring:

Field-Wired Power Drawers	Add -FWPD	No Upcharge
---------------------------	------------------	-------------


GENERAL INFORMATION

- Each Power Drawer includes one simplex receptacle, one dual USB-A charger and four single-height Extron AAP faceplates. One faceplate includes dual RJ45 connectors and three faceplates are blank.
- Each Power Drawer is leather lined. Choose from Spinneybeck Vicenza color options. If an option is not specified, the leather will default to Costozza VZ2116
- Apron is painted to match the metal finish specified on the table.


REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION) MUST SPECIFY TABLE TOP FINISH, METAL LEG FINISH, CENTER BASE PANEL FINISH AND INFEEED

See pages 5-6 for surface material options.

- Choose Wood Species and Finish, if -P, -V or -PV top material selected
- Choose Laminate Finish, if -PE or -P top material selected
- Choose ABS Finish, if -PE top material selected
- Choose Glass Finish, if -G top material selected
- Choose Solid Surface Finish, if -SS top material selected
- Choose Stone Finish, if -S top material selected
- Choose Metal Finish
- Choose Paint Finish for center column panels, if -PE, -P, -G, -SS or -S top material selected
- Choose Chemetal Finish, if -CPB option selected (#927 Light Stainless Aluminum or #931 Brushed Golden Aluminum)
- Choose Leather for Interior of Power Drawers - Choose from Spinneybeck Vicenza color options. (If not specified, default is Costozza VZ2116)
- Choose Edge Profile:



-CSQ
Crossbeam Square Edge



-CKN
Crossbeam Knife Edge



CROSSBEAM TOPS AND BASES

Rectangle Table with Power Drawer

POWER DRAWER

POWER DRAWERS PER TABLE SIZE


TABLE SIZE	SEATING CAPACITY	POWER DRAWERS PER TABLE	POWER DRAWERS PER LONG SIDE	POWER DRAWERS PER END	TOTAL # OF RECEPTACLES	TOTAL # OF USB-A PORTS	TOTAL # OF RJ-45 CONNECTORS	BLANK FACEPLATES
120x60	10	4	1 per side	1 per end	4	8	8	12
144x60	12	6	2 per side	1 per end	6	12	12	18
168x60	14	6	2 per side	1 per end	6	12	12	18
192x60	16	6	2 per side	1 per end	6	12	12	18
216x60	18	10	4 per side	1 per end	10	20	20	30
240x60	20	10	4 per side	1 per end	10	20	20	30

*Power Drawer cannot be located at the center of the long side of a Crossbeam table due to center base placement



CROSSBEAM TOPS AND BASES

Rectangle Table without Power Drawer



RECTANGLE

MODEL #	L x W	LAMINATE & VENEER TOP SECTIONS	GLASS & SOLID SURFACE TOP SECTIONS	STONE TOP SECTIONS	CROSS LEG QTY	SEATING CAPACITY	Laminate with ABS Edge -PE	Inset Laminate with Hardwood Edge -P	Veneer -V	Premium Veneer -PV	Glass -G	Solid Surface -SS	Stone -S
CMT-12048	120 x 48	1	2	2	4	10	13,418	14,089	14,908	16,399	18,635	19,381	26,089
CMT-14460	144 x 60	2	3	3	4	12	18,769	19,708	20,854	22,940	26,068	27,111	36,495
CMT-16860	168 x 60	2	3	4	6	14	20,366	21,384	22,628	24,891	28,285	29,417	39,599
CMT-19260	192 x 60	2	4	4	6	16	21,770	22,858	24,188	26,607	30,235	31,445	42,329
CMT-21660	216 x 60	2	4	4	6	18	24,704	25,939	27,448	30,193	34,310	35,683	48,034
CMT-24060	240 x 60	2	4	5	6	20	26,749	28,087	29,721	32,694	37,152	38,638	52,012

OPTIONS

CODE

PRICE

NOTES

Center Base Panel Finish:

Bronze Mirrored Acrylic Center Base Panel	Add -MABP	\$1,480 for 120"-144" tables \$2,220 for 168"-192" tables \$2,960 for 216"-240" tables
Chemetal Center Base Panel	Add -CBP	\$2,280 for 120"-144" tables \$3,420 for 168"-192" tables \$4,560 for 216"-240" tables

Polished Chrome Base:

120" - 144" -Long Tables	Add -PCMB4	\$3,708
168" - 240" -Long Tables	Add -PCMB6	\$5,558

Satin Glass:

120" -Long Tables	Add -CSG1	\$508
144" -Long Tables	Add -CSG2	\$762
168" -Long Tables	Add -CSG3	\$1,016

POWER & DATA OPTIONS

See pages 19-20 for power and data options.

GENERAL INFORMATION

- Apron is painted to match the metal finish specified on the table. If Polished Chrome metal is specified for the legs, the apron will default to Foil.

REQUIRED INFORMATION (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


MUST SPECIFY TABLE TOP FINISH, METAL LEG FINISH, CENTER BASE PANEL FINISH AND INFEEED

See pages 5-6 for surface material options.

- Choose Wood Species and Finish, if -P, -V or -PV top material selected
- Choose Laminate Finish, if -PE or -P top material selected
- Choose ABS Finish, if -PE top material selected
- Choose Glass Finish, if -G top material selected
- Choose Solid Surface Finish, if -SS top material selected
- Choose Stone Finish, if -S top material selected
- Choose Metal Finish
- Choose Paint Finish for center column panels, if -PE, -P, -G, -SS or -S top material selected
- Choose Chemetal Finish, if -CPB option selected (#927 Light Stainless Aluminum or #931 Brushed Golden Aluminum)
- Choose Edge Profile:




-CSQ
Crossbeam Square Edge




-CKN
Crossbeam Knife Edge




CROSSBEAM POWER & DATA OPTIONS

POWER MATRIX - SMALL	MODEL #	DESCRIPTION	W x D	SIMPLEX OUTLETS	DATA/AV FACEPLATES		
					BLANK	DATA*	PRICE
	PM-SM-G	Small - Glass Door	6 x 5.375	2	2	1	1044
	PM-SM-M	Small - Metal Door	6 x 5.375	2	2	1	1044
	PM-SM-W	Small - Wood Door	6 x 5.375	2	2	1	1318

*Each data faceplate includes two RJ-45 (Data) connectors



Standard Power Matrix Small



-THREE

OPTIONS	CODE	PRICE	NOTES
3 Simplex Receptacles	Add -THREE	No Upcharge	Replace AAP's with 2 additional simplex receptacles
Polished Chrome Door	Add -PD	\$155 per unit	Only available with metal door option
Polished Chrome Bezel	Add -PB	\$221 per unit	Only available on glass, stone/quartz, solid surface and laminate top tables
Field-Wired	Add -FW	Deduct \$29 per unit	May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.

GENERAL INFORMATION

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4" -thick, metal doors are 1/8" -thick
- Glass door is back painted low-iron glass
- Interior body is clear anodized aluminum
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: One simplex receptacle, one dual charging USB-A, two RJ-45 data connectors and two single blank faceplates
- When specified on tables with laminate, glass, solid surface or stone tops, each Power Matrix unit will include a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Additional data/AV faceplate options are on page 20

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose location code & quantity from the chart below
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate, glass, solid surface and stone tables

LOCATION CODES	POWER MATRIX SMALL	LOCATION	QUANTITY OF UNITS TO ORDER
	PS-1	One at center	1
	PS-2	One at each end	2
	PS-4	Four equally spaced (tables 132" and longer)	4

DOOR MATERIAL AND LOCATION AVAILABILITY BY TABLE SIZE

W = Wood Door G = Glass Door M = Metal Door

Length	POWER MATRIX SMALL		
	PS-1	PS-2	PS-4
120	W/G/M	W/G/M	-
144	-	W/G/M	W/G/M
168	-	W/G/M	W/G/M
192	-	W/G/M	W/G/M
216	-	W/G/M	W/G/M
240	-	W/G/M	W/G/M



CROSSBEAM POWER & DATA OPTIONS

AV CONNECTORS & MOUNTING PLATES	MODEL #	DESCRIPTION	STYLE	W x H	PRICE
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	50
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	180
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	141
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	141
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	115
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	155
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	219
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	219
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	219
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtails	Single	3-1/2 x 5/8	245
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	62
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	155
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	271
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	180

GENERAL INFORMATION

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Faceplates are black