

TWO4SIX™

Planning Guide + Price List

QUICK LINKS

Introduction

General Information

Finish Information

Surface Materials

Planning Guide

Planning

Price List

Two4Six Tops and Bases

Two4Six Power & Data Options



General Information

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,100 net will be assessed a \$285 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs.
- Special Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$200 net plus any restocking charges accumulated. There may be additional costs associated with engineering labor required for the change order.



General Information

Repair Authorization

Prior written approval is required for repairs of merchandise charged to NuCraft. Failure to do so will result in customer funded repairs.

Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@NuCraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@NuCraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty

NuCraft warrants that each piece of furniture it manufactures will be free from defects in materials and workmanship for a period of ten years of single-shift use. Textiles, decorative trim, electrical components, lamps, mechanical devices, casters and custom-made products not described in NuCraft's catalog are warranted for one year from the date of original delivery. Height adjustable desk mechanisms are warranted for two years. This warranty is applicable only if the furniture is given normal and proper care and is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new NuCraft products through authorized dealers, or from others specifically authorized by NuCraft to sell its products.

NuCraft's sole obligation under this warranty is to repair or replace, at NuCraft's discretion, products which prove to be defective during the warranty period. Purchasers may be required to establish that a claim is within the warranty period. To initiate a warranty claim, the purchaser should contact an authorized NuCraft dealer.

This warranty does not cover: 1) Damage caused by a carrier 2) COM (Customer's Own Material) specified by the customer that is not a standard product offering 3) Color, grain or texture of wood and other covering materials (due to the natural variations over which NuCraft has no control) 4) Damages resulting from user modification, attachments to a product, misuse, abuse, alteration or negligent use.

NuCraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. NuCraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

NuCraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

NuCraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

NuCraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all NuCraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



Finish Information

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over \$5000 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

Treatments

Note: Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded on pages 5-6. If no direction is provided on incoming orders, default sheen will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but will leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



Finish Information

Laminates

Selected Formica® and Nevamar® laminates are available on Training Tables, Conference Tables, Conference Room Furniture and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates

To order a color other than those on our list (see page 5-6), refer to Nevamar or Formica standard grade, matte texture laminate offerings (excluding manufacturers' non-standard matte offering). **Add \$103 list per item for a non-standard solid, matrix or pattern.** Add 20% per color for woodgrain laminates (includes stained-to-match for remainder of unit to match laminate color). Add one week to the lead-time for all non-standard laminate orders. Call the NuCraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Novawrap

Laminate and Novawrap surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Satin Etched Glass

Glass color may vary slightly on multi-piece conference table tops over 180" x 60" when satin etched glass is specified due to the iron content and etching process of the glass.

Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

Stone and Solid Surface Material

Despite its reputation for durability, natural stone can easily be broken during handling and/or installation if proper techniques are not followed. In addition, NuCraft is not responsible for the installation of natural stone or solid surface materials on its products. Therefore, installers specifically trained in the installation of these materials must be utilized to ensure a quality installation. NuCraft shall not be liable for any damages incurred during the handling and/or installation of natural stone or solid surface materials on its products.

Care and Maintenance of Granite

Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Leather

Genuine leather requires very little care. NuCraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages 5-6)

General Information:

- Touch-up kits must be ordered on a purchase order separate from NuCraft product due to Hazmat shipping



WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash		
Chalk	M48	G48
Angora	M49	G49
Blanco	M44	G44
Oat	M45	G45
Rift Cut Oak		
Nougat	M01	G01
Wheat	M02	G02
Carbon	M03	G03
Bramble	M07	G07
Cherry		
Sherry	M20	G20
Cognac	M21	G21
Spring	M95	G95
Auburn	M93	G93
Walnut		
Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31
Walnut	M26	G26
Linea		
Oak Linea	M08	G08
Walnut Linea	M27	G27
Paldao		
Thicket	M75	G75
Paldao	M76	G76

HERITAGE COLLECTION

Heritage Collection consists of popular mainstays of the NuCraft veneer collection preserved from our previous offering.

	Matte	Gloss
Natural Maple	M60	G60
Natural Walnut	M25	G25
Castano Walnut	M37	G37
Cordovan Cherry	M99	G99
CoCo Cherry	M96	G96

PREMIUM

Quartered Figured Anigre

Roux	M11	G11
Truffle	M12	G12
Velvet	M18	G18

Black Limba

Morel	M73	G73
Sable	M71	G71



Two4Six™ Surface Materials

METAL FINISHES

Aged Bronze	A8010
Black	A44
Burnished	A8009
Clear Anodized*	CA
Cloud	A8004
Foil	A8006
Galaxy	A8007
Polished Chrome**	PC
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

* Not available on Open Frame Base

**Up-Charge applies. See specific product line pages for availability and details.

PAINTS

Burnished	S88
Cloud	S8004
Foil	S8006
Galaxy	S8007
Moonlight	S87
Oyster	-
Shadow	S8005
Storm	S8012

Paint to Match

To request a custom paint color, contact Nucraft Customer Service. A paint sample must be matched and approved prior to order.

GLASS (SATIN OR GLOSS)

	Satin	Gloss
Black	BS	-
Clove	VS	VG
Meringue	MS	MG
Quill	QS	QG
White	WS	WG

LAMINATES

	Code	Coordinating Wood Finish	Suggested ABS Edgeband Coordinate
Wood Grain Laminates			
Formica White Ash	8841-58	M8841	R02, R01
Formica Natural Ash	8843-58	M8843	R02
Formica Aged Ash	8844-58	M8844	R04
Formica Weathered Ash	8842-58	M8842	R05
Formica Oiled Legno	8846-58	M8846	R05
Formica Bleached Legno	8845-58	M8845	R04
Formica Jarrah Legno	8847-58	M8847	R05
Formica Blackened Legno	8848-58	M8848	R05
Formica Chestnut Woodline	5884-58	M5884	R05
Formica Urban Planked Oak	9312-58	M9312	R04
Formica Natural Walnut	6401-58	M6401	R04
Formica Thermo Walnut	6402-58	M6402	R04
Formica Smoky Brown Pear	5488-58	M5488	R05
Formica Espresso Pear	5489-58	M5489	R05
Formica Smoky Walnut Woodline	6926-58	M6926	R05

Solid Laminates

Formica Brite White	459-58	R01
Formica Dover White	7197-58	R01
Formica Pearl	934-58	R02
Formica Graystone	464-58	R02
Formica Folkstone	927-58	R03
Formica Graphite	837-58	R05

Patterned Laminates

Nevamar Cool Chic	VA7002T	R02
Nevamar Serene Stardom	VA5001T	R05
Nevamar Calm Distinction	VA6001T	R05
Nevamar Easy Elegance	VA5002T	R05
Wilsonart Sheer Mesh	4876-38	R02
Wilsonart Grey Mesh	4877-38	R02
Wilsonart Pewter Mesh	4878-38	R05

ABS FINISHES

Ashen	R04
Parchment	R02
Shale	R05
Stone	R03
Whitecap	R01

TOPS


Pages 39-89



Round




Square



Soft Square



Rectangle




Soft Rectangle




D-Shape

BASES


Pages 39-89




Slab



Open Frame




Open Frame Square




Open Frame Standing




Post Leg



Credenza




Cylinder Base



Adjustable Height Base


CADDY

Page 97




CONSOLE

Page 98




CREDENZA

Page 98




MARKER BOARD

Page 97



Section Contents

Specification Overview
Meeting and Media Tables
Adjustable Height Table
Power and Data Planning
Wire Management Openings
Base Dimensions
Base Locations



Specification Overview

Two4Six Tables

1. Select the Table Type

Options include Meeting Tables and Media Tables.

2. Select the Top Surface Material

Choose between standard or premium veneer with hardwood edge, inset laminate with hardwood edge, laminate with ABS edge, glass, solid surface or stone/quartz.

3. Select the Top Size and Shape

Two4Six tables are available in round, square, soft square, rectangle, soft rectangle and D-shapes. Sizes range from 30" - to 60" -wide and from 48" - to 96" -long.

4. Select the Base Style and Finish

Two4Six tables are available with Metal Post Legs, Open Frame base styles and a Height Adjustable base option. Metal Post Leg and Open Frame bases are offered with powder coated paint or polished chrome finishes. In addition, the Metal Post Leg is available with a clear anodized finish. Media tables include a Slab Base (available in both painted and veneered surfaces) or a Credenza Base (available in veneer only).

4. Select the Power/AV Option (if desired)

Options for power and AV connectivity include:

- Table Top: Tech Node or Power Matrix (Small and Medium versions)
- Sub-Top: Power Rail



Two4Six™ Planning

Meeting and Media Tables


Table Styles

Two4Six tables are available in two styles: Meeting tables and Media tables.

Meeting Tables

Meeting tables are offered in round, square, soft square, rectangle and soft rectangle shapes at a seated height (29.5"). Surface material options include a veneer or laminate top with hardwood edge, laminate top with ABS edge, glass, solid surface or stone/quartz. Meeting table base options include 2"-square Metal Post Legs, an Open Frame base (made from 1.25" square metal tube) and Cylinder base (for round tables only). Metal finishes include powder coat colors and polished chrome, as well as clear anodized on the square metal Post leg. On rectangle shaped Meeting tables, the square legs are mounted near the edges of the table, but also include mounting locations on the underside of the table that allow the legs to be mounted at an inset position if preferred. The inset position is ideal if the meeting table is going to be used as a desk.


Rectangle Meeting Table with Post Legs



Media Tables

Media tables are offered with a D-shaped top. Surface material choices include veneer or laminate tops with hardwood edge, laminate tops with ABS edge, glass, solid surface or stone/quartz. Media tables feature a combination of bases. One end will have either a Slab base available in veneer or painted finishes, or a Credenza base available in veneer. Tables with Slab bases must be anchored to a wall and are offered in three heights: seated (29.5"), counter (36") and standing (42") heights. Tables with the Credenza base are offered at a seated height only. At the opposite end, the options include 2"-square Metal Post Legs or an Open Frame base (made from 1.25" square metal tube). Metal finishes on these bases include powder coat colors and polished chrome, as well as clear anodized on the square metal Post leg.

D-Shape Media Table with Open Frame Base and Slab Base







Two4Six™ Planning

Meeting and Media Tables


Credenza Base

The credenza base option available on Media tables is an ideal solution for storage in small meeting spaces. It is available in two sizes (60" and 72") and features a door at each end with adjustable shelf. Behind the door on the left end are optional pull-out waste/recycle bins. Behind the door on the right end is an optional pull-out equipment rack (available on the 72" version only). A hinged access panel in the front center of the credenza base and an open back section provide access through the case to wall outlets and AV connections. This base also includes an option for a monitor panel for mounting flat panel monitors. A video conferencing camera shelf is also available as an option. The credenza base and optional monitor panel are available with veneer only.


D-Shape Media Table with Credenza Base





Optional Pull-Out Waste/Recycle Bins



Optional Pull-Out Equipment Rack



D-Shape Media Table with Credenza Base and Optional Monitor Panel





Two4Six™ Planning


Adjustable Height Table

The adjustable height table promotes wellness and can be used to imply meeting duration or encourage impromptu collaboration. Offering a height adjustment range from 28" to 42".


Adjustable Height Table

This rectangular desk features a metal column base.

- Adjustment range is from 28" to 42"
- Controller features digital height readout and four programmable stops
- Features a metal column base
- Available with Power Rail




Wire Management for Adjustable Height Table



Programmable Controller

The programmable controller features up/down buttons, four programmable preset stops, and a digital readout that displays the worksurface height.






Two4Six™ Planning


Wire Management

Two options exist for managing cables from the floor to the table top. A plastic wire management channel, included with each Two4Six table, can be adhered to either the square Post leg or the Open Frame base, and can accommodate power and data cables. The wire management channel has a silver finish. For more robust needs, a 6"-square Power Pole with metal shrouds, available in any of the powder coat colors, can be specified separately and placed anywhere along the centerline of the table to manage and conceal cables as well as cover a floor monument.

Wire Management Channel




Power Pole




Power Options

Power options on Two4Six tables include table top choices of Power Matrix (Small and Medium only), Tech Node and Grommet. If sub-top power is preferred, the Power Rail is also available as a standard option. When specified with the Power Rail option, a meeting table can easily transition into a freestanding desk when needed with no cutout in the table top.

Power Matrix (Small shown)





Power Rail



Caddy

This small but hard-working piece is designed for all those little items typically found in a conference room (markers, erasers, pens, Post-It notes, phone lists, etc.), but for which there is often not a home. It features a storage box on top of an Open Frame base. The front features a drawer with integrated pull. The box is available with either a veneer or painted finish.







Two4Six™ Planning

Table Top Power Option: Power Matrix



Available in a variety of sizes, styles and connectivity options, Power Matrix is Nucraft's most versatile power option. Power Matrix incorporates a broad array of scalable features and is available across multiple product lines, making it the "go to" solution for power and AV connectivity needs.

Offered in a Small and Medium size, Power Matrix can handle any power and AV connectivity need, from the simplest to the most demanding.

Small



Medium





Two4Six™ Planning

Table Top Power Option: Power Matrix

Power Matrix is filled with a broad array of high performance features and refined aesthetic elements.

Power

Power Matrix features simplex receptacles for power connectivity, the quantity of which is pre-determined based on the size of the unit. An optional dual USB charger can also be specified in place of one of the simplex receptacles when desired. Corded or hardwired Infeed options add flexibility.



Data/AV Faceplates

Power Matrix accommodates Extron Architectural Adaptor Plates (AAPs) for unparalleled flexibility in data and AV connectivity.

Design

Power Matrix units feature a clear anodized aluminum body and a bezel-free flush mount design on wood tables for an elegant appearance. Laminate, glass or stone/quartz table tops include a bezel, available in powder coat, polished chrome or clear anodized finish options.

(Medium size shown)



Performance

Friction hinges ensure smooth travel through the door's range of motion and can hold the door in any position. Hidden door stops maintain the minimalist aesthetic. Cable storage is both concealed and ample.

Doors

Power Matrix is offered in multiple door material options, including metal, glass and grain-matched wood cut from the same table top.

Field Wired

Some local electrical codes may require field-wiring during installation. In such instances, a Field-Wired option may be specified. In this configuration, each Power Matrix unit will be supplied with a 6' flexible metal conduit with hot, ground and neutral wires.





Two4Six™ Planning


Table Top Power Option: Power Matrix

Standard Configurations

Power Matrix is available in two sizes for Two4Six, each with a pre-determined quantity of simplex outlets and AV faceplates. With each size, an optional dual 2 amp USB charger (1 amp per port) replaces one of the simplex outlets.


Small

- Single door design
- 5.375" x 6" cutout
- Two simplex outlets
- Three AV faceplates. Standard configuration includes two blank faceplates & one faceplate with two RJ-45 (data) connectors.



Medium



- Single door design
- 5.375" x 8.25" cutout
- Four simplex outlets
- Four AV faceplates. Standard configuration includes three blank faceplates & one faceplate with two RJ-45 (data) connectors.





Dimensions

Each Power Matrix unit includes a low-profile pan beneath the work surface to conceal the unit and provide ample storage capacity for excess cables. The size of the cutout in the table top varies with each size of Power Matrix unit.

Small



Medium




Power Planning


Power Matrix is available with two options for connection with building power:

- **Direct Plug-In** - the 15-amp power cord from each Power Matrix unit is plugged into a floor monument. The floor monument must have at least one power outlet per small or medium Power Matrix unit in the table and two power outlets per large or extra large Power Matrix (e.g., a table with four small or medium Power Matrix units would need four power outlets in the floor monument).
- **Single Infeed** - each Power Matrix unit is plugged into a two-circuit modular electrical system in the table from which a single connection is made to a floor monument. This connection can be either hardwired (to utilize both of the circuits in the modular electrical system) or corded (which requires a 20-amp power outlet in the floor monument and reduces the modular electrical system in the table to a single circuit).

Direct Plug-In




Single Infeed



Two-Circuit Modular Electrical System

- 4-wire, 20-amp, 2-circuit modular electrical system.
- Only present on tables specified with the Single Infeed option.
- Hardwire or corded (20-amp) Infeed options. A licensed electrician is required to complete hardwire connections to building's power source.
- Neutral (white) wires are 10 gauge, hot and ground wires are 12 gauge.
- All electrical components satisfy National Electrical Code (NEC) requirements and are UL listed.

Electrical Diagram — Hardwire Power Infeed Only





Two4Six™ Planning

Table Top Power Option: Power Matrix

Location Codes

Power Matrix is offered in a variety of locations and quantities per table size, offering a broad range of performance and pricing options.

Location Codes			
Power Matrix Small	Power Matrix Medium	Location	Qty of Units to Order
PS-1	PM-1	One at center	1
PS-1W	PM-1W	One at wall end	1
PS-2*	PM-2*	One at each end	2

*PS-2 and PM-2 are not offered on Media Tables, Standing Height Tables, or Counter Height Tables

Door Material and Location Availability by Table Size

W = Wood Door G = Glass Door M = Metal Door

Length	Top Sections	Power Matrix Small			Power Matrix Medium		
		PS-1	PS-1W	PS-2	PM-1	PM-1W	PM-2
48	1	W/G/M	W/G/M	-	W/G/M	W/G/M	-
54	1	W/G/M	W/G/M	-	W/G/M	W/G/M	-
60	1	W/G/M	W/G/M	-	W/G/M	W/G/M	-
66	1	W/G/M	W/G/M	-	W/G/M	W/G/M	-
72	1	W/G/M	W/G/M	W/G/M	W/G/M	W/G/M	W/G/M
78	1	W/G/M	W/G/M	W/G/M	W/G/M	W/G/M	W/G/M
84	1	W/G/M	W/G/M	W/G/M	W/G/M	W/G/M	W/G/M
90	1	W/G/M	W/G/M	W/G/M	W/G/M	W/G/M	W/G/M
96	1	W/G/M	W/G/M	W/G/M	W/G/M	W/G/M	W/G/M




Two4Six™ Planning

Table Top Power Option: Power Matrix


Power Matrix Small or Medium Location Options

Please Note: For floor core placement, please reference base location information on pages 34-38.



PS-1


PS-1	
Length	Center of Power Matrix
42	21
48	24
54	27
96	48
60	30
66	33
72	36
78	39
84	42
90	45
96	48



PS-1W*

*Available on Media Tables only

PS-1W*	
Length	Center of Power Matrix
60	52.5
66	58.5
72	64.5
78	70.5
84	76.5
90	82.5
96	88.5



PS-2

PS-2		
Length	Center of 1st Power Matrix	Center of 2nd Power Matrix
72	18.0	54.0
78	21.5	56.5
84	21.5	62.5
90	21.5	68.5
96	21.5	74.5



Two4Six™ Planning

Table Top Power Option: Retractors for use with Power Matrix Small and Medium


Retractors

Cable retractors, for use with Power Matrix Small and Medium only, mount directly to the underside of conference room tables using the included mounting bracket. Loaded with 12' of cable that extends out 5' from the retractor. Retractors have a female input from the building infrastructure and a male connector on the output side. Not available on square, round or soft square tables.


Retractor Availability on Two4Six Tables
X = Available as Standard

Length	PS-1/ PM-1	PS-1W/ PM-2W	PS-2/ PM-2
60	X*		
66	X*		
72	X*		
78	X*		
84	X*		X*
90	X*		X*
96	X*		X*


*Not available on tables with Open Frame Bases




Retractor Wire Management




CAT6 Retractor



HDMI Retractor



Data USB Retractor






Tech Node offers convenient access to power and voice/data connections. Tech Node features include a push/push open design that conceals internal components.

Each Tech Node is equipped with the following components:


- Clear or Black Anodized Aluminum
- Fluid one touch accessibility
- Two (2) Simplexes
- Up to two voice/data ports
- Optional powered USB
- 12' 15-Amp cord
- Voice/Data Adapter Kit p/n BE01421 to accept couplers & jacks
- UL Listed
- Overall dimensions - 4-7/16" x 8-5/16"

All electrical components are UL listed.


Tech Node - Cover Open




Tech Node - Cover Open with Optional USB




Tech Node - Cover Closed




Tech Node - Cover Open with Optional Bluetooth Speaker



Tech Node - Open Front View



Tech Node - Open Side View



Voice/Data Planning

Two (2) simplex voice/data cutouts accept customer supplied, field-installed snap-in connectors.

Nucraft recommends consulting an audio/visual (AV) integrator for assistance with voice/data planning.

Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com




Two4Six™ Planning

Table Top Power Option: Tech Node


Tech Node Location Options

Please Note: For floor core placement, please reference base location information on pages 34-38.



TN-1


TN-1	
Length	Center of Power Matrix
42	21
48	24
54	27
96	48
60	30
66	33
72	36
78	39
84	42
90	45
96	48



TN-1W*

*Available on Media Tables only

TN-1W*	
Length	Center of Power Matrix
60	52.5
66	58.5
72	64.5
78	70.5
84	76.5
90	82.5
96	88.5



TN-2

TN-2		
Length	Center of 1st Power Matrix	Center of 2nd Power Matrix
72	18.0	54.0
78	21.5	56.5
84	21.5	62.5
90	21.5	68.5
96	21.5	74.5



Two4Six™ Planning

Table Top Power Options: Power Spec and USB Spec


Power Spec and USB Spec

This compact unit allows for the addition of power or data to a work surface in a discreet way. Available in round or square shapes, and multiple finish options.

Power Spec

- Spill-proof power simplex
- Compact design
- 1-3/4" cutout for installation
- UL Listed


Power Spec



USB Spec

- Used to charge devices or transfer data
- Compact design
- Offered with USB
- 1-3/4" cutout for installation
- UL Listed

USB Spec





Two4Six™ Planning

Under Surface Power Option: Power Rail

Power Rail


This low-profile option addresses the need for power & data connectivity just below the table top. This is an ideal choice for those who desire a visually uninterrupted table top and appreciate the inherent flexibility of the Power Rail to be removed at a later date as they transition to a truly wireless environment. Power Rails are available in three configurations:

- Two simplex receptacles (UL Listed)
- One simplex receptacle and one dual powered USB connector (UL Listed)
- Two single space A/V faceplate designed for use with Extron Architectural Adaptor Plates (AAPs)




Held in place with thumb screws, Power Rail units can be placed anywhere along the perimeter of the table. This flexible mounting design allows for additional units to be added as necessary, or to be removed when no longer needed.

When Power Rails are specified on a Two4Six table, a direct plug-in infeed or hardwired option is available. The direct plug-in infeed option has a single circuit electrical system and the hardwire option requires a two-circuit electrical system. Maximum of 12 Power Rails per table.

Front Elevation



Side Elevation





Maximum Number of Power Rails per Table Size




Table Length	48"	54"	60"
Square Table			
Total maximum combined number of power and data rails that can fit onto the table	8	8	8
Total maximum number of power rails that can go on each table side	2	2	2




Table Length	48"	54"	60"
Soft Square Table			
Total maximum combined number of power and data rails that can fit onto the table	8	8	8
Total maximum number of power rails that can go on each table side	2	2	2




Table Length	60"	66"	72"	78"	84"	90"	96"
Rectangle Tables - 30"-Wide							
Total maximum combined number of power and data rails that can fit onto the table	4	6	6	6	6	6	6
Total maximum number of power rails that can go on each table side	1	2	2	2	2	2	2
Total maximum number of power rails that can go on each table end	1	1	1	1	1	1	1




Table Length	60"	66"	72"	78"	84"	90"	96"
Rectangle Tables - 36", 42" or 48"-Wide							
Total maximum combined number of power and data rails that can fit onto the table	6	8	8	8	8	8	8
Total maximum number of power rails that can go on each table side	1	2	2	2	2	2	2
Total maximum number of power rails that can go on each table end	2	2	2	2	2	2	2





Table Length	60"	66"	72"	78"	84"	90"	96"
Soft Rectangle Table - All Widths							
Total maximum combined number of power and data rails that can fit onto the table	6	8	8	8	8	8	8
Total maximum number of power rails that can go on each table side	1	2	2	2	2	2	2
Total maximum number of power rails that can go on each table end	2	2	2	2	2	2	2



Two4Six™ Planning

Under Surface Power Option: Power Rail

Maximum Number of Power Rails per Table Size



D-Shape Media Table, 30" Wide Tops with Credenza Base

Total maximum combined number of power and data rails that can fit onto the table	3	3	3	3	5	5	5
Total maximum number of power rails that can go on each table side	1	1	1	1	2	2	2
Total maximum number of power rails that can go on each table end	1	1	1	1	1	1	1




Table Length	60"	66"	72"	78"	84"	90"	96"
--------------	-----	-----	-----	-----	-----	-----	-----

D-Shape Media Table, 36", 42" or 48"-Wide Tops with Credenza Base

Total maximum combined number of power and data rails that can fit onto the table	4	4	4	4	6	6	6
Total maximum number of power rails that can go on each table side	1	1	1	1	2	2	2
Total maximum number of power rails that can go on each table end	2	2	2	2	2	2	2



Two4Six™ Planning

Under Surface Power Option: Power Rail

Maximum Number of Power Rails per Table Size




Table Length	60"	66"	72"	78"	84"	90"	96"
D-Shape Media Table, 30"-Wide Tops with Slab Base							
Total maximum combined number of power and data rails that can fit onto the table	5	5	5	5	5	5	5
Total maximum number of power rails that can go on each table side	2	2	2	2	2	2	2
Total maximum number of power rails that can go on each table end	1	1	1	1	1	1	1





Table Length	60"	66"	72"	78"	84"	90"	96"
D-Shape Media Table, 36", 42" or 48"-Wide Tops with Slab Base							
Total maximum combined number of power and data rails that can fit onto the table	6	6	6	6	6	6	6
Total maximum number of power rails that can go on each table side	2	2	2	2	2	2	2
Total maximum number of power rails that can go on each table end	2	2	2	2	2	2	2

Charging Trac


Charging Trac is a low voltage, under surface power system with 2 USB ports per unit. It's modular configuration provides a customizable solution. Offered in a 2 or 4 unit kit of parts with a plug-in infeed. USB-A compatible.

Charging Trac Wire Management


(Flow table with rectangle bases shown)



Front Elevation




Side Elevation



Two-Unit Configuration includes:

- 2 Brackets, each bracket offers 2 USB-A ports
- 1 Puck
- 1 Plug-in infeed


Two-Unit Configuration



Four-Unit Configuration includes:

- 4 Brackets, each bracket offers 2 USB-A ports
- 2 Pucks
- Jumpers
- 1 Plug-in infeed

Four-Unit Configuration





Two4Six™ Planning


Freestanding Power Option: Charging Cube and Tech Zone

Charging Cube


Charging Cube addresses the need for portable power. The ability to take this device anywhere for collaboration and easy connectivity makes the Charging Cube ideal for those who appreciate flexibility in their workspace.

The Charging Cube can be placed anywhere, and allow up to three devices to be charged at once.

- Three 2 amp USB charging ports
- 11,600 mAh battery capacity
- Charges completely in 4.5 hours



Charging Cube - Top View



Charging Cube - Side View




Tech Zone


Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.

Available in three configurations with a variety of power and data connectivity options. Includes a 72"-long plug-in infeed cord.


- ZONE-SPEAKER includes one simplex receptacle, one dual charging USB-A charging port and a Bluetooth speaker
- ZONE-DATA includes two simplex receptacles and two open data ports
- ZONE-USB includes two simplex receptacles, one data port and one dual charging USB-A charging port



Tech Zone - Side View



ZONE-SPEAKER



ZONE-DATA



ZONE-USB






Two4Six™ Planning

Freestanding Power Option: Charging Stand


Battery-Powered Charging Stand

At table height, this battery-powered unit provides multiple charging options for collaboration anywhere with cordless power.


- Three 2 amp USB-A charging ports
- One USB-C (18W) charging port



Battery-Powered Charging Stand
Side View



Battery-Powered Charging Stand
Top View



Corded Charging Stand

The corded unit offers various configurations to fit your needs, while still offering easy mobility. Includes a 10'-long plug-in infeed cord.

Three configurations to choose from:

STAND-1C


One simplex receptacle and two USB-A ports, and one USB-C port

STAND-3C


Three simplex receptacles, two USB-A ports, and one USB-C port

STAND-4C


Four simplex receptacles, two USB-A ports and one USB-C port




Corded Charging Stand
Side View



Corded Charging Stand
Top View



Base Plate Configuration Options



STAND-1C



STAND-3C



STAND-4C







Two4Six™ Planning

Wire Management Openings

Cylinder Bases




18"




48" Diameter Tops

20"



54" Diameter Tops

24"




60" Diameter Tops


Slab Base




Must be anchored to a wall, base has an open back




30"-Wide Tops



36"-Wide Tops



42"-Wide Tops




48"-Wide Tops




Two4Six™ Planning

Wire Management Openings

Credenza Base




60" - Top Panel Cutout




30" - 48" Wide Tops

60" - Back Panel Cutout




30" - 48" Wide Tops

72" - Top Panel Cutout




30" - 48" Wide Tops

72" - Back Panel Cutout



30" - 48" Wide Tops

Adjustable Height Base









Two4Six™ Planning

Base Dimensions


Open Frame Seated Height Base




30" Wide Tops



36" Wide Tops





42" Wide Tops



48" Wide Tops

Open Frame Standing Height Base (for use with Slab Base)




30" - 48" Wide Tops




Two4Six™ Planning

Base Dimensions

Open Frame Square Base



Adjustable Height Base





Two4Six™ Planning

Base Locations

Two4Six tables in Round, Square, and Rectangle shapes include two leg mounting locations for Post Legs; the standard location (where the bottom of each leg is close to the edge of the table) and an inset position (where the leg is inset slightly for an alternate aesthetic). The inset position on the Rectangle table is ideal if the meeting table is going to be used as a desk. The charts on the following pages indicate the positioning of the Post Legs (in this inset position) as well as the Open Frame bases on Two4Six Meeting tables to assist with floor monument locations.

Two4Six Meeting inset leg dimensions (as measured from the edge of the table top to the center of the glide)

Round




Table Size	Base	A
48"	Post Leg	3.6"
54"	Post Leg	3.6"
60"	Post Leg	3.6"

Note: This is the only Post Leg position.

Square




Table Size	Base	A
48"	Post Leg	3.2"
54"	Post Leg	3.2"
60"	Post Leg	3.2"

Note: This is the only Post Leg position.

Soft Square




Table Size	Base	A
48"	Post Leg	8.1"
54"	Post Leg	8.8"
60"	Post Leg	9.5"

Note: This is the only Post Leg position.



Two4Six™ Planning

Base Locations

Rectangle





Table Size	Base	A (End)	B (Side)
60 x 30	Post Leg	12.4	4.4
66 x 30	Post Leg	12.4	4.4
72 x 30	Post Leg	12.4	4.4
78 x 30	Post Leg	15.9	4.4
84 x 30	Post Leg	15.9	4.4
90 x 30	Post Leg	15.9	4.4
96 x 30	Post Leg	15.9	4.4
60 x 36	Post Leg	12.4	7.4
66 x 36	Post Leg	12.4	7.4
72 x 36	Post Leg	12.4	7.4
78 x 36	Post Leg	15.9	7.4
84 x 36	Post Leg	15.9	7.4
90 x 36	Post Leg	15.9	7.4
96 x 36	Post Leg	15.9	7.4
60 x 42	Post Leg	12.4	10.4
66 x 42	Post Leg	12.4	10.4
72 x 42	Post Leg	12.4	10.4
78 x 42	Post Leg	15.9	10.4
84 x 42	Post Leg	15.9	10.4
90 x 42	Post Leg	15.9	10.4
96 x 42	Post Leg	15.9	10.4
60 x 48	Post Leg	12.4	12.1
66 x 48	Post Leg	12.4	12.1
72 x 48	Post Leg	12.4	12.1
78 x 48	Post Leg	15.9	12.1
84 x 48	Post Leg	15.9	12.1
90 x 48	Post Leg	15.9	12.1
96 x 48	Post Leg	15.9	12.1



Two4Six™ Planning

Base Locations

Soft Rectangle



Note: This is the only Post Leg position on Soft Rectangle tables.

Table Size	Base	A (End)	B (Side)
60 x 30	Post Leg	12.2	4.4
66 x 30	Post Leg	12.2	4.4
72 x 30	Post Leg	12.2	4.4
78 x 30	Post Leg	15.7	4.4
84 x 30	Post Leg	15.7	4.4
90 x 30	Post Leg	15.7	4.4
96 x 30	Post Leg	15.7	4.4
60 x 36	Post Leg	12.2	7.4
66 x 36	Post Leg	12.2	7.4
72 x 36	Post Leg	12.2	7.4
78 x 36	Post Leg	15.7	7.4
84 x 36	Post Leg	15.7	7.4
90 x 36	Post Leg	15.7	7.4
96 x 36	Post Leg	15.7	7.4
60 x 42	Post Leg	12.2	10.4
66 x 42	Post Leg	12.2	10.4
72 x 42	Post Leg	12.2	10.4
78 x 42	Post Leg	15.7	10.4
84 x 42	Post Leg	15.7	10.4
90 x 42	Post Leg	15.7	10.4
96 x 42	Post Leg	15.7	10.4
60 x 48	Post Leg	12.2	12.1
66 x 48	Post Leg	12.2	12.1
72 x 48	Post Leg	12.2	12.1
78 x 48	Post Leg	15.7	12.1
84 x 48	Post Leg	15.7	12.1
90 x 48	Post Leg	15.7	12.1
96 x 48	Post Leg	15.7	12.1



Two4Six™ Planning

Base Locations

Two4Six Meeting Open Frame Square Base dimensions (as measured from the edge of the table top to the center of the glide)

Round




Table Size	Base	A
48"	Open Frame	7.6
54"	Open Frame	7.7
60"	Open Frame	7.9

Square




Table Size	Base	A
48"	Open Frame	12.5
54"	Open Frame	13.5
60"	Open Frame	14.5

Soft Square





Table Size	Base	A
48"	Open Frame	12.5
54"	Open Frame	13.5
60"	Open Frame	14.5



Two4Six™ Planning

Base Locations

Rectangle



Soft Rectangle




Table Size	Base	A (End)	B (Side)
60 x 30	Open Frame	12.0	6.8
66 x 30	Open Frame	12.0	6.8
72 x 30	Open Frame	12.0	6.8
78 x 30	Open Frame	15.5	6.8
84 x 30	Open Frame	15.5	6.8
90 x 30	Open Frame	15.5	6.8
96 x 30	Open Frame	15.5	6.8
60 x 36	Open Frame	12.0	8.6
66 x 36	Open Frame	12.0	8.6
72 x 36	Open Frame	12.0	8.6
78 x 36	Open Frame	15.5	8.6
84 x 36	Open Frame	15.5	8.6
90 x 36	Open Frame	15.5	8.6
96 x 36	Open Frame	15.5	8.6
60 x 42	Open Frame	12.0	10.4
66 x 42	Open Frame	12.0	10.4
72 x 42	Open Frame	12.0	10.4
78 x 42	Open Frame	15.5	10.4
84 x 42	Open Frame	15.5	10.4
90 x 42	Open Frame	15.5	10.4
96 x 42	Open Frame	15.5	10.4
60 x 48	Open Frame	12.0	12.1
66 x 48	Open Frame	12.0	12.1
72 x 48	Open Frame	12.0	12.1
78 x 48	Open Frame	15.5	12.1
84 x 48	Open Frame	15.5	12.1
90 x 48	Open Frame	15.5	12.1
96 x 48	Open Frame	15.5	12.1



Two4Six™ - Meeting Table

Veneer Top with Hardwood Edge

Round	Model #	Diameter	Length	Seating Capacity	Price			
					Painted Cylinder -PC	Veneer Cylinder -VY	Open Frame Square -OS	Post Metal Leg -ML
	TFR-48-V	48	48	4	3962	4140	4258	4525
	TFR-54-V	54	54	6	4821	5017	5147	5443
	TFR-60-V	60	60	6	5638	5847	5985	6298

Square	Model #	Width	Length	Seating Capacity	Price		
					Open Frame Square -OS	Post Metal Leg -ML	
	TFS-4848-V	48	48	4	3412	3615	
	TFS-5454-V	54	54	6	3911	4123	
	TFS-6060-V	60	60	6	4524	4747	

Soft Square	Model #	Width	Length	Seating Capacity	Price		
					Open Frame Square -OS	Post Metal Leg -ML	
	TFQ-4848-V	48	48	4	3226	3429	
	TFQ-5454-V	54	54	6	3687	3899	
	TFQ-6060-V	60	60	6	4253	4476	

Options:

Power & Data Options

Polished Chrome Post Metal Leg

Polished Chrome Open Frame Square Base


See pages 90-96

Add -PCML

Add -PCOS

\$879

\$1,208



Two4Six Cut-Back Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish
- Choose Paint Finish, if -PC base is specified
- Choose Metal Finish only if -OS or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases



Two4Six™ - Meeting Table

Premium Veneer Top with Hardwood Edge

Round	Model #	Diameter	Length	Recommended Seating Capacity	Price			
					Painted Cylinder -PC	Veneer Cylinder -VY	Open Frame Square -OS	Post Metal Leg -ML
	TFR-48-PV	48	48	4	4359	4554	4684	4978
	TFR-54-PV	54	54	6	5304	5519	5662	5988
	TFR-60-PV	60	60	6	6202	6432	6584	6928

Square	Model #	Width	Length	Recommended Seating Capacity	Price	
					Open Frame Square -OS	Post Metal Leg -ML
	TFS-4848-PV	48	48	4	3754	3977
	TFS-5454-PV	54	54	6	4303	4536
	TFS-6060-PV	60	60	6	4977	5222

Soft Square	Model #	Width	Length	Recommended Seating Capacity	Price	
					Open Frame Square -OS	Post Metal Leg -ML
	TFQ-4848-PV	48	48	4	3549	3772
	TFQ-5454-PV	54	54	6	4056	4289
	TFQ-6060-PV	60	60	6	4679	4924

Options:

Power & Data Options

Polished Chrome Post Metal Leg

Polished Chrome Open Frame Square Base


See pages 90-96

Add -PCML

Add -PCOS

\$879

\$1,208



Two4Six Cut-Back Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Premium Veneer Species & Finish
- Choose Paint Finish, if -PC base is specified
- Choose Metal Finish only if -OS or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases



Two4Six™ - Meeting Table

Inset Laminate Top with Hardwood Edge

Round	Model #	Diameter	Length	Recommended Seating Capacity	Price			
					Painted Cylinder -PC	Veneer Cylinder -VY	Open Frame Square -OS	Post Metal Leg -ML
	TFR-48-P	48	48	4	3745	3913	4024	4277
	TFR-54-P	54	54	6	4556	4742	4864	5144
	TFR-60-P	60	60	6	5328	5526	5656	5952

Square	Model #	Width	Length	Recommended Seating Capacity	Price		
					Open Frame Square -OS	Post Metal Leg -ML	
	TFS-4848-P	48	48	4	3225	3417	
	TFS-5454-P	54	54	6	3696	3897	
	TFS-6060-P	60	60	6	4276	4486	

Soft Square	Model #	Width	Length	Recommended Seating Capacity	Price		
					Open Frame Square -OS	Post Metal Leg -ML	
	TFQ-4848-P	48	48	4	3049	3241	
	TFQ-5454-P	54	54	6	3485	3685	
	TFQ-6060-P	60	60	6	4020	4230	

Options:

Power & Data Options

Polished Chrome Post Metal Leg

Polished Chrome Open Frame Square Base

See pages 90-96

Add **-PCML**

Add **-PCOS**


\$879

\$1,208

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Paint Finish, if -PC base is specified
- Choose Veneer or Premium Veneer Finish, if -VY or -WL base is specified
- Choose Metal Finish, if -OS or -ML base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)



Two4Six Cut-Back Edge

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases



Two4Six™ - Meeting Table

Laminate Top with ABS Edge

Round	Model #	Diameter	Length	Recommended Seating Capacity	Price			
					Painted Cylinder -PC	Veneer Cylinder -VY	Open Frame Square -OS	Post Metal Leg -ML
	TFR-48-PA	48	48	4	3745	3913	4024	4277
	TFR-54-PA	54	54	6	4556	4742	4864	5144
	TFR-60-PA	60	60	6	5328	5526	5656	5952

Square	Model #	Width	Length	Recommended Seating Capacity	Price		
					Open Frame Square -OS	Post Metal Leg -ML	
	TFS-4848-PA	48	48	4	3225	3417	
	TFS-5454-PA	54	54	6	3696	3897	
	TFS-6060-PA	60	60	6	4276	4486	

Soft Square	Model #	Width	Length	Recommended Seating Capacity	Price		
					Open Frame Square -OS	Post Metal Leg -ML	
	TFQ-4848-PA	48	48	4	3049	3241	
	TFQ-5454-PA	54	54	6	3485	3685	
	TFQ-6060-PA	60	60	6	4020	4230	

Options:

Power & Data Options

Polished Chrome Post Metal Leg

Polished Chrome Open Frame Square Base

See pages 90-96

Add **-PCML**

Add **-PCOS**


\$879

\$1,208

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Paint Finish, if -PC base is specified
- Choose Veneer or Premium Veneer Finish, if -VY or -WL base is specified
- Choose Metal Finish, if -OS or -ML base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)



Two4Six Cut-Back Edge

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Square Bases



Two4Six™ - Meeting Table

Glass Top

Round	Model #	Diameter	Length	Recommended Seating	Painted Cylinder	Veneer Cylinder	Open Frame Square
				Capacity	-PC	-VY	-OS
	TFR-48-G	48	48	4	4557	4761	4897
	TFR-54-G	54	54	6	5545	5770	5920
	TFR-60-G	60	60	6	6484	6725	6883

Square	Model #	Width	Length	Recommended Seating	Open Frame Square	
				Capacity	-OS	
	TFS-4848-G	48	48	4	3924	
	TFS-5454-G	54	54	6	4498	
	TFS-6060-G	60	60	6	5203	

Soft Square	Model #	Width	Length	Recommended Seating	Open Frame Square	
				Capacity	-OS	
	TFQ-4848-G	48	48	4	3710	
	TFQ-5454-G	54	54	6	4241	
	TFQ-6060-G	60	60	6	4891	

Options:

Power & Data Options

Polished Chrome Open Frame Square Base

Satin Glass

See pages 90-96

Add **-PCOS**

Add **-TFSGR**


\$1,208

\$267

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Sub-Top Finish:
 - Paint Finish, or
 - Wood Species & Finish



Two4Six Glass Edge

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table



Two4Six™ - Meeting Table

Solid Surface Top

Round	Model #	Diameter	Length	Recommended Seating Capacity	Price		
					Painted Cylinder -PC	Veneer Cylinder -VY	Open Frame Square -OS
	TFR-48-SS	48	48	4	4953	5175	5323
	TFR-54-SS	54	54	6	6027	6272	6434
	TFR-60-SS	60	60	6	7048	7309	7482

Square	Model #	Width	Length	Recommended Seating Capacity	Open Frame Square	
					-OS	
	TFS-4848-SS	48	48	4	4265	
	TFS-5454-SS	54	54	6	4889	
	TFS-6060-SS	60	60	6	5655	

Soft Square	Model #	Width	Length	Recommended Seating Capacity	Open Frame Square	
					-OS	
	TFQ-4848-SS	48	48	4	4033	
	TFQ-5454-SS	54	54	6	4609	
	TFQ-6060-SS	60	60	6	5317	

Options:

Power & Data Options

Polished Chrome Open Frame Square Base

See pages 90-96

Add -PCOS

\$1,208



Two4Six Solid Surface Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Finish, if applicable
- Choose Metal Finish, if applicable
- Choose Paint Finish, if applicable

General Information:

- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table



Two4Six™ - Meeting Table

Stone/Quartz Top

Round	Model #	Diameter	Length	Recommended Seating Capacity	Price		
					Painted Cylinder -PC	Veneer Cylinder -VY	Open Frame Square -OS
	TFR-48-S	48	48	4	5151	5382	5536
	TFR-54-S	54	54	6	6268	6523	6692

Square	Model #	Width	Length	Recommended Seating Capacity	Open Frame Square	
					-OS	
	TFS-4848-S	48	48	4	4436	
	TFS-5454-S	54	54	6	5085	

Soft Square	Model #	Width	Length	Recommended Seating Capacity	Open Frame Square	
					-OS	
	TFQ-4848-S	48	48	4	4194	
	TFQ-5454-S	54	54	6	4794	

Options:

Power & Data Options

Polished Chrome Open Frame Square Base

See pages 90-96


Add -PCOS

\$1,208

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Stone/Quartz Finish
- Choose Veneer Finish if applicable
- Choose Metal Finish
- Choose Paint Finish if applicable



Two4Six Stone/Quartz Edge

General Information:

- Seating capacity based on 27" per person
- Overall table height 29.5"
- One section of wire management channel provided per table



Two4Six™ - Meeting Table

Veneer Top with Hardwood Edge

Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price	
					Open Frame -OF	Post Metal Leg -ML
	TFT-6030-V	30	60	4	2877	2877
	TFT-6630-V	30	66	4	3133	3133
	TFT-7230-V	30	72	6	3231	3231
	TFT-7830-V	30	78	6	3559	3559
	TFT-8430-V	30	84	8	3663	3663
	TFT-9030-V	30	90	8	3963	3963
	TFT-9630-V	30	96	8	4072	4072
	TFT-6036-V	36	60	4	3025	3025
	TFT-6636-V	36	66	4	3306	3306
	TFT-7236-V	36	72	6	3418	3418
	TFT-7836-V	36	78	6	3777	3777
	TFT-8436-V	36	84	8	3897	3897
	TFT-9036-V	36	90	8	4227	4227
	TFT-9636-V	36	96	8	4354	4354
	TFT-6042-V	42	60	4	3451	3451
	TFT-6642-V	42	66	4	3782	3782
	TFT-7242-V	42	72	6	3922	3922
	TFT-7842-V	42	78	6	4343	4343
	TFT-8442-V	42	84	8	4493	4493
	TFT-9042-V	42	90	8	4883	4883
	TFT-9642-V	42	96	8	5041	5041
	TFT-6048-V	48	60	4	3736	3736
	TFT-6648-V	48	66	4	4106	4106
	TFT-7248-V	48	72	6	4269	4269
	TFT-7848-V	48	78	6	4738	4738
	TFT-8448-V	48	84	8	4912	4912
	TFT-9048-V	48	90	8	5349	5349
	TFT-9648-V	48	96	8	5532	5532

Soft Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price	
					Open Frame -OF	Post Metal Leg -ML
	TFF-6030-V	30	60	4	2877	2877
	TFF-6630-V	30	66	4	3133	3133
	TFF-7230-V	30	72	6	3231	3231
	TFF-7830-V	30	78	6	3559	3559
	TFF-8430-V	30	84	8	3663	3663
	TFF-9030-V	30	90	8	3963	3963
	TFF-9630-V	30	96	8	4072	4072
	TFF-6036-V	36	60	4	3025	3025
	TFF-6636-V	36	66	4	3306	3306
	TFF-7236-V	36	72	6	3418	3418
	TFF-7836-V	36	78	6	3777	3777
	TFF-8436-V	36	84	8	3897	3897
	TFF-9036-V	36	90	8	4227	4227
	TFF-9636-V	36	96	8	4354	4354
	TFF-6042-V	42	60	4	3451	3451
	TFF-6642-V	42	66	4	3782	3782
	TFF-7242-V	42	72	6	3922	3922
	TFF-7842-V	42	78	6	4343	4343
	TFF-8442-V	42	84	8	4493	4493
	TFF-9042-V	42	90	8	4883	4883
	TFF-9642-V	42	96	8	5041	5041
	TFF-6048-V	48	60	4	3736	3736
	TFF-6648-V	48	66	4	4106	4106
	TFF-7248-V	48	72	6	4269	4269
	TFF-7848-V	48	78	6	4738	4738
	TFF-8448-V	48	84	8	4912	4912
	TFF-9048-V	48	90	8	5349	5349
	TFF-9648-V	48	96	8	5532	5532

Options:

Power & Data Options
Polished Chrome Post Metal Leg
Polished Chrome Open Frame Base

See pages 90-96

Add -PCML

Add -PCOF

\$879

\$1,641


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish only if -OF or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases



Two4Six Cut-Back Edge



Two4Six™ - Meeting Table

Premium Veneer Top with Hardwood Edge

Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price	
					Open Frame -OF	Post Metal Leg -ML
	TFT-6030-PV	30	60	4	3165	3165
	TFT-6630-PV	30	66	4	3447	3447
	TFT-7230-PV	30	72	6	3555	3555
	TFT-7830-PV	30	78	6	3915	3915
	TFT-8430-PV	30	84	8	4030	4030
	TFT-9030-PV	30	90	8	4360	4360
	TFT-9630-PV	30	96	8	4480	4480
	TFT-6036-PV	36	60	4	3328	3328
	TFT-6636-PV	36	66	4	3637	3637
	TFT-7236-PV	36	72	6	3760	3760
	TFT-7836-PV	36	78	6	4155	4155
	TFT-8436-PV	36	84	8	4287	4287
	TFT-9036-PV	36	90	8	4650	4650
	TFT-9636-PV	36	96	8	4790	4790
	TFT-6042-PV	42	60	4	3797	3797
	TFT-6642-PV	42	66	4	4161	4161
	TFT-7242-PV	42	72	6	4315	4315
	TFT-7842-PV	42	78	6	4778	4778
	TFT-8442-PV	42	84	8	4943	4943
	TFT-9042-PV	42	90	8	5372	5372
	TFT-9642-PV	42	96	8	5546	5546
	TFT-6048-PV	48	60	4	4110	4110
	TFT-6648-PV	48	66	4	4517	4517
	TFT-7248-PV	48	72	6	4696	4696
	TFT-7848-PV	48	78	6	5212	5212
	TFT-8448-PV	48	84	8	5404	5404
	TFT-9048-PV	48	90	8	5884	5884
	TFT-9648-PV	48	96	8	6086	6086

Soft Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price	
					Open Frame -OF	Post Metal Leg -ML
	TFF-6030-PV	30	60	4	3165	3165
	TFF-6630-PV	30	66	4	3447	3447
	TFF-7230-PV	30	72	6	3555	3555
	TFF-7830-PV	30	78	6	3915	3915
	TFF-8430-PV	30	84	8	4030	4030
	TFF-9030-PV	30	90	8	4360	4360
	TFF-9630-PV	30	96	8	4480	4480
	TFF-6036-PV	36	60	4	3328	3328
	TFF-6636-PV	36	66	4	3637	3637
	TFF-7236-PV	36	72	6	3760	3760
	TFF-7836-PV	36	78	6	4155	4155
	TFF-8436-PV	36	84	8	4287	4287
	TFF-9036-PV	36	90	8	4650	4650
	TFF-9636-PV	36	96	8	4790	4790
	TFF-6042-PV	42	60	4	3797	3797
	TFF-6642-PV	42	66	4	4161	4161
	TFF-7242-PV	42	72	6	4315	4315
	TFF-7842-PV	42	78	6	4778	4778
	TFF-8442-PV	42	84	8	4943	4943
	TFF-9042-PV	42	90	8	5372	5372
	TFF-9642-PV	42	96	8	5546	5546
	TFF-6048-PV	48	60	4	4110	4110
	TFF-6648-PV	48	66	4	4517	4517
	TFF-7248-PV	48	72	6	4696	4696
	TFF-7848-PV	48	78	6	5212	5212
	TFF-8448-PV	48	84	8	5404	5404
	TFF-9048-PV	48	90	8	5884	5884
	TFF-9648-PV	48	96	8	6086	6086

Options:

Power & Data Options
Polished Chrome Post Metal Leg
Polished Chrome Open Frame Base

See pages 90-96

Add -PCML

Add -PCOF

\$879

\$1,641


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Premium Veneer Species & Finish
- Choose Metal Finish only if -OF or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases



Two4Six Cut-Back Edge



Two4Six™ - Meeting Table

Inset Laminate Top with Hardwood Edge

Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price	
					Open Frame -OF	Post Metal Leg -ML
	TFT-6030-P	30	60	4	2719	2719
	TFT-6630-P	30	66	4	2961	2961
	TFT-7230-P	30	72	6	3054	3054
	TFT-7830-P	30	78	6	3364	3364
	TFT-8430-P	30	84	8	3462	3462
	TFT-9030-P	30	90	8	3746	3746
	TFT-9630-P	30	96	8	3849	3849
	TFT-6036-P	36	60	4	2859	2859
	TFT-6636-P	36	66	4	3125	3125
	TFT-7236-P	36	72	6	3231	3231
	TFT-7836-P	36	78	6	3570	3570
	TFT-8436-P	36	84	8	3683	3683
	TFT-9036-P	36	90	8	3995	3995
	TFT-9636-P	36	96	8	4115	4115
	TFT-6042-P	42	60	4	3262	3262
	TFT-6642-P	42	66	4	3574	3574
	TFT-7242-P	42	72	6	3707	3707
	TFT-7842-P	42	78	6	4105	4105
	TFT-8442-P	42	84	8	4246	4246
	TFT-9042-P	42	90	8	4615	4615
	TFT-9642-P	42	96	8	4764	4764
	TFT-6048-P	48	60	4	3531	3531
	TFT-6648-P	48	66	4	3881	3881
	TFT-7248-P	48	72	6	4035	4035
	TFT-7848-P	48	78	6	4478	4478
	TFT-8448-P	48	84	8	4642	4642
	TFT-9048-P	48	90	8	5055	5055
	TFT-9648-P	48	96	8	5228	5228

Soft Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price	
					Open Frame -OF	Post Metal Leg -ML
	TFF-6030-P	30	60	4	2719	2719
	TFF-6630-P	30	66	4	2961	2961
	TFF-7230-P	30	72	6	3054	3054
	TFF-7830-P	30	78	6	3364	3364
	TFF-8430-P	30	84	8	3462	3462
	TFF-9030-P	30	90	8	3746	3746
	TFF-9630-P	30	96	8	3849	3849
	TFF-6036-P	36	60	4	2859	2859
	TFF-6636-P	36	66	4	3125	3125
	TFF-7236-P	36	72	6	3231	3231
	TFF-7836-P	36	78	6	3570	3570
	TFF-8436-P	36	84	8	3683	3683
	TFF-9036-P	36	90	8	3995	3995
	TFF-9636-P	36	96	8	4115	4115
	TFF-6042-P	42	60	4	3262	3262
	TFF-6642-P	42	66	4	3574	3574
	TFF-7242-P	42	72	6	3707	3707
	TFF-7842-P	42	78	6	4105	4105
	TFF-8442-P	42	84	8	4246	4246
	TFF-9042-P	42	90	8	4615	4615
	TFF-9642-P	42	96	8	4764	4764
	TFF-6048-P	48	60	4	3531	3531
	TFF-6648-P	48	66	4	3881	3881
	TFF-7248-P	48	72	6	4035	4035
	TFF-7848-P	48	78	6	4478	4478
	TFF-8448-P	48	84	8	4642	4642
	TFF-9048-P	48	90	8	5055	5055
	TFF-9648-P	48	96	8	5228	5228

Options:

Power & Data Options
Polished Chrome Post Metal Leg
Polished Chrome Open Frame Base

See pages 90-96

Add -PCML

Add -PCOF

\$879

\$1,641


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Veneer or Premium Veneer Finish, if -WL bases are specified
- Choose Metal Finish only if -OF or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases



Two4Six Cut-Back Edge



Two4Six™ - Meeting Table

Laminate Top with ABS Edge

Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price	
					Open Frame -OF	Post Metal Leg -ML
	TFT-6030-PA	30	60	4	2719	2719
	TFT-6630-PA	30	66	4	2961	2961
	TFT-7230-PA	30	72	6	3054	3054
	TFT-7830-PA	30	78	6	3364	3364
	TFT-8430-PA	30	84	8	3462	3462
	TFT-9030-PA	30	90	8	3746	3746
	TFT-9630-PA	30	96	8	3849	3849
	TFT-6036-PA	36	60	4	2859	2859
	TFT-6636-PA	36	66	4	3125	3125
	TFT-7236-PA	36	72	6	3231	3231
	TFT-7836-PA	36	78	6	3570	3570
	TFT-8436-PA	36	84	8	3683	3683
	TFT-9036-PA	36	90	8	3995	3995
	TFT-9636-PA	36	96	8	4115	4115
	TFT-6042-PA	42	60	4	3262	3262
	TFT-6642-PA	42	66	4	3574	3574
	TFT-7242-PA	42	72	6	3707	3707
	TFT-7842-PA	42	78	6	4105	4105
	TFT-8442-PA	42	84	8	4246	4246
	TFT-9042-PA	42	90	8	4615	4615
	TFT-9642-PA	42	96	8	4764	4764
	TFT-6048-PA	48	60	4	3531	3531
	TFT-6648-PA	48	66	4	3881	3881
	TFT-7248-PA	48	72	6	4035	4035
	TFT-7848-PA	48	78	6	4478	4478
	TFT-8448-PA	48	84	8	4642	4642
	TFT-9048-PA	48	90	8	5055	5055
	TFT-9648-PA	48	96	8	5228	5228

Soft Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price	
					Open Frame -OF	Post Metal Leg -ML
	TFF-6030-PA	30	60	4	2719	2719
	TFF-6630-PA	30	66	4	2961	2961
	TFF-7230-PA	30	72	6	3054	3054
	TFF-7830-PA	30	78	6	3364	3364
	TFF-8430-PA	30	84	8	3462	3462
	TFF-9030-PA	30	90	8	3746	3746
	TFF-9630-PA	30	96	8	3849	3849
	TFF-6036-PA	36	60	4	2859	2859
	TFF-6636-PA	36	66	4	3125	3125
	TFF-7236-PA	36	72	6	3231	3231
	TFF-7836-PA	36	78	6	3570	3570
	TFF-8436-PA	36	84	8	3683	3683
	TFF-9036-PA	36	90	8	3995	3995
	TFF-9636-PA	36	96	8	4115	4115
	TFF-6042-PA	42	60	4	3262	3262
	TFF-6642-PA	42	66	4	3574	3574
	TFF-7242-PA	42	72	6	3707	3707
	TFF-7842-PA	42	78	6	4105	4105
	TFF-8442-PA	42	84	8	4246	4246
	TFF-9042-PA	42	90	8	4615	4615
	TFF-9642-PA	42	96	8	4764	4764
	TFF-6048-PA	48	60	4	3531	3531
	TFF-6648-PA	48	66	4	3881	3881
	TFF-7248-PA	48	72	6	4035	4035
	TFF-7848-PA	48	78	6	4478	4478
	TFF-8448-PA	48	84	8	4642	4642
	TFF-9048-PA	48	90	8	5055	5055
	TFF-9648-PA	48	96	8	5228	5228

Options:

Power & Data Options
Polished Chrome Post Metal Leg
Polished Chrome Open Frame Base

See pages 90-96

Add -PCML

Add -PCOF

\$879

\$1,641


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Veneer or Premium Veneer Finish, if -WL bases are specified
- Choose Metal Finish only if -OF or -ML bases specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases



Two4Six Cut-Back Edge



Two4Six™ - Meeting Table

Glass Top

Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price
					Open Frame -OF
	TFT-6030-G	30	60	4	3309
	TFT-6630-G	30	66	4	3603
	TFT-7230-G	30	72	6	3716
	TFT-7830-G	30	78	6	4093
	TFT-8430-G	30	84	8	4213
	TFT-9030-G	30	90	8	4558
	TFT-9630-G	30	96	8	4683
	TFT-6036-G	36	60	4	3479
	TFT-6636-G	36	66	4	3802
	TFT-7236-G	36	72	6	3931
	TFT-7836-G	36	78	6	4344
	TFT-8436-G	36	84	8	4482
	TFT-9036-G	36	90	8	4862
	TFT-9636-G	36	96	8	5008
	TFT-6042-G	42	60	4	3969
	TFT-6642-G	42	66	4	4350
	TFT-7242-G	42	72	6	4511
	TFT-7842-G	42	78	6	4995
	TFT-8442-G	42	84	8	5167
	TFT-9042-G	42	90	8	5616
	TFT-9642-G	42	96	8	5798
	TFT-6048-G	48	60	4	4297
	TFT-6648-G	48	66	4	4722
	TFT-7248-G	48	72	6	4910
	TFT-7848-G	48	78	6	5449
	TFT-8448-G	48	84	8	5649
	TFT-9048-G	48	90	8	6152
	TFT-9648-G	48	96	8	6362

Soft Rectangle	Model #	Width	Length	Recommended Seating Capacity	Open Frame
					-OF
	TFF-6030-G	30	60	4	3309
	TFF-6630-G	30	66	4	3603
	TFF-7230-G	30	72	6	3716
	TFF-7830-G	30	78	6	4093
	TFF-8430-G	30	84	8	4213
	TFF-9030-G	30	90	8	4558
	TFF-9630-G	30	96	8	4683
	TFF-6036-G	36	60	4	3479
	TFF-6636-G	36	66	4	3802
	TFF-7236-G	36	72	6	3931
	TFF-7836-G	36	78	6	4344
	TFF-8436-G	36	84	8	4482
	TFF-9036-G	36	90	8	4862
	TFF-9636-G	36	96	8	5008
	TFF-6042-G	42	60	4	3969
	TFF-6642-G	42	66	4	4350
	TFF-7242-G	42	72	6	4511
	TFF-7842-G	42	78	6	4995
	TFF-8442-G	42	84	8	5167
	TFF-9042-G	42	90	8	5616
	TFF-9642-G	42	96	8	5798
	TFF-6048-G	48	60	4	4297
	TFF-6648-G	48	66	4	4722
	TFF-7248-G	48	72	6	4910
	TFF-7848-G	48	78	6	5449
	TFF-8448-G	48	84	8	5649
	TFF-9048-G	48	90	8	6152
	TFF-9648-G	48	96	8	6362

Options:

Power & Data Options
Polished Chrome Open Frame Base
Satin Glass

See pages 90-96

Add -PCOF \$1,641
Add -TFSG \$480

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Metal Finish
- Choose Sub-Top Finish:
 - Paint Finish, or
 - Wood Species & Finish

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- One section of wire management channel provided per table



Two4Six Glass Edge



Two4Six™ - Meeting Table

Solid Surface Top

Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price
					Open Frame -OF
	TFT-6030-SS	30	60	4	3597
	TFT-6630-SS	30	66	4	3917
	TFT-7230-SS	30	72	6	4039
	TFT-7830-SS	30	78	6	4449
	TFT-8430-SS	30	84	8	4579
	TFT-9030-SS	30	90	8	4954
	TFT-9630-SS	30	96	8	5090
	TFT-6036-SS	36	60	4	3782
	TFT-6636-SS	36	66	4	4133
	TFT-7236-SS	36	72	6	4273
	TFT-7836-SS	36	78	6	4722
	TFT-8436-SS	36	84	8	4872
	TFT-9036-SS	36	90	8	5284
	TFT-9636-SS	36	96	8	5443
	TFT-6042-SS	42	60	4	4314
	TFT-6642-SS	42	66	4	4728
	TFT-7242-SS	42	72	6	4903
	TFT-7842-SS	42	78	6	5429
	TFT-8442-SS	42	84	8	5617
	TFT-9042-SS	42	90	8	6104
	TFT-9642-SS	42	96	8	6302
	TFT-6048-SS	48	60	4	4670
	TFT-6648-SS	48	66	4	5133
	TFT-7248-SS	48	72	6	5337
	TFT-7848-SS	48	78	6	5923
	TFT-8448-SS	48	84	8	6140
	TFT-9048-SS	48	90	8	6687
	TFT-9648-SS	48	96	8	6915

Soft Rectangle	Model #	Width	Length	Recommended Seating Capacity	Price
					Open Frame -OF
	TFF-6030-SS	30	60	4	3597
	TFF-6630-SS	30	66	4	3917
	TFF-7230-SS	30	72	6	4039
	TFF-7830-SS	30	78	6	4449
	TFF-8430-SS	30	84	8	4579
	TFF-9030-SS	30	90	8	4954
	TFF-9630-SS	30	96	8	5090
	TFF-6036-SS	36	60	4	3782
	TFF-6636-SS	36	66	4	4133
	TFF-7236-SS	36	72	6	4273
	TFF-7836-SS	36	78	6	4722
	TFF-8436-SS	36	84	8	4872
	TFF-9036-SS	36	90	8	5284
	TFF-9636-SS	36	96	8	5443
	TFF-6042-SS	42	60	4	4314
	TFF-6642-SS	42	66	4	4728
	TFF-7242-SS	42	72	6	4903
	TFF-7842-SS	42	78	6	5429
	TFF-8442-SS	42	84	8	5617
	TFF-9042-SS	42	90	8	6104
	TFF-9642-SS	42	96	8	6302
	TFF-6048-SS	48	60	4	4670
	TFF-6648-SS	48	66	4	5133
	TFF-7248-SS	48	72	6	5337
	TFF-7848-SS	48	78	6	5923
	TFF-8448-SS	48	84	8	6140
	TFF-9048-SS	48	90	8	6687
	TFF-9648-SS	48	96	8	6915

Options:

Power & Data Options
Polished Chrome Open Frame Base

See pages 90-96
Add -PCOF

\$1,641

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Solid Surface Finish
- Choose Metal Finish

General Information:

- Seating capacity based on 27" per person
- Overall table height 29.5"
- One section of wire management channel provided per table




Two4Six Solid Surface Edge



Two4Six™ - Media Table

60" Credenza Base - Seated Height

Veneer Top with Hardwood Edge and Veneer Case

D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating Capacity	Price	
							Open Frame -OF	Post Metal Leg -ML
	TFL-3060-V	30	60	29-1/2	60	3	6535	6535
	TFL-3066-V	30	66	29-1/2	60	3	6995	6995
	TFL-3072-V	30	72	29-1/2	60	3	7093	7093
	TFL-3078-V	30	78	29-1/2	60	5	7689	7689
	TFL-3084-V	30	84	29-1/2	60	5	7793	7793
	TFL-3090-V	30	90	29-1/2	60	5	8307	8307
	TFL-3096-V	30	96	29-1/2	60	5	8417	8417
	TFL-3660-V	36	60	29-1/2	60	3	6683	6683
	TFL-3666-V	36	66	29-1/2	60	3	7168	7168
	TFL-3672-V	36	72	29-1/2	60	3	7280	7280
	TFL-3678-V	36	78	29-1/2	60	5	7907	7907
	TFL-3684-V	36	84	29-1/2	60	5	8027	8027
	TFL-3690-V	36	90	29-1/2	60	5	8571	8571
	TFL-3696-V	36	96	29-1/2	60	5	8699	8699
	TFL-4260-V	42	60	29-1/2	60	3	7429	7429
	TFL-4266-V	42	66	29-1/2	60	3	7982	7982
	TFL-4272-V	42	72	29-1/2	60	3	8122	8122
	TFL-4278-V	42	78	29-1/2	60	5	8835	8835
	TFL-4284-V	42	84	29-1/2	60	5	8985	8985
	TFL-4290-V	42	90	29-1/2	60	5	9608	9608
	TFL-4296-V	42	96	29-1/2	60	5	9766	9766
	TFL-4860-V	48	60	29-1/2	60	3	7852	7852
	TFL-4866-V	48	66	29-1/2	60	3	8451	8451
	TFL-4872-V	48	72	29-1/2	60	3	8613	8613
	TFL-4878-V	48	78	29-1/2	60	5	9385	9385
	TFL-4884-V	48	84	29-1/2	60	5	9559	9559
	TFL-4890-V	48	90	29-1/2	60	5	10237	10237
	TFL-4896-V	48	96	29-1/2	60	5	10420	10420

Options:

Power & Data Options

60"-Wide Monitor Panel

Polished Chrome Post Metal Leg

Polished Chrome Open Frame Base

Pull-Out Waste/Recycling Unit (Left End Opening)
Lock

See pages 90-96


Add **-MP** \$1,977

Add **-PCML** \$427

Add **-PCOF** \$929

Add **-TE** \$330

Add **-L** \$165



Shown with optional Monitor Panel (-MP)


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" when monitor panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"




Two4Six Cut-Back Edge



Two4Six™ - Media Table

60" Credenza Base - Seated Height

Premium Veneer Top with Hardwood Edge and Premium Veneer Case

D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating Capacity	Price	
							Open Frame	Post Metal Leg
							-OF	-ML
	TFL-3060-PV	30	60	29-1/2	60	3	7189	7189
	TFL-3066-PV	30	66	29-1/2	60	3	7695	7695
	TFL-3072-PV	30	72	29-1/2	60	3	7803	7803
	TFL-3078-PV	30	78	29-1/2	60	5	8458	8458
	TFL-3084-PV	30	84	29-1/2	60	5	8573	8573
	TFL-3090-PV	30	90	29-1/2	60	5	9138	9138
	TFL-3096-PV	30	96	29-1/2	60	5	9259	9259
	TFL-3660-PV	36	60	29-1/2	60	3	7352	7352
	TFL-3666-PV	36	66	29-1/2	60	3	7885	7885
	TFL-3672-PV	36	72	29-1/2	60	3	8008	8008
	TFL-3678-PV	36	78	29-1/2	60	5	8698	8698
	TFL-3684-PV	36	84	29-1/2	60	5	8830	8830
	TFL-3690-PV	36	90	29-1/2	60	5	9429	9429
	TFL-3696-PV	36	96	29-1/2	60	5	9569	9569
	TFL-4260-PV	42	60	29-1/2	60	3	8172	8172
	TFL-4266-PV	42	66	29-1/2	60	3	8781	8781
	TFL-4272-PV	42	72	29-1/2	60	3	8935	8935
	TFL-4278-PV	42	78	29-1/2	60	5	9719	9719
	TFL-4284-PV	42	84	29-1/2	60	5	9884	9884
	TFL-4290-PV	42	90	29-1/2	60	5	10569	10569
	TFL-4296-PV	42	96	29-1/2	60	5	10743	10743
	TFL-4860-PV	48	60	29-1/2	60	3	8638	8638
	TFL-4866-PV	48	66	29-1/2	60	3	9297	9297
	TFL-4872-PV	48	72	29-1/2	60	3	9475	9475
	TFL-4878-PV	48	78	29-1/2	60	5	10324	10324
	TFL-4884-PV	48	84	29-1/2	60	5	10515	10515
	TFL-4890-PV	48	90	29-1/2	60	5	11261	11261
	TFL-4896-PV	48	96	29-1/2	60	5	11462	11462

Options:

Power & Data Options

60"-Wide Monitor Panel

Polished Chrome Post Metal Leg

Polished Chrome Open Frame Base

Pull-out Waste/Recycling Unit (Left End Opening)

Lock

See pages 90-96

Add **-MP**

Add **-PCML**

Add **-PCOF**

Add **-TE**

Add **-L**

\$1,977

\$427

\$929


\$330

\$165

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.


- Choose Premium Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)



Shown with optional Monitor Panel (-MP)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" when monitor panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"




Two4Six Cut-Back Edge




Two4Six™ - Media Table

60" Credenza Base - Seated Height

Inset Laminate Top with Hardwood Edge and Veneer Case



D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating Capacity	Price	
							Open Frame	Post Metal Leg
							-OF	-ML
	TFL-3060-P	30	60	29-1/2	60	3	6176	6176
	TFL-3066-P	30	66	29-1/2	60	3	6611	6611
	TFL-3072-P	30	72	29-1/2	60	3	6703	6703
	TFL-3078-P	30	78	29-1/2	60	5	7267	7267
	TFL-3084-P	30	84	29-1/2	60	5	7365	7365
	TFL-3090-P	30	90	29-1/2	60	5	7851	7851
	TFL-3096-P	30	96	29-1/2	60	5	7955	7955
	TFL-3660-P	36	60	29-1/2	60	3	6316	6316
	TFL-3666-P	36	66	29-1/2	60	3	6774	6774
	TFL-3672-P	36	72	29-1/2	60	3	6880	6880
	TFL-3678-P	36	78	29-1/2	60	5	7473	7473
	TFL-3684-P	36	84	29-1/2	60	5	7586	7586
	TFL-3690-P	36	90	29-1/2	60	5	8100	8100
	TFL-3696-P	36	96	29-1/2	60	5	8221	8221
	TFL-4260-P	42	60	29-1/2	60	3	7021	7021
	TFL-4266-P	42	66	29-1/2	60	3	7543	7543
	TFL-4272-P	42	72	29-1/2	60	3	7676	7676
	TFL-4278-P	42	78	29-1/2	60	5	8350	8350
	TFL-4284-P	42	84	29-1/2	60	5	8491	8491
	TFL-4290-P	42	90	29-1/2	60	5	9080	9080
	TFL-4296-P	42	96	29-1/2	60	5	9229	9229
	TFL-4860-P	48	60	29-1/2	60	3	7421	7421
	TFL-4866-P	48	66	29-1/2	60	3	7987	7987
	TFL-4872-P	48	72	29-1/2	60	3	8140	8140
	TFL-4878-P	48	78	29-1/2	60	5	8869	8869
	TFL-4884-P	48	84	29-1/2	60	5	9034	9034
	TFL-4890-P	48	90	29-1/2	60	5	9674	9674
	TFL-4896-P	48	96	29-1/2	60	5	9847	9847



Shown with optional Monitor Panel (-MP)

Options:

Power & Data Options

60"-Wide Monitor Panel

Polished Chrome Post Metal Leg

Polished Chrome Open Frame Base

Pull-out Waste/Recycling Unit (Left End Opening)

Lock

See pages 90-96

Add **-MP** \$1,977

Add **-PCML** \$427

Add **-PCOF** \$929

Add **-TE** \$330

Add **-L** \$165


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Veneer or Premium Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" when monitor panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"





Two4Six Cut-Back Edge



Two4Six™ - Media Table

60" Credenza Base - Seated Height

Laminate Top with ABS Edge and Veneer Case

D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating Capacity	Price	
							Open Frame -OF	Post Metal Leg -ML
	TFL-3060-PA	30	60	29-1/2	60	3	6176	6176
	TFL-3066-PA	30	66	29-1/2	60	3	6611	6611
	TFL-3072-PA	30	72	29-1/2	60	3	6703	6703
	TFL-3078-PA	30	78	29-1/2	60	5	7267	7267
	TFL-3084-PA	30	84	29-1/2	60	5	7365	7365
	TFL-3090-PA	30	90	29-1/2	60	5	7851	7851
	TFL-3096-PA	30	96	29-1/2	60	5	7955	7955
	TFL-3660-PA	36	60	29-1/2	60	3	6316	6316
	TFL-3666-PA	36	66	29-1/2	60	3	6774	6774
	TFL-3672-PA	36	72	29-1/2	60	3	6880	6880
	TFL-3678-PA	36	78	29-1/2	60	5	7473	7473
	TFL-3684-PA	36	84	29-1/2	60	5	7586	7586
	TFL-3690-PA	36	90	29-1/2	60	5	8100	8100
	TFL-3696-PA	36	96	29-1/2	60	5	8221	8221
	TFL-4260-PA	42	60	29-1/2	60	3	7021	7021
	TFL-4266-PA	42	66	29-1/2	60	3	7543	7543
	TFL-4272-PA	42	72	29-1/2	60	3	7676	7676
	TFL-4278-PA	42	78	29-1/2	60	5	8350	8350
	TFL-4284-PA	42	84	29-1/2	60	5	8491	8491
	TFL-4290-PA	42	90	29-1/2	60	5	9080	9080
	TFL-4296-PA	42	96	29-1/2	60	5	9229	9229
	TFL-4860-PA	48	60	29-1/2	60	3	7421	7421
	TFL-4866-PA	48	66	29-1/2	60	3	7987	7987
	TFL-4872-PA	48	72	29-1/2	60	3	8140	8140
	TFL-4878-PA	48	78	29-1/2	60	5	8869	8869
	TFL-4884-PA	48	84	29-1/2	60	5	9034	9034
	TFL-4890-PA	48	90	29-1/2	60	5	9674	9674
	TFL-4896-PA	48	96	29-1/2	60	5	9847	9847

Options:

Power & Data Options

60"-Wide Monitor Panel

Polished Chrome Post Metal Leg

Polished Chrome Open Frame Base

Pull-out Waste/Recycling Unit (Left End Opening)

Lock

See pages 90-96

Add **-MP** \$1,977

Add **-PCML** \$427

Add **-PCOF** \$929

Add **-TE** \$330

Add **-L** \$165


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Veneer or Premium Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" when monitor panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"



Two4Six Cut-Back Edge


Shown with optional Monitor Panel (-MP)




Two4Six™ - Media Table

60" Credenza Base - Seated Height

Glass Top with Veneer Case



D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating	Price
						Capacity	Open Frame -OF
	TFL-3060-G	30	60	29-1/2	60	3	7516
	TFL-3066-G	30	66	29-1/2	60	3	8045
	TFL-3072-G	30	72	29-1/2	60	3	8157
	TFL-3078-G	30	78	29-1/2	60	5	8843
	TFL-3084-G	30	84	29-1/2	60	5	8962
	TFL-3090-G	30	90	29-1/2	60	5	9554
	TFL-3096-G	30	96	29-1/2	60	5	9680
	TFL-3660-G	36	60	29-1/2	60	3	7686
	TFL-3666-G	36	66	29-1/2	60	3	8244
	TFL-3672-G	36	72	29-1/2	60	3	8372
	TFL-3678-G	36	78	29-1/2	60	5	9094
	TFL-3684-G	36	84	29-1/2	60	5	9232
	TFL-3690-G	36	90	29-1/2	60	5	9857
	TFL-3696-G	36	96	29-1/2	60	5	10004
	TFL-4260-G	42	60	29-1/2	60	3	8544
	TFL-4266-G	42	66	29-1/2	60	3	9180
	TFL-4272-G	42	72	29-1/2	60	3	9341
	TFL-4278-G	42	78	29-1/2	60	5	10161
	TFL-4284-G	42	84	29-1/2	60	5	10333
	TFL-4290-G	42	90	29-1/2	60	5	11050
	TFL-4296-G	42	96	29-1/2	60	5	11231
	TFL-4860-G	48	60	29-1/2	60	3	9030
	TFL-4866-G	48	66	29-1/2	60	3	9719
	TFL-4872-G	48	72	29-1/2	60	3	9905
	TFL-4878-G	48	78	29-1/2	60	5	10793
	TFL-4884-G	48	84	29-1/2	60	5	10993
	TFL-4890-G	48	90	29-1/2	60	5	11773
	TFL-4896-G	48	96	29-1/2	60	5	11983



Shown with optional Monitor Panel (-MP)

Options:

Power & Data Options

60"-Wide Monitor Panel

Polished Chrome Open Frame Base

Pull-out Waste/Recycling Unit (Left End Opening)

Lock

Satin Glass

See pages 90-96

Add **-MP**

Add **-PCOF**

Add **-TE**

Add **-L**

Add **-TFSG**

\$1,977

\$929

\$330

\$165

\$480


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Veneer Species & Finish if applicable
- Choose Paint Finish if -PA is specified
- Choose Metal Finish
- Choose Sub-Top Finish:
 - Paint Finish, or
 - Wood Species & Finish

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- All doors will be keyed alike if locks are specified
- Lock color will default to metal color
- Access door on the credenza base standard with a lock
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"




Two4Six Glass Edge




Two4Six™ - Media Table

60" Credenza Base - Seated Height
Solid Surface Top with Veneer Case



D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating	Price
						Capacity	Open Frame -OF
	TFL-3060-SS	30	60	29-1/2	60	3	8169
	TFL-3066-SS	30	66	29-1/2	60	3	8744
	TFL-3072-SS	30	72	29-1/2	60	3	8867
	TFL-3078-SS	30	78	29-1/2	60	5	9612
	TFL-3084-SS	30	84	29-1/2	60	5	9742
	TFL-3090-SS	30	90	29-1/2	60	5	10384
	TFL-3096-SS	30	96	29-1/2	60	5	10522
	TFL-3660-SS	36	60	29-1/2	60	3	8354
	TFL-3666-SS	36	66	29-1/2	60	3	8960
	TFL-3672-SS	36	72	29-1/2	60	3	9100
	TFL-3678-SS	36	78	29-1/2	60	5	9884
	TFL-3684-SS	36	84	29-1/2	60	5	10034
	TFL-3690-SS	36	90	29-1/2	60	5	10714
	TFL-3696-SS	36	96	29-1/2	60	5	10874
	TFL-4260-SS	42	60	29-1/2	60	3	9287
	TFL-4266-SS	42	66	29-1/2	60	3	9978
	TFL-4272-SS	42	72	29-1/2	60	3	10153
	TFL-4278-SS	42	78	29-1/2	60	5	11044
	TFL-4284-SS	42	84	29-1/2	60	5	11232
	TFL-4290-SS	42	90	29-1/2	60	5	12010
	TFL-4296-SS	42	96	29-1/2	60	5	12208
	TFL-4860-SS	48	60	29-1/2	60	3	9815
	TFL-4866-SS	48	66	29-1/2	60	3	10564
	TFL-4872-SS	48	72	29-1/2	60	3	10767
	TFL-4878-SS	48	78	29-1/2	60	5	11732
	TFL-4884-SS	48	84	29-1/2	60	5	11949
	TFL-4890-SS	48	90	29-1/2	60	5	12797
	TFL-4896-SS	48	96	29-1/2	60	5	13025



Shown with optional Monitor Panel (-MP)

Options:

Power & Data Options
60"-Wide Monitor Panel
Polished Chrome Open Frame Base
Pull-out Waste/Recycling Unit (Left End Opening)
Lock

See pages 90-96

Add **-MP** \$1,977
Add **-PCOF** \$929
Add **-TE** \$330
Add **-L** \$165


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Species & Finish if applicable
- Choose Paint Finish if -PA is specified
- Choose Metal Finish

General Information:

- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Adjustable shelves standard
- All doors will be keyed alike if locks are specified
- Lock color will default to metal color
- Access door on the credenza base standard with a lock
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"




Two4Six Solid Surface Edge




Two4Six™ - Media Table

72" Credenza Base - Seated Height

Veneer Top with Hardwood Edge and Veneer Case



D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating Capacity	Price	
							Open Frame -OF	Post Metal Leg -ML
	TFX-3060-V	30	60	29-1/2	72	3	6830	6830
	TFX-3066-V	30	66	29-1/2	72	3	7306	7306
	TFX-3072-V	30	72	29-1/2	72	3	7404	7404
	TFX-3078-V	30	78	29-1/2	72	5	8022	8022
	TFX-3084-V	30	84	29-1/2	72	5	8126	8126
	TFX-3090-V	30	90	29-1/2	72	5	8657	8657
	TFX-3096-V	30	96	29-1/2	72	5	8767	8767
	TFX-3660-V	36	60	29-1/2	72	3	6978	6978
	TFX-3666-V	36	66	29-1/2	72	3	7479	7479
	TFX-3672-V	36	72	29-1/2	72	3	7591	7591
	TFX-3678-V	36	78	29-1/2	72	5	8240	8240
	TFX-3684-V	36	84	29-1/2	72	5	8360	8360
	TFX-3690-V	36	90	29-1/2	72	5	8921	8921
	TFX-3696-V	36	96	29-1/2	72	5	9049	9049
	TFX-4260-V	42	60	29-1/2	72	3	7750	7750
	TFX-4266-V	42	66	29-1/2	72	3	8320	8320
	TFX-4272-V	42	72	29-1/2	72	3	8460	8460
	TFX-4278-V	42	78	29-1/2	72	5	9197	9197
	TFX-4284-V	42	84	29-1/2	72	5	9347	9347
	TFX-4290-V	42	90	29-1/2	72	5	9989	9989
	TFX-4296-V	42	96	29-1/2	72	5	10146	10146
	TFX-4860-V	48	60	29-1/2	72	3	8183	8183
	TFX-4866-V	48	66	29-1/2	72	3	8801	8801
	TFX-4872-V	48	72	29-1/2	72	3	8963	8963
	TFX-4878-V	48	78	29-1/2	72	5	9759	9759
	TFX-4884-V	48	84	29-1/2	72	5	9933	9933
	TFX-4890-V	48	90	29-1/2	72	5	10631	10631
	TFX-4896-V	48	96	29-1/2	72	5	10814	10814



Shown with optional Monitor Panel (-MP)

Options:

Power & Data Options

72"-Wide Monitor Panel

Polished Chrome Post Metal Leg

Polished Chrome Open Frame Base

Pull-out Waste/Recycling Unit (Left End Opening)

Sliding Equipment Rack (Right End Opening)

Lock

See pages 90-96

Add **-MP** \$2,132

Add **-PCML** \$427

Add **-PCOF** \$929

Add **-TE** \$330

Add **-R1** \$2,443

Add **-L** \$165


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish, if -OF or - ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" when monitor panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left end of unit if specified
- Sliding Equipment Rack is located on the right end of the unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically controlled fan activates automatically at 87° F and turns off at 85° F
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"




Two4Six Cut-Back Edge




Two4Six™ - Media Table

72" Credenza Base - Seated Height

Premium Veneer Top with Hardwood Edge and Premium Veneer Case

D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating Capacity	Price	
							Open Frame -OF	Post Metal Leg -ML
	TFX-3060-PV	30	60	29-1/2	72	3	7513	7513
	TFX-3066-PV	30	66	29-1/2	72	3	8037	8037
	TFX-3072-PV	30	72	29-1/2	72	3	8145	8145
	TFX-3078-PV	30	78	29-1/2	72	5	8825	8825
	TFX-3084-PV	30	84	29-1/2	72	5	8939	8939
	TFX-3090-PV	30	90	29-1/2	72	5	9523	9523
	TFX-3096-PV	30	96	29-1/2	72	5	9644	9644
	TFX-3660-PV	36	60	29-1/2	72	3	7676	7676
	TFX-3666-PV	36	66	29-1/2	72	3	8227	8227
	TFX-3672-PV	36	72	29-1/2	72	3	8351	8351
	TFX-3678-PV	36	78	29-1/2	72	5	9064	9064
	TFX-3684-PV	36	84	29-1/2	72	5	9196	9196
	TFX-3690-PV	36	90	29-1/2	72	5	9814	9814
	TFX-3696-PV	36	96	29-1/2	72	5	9954	9954
	TFX-4260-PV	42	60	29-1/2	72	3	8525	8525
	TFX-4266-PV	42	66	29-1/2	72	3	9152	9152
	TFX-4272-PV	42	72	29-1/2	72	3	9306	9306
	TFX-4278-PV	42	78	29-1/2	72	5	10117	10117
	TFX-4284-PV	42	84	29-1/2	72	5	10282	10282
	TFX-4290-PV	42	90	29-1/2	72	5	10988	10988
	TFX-4296-PV	42	96	29-1/2	72	5	11161	11161
	TFX-4860-PV	48	60	29-1/2	72	3	9002	9002
	TFX-4866-PV	48	66	29-1/2	72	3	9682	9682
	TFX-4872-PV	48	72	29-1/2	72	3	9860	9860
	TFX-4878-PV	48	78	29-1/2	72	5	10735	10735
	TFX-4884-PV	48	84	29-1/2	72	5	10927	10927
	TFX-4890-PV	48	90	29-1/2	72	5	11695	11695
	TFX-4896-PV	48	96	29-1/2	72	5	11896	11896



Shown with optional Monitor Panel (-MP)

Options:

Power & Data Options	See pages 90-96	
72"-Wide Monitor Panel	Add -MP	\$2,132
Polished Chrome Post Metal Leg	Add -PCML	\$427
Polished Chrome Open Frame Base	Add -PCOF	\$929
Pull-out Waste/Recycling Unit (Left End Opening)	Add -TE	\$330
Sliding Equipment Rack (Right End Opening)	Add -R1	\$2,443
Lock	Add -L	\$165


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Premium Veneer Species & Finish, if applicable
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" when monitor panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Sliding Equipment Rack is located on the right side of the unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically controlled fan activates automatically at 87° F and turns off at 85° F
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"




Two4Six Cut-Back Edge




Two4Six™ - Media Table

72" Credenza Base - Seated Height

Inset Laminate Top with Hardwood Edge and Veneer Case



D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating Capacity	Price	
							Open Frame -OF	Post Metal Leg -ML
	TFX-3060-P	30	60	29-1/2	72	3	6455	6455
	TFX-3066-P	30	66	29-1/2	72	3	6905	6905
	TFX-3072-P	30	72	29-1/2	72	3	6997	6997
	TFX-3078-P	30	78	29-1/2	72	5	7581	7581
	TFX-3084-P	30	84	29-1/2	72	5	7680	7680
	TFX-3090-P	30	90	29-1/2	72	5	8181	8181
	TFX-3096-P	30	96	29-1/2	72	5	8285	8285
	TFX-3660-P	36	60	29-1/2	72	3	6595	6595
	TFX-3666-P	36	66	29-1/2	72	3	7068	7068
	TFX-3672-P	36	72	29-1/2	72	3	7174	7174
	TFX-3678-P	36	78	29-1/2	72	5	7787	7787
	TFX-3684-P	36	84	29-1/2	72	5	7901	7901
	TFX-3690-P	36	90	29-1/2	72	5	8431	8431
	TFX-3696-P	36	96	29-1/2	72	5	8552	8552
	TFX-4260-P	42	60	29-1/2	72	3	7324	7324
	TFX-4266-P	42	66	29-1/2	72	3	7863	7863
	TFX-4272-P	42	72	29-1/2	72	3	7995	7995
	TFX-4278-P	42	78	29-1/2	72	5	8692	8692
	TFX-4284-P	42	84	29-1/2	72	5	8833	8833
	TFX-4290-P	42	90	29-1/2	72	5	9440	9440
	TFX-4296-P	42	96	29-1/2	72	5	9588	9588
	TFX-4860-P	48	60	29-1/2	72	3	7733	7733
	TFX-4866-P	48	66	29-1/2	72	3	8317	8317
	TFX-4872-P	48	72	29-1/2	72	3	8471	8471
	TFX-4878-P	48	78	29-1/2	72	5	9223	9223
	TFX-4884-P	48	84	29-1/2	72	5	9387	9387
	TFX-4890-P	48	90	29-1/2	72	5	10047	10047
	TFX-4896-P	48	96	29-1/2	72	5	10220	10220



Shown with optional Monitor Panel (-MP)

Options:

Power & Data Options	See pages 90-96
72"-Wide Monitor Panel	Add -MP \$2,132
Polished Chrome Post Metal Leg	Add -PCML \$427
Polished Chrome Open Frame Base	Add -PCOF \$929
Pull-out Waste/Recycling Unit (Left End Opening)	Add -TE \$330
Sliding Equipment Rack (Right End Opening)	Add -R1 \$2,443
Lock	Add -L \$165


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Veneer or Premium Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" when monitor panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left end of unit if specified
- Sliding Equipment Rack is located on the right end of the unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically controlled fan activates automatically at 87° F and turns off at 85° F
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"




Two4Six Cut-Back Edge




Two4Six™ - Media Table

72" Credenza Base - Seated Height

Laminate Top with ABS Edge and Veneer Case

D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating Capacity	Price	
							Open Frame -OF	Post Metal Leg -ML
	TFX-3060-PA	30	60	29-1/2	72	3	6455	6455
	TFX-3066-PA	30	66	29-1/2	72	3	6905	6905
	TFX-3072-PA	30	72	29-1/2	72	3	6997	6997
	TFX-3078-PA	30	78	29-1/2	72	5	7581	7581
	TFX-3084-PA	30	84	29-1/2	72	5	7680	7680
	TFX-3090-PA	30	90	29-1/2	72	5	8181	8181
	TFX-3096-PA	30	96	29-1/2	72	5	8285	8285
	TFX-3660-PA	36	60	29-1/2	72	3	6595	6595
	TFX-3666-PA	36	66	29-1/2	72	3	7068	7068
	TFX-3672-PA	36	72	29-1/2	72	3	7174	7174
	TFX-3678-PA	36	78	29-1/2	72	5	7787	7787
	TFX-3684-PA	36	84	29-1/2	72	5	7901	7901
	TFX-3690-PA	36	90	29-1/2	72	5	8431	8431
	TFX-3696-PA	36	96	29-1/2	72	5	8552	8552
	TFX-4260-PA	42	60	29-1/2	72	3	7324	7324
	TFX-4266-PA	42	66	29-1/2	72	3	7863	7863
	TFX-4272-PA	42	72	29-1/2	72	3	7995	7995
	TFX-4278-PA	42	78	29-1/2	72	5	8692	8692
	TFX-4284-PA	42	84	29-1/2	72	5	8833	8833
	TFX-4290-PA	42	90	29-1/2	72	5	9440	9440
	TFX-4296-PA	42	96	29-1/2	72	5	9588	9588
	TFX-4860-PA	48	60	29-1/2	72	3	7733	7733
	TFX-4866-PA	48	66	29-1/2	72	3	8317	8317
	TFX-4872-PA	48	72	29-1/2	72	3	8471	8471
	TFX-4878-PA	48	78	29-1/2	72	5	9223	9223
	TFX-4884-PA	48	84	29-1/2	72	5	9387	9387
	TFX-4890-PA	48	90	29-1/2	72	5	10047	10047
	TFX-4896-PA	48	96	29-1/2	72	5	10220	10220



Shown with optional Monitor Panel (-MP)

Options:

Power & Data Options	See pages 90-96	
72"-Wide Monitor Panel	Add -MP	\$2,132
Polished Chrome Post Metal Leg	Add -PCML	\$427
Polished Chrome Open Frame Base	Add -PCOF	\$929
Pull-out Waste/Recycling Unit (Left End Opening)	Add -TE	\$330
Sliding Equipment Rack (Right End Opening)	Add -R1	\$2,443
Lock	Add -L	\$165


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Veneer or Premium Veneer Species & Finish
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 29.5". Overall height 78" when monitor panel is specified.
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left end of unit if specified
- Sliding Equipment Rack is located on the right end of the unit if specified
- Adjustable shelves standard
- Access door on the credenza base standard with a lock. All doors will be keyed alike if locks are specified.
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically controlled fan activates automatically at 87° F and turns off at 85° F
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"




Two4Six Cut-Back Edge




Two4Six™ - Media Table

72" Credenza Base - Seated Height

Glass Top with Veneer Case



D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating	Price
						Capacity	Open Frame -OF
	TFX-3060-G	30	60	29-1/2	72	3	7855
	TFX-3066-G	30	66	29-1/2	72	3	8402
	TFX-3072-G	30	72	29-1/2	72	3	8515
	TFX-3078-G	30	78	29-1/2	72	5	9226
	TFX-3084-G	30	84	29-1/2	72	5	9345
	TFX-3090-G	30	90	29-1/2	72	5	9956
	TFX-3096-G	30	96	29-1/2	72	5	10083
	TFX-3660-G	36	60	29-1/2	72	3	8025
	TFX-3666-G	36	66	29-1/2	72	3	8601
	TFX-3672-G	36	72	29-1/2	72	3	8730
	TFX-3678-G	36	78	29-1/2	72	5	9476
	TFX-3684-G	36	84	29-1/2	72	5	9614
	TFX-3690-G	36	90	29-1/2	72	5	10260
	TFX-3696-G	36	96	29-1/2	72	5	10407
	TFX-4260-G	42	60	29-1/2	72	3	8913
	TFX-4266-G	42	66	29-1/2	72	3	9568
	TFX-4272-G	42	72	29-1/2	72	3	9729
	TFX-4278-G	42	78	29-1/2	72	5	10577
	TFX-4284-G	42	84	29-1/2	72	5	10750
	TFX-4290-G	42	90	29-1/2	72	5	11488
	TFX-4296-G	42	96	29-1/2	72	5	11668
	TFX-4860-G	48	60	29-1/2	72	3	9411
	TFX-4866-G	48	66	29-1/2	72	3	10122
	TFX-4872-G	48	72	29-1/2	72	3	10308
	TFX-4878-G	48	78	29-1/2	72	5	11223
	TFX-4884-G	48	84	29-1/2	72	5	11423
	TFX-4890-G	48	90	29-1/2	72	5	12226
	TFX-4896-G	48	96	29-1/2	72	5	12437



Shown with optional Monitor Panel (-MP)

Options:

Power & Data Options

72"-Wide Monitor Panel

Polished Chrome Open Frame Base

Pull-out Waste/Recycling Unit (Left End Opening)

Sliding Equipment Rack (Right End Opening)

Lock

Satin Glass

See pages 90-96

Add **-MP** \$2,132

Add **-PCOF** \$929

Add **-TE** \$330

Add **-R1** \$2,443

Add **-L** \$165

Add **-TFSG** \$480


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Veneer Species & Finish
- Choose Paint Finish if -PA is specified
- Choose Metal Finish
- Choose Sub-Top Finish:
 - Paint Finish, or
 - Wood Species & Finish

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Sliding Equipment Rack is located on the right side of the unit if specified
- Adjustable shelves standard
- All doors will be keyed alike if locks are specified
- Lock color will default to metal color
- The access door on the credenza base is standard with a lock
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically controlled fan activates automatically at 87 degrees and turns off at 85 degrees
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"




Two4Six Glass Edge




Two4Six™ - Media Table

72" Credenza Base - Seated Height
Solid Surface Top with Veneer Case



D-Shape	Model #	Width	Length	Height	Credenza Base	Recommended Seating	Price
						Capacity	Open Frame -OF
	TFX-3060-SS	30	60	29-1/2	72	3	8538
	TFX-3066-SS	30	66	29-1/2	72	3	9133
	TFX-3072-SS	30	72	29-1/2	72	3	9255
	TFX-3078-SS	30	78	29-1/2	72	5	10028
	TFX-3084-SS	30	84	29-1/2	72	5	10158
	TFX-3090-SS	30	90	29-1/2	72	5	10822
	TFX-3096-SS	30	96	29-1/2	72	5	10959
	TFX-3660-SS	36	60	29-1/2	72	3	8723
	TFX-3666-SS	36	66	29-1/2	72	3	9349
	TFX-3672-SS	36	72	29-1/2	72	3	9489
	TFX-3678-SS	36	78	29-1/2	72	5	10300
	TFX-3684-SS	36	84	29-1/2	72	5	10450
	TFX-3690-SS	36	90	29-1/2	72	5	11152
	TFX-3696-SS	36	96	29-1/2	72	5	11312
	TFX-4260-SS	42	60	29-1/2	72	3	9688
	TFX-4266-SS	42	66	29-1/2	72	3	10400
	TFX-4272-SS	42	72	29-1/2	72	3	10575
	TFX-4278-SS	42	78	29-1/2	72	5	11497
	TFX-4284-SS	42	84	29-1/2	72	5	11684
	TFX-4290-SS	42	90	29-1/2	72	5	12487
	TFX-4296-SS	42	96	29-1/2	72	5	12683
	TFX-4860-SS	48	60	29-1/2	72	3	10229
	TFX-4866-SS	48	66	29-1/2	72	3	11002
	TFX-4872-SS	48	72	29-1/2	72	3	11204
	TFX-4878-SS	48	78	29-1/2	72	5	12199
	TFX-4884-SS	48	84	29-1/2	72	5	12417
	TFX-4890-SS	48	90	29-1/2	72	5	13289
	TFX-4896-SS	48	96	29-1/2	72	5	13518



Shown with optional Monitor Panel (-MP)

Options:

Power & Data Options	See pages 90-96	
72"-Wide Monitor Panel	Add -MP	\$2,132
Polished Chrome Open Frame Base	Add -PCOF	\$929
Pull-out Waste/Recycling Unit (Left End Opening)	Add -TE	\$330
Sliding Equipment Rack (Right End Opening)	Add -R1	\$2,443
Lock	Add -L	\$165


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Species & Finish
- Choose Paint Finish if -PA is specified
- Choose Metal Finish

General Information:

- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Pull-Out Waste/Recycling option is located on left side of unit if specified
- Sliding Equipment Rack is located on the right side of the unit if specified
- Adjustable shelves standard
- All doors will be keyed alike if locks are specified
- Lock color will default to metal color
- The access door on the credenza base is standard with a lock
- Equipment Rack - 12RU with thermostatically controlled fan
- Thermostatically controlled fan activates automatically at 87 degrees and turns off at 85 degrees
- Credenza base is 22" deep, the monitor panel adds 2" making the depth 24"
- Plinth base is veneer and recessed 1" on all sides
- One section of wire management channel provided per table
- Pull-Out Waste/Recycling Bin size: 14" x 10-1/2" x 18"



Two4Six Solid Surface Edge




Two4Six™ - Media Table

Slab Base - Seated Height

Veneer Top with Hardwood Edge

Price

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	Open Frame	Post Metal Leg
						-OF	-ML
	TFE-3060-V []	30	60	29-1/2	5	2874	2874
	TFE-3066-V []	30	66	29-1/2	5	3130	3130
	TFE-3072-V []	30	72	29-1/2	5	3228	3228
	TFE-3078-V []	30	78	29-1/2	5	3556	3556
	TFE-3084-V []	30	84	29-1/2	7	3660	3660
	TFE-3090-V []	30	90	29-1/2	7	3959	3959
	TFE-3096-V []	30	96	29-1/2	7	4069	4069
	TFE-3660-V []	36	60	29-1/2	5	3022	3022
	TFE-3666-V []	36	66	29-1/2	5	3303	3303
	TFE-3672-V []	36	72	29-1/2	5	3415	3415
	TFE-3678-V []	36	78	29-1/2	5	3774	3774
	TFE-3684-V []	36	84	29-1/2	7	3894	3894
	TFE-3690-V []	36	90	29-1/2	7	4223	4223
	TFE-3696-V []	36	96	29-1/2	7	4351	4351
	TFE-4260-V []	42	60	29-1/2	5	3448	3448
	TFE-4266-V []	42	66	29-1/2	5	3779	3779
	TFE-4272-V []	42	72	29-1/2	5	3918	3918
	TFE-4278-V []	42	78	29-1/2	5	4340	4340
	TFE-4284-V []	42	84	29-1/2	7	4490	4490
	TFE-4290-V []	42	90	29-1/2	7	4880	4880
	TFE-4296-V []	42	96	29-1/2	7	5037	5037
	TFE-4860-V []	48	60	29-1/2	5	3733	3733
	TFE-4866-V []	48	66	29-1/2	5	4103	4103
	TFE-4872-V []	48	72	29-1/2	5	4265	4265
	TFE-4878-V []	48	78	29-1/2	5	4735	4735
	TFE-4884-V []	48	84	29-1/2	7	4909	4909
	TFE-4890-V []	48	90	29-1/2	7	5345	5345
	TFE-4896-V []	48	96	29-1/2	7	5528	5528

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Post Metal Leg
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCML** \$427
Add **-PCOF** \$929



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish, if -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high



Two4Six Cut-Back Edge



Two4Six™ - Media Table

Slab Base - Seated Height

Premium Veneer Top with Hardwood Edge

Price

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	Open Frame		Post Metal Leg
						-OF	-ML	
	TFE-3060-PV []	30	60	29-1/2	5	3162	3162	
	TFE-3066-PV []	30	66	29-1/2	5	3443	3443	
	TFE-3072-PV []	30	72	29-1/2	5	3551	3551	
	TFE-3078-PV []	30	78	29-1/2	5	3912	3912	
	TFE-3084-PV []	30	84	29-1/2	7	4026	4026	
	TFE-3090-PV []	30	90	29-1/2	7	4355	4355	
	TFE-3096-PV []	30	96	29-1/2	7	4476	4476	
	TFE-3660-PV []	36	60	29-1/2	5	3325	3325	
	TFE-3666-PV []	36	66	29-1/2	5	3634	3634	
	TFE-3672-PV []	36	72	29-1/2	5	3757	3757	
	TFE-3678-PV []	36	78	29-1/2	5	4152	4152	
	TFE-3684-PV []	36	84	29-1/2	7	4284	4284	
	TFE-3690-PV []	36	90	29-1/2	7	4646	4646	
	TFE-3696-PV []	36	96	29-1/2	7	4787	4787	
	TFE-4260-PV []	42	60	29-1/2	5	3793	3793	
	TFE-4266-PV []	42	66	29-1/2	5	4157	4157	
	TFE-4272-PV []	42	72	29-1/2	5	4310	4310	
	TFE-4278-PV []	42	78	29-1/2	5	4774	4774	
	TFE-4284-PV []	42	84	29-1/2	7	4939	4939	
	TFE-4290-PV []	42	90	29-1/2	7	5368	5368	
	TFE-4296-PV []	42	96	29-1/2	7	5541	5541	
	TFE-4860-PV []	48	60	29-1/2	5	4107	4107	
	TFE-4866-PV []	48	66	29-1/2	5	4514	4514	
	TFE-4872-PV []	48	72	29-1/2	5	4692	4692	
	TFE-4878-PV []	48	78	29-1/2	5	5209	5209	
	TFE-4884-PV []	48	84	29-1/2	7	5400	5400	
	TFE-4890-PV []	48	90	29-1/2	7	5880	5880	
	TFE-4896-PV []	48	96	29-1/2	7	6081	6081	

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Post Metal Leg
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCML** \$427
Add **-PCOF** \$929



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Premium Veneer Species & Finish, if -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high



Two4Six Cut-Back Edge




Two4Six™ - Media Table

Slab Base - Seated Height

Inset Laminate Top with Hardwood Edge

Price

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	Open Frame	Post Metal Leg
						-OF	-ML
	TFE-3060-P []	30	60	29-1/2	5	2716	2716
	TFE-3066-P []	30	66	29-1/2	5	2958	2958
	TFE-3072-P []	30	72	29-1/2	5	3051	3051
	TFE-3078-P []	30	78	29-1/2	5	3361	3361
	TFE-3084-P []	30	84	29-1/2	7	3459	3459
	TFE-3090-P []	30	90	29-1/2	7	3742	3742
	TFE-3096-P []	30	96	29-1/2	7	3846	3846
	TFE-3660-P []	36	60	29-1/2	5	2856	2856
	TFE-3666-P []	36	66	29-1/2	5	3122	3122
	TFE-3672-P []	36	72	29-1/2	5	3228	3228
	TFE-3678-P []	36	78	29-1/2	5	3567	3567
	TFE-3684-P []	36	84	29-1/2	7	3680	3680
	TFE-3690-P []	36	90	29-1/2	7	3991	3991
	TFE-3696-P []	36	96	29-1/2	7	4112	4112
	TFE-4260-P []	42	60	29-1/2	5	3259	3259
	TFE-4266-P []	42	66	29-1/2	5	3572	3572
	TFE-4272-P []	42	72	29-1/2	5	3703	3703
	TFE-4278-P []	42	78	29-1/2	5	4102	4102
	TFE-4284-P []	42	84	29-1/2	7	4244	4244
	TFE-4290-P []	42	90	29-1/2	7	4612	4612
	TFE-4296-P []	42	96	29-1/2	7	4760	4760
	TFE-4860-P []	48	60	29-1/2	5	3528	3528
	TFE-4866-P []	48	66	29-1/2	5	3878	3878
	TFE-4872-P []	48	72	29-1/2	5	4031	4031
	TFE-4878-P []	48	78	29-1/2	5	4475	4475
	TFE-4884-P []	48	84	29-1/2	7	4640	4640
	TFE-4890-P []	48	90	29-1/2	7	5052	5052
	TFE-4896-P []	48	96	29-1/2	7	5224	5224

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Post Metal Leg
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCML** \$427
Add **-PCOF** \$929



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Veneer or Premium Veneer Species & Finish, if -V or -WL Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only




Two4Six Cut-Back Edge



Two4Six™ - Media Table

Slab Base - Seated Height
Laminate Top with ABS Edge

Price

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	Open Frame	Post Metal Leg
						-OF	-ML
	TFE-3060-PA []	30	60	29-1/2	5	2716	2716
	TFE-3066-PA []	30	66	29-1/2	5	2958	2958
	TFE-3072-PA []	30	72	29-1/2	5	3051	3051
	TFE-3078-PA []	30	78	29-1/2	5	3361	3361
	TFE-3084-PA []	30	84	29-1/2	7	3459	3459
	TFE-3090-PA []	30	90	29-1/2	7	3742	3742
	TFE-3096-PA []	30	96	29-1/2	7	3846	3846
	TFE-3660-PA []	36	60	29-1/2	5	2856	2856
	TFE-3666-PA []	36	66	29-1/2	5	3122	3122
	TFE-3672-PA []	36	72	29-1/2	5	3228	3228
	TFE-3678-PA []	36	78	29-1/2	5	3567	3567
	TFE-3684-PA []	36	84	29-1/2	7	3680	3680
	TFE-3690-PA []	36	90	29-1/2	7	3991	3991
	TFE-3696-PA []	36	96	29-1/2	7	4112	4112
	TFE-4260-PA []	42	60	29-1/2	5	3259	3259
	TFE-4266-PA []	42	66	29-1/2	5	3572	3572
	TFE-4272-PA []	42	72	29-1/2	5	3703	3703
	TFE-4278-PA []	42	78	29-1/2	5	4102	4102
	TFE-4284-PA []	42	84	29-1/2	7	4244	4244
	TFE-4290-PA []	42	90	29-1/2	7	4612	4612
	TFE-4296-PA []	42	96	29-1/2	7	4760	4760
	TFE-4860-PA []	48	60	29-1/2	5	3528	3528
	TFE-4866-PA []	48	66	29-1/2	5	3878	3878
	TFE-4872-PA []	48	72	29-1/2	5	4031	4031
	TFE-4878-PA []	48	78	29-1/2	5	4475	4475
	TFE-4884-PA []	48	84	29-1/2	7	4640	4640
	TFE-4890-PA []	48	90	29-1/2	7	5052	5052
	TFE-4896-PA []	48	96	29-1/2	7	5224	5224

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options

See pages 90-96


42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Post Metal Leg
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCML** \$427
Add **-PCOF** \$929

Shown with optional Monitor Panel




REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Veneer or Premium Veneer Species & Finish, if -V or -WL Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish, if -OF or -ML Base is specified (Clear Anodized (-CA) is an option on the Post Metal Leg only)

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only



Two4Six Cut-Back Edge



Two4Six™ - Media Table

Slab Base - Seated Height
Glass Top

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	Price	
						Open Frame	-OF
	TFE-3060-G []	30	60	29-1/2	5		3306
	TFE-3066-G []	30	66	29-1/2	5		3600
	TFE-3072-G []	30	72	29-1/2	5		3713
	TFE-3078-G []	30	78	29-1/2	5		4090
	TFE-3084-G []	30	84	29-1/2	7		4209
	TFE-3090-G []	30	90	29-1/2	7		4553
	TFE-3096-G []	30	96	29-1/2	7		4680
	TFE-3660-G []	36	60	29-1/2	5		3476
	TFE-3666-G []	36	66	29-1/2	5		3799
	TFE-3672-G []	36	72	29-1/2	5		3928
	TFE-3678-G []	36	78	29-1/2	5		4341
	TFE-3684-G []	36	84	29-1/2	7		4479
	TFE-3690-G []	36	90	29-1/2	7		4857
	TFE-3696-G []	36	96	29-1/2	7		5004
	TFE-4260-G []	42	60	29-1/2	5		3966
	TFE-4266-G []	42	66	29-1/2	5		4346
	TFE-4272-G []	42	72	29-1/2	5		4506
	TFE-4278-G []	42	78	29-1/2	5		4991
	TFE-4284-G []	42	84	29-1/2	7		5164
	TFE-4290-G []	42	90	29-1/2	7		5612
	TFE-4296-G []	42	96	29-1/2	7		5793
	TFE-4860-G []	48	60	29-1/2	5		4293
	TFE-4866-G []	48	66	29-1/2	5		4719
	TFE-4872-G []	48	72	29-1/2	5		4905
	TFE-4878-G []	48	78	29-1/2	5		5446
	TFE-4884-G []	48	84	29-1/2	7		5646
	TFE-4890-G []	48	90	29-1/2	7		6147
	TFE-4896-G []	48	96	29-1/2	7		6358

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base
Satin Glass

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$929
Add **-TFSG** \$480



Shown with optional Monitor Panel

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Veneer Species & Finish if applicable
- Choose Paint Finish if -PS Base is specified
- Choose Metal Finish
- Choose Sub-Top Finish:
 - Paint Finish, or
 - Wood Species & Finish

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only




Two4Six Glass Edge



Two4Six™ - Media Table

Slab Base - Seated Height

Solid Surface Top

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	Price
						Open Frame -OF
	TFE-3060-SS []	30	60	29-1/2	5	3593
	TFE-3066-SS []	30	66	29-1/2	5	3913
	TFE-3072-SS []	30	72	29-1/2	5	4035
	TFE-3078-SS []	30	78	29-1/2	5	4445
	TFE-3084-SS []	30	84	29-1/2	7	4575
	TFE-3090-SS []	30	90	29-1/2	7	4949
	TFE-3096-SS []	30	96	29-1/2	7	5087
	TFE-3660-SS []	36	60	29-1/2	5	3778
	TFE-3666-SS []	36	66	29-1/2	5	4129
	TFE-3672-SS []	36	72	29-1/2	5	4269
	TFE-3678-SS []	36	78	29-1/2	5	4718
	TFE-3684-SS []	36	84	29-1/2	7	4868
	TFE-3690-SS []	36	90	29-1/2	7	5279
	TFE-3696-SS []	36	96	29-1/2	7	5439
	TFE-4260-SS []	42	60	29-1/2	5	4310
	TFE-4266-SS []	42	66	29-1/2	5	4724
	TFE-4272-SS []	42	72	29-1/2	5	4898
	TFE-4278-SS []	42	78	29-1/2	5	5425
	TFE-4284-SS []	42	84	29-1/2	7	5613
	TFE-4290-SS []	42	90	29-1/2	7	6100
	TFE-4296-SS []	42	96	29-1/2	7	6297
	TFE-4860-SS []	48	60	29-1/2	5	4667
	TFE-4866-SS []	48	66	29-1/2	5	5129
	TFE-4872-SS []	48	72	29-1/2	5	5332
	TFE-4878-SS []	48	78	29-1/2	5	5919
	TFE-4884-SS []	48	84	29-1/2	7	6137
	TFE-4890-SS []	48	90	29-1/2	7	6682
	TFE-4896-SS []	48	96	29-1/2	7	6910

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$929



Shown with optional Monitor Panel

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Species & Finish if applicable
- Choose Paint Finish if -PS Base is specified
- Choose Metal Finish

General Information:

- Seating capacity based on 27" per person
- Overall table height 29.5"
- Standard with quarter cut veneer
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only




Two4Six Solid Surface Edge



Two4Six™ - Media Table


Slab Base - Counter Height

Veneer Top with Hardwood Edge



D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	Price
						Open Frame -OF
	TFH-3060-V []	30	60	36	5	2948
	TFH-3066-V []	30	66	36	5	3208
	TFH-3072-V []	30	72	36	5	3306
	TFH-3078-V []	30	78	36	5	3639
	TFH-3084-V []	30	84	36	7	3743
	TFH-3090-V []	30	90	36	7	4047
	TFH-3096-V []	30	96	36	7	4156
	TFH-3660-V []	36	60	36	5	3096
	TFH-3666-V []	36	66	36	5	3381
	TFH-3672-V []	36	72	36	5	3493
	TFH-3678-V []	36	78	36	5	3857
	TFH-3684-V []	36	84	36	7	3977
	TFH-3690-V []	36	90	36	7	4311
	TFH-3696-V []	36	96	36	7	4438
	TFH-4260-V []	42	60	36	5	3528
	TFH-4266-V []	42	66	36	5	3863
	TFH-4272-V []	42	72	36	5	4003
	TFH-4278-V []	42	78	36	5	4431
	TFH-4284-V []	42	84	36	7	4581
	TFH-4290-V []	42	90	36	7	4975
	TFH-4296-V []	42	96	36	7	5132
	TFH-4860-V []	48	60	36	5	3816
	TFH-4866-V []	48	66	36	5	4191
	TFH-4872-V []	48	72	36	5	4353
	TFH-4878-V []	48	78	36	5	4828
	TFH-4884-V []	48	84	36	7	5002
	TFH-4890-V []	48	90	36	7	5444
	TFH-4896-V []	48	96	36	7	5627

[] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel

Options:

Power & Data Options

See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$1,064


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish, if -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 36"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high




Two4Six Cut-Back Edge



Two4Six™ - Media Table


Slab Base - Counter Height

Premium Veneer Top with Hardwood Edge



D-Shape	Model #	Width	Length	Height	Recommended	Price
					Seating Capacity	Open Frame -OF
	TFH-3060-PV []	30	60	36	5	3243
	TFH-3066-PV []	30	66	36	5	3529
	TFH-3072-PV []	30	72	36	5	3637
	TFH-3078-PV []	30	78	36	5	4003
	TFH-3084-PV []	30	84	36	7	4118
	TFH-3090-PV []	30	90	36	7	4452
	TFH-3096-PV []	30	96	36	7	4572
	TFH-3660-PV []	36	60	36	5	3406
	TFH-3666-PV []	36	66	36	5	3720
	TFH-3672-PV []	36	72	36	5	3843
	TFH-3678-PV []	36	78	36	5	4243
	TFH-3684-PV []	36	84	36	7	4375
	TFH-3690-PV []	36	90	36	7	4743
	TFH-3696-PV []	36	96	36	7	4882
	TFH-4260-PV []	42	60	36	5	3881
	TFH-4266-PV []	42	66	36	5	4250
	TFH-4272-PV []	42	72	36	5	4404
	TFH-4278-PV []	42	78	36	5	4875
	TFH-4284-PV []	42	84	36	7	5040
	TFH-4290-PV []	42	90	36	7	5473
	TFH-4296-PV []	42	96	36	7	5646
	TFH-4860-PV []	48	60	36	5	4198
	TFH-4866-PV []	48	66	36	5	4611
	TFH-4872-PV []	48	72	36	5	4789
	TFH-4878-PV []	48	78	36	5	5311
	TFH-4884-PV []	48	84	36	7	5503
	TFH-4890-PV []	48	90	36	7	5989
	TFH-4896-PV []	48	96	36	7	6190

[] Slab Base, Specify Paint (-PS) or Veneer (-V)



Shown with optional Monitor Panel

Options:

Power & Data Options

See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$1,064


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Premium Veneer Species & Finish, if -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 36"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high



Two4Six Cut-Back Edge



Two4Six™ - Media Table

Slab Base - Counter Height

Inset Laminate Top with Hardwood Edge

Price

Open Frame

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	-OF
	TFH-3060-P []	30	60	36	5	2786
	TFH-3066-P []	30	66	36	5	3032
	TFH-3072-P []	30	72	36	5	3125
	TFH-3078-P []	30	78	36	5	3439
	TFH-3084-P []	30	84	36	7	3538
	TFH-3090-P []	30	90	36	7	3825
	TFH-3096-P []	30	96	36	7	3928
	TFH-3660-P []	36	60	36	5	2926
	TFH-3666-P []	36	66	36	5	3196
	TFH-3672-P []	36	72	36	5	3301
	TFH-3678-P []	36	78	36	5	3645
	TFH-3684-P []	36	84	36	7	3759
	TFH-3690-P []	36	90	36	7	4074
	TFH-3696-P []	36	96	36	7	4194
	TFH-4260-P []	42	60	36	5	3334
	TFH-4266-P []	42	66	36	5	3651
	TFH-4272-P []	42	72	36	5	3783
	TFH-4278-P []	42	78	36	5	4188
	TFH-4284-P []	42	84	36	7	4330
	TFH-4290-P []	42	90	36	7	4702
	TFH-4296-P []	42	96	36	7	4850
	TFH-4860-P []	48	60	36	5	3607
	TFH-4866-P []	48	66	36	5	3961
	TFH-4872-P []	48	72	36	5	4114
	TFH-4878-P []	48	78	36	5	4563
	TFH-4884-P []	48	84	36	7	4727
	TFH-4890-P []	48	90	36	7	5145
	TFH-4896-P []	48	96	36	7	5318

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options

See pages 90-96

42"-Wide Monitor Panel

Add **-MP30**

\$1,510

(To be used with 30"-Wide Tables)

48"-Wide Monitor Panel

Add **-MP36**

\$1,666

(To be used with 36"-Wide Tables)

54"-Wide Monitor Panel

Add **-MP42**

\$1,821

(To be used with 42"-Wide Tables)

60"-Wide Monitor Panel

Add **-MP48**

\$1,977

(To be used with 48"-Wide Tables)

Wall Mount Option


Add **-WM**

Deduct \$550 (Remove Slab Base and mount table directly to wall)

Polished Chrome Open Frame Base

Add **-PCOF**

\$1,064



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Veneer or Premium Veneer Finish, if -V Slab Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 36"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only




Two4Six Cut-Back Edge



Two4Six™ - Media Table

Slab Base - Counter Height
Laminate Top with ABS Edge

D-Shape	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFH-3060-PA []	30	60	36	5	2786
	TFH-3066-PA []	30	66	36	5	3032
	TFH-3072-PA []	30	72	36	5	3125
	TFH-3078-PA []	30	78	36	5	3439
	TFH-3084-PA []	30	84	36	7	3538
	TFH-3090-PA []	30	90	36	7	3825
	TFH-3096-PA []	30	96	36	7	3928
	TFH-3660-PA []	36	60	36	5	2926
	TFH-3666-PA []	36	66	36	5	3196
	TFH-3672-PA []	36	72	36	5	3301
	TFH-3678-PA []	36	78	36	5	3645
	TFH-3684-PA []	36	84	36	7	3759
	TFH-3690-PA []	36	90	36	7	4074
	TFH-3696-PA []	36	96	36	7	4194
	TFH-4260-PA []	42	60	36	5	3334
	TFH-4266-PA []	42	66	36	5	3651
	TFH-4272-PA []	42	72	36	5	3783
	TFH-4278-PA []	42	78	36	5	4188
	TFH-4284-PA []	42	84	36	7	4330
	TFH-4290-PA []	42	90	36	7	4702
	TFH-4296-PA []	42	96	36	7	4850
	TFH-4860-PA []	48	60	36	5	3607
	TFH-4866-PA []	48	66	36	5	3961
	TFH-4872-PA []	48	72	36	5	4114
	TFH-4878-PA []	48	78	36	5	4563
	TFH-4884-PA []	48	84	36	7	4727
	TFH-4890-PA []	48	90	36	7	5145
	TFH-4896-PA []	48	96	36	7	5318

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$1,064



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Veneer or Premium Veneer Finish, if -V Slab Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 36"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only



Two4Six Cut-Back Edge



Two4Six™ - Media Table

Slab Base - Counter Height
Glass Top

Price

Open Frame

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	-OF
	TFH-3060-G []	30	60	36	5	3391
	TFH-3066-G []	30	66	36	5	3690
	TFH-3072-G []	30	72	36	5	3802
	TFH-3078-G []	30	78	36	5	4185
	TFH-3084-G []	30	84	36	7	4305
	TFH-3090-G []	30	90	36	7	4655
	TFH-3096-G []	30	96	36	7	4780
	TFH-3660-G []	36	60	36	5	3561
	TFH-3666-G []	36	66	36	5	3889
	TFH-3672-G []	36	72	36	5	4017
	TFH-3678-G []	36	78	36	5	4436
	TFH-3684-G []	36	84	36	7	4574
	TFH-3690-G []	36	90	36	7	4958
	TFH-3696-G []	36	96	36	7	5104
	TFH-4260-G []	42	60	36	5	4058
	TFH-4266-G []	42	66	36	5	4443
	TFH-4272-G []	42	72	36	5	4604
	TFH-4278-G []	42	78	36	5	5096
	TFH-4284-G []	42	84	36	7	5269
	TFH-4290-G []	42	90	36	7	5722
	TFH-4296-G []	42	96	36	7	5902
	TFH-4860-G []	48	60	36	5	4389
	TFH-4866-G []	48	66	36	5	4820
	TFH-4872-G []	48	72	36	5	5006
	TFH-4878-G []	48	78	36	5	5553
	TFH-4884-G []	48	84	36	7	5753
	TFH-4890-G []	48	90	36	7	6261
	TFH-4896-G []	48	96	36	7	7034

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options

See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base
Satin Glass

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$1,064
Add **-TFSG** \$480

Shown with optional Monitor Panel

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Veneer Species & Finish
- Choose Paint Finish if -PS Base is Specified
- Choose Metal finish
- Choose Sub-Top Finish:
 - Paint Finish, or
 - Wood Species & Finish

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 36"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer finish options only



Two4Six Glass Edge



Two4Six™ - Media Table

Slab Base - Counter Height

Solid Surface Top

Price

Open Frame

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	-OF
	TFH-3060-SS []	30	60	36	5	3685
	TFH-3066-SS []	30	66	36	5	4010
	TFH-3072-SS []	30	72	36	5	4133
	TFH-3078-SS []	30	78	36	5	4549
	TFH-3084-SS []	30	84	36	7	4679
	TFH-3090-SS []	30	90	36	7	5059
	TFH-3096-SS []	30	96	36	7	5195
	TFH-3660-SS []	36	60	36	5	3870
	TFH-3666-SS []	36	66	36	5	4227
	TFH-3672-SS []	36	72	36	5	4367
	TFH-3678-SS []	36	78	36	5	4822
	TFH-3684-SS []	36	84	36	7	4972
	TFH-3690-SS []	36	90	36	7	5389
	TFH-3696-SS []	36	96	36	7	5548
	TFH-4260-SS []	42	60	36	5	4410
	TFH-4266-SS []	42	66	36	5	4829
	TFH-4272-SS []	42	72	36	5	5004
	TFH-4278-SS []	42	78	36	5	5539
	TFH-4284-SS []	42	84	36	7	5727
	TFH-4290-SS []	42	90	36	7	6219
	TFH-4296-SS []	42	96	36	7	6415
	TFH-4860-SS []	48	60	36	5	4770
	TFH-4866-SS []	48	66	36	5	5239
	TFH-4872-SS []	48	72	36	5	5442
	TFH-4878-SS []	48	78	36	5	6035
	TFH-4884-SS []	48	84	36	7	6253
	TFH-4890-SS []	48	90	36	7	6805
	TFH-4896-SS []	48	96	36	7	7034

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options

See pages 90-96

42"-Wide Monitor Panel

Add **-MP30**

\$1,510

(To be used with 30"-Wide Tables)

48"-Wide Monitor Panel

Add **-MP36**

\$1,666

(To be used with 36"-Wide Tables)

54"-Wide Monitor Panel

Add **-MP42**

\$1,821

(To be used with 42"-Wide Tables)

60"-Wide Monitor Panel

Add **-MP48**

\$1,977

(To be used with 48"-Wide Tables)

Wall Mount Option

Add **-WM**

Deduct \$550 (Remove Slab Base and mount table directly to wall)

Polished Chrome Open Frame Base

Add **-PCOF**

\$1,064

Shown with optional Monitor Panel

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Solid Surface Finish
- Choose Veneer Species & Finish
- Choose Paint Finish if -PS Base is Specified
- Choose Metal finish

General Information:

- Seating capacity based on 27" per person
- Overall table height 36"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only




Two4Six Solid Surface Edge



Two4Six™ - Media Table

Slab Base - Standing Height

Veneer Top with Hardwood Edge



D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	Price
						Open Frame -OF
	TFN-3060-V []	30	60	42	5	3024
	TFN-3066-V []	30	66	42	5	3289
	TFN-3072-V []	30	72	42	5	3387
	TFN-3078-V []	30	78	42	5	3725
	TFN-3084-V []	30	84	42	7	3830
	TFN-3090-V []	30	90	42	7	4138
	TFN-3096-V []	30	96	42	7	4247
	TFN-3660-V []	36	60	42	5	3172
	TFN-3666-V []	36	66	42	5	3462
	TFN-3672-V []	36	72	42	5	3574
	TFN-3678-V []	36	78	42	5	3943
	TFN-3684-V []	36	84	42	7	4064
	TFN-3690-V []	36	90	42	7	4402
	TFN-3696-V []	36	96	42	7	4529
	TFN-4260-V []	42	60	42	5	3611
	TFN-4266-V []	42	66	42	5	3951
	TFN-4272-V []	42	72	42	5	4091
	TFN-4278-V []	42	78	42	5	4524
	TFN-4284-V []	42	84	42	7	4674
	TFN-4290-V []	42	90	42	7	5074
	TFN-4296-V []	42	96	42	7	5231
	TFN-4860-V []	48	60	42	5	3902
	TFN-4866-V []	48	66	42	5	4281
	TFN-4872-V []	48	72	42	5	4444
	TFN-4878-V []	48	78	42	5	4925
	TFN-4884-V []	48	84	42	7	5099
	TFN-4890-V []	48	90	42	7	5546
	TFN-4896-V []	48	96	42	7	5729

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$1,202



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish, if -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high



Two4Six Cut-Back Edge




Two4Six™ - Media Table

Slab Base - Standing Height

Premium Veneer Top with Hardwood Edge

Price

Open Frame

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	-OF
	TFN-3060-PV []	30	60	42	5	3327
	TFN-3066-PV []	30	66	42	5	3618
	TFN-3072-PV []	30	72	42	5	3726
	TFN-3078-PV []	30	78	42	5	4098
	TFN-3084-PV []	30	84	42	7	4213
	TFN-3090-PV []	30	90	42	7	4552
	TFN-3096-PV []	30	96	42	7	4672
	TFN-3660-PV []	36	60	42	5	3490
	TFN-3666-PV []	36	66	42	5	3809
	TFN-3672-PV []	36	72	42	5	3932
	TFN-3678-PV []	36	78	42	5	4338
	TFN-3684-PV []	36	84	42	7	4471
	TFN-3690-PV []	36	90	42	7	4843
	TFN-3696-PV []	36	96	42	7	4982
	TFN-4260-PV []	42	60	42	5	3973
	TFN-4266-PV []	42	66	42	5	4347
	TFN-4272-PV []	42	72	42	5	4501
	TFN-4278-PV []	42	78	42	5	4977
	TFN-4284-PV []	42	84	42	7	5142
	TFN-4290-PV []	42	90	42	7	5582
	TFN-4296-PV []	42	96	42	7	5755
	TFN-4860-PV []	48	60	42	5	4293
	TFN-4866-PV []	48	66	42	5	4710
	TFN-4872-PV []	48	72	42	5	4889
	TFN-4878-PV []	48	78	42	5	5418
	TFN-4884-PV []	48	84	42	7	5609
	TFN-4890-PV []	48	90	42	7	6101
	TFN-4896-PV []	48	96	42	7	6302

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$1,202



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Premium Veneer Species & Finish, if -V option is specified for the Slab Base, the finish will be the same as the table top
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Metal Finish

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high



Two4Six Cut-Back Edge




Two4Six™ - Media Table

Slab Base - Standing Height

Inset Laminate Top with Hardwood Edge

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	Price
						Open Frame -OF
	TFN-3060-P []	30	60	42	5	2858
	TFN-3066-P []	30	66	42	5	3109
	TFN-3072-P []	30	72	42	5	3201
	TFN-3078-P []	30	78	42	5	3521
	TFN-3084-P []	30	84	42	7	3620
	TFN-3090-P []	30	90	42	7	3911
	TFN-3096-P []	30	96	42	7	4014
	TFN-3660-P []	36	60	42	5	2998
	TFN-3666-P []	36	66	42	5	3272
	TFN-3672-P []	36	72	42	5	3378
	TFN-3678-P []	36	78	42	5	3727
	TFN-3684-P []	36	84	42	7	3841
	TFN-3690-P []	36	90	42	7	4160
	TFN-3696-P []	36	96	42	7	4280
	TFN-4260-P []	42	60	42	5	3413
	TFN-4266-P []	42	66	42	5	3734
	TFN-4272-P []	42	72	42	5	3866
	TFN-4278-P []	42	78	42	5	4276
	TFN-4284-P []	42	84	42	7	4417
	TFN-4290-P []	42	90	42	7	4795
	TFN-4296-P []	42	96	42	7	4944
	TFN-4860-P []	48	60	42	5	3688
	TFN-4866-P []	48	66	42	5	4046
	TFN-4872-P []	48	72	42	5	4200
	TFN-4878-P []	48	78	42	5	4655
	TFN-4884-P []	48	84	42	7	4819
	TFN-4890-P []	48	90	42	7	5241
	TFN-4896-P []	48	96	42	7	5414



[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$1,202



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Veneer or Premium Veneer Finish, if -V Slab Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only




Two4Six Cut-Back Edge



Two4Six™ - Media Table

Slab Base - Standing Height
Laminate Top with ABS Edge

D-Shape	Model #	Width	Length	Height	Recommended Seating Capacity	Price
						Open Frame -OF
	TFN-3060-PA []	30	60	42	5	2858
	TFN-3066-PA []	30	66	42	5	3109
	TFN-3072-PA []	30	72	42	5	3201
	TFN-3078-PA []	30	78	42	5	3521
	TFN-3084-PA []	30	84	42	7	3620
	TFN-3090-PA []	30	90	42	7	3911
	TFN-3096-PA []	30	96	42	7	4014
	TFN-3660-PA []	36	60	42	5	2998
	TFN-3666-PA []	36	66	42	5	3272
	TFN-3672-PA []	36	72	42	5	3378
	TFN-3678-PA []	36	78	42	5	3727
	TFN-3684-PA []	36	84	42	7	3841
	TFN-3690-PA []	36	90	42	7	4160
	TFN-3696-PA []	36	96	42	7	4280
	TFN-4260-PA []	42	60	42	5	3413
	TFN-4266-PA []	42	66	42	5	3734
	TFN-4272-PA []	42	72	42	5	3866
	TFN-4278-PA []	42	78	42	5	4276
	TFN-4284-PA []	42	84	42	7	4417
	TFN-4290-PA []	42	90	42	7	4795
	TFN-4296-PA []	42	96	42	7	4944
	TFN-4860-PA []	48	60	42	5	3688
	TFN-4866-PA []	48	66	42	5	4046
	TFN-4872-PA []	48	72	42	5	4200
	TFN-4878-PA []	48	78	42	5	4655
	TFN-4884-PA []	48	84	42	7	4819
	TFN-4890-PA []	48	90	42	7	5241
	TFN-4896-PA []	48	96	42	7	5414

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$1,202



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish
- Choose Paint Finish, if -PS Slab Base is specified
- Choose Veneer or Premium Veneer Finish, if -V Slab Base is specified. If -V option is specified for the Slab Base, the finish will be the same as the table top.

General Information:

- Tops are 1-1/8" thick
- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only




Two4Six Cut-Back Edge



Two4Six™ - Media Table

Slab Base - Standing Height

Glass Top



D-Shape	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFN-3060-G []	30	60	42	5	3478
	TFN-3066-G []	30	66	42	5	3783
	TFN-3072-G []	30	72	42	5	3896
	TFN-3078-G []	30	78	42	5	4284
	TFN-3084-G []	30	84	42	7	4405
	TFN-3090-G []	30	90	42	7	4759
	TFN-3096-G []	30	96	42	7	4885
	TFN-3660-G []	36	60	42	5	3648
	TFN-3666-G []	36	66	42	5	3982
	TFN-3672-G []	36	72	42	5	4111
	TFN-3678-G []	36	78	42	5	4535
	TFN-3684-G []	36	84	42	7	4674
	TFN-3690-G []	36	90	42	7	5063
	TFN-3696-G []	36	96	42	7	5209
	TFN-4260-G []	42	60	42	5	4153
	TFN-4266-G []	42	66	42	5	4544
	TFN-4272-G []	42	72	42	5	4705
	TFN-4278-G []	42	78	42	5	5203
	TFN-4284-G []	42	84	42	7	5376
	TFN-4290-G []	42	90	42	7	5836
	TFN-4296-G []	42	96	42	7	6016
	TFN-4860-G []	48	60	42	5	4488
	TFN-4866-G []	48	66	42	5	4924
	TFN-4872-G []	48	72	42	5	5111
	TFN-4878-G []	48	78	42	5	5664
	TFN-4884-G []	48	84	42	7	5864
	TFN-4890-G []	48	90	42	7	6378
	TFN-4896-G []	48	96	42	7	6589

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base
Satin Glass

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$1,202
Add **-TFSG** \$480



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Veneer Species & Finish
- Choose Paint Finish if -PS Base is specified
- Choose Metal Finish
- Choose Sub-Top Finish:
 - Paint Finish, or
 - Wood Species & Finish

General Information:

- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only



Two4Six Glass Edge




Two4Six™ - Media Table

Slab Base - Standing Height
Solid Surface Top

Price

Open Frame

D-Shape	Model #	Width	Length	Height	Recommended	Price
					Seating Capacity	
	TFN-3060-SS []	30	60	42	5	3780
	TFN-3066-SS []	30	66	42	5	4112
	TFN-3072-SS []	30	72	42	5	4234
	TFN-3078-SS []	30	78	42	5	4657
	TFN-3084-SS []	30	84	42	7	4788
	TFN-3090-SS []	30	90	42	7	5173
	TFN-3096-SS []	30	96	42	7	5309
	TFN-3660-SS []	36	60	42	5	3965
	TFN-3666-SS []	36	66	42	5	4328
	TFN-3672-SS []	36	72	42	5	4468
	TFN-3678-SS []	36	78	42	5	4929
	TFN-3684-SS []	36	84	42	7	5080
	TFN-3690-SS []	36	90	42	7	5503
	TFN-3696-SS []	36	96	42	7	5662
	TFN-4260-SS []	42	60	42	5	4514
	TFN-4266-SS []	42	66	42	5	4939
	TFN-4272-SS []	42	72	42	5	5114
	TFN-4278-SS []	42	78	42	5	5655
	TFN-4284-SS []	42	84	42	7	5843
	TFN-4290-SS []	42	90	42	7	6343
	TFN-4296-SS []	42	96	42	7	6539
	TFN-4860-SS []	48	60	42	5	4878
	TFN-4866-SS []	48	66	42	5	5352
	TFN-4872-SS []	48	72	42	5	5555
	TFN-4878-SS []	48	78	42	5	6157
	TFN-4884-SS []	48	84	42	7	6374
	TFN-4890-SS []	48	90	42	7	6933
	TFN-4896-SS []	48	96	42	7	7162

[] Slab Base, Specify Paint (-PS) or Veneer (-V)

Options:

Power & Data Options


See pages 90-96

42"-Wide Monitor Panel
48"-Wide Monitor Panel
54"-Wide Monitor Panel
60"-Wide Monitor Panel

Add **-MP30** \$1,510 (To be used with 30"-Wide Tables)
Add **-MP36** \$1,666 (To be used with 36"-Wide Tables)
Add **-MP42** \$1,821 (To be used with 42"-Wide Tables)
Add **-MP48** \$1,977 (To be used with 48"-Wide Tables)

Wall Mount Option
Polished Chrome Open Frame Base

Add **-WM** Deduct \$550 (Remove Slab Base and mount table directly to wall)
Add **-PCOF** \$1,202



Shown with optional Monitor Panel


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Solid Surface
- Choose Veneer Species & Finish
- Choose Paint Finish if -PS Base is Specified
- Choose Metal Finish

General Information:

- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- Must be anchored to a wall, base has an open back
- One section of wire management channel provided per table with Post Metal Leg and Open Frame Bases
- Monitor Panel will be 12" wider than the table specified
- Monitor Panel mounts directly to the wall
- Monitor Panel is 78" high
- Monitor panel available in Paint or Veneer Finish options only




Two4Six Solid Surface Edge



Two4Six™ - Freestanding Table

Standing Height Table

Veneer Top with Hardwood Edge



Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFP-3060-V	30	60	42	4	2877
	TFP-3066-V	30	66	42	4	3133
	TFP-3072-V	30	72	42	6	3231
	TFP-3078-V	30	78	42	6	3559
	TFP-3084-V	30	84	42	8	3663
	TFP-3090-V	30	90	42	8	3963
	TFP-3096-V	30	96	42	8	4072
	TFP-3660-V	36	60	42	4	3025
	TFP-3666-V	36	66	42	4	3306
	TFP-3672-V	36	72	42	6	3418
	TFP-3678-V	36	78	42	6	3777
	TFP-3684-V	36	84	42	8	3897
	TFP-3690-V	36	90	42	8	4227
	TFP-3696-V	36	96	42	8	4354
	TFP-4260-V	42	60	42	4	3451
	TFP-4266-V	42	66	42	4	3782
	TFP-4272-V	42	72	42	6	3922
	TFP-4278-V	42	78	42	6	4343
	TFP-4284-V	42	84	42	8	4493
	TFP-4290-V	42	90	42	8	4883
	TFP-4296-V	42	96	42	8	5041
	TFP-4860-V	48	60	42	4	3736
	TFP-4866-V	48	66	42	4	4106
	TFP-4872-V	48	72	42	6	4269
	TFP-4878-V	48	78	42	6	4738
	TFP-4884-V	48	84	42	8	4912
	TFP-4890-V	48	90	42	8	5349
	TFP-4896-V	48	96	42	8	5532



Soft Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFV-3060-V	30	60	42	4	2877
	TFV-3066-V	30	66	42	4	3133
	TFV-3072-V	30	72	42	6	3231
	TFV-3078-V	30	78	42	6	3559
	TFV-3084-V	30	84	42	8	3663
	TFV-3090-V	30	90	42	8	3963
	TFV-3096-V	30	96	42	8	4072
	TFV-3660-V	36	60	42	4	3025
	TFV-3666-V	36	66	42	4	3306
	TFV-3672-V	36	72	42	6	3418
	TFV-3678-V	36	78	42	6	3777
	TFV-3684-V	36	84	42	8	3897
	TFV-3690-V	36	90	42	8	4227
	TFV-3696-V	36	96	42	8	4354
	TFV-4260-V	42	60	42	4	3451
	TFV-4266-V	42	66	42	4	3782
	TFV-4272-V	42	72	42	6	3922
	TFV-4278-V	42	78	42	6	4343
	TFV-4284-V	42	84	42	8	4493
	TFV-4290-V	42	90	42	8	4883
	TFV-4296-V	42	96	42	8	5041
	TFV-4860-V	48	60	42	4	3736
	TFV-4866-V	48	66	42	4	4106
	TFV-4872-V	48	72	42	6	4269
	TFV-4878-V	48	78	42	6	4738
	TFV-4884-V	48	84	42	8	4912
	TFV-4890-V	48	90	42	8	5349
	TFV-4896-V	48	96	42	8	5532

Options:

Polished Chrome Open Frame Base

Add -PCOF

\$1,202


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish
- Choose Metal Finish

General Information:

- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- One section of wire management channel provided per table




Two4Six Cut-Back Edge



Two4Six™ - Freestanding Table

Standing Height Table

Premium Veneer Top with Hardwood Edge



Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFP-3060-PV	30	60	42	4	3165
	TFP-3066-PV	30	66	42	4	3447
	TFP-3072-PV	30	72	42	6	3555
	TFP-3078-PV	30	78	42	6	3915
	TFP-3084-PV	30	84	42	8	4030
	TFP-3090-PV	30	90	42	8	4360
	TFP-3096-PV	30	96	42	8	4480
	TFP-3660-PV	36	60	42	4	3328
	TFP-3666-PV	36	66	42	4	3637
	TFP-3672-PV	36	72	42	6	3760
	TFP-3678-PV	36	78	42	6	4155
	TFP-3684-PV	36	84	42	8	4287
	TFP-3690-PV	36	90	42	8	4650
	TFP-3696-PV	36	96	42	8	4790
	TFP-4260-PV	42	60	42	4	3797
	TFP-4266-PV	42	66	42	4	4161
	TFP-4272-PV	42	72	42	6	4315
	TFP-4278-PV	42	78	42	6	4778
	TFP-4284-PV	42	84	42	8	4943
	TFP-4290-PV	42	90	42	8	5372
	TFP-4296-PV	42	96	42	8	5546
	TFP-4860-PV	48	60	42	4	4110
	TFP-4866-PV	48	66	42	4	4517
	TFP-4872-PV	48	72	42	6	4696
	TFP-4878-PV	48	78	42	6	5212
	TFP-4884-PV	48	84	42	8	5404
	TFP-4890-PV	48	90	42	8	5884
	TFP-4896-PV	48	96	42	8	6086



Soft Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFV-3060-PV	30	60	42	4	3165
	TFV-3066-PV	30	66	42	4	3447
	TFV-3072-PV	30	72	42	6	3555
	TFV-3078-PV	30	78	42	6	3915
	TFV-3084-PV	30	84	42	8	4030
	TFV-3090-PV	30	90	42	8	4360
	TFV-3096-PV	30	96	42	8	4480
	TFV-3660-PV	36	60	42	4	3328
	TFV-3666-PV	36	66	42	4	3637
	TFV-3672-PV	36	72	42	6	3760
	TFV-3678-PV	36	78	42	6	4155
	TFV-3684-PV	36	84	42	8	4287
	TFV-3690-PV	36	90	42	8	4650
	TFV-3696-PV	36	96	42	8	4790
	TFV-4260-PV	42	60	42	4	3797
	TFV-4266-PV	42	66	42	4	4161
	TFV-4272-PV	42	72	42	6	4315
	TFV-4278-PV	42	78	42	6	4778
	TFV-4284-PV	42	84	42	8	4943
	TFV-4290-PV	42	90	42	8	5372
	TFV-4296-PV	42	96	42	8	5546
	TFV-4860-PV	48	60	42	4	4110
	TFV-4866-PV	48	66	42	4	4517
	TFV-4872-PV	48	72	42	6	4696
	TFV-4878-PV	48	78	42	6	5212
	TFV-4884-PV	48	84	42	8	5404
	TFV-4890-PV	48	90	42	8	5884
	TFV-4896-PV	48	96	42	8	6086

Options:

Polished Chrome Open Frame Base

Add -PCOF

\$1,202


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Premium Veneer Species & Finish
- Choose Metal Finish

General Information:

- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- One section of wire management channel provided per table




Two4Six Cut-Back Edge



Two4Six™ - Freestanding Table

Standing Height Table

Inset Laminate Top with Hardwood Edge



Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFP-3060-P	30	60	42	4	2719
	TFP-3066-P	30	66	42	4	2961
	TFP-3072-P	30	72	42	6	3054
	TFP-3078-P	30	78	42	6	3364
	TFP-3084-P	30	84	42	8	3462
	TFP-3090-P	30	90	42	8	3746
	TFP-3096-P	30	96	42	8	3849
	TFP-3660-P	36	60	42	4	2859
	TFP-3666-P	36	66	42	4	3125
	TFP-3672-P	36	72	42	6	3231
	TFP-3678-P	36	78	42	6	3570
	TFP-3684-P	36	84	42	8	3683
	TFP-3690-P	36	90	42	8	3995
	TFP-3696-P	36	96	42	8	4115
	TFP-4260-P	42	60	42	4	3262
	TFP-4266-P	42	66	42	4	3574
	TFP-4272-P	42	72	42	6	3707
	TFP-4278-P	42	78	42	6	4105
	TFP-4284-P	42	84	42	8	4246
	TFP-4290-P	42	90	42	8	4615
	TFP-4296-P	42	96	42	8	4764
	TFP-4860-P	48	60	42	4	3531
	TFP-4866-P	48	66	42	4	3881
	TFP-4872-P	48	72	42	6	4035
	TFP-4878-P	48	78	42	6	4478
	TFP-4884-P	48	84	42	8	4642
	TFP-4890-P	48	90	42	8	5055
	TFP-4896-P	48	96	42	8	5228



Soft Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFV-3060-P	30	60	42	4	2719
	TFV-3066-P	30	66	42	4	2961
	TFV-3072-P	30	72	42	6	3054
	TFV-3078-P	30	78	42	6	3364
	TFV-3084-P	30	84	42	8	3462
	TFV-3090-P	30	90	42	8	3746
	TFV-3096-P	30	96	42	8	3849
	TFV-3660-P	36	60	42	4	2859
	TFV-3666-P	36	66	42	4	3125
	TFV-3672-P	36	72	42	6	3231
	TFV-3678-P	36	78	42	6	3570
	TFV-3684-P	36	84	42	8	3683
	TFV-3690-P	36	90	42	8	3995
	TFV-3696-P	36	96	42	8	4115
	TFV-4260-P	42	60	42	4	3262
	TFV-4266-P	42	66	42	4	3574
	TFV-4272-P	42	72	42	6	3707
	TFV-4278-P	42	78	42	6	4105
	TFV-4284-P	42	84	42	8	4246
	TFV-4290-P	42	90	42	8	4615
	TFV-4296-P	42	96	42	8	4764
	TFV-4860-P	48	60	42	4	3531
	TFV-4866-P	48	66	42	4	3881
	TFV-4872-P	48	72	42	6	4035
	TFV-4878-P	48	78	42	6	4478
	TFV-4884-P	48	84	42	8	4642
	TFV-4890-P	48	90	42	8	5055
	TFV-4896-P	48	96	42	8	5228

Options:

Polished Chrome Open Frame Base

Add -PCOF

\$1,202

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose Wood Species & Finish
- Choose Metal Finish

General Information:

- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- One section of wire management channel provided per table




Two4Six Cut-Back Edge



Two4Six™ - Freestanding Table

Standing Height Table
Laminate Top with ABS Edge



Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFP-3060-PA	30	60	42	4	2719
	TFP-3066-PA	30	66	42	4	2961
	TFP-3072-PA	30	72	42	6	3054
	TFP-3078-PA	30	78	42	6	3364
	TFP-3084-PA	30	84	42	8	3462
	TFP-3090-PA	30	90	42	8	3746
	TFP-3096-PA	30	96	42	8	3849
	TFP-3660-PA	36	60	42	4	2859
	TFP-3666-PA	36	66	42	4	3125
	TFP-3672-PA	36	72	42	6	3231
	TFP-3678-PA	36	78	42	6	3570
	TFP-3684-PA	36	84	42	8	3683
	TFP-3690-PA	36	90	42	8	3995
	TFP-3696-PA	36	96	42	8	4115
	TFP-4260-PA	42	60	42	4	3262
	TFP-4266-PA	42	66	42	4	3574
	TFP-4272-PA	42	72	42	6	3707
	TFP-4278-PA	42	78	42	6	4105
	TFP-4284-PA	42	84	42	8	4246
	TFP-4290-PA	42	90	42	8	4615
	TFP-4296-PA	42	96	42	8	4764
	TFP-4860-PA	48	60	42	4	3531
	TFP-4866-PA	48	66	42	4	3881
	TFP-4872-PA	48	72	42	6	4035
	TFP-4878-PA	48	78	42	6	4478
	TFP-4884-PA	48	84	42	8	4642
	TFP-4890-PA	48	90	42	8	5055
	TFP-4896-PA	48	96	42	8	5228



Soft Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFV-3060-PA	30	60	42	4	2719
	TFV-3066-PA	30	66	42	4	2961
	TFV-3072-PA	30	72	42	6	3054
	TFV-3078-PA	30	78	42	6	3364
	TFV-3084-PA	30	84	42	8	3462
	TFV-3090-PA	30	90	42	8	3746
	TFV-3096-PA	30	96	42	8	3849
	TFV-3660-PA	36	60	42	4	2859
	TFV-3666-PA	36	66	42	4	3125
	TFV-3672-PA	36	72	42	6	3231
	TFV-3678-PA	36	78	42	6	3570
	TFV-3684-PA	36	84	42	8	3683
	TFV-3690-PA	36	90	42	8	3995
	TFV-3696-PA	36	96	42	8	4115
	TFV-4260-PA	42	60	42	4	3262
	TFV-4266-PA	42	66	42	4	3574
	TFV-4272-PA	42	72	42	6	3707
	TFV-4278-PA	42	78	42	6	4105
	TFV-4284-PA	42	84	42	8	4246
	TFV-4290-PA	42	90	42	8	4615
	TFV-4296-PA	42	96	42	8	4764
	TFV-4860-PA	48	60	42	4	3531
	TFV-4866-PA	48	66	42	4	3881
	TFV-4872-PA	48	72	42	6	4035
	TFV-4878-PA	48	78	42	6	4478
	TFV-4884-PA	48	84	42	8	4642
	TFV-4890-PA	48	90	42	8	5055
	TFV-4896-PA	48	96	42	8	5228

Options:

Polished Chrome Open Frame Base

Add -PCOF

\$1,202

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Laminate Finish
- Choose ABS Edge Finish
- Choose Metal Finish

General Information:

- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- One section of wire management channel provided per table




Two4Six Cut-Back Edge




Two4Six™ - Freestanding Table

Standing Height Table
Glass Top



Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFP-3060-G	30	60	42	4	3309
	TFP-3066-G	30	66	42	4	3603
	TFP-3072-G	30	72	42	6	3716
	TFP-3078-G	30	78	42	6	4093
	TFP-3084-G	30	84	42	8	4213
	TFP-3090-G	30	90	42	8	4558
	TFP-3096-G	30	96	42	8	4683
	TFP-3660-G	36	60	42	4	3479
	TFP-3666-G	36	66	42	4	3802
	TFP-3672-G	36	72	42	6	3931
	TFP-3678-G	36	78	42	6	4344
	TFP-3684-G	36	84	42	8	4482
	TFP-3690-G	36	90	42	8	4862
	TFP-3696-G	36	96	42	8	5008
	TFP-4260-G	42	60	42	4	3969
	TFP-4266-G	42	66	42	4	4350
	TFP-4272-G	42	72	42	6	4511
	TFP-4278-G	42	78	42	6	4995
	TFP-4284-G	42	84	42	8	5167
	TFP-4290-G	42	90	42	8	5616
	TFP-4296-G	42	96	42	8	5798
	TFP-4860-G	48	60	42	4	4297
	TFP-4866-G	48	66	42	4	4722
	TFP-4872-G	48	72	42	6	4910
	TFP-4878-G	48	78	42	6	5449
	TFP-4884-G	48	84	42	8	5649
	TFP-4890-G	48	90	42	8	6152
	TFP-4896-G	48	96	42	8	6362



Soft Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFV-3060-G	30	60	42	4	3309
	TFV-3066-G	30	66	42	4	3603
	TFV-3072-G	30	72	42	6	3716
	TFV-3078-G	30	78	42	6	4093
	TFV-3084-G	30	84	42	8	4213
	TFV-3090-G	30	90	42	8	4558
	TFV-3096-G	30	96	42	8	4683
	TFV-3660-G	36	60	42	4	3479
	TFV-3666-G	36	66	42	4	3802
	TFV-3672-G	36	72	42	6	3931
	TFV-3678-G	36	78	42	6	4344
	TFV-3684-G	36	84	42	8	4482
	TFV-3690-G	36	90	42	8	4862
	TFV-3696-G	36	96	42	8	5008
	TFV-4260-G	42	60	42	4	3969
	TFV-4266-G	42	66	42	4	4350
	TFV-4272-G	42	72	42	6	4511
	TFV-4278-G	42	78	42	6	4995
	TFV-4284-G	42	84	42	8	5167
	TFV-4290-G	42	90	42	8	5616
	TFV-4296-G	42	96	42	8	5798
	TFV-4860-G	48	60	42	4	4297
	TFV-4866-G	48	66	42	4	4722
	TFV-4872-G	48	72	42	6	4910
	TFV-4878-G	48	78	42	6	5449
	TFV-4884-G	48	84	42	8	5649
	TFV-4890-G	48	90	42	8	6152
	TFV-4896-G	48	96	42	8	6362



Two4Six™ - Freestanding Table

Standing Height Table
Glass Top

Options:

Polished Chrome Open Frame Base
Satin Glass

Add **-PCOF**
Add **-TFSG**

\$1,202
\$480


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Glass Finish
- Choose Metal Finish
- Choose Sub-Top Finish:
 - Paint Finish, or
 - Wood Species & Finish

General Information:

- Seating capacity based on 27" per person
- Tops are 1-1/8" thick with 3/16" deep hardwood edge band
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- One section of wire management channel provided per table




Two4Six Glass Edge



Two4Six™ - Freestanding Table

Standing Height Table
Solid Surface Top



Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFP-3060-SS	30	60	42	4	3597
	TFP-3066-SS	30	66	42	4	3917
	TFP-3072-SS	30	72	42	6	4039
	TFP-3078-SS	30	78	42	6	4449
	TFP-3084-SS	30	84	42	8	4579
	TFP-3090-SS	30	90	42	8	4954
	TFP-3096-SS	30	96	42	8	5090
	TFP-3660-SS	36	60	42	4	3782
	TFP-3666-SS	36	66	42	4	4133
	TFP-3672-SS	36	72	42	6	4273
	TFP-3678-SS	36	78	42	6	4722
	TFP-3684-SS	36	84	42	8	4872
	TFP-3690-SS	36	90	42	8	5284
	TFP-3696-SS	36	96	42	8	5443
	TFP-4260-SS	42	60	42	4	4314
	TFP-4266-SS	42	66	42	4	4728
	TFP-4272-SS	42	72	42	6	4903
	TFP-4278-SS	42	78	42	6	5429
	TFP-4284-SS	42	84	42	8	5617
	TFP-4290-SS	42	90	42	8	6104
	TFP-4296-SS	42	96	42	8	6302
	TFP-4860-SS	48	60	42	4	4670
	TFP-4866-SS	48	66	42	4	5133
	TFP-4872-SS	48	72	42	6	5337
	TFP-4878-SS	48	78	42	6	5923
	TFP-4884-SS	48	84	42	8	6140
	TFP-4890-SS	48	90	42	8	6687
	TFP-4896-SS	48	96	42	8	6915



Soft Rectangle	Model #	Width	Length	Height	Recommended	Open Frame
					Seating Capacity	-OF
	TFV-3060-SS	30	60	42	4	3597
	TFV-3066-SS	30	66	42	4	3917
	TFV-3072-SS	30	72	42	6	4039
	TFV-3078-SS	30	78	42	6	4449
	TFV-3084-SS	30	84	42	8	4579
	TFV-3090-SS	30	90	42	8	4954
	TFV-3096-SS	30	96	42	8	5090
	TFV-3660-SS	36	60	42	4	3782
	TFV-3666-SS	36	66	42	4	4133
	TFV-3672-SS	36	72	42	6	4273
	TFV-3678-SS	36	78	42	6	4722
	TFV-3684-SS	36	84	42	8	4872
	TFV-3690-SS	36	90	42	8	5284
	TFV-3696-SS	36	96	42	8	5443
	TFV-4260-SS	42	60	42	4	4314
	TFV-4266-SS	42	66	42	4	4728
	TFV-4272-SS	42	72	42	6	4903
	TFV-4278-SS	42	78	42	6	5429
	TFV-4284-SS	42	84	42	8	5617
	TFV-4290-SS	42	90	42	8	6104
	TFV-4296-SS	42	96	42	8	6302
	TFV-4860-SS	48	60	42	4	4670
	TFV-4866-SS	48	66	42	4	5133
	TFV-4872-SS	48	72	42	6	5337
	TFV-4878-SS	48	78	42	6	5923
	TFV-4884-SS	48	84	42	8	6140
	TFV-4890-SS	48	90	42	8	6687
	TFV-4896-SS	48	96	42	8	6915

Options:

Polished Chrome Open Frame Base

Add -PCOF

\$1,202


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Solid Surface Finish
- Choose Metal Finish

General Information:


- Seating capacity based on 27" per person
- Overall table height 42"
- Standard with quarter cut veneer
- Not available with Power Matrix
- One section of wire management channel provided per table





Two4Six Solid Surface Edge



Two4Six™ - Conference Table

Stationary	Model #	Width	Length	Height	Price	
					Veneer with Hardwood Edge -V	Premium Veneer with Hardwood Edge -PV
	TFD-3672	36	72	29-1/2	5608	6170
	TFD-3684	36	84	29-1/2	6325	6959
	TFD-4284	42	84	29-1/2	7476	8224

Height Adjustable	Model #	Width	Length	Height	Price	
					Veneer with Hardwood Edge -V	Premium Veneer with Hardwood Edge -PV
	TFAD-3672	36	72		7563	8126
	TFAD-3684	36	84		8281	8914
	TFAD-4284	42	84		9431	10179



-CV

Options:

Chevron Veneer Pattern (Available in Walnut or Cherry Veneer only)

Add -CV

\$1094

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer or Premium Veneer Species
- Choose Metal Finish

General Information:


- Features a cut-back hardwood edge profile with 5/8" vertical edge
- Adjustable table height range: 28"-42"
- Standard with quarter cut veneer
- Tops are 1-1/8" thick
- Available with power rail only



Two4Six Cut-Back Edge



Two4Six™ Meeting Power & Data Options

Power Matrix - Small	Model #	Description	W x D	Data/AV Faceplates			Price
				Simplex Outlets	Blank	Data*	
	PM-SM-G	Small - Glass Door	6 x 5.375	2	2	1	1044
	PM-SM-M	Small - Metal Door	6 x 5.375	2	2	1	1044
	PM-SM-W	Small - Wood Door	6 x 5.375	2	2	1	1318

*Each data faceplate includes two RJ-45 (Data) connectors

Options:

4 Simplex Receptacles	Add -FOUR	No Upcharge
3 Simplex Receptacles/Dual Charging USB	Add -THREE	No Upcharge
USB Charging	Add -USB	\$79 per unit
Polished Chrome Door	Add -PD	\$155 per unit
Polished Chrome Bezel	Add -PB	\$221 per unit
Field-Wired	Add -FW	Deduct \$29 per unit

Replace AAP's with 2 additional simplex receptacles
 Replace AAP's with 1 additional simplex receptacle and 1 dual charging USB
 Dual USB charger, replaces one of the simplex outlets
 Only available with metal door option
 Only available on glass, stone/quartz and laminate top tables
 May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements.

Single Infeed Option Available

See page 92

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose location code & quantity from the chart below
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate, glass and stone/quartz tables

General Information:

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4" -thick, metal doors are 1/8" -thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Two simplex receptacles, two RJ-45 data connectors and two single blank faceplates
- When specified on tables with laminate, glass or stone/quartz tops, each Power Matrix unit will include a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Not available on Counter and Standing Height Media Tables
- Additional data/AV faceplate options are on page 92

Location Codes

Power Matrix Small	Location	Qty of Units to Order
PS-1	One at center	1
PS-1W	One at wall end	1
PS-2	One at each end	2


Door Material and Location Availability by Table Size

W = Wood Door G = Glass Door M = Metal Door

Power Matrix Small				
Length	Top Sections	PS-1	PS-1W	PS-2
48	1	W/G/M	W/G/M	-
54	1	W/G/M	W/G/M	-
60	1	W/G/M	W/G/M	-
66	1	W/G/M	W/G/M	-
72	1	W/G/M	W/G/M	W/G/M
78	1	W/G/M	W/G/M	W/G/M
84	1	W/G/M	W/G/M	W/G/M
90	1	W/G/M	W/G/M	W/G/M
96	1	W/G/M	W/G/M	W/G/M



Two4Six™ Meeting Power & Data Options

Power Matrix - Medium	Model #	Description	W x D	Data/AV Faceplates			Price
				Simplex Outlets	Blank	Data*	
	PM-MD-G	Medium - Glass Door	8.25 x 5.375	4	3	1	1647
	PM-MD-M	Medium - Metal Door	8.25 x 5.375	4	3	1	1647
	PM-MD-W	Medium - Wood Door	8.25 x 5.375	4	3	1	1922

*Each data faceplate includes two RJ-45 (Data) connectors

Options:

USB Charging	Add -USB	\$79 per unit	Dual USB charger, replaces one of the simplex outlets
Polished Chrome Door	Add -PD	\$209 per unit	Only available with metal door option
Polished Chrome Bezel	Add -PB	\$247 per unit	Only available on glass, stone/quartz and laminate top tables
Field-Wired	Add -FW	Deduct \$29 per unit	May be required in New York City, Chicago and San Francisco.

Check with an electrician for local codes and requirements.

Single Infeed Option Available

See page 92

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose location code & quantity from the chart below
- Choose Glass Door Finish, if glass door version is specified
- Choose Metal Finish, if metal door version is specified or for the bezel finish on laminate, glass and stone/quartz tables

General Information:

- Wood species and finish will default to the same as the table top if wood door version is specified
- Glass & wood doors are 1/4" -thick, metal doors are 1/8" -thick
- Glass door is back-painted low-iron glass
- Interior body is clear anodized aluminum
- Each unit includes a 15 amp, 12' power infeed (plug in only)
- If Field-Wired option is specified, each unit includes a 6' flexible metal conduit and requires a hardwire connection
- Standard configuration: Four simplex receptacles, two RJ-45 (data) connectors and three single space blank faceplates
- When specified on tables with laminate, glass or stone/quartz tops, each Power Matrix unit includes a metal bezel and is limited to the glass and metal door options. (-B) will be added to the model number for the bezel.
- Not available on Counter and Standing Height Media Tables
- Additional data/AV faceplate options are on page 92

Location Codes

Power Matrix Medium	Location	Qty of Units to Order
PM-1	One at center	1
PM-1W	One at wall end	1
PM-2	One at each end	2

Door Material and Location Availability by Table Size

W = Wood Door G = Glass Door M = Metal Door

Power Matrix Medium				
Length	Top Sections	PM-1	PM-1W	PM-2
48	1	W/G/M	W/G/M	-
54	1	W/G/M	W/G/M	-
60	1	W/G/M	W/G/M	-
66	1	W/G/M	W/G/M	-
72	1	W/G/M	W/G/M	W/G/M
78	1	W/G/M	W/G/M	W/G/M
84	1	W/G/M	W/G/M	W/G/M
90	1	W/G/M	W/G/M	W/G/M
96	1	W/G/M	W/G/M	W/G/M



Two4Six™ Meeting Power & Data Options

Single Infeed Option	Model #	Description	Price
	SI-H	Single Infeed Option, Hard-wired	386
	SI-C	Single Infeed Option, Corded (Plug-in)	468

General Information:

- Tables 48" - 96" in length include 2 duplex receptacles with the modular power system
- Hardwired and Corded Single Infeed options are 7' long
- Single Infeed option cannot be specified in conjunction with the Field-Wired (-FW) option

Retractors	Model #	Description	Price
	CR-CAT6	CAT6 Retractor	636
	CR-HDMI	HDMI Retractor	636
	CR-DISPLAY	Display Port Retractor	636
	CR-USB	Data USB Retractor	636



CR-HDMI

General Information:

- Mounting bracket and attaching hardware included with each retractor
- Can only be used with Power Matrix Small or Medium units
- Not available on square, round or soft square tables
- One Cable Pass Through Set (one top, one bottom) AAP FLDF-14 included. Double style AAP
- See page 19 for availability by table size


AV Connectors & Mounting Plates	Model #	Description	Style	W X H	Price
	FLDF-1	Blank faceplate, single height	Single	3-1/2 x 5/8	50
	FLDF-2	One VGA 15-pin HD Female to Female Gender Changer, one 3.5mm Stereo Mini Jack to Solder Tabs	Single	3-1/2 x 5/8	180
	FLDF-3	One VGA 15-pin HD Female to Female Gender Changer	Single	3-1/2 x 5/8	141
	FLDF-4	One RJ-11 Female to Punch Down - Phone	Single	3-1/2 x 5/8	141
	FLDF-5	One RJ-45 Female to Female Barrel - Data	Single	3-1/2 x 5/8	115
	FLDF-6	Two RJ-45 Female to Female Barrels, single height	Single	3-1/2 x 5/8	155
	FLDF-7	Two RJ-45 Female to Punch Down for CAT 6 - AMP	Single	3-1/2 x 5/8	219
	FLDF-8	Two RJ-45 Female to Punch Down for CAT 6 - Leviton	Single	3-1/2 x 5/8	219
	FLDF-10	Two RJ-45 Female to Punch Down for CAT 6 - Panduit	Single	3-1/2 x 5/8	219
	FLDF-11	Two USB A Female to Two USB A Female on 10" Pigtales	Single	3-1/2 x 5/8	245
	FLDF-12	Blank faceplate, double height	Double	3-1/2 x 1-3/8	62
	FLDF-13	Two RJ-45 Female to Female Barrels, double height	Double	3-1/2 x 1-3/8	155
	FLDF-14	Cable Pass-Through Set - one top, one bottom	Double	3-1/2 x 1-3/8	271
	FLDF-15	One HDMI Female to Female Barrel	Single	3-1/2 x 5/8	180

General Information:

- All connectors and faceplates are Extron® Architectural Adapter Plates (AAP)
- Each TW-RAIL-DATA unit holds two Single Space faceplates
- Faceplates are black



Two4Six™ Meeting Power & Data Options

Tech Node	Model #	W x D	Simplex	Open	Dual	Bluetooth	Price
			Receptacles	Data Ports	Charging USB	Speaker	
 PUP	PUP	8 x 4	2	2	-	-	380
	PUP-USB	8 x 4	2	1	1	-	453
	PUP-SPEAKER	8 x 4	1	-	-	1	581

Options:

Field-Wired Add **-FW** \$0 May be required in New York City, Chicago and San Francisco.
Check with an electrician for local codes and requirements.

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Location Code and quantity from chart below

General Information:

- PUP option includes two simplex receptacles and two voice/data openings
- PUP-USB option includes two simplex receptacles, one dual USB charger and one voice/data opening
- 12' cord and a 15 amp plug-in power Infeed
- Voice/data modules must be ordered separately; contact your local AV integrator
- Default color to metal finish specified on tables (Shadow, Storm, Black, Aged Bronze, Satin Bronze and Galaxy receive Black Anodized Tech Node; Cloud, Burnished and Foil receive Clear Anodized Tech Node)
- UL Listed
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required

Power Spec	Model #	Description	Price
 PWR-R-W	PWR-R-B	Round Power Spec with Black Faceplate	79
	PWR-R-W	Round Power Spec with White Faceplate	79
 PWR-SQ-W	PWR-SQ-B	Square Power Spec with Black Faceplate	79
	PWR-SQ-W	Square Power Spec with White Faceplate	79

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

General Information:

- Includes (1) Simplex receptacle
- 12' cord

USB Spec	Model #	Description	Price
 USB-R-W	USB-R-B	Round Data Spec with Black Faceplate	170
	USB-R-W	Round Data Spec with White Faceplate	170
 USB-SQ-W	USB-SQ-B	Square Data Spec with Black Faceplate	170
	USB-SQ-W	Square Data Spec with White Faceplate	170

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Metal Finish: Satin Nickel (SNB) or Chrome (CB)

General Information:

- Includes (1) 2-port charging USB
- 6' cord

Round Grommet	Model #	W x D	Description	Price
 GR	GR	2" Diameter	Round Grommet	152

Options:

Polished Chrome Grommet Add **-PCG** \$58

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish: Cloud (A8004), Burnished (A8009), Foil (A8006), Shadow (A8005), Galaxy (A8007) or Clear Anodized (CA)

General Information:

- Available at center location only

Power Pole	Model #	Description	Price
 TF-PP	TF-PP	Power Pole	648

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.


- Choose Metal Finish (Clear Anodized -CA not available)

Location Codes							
Power Matrix Small	Power Matrix Medium	Tech Node	Power Spec	USB Spec	Round Grommet	Location	Order Qty
PS-1	PM-1	TN-1	SP-1	SP-1	G-1	One at center	1
PS-1W	PM-1W	TN-1W	SP-1W	SP-1W	G-1W	One at wall end	1
PS-2*	PM-2*	TN-2*	SP-2	SP-2		One at each end	2

*PS-2, PM-2 and TN-2 are not offered on Media Tables, Standing Height Tables, or Counter Height Tables



Two4Six™ Meeting Power & Data Options

Hardwire Infeed Power Rail Kit (Includes Power Rails, Hardwire Infeed and Modular Power Components)	Model #	Total #	Electrical	(2) Simplex	Electrical	(1) Simplex / (1) Charging USB
		of Rails	Outlets	-S2	Outlets	-S1
 -S2	TF-RAIL-1-H	1	2	934	1	934
	TF-RAIL-2-H	2	4	1483	2	1483
	TF-RAIL-3-H	3	6	2032	3	2032
	TF-RAIL-4-H	4	8	2580	4	2580
	TF-RAIL-5-H	5	10	3129	5	3129
	TF-RAIL-6-H	6	12	3679	6	3679
	TF-RAIL-7-H	7	14	4227	7	4227
	TF-RAIL-8-H	8	16	4776	8	4776


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Includes modular power electrical system
- Hardwire infeed is 7' long
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

Corded Infeed Power Rail Kit (Includes Power Rails, Corded Infeed and Modular Power Components)	Model #	Total #	Electrical	(2) Simplex	Electrical	(1) Simplex / (1) Charging USB
		of Rails	Outlets	-S2	Outlets	-S1
 -S2	TF-RAIL-1-C	1	2	1016	1	1016
	TF-RAIL-2-C	2	4	1565	2	1565
	TF-RAIL-3-C	3	6	2114	3	2114
	TF-RAIL-4-C	4	8	2662	4	2662
	TF-RAIL-5-C	5	10	3211	5	3211
	TF-RAIL-6-C	6	12	3761	6	3761
	TF-RAIL-7-C	7	14	4310	7	4310
	TF-RAIL-8-C	8	16	4858	8	4858

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Includes modular power electrical system
- Corded single infeed is 7' long
- Corded Single Infeed option will require a 20amp outlet in the floor monument and reduces the modular electrical system in the table to a single circuit
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

Data Rail	Model #	Description	Price
-----------	---------	-------------	-------



REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Data Rails not available in Clear or Black Anodized

Field-Wired	Model #	Description	(2) Simplex	(1) Simplex / (1) Charging USB
			-S2	-S1
	TF-RAIL-FW	Field-Wired Power Rail	487	487

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish


General Information:

- Includes 6' flexible metal conduit and required a hardwire connection
- May be required in New York City, Chicago and San Francisco. Check with an electrician for local codes and requirements. A junction box will be provided when ordering the TW-RAIL-FW option.
- Power Rails not available in Clear or Black Anodized



Two4Six™ Meeting Power & Data Options

Individual Power Rail	Model #	Description	(2) Simplex	(1) Simplex / (1) Charging USB
			-S2	-S1
	TF-RAIL	Power Rail	550	550



-S2



-S1

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Individual power rails do not include a modular power system. Each Power Rail must directly plug into a floor core with a 6'-corded 15-amp plug-in infeed. (Typically used with smaller tables, rounds, squares, soft squares, where a modular power system is not required.)
- Simplex receptacles will be white, when Burnished, Cloud or Foil powdercoat finishes are specified. Black simplex receptacles will be used for all other powdercoat finishes.
- Power Rails not available in Clear or Black Anodized

Charging Trac	Model #	Total Brackets	Number of USB Ports	Price
	TRAC-2	2	4	1417
	TRAC-4	4	8	2390

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish

General Information:

- Plug-in Infeed only
- Field Installed
- 15 amp



Two4Six™ Meeting Power & Data Options

Charging Stand (Battery-Powered)	Model #	Description	Simplex	USB-A	USB-C	Price
			Receptacles	Ports	Ports	
	STAND-B-W	Battery-Powered White Unit	-	3	1	1619
	STAND-B-B	Battery-Powered Black Unit	-	3	1	1619



General Information:

- Three ports for USB-A and one 18 Watt USB-C
- Charging cord included
- LED lights on top of the unit indicate charge level of the battery. When all 4 lights are on, the battery is fully charged.
- Uses a 40 Amp Hour battery with a 128 Watt Hour capacity. For optimal use, it should be charged every night.
- Charging capacities are estimated, based on charging from no power to full power.
 - 10-12 smart phones
 - 8-10 small tablets (5-7" in size)
 - 4 large tablets (9-11" in size)
- White unit is a combination of White aluminum on the base and neck area, and plastic in the Fog color for the trim inserts
- Weight: 12lbs


Charging Stand (Corded)	Model #	Description	Simplex	USB-A	USB-C	Price
			Receptacles	Ports	Ports	
	STAND-1C-W	Corded White Unit	1	2	1	711
	STAND-3C-W	Corded White Unit	3	2	1	720
	STAND-4C-W	Corded White Unit	4	2	1	733
	STAND-1C-B	Corded Black Unit	1	2	1	711
	STAND-3C-B	Corded Black Unit	3	2	1	720
	STAND-4C-B	Corded Black Unit	4	2	1	733



General Information:

- 10' Plug-In Infeed Cord
- Capable of charging laptops, tablets and mobile phones simultaneously
- STAND-4C version includes a circuit breaker in the base
- Weight: 10lbs


Tech Zone	Model #	Description	Simplex	Open Data	Dual Charging	Bluetooth	Price
			Receptacles	Ports	USB	Speaker	
	ZONE-DATA	(2) Simplex receptacles (2) Open data ports	2	2	-	-	239
	ZONE-USB	(2) Simplex receptacles (1) Dual charging USB (1) Open data port	2	1	1	-	299
	ZONE-SPEAKER	(1) Simplex receptacle (1) Dual charging USB (1) Bluetooth speaker	1	-	1	1	608




ZONE-SPEAKER



ZONE-DATA



ZONE-USB




ZONE-SPEAKER

General Information:

- 72" long plug-in infeed cord
- Finish is black
- Includes a Voice/Data Adapter Kit to accept couplers and jacks when required

Charging Cube	Model #	Description	Price
	CUBE-W	White Power Cube	290
	CUBE-B	Black Power Cube	290




General Information:

- Includes (3) 2 Amp USB charging ports
- The Cube can be recharged completely in 4.5 hours



Two4Six™ Meeting Accessories

Marker Board	Model #	Width	Length	Price
				Glass -G
	TFMB-3642	36	42	1427
	TFMB-7242	72	42	2745

Options:

Polished Chrome Finish Option for Marker Tray Add **-PCMT** \$209


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Metal Finish for Marker Tray (Clear Anodized (-CA) metal finish not available)

General Information:

- 3/16" white gloss back-painted glass
- Magnetic backer
- Marker tray always located on left side
- Marker Board includes (6) magnets, eraser and markers

Caddy	Model #	W x D	Description	Painted	Veneer	Premium Veneer
				-PS	-V	-PV
	TFCA-1820	18 x 20	Caddy	988	1496	1496

Options:

Polished Chrome Finish on Base Add **-PCBF** \$680

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish, if applicable
- Choose Premium Veneer Species & Finish, if applicable
- Choose Paint Finish, if applicable
- Choose Metal Finish (Clear Anodized (-CA) metal finish not available)

General Information:

- Box height 5.125"
- Total height 26"
- Drawer has integrated pull
- Standard with quarter cut veneer
- White painted drawer box with undermount self soft close slides

Video Conference Camera Shelf	Model #	W x D	Price
	NEVC-1407	14 x 7	289




General Information:

- Shelf is 1/4" thick Foil powder coated aluminum and can be positioned at any height
- Field installed



Two4Six™ Meeting Credenza & Console

Veneer Top with Hardwood Edge



TFDC-8430

Console	Model #	Width	Depth	Height	Drawers	Price	
						Veneer -V	Premium Veneer -PV
	TFDC-5626	56	19	26	4 Drawers	2526	2778
	TFDC-7026	70	19	26	5 Drawers	2854	3140
	TFDC-8426	84	19	26	6 Drawers	3184	3502
	TFDC-5630	56	19	29.5	4 Drawers	2905	3196
	TFDC-7030	70	19	29.5	5 Drawers	3283	3611
	TFDC-8430	84	19	29.5	6 Drawers	3663	4029


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Veneer Species & Finish if applicable
- Choose Premium Veneer Species & Finish if applicable

General Information:

- White drawer boxes with under-mount self soft-closing slides
- Overall drawer dimensions are 15" x 12.5" x 3.25". Interior drawer box dimensions are 14" x 11.5" x 2.5".
- Standard with quarter cut veneer



TFCC-8430

Credenza	Model #	Width	Depth	Height	Price	
					Veneer -V	Premium Veneer -PV
	TFCC-6030	60	22	29.5	6807	7487
	TFCC-7230	72	22	29.5	7575	8332
	TFCC-8430	84	22	29.5	8343	9177

Options:

No Locks Add -NL \$0

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.


- Choose Veneer Species & Finish, if applicable
- Choose Premium Veneer Species & Finish, if applicable

General Information:

- Credenza standard with locks
- Standard with quarter cut veneer
- White drawer boxes with under-mount self soft-closing slides
- 60" and 72" wide credenzas include 4 lateral files. 84" wide credenza will include 4 lateral files and center doors

File Placement Options:

30"-wide Drawer (60"-wide Credenza)



36"-wide Drawer (72" and 84"-wide Credenza)

