

MYNE™

Planning Guide + Price List

QUICK LINKS

Introduction

General Information

Finish Information

Surface Materials

Planning Guide

Planning

Price List

Myne IN Tables

Myne OUT Tables



General Information

This price book supercedes all previous versions.

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact NuCraft Customer Service. NuCraft can also help arrange to have products blanket wrapped for an additional charge. Contact the NuCraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$2,100 net will be assessed a \$285 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

NuCraft offers a variety of services to accommodate a wide range of delivery requirements. Availability of these services is dependent on a number of factors and may not be offered with all shipments. Examples of delivery services that have additional fees include:

- Specific date within our standard 3-5 day delivery window (for orders under \$50,000 net)
- Specific time of day, morning or afternoon (for orders under \$50,000 net)
- Delivery to a warehouse before delivery to its final destination (unless product is picked up at the warehouse)

Contact the NuCraft Customer Service team for availability and pricing on these services.

Freight Terms

Shipping charges for NuCraft products are prepaid for standard delivery in the continental United States. Standard delivery is defined as follows: Product is delivered on a 53' trailer being pulled by a long-haul tractor (total length of 85'). Facility will receive delivery Monday through Friday between the hours of 8:00 AM and 4:00 PM. Facility has docks with levelers and a fork truck for unloading. Product will be loaded on load bars two levels high. Receiving facility is responsible to have personnel on hand to unload the truck upon arrival, drivers do not unload. Delivery sites or times that do not meet this criteria will be accommodated, but will typically incur a charge to cover additional shipping costs. Please notify NuCraft in advance of the shipment if this is the case and the additional charge (if any) will be determined by NuCraft.

Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from NuCraft's facilities.

Storage

NuCraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, NuCraft may, at its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. NuCraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that NuCraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. NuCraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). NuCraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against NuCraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. Processing includes but is not limited to development of shop drawings and other engineering drawings. If cancellation is approved, a processing fee of 20-100% will be assessed based on the status of the order.

Change Order Policy

NuCraft will make every attempt to honor any reasonable change request to product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. NuCraft reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes. Please submit any change order request to our Customer Service team. NuCraft will assess charges to the customer as stipulated in the following:

- Standard Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs.
- Special Orders: Change orders received prior to production will be charged \$200 net to cover print and administrative costs. There may be additional costs associated with engineering labor required for the change order.
- Change orders received after production must be evaluated by NuCraft. If approved, the charge will be \$200 net plus any restocking charges accumulated. There may be additional costs associated with engineering labor required for the change order.



General Information

Repair Authorization

Prior written approval is required for repairs of merchandise charged to NuCraft. Failure to do so will result in customer funded repairs.

Payment Terms

Deposits are required at the time of order due to the custom nature of our products. See information regarding Cancellations above.

Credit terms are available to qualified customers. Please contact AR@NuCraft.com to start the application process. Note that the credit application process requires a valid sales tax exemption or resale tax certificate, Form W-9, and three current trade references.

Credit Card Payments are accepted via web portal. Please contact AR@NuCraft.com for payment instructions. Note that a 2% convenience fee will be added for using this payment method and no early pay discounts are allowed on credit card payments.

Warranty

NuCraft warrants that each piece of furniture it manufactures will be free from defects in materials and workmanship for a period of ten years of single-shift use. Textiles, decorative trim, electrical components, lamps, mechanical devices, casters and custom-made products not described in NuCraft's catalog are warranted for one year from the date of original delivery. Height adjustable desk mechanisms are warranted for two years. This warranty is applicable only if the furniture is given normal and proper care and is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new NuCraft products through authorized dealers, or from others specifically authorized by NuCraft to sell its products.

NuCraft's sole obligation under this warranty is to repair or replace, at NuCraft's discretion, products which prove to be defective during the warranty period. Purchasers may be required to establish that a claim is within the warranty period. To initiate a warranty claim, the purchaser should contact an authorized NuCraft dealer.

This warranty does not cover: 1) Damage caused by a carrier 2) COM (Customer's Own Material) specified by the customer that is not a standard product offering 3) Color, grain or texture of wood and other covering materials (due to the natural variations over which NuCraft has no control) 4) Damages resulting from user modification, attachments to a product, misuse, abuse, alteration or negligent use.

NuCraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. NuCraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Environmental Statement

NuCraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet the credit requirements of the U.S. Green Building Council's LEED rating systems in one or more of the following categories:

- Recycled Content
- Certified Wood
- Low-Emitting Materials

Computer Aided Planning

NuCraft products and pricing are available on CD via 2020 Cap, an AutoCAD®-based space planning tool.

2020 Cap is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information, you may contact 2020 Cap direct at 800-227-0038.

iSpec®

NuCraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all NuCraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



Finish Information

Surface Materials Palette

We crafted our materials palette using the same demanding standards that distinguish our furniture. Thoughtful design and attention to every detail elevate your possibilities.

Anchored by NuCraft veneers, unrivaled for clarity, quality, and depth of finish, our collection of surface materials comprises a sophisticated set of balanced elements that supports your design vision.

Some elements have their roots in NuCraft's rich heritage. Others are new materials and reflect current trends and taste. Together, they ensure that you're ready for today and positioned well for the future. Beautifully.

Custom Finishes

NuCraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over \$5000 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. NuCraft's standard black finish (G82) can be applied to all NuCraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

Treatments

Note: Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded on pages 5-6. If no direction is provided on incoming orders, default sheen will be selected.

Gloss: Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All NuCraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

NuCraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact NuCraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher.

NuCraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage NuCraft's finish, but will leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

Caution: while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All NuCraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Wood will fade as a result of exposure to UV light. This is particularly prevalent with light finishes. If color changes due to fading are a concern for your application, the impact can be minimized by selecting medium to dark stains for your wood surfaces. Our top coat includes a UV inhibitor which makes the finishes less prone to fading.



Finish Information

Laminates and Linoleums

Selected Formica®, Nevamar® laminates and Forbo® Furniture Linoleums are available on Myne Tables. For standard laminate, linoleum and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates and Linoleums

To order a color other than those on our list (see pages 5-6), refer to Nevamar or Formica standard grade, matte texture laminate offerings and Forbo Furniture Linoleums (excluding manufacturers' non-standard matte offering). **Add \$103 list per item for a non-standard solid, matrix or pattern.** Add 20% per color for woodgrain laminates (includes stained-to-match for remainder of unit to match laminate color). Add one week to the lead-time for all non-standard laminate and linoleum orders. Call the NuCraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Care and Maintenance of Laminate and Linoleum

Laminate and linoleum surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

REQUIRED INFORMATION:

(ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See pages 5-6)

General Information:

- Touch-up kits must be ordered on a purchase order separate from NuCraft product due to Hazmat shipping



WOOD FINISHES

STANDARD

Default veneer sheen will vary per finish and were determined by a team of experts who reviewed the colorways to determine if gloss or matte best highlighted the natural characteristics of the species of wood and the color of the stain. Default finish is bolded. If no direction is provided, default sheen will be selected.

	Matte	Gloss
Ash		
Chalk	M48	G48
Angora	M49	G49
Blanco	M44	G44
Oat	M45	G45

Rift Cut Oak

Nougat	M01	G01
Wheat	M02	G02
Carbon	M03	G03
Bramble	M07	G07

Cherry

Sherry	M20	G20
Cognac	M21	G21
Spring	M95	G95
Auburn	M93	G93

Walnut

Marron	M35	G35
Mocha	M33	G33
Zinc	M30	G30
Onyx	M82	G82
Otter	M31	G31
Walnut	M26	G26

Linea

Oak Linea	M08	G08
Walnut Linea	M27	G27

Paldao

Thicket	M75	G75
Paldao	M76	G76

HERITAGE COLLECTION

Heritage Collection consists of popular mainstays of the Nucraft veneer collection preserved from our previous offering.

	Matte	Gloss
Natural Maple	M60	G60
Natural Walnut	M25	G25
Castano Walnut	M37	G37
Cordovan Cherry	M99	G99
CoCo Cherry	M96	G96

METAL FINISHES

Aged Bronze	A8010
Black	A44
Burnished	A8009
Cloud	A8004
Foil	A8006
Galaxy	A8007
Polished Chrome*	PCM
Satin Bronze	A8011
Shadow	A8005
Storm	A8012

*Up-charge applies. See specific product line pages for availability.



LAMINATES

	Code	Coordinating Woodgrain Edgeband
Wood Grain Laminates		
Formica White Ash	8841-58	R8841
Formica Natural Ash	8843-58	R8843
Formica Aged Ash	8844-58	R8844
Formica Weathered Ash	8842-58	R8842
Formica Oiled Legno	8846-58	R8846
Formica Bleached Legno	8845-58	R8845
Formica Jarrah Legno	8847-58	R8847
Formica Blackened Legno	8848-58	R8848
Formica Pecan Woodline	5883-58	R5883
Formica Chestnut Woodline	5884-58	R5884
Formica Urban Planked Oak	9312-58	R9312
Formica Natural Walnut	6401-58	R6401
Formica Thermo Walnut	6402-58	R6402
Formica Smoky Brown Pear	5488-58	R5488
Formica Espresso Pear	5489-58	R5489
Formica Smoky Walnut Woodline	6926-58	R6926

		Suggested ABS Edgeband
Solid Laminates		
Formica Brite White	459-58	R01
Formica Dover White	7197-58	R01
Formica Pearl	934-58	R02
Formica Graystone	464-58	R02
Formica Folkstone	927-58	R03
Formica Graphite	837-58	R05

Patterned Laminates		
Nevamar Cool Chic	VA7002T	R02
Nevamar Serene Stardom	VA5001T	R05
Nevamar Calm Distinction	VA6001T	R05
Nevamar Easy Elegance	VA5002T	R05
Wilsonart Sheer Mesh	4876-38	R02
Wilsonart Grey Mesh	4877-38	R02
Wilsonart Pewter Mesh	4878-38	R05

ABS FINISHES

Ashen	R04
Parchment	R02
Shale	R05
Stone	R03
Whitecap	R01

LINOLEUM

	Code	Suggested ABS Edgeband
Solid Linoleums		
Forbo Ash	4132	R03
Forbo Nero	4023	R05
Forbo Mushroom	4176	R02
Forbo Iron	4178	R05



Tackzone Fabric

KNOLLTEXTILES

Nucraft is pleased to have partnered with KnollTextiles to offer a concise selection of standard fabrics pre-approved for use on our products, with prices that are figured into our graded-in system. We've carefully curated a selection of each of the textile's color lines to coordinate with our materials offering. However, all colorways are approved and available as standard. Please contact fabric manufacturer for sampling support.

All tackzone fabrics are applied railroaded

KnollTextiles Beacon | W1597 | Grade A

Spotlight	1
Tusk	2
Fossil	3
Marsh	4
Saffron	5
Hotshot	6
Bonfire	7
Reef	8
Nile	9
Putty	10
Cool Gray	11
Dust	12

KnollTextiles Reflect | W884 | Grade B

Ice	1A
Titanium	2A
Sterling*	3A
Ecru	5A
Ember	9A
Target	10A
Sharkskin	13A
Lagoon	14A

*Default Fabric

GRADED-IN FABRIC PROGRAM

Top quality upholstery and fabrics have been graded into the price list. We work with various distributors and now offer a larger selection of fabrics. For a current list of graded-in manufacturers, check our website at www.nucraft.com

NET PRICE PER YARD	N U C R A F T G R A D E
\$0 - \$20.00	A
\$20.01 - \$35.00	B
\$35.01 - \$50.00	C
\$50.01 - \$65.00	D
\$65.01 - \$80.00	E
\$80.01 - \$95.00	F
\$95.01 - \$110.00	G
\$110.01 - \$125.00	H

For additional information on our graded-in fabrics program, please go to www.nucraft.com.



MYNE IN TABLES

Page 24




MYNE OUT TABLES

Page 27




MYNE MOBILE BOARDS

Page 28



Mobile Marker Board




Mobile Divider



SECTION CONTENTS

SPECIFICATION OVERVIEW	9
MYNE IN	
Detail Overview	10
Dimensions	11
Technology Accommodation	12-14
Configuration Examples	15
MYNE OUT	
Detail Overview	16
Dimensions	17
Technology Accommodations	18
Configuration Examples	19
MYNE ACCESSORIES	
Mobile Boards	20-21
Freestanding Power Options	22-23



Specification Overview

Myne Tables

1. Determine the Application

Myne tables are offered in two table styles: IN and OUT. Myne IN tables have a rectangle top and edge mount legs allowing multiple tables to be ganged together. Myne OUT tables have a radius rectangle top and outset legs that do not gang allowing multiple tables the additional flexibility of quick reconfigurations.

2. Select the Top Surface Material

Choose between standard veneer with hardwood edge, laminates with matching woodgrain, ABS, or birch edge, and linoleum with birch and ABS edge options.

3. Establish the Footprint

Myne tables are available in several sizes. T-base allows user to sit on either side. Myne OUT tables with optional Partition offer the flexibility to be used as individual tables or a multitude of creative configurations. Myne IN tables with optional Modesty can be configured into rows, U-shape configurations or be ganged together in a conference configuration.

4. Select the Base Finish

Myne tables are available with two T-leg base options; IN or OUT and require a powder coat paint for foot, crossbeam, and vertical metal components. Polished chrome option is available for foot and casters.

5. Select Power Option (if desired)

Myne IN table top options for power include Power Spec, USB Spec, and Power Port. A robust Power Beam option is available for under-surface and single in-feed power solutions. Myne OUT options include the Power and Charging Cap located on top of the outset leg offering both a corded and cordless (battery) solution. Freestanding power solutions available for both Myne IN and OUT.




Myne™ In Planning


Myne IN Overview

Myne IN

- 3/4"-thick rectangle tops
- Square edge with slight chamfer on top and bottom
- Edge mount T-leg is set just inside each end for maximum leg space. Legs are centered allowing users to be seated along either side.
- Tables are standard with a low-profile flip-mechanism with release bar for ease of mobility and compact storage
- Table top power options and Power Beam for under surface power and single in-feed power available on all Myne IN tables (see Myne IN Technology Accommodations)
- Tables are standard with four locking casters
- Convenient J-hook, placed anywhere on center beam, for handbags and quick coiling of wires for ease of mobility and storage





J-Hook



Modesty Panel



- The optional modesty panel is hinged, allowing it to swivel when the top is flipped up
- Material options:
 - Choose between standard metal finish, veneer with hardwood edge, laminates with matching wood grain, ABS, or birch edge, and linoleum with ABS and birch edge options
- Metal Modesty panel is 3/16"-thick
- Non-metal modesty panels are 1/2"-thick

With Modesty Panel



Ganging Connectors


- Optional on all Myne IN tables
- Allows ganging end-to-end, front-to-front and front-to-end
- Ganging connectors required when jumping modular power from table to table






Nesting


- Cross Bar provides one-handed operation to flip the table top upward for dense storage when tables are not in use
- Safety catch allows top to remain in up position for moving and storage
- Nesting tables feature an offset nest; see illustrations to determine the dimensions of the tables while nested.



Nested Myne IN Tables



Nested Myne IN Tables - Top View



Nested Myne IN Tables - Side View



Myne™ Planning


Myne IN - Under Surface Power Option: Power Beam

Technology Accommodation

Power Beam

The optional Power Beam is a robust under surface power solution for those who do not want connectivity to occur on the table top. The two-circuit modular power system has the ability to transfer power between adjacent tables from a single point of entry. Power Beam can also be used as a means of supplying power to table top power options.

- Two-Circuit Modular Power System, 4-wire, 20 amps
- Transfers power between adjacent tables from a single point of entry
- Hardwired or direct plug infeed options (power in-feeds must be ordered separately)
- Available in two options: one Dual USB and one Dual receptacle or two dual receptacles only
- Each table includes one jumper to connect to adjacent table
- Power connectivity options per table:
 - Two duplex receptacles
 - One duplex receptacle and one dual USB charger (2-amps per port)
- All components, except the direct plug infeed, are UL and cULus listed and meet NEC requirements; the direct plug infeed is not UL listed but does meet NEC standards





Myne™ Planning

Myne IN - Table Top Power Options: Power Spec, USB Spec and Power Port


Power Spec and USB Spec

This compact unit allows for the addition of power or data to a work surface in a discreet way. Available in round or square shapes, and multiple finish options.

Power Spec

- Spill-proof power simplex
- Compact design
- 1-3/4" cutout for installation
- UL Listed


Power Spec



USB Spec

- Used to charge devices or transfer data
- Compact design
- Offered with USB
- 1-3/4" cutout for installation
- UL Listed

USB Spec




Power Port


Sleek, low-profile design, and easy-to-clean surface. Power Ports powder coated trim and coordinating faceplate is available in multiple finish options. Two or three window units, with USB and power or power simplexes only.

- Finish: smooth plastic faceplate with clear anodized aluminum housing, and powder-coated steel trim
- Available with Tamper Resistant Simplexes
- 15 Amp power simplexes
- Dual Port 4 Amp USB (2 Amps per port)
- UL Listed

Power Port - Two Window Unit



Power Port - Three Window Unit






Location Codes

Power Spec	USB Spec	Power Port	Location	Qty of Units to Order
SP-1	SP-1	PP-1	One at center	1
SP-2	SP-2		One at each end	2

If both Power Spec and USB Spec are specified, Power Spec will be on the Left and USB Spec will be on the Right


POWER/USB SPEC

26"-Deep Tops




POWER PORT


26"-Deep Tops




30"-Deep Tops




30"-Deep Tops



36"-Deep Tops






36"-Deep Tops





Configuration Examples

Myne IN tables are offered in two lengths, three depths, one base style and one edge profile allowing a broad range of application needs.






Myne™ Planning


Myne OUT Overview

Myne OUT

- 3/4"-thick radius rectangle tops
- Square edge with slight chamfer on top and bottom
- Outset T-leg is set just outside each end for maximum leg space. Legs are centered allowing users to be seated along either side.
- Tables are standard with a low-profile flip-mechanism with release bar for ease of mobility and compact storage
- Power and Charging Cap - Simplex and USB power options located on leg cap (see Myne OUT Technology Accommodations)
- Convenient J-hook, located on center beam, for handbags and quick coiling of wires for ease of mobility and storage
- No ganging connector option. Tables are intended to move freely.
- Tables are standard with four locking casters




J-Hook




Myne Partition

- COM or standard Tackzone Fabrics (see surface materials page)
- Modesty or Privacy position: Rotate clamp mechanism 180 degrees and attach partition to table for preferred modesty or privacy position
- Light weight construction (under 10lbs) for fast configuration
- When centered on the table, partition is intended to be inset 2.75" from either edge
- Wire pass through offers additional wire management flexibility
- 2" diameter metal end cap

Myne Partition - Privacy Position



Myne Partition - Modesty Position






Myne™ Planning

Myne OUT - Dimensions


Nesting

- Cross Bar provides one-handed operation to flip the table top upward for dense storage when tables are not in use
- Safety catch allows top to remain in up position for moving and storage
- Nesting tables feature an offset nest; see illustrations to determine the dimensions of the tables while nested.




Nested Myne OUT Tables


Nested Myne OUT Tables - Top View




Nested Myne OUT Tables - Side View



Partition (Side View Modesty Position)



Partition (Front View Modesty Position)





Myne™ Planning


Myne Out

Technology Accommodation


Power Cap - Corded

Located on the top of the leg, the power cap allows use of simplex and USB charging while keeping the work surface unobstructed.


- Molded plastic cap in black or white
- Tamper resistant
- 72" threaded cord routes through center beam to floor
- Single simplex or dual USB combinations
- If no power is specified, leg cap defaults to blank cap with no outlets.




MYC-USB1




-MYC-USB2




-MYC-AC1



-MYC-AC2




-MYC-AC-USB2




Charging Cap - Battery-Powered

The ultimate in mobility, the Charging Cap is located on top of the leg, and allows the use of single and Dual USB charging.


- BATTERY SPECS
 - 40 Ah
 - 3.2V
 - 128 Watt Hours
- LED indicator on leg cap - takes approximately 5 hours to fully recharge with the included wall charger
- For further battery standards and capabilities please visit www.Nucraft.com
- If no power is specified, leg cap defaults to blank cap with no outlets.
- Optional Power Strip can be wall mounted or simply layed underneath the tables while charging overnight. Charge up to 6 tables from one Power Strip.




-MYB-USB1



-MYB-USB2




Power Strip





Configuration Examples







Myne Mobile Board

- Magnetic marker and divider front and back or a combination of magnetic marker board and divider
- COM or standard Tackzone Fabrics (see surface materials page)
- Four locking casters for ease of mobility and compact storage
- Overall height 72" (see dimensions page for details)
- Available in widths of 36", 48", 60", and 72"
- Divider panels are tackable
- Mobile Boards come standard with tray on each side.
 - Metal finish will match leg finish
- Dry eraser, markers and magnets provided

Mobile Marker Board




Mobile Divider







Myne Mobile Board - Front View




Myne Mobile Board - Side View




Myne Mobile Board - Top View



Myne Mobile Board - Nested Side View



Myne Mobile Board - Nested Top View





Myne™ Planning


Freestanding Power Option: Charging Cube and Tech Zone

Charging Cube

Charging Cube addresses the need for portable power. The ability to take this device anywhere for collaboration and easy connectivity makes the Charging Cube ideal for those who appreciate flexibility in their workspace.

The Charging Cube can be placed anywhere, and allow up to three devices to be charged at once.

- Three 2 amp USB charging ports
- 11,600 mAh battery capacity
- Charges completely in 4.5 hours



Charging Cube - Top View



Charging Cube - Side View




Tech Zone - Speaker


Simple, easy to use and portable, this freestanding table top power option allows you to easily charge all of your devices.

Includes a 72"-long plug-in infeed cord.


- ZONE-SPEAKER includes one simplex receptacle, one dual charging USB-A charging port and a Bluetooth speaker



Side View



ZONE-SPEAKER






Myne™ Planning

Freestanding Power Option: Charging Stand


Battery-Powered Charging Stand

At table height, this battery-powered unit provides multiple charging options for collaboration anywhere with cordless power.


- Three 2 amp USB-A charging ports
- One USB-C (18W) charging port



Battery-Powered Charging Stand
Side View



Battery-Powered Charging Stand
Top View



Corded Charging Stand

The corded unit offers various configurations to fit your needs, while still offering easy mobility. Includes a 10'-long plug-in infeed cord.

Three configurations to choose from:

STAND-1C


One simplex receptacle and two USB-A ports, and one USB-C port

STAND-3C


Three simplex receptacles, two USB-A ports, and one USB-C port

STAND-4C


Four simplex receptacles, two USB-A ports and one USB-C port




Corded Charging Stand
Side View



Corded Charging Stand
Top View



Base Plate Configuration Options



STAND-1C



STAND-3C





STAND-4C





Myne™ IN Tables

Rectangle Top

Myne IN	Model #	L x W x H	Laminate Top		Linoleum Top		Veneer Top
			Woodgrain/ABS Edge -PE	Birch Edge -PB	ABS Edge -LE	Birch Edge -LB	Hardwood Edge -V
	MYRT-6026-CI	60 x 26 x 29.5	2,400	2,502	2,502	2,603	3,173
	MYRT-6030-CI	60 x 30 x 29.5	2,556	2,665	2,665	2,772	3,379
	MYRT-6036-CI	60 x 36 x 29.5	2,722	2,838	2,838	2,952	3,599
	MYRT-7226-CI	72 x 26 x 29.5	2,536	2,644	2,644	2,751	3,353
	MYRT-7230-CI	72 x 30 x 29.5	2,701	2,816	2,816	2,929	3,571
	MYRT-7236-CI	72 x 36 x 29.5	2,877	2,999	2,999	3,120	3,803

Options:

Modesty Panel

Metal

-MYM60	55.5 x 11	\$267
-MYM72	67.5 x 11	\$282

Laminate Woodgrain/ABS Edge

-MYW60-PE	55.5 x 11	\$443
-MYW72-PE	67.5 x 11	\$468

Linoleum ABS Edge

-MYW60-LE	55.5 x 11	\$462
-MYW72-LE	67.5 x 11	\$488

Modesty Panel

Laminate Birch Edge

-MYW60-PB	55.5 x 11	\$462
-MYW72-PB	67.5 x 11	\$488

Linoleum Birch Edge

-MYW60-LB	55.5 x 11	\$481
-MYW72-LB	67.5 x 11	\$508

Veneer Hardwood Edge

-MYW60-V	55.5 x 11	\$586
-MYW72-V	67.5 x 11	\$619

Ganging Connector

Add -GCM

Add \$142 per table
- Creates eight connection points per table

Polished Chrome Foot Finish

Add -PCM

Add \$528 per table
- Includes four chrome casters

Modular Power Options:

Power Beam

Add -MYD1

Add \$543 per table
- Includes two duplex receptacles per table and one jumper to connect to adjacent table
- Power in-feed must be specified separately (see page 25)
- Power is below surface, integrated into crossbeam
- Includes additional J-hook for jumper storage

Add -MYD2

Add \$623 per table
- Includes one duplex receptacle per table, one dual USB per table and one jumper to connect to adjacent table
- Power in-feed must be specified separately (see page 25)
- Power is below surface, integrated into crossbeam
- Includes additional J-hook for jumper storage

Table Top Power Options:

See page 26

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.

- Choose Top Finish
 - PE: Laminate and ABS Finish
 - LE: Linoleum and ABS Finish
 - PB: Laminate
 - LB: Linoleum
 - V: Wood Finish for Veneer Top and Hardwood Edge
- Choose Leg Metal Finish

General Information:


- Overall table height 29-1/2"
- Tops are 3/4" -thick
- Due to the modular nature of the tables, grain matching between tables is not possible
- Birch edge finish is natural clear coat
- Metal modesty panel will match leg finish
- Leg Cap and Caster color will default based on Leg Finish
 - Polished Chrome Foot Finish: Chrome caster
 - Aged Bronze, Black, Graphite, Galaxy, Shadow, and Storm: Black leg cap and caster
 - Cloud: White leg cap and caster
- Ganging connectors are Black
- Release bar color will default to match leg metal finish
- All tables include a J-Hook which can hang anywhere along the crossbeam for handbags and quick coiling of wires
- Hardwired and corded single infeed options are 42" long
- Modular Power infeed can be placed at any Modular Power Beam location along a string of connected tables
- Plug-in power infeed will only utilize one circuit of the two-circuit modular power system. To utilize both circuits, the hardwire power infeed must be specified.



Myne™ IN Power Options

	TABLE TOP POWER ONLY	POWER BEAM ONLY	TABLE TOP POWER + POWER BEAM
Daisy-Chaining	No	Yes	Yes
Location	- Left and Right or Centered on Table Top	- Under table top, on face of cross beam	- Left & Right or Centered on Table Top - Under table top, on face of cross beam
Power Options	Power Spec: 72" cord to reach floor - One simplex USB Spec: 72" cord to reach floor - Dual USB Power Port: 72" cord to reach floor - Two simplex - One simplex and one dual USB - Three simplex - Two simplex and one dual USB	2 duplex receptacles - Hard Wire Power Infeed: 42" cord to reach floor (maximum of 12 tables per infeed) - Plug-in Power Infeed: 42" cord to reach floor (maximum of 6 tables per infeed) 1 duplex receptacle, 1 dual USB-A - Hard Wire Power Infeed: 42" cord to reach floor (maximum of 12 tables per infeed) - Plug-in Power Infeed: 42" cord to reach floor (maximum of 6 tables per infeed)	TABLE TOP Power Spec: 18" cord to reach crossbeam - One simplex USB Spec: 18" cord to reach crossbeam - Dual USB Power Port: 18" cord to reach crossbeam - Two simplex - One simplex and one dual USB - Three simplex - Two simplex and one dual USB POWER BEAM 2 duplex receptacles - \$552 - Hard Wire Power Infeed: 42" cord to reach floor (maximum of 12 tables per infeed) - Plug-in Power Infeed: 42" cord to reach floor (maximum of 6 tables per infeed) 1 duplex receptacle, 1 dual USB-A - \$617 - Hard Wire Power Infeed: 42" cord to reach floor (maximum of 12 tables per infeed) - Plug-in Power Infeed: 42" cord to reach floor (maximum of 6 tables per in-feed)

Modular Power Infeed	Model #	Description	Price
	MYP-H	Hardwire Power Infeed (maximum of 12 tables per infeed)	103
	MYP-P	Plug-In Power Infeed (maximum of 6 tables per infeed)	140



General Information:

- Hardwired and corded single infeed options are 42" long
- Modular Power infeed can be placed at any Power Beam location along a string of connected tables
- Plug-in power Infeed will only utilize one circuit of the two-circuit modular power system. To utilize both circuits, the hardwire power infeed must be specified.

Modular Power System Retrofit Kits	Model #	Description	Price
	MY-MOD160	Two duplex receptacles and one jumper to connect to adjacent table	552
	MY-MOD260	One duplex receptacle, one dual USB and one jumper to connect to adjacent table	617
	MY-MOD172	Two duplex receptacles and one jumper to connect to adjacent table	552
	MY-MOD272	One duplex receptacle, one dual USB and one jumper to connect to adjacent table	617

General Information:

- Power in-feed must be specified separately (see above)
- Power is below surface, integrated into crossbeam

Corner Jumper	Model #	Description	Price
	MY-CORNER24	Corner jumper for 24" wide tables	79
	MY-CORNER30	Corner jumper for 30" wide tables	85
	MY-CORNER36	Corner jumper for 36" wide tables	92



Myne™ IN Power Options

Power Spec	Model #	Description	Price
	MY-PWR-R	Round Power Spec	79
	MY-PWR-SQ	Square Power Spec	79

MY-PWR-R



MY-PWR-SQ

General Information:

- Includes (1) Simplex receptacle
- 72" cord if no Modular Power Beam has been specified
- 18" cord if Modular Power Beam has been specified.
 - Power Spec will utilize one of four Modular Power Beam receptacles
- Finish will default based on Leg Finish
 - Black Power Spec: Aged Bronze, Black, Burnished, Foil, Graphite, Galaxy, Shadow, and Storm
 - White Power Spec: Cloud

USB Spec	Model #	Description	Price
	MY-USB-R	Round USB Spec	169
	MY-USB-SQ	Square USB Spec	169


MY-USB-R




MY-USB-SQ

General Information:

- Includes (1) Simplex receptacle
- 72" cord if no Modular Power Beam has been specified
- 18" cord if Modular Power Beam has been specified.
 - USB Spec will utilize one of four Modular Power Beam receptacles
- Finish will default based on Leg Finish
 - Black Power Spec: Aged Bronze, Black, Graphite, Galaxy, Shadow, and Storm
 - White Power Spec: Cloud

Power Port	Model #	Description	Price
	PORT2	2 simplex	272
	PORT2-USB	1 simplex, 1 dual USB	407
	PORT3	3 simplex	286
	PORT3-USB	2 simplex, 1 dual USB	433

PORT2-USB



PORT3-USB

General Information:

- 72" cord with no Modular Power Beam
- 18" cord with Modular Power Beam
- Positioned in center location
- Finish will default based on Leg Finish
 - Black Power Port: Aged Bronze, Black, Burnished, Foil, Graphite, Galaxy, Shadow, and Storm
 - White Power Port: Cloud

Location Codes				
Power Spec	USB Spec	Power Port	Location	Order Qty
SP-1	SP-1	PP-1	One at center	1
SP-2	SP-2		One at each end	2

General Information:


- If two units are order for one table, Power Beam is recommended
 - Two units will utilize one duplex receptacle
- If both Power Spec and USB Spec are specified, Power Spec will be on the Left and USB Spec will be on the Right
- See page 14 of the planning guide for location dimensions



Myne™ OUT Tables

Radius Rectangle Top

Myne OUT	Model #	L x W x H	Laminate Top		Linoleum Top		Veneer Top
			Woodgrain/ABS Edge	Birch Edge	ABS Edge	Birch Edge	Hardwood Edge
			-PE	-PB	-LE	-LB	-V
	MYRR-6030-CO	60 x 30 x 29.5	2929	2998	2998	3066	3647
	MYRR-6036-CO	60 x 36 x 29.5	3119	3193	3193	3265	3884
	MYRR-7230-CO	72 x 30 x 29.5	3095	3168	3168	3240	3854
	MYRR-7236-CO	72 x 36 x 29.5	3297	3374	3374	3451	4105



-MYMP-60

Options:

Partition Panel	L x W	Yardage	COM	A	B	C	D	E	F	G	H
-MYMP-60	54.5 x 17	2	550	654	739	813	886	959	1033	1106	1179
-MYMP-72	66.5 x 17	3	607	741	870	980	1090	1200	1310	1420	1530

Price: Fabrics

Polished Chrome Foot Finish

Add -PCM

Add \$528 per table
- Includes four chrome casters



Default

POWER CAP

CHARGING CAP


Daisy-Chaining	No	No
Location	- Top of Legs	- Top of Legs
Power Options	Power Cap: 72" cord - Dual USB in one leg - Dual USB in both legs - One simplex in one leg - One simplex in both legs - One simplex in one leg and dual USB in other leg	Charging Cap: Battery Powered (cordless) - Dual USB in one leg and LED battery indicator in other leg - Dual USB in one leg and one USB in other leg



-MYC-USB1



-MYC-USB2



-MYC-AC1



-MYC-AC2



-MYC-AC-USB2

Power Options:

Power Cap - Corded

Add -MYC-USB1
Add -MYC-USB2
Add -MYC-AC1
Add -MYC-AC2
Add -MYC-AC-USB2

Add \$532 per table
Add \$863 per table
Add \$165 per table
Add \$597 per table
Add \$662 per table

Dual USB Left Leg Cap and right blank leg cap
Dual USB Left and Right Leg Cap
Simplex Receptacle Left Leg Cap and blank right leg cap
Simplex Receptacle Left and Right Leg Cap
Simplex Receptacle Left Leg Cap/Dual USB Right Leg Cap



-MYC-USB1



-MYC-USB2

Charging Cap - Cordless

Add -MYB-USB1
Add -MYB-USB2

Add \$1,441 per table
Add \$1,608 per table

Dual USB/LED battery indicator Left Leg Cap
Dual USB/LED battery indicator Left Leg Cap
and Dual USB Right Leg Cap

Charging Cap - Power Strip

Model #	Description	Price
MYTS-836	Charge up to six tables per Power Strip; includes six outlets	355



MYTS-836



Myne™ OUT Tables

Radius Rectangle Top



-PE



-LE



-PB



-LB



-V

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

See pages 5-6 for surface material options.


- Choose Top Finish
 - PE: Laminate and Woodgrain/ABS Finish
 - LE: Linoleum and ABS Finish
 - PB: Laminate
 - LB: Linoleum
 - V: Wood Finish for Veneer Top and Hardwood Edge
- Choose Leg Metal Finish
- Choose Fabric, if applicable

General Information:


- Overall table height 29-1/2"
- Tops are 3/4"-thick
- Due to the modular nature of the tables, grain matching between tables is not possible
- Birch edge finish is natural clear coat
- Leg cap and caster color will default based on leg finish:
 - Polished Chrome Foot Finish: Chrome caster
 - Aged Bronze, Black, Burnished, Foil, Graphite, Galaxy, Shadow, and Storm: Black leg cap and caster
 - Cloud: White leg cap and caster
- Release bar color will default to match leg metal finish
- All tables include a hook which can hang anywhere along the crossbeam for handbags and quick coiling of wires
- Power Cap color will default based on Leg Finish
 - Aged Bronze, Black, Graphite, Galaxy, Shadow, and Storm: Black leg cap and caster
 - Cloud: White leg cap and caster
- Corded Power Cap has a 72" length cord per table
- Cordless Power Cap
 - Delivers robust battery power to support phones, tablets and more.
 - Includes battery charging cord
 - Battery case will default to Leg Finish.
- Partition clip color will default to match leg metal finish unless specified
- Panels are tackable
- If no power is specified, leg cap defaults to blank cap with no outlets
- See page 7 for partition fabric restrictions

Myne™ Mobile Boards




Mobile Marker Board	Model #	L x W x H	Price
	MYMM-3641	36 x 41 x 72	1366
	MYMM-4841	48 x 41 x 72	1477
	MYMM-6041	60 x 41 x 72	1588
	MYMM-7241	72 x 41 x 72	1699

Price: Fabrics

Mobile Divider	Model #	L x W x H	Yardage	COM	A	B	C	D	E	F	G	H
	MYDD-3641	36 x 41 x 72	3	1366	1576	1704	1814	1924	2034	2144	2254	2364
	MYDD-4841	48 x 41 x 72	3	1477	1698	1826	1936	2046	2156	2266	2376	2486
	MYDD-6041	60 x 41 x 72	4	1588	1845	2016	2162	2309	2456	2602	2749	2896
	MYDD-7241	72 x 41 x 72	6	1699	2016	2272	2492	2712	2932	3152	3372	3592

Price: Fabrics

Mobile Marker Board & Divider	Model #	L x W x H	Yardage	COM	A	B	C	D	E	F	G	H
	MYMD-3641	36 x 41 x 72	1.5	1366	1539	1603	1658	1713	1768	1823	1878	1933
	MYMD-4841	48 x 41 x 72	1.5	1477	1661	1726	1781	1836	1891	1946	2001	2056
	MYMD-6041	60 x 41 x 72	2	1588	1796	1881	1955	2028	2101	2175	2248	2321
	MYMD-7241	72 x 41 x 72	3	1699	1942	2071	2181	2291	2401	2511	2621	2731

Options:

Polished Chrome Foot Finish

Add -PCM

Add \$523 per table
- Includes four chrome casters

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


See pages 5-6 for surface material options.

- Choose Leg Metal Finish
- Choose Fabric, if applicable

General Information:

- Overall height 72"
- Panels are tackable
- Mobile Boards come standard with tray. Finish to match leg finish.
- Mobile Boards ships standard with four locking casters
- Leg cap and caster color will default based on leg finish:
 - Polished Chrome Foot Finish: Chrome caster
 - Aged Bronze, Black, Burnished, Foil, Graphite, Galaxy, Shadow, and Storm: Black leg cap and caster
 - Cloud: White leg cap and caster
- See page 7 for partition fabric restrictions
- All tackzone fabrics are applied railroaded
- Marker Board includes six magnets, eraser and markers

Myne IN Ganging Connector	Model #	Description	Price
	MY-GNG	Ganging Connectors, set of 2	142



General Information:

- For retrofitting in the field
- Available for Myne In tables only

J-Hook	Model #	Description	Price
	MY-HOOKG	Myne In J-Hook	22
	MY-HOOKF	Myne Out J-Hook	22



General Information:

- Hang anywhere along the crossbeam for handbags, quick coiling cables and wire management
- Two hooks on one crossbeam allow for storing of jumper cable (Myne In only)

Magnetic Marker Board Kit	Model #	Description	Price
	MY-KIT	Includes (6) magnets, eraser and markers	57



Myne™ Freestanding Power Options

Charging Stand (Battery-Powered)	Model #	Description	Simplex	USB-A	USB-C	Price
			Receptacles	Ports	Ports	
	STAND-B-W	Battery-Powered White Unit	-	3	1	1619
	STAND-B-B	Battery-Powered Black Unit	-	3	1	1619



General Information:

- Three ports for USB-A and one 18 Watt USB-C
- Charging cord included
- LED lights on top of the unit indicate charge level of the battery. When all 4 lights are on, the battery is fully charged.
- Uses a 40 Amp Hour battery with a 128 Watt Hour capacity. For optimal use, it should be charged every night.
- Charging capacities are estimated, based on charging from no power to full power.
 - 10-12 smart phones
 - 8-10 small tablets (5-7" in size)
 - 4 large tablets (9-11" in size)
- White unit is a combination of White aluminum on the base and neck area, and plastic in the Fog color for the trim inserts
- Weight: 12lbs


Charging Stand (Corded)	Model #	Description	Simplex	USB-A	USB-C	Price
			Receptacles	Ports	Ports	
	STAND-1C-W	Corded White Unit	1	2	1	711
	STAND-3C-W	Corded White Unit	3	2	1	720
	STAND-4C-W	Corded White Unit	4	2	1	733
	STAND-1C-B	Corded Black Unit	1	2	1	711
	STAND-3C-B	Corded Black Unit	3	2	1	720
	STAND-4C-B	Corded Black Unit	4	2	1	733



General Information:

- 10' Plug-In Infeed Cord
- Capable of charging laptops, tablets and mobile phones simultaneously
- STAND-4C version includes a circuit breaker in the base
- Weight: 10lbs

Tech Zone	Model #	Description	Simplex	Open Data	Dual Charging	Bluetooth	Price
			Receptacles	Ports	USB	Speaker	
	ZONE-SPEAKER	(1) Simplex receptacle (1) Dual charging USB (1) Bluetooth speaker	1	-	1	1	608




ZONE-SPEAKER

General Information:

- 72" long plug-in infeed cord
- Finish is black

Charging Cube	Model #	Description	Price
	CUBE-W	White Power Cube	290
	CUBE-B	Black Power Cube	290



General Information:

- Includes (3) 2 Amp USB charging ports
- The Cube can be recharged completely in 4.5 hours