

unika vaev

ecooustic® Timber Blades



Hear yourself think®

ecoustic® Timber Ceiling Blade

CONTENT	100% PEFC certified wood + scrim fabric
FINISHES	Birch Plywood Western Red Cedar Spotted Gum Hemlock in clear, shale, hickory, walnut, white wash or espresso
DIMENSIONS	23.6" x 23.6" (600 x 600mm) 47.2" x 23.6" (1200 x 600mm) 94.5" x 23.6" (2400 x 600mm)
APPLICATION	Ceiling
FIRE RATINGS	
ASTM E84	Class B
AS/NZS 3837	Group 3
VOC	
ASTM D5116	Complies
ACOUSTIC	
AS/ISO 354	1830-13: NRC- 0.5 with scrim fabric only NRC- 0.8 with ½" ecoustic® Infill 3018-14: NRC- 0.5 with scrim fabric only NRC- 0.8 with ½" ecoustic® Infill 3018-17: NRC- 0.55 with scrim fabric only NRC- 0.85 with ½" ecoustic® Infill 3060-7: NRC- 0.45 with scrim fabric only NRC- 0.75 with ½" ecoustic® Infill 3060-8: NRC- 0.4 with scrim fabric only NRC- 0.65 with ½" ecoustic® Infill
DESCRIPTION	<p>ecoustic® Timber Ceiling Blade tiles are acoustic modular ceiling tiles combining superior sound-absorption with the elegance of PEFC certified wood. The ceiling tiles are available in five profile options and fit 23.6" x 23.6" or 47.2" x 23.6" standard grid openings, or can be suspended below the existing ceiling level by use of a concealed bracketing system.* A custom ceiling grid is required to install the 94.5" x 23.6" Timber Blade Ceiling tiles.** The modular tile feature allows for efficiency of installation and ease of ongoing maintenance.</p> <p>* Brackets are not sold by Unika Vaev. Most general contractors have a preferred system that they work with. Keku Clips are a viable option.</p> <p>** Unika Vaev does not provide custom ceiling grids.</p>

Drop Ceiling Specification: ecoustic® Timber Ceiling Blade is designed to be compatible with 9/16" (15mm) and 15/16" (24mm) exposed tee grid systems in both slim and standard profiles.

Low-VOC and PEFC Certified: ecoustic® Timber Ceiling Blade tiles are low VOC and made from PEFC certified solid wood sourced from sustainably-managed forests. This gives ecoustic® Timber Ceiling Blade an environmental advantage over veneered MDF alternatives that may contain formaldehyde or other harmful VOCs.

Acoustic: All ecoustic® Timber Ceiling Blades are supplied with an acoustic scrim fabric. The combination of the tile with the acoustic scrim fabric achieve a NRC rating of up to 0.55 and has been designed to complement the full range of Timber Ceiling Blades. ecoustic® Timber Ceiling Blade tiles achieve a NRC of up to 0.85 with the use of ½" ecoustic® Infill and even higher with a 1.97" ecoustic® core placed behind the tiles. All ecoustic® Infills are produced from up to 80% recycled fiber content from post-consumer PET packaging such as empty drink bottles.

Versatile Installation: The 47.2" x 23.6" tiles conceal the ceiling grid and can be arranged as a continuous linear system. The 23.6" x 23.6" tiles can be installed in both a linear and a checkerboard pattern.

Easy to Install: ecoustic® Timber Ceiling Blade tiles are designed for modularity and are prefinished allowing for simple and efficient installation and ease of ongoing maintenance. The design results in a linear wood finish with minimal on-site labor for installation.

Ideal for New + Existing Grid Systems: Designed for use on ceilings, ecoustic® Timber Ceiling Blade tile is ideal for new and existing grid systems to maximize sound absorption. The unique collection features a black acoustic scrim backing to enhance sound absorption, which is ideal for architectural installations where reverberation control is critical to room comfort and amenity.



ecoustic® Timber Blade Panel

CONTENT	100% PEFC certified wood + scrim fabric
FINISHES	Birch Plywood Western Red Cedar Spotted Gum Hemlock in clear, shale, hickory, walnut, white wash or espresso
DIMENSIONS	12" x 106.3" (305mm x 2700mm)
APPLICATION	Wall, Ceiling
FIRE RATINGS	
ASTM E84	Class B
AS/NZS 3837	Group 3
VOC	
ASTM D5116	Complies
DESCRIPTION	ecoustic® Timber Blade Panels are available in four blade profiles. The ecoustic® Timber Blade Panels are 12" (h) x 106.3" (w) and incorporate a black acoustic scrim backing. To provide additional sound absorption, the panels can be backed with .98" thick ecoustic® core. ecoustic® Blade Panels may also be installed to cover ceilings.

Versatile: ecoustic® Timber Blade Panels are available in four profile options and can be installed in horizontal or vertical orientation on walls and ceilings. Timber Blade Panel profile, 3018-7, aligns with the ceiling tile profile, 3018-14. Likewise, Timber Blade Panel profile, 3060-4, aligns with the ceiling tile profile, 3060-8. This allows horizontal to vertical blade alignment in ceiling to wall installations.

Low-VOC and PEFC Certified: ecoustic® Timber Blade Panel is low VOC and made from PEFC certified solid wood sourced from sustainably-managed forests. This gives ecoustic® Timber Blade Panel an environmental advantage over veneered MDF alternatives that may contain formaldehyde or other harmful VOCs.

Easy to Install: ecoustic® Timber Blade Panels are designed for modularity and are prefinished allowing for simple and efficient installation and ease of ongoing maintenance. The design results in a linear wood finish with minimal on-site labor for installation

Please Note: We recommend the use of .98" ecoustic® core used behind the ecoustic® Timber Blade Panels when installing to a wall. While the Timber Blade Panels do reduce noise levels on their own, the addition of ecoustic® core will ensure the installed space delivers outstanding acoustic performance.



ecoustic® global leaders
by INSTYLE in acoustic
products

ecoustic® Timber Blade Finishes




Birch Plywood*



Hemlock clear




Hemlock espresso



Hemlock hickory



Hemlock shale




Hemlock walnut



Hemlock white wash



Spotted Gum*




Western Red Cedar (3 common shade variations)

ecoustic® Timber Ceiling Blade Profiles




1830-13



3018-14



3018-17



3060-7



3060-8

ecoustic® Timber Blade Panel Profiles




1830-7



3018-7



3018-9






3060-4






ecoustic® global leaders
by INSTYLE in acoustic
products

ecoustic® Timber Ceiling Blade Sectional View




1830-13







3018-14






3018-17



3060-7




3060-8






8' Section View



8' Plan View



8' Section View




8' Plan View




8' Section View




8' Plan View




8' Section View



8' Plan View






8' Section






8' Plan View

ecoustic® Timber Blade Panel Sectional View




1830-7






3018-7



3018-9






3060-4






ecoustic® global leaders
by INSTYLE in acoustic
products

ecoustic® Timber Ceiling Blade Acoustic





Deakin University Chancellor's Office
 Architect: McGlashan Everist
 Photographer: Peter Clarke

ecoustic® global leaders
 by INSTYLE in acoustic
 products



Unika Vaev
19 Ohio Avenue
Norwich, CT 06360
800-237-1625
customerservice@icfgroup.com
unikavaev.com

Joondalup Resort Function Centre
Architect: Christou Design Group
Photographer: Robert Frith