

Nature is filled with astonishing combinations of textures, shapes and colors that continually change and evolve over time. The Adapt Collection is inspired by nature's transformation and ability to adapt to its ever-changing surroundings.


The collection features four carpet tile patterns: **Moss**, **Stream**, **Brush** and **Pebble**. Each of the patterns are available in thirteen Antron® Lumena™ solution dyed type 6,6 nylon colorways.



Brush

Color 13 Splash


Brush accumulates effortlessly in nature with a blend of twigs and branches that stack together in layers. This lateral design creates both solid and wispy areas of textural interest.



Brush

Color 13 Splash


Brush accumulates effortlessly in nature with a blend of twigs and branches that stack together in layers. This lateral design creates both solid and wispy areas of textural interest.



Moss

Color 13 Splash


Moss displays ornamental interest in its many species. It lives in tandem and takes shape while covering other surfaces in its habitat. This organic design resembles the formation of moss as it flourishes on tree bark in the forest.



Moss

Color 13 Splash

Moss displays ornamental interest in its many species. It lives in tandem and takes shape while covering other surfaces in its habitat. This organic design resembles the formation of moss as it flourishes on tree bark in the forest.



Pebble

Color 13 Splash


Pebble tailors to its environment.
Some pebbles drift, some sparkle in the sunlight, others may become hidden in the earth after a heavy rain. This small scale texture combines well with all of the patterns in the collection to create an effortless foundation to any space.



Stream

Color 13 Splash

Stream produces a natural ebb and flow that is affected by elements in its environment. Waterways sometimes move rapidly while other times they move more slowly. The fluid movement of Stream creates an understated linear design that changes subtly in density.



Stream


Color 13 Splash

Stream produces a natural ebb and flow that is affected by elements in its environment. Waterways sometimes move rapidly while other times they move more slowly. The fluid movement of Stream creates an understated linear design that changes subtly in density.



Brush + **Stream**

Color 13 Splash



Stream + **Moss**

Color 13 Splash



Brush + **Moss** + **Stream**

Color 13 Splash



Pebble + **Stream** + **Moss**

Color 13 Splash



Color 13 Splash | SHOWN FOR ALL IMAGERY

Color Line

Each of the patterns are available in thirteen Antron® Lumena™ solution dyed type 6,6 nylon colorways.

For the most accurate color representation, please request a sample by clicking on the **Order Samples** button below.

ADAPT COLLECTION

	Brush (BU)	Moss (MS)	Pebble (PB)	$\textbf{Stream}~(\top\top)$
Yarn Content	Antron® LUMENA™ solution dyed type 6,6 nylon (SCS-EPP-01226, an Environmentally Preferable Product certified by SCS)			
Gauge	1/12	1/12	1/12	1/12
Tufted Yarn Weight	22 oz/sq yd	24 oz/sq yd	24 oz/sq yd	22 oz/sq yd
Average Yarn Pile Height	.188	.188	.219	.188
Average Yarn Density	4,503	4,922	4,164	4,503
Running Line & Custom Colors	13 running line colors. Custom colors available at minimum yardage. Please contact your Atlas sales associate.			
-				
Carpet Tile				
Tile Size Approved Installation Methods	12" x 36" Ashlar-monolithic Herringbone	12" x 36" Ashlar-monolithic Herringbone	12" x 36" Ashlar-monolithic Herringbone	12" x 36" Ashlar-monolithic Herringbone
Backing System	Perma-tile vinyl backing system with recycled content. Approximate backing thickness is 0.12 inches. Approximate total thickness is 0.28 inches.			
General Guidelines				
Quality Assurance	All certified carpets of Antron® LUMENA™ solution dyed type 6,6 nylon meet strict performance and construction standards set by Invista to assure the highest quality carpet. The Antron® LUMENA™ solution dyed type 6,6 nylon polymer provides superior resistance to crushing, matting, and wear.			
Soil Retardant	DuraTech®, a patented soil resistance technology, is only available on styles of Antron® type 6,6 nylon.			
Static Control	Antron® LUMENA™ solution dyed nylon type 6,6 carries a limited lifetime antistatic protection warranty not to exceed 3.5kV.			
Flammability Ratings	ASTM E668 Flooring Radiant Panel Test: Class I. ASTM E662 NBS Smoke Chamber Test: < 450 in the Flaming Mode.			
Environmental	Complete details on contributions to LEED, CRI Green Label Plus, NSF/ANSI 140-2015, HPD's and EPD's can be found on the Atlas website in the Resources tab under Environmental.			
Warranty	Antron® LUMENA™ solution dyed nylon type 6,6 carries a Limited 10-Year Wear Warranty. See written warranties.			
©Invista	All Rights Reserved. Antron® and the Antron® family of marks and logos are trademarks of INVISTA.			
©Atlas	These patterns are protecte	ed under federal copyright law and	may not be duplicated without Atl	as' express written permission.
Atlas				
Los Angeles Showroom	2200 Saybrook Avenue, Los Angeles, CA 90040 (800) 367-8188			
Chicago Showroom	TheMart (866) 527-9870			
New York City Showroom	New York Design Center (800) 223-0323			
atlascarpetmills.com	Visit us on-line at atlascarpetmills.com for additional product offerings, detailed specifications, installation instructions, maintenance and warranty information.			









Specifications