

Shades by Crossville™

Porcelain Stone®



Color Palette



AV241 ▶ Frost UPS/HON




AV242 ▶ Vapor UPS/HON



AV243 ▶ Fog UPS/HON


Mosaic blends available*




SBC1/.10103HMOS Warm Grays
(AV243, AV245, AV247)




AV244 ▶ Mist UPS/HON




AV245 ▶ Clay UPS/HON




AV246 ▶ Ash UPS/HON



SBC2/.10103HMOS Cool Grays
(AV244, AV246, AV248)




AV247 ▶ Haze UPS/HON



AV248 ▶ Thunder UPS/HON



AV249 ▶ Ink UPS/HON



SBC3/.10103HMOS Whites
(AV241, AV242)


1 x 3 Mosaic Border**



SBC1/.10212MT ▶ Luster



SBC2/.10212MT ▶ Shine



AV246.10103UMOS
Available in all colors UPS Finish
AV246 Haze UPS shown

* Honed finish only
**Globally sourced

Specifications

Sizes Shown in AV247 Haze Honed)

24 x 36

24 x 24

12 x 24

6 x 24

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment.

See website for more details and sizes.



Sizes & Finishes

Field Tile

Available in all colors

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 24	147 x 597	10.5	UPS/HON
12 x 24	297 x 597	10.5	UPS/HON
24 x 24	597 x 597	10.5	UPS/HON
24 x 36	597 x 897	10.5	UPS/HON

Note: All field tile is rectified with a 3mm grout joint.

Mosaics and Mosaic Border

Nominal (in)	Actual (mm)	Sheet (mm)	Thickness (mm)	Finish
1 x 3 Mosaics†	22 x 72	297 x 297	10.5	UPS
1 x 3 Mixed Mosaics†*	22 x 72	297 x 297	10.5	HON
1 x 3 Mosaic Border**	22 x 72	47 x 334.5	10.5	Metallic

† 1 x 3 mosaics mesh mounted in 11-7/8 x 11-7/8 sheets.

* Honed finished only.

** Mounted on a 2 x 13 sheet and wall use only for the metallic border (Globally sourced).

Coordinating Trim

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
4 x 24 Single Bullnose	96 x 597	10.5	UPS/HON
6 x 12 Cove Base	150 x 297	10	UPS



4 x 24 Single Bullnose



6 x 12 Cove Base

Product Performance

Breaking Strength	500 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.30%	ASTM C373
Scratch Hardness	7	Mohs Scale


Wet Dynamic Coefficient of Friction Range

UPS	0.50 - 0.60	AcuTest sm
HON	0.42 - 0.52	AcuTest sm


Shade & Texture Index

Shades by Crossville™ has a shade variation of V2.

V1



V2



V3



V4



V1 Uniform appearance

V2 Slight Variation

V3 Moderate Variation

V4 Substantial Variation

Environmentally Conscious


Shades by Crossville™ contains a minimum of 4% pre-consumer recycled content and is manufactured by Crossville® using processes that recycle nearly 12 million pounds of previously discarded filtrate and fired tile waste. In addition to its own fired waste recycling, Crossville also accepts and recycles reclaimed, previously installed tile through its Tile Take-Back™ Program. For more information, visit CrossvilleInc.com/green.

Recommended Use

Shades by Crossville™ is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Shades by Crossville™ is not recommended for exterior horizontal surfaces or exterior paving. **The honed field tile is not recommended for wet areas where standing water may occur.** If offset pattern is required for tiles 15 inches or longer, Crossville® recommended an offset of not greater than 33%. See CrossvilleInc.com for detailed installation instructions.

HydroTect™

Our porcelain tiles are available with Hydrotect™. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at CrossvilleInc.com.



Care and Maintenance

Regular cleaning is the best way to keep Shades by Crossville™ tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Wet area use for Shades by Crossville™ 1 x 3 Honed Mosaics

Crossville® produces the Shades by Crossville™ 1 x 3 mosaics with a honed and UPS finish. The AcuTest™ wet Dynamic COF of Shades by Crossville™ is $\geq .42$. Their small 1 x 3 size ensures frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning. This information is provided so that customers may make a realistic and informed decision when comparing Shades by Crossville™ to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1- 2012 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

Crossville® Sample Express

Sample fulfillment & Help Line

Samples@CrossvilleInc.com
1 800 221.9093

Loose Samples for Architects & Designers

Loose Tile Samples

Sizes may vary depending on product series
Max. of 4 large field tile per order

Replacement Chips for PSS Rack

Max. of 5, 2 x 2 chips per color

Standard Shipping

UPS Ground

CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com. Information listed here is subject to change.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Trade Organizations



Environmentally Aware



Shades by Crossville™

Porcelain Stone®

This versatile porcelain stone collection is comprised of nine contemporary colors. Six shades of gray in warm or cool tones are complemented by both warm and cool white hues and a deep, not-quite-black selection, as well. The colors stand alone for monochromatic looks or mix and mingle to create sophisticated patterns.

Rectified and designed to be modular, Shades by Crossville™ is available in 24 x 36, 24 x 24, 12 x 24, and 6 x 24 sizes. Through the “Get Planked” program, custom sizes can be created to increase your options, as well. This collection – made in the USA with minimum 4% recycled content – features a subtle linear pattern. Further emphasized in honed tile, this pattern can run in the same direction or alternate to provide greater visual texture.

Complete your look with modern accents: 1 x 3 honed, stacked mosaics in warm, cool, or white combinations and 1 x 3 solid UPS mosaic available in each color, or globally sourced metallic mosaic borders to add glamour to your design.

Shades by Crossville is made in the U.S.A. through Crossville’s EcoCycle Tile Process™, it contains a minimum 4% recycled content and is **Green Squared Certified**—a beautifully responsible selection for your next design project.



SBC1/.10103HMOS ▶ Warm Grays



AV243 ▶ Fog 12 x 24 UPS/HON
AV248 ▶ Thunder 6 x 24 and 12 x 24 UPS/HON
AV249 ▶ Ink 6 x 24 and 12 x 24 UPS/HON
Photo courtesy of Gensler

AV246 ▶ Ash 24 x 36 HON
shown on cover