
January 3, 2011 Updated May 30, 2019 800-424-2432



Contents



Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M., C.	O.L., and C.O.V.		
	Shipping Location		2
700 Carios® Lateral	Eilan and Staraga		
700 Series® Lateral	Product Color Options		?
	General Information		6
700 Series® Curve La	ateral Files and Storag	e	8
Preconfigured Latera	ıl Files		
-	700 Series® Drawer U	nits	10
	700 Series® Curve Dra		18
	700 Series® Receding		24
	700 Series® End Tab S 700 Series® Credenza		28 32
Preconfigured Multin	media Storage		
	700 Series® Cupboard	l/Lateral	34
	700 Series® Curve Cu		36
	700 Series® Bookcase		44
	700 Series® Curve Bo		48
	700 Series® Wardrobe	e Gabinets	52
Preconfigured Locke			
		d/Bookcase/Markerboard	54
	700 Series® Curve Cu	pboard/Bookcase/Markerboard	62
Preconfigured Storag	je		
	700 Series® Multimed	•	78
		ultimedia Storage Cabinets	90
	700 Series® Overfile (Cabinets	92
Lateral File Accesso	ries		96
Computer Media Acc	essories		102
Cupboard Accessorie	es		106
700 Series® Custom-	-Built Lateral Files		
	General Information		110
Custom-Built Lateral	Files		
	700 Series® Shells		114
	700 Series® Drawers		130
	700 Series® Receding	Doors and Shelves	136
	700 Series® Shelves Accessories		140 144
Custom-Built Lamina	a te Tops 700 Series® Lateral Fi	loc	154
	700 Series® OF Storag		156
700 Series® Bookcas	ses General Information		158
700 Series® Curve B	nnkrases		160
Bookcases	700 Series® 12" Deep		162
	700 Series® Curve 12		164
	700 Series® 15" Deep 700 Series® Curve 15		168 172
Bookcase Accessorie	98	•	176
			170
Bookcase Laminate			
700 Series® Pedesta	Is General Information		180
700 Series® Curve P	edestals		182
Pedestals - Mobile a	nd Francisco		
i encerais - Minniff q	700 Series®		184
	700 Sarias® Curva		122

Pedestals - Hanging	700 Series®		192
	700 Series® Curve		194
Pedestals - Worksurf	aca Cunnortina		
Gugolaio * WUIKSUII	700 Series®		196
	700 Series® Curve		198
Pedestal Accessories	3		200
Pedestal Laminate To	ops		206
700 Series® Vertical	Files		
	General Information		208
Vertical Files	700 Series® Letter Siz	e Documents	210
	700 Series® Legal Size	e Documents	212
Vertical File Accesso	ries		
			214
ndex			216

Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION



Architectural Walls		Universal Overheads	MN	Jessa Lounge Seating	HN
Genius Walls	MN	Wireworks	MN	Jubi Guest Chair	GB
		Unite	MN	Katera Guest Chair	TM
Casegoods				Kurv Benches	HN
Dante Benches	. AG	Residence Hall Furniture		LaResta Day Beds	HN
Aristotle Tackboards	MN	RoomScape Furniture	MN	Lyra Lounge Seating	HN
				Maestro Stack Chairs	
Classroom Furniture		Screens		Matrix Stack Chairs	GB
360° Classroom Furniture	BW	All Terrain	KP	Medical & Laboratory Stools	OM
Intellect Wave Chairs	. GB	Connection Zone	BW	MyWay Seating	HN
Learn2	. GB	True/Volition	KP	Neena Benches	HN
		Genesis	KP	Oath Task Chairs and Stools	TM
Desking		Tattoo	MN	Opt4	GB
700 Series Desking	KP			Perth Multiple & Healthcare Seating	HN
Balance Overheads	MN	Seating		Perth II Healthcare Seating	HN
Genesis Desking	MN	100 Series Folding Chairs	BW	Pilot Task Chairs	OM
True Desking	KP	300 Series Folding Chairs	BW	Promenade Seating System	BW
Universal Overheads	MN	600 Series Stools	BW	Rapture Stack Chairs & Stools	GB
WorkZone Desking	MN	700 Series Folding Chairs	BW	Ruckus	GB
		Affina Collection	HN	Rose Healthcare	BW
Files & Storage		Arissa Lounge	HN	Sela Lounge Seating	HN
700 Series Pedestal Cushion	. GB	Altus Task Chairs	TM	Sift Task Chairs	TM
Connection Zone Pads	BW	Apply Stack Chairs	GB	Silhouette Stack Chairs & Stools	TM
U-Series Pedestal Cushion	. GB	Auditorium Folding Chairs	BW	Soltice Metal Collection	HN
Tattoo	BW	Avail Task Chairs	OM	Soltice Multiple, Healthcare & Guest	HN
		Bantam Guest Seating	HN	Soltice II Healthcare Seating	HN
Fixed Seating		Calida Lounge Seating	TM	Strive Multiple, Stack & Task	GB
Concerto Auditorium Seating	BW	Cinturon Lounge Seating	HN	Sway	BW
Single Pedestal Seating	. GB	Connection Zone Privacy Booths	HN	Tattoo	HN
Jury Base Seating	. GB	Doni Collection	GB	Tea Cup Lounge Seating	HN
Lancaster Auditorium Seating	BW	FourC Seating	TM	Torsion-on-the-Go! Nesting Chairs	GB
Sequence Seating	. GB	Front Row Seats (Silk Screening)	BW	Torsion Air Stack and Task Seating	GB
University Seating	. GB	GateOne Public Seating	BW	Torsion Stack and Task Seating	GB
		Grazie Seating	GB	Versa Stack Chairs & Stools	GB
Panel Systems		Hiatus Sleeper Bench	HN	Voyant Task Chairs	TM
All Terrain	KP	Hub Modular Lounge Seating	HN	Voz Guest Chairs	TM
Balance Overheads	MN	Impress Task Chairs	OM		
System 3000	MN	Impress Ultra Task Chairs	OM		

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

<u>AG</u> Contact KI at 1-800-424-2432

 $\underline{\mathsf{BW}}$

KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

<u>HN</u> KI High Point KI Bonduel Attn: COM Storage Attn: COM Storage 217 Feld Avenue 204 West South St. High Point, NC 27263 Bonduel, WI 54107

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

<u>OM</u> Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761

 \underline{MN} KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

<u>TM</u> KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



700 Series® Lateral Files and Storage Product Color Options

Surface FinishLaminate		Chocolate	СТ	Ultra Blue	TUB
Biltmore Cherry	LBT	Cool Grey	CG	Warm Grey	TWG
Black	LBK	Cottonwood	CO	Wet Sand	TWS
Brighton Walnut	LBW	Espresso Metallic	EX	Windsor Mahogany	TWY
Canyon Zephyr	LCA	Flannel	FN	Zesty Lime	TZL
Castle Oak	LC0	Grass Green	GN	Trim Color -	
Casual Linen	LCU	Light Tone	LG	Pedestal Seat Cushion	
Cherry Storm	LCX	Mardi Gras	MG	Black	BL
Classic Linen	LCI	Misty Brown	MY	Blue Grey	GR
Cloud Zephyr	LCL	Nemo	NE	•	
Cocobala	LCC	Nordic	ND	Flannel	FN
Coffee Bean	LCB	Poppy Red	PR	Sand	SA
Crisp Linen	LRI	Purple Haze	PH	Warm Grey	WG
Desert Zephyr	LDZ	Rubber Ducky	RK	Pull Color -	
Dove Grey	LDG	Sand	SA	Curve Units	
Fired Steel	LIL	Sky Blue	SK	Black	PULL.BL
Flax Linen	LXF	Splash	SH	Blue Grey	PULL.GR
Florence Walnut	LFC	Starlight Silver Metallic	SX	Light Tone	PULL.LG
Forged Steel		Surf's Up	SP	Match cabinet color selection	MATCH
•	LOL		UB		
Frosty White	LFW	Ultra Blue		Sand	PULL.SA
Graphite Nebula	LGN	Warm Grey	WG	Warm Grey	PULL.WG
Grey	LGE	Wet Sand	WS	Wet Sand	PULL.WS
High Rise	LHE	Zesty Lime	ZL		
Hollyberry	LHY	Edge Color for 74P Edge			
Irish Linen	LIH	Biltmore Cherry	ТВТ		
Island	LID	Black	TBL		
Italian Silver Ash	LIT	Blue Grey	TGR		
Kensington Maple	LKM	•			
Lapis Blue	LLB	Brighton Walnut	TBW		
Markerboard White	LMK	Castle Oak	TCO		
Misted Zephyr	LMR	Cayenne	TCY		
Monticello Maple	LMT	Cherry Storm	TCX		
Nickel Evolv	LNV	Chocolate	TCT		
North Sea	LNA	Cocobala	TCC		
Ocean	LON	Cool Grey	TCG		
Orange Grove	LOE	Flannel	TFN		
Pearl Bisque	LPB	Florence Walnut	TFC		
Pearl Silver	LPS	Frosty White	TFW		
Pressed Linen	LPR	Grass Green	TGN		
River Cherry	LRY	Italian Silver Ash	TIT		
·	LRG	Kensington Maple	TKM		
Rugged Linen		Light Tone	TLG		
Satin Stainless	LSS	Mardi Gras	TMG		
Shadow Zephyr	LSR	Misty Brown	TMY		
Silicon evolv	LSV	Monticello Maple	TMT		
Sterling Ash	LAZ	Multiplex	TMB		
Tailored Linen	LTL	Nemo	TNE		
Titanium evolv	LTV	Nordic	TND		
White Nebula	LWL	Poppy Red	TPR		
White Sand	LWN		TPH		
Windsor Mahogany	LWY	Purple Haze			
Huit Daint Calan		River Cherry	TRY		
Unit Paint Color		Rubber Ducky	TRK		
Black	BL	Sand	TSA		
Blue Grey	GR	Sky Blue	TSK		
Bronze Metallic	ZM	Splash	TSH		
Cayenne	CY	Sterling Ash	TAZ		
Champagne Metallic	CM	Surf's Up	TSP		

Finish Cards

View color swatches for items listed within this document.

Paints Plastics/Poly Wood/Veneer **Laminates**

 $\underline{\text{Molded Edges}}$

Hard Plastics

Edge Styles <u>Glass</u>

700 Series® Lateral Files and Storage Product Color Options



700 Series® Lateral Files and Storage

General Information

GENERAL INFORMATION

KI 700 Series lateral files are designed on a 1-1/2" module to provide an unparalleled degree of internal flexibility. Interior components are available 3", 6", 7-1/2", 9", 10-1/2", 12", 13-1/2" and 15" high. These components are designed to efficiently accommodate virtually any filing and storage requirement.

To assure KI files are compatible with panel systems, desks or custom architectural details, cabinets are available in 18 different heights.

Preconfigured Units

To simplify the specification process, KI offers preconfigured files and storage cabinets in the most popular sizes with the most popular internal components. These units are assembled using standard components. Lateral files and storage cabinets can be field-retrofitted and updated by specifying componentry from the Custom-Built section of this price list. This does not include current series.

Height

Lateral files and storage cabinets are available in 40 standard heights. Heights include 1/8" allowance for leveling glides fully recessed.

Depth

All lateral files and storage cabinets are 18" deep.

Width

Lateral files and storage cabinets are available in three standard widths: 30", 36" and 42".

Drawer Dimensions

Refer to the illustrations for the range of drawer sizes and the height clearance of each

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Shell common to lateral file and storage cabinet units. Uprights punched to accept

interior components on 1-1/2" centers. Uprights and top and bottom reinforcements are welded into rigid "box frame." Constructed of 18- and 20-gauge steel. Seamless back and top with reinforced corners. Illustrated shell heights include 1/8" for adjustable glide in recessed position.

Doors/Drawers

Drawer fronts, 20-gauge steel with full-width flush inset pull and label holder or flat front with exterior pulls and no label holder. Fronts are screw-mounted to roll-out shelves to build drawers. Roll-out shelf body, 22-gauge steel slotted on 1-1/2" centers to accept dividers. Leading edge formed to provide pull; center section offset for additional strength. Shelf ends, 19-gauge steel, notched to accept hanging folder bars. Each roll-out shelf equipped with two heavy-duty, three-section, ball-bearing suspensions.

Components have been tested to accept loads of 125 lbs. This exceeds ANSI/BIFMA X5.9-2004 standards for lateral files when recommended counterbalance weight is installed. Hinged door, 20-gauge steel, double-wall construction. Door swing is limited to 110 degrees to prevent contact with adjacent cabinet and full height vertical flush inset pull.

Shelves

Blank shelf, 22-gauge steel, formed 7/8" thick on front and back edges. End tab shelf, 22-gauge steel shelf and back, 18-gauge sides. Shelf offset along width to increase strength. Slotted on 1" increments to accept plate dividers.

Preconfigured lateral files meet or exceed ANSI/BIFMA X5.9-2004 standards.

Receding Door

20-gauge steel with full-width flush inset pull and label holder. Equipped with sound absorber. Doors have guiding mechanism fitted with nylon glides to prevent metal-to-metal contact and ensure effortless operation. The diagrams on the following page identify various shelf and drawer combinations and related height clearances

Each (How t	Model Numbering System Each character in the basic model number corresponds to a specific unit feature. How to Build a Model Number Example: Preconfigured 700 Series Lateral Files & Multimedia Storage							
S7L	36	480	4D	BL	CBW50	334FBK		
D R E HD HX OVHI	Wid Inte Typ Col 50 Opti BK Opti nternal co Drav Rec End Hini Hini O Ove	rior height (ne of unit or code ional ional omponent ha wer with side eding door, r tab shelf wit ged door cab ged door cup rfile storage	s a correspo -to-side fold ollout shelf v h plate divid inet with bla iboard witho cabinet	36" wid 48" high, 4 high, Black 50# Cou Front-to nding char er bars with side-trers nk shelves ut shelves	4 drawer Interbalance weight -back filing bars acter: D-side folder bars	ıll cabinet widths.		

behind a receding door. The diagrams show typical use. Additional interior options can be installed behind a receding door.

Note: Dimensions have been taken from the front raised edge of the roll-out shelf.

Accessories

Plate dividers, 18-gauge steel, notched to lock into shelf. Folder bars, 30" & 36" (14-gauge steel); 42" (12-gauge steel), offset to maximize strength. Suspended binder frames are constructed of 14- to 18-gauge steel. Screw-mounted to cabinet. Can be used behind 13-1/2" and 15" receding doors and hinged storage cabinet doors.

Adjustable Glides

Lateral files and storage cabinets are supplied with four adjustable glides. The glides can be adjusted from inside the cabinet using a 1/4" hex socket wrench or from outside the cabinet using a 7/8" wrench. Standard glides provide 3/4" adjustment, longer glides are also available. Overall cabinet heights include the glide in its recessed position.

Interlock

All cabinets are equipped with an interlock safety mechanism. This mechanism reduces the possibility of cabinet tip-over by permitting only one drawer to be opened at a time. With some unique combinations, an individual drawer may not be controlled by the interlock. In these instances, a caution label will be affixed to the drawer body.

Locks

Locks are standard on all units. Locks are a high-security double-bit design. One KI break-away key and one standard key are included with each lock. Units are standard with random keys in a range of 200 different numbers (994 key numbers are available to order). Specific key combinations are available at no additional charge. This information must be included with the order.

Locks can be master keyed. Please see the accessories sections of this price book for ordering keys. Available keys are:

- Lock Core/Keys Lock core and 2 keys are used in P-Series lock housings. Indicate in order notes if a specific core number is required.
- Master Key Single key which opens any P-Series lock.
- Extractor Key Single key which extracts any P-Series lock core.
- Blank Key Single uncut P-Series key to be cut as required by locksmith.
- Cut Key 2 keys for a specific P-Series lock core number as indicated in the order notes.

All locks have removable and interchangeable plugs. This feature provides for on-site custom keying. Units can be supplied with the lock plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. This key is the extractor (core-removal) key and can be found in the storage accessories portions of this price book. Contact customer service

to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key numbered locks. Example: 30 plugs

Example: 30 plugs 3 keyed alike

10 keyed alike

17 keyed alike

Commercial Pack

This is the standard pack that KI offers on all files and storage products. This consists of a plastic poly bag placed over the unit, corrugated top and bottom cap, corner blocking and stretch wrap to keep the packaging intact.

Standard Paint Finishes

All KI products are iron phosphate treated prior to painting. This process enhances top coat bonding. Powder coat application is a highbred epoxy. The paint is baked on to provide a scratch and stain resistant surface. All inside and outside shell and front surfaces are painted with the same specified paint color. Interior components and accessories are painted a black finish. Mechanical components are black plated.

Special Paint Finishes

All special colors, including other manufacturers' standard finishes, are available subject to the following conditions:

- Two steel color chips (minimum 2.5"x3.5") are requested for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
- 2. All solid, single-pass nonstandard colors are available at no upcharge but may be subject to extended leadtimes. Colors that are deemed to be metallic, hichromatic, textured, or require multiple passes are subject to upcharges. Orders will not be processed until a color match is approved. Written information must accompany the order.

INSTALLATION Caution Labels

Caution and safety-related information is contained on a peel-off label affixed to the front of the cabinet. This label is to be removed by the customer.

Caution: Information is also permanently affixed to the left side of the top drawer. Both labels contain important installation and loading information

Installation Information

Complete instructions on the proper installation and use of KI files are provided in each file shipped. The instructions refer to correct methods of leveling, ganging and loading. Counterbalance weights should be installed in all single freestanding files.


Field Reconfiguration

As needs change, KI lateral files and storage cabinets can readily be field-changed; however, this process should be undertaken by a qualified service technician.

700 Series® Lateral Files and Storage General Information

Inside Drawer and Shelf Dimensions*	30W x 18D Cabinet	36W x 18D Cabinet	42W x 18D Cabinet
	W D	W D	W D
10¹/2" Drawer	26 ³ / ₄ " 15 ⁷ / ₈ "	$32^{3}/4^{"}$ $15^{7}/8^{"}$	383/4" 157/8"
12" Single Rollout Shelf	263/4" 157/8"	32 ³ / ₄ " 15 ⁷ / ₈ "	38 ³ / ₄ " 15 ⁷ / ₈ "
Blank Shelf	263/4" 163/16"	323/4" 163/16"	383/4" 163/16"
Slotted Shelf	26 ³ / ₄ " 15 ¹ / ₂ "	32 ³ / ₄ " 15 ¹ / ₂ "	383/4" 151/2"
12" Drawer	26 ³ / ₄ " 15 ⁷ / ₈ "	32 ³ / ₄ " 15 ⁷ / ₈ "	383/4" 157/8"
131/2" Rollout Shelf	26 ³ / ₄ " 15 ⁷ / ₈ "	32 ³ / ₄ " 15 ⁷ / ₈ "	383/4" 157/8"
13¹/₂" Drawer	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
End Tab Filing Shelf	263/4" 153/4"	32 ³ / ₄ " 15 ³ / ₄ "	383/4" 153/4"
Cupboard	28 ¹ / ₂ " 17"	341/2" 17"	401/2" 17"

^{*} Dimensions have been taken from the front raised edge of rollout shelf. The inside clear dimension wide approximately 1/2" greater.



Inside Clear Dimensions of Shelf and Drawer Options

12" Rollout Shelf Behind Receding Door	Blank/Slotted Shelf Behind Receding Door	End Tab Shelf Behind Receding Door	Tie Bar Shelf Below Receding Door	Drawer
3"				29/16"
6"				523/32"
71/2"				71/4"
9"				825/32"
101/2"				101/4"
12" 109/16"		107/16"		111/2*
121/."	1	107/16	1.	131/32"
15"	1117/2	1	123/4"	149/32"

700 Series® Curve Lateral Files and Storage

General Information

GENERAL INFORMATION

KI Curve lateral files are designed on a 1-1/2" module to provide an unparalleled degree of internal flexibility. Interior components are available 3', 6'', 7-1/2'', 9'', 10-1/2'', 12'', 13-1/2'' and 15'' high. Clean stylish looks, flexible aesthetics and durability allow Curve to work in private offices and open-plan environments. With a gentle curved frame and contoured drawer pulls, Curve creates a timeless design element.

Flexible aesthetic and format. Curve allows you to design from the inside out, fitting the media to the appropriate lateral, pedestal, cupboard, bookcase and combination file/ locker unit. Heavy-gauge steel construction and welded internal box frame provide structural integrity. Multi-extension suspensions provide smooth operation. KI's unique patented interlock/anti-tilt mechanism with automatic restaging prevents the opening of more than one drawer at a time. Curve enhances security with its key possibilities.

Preconfigured Units

To simplify the specification process, KI offers preconfigured files and storage cabinets in the most popular sizes with the most popular internal components. These units are assembled using standard components.

Heiaht

Lateral files and storage cabinets are available in 14 standard heights. Heights include 1/8" allowance for leveling glides fully recessed.

Depth

Lateral files and storage cabinets are 18" deep. Curve combination locker/file units are available in both 18" and 24" depths.

Width

Lateral files and storage cabinets are available in three standard widths: 30", 36" and 42".

Drawer Dimensions

Refer to the illustrations for the range of drawer sizes and the height clearance of each.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Shell common to lateral file and storage cabinet units. Uprights punched to accept interior components on 1-1/2" centers. Uprights and top and bottom reinforcements are welded into rigid "box frame." Constructed of 18- and 20-gauge steel. Seamless back and top with reinforced corners. Illustrated shell heights include 1/8" for adjustable glide in recessed position.

Doors/Drawers

Drawer fronts, 20-gauge steel with full-width contoured curved pull. Fronts are screw-mounted to roll-out shelves to build drawers. Roll-out shelf body, 20-gauge steel slotted on 1-1/2" centers to accept dividers. Shelf ends, 18-gauge steel, notched to accept hanging folder bars. Each roll-out shelf equipped with two heavy-duty, three-section, ball-bearing suspensions.

Components have been tested to accept loads of 125 lbs. This exceeds ANSI/BIFMA X5.9-2004 standards for lateral files. Hinged door, 20-gauge steel, double-wall construction. Door swing is limited to 95 degrees to prevent contact with adjacent cabinet.

Shelves

Blank shelf, 22-gauge steel, formed 7/8" thick on front and back edges. End tab shelf, 22-gauge steel shelf and back, 20-gauge sides. Shelf offset along width to increase strength. Slotted on 1" increments to accept plate dividers

Preconfigured lateral files meet or exceed ANSI/BIFMA X5.9-2004 standards when recommended counterbalance weight is installed.

Receding Door

20-gauge steel with full-width contoured curve pull. Equipped with sound absorber. Doors have guiding mechanism fitted with nylon glides to prevent metal-to-metal contact and ensure effortless operation. The diagrams on the following page identify various shelf and drawer combinations and related height clearances behind a receding

door. The diagrams show typical use. Additional interior options can be installed behind a receding door.

Note: Dimensions have been taken from the front raised edge of the roll-out shelf.

Accessories

Plate dividers, 18-gauge steel, notched to lock into shelf. Folder bars, 30" & 36" (14-gauge steel); 42" (12-gauge steel), offset to maximize strength. Suspended binder frames are constructed of 14- to 18-gauge steel. Screw-mounted to cabinet uprights. Fit behind multi-media cabinets and behind receding doors.

Adjustable Glides

Lateral files and storage cabinets are supplied with four adjustable glides. The glides can be adjusted from inside the cabinet using a 1/4" hex socket wrench or from outside the cabinet using a 7/8" wrench. Standard glides provide 3/4" adjustment, longer glides are also available. Overall cabinet heights include the glide in its recessed position.

Interlock

All cabinets are equipped with an interlock safety mechanism. This mechanism reduces the possibility of cabinet tip-over by permitting only one drawer to be opened at a time. With some unique combinations, an individual drawer may not be controlled by the interlock. In these instances, a caution label will be affixed to the drawer body.

Locks

Locks are standard on all units. Locks are a high-security double-bit design. One KI break-away key and one standard key are included with each lock. Units are standard with random keys in a range of 200 different numbers (994 key numbers are available to order). Specific key combinations are available at no additional charge. This information must be included with the order.

Locks can be master keyed. Please see the accessories sections of this price book for ordering keys. Available keys are:

- Lock Core/Keys Lock core and 2 keys are used in P-Series lock housings. Indicate in order notes if a specific core number is required.
- Master Key Single key which opens any P-Series lock.
- Extractor Key Single key which extracts any P-Series lock core.
- Blank Key Single uncut P-Series key to be cut as required by locksmith.
- Cut Key 2 keys for a specific P-Series lock core number as indicated in the order notes.

All locks have removable and interchangeable plugs. This feature provides for on-site custom keying. Units can be supplied with the lock plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. This key is the extractor (core-removal) key and can be found in the storage accessories portions of this price book. Contact customer service

to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key numbered locks. Example: 30 plugs

3 keyed alike

10 keyed alike

17 keyed alike

Commercial Pack

This is the standard pack that KI offers on all files and storage products. This consists of a plastic poly bag placed over the unit, corrugated top and bottom cap, corner blocking and stretch wrap to keep the packaging intact.

Standard Paint Finishes

All KI products are iron phosphate treated prior to painting. This process enhances top coat bonding. Powder coat application is a highbred epoxy. The paint is baked on to provide a scratch and stain resistant surface. All inside and outside shell and front surfaces are painted with the same specified paint color. Interior components and accessories are painted a black finish. Mechanical components are black plated.

Special Paint Finishes

All special colors, including other manufacturers' standard finishes, are available subject to the following conditions:

- Two steel color chips (minimum 2.5"x3.5") are requested for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
- All solid, single-pass nonstandard colors are available at no upcharge but may be subject to extended leadtimes. Colors that are deemed to be metallic, hichromatic, textured, or require multiple passes are subject to upcharges. Orders will not be processed until a color match is approved. Written information must accompany the order.

INSTALLATION Caution Labels

Caution and safety-related information is contained on a peel-off label affixed to the front of the cabinet. This label is to be removed by the customer.


Caution: Information is also permanently affixed to the left side of the top drawer. Both labels contain important installation and loading information

Installation Information

Complete instructions on the proper installation and use of KI files are provided in each file shipped. The instructions refer to correct methods of leveling, ganging and loading. Counterbalance weights should be installed in all single freestanding files.

Field Reconfiguration

As needs change, KI lateral files and storage cabinets can readily be field-changed; however, this process should be undertaken by a qualified service technician.





700 Series® Curve Lateral Files and Storage


Inside Drawer and Shelf Dimensions*	30W x 18D Cabinet	36W x 18D Cabinet	42W x 18D Cabinet
	W D	W D	W D
10¹/₂" Drawer	26 ³ / ₄ " 15 ⁷ / ₈ "	323/4" 157/8"	383/4" 157/8"
12" Single Rollout Shelf	26 ³ / ₄ " 15 ⁷ / ₈ "	323/4" 157/8"	383/4" 157/8"
Blank Shelf	26 ³ / ₄ " 16 ³ / ₁₆ "	323/4" 163/16"	383/4" 163/16"
12"End Tab Filing Shelf	26 ³ / ₄ " 15 ³ / ₄ "	323/4" 153/4"	383/4" 153/4"
Slotted Shelf	26 ³ / ₄ " 15 ¹ / ₂ "	32 ³ / ₄ " 15 ¹ / ₂ "	383/4" 151/2"
12" Drawer	26³/₄" 15 ⁷ / ₈ "	323/4" 157/8"	38 ³ / ₄ " 15 ⁷ / ₈ "
13 ¹ / ₂ " Rollout Shelf	26 ³ / ₄ " 15 ⁷ / ₈ "	323/4" 157/8"	383/4" 157/8"
13 ¹ / ₂ " Drawer	26 ³ / ₄ " 15 ⁷ / ₈ "	323/4" 157/8"	383/4" 157/8"
15"End Tab Filing Shelf	26 ³ / ₄ " 15 ³ / ₄ "	323/4" 153/4"	383/4" 153/4"
Cupboard	281/2" 17"	341/2" 17"	401/2" 17"

 $^{^*}$ Dimensions have been taken from the front raised edge of rollout shelf. The inside clear dimension wide approximately $^1/^2$ greater.

Hanging F	ile Configurations	30W (Cabinet		36W Cabinet	4	42W Cabinet
Letter	side-to-side	30FBA		36FBA		42FBA	
	front-to-back	30FBA w(2)334FBK		36FBA w(2)334FBK		42FBA w(3)334FBK	
Legal	side-to-side	30FBA		36FBA		42FBA	
	front-to-back			36FBA w(2)334FBK		42FBA w(2)334FBK	

Inside Clear Dimensions of Shelf and Drawer Options

Blank/Slotted Shelf 12" Rollout Shelf Tie Bar Shelf **End Tab Shelf** Behind Receding Door Behind Receding Door Behind Receding Door Below Receding Door Drawer



			MODEL NUM	IBER				
	MODEL	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	23-15/16" File, 2 High	30 x 18 x 23-15/16"	S7L/302102D					110.0#
	 Two 10-1/2" drawers with FBA folder bars 	36 x 18 x 23-15/16"	S7L/362102D					120.0#
	Counterbalance weights are recommended for freestanding units	42 x 18 x 23-15/16"	S7L/422102D					130.0#
S7LTU								
	27" File, 2 High	30 x 18 x 27"	S7L/302402D					110.0#
	Two 12" drawers with FBA folder bars	36 x 18 x 27"	S7L/362402D					120.0#
	 Counterbalance weights are recom- mended for freestanding units 	42 x 18 x 27"	S7L/422402D					130.0#
S7LTU								
	30-1/16" File, 2 High	30 x 18 x 30-1/16"	S7L/302702D					115.0#
	 Two 13-1/2" drawers with FBA folder 	36 x 18 x 30-1/16"	S7L/362702D					125.0#
	barsCounterbalance weights are recom-	42 x 18 x 30-1/16"	S7L/422702D					135.0#
	mended for freestanding units							
S7LTU								
	39-1/4" File, 3 High	30 x 18 x 39-1/4"	S7L/303603D					140.0#
	 Three 12" drawers with FBA folder bars Counterbalance weights are recom- 	36 x 18 x 39-1/4"	S7L/363603D					150.0#
	mended for freestanding units	42 x 18 x 39-1/4"	S7L/423603D					170.0#
S7LTU								
			A	3	Θ	O	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel CLSC - Classic (inset pull) - Nickel bow tie NKBT RETN - Retro nickel

Select unit and drawer color. Refer to the Product Color Options page in this price list.

• Select counterbalance weight.

CBW - With Counterbalance
NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike - Key standard

NLC - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

•		
Delivered Pricing	price	nce jht to list
\$ 882	\$	
991		174
1081		174
\$ 882	\$	
991		174
1081		174
\$ 882	\$	
991		174
1081		174
\$ 1181	\$	
1336		174
1490		174

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUM	IBER				
	MODEL	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	51-1/2" File, 4 High	30 x 18 x 51-1/2"	S7L/304804D					180.0#
	 Four 12" drawers with FBA folder bars Counterbalance weights are recom- 	36 x 18 x 51-1/2"	S7L/364804D					200.0#
	mended for freestanding units	42 x 18 x 51-1/2"	S7L/424804D					220.0#
S7LTU	54.0 (40) 511 4 111 1	00 10 51000	071 (00540 15					470.0%
	54-9/16" File, 4 HighOne 15" receding door/end tab shelf with	30 x 18 x 54-9/16"	S7L/305104D					170.0#
	3 plate dividers	30 X 10 X 34-9/10	S7L/365104D					190.0#
	Three 12" drawers with FBA folder bars	42 x 18 x 54-9/16"	S7L/425104D					210.0#
	Counterbalance weights are recom- mended for freestanding units							
S7LTU								
<u>0.2.0</u>	56-3/32" File, 5 High	30 x 18 x 56-3/32"	S7L/305255D					235.0#
	 Five 10-1/2" drawers with FBA folder 	36 x 18 x 56-3/32"	S7L/365255D					255.0#
	barsCounterbalance weights are recom-	42 x 18 x 56-3/32"	S7L/425255D					275.0#
	mended for freestanding units							
S7LTU								
	59-5/32" File, 5 HighOne 12" receding door/rollout shelf with	30 x 18 x 59-5/32"	S7L/305555D					200.0#
	3 plate dividers	36 x 18 x 59-5/32"	S7L/365555D					215.0#
	One 12" drawer with FBA folder bars	42 x 18 x 59-5/32"	S7L/425555D					230.0#
	 Three 10-1/2" drawers with FBA folder bars 							
	Counterbalance weights are recom-							
	mended for freestanding units							
S7LTU								
			^	•	Θ	• O	3	
			A	U	G	U	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel CLSC - Classic (inset pull) - Nickel bow tie NKBT RETN - Retro nickel

Select unit and drawer color. Refer to the Product Color Options page in this price list.

• Select counterbalance weight.

CBW - With Counterbalance
NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike - Key standard

- No lock core

NLC

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

•	
	Counter- balance Weight add to list
Delivered	WGIGHT
Delivered	add to list
Pricing	price
\$ 1480	\$ 13
1727	13
1961	18
M 4700	6 40
\$ 1700	\$ 13
1827	13
2185	10
\$ 1915	\$ 13
2075	13
2239	18
\$ 1764	\$ 13
2021	13
2286	10

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUME	ER				
	MODEL	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	63-3/4" File, 5 High	30 x 18 x 63-3/4"	S7L/306005D					230.0#
	 One 12" receding door/rollout shelf with 3 plate dividers 	36 x 18 x 63-3/4"	S7L/366005D					250.0#
	Four 12" drawers with FBA folding bars	42 x 18 x 63-3/4"	S7L/426005D					270.0#
	Counterbalance weights are recom-							
	mended for freestanding units							
S7LTU								
	65-9/32" File, 5 High	30 x 18 x 65-9/32"	S7L/306155D					230.0#
	 One 12" receding door/rollout shelf with 3 plate dividers 	30 x 18 x 65-9/32"	S7L/306155DP					255.0#
	One 1-1/2" tie bar or posting shelf	36 x 18 x 65-9/32"	S7L/366155D					250.0#
	DP model replaces 1-1/2" tie bar with a	36 x 18 x 65-9/32"	S7L/366155DP					270.0#
	1-1/2" posting shelf • Four 12" drawers with FBA folder bars	42 x 18 x 65-9/32"	S7L/426155D					270.0#
	Counterbalance weights are recom-	42 x 18 x 65-9/32"	S7L/426155DP					315.0#
	mended for freestanding units							
S7LTU								
	68-11/32" File, 5 High	30 x 18 x 68-11/32"	S7L/306455D					225.0#
	 One 15" receding door/end tab shelf with 3 plate dividers 	36 x 18 x 68-11/32"	S7L/366455D					240.0#
	One 1-1/2" tie bar	42 x 18 x 68-11/32"	S7L/426455D					275.0#
	• 1-1/2" structural filler shelf on 42" wide							
	 Four 12" drawers with FBA folder bars Counterbalance weights are recom- 							
	mended for freestanding units							
	g unit							
S7LTU								
			A	•	Θ	0	(3	
			•	•	•	U	G	

NLC

- No lock core

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel CLSC - Classic (inset pull) - Nickel bow tie NKBT RETN - Retro nickel

Select unit and drawer color. Refer to the Product Color Options page in this price list.

• Select counterbalance weight.

CBW - With Counterbalance
NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike - Key standard

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Delivered Pricing	Counter- balance Weight add to lis price
\$ 1764	\$ 1:
2021	1:
2286	1:
A 4704	
\$ 1764	\$ 1;
1884	1;
2021	1
2143	1:
2286	1;
2406	1:
\$ 2061	\$ 1:
2194	1:
2503	
2000	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUM	BER				
	MODEL	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	71-13/32" File, 6 High	30 x 18 x 71-13/32"	S7L/306756D					270.0#
	 One 13-1/2" receding door One 1-1/2" tie bar slotted shelf with 3 	36 x 18 x 71-13/32"	S7L/366756D					300.0#
	plate dividers on 30" and 36" wide	42 x 18 x 71-13/32"	S7L/426756D					345.0#
	1-1/2" structural filler shelf on 42" wide							
	Five 10-1/2" drawers with FBA folder							
	barsCounterbalance weights are recom-							
	mended for freestanding units							
	•							
S7LTU								
$\overline{}$	77-17/32" File, 6 High	30 x 18 x 77-17/32"	S7L/307356D	CLSC				270.0#
	 One 12" receding door/end tab shelf with plate dividers 	36 x 18 x 77-17/32"	S7L/367356D	CLSC				295.0#
	One 12" receding door/rollout shelf with	42 x 18 x 77-17/32"	S7L/427356D	CLSC				339.0#
	3 plate dividers							
	• One 1-1/2" tie bar							
	 1-1/2" structural filler shelf on 42" wide Four 12" drawers with FBA folder bars 							
	Counterbalance weights are recom-							
	mended for freestanding units							
S7LTU								
			A	3	Θ	0	3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT - Aluminum bow tie
ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie - Retro nickel RETN

Select unit and drawer color. Refer to the Product Color Options page in this price list.

OSelect counterbalance weight.

CBW - With Counterbalance
NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike - Key standard

NLC - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



	•		
P	Delivered Pricing	Count balan Weigh add to price	ce nt
\$	\$ 2392	\$	134
	2644		134
	3017		134
\$	\$ 2136	\$	134
	2451		134
	2799		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUM	BER					
	MODEL	WxD	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	23-15/16" File, 2 High	30 x 18"	S7CL302102D						110.0#
	 Two 10-1/2" drawers with FBA folder bars 	36 x 18"	S7CL362102D						120.0#
	Counterbalance weights are recom-	42 x 18"	S7CL422102D						130.0#
	mended for freestanding units								
S7CL									
	27" File, 2 High	30 x 18"	S7CL302402D						110.0#
	 Two 12" drawers with FBA folder bars Counterbalance weights are recom- 	36 x 18"	S7CL362402D						120.0#
	mended for freestanding units	42 x 18"	S7CL422402D						130.0#
S7CL									
	39-1/4" File, 3 High	30 x 18"	S7CL303603D						140.0#
	 Three 12" drawers with FBA folder bars Counterbalance weights are recom- 	36 x 18"	S7CL363603D						150.0#
	mended for freestanding units	42 x 18"	S7CL423603D						170.0#
S7CL									
	51-1/2" File, 4 High • Four 12" drawers with FBA folder bars	30 x 18"	S7CL304804D						180.0#
	Counterbalance weights are recom-	36 x 18"	S7CL364804D						200.0#
	mended for freestanding units	42 x 18"	S7CL424804D						220.0#
0701									
S7CL									
			Δ	$oldsymbol{\Theta}$	Θ	O	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Dimpled

See upcharge column for D option.

- Select unit and drawer color. Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in
- Select counterbalance weight. **CBW** - With Counterbalance **NOCBW** - No Counterbalance See pricing column for counterbalance weight upcharge.
- Select key option.

A Select basic model.

BSelect flat or dimpled front.

- Flat

this price list.

- Key standard

INFORMATION

- No lock core

- Key alike

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

F	elivered ricing	Dimpled Front add to li price		Counte baland Weigh add to price	e t list
\$	989	\$	18	\$	174
	1110		23		174
	1211		25		174
\$	989	\$	18	\$	174
	1110		23		174
	1211		25		174
\$	1324	\$	27	\$	174
	1501		30		174
	1669		34		174
\$	1658	\$	33	\$	134
	1936		37		134
	2194		44		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUM	BER					
	MODEL	W x D	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	54-9/16" File, 4 High	30 x 18"	S7CL305104D						170.0#
	One 13-1/2" receding door/end tab shelf with 2 plate dividess.	36 x 18"	S7CL365104D						190.0#
	with 3 plate dividers • 1-1/2" tie bar shelf	42 x 18"	S7CL425104D						210.0#
	 Three 12" drawers with FBA folder bars 								
	Counterbalance weights are recom-								
	mended for freestanding units								
S7CL									
	56-3/32" File, 5 High	30 x 18"	S7CL305255D						235.0#
	 Five 10-1/2" drawers with FBA folder bars 	36 x 18"	S7CL365255D						255.0#
	 Counterbalance weights are recom- 	42 x 18"	S7CL425255D						275.0#
	mended for freestanding units								
S7CL									
5/6L	59-5/32" File, 5 High	30 x 18"	S7CL305555D						200.0#
	One 12" receding door/rollout shelf with	36 x 18"	S7CL365555D						215.0#
	3 plate dividers	42 x 18"	S7CL425555D						230.0#
	 1-1/2" tie bar Four 10-1/2" drawers with FBA folder 	42 X 10	07014233330	L					230.0#
	bars								
	Counterbalance weights are recom-								
	mended for freestanding units								
S7CL									
	65-9/32" File, 5 High	30 x 18"	S7CL306155D			0000000			230.0#
	One 12" receding door/rollout shelf with	36 x 18"	S7CL366155D						250.0#
	3 plate dividers • 1-1/2" tie bar	42 x 18"	S7CL426155D						270.0#
	 Four 12" drawers with FBA folder bars 								
	Counterbalance weights are recom-								
	mended for freestanding units								
S7CL									
			A	•	Θ	O	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the Product Color Options page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.
- Select counterbalance weight. **CBW** - With Counterbalance **NOCBW** - No Counterbalance See pricing column for counterbalance weight upcharge.
- Select key option. - Key alike

- Key standard

- No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Delivered	Dimpl Front add to		Count baland Weigh add to	ce it
Delivered	auu to	IISL	add to	IISt
Pricing	price		price	
\$ 1904	\$	36	\$	134
2048		38		134
2444		49		134
\$ 2144	\$	42	\$	134
2324		45		134
2511		49		134
\$ 1973	\$	37	\$	134
2263		45		134
2559		50		134
\$ 1973	\$	37	\$	134
2263		45		134
2559		50		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

MODEL W x D Basic Dimpled Color Co											
MODEL W x D Basic Dimpled Color Co				MODEL NUM	BER						
One 13-1/2' receding door/rollout shelf with 3 plate dividers 1-1/2' slotted tie bar Four 12' drawers with FBA folding bars Counterbalance weights are recommended for freestanding units 71-13/32" File, 6 High One 13-1/2' receding door 1-1/2" tie bar slotted shelf with 3 plate dividers Five 10-1/2' drawers with FBA folder bars Counterbalance weights are recommended for freestanding units 71-13/32" File, 6 High One 13-1/2' receding door 1-1/2" tie bar slotted shelf with 3 plate dividers Five 10-1/2' drawers with FBA folder bars Counterbalance weights are recommended for freestanding units Output The standard of		MODEL	W x D		Dimpled			Counter- balance		Packaged	
with 3 plate dividers 1-1/2' slotted tie bar Counterbalance weights are recommended for freestanding units 71-13/32" File, 6 High One 13-1/2' receding door 1-1/2'' tie bar slotted shelf with 3 plate dividers Five 10-1/2'' drawers with FBA folder bars Counterbalance weights are recommended for freestanding units 71-13/32" File, 6 High One 13-1/2' receding door 1-1/2'' tie bar slotted shelf with 3 plate dividers Five 10-1/2'' drawers with FBA folder bars Counterbalance weights are recommended for freestanding units			30 x 18"	S7CL306305D						203.0#	
Four 12" drawers with FBA folding bars Counterbalance weights are recommended for freestanding units 71-13/32" File, 6 High One 13-1/2" receding door 1-1/2" tie bar slotted shelf with 3 plate dividers Five 10-1/2" drawers with FBA folder bars Counterbalance weights are recommended for freestanding units S7CL366756D S7CL366756D 30 × 18" S7CL366756D 300.0#			36 x 18"	S7CL366305D						218.0#	
Counterbalance weights are recommended for freestanding units 71-13/32" File, 6 High One 13-1/2" receding door 1-1/2" tee bar slotted shelf with 3 plate dividers Five 10-1/2" drawers with FBA folder bars Counterbalance weights are recommended for freestanding units 9 Counterbalance weights are recommended for freestanding units 10 Counterbalance weights are recommended for freestanding units			42 x 18"	S7CL426305D						233.0#	
T1-13/32" File, 6 High One 13-1/2" receding door 1-1/2" tie bar slotted shelf with 3 plate dividers Five 10-1/2" drawers with FBA folder bars Counterbalance weights are recommended for freestanding units T1-13/32" File, 6 High S7CL306756D S7CL306756D S7CL366756D S7CL366756D S7CL366756D S7CL366756D S7CL366756D S7CL366756D		 Four 12" drawers with FBA folding bars 									
71-13/32" File, 6 High One 13-1/2" receding door 1-1/2" tie bar slotted shelf with 3 plate dividers Five 10-1/2" drawers with FBA folder bars Counterbalance weights are recommended for freestanding units 71-13/32" File, 6 High S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D											
71-13/32" File, 6 High One 13-1/2" receding door 1-1/2" tie bar slotted shelf with 3 plate dividers Five 10-1/2" drawers with FBA folder bars Counterbalance weights are recommended for freestanding units 71-13/32" File, 6 High S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D		mended for freestanding units									
71-13/32" File, 6 High One 13-1/2" receding door 1-1/2" tie bar slotted shelf with 3 plate dividers Five 10-1/2" drawers with FBA folder bars Counterbalance weights are recommended for freestanding units 71-13/32" File, 6 High S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D											
71-13/32" File, 6 High One 13-1/2" receding door 1-1/2" tie bar slotted shelf with 3 plate dividers Five 10-1/2" drawers with FBA folder bars Counterbalance weights are recommended for freestanding units 75-13/32" File, 6 High S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D S7CL306756D											
One 13-1/2" receding door 1-1/2" tie bar slotted shelf with 3 plate dividers Five 10-1/2" drawers with FBA folder bars Counterbalance weights are recommended for freestanding units S7CL366756D 300.0#	S7CL										
1-1/2" tie bar slotted shelf with 3 plate dividers Five 10-1/2" drawers with FBA folder bars Counterbalance weights are recommended for freestanding units	$\overline{}$		30 x 18"	S7CL306756D						270.0#	
dividers • Five 10-1/2" drawers with FBA folder bars • Counterbalance weights are recommended for freestanding units			36 x 18"	S7CL366756D						300.0#	
Five 10-1/2" drawers with FBA folder bars Counterbalance weights are recommended for freestanding units											
Counterbalance weights are recommended for freestanding units											
mended for freestanding units											
S7CL S7CL		monaca for necotaliting units									
S7CL											
S7CL	~										
	S7CL										
				A	(3)	A	0	A	A		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

A Select basic model.

BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.
- Select counterbalance weight. **CBW** - With Counterbalance **NOCBW** - No Counterbalance See pricing column for counterbalance weight upcharge.
- Select key option. - Key alike

HOW TO BUILD A MODEL NUMBER

- Key standard - No lock core

INFORMATION **Folder Bars**

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

	·				
D Pi	elivered ricing	Dimpled Front add to li price		Counte balance Weight add to price	e t
\$	2053	\$	37	\$	134
	2351		45		134
	2663		50		134
\$	2676	\$	51	\$	134
	2961		59		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

				BER					
	MODEL	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight	
	27" File, 2 High	30 x 18 x 27"	S7L/302402R	CLSC				110.0#	
	 One 12" receding door/rollout shelf with FBA folder bars 	36 x 18 x 27"	S7L/362402R	CLSC				120.0#	
	One 12" drawer with FBA folder bars	42 x 18 x 27"	S7L/422402R	CLSC				130.0#	
	Counterbalance weights are recom-								
S7LTU	mended for freestanding units								
<u></u>	39-1/4" File, 3 High Two 12" receding doors/rollout shelves with FBA folder bars	30 x 18 x 39-1/4"	S7L/303603R	CLSC				145.0#	
		36 x 18 x 39-1/4"	S7L/363603R	CLSC				155.0#	
	One 12" drawer with FBA folder bars	42 x 18 x 39-1/4"	S7L/423603R	CLSC				175.0#	
	Counterbalance weights are recom- mended for freestanding units								
S7LTU									
^	51-1/2" File, 4 High	30 x 18 x 51-1/2"	S7L/304804R	CLSC				185.0#	
	 Three 12" receding doors/rollout shelves with FBA folder bars 	36 x 18 x 51-1/2"	S7L/364804R	CLSC				200.0#	
	One 12" drawer with FBA folder bars	42 x 18 x 51-1/2"	S7L/424804R	CLSC				220.0#	
	· Counterbalance weights are recom-								
	mended for freestanding units								
071711									
S7LTU									
			A	$oldsymbol{\Theta}$	Θ	O	ⅎ		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. CLSC - Classic (inset pull) Select unit and drawer color. Refer to the **Product Color Options** page in this price list. • Select counterbalance weight. - With Counterbalance NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge. Select key option. KA KS - Key alike - Key standard NLC - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

	•		
De Pr	livered	Counte palance Weight add to l	9
\$	882	\$	174
	991		174
	1081		174
\$	1181		174
	1336		174
	1490		174
\$	1480		134
	1727		134
	1961		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

				ER				
	MODEL	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	63-3/4" File, 5 High	30 x 18 x 63-3/4"	S7L/306005R	CLSC				240.0#
	 One 12" receding door/rollout shelf with 3 plate dividers 	36 x 18 x 63-3/4"	S7L/366005R	CLSC				260.0#
	Three 12" receding doors/rollout shelves	42 x 18 x 63-3/4"	S7L/426005R	CLSC				280.0#
	with FBA folder bars							
	One 12" drawer with FBA folder bars							
	Counterbalance weights are recom- mended for freestanding units							
S7LTU								
	65-9/32" File, 5 High	30 x 18 x 65-9/32"	S7L/306155R	CLSC				204.0#
	 One 12" receding door/rollout shelf with 3 plate dividers 	30 x 18 x 65-9/32"	S7L/306155RP	CLSC				255.0#
	Three 12" receding door/rollout shelves	36 x 18 x 65-9/32"	S7L/366155R	CLSC				260.0#
	with FBA folder bars	36 x 18 x 65-9/32"	S7L/366155RP	CLSC				270.0#
	 One 1-1/2" tie bar or posting shelf One 12" drawer with FBA folder bars 	42 x 18 x 65-9/32"	S7L/426155R	CLSC				280.0#
	Counterbalance weights are recom-	42 x 18 x 65-9/32"	S7L/426155RP	CLSC				315.0#
	mended for freestanding units							
~	RP model replaces 1-1/2" tie bar with a							
S7LTU	1-1/2" posting shelf							
			A	3	Θ	•	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

A Select basic model. BSelect pull option. CLSC - Class - Classic (inset pull) Select unit and drawer color. Refer to the Product Color Options page in this price list.

HOW TO BUILD A MODEL NUMBER

• Select counterbalance weight. CBW - With Counterbalance
NOCBW - No Counterbalance

See pricing column for counterbalance weight upcharge.

Select key option

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



P	elivered ricing	Counte balanc Weight add to price	e :
\$	1764	\$	134
	2021		134
	2286		134
\$	1822	\$	134
	1919		134
	2004		134
	2021		134
	2192		134
	2286		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUM	IBER				
	MODEL	WxDxH	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight	
	27" File, 2 High	30 x 18 x 27"	S7L/302402E	CLSC			110.0#	
	Two 12" receding doors with fixed end	36 x 18 x 27"	S7L/362402E	CLSC			120.0#	
	tab shelves Three plate dividers per opening	42 x 18 x 27"	S7L/422402E	CLSC			140.0#	
	Timee plate dividers per opening							
S7LTU								
	39-1/4" File, 3 High	30 x 18 x 39-1/4"	S7L/303603E	CLSC			150.0#	
	 Three 12" receding doors with fixed end tab shelves 	36 x 18 x 39-1/4"	S7L/363603E	CLSC			165.0#	
	Three plate dividers per opening	42 x 18 x 39-1/4"	S7L/423603E	CLSC			185.0#	
	3							
S7LTU								
	51-1/2" File, 4 High	30 x 18 x 51-1/2"	S7L/304804E	CLSC			195.0#	
	 Four 12" receding doors with fixed end tab shelves 	36 x 18 x 51-1/2"	S7L/364804E	CLSC			210.0#	
	Three plate dividers per opening	42 x 18 x 51-1/2"	S7L/424804E	CLSC			230.0#	
	Lock included							
S7LTU								
O/LIU								
			A	3	Θ	O		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect pull option.

CLSC - Classic (inset pull)

Select unit and drawer color. Refer to the **Product Color Options** page in this price list.

• Select key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Delivered	
Delivered Pricing	
\$ 954	
1067	
1158	
\$ 1286	
1438	
1596	
\$ 1610	
1869	
2099	
2033	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUMBER					
	MODEL	W x D x H	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight	
$\overline{}$	65-9/32" File, 5 High	30 x 18 x 65-9/32"	S7L/306155E	CLSC			220.0#	
	 Two 12" receding doors with fixed end tab shelves 	36 x 18 x 65-9/32"	S7L/366155E	CLSC			245.0#	
	• 1-1/2" tie bar	42 x 18 x 65-9/32"	S7L/426155E	CLSC			280.0#	
	Three 12" receding doors with fixed end							
	tab shelves							
	Three plate dividers per opening							
S7LTU								
	77-17/32" File, 6 High	30 x 18 x 77-17/32"	S7L/307356E	CLSC			245.0#	
	 Three 12" receding doors with fixed end tab shelves 	36 x 18 x 77-17/32"	S7L/367356E	CLSC			280.0#	
	 1-1/2" tie bar on 30" and 36" wide 	42 x 18 x 77-17/32"	S7L/427356E	CLSC			325.0#	
	1-1/2" structural filler shelf on 42" wide Three 12" structural filler shelf on 42" wide							
	 Three 12" receding doors with fixed end tab shelves 							
	Three plate dividers per opening							
C71 T11								
S7LTU				_	L			
			A	₿	Θ	O		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. CLSC - Classic (inset pull) Select unit and drawer color. Refer to the **Product Color Options** page in this price list. • Select key option. - Key alike - Key standard - No lock core

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights



Delivered		
Pricing		
\$ 1920		
2177		
2448		
\$ 2331		
2648		
3019		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Lateral Files 700 Series® Credenza Files

			1					
			MODEL NUME	BER				
	MODEL	W x D	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	27-7/8" Credenza File - FF	30 x 18-7/8 x 27-7/8"	S7L/30240FF					120.0#
	 Height to match worksurface supporting pedestal, drawer fronts compatible with 	36 x 18-7/8 x 27-7/8"	S7L/36240FF					130.0#
	all pedestals	42 x 18-7/8 x 27-7/8"	S7L/42240FF					145.0#
	Two 12" file drawers with FBA bars for							
	side-to-side filing							
	 Counterbalance weights are recommended for freestanding units 							
S7LTU	mondod for modelanding diffic							
	 27-7/8" Credenza File - BBF Height to match worksurface supporting pedestal, drawer fronts compatible with all pedestals 	30 x 18-7/8 x 27-7/8"	S7L/30240BBF					135.0#
		36 x 18-7/8 x 27-7/8"	S7L/36240BBF					145.0#
		42 x 18-7/8 x 27-7/8"	S7L/42240BBF					160.0#
	Two 6" box drawers, one 12" file drawer							
	with FBA bars for side-to-side filing Counterbalance weights are recommended for freestanding units							
S7LTU								
	07 7/011 Credonno Cunhocred	20 - 10 7/0 - 07 7/0	S7L/30240CC					05.04
	 27-7/8" Credenza Cuphoard Height to match worksurface supporting 	30 x 18-7/8 x 27-7/8" 36 x 18-7/8 x 27-7/8"	S7L/30240CC S7L/36240CC					95.0# 105.0#
	pedestal							121.0#
	One adjustable shelf	42 x 18-7/8 x 27-7/8"	S7L/42240CC					121.0#
S7CBU								
-				•		•	•	
			Δ	$oldsymbol{\Theta}$	Θ	O	•	

NLC

- No lock core

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel CLSC - Classic (inset pull) - Nickel bow tie NKBT - Retro nickel RETN

Select unit and drawer color. Refer to the **Product Color Options** page in this price list.

• Select counterbalance weight.

CBW - With Counterbalance
NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike - Key standard

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Preconfigured Lateral Files 700 Series® Credenza Files

•	
Delivered Pricing	Counter- balance Weight add to list price
\$ 1141	\$ 216
1222	216
1302	216
\$ 1340	\$ 216
1421	216
1508	216
\$ 1058	N/A
1137	N/A
1192	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Multimedia Storage 700 Series® Cupboard/Lateral

			MODEL NUMBER					
	MODEL	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	65-9/32" File	30 x 18 x 65-9/32"	S7L/306155M					215.0#
	One 24" hinged door insert with one hard shalf.	36 x 18 x 65-9/32"	S7L/366155M					240.0#
	blank shelfOne 1-1/2" locking tie bar shelf	42 x 18 x 65-9/32"	S7L/426155M					270.0#
	Three 12" drawers with FBA folder bars							
	for side-to-side filing							
	 Cabinet supplied with two locks; one lock controls hinged door, other lock 							
	controls drawers							
	· Counterbalance weights are recom-							
	mended for freestanding units							
S7LTU								
	71-13/32" File	30 x 18 x 71-13/32"	S7L/306755M					245.0#
	 One 30"hinged door insert with one blank shelf One 1-1/2" locking tie bar shelf 	36 x 18 x 71-13/32"	S7L/366755M					280.0#
		42 x 18 x 71-13/32"	S7L/426755M					320.0#
	Three 12" drawers with FBA folder bars							
	for side-to-side filing • Cabinet supplied with two locks; one							
	lock controls hinged doors, other lock							
	controls drawers							
	 Counterbalance weights are recommended for freestanding units 							
	menueu for freestanding units							
S7LTU	77 47 (00) F:I-	001077.17/00"	071 (00705054					0.45.0.11
	77-17/32" FileOne 24" hinged door insert with one blank shelf	30 x 18 x 77-17/32"	S7L/307356M					245.0#
		36 x 18 x 77-17/32"	S7L/367356M					280.0#
	One 1-1/2" locking tie bar shelf	42 x 18 x 77-17/32"	S7L/427356M					320.0#
	 Four 12" drawers with FBA folder bars for side-to-side filing 							
	Cabinet supplied with two locks; one							
	lock controls hinged doors, other lock							
	controls drawersCounterbalance weights are recom-							
	mended for freestanding units							
	· · · · · · · · · · · · · · · · · · ·							
S7LTU								
-			A	•	•	• • • • • • • • • • • • • • • • • • •	3	1
			W	U	G	ש	G	

NLC

- No lock core

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie - Retro nickel RETN

Select unit and drawer color. Refer to the Product Color Options page in this price list.

OSelect counterbalance weight. - With Counterbalance

NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike - Key standard

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Multimedia Storage 700 Series® Cupboard/Lateral

		0	
		Counte balanc	ο -
		Weight	t
[Delivered	Weight add to	list
F	Pricing	price	
9	\$ 2018	\$	134
	2276		134
	2552		134
	\$ 2084	Φ.	134
,	2239	φ	134
	2552		134
\$	\$ 2423	\$	134
	2752		134
	3139		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Multimedia Storage 700 Series® Curve Cupboard/Lateral

	MODEL	WxD	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option
	65-9/32" Cupboard/Lateral File	30 x 18"	S7CL306152D36C					
	 One 36" hinged door insert with two blank shelves 1-1/2" locking tie bar shelf Two 12" drawers with FBA folder bars 	36 x 18"	S7CL366152D36C					
		42 x 18"	S7CL426152D36C					
	Cabinet supplied with two locks; one lock controls binged doors other lock.							
	lock controls hinged doors, other lock controls drawers, keyed-alike unless							
	otherwise specified							
-	Counterbalance weights are recom-							
S7CL	mended for freestanding units							
			Δ	3	Θ	0	3	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled

See upcharge column for D option.

- Select unit and drawer color. Refer to the Product Color Options page in this price list.
- Select drawer pull color. Refer to the **Product Color Options** page in this price list.

• Select counterbalance weight.

CBW - With Counterbalance **NOCBW** - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike

HOW TO BUILD A MODEL NUMBER

- Key standard - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Multimedia Storage 700 Series® Curve Cupboard/Lateral

Approx. Packaged Weight	Delivered Pricing	Dimpleo Front add to I price		Counte balanc Weigh add to price	e t
215.0#	\$ 2099	\$	42	\$	134
240.0#	2350		48		134
270.0#	2619		51		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Multimedia Storage 700 Series® Curve Cupboard/Lateral

		MODEL NUME	BER						
	MODEL	W x D	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	65-9/32" Cupboard/Lateral File	30 x 18"	S7CL306155M						215.0#
	One 24" hinged door inset with one blank shelf 1-1/2" lock tie bar shelf	36 x 18"	S7CL366155M						240.0#
		42 x 18"	S7CL426155M						270.0#
	Three 12" drawers with FBA folder bars								
	Cabinet supplied with two locks; one								
	lock controls hinged doors, other lock controls drawers, keyed-alike unless								
	otherwise specified								
	 Counterbalance weights are recom- 								
S7CL	mended for freestanding units								
			A	3	Θ	Ð	(3	•	-

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.

- Dimpled

See upcharge column for D option.

- Select unit and drawer color. this price list.
- Select drawer pull color. Refer to the **Product Color Options** page in this price list.
- Select counterbalance weight.

Select key option.

HOW TO BUILD A MODEL NUMBER

BSelect flat or dimpled front.

Refer to the Product Color Options page in

CBW - With Counterbalance

NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

- Key alike

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

- Key standard

- No lock core

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Multimedia Storage 700 Series® Curve Cupboard/Lateral

Delivered Pricing	Dimpled Front add to list price	Counter- balance Weight add to list price
\$ 2215	\$ 44	\$ 134
2510	49	134
2807	54	134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Multimedia Storage 700 Series® Curve Cupboard/Lateral

	MODEL	W x D	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
$\overline{}$	71-13/32" Cupboard/Lateral File	30 x 18"	S7CL306755M						245.0#
	 One 30" hinged door insert with one blank shelf 	36 x 18"	S7CL366755M						280.0#
	 1-1/2" locking tie bar shelf Three 12" drawers with FBA folder bars 								
	 Cabinet supplied with two locks; one 								
	lock controls hinged doors, other lock controls drawers, keyed-alike unless								
	otherwise specified								
	 Counterbalance weights are recom- 								
~	mended for freestanding units								
S7CL									
			A	•	Θ	Ð	(3	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled

See upcharge column for D option.

- Select unit and drawer color. Refer to the Product Color Options page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.
- Select counterbalance weight. **CBW** - With Counterbalance **NOCBW** - No Counterbalance

See pricing column for counterbalance weight upcharge.

Select key option. - Key alike

HOW TO BUILD A MODEL NUMBER

- Key standard - No lock core

Folder Bars

INFORMATION

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Preconfigured Multimedia Storage 700 Series® Curve Cupboard/Lateral

Delivered Pricing	Dimpled Front add to list price	Counter- balance Weight add to list price
\$ 2312	\$ 45	\$ 134
2624	51	134

SPECIAL SERVICES

Special Carton Marking


With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Multimedia Storage

700 Series® Curve Cupboard/Lateral



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect flat or dimpled front.

- Dimpled

See upcharge column for D option.

- Select unit and drawer color. Refer to the Product Color Options page in this price list.
- DSelect drawer pull color. Refer to the Product Color Options page in this price list.
- Select counterbalance weight. **CBW** - With Counterbalance **NOCBW** - No Counterbalance See pricing column for counterbalance weight upcharge.
- Select key option. - Key alike

Key standard - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Preconfigured Multimedia Storage 700 Series® Curve Cupboard/Lateral

Delivered Pricing	Dimpled Front add to list price	Coul bala Wei add price	nce ght to list
\$ 2664	\$ 5	1 \$	134
3035	5	}	134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Multimedia Storage 700 Series® Bookcase/File

			MODEL NUMBER						
	MODEL	WxD	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight	
	53-1/32" Bookcase/File	30 x 18"	7FB/30495/2D270B					197.0#	
	One 27" bookcase section with one 1/2"	36 x 18"	7FB/36495/2D270B					213.0#	
	adjustable shelf1-1/2" lock tie bar shelf	42 x 18"	7FB/42495/2D270B					235.0#	
	Two 10-1/2" drawers with FBA folder								
	bars								
	 Counterbalance weights are recom- mended for freestanding units 								
	monded for necestanding units								
S7FB									
	65-9/32" Bookcase/File	30 x 18"	7FB/30615/2D390B					215.0#	
	 One 39" bookcase section with two 1/2" adjustable shelves 	36 x 18"	7FB/36615/2D390B					240.0#	
	 1-1/2" locking tie bar shelf 	42 x 18"	7FB/42615/2D390B					270.0#	
	Two 10-1/2" drawers with FBA folder								
	barsCounterbalance weights are recom-								
	mended for freestanding units								
0.750									
S7FB	65-9/32" Bookcase/File	30 x 18"	7FD/0001F/0D000B					215.0#	
	• One 36" bookcase section with two 1/2"	30 x 18	7FB/30615/2D360B 7FB/36615/2D360B					215.0#	
	adjustable shelves	42 x 18"	7FB/42615/2D360B					270.0#	
	 1-1/2" locking tie bar shelf Two 12" drawers with FBA folder bars 	42 X 10	7FB/42013/2D300B					270.0#	
	Counterbalance weights are recom-								
	mended for freestanding units								
S7FB									
	65-9/32" Bookcase/File	30 x 18"	7FB/30615/3D330B					215.0#	
	One 33" bookcase section with one 1/2" adjustable shalf.	36 x 18"	7FB/36615/3D330B					240.0#	
	adjustable shelf1-1/2" locking tie bar shelf	42 x 18"	7FB/42615/3D330B					270.0#	
	One 6" drawer and two 10-1/2" drawers								
	with FBA folder bars								
	 Counterbalance weights are recom- mended for freestanding units 								
-									
S7FB									
			A	B	Θ	0	(3		
			-	_	-	-	-		

NLC

- No lock core

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) - Nickel bow tie NKBT - Retro nickel

Select unit and drawer color. Refer to the Product Color Options page in this price list.

• Select counterbalance weight. CBW - With Counterbalance
NOCBW - No Counterbalance

See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike - Key standard

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Preconfigured Multimedia Storage 700 Series® Bookcase/File

•		
		ter-
	baland	ce
	Weigh	nt
Delivered Pricing	balann Weigh add to price) list
Pricing	price	
\$ 1658	\$	134
1702		134
1821		134
\$ 1872	\$	134
1904		134
2053		134
\$ 1862	\$	134
1888		134
2042		134
\$ 1961	\$	134
1997	Ť	134
2146		134
LITU		104

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Multimedia Storage 700 Series® Bookcase/File

			MODEL NUMBER						
		MODEL	W x D	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
		65-9/32" Bookcase/File	30 x 18"	7FB/30615/4D225B					215.0#
		 One 22-1/2" bookcase section with one 1/2" adjustable shelf 1-1/2" locking tie bar shelf One 6" drawer and three 10-1/2" drawers 	36 x 18"	7FB/36615/4D225B					240.0#
			42 x 18"	7FB/42615/4D225B					270.0#
		with FBA folder bars							
		 Counterbalance weights are recom- mended for freestanding units 							
		mended for neestanding units							
S7FB									
				Δ	3	Θ	0	•	

NLC

- No lock core

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model.

BSelect pull option.

ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie - Retro nickel RETN

- Select unit and drawer color. Refer to the Product Color Options page in this price list.
- OSelect counterbalance weight.

CBW - With Counterbalance
NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike - Key standard

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Multimedia Storage 700 Series® Bookcase/File

Weight Delivered add to lis Pricing price	st
\$ 2208	134
2248	134
2426	134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

		MODEL NUMBER	MODEL NUMBER						
	MODEL	W x D	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	
	53-1/32" Bookcase/Lateral	30 x 18"	7CFB30495/2D270B						
	 One 27" open bookcase section with one 1/2" adjustable shelf 	36 x 18"	7CFB36495/2D270B						
	1-1/2" locking tie bar shelf	42 x 18"	7CFB42495/2D270B						
	Two 10-1/2" drawers with FBA folder								
bars Counterbalance weights are recommended for freestanding units									
	mondod for moodanding unito								
7CFB									
	65-9/32" Bookcase/Lateral	30 x 18"	7CFB30615/2D390B					Option OCC OCC OCC OCC OCC OCC OCC OCC OCC O	
	 One 39" open bookcase section with two 1/2" adjustable shelves 	36 x 18"	7CFB36615/2D390B						
	1-1/2" locking tie bar shelf	42 x 18"	7CFB42615/2D390B						
	 Two 10-1/2" drawers with FBA folder 								
	bars								
	 Counterbalance weights are recommended for freestanding units 								
—									
7CFB									
			A	3	Θ	o	ⅎ	(3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select unit and drawer color. this price list.
- Refer to the Product Color Options page in

• Select counterbalance weight. **CBW** - With Counterbalance **NOCBW** - No Counterbalance See pricing column for counterbalance

Select key option.

• Select drawer pull color.

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height


- Key standard

- No lock core

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.





	18.00					
	Approx. Packaged Weight	Delivered Pricing	Dimple Front add to price		Counte balanc Weigh add to price	e t
	197.0#	\$ 1822	\$	35	\$	134
	213.0#	1872		36		134
	235.0#	2004		38		134
_	215.0#	\$ 2056	\$	38	\$	134
	240.0#	2097		42		134
	270.0#	2258		N/A		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUMBER				1	
	MODEL	W x D	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option
	65-9/32" Bookcase/Lateral	30 x 18"	7CFB30615/2D360B					
	 One 36" open bookcase section with two 1/2" adjustable shelves 	36 x 18"	7CFB36615/2D360B					
	1-1/2" locking tie bar shelf	42 x 18"	7CFB42615/2D360B					
	 Two 12" drawers with FBA folder bars 							
	Counterbalance weights are recom-							
	mended for freestanding units							
~								
7CFB								
	65-9/32" Bookcase/Lateral	30 x 18"	7CFB30615/3D330B					
	 One 33" open bookcase section with one 1/2" adjustable shelf 	36 x 18"	7CFB36615/3D330B					
	1-1/2" locking tie bar shelf	42 x 18"	7CFB42615/3D330B					
	 One 6" drawer 							
	Two 10-1/2" drawers with FBA folder							
	barsCounterbalance weights are recom-							
	mended for freestanding units							
~	-							
7CFB								
			A	(3)	Θ	•	(3	(3
			•	•	•	9	9	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

A Select basic model.

- Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the Product Color Options page in
- Select drawer pull color. Refer to the Product Color Options page in

• Select counterbalance weight. **CBW** - With Counterbalance **NOCBW** - No Counterbalance See pricing column for counterbalance

Select key option.

- Key alike

HOW TO BUILD A MODEL NUMBER

BSelect flat or dimpled front.

- Dimpled

this price list.

this price list.

weight upcharge.

Figures provided are approximate and reflect packaged product without additional accessories.

- Key standard - No lock core

Folder Bars

INFORMATION

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Approx. Packaged Weight	Delive Pricir	ored g	Dimple Front add to price		Counte baland Weigh add to price	e t
215.0#	\$ 2	048	\$	38	\$	134
240.0#	2	080		38		134
270.0#	2	245		N/A		134
 215.0#	\$ 2	155	\$	42	\$	134
240.0#	2	201		N/A		134
270.0#	2	360		48		134

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Multimedia Storage 700 Series® Wardrobe Cabinets



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) - Nickel bow tie NKBT - Retro nickel RETN Select unit color. Refer to the Product Color Options page in this price list. • Select key option. - Key alike - Key standard - No lock core

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights



Preconfigured Multimedia Storage 700 Series® Wardrobe Cabinets

De	elivered
Pr	elivered ricing
	1879
	1944
•	4074
\$	1074
	1074

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Cupboard/Bookcase/Markerboard

				MODEL NUMBER				
				Basic	Pull	Unit	Key	
	MODEL	Features	WxD	Model	Option	Color	Option	
	30" Wide - 24" File, 6" Wide Locker, 18"	Locker Left, Bookcase, Right	30 x 18"	7FL/3061518/2D360B/6FLL				
	Deep	Locker Right, Bookcase Left	30 x 18"	7FL/3061518/2D360B/6FLR				
	shelves (files 2 rows of binders)	Locker Left, Cupboard Right	30 x 18"	7FL/3061518/2D360C/6FLL				
	• 1-1/2" tie bar shelf	Locker Right, Cupboard Left	30 x 18"	7FL/3061518/2D360C/6FLR				
	Two 12" high drawers with FBA bars Locker Left, Markerboard Right 30 x 18" 7FL/3061518/2D360CMB/6FLL □□□□□							
		Locker Right, Markerboard Left	30 x 18"	7FL/3061518/2D360CMB/6FLR				
S7FL								
	Last model digit indicates locker hinge							
	location							
$\overline{}$	30" Wide - 24" File, 6" Wide Locker, 18"	Locker Left, Bookcase Right	30 x 18"	7FL/3061518/3D300B/6FLL				
	Deep	Locker Right, Bookcase Left	30 x 18"	7FL/3061518/3D300B/6FLR				
	30" H cupboard or bookcase with 1 shelf (files 0 many of binders)	Locker Left, Cupboard Right	30 x 18"	7FL/3061518/3D300C/6FLL				
	(files 2 rows of binders) • 1-1/2" tie bar shelf	Locker Right, Cupboard Left	30 x 18"	7FL/3061518/3D300C/6FLR				
	One 6" high drawer, two 12" high draw-	Locker Left, Markerboard Right	30 x 18"	7FL/3061518/3D300CMB/6FLL				
	ers	Locker Right, Markerboard Left	30 x 18"	7FL/3061518/3D300CMB/6FLR				
	6" wide full length door (left or right side) with coat rod							
~	Full length pull and lock							
S7FL	Markerboard shown in picture							
	Two locks per bookcase unit							
	 Three locks per cupboard and marker- board units 							
	Last model digit indicates locker hinge							
	location							
					-		_	
				Ø	₿	Θ	O	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel CLSC - Classic (inset pull) NKBT - Nickel bow tie - Retro nickel RETN Select unit and drawer color. Refer to the **Product Color Options** page in this price list. • Select key option. - Key alike - Key standard - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Cupboard/Bookcase/Markerboard

Approx. Packaged Weight				
Packaged	Delivered Pricing			
weight	Pricing			
168.0#	\$ 2487			
168.0#	2487			
175.0#	2758			
175.0#	2758			
175.0#	4079			
175.0#	4079			
182.0#	\$ 2513			
182.0#	2513			
191.0#	2728			
191.0#	2728			
191.0#	3599			
191.0#	3599			
131.0#	3039			

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Cupboard/Bookcase/Markerboard

				MODEL NUMBER			
				Basic	Pull	Unit	Key
	MODEL	Features	WxD	Model	Option	Color	Option
	30" Wide - 24" File, 6" Wide Locker, 18"	Locker Left, Bookcase Right	30 x 18"	7FL/3061518/3D285B/6FLL			
	Deep	Locker Right, Bookcase Left	30 x 18"	7FL/3061518/3D285B/6FLR			
	 28-1/2" H cupboard or bookcase with 1 shelf (files 2 rows of binders) 	Locker Left, Cupboard Right	30 x 18"	7FL/3061518/3D285C/6FLL			
	• 1-1/2" tie bar shelf	Loceker Right, Cupboard Left	30 x 18"	7FL/3061518/3D285C/6FLR			
	 Three 10-1/2" high drawers 	Locker Left, Markerboard Right	30 x 18"	7FL/3061518/3D285CMB/6FLL			
	6" wide full length door (left or right	Locker Right, Markerboard Left	30 x 18"	7FL/3061518/3D285CMB/6FLR			
S7FL	side) with coat rod • Full length pull and lock						
	Cupboard shown in picture						
	 Two locks per bookcase unit 						
	Three locks per cupboard and marker- hourd units						
	board unitsLast model digit indicates locker hinge						
	location						
	30" Wide - 24" File, 6" Wide Locker, 18"	Locker Left, Bookcase Right	30 x 18"	7FL/3061518/3D330B/6FLL			
	Deep	Locker Right, Bookcase Left	30 x 18"	7FL/3061518/3D330B/6FLR			
	33" H cupboard or bookcase with 1 shelf (files 2 rows of binders)	Locker Left, Cupboard Right	30 x 18"	7FL/3061518/3D330C/6FLL			
	(files 2 rows of binders) • 1-1/2" tie bar shelf	Locker Right, Cupboard Left	30 x 18"	7FL/3061518/3D330C/6FLR			
	One 6" high drawer, two 10-1/2" high	Locker Left, Markerboard Right	30 x 18"	7FL/3061518/3D330CMB/6FLL			
	drawers	Locker Right, Markerboard Left	30 x 18"	7FL/3061518/3D330CMB/6FLR			
	 6" wide full length door (left or right side) with coat rod 						
~	Full length pull and lock						
S7FL	 Bookcase shown in picture 						
	Two locks per bookcase unit Three locks per symboord and marker						
	 Three locks per cupboard and marker- board units 						
	Last model digit indicates locker hinge						
	location						
				A	•		_
				w	•	Θ	O

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric - Arc nickel ARCN CLSC - Classic (inset pull) NKBT - Nickel bow tie RETN - Retro nickel Select unit and drawer color. Refer to the Product Color Options page in this price list. • Select key option. - Key alike - Key standard - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Cupboard/Bookcase/Markerboard

Annrox		
Approx. Packaged Weight	Deliv	/ered
186.0#	\$ 2	
186.0#		2668
194.0#		2880
194.0#		2880
194.0#		3665
194.0#	3	3665
182.0#	\$ 2	2737
182.0#		2737
191.0#		2973
191.0#		2973
191.0#		3928
191.0#		3928

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Cupboard/Bookcase/Markerboard

				MODEL NUMBER				
				Basic	Pull	Unit	Key	
	MODEL	Features	WxD	Model	Option	Color	Option	
\sim	30" Wide - 24" File, 6" Wide Locker, 24"	Locker Left, Bookcase Right	30 x 24"	7FL/3061524/2D360B/6FLL				
	Deep	Locker Right, Bookcase Left	30 x 24"	7FL/3061524/2D360B/6FLR				
	36" H cupboard or bookcase with 2 abolics (files 2 rouge of binders)	Locker Left, Cupboard Right	30 x 24"	7FL/3061524/2D360C/6FLL				
	shelves (files 2 rows of binders) • 1-1/2" tie bar shelf	Locker Right, Cupboard Left	30 x 24"	7FL/3061524/2D360C/6FLR				
	Two 12" high drawers	Locker Left, Markerboard Right	30 x 24"	7FL/3061524/2D360CMB/6FLL				
S7FL	 6" wide full length door (left or right 	Locker Right, Markerboard Left	30 x 24"	7FL/3061524/2D360CMB/6FLR				
	side) with coat rod • Full length pull and lock							
	Cupboard shown in picture							
	Two locks per bookcase unit							
	Three locks per cupboard and marker-							
	board unitsLast model digit indicates locker hinge							
	location							
<u></u>	30" Wide - 24" File, 6" Wide Locker, 24"	Locker Left, Bookcase Right	30 x 24"	7FL/3061524/3D300B/6FLL				
	Deep	Locker Right, Bookcase Left	30 x 24"	7FL/3061524/3D300B/6FLR				
	30" H cupboard or bookcase with 1 shelf	Locker Left, Cupboard Right	30 x 24"	7FL/3061524/3D300C/6FLL				
	(files 2 rows of binders) • 1-1/2" tie bar shelf	Locker Right, Cupboard Left	30 x 24"	7FL/3061524/3D300C/6FLR				
	One 6" high drawer, two 12" high draw-	Locker Left, Markerboard Right	30 x 24"	7FL/3061524/3D300CMB/6FLL				
	ers	Locker Right, Markerboard Left	30 x 24"	7FL/3061524/3D300CMB/6FLR				
	6" wide full length door (left or right side) with coat rod							
7FL	Full length pull and lock							
	Markerboard shown in picture							
	 Two locks per bookcase unit 							
	 Three locks per cupboard and marker- board units 							
	Last model digit indicates locker hinge							
	location							
				•	•	•	•	
				A	₿	Θ	O	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie - Retro nickel RETN Select unit and drawer color. Refer to the **Product Color Options** page in this price list. • Select key option. - Key alike - Key standard - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Cupboard/Bookcase/Markerboard

A	
Approx.	Delivered
Approx. Packaged Weight	Pricing
188.0#	\$ 2671
188.0#	2671
196.0#	2911
196.0#	2911
196.0#	4234
196.0#	4234
199.0#	\$ 2674
199.0#	2674
208.0#	2880
208.0#	2880
208.0#	3754
208.0#	3754
200.0#	3734

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Cupboard/Bookcase/Markerboard

				MODEL NUMBER			
				Basic	Pull	Unit	Key
	MODEL	Features	WxD	Model	Option	Color	Option
	30" Wide - 24" File, 6" Wide Locker, 24"	Locker Left, Bookcase Right	30 x 24"	7FL/3061524/3D285B/6FLL			
	Deep	Locker Right, Bookcase Left	30 x 24"	7FL/3061524/3D285B/6FLR			
	 28-1/2" H cupboard or bookcase with 1 shelf (files 2 rows of binders) 	Locker Left, Cupboard Right	30 x 24"	7FL/3061524/3D285C/6FLL			
S7FL	• 1-1/2" tie bar shelf	Locker Right, Cupboard Left	30 x 24"	7FL/3061524/3D285C/6FLR			
	 Three 10-1/2" high drawers 	Locker Left, Markerboard Right	30 x 24"	7FL/3061524/3D285CMB/6FLL			
	6" wide full length door (left or right	Locker Right, Markerboard Left	30 x 24"	7FL/3061524/3D285CMB/6FLR			
	side) with coat rod • Full length pull and lock						
	Cupboard shown in picture						
	 Two locks per bookcase unit 						
	Three locks per cupboard and marker-						
	board unitsLast model digit indicates locker hinge						
	location						
\sim	30" Wide - 24" File, 6" Wide Locker, 24"	Locker Left, Bookcase Right	30 x 24"	7FL/3061524/3D330B/6FLL			
	Deep	Locker Right, Bookcase Left	30 x 24"	7FL/3061524/3D330B/6FLR			
	33" H cupboard or bookcase with 1 shelf (files 2 areas of binders)	Locker Left, Cupboard Right	30 x 24"	7FL/3061524/3D330C/6FLL			
	(files 2 rows of binders) • 1-1/2" tie bar shelf	Locker Right, Cupboard Left	30 x 24"	7FL/3061524/3D330C/6FLR			
	One 6" high drawer, two 10-1/2" high	Locker Left, Markerboard Right	30 x 24"	7FL/3061524/3D330CMB/6FLL			
	drawers	Locker Right, Markerboard Left	30 x 24"	7FL/3061524/3D330CMB/6FLR			
	6" wide full length door (left or right side) with coat rod						
S7FL	Full length pull and lock						
	Bookcase shown in picture						
	Two locks per bookcase unit						
	 Three locks per cupboard and marker- board units 						
	Last model digit indicates locker hinge						
	location						
						_	_
				Φ	B	Θ	O

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie - Retro nickel RETN Select unit and drawer color. Refer to the Product Color Options page in this price list. • Select key option. - Key alike - Key standard - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



208.0#

208.0#

208.0#

208.0#

2880

2880

3754 3754

Preconfigured Locker Units 700 Series® Cupboard/Bookcase/Markerboard

Approx.	
Approx. Packaged Weight	Delivered Pricing
208.0#	\$ 2837
208.0#	2837
231.0#	3032
231.0#	3032
231.0#	3818
231.0#	3818
100.0"	
199.0#	\$ 2674
199.0#	2674

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

	MODEL NUMBER						
	Features	W x D	Basic Model	Dimpled	Unit Color	Pull Color	Key Option
_	Locker Left, Bookcase Right	30 x 18"	7CFL3061518/2D360B/6FLL				
	Locker Right, Bookcase Left	30 x 18"	7CFL3061518/2D360B/6FLR				
	Locker Left, Cupboard Right	30 x 18"	7CFL3061518/2D360C/6FLL				
	Locker Right, Cupboard Left	30 x 18"	7CFL3061518/2D360C/6FLR				
	Locker Left, Markerboard Right	30 x 18"	7CFL3061518/2D360CMB/6FLL				
	Locker Right, Markerboard Left	30 x 18"	7CFL3061518/2D360CMB/6FLR				
7CFL							
30" Wide - 24" File, 6" Wide Locker,							
18" Deep							
• 36" H cupboard or bookcase w/2							
shelves (files 2 rows of binders)							
• 1-1/2" tie bar shelf							
Two 12" high drawers6" wide full length door (left or right							
side) with coat rod							
Full length pull and lock							
Cupboard shown in pictureTwo locks per bookcase unit							
Three locks per cupboard and mark-							
erboard units							
Last model digit indicates locker							
hinge location							
			A	3	•	0	3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

KA KS - Key alike - Key standard NLC - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

Approx. Packaged Weight	Delivered Pricing	F a	Dimpled Front add to li price	
168.0#	\$ 2985		\$	58
168.0#	2985			58
175.0#	3309			63
175.0#	3309			63
175.0#	4898			90
175.0#	4898			90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

			MODEL NUMBER				
			Basic		Unit	Pull	Kev
	Features	W x D	Model	Dimpled	Color	Color	Option
	Locker Left, Bookcase Right	30 x 18"	7CFL3061518/3D300B/6FLL			0000000	
	Locker Right, Bookcase Left	30 x 18"	7CFL3061518/3D300B/6FLR				
	Locker Left, Cupboard Right	30 x 18"	7CFL3061518/3D300C/6FLL				
	Locker Right, Cupboard Left	30 x 18"	7CFL3061518/3D300C/6FLR				
	Locker Left, Markerboard Right	30 x 18"	7CFL3061518/3D300CMB/6FLL				
	Locker Right, Markerboard Left	30 x 18"	7CFL3061518/3D300CMB/6FLR				
7CFL							
30" Wide - 24" File, 6" Wide Locker,							
18" Deep							
• 30" H cupboard or bookcase w/1							
shelf (files 2 rows of binders) 1-1/2" tie bar shelf							
• One 6" high drawer, two 12" high							
drawers							
6" wide full length door (left or right side) with coat rod							
Full length pull and lock							
Markerboard shown in picture							
Two locks per bookcase unitThree locks per cupboard and mark-							
erboard units							
Last model digit indicates locker							
hinge location							
			Δ	₿	Θ	O	ⅎ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

Approx. Packaged Weight	Delivered Pricing	Dimple Front add to price	
182.0#	\$ 3015	\$	58
182.0#	3015		58
191.0#	3272		62
191.0#	3272		62
191.0#	4317		83
191.0#	4317		83

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

			MODEL NUMBER				
			MODEL NUMBER				
	Factoria	W B	Basic		Unit	Pull	Key
	Features	WxD	Model	Dimpled	Color	Color	Option
	Locker Left, Bookcase Right	30 x 18"	7CFL3061518/3D285B/6FLL				
	Locker Right, Bookcase Left	30 x 18"	7CFL3061518/3D285B/6FLR				
1 1 1	Locker Left, Cupboard Right	30 x 18"	7CFL3061518/3D285C/6FLL				
	Locker Right, Cupboard Left	30 x 18"	7CFL3061518/3D285C/6FLR				
	Locker Left, Markerboard Right	30 x 18"	7CFL3061518/3D285CMB/6FLL				
	Locker Right, Markerboard Left	30 x 18"	7CFL3061518/3D285CMB/6FLR				
7CFL							
30" Wide - 24" File, 6" Wide Locker,							
18" Deep							
• 28-1/2" H cupboard or bookcase w/1							
shelf (files 2 rows of binders)							
• 1-1/2" tie bar shelf							
Three 10-1/2" high drawers							
6" wide full length door (left or right side) with coat rod							
Full length pull and lock							
Cupboard shown in picture							
 Two locks per bookcase unit 							
 Three locks per cupboard and mark- erboard units 							
Last model digit indicates locker							
hinge location							
			_			_	
			Δ	$oldsymbol{\Theta}$	Θ	O	ⅎ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the Product Color Options page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

Approx. Packaged Weight	Delivered Pricing	Dimple Front add to price	
186.0#	\$ 3201	\$	62
186.0#	3201		62
194.0#	3453		68
194.0#	3453		68
194.0#	4398		84
194.0#	4398		84

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

			MODEL NUMBER				
			Basic		Unit	Pull	Kev
	Features	W x D	Model	Dimpled	Color	Color	Option
	Locker Left, Bookcase Right	30 x 18"	7CFL3061518/3D330B/6FLL				
	Locker Right, Bookcase Left	30 x 18"	7CFL3061518/3D330B/6FLR				
	Locker Left, Cupboard Right	30 x 18"	7CFL3061518/3D330C/6FLL				
	Locker Right, Cupboard Left	30 x 18"	7CFL3061518/3D330C/6FLR				
	Locker Left, Markerboard Right	30 x 18"	7CFL3061518/3D330CMB/6FLL				
	Locker Right, Markerboard Left	30 x 18"	7CFL3061518/3D330CMB/6FLR				
7CFL							
30" Wide - 24" File, 6" Wide Locker,							
18" Deep							
• 33" H cupboard or bookcase w/1							
shelf (files 2 rows of binders) • 1-1/2" tie bar shelf							
• One 6" high drawer, two 10-1/2" high							
drawers							
6" wide full length door (left or right							
side) with coat rod • Full length pull and lock							
Bookcase shown in picture							
Two locks per bookcase unit							
 Three locks per cupboard and mark- erboard units 							
Last model digit indicates locker							
hinge location							
			A	B	Θ	O	(3
			•	•	_	•	_

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the Product Color Options page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

	_		
KA		- Key alike	
KS		- Key standard	
NLC		- No lock core	

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

Approx. Packaged Weight	Delivered Pricing	Dimple Front add to price	
182.0#	\$ 3015	\$	58
182.0#	3015		58
191.0#	3272		62
191.0#	3272		62
191.0#	4317		83
191.0#	4317		83

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

			MODEL NUMBER				
			Basic		Unit	Pull	Kev
	Features	WxD	Model	Dimpled	Color	Color	Option
	Locker Left, Bookcase Right	30 x 24"	7CFL3061524/2D360B/6FLL			0000000	
	Locker Right, Bookcase Left	30 x 24"	7CFL3061524/2D360B/6FLR				
	Locker Left, Cupboard Right	30 x 24"	7CFL3061524/2D360C/6FLL				
	Locker Right, Cupboard Left	30 x 24"	7CFL3061524/2D360C/6FLR				
	Locker Left, Markerboard Right	30 x 24"	7CFL3061524/2D360CMB/6FLL				
	Locker Right, Markerboard Left	30 x 24"	7CFL3061524/2D360CMB/6FLR				
	,						
7CFL							
30" Wide - 24" File, 6" Wide Locker,							
24" Deep							
36" H cupboard or bookcase w/2							
shelves (files 2 rows of binders)							
1-1/2" tie bar shelf							
Two 12" high drawers							
 6" wide full length door (left or right side) with coat rod 							
Full length pull and lock							
Cupboard shown in picture							
Two locks per bookcase unitThree locks per cupboard and mark-							
erboard units							
Last model digit indicates locker							
hinge location							
			A	B	Θ	0	•
			•	U	G	U	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the Product Color Options page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

	-	
KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

Approx. Packaged Weight	Delivered Pricing	Dimpl Front add to price	list
188.0#	\$ 3206	\$	62
188.0#	3206		62
196.0#	3494		68
196.0#	3494		68
196.0#	5077		100
196.0#	5077		100

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

			T					
			MODEL NUMBER					
			Basic		Unit	Pull	Key	
	Features	WxD	Model	Dimpled	Color	Color	Option	
	Locker Left, Bookcase Right	30 x 24"	7CFL3061524/3D300B/6FLL					
	Locker Right, Bookcase Left	30 x 24"	7CFL3061524/3D300B/6FLR					
	Locker Left, Cupboard Right	30 x 24"	7CFL3061524/3D300C/6FLL					
	Locker Right, Cupboard Left	30 x 24"	7CFL3061524/3D300C/6FLR					
	Locker Left, Markerboard Right	30 x 24"	7CFL3061524/3D300CMB/6FLL					
	Locker Right, Markerboard Left	30 x 24"	7CFL3061524/3D300CMB/6FLR					
7CFL								
30" Wide - 24" File, 6" Wide Locker,								
24" Deep								
30" H cupboard or bookcase w/1								
shelf (files 2 rows of binders) • 1-1/2" tie bar shelf								
One 6" high drawer, two 12" high								
drawers								
6" wide full length door (left or right side) with coat rod								
Full length pull and lock								
 Markerboard shown in picture 								
Two locks per bookcase unit Three looks per supposed and mostly								
 Three locks per cupboard and mark- erboard units 								
Last model digit indicates locker								
hinge location								
			A	3	0	O	€	
			•	•	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

Approx. Packaged Weight	Delivered Pricing	Dimple Front add to I price	
199.0#	\$ 3210	\$	62
199.0#	3210		62
208.0#	3456		68
208.0#	3456		68
208.0#	4503		85
208.0#	4503		85

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

	MODEL NUMBER						
			Basic		Unit	Pull	Key
	Features	WxD	Model	Dimpled	Color	Color	Option
	Locker Left, Bookcase Right	30 x 24"	7CFL3061524/3D285B/6FLL				
	Locker Right, Bookcase Left	30 x 24"	7CFL3061524/3D285B/6FLR				
	Locker Left, Cupboard Right	30 x 24"	7CFL3061524/3D285C/6FLL				
	Locker Right, Cupboard Left	30 x 24"	7CFL3061524/3D285C/6FLR				
	Locker Left, Markerboard Right	30 x 24"	7CFL3061524/3D285CMB/6FLL				
	Locker Right, Markerboard Left	30 x 24"	7CFL3061524/3D285CMB/6FLR				
7CFL							
30" Wide - 24" File, 6" Wide Locker,							
24" Deep							
• 28-1/2" H cupboard or bookcase w/1							
shelf (files 2 rows of binders)							
• 1-1/2" tie bar shelf							
 Three 10-1/2" high drawers 6" wide full length door (left or right 							
side) with coat rod							
Full length pull and lock							
Cupboard shown in pictureTwo locks per bookcase unit							
Three locks per cupboard and mark-							
erboard units							
 Last model digit indicates locker hinge location 							
minge location							
			Δ	•	Θ	O	3
			_	_	_		_

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

KA KS - Key alike - Key standard NLC - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

Approx. Packaged Weight	Delivered Pricing	Dimple Front add to price	
208.0#	\$ 3404	\$	64
208.0#	3404		64
231.0#	3634		72
231.0#	3634		72
231.0#	4578		87
231.0#	4578		87

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

			MARKE WILLIAMS						
			MODEL NUMBER						
			Basic		Unit	Pull	Key		
	Features	WxD	Model	Dimpled	Color	Color	Option		
	Locker Left, Bookcase Right	30 x 24"	7CFL3061524/3D330B/6FLL						
	Locker Right, Bookcase Left	30 x 24"	7CFL3061524/3D330B/6FLR						
	Locker Left, Cupboard Right	30 x 24"	7CFL3061524/3D330C/6FLL						
	Locker Right, Cupboard Left	30 x 24"	7CFL3061524/3D330C/6FLR						
	Locker Left, Markerboard Right	30 x 24"	7CFL3061524/3D330CMB/6FLL						
	Locker Right, Markerboard Left	30 x 24"	7CFL3061524/3D330CMB/6FLR						
7CFL									
30" Wide - 24" File, 6" Wide Locker,									
24" Deep									
 33" H cupboard or bookcase w/1 									
shelf (files 2 rows of binders) • 1-1/2" tie bar shelf									
One 6" high drawer, two 10-1/2" high									
drawers									
6" wide full length door (left or right									
side) with coat rod • Full length pull and lock									
Bookcase shown in picture									
Two locks per bookcase unit									
 Three locks per cupboard and mark- erboard units 									
Last model digit indicates locker									
hinge location									
			A	(3)	Θ	O	(3		
			W	U	G	U	G		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

KA KS - Key alike - Key standard NLC - No lock core

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Locker Units 700 Series® Curve Cupboard/Bookcase/Markerboard

Approx. Packaged Weight	Delivered Pricing	Dimple Front add to price	
199.0#	\$ 3210	\$	62
199.0#	3210		62
208.0#	3456		68
208.0#	3456		68
208.0#	4503		85
208.0#	4503		85

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Storage 700 Series® Multimedia Storage Cabinets

				MODEL NUMBER					
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight	
	27" Multimedia Storage Cabinet	With 1 Shelf	30 x 18 x 27"	S7L/30240HD				95.0#	
	Available with one adjustable blank shelf	With 1 Shelf	36 x 18 x 27"	S7L/36240HD				105.0#	
		With 1 Shelf	42 x 18 x 27"	S7L/42240HD				121.0#	
S7CBU									
	 33-1/2" Multimedia Storage Cabinet Available with one adjustable blank shelf 	With 1 Shelf	30 x 18 x 33-1/8"	S7L/30300HD				105.0#	
		With 1 Shelf	36 x 18 x 33-1/8"	S7L/36300HD				121.0#	
		With 1 Shelf	42 x 18 x 33-1/8"	S7L/42300HD				137.0#	
S7CBU									
	39-1/4" Multimedia Storage Cabinet	With 2 Shelves	30 x 18 x 39-1/4"	S7L/30360HD				121.0#	
	 Available with two adjustable blank shelves 	With 2 Shelves	36 x 18 x 39-1/4"	S7L/36360HD				137.0#	
	Sileives	With 2 Shelves	42 x 18 x 39-1/4"	S7L/42360HD				152.0#	
S7CBU									
				A	3	Θ	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie RETN - Retro nickel Select unit color. Refer to the Product Color Options page in this price list. • Select key option. - Key alike KS - Key standard NLC - No lock core

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights



Preconfigured Storage 700 Series® Multimedia Storage Cabinets

	Delivered Pricing	ed -
	\$ 833	
•	э ооо 904	
	965)O
	\$ 936	
	1036	
	1098	18
;	\$ 1036	
	1117	17
	1222	.2

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Storage 700 Series® Multimedia Storage Cabinets

				MODEL NUM	IBER			
								Approx.
				Basic	Pull	Unit	Key	Packaged
	MODEL	Features	WxDxH	Model	Option	Color	Option	Weight
	51-1/2" Multimedia Storage Cabinet	With 2 Shelves	30 x 18 x 51-1/2"	S7L/30480HD				150.0#
	 Available with two adjustable blank shelves 	With 2 Shelves	36 x 18 x 51-1/2"	S7L/36480HD				160.0#
	31161763	With 2 Shelves	42 x 18 x 51-1/2"	S7L/42480HD				180.0#
S7CBU								
	56-3/32" Multimedia Storage Cabinet	With 2 Shelves	30 x 18 x 56-3/32"	S7L/30525HD				160.0#
	 Available with two adjustable blank shelves 	With 2 Shelves	36 x 18 x 56-3/32"	S7L/36525HD				170.0#
	21161762	With 2 Shelves	42 x 18 x 56-3/32"	S7L/42525HD				190.0#
~								
S7CBU								
				a	ß	Θ	0	
				w	U	9	U	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie RETN - Retro nickel Select unit color. Refer to the Product Color Options page in this price list. • Select key option. - Key alike KS - Key standard NLC - No lock core

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights



Preconfigured Storage 700 Series® Multimedia Storage Cabinets

De	livered
Dr	icing Control of the
\$	1117
Ψ	
	1281
	1445
Φ.	4040
\$	1316
	1405
	1485

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Storage 700 Series® Multimedia Storage Cabinets

								Approx.
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Key Option	Packaged Weight
	63-3/4" Multimedia Storage Cabinet	With 3 Shelves	30 x 18 x 63-3/4"	S7L/30600HD				175.0#
	 Available with three adjustable blank shelves 	With 3 Shelves	36 x 18 x 63-3/4"	S7L/36600HD				190.0#
	Stielves	With 3 Shelves	42 x 18 x 63-3/4"	S7L/42600HD				225.0#
S7CBU								
37600	65-9/32" Multimedia Storage Cabinet	With 3 Shelves	30 x 18 x 65-9/32"	S7L/30615HD				180.0#
	Available with three adjustable blank	With 3 Shelves	36 x 18 x 65-9/32"	S7L/36615HD				195.0#
	shelves	With 3 Shelves	42 x 18 x 65-9/32"	S7L/42615HD				230.0#
S7CBU								
	77-17/32" Multimedia Storage Cabinet • Available with four adjustable blank	With 4 Shelves	30 x 18 x 77-17/32"	S7L/30735HD				210.0#
	shelves	With 4 Shelves	36 x 18 x 77-17/32"	S7L/36735HD				230.0#
S7CBU								
				a	•	Θ	0	
				•	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie RETN - Retro nickel Select unit color. Refer to the Product Color Options page in this price list. • Select key option. - Key alike - Key standard - No lock core

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights



Preconfigured Storage 700 Series® Multimedia Storage Cabinets

Delivered
Delivered
Pricing
\$ 1332
1421
1626
1626
\$ 1332
1421
1626
 \$ 1619
1772
1112

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Storage 700 Series® Multimedia Storage Cabinets

				MODEL NUM	BER				
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight	
	69-7/8" Multimedia Storage Cabinet	No Shelf	30 x 18 x 69-7/8"	S7L/30660HX				95.0#	
	All internal accessories must be ordered separately	No Shelf	36 x 18 x 69-7/8"	S7L/36660HX				102.0#	
S7CBU									
				A	3	Θ	O		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie RETN - Retro nickel Select unit color. Refer to the Product Color Options page in this price list. • Select key option. - Key alike KS - Key standard NLC - No lock core

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights



Preconfigured Storage 700 Series® Multimedia Storage Cabinets

Delivered Pricing

\$ 1319

1404

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Storage 700 Series® Multimedia Storage Cabinets

	MODEL	W x D x H	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight	
	26-7/8" OverCupboard Storage Cabinet	30 x 18 x 26-7/8"	S7L/302400VHD				70.0#	
	For placement on top of similar width	36 x 18 x 26-7/8"	S7L/362400VHD				80.0#	
	cabinet; not for floor installation	42 x 18 x 26-7/8"	S7L/422400VHD				95.0#	
	 Available with one adjustable blank shelf Lock located at bottom of cabinet 	12 X 10 X 20 1/0	072,122 100 1113				00.0#	
~								
S70V								
	26-7/8" OverCupboard Storage Cabinet	30 x 18 x 26-7/8"	S7L/302400VHX				42.0#	
	 Interiors to be specified separately at time of configuration 	36 x 18 x 26-7/8"	S7L/362400VHX				50.0#	
	For placement on top of similar width	42 x 18 x 26-7/8"	S7L/422400VHX				56.0#	
	cabinet; not for floor installation							
	Lock located at bottom of cabinet							
S70V								
	31-15/32" OverCupboard Storage Cabinet	30 x 18 x 31-15/32"	S7L/302850VHX				48.0#	
	Interiors to be specified separately at	36 x 18 x 31-15/32"	S7L/362850VHX				56.0# 63.0#	
	time of configuration	42 x 18 x 31-15/32"	S7L/422850VHX				63.0#	
	For placement on top of similar width cabinet: not for floor installation							
S70V	Lock located at bottom of cabinet							
3701	33" OverCupboard Storage Cabinet	30 x 18 x 33"	S7L/303000VHX				52.0#	
	 Interiors to be specified separately at 	36 x 18 x 33"	S7L/363000VHX				60.0#	
	time of configuration • For placement on top of similar width	42 x 18 x 33"	S7L/423000VHX				67.0#	
	cabinet; not for floor installation							
	 Lock located at bottom of cabinet 							
S70V								
	34-17/32" OverCupboard Storage Cabinet	30 x 18 x 34-17/32"	S7L/303150VHX				54.0#	
		36 x 18 x 34-17/32"	S7L/363150VHX				62.0#	
	 Interiors to be specified separately at time of configuration 	42 x 18 x 34-17/32"	S7L/423150VHX				69.0#	
	 For placement on top of similar width 							
	cabinet; not for floor installation							
S70V	Lock located at bottom of cabinet							
			A	3	Θ	O		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie RETN - Retro nickel Select unit color. Refer to the Product Color Options page in this price list. • Select key option. - Key alike KS - Key standard NLC - No lock core

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.



Preconfigured Storage 700 Series® Multimedia Storage Cabinets

De	elivered	
Pri	elivered ricing	
\$	876	
	915	
	997	
\$	801	
	836	
	884	
\$	892	
	929	
	992	
\$	898	
	941	
	998	
\$	899	
\$	946	
\$		
\$	946	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Storage 700 Series® Multimedia Storage Cabinets

			MODEL NUMBE	R				
	MODEL	WxDxH	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight	
	39-1/8" OverCupboard Storage Cabinet	30 x 18 x 39-1/8"	S7L/303600VHX				58.0#	
	 Interiors to be specified separately at time of configuration 	36 x 18 x 39-1/8"	S7L/363600VHX				68.0#	
	For placement on top of similar width	42 x 18 x 39-1/8"	S7L/423600VHX				75.0#	
	cabinet; not for floor installation							
	 Lock located at bottom of cabinet 							
S70V								
	43-23/32" OverCupboard Storage Cabinet	30 x 18 x 43-23/32"	S7L/304050VHX				68.0#	
	,	36 x 18 x 43-23/32"	S7L/364050VHX				75.0#	
	 Interiors to be specified separately at time of configuration 	42 x 18 x 43-23/32"	S7L/424050VHX				82.0#	
	For placement on top of similar width							
	cabinet; not for floor installation							
	Lock located at bottom of cabinet							
S70V								
	46-25/32" OverCupboard Storage Cabinet	30 x 18 x 46-25/32"	S7L/304350VHX				71.0#	
	Interiors to be specified separately at	36 x 18 x 46-25/32"	S7L/364350VHX				78.0#	
	time of configuration	42 x 18 x 46-25/32"	S7L/424350VHX				85.0#	
	 For placement on top of similar width 							
	cabinet; not for floor installation							
0=01	Lock located at bottom of cabinet							
S70V	54 0/0110 0 1 101 0 11 1	00 10 51 0/0	071 (00 1000) (11)				70.0"	
	 51-3/8" OverCuphoard Storage Cabinet Interiors to be specified separately at 	30 x 18 x 51-3/8"	S7L/304800VHX				76.0#	
	time of configuration	36 x 18 x 51-3/8"	S7L/364800VHX				83.0#	
	For placement on top of similar width	42 x 18 x 51-3/8"	S7L/424800VHX				90.0#	
	 cabinet; not for floor installation Lock located at bottom of cabinet 							
	- Lock located at bottom of cabinet							
S70V								
31 U V								
			A	•	Θ	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel CLSC - Classic (inset pull) NKBT - Nickel bow tie RETN - Retro nickel Select unit color. Refer to the Product Color Options page in this price list. • Select key option. - Key alike - Key standard - No lock core

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights



Preconfigured Storage 700 Series® Multimedia Storage Cabinets

Delivered	
Pricing	
964	
1014	
1075	
5 1036	
1086	
1148	
6	
4054	
\$ 1054	
1107	
1158	
1059	
1121	
1177	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Preconfigured Storage 700 Series® Curve Multimedia Storage Cabinets

MODEL Features W x D Model Color Color Option 26-7/8" OverCupboard Storage Cabinet For placement on top of similar width cabinet; not for floor installation Available with one adjustable blank shelf Lock located at bottom of cabinet S7CC With 1 Shelf With 2 Shelves 36 x 18" S7CL362400VHD S7CL422400VHD S7CL422400VHD S7CL422400VHD S7CL42255HD S7CL36525HD S7CL36525HD S7CL36525HD S7CL36525HD S7CL36525HD S7CL36525HD S7CL36525HD					MODEL NUMBER	R				
For placement on top of similar width cabinet; not for floor installation Available with one adjustable blank shelf Lock located at bottom of cabinet S7CC With 1 Shelf 42 x 18* S7CL362400VHD S7CL422400VHD S7CL422400VHD S7CL422400VHD With 1 Shelf S7CL36525HD With 2 Shelves S7CL36525HD With 2 Shelves S7CL36525HD S7CL36525HD S7CL36525HD		MODEL	Features	W x D		Dimpled				
cabinet; not for floor installation • Available with one adjustable blank shelf • Lock located at bottom of cabinet S7CC With 1 Shelf 42 x 18* S7CL422400VHD S7CL422400VHD S7CL422400VHD With 1 Shelf 56-3/32** Multimedia Storage Cabinet • Available with two adjustable blank shelves or without any shelves With 2 Shelves 36 x 18* S7CL36525HD				30 x 18"	S7CL302400VHD					
Available with one adjustable blank shelf Lock located at bottom of cabinet S7CC S6-3/32" Multimedia Storage Cabinet Available with two adjustable blank shelves or without any shelves With 1 Shelf 42 x 18" S/CL422400VHD With 1 Shelf 57CL36525HD With 2 Shelves 36 x 18" S7CL36525HD S7CL36525HD			With 1 Shelf	36 x 18"	S7CL362400VHD					
S7CC 56-3/32" Multimedia Storage Cabinet • Available with two adjustable blank shelves or without any shelves With 2 Shelves 36 x 18" S7CL36525HD			With 1 Shelf	42 x 18"	S7CL422400VHD					
56-3/32" Multimedia Storage Cabinet • Available with two adjustable blank shelves or without any shelves With 2 Shelves 36 x 18" S7CL36525HD										
56-3/32" Multimedia Storage Cabinet • Available with two adjustable blank shelves or without any shelves With 2 Shelves 36 x 18" S7CL36525HD	→									
Available with two adjustable blank shelves or without any shelves	S7CC									
shelves or without any shelves			With 2 Shelves	36 x 18"	S7CL36525HD					
\$700										
\$700										
\$700										
\$700										
\$700										
C/IP	0=00									
5700	S7CC									
0 0 0 0					A	3	Θ	O	ⅎ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights



Preconfigured Storage 700 Series® Curve Multimedia Storage Cabinets

Approx. Package Weight	i De Pr	elivered	Dimpled Front add to li price	
70.0 #	\$	982	\$	17
80.0#		1023		18
95.0#		1116		23
170.0#	\$	1574	\$	17

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUMBE	R	ı		
	MODEL	W x D x H	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight
^	16-5/32" Overfile Storage Cabinet	30 x 18 x 16-5/32"	S7L/301350V1F				46.0#
	One 13" receding door	36 x 18 x 16-5/32"	S7L/361350V1F				52.0#
	For placement on the top of similar width	42 x 18 x 16-5/32"	S7L/421350V1F				56.0#
	 cabinet; not for floor installation Lock located at bottom of cabinet 	12 X 10 X 10 0/02	072/12/000111				00.0#
S70V	Lower units must be drilled to accept						
	four 1/4-20 bolts to secure unit						
	17-11/16" Overfile Storage Cabinet	30 x 18 x 17-11/16"	S7L/301500V1F				50.0#
	One 15" receding door For placement on the top of similar width	36 x 18 x 17-11/16"	S7L/361500V1F				56.0#
	 For placement on the top of similar width cabinet; not for floor installation 	42 x 18 x 17-11/16"	S7L/421500V1F				62.0#
	 Lock located at bottom of cabinet 						
S70V	Lower units must be drilled to accept four 1/4-20 bolts to secure unit						
	31-15/32" Overfile Storage Cabinet Two 13-1/2" receding doors One slotted tie bar shelf with 3 dividers	30 x 18 x 31-15/32"	S7L/302850V2F				87.0#
		36 x 18 x 31-15/32"	S7L/362850V2F				98.0#
	For placement on the top of similar width	42 x 18 x 31-15/32"	S7L/422850V2F				108.0#
	 cabinet; not for floor installation Lock located at bottom of cabinet 						
	· Lower units must be drilled to accept						
S70V	four 1/4-20 bolts to secure unit						
<u> </u>	34-17/32" Overfile Storage Cabinet	30 x 18 x 34-17/32"	S7L/303150V2F				94.0#
	Two 15" receding doors	36 x 18 x 34-17/32"	S7L/363150V2F				107.0#
	 One slotted tie bar shelf with 3 dividers For placement on the top of similar width 	42 x 18 x 34-17/32"	S7L/423150V2F				119.0#
	cabinet; not for floor installation						
	Lock located at bottom of cabinet						
•	Lower units must be drilled to accept four 1/4-20 bolts to secure unit						
S70V	.ca. 77 Lo botto to occuro unit						
			A	3	Θ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel CLSC - Classic (inset pull) NKBT - Nickel bow tie RETN - Retro nickel Select unit color. Refer to the Product Color Options page in this price list. • Select key option. - Key alike KS - Key standard NLC - No lock core

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.



elivered ricing			
656			
737			
748			
740			
618			
749			
798			
790			
984			
1022			
1113			
1110			
1097			
 1140			
1240			
1240			

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

		MODEL NUMBE	R				
	MODEL	W x D x H	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight
$\overline{}$	46-25/32" Overfile Storage Cabinet	30 x 18 x 46-25/32"	S7L/304350V3F	CLSC			127.0#
	 Three 13-1/2" receding doors One slotted tie bar shelf with 3 dividers 	36 x 18 x 46-25/32"	S7L/364350V3F	CLSC			144.0#
	 One slotted tie bar shell with 3 dividers For placement on the top of similar width 	42 x 18 x 46-25/32"	S7L/424350V3F	CLSC			160.0#
	cabinet; not for floor installation						
	Lock located at bottom of cabinet						
	Lower units must be drilled to accept four 1/4-20 bolts to secure unit						
	1001 1, 1 20 2010 10 000010 0111						
S70V							
	51-3/8" Overfile Storage Cabinet Three 15" receding doors Two slotted tie bar shelves with 3 divid-	30 x 18 x 51-3/8"	S7L/304800V3F	CLSC			140.0#
		36 x 18 x 51-3/8"	S7L/364800V3F	CLSC			158.0#
	ers	42 x 18 x 51-3/8"	S7L/424800V3F	CLSC			177.0#
	For placement on the top of similar width						
	cabinet; not for floor installationLock located at bottom of cabinet						
	Lower units must be drilled to accept						
	four 1/4-20 bolts to secure unit						
S70V							
			A	•	Θ	O	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect pull option.

CLSC - Classic (inset pull)

Select unit color. Refer to the **Product Color Options** page in this price list.

• Select key option.

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.



Delivered		
Pricing		
\$ 1303		
1357		
1463		
\$ 1467		
1518		
1624		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Lateral File Accessories

				MODEL NUMBER		
					Approx.	
				Basic	Packaged	
	MODEL	Features	W	Model	Weight	
	Type "A" Folder Bars	Side-to-side	30"	S7L/30FBA	3.0#	
	Files one row legal or letter, side-to-sidePriced per set	Side-to-side	36"	S7L/36FBA	3.0#	
	 Installs in 10-1/2, 12, 13-1/2, and 15" 	Side-to-side	42"	S7L/42FBA	4.0#	
	drawers and similar sized receding door					
LTACU	rollout shelf combinations Black finish only					
	2 don milen emy					
				071 (2077)	"	
	Type "E" Folder Bars • EDP interior for print-outs	Side-to-side	30"	S7L/30FBE	5.0#	
	Files one row side-to-side	Side-to-side	36"	S7L/36FBE	5.0#	
ITAOH.	Installs in 13-1/2, and 15" drawers and	Side-to-side	42"	S7L/42FBE	7.0#	
LTACU	15" receding door rollout shelf combina- tions. Not for installation behind 13-1/2"					
	receding doors					
	Priced per unit					
	Black finish only					
	Type "K" Folder Bars	Front-to-back		S7L/334FBK	5.0#	
	Converts side-to-side filing to front-to-	TTOTIL TO DUCK		07 L/0041 BIX	0.0#	
	back filing					
	One set (two bars) required per row of filing					
LTACU	Priced per set of two					
	Legal or letter					
	Type "J" Folder Bars	Front-to-back		S7L/334FBJ	5.0#	
	For EDP filing front-to-backOne set (two bars) required per row of					
	filing					
LTACU	Priced per set of two					
rit.	Counterbalance			S7L/CBW35	35.0#	
255	 For lateral file units Recommended unless cabinets are 			S7L/CBW50	50.0#	
	ganged			S7L/CBW60	60.0#	
	 Factory installed, if specified 					
15 July 10 10 10 10 10 10 10 10 10 10 10 10 10						
LTAGU						
LTACU						
				Ø		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Counterbalance Weight

Model #	700 Series Lateral File
CBW35	30" Wide 4, 5, 6 High
CBW35	36" Wide 4, 5, 6 High
CBW35	42" Wide 4, 5, 6 High
CBW50	30" Wide 2, 3 High
CBW50	36" Wide 2, 3 High
CBW50	42" Wide 2, 3 High

Model #	700 Series Optional Front Lateral File
CBW50	30" Wide 4, 5, 6 High
CBW50	36" Wide 4, 5, 6 High
CBW60	30" Wide 2, 3 High
CBW60	36" Wide 2, 3 High
CBW60	42" Wide 2, 3 High

14

Lateral File Accessories

De	livered
Pr	icing
\$	36
	36
	36
\$	
	82
	82
Φ.	47
\$	17
\$	25
Ψ	
\$	134
	174
	216

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Lateral File Accessories

			MODEL NUMBER		
			IIIODEE IIOIIIDEII		
				Approx.	
	MODEL	W = D = II	Basic	Packaged	
	MODEL Drawer Organizer	W x D x H 30 x 15-7/8 x 4"	Model S7L/30MEDKIT	Weight 8.0#	
	• For installation in 6", 7-1/2", 9" or box	30 x 15-7/8 x 4"		8.0#	
	lateral file drawers		S7L/36MEDKIT S7L/42MEDKIT	9.0#	
LTACII	Front pan included in kit corresponding	42 x 15-7/8 x 4"	5/L/42IVIEUKII	9.0#	
LTACU	to drawer width • 30"W kit includes 4 partitions and 3				
	dividers				
	 36"W kit includes 5 partitions and 4 				
	dividers • 42"W kit includes 6 partitions and 5				
	dividers				
	Black finish only				
	Organizer Front Pan	30 x 1 x 4"	S7L/30MEDPAN	2.0#	
	Attaches to sides of 6", 7-1/2", 9" or box	36 x 1 x 4"	S7L/36MEDPAN	2.0#	
	drawer body	42 x 1 x 4"	S7L/42MEDPAN	2.0#	
LTACU	 Field installation on product manufac- tured prior to January 1995 will require 	72 1 1 1 7	OT L/42IVILDI AIV	2.0#	
LIAGO	drilling 4 holes in the drawer				
	Black finish only				
	Organizer Partition	1/2 x 16 x 4"	S7L/334MPART	1.0#	
	 Front-to-back partition must be used 				
	with organizer front pan				
LTACU	Priced individuallyBlack finish only				
	,				
	Organizer Divider	4 x 4"	S7L/334DIV40	1.0#	
	Side-to-side divider Madala listed appoints 4# 5# 6# app 8# alass	5 x 4"	S7L/334DIV50	1.0#	
	 Models listed provide 4", 5", 6" or 8" clear width 	6 x 4"	S7L/334DIV60	1.0#	
	Black finish only	8 x 4"	S7L/334DIV80	1.0#	
LTACU	<u> </u>				
	6" Dividers	6"	S7L/3346DV	3.0#	
P	 For 6" rollout shelves and 6", 7-1/2", and 9" drawers 				
	Sold in packs of 3				
LTACU	Black finish only				
1					
	Plate Dividers	12"	S7L/33412DV	3.0#	
<u> </u>	 For 10-1/2", 12", 13-1/2", and 15" rollout shelves and drawers 				
	Sold in packs of 3				
ي	Black finish only				
LTACU					
			A		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

14

Lateral File Accessories

Deliv	vered
Prici	vered ing
\$	167
	207
	207
\$	60
\$	62 62
	73
\$	18
•	
\$	9
	9
	9
	9
_	
\$	45
\$	37
ψ	UI TO THE TOTAL TOTAL TO THE TH

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Lateral File Accessories

				MODEL NUM	/IBER	
	MODEL	Features	W x D	Basic Model	Unit Color	Approx. Packaged Weight
	Legal/Letter Conversion			S7L/30LL		3.0#
	Black finish only			S7L/36LL		3.0#
4	 To be used when filing letter-size folders side-to-side 			S7L/42LL		3.0#
LTACU	Side-to-Side					
	EDP Legal/Letter Conversion			S7L/30LLETS		3.0#
	 Black finish only 			S7L/36LLETS		3.0#
4	 To be used when filing letter-size folders side-to-side 			S7L/42LLETS		3.0#
LTACU	Side-to-Side					
	Compressor Follower		27 x 8"	S7L/30CF		3.0#
	 Installs in 12, 13-1/2, and 15" drawers 		33 x 8"	S7L/36CF		4.0#
	and receding door/rollout shelf combina- tions		39 x 8"	S7L/42CF		4.0#
	All installation hardware included					
LTACU	 Black finish only 					
	 Compressor moves side-to-side 					
	Touch-up Paint			S7L/97003		2.0#
M	 Specify color code 					
	 One-ounce brush application 					
LTACU						
	Coat Rod		30"	S7L/30CR		8.0#
	Includes mounting hardware		36"	S7L/36CR		8.0#
	 For installation behind hinged doors Fixed blank shelf may be installed 		42"	S7L/42CR		8.0#
LTACU	directly above. Specify separately					
	P-Series Keys	Lock Core/2 Key Set		2.KP20522		0.4#
HRDPT	 Double bit design 	Master Key		2.KP20550		0.2#
	 Range of 200 different core/key numbers available 	Extractor Key		2.KP20551		0.2#
	Must specify lock number(s) requested	Blank Key		2.KP20552		0.2#
	when ordering cut key or lock core/key	Cut Key		2.KP20557		0.2#
	sets	-				
	700 Series® Files Lateral Toppers		30 x 18"	S7L/30DT		9.0#
	 Fixed to the top with double stick tape 		36 x 18"	S7L/36DT		9.0#
	For aesthetic appeal		42 x 18"	S7L/42DT		9.0#
LTACU						
						1
				A	(3)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit color.

 Refer to the **Product Color Options** page in this price list.



Lateral File Accessories

Delive	ered
Delive Pricir	ıg
\$	18
	18
	18
•	10
\$	18
	18
	18
\$	51
φ	51
	51
\$	38
\$	45
	45
	45
Φ.	10
\$	12
	9
	3
	4
	4
 \$	268
	278
	287

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUMBER		
				Approx.	
			Basic	Packaged	
	MODEL	WxDxH	Model	Weight	
	Reel Insert Shelf for Storage Cabinets/	30 x 10-1/2 x 7-1/2"	S7L/30RRC	9.0#	
	Doors	36 x 10-1/2 x 7-1/2"	S7L/36RRC	10.0#	
	 Installs behind 12", 13-1/2" and 15" receding doors and hinged doors; check 	42 x 10-1/2 x 7-1/2"	S7L/42RRC	11.0#	
TIL.	reel size				
LTACU	30" unit accepts 21 reels				
	36" unit accepts 26 reels42" unit accepts 30 reels				
	Black finish only				
	•				
	Reel Insert for Drawers Installs in 10-1/2", 12", 13-1/2", and 15"	30 x 10-1/2 x 7-1/2"	S7L/30RRF	9.0#	
	drawers; check reel size 30" unit accepts 20 reels	36 x 10-1/2 x 7-1/2"	S7L/36RRF	10.0#	
		42 x 10-1/2 x 7-1/2"	S7L/42RRF	11.0#	
	36" unit accepts 24 reels42" unit accepts 29 reels				
LTACU	Black finish only				
		00 40 4 /0 4 4 /0	071 (00)(15	7.0#	
	Binder Frame for Computer Print-outs • For use with binder hanger 334KIH (not	30 x 16-1/2 x 1-1/2"	S7L/30KIF	7.0#	
ITAOU	included), see below	36 x 16-1/2 x 1-1/2"	S7L/36KIF	8.0#	
LTACU	 Installs behind hinged door or 15" reced- 	42 x 16-1/2 x 1-1/2"	S7L/42KIF	9.0#	
	ing door Black finish only				
	Binder Hanger		S7L/334KIH	1.0#	
	Hangs on binder frame KIF		3/L/334KIFI	1.0#	
	 Metal channel with plastic T-bar 				
7	 Allow one for every 3" of filing width Channel is Dark Tone enamel finish 				
LTACU	Priced individually				
<u> </u>	Binder Frame: WrightLine	30 x 16-1/2 x 1-1/2"	S7L/30WLD	7.0#	
	 Installs behind hinged doors or 13-1/2" 	36 x 16-1/2 x 1-1/2"	S7L/36WLD	8.0#	
	and 15" receding doorsAccepts one for every 3" of filing width	42 x 16-1/2 x 1-1/2"	S7L/42WLD	9.0#	
	Black finish only				
LTACU					
				_	
			Ø		



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



r	allinous d	
L F	elivered ricing	
9	134	
	134	
	134	
9	139	
	139	
	139	
\$	125	
	125	
	125	
	47	
3	17	
9	125	
ų	125	
	125	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUMBER		
	MODEL	WxDxH	Basic Model	Approx. Packaged Weight	
	 Installs behind hinged doors 	30 x 16-1/2 x 1-1/2"	S7L/30ADF	7.0#	
		36 x 16-1/2 x 1-1/2"	S7L/36ADF	8.0#	
	 Not recommended behind 15" receding door 	42 x 16-1/2 x 1-1/2"	S7L/42ADF	9.0#	
	Black finish only				
LTACU					



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing		
\$ 125		
125		
125		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

r opcolarly marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Cupboard Accessories

			MODEL NUMBER		
				Approx.	
	MODEL	WxDxH	Basic Model	Packaged	
	Adjustable Blank Shelf	30"	S7L/30BS	Weight 6.0#	
		36"	S7L/36BS	7.0#	
LTACU	ing doors	42"	S7L/42BS	8.0#	
LIAGU	Black finish only	42	3/L/42B3	0.0#	
	 Included brackets 				
	Slotted Shelf	30"	S7L/30SS	8.0#	
	Accepts 33412DV dividers	36"	S7L/36SS	10.0#	
	May be installed behind 12", 13-1/2", or 15" receding doors or hinged cupboard doors All internal accessories must be speci-	42"	S7L/42SS	11.0#	
		42	3/L/4233	11.0#	
LTACU					
LIAGU	fied separately				
	Black finish only				
	 Includes brackets 				
	Coat Rod	30"	S7L/30CR	8.0#	
	 Includes mounting hardware 	36"	S7L/36CR	8.0#	
	 For installation behind hinged doors 	42"	S7L/42CR	8.0#	
LTACU	 Fixed blank shelf may be installed directly above. Specify separately 	72	071/42011	0.0#	
LIAGO	directly above. Specify Separately				
	Fixed End Tab Shelf	30"	S7L/30ETSC	8.0#	
	 End tab shelf for cupboards only 	36"	S7L/36ETSC	10.0#	
	 Installs behind hinged doors 	42"	S7L/42ETSC	11.0#	
LTACU	Accepts 33412DV dividersAll internal accessories must be speci-	16	0727122100	11.3"	
LINOO	fied separately				
	Black finish only				
	Reel Insert Installs behind hinged doors; check reel	30 x 10-1/2 x 7-1/2"	S7L/30RRC	9.0#	
		36 x 10-1/2 x 7-1/2"	S7L/36RRC	10.0#	
	Size	42 x 10-1/2 x 7-1/2"	S7L/42RRC	11.0#	
The Hittin	30" unit accepts 20 reels36" unit accepts 24 reels		- ,		
LTACU	 42" unit accepts 29 reels 				
•	Black finish only				
			•		



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Cupboard Accessories

Dalia	اممسما	
Pric	vered ina	
\$	89	
Ť	89	
	89	
	00	
\$	125	
	125	
	125	
\$		
	45	
	45	
\$	125	
	141	
	159	
\$	134	
	134	
	134	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N,

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Cupboard Accessories

			MODEL NUMBER	
				A
			Basic	Approx. Packaged
	MODEL	WxDxH	Model	Weight
	Binder Frame: Acco Data	30 x 16-1/2 x 1-1/2"	S7L/30ADF	7.0#
	Installs behind hinged doorsNot recommended behind 15" receding	36 x 16-1/2 x 1-1/2"	S7L/36ADF	8.0#
	doors	42 x 16-1/2 x 1-1/2"	S7L/42ADF	9.0#
	Black finish only			
LTACU				
	Binder Frame: Wrightline	30 x 16-1/2 x 1-1/2"	S7L/30WLD	7.0#
	 Installs behind hinged doors or 13-1/2" and 15" receding doors Accepts center hanging channel (not included) 	36 x 16-1/2 x 1-1/2"	S7L/36WLD	8.0#
		42 x 16-1/2 x 1-1/2"	S7L/42WLD	9.0#
LTACU	Black finish only			
	Binder Frame for Computer Print-outs • For use with binder hanger 334KIH (not included), see below	30 x 16-1/2 x 1-1/2"	S7L/30KIF	7.0#
		36 x 16-1/2 x 1-1/2"	S7L/36KIF	8.0#
LTACU	 Installs behind hinged door or 15" reced- 	42 x 16-1/2 x 1-1/2"	S7L/42KIF	9.0#
	ing door			
	Black finish only			
	Binder Hanger Hangs on binder frame KIF		S7L/334KIH	1.0#
	Metal channel with plastic T-bar			
	 Allow one for every 3" of filing width 			
	Channel is Dark Tone enamel finish Private distribution			
LTACU	Priced individually			
	12" Plate Divider (3 Pack) • For slotted shelves, 10-1/2" and 12"	12"	S7L/33412DV	3.0#
þ	drawers			
	 Sold in packs of 3 			
	Black finish only			
LTACU	TI: DI 1 01 K/0 B 1	001	071 (00700	0.0%
	Thin Blank Shelf (Screw Mount) • May be installed behind hinged or reced-	30"	S7L/30TBS	6.0#
	ing doors	36"	S7L/36TBS	7.0#
174011	Black finish only	42"	S7L/42TBS	8.0#
LTACU				
			Λ	



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Cupboard Accessories

Daliv	livered	
Prici	slivered icing	
¢	125	
Ψ	100	
	125	
	125	
 \$	125	
	125	
	125	
Φ.	405	
\$	125	
	125	
	125	
\$	17	
\$	37	
\$	144	
	153	
	162	
	102	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N.

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

General Information

GENERAL INFORMATION

To meet specific filing requirements, 700 Series lateral file and storage cabinet units can be created from an unparalleled selection of cabinet sizes and specialized interior options. This section includes shells and corresponding drawers, receding doors, storage cabinets and legal/letter and EDP interiors

Cabinet shells are available in three widths and 40 standard heights. Shells are notched in 1-1/2" increments to accept a wide variety of interior options. Interior options range from 3", 6", 7-1/2", 9" and 10-1/2" drawers through 12", 13-1/2" and 15" drawers and receding doors. Cupboards are also available in numerous heights. Various shelves and computer media storage accessories may be specified behind storage cabinet doors and receding doors.

Height

Lateral files and storage cabinets are available in 40 standard heights. Heights include 1/8" allowance for leveling glides fully recessed.

Depth

All lateral files and storage cabinets are 18" deep.

Width

Lateral files and storage cabinets are available in three standard widths: 30", 36" and 42"

Drawer Dimensions

Refer to the illustrations for the range of drawer sizes and the height clearance of each.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Shell common to lateral file and storage cabinet units. Uprights punched to accept interior components on 1-1/2" centers. Uprights and top and bottom reinforcements are welded into rigid "box frame." Constructed of 18- and 20-gauge steel. Seamless back and top with reinforced corners. Illustrated shell heights include 1/8" for adjustable glide in recessed position.

Doors/Drawers

Drawer fronts, 20-gauge steel with full-width flush inset pull and label holder. Fronts are screw-mounted to roll-out shelves to build drawers. Roll-out shelf body, 22-gauge steel slotted on 1-1/2" centers to accept dividers. Leading edge formed to provide pull; center section offset for additional strength. Shelf ends, 19-gauge steel, notched to accept hanging folder bars. Each roll-out shelf equipped with two heavy-duty, three-section, ball-bearing suspensions.

Drawers have been tested to accept loads of 125 lbs. This exceeds ANSI/BIFMA X5.9-2004 standards for lateral files when recommended counterbalance weight is installed. Hinged door, 20-gauge steel, double-wall construction. Door swing is limited to 110 degrees to prevent contact with adjacent cabinet and full height vertical flush inset pull.

Shelves

Blank shelf, 22-gauge steel, formed 7/8" thick on front and back edges. End tab shelf, 20-gauge steel shelf and back, 18-gauge sides. Shelf offset along width to increase strength. Slotted on 1" increments to accept plate dividers.

Model Numbering System Each character in the basic model number corresponds to a specific unit feature How to Build a Model Number Example: 700 Series Custom Built Lateral Files S7L 36 555 Insert drawer options here CBW50 33412DV 700 Series Shell S7L Product name 36" wide 551/2" high 36 Width 555 Interior height (nominal) Custom Built ВL Color code Black Insert internal components here... CBW50 Optional 50# Counterbalance weight 33412DV Optional 12" Front-to-back filing bars Each internal component has a corresponding character: Drawer with no interiors Drawer with FBA folder bars DA DE Drawer with FBE folder bars Receding door Receding door, rollout shelf RS Receding door, rollout shelf with FBA folder bars RSE Receding door, rollout shelf with FBE folder bars RED Receding door, end tab shelf with dividers Rollout shelf ВS Blank shelf ES End tab shelf SS Slotted shelf CR Coat rod Models are built from the TOP TO THE BOTTOM. The 334 model number for accessories indicates the item may be used in all cabinet widths.

Lateral files meet or exceed ANSI/ BIFMA X5.9-2004 standards.

Receding Door

20-gauge steel with full-width flush inset pull and label holder. Equipped with sound absorber. Doors have guiding mechanism fitted with nylon glides to prevent metal-to-metal contact and ensure effortless operation. The diagrams on the following page identify various shelf and drawer combinations and related height clearances behind a receding door. The diagrams show typical use. Additional interior options can be installed behind a receding door.

Note: Dimensions have been taken from the front raised edge of the roll-out shelf.

Note: Receding doors cannot be installed directly below a drawer.

Accessories

Plate dividers, 18-gauge steel, notched to lock into shelf. Folder bars, 30" & 36" (14-gauge steel); 42" (12-gauge steel), offset to maximize strength. Suspended binder frames are constructed of 14- to 18-gauge steel. Screw-mounted to cabinet. Can be used behind 13-1/2" and 15" receding doors and hinged storage cabinet doors.

Adjustable Glides

Lateral files and storage cabinets are supplied with four adjustable glides. The glides can be adjusted from inside the cabinet using a 1/4" hex socket wrench or from outside the cabinet using a 7/8" wrench. Standard glides provide 3/4" adjustment, longer glides are also available. Overall cabinet heights include the glide in its recessed position.

Interlock

All cabinets are equipped with an interlock safety mechanism. This mechanism reduces the possibility of cabinet tip-over by permitting only one drawer to be opened at a time. With some unique combinations, an individual drawer may not be controlled by the interlock. In these instances, a caution label will be affixed to the drawer body.

Locks

Locks are standard on all units. Locks are a high-security double-bit design. One KI break-away key and one standard key are included with each lock. Units are standard with random keys in a range of 200 different numbers (994 key numbers are available to order). Specific key combinations are available at no additional charge. This information must be included with the order.

Locks can be master keyed. Please see the accessories sections of this price book for ordering keys. Available keys are:

- Lock Core/Keys Lock core and 2 keys are used in P-Series lock housings. Indicate in order notes if a specific core number is required.
- Master Key Single key which opens any P-Series lock.
- Extractor Key Single key which extracts any P-Series lock core.

• Blank Key - Single uncut P-Series key to

be cut as required by locksmith.

 Cut Key - 2 keys for a specific P-Series lock core number as indicated in the order notes.

All locks have removable and interchangeable plugs. This feature provides for on-site custom keying. Units can be supplied with the lock plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. This key is the extractor (core-removal) key and can be found in the storage accessories portions of this price book. Contact customer service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key numbered locks.

Example: 30 plugs 3 keyed alike 10 keyed alike 17 keyed alike

Commercial Pack

This is the standard pack that KI offers on all files and storage products. This consists of a plastic poly bag placed over the unit, corrugated top and bottom cap, corner blocking and stretch wrap to keep the packaging intact.

Standard Paint Finishes

All KI products are iron phosphate treated prior to painting. This process enhances top coat bonding. Powder coat application is a highbred epoxy. The paint is baked on to provide a scratch and stain resistant surface. All inside and outside shell and front surfaces are painted with the same specified paint color. Interior components and accessories are painted a black finish. Mechanical components are black plated.

Special Paint Finishes

All special colors, including other manufacturers' standard finishes, are available subject to the following conditions:

- Two steel color chips (minimum 2.5"x3.5") are requested for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
- 2. All solid, single-pass nonstandard colors are available at no upcharge but may be subject to extended leadtimes. Colors that are deemed to be metallic, hichromatic, textured, or require multiple passes are subject to upcharges. Orders will not be processed until a color match is approved. Written information must accompany the order.

Nonstock Plastic Laminate Surfaces


Additional laminates are available but may be subject to additional leadtime. Other special laminates require an upcharge and additional leadtime. Contact KI Customer Service.




General Information

de Drawer and Shelf Dimensions*	30W x 18D Cabinet	36W x 18D Cabinet	42W x 18D Cabine
	W D	W D	W D
" Drawer	261/8" 151/2"	321/8" 151/2"	$38^{1}/_{8}$ " $15^{1}/_{2}$ "
" Drawer	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
1/2" Drawer	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
" Drawer	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
01/2" Drawer	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
2" Single Rollout Shelf	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
lank Shelf	263/4" 163/16"	323/4" 163/16"	383/4" 163/16"
nd Tab Filing Shelf	26 ³ / ₄ " 15 ³ / ₄ "	323/4" 153/4"	383/4" 153/4"
lotted Shelf	263/4" 151/2"	323/4" 151/2"	383/4" 151/2"
2" Drawer	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
3 ¹ / ₂ " Rollout Shelf	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
3 ¹ / ₂ " Drawer	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
5" Single Rollout Shelf	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
5" Drawer	263/4" 157/8"	323/4" 157/8"	383/4" 157/8"
Cupboard	281/2" 17"	341/2" 17"	401/2" 17"

*Dimensions have been taken from the front raised edge of rollout shelf. The inside clear dimension wide approximately $\frac{1}{2}$ greater.



Inside Clear Dimensions of Shelf and Drawer Options



General Information

TERMINOLOGY

BIFMA. "Business and Institutional Furniture Manufacturer's Association" set minimum standards by which contract furniture manufacturers measure the performance of their products.

Clear Filing Height. The available, unobstructed storage space in a drawer or on a shelf.

Counterbalance Weight. A weight affixed into the inside back of the file to minimize the possibility of the cabinet tipping over when a fully loaded drawer is opened.

"Double Bit" Lock. A lock plug with metal wafers or "bits" on opposing sides of the channel in which the key fits. The corresponding key has teeth on both sides of its blade. The double bit system provides greater security and a wider variety of keying options when compared to single bit locks.

End Tab Filing. Describes storage materials which have the identification tab at the short end of the file folder. The tab is seen from the side, not the top, of the folder.

Tie Bar. Used to complete the available filing height when no insert is required or where no insert is available to complete the remaining height. Required on 5 and 6-high cabinets. (Perpendicular to the width of the cabinet).

Folder Bars. The heavy gauge steel bars that fit into a drawer to suspend hanging folders and computer print-out binders. Available for side-to-side (across the width of the cabinet) and front-to-back filing.

Ganging. Describes the bolting together of cabinets when installed side by side. Enhances safety.

Glides. Adjustable large footed bolts that screw into the four bottom corners of all lateral files, cupboards, and pedestals; adjusts the level and height of a cabinet.

Interlock. A safety mechanism installed in all lateral files. Prevents opening more than one drawer at a time. Minimizes the possibility of the cabinet tipping over.

Lock Plug. The removable center portion of the lock. With a special key, lock plugs can be removed to allow for customer keying configurations after the lateral files or pedestals have been installed.

Posting Shelf. A horizontal extendible worksurface that can fit into a 11/2" opening of a lateral file, in place of a tie bar.

Receding Door. Sometimes called a "flipper door"; the door opens by lifting it at the bottom and sliding it into the file on a horizontal plane.

Suspensions. Sometimes called "glides;" the ball bearing support mechanism on which a rollout shelf or drawer operates.

"X" High. (ie. 2 high, 3 high, etc.) The nominal height of a unity measured in 12-inch increments.

CUSTOM UNIT EXAMPLES

Requirement: 30-inch wide cabinet with binder storage in top two openings and legal file storage in bottom two openings. Maximum height, 57".

Unit		٥		Insert	December 1	Ba del Me	D.i		04		Extended
Height	X	Qty	=	Height	Description	Model No.	Price	X	Qty	=	Price
563/32"		1		52 ¹ / ₂ " max.	Shell, 5 high	S7L/30525	\$589		1		\$589
15"		2		30"	Receding door	S7L/30150R	145		2		290
		2			Blank shelf	S7L/30BS	89		2		178
$10^{1}/_{2}$ "		1		$10^{1}/_{2}$ "	Drawer w/folder bars	S7L/30105DA	260		1		260
12"		1		12"	Drawer w/folder bars	S7L/30120DA	260		1		260
Total insert height:		52 ¹ / ₂ "			Total I	Pric	ce:		\$1577		

Requirement: 36-inch wide cabinet with miscellaneous stationery storage in top opening, letter file storage in middle opening, and 14 x 11" EDP file storage in bottom opening.

Unit Height	x	Qty	Insert = Height	Description	Model No.	Price x	Qty	=	Extended Price
331/8"		1	30" max.	Shell, 3 high	S7L/36300	\$526	1		\$526
6"		1	6"	Drawer	S7L/36060D	250	1		250
$10^{1}/_{2}$ "		1	101/2"	Drawer w/folder bars	S7L/36105DA	297	1		297
$13^{1}/_{2}$ "		1	131/2"	Drawer for EDP	S7L/36135DE	372	1		372
Total insert height:			nt: 30"			Total P	ice:		\$1445

Requirement: 42-inch wide cabinet with hanging WrightLine 14 x 11" EDP printout storage in top opening, multiple summary report storage in second opening, and EDP print-out storage in bottom two openings.

Unit Heiaht	x Qtv	Insert = Heiaht	Description	Model No.	Price	c Qtv		Extended Price
	x uly					uly	=	
659/32"	1	60" max.	Shell, 5 high	S7L/42615	\$876	1		\$876
15"	2	30"	Receding door	S7L/42150R	180	2		360
	1		WrightLine	S7L/42WLD	125	1		125
	1		Blank shelf	S7L/42BS	89	1		89
15"	2	30"	Drawer for EDP	S7L/42150DE	433	2		866
Total insert height:		nt: 60"			Total P	rice:		\$2316

Note: Structural Filler Shelf

Color code:

All 42" wide units taller than $65^{\circ}/_{32}$ " require a $1^{\circ}/_{2}$ " structural tie bar shelf nominally loacated between $25^{\circ}/_{2}$ " and 36" from the top of the cabinet based on configuration.



General Information

HOW TO ORDER A CUSTOM UNIT

1. Specify the apropriate shell height and width.

2. Specify the required number of internal components from the TOP to the BOTTOM of the shell.

- Be certain the dimensions of the components add up to match the available interior shell height.
- 4. A $1^1/_2$ " tie bar/tie bar shelf is required on all shells $65^9/_{22}$ " and over and must be specified. Optimally located between 12" from top and 24" from bottom of unit.
- 5. All units over 65⁹/₃₂" and 42" wide have a structural filler shelf located nominally 25¹/₂" 39" from the top of the cabinet.
- 6. Specify interior options directly below the component in which they are required.
- 7. Specify color code.


General Guidelines

- Use this worksheet when specifying components to help build a unit and ensure that all components are in the proper sequence.
- Specify the interior components from the top to the bottom of the cabinet.
- Be sure that the internal components add up to the interior space available in the basic shell.
- In units 65⁹/₂₂" and higher be sure to specify 1¹/₂" tie bar/tie bar shelf following case specific rules.
- Locking tie bar may be substituted for tie bar in units without structural filler shelves.
- · Counterbalance weights are recommended for all free standing units.

Note: Hinged cupboard door inserts include 11/2" tie bar shelf, additional tie bar not required.

Guidelines for Ordering Components

- Receding doors are recommended when the top of the component is above eye level or approximately 50" from the floor.
- The quantity of rollout components specified behind a receding door is limited only by the interior component height.
- Rollout components should not be specified in openings above eye level.
- In most instances, interior accessories are not included with components and must be specified separately.
- Locks are included in all units.



\$

WORKSHEET

Unit Height	X	Qty	=	Insert Height	Description	Model No.	Price	x	Qty	=	Extended Price

Total insert height: Color code:

ert height: Total Price:

700 Series® Shells

				MODEL NU	JMBER			_
	MODEL	Accepts Inserts Totaling	WxD	Basic Model	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	17-13/16" High Shell	15"	30 x 18"	S7L/30150				26.0#
		15"	36 x 18"	S7L/36150				32.0#
		15"	42 x 18"	S7L/42150				38.0#
-								
S7LCU								
	19-11/32" High Shell	16-1/2"	30 x 18"	S7L/30165				28.0#
S7LCU		16-1/2"	36 x 18"	S7L/36165				35.0#
		16-1/2"	42 x 18"	S7L/42165				41.0#
	20-7/8" High Shell	18"	30 x 18"	S7L/30180				30.0#
S7LCU		18"	36 x 18"	S7L/36180				39.0#
		18"	42 x 18"	S7L/42180				44.0#
	22-13/32" High Shell	19-1/2"	30 x 18"	S7L/30195				33.0#
S7LCU		19-1/2"	36 x 18"	S7L/36195				41.0#
		19-1/2"	42 x 18"	S7L/42195				48.0#
	23-15/16" High Shell	21"	30 x 18"	S7L/30210				37.0#
		21"	36 x 18"	S7L/36210				45.0#
		21"	42 x 18"	S7L/42210				51.0#
071.011								
S7LCU	05 45 /900 High Chall	00.4/0"	20 10"	071 /00005				40.0#
071.011	25-15/32" High Shell	22-1/2"	30 x 18"	S7L/30225				40.0#
S7LCU		22-1/2"	36 x 18"	S7L/36225				48.0#
		22-1/2"	42 x 18"	S7L/42225				54.0#
				(A)	③	Θ	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit color.
 Refer to the **Product Color Options** page in this price list.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- Select key option.

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



		Count	ter-
		balan	ce
		Weigh	nt
	Delivered Pricing	add to price) list
,	\$ 409	\$	174
	467		174
	509		174
9	\$ 409	\$	174
	467		174
	509		174
9	\$ 409	\$	174
	467		174
	509		174
(\$ 409	\$	174
	467		174
	509		174
(\$ 428	\$	174
	489		174
	526		174
(\$ 428	\$	174
,	489	Ψ	174
	526		174
	DZO		1/4

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Shells

				MODEL NU	JMBER			
	MODEL	Accepts Inserts Totaling	WxD	Basic Model	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	27" High Shell	24"	30 x 18"	S7L/30240				42.0#
S7LCU		24"	36 x 18"	S7L/36240				50.0#
		24"	42 x 18"	S7L/42240				56.0#
	28-17/32" High Shell	25-1/2"	30 x 18"	S7L/30255				45.0#
S7LCU		25-1/2"	36 x 18"	S7L/36255				53.0#
		25-1/2"	42 x 18"	S7L/42255				60.0#
	30-1/16" High Shell	27"	30 x 18"	S7L/30270				47.0#
S7LCU		27"	36 x 18"	S7L/36270				55.0#
		27"	42 x 18"	S7L/42270				62.0#
	31-19/32" High Shell	28-1/2"	30 x 18"	S7L/30285				49.0#
		28-1/2"	36 x 18"	S7L/36285				57.0#
		28-1/2"	42 x 18"	S7L/42285				64.0#
S7LCU								
	33-1/8" High Shell	30"	30 x 18"	S7L/30300				52.0#
S7LCU		30"	36 x 18"	S7L/36300				60.0#
		30"	42 x 18"	S7L/42300				67.0#
	34-21/32" High Shell	31-1/2"	30 x 18"	S7L/30315				54.0#
S7LCU		31-1/2"	36 x 18"	S7L/36315				62.0#
		31-1/2"	42 x 18"	S7L/42315				69.0#
				•	3	Θ	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit color.
 Refer to the **Product Color Options** page in this price list.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- Select key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

14

Custom-Built Lateral Files

700 Series® Shells

	Counte balanc Weigh	e t
Delivered	add to	list
Pricing	price	
\$ 428	\$	174
489		174
526		174
\$ 428	\$	174
489		174
526		174
\$ 460	\$	174
526		174
632		174
\$ 460	\$	174
526		174
632		174
\$ 460	\$	174
526		174
632		174
\$ 460	\$	174
526		174
632		174

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Shells

				MODEL NU	JMBER			
	MODEL	Accepts Inserts Totaling	WxD	Basic Model	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	36-3/16" High Shell	33"	30 x 18"	S7L/30330				56.0#
S7LCU		33"	36 x 18"	S7L/36330				64.0#
		33"	42 x 18"	S7L/42330				71.0#
	37-23/32" High Shell	34-1/2"	30 x 18"	S7L/30345				58.0#
S7LCU		34-1/2"	36 x 18"	S7L/36345				66.0#
		34-1/2"	42 x 18"	S7L/42345				73.0#
	39-1/4" High Shell	36"	30 x 18"	S7L/30360				61.0#
S7LCU		36"	36 x 18"	S7L/36360				68.0#
		36"	42 x 18"	S7L/42360				75.0#
	40-25/32" High Shell	37-1/2"	30 x 18"	S7L/30375				64.0#
S7LCU		37-1/2"	36 x 18"	S7L/36375				71.0#
		37-1/2"	42 x 18"	S7L/42375				78.0#
	42-5/16" High Shell	39"	30 x 18"	S7L/30390				66.0#
		39"	36 x 18"	S7L/36390				73.0#
		39"	42 x 18"	S7L/42390				80.0#
S7LCU								
	43-27/32" High Shell	40-1/2"	30 x 18"	S7L/30405				68.0#
S7LCU		40-1/2"	36 x 18"	S7L/36405				75.0#
		40-1/2"	42 x 18"	S7L/42405				82.0#
				A	3	Θ	O	_

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit color.

 Refer to the **Product Color Options** page in this price list.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- Select key option.

KA	- Key alike
KS	- Key standard
NLC	- No lock core

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Weiahts

Figures provided are approximate and reflect packaged product without additional accessories.



700 Series® Shells

n _e	Delivered	Counter- balance Weight add to list
Dr	Deliving	price
	Pricing	
\$	\$ 500	\$ 174
	568	174
	651	174
\$		\$ 174
	568	174
	651	174
\$		\$ 174
	568	174
	651	174
\$		\$ 174
	568	174
	651	174
\$		\$ 174
	640	174
	745	174
\$		\$ 174
	640	174
	745	174

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Shells

MODEL NUMBER								
	MODEL	Accepts Inserts Totaling	W x D	Basic Model	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	45-3/8" High Shell	42"	30 x 18"	S7L/30420				70.0#
		42"	36 x 18"	S7L/36420				77.0#
		42"	42 x 18"	S7L/42420				84.0#
S7LCU								
	46-29/32" High Shell	43-1/2"	30 x 18"	S7L/30435				71.0#
S7LCU		43-1/2"	36 x 18"	S7L/36435				78.0#
		43-1/2"	42 x 18"	S7L/42435				85.0#
	48-7/16" High Shell	45"	30 x 18"	S7L/30450				73.0#
S7LCU		45"	36 x 18"	S7L/36450				80.0#
		45"	42 x 18"	S7L/42450				87.0#
	49-31/32" High Shell	46-1/2"	30 x 18"	S7L/30465				75.0#
S7LCU		46-1/2"	36 x 18"	S7L/36465				82.0#
		46-1/2"	42 x 18"	S7L/42465				89.0#
	51-1/2" High Shell	48"	30 x 18"	S7L/30480				76.0#
S7LCU		48"	36 x 18"	S7L/36480				83.0#
		48"	42 x 18"	S7L/42480				90.0#
	53-1/32" High Shell	49-1/2"	30 x 18"	S7L/30495				78.0#
S7LCU		49-1/2"	36 x 18"	S7L/36495				85.0#
		49-1/2"	42 x 18"	S7L/42495				92.0#
				A	3	•	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit color.
 Refer to the **Product Color Options** page in this price list.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- DSelect key option.

	- 3 - 1: -	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



700 Series® Shells

•	
Delivered	Counter- balance Weight add to list
Pricing	price
\$ 526	\$ 174
640	174
745	174
\$ 526	\$ 174
640	174
745	174
\$ 561	\$ 174
714	174
833	174
\$ 561	\$ 174
714	174
833	174
\$ 561	\$ 134
714	134
833	134
\$ 561	\$ 134
714	134
833	134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Shells

				MODEL NUMBER				
	MODEL	Accepts Inserts Totaling	WxD	Basic Model	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	54-9/16" High Shell	51"	30 x 18"	S7L/30510				79.0#
S7LCU		51"	36 x 18"	S7L/36510				86.0#
		51"	42 x 18"	S7L/42510				93.0#
	56-3/32" High Shell	52-1/2"	30 x 18"	S7L/30525				81.0#
		52-1/2"	36 x 18"	S7L/36525				88.0#
		52-1/2"	42 x 18"	S7L/42525				95.0#
S7LCU								
	57-5/8" High Shell	54"	30 x 18"	S7L/30540				83.0#
S7LCU		54"	36 x 18"	S7L/36540				90.0#
		54"	42 x 18"	S7L/42540				97.0#
$\overline{}$	59-5/32" High Shell	55-1/2"	30 x 18"	S7L/30555				84.0#
		55-1/2"	36 x 18"	S7L/36555				91.0#
		55-1/2"	42 x 18"	S7L/42555				98.0#
S7LCU								
	60-11/16" High Shell	57"	30 x 18"	S7L/30570				85.0#
S7LCU		57"	36 x 18"	S7L/36570				93.0#
		57"	42 x 18"	S7L/42570				99.0#
	62-7/32" High Shell	58-1/2"	30 x 18"	S7L/30585				87.0#
S7LCU		58-1/2"	36 x 18"	S7L/36585				94.0#
		58-1/2"	42 x 18"	S7L/42585				101.0#
				A	•	Θ	• O	
				w	Ð	9	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select unit color.

 Refer to the **Product Color Options** page in this price list.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- DSelect key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

N

Custom-Built Lateral Files

700 Series® Shells

•		
	Coun	iter-
	balan	nce
	Weig	iht to list
Delivered	add t	o list
Pricing	price	
\$ 589	\$	134
722		134
858		134
\$ 589	\$	134
722		134
858		134
\$ 589	\$	134
722		134
858		134
\$ 589	\$	134
722		134
858		134
\$ 613	\$	134
733		134
876		134
\$ 613	\$	134
733		134
876		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

ormation

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Shells

				1				
				MODEL N	JMBER			
	MODEL	Accepts Inserts Totaling	WxD	Basic Model	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	63-3/4" High Shell	60"	30 x 18"	S7L/30600				88.0#
S7LCU		60"	36 x 18"	S7L/36600				95.0#
		60"	42 x 18"	S7L/42600				102.0#
$\overline{}$	65-9/32" High Shell	61-1/2"	30 x 18"	S7L/30615				91.0#
	• 1-1/2" tie bar/tie bar shelf is required,	61-1/2"	36 x 18"	S7L/36615				98.0#
	optimally located between 12" from top of unit and 24" from bottom	61-1/2"	42 x 18"	S7L/42615				105.0#
	or annual 21 non south							
S7LCU								
	 66-13/16" High Shell 1-1/2" tie bar/tie bar shelf is required for 30" and 36" width units, optimally located between 12" from top of unit and 24" from bottom 	63"	30 x 18"	S7L/30630				92.0#
S7LCU		63"	36 x 18"	S7L/36630				99.0#
		63"	42 x 18"	S7L/42630				106.0#
	 1-1/2" structural filler shelf is required on 42" widths located nominally between 							
	25-1/2" and 39" from the top of the							
	cabinet based on configuration							
	68-11/32" High Shell 1-1/2" tie bar/tie bar shelf is required	64-1/2"	30 x 18"	S7L/30645				93.0#
	for 30" and 36" width units, optimally	64-1/2"	36 x 18"	S7L/36645				100.0#
	located between 12" from top of unit and	64-1/2"	42 x 18"	S7L/42645				108.0#
	24" from bottom1-1/2" structural filler shelf is required							
	on 42" widths located nominally between							
	25-1/2" and 39" from the top of the							
	cabinet based on configuration							
S7LCU								
5.250						•		
				•	3	Θ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select unit color.

 Refer to the **Product Color Options** page in this price list.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- DSelect key option.

KA	- Key alike
KS	- Key standard
NLC	- No lock core

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

N

Custom-Built Lateral Files

700 Series® Shells

•			
		Counte	r-
	I	balance	9
.	· ·	balance Weight add to	
Delivered	1	add to	list
Pricing	· ·	price	101
\$ 613		\$	
733			134
876			134
\$ 613		\$	134
733			134
876			134
\$ 684		\$	134
826			134
977			134
\$ 684		\$	134
826			134
977			134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

				MODEL N	JMBER			
	MODEL	Accepts Inserts Totaling	W x D	Basic Model	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	69-7/8" High Shell	66"	30 x 18"	S7L/30660				95.0#
S7LCU	• 1-1/2" tie bar/tie bar shelf is required	66"	36 x 18"	S7L/36660				102.0#
	for 30" and 36" width units, optimally located between 12" from top of unit and	66"	42 x 18"	S7L/42660				110.0#
	24" from bottom							
	1-1/2" structural filler shelf is required							
	on 42" widths located nominally between 25-1/2" and 39" from the top of the							
	cabinet based on configuration							
	71-13/32" High Shell	67-1/2"	30 x 18"	S7L/30675				96.0#
S7LCU	 1-1/2" tie bar/tie bar shelf is required for 30" and 36" width units, optimally 	67-1/2"	36 x 18"	S7L/36675				101.0#
	located between 12" from top of unit and	67-1/2"	42 x 18"	S7L/42675				109.0#
	24" from bottom							
	 1-1/2" structural filler shelf is required on 42" widths located nominally between 							
	25-1/2" and 39" from the top of the							
	cabinet based on configuration							
				_				
	72-15/16" High Shell 1-1/2" tie bar/tie bar shelf is required	69"	30 x 18"	S7L/30690				97.0#
	for 30" and 36" width units, optimally	69"	36 x 18"	S7L/36690				102.0#
	located between 12" from top of unit and	69"	42 x 18"	S7L/42690				110.0#
	24" from bottom1-1/2" structural filler shelf is required							
	on 42" widths located nominally between							
	25-1/2" and 39" from the top of the							
	cabinet based on configuration							
S7LCU								
0.200							_	J
				A	3	Θ	O	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select unit color. Refer to the **Product Color Options** page in this price list.

Select counterbalance weight.

CBW - With Counterbalance

NOCBW - No Counterbalance

See pricing column for counterbalance weight upcharge.

Select key option.

KA - Key alike - Key standard - No lock core KS NLC

INFORMATION

All dimensions shown include 1/8" allowance for glides in recessed position.

Figures provided are approximate and reflect packaged product without additional accessories.



700 Series® Shells

	<u>*</u>		
De Pri	relivered ricing	Coun balan Weigl add to price	ce nt o list
\$		\$	134
	826		134
	977		134
\$	684	\$	134
	826	· ·	134
	977		134
\$	754	\$	134
	915		134
	1086		134

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Shells

				MODEL N	UMBER			
	MODEL	Accepts Inserts Totaling	WxD	Basic Model	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	74-15/32" High Shell	70-1/2"	30 x 18"	S7L/30705				99.0#
S7LCU	1-1/2" tie bar/tie bar shelf is required for 20" and 20" width profits and in a life.	70-1/2"	36 x 18"	S7L/36705				104.0#
	for 30" and 36" width units, optimally located between 12" from top of unit and	70-1/2"	42 x 18"	S7L/42705				112.0#
	24" from bottom							
	1-1/2" structural filler shelf is required							
	on 42" widths located nominally between 25-1/2" and 39" from the top of the							
	cabinet based on configuration							
	76" High Shell	72"	30 x 18"	S7L/30720				100.0#
S7LCU	for 30" and 36" width units ontimally	72"	36 x 18"	S7L/36720				105.0#
		72"	42 x 18"	S7L/42720				113.0#
	24" from bottom							
	 1-1/2" structural filler shelf is required on 42" widths located nominally between 25-1/2" and 39" from the top of the 							
	cabinet based on configuration							
	77 47 (20) 11: 1 21 11	70.4 (0)	00 45"	071 /00707				100.0%
071 011	77-17/32" High Shell • 1-1/2" tie bar/tie bar shelf is required	73-1/2"	30 x 18"	S7L/30735				102.0#
S7LCU	for 30" and 36" width units, optimally	73-1/2"	36 x 18"	S7L/36735				108.0#
	located between 12" from top of unit and	73-1/2"	42 x 18"	S7L/42735				116.0#
	24" from bottom • 1-1/2" structural filler shelf is required							
	on 42" widths located nominally between							
	25-1/2" and 39" from the top of the							
	cabinet based on configuration							
				A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

♠ Select basic model. ⑤ Select unit color. Refer to the Product Color Options page in this price list. ⑥ Select counterbalance weight. © BW - With Counterbalance NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge. ⑥ Select key option.

- Key alike - Key standard

- No lock core

KA KS

NLC

HOW TO BUILD A MODEL NUMBER

INFORMATION

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Weiahts

Figures provided are approximate and reflect packaged product without additional accessories.



700 Series® Shells

•	
	Counter- balance Weight add to list
a	weight
Delivered	add to list
Pricing	price
\$ 754	\$ 134
915	134
1086	134
\$ 754	\$ 134
915	134
1086	134
\$ 754	\$ 134
915	134
1086	134
1000	101

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N,

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Drawers

				MODEL NUI	MBER	
	MODEL	Accessories Included	W	Basic Model	Unit Color	Approx. Packaged Weight
	3" High Drawer	None	30"	S7L/30030D		13.0#
	 Will not accept plate dividers Specify with caution, not controlled by 	None	36"	S7L/36030D		16.0#
	safety interlock	None	42"	S7L/42030D		20.0#
LTACU						
	6" High Drawers	None	30"	S7L/30060D		18.0#
	 All internal accessories must be speci- fied separately - slotted on 1/2" centers 	None	36"	S7L/36060D		19.0#
	Accepts 3346DV dividers	None	42"	S7L/42060D		23.0#
LTACU	·					
	7-1/2" High Drawer	None	30"	S7L/30075D		18.0#
	 All internal accessories must be speci- fied separately - slotted on 1/2" centers 	None	36"	S7L/36075D		19.0#
	Accepts 3346DV dividers	None	42"	S7L/42075D		23.0#
LTACU						
	9" High Drawer	None	30"	S7L/30090D		19.0#
	 All internal accessories must be speci- fied separately - slotted on 1/2" centers 	None	36"	S7L/36090D		20.0#
	Accepts 3346DV dividers	None	42"	S7L/42090D		24.0#
LTACU	•					
	Individual Drawer Lock and Security	None	30"	S7L/30DL		6.0#
	Shelf • Use on 7-1/2", 9", 12", 13-1/2" and 15"	None	36"	S7L/36DL		7.0#
	drawers	None	42"	S7L/42DL		8.0#
	 Not designed for receding door applica- 					
LTACU	tions or 10-1/2" drawers					
	 Includes 20-gauge security shelf, drawer lock and all necessary installation hard- 					
	ware					
	Must be factory installed					
	Does not increase insert height					
	10-1/2" High DrawerFor letter or legal size materials	None	30"	S7L/30105D		23.0#
	All internal accessories must be speci-	None	36"	S7L/36105D		25.0#
.=	fied separately	None	42"	S7L/42105D		30.0#
LTACU	 Will not accept plate dividers 					
				A	③	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select drawer color.

 Refer to the **Product Color Options** page in this price list.

N

Custom-Built Lateral Files

700 Series® Drawers

Delive	ered
Pricin	ng
\$ 2	251
	266
2	279
\$ 2	228
2	250
2	269
\$ 2	245
2	267
2	287
\$ 2	269
2	297
	336
 \$ 1	154
ψ 1 1	154
	154
	IUT
\$ 2	234
	260
2	297

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Ν

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Drawers

					BER	
	MODEL	Accessories Included V	V	Basic Model	Unit Color	Approx. Packaged Weight
	 10-1/2" High Drawer with Folder Bars Includes FBA folder bars for side-to-side legal or letter hanging files Will not accept plate dividers 	FBA bars 3	0"	S7L/30105DA		27.0#
LTACU		FBA bars 3	6"	S7L/36105DA		29.0#
		FBA bars 4	2"	S7L/42105DA		34.0#
	viii iist assapt piats arriasis					

(A)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect drawer color.

Refer to the **Product Color Options** page in this price list.



700 Series® Drawers

Delivered Pricing		
\$ 260		
297		
329		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Drawers

				MODEL NUM	BER	
	MODEL	Accessories Included	w	Basic Model	Unit Color	Approx. Packaged Weight
	12" High Drawer	None	30"	S7L/30120D		23.0#
	For letter or legal size materials	None	36"	S7L/36120D		25.0#
	 All internal accessories must be speci- fied separately 	None	42"	S7L/42120D		30.0#
LTACU	nou sopuratory					
	12" High Drawer with Folder Bars	FBA bars	30"	S7L/30120DA		27.0#
LTACU	 Includes FBA folder bars for side-to-side legal or letter hanging files 	FBA bars	36"	S7L/36120DA		29.0#
	legal or letter nanging files	FBA bars	42"	S7L/42120DA		34.0#
	13-1/2" High Drawer	None	30"	S7L/30135D		24.0#
	 For letter, legal and computer print-out hanging storage 	None	36"	S7L/36135D		27.0#
	All internal accessories must be speci-	None	42"	S7L/42135D		31.0#
LTACU	fied separately					
	 13-1/2" High Drawer with Folder Bars Includes FBA folder bars for side-to-side legal or letter hanging files 	FBA bars	30"	S7L/30135DA		24.0#
LTACU		FBA bars	36"	S7L/36135DA		27.0#
		FBA bars	42"	S7L/42135DA		31.0#
	13-1/2" High Drawer with Folder Bars	FBE bars	30"	S7L/30135DE		30.0#
LTACU	 For letter, legal and computer print-out hanging storage 	FBE bars	36"	S7L/36135DE		33.0#
	 Includes EDP folder bars for side-to-side 	FBE bars	42"	S7L/42135DE		37.0#
	hanging print-out files					
	15" High Drawer	None	30"	S7L/30150D		24.0#
	 For EDP print-out storage when specified with E-style folder bars 	None	36"	S7L/36150D		27.0#
	All internal accessories must be speci-	None	42"	S7L/42150D		31.0#
LTACU	fied separately					
	15" High Drawer with Folder Bars	FBE bars	30"	S7L/30150DE		30.0#
LTACU	 For EDP print-out storage Includes EDP folder bars for side-to-side 	FBE bars	36"	S7L/36150DE		33.0#
	hanging print-out files	FBE bars	42"	S7L/42150DE		37.0#
				(A)	3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select drawer color.

Refer to the **Product Color Options** page in this price list.

14

Custom-Built Lateral Files

700 Sprips® Drawpro

D-1:	
Pric	ivered
\$	234
Ψ	260
	297
	231
\$	260
Ψ	297
	329
¢	260
φ	302
	341
	541
Φ.	004
\$	291
	334
Φ.	371
\$	337
	372
	433
\$	260
	302
	341
\$	337
	372
	433

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N.

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Receding Doors and Shelves

				MODEL NUMB	ER		
	MODEL	Components Included	W	Basic Model	Unit Color	Approx. Packaged Weight	
	12" High Receding Door	None	30"	S7L/30120R		9.0#	
	All internal accessories must be ordered	None	36"	S7L/36120R		10.0#	
	separately	None	42"	S7L/42120R		11.0#	
LTACU							
	12" High Receding Door w/Rollout Shelf	Rollout shelf	30"	S7L/30120RS		26.0#	
	All additional internal accessories must	Rollout shelf	36"	S7L/36120RS		28.0#	
	be ordered separately	Rollout shelf	42"	S7L/42120RS		31.0#	
LTACU							
	12" High Receding Door w/Rollout Shelf	Shelf/FBA bars	30"	S7L/30120RSA		30.0#	
	and Bars	Shelf/FBA bars	36"	S7L/36120RSA		32.0#	
	Includes FBA folder bars for side-to-side	Shelf/FBA bars	42"	S7L/42120RSA		35.0#	
LTACU	legal or letter hanging files						
	12" High Receding Door w/End Tab Filing	Shelf/Dividers	30"	S7L/30120RED		17.0#	
	Shelf and 3 Dividers	Shelf/Dividers	36"	S7L/36120RED		20.0#	
	 Includes 3 dividers 	Shelf/Dividers	42"	S7L/42120RED		22.0#	
LTACU							
	13-1/2" High Receding Door	None	30"	S7L/30135R		9.0#	
	 All internal accessories must be ordered separately 	None	36"	S7L/36135R		10.0#	
	Sopuratory	None	42"	S7L/42135R		11.0#	
LTACU							
	13-1/2" High Receding Door w/Rollout	Rollout shelf	30"	S7L/30135RS		26.0#	
	Shelf	Rollout shelf	36"	S7L/36135RS		28.0#	
	 All additional internal accessories must be ordered separately 	Rollout shelf	42"	S7L/42135RS		31.0#	
LTACU	Will not accept EDP folder bars						
	<u> </u>						
	13-1/2" High Receding Door w/Rollout	Shelf/FBA bars	30"	S7L/30135RSA		32.0#	
	Shelf and Bars • Includes FBA folder bars for side-to-side	Shelf/FBA bars	36"	S7L/36135RSA		34.0#	
	legal or letter hanging files	Shelf/FBA bars	42"	S7L/42135RSA		37.0#	
LTACU							
	13-1/2" High Receding Door w/End Tab	Shelf/Dividers	30"	S7L/30135RED		18.0#	
	Filing Shelf and 3 Dividers • Includes 3 dividers	Shelf/Dividers	36"	S7L/36135RED		21.0#	
	- Includes 3 dividers	Shelf/Dividers	42"	S7L/42135RED		23.0#	
LTACU]	
				A	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③ Select unit color.

 Refer to the **Product Color Options** page in this price list.

Custom-Built Lateral Files 700 Series® Receding Doors and Shelves

_	II. savad	
L P	elivered icing	
	108	
Ψ	120	
	127	
	121	
\$	266	
ф		
	291	
	318	
\$	297	
	326	
	348	
\$	260	
	289	
	316	
\$		
	155	
	180	
\$		
	306	
	336	
\$	310	
	339	
	367	
\$	281	
Ψ	305	
	332	
	OJC .	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Receding Doors and Shelves

				I			
				MODEL NUMB	ER		
	MODEL	Components Included	W	Basic Model	Unit Color	Approx. Packaged Weight	
	15" High Receding Door	None	30"	S7L/30150R		11.0#	
	All internal accessories must be ordered	None	36"	S7L/36150R		13.0#	
	separately	None	42"	S7L/42150R		15.0#	
LTACU							
	 15" High Receding Door w/Rollout Shelf All additional internal accessories must be ordered separately 	Rollout shelf	30"	S7L/30150RS		28.0#	
		Rollout shelf	36"	S7L/36150RS		31.0#	
	be ordered separately	Rollout shelf	42"	S7L/42150RS		35.0#	
LTACU							
	15" High Receding Door w/Rollout Shelf	Shelf/FBE bars	30"	S7L/30150RSE		34.0#	
	 and Bars Includes EDP folder bars for side-to-side 	Shelf/FBE bars	36"	S7L/36150RSE		37.0#	
		Shelf/FBE bars	42"	S7L/42150RSE		41.0#	
LTACU	hanging print-out files						
	15" High Receding Door w/End Tab Filing	Shelf/Dividers	30"	S7L/30150RED		19.0#	
	Shelf and 3 Dividers	Shelf/Dividers	36"	S7L/36150RED		23.0#	
	Includes 3 dividers	Shelf/Dividers	42"	S7L/42150RED		26.0#	
LTACU							
				A	6		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③ Select unit color.

 Refer to the **Product Color Options** page in this price list.



Custom-Built Lateral Files 700 Series® Receding Doors and Shelves

Deliver Pricing	rered ng
\$ 14	
	155
1/	180
\$ 3	
	367
4	414
<u></u>	
\$ 40	
	454
4:	459
6 0	202
\$ 32	323 368
4	417

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Shelves

			MODEL NUI	MBER		
			Basic	Unit	Approx. Packaged	
	MODEL	W	Model	Color	Weight	
	1-1/2" Posting Shelf	30"	S7L/3015PS		9.0#	
	 Use in place of 1-1/2" tie bar or to oc- 	36"	S7L/3615PS		12.0#	
-	cupy 1-1/2" of internal space in shorter cabinets	42"	S7L/4215PS		15.0#	
LTACU	Cannot be specified in bottom of cabinet					
	 Cannot be located above filler 					
	6" Rollout Shelf	30"	S7L/30060S		14.0#	
	 Accepts 3346DV dividers - slotted on 1/2" centers 	36"	S7L/36060S		15.0#	
~	Multiples may be installed behind larger	42"	S7L/42060S		16.0#	
LTACU	receding doors					
	 All internal accessories must be speci- fied separately 					
	Black finish only					
	 Does not increase insert height 					
	12" Rollout ShelfAccepts 33412DV dividers - slotted on	30"	S7L/30120S		17.0#	
	1/2" centers	36"	S7L/36120S		18.0#	
	 Accepts hanging folder bars 	42"	S7L/42120S		19.0#	
LTAGU	 All internal accessories must be speci- fied separately 					
LTACU	Black finish only					
	 Does not increase insert height 					
	 Can be used for End-Tab Filing with 3312DV dividers 					
	Can be used for Binder Storage with					
	3312DV dividers					
	Fixed End Tab Filing Shelf	30"	S7L/30ETS		8.0#	
	 Accepts 33412DV dividers 	36"	S7L/36ETS		10.0#	
	 For use behind 12", 13-1/2" or 15" reced- 	42"	S7L/42ETS		11.0#	
LTACU	ing doorsAll internal accessories must be speci-		3.6/12213		11.0#	
•	fied separately					
	Black finish only					
	Does not increase insert height					
			_	_	1	
			A	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit color.

 Refer to the **Product Color Options** page in this price list.

N

Custom-Built Lateral Files

700 Series® Shelves

Deliv	ivered
Prici	179
	179
	179
	180
	194
\$	177
	188
	205
\$	121
	135
	153

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Fixed End Tab Cupboard Shelf	30"	S7L/30ETSC	8.0#		
LTACU	End tab shelf for cupboards onlyBlack finish only	36"	S7L/36ETSC	10.0#		
	Does not increase insert height	42"	S7L/42ETSC	11.0#		
	Adjustable Blank Shelf May be installed behind hinged or receding doors Black finish only Does not increase height	30"	S7L/30BS	6.0#		
		36"	S7L/36BS	7.0#		
LTACU		42"	S7L/42BS	8.0#		
	Brackets included					
	Slotted Shelf	30"	S7L/30SS	8.0#		
	 Accepts 33412DV dividers May be installed behind 12", 13-1/2" or 15" receding doors or hinged cupboard 	36"	S7L/36SS	10.0#		
		42"	S7L/42SS	11.0#		
	doors					
LTACU	 All internal accessories must be speci- fied separately 					
	Black finish only					
	 Does not increase insert height 					
	Brackets included					



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



700 Series® Shelves

Deli Pric	vered ing	
	125	
	141	
	159	
\$	89	
	89	
	89	
\$	125	
	125	
	125	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Accessories

			MODEL NUMBER				
	MODEL	W	Basic Model	Unit Color	Key Option	Approx. Packaged Weight	
	25-1/2" Hinged Door Insert	30"	S7L/30255MHX			30.0#	
	 24" hinged doors, 1-1/2" locking tie bar shelf 	36"	S7L/36255MHX			35.0#	
	Must be located at top of cabinet shell	42"	S7L/42255MHX			40.0#	
	Bottom shelf slotted to accept 33412DV Indeed, the desired sheet of the s						
	plate dividers (not included)All internal accessories must be speci-						
LTACU	fied separately						
	 Two locks per unit 						
	30" Hinged Door Insert	30"	S7L/30300MHX			34.0#	
	• 28-1/2" hinged doors, 1-1/2" locking tie	36"	S7L/36300MHX			39.0#	
	bar shelf	42"	S7L/42300MHX			44.0#	
- Innoversity of the second	 Must be located at top of cabinet shell Bottom shelf slotted to accept 33412DV 		0.12, 12000111134			1.10"	
	plate dividers (not included)						
LTACU	All internal accessories must be speci- fied consentable.						
	fied separatelyTwo locks per unit						
	31-1/2" Hinged Door Insert • 30" hinged doors, 1-1/2" locking tie bar shelf	30"	S7L/30315MHX			35.0#	
		36"	S7L/36315MHX			40.0#	
	Must be located at top of cabinet shell	42"	S7L/42315MHX			45.0#	
	Bottom shelf slotted to accept 33412DV						
	plate dividers (not included)All internal accessories must be speci-						
LTACU	fied separately						
	Two locks per unit						
	33" Hinged Door Insert	30"	S7L/30330MHX			37.0#	
	• 31-1/2" hinged doors, 1-1/2" locking tie	36"	S7L/36330MHX			42.0#	
	bar shelf	42"	S7L/42330MHX			47.0#	
	 Must be located at top of cabinet shell Bottom shelf slotted to accept 33412DV 		OTE TEOCOMITIX			17.0"	
	plate dividers (not included)						
•	All internal accessories must be speci-						
LTACU	fied separatelyTwo locks per unit						
			A	3	Θ		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit color.

 Refer to the **Product Color Options** page in this price list.
- Select key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	



Accessories

Daliv	ivered
Pricir	inq
\$	616
Ė	655
	700
\$	497
Ψ	520
	555
	000
\$	633
	673
	714
	503
	526
	562

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Accessories

			MODEL NUMBER				
						Amman	
			Basic	Unit	Key	Approx. Packaged	
	MODEL	W	Model	Color	Option	Weight	
	37-1/2" Hinged Door Insert	30"	S7L/30375MHX			40.0#	
	 36" hinged doors, 1-1/2" locking tie bar shelf 	36"	S7L/36375MHX			45.0#	
	Must be located at top of cabinet shell	42"	S7L/42375MHX			50.0#	
	Bottom shelf slotted to accept 33412DV						
	plate dividers (not included)All internal accessories must be speci-						
	fied separately						
LTACU	 Two locks per unit 						
	45" Hinged Door Insert • 43-1/2" hinged doors, 1-1/2" locking tie	30"	S7L/30450MHX			47.0#	
	bar shelf	36"	S7L/36450MHX			52.0#	
	Must be located at top of cabinet shell	42"	S7L/42450MHX			57.0#	
	 Bottom shelf slotted to accept 33412DV plate dividers (not included) 						
	All internal accessories must be speci-						
	fied separately						
LTACU	Two locks per unit						
LIAUU	49-1/2" Hinged Door Insert	30"	S7L/30495MHX			50.0#	
	 48" hinged doors, 1-1/2" locking tie bar shelf Must be located at top of cabinet shell 	36"	S7L/36495MHX			55.0#	
		42"	S7L/42495MHX			60.0#	
	Bottom shelf slotted to accept 33412DV						
	plate dividers (not included)						
	 All internal accessories must be speci- fied separately 						
	Two locks per unit						
LTACU							
	25-1/2" Hinged Markerboard Door Insert	30"	S7L/30255MHXMB			30.0#	
	•	36"	S7L/36255MHXMB			35.0#	
	 24" hinged markerboard door, 1-1/2" locking tie bar shelf 	42"	S7L/42255MHXMB			40.0#	
	Must be located at top of cabinet shell						
	Bottom shelf slotted to accept 33412DV						
LTACU	plate dividers (not included)All internal accessories must be speci-						
	fied separately						
	Two locks per unit						
					<u> </u>		
			A	3	Θ		
			-	-	_		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③ Select unit color.

 Refer to the **Product Color Options** page in this price list.
- Select key option.

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

N

Custom-Built Lateral Files

Accassorias

De	elivered		
Pri	ricing		
\$	770		
	811		
	858		
\$	586		
	615		
	634		
\$	604		
	643		
	673		
\$	920		
	1050		
	1180		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Accessories

MODEL NUMBER Basic Unit Key Option Packaged Weight	
MODEL W Basic Model Unit Color Option Weight 30" Hinged Markerboard Door Insert • 28-1/2' hinged markerboard door, 1-1/2" 36" S7L/36300MHXMB □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	
MODEL W Basic Model Unit Color Option Weight 30" Hinged Markerboard Door Insert • 28-1/2' hinged markerboard door, 1-1/2" locking tie bar shelf • Must be located at top of cabinet shell • Bottom shelf slotted to accept 33412DV Basic Model Unit Cey Option Weight 34.0# \$7L/36300MHXMB \[\begin{array}{cccccccccccccccccccccccccccccccccccc	
MODEL W Basic Model Unit Color Option Weight 30" Hinged Markerboard Door Insert • 28-1/2' hinged markerboard door, 1-1/2" locking tie bar shelf • Must be located at top of cabinet shell • Bottom shelf slotted to accept 33412DV Basic Model Unit Cey Option Weight 34.0# \$7L/36300MHXMB \[\begin{array}{cccccccccccccccccccccccccccccccccccc	
30" Hinged Markerboard Door Insert 28-1/2' hinged markerboard door, 1-1/2" 36" locking tie bar shelf Must be located at top of cabinet shell Bottom shelf slotted to accept 33412DV 30" S7L/36300MHXMB	
28-1/2" hinged markerboard door, 1-1/2" 36" S7L/36300MHXMB locking tie bar shelf Must be located at top of cabinet shell Bottom shelf slotted to accept 33412DV S7L/42300MHXMB	
locking tie bar shelf • Must be located at top of cabinet shell • Bottom shelf slotted to accept 33412DV S7L/42300MHXMB	
Bottom shelf slotted to accept 33412DV	
All internal accessories must be speci-	
tied separately	
Two locks per unit	
30" S7L/30315MHXMB □□ □□□ 35.0#	
31-1/2" Hinged Markerboard Door Insert 30 372/30313MHXMB	
30" hinged markerboard door, 1-1/2" 42" S7L/42315MHXMB	
locking tie bar shelf • Must be located at top of cabinet shell	
Bottom shelf slotted to accept 33412DV	
plate dividers (not included)	
LTACU • All internal accessories must be specified separately	
Two locks per unit	
33" Hinged Markerboard Door Insert 30" S7L/30330MHXMB 37.0# • 31-1/2" hinged markerboard door, 1-1/2" 36" S7L/36330MHXMB 37.0#	
locking tie bar shelf	
Must be located at top of cabinet shell A2" S7L/42330MHXMB	
Bottom shelf slotted to accept 33412DV plate dividers (not included)	
All internal accessories must be speci-	
fied separately LTACU Two locks per unit	
LTACU • Two locks per unit	
30" S7L/30375MHXMB	
37-1/2" Hinged Markerboard Door Insert 36" S7L/36375MHXMB	
• 36" hinged markerboard door, 1-1/2" 42" S7L/42375MHXMB	
locking tie bar shelf • Must be located at top of cabinet shell	
Bottom shelf slotted to accept 33412DV	
plate dividers (not included)	
All internal accessories must be specified separately	
Two locks per unit	
4 3 9	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③ Select unit color.

 Refer to the **Product Color Options** page in this price list.

Select key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	



Accessories

De	elivered
Pr	ricing
\$	1035
	1187
	1338
\$	1074
	1231
	1395
\$	1111
	1280
	1448
	4007
\$	1227
	1416
	1611

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Accessories

			MODEL NUMBER				
			Basic	Unit	Kev	Approx. Packaged	
	MODEL	W	Model	Color	Option		
		30"	S7L/30450MHXMB			47.0#	
	43-1/2" hinged markerboard door, 1-1/2" Continue to be a shall as a s	36"	S7L/36450MHXMB			52.0#	
	locking tie bar shelfMust be located at top of cabinet shell	42"	S7L/42450MHXMB			57.0#	
	Bottom shelf slotted to accept 33412DV						
	plate dividers (not included)						
	 All internal accessories must be specified separately 						
	Two locks per unit						
LTACU							
	/0-1/2" Hingod Markerhoard Door Insert	30"	S7L/30495MHXMB			50.0#	
	•	36"	S7L/36495MHXMB			55.0#	
	 48" hinged markerboard door, 1-1/2" locking tie bar shelf 	42"	S7L/42495MHXMB			60.0#	
	Must be located at top of cabinet shell						
	Bottom shelf slotted to accept 33412DV						
THIRD THE STATE OF	plate dividers (not included) • All internal accessories must be speci-						
	fied separately						
	Two locks per unit						
LTACU							
			A	3	Θ		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit color.

 Refer to the **Product Color Options** page in this price list.
- Select key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	



Accessories

Delivered
Pricing
\$ 1418
1646
1878
\$ 1532
1786
2040

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N.

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Accessories

MODEL W Model Uit Key Packaged Weight								
MODEL W Model Color Key Packaged Weight				MODEL NUM	BER			
MODEL W Model Color Key Packaged Weight								
Use in 1-1/2" openings where no insert is required in sequence of Standard and included in all shells 65-42" STU-42015F 3.0# 3.		MODEL	W				Packaged	
Standard and included in all shells 65-9/32" and taller Cannot be specified in bottom of cabinet or below posting shelf Cannot be specified in bottom of cabinet or below posting shelf Cannot be specified in bottom of cabinet or below posting shelf Cannot be specified in bottom of cabinet or below posting shelf Cannot be specified in bottom of cabinet or below posting shelf Cannot be installed blow receding door for binder storage Cannot be installed below receding door for binder storage Cannot be installed below receding door for binder storage Cannot be installed below receding door for binder storage Cannot be included) Cannot be used in place of 1-1/2" to be installed blow receding door for binder storage Cannot be used in place of the bar shelf Cannot be used in place of tie bar shelf Cannot be u			30"	S7L/30015F			3.0#	
Sandard and included in all shells 65-9/322" and faller Cannot be specified in bottom of cabinet or below posting shelf Cannot be specified in bottom of cabinet or below posting shelf Cannot be specified in bottom of cabinet or below posting shelf Cannot be specified in bottom of cabinet or leave standard cabinet lock and 1-1/2" the bar Use when look is required at a location other than at top of cabinet Can be installed in any position in any cabinet or below posting shelf Can be installed below receding door for binder storage Use in place of 1-1/2" tie bar Use in place of 1-1/2" tie bar Use in place of 1-1/2" toking Tie Bar Shelf Use in place of 1-1/2" locking tie bar Use in place of 1-1/2" locki			36"	S7L/36015F			3.0#	
1-1/2" Locking Tie Bar 1-1/2" Locking Tie Bar Shelf 1-1/2" Locking Blank Filler Shelf 1-1/2"			42"	S7L/42015F			3.0#	
Titracum	LTACU	9/32" and taller						
1-1/2" Locking Tie Bar								
Replaces standard cabinet lock and 1-1/2' tie bar Use when lock is required at a location other than at top of cabinet Can be installed in any position in any cabinet or below posting shelf To be installed below receding door for binder storage Use in place of 1-1/2' tie bar Will accept 33412DV plate dividers (not included) S7L/3015FS Use in place of 1-1/2' locking tie bar Use in plac		or below posting shelf						
1-1/2" tie bar 42" 57L/4215LF 13.0#			30"	S7L/3015LF			7.0#	
Use when lock is required at a location other than at top of cabinet			36"	S7L/3615LF			10.0#	
other than at top of cabinet Can be installed in any position in any cabinet or below posting shelf 1-1/2" Tie Bar Shelf To be installed below receding door for binder storage Use in place of 1-1/2" tie bar Will accept 33412DV plate dividers (not included) 1-1/2" Locking Tie Bar Shelf To be installed below receding door for binder storage Use in place of 1-1/2" locking tie bar binder storage Use in place of 1-1/2" locking tie bar Will accept 33412DV plate dividers (not included) Blank Filler Shelf Can be used in place of tie bar shelf No slots for dividers Locking Blank Filler Shelf Can be used in place of tie bar shelf No slots for dividers No slots for dividers TIACU One installed below receding door for binder storage S7L/3015LFS S7L/3015BFS S7L/3015	LTACU	=	42"	S7L/4215LF			13.0#	
1-1/2" Tie Bar Shelf 30° \$7L/3015FS 12.0#		other than at top of cabinet						
1-1/2" Tie Bar Shelf 0 To be installed below receding door for binder storage 0 Use in place of 1-1/2" tie bar 42" 57L/3615FS 12.0# 15.0								
To be installed below receding door for binder storage Use in place of 1-1/2' tie bar Will accept 33412DV plate dividers (not included) 1-1/2" Locking Tie Bar Shelf To be installed below receding door for binder storage Use in place of 1-1/2' locking tie bar binder storage Use in place of 1-1/2' locking tie bar binder storage Use in place of 1-1/2' locking tie bar Will accept 33412DV plate dividers (not included) Blank Filler Shelf Can be used in place of tie bar shelf No slots for dividers LTACU Blank Filler Shelf Can be used in place of tie bar shelf No slots for dividers Can be used in place of tie bar shelf No slots for dividers No slots for dividers TACU S7L/3615LFS □ □ □ □ 11.0# 11.0# 57L/3615LFS □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ □ □ 11.0# 57L/3615LFS □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		cabinet or below posting sneit						
LTACU LTACU Locking Tie Bar Shelf STL/3015LFS ST		≟					9.0#	
Use in place of 1-1/2" tie bar Will accept 33412DV plate dividers (not included) S7L/3015LFS			36"	S7L/3615FS			12.0#	
LTACU - Will accept 33412DV plate dividers (not included) 1-1/2" Locking Tie Bar Shelf - To be installed below receding door for binder storage - Use in place of 1-1/2" locking tie bar - Will accept 33412DV plate dividers (not included) Blank Filler Shelf - Can be used in place of tie bar shelf - No slots for dividers LTACU - Will accept 33412DV plate dividers (not included) 30" S7L/3015BFS			42"	S7L/4215FS			15.0#	
1-1/2" Locking Tie Bar Shelf 30" S7L/3015LFS 11.0# 11.0#	LTACU	Will accept 33412DV plate dividers (not						
To be installed below receding door for binder storage Use in place of 1-1/2" locking tie bar will accept 33412DV plate dividers (not included) Blank Filler Shelf Can be used in place of tie bar shelf No slots for dividers Locking Blank Filler Shelf Can be used in place of tie bar shelf No slots for dividers Locking Blank Filler Shelf No slots for dividers S7L/3615BFS □ 12.0# S7L/3615BFS □ 15.0# Locking Blank Filler Shelf Can be used in place of tie bar shelf No slots for dividers S7L/3615BFS □ 12.0# S7L/3615BFS □ 15.0# Locking Blank Filler Shelf No slots for dividers S7L/3615BFS □ 15.0# Locking Blank Filler Shelf S7L/3615BFS □ 15.0# Locking Blank Filler Shelf S7L/3615BFS □ 15.0#		included)						
Dinder storage Use in place of 1-1/2" locking tie bar Will accept 33412DV plate dividers (not included) S7L/3015BFS 17.0# 17.0#							11.0#	
Use in place of 1-1/2" locking tie bar Will accept 33412DV plate dividers (not included) Blank Filler Shelf Can be used in place of tie bar shelf No slots for dividers Locking Blank Filler Shelf Can be used in place of tie bar shelf No slots for dividers Locking Blank Filler Shelf No slots for dividers S7L/3015BFS □□ 12.0# S7L/3015BFS □□ 9.0# S7L/3015BFS □□ 9.0# S7L/3015BFS □□ 9.0# S7L/3015BFS □□ 12.0# No slots for dividers S7L/3615BFS □□ 12.0# S7L/3615BFS □□ 12.0# S7L/3615BFS □□ 12.0# S7L/3615BFS □□ 12.0# S7L/3615BFS □□ 15.0#			36"	S7L/3615LFS			14.0#	
TACU Will accept 33412DV plate dividers (not included)			42"	S7L/4215LFS			17.0#	
Blank Filler Shelf	LTACU	 Will accept 33412DV plate dividers (not 						
• Can be used in place of tie bar shelf • No slots for dividers - No slots for dividers - Can be used in place of tie bar shelf • No slots for dividers - Can be used in place of tie bar shelf • Can be used in place of tie bar shelf • No slots for dividers - No slots for dividers - No slots for dividers - S7L/3615BFS □□ - S7L/3015BFS □□ - S7L/3615BFS □□ - S7L/3		included)						
No slots for dividers S7L/4215BFS		One has some discussion of the household.					9.0#	
LTACU Locking Blank Filler Shelf • Can be used in place of tie bar shelf • No slots for dividers LTACU • S7L/4215BFS □□			36"	S7L/3615BFS			12.0#	
• Can be used in place of tie bar shelf • No slots for dividers S7L/3615BLFS □□ 12.0# 15.0#	LTACU	• No siots for dividers	42"	S7L/4215BFS			15.0#	
• No slots for dividers 42" S7L/4215BLFS □□ 15.0#			30"	S7L/3015BLFS			9.0#	
LTACU 42" S7L/4215BLFS D 15.0#			36"	S7L/3615BLFS			12.0#	
Ø B Ø	LTACU	• No siots for dividers	42"	S7L/4215BLFS			15.0#	
					3	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select unit color.

 Refer to the **Product Color Options** page in this price list.

Select key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	



Accessories

Delivere	ed Control of the Con
Pricing	
\$ 58	8
58	
58	8
\$ 147	
147	7
147	7
\$ 154	4
154	4
154	4
\$ 184	4
184	4
184	4
A 4-:	
\$ 151	
155	5
167	
\$ 192	
196	6
219	9

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N,

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Custom-Built Laminate Tops 700 Series® Lateral Files

		MODEL NU	MBER					
							Approx.	
	Features	WxDxH	Basic Model	Edge Style	Surface Finish	Edge Color	Packaged Weight	
	Fits one 30" wide lateral	30 X 18 X 1-1/4"	S7L/3018T	Style			18.0#	
	Fits one 36" wide lateral	36 X 18 X 1-1/4"	S7L/3618T				21.0#	
	Fits one 42" wide lateral	42 X 18 X 1-1/4"	S7L/4218T				25.0#	
	Fits two 30" wide laterals	60 X 18 X 1-1/4"	S7L/6018T				36.0#	
	Fits one 30" & one 36" wide laterals	66 X 18 X 1-1/4"	S7L/6618T				39.0#	
September 1	Fits two 36" or one 30" & one 42" laterals	72 X 18 X 1-1/4"	S7L/7218T				43.0#	
S7TP	Fits one 36" & one 42" wide laterals	78 X 18 X 1-1/4"	S7L/72101				46.0#	
Laminate Top for Side-by-Side Units	Fits two 42" wide laterals	84 X 18 X 1-1/4"	S7L/8418T				50.0#	
Tops are manufactured to allow for	Fits three 30" wide laterals	90 X 18 X 1-1/4"	S7L/9018T				53.0#	
1/16" overhang on all sides	Fits two 30" & one 42" or one 30" & two 36"	102 X 18 X 1-1/4"	S7L/90101				60.0#	
 Do not specify individual tops when 	Fits three 36" or one 30" & one 36" & one 42"	108 X 18 X 1-1/4"	S7L/102101				64.0#	
ganging multiple units due to the 1/16" overhang; specify proper size	Fits four 30" or one 36" & two 42" laterals	120 X 18 X 1-1/4"	S7L/100101				71.0#	
top for correct configuration and	This four 50 of one 50 & two 42 laterals	120 X 10 X 1 1/4	371/120101				11.0#	
alignment								
Tops attach with double-sided adhe-								
sive pre-applied to underside of top								
	Fits two 30" wide laterals	30 X 36 X 1-1/4"	S7L/3036T				36.0#	
	Fits two 36" wide laterals	36 X 36 X 1-1/4"	S7L/3636T				43.0#	
	Fits two 42" wide laterals	42 X 36 X 1-1/4"	S7L/4236T				50.0#	
	Fits four 30" wide laterals	60 X 36 X 1-1/4"	S7L/6036T				71.0#	
	Fits four 36" wide laterals	72 X 36 X 1-1/4"	S7L/7236T				85.0#	
	Fits four 42" wide laterals	84 X 36 X 1-1/4"	S7L/8436T				99.0#	
	Fits six 30" wide laterals	90 X 36 X 1-1/4"	S7L/9036T				106.0#	
	Fits six 36" wide laterals	108 X 36 X 1-1/4"	S7L/10836T				127.0#	
S7TP	The six so which laterals	100 X 30 X 1 1/4	37 17 100301				127.0#	
Laminate Top for Back-to-Back Units								
Eastimate Top for Dack-to-Dack Units								
Tops are manufactured to allow for								
1/16" overhang on all sides								
 Do not specify individual tops when ganging multiple units due to the 								
1/16" overhang; specify proper size								
top for correct configuration and								
alignmentTops attach with double-sided adhe-								
sive pre-applied to underside of top								
 Tops are for Standard or Flat Front 								
units only								
			A	3	Θ	0		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

SE - Self edge

74P - 74P edge

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.



Custom-Built Laminate Tops 700 Series® Lateral Files

Ť	
Self Edge	74P Edge
Self Edge (SE)	(74P)
\$ 278	\$ 288
312	330
334	342
396	416
412	433
433	449
469	492
519	540
599	622
725	763
746	778
762	800
\$ 386	\$ 410
427	449
469	492
665	697
721	759
771	809
826	865
1203	1263
.200	.200

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Custom-Built Laminate Tops 700 Series® OF Storage Cabinet

	MODEL NUMBER						
	Features	WxDxH	Basic Model	Edge Style	Surface Finish	Edge Color	Approx. Packaged Weight
\sim	Fits one 30" wide optional front credenza	30 X 19 X 1-1/4"	S7L/3019T				19.0#
	Fits one 36" wide optional front credenza	36 X 19 X 1-1/4"	S7L/3619T				22.0#
	Fits one 42" wide optional front credenza	42 X 19 X 1-1/4"	S7L/4219T				26.0#
	Fits two 30" wide optional front credenzas	60 X 19 X 1-1/4"	S7L/6019T				37.0#
and the second s	Fits one 30" & one 36" wide credenza	66 X 19 X 1-1/4"	S7L/6619T				41.0#
	Fits two 36" or one 30" & one 42" wide credenzas	72 X 19 X 1-1/4"	S7L/7219T				45.0#
TP	Fits one 36" & one 42" wide credenza	78 X 19 X 1-1/4"	S7L/7819T				48.0#
minate Top for Side-by-Side Units	Fits two 42" wide optional front credenzas	84 X 19 X 1-1/4"	S7L/8419T				52.0#
	Fits three 30" wide optional front credenzas	90 X 19 X 1-1/4"	S7L/9019T				56.0#
ligh pressure laminate with particle-	Fits three 36" or one 30", 36" & 42" credenzas	108 X 19 X 1-1/4"	S7L/10819T				67.0#
oard core elf edge or 74P edge available	Fits four 30" or one 36" & 42" credenzas	120 X 19 X 1-1/4"	S7L/12019T				75.0#
ther sizes available upon request							
pps are manufactured to allow for							
/16" overhang on all sides to not specify individual tops when							
panging multiple units due to the							
1/16" overhang; specify proper size							
op for correct configuration and							
lignment ops attach with double-sided adhe-							
ive pre-applied to underside of top							
, , , , , , , , , , , , , , , , , , , ,							
			A	B	Θ	O	'

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

SE - Self edge

74P - 74P edge

Select surface finish.

Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge

- style selections.
- Select edge color.

 Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.



Custom-Built Laminate Tops 700 Series® OF Storage Cabinet

Self Edge (SE)	74P Edge	
	(74P)	
\$ 280	\$ 283	
323	312	
347	347	
488	486	
535	550	
566	554	
618	632	
629	633	
669	686	
783	805	
826	847	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Bookcases

GENERAL INFORMATION

KI 700 Series Bookcases have been designed to optimally store standard three-ring binders on all shelves. Shelves are adjustable on 1" increments to accommodate other media storage needs.

The units described on the following pages are to suit the most common storage requirements. Other bookcase sizes can be built to suit specific needs.

Contact KI Customer Service for details.

Heiaht

Bookcases are available in several standard heights. Non-standard heights will be considered on a special order basis, contact KI Customer Service for details. Heights include 1/8" allowance for leveling glides fully recessed.

Depth

Bookcases are available in two standard depths: 12" and 15".

Width

All bookcases are 30" and 36" wide.

Shelf Clearance

Refer to height and depth clearance dimensions.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Shells are unique to bookcases, featuring a flush inner liner. The liner is punched to accept shelf brackets on 1" increments starting approximately 8" from the bottom of the cabinet and terminating approximately 8" from the top of the cabinet. The liners, top and bottom reinforcements are welded into a rigid box frame. The shell is constructed from 18- and 20-gauge steel, with multiple strategically-located offsets to maximize strength. The back is seamless. All corners are reinforced. Illustrated shell heights include 1/8" for adjustable glide in recessed position.

Shelves

Shelves are constructed using 22-gauge steel, formed 7/8" thick on the leading and trailing edges to enhance strength.

Adjustable Glides

Bookcases are supplied with four adjustable glides. The glides can be adjusted from inside the bookcase using a 1/4" hex socket wrench, or from outside the bookcase using a 7/8" wrench. Standard glides provide 3/4" adjustment; longer glides are also available. Overall bookcase heights include the glide in its recessed position.

Commercial Pack

This is the standard pack that KI offers on all files and storage products. This consists of a plastic poly bag placed over the unit, corrugated top and bottom cap, corner blocking and stretch wrap to keep the packaging intact.

Standard Paint Finishes

All KI products are iron phosphate treated prior to painting. This process enhances top coat bonding.

Powder coat application is a highbred epox. The paint is baked on to provide a scratch and stain resistant surface.

All inside and outside shell and front surfaces are painted with the same specified paint color. Interior components and accessories are painted a black finish. Mechanical components are black plated.

Special Paint Finishes

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions.

- 1. Two steel color chips (minimum 2.5" x 3.5") are requested for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
- 2. All nonstandard colors are available at no additional charge (excluding hi-chromatic colors), but may be subject to extended lead times. Order will not be processed until color match is approved. Written confirmation must accompany order.

Model Numbering System

Each character in the basic model number corresponds to a specific unit feature. How to Build a Model Number

Example: 700 Series Bookcases

S7B 255 12 BL S7B Product name 700 Series Bookcase 36 36" wide Bookcase width 255 12 2512" high Interior height (nominal) 12" deep Bookcase depth Color code **Black**



700 Series® Bookcases General Information

Inside Clear Dimensions

Bookcase Height Inside Width Inside Depth
30" model 36" model 12" model 15" model
2815/32" 281/2" 341/2" 111/2" 141/2"
$42^{5}/_{16}" \hspace{3.2cm} 28^{1}/_{2}" \hspace{3.2cm} 34^{1}/_{2}" \hspace{3.2cm} 11^{1}/_{2}" \hspace{3.2cm} 14^{1}/_{2}"$
549/16" 281/2" 341/2" 111/2" 141/2"
$56^{\circ}/_{2}" \hspace{1.5cm} 28^{1}/_{2}" \hspace{1.5cm} 34^{1}/_{2}" \hspace{1.5cm} 11^{1}/_{2}" \hspace{1.5cm} 14^{1}/_{2}"$
66 ¹³ / ₁₆ " 28 ¹ / ₂ " 34 ¹ / ₂ " 11 ¹ / ₂ " 14 ¹ / ₂ "

Bookcase Height	Top Opening	Middle Opening	Bottom Opening
2815/32"	12 ¹³ / ₆₄ "		12 ²³ /64"
425/16"	12³³/₅₄"	121/8"	1247/64"
549/16"	12 ⁶¹ / ₆₄ "	12¹/ ₈ "	137/64"
563/32"	14 ¹ / ₄ "	121/8"	12 ⁵ / ₁₆ "
6613/16"	129/16"	121/8"	12 ²³ / ₃₂ "

Note: Dimensions shown above are with shelves located to provide for storage of three-ring binders. Shelves are easily adjustable on 1" increments. Dimensions will vary according.

700 Series® Curve Bookcases

General Information

GENERAL INFORMATION

KI 700 Series Curve Bookcases have been designed to optimally store standard three-ring binders on <u>all</u> shelves. Shelves are adjustable on 1" increments to accommodate other media storage needs.

The units described on the following pages are to suit the most common storage requirements. Other bookcase sizes can be built to suit specific needs. Contact KI Customer Service for details.

Height

Bookcases are available in several standard heights. Non-standard heights will be considered on a special order basis, contact KI Customer Service for details. Heights include 1/ɛ" allowance for leveling glides fully recessed.

Depth

Bookcases are available in two standard depths: 12" and 15".

Width

All bookcases are 30" and 36" wide.

Shelf Clearance

Refer to height and depth clearance dimensions.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

hells are unique to bookcases, featuring a flush inner liner. The liner is punched to accept shelf brackets on 1" increments, starting approximately 8" from the bottom of the cabinet and terminating approximately 8" from the top of the cabinet. The liners, top and bottom reinforcements are welded into a rigid box frame. The shell is constructed from 18-and 20-gauge steel, with multiple strategically located offsets to maximize strength. The back is seamless. All corners are reinforced.

Illustrated shell heights include 7/8" for adjustable glide in recessed position.

Shelves

Shelves are constructed using 22-gauge steel, formed 1/s" thick on the leading and trailing edges to enhance strength.

Adjustable Glides

Bookcases are supplied with four adjustable glides. The glides can be adjusted from inside the bookcase using a ¹/." hex socket wrench, or from outside the bookcase using a ²/.e" wrench. Standard glides provide ³/.4" adjustment; longer glides are also available. Overall bookcase heights include the glide in its recessed position.

Standard Paint Finishes

All KI products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is a high solids modified polyester enamel. The enamel is baked on to provide a scratch-and stain-resistant surface.

All inside and outside shell and drawer front surfaces are painted with the same specified paint color.

Interior components and accessories are Dark Tone. Mechanical components are black chrome-plated.

Powder coated/enamel finish colors shown in Product Color Options page are standard and available where specifications call for painted surfaces.

Commercial Pack

This is the standard pack that KI offers on all files and storage products. This consists of a plastic poly bag placed over the unit, corrugated top and bottom cap, corner blocking and stretch wrap to keep the packaging intact.

Standard Paint Finishes

All KI products are iron phosphate treated prior to painting. This process enhances top coat bonding. The wet coat application is either alkyd or acrylic paint finish. The powder coat application is a highbred epoxy. The paint is baked on to provide a scratch and stain resistant surface.

All inside and outside shell and front surfaces are painted with the same specified paint color. Interior components and accessories are painted a black finish. Mechanical components are black plated.

Powder coated/enamel finish colors shown are standard and are available where specifications call for painted surfaces.

Special Paint Finishes

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions.

- 1.Two steel color chips (minimum 3" x 5") are requested for color matching purposes. Paper samples are acceptable, however, a reasonable tolerance must be allowed when comparing the two variations.
- 2.All nonstandard colors are available at no additional charge (excluding hi-chromatic colors), but may be subject to extended lead times. Order will not be processed until color match is approved. Written confirmation must accompany order.

Model Numbering System Each character in the basic model number corresponds to a specific unit feature. How to Build a Model Number Example: 700 Series Bookcases S7CB 255 12 BL 36 S7CB 700 Series Curve Bookcase Product name 36" wide 36 Bookcase width 255 251/2" high Interior height (nominal) 12" deep 12 Bookcase depth BL Color code Black



700 Series® Curve Bookcases

Inside Clear Dimensions

morae erea: Emilenere						
Bookcase Height	Inside	Inside Width		Inside Depth		
	30" model	36" model	12" model	15" model		
2815/32"	28½"	34½"	11½"	14½"		
42%6"	28½"	34½"	11½"	14½"		
54%6"	28½"	34½"	11½"	14½"		
6613/6"	28%"	34½"	11½"	14½"		

Bookcase Height	Top Opening	Middle Opening	Bottom Opening
2815/32"	121¾4"		1223/4,"
425/16"	1237/64"	12¾"	1241/64"
54% ₆ "	1261/64"	12%"	131/4"
6613/16"	12%."	12¾"	1223/32"

Note: Dimensions shown above are with shelves located to provide for storage of three-ring binders. Shelves are easily adjustable on 1" increments. Dimensions will vary according.

Bookcases

700 Series® 12" Deep

			MODEL NUM	IBER		
	MODEL	W x D	Basic Model	Unit Color	Approx. Packaged Weight	
	28-17/32" High • One adjustable shelf	30 x 12"	S7B/3025512		47.0#	
	Une adjustable sherr	36 x 12"	S7B/3625512		50.0#	
CIBKU						
	42-5/16" High	30 x 12"	S7B/3039012		61.0#	
	Two adjustable shelves	36 x 12"	S7B/3639012		65.0#	
CIBKU						
CIDRO	54-9/16" High	30 x 12"	S7B/3051012		80.0#	
	Three adjustable shelves	36 x 12"	S7B/3651012		85.0#	
		00 X 12	07270001012		00.0#	
CIBKU	00.40.400.117.1	00 40"	070,0000010		00.0#	
	66-13/16" High • Four adjustable shelves	30 x 12" 36 x 12"	S7B/3063012 S7B/3663012		99.0# 105.0#	
		30 X 12	5/8/3003012		105.0#	
CIBKU						
			A	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③ Select unit color.

 Refer to the **Product Color Options** page in this price list.

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Deli	livered
Pric	livered cing
\$	467 561
\$	628
<u> </u>	672
\$	729
	842
	878
	1010

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUM	BER		
	MODEL	WxD	Basic Model	Unit Color	Approx. Packaged Weight	
	28-17/32" High	30 x 12"	S7CB3025512		47.0#	
	One adjustable shelf	36 x 12"	S7CB3625512		50.0#	
S7BK						
	42-5/16" High	30 x 12"	S7CB3039012		61.0#	
	Two adjustable shelves	36 x 12"	S7CB3639012		63.0#	
Manuary Ren						
S7BK						
$\overline{}$	54-9/16" High	30 x 12"	S7CB3051012		80.0#	
	Three adjustable shelves	36 x 12"	S7CB3651012		85.0#	
Ammund Ammund						
S7BK						
			A	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to the **Product Color Options** page in this price list.

INFORMATION

All dimensions shown include 1/8" allowance for glides in recessed position.

WeightsFigures provided are approximate and reflect packaged product without additional accessories.



Deli	ivered
Pric	
\$	524
	629
\$	700
	749
¢	814
φ	
	946

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUM	BER			
	MODEL	WxD	Basic Model	Unit Color	Approx. Packaged Weight		
	66-13/16" HighFour adjustable shelves	30 x 12"	S7CB3063012		99.0#		
	Four adjustable shelves	36 x 12"	S7CB3663012		105.0#		
S7BK							
			A	3			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to the **Product Color Options** page in this price list.

INFORMATION

All dimensions shown include 1/8" allowance for glides in recessed position.

WeightsFigures provided are approximate and reflect packaged product without additional accessories.



Delivered Pricing

984

1133

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Bookcases 700 Series® 15" Deep

			MODEL NUM	BER		
	MODEL	W x D	Basic Model	Unit Color	Approx. Packaged Weight	
_	28-17/32" High	30 x 15"	S7B/3025515		52.0#	
	One adjustable shelf	36 x 15"	S7B/3625515		55.0#	
		30 X 13	37 5/3023313		33.0π	
CIBKU						
CIDICO	42-5/16" High	30 x 15"	S7B/3039015		66.0#	
	Two adjustable shelves	36 x 15"	S7B/3639015		70.0#	
		30 X 13	37 5/3039013		7 0.0π	
CIBKU						
CIDICO	54-9/16" High	30 x 15"	S7B/3051015		85.0#	
	Three adjustable shelves	36 x 15"	S7B/3651015		90.0#	
		30 X 13	07 5/3031013		30.0#	
CIBKU						
OIDINO						
			A	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 ☐ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③ Select unit color.

 Refer to the **Product Color Options** page in this price list.

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Bookcases 700 Series® 15" Deep

Delivered	
Pricing	
\$ 502	
594	
\$ 648	
716	
\$ 781	
866	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Bookcases

700 Series® 15" Deep

			MODEL NUM	BER		
	MODEL	W x D	Basic Model	Unit Color	Approx. Packaged Weight	
	56-5/32" High	30 x 15"	S7B/3052515		95.0#	
	Three adjustable shelves	36 x 15"	S7B/3652515		100.0#	
CIBKU						
	66-13/16" High • Four adjustable shelves	30 x 15"	S7B/3063015		104.0#	
	Four adjustable shelves	36 x 15"	S7B/3663015		110.0#	
AUDIU.						
CIBKU						
			A	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Quantity of each hell.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select unit color.

 Refer to the **Product Color Options** page in this price list.

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Bookcases 700 Series® 15" Deep

Delivered Pricing
\$ 829
862
\$ 937
1081

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Bookcases

700 Series® Curve 15" Deep

			MODEL NUM	BER		
	MODEL	W x D	Basic Model	Unit Color	Approx. Packaged Weight	
	28-17/32" High	30 x 15"	S7CB3025515		52.0#	
	One adjustable shelf	36 x 15"	S7CB3625515		55.0#	
S7BK						
	42-5/16" High	30 x 15"	S7CB3039015		66.0#	
	Two adjustable shelves	36 x 15"	S7CB3639015		70.0#	
Manual Am						
S7BK						
$\overline{}$	54-9/16" High	30 x 15"	S7CB3051015		85.0#	
	Three adjustable shelves	36 x 15"	S7CB3651015		90.0#	
S7BK						
			A	₿		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to the **Product Color Options** page in this price list.

INFORMATION

All dimensions shown include 1/8" allowance for glides in recessed position.

WeightsFigures provided are approximate and reflect packaged product without additional accessories.



Deliv	vered
Prici	vered ing
	540
	640
\$	697
•	771
\$	044
	841 933

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Bookcases

700 Series® Curve 15" Deep

			MODEL NUM	BER			
	MODEL	W x D	Basic Model	Unit Color	Approx. Packaged Weight		
	66-13/16" High	30 x 15"	S7CB3063015		104.0#		
	 Four adjustable shelves 	36 x 15"	S7CB3663015		110.0#		
A framework fram							
S7BK							
			Δ	3			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to the **Product Color Options** page in this price list.

INFORMATION

All dimensions shown include 1/8" allowance for glides in recessed position.

WeightsFigures provided are approximate and reflect packaged product without additional accessories.



Delivered Pricing

\$ 1011

1162

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Bookcase Accessories

				MODEL NUMBER			
	MODEL	Features	WxDxH	Basic Model	Unit Color	Approx. Packaged Weight	
	Blank Shelf • Must specify color	For 12" D bookcases only	30 x 12 x 1"	S7B/3012BS		5.0#	
		For 15" D bookcases only	30 x 15 x 1"	S7B/3015BS		6.0#	
LTACU		For 12" D bookcases only	36 x 12 x 1"	S7B/3612BS		6.0#	
		For 15" D bookcases only	36 x 15 x 1"	S7B/3615BS		7.0#	
	Book End Support Black finish only	For all 12" D bookcase shelves	1-1/2 x 12 x 8"	S7B/BES12		2.0#	
1		For all 15" D bookcase shelves	1-1/2 x 15 x 8"	S7B/BES15		2.0#	
LTACU							
				A	₿		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③ Select unit color.

 Refer to the **Product Color Options** page in this price list.

Bookcase Accessories



Delivered Pricing	
\$ 75	
81	
103	
110	
\$ 36	
38	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Bookcase Laminate Tops

			LIONEL WILLIAM				
			MODEL NUMBER				
							Approx.
			Basic	Edge	Edge	Surface	Packaged
	Features	WxDxH	Model	Style	Color	Finish	Weight
	Fits one 30" wide bookcase	30 x 12 x 1-1/4"	S7B/3012T				12.0#
	Fits one 36" wide bookcase	36 x 12 x 1-1/4"	S7B/3612T				14.0#
	Fits two 30" wide bookcases	60 x 12 x 1-1/4"	S7B/6012T				24.0#
- Barana and and a second	Fits two 36" or one 30" & one 42" wide bookcases	72 x 12 x 1-1/4"	S7B/7212T				29.0#
antenial anticular desiration and the second and th							
S7TP							
Laminate Top for 12" Deep Bookcases							
·							
High pressure laminate with particle-							
board coreSelf edge or 74P edge available							
Other sizes available upon request							
	Fits one 30" wide bookcase	30 x 15 x 1-1/4"	S7B/3015T				15.0#
	Fits one 36" wide bookcase	36 x 15 x 1-1/4"	S7B/3615T				18.0#
	Fits two 30" wide bookcases	60 x 15 x 1-1/4"	S7B/6015T				30.0#
	Fits two 36" or one 30" & one 42" wide bookcases	72 x 15 x 1-1/4"	S7B/7215T				36.0#
- managarananananananananananananananananan							
arrate ar							
S7TP							
Laminate Top for 15" Deep Bookcases							
High pressure laminate with particle-							
board core							
Self edge or 74P edge availableOther sizes available upon request							
- Other Sizes available upon request				_	_		1
			A	3	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

 SE
 - Self edge

 74P
 - 74P edge

Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge

style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.



Bookcase Laminate Tops

Self Edge (SE)	74P Edge (74P)	
\$ 293	\$ 306	
336	352	
492	520	
613	639	

\$	298	\$ 313
	336	353
	492	520
	613	639
	0.0	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Pedestals

General Information

GENERAL INFORMATION

KI 700 Series pedestals are available in sizes and drawer combinations to suit any personal storage requirement. Freestanding and mobile units are designed to fit below most worksurfaces. Hanging and worksurface supporting units are sized to fit under KI Systems furniture. A mounting kit is provided with each unit to allow installation under other compatible workstations.

Preconfigured Units

To simplify the specification process, KI offers preconfigured pedestals in the most popular sizes with the most popular internal components. These units are assembled using standard components.

Height

Four pedestal styles are available. Heights include 1/4" allowance for leveling glides fully recessed.

Worksurface Supporting: 27-7/8" Freestanding: 22-3/8", 25-5/16" Mobile: 24-11/16", 27-5/8" Hanging: 19-3/16", 22-1/8"

Depth

All lateral files and storage cabinets are 18" deep.

Width

Lateral files and storage cabinets are available in three standard widths: 30", 36" and 42".

Drawer Dimensions

Refer to the illustrations for the range of drawer sizes and the height clearance of each.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Twenty-gauge steel body with 20-gauge steel top and box frame front and back uprights. Uprights are notched in 3" intervals for drawer suspension mounting.

Drawers

Drawer fronts, two-piece metal construction, 22-gauge steel outerskin welded to 22-gauge inner liner with full-width flush inset or overlap front of pedestal.

Three-inch pencil drawer, single wall twopiece construction. Body 22-gauge, back 22-gauge. Operates on two section 3/4 extension ball bearing suspension.

Six-inch box drawer, single wall twopiece construction. Body 22-gauge, back 22-gauge. Operates on two-section 3/4 extension ball-bearing suspension.

Twelve-inch file, single wall, two-piece construction. Front liner 20-gauge, body 22-gauge. Mounted on full extension slide arm suspensions.

Adjustable Glides

Freestanding and floor supporting pedestals include four glides, adjustable from outside the cabinet. Standard glides provide 1" adjustment

Counterbalance

Counterbalance weight is included on all mobile units (file/file) that do not use the 5th wheel under the bottom drawer. Counterbalance weight is recommended in all freestanding units.

Caster Kit

Consists of four twin-wheel hooded casters. Front two casters are locking; rear two casters are non-locking. 1-1/4" 5th wheel caster is included for model specific units.

Locks

Locks are standard on all units. Locks are a high-security double-bit design. One KI break-away key and one standard key are included with each lock. Units are standard with random keys in a range of 200 different numbers (994 key numbers are available to order). Specific key combinations are avail-

able at no additional charge. This information must be included with the order.

Locks can be master keyed. Please see the accessories sections of this price book for ordering keys. Available keys are:

- Lock Core/Keys Lock core and 2 keys are used in P-Series lock housings. Indicate in order notes if a specific core number is required.
- Master Key Single key which opens any P-Series lock.
- Extractor Key Single key which extracts any P-Series lock core.
- Blank Key Single uncut P-Series key to be cut as required by locksmith.
- Cut Key 2 keys for a specific P-Series lock core number as indicated in the order notes

All locks have removable and interchangeable plugs. This feature provides for on-site custom keying. Units can be supplied with the lock plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. This key is the extractor (core-removal) key and can be found in the storage accessories portions of this price book. Contact customer service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key numbered locks.

Example: 30 plugs 3 keyed alike 10 keyed alike 17 keyed alike

Commercial Pack

This is the standard pack that KI offers on all files and storage products. This consists of a plastic poly bag placed over the unit, corrugated top and bottom cap, corner blocking and stretch wrap to keep the packaging intact

Standard Paint Finishes

All KI products are iron phosphate treated prior to painting. This process enhances top coat bonding. Powder coat application is a highbred epoxy. The paint is baked on to provide a scratch and stain resistant surface. All inside and outside shell and front surfaces are painted with the same specified paint color. Interior components and accessories are painted a black finish. Mechanical components are black plated.

Special Paint Finishes

All special colors, including other manufacturers' standard finishes, are available subject to the following conditions:

- Two steel color chips (minimum 2.5"x3.5") are requested for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
- All solid, single-pass nonstandard colors are available at no upcharge but may be subject to extended leadtimes. Colors that are deemed to be metallic, hi-

chromatic, textured, or require multiple passes are subject to upcharges. Orders will not be processed until a color match is approved. Written information must accompany the order.

INSTALLATION

Caution Labels

Caution and safety-related information is contained on a peel-off label affixed to the front of the cabinet. This label is to be removed by the customer.

Caution: Information is also permanently affixed to the left side of the top drawer. Both labels contain important installation and loading information

Field Reconfiguration

As needs change, KI lateral files and storage cabinets can readily be field-changed; however, this process should be undertaken by a qualified service technician.

Model Numbering System Each character in the basic model number corresponds to a specific unit feature. How to Build a Model Number Example: 700 Series Pedestals Optional Picks S7P 15 24 FF BL CBW50 700 Series Pedestal S7P Product name 15 Cabinet width 15" wide 24 Cabinet depth (nominal) 24" depth F Pedestal type Freestanding FF Two 12" file drawers Drawer type BL Color code Black CBW50 50# Counterbalance weight Optional Each pedestal type and accessory has a corresponding character: M Mobile Н Hanging/suspended Freestanding W Worksurface supporting 3" pencil drawer В 6" box drawer 12" file drawer



700 Series® Pedestals General Information

Inside Dimensions of Drawers	17 ⁵ /₃"D PEDESTAL			I	215%"D Pedestal			27⁵/₃"D PEDESTAL		
	W	D	Н	W	D	Н	W	D	Н	
3" Pencil	121/8"	16¹/₄"	23/16"	121/8"	19 ⁵ / ₁₆ "	23/16"	121/8"	25 ¹³ / ₁₆ "	23/16"	
6" Box	121/8"	16 ¹ / ₄ "	51/8"	121/8"	195/16"	51/8"	12 ¹ / ₈ "	25 ¹³ / ₁₆ "	51/8"	
12" File	121/8"	15³/₄"	11"	121/8"	18 ¹³ / ₁₆ "	11"	12 ¹ / ₈ "	25 ⁵ / ₁₆ "	11"	

Pedestal Heights and Depths

	Depths	Heights Including Glides	Heights Including Casters	Heights Without Glides/Casters
Freestanding	175/8", 215/8", 275/8"	223/8", 255/16"		
Mobile	175/8", 215/8", 275/8"		$21^{3}/_{4}$ ", $24^{5}/_{8}$ ", $27^{9}/_{16}$ "	
Hanging	$17^5/8$ ", $21^5/8$ ", $27^5/8$ "			$19^3/_{16}$ ", $22^1/_{8}$ ", $25^1/_{16}$ "
Worksurface supporting	175/8", 215/8", 275/8"	277/8"		

700 Series® Curve Pedestals

General Information

GENERAL INFORMATION

KI Curve pedestal files are available in sizes and drawer combinations to suit any personal storage requirement. Freestanding and mobile units are designed to fit below most worksurfaces. Hanging and worksurface supporting units are sized to fit under KI Systems furniture. A mounting kit is provided with each unit to allow installation under other compatible workstations.

Clean stylish looks, flexible aesthetics and durability allow Curve to work in private offices and open-plan environments. With a gentle curved frame and contoured drawer pulls, Curve creates a timeless design element.

Flexible aesthetic and format. Curve allows you to design from the inside out, fitting the media to the appropriate lateral, pedestal, cupboard, bookcase and combination file/locker unit. Heavy-gauge steel construction and welded internal box frame provide structural integrity. Multi-extension suspensions provide smooth drawer operation. Curve enhances security with its many key possibilities.

Preconfigured Units

To simplify the specification process, KI offers preconfigured pedestals in the most popular sizes with the most popular internal components. These units are assembled using standard components.

Height

Four pedestal styles are available. Heights include 1/4" allowance for leveling glides fully recessed.

Depth

Products are available in three standard depths: 17-5/8", 21-5/8" and 27-5/8". Refer to the illustrations for the range height clearance of each.

Width

All products are 15" wide.

Drawer Dimensions

Refer to the illustrations for the range of drawer sizes and the height clearance of each.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Twenty-gauge steel body with 20-gauge steel top and box frame front and back uprights. Uprights are notched in 3" intervals for drawer suspension mounting.

Drawers

Drawer fronts, two-piece metal construction, 22-gauge steel outerskin welded to 22-gauge inner liner with full-width contoured curved steel pull. Radius drawer fronts overlap front of pedestal.

Three-inch pencil drawer, single wall twopiece construction. Body 22-gauge, back 22-gauge. Mounted on full extension slide arm suspensions.

Six-inch box drawer, single wall two-piece construction. Front liner 20-gauge, body 22-gauge. Mounted on full extension slide arm suspensions.

Twelve-inch file, single wall, two-piece construction. Front liner 20-gauge, body 22-gauge. Mounted on full extension slide arm suspensions.

Adjustable Glides

Freestanding and floor supporting pedestals include four glides, adjustable from outside the cabinet. Standard glides provide 1" adjustment

Counterbalance

Counterbalance weight is included on all mobile units (file/file) that do not use the 5th wheel under the bottom drawer. Counterbalance weight is recommended in all freestanding units.

Caster Kit

Consists of four twin-wheel hooded casters. Front two casters are locking; rear two casters are non-locking. 1-1/4" 5th wheel caster is included for model specific units.

Locks

Locks are standard on all units. Locks are a high-security double-bit design. One KI break-away key and one standard key are included with each lock. Units are standard with random keys in a range of 200 different numbers (994 key numbers are available to order). Specific key combinations are available at no additional charge. This information must be included with the order.

Locks can be master keyed. Please see the accessories sections of this price book for ordering keys. Available keys are:

- Lock Core/Keys Lock core and 2 keys are used in P-Series lock housings. Indicate in order notes if a specific core number is required.
- Master Key Single key which opens any P-Series lock.
- Extractor Key Single key which extracts any P-Series lock core.
- Blank Key Single uncut P-Series key to be cut as required by locksmith.
- Cut Key 2 keys for a specific P-Series lock core number as indicated in the order notes.

All locks have removable and interchangeable plugs. This feature provides for on-site custom keying. Units can be supplied with the lock plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. This key is the extractor (core-removal) key and can be found in the storage accessories portions of this price book. Contact customer service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key numbered locks.

Example: 30 plugs 3 keyed alike 10 keyed alike 17 keyed alike

Commercial Pack

This is the standard pack that KI offers on all files and storage products. This consists of a plastic poly bag placed over the unit, corrugated top and bottom cap, corner blocking and stretch wrap to keep the packaging intext.

Standard Paint Finishes

All KI products are iron phosphate treated prior to painting. This process enhances top coat bonding. Powder coat application is a highbred epoxy. The paint is baked on to provide a scratch and stain resistant surface. All inside and outside shell and front surfaces are painted with the same specified paint color. Interior components and accessories are painted a black finish. Mechanical components are black plated.

Special Paint Finishes

All special colors, including other manufacturers' standard finishes, are available subject to the following conditions:

- Two steel color chips (minimum 2.5"x3.5") are requested for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
- 2. All solid, single-pass nonstandard colors are available at no upcharge but may be subject to extended leadtimes. Colors that are deemed to be metallic, hichromatic, textured, or require multiple passes are subject to upcharges. Orders will not be processed until a color match is approved. Written information must accompany the order.

INSTALLATION

Caution Labels

Caution and safety-related information is contained on a peel-off label affixed to the front of the cabinet. This label is to be removed by the customer.

Caution: Information is also permanently affixed to the left side of the top drawer. Both labels contain important installation and loading information

Installation Information

Complete instructions on the proper installation and use of KI files are provided in each file shipped. The instructions refer to correct methods of leveling, ganging and loading. Counterbalance weights should be installed in all single freestanding files.

Field Reconfiguration

As needs change, KI lateral files and storage cabinets can readily be field-changed; however, this process should be undertaken by a qualified service technician.

Model Numbering System Each character in the basic model number corresponds to a specific unit feature. How to Build a Model Number Example: 700 Series Pedestals Optional Picks S7CP 15 24 F FF BL **CBW50** S7CP Product name 700 Series Curve Pedestal 15 Cabinet width 15" wide 24 F Cabinet depth (nominal) 24" depth Pedestal type Freestanding FF Two 12" file drawers Drawer type RI Color code **Black** CBW50 50# Counterbalance weight Optional Each pedestal type and accessory has a corresponding character: Hanging/suspended Freestanding W P Worksurface supporting 3" pencil drawer B F 6" box drawer 12" file drawer



700 Series® Curve Pedestals

Inside Dimensions of Drawers	17⁵/₅"D PEDESTAL			21 ⁵ /s"D PEDESTAL			27⁵/₅"D PEDESTAL			
	W	D	Н	W	D	Н	W	D	Н	
3" Pencil	121/8"	16¹/₄"	23/16"	121/8"	195/16"	23/16"	121/8"	25 ¹³ / ₁₆ "	23/16"	
6" Box	121/8"	16¹/₄"	51/8"	121/8"	195/16"	5 ¹ / ₈ "	121/8"	25 ¹³ / ₁₆ "	51/8"	
12" File	12 ¹ / ₈ "	15³/ ₄ "	11"	12 ¹ / ₈ "	18 ¹³ / ₁₆ "	11"	12 ¹ / ₈ "	25 ⁵ /16"	11"	

Pedestal Heights and Depths

		Heiahts	Heiahts	Heights Without
	Depths	Including Glides	Including Casters	Glides/Casters
Freestanding	175/8", 215/8", 275/8"	223/8", 255/16"		
Mobile	17 ⁵ /8", 21 ⁵ /8", 27 ⁵ /8"		$21^{3}/_{4}$ ", $24^{11}/_{16}$ ", $27^{5}/_{8}$ "	
Hanging	$17^5/8$ ", $21^5/8$ ", $27^5/8$ "			$19^3/_{16}$ ", $22^1/_8$ ", $25^1/_{16}$ "
Worksurface supporting	215/8", 275/8",	24 ¹³ / ₁₆ ", 27 ⁷ / ₈ "		

				MODEL NUMBE	R			
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option
	Pedestal - BFTP	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBFTP				
	Top surface of pedestal has black, four compartment pencil tray and black recessed pull							
0	 6" box drawer with partition 12" file drawer with partition 5th wheel in lieu of counterbalance 							
S7PDU	weightCounterbalance weight not required							
	Only use 21-5/8" D peds with 30" D desks							
	Pedestal - BF	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBF				
	 One 6" box drawer, one 12" file drawer with hanging folder partition 	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBF				
	5th wheel in lieu of counterbalance	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBF				
	weight in mobile units							
	 Counterbalance weight recommended in freestanding units 							
S7PDU	 Only use 21-5/8" D peds with 30" D 							
ורטט	desks							
	Pedestal - BBB	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBBB				
	Three 6" box drawersCounterbalance weight required in	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBBB				
	mobile units	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBBB				
	 Counterbalance weight recommended in freestanding units 							
A B	Only use 21-5/8" D peds with 30" D							
S7PDU	desks							
	Pedestal - PBF	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBF				
	 One 3" pencil drawer; one 6" box drawer; one 12" file drawer with hanging folder 	Mobile	15 x 17-5/8 x 24-11/16"	S7P/1520MPBF				
	partition	Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBF				
	Mobile units include 5th wheel in lieu of	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBF				
	counterbalance weightCounterbalance is recommended in	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBF				
	freestanding pedestals	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBF				
S7PDU	 Only use 21-5/8" D peds with 30" D desks 							
0/1 00	uvono							
				•	3	0	O	3

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

NLC

A Select basic model.

BSelect pull option.

ALBT - Aluminum bow tie
ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) NKBT - Nickel bow tie - Retro nickel RETN

Select unit and drawer color. Refer to the Product Color Options page in

this price list. OSelect counterbalance weight.

- With Counterbalance NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

- Key alike - Key standard

INFORMATION

- No lock core

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Figures provided are approximate and reflect packaged product without additional accessories.



95.0#

948

Pedestals - Mobile and Freestanding

Counterbalance Weight

N/A

N/A

N/A

 Approx.
 Weight

 Packaged Weight
 Delivered Pricing
 add to list price

 79.0#
 \$ 859
 N/A

79.0# \$ 748 90.0# 859 93.0# 859

83.0# \$ 859 N/A 92.0# 833 N/A 95.0# 833 N/A

785 179 53.0# \$ N/A 89.0# 937 153 55.0# 828 90.0# 892 N/A 75.0# 882 88

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N

N/A

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series®

				MODEL NUMBER	R				
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	
	Pedestal - FF	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FFF	0000				
	Two 12" file drawers with hanging folder	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MFF					
	partitions • Counterbalance weight: included in mo-	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FFF					
	bile unit; recommended in freestanding	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MFF					
	pedestals	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FFF					
	 Only use 21-5/8" D peds with 30" D desks 	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MFF					
	uesks								
S7PDU									
$\overline{}$	Pedestal - BBF	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBF					
	 Two 6" box drawers; one 12" file drawer with hanging folder partition 	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBF					
	5th wheel in lieu of counterbalance	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FBBF					
	weight in mobile units	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBF					
	Counterbalance weight recommended in	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBF					
	freestanding units • Only use 21-5/8" D peds with 30" D	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBF					
	desks								
S7PDU									
^	Pedestal - BBBB	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBBB					
	 Four 6" box drawers Counterbalance weight: included in mo- 	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBBB					
	bile unit; recommended in freestanding	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FBBBB					
	pedestals	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBBB					
	 Only use 21-5/8" D peds with 30" D desks 	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBBB					
	uesks	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBBB					
O5									
S7PDU									
	Pedestal - PBBB • One 3" pencil drawer; three 6" box draw-	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBBB					
	One 3" pencil drawer; three 6" box drawers	Mobile	15 x 17-5/8 x 24-11/16"	S7P/1520MPBBB					
	· Counterbalance weight: included in mo-	Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBBB					
	bile unit; recommended in freestanding	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBBB					
	pedestals • Only use 21-5/8" D peds with 30" D	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBBB					
Œ	desks	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBBB					
S7PDU									Í
				A	3	Θ	0	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

Select unit and drawer color.

Refer to the **Product Color Options** page in this price list.

Select counterbalance weight.

CBW - With Counterbalance

NOCBW - No Counterbalance
See pricing column for counterbalance
weight upcharge.

Select key option.

KA - Key alike KS - Key standard

NLC - No lock core

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

Approx. Packaged	Del	ivered	t V	Counte palance Weight add to	9
Weight		ing		orice	170
55.0#	\$	717		\$	179
93.0#		796			N/A
55.0#		754			153
90.0#		826			N/A
75.0#		803			88
95.0#		870			N/A
F7 2 "		75.4		_	170
57.0#	\$	754		\$	179
93.0#		866			N/A
60.0#		796			153
95.0#		913			N/A
80.0#		898			88
100.0#		950			N/A
59.0#	\$	812		\$	179
95.0#		991			N/A
66.0#		859			153
105.0#		961			N/A
78.0#		937			88
96.0#		991			N/A
62.0#	\$	870		\$	179
91.0#		1045			N/A
62.0#		919			153
102.0#		1022			N/A
73.0#		937			88
91.0#		991			N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Curve

	Features	W x D x H	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
<u> </u>	Mobile	15 x 17-5/8 x 21-3/4"	S7CP1520MBF						79.0#
	Mobile	15 x 21-5/8 x 21-3/4"	S7CP1524MBF						90.0#
	Mobile	15 x 27-5/8 x 21-3/4"	S7CP1530MBF						93.0#
S7CP									
Pedestal - BF									
One 6" box drawer									
One 12" file drawer with hanging									
folder partition									
Mobile units include 5th wheel in lieu									
of counterbalance weight • Counterbalance weight is recom-									
mended in freestanding pedestals									
	_								
	Mobile	15 x 17-5/8 x 24-11/16"	S7CP1520MPBF						89.0#
	Freestanding	15 x 21-5/8 x 22-3/8"	S7CP1524FPBF						55.0#
	Mobile	15 x 21-5/8 x 24-11/16"	S7CP1524MPBF						90.0#
	Freestanding	15 x 27-5/8 x 22-3/8"	S7CP1530FPBF						75.0#
	Mobile	15 x 27-5/8 x 24-11/16"	S7CP1530MPBF						95.0#
S7CP									
Pedestal - PBF									
One 3" pencil drawer									
One 6" box drawer									
 One 12" file drawer with hanging folder partition 									
Mobile units include 5th wheel in lieu									
of counterbalance weight									
Counterbalance weight is recom-									
mended in freestanding pedestals									
			A	•	Θ	· · · · · · · · · · · · · · · · · · ·	3	•	
			•	_	•	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect flat or dimpled front.

D - Dimpled F - Flat

See upcharge column for D option.

- Select unit and drawer color.
 Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the **Product Color Options** page in this price list.
- Select key option.

 KA Key alike

KS - Key standard NLC - No lock core

Hei

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

INFORMATION

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

<u> </u>			_
Delivered Pricing	Dimplec Front add to l price	Weigh	er- e t list
\$ 836	\$	15	N/A
958		17	N/A
958		17	N/
\$ 1051	\$	18	N/
926	·	17	15
1000		18	N/
989		18	88
1062		18	N/

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Curve

			MODEL NUMBE	R					
	Features	W x D x H	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	Mobile	15 x 17-5/8 x 27-5/8"	S7CP1520MFF						93.0#
	Freestanding	15 x 21-5/8 x 25-5/16"	S7CP1524FFF						55.0#
	Mobile	15 x 21-5/8 x 27-5/8"	S7CP1524MFF						90.0#
	Freestanding	15 x 27-5/8 x 25-5/16"	S7CP1530FFF						75.0#
	Mobile	15 x 27-5/8 x 27-5/8"	S7CP1530MFF						95.0#
S7CP									
Pedestal - FF									
Two 12" file drawers with hanging									
folder partitions									
 Counterbalance weight included in mobile unit 									
Counterbalance is recommended in									
freestanding pedestals									
	Mobile	15 x 17-5/8 x 27-5/8"	S7CP1520MBBF						93.0#
	Freestanding	15 x 21-5/8 x 25-5/16"	S7CP1524FBBF						60.0#
•	Mobile	15 x 21-5/8 x 27-5/8"	S7CP1524MBBF						95.0#
	Freestanding	15 x 27-5/8 x 25-5/16"	S7CP1530FBBF						80.0#
	Mobile	15 x 27-5/8 x 27-5/8"	S7CP1530MBBF						100.0#
<u> </u>									
S7CP									
Pedestal - BBF									
Two 6" box drawers									
One 12" file drawer with hanging									
partitionCounterbalance is recommended in									
freestanding pedestals									
5th wheel in lieu of counterbalance									
weight on mobile pedestal									
			A	•	Θ	O	(3	•	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select flat or dimpled front.

D - Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color.
 Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the **Product Color Options** page in this price list.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- Select key option.

 KA Key alike

KS - Key standard NLC - No lock core

INFORMATION

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Delivered Pricing	Dimpled Front add to list price	Counter- balance Weight add to list price
\$ 889	\$ 15	N/A
842	15	153
924	17	N/A
896	17	88
976	17	N/A

\$ 969	\$ 17	N/A
889	15	153
1021	18	N/A
1006	18	88
1063	18	N/A

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Pedestals - Hanging

								I
				MODEL NUMBE	R			
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight
_	Pedestal - BF	Hanging	15 x 17-5/8 x 19-3/16"	S7P/1520HBF				62.0#
	One 6" box drawer	Hanging	15 x 21-5/8 x 19-3/16"	S7P/1524HBF				80.0#
	 One 12" file drawer with hanging folder partition 	Hanging	15 x 27-5/8 x 19-3/16"	S7P/1530HBF				93.0#
	partition							
_								
S7PDU								
	Pedestal - BBB	Hanging	15 x 17-5/8 x 19-3/16"	S7P/1520HBBB				45.0#
	 Three 6" box drawers 	Hanging	15 x 21-5/8 x 19-3/16"	S7P/1524HBBB				50.0#
		Hanging	15 x 27-5/8 x 19-3/16"	S7P/1530HBBB				61.0#
S7PDU								
	Pedestal - PBF	Hanging	15 x 17-5/8 x 22-1/8"	S7P/1520HPBF				62.0#
	One 3" pencil drawer	Hanging	15 x 21-5/8 x 22-1/8"	S7P/1524HPBF				80.0#
	 One 6" box drawer One 12" file drawer with hanging folder 	Hanging	15 x 27-5/8 x 22-1/8"	S7P/1530HPBF				95.0#
	partition							
	·							
S7PDU								
	Pedestal - PBBB	Hanging	15 x 17-5/8 x 22-1/8"	S7P/1520HPBBB				53.0#
	One 3" pencil drawer	Hanging	15 x 21-5/8 x 22-1/8"	S7P/1524HPBBB				59.0#
	Three 6" box drawers	Hanging	15 x 27-5/8 x 22-1/8"	S7P/1530HPBBB				71.0#
S7PDU								
					•	Θ	0	-
					\mathbf{o}	J	ש	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. **B**Select pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel CLSC - Classic (inset pull) - Nickel bow tie NKBT - Retro nickel Select unit and drawer color. Refer to the Product Color Options page in this price list. • Select key option. KA - Key alike KS - Key standard NLC - No lock core

INFORMATION

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Pedestals - Hanging 700 Series®

Delivered	
Pricing	
\$ 659	
685	
779	
\$ 672	
678	
772	
112	
\$ 775	
811	
812	
\$ 888	
896	
919	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/0

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Pedestals - Hanging 700 Series® Curve

				MODEL NUMBI	R			
				Basic		Unit	Pull	Kev
	MODEL	Features	WxDxH	Model	Dimpled	Color	Color	Option
~	Pedestal - BBB	Hanging	15 x 17-5/8 x 19-3/16"	S7CP1520HBBB				
	Three 6" box drawers	Hanging	15 x 21-5/8 x 19-3/16"	S7CP1524HBBB				
		Hanging	15 x 27-5/8 x 19-3/16"	S7CP1530HBBB				
S7CP								
	Pedestal - BF	Hanging	15 x 17-5/8 x 19-3/16"	S7CP1520HBF				
	 One 6" box drawer One 12" file drawer with hanging folder 	Hanging	15 x 21-5/8 x 19-3/16"	S7CP1524HBF				
	partition	Hanging	15 x 27-5/8 x 19-3/16"	S7CP1530HBF				
	F							
37CP								
~	Pedestal - PBF	Hanging	15 x 17-5/8 x 22-1/8"	S7CP1520HPBF				
S7CP	One 3" pencil drawerOne 6" box drawer	Hanging	15 x 21-5/8 x 22-1/8"	S7CP1524HPBF				
	One 12" file drawer with hanging folder	Hanging	15 x 27-5/8 x 22-1/8"	S7CP1530HPBF				
	partition							
S7CP								
				A	•	Θ	o	ⅎ
				-	-	_	-	-

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

	-	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Figures provided are approximate and reflect packaged product without additional accessories.



Pedestals - Hanging

			Dimple	d
Approx.			Front	
Approx. Packaged Weight	Del	vered ing	add to	ıst
	Pric	ing	price	
45.0#	\$	749	\$	12
50.0#		760		12
61.0#		865		15
62.0#	\$	744	\$	12
80.0#		768		12
93.0#		876		15
62.0#	\$	869	\$	15
80.0#		910		17
93.0#		912		17

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N,

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series®

				MODEL NUMBER	R			
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight
	Pedestal - FF	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WFF				59.0#
	 Two 12" file drawers with hanging folder partitions 	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WFF				82.0#
	Includes four leveling glides	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WFF				95.0#
	33							
S7PDU								
	Pedestal - BBF	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WBBF				61.0#
	 Two 6" box drawers One 12" file drawer with hanging folder partition 	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WBBF				80.0#
		Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBF				93.0#
	 Includes four leveling glides 							
S7PDU								
	Pedestal - BBBB • Four 6" box drawers	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WBBBB				70.0#
	Includes four leveling glides	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WBBBB				70.0#
		Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBBB				81.0#
070011								
S7PDU								
				A	3	Θ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. **B**Select pull option. ALBT - Aluminum bow tie ALMT - Aluminum metric ARCN - Arc nickel - Classic (inset pull) - Nickel bow tie NKBT - Retro nickel Select unit and drawer color. Refer to the **Product Color Options** page in this price list. OSelect key option. KA - Key alike KS - Key standard NLC - No lock core

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



[elivered
	ricing
\$	678
	794
	825
	020
•	751
4	
	867
	915
\$	
	878
	962

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N,

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

				MODEL NUMBE	R				
	MODEL	Features	WxDxH	Basic Model	Dimpled	Unit Color	Pull Color	Key Option	
	Pedestal - FF	Supporting	15 x 17-5/8 x 27-7/8"	S7CP1520WFF					
	 Two 12" file drawers with hanging folder partitions 	Supporting	15 x 21-5/8 x 27-7/8"	S7CP1524WFF					
	Includes four leveling glides	Supporting	15 x 27-5/8 x 27-7/8"	S7CP1530WFF					
S7CP									
	Pedestal - BBF	Supporting	15 x 17-5/8 x 27-7/8"	S7CP1520WBBF					
S7CP	Two 6" box drawers One 10" file drawer with handing folder	Supporting	15 x 21-5/8 x 27-7/8"	S7CP1524WBBF					
	 One 12" file drawer with hanging folder partition 	Supporting	15 x 27-5/8 x 27-7/8"	S7CP1530WBBF					
	 Includes four leveling glides 								
S7CP									
				Δ	3	Θ	0	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect flat or dimpled front.

- Dimpled

See upcharge column for D option.

- Select unit and drawer color. Refer to the **Product Color Options** page in this price list.
- Select drawer pull color. Refer to the Product Color Options page in this price list.

Select key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

INFORMATION

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Approx. Packaged Weight	De Pri	livered icing	Dimple Front add to l price	
59.0#	\$	760	\$	12
82.0#		888		15
95.0#		922		17
61.0#	\$	841	\$	15
80.0#		972		17
93.0#		1023		18

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

				MODEL NUMBER	
	MODEL	Features	W x D x H	Basic Model	Approx. Packaged Weight
	Counterbalance Weight • For mobile and freestanding units	For 30"D Units	12-1/2 x 1/2 x 12-3/4"	S7P/CBW20	20.0#
	Included in mobile pedestals; recom-	For 24"D Units	12-1/2 x 1-1/4 x 16-3/4"	S7P/CBW40	40.0#
	mended in freestanding units				
DD 4 OH	Factory installed, if specified				
PDACU	Counterbalance Weight	For 20"D Units	7-1/2 x 3/4 x 16"	S7P/CBW36	36.0#
	Two required for 20" deep units	FOR 20 D Units	7-1/2 X 3/4 X 10	5/P/CBW30	30.0#
	Sold in pairs				
PDACU					
	P-Series Keys	Lock Core/2 Key Set		2.KP20522	0.4#
HRDPT	Double bit designRange of 200 different core/key numbers	Master Key		2.KP20550	0.2#
	Range of 200 different core/key numbers available	Extractor Key		2.KP20551	0.2#
	 Must specify lock number(s) requested 	Blank Key		2.KP20552	0.2#
	when ordering cut key or lock core/key sets	Cut Key		2.KP20557	0.2#
€0 _1	Caster Kit Converts freestanding pedestals to		2-9/16"	S7P/CK	13.0#
\$ \$\dd{\pi}\$	mobile units				
_	Adds 2-5/16" to pedestal height				
PDACU	 Must use with counterbalance weight (see above) 				
	(See above)				
				A	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Deliv	ivered cing	
	cing	
\$	88	
	153	
\$	179	
\$	12	
	9	
	9	
	3	
	4	
\$	73	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N,

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUMBER		
	MODEL	WxDxH	Basic Model	Approx. Packaged Weight	
T 7 T	Glide Kit Adds 1/4 to 1 inch to pedestal height 4 per kit		S7P/GK	1.0#	
PDACU	4 per kit				
	Pencil Tray • For 3" pencil and 6" box drawers	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#	
	Black finish onlyPriced individually				
PDACU					
	6" Partition • For 6" box drawers • Black finish only • Priced individually	12-1/8 x 4-5/8"	S7P/D6	1.0#	
PDACU					
	Hanging Folder Partition • For 12" file drawers	12-1/8 x 9-5/8"	S7P/D12	1.0#	
	Black finish onlyPriced individually				
DD 4 OU					
PDACU					
			A		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delive	ored
Duinin	700
Pricin	
\$	9
-	
\$	8
Ψ	
\$	5
\$	8

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select trim color.
 Refer to the **Product Color Options** page in this price list.
- Select upholstery color. Refer to **ki.com/fabrics**



Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 162	\$ 185	\$ 194	\$ 205	\$ 216	\$ 228	\$ 254	\$ 260
176	193	208	215	226	238	266	272

SPECIAL SERVICES

Special Carton Marking

With specially marked information

iou illiorilluuoli

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

Pedestal Laminate Tops

		MODEL NUMBER					
	MODEL	Features	W x D x H	Basic Model	Edge Style	Surface Finish	Edge Color
	Laminate Tops	Fits one 20" deep pedestal	15 x 17-3/4 x 1-1/4"	S7P/1715T			
	 High pressure laminate with particle- board core 	Fits one 24" deep pedestal	15 x 21-3/4 x 1-1/4"	S7P/2115T			
	 Self edge or polypropylene edge avail- 	Fits one 30" deep pedestal	15 x 27-3/4 x 1-1/4"	S7P/2715T			
S7TP	able						
	Other sizes available upon request						
	Laminate tops not suitable for 700 Series® Radius Pedestals						
	ocines madius i cuestais						
				(A)	3	0	O

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

SE - Self edge

74P - 74P edge

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.



Pedestal Laminate Tops

•		
Approx.		
Packaged Weight	Self Edge	74P Edge
Weight	(SE)	(74P)
8.0#	\$ 148	\$ 150
11.0#	164	174
14.0#	191	199

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Vertical Files

General Information

GENERAL INFORMATION

KI vertical files are designed on a 11" module. To assure KI files are compatible with panel systems, desks or custom architectural details, cabinets are available in 4 different heights.

Heigh

Vertical files are available in 4 standard heights. Heights include 1/8" allowance for leveling glides fully recessed.

Depth

All products are 275/8" deep.

Width

Cabinets are available in two standard widths: 15" and 18".

Drawer Dimensions

Refer to the illustrations for the range of drawer sizes and the height clearance of each.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Uprights and top and bottom reinforcements are welded into rigid "boxframe." Constructed of 18- and 20-gauge steel. Seamless back and top with reinforced corners. 5-drawer cabinets also feature a welded tie bar midway in the shell.

Illustrated shell heights include 1/8" for adjustable glide in recessed position.

Doors/Drawers

Drawer fronts, 20-gauge steel double wall with full-width flush inset pull and label holder. Fronts are screw-mounted to shelves to build drawers. Shelf body, 20-gauge steel. Each rollout shelf equipped with two heavy-duty, three-section, ball-bearing suspensions. Components have been tested to accept loads of 75 lbs.

NOTE: Must SPECIFY eitherCF or FB for each unit.

Adjustable Glides

Cabinets are supplied with two adjustable glides. The glides can be adjusted from inside the cabinet using a 1/4" hex socket wrench, or from outside the cabinet using a 7/5"wrench. Standard glides provide 3/4"adjustment; longer glides are also available. Overall cabinet heights include the glide in its recessed position.

Locks

Locks are standard on all units. The lock is a high-security double-bit type. The double-bit lock offers superior security when compared to a single-bit lock. Units are standard with random keys in a range of 994 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order. Locks can be master keyed. Please see the accessories section of this price book for order information on master keys, extractor (core-removal) keys, key blanks, cut keys, and core and key sets.

All locks have removable and interchangeable plugs. This feature provides for onsite custom keying. Units can be supplied with the lock plugs installed or shipped separately. To install or remove lock plugs a unique key is required. This key is the extractor (core removal) key and can be found in the accessories section of this price book. Contact Customer Service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key-numbered locks.

Example: 30 plugs:

3 keyed alike 10 keyed alike 17 keyed alike

Commercial Pack

This is the standard pack that KI offers on all files and storage products. This consists of a plastic poly bag placed over the unit,

corrugated top and bottom cap, corner blocking and stretch wrap to keep the packaging intact.

Standard Paint Finishes

All KI products are iron phosphate treated prior to painting. This process enhances top coat bonding.

Powder coat application is a highbred epoxy. The paint is baked on to provide a scratch and stain resistant surface.

All inside and outside shell and front surfaces are painted with the same specified paint color. Interior components and accessories are painted a black finish. Mechanical components are black plated.

Powder coated/enamel finish colors shown in Product Color page are standard and are available where specifications call for painted surfaces.

Special Paint Finishes

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions.

- Two steel color chips (minimum 2.5" x 3.5") are requested for color matching purposes. Paper samples are acceptable, however, a reasonable tolerance must be allowed when comparing the two variations.
- All nonstandard colors are available at no additional charge (excluding hi-chromatic colors), but may be subject to extended lead times. Order will not be processed until color match is approved. Written confirmation must accompany order.

Model Numbering System Each character in the basic model number corresponds to a specific unit feature. How to Build a Model Number **Example:** 700 Series Vertical Files Optional Picks S7V CF 15 30 CBW50 30 BL S7V 700 Series Vertical File Product name 15 Width 15" wide, letter size 30 Depth (nominal) 30" depth 3D Number of drawers 3 drawers Compressor follower (as opposed to folder bars) CF Equipped with BL Color code Black Each internal component has a corresponding character: 11" file drawer ČF Compressor follower FB Folder bar

700 Series® Vertical Files



700 Series® Letter Size Documents

				MODEL NUMB	ER		
							Amman
				Basic	Unit	Key	Approx. Packaged
	MODEL	Accessories Included	WxD	Model	Color	Option	Weight
	25-3/4" File, 2 High	Compressor	15 x 27-5/8"	S7V/15302DCF			110.0#
	 Two 11" drawers with either folder bars or compressor follower in each drawer 	Folder bars	15 x 27-5/8"	S7V/15302DFB			110.0#
	or compressor follower in each drawer						
S7VTU							
	36-7/8" File, 3 HighThree 11" drawers with either folder bars	Compressor	15 x 27-5/8"	S7V/15303DCF			150.0#
	or compressor follower in each drawer	Folder bars	15 x 27-5/8"	S7V/15303DFB			150.0#
	, , , , , , , , , , , , , , , , , , , ,						
071/1711							
S7VTU	400 Ett. 4 Hint	0	4507.5/01	07)//45004D05			400.0#
	48" File, 4 High • Four 11" drawers with either folder bars	Compressor Folder bars	15 x 27-5/8"	S7V/15304DCF S7V/15304DFB			190.0#
	or compressor follower in each drawer	Folder bars	15 x 27-5/8"	57 V/15304DFB			190.0#
S7VTU							
50	59-1/8" File, 5 High	Compressor	15 x 27-5/8"	S7V/15305DCF			230.0#
	 Five 11" drawers with either folder bars 	Folder bars	15 x 27-5/8"	S7V/15305DFB			230.0#
	or compressor follower in each drawer						
S7VTU							
				A	B	Θ	
				•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit and drawer color.

 Refer to the **Product Color Options** page in this price list.
- Select key option

OCICUL KC	y option.	
KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



700 Series® Letter Size Documents

Delivered Pricing \$ 816 816 816 \$ 1042 1042
Pricing \$ 816 816 \$ 1042
Pricing \$ 816 816 \$ 1042
Pricing \$ 816 816 816
\$ 816 816 \$ 1042
\$ 1042
\$ 1042
1042
A 107
\$ 1345 4045
1345
0. 1612
\$ 1613 1612
\$ 1613 1613

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

700 Series® Legal Size Documents

				MODEL NUMB	ER		
	MODEL	Accessories Included	W x D	Basic Model	Unit Color	Key Option	Approx. Packaged Weight
$\overline{}$	25-3/4" File, 2 High	Compressor	18 x 27-5/8"	S7V/18302DCF			115.0#
	 Two 11" drawers with either folder bars or compressor follower in each drawer 	Folder bars	18 x 27-5/8"	S7V/18302DFB			115.0#
	or compressor ronower in each drawer						
S7VTU							
	36-7/8" File, 3 High	Compressor	18 x 27-5/8"	S7V/18303DCF			160.0#
	Three 11" drawers with either folder bars	Folder bars	18 x 27-5/8"	S7V/18303DFB			160.0#
	or compressor follower in each drawer						
S7VTU							
	48" File, 4 High • Four 11" drawers with either folder bars	Compressor	18 x 27-5/8"	S7V/18304DCF			210.0#
	or compressor follower in each drawer	Folder bars	18 x 27-5/8"	S7V/18304DFB			210.0#
S7VTU							
	59-1/8" File, 5 High	Compressor	18 x 27-5/8"	S7V/18305DCF			245.0#
	 Five 11" drawers with either folder bars or compressor follower in each drawer 	Folder bars	18 x 27-5/8"	S7V/18305DFB			245.0#
	or compressor tollower in each drawer						
S7VTU							
3/VIU						_	
				A	3	Θ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select unit and drawer color.

 Refer to the **Product Color Options** page in this price list.
- Select key option

OCIUCI KU	y option.	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



700 Series® Legal Size Documents

Delivered
Pricing
\$ 816
816
\$ 1042
1042
\$ 1345
1345
\$ 1613
1613

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Vertical File Accessories

				MODEL NUMBER Basic	Approx. Packaged	
	MODEL	Features	W x D	Model	Weight	
	Compressor Includes parts required for one 18" wide drawer Black finish only	Fits any letter size drawer	15 x 1 x 7"	S7V/15CF	5.0#	
		Fits any legal size drawer	18 x 1 x 7"	S7V/18CF	5.0#	
VTACU						
	Folder Bars • Fits any legal or letter size drawer • Priced per set • Black finish only		1 x 26 x 9"	S7V/1518FB	5.0#	
VTACU	•					



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Vertical File Accessories

Delive Pricin	ered ng	
\$	31	
	31	
\$	31	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N,

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

Model No.	Description	Page	Model No.	Description	Page
2.KP20522	P-Series Keys	100	PDCU/17	Cushioned Seat for Mobile Pedestal	204
7CFB30495/2D270	OB		S7B/3012BS	Blank Shelf	176
	700 Series® Curve Bookcase/Lateral File: 53-1/32" Bookcase/Lateral	48	S7B/3012T	Laminate Top for 12" Deep Bookcases	178
7CFB30615/2D360	OB .		S7B/3015T	Laminate Top for 15" Deep Bookcases	178
	700 Series® Curve Bookcase/Lateral File: 65-9/32" Bookcase/Lateral	50	S7B/3025512	700 Series® 12" Deep: 28-17/32" High	162
7CFB30615/2D390	OB .		S7B/3025515	700 Series® 15" Deep: 28-17/32" High	168
	700 Series® Curve Bookcase/Lateral File: 65-9/32" Bookcase/Lateral	48	S7B/3039012	700 Series® 12" Deep: 42-5/16" High	162
7CFB30615/3D330	OB		S7B/3039015	700 Series® 15" Deep: 42-5/16" High	168
	700 Series® Curve Bookcase/Lateral File: 65-9/32" Bookcase/Lateral	50	S7B/3051012	700 Series® 12" Deep: 54-9/16" High	162
7CFL3061518/2D3	360B/6FLI		S7B/3051015	700 Series® 15" Deep: 54-9/16" High	168
. 0. 2000 . 0 . 0, 220	700 Series® Curve Cupboard/Bookcase/Markerboard: 30" Wide		S7B/3052515	700 Series® 15" Deep: 56-5/32" High	170
	- 24" File, 6" Wide Locker, 18" Deep	62	S7B/3063012	700 Series® 12" Deep: 66-13/16" High	162
7CFL3061518/3D2	•	02	S7B/3063015		170
7 GFL300 13 10/3D2				700 Series® 15" Deep: 66-13/16" High	
	700 Series® Curve Cupboard/Bookcase/Markerboard: 30" Wide	00	S7B/BES12	Book End Support	176
	- 24" File, 6" Wide Locker, 18" Deep	66	S7CB3025512	700 Series® Curve 12" Deep: 28-17/32" High	164
7CFL3061518/3D3			S7CB3025515	700 Series® Curve 15" Deep: 28-17/32" High	172
	700 Series® Curve Cupboard/Bookcase/Markerboard: 30" Wide		S7CB3039012	700 Series® Curve 12" Deep: 42-5/16" High	164
	- 24" File, 6" Wide Locker, 18" Deep	64	S7CB3039015	700 Series® Curve 15" Deep: 42-5/16" High	172
7CFL3061518/3D3	330B/6FLL		S7CB3051012	700 Series® Curve 12" Deep: 54-9/16" High	164
	700 Series® Curve Cupboard/Bookcase/Markerboard: 30" Wide		S7CB3051015	700 Series® Curve 15" Deep: 54-9/16" High	172
	- 24" File, 6" Wide Locker, 18" Deep	68	S7CB3063012	700 Series® Curve 12" Deep: 66-13/16" High	166
7CFL3061524/2D3	360B/6FLL		S7CB3063015	700 Series® Curve 15" Deep: 66-13/16" High	174
	700 Series® Curve Cupboard/Bookcase/Markerboard: 30" Wide		S7CL302102D	700 Series® Curve Drawer Units: 23-15/16" File, 2 High	18
	- 24" File, 6" Wide Locker, 24" Deep	70	S7CL302402D	700 Series® Curve Drawer Units: 27" File, 2 High	18
7CFL3061524/3D2	•	70		700 Series® Curve Multimedia Storage Cabinets: 26-7/8"	10
7 OI LOOO 1024/0D2	700 Series® Curve Cupboard/Bookcase/Markerboard: 30" Wide		37 0L302400 VIID	OverCupboard Storage Cabinet	90
	•	74	C701 000000D		
7051 0004504/000	- 24" File, 6" Wide Locker, 24" Deep	74	S7CL303603D	700 Series® Curve Drawer Units: 39-1/4" File, 3 High	18
7CFL3061524/3D3			S7CL304804D	700 Series® Curve Drawer Units: 51-1/2" File, 4 High	18
	700 Series® Curve Cupboard/Bookcase/Markerboard: 30" Wide		S7CL305104D	700 Series® Curve Drawer Units: 54-9/16" File, 4 High	20
	- 24" File, 6" Wide Locker, 24" Deep	72	S7CL305255D	700 Series® Curve Drawer Units: 56-3/32" File, 5 High	20
7CFL3061524/3D3	330B/6FLL		S7CL305555D	700 Series® Curve Drawer Units: 59-5/32" File, 5 High	20
	700 Series® Curve Cupboard/Bookcase/Markerboard: 30" Wide		S7CL306152D36C	700 Series® Curve Cupboard/Lateral: 65-9/32" Cupboard/Lateral File	36
	- 24" File, 6" Wide Locker, 24" Deep	76	S7CL306155D	700 Series® Curve Drawer Units: 65-9/32" File, 5 High	20
7FB/30495/2D270	В		S7CL306155M	700 Series® Curve Cupboard/Lateral: 65-9/32" Cupboard/Lateral File	38
	700 Series® Bookcase/File: 53-1/32" Bookcase/File	44	S7CL306305D	700 Series® Curve Drawer Units: 66-13/16" File, 5 High	22
7FB/30615/2D360	В		S7CL306755M	700 Series® Curve Cupboard/Lateral: 71-13/32" Cupboard/Lateral File	
	700 Series® Bookcase/File: 65-9/32" Bookcase/File	44	S7CL306756D	700 Series® Curve Drawer Units: 71-13/32" File, 6 High	22
7FB/30615/2D390		• • •	S7CL307356M	700 Series® Curve Cupboard/Lateral: 77-13/32" Cupboard/Lateral File	
71 0/00010/20000	700 Series® Bookcase/File: 65-9/32" Bookcase/File	44	S7CL36525HD	700 Series® Curve Multimedia Storage Cabinets: 56-3/32"	, 42
7FD/2064 <i>E</i> /2D220		44	370130323110	· ·	90
7FB/30615/3D330		4.4	0700450011000	Multimedia Storage Cabinet	
	700 Series® Bookcase/File: 65-9/32" Bookcase/File	44	S7CP1520HBBB	700 Series® Curve: Pedestal - BBB	194
7FB/30615/4D225			S7CP1520HBF	700 Series® Curve: Pedestal - BF	194
	700 Series® Bookcase/File: 65-9/32" Bookcase/File	46	S7CP1520HPBF	700 Series® Curve: Pedestal - PBF	194
7FL/3061518/2D3	60B/6FLL		S7CP1520MBBF	700 Series® Curve: Pedestal - BBF	190
	700 Series® Cupboard/Bookcase/Markerboard: 30" Wide - 24"		S7CP1520MBF	700 Series® Curve: Pedestal - BF	188
	File, 6" Wide Locker, 18" Deep	54	S7CP1520MFF	700 Series® Curve: Pedestal - FF	190
7FL/3061518/3D2	85B/6FLL		S7CP1520MPBF	700 Series® Curve: Pedestal - PBF	188
	700 Series® Cupboard/Bookcase/Markerboard: 30" Wide - 24"		S7CP1520WBBF	700 Series® Curve: Pedestal - BBF	198
	File, 6" Wide Locker, 18" Deep	56	S7CP1520WFF	700 Series® Curve: Pedestal - FF	198
7FL/3061518/3D3	00B/6FLL		S7L/18615HWL	700 Series® Wardrobe Cabinets: 65-9/32" Wardrobe Multime-	
	700 Series® Cupboard/Bookcase/Markerboard: 30" Wide - 24"			dia Storage Cabinet	52
	File, 6" Wide Locker, 18" Deep	54	S7L/30015F	Accessories: 1-1/2" Tie Bar	152
751 /2004 54 0 /202		34		700 Series® Drawers: 3" High Drawer	
7FL/3061518/3D3			S7L/30030D	· ·	130
	700 Series® Cupboard/Bookcase/Markerboard: 30" Wide - 24"		S7L/30060D	700 Series® Drawers: 6" High Drawers	130
	File, 6" Wide Locker, 18" Deep	56	S7L/30060S	700 Series® Shelves: 6" Rollout Shelf	140
7FL/3061524/2D3	60B/6FLL		S7L/30075D	700 Series® Drawers: 7-1/2" High Drawer	130
	700 Series® Cupboard/Bookcase/Markerboard: 30" Wide - 24"		S7L/30090D	700 Series® Drawers: 9" High Drawer	130
	File, 6" Wide Locker, 24" Deep	58	S7L/30105D	700 Series® Drawers: 10-1/2" High Drawer	130
7FL/3061524/3D2	85B/6FLL		S7L/30105DA	700 Series® Drawers: 10-1/2" High Drawer with Folder Bars	132
	700 Series® Cupboard/Bookcase/Markerboard: 30" Wide - 24"		S7L/30120D	700 Series® Drawers: 12" High Drawer	134
	File, 6" Wide Locker, 24" Deep	60	S7L/30120DA	700 Series® Drawers: 12" High Drawer with Folder Bars	134
7FL/3061524/3D3	•		S7L/30120R	700 Series® Receding Doors and Shelves: 12" High Receding Door	136
, 555152-7,625	700 Series® Cupboard/Bookcase/Markerboard: 30" Wide - 24"		S7L/30120RED	700 Series® Receding Doors and Shelves: 12" High Receding	.00
		50	01 L/00 12011LD		136
7EL /2004 E0 4/000	File, 6" Wide Locker, 24" Deep	58	071 /0040000	Door w/End Tab Filing Shelf and 3 Dividers	136
7FL/3061524/3D3			S7L/30120RS	700 Series® Receding Doors and Shelves: 12" High Receding	400
	700 Series® Cupboard/Bookcase/Markerboard: 30" Wide - 24"			Door w/Rollout Shelf	136
	File, 6" Wide Locker, 24" Deep	60	S7L/30120RSA	700 Series® Receding Doors and Shelves: 12" High Receding	



Model No.	Description	Page	Model No.	Description	Page
	·	•		•	
071 /004000	Door w/Rollout Shelf and Bars	136	S7L/30315	700 Series® Shells: 34-21/32" High Shell	116
S7L/30120S	700 Series® Shelves: 12" Rollout Shelf	140	S7L/30315MHX	Accessories: 31-1/2" Hinged Door Insert	144
S7L/30135D	700 Series® Drawers: 13-1/2" High Drawer	134		B Accessories: 31-1/2" Hinged Markerboard Door Insert	148
S7L/30135DA	700 Series® Drawers: 13-1/2" High Drawer with Folder Bars	134	S7L/303150V2F	700 Series® Overfile Cabinets: 34-17/32" Overfile Storage Cabinet	92
S7L/30135DE	700 Series® Drawers: 13-1/2" High Drawer with Folder Bars	134	S7L/303150VHX	700 Series® Multimedia Storage Cabinets: 34-17/32" OverCup-	00
S7L/301350V1F	700 Series® Overfile Cabinets: 16-5/32" Overfile Storage Cabinet	92	071 /00000	board Storage Cabinet	86
S7L/30135R	700 Series® Receding Doors and Shelves: 13-1/2" High Receding D	oor136	S7L/30330	700 Series® Shells: 36-3/16" High Shell	118
S7L/30135RED	700 Series® Receding Doors and Shelves: 13-1/2" High Reced-		S7L/30330MHX	Accessories: 33" Hinged Door Insert	144
	ing Door w/End Tab Filing Shelf and 3 Dividers	136		BAccessories: 33" Hinged Markerboard Door Insert	148
S7L/30135RS	700 Series® Receding Doors and Shelves: 13-1/2" High Reced-		S7L/30345	700 Series® Shells: 37-23/32" High Shell	118
	ing Door w/Rollout Shelf	136	S7L/30360	700 Series® Shells: 39-1/4" High Shell	118
S7L/30135RSA	700 Series® Receding Doors and Shelves: 13-1/2" High Reced-		S7L/303603D	700 Series® Drawer Units: 39-1/4" File, 3 High	10
	ing Door w/Rollout Shelf and Bars	136	S7L/303603E	700 Series® End Tab Shelving Units: 39-1/4" File, 3 High	28
S7L/30150	700 Series® Shells: 17-13/16" High Shell	114	S7L/303603R	700 Series® Receding Door Units: 39-1/4" File, 3 High	24
S7L/30150D	700 Series® Drawers: 15" High Drawer	134	S7L/30360HD	700 Series® Multimedia Storage Cabinets: 39-1/4" Multimedia	
S7L/30150DE	700 Series® Drawers: 15" High Drawer with Folder Bars	134		Storage Cabinet	78
S7L/301500V1F	700 Series® Overfile Cabinets: 17-11/16" Overfile Storage Cabinet	92	S7L/303600VHX	700 Series® Multimedia Storage Cabinets: 39-1/8" OverCup-	
S7L/30150R	700 Series® Receding Doors and Shelves: 15" High Receding Door	138		board Storage Cabinet	88
S7L/30150RED	700 Series® Receding Doors and Shelves: 15" High Receding		S7L/3036T	700 Series® Lateral Files: Laminate Top for Back-to-Back Units	154
	Door w/End Tab Filing Shelf and 3 Dividers	138	S7L/30375	700 Series® Shells: 40-25/32" High Shell	118
S7L/30150RS	700 Series® Receding Doors and Shelves: 15" High Receding		S7L/30375MHX	Accessories: 37-1/2" Hinged Door Insert	146
	Door w/Rollout Shelf	138	S7L/30375MHXMI	B Accessories: 37-1/2" Hinged Markerboard Door Insert	148
S7L/30150RSE	700 Series® Receding Doors and Shelves: 15" High Receding		S7L/30390	700 Series® Shells: 42-5/16" High Shell	118
	Door w/Rollout Shelf and Bars	138	S7L/30405	700 Series® Shells: 43-27/32" High Shell	118
S7L/3015BFS	Accessories: Blank Filler Shelf	152	S7L/304050VHX	700 Series® Multimedia Storage Cabinets: 43-23/32" OverCup-	
S7L/3015BLFS	Accessories: Locking Blank Filler Shelf	152	0.200.0001	board Storage Cabinet	88
S7L/3015FS	Accessories: 1-1/2" Tie Bar Shelf	152	S7L/30420	700 Series® Shells: 45-3/8" High Shell	120
S7L/3015LF	Accessories: 1-1/2" Locking Tie Bar	152	S7L/30435	700 Series® Shells: 46-29/32" High Shell	120
S7L/3015LFS	Accessories: 1-1/2" Locking Tie Bar Shelf	152	S7L/304350V3F	700 Series® Overfile Cabinets: 46-25/32" Overfile Storage Cabinet	94
S7L/3015PS	•	140	S7L/304350VHX	•	94
	700 Series® Shelves: 1-1/2" Posting Shelf		37L/304330VIIX	700 Series® Multimedia Storage Cabinets: 46-25/32" OverCup-	00
S7L/30165	700 Series® Shells: 19-11/32" High Shell	114	071 /00450	board Storage Cabinet	88
S7L/30180	700 Series® Shells: 20-7/8" High Shell	114	S7L/30450	700 Series® Shells: 48-7/16" High Shell	120
S7L/3018T	700 Series® Lateral Files: Laminate Top for Side-by-Side Units	154	S7L/30450MHX	Accessories: 45" Hinged Door Insert	146
S7L/30195	700 Series® Shells: 22-13/32" High Shell	114		BAccessories: 45" Hinged Markerboard Door Insert	150
S7L/3019T	700 Series® OF Storage Cabinet: Laminate Top for Side-by-Side Uni		S7L/30465	700 Series® Shells: 49-31/32" High Shell	120
S7L/30210	700 Series® Shells: 23-15/16" High Shell	114	S7L/30480	700 Series® Shells: 51-1/2" High Shell	120
S7L/302102D	700 Series® Drawer Units: 23-15/16" File, 2 High	10	S7L/304804D	700 Series® Drawer Units: 51-1/2" File, 4 High	12
S7L/30225	700 Series® Shells: 25-15/32" High Shell	114	S7L/304804E	700 Series® End Tab Shelving Units: 51-1/2" File, 4 High	28
S7L/30240	700 Series® Shells: 27" High Shell	116	S7L/304804R	700 Series® Receding Door Units: 51-1/2" File, 4 High	24
S7L/302402D	700 Series® Drawer Units: 27" File, 2 High	10	S7L/30480HD	700 Series® Multimedia Storage Cabinets: 51-1/2" Multimedia	
S7L/302402E	700 Series® End Tab Shelving Units: 27" File, 2 High	28		Storage Cabinet	80
S7L/302402R	700 Series® Receding Door Units: 27" File, 2 High	24	S7L/304800V3F	700 Series® Overfile Cabinets: 51-3/8" Overfile Storage Cabinet	94
S7L/30240BBF	700 Series® Credenza Files: 27-7/8" Credenza File - BBF	32	S7L/304800VHX	700 Series® Multimedia Storage Cabinets: 51-3/8" OverCup-	
S7L/30240CC	700 Series® Credenza Files: 27-7/8" Credenza Cupboard	32		board Storage Cabinet	88
S7L/30240FF	700 Series® Credenza Files: 27-7/8" Credenza File - FF	32	S7L/30495	700 Series® Shells: 53-1/32" High Shell	120
S7L/30240HD	700 Series® Multimedia Storage Cabinets: 27" Multimedia		S7L/30495MHX	Accessories: 49-1/2" Hinged Door Insert	146
	Storage Cabinet	78	S7L/30495MHXMI	B Accessories: 49-1/2" Hinged Markerboard Door Insert	150
S7L/302400VHD	700 Series® Multimedia Storage Cabinets: 26-7/8" OverCup-		S7L/30510	700 Series® Shells: 54-9/16" High Shell	122
	board Storage Cabinet	86	S7L/305104D	700 Series® Drawer Units: 54-9/16" File, 4 High	12
S7L/302400VHX			S7L/30525	700 Series® Shells: 56-3/32" High Shell	122
0.2,002.000	board Storage Cabinet	86	S7L/305255D	700 Series® Drawer Units: 56-3/32" File, 5 High	12
S7L/30255	700 Series® Shells: 28-17/32" High Shell	116	S7L/30525HD	700 Series® Multimedia Storage Cabinets: 56-3/32" Multimedia	
S7L/30255MHX	Accessories: 25-1/2" Hinged Door Insert	144	071/00020110	Storage Cabinet	80
	BAccessories: 25-1/2" Hinged Markerboard Door Insert	146	S7L/30540	700 Series® Shells: 57-5/8" High Shell	122
S7L/30270	700 Series® Shells: 30-1/16" High Shell	116	S7L/30555	700 Series® Shells: 59-5/32" High Shell	122
	· ·			•	
S7L/302702D	700 Series® Drawer Units: 30-1/16" File, 2 High	10	S7L/305555D	700 Series® Drawer Units: 59-5/32" File, 5 High	12
S7L/30285	700 Series® Shells: 31-19/32" High Shell	116	S7L/30570	700 Series® Shells: 60-11/16" High Shell	122
S7L/302850V2F	700 Series® Overfile Cabinets: 31-15/32" Overfile Storage Cabinet	92	S7L/30585	700 Series® Shells: 62-7/32" High Shell	122
S7L/302850VHX			S7L/30600	700 Series® Shells: 63-3/4" High Shell	124
071 /00005	board Storage Cabinet	86	S7L/306005D	700 Series® Drawer Units: 63-3/4" File, 5 High	14
S7L/30300	700 Series® Shells: 33-1/8" High Shell	116	S7L/306005R	700 Series® Receding Door Units: 63-3/4" File, 5 High	26
S7L/30300HD	700 Series® Multimedia Storage Cabinets: 33-1/2" Multimedia		S7L/30600HD	700 Series® Multimedia Storage Cabinets: 63-3/4" Multimedia	
	Storage Cabinet	78		Storage Cabinet	82
S7L/30300MHX	Accessories: 30" Hinged Door Insert	144	S7L/30615	700 Series® Shells: 65-9/32" High Shell	124
S7L/30300MHXM	BAccessories: 30" Hinged Markerboard Door Insert	148	S7L/306155D	700 Series® Drawer Units: 65-9/32" File, 5 High	14
S7L/303000VHX	700 Series® Multimedia Storage Cabinets: 33" OverCupboard		S7L/306155E	700 Series® End Tab Shelving Units: 65-9/32" File, 5 High	30
	Storage Cabinet	86	S7L/306155M	700 Series® Cupboard/Lateral: 65-9/32" File	34

Model No.	Description	Page	Model No.	Description	Page
S7L/306155R	700 Series® Receding Door Units: 65-9/32" File, 5 High	26	S7P/1715T	Laminate Tops	206
S7L/30615HD	700 Series® Multimedia Storage Cabinets: 65-9/32" Multimedia		S7P/CBW20	Counterbalance Weight	200
	Storage Cabinet	82	S7P/CBW36	Counterbalance Weight	200
S7L/30615HWS	700 Series® Wardrobe Cabinets: 65-9/32" Wardrobe Multime-		S7P/CK	Caster Kit	200
	dia Storage Cabinet	52	S7P/D12	Hanging Folder Partition	202
S7L/30630	700 Series® Shells: 66-13/16" High Shell	124	S7P/D6	6" Partition	202
S7L/30645	700 Series® Shells: 68-11/32" High Shell	124	S7P/GK	Glide Kit	202
S7L/306455D	700 Series® Drawer Units: 68-11/32" File, 5 High	14	S7P/PENTRAY	Pencil Tray	202
S7L/30660	700 Series® Shells: 69-7/8" High Shell	126	S7V/1518FB	Folder Bars	214
S7L/30660HX	700 Series® Multimedia Storage Cabinets: 69-7/8" Multimedia		S7V/15302DCF	700 Series® Letter Size Documents: 25-3/4" File, 2 High	210
	Storage Cabinet	84	S7V/15303DCF	700 Series® Letter Size Documents: 36-7/8" File, 3 High	210
S7L/30675	700 Series® Shells: 71-13/32" High Shell	126	S7V/15304DCF	700 Series® Letter Size Documents: 48" File, 4 High	210
S7L/306755M	700 Series® Cupboard/Lateral: 71-13/32" File	34	S7V/15305DCF	700 Series® Letter Size Documents: 59-1/8" File, 5 High	210
S7L/306756D	700 Series® Drawer Units: 71-13/32" File, 6 High	16	S7V/15CF	Compressor	214
S7L/30690	700 Series® Shells: 72-15/16" High Shell	126	S7V/18302DCF	700 Series® Legal Size Documents: 25-3/4" File, 2 High	212
S7L/30705	700 Series® Shells: 74-15/32" High Shell	128	S7V/18303DCF	700 Series® Legal Size Documents: 36-7/8" File, 3 High	212
S7L/30720	700 Series® Shells: 76" High Shell	128	S7V/18304DCF	700 Series® Legal Size Documents: 48" File, 4 High	212
S7L/30735	700 Series® Shells: 77-17/32" High Shell	128	S7V/18305DCF	700 Series® Legal Size Documents: 59-1/8" File, 5 High	212
S7L/307356D	700 Series® Drawer Units: 77-17/32" File, 6 High	16			
S7L/307356E S7L/307356M	700 Series® End Tab Shelving Units: 77-17/32" File, 6 High	30			
S7L/307356WI	700 Series® Cupboard/Lateral: 77-17/32" File 700 Series® Multimedia Storage Cabinets: 77-17/32" Multime-	34			
371/30/33110	dia Storage Cabinet	82			
S7L/30ADF	Binder Frame: Acco Data	104			
S7L/30BS	Adjustable Blank Shelf	104			
S7L/30CF	Compressor Follower	100			
S7L/30CR	Coat Rod	100			
S7L/30DL	700 Series® Drawers: Individual Drawer Lock and Security Shelf	130			
S7L/30DT	700 Series® Files Lateral Toppers	100			
S7L/30ETS	700 Series® Shelves: Fixed End Tab Filing Shelf	140			
S7L/30ETSC	Fixed End Tab Shelf	106			
S7L/30FBA	Type "A" Folder Bars	96			
S7L/30FBE	Type "E" Folder Bars	96			
S7L/30KIF	Binder Frame for Computer Print-outs	102			
S7L/30LL	Legal/Letter Conversion	100			
S7L/30LLETS	EDP Legal/Letter Conversion	100			
S7L/30MEDKIT	Drawer Organizer	98			
S7L/30MEDPAN	Organizer Front Pan	98			
S7L/30RRC	Reel Insert Shelf for Storage Cabinets/Doors	102			
S7L/30RRF	Reel Insert for Drawers	102			
S7L/30SS	Slotted Shelf	106			
S7L/30TBS	Thin Blank Shelf (Screw Mount)	108			
S7L/30WLD	Binder Frame: WrightLine	102			
S7L/33412DV	Plate Dividers	98			
S7L/3346DV	6" Dividers	98			
S7L/334DIV40	Organizer Divider	98			
S7L/334FBJ	Type "J" Folder Bars	96			
S7L/334FBK	Type "K" Folder Bars	96			
S7L/334KIH	Binder Hanger	102			
S7L/334MPART	Organizer Partition	98			
S7L/97003	Touch-up Paint	100			
S7L/CBW35 S7P/1520FBBBB	Counterbalance	96			
S7P/1520FBBBF	700 Series®: Pedestal - BBBB 700 Series®: Pedestal - BBF	186 186			
S7P/1520FBBF	700 Series®: Pedestal - FF	186			
S7P/1520FPBBB	700 Series®: Pedestal - PBBB	186			
S7P/1520FPBF	700 Series®: Pedestal - PBF	184			
S7P/1520HBBB	700 Series®: Pedestal - BBB	192			
S7P/1520HBF	700 Series®: Pedestal - BF	192			
S7P/1520HPBBB	700 Series®: Pedestal - PBBB	192			
S7P/1520HPBF	700 Series®: Pedestal - PBF	192			
		184			
S7P/1520MBBB	700 Series®: Pedestal - BBB				
S7P/1520MBBB S7P/1520MBF	700 Series®: Pedestal - BBB 700 Series®: Pedestal - BF	184			
S7P/1520MBF	700 Series®: Pedestal - BF				
S7P/1520MBF	700 Series®: Pedestal - BF	184			
S7P/1520MBF S7P/1520WBBBB	700 Series®: Pedestal - BF 700 Series®: Pedestal - BBBB	184 196			



Page

Model No. Description Page Model No. Description

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11493R1/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.