June 01, 2016 Updated July 25, 2019 800-424-2432





Refer to KI Terms & Conditions document or visit ki.com.



Ordering C.O.	.M., C.O.L., and C.O.V. TUPELO	BONDUEL, GREEN BAY, ONTARIO, and 2
Custom Color	Matching Requirements	4
Doni® Options	s User Guide	6
Doni®	Guest Chair General Info	rmation 6
	Guest Chair Color Option	is 8
	Guest Chairs	10
	Stack Chair General Info	rmation 18
	Stack Chair Color Option	s 22
	Stack Chairs	24
	Cafe Stools	44
	Stack Chairs	48
	Task Chair General Infor	mation 50
	Task Chair Color Options	52
	Task Chairs	54
	Task Stools	58
	Tandem Seating General	Information 62
	Tandem Seating Color O	ptions 64
	Tandem Seating	66

66

Ordering C.O.M., C.O.L., and C.O.V.

BONDUEL, GREEN BAY, ONTARIO, and TUPELO

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret fabric


direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they

often require more vardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous vardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> KI Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility,
ship upholstery material to:

KI Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801 For products shipped from Bonduel, WI facility, ship material to:

KI Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107


For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a

provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.



Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

Kl assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customers responsibility to arrange for return of this material.

C.O.M., C.O.L and C.O.V. Information Form Please see information below and check the appropriate box. A copy of this form should accompany test requests and production orders. Please fill it out ☐ Submitted for testing. Test approved. Submitted for production. completely, and, if your order has been Purchase Order Number KI Acknowledgement Number acknowledged, provide the acknowledgement number Purchasing Agent (Dealer or buying organization) In all instances, send this form to the C.O.M. Specialist. Attention B^{Selvage} Side and Side Selvage Top and Bottom Address City State Zip Project Name Type of seating and number of units of each type

Ordering C.O.M., C.O.L., and C.O.V. BONDUEL, GREEN BAY, ONTARIO, and TUPELO



Custom Color Matching Requirements

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require, KI's custom color-matching program lets you pick your color. Match an organization's brand colors. Match fabrics. Match surface materials. The choice is yours.

Custom Color Matching Requirements

- Pantone Number or Color Samples. To ensure we match your color exactly, we require either a Pantone color number or two color samples (chip, swatch, or paint sample). We do request that the size be substantial enough to allow for us to retain for our internal matching process (minimum 2.5" x 3.5").
- Extended Lead Time. Using the unique combinations of specialty bases and pigments, our Custom Color Matching and Manufacturing processes do add time to your production schedule.
 - The color match process (see steps below) on average will take 2-3 weeks to produce a match sample for your review and gain your written approval to proceed. Starting this during the quoting process is encouraged to reduce overall lead time.
 - o Orders with custom colors will typically reflect standard lead time plus 15 additional days to source the appropriate raw materials and run the custom order.
- Minimum Quantity. No additional set-up fee is incurred if the quantity (per color, product line, and order) is 100 or more. A
 \$500 set-up fee (per color, product line, and order) is applied if the quantity is 99 or less. You'll see a "Custom Color Set-Up
 Charge" note appear on your Custom Options Quote until the order is placed and quantity is determined.

Note: The Doni Seating Collection, with its two-tone color capabilities, would require a single \$500 set-up fee if one or both colors are custom. In addition, please note that reversing the inner/outer colors of Doni's two-tone standard color combinations would also be considered custom.

Custom Color Matching Process

When your purchase order is submitted, it is simply placed on hold until the color match is finalized. As soon as we receive your Pantone number or custom color samples, the process for color matching begins.

Note: If the project requires a compressed manufacturing/shipping schedule, KI encourages you to process the color match during the quotation stage. This will accelerate the purchase order release into production.

<u>Step 1.</u> Provide the Pantone color number to KI Customer Service by calling Customer Service at 1-800-424-2432 or emailing us at <u>SalesOps@ki.com</u>. Custom color samples can be mailed to KI at:

KI Customer Service (Provide specific contact name if known)
Attn: Custom Color Match Required (Please reference the PO# or Project Name)
1330 Bellevue Street
Green Bay, WI 54302

*In the event the color requested is a discontinued KI color or non-standard on the product requested, no color match is necessary (minimum quantities and extended lead time still apply). KI will use the custom options process to facilitate the quote/order.

<u>Step 2</u>. KI begins the matching process which takes 5-10 days depending upon how quickly the exact color is matched, taking into account lighting, visual and spectrographic readings as compared to the originals.

<u>Step 3.</u> We then ship the color sample chip and a letter asking for you to sign the letter and fax it back to us within 24 to 48 hours.

<u>Step 4</u>. Upon receipt of your approval signature, we remove the hold status of your order and begin production, using standard production lead times plus 15 days.

Custom Color Matching Requirements



Doni®

Guest Chair General Information



Armless Fourstar Swivel Base Chair



Armless Tapered Steel Leg Chair



Armless Tapered Wood Leg Chair



Armless Wire Tower Base Chair

Features				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"	18"
Overall Dimensions				
Width	27-1/2"	19-3/8"	19-3/8"	19-3/8"
Depth	21"	21"	21"	21"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Fourstar, Swivel Base

The under-seat support structure is a die-drawn 12-gauge steel plate. A 3/4" diameter steel pin is welded to the seat plate allowing the seat to swivel on a nylon bushing housed in the base. Seat structure is finished with baked-on, electrostatically-applied 30 degree gloss epoxy powder-coat paint. The fixed height base constructed of a polished die-cast aluminum fourstar base and a chrome-plated steel tube column.

Tapered Steel Legs

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Inner leg wires are made of 1/2" diameter steel wire and are plug-welded to tapered tubular legs. All joints are welded and the frames are finished in either bakedon, electrostatically-applied 30 degree gloss epoxy powder-coat paint or bright nickel-chrome plating.

Tapered Wood Legs

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Inner leg wires made of 1/2" diameter steel wire complete the subframe. All joints are welded and the subframes are finished with baked-on, electrostatically-applied 30 degree gloss epoxy powder-coat paint. Legs are turned from beech, stained, and clear-coat finished. Legs are drilled to accept subframe inner leg wires and fastened by means of two-part expoxy adhesive.

Wire Tower Base

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are 7/16" diameter steel wire, fully gusseted with 5/16" diameter wire. All joints are welded and frames are finished in bright nickel-chrome plating.

Glides

The tapered steel legs are equipped with swivel glides in a bright steel finish. The wire tower base, wood legs, and fourstar swivel base are equipped with black nylon glides.

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.





INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Doni®

Guest Chair Color Options

Wood Leg Finish

Cherry Storm on Beech	BCX
Cinnamon on Beech	BCN
Cocoa on Beech	BCA
Eclypse Black on Beech	BEB
Florence Walnut on Beech	BFC
Monticello Maple on Beech	BMT
Natural on Beech	BNA
River Cherry on Beech	BRY

All stain colors are acceptable for California Technical Bulletin 133.

SOLID COLOR Seat and Back Polypropylene Non Flame-Retardant

Black	PBL
Blue Grey	PGR
Cool Grey	PCG
Cottonwood	PC0
Flannel	PFN
Light Tone	PLG
Misty Brown	PMY
Nemo	PNE
Nordic	PND
Poppy Red	PPR
Ultra Blue	PUB
Warm Grey	PWG
Wet Sand	PWS
Zesty Lime	PZL

SOLID COLOR Seat and Back Polypropylene Flame-Retardant

Black PB

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance of California Technical Bulletin 133.

TWO-TONE COLOR Seat and Back - Polypropylene Non Flame-Retardant

Outside/Inside

Outside Black/Inside Cottonwood	OBL/ICO
Outside Blue Grey/Inside Cool Grey	OGR/ICG
Outside Blue Grey/Inside Cottonwood	OGR/ICO
Outside Cool Grey/Inside Cottonwood	OCG/ICO
Outside Flannel/Inside Warm Grey	OFN/IWG
Outside Misty Brown/Inside Cottonwood	OMY/ICO
Outside Nemo/Inside Cottonwood	ONE/ICO
Outside Nordic/Inside Cool Grey	OND/ICG
Outside Poppy Red/Inside Cottonwood	OPR/ICO
Outside Surf's Up/Inside Cool Grey	OSP/ICG
Outside Ultra Blue/Inside Cottonwood	OUB/ICO
Outside Zesty Lime/Inside Cottonwood	071 /100

Finish Cards

View color swatches for items listed within this document.

<u>Paints</u> <u>Plastics/Poly</u> Wood/Veneer Laminates Molded Edges
Edge Styles

Hard Plastics Glass



Doni[®]
Guest Chair Color Options



			MODEL	NUMBER	ł				
	MODEL	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Glide Option	Upholstery Color	
	Fourstar Swivel Base Armless Chair	Solid Color, Polypropylene	DNX100				GPL		
\ \	 Solid or two-tone colored shell Unlimited custom color matching 	Solid Color, Upholstered Seat	DNX200				GPL		
	17 degrees of hip articulation	Solid Color, Upholstered Seat/Back	DNX300				GPL		•
	Task and stack chair models available	Two-Tone, Polypropylene	DNXA00	NFR			GPL		
	 300 pound approved 	Two-Tone, Upholstered Seat	DNXB00	NFR			GPL		
U									
DNX1									
DNX2									
DNX3									
DNXA									1
DNXB									
			A	3	Θ	0	3	•	

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013
See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color.
 Refer to the Product Color Options page in this price list.
- Select glide option.

 GPL Plastic glides
- Select upholstery grade/color. Refer to ki.com/fabrics





Pa	oprox. ackaged 'eight	Pric	phol-	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	22.0#	\$	517										
	24.5#		N/A	631	640	655	631	655	665	703	718	737	765
	26.0#		N/A	657	667	682	657	682	691	730	745	764	792
	22.0#		571										
	24.5#		N/A	684	694	709	684	709	718	757	772	791	820

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



		MODEL	NIIMREE	1					
		MODEL	INGINIDEI						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DNY100							22.5#
	Solid Color, Upholstered Seat	DNY200							25.0#
	Solid Color, Upholstered Seat/Back	DNY300							26.5#
	Two-Tone, Polypropylene	DNYA00	NFR						22.5#
	Two-Tone, Upholstered Seat	DNYB00	NFR						25.0#
DNY1									
DNY2									
DNY3									
DNYA									
DNYB									
Tapered Steel Leg Armless Chair									
Solid or two-tone colored shell									
Unlimited custom color matching									
• 17 degrees of hip articulation									
Task and stack chair models available300 pound approved									
- 500 poulla approved									
		A	3	Θ	0	(3	•	œ	

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select fire code.

 NFR Co

- Compliance to TB 117-2013 FR - Compliance to TB 133 See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color. Refer to the Product Color Options page in this price list.
- Select frame color.
 Refer to the **Product Color Options** page in this price list.

Select glide option.

GNL - Plastic/Nylon Glides - Steel glides

GSelect upholstery grade/color. Refer to ki.com/fabrics





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 388										
N/A	501	511	526	501	526	535	574	589	608	636
N/A	528	537	553	528	553	562	601	616	635	664
441										
N/A	555	564	580	555	580	589	627	643	662	690

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



		MODEL N	NUMBER						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Wood Leg Finish	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DNW100					GPL		18.0#
<u> </u>	Solid Color, Upholstered Seat	DNW200					GPL		20.5#
	Solid Color, Upholstered Seat/Back	DNW300					GPL		22.0#
	Two-Tone, Polypropylene	DNWA00	NFR				GPL		18.0#
	Two-Tone, Upholstered Seat	DNWB00	NFR				GPL		20.5#
DNW1									
DNW2									
DNW3									
DNWA									
DNWB									
Tapered Wood Leg Armless Chair									
Solid or two-tone colored shell									
 Unlimited custom color matching 									
 17 degrees of hip articulation Task and stack chair models available 									
 lask and stack chair models available 300 pound approved 									
222 2222 244.000									
		A	B	Θ	O	(3	3	Θ	
		-	-	_	-	-	-	-	

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013
See Upholstery Information for TB133
upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color.
 Refer to the **Product Color Options** page in this price list.
- Select wood leg finish color.
 Refer to the **Product Color Options** page in this price list.
- Select glide option.

 GPL Plastic glides

GSelect upholstery grade/color. Refer to <u>ki.com/fabrics</u>





Pricing Unuphols	Fabric Grade tered 1 & C.O.M.	Fabric Grade 2	Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Pricing Vinyl Group 2V	Pricing Pallas Fabric Group P0	Pricing Pallas Fabric Group P1	Pricing Pallas Fabric Group P2	Pricing Pallas Fabric Group P3	Pricing Pallas Fabric Group P4
\$ 629										
N/A	744	752	769	744	769	777	816	831	851	879
N/A	771	779	796	771	796	804	842	858	878	905
683										
N/A	798	806	823	798	823	831	869	885	904	932

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



			MODEL	NUMBER	l				
	MODEL	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Glide Option	Upholstery Color	
	Wire Tower Base Armless Chair	Solid Color, Polypropylene	DNZ100				GPL		
[/	 Solid or two-tone colored shell Unlimited custom color matching 	Solid Color, Upholstered Seat	DNZ200				GPL		
	17 degrees of hip articulation	Solid Color, Upholstered Seat/ Back	DNZ300				GPL		
	Frames finished in bright nickel-chrome	Two-Tone, Polypropylene	DNZA00	NFR			GPL		
	plating	Two-Tone, Upholstered Seat	DNZB00	NFR			GPL		
/ Y \	Task and stack chair models available300 pound approved								
l.	- 300 pound approved								
DNZ1									
DNZ2									
DNZ3									
DNZA									
DNZB									
			(3	Θ	O	(3	•	

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013
See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color.
 Refer to the Product Color Options page in this price list.
- Select glide option.

 GPL Plastic glides

Select upholstery grade/color. Refer to ki.com/fabrics





Approx. Packaged Weight	Pri	livered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
17.5#	\$	334										
20.0#		N/A	448	457	472	448	472	482	520	535	554	582
21.5#		N/A	474	484	499	474	499	509	547	562	581	609
17.5#		388										
20.0#		N/A	501	511	526	501	526	535	574	589	608	636

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **assembled**, **FOB Green Bay**, **WI 54302**, **freight prepaid**. Freight class 125.

Doni[®] Stack Chair General Information









Four-Leg Armless Chair

Four-Leg Arm Chair

Four-Leg Armless Chair with Casters

Four-Leg Arm Chair with Casters

			Will Guotoro	With Guotoro
Features				
Stackable	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"	18"
Overall Dimensions				
Width	22-1/4"	25-3/8"	23-1/4"	25-3/8"
Depth	21-1/2"	21-1/2	22-1/8	22-1/8
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Arms to floor		26-1/2"		26-1/2"
Stacking on Dolly				
Overall width	25"	25-3/8"	25"	25-3/8"
Overall depth	42"	42"	42"	42"
Quantity/height - poly	12 Chairs / 69" High			
Quantity/height - upholstered	6 Chairs / 50" High			
Stacking on Floor				
Width	22-1/4"	25-3/8"	23-1/4"	25-3/8"
Depth	34"	34"	34"	34'
Quantity/height	6 Chairs / 49" High			

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

4-Leg and Caster Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. A single ring of 1/2" diameter steel wire forms the crossmember. All joints are welded. An optional wallsaver configuration is available. The wallsaver configuration maintains 1/2" gap between backrest and wall by locking the backrest mechanisms in the upright position.

Sled Frame

Sled side frames are made from 3/4" o.d. x 13-gauge tubular steel. A single ring of 1/2" diameter steel wire forms the crossmember. All joints are welded.

Stool Frame

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are 3/4" diameter steel tubing. A 3-sided footrest is made of 1/2" diameter steel wire. All joints are welded.

Frame Finish

Frames are finished in either baked-on, electrostatically-applied 30 degree gloss epoxy powder-coat paint or bright nickel-chrome plating.

Arms

Optional armrests are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced polypropylene. Arm color matches the frame finish (except for chrome, hammertone, and metallic finishes which match the outer shell poly color). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The leg tubesare capped with polypropylene end caps matching the leg color (except chrome or hammertone, which use black caps).

Three optional glide types are available for leg chairs: swivel poly/nylon, swivel steel and swivel felt glides. The swivel function allows the bottom of the glide to correctly match un-even floor conditions, resulting in less wear. Poly/nylon and felt glides are interchangeable and have easy-on/easy-off replaceable glide caps, which makes field replacement easy and efficient. Swivel poly glides are available in Stone color only. Optional glides for the sled base are co-extruded to provide a softer (non-skid) surface to protect the floor, but does not glide. Sled base chairs are also available with black nylon (plastic) glides, stainless steel glides or non-marring (clear nylon) glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are 50mm o.d. double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.















Sled Base Armless Chair

Sled Base Arm Chair

24" Cafe Stool

30" Cafe Stool

Transport Dolly

Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	
General Dimensions					
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"	
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"	
Seat height (upholstered add 1")	18"	18"	24"	30"	
Overall Dimensions					
Width	22-1/4"	25-3/8"	21"	22-1/2"	23-3/4"
Depth	22-1/8"	22-1/8"	21"	21-1/2"	35-1/2"
Height	33-3/4"	33-3/4"	39-3/4"	45-3/4"	62-1/4"
Arms to floor		26-1/2"			
Stacking on Dolly					
Overall width	25"	25-3/8"			
Overall depth	42"	42"			
Quantity/height - poly	12 Chairs / 69" High	12 Chairs / 69" High			
Quantity/height - upholstered	6 Chairs / 50" High	6 Chairs / 50" High			
Stacking on Floor					
Width	22"	25-3/8"			
Depth	34"	34"			
Quantity/height	6 Chairs / 49" High	6 Chairs / 49" High			

Gangers

Optional gangers are available on armless 4-leg and sled base chairs only. Gangers are made of chrome-plated 3/16" diameter steel wire mounted to the chair with an injection-molded nylon hub.

Transport Dolly

Frame construction is welded tubular steel with a black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg and sled base chairs and has a capacity of 12 poly chairs or 6 upholstered.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302


Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com




Doni Stack Chair



19-1/4" Seat width 18-3/4" Seat depth 45-3/4" Seat height 30" Seat height 22-1/2" Overall width 21-1/2" Verall depth

Doni 30" Cafe Stool





Ganging Mechanism allows curved rows and rotates out of sight below the seat when not in use.





Stack Chair Color Options

Frame Color

Black BL Blue Grey GR Bronze Metallic ZM Champagne Metallic CM Chrome CH Cool Grey CG Cottonwood CO Espresso Metallic ΕX FN Flannel Light Tone LG Misty Brown MY Nemo NE Nordic ND Poppy Red PR Starlight Silver Metallic SXUltra Blue UB Warm Grey WG Wet Sand WS Zesty Lime ZL

SOLID COLOR Seat and Back Polypropylene Non Flame-Retardant

Black	PBL
Blue Grey	PGR
Cool Grey	PCG
Cottonwood	PC0
Flannel	PFN
Light Tone	PLG
Misty Brown	PMY
Nemo	PNE
Nordic	PND
Poppy Red	PPR
Ultra Blue	PUB
Warm Grey	PWG
Wet Sand	PWS
Zesty Lime	PZL

SOLID COLOR Seat and Back Polypropylene Flame-Retardant

Black PBL

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance of California Technical Bulletin 133.

TWO-TONE COLOR Seat and Back - Polypropylene Non Flame-Retardant

Outside/Inside

Outside Black/Inside Cottonwood	OBL/ICO
Outside Blue Grey/Inside Cool Grey	OGR/ICG
Outside Blue Grey/Inside Cottonwood	OGR/ICO
Outside Cool Grey/Inside Cottonwood	OCG/ICO
Outside Flannel/Inside Warm Grey	OFN/IWG
Outside Misty Brown/Inside Cottonwood	OMY/ICO
Outside Nemo/Inside Cottonwood	ONE/ICO
Outside Nordic/Inside Cool Grey	OND/ICG
Outside Poppy Red/Inside Cottonwood	OPR/ICO
Outside Surf's Up/Inside Cool Grey	OSP/ICG
Outside Ultra Blue/Inside Cottonwood	OUB/ICO
Outside Zesty Lime/Inside Cottonwood	OZL/ICO

Finish Cards

View color swatches for items listed within this document.

<u>Paints</u> <u>Plastics/Poly</u> Wood/Veneer
Laminates

Molded Edges
Edge Styles

Hard Plastics Glass



Doni[®] Stack Chair Color Options



			MODEL NUMBER									
		MODEL	NUMBER	ł								
				Poly	Poly				Approx.			
	Factors	Basic	Fire	Solid	Outside/Inside	Frame	Glide	Upholstery	Packaged			
	Features	Model	Code	Color	Color	Color	Option	Color	Weight			
	Solid Color, Polypropylene	DN1100							19.0#			
	Solid Color, Upholstered Seat	DN1200							21.5#			
	Solid Color, Upholstered Seat/Back	DN1300							23.0#			
	Two-Tone, Polypropylene	DN1A00	NFR						19.0#			
	Two-Tone, Upholstered Seat	DN1B00	NFR						21.5#			
()\												
V												
DN11												
DN12												
DN13												
DN1A												
DN1B												
Four-Leg Armless Chair												
Oalid and the days and and about												
Solid or two-tone colored shellUnlimited custom color matching												
17 degrees of hip articulation												
 Task and guest chair models available 												
300 pound approved												
Stacking												
			_			-	•					
		A	•	Θ	O	•	•	G				

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color.
 Refer to the **Product Color Options** page in this price list.
- Select frame color.

 Refer to the **Product Color Options** page in this price list.

Select glide option.

GFT - Felt glides
GPL - Plastic glides
GSL - Steel glides

GSelect upholstery grade/color. Refer to **ki.com/fabrics**





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 280										
N/A	394	402	419	394	419	427	466	482	500	528
N/A	421	430	445	421	445	454	493	509	527	555
334										
N/A	448	457	472	448	472	482	520	535	554	582

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302, freight prepaid.** Freight class 125.



		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Caster Type	Upholstery Color	Approx. Packaged Weight
_	Solid Color, Polypropylene	DN2100							19.5#
	Solid Color, Upholstered Seat	DN2200							22.0#
N\	Solid Color, Upholstered Seat/Back	DN2300							23.5#
	Two-Tone, Polypropylene	DN2A00	NFR						19.5#
	Two-Tone, Upholstered Seat	DN2B00	NFR						22.0#
4 4									
DN21									
DN22									
DN23									
DN2A									
DN2B									
Four-Leg Armless Chair with Casters									
 Solid or two-tone colored shell Unlimited custom color matching 									
17 degrees of hip articulation									
 Task and guest chair models available 									
300 pound approved									
 Stacking. Caution should be exercised to prevent casters from marring 									
components such as frames, fabric,									
etc., and to prevent casters from									
becoming "hung up" underneath the									
seat of the chair									
		•	•	Θ	O	3	9	Ф	

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color.
 Refer to the **Product Color Options** page in this price list.
- Select frame color. Refer to the Product Color Options page in this price list.

Select casters.

CHC - Hard floor casters - Carpet casters

GSelect upholstery grade/color. Refer to ki.com/fabrics





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 317										
N/A	432	440	457	432	457	465	503	519	539	566
N/A	459	467	484	459	484	492	530	546	565	593
371										
N/A	486	494	511	486	511	519	557	573	592	620

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



		MODE:							
		MODEL	MUMBER	í					
			_	Poly	Poly	_			Approx.
	Features	Basic Model	Fire Code	Solid Color	Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Packaged Weight
	Solid Color, Polypropylene	DN1111							20.5#
	Solid Color, Upholstered Seat	DN1211							23.0#
	Solid Color, Upholstered Seat/Back	DN1311							24.5#
	Two-Tone, Polypropylene	DN1A11	NFR						20.5#
	Two-Tone, Upholstered Seat	DN1B11	NFR						23.0#
// \\ \(\)									
u // U									
U									
DN11									
DN12									
DN13									
DN1A									
DN1B									
Four-Leg Arm Chair									
Solid or two-tone colored shell									
Unlimited custom color matching									
17 degrees of hip articulationTask and guest chair models available									
 300 pound approved 									
 Stacking 									
		A	•	Θ	O	(3	Ð	Ф	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- ②Select outside/inside poly color.

 Refer to the **Product Color Options** page in this price list.
- Select frame color.

 Refer to the **Product Color Options** page in this price list.

Select glide option.

GFT - Felt glides
GPL - Plastic glides
GSL - Steel glides

GSelect upholstery grade/color. Refer to **ki.com/fabrics**





\$ 338 N/A 452 461 477 452 477 486 524 540 558 587 N/A 479 488 503 479 503 513 551 566 586 614 392 N/A 505 515 530 505 530 540 578 593 613 641	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
N/A 479 488 503 479 503 513 551 566 586 614 392	\$ 338										
392	N/A	452	461	477	452	477	486	524	540	558	587
	N/A	479	488	503	479	503	513	551	566	586	614
N/A 505 515 530 505 530 540 578 593 613 641	392										
	N/A	505	515	530	505	530	540	578	593	613	641

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.



	MODEL NUMBER								
				Poly	Poly				Approx.
	Features	Basic Model	Fire Code	Solid Color	Outside/Inside Color	Frame Color	Caster Type	Upholstery Color	Packaged Weight
	Solid Color, Polypropylene	DN2111			00101			00101	21.0#
	Solid Color, Upholstered Seat	DN2111							23.5#
	Solid Color, Upholstered Seat/Back	DN2311							25.0#
	Two-Tone, Polypropylene	DN2A11	NFR						21.0#
	Two-Tone, Upholstered Seat	DN2B11	NFR						23.5#
	Two Tone, opnioistered scat	DINZUTT	IVIII						20.0#
™ DN21									
DN22									
DN23									
DN2A									
DN2B									
Four-Leg Arm Chair with Casters									
Fuur-Ley Arm Ghair with Gasters									
Solid or two-tone colored shell									
 Unlimited custom color matching 									
17 degrees of hip articulation Tools and greet shell models available									
Task and guest chair models available300 pound approved									
Stacking. Caution should be exer-									
cised to prevent casters from marring									
components such as frames, fabric,									
etc., and to prevent casters from becoming "hung up" underneath the									
seat of the chair									
		A	3	Θ	O	3	•	G	

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color.

 Refer to the **Product Color Options** page in this price list.
- Select frame color. Refer to the Product Color Options page in this price list.

Select casters.

CHC - Hard floor casters - Carpet casters

GSelect upholstery grade/color. Refer to ki.com/fabrics





Pri	livered cing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	375										
	N/A	490	498	515	490	515	523	562	577	596	624
	N/A	517	525	542	517	542	550	589	604	623	651
	430										
	N/A	544	552	568	544	568	577	616	631	650	678

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Basic Fire Poly Solid Color		MODEL NUMBER									
Solid Color, Upholstered Seat Solid Color, Upholstered Seat/Back Two-Tone, Polypropylene Two-Tone, Upholstered Seat DNHB00 DNHB00 NFR DNHB00 DNHB	Packaged				Outside/Inside	Solid			Features		
Solid Color, Upholstered Seat/Back Two-Tone, Polypropylene Two-Tone, Upholstered Seat DNH300 DNHA00 NFR DNHB00 DNHB0	19.0#										
Two-Tone, Polypropylene Two-Tone, Upholstered Seat DNHA00 DNHB00 NFR DNHB DNH1 DNH2 DNH3 DNHA DNHB Four-Leg Armless Ganging Chair Solid or two-tone colored shell Unlimited custom color matching											
Two-Tone, Upholstered Seat DNHB00 NFR DNH1 DNH2 DNH3 DNHA DNHB Four-Leg Armless Ganging Chair Solid or two-tone colored shell Unlimited custom color matching											
DNH1 DNH2 DNH3 DNHA DNHB Four-Leg Armless Ganging Chair • Solid or two-tone colored shell • Unlimited custom color matching											
DNH2 DNH3 DNHA DNHB Four-Leg Armless Ganging Chair Solid or two-tone colored shell Unlimited custom color matching	21.5#						NFR	DNHB00	Two-Tone, Upholstered Seat		
DNH2 DNH3 DNHA DNHB Four-Leg Armless Ganging Chair Solid or two-tone colored shell Unlimited custom color matching										// \\ (' \)	
DNH2 DNH3 DNHA DNHB Four-Leg Armless Ganging Chair Solid or two-tone colored shell Unlimited custom color matching										u // U	
DNH2 DNH3 DNHA DNHB Four-Leg Armless Ganging Chair Solid or two-tone colored shell Unlimited custom color matching										U	
DNH3 DNHA DNHB Four-Leg Armless Ganging Chair Solid or two-tone colored shell Unlimited custom color matching											
DNHA DNHB Four-Leg Armless Ganging Chair Solid or two-tone colored shell Unlimited custom color matching											
DNHB Four-Leg Armless Ganging Chair Solid or two-tone colored shell Unlimited custom color matching											
Four-Leg Armless Ganging Chair Solid or two-tone colored shell Unlimited custom color matching											
Solid or two-tone colored shell Unlimited custom color matching											
Unlimited custom color matching										Four-Leg Armiess Ganging Chair	
										Solid or two-tone colored shell	
• 1/ degrees of hip articulation											
Task and guest chair models available											
300 pound approved									-		
Stacking										Stacking	
		G	•	ⅎ	O	Θ	$oldsymbol{\Theta}$	A			

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

Select solid poly color.

Refer to the **Product Color Options** page in this price list.

- ②Select outside/inside poly color.

 Refer to the **Product Color Options** page in this price list.
- Select frame color.

 Refer to the **Product Color Options** page in this price list.

Select glide option.

GFT - Felt glides
GPL - Plastic glides
GSL - Steel glides

GSelect upholstery grade/color. Refer to **ki.com/fabrics**





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 334										
N/A	448	457	472	448	472	482	520	535	554	582
N/A	474	484	499	474	499	509	547	562	581	609
388										
N/A	501	511	526	501	526	535	574	589	608	636

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



MODEL NUMBER									
		MODEL	NUMBER	l .					
				Poly	Poly				Approx.
	Features	Basic Model	Fire Code	Solid Color	Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Packaged Weight
	Solid Color, Polypropylene	DNC100							19.0#
	Solid Color, Upholstered Seat	DNC200							21.5#
	Solid Color, Upholstered Seat/Back	DNC300							23.0#
	Two-Tone, Polypropylene	DNCA00	NFR						19.0#
	Two-Tone, Upholstered Seat	DNCB00	NFR						21.5#
() (
U									
DNC1									
DNC2									
DNC3									
DNCA									
DNCB									
Four-Leg Armless Wallsaver Chair									
Solid or two-tone colored shell									
 Unlimited custom color matching 									
Task and guest chair models available									
300 pound approvedStacking									
- Glacking									
		Δ	3	Θ	O	(3	(3	e	
		•	•	•	•	•	•	•	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

- Select solid poly color.
 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color. Refer to the Product Color Options page in this price list.
- Select frame color.

 Refer to the **Product Color Options** page in this price list.

Select glide option.

GPL - Felt glides
GPL - Plastic glides
GSL - Steel glides

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 323										
N/A	437	445	462	437	462	470	510	524	544	572
N/A	464	472	489	464	489	497	536	551	571	598
376										
N/A	491	499	516	491	516	524	563	578	597	625

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



		MODEL	NUMBER	ł						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	
	Solid Color, Polypropylene	DNC111							20.5#	
	Solid Color, Upholstered Seat	DNC211							23.0#	
	Solid Color, Upholstered Seat/Back	DNC311							24.5#	
	Two-Tone, Polypropylene	DNCA11	NFR						20.5#	
	Two-Tone, Upholstered Seat	DNCB11	NFR						23.0#	
DNC1										
DNC2										
DNC3										
DNCA										
DNCB										
Four-Leg Wallsaver Arm Chair										
Solid or two-tone colored shell										
 Unlimited custom color matching 										
Task and guest chair models available 200 payed approved										
300 pound approvedStacking										
		A	3	Θ	O	•	•	(

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

- Select solid poly color.
 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color. Refer to the Product Color Options page in this price list.
- Select frame color.

 Refer to the **Product Color Options** page in this price list.

Select glide option.

GFT - Felt glides
GPL - Plastic glides
GSL - Steel glides





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 381										
N/A	495	503	520	495	520	528	567	582	602	629
N/A	522	530	547	522	547	555	594	609	628	656
435										
N/A	549	557	574	549	574	582	621	636	655	683

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



		MODEL	MIIMDEE	,					
		MODEL	NUMBER	1					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN3100							20.0#
	Solid Color, Upholstered Seat	DN3200							22.5#
l\	Solid Color, Upholstered Seat/Back	DN3300							24.0#
	Two-Tone, Polypropylene	DN3A00	NFR						20.0#
	Two-Tone, Upholstered Seat	DN3B00	NFR						22.5#
DN31									
DN32									
DN33									
DN3A									
DN3B									
Sled Base Armless Chair									
Solid or two-tone colored shell									
Unlimited custom color matching									
 17 degrees of hip articulation 									
Task and guest chair models available300 pound approved									
Stacking									
•									
		A	3	Θ	O	3	•	0	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- ②Select outside/inside poly color.

 Refer to the **Product Color Options** page in this price list.
- Select frame color.
 Refer to the **Product Color Options** page in this price list.

Select glide option.

GNG - No glid

GNG - No glides
GNS - Non-skid glides
GPL - Plastic glides
GSL - Steel glides





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 290										
N/A	405	413	430	405	430	438	477	492	512	540
N/A	432	440	457	432	457	465	503	519	539	566
344										
N/A	459	467	484	459	484	492	530	546	565	593

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



		MODEL	MIIMDEE	,					
		MODEL	NUMBER	l .					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN3111							21.5#
	Solid Color, Upholstered Seat	DN3211							24.0#
	Solid Color, Upholstered Seat/Back	DN3311							25.5#
	Two-Tone, Polypropylene	DN3A11	NFR						21.5#
	Two-Tone, Upholstered Seat	DN3B11	NFR						24.0#
DN31									
DN32									
DN33									
DN3A									
DN3B									
Sled Base Arm Chair									
Solid or two-tone colored shell									
Unlimited custom color matching									
 17 degrees of hip articulation 									
Task and guest chair models available 200 pound approved.									
300 pound approvedStacking									
		A	3	Θ	0	3	•	O	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

- Select solid poly color.
 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color. Refer to the Product Color Options page in this price list.
- Select frame color.

 Refer to the **Product Color Options** page in this price list.

Select glide option.

GNG - No glides
GNS - Non-skid glides
GPL - Plastic glides
GSL - Steel glides





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 348										
N/A	463	471	488	463	488	496	535	550	570	597
N/A	490	498	515	490	515	523	562	577	596	624
402										
N/A	517	525	542	517	542	550	589	604	623	651

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



		MODEL	NUMBER	R					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
_	Solid Color, Polypropylene	DNJ100							20.0#
	Solid Color, Upholstered Seat	DNJ200							22.5#
	Solid Color, Upholstered Seat/Back	DNJ300							24.0#
	Two-Tone, Polypropylene	DNJA00	NFR						20.0#
	Two-Tone, Upholstered Seat	DNJB00	NFR						22.5#
DNJ1									
DNJ2									
DNJ3									
DNJA									
DNJB Sled Base Armless Ganging Chair									
Sieu base Ariilless Gallyllig Cliair									
Solid or two-tone colored shell									
Unlimited custom color matching17 degrees of hip articulation									
 Task and guest chair models available 									
300 pound approved Stocking									
Stacking									
		A	3	0	0	(3	()	Ф	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- ②Select outside/inside poly color.

 Refer to the **Product Color Options** page in this price list.
- Select frame color.
 Refer to the **Product Color Options** page in this price list.

Select glide option.

GNG - No glides
GNS - Non-skid glides
GPL - Plastic glides
GSL - Steel glides





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 344										
N/A	459	467	484	459	484	492	530	546	565	593
N/A	486	494	511	486	511	519	557	573	592	620
398										
N/A	513	521	537	513	537	546	584	599	619	647

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



		MODEL NUI	VIRFR							
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	
	Solid Color, Polypropylene	DN4100H24							20.5#	
[/	Solid Color, Upholstered Seat	DN4200H24							23.0#	
	Solid Color, Upholstered Seat/Back	DN4300H24							24.5#	
	Two-Tone, Polypropylene	DN4A00H24	NFR						20.5#	
	Two-Tone, Upholstered Seat	DN4B00H24	NFR						23.0#	
DN41										
DN42										
DN43										
DN4A										
DN4B										
Four-Leg Armless Cafe Stool - 24" Height										
Solid or two-tone colored shell										
Unlimited custom color matching										
• 17 degrees of hip articulation										
 Task, stack and lounge chair models available 										
300 pound approved										
		Q	•	0	O	•	•	Ф		

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color.

 Refer to the **Product Color Options** page in this price list.
- Select frame color.
 Refer to the **Product Color Options** page in this price list.

Select glide option.

GNL - Plastic/Nylon Glides - Steel glides





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 425										
N/A	540	548	564	540	564	573	612	626	646	674
N/A	566	575	591	566	591	599	639	653	673	701
479										
N/A	593	602	618	593	618	626	666	680	700	728

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



		MODEL NUI	VIBER							
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	
<u>_</u>	Solid Color, Polypropylene	DN4100H30							22.0#	
	Solid Color, Upholstered Seat	DN4200H30							24.5#	
	Solid Color, Upholstered Seat/Back	DN4300H30							26.0#	
	Two-Tone, Polypropylene	DN4A00H30	NFR						22.0#	
	Two-Tone, Upholstered Seat	DN4B00H30	NFR						24.5#	
/ /										
- *										
DN41										
DN42										
DN43										
DN4A										
DN4B										
Four-Leg Armiess Cafe Stool - 30"										
Height										
Solid or two-tone colored shell										
Unlimited custom color matching17 degrees of hip articulation										
Task, stack and lounge chair models										
available										
 300 pound approved 										
		Φ	3	Θ	O	Œ	•	G		

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color.

 Refer to the **Product Color Options** page in this price list.
- Select frame color.
 Refer to the **Product Color Options** page in this price list.

Select glide option.

GNL - Plastic/Nylon Glides - Steel glides





\$ 425 N/A 540 548 564 540 564 573 612 626 646 674 N/A 566 575 591 566 591 599 639 653 673 701 479 N/A 593 602 618 593 618 626 666 680 700 728	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
N/A 566 575 591 566 591 599 639 653 673 701 479	\$ 425										
479	N/A	540	548	564	540	564	573	612	626	646	674
	N/A	566	575	591	566	591	599	639	653	673	701
N/A 593 602 618 593 618 626 666 680 700 728	479										
	N/A	593	602	618	593	618	626	666	680	700	728

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **assembled**, **FOB Green Bay**, **WI 54302**, **freight prepaid**. Freight class 125.



		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	Transport Dolly Black powder-coat finish	DNCD.BL	43.0 kg
	Black powder dout		
HRDPT			
	Ganger Kit	DGK	0.0 kg
	 Includes one male and one female ganger loop per kit 		
	 All necessary hardware included 		
	Each part is installed under the chairAssembly instructions provided		
	Gangers are field installable		
HRDPT			
		A	

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.





Delivered Pricing

\$ 457

\$ 54

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Doni®

Task Chair General Information









Armless Task Chair

Task Armchair

Armless Task Stool

Task Arm Stool

Features				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered - add 1")	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	22-1/2" - 32-3/4"	22-1/2" - 32-3/4"
Overall Dimensions				
Width	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Height	33-1/4" - 38-1/4"	33-1/4" - 38-1/4"	38-1/4" - 48-1/2"	38-1/4" - 48-1/2"
Arms to floor		26" - 31"		31" - 41-1/4"

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Underseat Structure

Support structure is die-drawn, 12-gauge steel plate. Structure is finished with baked-on, electrostatically-applied, 30-degree gloss epoxy powder-coat paint coordinated with base selection.

Arms

Optional armrests are available. When equipped with arms, a support structure is 7/8" o.d. x 13-gauge tubular steel welded directly to the seat structure plate. The steel support tube is inserted into a socket molded into the armrest and secured with a screw. Armrests are molded from glassreinforced polypropylene. Structure and armrests are warm grey when warm grey base is selected or black when black or aluminum is selected.

Casters

Casters are 60mm o.d. double-wheel, highimpact thermoplastic and are available with hard (warm grey or black) or soft (black only) wheel surface.

Base

The base is a 26" injection-molded, glassreinforced nylon 5-blade base. A single paddle under the seat operates the heightadjusting pneumatic cylinder. Standard chair and stool base available in black, wam grey or polished aluminum (upcharge for polished aluminum).

Base color selection for black includes; black base, black cylinder and black carpet or hard floor casters.

Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carpet casters (hard floor casters not available in warm grey). Stool cylinder is always black.

Base color selection for polished aluminum includes; polished aluminum base, black cylinder and black carpet or hard floor casters.

Foot Ring


Task stools are equipped with an adjustableheight foot ring made with black die-cast aluminum hub and spokes with an 18" diameter chrome-plated tubluar steel ring.

KI Custom Poly Color Matching Program


Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.





Doni Task Chair



Doni Task Stool

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Task Chair Color Options

Base/Caster Color

Black	BL
Warm Grey	WG
Polished Aluminum	PA

Base color selection for black includes; black base, black cylinder and black carpet or hard floor casters.

Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carper casters (hard floor casters not available in warm grey). Stool cylinder is always black.

Base color selection for polished aluminum includes; polished aluminum base, black cylinder and black carpet or hard floor casters.

SOLID COLOR Seat and Back Polypropylene Non Flame-Retardant

Black	PBL
Blue Grey	PGR
Cool Grey	PCG
Cottonwood	PC0
Flannel	PFN
Light Tone	PLG
Misty Brown	PMY
Nemo	PNE
Nordic	PND
Poppy Red	PPR
Ultra Blue	PUB
Warm Grey	PWG
Wet Sand	PWS
Zesty Lime	PZL

SOLID COLOR Seat and Back Polypropylene Flame-Retardant

Black PBL

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance of California Technical Bulletin 133.

TWO-TONE COLOR Seat and Back - Polypropylene Non Flame-Retardant

Outside/Inside

Outside Black/Inside Cottonwood	OBL/ICO
Outside Blue Grey/Inside Cool Grey	OGR/ICG
Outside Blue Grey/Inside Cottonwood	OGR/ICO
Outside Cool Grey/Inside Cottonwood	OCG/ICO
Outside Flannel/Inside Warm Grey	OFN/IWG
Outside Misty Brown/Inside Cottonwood	OMY/ICO
Outside Nemo/Inside Cottonwood	ONE/ICO
Outside Nordic/Inside Cool Grey	OND/ICG
Outside Poppy Red/Inside Cottonwood	OPR/ICO
Outside Surf's Up/Inside Cool Grey	OSP/ICG
Outside Ultra Blue/Inside Cottonwood	OUB/ICO
Outside Zesty Lime/Inside Cottonwood	OZL/ICO

Finish Cards



Doni[®] Task Chair Color Options



		MODEL	NUMBEF	}					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN5100							24.0#
	Solid Color, Upholstered Seat	DN5200							26.5#
	Solid Color, Upholstered Seat/Back	DN5300							28.0#
	Two-Tone, Polypropylene	DN5A00	NFR						24.0#
	Two-Tone, Upholstered Seat	DN5B00	NFR		000000				26.5#
DN51									
DN52									
DN53									
DN5A									
DN5B									
Task Armless Chair									
 Solid or two-tone colored shell 									
Unlimited custom color matching									
17 degrees of hip articulationStack and guest chair models avail-									
able									
		A	3	Θ	Ð	3	3	Ф	

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

- Select solid poly color.
 Refer to the **Product Color Options** page in this price list.
- ②Select outside/inside poly color.
 Refer to the **Product Color Options** page in this price list.
- Select base color.

 Refer to the **Product Color Options** page in this price list.

 *Add \$88 for polished aluminum base.

Select caster option.

CHC - Hard floor casters
CCC - Carpet casters





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 431										
N/A	545	553	570	545	570	578	617	632	651	679
N/A	572	580	596	572	596	605	644	658	678	706
485										
N/A	598	607	623	598	623	632	671	685	705	733

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.



		MODEL	NUMBER						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN5111							26.0#
	Solid Color, Upholstered Seat	DN5211							28.5#
	Solid Color, Upholstered Seat/Back	DN5311							30.0#
	Two-Tone, Polypropylene	DN5A11	NFR						26.0#
	Two-Tone, Upholstered Seat	DN5B11	NFR						28.5#
DN51									
DN52									
DN53									
DN5A									
DN5B									
Task Cantilever Armchair									
Solid or two-tone colored shell Halimited queter color metabling									
Unlimited custom color matching17 degrees of hip articulation									
 Stack and guest chair models avail- 									
able									
		A	3	Θ	0	•	•	(

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

- Compliance to TB 117-2013 FR - Compliance to TB 133 See Upholstery Information for TB133

upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color. Refer to the Product Color Options page in this price list.
- Select base color. Refer to the Product Color Options page in this price list.

*Add \$88 for polished aluminum base.

Select caster option.

CHC - Hard floor casters

- Carpet casters





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 489										
N/A	603	612	627	603	627	636	675	690	709	737
N/A	629	639	654	629	654	664	702	717	736	764
543										
N/A	656	666	681	656	681	690	729	744	763	791

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.



		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN6100							27.0#
	Solid Color, Upholstered Seat	DN6200							29.5#
	Solid Color, Upholstered Seat/Back	DN6300							31.0#
	Two-Tone, Polypropylene	DN6A00	NFR						27.0#
	Two-Tone, Upholstered Seat	DN6B00	NFR						29.5#
DN61									
DN62									
DN63									
DN6A									
DN6B									
Task Armless Stool									
 Solid or two-tone colored shell 									
Unlimited custom color matching Todagrapa of his articulation									
17 degrees of hip articulationStack and guest chair models avail-									
able									
		A	3	Θ	0	•	•	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

- Select solid poly color.
 Refer to the **Product Color Options** page in this price list.
- ②Select outside/inside poly color.
 Refer to the **Product Color Options** page in this price list.
- Select base color.

 Refer to the **Product Color Options** page in this price list.

 *Add \$88 for polished aluminum base.

Select caster option.

CHC - Hard floor casters
CCC - Carpet casters





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 522										
N/A	636	645	660	636	660	670	708	724	743	771
N/A	664	672	687	664	687	697	735	750	770	798
576										
N/A	690	699	714	690	714	724	762	777	797	825

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.



		MODEL	NUMBER	}					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
<u>_</u>	Solid Color, Polypropylene	DN6111							29.0#
	Solid Color, Upholstered Seat	DN6211							31.5#
	Solid Color, Upholstered Seat/Back	DN6311							33.0#
	Two-Tone, Polypropylene	DN6A11	NFR						29.0#
	Two-Tone, Upholstered Seat	DN6B11	NFR						31.5#
DN61									
DN62									
DN63									
DN6A									
DN6B									
Task Cantilever Arm Stool									
 Solid or two-tone colored shell 									
Unlimited custom color matching17 degrees of hip articulation									
Stack and guest chair models avail-									
able									
		A	3	Θ	0	•	•	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Upholstery Information for TB133
upcharge.

- Select solid poly color.

 Refer to the **Product Color Options** page in this price list.
- Select outside/inside poly color. Refer to the Product Color Options page in this price list.
- Select base color.

 Refer to the **Product Color Options** page in this price list.

 *Add \$88 for polished aluminum base.

Select caster option.

CHC - Hard floor casters
CCC - Carpet casters





Delive Pricin Unupl		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 5	580										
1	N/A	695	703	719	695	719	728	766	781	801	829
I	N/A	721	730	746	721	746	755	794	808	828	856
6	634										
Į.	N/A	748	757	773	748	773	781	821	835	855	883

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

Californina TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge.

Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$68 Model=Solid Color, Upholstered Seat/Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

Doni®

Tandem Seating General Information







2-Place Unit

3-Place Unit

4-Place Unit

Features				
Corner tables	•	•	•	•
In-line tables	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height	17"	17"	17"	17"
Unit width	28"	50"	72"	88"
Unit height	33"	33"	33"	33"
Corner table top	30" x 30"	30" x 30"	30" x 30"	30" x 30"
In-line table	20" x 20"	20" x 20"	20" x 20"	20" x 20"
Table height (all table models)	17"	17"	17"	17"

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Under-seat Structure

Support structure is a die-drawn 12-gauge steel plate. Structure is finished with baked-on, electrostatically-applied 30 degree gloss epoxy powder-coat paint.

Tandem Base

Cast aluminum alloy leg section. 14-gauge 1"x2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a plate which clamps onto beam.

Inline Table

Solid core top is 20"x20"x7/8" with a vinyl bullnose edge.

Corner Table

Solid core top is 30"x30"x7/8" with a vinyl bullnose edge.

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.



INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Doni®

Tandem Seating Color Options

Frame Color		Surface Finish - Laminate		SOLID COLOR Seat and Back Polypropyle	ene
Black	BL	Biltmore Cherry	LBT		
Blue Grey	GR	Black	LBK	Black	PBL
Cool Grey	CG	Brighton Walnut	LBW	Blue Grey	PGR
Flannel	FN	Canyon Zephyr	LCA	Cool Grey	PCG
Grass Green	GN	Castle Oak	LCO	Cottonwood	PC0
Light Tone	LG	Casual Linen	LCU	Flannel	PFN
Mardi Gras	MG	Cherry Storm	LCX	Light Tone	PLG
Misty Brown	MY	Classic Linen	LCI	Misty Brown	PMY
Nemo	NE	Cloud Zephyr	LCL	Nemo	PNE
Nordic	ND	Cocobala	LCC	Nordic	PND
Poppy Red	PR	Coffee Bean	LCB	Poppy Red	PPR
Purple Haze	PH	Crisp Linen	LRI	Ultra Blue	PUB
Rubber Ducky	RK	Desert Zephyr	LDZ	Warm Grey	PWG
Sand	SA	Dove Grey	LDG	Wet Sand	PWS
Sky Blue	SK	Fired Steel	LIL	Zesty Lime	PZL
Surf's Up	SP	Flax Linen	LXF		
Ultra Blue	UB	Florence Walnut	LFC	SOLID COLOR Seat and Back Polypropyle	no
Warm Grey	WG	Forged Steel	LOL	Flame-Retardant	5116
Wet Sand	WS	Frosty White	LFW	Tidino Tiotaraant	
Zesty Lime	ZL	Graphite Nebula	LGN	Black	PBL
		Grey	LGE		
		High Rise	LHE	The above seating product can be manufactured	
Edge Color		Hollyberry	LHY	appropriate flame-retardant materials for compli California Technical Bulletin 133.	ance of
		Irish Linen	LIH	Camornia roomical Bancin roo.	
Black	EBL	Island	LID		
Blue Grey	EGR	Italian Silver Ash	LIT	TWO TONE COLOR Cost and Book Boly	wanulana
Cool Grey	ECG	Kensington Maple	LKM	TWO-TONE COLOR Seat and Back - Polyp Non Flame-Retardant	nupyrene
Flannel	EFN	Lapis Blue	LLB	Non Flame Hetardant	
Frosty White	EFW	Markerboard White	LMK	Outside/Inside	
Light Tone	ELG	Misted Zephyr	LMR	Outside Black/Inside Cottonwood	OBL/ICO
Mardi Gras	EMG	Monticello Maple	LMT	Outside Blue Grey/Inside Cool Grey	OGR/ICG
Misty Brown	EMY	Nickel Evolv	LNV	Outside Blue Grey/Inside Cottonwood	OGR/ICO
Nemo	ENE	North Sea	LNA	Outside Cool Grey/Inside Cottonwood	OCG/ICO
Purple Haze	EPH	Ocean	LON	Outside Flannel/Inside Warm Grey	OFN/IWG
Rubber Ducky	ERK	Orange Grove	LOE	Outside Misty Brown/Inside Cottonwood	OMY/ICO
Sand	ESA	Pearl Bisque	LPB	Outside Nemo/Inside Cottonwood	ONE/ICO
Surf's Up	ESP	Pearl Silver	LPS	Outside Nordic/Inside Cool Grey	OND/ICG
Ultra Blue	EUB	Pressed Linen	LPR	Outside Poppy Red/Inside Cottonwood	OPR/ICO
Warm Grey	EWG	River Cherry	LRY	Outside Surf's Up/Inside Cool Grey	OSP/ICG
Wet Sand	EWS	Rugged Linen	LRG	Outside Ultra Blue/Inside Cottonwood	OUB/ICO
Zesty Lime	EZL	Satin Stainless	LSS	Outside Zesty Lime/Inside Cottonwood	OZL/ICO
		Shadow Zephyr	LSR	,	
		Silicon evolv	LSV		
		Sterling Ash	LAZ		
		Tailored Linen	LTL		
		Titanium evolv	LTV		
		White Nebula White Sand	LWL LWN		
		Windsor Mahogany	LWY		
		willusur wallogally	LVV T		

Finish Cards
View color swatches for items listed within this document.


<u>Paints</u> <u>Plastics/Poly</u> Wood/Veneer
Laminates

Molded Edges Edge Styles Hard Plastics Glass





Doni[®] Tandem Seating



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.
 Refer to the **Product Color Options** page in this price list.
- Select fire code.

FR - Fire retardant
NFR - No Fire Retardant
See pricing column for TB133 upcharge.

- Select solid poly color. Refer to the **Product Color Options** page in this price list.
- Select surface finish for table.

 Refer to the **Product Color Options** page in this price list.
- Select table edge color.
 Refer to the **Product Color Options** page in this price list.



Delivered Pricing	FR add to li price	ist
\$ 612	\$	10
1350		10
1221		22
1959		22
1831		32
2570		32
2444		43
3308		32
3180		43
3056		54

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



MODEL NUMBER Poly Basic Frame Fire Outside/Inside Surface Edge MODEL **Features** Model Color Finish Polypropylene - No Arm, TWO-TONE 1 Seat, 0 In-Line Table DNDA0S1T0 NFR Optional in-line tables 1 Seat, 1 In-Line Table DNDA0S1T1 NFR 1 seat, 0 in-line table models must con-2 Seat, 0 In-Line Table DNDA0S2T0 NFR nect to a corner table Corner table is ordered separately 2 Seat, 1 In-Line Table DNDA0S2T1 NFR 3 Seat, 0 In-Line Table DNDA0S3T0 NFR 3 Seat, 1 In-Line Table DNDA0S3T1 NFR 4 Seat, 0 In-Line Table DNDA0S4T0 NFR DNDA 3 Seat, 2 In-Line Table DNDA0S3T2 NFR DNDA0S4T1 4 Seat, 1 In-Line Table NFR 5 Seat, 0 In-Line Table DNDA0S5T0 NFR 0 Θ • 0 Δ 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.
 Refer to the **Product Color Options** page in this price list.
- Select fire code.

NFR - No Fire Retardant

- Select outside/inside poly color. Refer to the **Product Color Options** page in this price list.
- Select surface finish for table.

 Refer to the **Product Color Options** page in this price list.
- Select table edge color.

 Refer to the **Product Color Options** page in this price list.





Approx.	
Approx. Packaged Weight	Delivered Pricing
0.0#	\$ 666
0.0#	1404
0.0#	1328
0.0#	2066
0.0#	1993
0.0#	2731
0.0#	2659
0.0#	3469
0.0#	3396
0.0#	3325
0.0#	3020

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

Doni[®] Tandem Seating

MODEL NUMBER Poly Basic Frame Fire Solid Surface Edge Upholstery MODEL **Features** Model Color Color Code Color 1 Seat, 0 In-Line Table DND20S1T0 Upholstered Seat - No Arm, SOLID 1 Seat, 1 In-Line Table DND20S1T1 Optional in-line tables DND20S2T0 2 Seat, 0 In-Line Table 1 seat, 0 in-line table models must con-2 Seat, 1 In-Line Table DND20S2T1 nect to a corner table Corner table is ordered separately 3 Seat, 0 In-Line Table DND20S3T0 3 Seat, 1 In-Line Table DND20S3T1 4 Seat, 0 In-Line Table DND20S4T0 3 Seat, 2 In-Line Table DND20S3T2 DND2 DND20S4T1 4 Seat, 1 In-Line Table 5 Seat, 0 In-Line Table DND20S5T0 0 Θ 0 • • Δ 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select frame color.

 Refer to the **Product Color Options** page in this price list.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See pricing column for TB133 upcharge.

- Select solid poly color. Refer to the Product Color Options page in this price list.
- Select surface finish for table.

 Refer to the **Product Color Options** page in this price list.
- Select table edge color.
 Refer to the **Product Color Options** page in this price list.



Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
0.0#	\$ 726	\$ 734	\$ 750	\$ 726	\$ 750	\$ 759	\$ 798	\$ 812	\$ 832	\$ 860	\$ 68
0.0#	1464	1473	1488	1464	1488	1498	1536	1551	1570	1598	68
0.0#	1449	1466	1499	1449	1499	1515	1593	1623	1662	1718	135
0.0#	2187	2205	2237	2187	2237	2254	2332	2362	2400	2456	135
0.0#	2174	2200	2247	2174	2247	2273	2390	2435	2493	2577	204
0.0#	2912	2938	2986	2912	2986	3012	3128	3173	3231	3316	204
0.0#	2901	2935	3000	2901	3000	3035	3190	3250	3327	3439	271
0.0#	3650	3676	3724	3650	3724	3750	3867	3911	3970	4054	204
0.0#	3637	3671	3736	3637	3736	3771	3926	3986	4063	4176	271
0.0#	3626	3669	3750	3626	3750	3793	3987	4062	4159	4299	339

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.





Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.

 Refer to the **Product Color Options** page in this price list.
- Select fire code.

NFR - Compliance to TB 117-2013

- Select outside/inside poly color. Refer to the **Product Color Options** page in this price list.
- Select surface finish for table.

 Refer to the **Product Color Options** page in this price list.
- Select table edge color.

 Refer to the **Product Color Options** page in this price list.
- **G**Select upholstery grade/color. Refer to **ki.com/fabrics**





Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
0.0#	\$ 779	\$ 788	\$ 804	\$ 779	\$ 804	\$ 812	\$ 852	\$ 866	\$ 886	\$ 914
0.0#	1517	1527	1542	1517	1542	1551	1590	1605	1624	1653
0.0#	1557	1574	1606	1557	1606	1623	1700	1731	1770	1825
0.0#	2295	2312	2344	2295	2344	2362	2439	2469	2508	2564
0.0#	2335	2361	2409	2335	2409	2435	2551	2596	2654	2738
0.0#	3073	3099	3147	3073	3147	3173	3290	3334	3392	3477
0.0#	3116	3150	3216	3116	3216	3250	3405	3465	3542	3655
0.0#	3812	3838	3885	3812	3885	3911	4028	4073	4131	4215
0.0#	3852	3886	3951	3852	3951	3986	4141	4202	4279	4391
0.0#	3896	3938	4020	3896	4020	4062	4256	4332	4428	4569

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

Doni[®] Tandem Seating



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color. Refer to the **Product Color Options** page in this price list.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See pricing column for TB133 upcharge.

- Select solid poly color. Refer to the Product Color Options page in this price list.
- Select surface finish for table.

 Refer to the **Product Color Options** page in this price list.
- Select table edge color.

 Refer to the **Product Color Options** page in this price list.



Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
0.0#	\$ 752	\$ 761	\$ 777	\$ 752	\$ 777	\$ 786	\$ 825	\$ 839	\$ 859	\$ 887	\$ 97
0.0#	1490	1500	1515	1490	1515	1525	1563	1578	1597	1626	97
0.0#	1503	1519	1552	1503	1552	1569	1647	1678	1716	1772	193
0.0#	2241	2258	2290	2241	2290	2308	2386	2416	2454	2511	193
0.0#	2254	2280	2329	2254	2329	2355	2470	2516	2574	2657	290
0.0#	2992	3018	3067	2992	3067	3093	3208	3254	3312	3396	290
0.0#	3009	3043	3108	3009	3108	3142	3297	3357	3435	3546	388
0.0#	3730	3756	3805	3730	3805	3831	3947	3993	4051	4134	290
0.0#	3745	3779	3844	3745	3844	3878	4033	4093	4171	4283	388
0.0#	3761	3804	3884	3761	3884	3928	4122	4196	4294	4434	485

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

Tandem Seating

			MODEL NU	MBER			
MODEL		Features	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
Corner Table		Connects 2 units	TCT				0.0#
Number of table Plactic laminate	es per arrangement with vinyl bullnose edge						
	nodular units at a 90°						
angle							
Two required for	 Two required for U-shaped configuration One required for L-shaped configuration 						
MSCT • One required for	r L-snaped configuration						
Back Ganging Bar			DOP.GANG				8.0#
HRDPT • Connects 2 units • Powder coated to							
Sold in pairs	to maton baob						
			Φ	3	Θ	0	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **Product Color Options** page in this price list.
- Select surface finish for table.
 Refer to the **Product Color Options** page in this price list.
- Select table edge color.

 Refer to the **Product Color Options** page in this price list.



Tandem Seating

ExWorks Pricing

615

\$ 206

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2016 Krueger International, Inc. All Rights Reserved. Code KI-11621/KI/PDF/0616