

Prices effective September 3, 2019 Published September 2019

New Aeron® Chairs

Introduction	page 2
New Aeron® Chairs	3
Work Chairs	5
Work Chair, Live Platform™	13
Stools	17
Work Stool, Live Platform	21
Accessories	24
Indices	31
By Name	31
By Number	33
Appendices	
20-Day or Less/Assigned Lead-Time Order Informatio	n
Casters and Glides	
Size/Fit Reference	
Fire Retardancy-Seating	
Customer's Own Material/Customer's Own Leather O	rder Information-Seating
Proprietary Textiles Application Chart-Seating	
Proprietary Textile Colors-Seating	
For the latest materials information, refer to the Materi	als pages on HermanMiller.com

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective September 3, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest ½". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Work Chairs

Stools

Accessories



Description

While its iconic form has remained largely unchanged, the Aeron® chair has been remastered from the casters up to meet the needs of today's work and workers. With the help of original co-designer, Don Chadwick, we thoughtfully updated the chair based on the latest research around the science of sitting, and advancements in materials, manufacturing, and technology.

The new Aeron chair comes in 3 sizes and has a new 8Z Pellicle® material that delivers increased comfort and ergonomic support. Across the seat and back, 8 latitudinal zones of varying tension envelope the sitter, tightest at the edges and more forgiving where the body makes contact. The chair has pneumatic height adjustment and a balanced recline that lets the body naturally pivot at the ankles, knees, and hips. Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include adjustable PostureFit® SL, an adjustable lumbar support, and PostureFit. The adjustable PostureFit SL support provides a custom fit in sacral and lumbar regions of the spine that helps achieve healthier posture and improved lower back comfort. The user can fine tune the level of support with an adjustable knob on the PostureFit SL.

Arm choices include a fixed, nonadjustable option; a height-adjustable option that moves the arms 4" vertically; a height-adjustable plus pivot option that moves the arms 4" vertically and pivots the armpads 15° outward and 17 $^{1}/_{2}$ ° inward; and a fully adjustable option that also allows the armpads to move forward and back.

Aeron is now offered in a range of 3 tightly curated, holistic material expressions: graphite, carbon, and mineral. Graphite refines Aeron's original color scheme for a crisp, sculptural appearance. Carbon blurs light and dark, and warm and cool, to harmonize with a variety of environments. Mineral illuminates Aeron's finer points to offer a lightness that borders on translucence.

The graphite with graphite applique (ZB) frame finish includes appliques that are applied to an Aeron® work chair's seat, back, and arms to minimize the effect of contact between the chair and a wood-edge surface.


Notes

To help determine chair size, see Aeron Chair Size/Fit Reference in Appendices. B- and C-size chairs are tested and warranted for use by persons 350 pounds and under. A-size chairs are tested and warranted for use by persons 300 pounds and under.


For information on casters and glides, see Casters and Glides in Appendices.

Customer's Own Leather (COL) can be applied to armpads; requires 4 square feet. See Order Information in Appendices.


As with any material or textile, dye transfer may occur on seating surfaces, being more noticeable on lighter color expressions (for example: mineral on Aeron, fog on Mirra® 2). If this is a concern, we recommend selecting a darker color expression on which dye transfer will be less noticeable. As a reminder, dye transfer is not covered under the Herman Miller warranty.



Low Height Range



Standard Height Range



High Height Range

Specification Information

Step 1.

AER1

Step 2. Size

A a sizeB b size

C c size

Step 3. Height Adjustment

For a size (A)

1 low-height range

For b size (B)

1 low-height range

2 standard-height range

3 high-height range

For c size (C)

2 standard-height range

3 high-height range

Step 4. Tilt

standard tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 5. Arms

N no arms

P fixed arms

H height-adjustable arms

A height-adjustable plus pivot arms

D fully adjustable arms

Step 6. Armpad Upholstery

For no arms (N)

N no arms

For fixed arms (P), height-adjustable arms (H), height-adjustable plus pivot arms (A), or fully adjustable arms (D)

W nonupholstered armpads

F leather armpads

Step 7. Fire Retardancy	
For not fire retardant (*), skip this step.	
not fire retardant	

rrices t	01.5	Steps 1-7.						
			NN*	PW*	PF*	HW*	HF*	AW ³
AER1A	1	1	\$1169	1313	1391	1384	1462	1467
		2	\$1234	1378	1456	1449	1527	1532
		3	\$1308	1452	1530	1523	1601	1606
						AF*	DW*	DF ³
AER1A	1	1				\$1545	1488	1566
		2				\$1610	1553	163
		3				\$1684	1627	1705
			NN*	PW*	PF*	HW*	HF*	AW ³
AER1B	1	1	\$1169	1313	1391	1384	1462	1467
		2	\$1234	1378	1456	1449	1527	1532
		3	\$1308	1452	1530	1523	1601	1606
	2	1	\$1169	1313	1391	1384	1462	1467
		2	\$1234	1378	1456	1449	1527	1532
		3	\$1308	1452	1530	1523	1601	1606
	3	1	\$1169	1313	1391	1384	1462	1467
		2	\$1234	1378	1456	1449	1527	1532
		3	\$1308	1452	1530	1523	1601	1606
						AF*	DW*	DF۶
AER1B	1	1				\$1545	1488	1566
		2				\$1610	1553	1631
		3				\$1684	1627	1705
	2	1				\$1545	1488	1566
		2				\$1610	1553	163:
		3				\$1684	1627	1705
***************************************	3	1				\$1545	1488	1566
		2				\$1610	1553	163
						\$1684	1627	1705
		3				\$1004	102/	, - ,
		3	NN*	PW*	PF*	HW*	HF*	
AER1C	2	1	NN* \$1169	PW*	PF*	,		AW ³
AER1C	2					HW*	HF*	AW ³
AER1C	2	1	\$1169	1313	1391	HW*	HF*	AW*
AER1C	2	1 2	\$1169 \$1234	1313 1378	1391 1456 1530	HW* 1384 1449	HF* 1462 1527	AW ² 1467 1532 1606
AER1C		1 2 3	\$1169 \$1234 \$1308	1313 1378 1452	1391 1456	HW* 1384 1449 1523	HF* 1462 1527 1601	1467 1532 1606 1467

			AF*	DW*	DF ³
AER1C	2	1	\$1545	1488	1566
		2	\$1610	1553	163
		3	\$1684	1627	1705
	3	1	\$1545	1488	1566
		2	\$1610	1553	163
		3	\$1684	1627	1705
Step 8.	Bad	ck Support Option			
SZS	ba	sic back support			+\$0
ZSS	Po	stureFit®			+\$45
AJ	ad	justable lumbar support			+\$65
ALP	ad	justable posturefit SL			+\$95
Step 9.	Fra	me Finish			
G1	gra	phite			+\$0
CRB	cai	bon			+\$85
VPR	mi	neral			+\$175
ZB	gra	aphite with graphite applique			+\$325
		retardant with graphite (G1)			
G1	gra	phite			+\$0
CD	ро	lished aluminum A			+\$85
For not	fire	retardant with graphite with gra	aphite applique	e (ZB)	
G1	gra	aphite			+\$0
For not	fire	retardant with carbon (CRB)			
SNC	sat	in carbon			+\$0
CD	ро	lished aluminum A			+\$85
For not	fire	retardant with mineral (VPR)			
SNA	sat	in aluminum			+\$0
CD	ро	lished aluminum A			+\$85
Step 11	. Ba	se Finish			
For gra	phit	re (G1)			
G1	gra	phite			+\$0
CD	ро	lished aluminum A			+\$250
For pol	ishe	ed aluminum (CD)			
CD	ро	lished aluminum 🛕			+\$250

For no	ot fire retardant with satin carbon (SNC)	
DCR	dark carbon	+\$0
SNC	satin carbon	+\$80
CD	polished aluminum A	+\$250
For no	ot fire retardant with satin aluminum (SNA)	
DVP	dark mineral	+\$0
SNA	satin aluminum	+\$150
CD	polished aluminum A	+\$250
Step 1	2. Casters/Glides	
For po	olished aluminum (CD), dark carbon (DCR), dark mineral ((DVP),
graph	ite (G1), satin aluminum (SNA), or satin carbon (SNC)	
BB	$2^{1}/2^{\prime\prime}$ hard caster, black yoke, carpet only	+\$0
GF	$2^{1}/2^{\prime\prime}$ glide, hard floors or carpet	+\$25
C7	$2^{1}/2^{\prime\prime}$ caster, black yoke, hard floors or carpet	+\$50
DC1	$2^{1}/_{2}$ " braking caster, black yoke, hard floors or carpet	+\$75
	with quiet roll technology	
Step 1	3. Armpad Finish	
For no	nupholstered armpads (W) with not fire retardant with g	raphite
(G1), (or graphite with graphite applique (ZB)	
BK	black	+\$0
	nupholstered armpads (W) with not fire retardant with n	nineral
(VPR)		
DVP	dark mineral	+\$0
For no	nupholstered armpads (W) with not fire retardant with c	arbon
(CRB)		
DCR	dark carbon	+\$0
Step 1	.4. 8Z Pellicle	
Price	Category 1	+\$0
Step 1	5. Armpad Leather	
For le	ather armpads (F)	
Price	Category 7 🖪	+\$0
Price	Category 9	+\$75



Description

While its iconic form has remained largely unchanged, the Aeron® chair has been remastered from the casters up to meet the needs of today's work and workers. With the help of original co-designer, Don Chadwick, we thoughtfully updated the chair based on the latest research around the science of sitting, and advancements in materials, manufacturing, and technology.

The new Aeron chair comes in 3 sizes and has a new 8Z Pellicle® material that delivers increased comfort and ergonomic support. Across the seat and back, 8 latitudinal zones of varying tension envelope the sitter, tightest at the edges and more forgiving where the body makes contact. The chair has pneumatic height adjustment and a balanced recline that lets the body naturally pivot at the ankles, knees, and hips. Chair components are packaged and shipped ready to assemble.

Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include adjustable PostureFit® SL, an adjustable lumbar support, and PostureFit. The adjustable PostureFit SL support provides a custom fit in sacral and lumbar regions of the spine that helps achieve healthier posture and improved lower back comfort. The user can fine tune the level of support with an adjustable knob on the PostureFit SL.

Arm choices include a fixed, nonadjustable option; a height-adjustable option that moves the arms 4" vertically; a height-adjustable plus pivot option that moves the arms 4" vertically and pivots the armpads 15° outward and 17 $^{1}/_{2}$ ° inward; and a fully adjustable option that also allows the armpads to move forward and back.

Aeron is now offered in a range of 3 tightly curated, holistic material expressions: graphite, carbon, and mineral. Graphite refines Aeron's original color scheme for a crisp, sculptural appearance. Carbon blurs light and dark, and warm and cool, to harmonize with a variety of environments. Mineral illuminates Aeron's finer points to offer a lightness that borders on translucence.

The graphite with graphite applique (ZB) frame finish includes appliques that are applied to an Aeron® work chair's seat, back, and arms to minimize the effect of contact between the chair and a wood-edge surface.


Notes

To help determine chair size, see Aeron Chair Size/Fit Reference in Appendices. B- and C-size chairs are tested and warranted for use by persons 350 pounds and under. A-size chairs are tested and warranted for use by persons 300 pounds and under.


For information on casters and glides, see Casters and Glides in Appendices.

Customer's Own Leather (COL) can be applied to armpads; requires 4 square feet. See Order Information in Appendices.


Note: As with any material or textile, dye transfer may occur on seating surfaces, being more noticeable on lighter color expressions (for example: mineral on Aeron, fog on Mirra® 2). If this is a concern, we recommend selecting a darker color expression on which dye transfer will be less noticeable. As a reminder, dye transfer is not covered under the Herman Miller warranty.



Low Height Range



Standard Height Range



High Height Range

Specification Information

Step 1.

AER2

Step 2. Size

A a size

B b size

Step 3. Height Adjustment

For a size (A)

1 low-height range

For b size (B)

1 low-height range

2 standard-height range

3 high-height range

Step 4. Tilt

standard tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 5. Arms

N no arms

P fixed arms

H height-adjustable arms

A height-adjustable plus pivot arms

D fully adjustable arms

Step 6. Armpad Upholstery

For no arms (N)

N no arms

For fixed arms (P), height-adjustable arms (H), height-adjustable plus pivot arms (A), or fully adjustable arms (D)

W nonupholstered armpads

F leather armpads

Step 7. Fire Retardancy

For not fire retardant (*), skip this step.

not fire retardant

Prices f	or S	Steps 1-7.						
			NN*	PW*	PF*	HW*	HF*	AW ³
AER2A	1	1	\$1169	1313	1391	1384	1462	1467
		2	\$1234	1378	1456	1449	1527	1532
		3	\$1308	1452	1530	1523	1601	1606
						AF*	DW*	DF'
AER2A	1	1				\$1545	1488	1566
		2				\$1610	1553	1631
		3				\$1684	1627	1705
			NN*	PW*	PF*	HW*	HF*	AW*
AER2B	1	1	\$1169	1313	1391	1384	1462	1467
		2	\$1234	1378	1456	1449	1527	1532
		3	\$1308	1452	1530	1523	1601	1606
	2	1	\$1169	1313	1391	1384	1462	1467
		2	\$1234	1378	1456	1449	1527	1532
		3	\$1308	1452	1530	1523	1601	1606
	3	1	\$1169	1313	1391	1384	1462	1467
		2	\$1234	1378	1456	1449	1527	1532
		3	\$1308	1452	1530	1523	1601	1606
						AF*	DW*	DF ³
AER2B	1	1				\$1545	1488	1566
		2				\$1610	1553	1631
		3				\$1684	1627	1705
	2	1				\$1545	1488	1566
		2				\$1610	1553	1631
		3				\$1684	1627	1705
	3	1				\$1545	1488	1566
		2				\$1610	1553	1631
		3				\$1684	1627	1705
		ck Suppor						
SZS		sic back si	upport					+\$0
ZSS		stureFit®						+\$45
AJ			ımbar suppoı	rt				+\$65
ALP	ad	justable p	osturefit SL					+\$95
Step 9.	Fra	me Finish					_	
G1	gra	aphite						+\$0
CRB	ca	rbon						+\$85
VPR	mi	neral						+\$175
ZB		nhita with	n graphite ap					+\$325

Step 1	o. Chassis Finish	
•	t fire retardant with graphite (G1)	
G1	graphite	+\$0
CD	polished aluminum A	+\$85
For no	t fire retardant with graphite with graphite applique (ZB,)
G1	graphite	+\$o
For cal	bon (CRB)	
SNC	satin carbon	+\$o
CD	polished aluminum A	+\$85
For mi	neral (VPR)	
SNA	satin aluminum	+\$o
CD	polished aluminum A	+\$85
Step 1	ı. Base Finish	
For gro	pphite (G1)	
G1	graphite	+\$0
CD	polished aluminum A	+\$250
For po	lished aluminum (CD)	
CD	polished aluminum A	+\$250
For no	t fire retardant with satin carbon (SNC)	
DCR	dark carbon	+\$o
SNC	satin carbon	+\$80
CD	polished aluminum A	+\$250
For no	t fire retardant with satin aluminum (SNA)	
DVP	dark mineral	+\$o
SNA	satin aluminum	+\$150
CD	polished aluminum A	+\$250
Step 1	2. Casters/Glides	
	lished aluminum (CD), dark carbon (DCR), dark mineral ((DVP),
graphi	te (G1), satin aluminum (SNA), or satin carbon (SNC)	
ВВ	$2^{1}/_{2}$ " hard caster, black yoke, carpet only	+\$o
GF	$2^{1}/_{2}$ " glide, hard floors or carpet	+\$25
C7	$2^{1}/_{2}$ " caster, black yoke, hard floors or carpet	+\$50
DC1	2 ¹ / ₂ " braking caster, black yoke, hard floors or carpet with quiet roll technology	+\$75
	min quiet rou technology	

Step 13. Armpad Finish	
For nonupholstered armpads (W) with not fire reta	rdant with graphite
(G1), or graphite with graphite applique (ZB)	
BK black	+\$0
For nonupholstered armpads (W) with not fire reta	rdant with mineral
(VPR)	
DVP dark mineral	+\$0
For nonupholstered armpads (W) with not fire reta	rdant with carbon
(CRB)	
DCR dark carbon	+\$0
Step 14. 8Z Pellicle	
Price Category 2	+\$0
Step 15. Armpad Leather	
For leather armpads (F)	
Price Category 7 A	+\$0
Price Category 9	+\$75



Description

While its iconic form has remained largely unchanged, the Aeron® chair has been remastered from the casters up to meet the needs of today's work and workers. With the help of original co-designer, Don Chadwick, we thoughtfully updated the chair based on the latest research around the science of sitting, and advancements in materials, manufacturing, and technology.

The new Aeron chair comes in 3 sizes and has a new 8Z Pellicle® material that delivers increased comfort and ergonomic support. Across the seat and back, 8 latitudinal zones of varying tension envelope the sitter, tightest at the edges and more forgiving where the body makes contact. The chair has pneumatic height adjustment and a balanced recline that lets the body naturally pivot at the ankles, knees, and hips. Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include adjustable PostureFit® SL, an adjustable lumbar support, and PostureFit. The adjustable PostureFit SL support provides a custom fit in sacral and lumbar regions of the spine that helps achieve healthier posture and improved lower back comfort. The user can fine tune the level of support with an adjustable knob on the PostureFit SL.

Arm choices include a fixed, nonadjustable option; a height-adjustable option that moves the arms 4" vertically; a height-adjustable plus pivot option that moves the arms 4" vertically and pivots the armpads 15° outward and 17 $^{1}/_{2}$ ° inward; and a fully adjustable option that also allows the armpads to move forward and back.

Aeron is now offered in a range of 3 tightly curated, holistic material expressions: graphite, carbon, and mineral. Graphite refines Aeron's original color scheme for a crisp, sculptural appearance. Carbon blurs light and dark, and warm and cool, to harmonize with a variety of environments. Mineral illuminates Aeron's finer points to offer a lightness that borders on translucence.

The graphite with graphite applique (ZB) frame finish includes appliques that are applied to an Aeron® work chair's seat, back, and arms to minimize the effect of contact between the chair and a wood-edge surface.


Notes

To help determine chair size, see Aeron Chair Size/Fit Reference in Appendices. B- and C-size chairs are tested and warranted for use by persons 350 pounds and under. A-size chairs are tested and warranted for use by persons 300 pounds and under.


For information on casters and glides, see Casters and Glides in Appendices.

Customer's Own Leather (COL) can be applied to armpads; requires 4 square feet. See Order Information in Appendices.


As with any material or textile, dye transfer may occur on seating surfaces, being more noticeable on lighter color expressions (for example: mineral on Aeron, fog on Mirra® 2). If this is a concern, we recommend selecting a darker color expression on which dye transfer will be less noticeable. As a reminder, dye transfer is not covered under the Herman Miller warranty.



Low Height Range



Standard Height Range



High Height Range

Specification Information

Step 1.

AERL1 A

Step 2. Size

a size

B b size

C c size

Step 3. Height Adjustment

For a size (A)

1 low-height range

For b size (B)

1 low-height range

2 standard-height range

3 high-height range

For c size (C)

2 standard-height range

3 high-height range

Step 4. Tilt

standard tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 5. Arms

N no arms

P fixed arms

H height-adjustable arms

A height-adjustable plus pivot arms

D fully adjustable arms

Step 6. Armpad Upholstery

For no arms (N)

N no arms

For fixed arms (P), height-adjustable arms (H), height-adjustable plus pivot arms (A), or fully adjustable arms (D)

W nonupholstered armpads

F leather armpads

Step 7. Fire Retardancy
For not fire retardant (*), skip this step.
not fire retardant

		Steps 1-7.	1NN*	1PW*	1PF*	1HW*	1HF*	1AW ³
AERL1	Α	1	\$1337	1 PW ^			1630	1635
AEKLI	В	-			1559	1552		
	В	1	\$1337	1481	1559	1552	1630	163
		2	\$1337	1481	1559	1552	1630	163
		3	\$1337	1481	1559	1552	1630	163
	С	2	\$1337	1481	1559	1552	1630	163
		3	\$1337	1481	1559	1552	1630	163
			1AF*	1DW*	1DF*	2NN*	2PW*	2PF
AERL1	Α	1	\$1713	1655	1733	1402	1545	162
	В	1	\$1713	1655	1733	1402	1545	1623
		2	\$1713	1655	1733	1402	1545	1623
		3	\$1713	1655	1733	1402	1545	1623
	C	2	\$1713	1655	1733	1402	1545	1623
		3	\$1713	1655	1733	1402	1545	1623
			2HW*	2HF*	2AW*	2AF*	2DW*	2DF
AERL1	Α	1	\$1616	1694	1699	1778	1720	1798
	В	1	\$1616	1694	1699	1778	1720	1798
		2	\$1616	1694	1699	1778	1720	1798
		3	\$1616	1694	1699	1778	1720	1798
	C	2	\$1616	1694	1699	1778	1720	1798
		3	\$1616	1694	1699	1778	1720	1798
			3NN*	3PW*	3PF*	3HW*	3HF*	3AW ³
AERL1	Α	1	\$1476	1619	1697	1690	1768	1773
	В	1	\$1476	1619	1697	1690	1768	1773
		2	\$1476	1619	1697	1690	1768	1773
		3	\$1476	1619	1697	1690	1768	1773
	C	2	\$1476	1619	1697	1690	1768	1773
		3	\$1476	1619	1697	1690	1768	1773
						3AF*	3DW*	3DF
AERL1	Α	1				\$1851	1794	1872
	В	1				\$1851	1794	1872
		2				\$1851	1794	1872
		3				\$1851	1794	1872
						\$1851		
	C	2				\$1051	1794	1872

Step 8	B. Back Support Option	
SZS	basic back support	+\$o
ZSS	PostureFit®	+\$45
AJ	adjustable lumbar support	+\$65
ALP	adjustable posturefit SL	+\$95
Step o). Frame Finish	
G1	graphite	+\$o
CRB	carbon	+\$85
VPR	mineral	+\$175
ZB	graphite with graphite applique	+\$325
Step 1	o. Chassis Finish	
For no	t fire retardant with graphite (G1)	
G1	graphite	+\$o
CD	polished aluminum A	+\$85
For no	t fire retardant with graphite with graphite applique (ZB)	
G1	graphite	+\$0
For no	t fire retardant with carbon (CRB)	
SNC	satin carbon	+\$o
CD	polished aluminum A	+\$85
For no	t fire retardant with mineral (VPR)	
SNA	satin aluminum	+\$o
CD	polished aluminum A	+\$85
Step 1	1. Base Finish	
For gr	aphite (G1)	
G1	graphite	+\$o
CD	polished aluminum A	+\$250
	lished aluminum (CD)	
CD	polished aluminum A	+\$250
• • • • • • • • • • • • • • • • • • • •	t fire retardant with satin carbon (SNC)	
DCR	dark carbon	+\$o
SNC	satin carbon	+\$80
CD	polished aluminum A	+\$250
	t fire retardant with satin aluminum (SNA)	
DVP	dark mineral	+\$o
SNA	satin aluminum	+\$150
CD	polished aluminum A	+\$250

Step 12. Casters/Glides

BB	$2^{1}/_{2}$ " hard caster, black yoke, carpet only	+\$0
GF	$2^{1}/_{2}$ " glide, hard floors or carpet	+\$2
C7	2 ¹ / ₂ " caster, black yoke, hard floors or carpet	+\$50
DC1	$2^{1}/_{2}$ " braking caster, black yoke, hard floors or carpet	+\$75
	with quiet roll technology	
Step 1	3. Armpad Finish	
For no	nupholstered armpads (W) with not fire retardant with gro	aphite
(G1), o	r graphite with graphite applique (ZB)	
ВК	black	+\$0
For no	nupholstered armpads (W) with not fire retardant with mi	neral
DVP	dark mineral	+\$0
For no	nupholstered armpads (W) with not fire retardant with ca	rbon
DCR	dark carbon	+\$0
Step 1	4. 8Z Pellicle	
Price C	ategory 1	+\$0
Step 1	5. Armpad Leather	
For lea	ther armpads (F)	
Price C	ategory 7 A	+\$0
Price C	ategory 9	+\$75

For polished aluminum (CD), dark carbon (DCR), dark mineral (DVP),

graphite (G1), satin aluminum (SNA), or satin carbon (SNC)



Description

While its iconic form has remained largely unchanged, the Aeron® chair and work stool has been remastered from the casters up to meet the needs of today's work and workers. With the help of original co-designer, Don Chadwick, we thoughtfully updated the chair and work stool based on the latest research around the science of sitting, and advancements in materials, manufacturing, and technology.

The new Aeron stool has a new 8Z Pellicle® material that delivers increased comfort and ergonomic support. Across the seat and back, 8 latitudinal zones of varying tension envelope the sitter, tightest at the edges and more forgiving where the body makes contact. The work stool has a 2¹/₂"-wide footrest platform that provides three times more surface area than a typical footring to reduce pressure and increase comfort. Non-slip treads offer added stability. When adjusting stool height, the footrest moves with the seat.

The stool has a 5-star base, pneumatic seat-height adjustment, and 2 height options to allow stool use with counter or bar height surfaces. The low stool has a seat-height range of $24^3/4''$ to $29^1/4''$ with a footrest that adjusts $2^1/2''$ (from 15" to $17^1/2''$ below the seat) and is optimal for work surfaces between 34" and 38" high. The high stool has a seatheight range of 28" to $34^1/4''$ with a footrest that adjusts $5^3/4''$ (from 15" to $20^3/4''$ below the seat) and is optimal for work surfaces between 37" and 43'' high. Stool is available in size B.

Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include adjustable PostureFit® SL, an adjustable lumbar support, and PostureFit. The adjustable PostureFit SL support provides a custom fit in sacral and lumbar regions of the spine that helps achieve healthier posture and improved lower back comfort. The user can fine tune the level of support with an adjustable knob on the PostureFit SL.

Arm choices include a fixed, nonadjustable option; a height-adjustable option that moves the arms 4" vertically; a height-adjustable plus pivot option that moves the arms 4" vertically and pivots the armpads 15° outward and 17 $^{1}/_{2}$ ° inward; and a fully adjustable option that also allows the armpads to move forward and back.

Aeron is now offered in a range of 3 tightly curated, holistic material expressions: graphite, carbon, and mineral. Graphite refines Aeron's original color scheme for a crisp, sculptural appearance. Carbon blurs light and dark, and warm and cool, to harmonize with a variety of environments. Mineral illuminates Aeron's finer points to offer a lightness that borders on translucence.


The graphite with graphite applique (ZB) frame finish includes appliques that are applied to an Aeron® work stool's seat, back, and arms to minimize the effect of contact between the stool and a wood-edge surface.

Notes


For information on casters and glides, see Casters and Glides in Appendices.

Customer's Own Leather (COL) can be applied to armpads; requires 4 square feet. See Order Information in Appendices.

As with any material or textile, dye transfer may occur on seating surfaces, being more noticeable on lighter color expressions (for example: mineral on Aeron, fog on Mirra® 2). If this is a concern, we recommend selecting a darker color expression on which dye transfer will be less noticeable. As a reminder, dye transfer is not covered under the Herman Miller warranty.



Low Stool



High Stool

Specification Information

Step 1.

AER7

Step 2. Height

1 low

2 high

Step 3. Tilt

standard tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 4. Arms

N no arms

P fixed arms

H height-adjustable arms

A height-adjustable plus pivot arms

D fully adjustable arms

Step 5. Armpad Upholstery

For no arms (N)

N no arms

For fixed arms (P), height-adjustable arms (H), height-adjustable plus pivot arms (A), or fully adjustable arms (D)

W nonupholstered armpads

F leather armpads

Step 6. Fire Retardancy

For not fire retardant (*), skip this step.

not fire retardant

Prices for S	Steps 1-6.			
		N*	W*	F*
AER71 1	N	\$1500	_	_
	P	_	\$1644	1722
	Н	_	\$1715	1793
	Α	_	\$1798	1876
	D	_	\$1818	1896
2	N	\$1565	_	_
	P	_	\$1709	1787
	Н	_	\$1780	1858
	Α	_	\$1863	1941
	D	_	\$1883	1961

***************************************	3	N \$1	639	·····	·····
	-	P	_	\$1783	1861
		Н	_	\$1854	1932
		Α	_	\$1937	2015
		D	_	\$1957	2035
				Ψ±331	20))
AER72	1	N \$1	.500	_	
		P	_	\$1644	1722
		н	_	\$1715	1793
		A	_	\$1798	1876
		D	_	\$1818	1896
	2	N \$1	565	_	_
		P	_	\$1709	1787
		Н	_	\$1780	1858
		A	_	\$1863	1941
		D	_	\$1883	1961
	3		639	_	_
		P	_	\$1783	1861
		Н	_	\$1854	1932
		A	_	\$1937	2015
		D	_	\$1957	2035
Stan 7	Rac	k Support Option			
SZS		ic back support			+\$o
ZSS		tureFit®			+\$45
AJ		ustable lumbar support			+\$65
ALP		ustable posturefit SL			+\$95
7121	uuj	astable postarent se			1473
Step 8.	Fran	ne/Foot Ring Tread			
G1	gra	phite			+\$o
CRB	carl	oon			+\$85
VPR	min	eral			+\$175
ZB	gra	phite with graphite applique			+\$325
Ctono	Cha	ssis 9 Foot Ding			
step 9.	Clia	ssis & Foot Ring			
For not	fire	retardant with graphite (G1)			
G1	gra	phite			+\$0
CD	poli	ished aluminum			+\$85
***************************************		retardant with graphite with graphite app	oliqu	e (ZB)	
G1	gra	phite			+\$0
For not	fire	retardant with carbon (CRB)			
SNC		n carbon			+\$0
CD	poli	ished aluminum			+\$85

•	t fire retardant with mineral (VPR)	
SNA	satin aluminum	+\$0
CD	polished aluminum	+\$85
Step 1	o. Base Finish	
For gra	phite (G1)	
G1	graphite	+\$o
CD	polished aluminum	+\$250
For po	lished aluminum (CD)	
CD	polished aluminum A	+\$250
For sat	in carbon (SNC)	
DCR	dark carbon	+\$0
SNC	satin carbon	+\$80
CD	polished aluminum	+\$250
For sat	in aluminum (SNA)	
DVP	dark mineral	+\$0
SNA	satin aluminum	+\$150
CD	polished aluminum	+\$250
Step 1:	ı. Casters/Glides	
For po	lished aluminum (CD), dark carbon (DCR), dark mineral (DVP),
graphi	te (G1), satin aluminum (SNA), or satin carbon (SNC)	
ВВ	$2^{1}/_{2}$ " hard caster, black yoke, carpet only	+\$o
GF	2 ¹ / ₂ " glide, hard floors or carpet	+\$25
C7	$2^{1}/_{2}$ " caster, black yoke, hard floors or carpet	+\$50
DC1	2 ¹ / ₂ " braking caster, black yoke, hard floors or carpet with quiet roll technology	+\$75
Step 1:	z. Armpad Finish	
For no.	nupholstered armpads (W) with not fire retardant with g	raphite
	r graphite with graphite applique (ZB)	
ВК	black	+\$0
For no	nupholstered armpads (W) with not fire retardant with m	nineral
DVP	dark mineral	+\$0
For no	nupholstered armpads (W) with not fire retardant with co	arbon
(CRB) DCR	dark carbon	+\$o
DCIN	duin cui DUII	−ψ∪

Step 13. 8Z Pellicle	
Price Category 1	+\$o
Step 14. Armpad Leather	
For fixed arms (P), height-adjustable arms (H), height-adjustable p	olus
pivot arms (A), or fully adjustable arms (D) with leather armpads (F)
Price Category 7	+\$o
Price Category 9	+\$75



Description

While its iconic form has remained largely unchanged, the Aeron® chair and work stool has been remastered from the casters up to meet the needs of today's work and workers. With the help of original co-designer, Don Chadwick, we thoughtfully updated the chair and work stool based on the latest research around the science of sitting, and advancements in materials, manufacturing, and technology.

The new Aeron stool has a new 8Z Pellicle® material that delivers increased comfort and ergonomic support. Across the seat and back, 8 latitudinal zones of varying tension envelope the sitter, tightest at the edges and more forgiving where the body makes contact. The work stool has a 2¹/₂"-wide footrest platform that provides three times more surface area than a typical footring to reduce pressure and increase comfort. Non-slip treads offer added stability. When adjusting stool height, the footrest moves with the seat.

The stool has a 5-star base, pneumatic seat-height adjustment, and 2 height options to allow stool use with counter or bar height surfaces. The low stool has a seat-height range of $24^3/4''$ to $29^1/4''$ with a footrest that adjusts $2^1/2''$ (from 15" to $17^1/2''$ below the seat) and is optimal for work surfaces between 34" and 38" high. The high stool has a seatheight range of 28" to $34^1/4''$ with a footrest that adjusts $5^3/4''$ (from 15" to $20^3/4''$ below the seat) and is optimal for work surfaces between 37" and 43'' high. Stool is available in size B.

Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include adjustable PostureFit® SL, an adjustable lumbar support, and PostureFit. The adjustable PostureFit SL support provides a custom fit in sacral and lumbar regions of the spine that helps achieve healthier posture and improved lower back comfort. The user can fine tune the level of support with an adjustable knob on the PostureFit SL.

Arm choices include a fixed, nonadjustable option; a height-adjustable option that moves the arms 4" vertically; a height-adjustable plus pivot option that moves the arms 4" vertically and pivots the armpads 15° outward and 17 $^{1}/_{2}$ ° inward; and a fully adjustable option that also allows the armpads to move forward and back.

Aeron is now offered in a range of 3 tightly curated, holistic material expressions: graphite, carbon, and mineral. Graphite refines Aeron's original color scheme for a crisp, sculptural appearance. Carbon blurs light and dark, and warm and cool, to harmonize with a variety of environments. Mineral illuminates Aeron's finer points to offer a lightness that borders on translucence.


The graphite with graphite applique (ZB) frame finish includes appliques that are applied to an Aeron® work stool's seat, back, and arms to minimize the effect of contact between the stool and a wood-edge surface.

Notes


For information on casters and glides, see Casters and Glides in Appendices.

Customer's Own Leather (COL) can be applied to armpads; requires 4 square feet. See Order Information in Appendices.

As with any material or textile, dye transfer may occur on seating surfaces, being more noticeable on lighter color expressions (for example: mineral on Aeron, fog on Mirra® 2). If this is a concern, we recommend selecting a darker color expression on which dye transfer will be less noticeable. As a reminder, dye transfer is not covered under the Herman Miller warranty.



Low Stool



Specification Information

Step 1.

AERL7 A

Step 2. Height

1 low A

2 high A

Step 3. Tilt

standard tilt

2 tilt limiter

3 tilt limiter and seat angle

Step 4. Arms

N no arms

P fixed arms

H height-adjustable arms

A height-adjustable plus pivot arms

D fully adjustable arms

Step 5. Armpad Upholstery

For no arms (N)

N no arms

For fixed arms (P), height-adjustable arms (H), height-adjustable plus pivot arms (A), or fully adjustable arms (D)

W nonupholstered armpads

F leather armpads

Step 6. Fire Retardancy

For not fire retardant (*), skip this step.

not fire retardant

Prices fo	or S	Steps 1-6.						
			NN*	PW*	PF*	HW*	HF*	AW*
AERL7	1	1	\$1667	1811	1889	1882	1960	1965
		2	\$1732	1876	1954	1947	2025	2030
		3	\$1806	1950	2028	2021	2099	2104
	2	1	\$1667	1811	1889	1882	1960	1965
		2	\$1732	1876	1954	1947	2025	2030
		3	\$1806	1950	2028	2021	2099	2104

		Ar^	^ שעם	״זע
AERL7 1	1	\$2043	1985	2063
	2	\$2108	2050	2128
	3	\$2182	2124	2202

***************************************	2 1	\$2043	1985	2063
	2	\$2108	2050	2128
	3	\$2182	2124	2202
Step 7	Back Support Option			
SZS	basic back support			+\$o
ZSS	PostureFit [®]			+\$45
AJ	adjustable lumbar support			+\$65
ALP	adjustable posturefit SL			+\$95
Step 8	Frame/Foot Ring Tread			
G1	graphite A			+\$o
CRB	carbon A			+\$85
VPR	mineral A			+\$175
ZB	graphite with graphite applique [A]			+\$325
Step 9.	Chassis & Foot Ring			
For not	fire retardant with graphite (G1)			
G1	graphite A			+\$o
CD	polished aluminum A			+\$85
***************************************	fire retardant with graphite with graphite	applique	(ZB)	
G1	graphite A			+\$0
	(600)			
***************************************	fire retardant with carbon (CRB)			
SNC	satin carbon A			+\$0
CD	polished aluminum A			+\$85
Far no.	t fire veterdent with mineral (VDD)			
***************************************	fire retardant with mineral (VPR)			
SNA	satin aluminum A			+\$0
CD	polished aluminum A			+\$85
Stop 10	o. Base Finish			
Step It	b. base Hillsh			
For are	phite (G1)			
G1	graphite A			+\$0
CD	polished aluminum A			+\$250
CD	potistica atammam [A]			14250
For pol	ished aluminum (CD)			
CD	polished aluminum A			+\$250
	F			٠,٠-٠
For sat	in carbon (SNC)			
DCR	dark carbon A			+\$0
SNC	satin carbon A			+\$80
				700

DVP	dark mineral 🖪	+\$0
SNA		+\$150
Step 1	1. Casters/Glides	
For po	lished aluminum (CD), dark carbon (DCR), dark mineral (I	DVP),
graph	ite (G1), satin aluminum (SNA), or satin carbon (SNC)	
ВВ	$2^{1}/_{2}$ " hard caster, black yoke, carpet only \boxed{A}	+\$0
GF	2 ¹ / ₂ " glide, hard floors or carpet	+\$25
C 7	2 ¹ / ₂ " caster, black yoke, hard floors or carpet A	+\$50
DC1	$2^{1}/_{2}$ " braking caster, black yoke, hard floors or carpet	+\$75
	with quiet roll technology A	
Step 1	2. Armpad Finish	
For no	nupholstered armpads (W) with not fire retardant with gr	aphite
	nupholstered armpads (W) with not fire retardant with gr or graphite with graphite applique (ZB)	raphite
	-	raphite +\$0
(G1), c	r graphite with graphite applique (ZB)	+\$0
(G1), c	or graphite with graphite applique (ZB) black	+\$0
(G1), c BK For no	or graphite with graphite applique (ZB) black	+\$0
(G1), C BK For no (VPR) DVP	or graphite with graphite applique (ZB) black nupholstered armpads (W) with not fire retardant with m	+\$c ineral +\$c
(G1), c BK For no (VPR) DVP For no (CRB)	n graphite with graphite applique (ZB) black nupholstered armpads (W) with not fire retardant with m dark mineral A nupholstered armpads (W) with not fire retardant with ca	+\$c ineral +\$c
(G1), C BK For no (VPR) DVP	or graphite with graphite applique (ZB) black nupholstered armpads (W) with not fire retardant with m dark mineral A	+\$c ineral +\$c
(G1), c BK For no (VPR) DVP For no (CRB) DCR	n graphite with graphite applique (ZB) black nupholstered armpads (W) with not fire retardant with m dark mineral A nupholstered armpads (W) with not fire retardant with ca	+\$c ineral +\$c
(G1), co BK For no (VPR) DVP For no (CRB) DCR	nr graphite with graphite applique (ZB) black nupholstered armpads (W) with not fire retardant with m dark mineral A nupholstered armpads (W) with not fire retardant with ca	+\$c ineral +\$c irbon +\$c
For no (VPR) For no (CRB) DCR Step 1 Price (nupholstered armpads (W) with not fire retardant with m dark mineral nupholstered armpads (W) with not fire retardant with m dark carbon 3. 8Z Pellicle	+\$c ineral +\$c irbon +\$c
(G1), c BK For no (VPR) DVP For no (CRB) DCR Step 1 Price (nupholstered armpads (W) with not fire retardant with m dark mineral A nupholstered armpads (W) with not fire retardant with ca dark carbon 3. 8Z Pellicle Category 1	+\$c
(G1), c BK For no (VPR) DVP For no (CRB) DCR Step 1 For fix	black nupholstered armpads (W) with not fire retardant with m dark mineral A nupholstered armpads (W) with not fire retardant with ca dark carbon 3. 8Z Pellicle Category 1	+\$c ineral +\$c rbon +\$c le plus
(G1), c BK For no (VPR) DVP For no (CRB) DCR Step 1 For fix pivot c	black nupholstered armpads (W) with not fire retardant with m dark mineral A nupholstered armpads (W) with not fire retardant with ca dark carbon 3. 8Z Pellicle Category 1 4. Armpad Leather ed arms (P), height-adjustable arms (H), height-adjustab	+\$c ineral +\$c rbon +\$c le plus



Description

These arms can be retrofitted to a new Aeron® work chair. Arm choices include a height adjustable option that moves the arms 4'' vertically, a height adjustable plus pivot option that moves the arms 4'' vertically and pivots the armpads 16° outward and 16° inward, and a fully adjustable option that moves the armpads forward and back $2^1/2''$. Arm components are preassembled.


Graphite (G_1) finish is recommended for use with the following frame finishes:

- Graphite (G1)
- Graphite with graphite applique (ZB)

Carbon (CRB) finish is recommended for use with carbon (CRB) frame finish.

Mineral (VPR) finish is recommended for use with mineral (VPR) frame finish.

Dimensions



Height adjustable and fully adjustable arms

Fixed arms

Specification Information

Step 1.

AER900 A

Step 2. Arms

P fixed arms

H height-adjustable arms

A height-adjustable plus pivot arms

D fully adjustable arms

Step 3. Armpad Upholstery

W0 nonupholstered armpads

FO leather armpads

Prices for Steps 1-3.		
	W0	F0
AER900 P	\$176	258
н	\$275	357
Α	\$363	445
D	\$390	472

Stan /	4. Frame Finish	
Step 2	4. France Finish	
G1	graphite A	+\$ 0
CRB	carbon A	+\$12
VPR	mineral A	+\$44
ZB	graphite with graphite applique 🛕	+\$56

Step 5. Chassis Finish

For gr	raphite (G1) or graphite with graphite appliqu	ıe (ZB)
G1	graphite 🖪	+\$0
CD	polished aluminum 🛕	+\$21
	rbon (CRB)	
SNC	satin carbon 🛕	+\$0
CD	polished aluminum 🛕	+\$21


For mi	For mineral (VPR)				
SNA	satin aluminum 🛕	+\$o			
CD	polished aluminum 🛕	+\$21			

Step 6. Armpad Finish

For nonupholstered armpads (Wo) with graphite (G1), or graphite with graphite applique (ZB)

BK black +\$o

For no	onupholstered armpads (Wo) with carbo	n (CRB)
DCR	dark carbon	+\$0
For no	onupholstered armpads (Wo) with miner	ral (VPR)
DVP	dark mineral 🖪	+\$0
Step 7	7. Armpad Leather	
For le	ather armpads (Fo)	
See a _l	pplication chart and textiles list for fabri	c usage and numbers.
First 2	digits of number indicate fabric line; re	maining digit(s) indicate
fabric	color.	
Price (Category 7 A	+\$0
Price (Category 9	+\$71



Description

This lumbar support fits into the back of a new Aeron® work chair to further support the back. The support can be adjusted up and down while providing support to the lumbar region of the spine.


Graphite (G1) finish is recommended for use with the following frame finishes:

- Graphite (G1)
- Graphite with graphite applique (ZB)

Carbon (CRB) finish is recommended for use with carbon (CRB) frame finish.

Mineral (VPR) finish is recommended for use with mineral (VPR) frame finish.

Dimensions



Specification Information

Step 1.

AER900NN A

Step 2. Size

A a sizeB b size

C c size

Prices for Steps 1-2.

C

AER900NN A \$94 **B** \$94


\$94

Step 3. Finish

 G1
 graphite A
 +\$0

 CRB
 carbon A
 +\$9

 VPR
 mineral A
 +\$26



Description

These Aeron® armpads are I-skin covered urethane foam molded over a nylon insert. They come in a choice of 3 colors. Armpads can be retrofitted to a new Aeron work chair. Sold in pairs.

Notes


Black armpads are recommended for Aeron chairs with a graphite (G1) frame.


Dark carbon armpads are recommended for Aeron chairs with a carbon (CRB) frame.

Dark mineral armpads are recommended for Aeron chairs with a mineral (VPR) frame.

Customer's Own Leather (COL) requires 4 square feet. See Order Information in Appendices.

Dimensions





Specification Information

Step 1.

AER901 A

Step 2. Armpad Upholster	Step	2. Armi	pad Up	holster	V
--------------------------	------	---------	--------	---------	---

W0 nonupholstered armpads

FO leather armpads

Prices for Steps 1-2.	
AER901 W0	\$56
F0	\$138

Step 3. Armpad Finish

For nonupholstered armpads (Wo)

, 0, ,,,	onapholoterea ampaas (110)	
ВК	black	+\$0
DCR	dark carbon	+\$10
DVP	dark mineral	+\$15

Step 4. Armpad Leather

For leather armpads (Fo)

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 7 A +\$0
Price Category 9 +\$75



Description


This PostureFit® support fits on the back of an A, B, or C size new Aeron® work chair. It provides support in the lower back area, or sacrum, that helps achieve healthier posture and improves lower back comfort. Graphite (G1) finish is recommended for use with the following frame finishes:

- Graphite (G1)
- Graphite with graphite applique (ZB)

Carbon (CRB) finish is recommended for use with carbon (CRB) frame

Mineral (VPR) finish is recommended for use with mineral (VPR) frame finish.

Dimensions



Specification Information

Step 1.

AER905 A

Step 2. Size

a size В b size

C c size

Prices for Steps 1-2.

AER905 A	\$67
В	\$67
С	\$67

Step 3. Finish

G1 graphite A +\$0 CRB carbon 🖪 +\$10

VPR mineral A +\$26

+\$o

+\$16



Product Information

Description

This adjustable PostureFit® SL support fits on the back of an A, B, or C size new Aeron® work chair. It provides custom, adjustable support in the lower back area, or sacrum, that helps achieve healthier posture and improves lower back comfort. Adjustable PostureFit SL also provides support in the lumbar region of the spine. User can adjust the level of support by dialing the support in or out. Adjustable PostureFit SL ships with the support and includes a new backrest. This requires an installer to modify the existing chair.


Graphite (G1) finish is recommended for use with the following frame finishes:

- Graphite (G1)
- Graphite with graphite applique (ZB)

Carbon (CRB) finish is recommended for use with carbon (CRB) frame finish.

Mineral (VPR) finish is recommended for use with mineral (VPR) frame finish.

Dimensions



_	Specification Information Step 1.		
AER906 A			
Step	2. Size		
Α	a size		
В	b size		
С	c size		
Price	s for Steps 1-2.		
AER9	006 A	\$302	
	В	\$302	
	C	\$302 \$302	
	3. Frame Finish	\$30	

VPR	mineral A	+\$44
ZB	graphite with graphite applique [A]	+\$80
Step 4	. 8Z Pellicle	
Price (Category 1	+\$0

graphite A

carbon A

G1

CRB



Description

This frame applique is applied to a new Aeron® work chair's seat, back, and arms to minimize the effect of contact between the chair and a wood-edge surface. The seat and back appliques attach with the chair's existing screws. Coated arm yokes replace existing arm yokes. Arm components are preassembled. The arm yokes use the chair's existing armpads.

Notes

Frame applique does not meet CAL 133 requirements.

Dimensions





Specification Information

Step 1.

AER910 A

Step 2. Arms

P fixed arms

H height-adjustable arms

A height-adjustable plus pivot arms

D fully adjustable arms

Step 3. Size

A a sizeB b sizeC c size

Prices for Steps 1-3.			
	Α	В	C
AER910 P	\$665	665	665
Н	\$680	680	680
Α	\$691	691	691
D	\$708	708	708

Step 4. Finish **ZB** graphite with graphite appli

graphite with graphite applique A +\$o

New Aeron® Chairs		
Arm Kit	page(s) 24	
Arm Pad Set	27	
Frame Applique	30	
Lumbar Kit	26	
PostureFit® SL	29	
PostureFit® Support	28	
Work Chair	5	
Work Chair, Live Platform™	13	
Work Chair, Ready to Assemble	9	
Work Stool	17	
Work Stool, Live Platform™	21	

AER1A	Work Chair	page(s) 5
AER1B		
AER1C		
AER2A	Work Chair, Ready to Assemble	9
AER2B		
AER71	Work Stool	17
AER72		
AER900	Arm Kit	24
AER900	NN Lumbar Kit	26
AER901	Arm Pad Set	27
AER905	PostureFit® Support	28
AER906	PostureFit® SI	29
AER910	Frame Applique	30
AERL1	Work Chair, Live Platform™	13
AERL7	Work Stool, Live Platform™	21



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon $\boxed{\mathbb{A}}$ will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an $\boxed{\mathbb{A}}$ are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller October 2013




Depending on the floor surface, chair may unexpectedly roll away from user when entering or exiting the chair, possibly leading to unexpected injury. Please refer to descriptions of floor types when selecting casters.



17/8-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only

Applicable on: Keyn Chairs Sayl® Chairs BB Caster



2¹/₂-inch-diameter hard doublewheel caster; black nylon wheels and yoke; for use on carpet only

Applicable on: New Aeron® Chairs Caper® Chairs Celle® Chairs Embody® Chairs

Equa 2® Chairs Ergon 3® Chairs

Lino™ Chairs Sayl Chairs Mirra 2 Chairs Verus™ Chairs BSC Caster



2-inch-diameter double-wheel caster; black nylon wheels and hood; soft polyurethane tread; for use on hard floors or carpet

Applicable on:

Eames® Aluminum Group Eames Executive Chairs Eames Soft Pad Group Eames Task Chairs C9 Caster



2¹/₂-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; internal brake; for use on hard

floors or carpet


Applicable on: Caper Chairs Celle Chairs Embody Chairs Equa 2 Chairs

Ergon 3 Chairs Keyn Chairs

Mirra 2 Chairs


Sayl Chairs Setu® Chairs Verus Chairs

49 Caster



17/8-inch-diameter soft doublewheel caster; black nylon wheels and yoke; for use on hard floors or carpet

Applicable on: Keyn Chairs Sayl Chairs BKS Caster



2¹/₂-inch-diameter hard doublewheel caster; black yoke; quiet roll technology; for use on carpet only

Applicable on: Cosm™ Chairs C7 Caster



2¹/₂-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet

Applicable on:

New Aeron Chairs

Caper Chairs

Celle Chairs

Embody Chairs

Equa 2 Chairs

Ergon 3 Chairs

Lino Chairs

Mirra 2 Chairs

Sayl Chairs

CA Caster

Lino Chairs




2-inch-diameter single-wheel caster; black rubber wheel with black yoke; for use on hard

floors or carpet
Applicable on:


Co/Struc® System

Verus Chairs




2¹/₂-inch-diameter double-wheel braking caster; black nylon wheels and yoke; for use on hard floors or carpet; quiet roll technology

Applicable on: New Aeron Chairs




2¹/₂-inch-diameter double-wheel caster; clear polycarbonate wheels; nylon yoke; soft polyurethane tread; for use on carpet only.

Applicable on: Embody Chairs Keyn Chairs



2-inch-diameter double-wheel caster; black nylon wheels and hood; for use on carpet only Applicable on: Limerick® Cart



2¹/₂-inch-diameter doublewheel caster; nylon wheels and yoke; soft polyurethane tread; quiet roll technology; for use on hard floors or carpet Applicable on:

Cosm Chairs



2-inch-diameter soft doublewheel braking caster; black nylon wheels and hood; for use on hard floors only

Applicable on: Aside® Chairs Caper Chairs



2¹/₂-inch-diameter double-wheel low roll resistance caster; black yoke; for use on hard floors or carpet.


Applicable on: Keyn Chairs Setu Chairs



2-inch-diameter double-wheel caster; black nylon wheels with integral chrome hood; soft polyurethane tread; for use on hard floors or carpet

Applicable on:

Eames® Aluminum Group Eames Executive Chairs Eames Soft Pad Group Eames Task Chairs




2¹/₂-inch-diameter double-wheel medium roll-resistant caster; black nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet; quiet roll technology

Applicable on: Cosm Chairs Keyn Chairs Setu Chairs



21/2-inch-diameter doublewheel caster; black nylon wheels and yoke; soft polyurethane tread; quiet roll technology; for use on hard floors or carpet Applicable on: Cosm Chairs


U4 Caster



17/8-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only Applicable on:

Aside Chairs Caper Chairs Verus Chairs

UD Caster



2-inch-diameter hard double-wheel caster; black nylon wheels with painted hood; for use on carpet only Applicable on: Eames® Aluminum Group **Eames Executive Chairs** Eames Soft Pad Group **Eames Task Chairs**


16 Glide



(Front glide shown) 21/8-inch-high glide; black or fog acetal; for use on carpet only Applicable on: Sayl Chairs

SW Caster

Mirra 2 Chairs



2-inch-diameter soft doublewheel caster; black nylon wheels and hood; for use on hard floors only

Applicable on: Limerick Cart


U5 Caster



17/8-inch-diameter soft double-wheel caster: black nylon wheels and yoke; for use on hard floors or carpet

Applicable on: Aside Chairs Caper Chairs Verus Chairs

VD Caster



2-inch-diameter hard doublewheel caster; black nylon wheels with integral chrome hood; for use on carpet only Applicable on: Eames Aluminum Group **Eames Executive Chairs** Eames Soft Pad Group


Eames Task Chairs



(Front glide shown)

21/8-inch-high glide; black glass-filled nylon stem; steelplated swivel foot with Floor Saver Glide™ insert; for use on hard floors only

Applicable on: Sayl Chairs



 $2^{1}/_{4}$ -inch-high glide; black or white nylon stem; for use on carpet only

Applicable on: Keyn Chairs



17/8-inch-high glide; black acetal; for use on carpet only Applicable on: Verus Chairs




 2^{1} /2-inch-high glide; black nylon; for use on hard floors or carpet

Applicable on:
New Aeron Chairs
Caper Chairs
Celle Chairs
Cosm Chairs
Equa 2 Chairs
Ergon 3 Chairs
Lino Chairs

Mirra 2 Chairs Sayl Chairs

Verus Chairs



17/8-inch-high glide; black nylon stem; steel-plated swivel foot with Floor Saver Glide™ insert; for use on hard floors only

Applicable on: Verus chairs




2¹/4-inch-high glide; black or white nylon stem; steel-plated swivel foot with Floor Saver Glide™ insert; for use on hard floors only

Applicable on: Keyn Chairs



 $1^1/2$ -inch-diameter glide; 1/2 inch in height; black nylon; for use on hard floors or carpet

Applicable on: Eames Aluminum Group Eames Executive Chairs Eames Soft Pad Group Eames Task Chairs




1/2-inch-high ganging glide; clear polycarbonate; for use on hard floors or carpet Applicable on:

Limerick Chairs




¹/₂-inch-high glide; black nylon glide with stainless-steel insert; for use on hard floors or carpet Applicable on: Aside Chairs

May 2019 HermanMiller



¹/₄-inch-high, 1-inch diameter glide; thermoplastic CAP material (G1 base has black glides; XT base has clear glides); for use on hard floors or carpet

Applicable on: Equa 2 Chairs



1/2-inch-high glide; clear polycarbonate; for use on hard floors or carpet Applicable on:

Limerick Chairs




¹/₈-inch-high glide; polycarbonate in black, fog, clear, and studio white finishes; for use on hard floors or carpet

Applicable on: Sayl Chairs




17/8-inch-high glide; black nylon stem; steel-plated swivel foot with Floor Saver Glide™ insert; for use on hard floors only

Applicable on: Caper Chairs



¹/₂-inch-high glide; black nylon; for use on carpet only Applicable on:



Glide; low profile; for use on hard floors or carpet Applicable on: Setu Chairs




17/8-inch-high glide; black acetal; for use on carpet only Applicable on: Caper Chairs

Aside Chairs



This reference helps people select A-, B-, or C-size chairs when the three sizes are not available for actual test sitting. Height and weight are key indicators of suitable chair-size choice. Since the B-size chair is designed to fit a broad range of people, Herman Miller recommends it for users who fall in the A/B or B/C category. This chart applies to New Aeron chairs with the extended-height-range pneumatic height-adjustment cylinder.

To determine which chair size is best, find the point of intersection for your height and weight. New Aeron B-, and C-size chairs are tested and warranted for use by persons 350 pounds and under. A-size chairs are tested and warranted for use by persons 300 pounds and under.



Weight (Pounds)

HermanMiller November 2016



Fire Retardancy — Seating

Fire Retardancy

Fire-retardant chairs manufactured in approved fabrics (FR) meet California TB 133 requirements.

All foam and textiles on HermanMiller seating products comply with California TB 117-2013.

State of California
Bureau of Home Furnishings,
Technical Bulletin 133

State of California
Bureau of Home Furnishings,
Technical Bulletin 117-2013

	Technical Bulletin 133	Technical Bulletin 117-2013
8Z Pellicle		•
Ace		•
AireWeave [™] 2		•
Aristo		•
Balance		•
Bento		•
Bingo		•
Crepe		•
Crossing		•
Cygnus™	FR	•
Dex		•
Dialogue		•
Duo		•
Epic		•
Fish Net		•
Flexnet [™]	FR	•
Gem		•
Hopsak		•
Intercept		•
InterWeave		•
Latitude™		•
Leather		•
Loom		•
Lyris 2 [™]		•
Marvel		•
Medley		•
Mercer		•
Moiré		•
Monologue		•
Noble		•
Pins and Needles		•
Plateau		•
Quilty		•
Rhythm		•
Rivet		•
Sequel		•
Spools		•
Stitches		•
Strata		•
String Plaid		•
Tailored		•
Twist		•
Well Suited		•
Whisper		•

[•] Fabric meets California TB 117-2013 code requirements.

To meet California TB 133 code requirements, fabrics must be applied to approved chairs identified with FR product numbers.

HermanMiller February 2019



Customer's Own Material/Customer's Own Leather Order Information — Seating

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Customer's Own Material/Customer's Own Leather

Program Overview

The Customer's Own Material (COM) and Customer's Own Leather (COL) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM/COL textiles only. COM/COL are assigned lead-time textiles.

Omni lists an overview of fabrics and leathers that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM/COL is listed below. Questions about the COM/COL program and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 ext 6543400

Customer's Own Material/Customer's Own Leather Warranty

Herman Miller does not warrant COM/COL textiles. COM/COL textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM/COL textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material/Customer's Own Leather Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics. COL is a Category 7 textile; refer to prices on specific products to determine the application charge.

Ordering and payment for COM/COL textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

Textile Approval

- 1. Select a COM/COL textile and a Herman Miller product.
- 2. If your textile is not listed in Omni, obtain a test number from a COM representative at (616) 654 3400. You can also submit your request within Omni. Please have the following information ready before calling: textile name, number, pattern, roll width, and the product you will apply it to.

Additional yardage may be needed due to the unique characteristics of a textile. All package labels must include the words "COM test" or "COL test" and the assigned COM/COL test number.

Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with COM/COL

- Refer to the specific products to determine the yardage required for COM/COL textiles.
- 2. If your textile is not listed in Omni, call a COM representative at (616) 654 3400 or (866) 854 3048 EXT 6543400. The representative will assign an identification number for your textile (ID#) and will verify yardage requirements for your order. Additional yardage may be needed due to the unique characteristics of a textile.
- 3. Enter your order on Order Manager in Omni.
- 4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
- 5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the seating products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 EXT 6543400.

Products will be scheduled for production when COM/COL textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

HermanMiller April 2017

Customer's Own Material/Customer's Own Leather Order Information — Seating

continued

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 EXT 6543400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the supplier's prices published at the time of the order.

Textile Approval

- 1. Refer to Omni to identify the approval status of the textile. If your textile is not listed, contact the COM Department to request testing for application to Herman Miller products.
- 2. Herman Miller will notify you of approval or disapproval in approximately 4 days from receipt of the test yardage. If the textile is approved, it will be assigned a COM identification number.

Ordering Products with Supplier Connection COM

- 1. Identify and include the following information on your purchase order:
 - · Product number and option
 - Herman Miller's COM identification number
- 2. Enter your order on Order Manager in Omni.
- 3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

April 2017 HermanMiller

Proprietary Textiles Application Chart — Seating										ck															Swoop" Lounge Seating - Fully Upholstered	po			
• Available						S			man	ools Bad	ols Seat											® Back	Seat		g - Fully	- Plywood	eating		
A Assigned lead-time textile.			Stools	ools		rs/Stools		sloc	air/Ottc	airs/Sto	irs/Stoo	rs Back	rs Seat	r'S		tools	ıp Back	ıp Seat	×		ushion	ndscape	ndscape	rniture	Seating	Seating - I	Sling Seating		
[N] Non-woven textile.	hairs	hairs	2 Chairs/Stools	nairs/St	® Chairs	ork Chai	e Chairs	airs/St	ınge Ch	Vork Ch	ork Cha	de Chai	de Chai	us Chail	hairs	hairs/S	air Grou	air Grou	airs Ba	irs Seat	3ench C	ffice Laı	ffice Laı	unge Fu	Lounge	ounge:	Tandem	Tops	ices
See following page for exception notes.	Aeron® Chairs	Cosm" Chairs	Mirra® 2	Celle® Chairs/Stools	Embody® Chairs	Sayl® Work Chairs/	Sayl Side Chairs	Setu® Chairs/Stools	Setu Lounge Chair/Ottoman	Verus" Work Chairs/Stools Back	Verus Work Chairs/Stools	Verus Side Chairs Back	Verus Side Chairs	Verus Plus Chairs	Aside® Chairs	Caper® Chairs/Stools	Keyn Chair Group Back	Keyn Chair Group	Lino™ Chairs Back	Lino Chairs Seat	Locale® Bench Cushion	Public Office Landscape®	Public Office Landscape	Plex® Lounge Furniture	Swoop"	Swoop Lounge	Eames® Tandem	Cushion Tops	Workspaces
Price Category 1				_		-	-	<u> </u>	-	_	_	_	_	_											J.,	<u> </u>			
COM Customers Own Material A				14		1	1								1			1		1	1			1	1	1	1	1	1
2318Z Pellicle®	•																											\dashv	
1A7AireWeave™ 2			•																								\vdash	\dashv	_
8T Crossing				•				•	•				_	_	•						•		_		•	•	\vdash	•	•
3DEDex 4RM Duo				14		•	•	•		•	•	•	•	•	•			•	•		•		•	19	•		\vdash	•	•
6V Flexnet™																•											\vdash	+	
95 Gem				14				•	•						•	Ť					•			•	•		\vdash	•	-
845Intercept		•		14				Ť	_						-						_			Ť			\Box	Ť	_
365Interweave 2										•		•															П	\top	
4W Lyris 2™								•	•																		П	\exists	
1MNMonologue				14		24	22	•	•		•	•	•				•	•		•	•		•	•	•	•		•	•
3DKStretch Knit A						21																							
235Tailored 🖪				•		•	•	•		•	•	•	•		•		•	•		•			•	23					•
1WSWhisper				14		24	•	•	•		•	•	•	•	•		•	•		•	•		•	•	•	•		•	•
Price Category 2																													
3ARAristo				14		•	•	•	•	•	•	•	•	•	•			•		•	•		•	•	•			•	•
92 Crepe				•		•	•	•	•	•	•	•	•	•	•		•	•		•	•		•	•	•	•	Ш	•	•
3EPEpic				14		•	•			•	•	•	•					•		•			•	•	•		Ш	\dashv	•
22QFish Net	_			•		•	•	•		•	•	•	•	•	•		•	•		•			•	•		•	\square	\dashv	•
1LMLoom	_			14		•	•			•	•	•	•	•			•	•		•	•		•			•	\vdash	•	•
1MVMarvel [N]	\vdash				_	21	22					_						•		_	_		_				\vdash	•	_
1HAMedley 3A Moiré				14	•	•	22 •	•	•	•	•	•	•	•	•		•	•		•	•		•	•	•		\vdash	•	•
3A Moiré 30 Rhythm				14	23	•	•	-	•	•	•	•	•	•	•		•	•		•	•		•		•	•	H	•	-
1RVRivet				14	23	21	22			•	•	•	•	•	•		•	•		_	•		•	•	•	•	Н	•	•
3SLSequel[N]				15		•	•	•	•	•	•	•	•	•	8		•	•		•	•		•	•	•	•	\Box	•	•
8R Twist				•		•	•	•	•	•	•	•	•	•	•		•	•		•	•		•	•	•	•	П	•	•
22TWell Suited															8									•		23		T	•
Price Category 3																													
3ACAce [N]	Π					21	•			•	•	•	•	•	8		•	•		•	•		•	19				•	
70 Bento						•	•	•	•		•	•	•		8			•		•								\neg	•
4LNLanding																											•	T	
8M Latitude™			23			•	•													•					•	•			
22RPins and Needles				14		•	•	•		•	•	•	•	•	•					•			•		•		Ш	•	•
22VString Plaid				14		•	•			•	•	•	•	•	•			•			•		•					•	•
Price Category 4																													
7Y Bingo [N]						•	•	•	•	•	•	•	•	•	8		•	•		•	•						Ш	•	
1DLDialogue	1																					•					\sqcup	\dashv	_
213Mercer	_	_		14	•	21	22	\vdash		•	•	•	•	•	_	_	•	•	\square	•		\square	•	\vdash	•	•	\dashv	•	_
1A9Network	-			\vdash			_	\vdash					\vdash	\vdash								•		\vdash			\vdash	_	
6J Plateau	-			_		_	_	_					<u> </u>	_	•									_			\vdash	•	_
6S Quilty	-			14		•	•		•	•	•	•	•		•		•	•	\vdash	•	•	\vdash		\vdash	•		\vdash	•	•
8Y Spools	+			14		21	•	•	•	•	•	•	•	•	•		•	•		•	•		•	•	•	•	\vdash	•	-
22PStrata	_						_	ئـــا				_	ئـــا							_	_		_			_	Ш		

continued on next page

HermanMiller July 2019 1

Proprietary Textiles Application Chart — Seating continued										X															Fully Upholstered	po			
• Available						ls			man	ols Back	ls Seat											® Back	Seat		,	- Plywod	eating		
A Assigned lead-time textile.			Stools	sloc		s/Stools		ols	ir/Otto	irs/Sto	rs/Stoc	Chairs Back	s Seat	S		ools	back	seat Seat	~		ushion	dscape	dscape	Furniture	Seating	امما	Sling Sea		
[N] Non-woven textile.	nairs	Chairs	Chairs/9	airs/Sto	Chairs	k Chair	Side Chairs	irs/Sto	ıge Cha	ork Cha	rk Chai	e Chair	e Chair	s Chair	airs	airs/St	ir Group	ir Group	iirs Bac	rs Seat	ench Cu	ice Lan	ice Lan	nge Fur	ounge	unge S	E	ops	ses
See below for exception notes.	Aeron® Chairs	Cosm" Ch	Mirra® 2 C	Celle® Chairs/Stools	Embody® Chairs	Sayl® Work Chairs/	Sayl Side	Setu® Chairs/Stools	Setu Lounge Chair/Ottoman	Verus" Work Chairs/Stools	Verus Work Chairs/Stools	Verus Side	Verus Side Chairs	Verus Plus Chairs	Aside® Chairs	Caper® Chairs/Stools	Keyn Chair Group Back	Keyn Chair Group	Lino" Chairs Back	Lino Chairs	Locale® Bench Cushion	Public Office Landscape®	Public Office Landscape	Plex® Lounge	Swoop" Lounge	Swoop Lounge	Eames® Ta	Cushion Tops	Workspaces
Price Category 5																													
14AHopsak				14		•	•	•	•	•	•	•	•	•	•		•	•		•	•		•	•	•	•		•	•
22N Noble (22H) A				14		•	25	•		•	•	•	•	•	8		•	•		•	•		•	•		•		•	
Price Category 6																													
35 Balance					•																								
Price Category 7																													
COL Customer's Own Leather A	1			14											8											Ш	Ш	1	
Price Category 8																													
No fabrics available at this time	L	_	L	L	L	$ldsymbol{ld}}}}}}$	$ldsymbol{ld}}}}}}$		$ldsymbol{ld}}}}}}$						$ldsymbol{ld}}}}}}$	_					_		Ш			\Box			_
Price Category 9																													
21 Leather	23			14											8					•			1 1	.	.	•	.	•	

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one pedestal cushion top to the next, or from one chair to another.

- 1 Refer to price book appendices and Omni for COM/COL information.
- 8 Only available on nonupholstered outer back option (PB).
- 14 Available on Celle UC (upholstered seat) and Celle UF (upholstered seat) Chairs.
- 15 Available only on Celle HC (upholstered seat with protective edge) and Celle HF (upholstered seat) Chairs.
- 19 Available on Plex seat only.

- 21 Not available on Sayl upholstered back work chairs.
- 22 Not available on Sayl side chairs with upholstered backs.
- 23 Available in select colors. Refer to "Proprietary Textile Colors-Seating" for color offering.
- 24 Not available on Sayl upholstered High-Back Work Chairs.
- 25 Not available on Sayl side chairs with upholstered backs. Available in select colors. Refer to "Proprietary Textile Colors-Seating" for color offering.

July 2019 HermanMiller

Customer's Own Material

See Order Information in Appendices.

Assigned lead-time textile. A

8Z Pellicle®

For New Aeron® Chairs 56% elastomeric 44% polyester 23101 Mineral

23102 Carbon 23103 Graphite

AireWeave™ 2

1A701

1A707

1A708

For Mirra® 2 Chairs 67% elastomeric

33% antimony-free polyester Alpine

1A702	Slate Grey
1A703	Graphite
1A704	Lime Green
1A705	Cappuccino
1A706	Urban Orange

Twilight

Dark Turquoise

Crossing 54" wide 86% antimony-free polyester 14% polyester 8T03 Wicker 8T04 Porcelain 8T05 Warm Grey 8T06 Sepia 8T07 Pumpkin 8T08 Copper 8T09 Cranberry 8T10 Tomato 8T11 Mulberry 8T12 Plum 8T13 Green Apple 8T14 Loden 8T15 Spruce 8T16 Periwinkle 8T17 Cerulean 8T18 Indigo 8T19 Shale 8T20 Brownstone 8T21 Bark 8T22 Tin 8T23 Graphite

	Dex								
	54" wide								
	50% recycled polyester								
50% polyester									
	3DE01	Frost							
	3DE02	Silver Pine							
	3DE03	Stone							
	3DE04	Shale							
	3DE05	Charcoal							

Black

8T24

Duo							
or Lino™	Chairs						
52% polyester							
48% elastomeric							
4RM01	Mineral						
4RM02							
4RM03	Green Leaf						
4RM04							
4RM05							
4RM06							

Flexnet™ For Caper® Chairs 69% elastomeric 31% polyester 6V01 Black 6V02 Silver Grey

Gem	
54" wide	
100% ant	imony-free polyester
9502	Tangerine
9503	
9507	Twilight
9508	
9510	Berry Blue
9511	Aqua Green
9512	Green Apple
9514	
9515	Slate Grey
9516	Fog

Intercept							
For Cosm [™]	[™] Chairs						
60% elastomeric							
40% polyester							
84501	Graphite						
84502	Carbon						
84503							
84504	Nightfall						
84505	Glacier						
84506							

Interweav	/e 2
For Verus ^T	[™] Chairs
65% elast	omeric
35% polye	ester
36501	Iceberg
36502	Poppy
36503	Beachglass
36504	Blue Grotto
36505	Slate
36506	Shale

Lyris 2 [™]								
For Setu® Chairs								
tomeric								
ester								
Alpine								
Mango								
Chartreuse								
Berry Blue								
Slate Grey								
Chino								
Rattan								
Java								
Graphite								

Monologue							
54" wide							
56% recycled polyester							
44% polyester							
1MN01							
1MN02	Alabaster						
1MN03	Truffle						
1MN04	Folkstone						
1MN05	Silver Pine						
1MN06							
1MN07	Seed						
1MN08	Yellow Oxide						
1MN09	Persimmon						
1MN10	Tundra						
1MN11	Meadow						
1MN12	Blue Sky						
1MN13	Blue Spruce						
1MN14	Deep Sea						

Stretch K	.nit						
Assigned	lead-time textile. 🗚						
Available only on Sayl®							
Suspension Back Work Chairs							
97% polye	ester, 3% spandex						
3DK01	Fog						
3DK02	Slate Grey						
3DK03	Java						
3DK04	Black						
3DK05	Red						
3DK06	Green Apple						
3DK07	Berry Blue						

Price category 1 continued on next page

HermanMiller July 2019

continued

Price Category 2

Tailored	
Assigned	lead-time textile. A
54" wide	
56% polye	ester
44% recyc	cled polyester
23501	Studio White *
23502	Sugar *
23503	
23504	Orchid
23505	Boysenberry
23506	
23507	Bluegrass
23508	
23509	
23510	
23511	
23512	
23513	Coffee

* Colors not available on $Plex^{TM}$ Lounge Furniture.

Whisper			
54" wide			
73% recy	73% recycled polyester		
27% poly	rester		
1WS01	Sand Dollar		
1WS02			
1WS03	Silver Birch		
1WS04	Iceberg		
	Silver Pine		
1WS06	Carbon		
1WS07	Cumin		
	Adobe		
1WS09	Strawberry		
1WS10	Blush		
1WS11	Eggplant		
1WS12	Willow		
1WS13	Sea Grass		
1WS14	Pool		
1WS15	Blueberry		

Aristo	
54" wide	
88% recy	cled polyester
12% poly	ester
Acrylic ba	•
3AR01	Forest Moss
3AR02	Light Brindle
3AR03	Mink
3AR04	Copper
3AR05	Adobe
3AR06	Cherry
3AR07	Lilac
3AR08	Green Apple
3AR09	
3AR10	Waterfall
3AR11	Cadet
3AR12	
3AR13	Pewter
3AR14	Grey Brindle
3AR15	Grey Black

Crepe	
54" wide	
100% recy	cled polyester
9201	Licorice
9203	Smoke
	Cherry
9209	Claret
9212	Raisin
	Aquamarine
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9248	Warm White
	Stone
9250	Earth
9251	
9252	Slate Grey
9253	Yellow Dark
9254	Coral
9255	Blush Grey
9256	Wild Berry
9257	Clover
	Caribbean
9259	Cerulean

Crepe continued		
9260	Brownstone	
9261	Shale	
9262	Graphite	
9263	Tomato	
9264	Green Apple	

Epic		
54" wide		
56% recycled polyester		
44% polyester		
Acrylic ba	Acrylic backing	
3EP01	Alabaster	
3EP02	Smoke	
3EP03	Falcon	
	Citrus Spring	
3EP05	Copper	
	Urban Orange	
3EP07	Рорру	
3EP08	Wild Plum	
3EP09	Sugar Plum	
3EP10	Clover	
3EP11		
3EP12	Everglade	
3EP13		
3EP14	Peacock	
3EP15	Cadet	
3EP16	Indigo	
3EP17	Spring Wood	
	Grey Brindle	
3EP19		
3EP20	Carbon Dark	

Fish Net	
55" wide	
100% recy	cled polyester
22Q01	Oyster
22Q02	Stone
22Q03	Citrus
22Q04	Curry
22Q05	Chipotle
22Q06	Cherry
22Q07	Fuschia
22Q08	Claret
22Q09	Purple
22Q10	Clover
22Q11	Pesto
22Q12	Peacock
22Q13	Lagoon
22Q14	Twilight
22Q15	Bluestone
22Q16	Storm
22Q17	Black
22Q18	Cocoa

Laam	
Loom	
54" wide	
100% pol	yester
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM05	Black
1LM06	Lemongrass
1LM07	Рорру
1LM08	Wild Berry
1LM09	Loden
1LM10	Jade
1LM11	Deep Sea

Price category 2 continued on next page

July 2019 HermanMiller

continued

Marvel	
54" wide	
100% pvc	-free polyurethane
1MV01	Summer White
1MV02	Sand Dollar
1MV03	Espresso
1MV04	Folkstone Grey
1MV05	Graphite
1MV06	Onyx
1MV07	Polar Blue
1MV08	Blush Grey
1MV09	Woodrose
1MV10	Citrus
1MV11	Adobe
1MV12	Red
1MV13	Kiwi Green
1MV14	Pine
1MV15	Teal Green
1MV16	Twilight

Medley	
54" wide	
100% pol	
1HA01	Stone
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA05	Citrus
1HA06	Papaya
1HA07	Chutney
1HA08	Tundra
1HA09	Feather Grey
1HA10	Chartreuse
1HA11	Loden
1HA12	Peacock
1HA13	Bayou
1HA14	Blue Grotto
1HA15	Blueberry
1HA22	Khaki
1HA23	Pewter
1HA24	Yellow Oxide
1HA25	Vintage Rose
1HA26	Raspberry
	Acai Berry

Moiré	
54" wide	
100% red	cycled polyester
3A01	Concrete
3A02	Biscotti
3A03	
3A04	Chambray
3A05	Fern
3A08	Violet
3A09	Zin
3A10	Curry
3A11	Spice
3A12	Cork

Rhythm		
54" wide	:	
100% polyester		
3001	Kiwi Green *	
3002	Green Apple	
3003	Peacock	
3004	Bayou *	
3005	Berry Blue	
3006	Iris	
3007	Twilight	
3008	Pumpkin *	
3009	Рорру *	
3010	Molasses	
3011	Mulberry	
3012	Khaki *	
3013	Mink	
3014	Black	
3015	Charcoal	

^{*} Colors not available on Embody® Chair.

Rivet		
54" wide		
100% rec	ycled polyester	
1RV01	Twig	
1RV02	Deep Clay	
1RV03	Woodrose	
1RV04	Otter	
1RV05	Hemlock	
1RV06	Olive	
1RV07	Lagoon	
1RV08	Deep Sea	
1RV09	Charcoal	
1RV10	Grey Brindle	

Sequel	
54" wide	
100% vin	nyl
100% po	lyester knit backing
Resilienc	e® finish
3SL01	White
3SL02	Pebble
3SL03	Mushroom
3SL04	Stone
3SL05	Chestnut
3SL06	
3SL07	Black Cherry
	Tundra
3SL09	Seal
3SL10	Blue Fog
3SL11	Folkstone
3SL12	Shale
3SL13	Slate Grey
3SL14	Charcoal
3SL15	Carbon Dark
3SL28	Navy

Twist	
54" wide	
80% antin	nony-free polyester
13% recyc	led polyester
7% polye	ester
8R05	Wicker
8R10	Рорру
8R14	Tin
8R15	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R22	Blueberry
8R23	Green Apple
8R26	Gunmetal
8R27	Cinder
8R28	Citrus
8R29	Pekoe
8R30	Tangerine
8R31	Red Plum
8R32	Wisteria
8R33	Forest
8R34	Jade Dark
8R35	Waterfall
	Midnight Blue
	Carbon Dark

Price category 2 continued on next page

HermanMiller

continued

Appendix: Proprietary Textile Colors — Seating

Price Category 2

Price Category 3

Well Sui	ted	
55" wide		
79% poly	79% polyester	
21% recycled polyester		
22T01	Oyster *	
22T02	Raffia *	
22T03	Peppermint *	
22T08	Cool Grey *	
22T16		
22T17	Peacock	
22T18	Blueberry	

* Colors not available on $\mathsf{Swoop}^\mathsf{TM}$ Plywood Lounge Seating.

Ace	
54" wide	
100% pol	yurethane
	knit backing
Stain resi	stant finish
3AC01	Summer White
3AC02	White Ash
3AC03	Rye
3AC04	Metal
3AC05	Clay
3AC06	Chestnut
3AC07	Citrus
3AC08	Camelback
3AC09	Chipotle
3AC10	Claret
3AC11	Slate Purple
3AC12	Artichoke
3AC13	Sepia Dark
3AC14	Aloe
3AC15	Flint
	Blue Sky
3AC17	Oceanside
3AC18	Midnight
3AC19	Spring Wood
3AC20	Frost
3AC21	Lead
	Black

54" wid	е
100% a	ntimony-free polyester
7001	Frost
7002	Linen
7003	Khaki
7004	Truffle
7005	Grey Black
7006	
7007	
7008	Everglade
7009	Cobalt
Landing	g

Landing	
For Eame	es® Tandem Sling Seating
54" wide	
100% TP	E
Polyeste	r knit backing
4LN01	Black

Latitude	e TM
61" wide	<u> </u>
100% pc	olyester
8M01	Graphite
8M02	Shadow
8M10	Alpine
8M17	Black
8M21	Slate Grey
8M22	Lime Green
8M23	French Press
8M24	Urban Orange
8M25	Dark Turquoise
8M26	Twilight

Latitude		
Colors for Mirra 2 Chairs		
100% polyester		
8M10	Alpine	
8M17	Black	
8M21	Slate Grey	
8M22	Lime Green	
8M23	French Press	
8M24	Urban Orange	
8M25	Dark Turquoise	
8M26	Twilight	

	Pins and	Needles
	58" wide	
	76% recyc	cled polyester
24% polyester		ester
	22R01	Day and Night
	22R02	Night and Day

String Plaid	
54" wide	
100% rec	ycled polyester
22V01	Warm White on Khaki
22V02	Mint on Yellow Green
22V03	Mist on Blue Grey
22V04	Sky Blue on Red
22V05	Lime on Magenta
22V06	Bright Green on Green
22V07	Aqua Blue on Cerulean
22V08	Ivory on Black

July 2019 HermanMiller

Price Category 4

Bingo		
54" wide		
100% PVC-free polyurethane		
Resilience	® finish	
7Y01	Oyster	
7Y02	Natural	
7Y03	Cashew	
7Y05	Rattan	
7Y06	Root	
	Woodland	
	Allspice	
7Y11	Canyon	
7Y17	Seed	
	Mushroom	
7Y19	Blue Grey	
7Y21	Black	
7Y22		
7Y23	Seaport	
7Y24	Evening Blue	
7Y26	Kiwi Green	
7Y27	Celadon	
7Y29	Pesto	

Dialogu	e
---------	---

For Public Office Landscape®
Sectional Back/Social Chair Back
knit to size
100% polyester
1DL01 Light Brindle
1DL02 Dark Brindle

Mercer

54" wide 50% solution dyed recycled nylon 50% solution dyed nylon BLOCKaide 21301 Stone 21303 Cayenne 21305 Pesto 21306 Teal Blue 21307 Ultramarine 21310 Charcoal

Network			
For Public Office Landscape®			
Sectional Back/Social Chair Back			
knit to siz	ze e		
100% polyester			
1A901	Warm White		
1A902	Fog		
1A903	Red		
1A904	Wildberry		
1A905	Green Apple		
1A906	Twilight		

Plateau Perspectives® Collection

Graphite

1A907

Quilty

knit to size					
1	100% polyester				
6	J01	Feather Grey			
6	J02	Trail			
6	J06	Twig			
6	J08	Sagebrush			
6	J09	Winter Berry			
6	J10	Thunder			
6	J11	Blueberry			
6	J12	Rosemary			
6	J14	Black			

56" wide 100% antimony-free polyester GreenShield 6S03 Khaki 6S04 Straw Brick 6S07 6S10 Mink 6S11 Green Apple 6S13 Indigo 6S14 Zinc 6S15 Slate 6S16 Beachwood Paprika 6S17 6S18 Plum 6S19 Juniper

Grey Black

Spools			
54" wide			
51% recycled polyester			
49% polyester			
Crypton® Green			
8Y03	Trail		
8Y05	Copper		
8Y08	Bluegrass		
8Y09	Lagoon		
8Y12			
8Y13	Bud		

Strata				
54" wide				
50% solu	50% Solution dyed recycled nylon			
50% Solution dyed nylon				
BLOCKaide				
22P04	Pesto			
	Peacock			
22P06	Blue Jay			
22P07	Blueberry			
	Mango			
22P10				
22P12				
22P13	Brownstone			
22P14	Bayou			

Hopsak				
56" wide	56" wide			
100% recycled polyester				
14A20	Black			
	Raw Umber Dark			
14A26	Grey Blue Dark			
	Sepia Dark			
14A38	Emerald Dark			
14A39	Yellow Dark			
14A40				
14A41	Sienna			
14A42				
14A43	Crimson			
14A44	Crimson Dark Dark			
14A45	Violet Dark			
14A46	Pink Dark Dark			
14A47				
14A48	Cobalt Blue			
14A49	Terra Cotta			
	Ochre Dark			

Noble			
Assigned lead-time textile. A			
54" wide			
100% wo	ol		
22N02	Chipotle *		
22N04	Cherry *		
22N07	Cadet *		
22N08	Berry Blue *		
22N09	Peacock *		
22N11	Pesto *		
22N12	Blue Grey Mix *		
22H15	Heathered Black **		
22H16	Heathered Grey **		
22H17	Heathered Twilight **		
22H18	Heathered Rye Grass **		
22N19	Lemongrass Mix *		
	Heathered Red **		
22H21	Heathered Wild Berry **		
22N22	Pesto Mix *		
22N23	Lagoon Mix *		

^{*} Colors not available on Sayl® Side Chairs.

July 2019

HermanMiller

6S20

^{**} Colors not available on Sayl Side Chairs Back.

Price Category 6 Price Category 7 Price Category 8 Price Category 9

Balanc	:
For Emb	ody® chairs
100% p	olyester
3512	Carbon
3513	Black

Customer's Own Leather
See Order Information in
Appendices. Assigned lead-time textile. A

No fabrics available at this time.

Leather			
approx. 50 sq. ft. per hide			
100% lea	ather		
2101	lvory		
	Black *		
2110	Smoke		
2111	Graphite		
2112	Khaki		
2113	Rattan		
2114	Truffle		
2115	Alpine		
2116			
2117	Sable Grey		
2118	Dark Mineral **		
2119	············		
2120			
2121	Deep Sea		

^{*} Armpad color available on Aeron® Chair, Graphite. ** Armpad color available on Aeron Chair, Mineral. *** Armpad color available on Aeron Chair, Carbon.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis — Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

HermanMiller, **9**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

TM 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live Platform, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Multiscrim, Nelson, Nevi, Overlay, Pari, Pixelated Support, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus, Vista and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 $^{\mbox{\scriptsize SM}}$ Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

 $Chemsurf \hbox{$^{\$}$ is a registered trademark of Wilsonart International.} \\$

Corian $\ensuremath{^{\circ}}$ is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

 $\mathsf{DACRON}^{\otimes}$ is a registered trademark of INVISTA S.a r.l.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM $^{\! \circ}$ is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All $^{\circ}$ is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.