



Prices effective September 3, 2019

Published September 2019

Everywhere™ Tables

10-Day or Less

Introduction	page 2
Everywhere™ Tables 10-Day or Less	3
Standard-Height Tables	5
Standard-Height Table Legs and Bases	11
Power and Data Support	12
Accessories	15
Indices	21
By Name	21
By Number	23
Appendices	
10-Day or Less Order Information	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective September 3, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as dimensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Standard-Height Tables

Standard-Height Table Legs and Bases


Power and Data Support

Accessories



Rectangular Table

DT1AS.



Specification Information

Step 1.

DT1A

Step 2. Edge

S. squared-edge

Step 3. Depth

18 18" deep

24 24" deep

30 30" deep

Step 4. Width

For 18" deep (18)

48 48" wide

60 60" wide

72 72" wide

For 24" deep (24) or 30" deep (30)

36 36" wide

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

L laminate top/thermoplastic edge

U laminate top/universal edge

Step 6. Leg Type

P post leg

Prices for Steps 1-6.

	LP	UP
DT1AS. 18 48	\$766	766
60	\$841	841
72	\$908	908
24 36	\$766	766
42	\$804	804
48	\$842	842
54	\$894	894
60	\$947	947
66	\$1013	1013
72	\$1086	1086

30 36	\$796	796
42	\$835	835
48	\$879	879
54	\$930	930
60	\$986	986
66	\$1054	1054
72	\$1128	1128

Step 7. Top Finish

76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Everywhere™ Standard-Height Tables

Rectangular Table *continued*

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
9V	tapestry beige	+\$0
OG	honey maple	+\$0

For laminate top/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Step 9. Leg Finish

Metallic Paint

CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0

Sand Texture Paint

BK	black	+\$0
-----------	-------	------

Smooth Paint

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 10. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Step 11. Grommets

For squared-edge (S.) with 18" deep (18)


NTG	no grommet	+\$0
------------	------------	------

For squared-edge (S.) with 24" deep (24), or 30" deep (30)

NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Square Table

DT1BS.



Specification Information

Step 1.

DT1B

Step 2. Edge

S. squared-edge

Step 3. Depth/Width

3030 30" deep x 30" wide

3636 36" deep x 36" wide

4242 42" deep x 42" wide

4848 48" deep x 48" wide

Step 4. Surface Material

L laminate top/thermoplastic edge

U laminate top/universal edge

Step 5. Leg/Base Type

P post leg

Prices for Steps 1-5.

	P
DT1BS. 3030 L	\$728
U	\$728
3636 L	\$874
U	\$874
4242 L	\$1003
U	\$1003
4848 L	\$1123
U	\$1123

Step 6. Top Finish

76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	medium matte walnut	+\$0
LBB	warm grey teak	+\$0
LBC	oak on ash	+\$0
LBD	walnut on ash	+\$0
LBE	dark brown walnut	+\$0
LBF	medium red walnut	+\$0
LBG	neutral twill	+\$0
LBH	sarum twill	+\$0
LBJ	earthen twill	+\$0
LBM	graphite twill	+\$0
LBN	crisp linen	+\$0
LBP	classic linen	+\$0
LBQ	casual linen	+\$0
LU	white twill	+\$0
OG	soft white	+\$0
WL	honey maple	+\$0
WN	sandstone	+\$0
	warm grey neutral	+\$0

Step 7. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0

Everywhere™ Standard-Height Tables

Square Table *continued*

LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0

For laminate top/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Step 8. Leg Finish

Metallic Paint


MS	metallic silver	+\$0
-----------	-----------------	------

Step 9. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Round Table

DT1CS.



Specification Information

Step 1.

DT1C

Step 2. Edge

S. squared-edge

Step 3. Diameter

30	30" diameter
36	36" diameter
42	42" diameter
48	48" diameter
60	60" diameter

Step 4. Surface Material

L laminate top/thermoplastic edge

Step 5. Leg/Base Type

P post leg

Prices for Steps 1-5.

	P
DT1CS. 30 L	\$835
36 L	\$1005
42 L	\$1152
48 L	\$1289
60 L	\$1408

Step 6. Top Finish

76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HX	aged cherry	+\$0
LA	light ash	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Round Table *continued*

Step 7. Edge Finish		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HX	aged cherry	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish


Metallic Paint		
MS	metallic silver	+\$0

Step 9. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Oval Table

DT1DS.



Specification Information

Step 1.

DT1D

Step 2. Edge

S. squared-edge

Step 3. Depth

30 30" deep

36 36" deep

42 42" deep

Step 4. Width

For 30" deep (30)

48 48" wide

60 60" wide

For 36" deep (36)

60 60" wide

72 72" wide

For 42" deep (42)

72 72" wide

84 84" wide

Step 5. Surface Material

L laminate top/thermoplastic edge

Step 6. Leg/Base Type

P post leg

Prices for Steps 1-6.

	LP
DT1DS. 30 48	\$980
60	\$1058
36 60	\$1174
72	\$1350
42 72	\$1445
84	\$1487

Everywhere™ Standard-Height Tables

Oval Table *continued*

Step 7. Top Finish		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HX	aged cherry	+\$0
LA	light ash	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HX	aged cherry	+\$0
LM	mahogany	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 9. Leg/Base Finish		
Metallic Paint		
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$0
Sand Texture Paint		
BK	black	+\$0


Smooth Paint		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Standard-Height Table Leg

DT2A.



Specification Information

Step 1.

DT2A.

Step 2. Depth

18 18" deep

24 24" deep

30 30" deep

Step 3. Leg Type

P post leg

Step 4. Table Top Surface Material

P painted table top

Z laminate or veneer table top

Prices for Steps 1-4.

	P	Z
DT2A. 18 P	\$577	577
24 P	\$577	577
30 P	\$577	577

Step 5. Leg Finish

Metallic Paint

CN metallic champagne +\$0

EH metallic bronze +\$0

MS metallic silver +\$0

Sand Texture Paint

BK black +\$0

Smooth Paint

8Q folkstone grey +\$0

91 white +\$0

98 studio white +\$0

BU black umber +\$0

CL cool grey neutral +\$0

G2 graphite satin +\$0

HF inner tone light +\$0

LU soft white +\$0

MT medium tone +\$0

SG slate grey +\$0

WL sandstone +\$0

WN warm grey neutral +\$0

Step 6. Casters/Glides


20 casters +\$0

57 glides +\$0

Everywhere™ Standard-Height Table Legs and Bases

Connect™-S200

Y1322.



Specification Information

Step 1.

Y1322.

Step 2. Configuration

- 1** 1 simplex receptacle, 1 data opening
2 2 simplex receptacles

Step 3. Power Type

- A** power cord with plug end
B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit

Prices for Steps 1-4.

		03	06	10	20
Y1322. 1	A	\$257	257	267	318
	B	\$313	313	322	372
2	A	\$273	273	283	334
	B	\$327	327	339	391

Step 5. Wiring Type


- 4Z** standard +\$0

Step 6. Finish

- 0H** black +\$0
0I silver +\$0
0J white +\$0

Connect™-S300

Y1323.



Specification Information

Step 1.

Y1323.

Step 2. Configuration

- 3** 2 simplex receptacles, 2 data openings
4 3 simplex receptacles, 3 data openings
5 2 simplex receptacles, 1 data opening, 1 charging USB port
6 3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

- A** power cord with plug end
B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit


Step 5. Attachment

- G** grommet mount
S surface clamp

Prices for Steps 1-5.

		03G	03S	06G	06S	10G	10S
Y1323. 3	A	\$294	294	294	294	304	304
	B	\$350	350	350	350	360	360
4	A	\$366	366	366	366	375	375
	B	\$424	424	424	424	434	434
5	A	\$411	411	411	411	422	422
	B	\$468	468	468	468	477	477
6	A	\$483	483	483	483	495	495
	B	\$541	541	541	541	551	551

		20G	20S
Y1323. 3	A	\$355	355
	B	\$409	409
4	A	\$429	429
	B	\$483	483
5	A	\$473	473
	B	\$549	549
6	A	\$545	545
	B	\$624	624



Step 6. Finish

0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0

Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings
6	2 simplex receptacles, 1 data opening, 1 charging USB port
7	3 simplex receptacles, 3 data opening, 1 charging USB port
8	3 simplex receptacles, 2 data opening, 2 charging USB ports

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1324. 3	A	\$409	409	420	471
	B	\$466	466	477	528
	5 A	\$527	527	537	587
	B	\$583	583	589	639
	6 A	\$528	528	537	587
	B	\$584	584	595	647
	7 A	\$644	644	655	706
	B	\$701	701	708	758
	8 A	\$762	762	771	824
	B	\$819	819	826	876

Step 5. Wiring Type

4Z	standard	+\$0
-----------	----------	------

Step 6. Finish

OK	silver anodized	+\$0
-----------	-----------------	------



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
7	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1325. 3	A	\$482	482	494	544
	B	\$539	539	549	600
7	A	\$554	554	568	617
	B	\$611	611	623	674
5	A	\$602	602	611	662
	B	\$658	658	667	717
6	A	\$674	674	684	736
	B	\$729	729	743	791

Step 5. Finish

OK	silver anodized				+\$0
-----------	-----------------	--	--	--	------

Cable Management Clip


DT9A.



Specification Information	
Step 1.	
DT9A.	\$40

Cable Management Trough, Work Surface Suspended

A0382.



Specification Information	
Step 1.	
A0382.	
Step 2. Width	
30	30" wide
40	40" wide
Prices for Steps 1-2.	
A0382. 30	\$82
40	\$101
Step 3. Surface Finish	
BU	black umber
MT	medium tone


Everywhere™ Accessories

Cord Manager

FV984.

Connect™-Ganging Bracket Kit

Y1338.




Specification Information

Step 1.

FV984.

Step 2. Height	
12	12" high
24	24" high

Prices for Steps 1-2.	
FV984. 12	\$79
24	\$121




Specification Information

Step 1.

Y1338. \$81

Connect™-S200

Y1322.



Specification Information

Step 1.

Y1322.

Step 2. Configuration

- 1 1 simplex receptacle, 1 data opening
2 2 simplex receptacles

Step 3. Power Type

- A power cord with plug end
B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit

Prices for Steps 1-4.

		03	06	10	20
Y1322. 1	A	\$257	257	267	318
	B	\$313	313	322	372
2	A	\$273	273	283	334
	B	\$327	327	339	391

Step 5. Wiring Type


- 4Z standard +\$0

Step 6. Finish

- 0H black +\$0
0I silver +\$0
0J white +\$0

Connect™-S300

Y1323.



Specification Information

Step 1.

Y1323.

Step 2. Configuration

- 3 2 simplex receptacles, 2 data openings
4 3 simplex receptacles, 3 data openings
5 2 simplex receptacles, 1 data opening, 1 charging USB port
6 3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

- A power cord with plug end
B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit

Step 5. Attachment

- G grommet mount
S surface clamp


Prices for Steps 1-5.

		03G	03S	06G	06S	10G	10S
Y1323. 3	A	\$294	294	294	294	304	304
	B	\$350	350	350	350	360	360
4	A	\$366	366	366	366	375	375
	B	\$424	424	424	424	434	434
5	A	\$411	411	411	411	422	422
	B	\$468	468	468	468	477	477
6	A	\$483	483	483	483	495	495
	B	\$541	541	541	541	551	551

		20G	20S
Y1323. 3	A	\$355	355
	B	\$409	409
4	A	\$429	429
	B	\$483	483
5	A	\$473	473
	B	\$549	549
6	A	\$545	545
	B	\$624	624

Step 6. Finish

0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings
6	2 simplex receptacles, 1 data opening, 1 charging USB port
7	3 simplex receptacles, 3 data opening, 1 charging USB port
8	3 simplex receptacles, 2 data opening, 2 charging USB ports

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1324. 3	A	\$409	409	420	471
	B	\$466	466	477	528
5	A	\$527	527	537	587
	B	\$583	583	589	639
6	A	\$528	528	537	587
	B	\$584	584	595	647
7	A	\$644	644	655	706
	B	\$701	701	708	758
8	A	\$762	762	771	824
	B	\$819	819	826	876

Step 5. Wiring Type

4Z	standard	+\$0
-----------	----------	------

Step 6. Finish

OK	silver anodized	+\$0
-----------	-----------------	------



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
7	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.

		03	06	10	20
Y1325. 3	A	\$482	482	494	544
	B	\$539	539	549	600
7	A	\$554	554	568	617
	B	\$611	611	623	674
5	A	\$602	602	611	662
	B	\$658	658	667	717
6	A	\$674	674	684	736
	B	\$729	729	743	791

Step 5. Finish

OK	silver anodized				+\$0
-----------	-----------------	--	--	--	------

Index by Product Name

Everywhere™ Tables 10-Day or Less	
Cable Management Clip	page(s) 15
Cable Management Trough, Work Surface Suspended	15
Connect™-Ganging Bracket Kit	16
Connect™-S200	17, 12
Connect™-S300	17, 12
Connect™-S400	18, 13
Connect™-S500	19, 14
Cord Manager	16
Oval Table	9
Rectangular Table	5
Round Table	8
Square Table	7
Standard-Height Table Leg	11



Index by Product Number

AO382. Cable Management Trough, Work Surface	
Suspended	page(s) 15
DT1AS. Rectangular Table	5
DT1BS. Square Table	7
DT1CS. Round Table	8
DT1DS. Oval Table	9
DT2A. Standard-Height Table Leg	11
DT9A. Cable Management Clip	15
FV984. Cord Manager	16
Y1322. Connect™-S200	17, 12
Y1323. Connect™-S300	17, 12
Y1324. Connect™-S400	18, 13
Y1325. Connect™-S500	19, 14
Y1338. Connect™-Ganging Bracket Kit	16



10-Day or Less Order Information

10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

1. Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.
Order Entry fax number for all other products: (616) 654 3085.
2. Orders must be clearly marked “10-day or less program” and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
3. Only fabrics and finishes listed with each product are available through the 10-day or less program.
4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
5. For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi—Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

® **HermanMiller**, ●, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisiyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live Platform, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Multiscrim, Nelson, Nevi, Overlay, Pari, Pixelated Support, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus, Vista and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsur® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.