



Prices effective October 7, 2019

Headway™ Tables

Introduction	page 2
Headway™ Tables	3
Conference Tables	5
Communal Table	73
Table Bases	88
Technology/Accessories	100
Indices	107
By Name	107
By Number	109
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective October 7, 2019, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Conference Tables

Communal Table


Table Bases

Technology/Accessories



Headway™ Rectangle Shape, Cabinet-Base, Seated Height Table

DP1ACS
DP1ACT



Product Information

Description

This cabinet base rectangle seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate tops 72" to 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Laminate tops 120" to 192" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base.

Laminate tops 204" to 240" wide have 3-piece construction and are supported by 2 end cabinet bases and 2 intermediate cabinet bases.

Veneer tops 72" to 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Veneer tops 120" to 192" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base.

Veneer tops 204" to 240" wide have 3-piece construction and are supported by 2 end cabinet bases and 2 intermediate cabinet bases.

When specifying 1 cutout (A) in tables 72" wide to 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 120" wide to 192" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. For 54"- and 60"-deep tables, cutouts can also be located over the left or right cabinet bases (S, T). No center cutouts available.

When specifying cutouts (A, B, C) in tables 204" wide to 240" wide, cutouts can be located on the left (L), the right (R), or the center (C) of the table, or any combination of the three. For 54"- and 60"-deep tables, cutouts can also be located over the left or right cabinet bases (S, T).

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying technology mounting panels in bases (P), 2 technology panels are included.

When specifying metal painted curtain (C) or trough (T) undersurface wire management option, finish will match inner cabinet base paint finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H) or metal painted curtain with fabric sling (C).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) or metal painted curtain with fabric sling (C) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Rectangle Shape, Cabinet-Base, Seated Height Table *continued*

Specification Information			
Step 1.			
DP1AC ☐			
Step 2. Edge			
S.	squared-edge	☐	+\$0
T.	thin-edge	☐	+\$0
Step 3. Height			
2	28.5" high	☐	+\$0
Step 4. Depth			
42	42" deep	☐	+\$0
48	48" deep	☐	+\$0
54	54" deep	☐	+\$0
60	60" deep	☐	+\$0
Step 5. Width			
<i>For 42" deep (42)</i>			
72	72" wide	☐	+\$3569
84	84" wide	☐	+\$3684
96	96" wide	☐	+\$3800
120	120" wide	☐	+\$5482
132	132" wide	☐	+\$5627
144	144" wide	☐	+\$5917
<i>For 48" deep (48)</i>			
72	72" wide	☐	+\$3606
84	84" wide	☐	+\$3721
96	96" wide	☐	+\$3836
120	120" wide	☐	+\$5482
132	132" wide	☐	+\$5722
144	144" wide	☐	+\$5963

<i>For 54" deep (54)</i>			
96	96" wide	☐	+\$4462
120	120" wide	☐	+\$6536
132	132" wide	☐	+\$6761
144	144" wide	☐	+\$6986
156	156" wide	☐	+\$7141
168	168" wide	☐	+\$7296
180	180" wide	☐	+\$7451
192	192" wide	☐	+\$7606
204	204" wide	☐	+\$9563
216	216" wide	☐	+\$9696
228	228" wide	☐	+\$9829
240	240" wide	☐	+\$9962

<i>For 60" deep (60)</i>			
96	96" wide	☐	+\$4531
120	120" wide	☐	+\$6747
132	132" wide	☐	+\$6923
144	144" wide	☐	+\$7100
156	156" wide	☐	+\$7276
168	168" wide	☐	+\$7452
180	180" wide	☐	+\$7628
192	192" wide	☐	+\$7805
204	204" wide	☐	+\$9723
216	216" wide	☐	+\$9966
228	228" wide	☐	+\$10210
240	240" wide	☐	+\$10453

Step 6. Surface Material			
<i>For squared-edge (S.) with 72" wide (72), 84" wide (84), or 96" wide (96)</i>			
L	laminate top/thermoplastic edge	☐	+\$0
W	veneer top/veneer edge	☐	+\$1075
U	laminate top/universal edge	☐	+\$0
<i>For squared-edge (S.) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)</i>			
L	laminate top/thermoplastic edge	☐	+\$0
W	veneer top/veneer edge	☐	+\$2110
U	laminate top/universal edge	☐	+\$0

Headway™ Rectangle Shape, Cabinet-Base, Seated Height Table *continued*

For squared-edge (S.) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)

L	laminate top/thermoplastic edge ☐	+\$0
W	veneer top/veneer edge ☐	+\$2740
U	laminate top/universal edge ☐	+\$0

For thin-edge (T.) with 72" wide (72), 84" wide (84), or 96" wide (96)

L	laminate top/thermoplastic edge ☐	+\$1010
W	veneer top/veneer edge ☐	+\$2530

For thin-edge (T.) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)

L	laminate top/thermoplastic edge ☐	+\$1265
W	veneer top/veneer edge ☐	+\$4850

For thin-edge (T.) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)

L	laminate top/thermoplastic edge ☐	+\$1855
W	veneer top/veneer edge ☐	+\$6960

Step 7. Removable Cabinet Door Material

L	laminate door material/thermoplastic edge ☐	+\$0
W	veneer door material/veneer edge ☐	+\$635

Step 8. Number of Cutouts

For 72" wide (72), 84" wide (84), or 96" wide (96)

N	no cutouts ☐	+\$0
A	1 cutout ☐	+\$0

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)

N	no cutouts ☐	+\$0
A	1 cutout ☐	+\$0
B	2 cutouts ☐	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)

N	no cutouts ☐	+\$0
A	1 cutout ☐	+\$0
B	2 cutouts ☐	+\$0
C	3 cutouts ☐	+\$0

Step 9. Cutout #1 Location

For 42" deep (42), 48" deep (48), 54" deep (54), or 60" deep (60) with 72" wide (72), 84" wide (84), or 96" wide (96) with 1 cutout (A)

C	center cutout ☐	+\$0
----------	--	------

For 42" deep (42) or 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 1 cutout (A) or 2 cutouts (B)

L	left cutout ☐	+\$0
R	right cutout ☐	+\$0

For 54" deep (54) or 60" deep (60) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 1 cutout (A) or 2 cutouts (B)

L	left cutout ☐	+\$0
R	right cutout ☐	+\$0
S	left cutout over cabinet base ☐	+\$0
T	right cutout over cabinet base ☐	+\$0

For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 1 cutout (A), 2 cutouts (B), or 3 cutouts (C)

C	center cutout ☐	+\$0
L	left cutout ☐	+\$0
R	right cutout ☐	+\$0
S	left cutout over cabinet base ☐	+\$0
T	right cutout over cabinet base ☐	+\$0

Step 10. Cutout #2 Location

For 42" deep (42) or 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with left cutout (L)

R	right cutout ☐	+\$0
----------	---------------------------------------	------

For 42" deep (42) or 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with right cutout (R)

L	left cutout ☐	+\$0
----------	--------------------------------------	------

For 54" deep (54) or 60" deep (60) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with left cutout (L) or left cutout over cabinet base (S)

R	right cutout ☐	+\$0
T	right cutout over cabinet base ☐	+\$0

Headway™ Rectangle Shape, Cabinet-Base, Seated Height Table *continued*

For 54" deep (54) or 60" deep (60) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with right cutout (R) or right cutout over cabinet base (T)

L	left cutout A	+\$0
S	left cutout over cabinet base A	+\$0

For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with left cutout (L) or left cutout over cabinet base (S)

R	right cutout A	+\$0
T	right cutout over cabinet base A	+\$0
C	center cutout A	+\$0

For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with right cutout (R) or right cutout over cabinet base (T)

L	left cutout A	+\$0
S	left cutout over cabinet base A	+\$0
C	center cutout A	+\$0

For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with center cutout (C)

L	left cutout A	+\$0
S	left cutout over cabinet base A	+\$0
R	right cutout A	+\$0
T	right cutout over cabinet base A	+\$0

Step 11. Cutout #3 Location

For 3 cutouts (C) with left cutout (L), right cutout (R), left cutout over cabinet base (S), or right cutout over cabinet base (T) with left cutout (L), right cutout (R), left cutout over cabinet base (S), or right cutout over cabinet base (T)

C	center cutout A	+\$0
----------	---	------

For 3 cutouts (C) with center cutout (C), left cutout (L), or left cutout over cabinet base (S) with left cutout (L), left cutout over cabinet base (S), or center cutout (C)

R	right cutout A	+\$0
T	right cutout over cabinet base A	+\$0

For 3 cutouts (C) with center cutout (C), right cutout (R), or right cutout over cabinet base (T) with center cutout (C), right cutout (R), or right cutout over cabinet base (T)

L	left cutout A	+\$0
S	left cutout over cabinet base A	+\$0

Step 12. Technology Integration for Cutout #1

For 1 cutout (A), 2 cutouts (B), or 3 cutouts (C) with center cutout (C), or left cutout (L), or right cutout (R)

TB	cutout for technology bucket A	+\$190
L6	cutout for logic Y1425 6 port A	+\$125
L5	cutout for logic Y1425 5 port A	+\$125
L3	cutout for logic Y1425 3 port A	+\$65
C5	cutout for 5.75" x 5.75" technology unit A	+\$65
C6	cutout for 7.13" x 5.75" technology unit A	+\$65
C7	cutout for 7" x 3.25" technology unit A	+\$65
C8	cutout for 10" x 4" technology unit A	+\$65
C9	cutout for 10" x 6.75" technology unit A	+\$125

For 1 cutout (A), 2 cutouts (B), or 3 cutouts (C) with left cutout over cabinet base (S), or right cutout over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit A	+\$65
C6	cutout for 7.13" x 5.75" technology unit A	+\$65
C7	cutout for 7" x 3.25" technology unit A	+\$65
C8	cutout for 10" x 4" technology unit A	+\$65
C9	cutout for 10" x 6.75" technology unit A	+\$125

Step 13. Technology Integration for Cutout #2

For 2 cutouts (B) or 3 cutouts (C) with left cutout (L), or right cutout (R), or center cutout (C)

TB	cutout for technology bucket A	+\$190
L6	cutout for logic Y1425 6 port A	+\$125
L5	cutout for logic Y1425 5 port A	+\$125
L3	cutout for logic Y1425 3 port A	+\$65
C5	cutout for 5.75" x 5.75" technology unit A	+\$65
C6	cutout for 7.13" x 5.75" technology unit A	+\$65
C7	cutout for 7" x 3.25" technology unit A	+\$65
C8	cutout for 10" x 4" technology unit A	+\$65
C9	cutout for 10" x 6.75" technology unit A	+\$125

Headway™ Rectangle Shape, Cabinet-Base, Seated Height Table *continued*

For 2 cutouts (B) or 3 cutouts (C) with left cutout over cabinet base (S),
or right cutout over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Step 14. Technology Integration for Cutout #3

For 3 cutouts (C) with center cutout (C), or left cutout (L), or right cutout
(R)

TB	cutout for technology bucket ☐	+\$190
L6	cutout for logic Y1425 6 port ☐	+\$125
L5	cutout for logic Y1425 5 port ☐	+\$125
L3	cutout for logic Y1425 3 port ☐	+\$65
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

For 3 cutouts (C) with left cutout over cabinet base (S), or right cutout
over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Step 15.

For laminate top/thermoplastic edge (L) AND laminate top/universal
edge (U)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Rectangle Shape, Cabinet-Base, Seated Height Table *continued*

		For veneer top/veneer edge (W)				
		72	84	96	120	132
2U	light brown walnut 	+\$200	200	200	400	400
40	dark brown walnut 	+\$200	200	200	400	400
A2	white ash 	+\$0	0	0	0	0
ED	aged cherry 	+\$200	200	200	400	400
EK	medium red walnut 	+\$200	200	200	400	400
ET	clear on ash 	+\$0	0	0	0	0
EU	oak on ash 	+\$0	0	0	0	0
EV	walnut on ash 	+\$0	0	0	0	0
EW	medium matte walnut 	+\$200	200	200	400	400
OU	walnut 	+\$200	200	200	400	400
UL	natural maple 	+\$0	0	0	0	0
UX	walnut on cherry 	+\$0	0	0	0	0

		144	156	168	180	192
2U	light brown walnut 	+\$400	400	400	400	400
40	dark brown walnut 	+\$400	400	400	400	400
A2	white ash 	+\$0	0	0	0	0
ED	aged cherry 	+\$400	400	400	400	400
EK	medium red walnut 	+\$400	400	400	400	400
ET	clear on ash 	+\$0	0	0	0	0
EU	oak on ash 	+\$0	0	0	0	0
EV	walnut on ash 	+\$0	0	0	0	0
EW	medium matte walnut 	+\$400	400	400	400	400
OU	walnut 	+\$400	400	400	400	400
UL	natural maple 	+\$0	0	0	0	0
UX	walnut on cherry 	+\$0	0	0	0	0

		204	216	228	240
2U	light brown walnut 	+\$600	600	600	600
40	dark brown walnut 	+\$600	600	600	600
A2	white ash 	+\$0	0	0	0
ED	aged cherry 	+\$600	600	600	600
EK	medium red walnut 	+\$600	600	600	600
ET	clear on ash 	+\$0	0	0	0
EU	oak on ash 	+\$0	0	0	0
EV	walnut on ash 	+\$0	0	0	0
EW	medium matte walnut 	+\$600	600	600	600
OU	walnut 	+\$600	600	600	600
UL	natural maple 	+\$0	0	0	0
UX	walnut on cherry 	+\$0	0	0	0

Step 16. Edge Finish

		For laminate top/thermoplastic edge (L)			
76	light brown walnut 				+\$0
8Q	folkstone grey 				+\$0
8Z	neutral grey 				+\$0
91	white 				+\$0
98	studio white 				+\$0
BU	black umber 				+\$0
CL	cool grey neutral 				+\$0
HF	inner tone light 				+\$0
HM	natural maple 				+\$0
HP	light anigre 				+\$0
HT	inner tone 				+\$0
HX	aged cherry 				+\$0
HY	walnut on cherry 				+\$0
JB	millwork cherry 				+\$0
LA	light ash 				+\$0
LBA	clear on ash 				+\$0
LBB	oak on ash 				+\$0
LBC	walnut on ash 				+\$0
LBD	dark brown walnut 				+\$0
LBE	medium red walnut 				+\$0
LBF	neutral twill 				+\$0
LBG	sarum twill 				+\$0
LBH	earthen twill 				+\$0
LBJ	graphite twill 				+\$0
LBK	pewter mesh 				+\$0
LBL	steel mesh 				+\$0
LBM	crisp linen 				+\$0
LBN	classic linen 				+\$0
LBP	casual linen 				+\$0
LBQ	white twill 				+\$0

Headway™ Rectangle Shape, Cabinet-Base, Seated Height Table *continued*

LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0

For laminate top/universal edge (U)

		72	84	96	120	132
PLY	plywood edge ☐	+\$75	75	75	150	150
		144	156	168	180	192
PLY	plywood edge ☐	+\$150	150	150	150	150
		204	216	228	240	
PLY	plywood edge ☐	+\$225	225	225	225	

Step 17. Removable Cabinet Door Finish

For laminate door material/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Rectangle Shape, Cabinet-Base, Seated Height Table *continued*

For veneer door material/veneer edge (W)

2U	light brown walnut ☐	+\$100
40	dark brown walnut ☐	+\$100
A2	white ash ☐	+\$0
ED	aged cherry ☐	+\$100
EK	medium red walnut ☐	+\$100
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut ☐	+\$100
OU	walnut ☐	+\$100
UL	natural maple ☐	+\$0
UX	walnut on cherry ☐	+\$0

Step 18. Removable Cabinet Door Edge Finish

For laminate door material/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0

LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 19. Inner Cabinet Leg Finish

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
CN	metallic champagne ☐	+\$0
MS	metallic silver ☐	+\$0
SNC	satin carbon ☐	+\$0
BK	black ☐	+\$0
G1	graphite ☐	+\$0

Step 20. Technology Mounting Panel in Leg

P	technology panels in bases ☐	+\$260
N	no panel in bases ☐	+\$0

Step 21. Undersurface Wire Management


		72	84	96	120	132
N	no undersurface wire management ☐	+\$0	0	0	0	0
T	trough ☐	+\$420	420	420	840	840
C	metal painted curtain with fabric sling ☐	+\$635	635	635	1270	1270
H	hammock ☐	+\$550	550	550	1100	1100
		144	156	168	180	192
N	no undersurface wire management ☐	+\$0	0	0	0	0
T	trough ☐	+\$840	840	840	840	840
C	metal painted curtain with fabric sling ☐	+\$1270	1270	1270	1270	1270
H	hammock ☐	+\$1100	1100	1100	1100	1100
		204	216	228	240	
N	no undersurface wire management ☐	+\$0	0	0	0	0
T	trough ☐	+\$1260	1260	1260	1260	1260
C	metal painted curtain with fabric sling ☐	+\$1905	1905	1905	1905	1905
H	hammock ☐	+\$1650	1650	1650	1650	1650

Headway™ Rectangle Shape,
Cabinet-Base, Seated Height
Table *continued*

Step 22. Hammock Finish		
<i>For hammock (H)</i>		
1HS04	hush greystone ☐ A	+\$0
1HS05	hush charcoal ☐ A	+\$0

Headway™ Rectangle Shape, Y-Base, Seated Height Table

DP1AYS
DP1AYT



Product Information

Description

This Y-base rectangle seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate tops 60" to 108" wide have 1-piece construction and are supported by 2 end legs.

Laminate tops 120" to 192" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

Laminate tops 204" to 240" wide have 3-piece construction and are supported by 2 end legs and 2 intermediate legs.

Veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

Veneer tops 108" to 192" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

Veneer tops 204" to 240" wide have 3-piece construction and are supported by 2 end legs and 2 intermediate legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 108" wide to 192" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

When specifying cutouts (A, B, C) in tables 204" wide to 240" wide, cutouts can be located on the left (L), the right (R), or the center (C) of the table, or any combination of the three.

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management.

See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Rectangle Shape, Y-Base, Seated Height Table

continued

Specification Information

Step 1.

DP1AY A

Step 2. Edge

S. squared-edge A +\$0
T. thin-edge A +\$0

Step 3. Height

28 28.5" high A +\$0

Step 4. Depth

36 36" deep A +\$0
42 42" deep A +\$0
48 48" deep A +\$0
54 54" deep A +\$0

Step 5. Width

For 36" deep (36)

60 60" wide A +\$2804
72 72" wide A +\$2973
84 84" wide A +\$3142
96 96" wide A +\$3310

For 42" deep (42)

60 60" wide A +\$3078
72 72" wide A +\$3205
84 84" wide A +\$3331
96 96" wide A +\$3458
108 108" wide A +\$4955
120 120" wide A +\$5398
132 132" wide A +\$5545
144 144" wide A +\$5693

For 48" deep (48)

60 60" wide A +\$3142
72 72" wide A +\$3261
84 84" wide A +\$3381
96 96" wide A +\$3500
108 108" wide A +\$5398
120 120" wide A +\$5693
132 132" wide A +\$5935
144 144" wide A +\$6178

For 54" deep (54)

96 96" wide A +\$3648
108 108" wide A +\$5609
120 120" wide A +\$5904
132 132" wide A +\$6185
144 144" wide A +\$6466
156 156" wide A +\$6747
168 168" wide A +\$7028
180 180" wide A +\$7309
192 192" wide A +\$7591
204 204" wide A +\$9009
216 216" wide A +\$9225
228 228" wide A +\$9441
240 240" wide A +\$9657

Step 6. Surface Material

For squared-edge (S.) with 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

L laminate top/thermoplastic edge A +\$0
W veneer top/veneer edge A +\$1075
U laminate top/universal edge A +\$0

For squared-edge (S.) with 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)

L laminate top/thermoplastic edge A +\$0
W veneer top/veneer edge A +\$0
W veneer top/veneer edge A +\$2110
U laminate top/universal edge A +\$0

For squared-edge (S.) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)

L laminate top/thermoplastic edge A +\$0
W veneer top/veneer edge A +\$2740
U laminate top/universal edge A +\$0

For thin-edge (T.) with 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

L laminate top/thermoplastic edge A +\$1010
W veneer top/veneer edge A +\$2530

For thin-edge (T.) with 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)

L laminate top/thermoplastic edge A +\$1265
W veneer top/veneer edge A +\$4850

Headway™ Rectangle Shape, Y-Base, Seated Height Table

continued

For thin-edge (T.) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)

L	laminate top/thermoplastic edge A	+\$1855
W	veneer top/veneer edge A	+\$6960

Step 7. Number of Cutouts

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

N	no cutouts A	+\$0
A	1 cutout A	+\$0

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)

N	no cutouts A	+\$0
A	1 cutout A	+\$0
B	2 cutouts A	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)

N	no cutouts A	+\$0
A	1 cutout A	+\$0
B	2 cutouts A	+\$0
C	3 cutouts A	+\$0

Step 8. Cutout #1 Location

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with 1 cutout (A)

C	center cutout A	+\$0
----------	------------------------	------

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 1 cutout (A) or 2 cutouts (B)

L	left cutout A	+\$0
R	right cutout A	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 1 cutout (A), 2 cutouts (B), or 3 cutouts (C)

C	center cutout A	+\$0
L	left cutout A	+\$0
R	right cutout A	+\$0

Step 9. Cutout #2 Location

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with left cutout (L)

R	right cutout A	+\$0
----------	-----------------------	------

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with right cutout (R)

L	left cutout A	+\$0
----------	----------------------	------

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with left cutout (L)

C	center cutout A	+\$0
R	right cutout A	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with right cutout (R)

C	center cutout A	+\$0
L	left cutout A	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with center cutout (C)

L	left cutout A	+\$0
R	right cutout A	+\$0

Step 10. Cutout #3 Location

For 3 cutouts (C) with left cutout (L) or right cutout (R) with left cutout (L) or right cutout (R)

C	center cutout A	+\$0
----------	------------------------	------

For 3 cutouts (C) with center cutout (C) or left cutout (L) with center cutout (C) or left cutout (L)

R	right cutout A	+\$0
----------	-----------------------	------

For 3 cutouts (C) with center cutout (C) or right cutout (R) with center cutout (C) or right cutout (R)

L	left cutout A	+\$0
----------	----------------------	------

Headway™ Rectangle Shape, Y-Base, Seated Height Table

continued

Step 11. Technology Integration for Cutout #1

For 1 cutout (A), 2 cutouts (B), or 3 cutouts (C)

TB	cutout for technology bucket	A	+\$190
L6	cutout for logic Y1425 6 port	A	+\$125
L5	cutout for logic Y1425 5 port	A	+\$125
L3	cutout for logic Y1425 3 port	A	+\$65
C5	cutout for 5.75" x 5.75" technology unit	A	+\$65
C6	cutout for 7.13" x 5.75" technology unit	A	+\$65
C7	cutout for 7" x 3.25" technology unit	A	+\$65
C8	cutout for 10" x 4" technology unit	A	+\$65
C9	cutout for 10" x 6.75" technology unit	A	+\$125

Step 12. Technology Integration for Cutout #2

For 2 cutouts (B) or 3 cutouts (C)

TB	cutout for technology bucket	A	+\$190
L6	cutout for logic Y1425 6 port	A	+\$125
L5	cutout for logic Y1425 5 port	A	+\$125
L3	cutout for logic Y1425 3 port	A	+\$65
C5	cutout for 5.75" x 5.75" technology unit	A	+\$65
C6	cutout for 7.13" x 5.75" technology unit	A	+\$65
C7	cutout for 7" x 3.25" technology unit	A	+\$65
C8	cutout for 10" x 4" technology unit	A	+\$65
C9	cutout for 10" x 6.75" technology unit	A	+\$125

Step 13. Technology Integration for Cutout #3

For 3 cutouts (C)

TB	cutout for technology bucket	A	+\$190
L6	cutout for logic Y1425 6 port	A	+\$125
L5	cutout for logic Y1425 5 port	A	+\$125
L3	cutout for logic Y1425 3 port	A	+\$65
C5	cutout for 5.75" x 5.75" technology unit	A	+\$65
C6	cutout for 7.13" x 5.75" technology unit	A	+\$65
C7	cutout for 7" x 3.25" technology unit	A	+\$65
C8	cutout for 10" x 4" technology unit	A	+\$65
C9	cutout for 10" x 6.75" technology unit	A	+\$125

Step 14.

For laminate top/thermoplastic edge (L) AND laminate top/universal edge (U)

76	light brown walnut	A	+\$0
8Q	folkstone grey	A	+\$0
91	white	A	+\$0
98	studio white	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HM	natural maple	A	+\$0
HP	light anigre	A	+\$0
HX	aged cherry	A	+\$0
HY	walnut on cherry	A	+\$0
LA	light ash	A	+\$0
LBA	clear on ash	A	+\$0
LBB	oak on ash	A	+\$0
LBC	walnut on ash	A	+\$0
LBD	dark brown walnut	A	+\$0
LBF	neutral twill	A	+\$0
LBG	sarum twill	A	+\$0
LBH	earthen twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBK	pewter mesh	A	+\$0
LBL	steel mesh	A	+\$0
LBM	crisp linen	A	+\$0
LBN	classic linen	A	+\$0
LBP	casual linen	A	+\$0
LBQ	white twill	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut	A	+\$0
LBV	warm grey teak	A	+\$0
LT	light tone	A	+\$0
LU	soft white	A	+\$0
WL	sandstone	A	+\$0
WN	warm grey neutral	A	+\$0

Headway™ Rectangle Shape, Y-Base, Seated Height Table

continued

Top/Edge Finish

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with veneer top/veneer edge (W)

2U	light brown walnut 	+\$200
40	dark brown walnut 	+\$200
A2	white ash 	+\$0
ED	aged cherry 	+\$200
EK	medium red walnut 	+\$200
ET	clear on ash 	+\$0
EU	oak on ash 	+\$0
EV	walnut on ash 	+\$0
EW	medium matte walnut 	+\$200
OU	walnut 	+\$200
UL	natural maple 	+\$0
UX	walnut on cherry 	+\$0

Top/Edge Finish

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with veneer top/veneer edge (W)

2U	light brown walnut 	+\$400
40	dark brown walnut 	+\$400
A2	white ash 	+\$0
ED	aged cherry 	+\$400
EK	medium red walnut 	+\$400
ET	clear on ash 	+\$0
EU	oak on ash 	+\$0
EV	walnut on ash 	+\$0
EW	medium matte walnut 	+\$400
OU	walnut 	+\$400
UL	natural maple 	+\$0
UX	walnut on cherry 	+\$0

Top/Edge Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with veneer top/veneer edge (W)

2U	light brown walnut 	+\$0
2U	light brown walnut 	+\$600
40	dark brown walnut 	+\$0
40	dark brown walnut 	+\$600
A2	white ash 	+\$0
ED	aged cherry 	+\$0
ED	aged cherry 	+\$600
EK	medium red walnut 	+\$0
EK	medium red walnut 	+\$600
ET	clear on ash 	+\$0
EU	oak on ash 	+\$0
EV	walnut on ash 	+\$0
EW	medium matte walnut 	+\$0
EW	medium matte walnut 	+\$600
OU	walnut 	+\$0
OU	walnut 	+\$600
UL	natural maple 	+\$0
UX	walnut on cherry 	+\$0

Step 15. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
BU	black umber 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0

Headway™ Rectangle Shape, Y-Base, Seated Height Table

continued

LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LU	soft white A	+\$0
MT	medium tone A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

For laminate top/universal edge (U)

		60	72	84	96	108
PLY	plywood edge A	+\$75	75	75	75	150
		120	132	144	156	168
PLY	plywood edge A	+\$150	150	150	150	150
		180	192	204	216	228
PLY	plywood edge A	+\$150	150	225	225	225
						240
PLY	plywood edge A					+\$225

Step 16. Base Finish

Smooth Paint

		60	72	84	96	108
8Q	folkstone grey leg with folkstone grey foot A	+\$0	0	0	0	0
91	white leg with white foot A	+\$0	0	0	0	0
98	studio white leg with studio white foot A	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot A	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0	0	0	0	0

		120	132	144	156	168
8Q	folkstone grey leg with folkstone grey foot A	+\$0	0	0	0	0
91	white leg with white foot A	+\$0	0	0	0	0
98	studio white leg with studio white foot A	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot A	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0	0	0	0	0

		180	192	204	216	228
8Q	folkstone grey leg with folkstone grey foot A	+\$0	0	0	0	0
91	white leg with white foot A	+\$0	0	0	0	0
98	studio white leg with studio white foot A	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot A	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0	0	0	0	0

		240
8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0

Metallic Paint

		60	72	84	96	108
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0

Headway™ Conference Tables

Headway™ Rectangle Shape, Y-Base, Seated Height Table

continued

		120	132	144	156	168
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0
		180	192	204	216	228
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0
						240
CN	metallic champagne leg with metallic champagne foot A					+\$0
MS	metallic silver leg with metallic silver foot A					+\$0
SNC	satin carbon leg with satin carbon foot A					+\$0
Sand Texture Paint						
		60	72	84	96	108
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0
		120	132	144	156	168
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0
		180	192	204	216	228
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

						240
BK	black leg with black foot A					+\$0
G1	graphite satin leg with graphite satin foot A					+\$0
Polished Aluminum						
		60	72	84	96	108
LFL	black leg with polished aluminum foot A	+\$210	210	210	210	360
LFM	satin carbon leg with polished aluminum foot A	+\$210	210	210	210	360
LFK	studio white leg with polished aluminum foot A	+\$210	210	210	210	360
LFF	white leg with polished aluminum foot A	+\$210	210	210	210	360
LFN	graphite leg with polished aluminum foot A	+\$210	210	210	210	360
		120	132	144	156	168
LFL	black leg with polished aluminum foot A	+\$360	360	360	360	360
LFM	satin carbon leg with polished aluminum foot A	+\$360	360	360	360	360
LFK	studio white leg with polished aluminum foot A	+\$360	360	360	360	360
LFF	white leg with polished aluminum foot A	+\$360	360	360	360	360
LFN	graphite leg with polished aluminum foot A	+\$360	360	360	360	360

Headway™ Rectangle Shape, Y-Base, Seated Height Table

continued

		180	192	204	216	228
LFL	black leg with polished aluminum foot A	+\$360	360	505	505	505
LFM	satin carbon leg with polished aluminum foot A	+\$360	360	505	505	505
LFK	studio white leg with polished aluminum foot A	+\$360	360	505	505	505
LFF	white leg with polished aluminum foot A	+\$360	360	505	505	505
LFN	graphite leg with polished aluminum foot A	+\$360	360	505	505	505

		240
LFL	black leg with polished aluminum foot A	+\$505
LFM	satin carbon leg with polished aluminum foot A	+\$505
LFK	studio white leg with polished aluminum foot A	+\$505
LFF	white leg with polished aluminum foot A	+\$505
LFN	graphite leg with polished aluminum foot A	+\$505

Step 17. Undersurface Wire Management

		60	72	84	96	108
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$420	420	420	420	840
H	hammock A	+\$550	550	550	550	1100
		120	132	144	156	168
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$840	840	840	840	840
H	hammock A	+\$1100	1100	1100	1100	1100
		180	192	204	216	228
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$840	840	1260	1260	1260
H	hammock A	+\$1100	1100	1650	1650	1650
						240
N	no undersurface wire management A					+\$0
T	trough A					+\$1260
H	hammock A					+\$1650


Step 18. Hammock Finish

For hammock (H)

1HS04	hush greystone A	+\$0
1HS05	hush charcoal A	+\$0

Headway™ Rectangle Shape, Y-Base, Standing Height Table

DP2AYS
DP2AYT



Product Information

Description

This Y-base rectangle standing-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate and veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management.

See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Rectangle Shape, Y-Base, Standing Height Table

continued

Specification Information		
Step 1.		
DP2AY	☐	
Step 2. Edge		
S.	squared-edge ☐	+\$0
T.	thin-edge ☐	+\$0
Step 3. Height		
42	42" high ☐	+\$0
Step 4. Depth		
36	36" deep ☐	+\$0
42	42" deep ☐	+\$0
48	48" deep ☐	+\$0
Step 5. Width		
<i>For 36" deep (36)</i>		
60	60" wide ☐	+\$2969
72	72" wide ☐	+\$3137
84	84" wide ☐	+\$3306
96	96" wide ☐	+\$3475
<i>For 42" deep (42)</i>		
60	60" wide ☐	+\$3243
72	72" wide ☐	+\$3369
84	84" wide ☐	+\$3496
96	96" wide ☐	+\$3622
<i>For 48" deep (48)</i>		
60	60" wide ☐	+\$3306
72	72" wide ☐	+\$3426
84	84" wide ☐	+\$3545
96	96" wide ☐	+\$3665
Step 6. Surface Material		
<i>For squared-edge (S.)</i>		
L	laminate top/thermoplastic edge ☐	+\$0
W	veneer top/veneer edge ☐	+\$1075
U	laminate top/universal edge ☐	+\$0
<i>For thin-edge (T.)</i>		
L	laminate top/thermoplastic edge ☐	+\$1010
W	veneer top/veneer edge ☐	+\$2530

Step 7. Number of Cutouts		
N	no cutouts ☐	+\$0
A	1 cutout ☐	+\$0
Step 8. Cutout #1 Location		
<i>For 1 cutout (A)</i>		
C	center cutout ☐	+\$0
Step 9. Technology Integration for Cutout #1		
<i>For 1 cutout (A)</i>		
TB	cutout for technology bucket ☐	+\$190
L6	cutout for logic Y1425 6 port ☐	+\$125
L5	cutout for logic Y1425 5 port ☐	+\$125
L3	cutout for logic Y1425 3 port ☐	+\$65
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Headway™ Rectangle Shape, Y-Base, Standing Height Table

continued

Step 10.

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LT	light tone 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$200
40	dark brown walnut 	+\$200
A2	white ash 	+\$0
ED	aged cherry 	+\$200
EK	medium red walnut 	+\$200
ET	clear on ash 	+\$0
EU	oak on ash 	+\$0
EV	walnut on ash 	+\$0
EW	medium matte walnut 	+\$200
OU	walnut 	+\$200
UL	natural maple 	+\$0
UX	walnut on cherry 	+\$0

Step 11. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
BU	black umber 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0

Headway™ Rectangle Shape, Y-Base, Standing Height Table

continued

LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

For laminate top/universal edge (U)

PLY	plywood edge ☐	+\$75
------------	---------------------------------------	-------

Step 12. Base Finish

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNC	satin carbon leg with satin carbon foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
G1	graphite satin leg with graphite satin foot ☐	+\$0

Polished Aluminum

LFL	black leg with polished aluminum foot ☐	+\$210
LFM	satin carbon leg with polished aluminum foot ☐	+\$210
LFK	studio white leg with polished aluminum foot ☐	+\$210
LFF	white leg with polished aluminum foot ☐	+\$210
LFN	graphite leg with polished aluminum foot ☐	+\$210

Step 13. Undersurface Wire Management

N	no undersurface wire management ☐	+\$0
T	trough ☐	+\$420
H	hammock ☐	+\$550


Step 14. Hammock Finish

For hammock (H)

1HS04	hush greystone ☐	+\$0
1HS05	hush charcoal ☐	+\$0

Headway™ Boat Shape, Cabinet-Base, Seated Height Table

DP1BCS
DP1BCT



Product Information

Description

This cabinet base boat shape seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate tops 72" to 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Laminate tops 120" to 192" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base.

Laminate tops 204" to 240" wide have 3-piece construction and are supported by 2 end cabinet bases and 2 intermediate cabinet bases.

Veneer tops 72" to 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Veneer tops 120" to 192" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base.

Veneer tops 204" to 240" wide have 3-piece construction and are supported by 2 end cabinet bases and 2 intermediate cabinet bases.

When specifying 1 cutout (A) in tables 72" wide to 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 120" wide to 192" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. For 54"- and 60"-deep tables, cutouts can also be located over the left or right cabinet bases (S, T). No center cutouts available.

When specifying cutouts (A, B, C) in tables 204" wide to 240" wide, cutouts can be located on the left (L), the right (R), or the center (C) of the table, or any combination of the three. For 54"- and 60"-deep tables, cutouts can also be located over the left or right cabinet bases (S, T).

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying technology mounting panels in bases (P), 2 technology panels are included.

When specifying metal painted curtain (C) or trough (T) undersurface wire management option, finish will match inner cabinet base paint finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H) or metal painted curtain with fabric sling (C).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) or metal painted curtain with fabric sling (C) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Boat Shape, Cabinet-Base, Seated Height Table *continued*

Specification Information		
Step 1.		
DP1BC ☐		
Step 2. Edge		
S.	squared-edge ☐	+\$0
T.	thin-edge ☐	+\$0
Step 3. Height		
2	28.5" high ☐	+\$0
Step 4. Depth		
42	42" deep ☐	+\$0
48	48" deep ☐	+\$0
54	54" deep ☐	+\$0
60	60" deep ☐	+\$0
Step 5. Width		
<i>For 42" deep (42)</i>		
72	72" wide ☐	+\$3569
84	84" wide ☐	+\$3684
96	96" wide ☐	+\$3800
120	120" wide ☐	+\$5482
132	132" wide ☐	+\$5627
144	144" wide ☐	+\$5917
<i>For 48" deep (48)</i>		
72	72" wide ☐	+\$3606
84	84" wide ☐	+\$3721
96	96" wide ☐	+\$3836
120	120" wide ☐	+\$5482
132	132" wide ☐	+\$5722
144	144" wide ☐	+\$5963

<i>For 54" deep (54)</i>		
96	96" wide ☐	+\$4462
120	120" wide ☐	+\$6536
132	132" wide ☐	+\$6761
144	144" wide ☐	+\$6986
156	156" wide ☐	+\$7141
168	168" wide ☐	+\$7296
180	180" wide ☐	+\$7451
192	192" wide ☐	+\$7606
204	204" wide ☐	+\$9563
216	216" wide ☐	+\$9696
228	228" wide ☐	+\$9829
240	240" wide ☐	+\$9962

<i>For 60" deep (60)</i>		
96	96" wide ☐	+\$4531
120	120" wide ☐	+\$6747
132	132" wide ☐	+\$6923
144	144" wide ☐	+\$7100
156	156" wide ☐	+\$7276
168	168" wide ☐	+\$7452
180	180" wide ☐	+\$7628
192	192" wide ☐	+\$7805
204	204" wide ☐	+\$9723
216	216" wide ☐	+\$9966
228	228" wide ☐	+\$10210
240	240" wide ☐	+\$10453

Step 6. Surface Material		
<i>For squared-edge (S.) with 72" wide (72), 84" wide (84), or 96" wide (96)</i>		
L	laminate top/thermoplastic edge ☐	+\$0
W	veneer top/veneer edge ☐	+\$1435
<i>For squared-edge (S.) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)</i>		
L	laminate top/thermoplastic edge ☐	+\$0
W	veneer top/veneer edge ☐	+\$0
W	veneer top/veneer edge ☐	+\$2740
<i>For squared-edge (S.) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)</i>		
L	laminate top/thermoplastic edge ☐	+\$0
W	veneer top/veneer edge ☐	+\$3565

Headway™ Boat Shape, Cabinet-Base, Seated Height Table *continued*

<i>For thin-edge (T.) with 72" wide (72), 84" wide (84), or 96" wide (96)</i>		
L	laminate top/thermoplastic edge A	+\$1010
W	veneer top/veneer edge A	+\$2530

<i>For thin-edge (T.) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)</i>		
L	laminate top/thermoplastic edge A	+\$1265
W	veneer top/veneer edge A	+\$4850

<i>For thin-edge (T.) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)</i>		
L	laminate top/thermoplastic edge A	+\$1855
W	veneer top/veneer edge A	+\$6960

Step 7. Removable Cabinet Door Material

L	laminate door material/thermoplastic edge A	+\$0
W	veneer door material/veneer edge A	+\$635

Step 8. Number of Cutouts

<i>For 72" wide (72), 84" wide (84), or 96" wide (96)</i>		
N	no cutouts A	+\$0
A	1 cutout A	+\$0

<i>For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)</i>		
N	no cutouts A	+\$0
A	1 cutout A	+\$0
B	2 cutouts A	+\$0

<i>For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)</i>		
N	no cutouts A	+\$0
A	1 cutout A	+\$0
B	2 cutouts A	+\$0
C	3 cutouts A	+\$0

Step 9. Cutout #1 Location

<i>For 42" deep (42), 48" deep (48), 54" deep (54), or 60" deep (60) with 72" wide (72), 84" wide (84), or 96" wide (96) with 1 cutout (A)</i>		
C	center cutout A	+\$0

<i>For 42" deep (42) or 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 1 cutout (A) or 2 cutouts (B)</i>		
L	left cutout A	+\$0
R	right cutout A	+\$0

<i>For 54" deep (54) or 60" deep (60) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 1 cutout (A) or 2 cutouts (B)</i>		
--	--	--

L	left cutout A	+\$0
R	right cutout A	+\$0
S	left cutout over cabinet base A	+\$0
T	right cutout over cabinet base A	+\$0

<i>For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 1 cutout (A), 2 cutouts (B), or 3 cutouts (C)</i>		
---	--	--

C	center cutout A	+\$0
L	left cutout A	+\$0
R	right cutout A	+\$0
S	left cutout over cabinet base A	+\$0
T	right cutout over cabinet base A	+\$0

Step 10. Cutout #2 Location

<i>For 42" deep (42) or 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with left cutout (L)</i>		
R	right cutout A	+\$0

<i>For 42" deep (42) or 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with right cutout (R)</i>		
L	left cutout A	+\$0

<i>For 54" deep (54) or 60" deep (60) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with left cutout (L) or left cutout over cabinet base (S)</i>		
--	--	--

R	right cutout A	+\$0
T	right cutout over cabinet base A	+\$0

<i>For 54" deep (54) or 60" deep (60) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with right cutout (R) or right cutout over cabinet base (T)</i>		
--	--	--

L	left cutout A	+\$0
S	left cutout over cabinet base A	+\$0

<i>For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with left cutout (L) or left cutout over cabinet base (S)</i>		
--	--	--

R	right cutout A	+\$0
T	right cutout over cabinet base A	+\$0
C	center cutout A	+\$0

Headway™ Boat Shape, Cabinet-Base, Seated Height Table *continued*

For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with right cutout (R) or right cutout over cabinet base (T)

L	left cutout A	+\$0
S	left cutout over cabinet base A	+\$0
C	center cutout A	+\$0

For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with center cutout (C)

L	left cutout A	+\$0
S	left cutout over cabinet base A	+\$0
R	right cutout A	+\$0
T	right cutout over cabinet base A	+\$0

Step 11. Cutout #3 Location

For 3 cutouts (C) with left cutout (L), right cutout (R), left cutout over cabinet base (S), or right cutout over cabinet base (T) with left cutout (L), right cutout (R), left cutout over cabinet base (S), or right cutout over cabinet base (T)

C	center cutout A	+\$0
----------	------------------------	------

For 3 cutouts (C) with center cutout (C), left cutout (L), or left cutout over cabinet base (S) with left cutout (L), left cutout over cabinet base (S), or center cutout (C)

R	right cutout A	+\$0
T	right cutout over cabinet base A	+\$0

For 3 cutouts (C) with center cutout (C), right cutout (R), or right cutout over cabinet base (T) with center cutout (C), right cutout (R), or right cutout over cabinet base (T)

L	left cutout A	+\$0
S	left cutout over cabinet base A	+\$0

Step 12. Technology Integration for Cutout #1

For 1 cutout (A), 2 cutouts (B), or 3 cutouts (C) with center cutout (C), or left cutout (L), or right cutout (R)

TB	cutout for technology bucket A	+\$190
L6	cutout for logic Y1425 6 port A	+\$125
L5	cutout for logic Y1425 5 port A	+\$125
L3	cutout for logic Y1425 3 port A	+\$65
C5	cutout for 5.75" x 5.75" technology unit A	+\$65
C6	cutout for 7.13" x 5.75" technology unit A	+\$65
C7	cutout for 7" x 3.25" technology unit A	+\$65
C8	cutout for 10" x 4" technology unit A	+\$65
C9	cutout for 10" x 6.75" technology unit A	+\$125

For 1 cutout (A), 2 cutouts (B), or 3 cutouts (C) with left cutout over cabinet base (S), or right cutout over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit A	+\$65
C6	cutout for 7.13" x 5.75" technology unit A	+\$65
C7	cutout for 7" x 3.25" technology unit A	+\$65
C8	cutout for 10" x 4" technology unit A	+\$65
C9	cutout for 10" x 6.75" technology unit A	+\$125

Step 13. Technology Integration for Cutout #2

For 2 cutouts (B) or 3 cutouts (C) with left cutout (L), or right cutout (R), or center cutout (C)

TB	cutout for technology bucket A	+\$190
L6	cutout for logic Y1425 6 port A	+\$125
L5	cutout for logic Y1425 5 port A	+\$125
L3	cutout for logic Y1425 3 port A	+\$65
C5	cutout for 5.75" x 5.75" technology unit A	+\$65
C6	cutout for 7.13" x 5.75" technology unit A	+\$65
C7	cutout for 7" x 3.25" technology unit A	+\$65
C8	cutout for 10" x 4" technology unit A	+\$65
C9	cutout for 10" x 6.75" technology unit A	+\$125

For 2 cutouts (B) or 3 cutouts (C) with left cutout over cabinet base (S), or right cutout over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit A	+\$65
C6	cutout for 7.13" x 5.75" technology unit A	+\$65
C7	cutout for 7" x 3.25" technology unit A	+\$65
C8	cutout for 10" x 4" technology unit A	+\$65
C9	cutout for 10" x 6.75" technology unit A	+\$125

Headway™ Boat Shape, Cabinet-Base, Seated Height Table *continued*

Step 14. Technology Integration for Cutout #3

For 3 cutouts (C) with center cutout (C), or left cutout (L), or right cutout (R)

TB	cutout for technology bucket ☐	+\$190
L6	cutout for logic Y1425 6 port ☐	+\$125
L5	cutout for logic Y1425 5 port ☐	+\$125
L3	cutout for logic Y1425 3 port ☐	+\$65
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

For 3 cutouts (C) with left cutout over cabinet base (S), or right cutout over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Step 15.

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Boat Shape, Cabinet-Base, Seated Height Table *continued*

For veneer top/veneer edge (W)

		72	84	96	120	132
2U	light brown walnut A	+\$200	200	200	400	400
40	dark brown walnut A	+\$200	200	200	400	400
A2	white ash A	+\$0	0	0	0	0
ED	aged cherry A	+\$200	200	200	400	400
EK	medium red walnut A	+\$200	200	200	400	400
ET	clear on ash A	+\$0	0	0	0	0
EU	oak on ash A	+\$0	0	0	0	0
EV	walnut on ash A	+\$0	0	0	0	0
EW	medium matte walnut A	+\$200	200	200	400	400
OU	walnut A	+\$200	200	200	400	400
UL	natural maple A	+\$0	0	0	0	0
UX	walnut on cherry A	+\$0	0	0	0	0

		144	156	168	180	192
2U	light brown walnut A	+\$400	400	400	400	400
40	dark brown walnut A	+\$400	400	400	400	400
A2	white ash A	+\$0	0	0	0	0
ED	aged cherry A	+\$400	400	400	400	400
EK	medium red walnut A	+\$400	400	400	400	400
ET	clear on ash A	+\$0	0	0	0	0
EU	oak on ash A	+\$0	0	0	0	0
EV	walnut on ash A	+\$0	0	0	0	0
EW	medium matte walnut A	+\$400	400	400	400	400
OU	walnut A	+\$400	400	400	400	400
UL	natural maple A	+\$0	0	0	0	0
UX	walnut on cherry A	+\$0	0	0	0	0

		204	216	228	240
2U	light brown walnut A	+\$600	600	600	600
40	dark brown walnut A	+\$600	600	600	600
A2	white ash A	+\$0	0	0	0
ED	aged cherry A	+\$600	600	600	600
EK	medium red walnut A	+\$600	600	600	600
ET	clear on ash A	+\$0	0	0	0
EU	oak on ash A	+\$0	0	0	0
EV	walnut on ash A	+\$0	0	0	0
EW	medium matte walnut A	+\$600	600	600	600
OU	walnut A	+\$600	600	600	600
UL	natural maple A	+\$0	0	0	0
UX	walnut on cherry A	+\$0	0	0	0

Step 16. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
8Z	neutral grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BU	black umber A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
JB	millwork cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBE	medium red walnut A	+\$0
LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0

Headway™ Boat Shape, Cabinet-Base, Seated Height Table *continued*

LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0

Step 17. Removable Cabinet Door Finish

For laminate door material/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

For veneer door material/veneer edge (W)

2U	light brown walnut ☐	+\$100
40	dark brown walnut ☐	+\$100
A2	white ash ☐	+\$0
ED	aged cherry ☐	+\$100
EK	medium red walnut ☐	+\$100
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut ☐	+\$100
OU	walnut ☐	+\$100
UL	natural maple ☐	+\$0
UX	walnut on cherry ☐	+\$0

Step 18. Removable Cabinet Door Edge Finish

For laminate door material/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0

Headway™ Boat Shape, Cabinet-Base, Seated Height Table *continued*

LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 19. Inner Cabinet Leg Finish

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
CN	metallic champagne ☐	+\$0
MS	metallic silver ☐	+\$0
SNC	satin carbon ☐	+\$0
BK	black ☐	+\$0
G1	graphite ☐	+\$0

Step 20. Technology Mounting Panel in Leg

P	technology panels in bases ☐	+\$260
N	no panel in bases ☐	+\$0

Step 21. Undersurface Wire Management

		72	84	96	120	132
N	no undersurface wire management ☐	+\$0	0	0	0	0
T	trough ☐	+\$420	420	420	840	840
C	metal painted curtain with fabric sling ☐	+\$635	635	635	1270	1270
H	hammock ☐	+\$550	550	550	1100	1100
		144	156	168	180	192
N	no undersurface wire management ☐	+\$0	0	0	0	0
T	trough ☐	+\$840	840	840	840	840
C	metal painted curtain with fabric sling ☐	+\$1270	1270	1270	1270	1270
H	hammock ☐	+\$1100	1100	1100	1100	1100
		204	216	228	240	
N	no undersurface wire management ☐	+\$0	0	0	0	0
T	trough ☐	+\$1260	1260	1260	1260	1260
C	metal painted curtain with fabric sling ☐	+\$1905	1905	1905	1905	1905
H	hammock ☐	+\$1650	1650	1650	1650	1650


Step 22. Hammock Finish

For hammock (H)

1HS04	hush greystone ☐	+\$0
1HS05	hush charcoal ☐	+\$0

Headway™ Boat Shape, Y-Base, Seated Height Table

DP1BYS
DP1BYT



Product Information

Description

This Y-base boat-shaped seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate tops 60" to 108" wide have 1-piece construction and are supported by 2 end legs.

Laminate tops 120" to 192" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

Laminate tops 204" to 240" wide have 3-piece construction and are supported by 2 end legs and 2 intermediate legs.

Veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

Veneer tops 108" to 192" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

Veneer tops 204" to 240" wide have 3-piece construction and are supported by 2 end legs and 2 intermediate legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 108" wide to 192" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

When specifying cutouts (A, B, C) in tables 204" wide to 240" wide, cutouts can be located on the left (L), the right (R), or the center (C) of the table, or any combination of the three.

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management.

See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Boat Shape, Y-Base, Seated Height Table *continued*

Specification Information

Step 1.

DP1BY A

Step 2. Edge

S.	squared-edge A	+\$0
T.	thin-edge A	+\$0

Step 3. Height

28	28.5" high A	+\$0
-----------	--	------

Step 4. Depth

36	36" deep A	+\$0
42	42" deep A	+\$0
48	48" deep A	+\$0
54	54" deep A	+\$0

Step 5. Width

For 36" deep (36)

60	60" wide A	+\$2804
72	72" wide A	+\$2973
84	84" wide A	+\$3142
96	96" wide A	+\$3310

For 42" deep (42)

60	60" wide A	+\$3078
72	72" wide A	+\$3205
84	84" wide A	+\$3331
96	96" wide A	+\$3458
108	108" wide A	+\$4955
120	120" wide A	+\$5398
132	132" wide A	+\$5545
144	144" wide A	+\$5693

For 48" deep (48)

60	60" wide A	+\$3142
72	72" wide A	+\$3261
84	84" wide A	+\$3381
96	96" wide A	+\$3500
108	108" wide A	+\$5398
120	120" wide A	+\$5693
132	132" wide A	+\$5935
144	144" wide A	+\$6178

For 54" deep (54)

96	96" wide A	+\$3648
108	108" wide A	+\$5609
120	120" wide A	+\$5904
132	132" wide A	+\$6185
144	144" wide A	+\$6466
156	156" wide A	+\$6747
168	168" wide A	+\$7028
180	180" wide A	+\$7309
192	192" wide A	+\$7591
204	204" wide A	+\$9009
216	216" wide A	+\$9225
228	228" wide A	+\$9441
240	240" wide A	+\$9657

Step 6. Surface Material

For squared-edge (S.) with 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

L	laminate top/thermoplastic edge A	+\$0
W	veneer top/veneer edge A	+\$1435

For squared-edge (S.) with 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)

L	laminate top/thermoplastic edge A	+\$0
W	veneer top/veneer edge A	+\$2740

For squared-edge (S.) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)

L	laminate top/thermoplastic edge A	+\$0
W	veneer top/veneer edge A	+\$3565

For thin-edge (T.) with 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

L	laminate top/thermoplastic edge A	+\$1010
W	veneer top/veneer edge A	+\$2530

For thin-edge (T.) with 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)

L	laminate top/thermoplastic edge A	+\$1265
W	veneer top/veneer edge A	+\$4850

Headway™ Boat Shape, Y-Base, Seated Height Table *continued*

For thin-edge (T.) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)

L	laminate top/thermoplastic edge A	+\$1855
W	veneer top/veneer edge A	+\$6960

Step 7. Number of Cutouts

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

N	no cutouts A	+\$0
A	1 cutout A	+\$0

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192)

N	no cutouts A	+\$0
A	1 cutout A	+\$0
B	2 cutouts A	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240)

N	no cutouts A	+\$0
A	1 cutout A	+\$0
B	2 cutouts A	+\$0
C	3 cutouts A	+\$0

Step 8. Cutout #1 Location

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with 1 cutout (A)

C	center cutout A	+\$0
----------	------------------------	------

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 1 cutout (A) or 2 cutouts (B)

L	left cutout A	+\$0
R	right cutout A	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 1 cutout (A), 2 cutouts (B), or 3 cutouts (C)

C	center cutout A	+\$0
L	left cutout A	+\$0
R	right cutout A	+\$0

Step 9. Cutout #2 Location

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with left cutout (L)

R	right cutout A	+\$0
----------	-----------------------	------

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with right cutout (R)

L	left cutout A	+\$0
----------	----------------------	------

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with left cutout (L)

C	center cutout A	+\$0
R	right cutout A	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with right cutout (R)

C	center cutout A	+\$0
L	left cutout A	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with center cutout (C)

L	left cutout A	+\$0
R	right cutout A	+\$0

Step 10. Cutout #3 Location

For 3 cutouts (C) with left cutout (L) or right cutout (R) with left cutout (L) or right cutout (R)

C	center cutout A	+\$0
----------	------------------------	------

For 3 cutouts (C) with center cutout (C) or left cutout (L) with center cutout (C) or left cutout (L)

R	right cutout A	+\$0
----------	-----------------------	------

For 3 cutouts (C) with center cutout (C) or right cutout (R) with center cutout (C) or right cutout (R)

L	left cutout A	+\$0
----------	----------------------	------

Headway™ Boat Shape, Y-Base, Seated Height Table *continued*

Step 11. Technology Integration for Cutout #1

For 1 cutout (A), 2 cutouts (B), or 3 cutouts (C)

TB	cutout for technology bucket [A]	+\$190
L6	cutout for logic Y1425 6 port [A]	+\$125
L5	cutout for logic Y1425 5 port [A]	+\$125
L3	cutout for logic Y1425 3 port [A]	+\$65
C5	cutout for 5.75" x 5.75" technology unit [A]	+\$65
C6	cutout for 7.13" x 5.75" technology unit [A]	+\$65
C7	cutout for 7" x 3.25" technology unit [A]	+\$65
C8	cutout for 10" x 4" technology unit [A]	+\$65
C9	cutout for 10" x 6.75" technology unit [A]	+\$125

Step 12. Technology Integration for Cutout #2

For 2 cutouts (B) or 3 cutouts (C)

TB	cutout for technology bucket [A]	+\$190
L6	cutout for logic Y1425 6 port [A]	+\$125
L5	cutout for logic Y1425 5 port [A]	+\$125
L3	cutout for logic Y1425 3 port [A]	+\$65
C5	cutout for 5.75" x 5.75" technology unit [A]	+\$65
C6	cutout for 7.13" x 5.75" technology unit [A]	+\$65
C7	cutout for 7" x 3.25" technology unit [A]	+\$65
C8	cutout for 10" x 4" technology unit [A]	+\$65
C9	cutout for 10" x 6.75" technology unit [A]	+\$125

Step 13. Technology Integration for Cutout #3

For 3 cutouts (C)

TB	cutout for technology bucket [A]	+\$190
L6	cutout for logic Y1425 6 port [A]	+\$125
L5	cutout for logic Y1425 5 port [A]	+\$125
L3	cutout for logic Y1425 3 port [A]	+\$65
C5	cutout for 5.75" x 5.75" technology unit [A]	+\$65
C6	cutout for 7.13" x 5.75" technology unit [A]	+\$65
C7	cutout for 7" x 3.25" technology unit [A]	+\$65
C8	cutout for 10" x 4" technology unit [A]	+\$65
C9	cutout for 10" x 6.75" technology unit [A]	+\$125

Step 14.

For laminate top/thermoplastic edge (L)

76	light brown walnut [A]	+\$0
8Q	folkstone grey [A]	+\$0
91	white [A]	+\$0
98	studio white [A]	+\$0
CL	cool grey neutral [A]	+\$0
HF	inner tone light [A]	+\$0
HM	natural maple [A]	+\$0
HP	light anigre [A]	+\$0
HX	aged cherry [A]	+\$0
HY	walnut on cherry [A]	+\$0
LA	light ash [A]	+\$0
LBA	clear on ash [A]	+\$0
LBB	oak on ash [A]	+\$0
LBC	walnut on ash [A]	+\$0
LBD	dark brown walnut [A]	+\$0
LBF	neutral twill [A]	+\$0
LBG	sarum twill [A]	+\$0
LBH	earthen twill [A]	+\$0
LBJ	graphite twill [A]	+\$0
LBK	pewter mesh [A]	+\$0
LBL	steel mesh [A]	+\$0
LBM	crisp linen [A]	+\$0
LBN	classic linen [A]	+\$0
LBP	casual linen [A]	+\$0
LBQ	white twill [A]	+\$0
LBR	phantom ecru [A]	+\$0
LBS	phantom cocoa [A]	+\$0
LBU	medium matte walnut [A]	+\$0
LBV	warm grey teak [A]	+\$0
LT	light tone [A]	+\$0
LU	soft white [A]	+\$0
WL	sandstone [A]	+\$0
WN	warm grey neutral [A]	+\$0

Headway™ Boat Shape, Y-Base, Seated Height Table *continued*

		For veneer top/veneer edge (W)				
		60	72	84	96	108
2U	light brown	+\$200	200	200	200	400
	walnut A					
40	dark brown	+\$200	200	200	200	400
	walnut A					
A2	white ash A	+\$0	0	0	0	0
ED	aged cherry A	+\$200	200	200	200	400
EK	medium red	+\$200	200	200	200	400
	walnut A					
ET	clear on ash A	+\$0	0	0	0	0
EU	oak on ash A	+\$0	0	0	0	0
EV	walnut on ash A	+\$0	0	0	0	0
EW	medium matte	+\$200	200	200	200	400
	walnut A					
OU	walnut A	+\$200	200	200	200	400
UL	natural maple A	+\$0	0	0	0	0
UX	walnut on cherry A	+\$0	0	0	0	0
		120	132	144	156	168
2U	light brown	+\$400	400	400	400	400
	walnut A					
40	dark brown	+\$400	400	400	400	400
	walnut A					
A2	white ash A	+\$0	0	0	0	0
ED	aged cherry A	+\$400	400	400	400	400
EK	medium red	+\$400	400	400	400	400
	walnut A					
ET	clear on ash A	+\$0	0	0	0	0
EU	oak on ash A	+\$0	0	0	0	0
EV	walnut on ash A	+\$0	0	0	0	0
EW	medium matte	+\$400	400	400	400	400
	walnut A					
OU	walnut A	+\$400	400	400	400	400
UL	natural maple A	+\$0	0	0	0	0
UX	walnut on cherry A	+\$0	0	0	0	0

		180	192	204	216	228
2U	light brown	+\$400	400	600	600	600
	walnut A					
40	dark brown	+\$400	400	600	600	600
	walnut A					
A2	white ash A	+\$0	0	0	0	0
ED	aged cherry A	+\$400	400	600	600	600
EK	medium red	+\$400	400	600	600	600
	walnut A					
ET	clear on ash A	+\$0	0	0	0	0
EU	oak on ash A	+\$0	0	0	0	0
EV	walnut on ash A	+\$0	0	0	0	0
EW	medium matte	+\$400	400	600	600	600
	walnut A					
OU	walnut A	+\$400	400	600	600	600
UL	natural maple A	+\$0	0	0	0	0
UX	walnut on cherry A	+\$0	0	0	0	0
		240				
2U	light brown walnut A					+\$600
40	dark brown walnut A					+\$600
A2	white ash A					+\$0
ED	aged cherry A					+\$600
EK	medium red walnut A					+\$600
ET	clear on ash A					+\$0
EU	oak on ash A					+\$0
EV	walnut on ash A					+\$0
EW	medium matte walnut A					+\$600
OU	walnut A					+\$600
UL	natural maple A					+\$0
UX	walnut on cherry A					+\$0

Step 15. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BU	black umber A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0

Headway™ Boat Shape, Y-Base, Seated Height Table *continued*

LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 16. Base Finish

Smooth Paint

		60	72	84	96	108
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0	0	0	0	0
91	white leg with white foot ☐	+\$0	0	0	0	0
98	studio white leg with studio white foot ☐	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot ☐	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0	0	0	0	0

		120	132	144	156	168
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0	0	0	0	0
91	white leg with white foot ☐	+\$0	0	0	0	0
98	studio white leg with studio white foot ☐	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot ☐	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0	0	0	0	0

		180	192	204	216	228
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0	0	0	0	0
91	white leg with white foot ☐	+\$0	0	0	0	0
98	studio white leg with studio white foot ☐	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot ☐	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0	0	0	0	0

		240
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Metallic Paint

		60	72	84	96	108
CN	metallic champagne leg with metallic champagne foot ☐	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot ☐	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot ☐	+\$0	0	0	0	0

Headway™ Boat Shape, Y-Base, Seated Height Table *continued*

		120	132	144	156	168
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0

		180	192	204	216	228
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0

		240
CN	metallic champagne leg with metallic champagne foot A	+\$0
MS	metallic silver leg with metallic silver foot A	+\$0
SNC	satin carbon leg with satin carbon foot A	+\$0

Sand Texture Paint

		60	72	84	96	108
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

		120	132	144	156	168
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

		180	192	204	216	228
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

		240
BK	black leg with black foot A	+\$0
G1	graphite satin leg with graphite satin foot A	+\$0

Polished Aluminum

		60	72	84	96	108
LFL	black leg with polished aluminum foot A	+\$210	210	210	210	360
LFM	satin carbon leg with polished aluminum foot A	+\$210	210	210	210	360
LFK	studio white leg with polished aluminum foot A	+\$210	210	210	210	360
LFF	white leg with polished aluminum foot A	+\$210	210	210	210	360
LFN	graphite leg with polished aluminum foot A	+\$210	210	210	210	360

		120	132	144	156	168
LFL	black leg with polished aluminum foot A	+\$360	360	360	360	360
LFM	satin carbon leg with polished aluminum foot A	+\$360	360	360	360	360
LFK	studio white leg with polished aluminum foot A	+\$360	360	360	360	360
LFF	white leg with polished aluminum foot A	+\$360	360	360	360	360
LFN	graphite leg with polished aluminum foot A	+\$360	360	360	360	360

Headway™ Boat Shape, Y-Base, Seated Height Table *continued*

		180	192	204	216	228
LFL	black leg with polished aluminum foot A	+\$360	360	505	505	505
LFM	satin carbon leg with polished aluminum foot A	+\$360	360	505	505	505
LFK	studio white leg with polished aluminum foot A	+\$360	360	505	505	505
LFF	white leg with polished aluminum foot A	+\$360	360	505	505	505
LFN	graphite leg with polished aluminum foot A	+\$360	360	505	505	505

		240
LFL	black leg with polished aluminum foot A	+\$505
LFM	satin carbon leg with polished aluminum foot A	+\$505
LFK	studio white leg with polished aluminum foot A	+\$505
LFF	white leg with polished aluminum foot A	+\$505
LFN	graphite leg with polished aluminum foot A	+\$505

Step 17. Undersurface Wire Management

		60	72	84	96	108
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$420	420	420	420	840
H	hammock A	+\$550	550	550	550	1100
		120	132	144	156	168
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$840	840	840	840	840
H	hammock A	+\$1100	1100	1100	1100	1100
		180	192	204	216	228
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$840	840	1260	1260	1260
H	hammock A	+\$1100	1100	1650	1650	1650
						240
N	no undersurface wire management A					+\$0
T	trough A					+\$1260
H	hammock A					+\$1650


Step 18. Hammock Finish

For hammock (H)

1HS04	hush greystone A	+\$0
1HS05	hush charcoal A	+\$0

Headway™ Boat Shape, Y-Base, Standing Height Table

DP2BYS
DP2BYT



Product Information

Description

This Y-base boat-shaped standing-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate and veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management.

See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Boat Shape, Y-Base, Standing Height Table *continued*

Specification Information

Step 1.

DP2BY ☐

Step 2. Edge

S. squared-edge ☐ +\$0
T. thin-edge ☐ +\$0

Step 3. Height

42 42" high ☐ +\$0

Step 4. Depth

36 36" deep ☐ +\$0
42 42" deep ☐ +\$0
48 48" deep ☐ +\$0

Step 5. Width

For 36" deep (36)

60 60" wide ☐ +\$2969
72 72" wide ☐ +\$3137
84 84" wide ☐ +\$3306
96 96" wide ☐ +\$3475

For 42" deep (42)

60 60" wide ☐ +\$3243
72 72" wide ☐ +\$3369
84 84" wide ☐ +\$3496
96 96" wide ☐ +\$3622

For 48" deep (48)

60 60" wide ☐ +\$3306
72 72" wide ☐ +\$3426
84 84" wide ☐ +\$3545
96 96" wide ☐ +\$3665

Step 6. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge ☐ +\$0
W veneer top/veneer edge ☐ +\$1435

For thin-edge (T.)

L laminate top/thermoplastic edge ☐ +\$1010
W veneer top/veneer edge ☐ +\$2530

Step 7. Number of Cutouts

N no cutouts ☐ +\$0
A 1 cutout ☐ +\$0

Step 8. Cutout #1 Location

For 1 cutout (A)

C center cutout ☐ +\$0

Step 9. Technology Integration for Cutout #1

For 1 cutout (A)

TB cutout for technology bucket ☐ +\$190
L6 cutout for logic Y1425 6 port ☐ +\$125
L5 cutout for logic Y1425 5 port ☐ +\$125
L3 cutout for logic Y1425 3 port ☐ +\$65
C5 cutout for 5.75" x 5.75" technology unit ☐ +\$65
C6 cutout for 7.13" x 5.75" technology unit ☐ +\$65
C7 cutout for 7" x 3.25" technology unit ☐ +\$65
C8 cutout for 10" x 4" technology unit ☐ +\$65
C9 cutout for 10" x 6.75" technology unit ☐ +\$125

Headway™ Boat Shape, Y-Base, Standing Height Table *continued*

Step 10.		
Top Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut ☐	+\$200
40	dark brown walnut ☐	+\$200
A2	white ash ☐	+\$0
ED	aged cherry ☐	+\$200
EK	medium red walnut ☐	+\$200
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut ☐	+\$200
OU	walnut ☐	+\$200
UL	natural maple ☐	+\$0
UX	walnut on cherry ☐	+\$0

Step 11. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0

Headway™ Boat Shape, Y-Base, Standing Height Table *continued*

LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 12. Base Finish

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNC	satin carbon leg with satin carbon foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
G1	graphite satin leg with graphite satin foot ☐	+\$0

Polished Aluminum

LFF	white leg with polished aluminum foot ☐	+\$210
LFK	studio white leg with polished aluminum foot ☐	+\$210
LFL	black leg with polished aluminum foot ☐	+\$210
LFM	satin carbon leg with polished aluminum foot ☐	+\$210
LFN	graphite leg with polished aluminum foot ☐	+\$210

Step 13. Undersurface Wire Management

N	no undersurface wire management ☐	+\$0
T	trough ☐	+\$420
H	hammock ☐	+\$550


Step 14. Hammock Finish

For hammock (H)

1HS04	hush greystone ☐	+\$0
1HS05	hush charcoal ☐	+\$0

Headway™ Tapered Shape, Cabinet-Base, Seated Height Table

DP1CCS
DP1CCT



Product Information

Description

This cabinet base tapered top seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate and veneer tops 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Laminate and veneer tops 114" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base.

When specifying 1 cutout (A) in tables 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 114" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying technology mounting panels in bases (P), 2 technology panels are included.

When specifying metal painted curtain (C) or trough (T) undersurface wire management option, finish will match inner cabinet base paint finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H) or metal painted curtain with fabric sling (C).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) or metal painted curtain with fabric sling (C) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Tapered Shape, Cabinet-Base, Seated Height Table *continued*

Specification Information		
Step 1.		
DP1CC	☐	
Step 2. Edge		
S.	squared-edge ☐	+\$0
T.	thin-edge ☐	+\$0
Step 3. Height		
2	28.5" high ☐	+\$0
Step 4. Depth		
48	48" deep ☐	+\$0
Step 5. Width		
96	96" wide ☐	+\$3836
114	114" wide ☐	+\$5271
Step 6. Surface Material		
<i>For squared-edge (S.) with 96" wide (96)</i>		
L	laminate top/thermoplastic edge ☐	+\$0
W	veneer top/veneer edge ☐	+\$1435
<i>For squared-edge (S.) with 114" wide (114)</i>		
L	laminate top/thermoplastic edge ☐	+\$0
W	veneer top/veneer edge ☐	+\$2740
<i>For thin-edge (T.) with 96" wide (96)</i>		
L	laminate top/thermoplastic edge ☐	+\$1010
W	veneer top/veneer edge ☐	+\$2530
<i>For thin-edge (T.) with 114" wide (114)</i>		
L	laminate top/thermoplastic edge ☐	+\$1265
W	veneer top/veneer edge ☐	+\$4850
Step 7. Removable Cabinet Door Material		
L	laminate door material/thermoplastic edge ☐	+\$0
W	veneer door material/veneer edge ☐	+\$635
Step 8. Number of Cutouts		
<i>For 96" wide (96)</i>		
N	no cutouts ☐	+\$0
A	1 cutout ☐	+\$0

<i>For 114" wide (114)</i>		
N	no cutouts ☐	+\$0
A	1 cutout ☐	+\$0
B	2 cutouts ☐	+\$0
Step 9. Cutout #1 Location		
<i>For 48" deep (48) with 96" wide (96) with 1 cutout (A)</i>		
C	center cutout ☐	+\$0
<i>For 48" deep (48) with 114" wide (114) with 1 cutout (A) or 2 cutouts (B)</i>		
L	left cutout ☐	+\$0
R	right cutout ☐	+\$0
Step 10. Cutout #2 Location		
<i>For 48" deep (48) with 114" wide (114) with 2 cutouts (B) with left cutout (L)</i>		
R	right cutout ☐	+\$0
<i>For 48" deep (48) with 114" wide (114) with 2 cutouts (B) with right cutout (R)</i>		
L	left cutout ☐	+\$0
Step 11. Technology Integration for Cutout #1		
<i>For 1 cutout (A) or 2 cutouts (B) with center cutout (C), left cutout (L), or right cutout (R)</i>		
TB	cutout for technology bucket ☐	+\$190
L3	cutout for logic Y1425 3 port ☐	+\$65
L5	cutout for logic Y1425 5 port ☐	+\$125
L6	cutout for logic Y1425 6 port ☐	+\$125
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Headway™ Tapered Shape, Cabinet-Base, Seated Height Table *continued*

Step 12. Technology Integration for Cutout #2

For 114" wide (114) with 2 cutouts (B) with left cutout (L) or right cutout (R)

TB	cutout for technology bucket ☐	+\$190
L3	cutout for logic Y1425 3 port ☐	+\$65
L5	cutout for logic Y1425 5 port ☐	+\$125
L6	cutout for logic Y1425 6 port ☐	+\$125
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Step 13.

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Tapered Shape, Cabinet-Base, Seated Height Table *continued*

For veneer top/veneer edge (W)

		96	114
2U	light brown walnut ☐	+\$200	400
40	dark brown walnut ☐	+\$200	400
A2	white ash ☐	+\$0	0
ED	aged cherry ☐	+\$200	400
EK	medium red walnut ☐	+\$200	400
ET	clear on ash ☐	+\$0	0
EU	oak on ash ☐	+\$0	0
EV	walnut on ash ☐	+\$0	0
EW	medium matte walnut ☐	+\$200	400
OU	walnut ☐	+\$200	400
UL	natural maple ☐	+\$0	0
UX	walnut on cherry ☐	+\$0	0

Step 14. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
JB	millwork cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0

LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 15. Removable Cabinet Door Finish

For laminate door material/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Tapered Shape, Cabinet-Base, Seated Height Table *continued*

For veneer door material/veneer edge (W)

2U	light brown walnut ☐	+\$100
40	dark brown walnut ☐	+\$100
A2	white ash ☐	+\$0
ED	aged cherry ☐	+\$100
EK	medium red walnut ☐	+\$100
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut ☐	+\$100
OU	walnut ☐	+\$100
UL	natural maple ☐	+\$0
UX	walnut on cherry ☐	+\$0

Step 16. Removable Cabinet Door Edge Finish

For laminate door material/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
JB	millwork cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0

LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 17. Inner Cabinet Leg Finish

Smooth Paint

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Metallic Paint

CN	metallic champagne ☐	+\$0
MS	metallic silver ☐	+\$0
SNC	satin carbon ☐	+\$0

Sand Texture Paint

BK	black ☐	+\$0
G1	graphite ☐	+\$0

Step 18. Technology Mounting Panel in Leg

N	no panel in bases ☐	+\$0
P	technology panels in bases ☐	+\$260

Step 19. Undersurface Wire Management

		96	114
N	no undersurface wire management ☐	+\$0	0
T	trough ☐	+\$420	840
C	metal painted curtain with fabric sling ☐	+\$635	1270
H	hammock ☐	+\$550	1100


Step 20. Hammock Finish

For hammock (H)

1HS04	hush greystone ☐	+\$0
1HS05	hush charcoal ☐	+\$0

Headway™ Tapered Shape, Y-Base, Seated Height Table

DP1CYS
DP1CYT



Product Information

Description

This Y-base tapered-top seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate and veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management.

See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Tapered Shape, Y-Base, Seated Height Table

continued

Specification Information		
Step 1.		
DP1CY	☐	
Step 2. Edge		
S.	squared-edge ☐	+\$0
T.	thin-edge ☐	+\$0
Step 3. Height		
28	28.5" high ☐	+\$0
Step 4. Depth		
42	42" deep ☐	+\$0
48	48" deep ☐	+\$0
Step 5. Width		
<i>For 42" deep (42)</i>		
60	60" wide ☐	+\$3078
72	72" wide ☐	+\$3205
84	84" wide ☐	+\$3331
96	96" wide ☐	+\$3458
<i>For 48" deep (48)</i>		
60	60" wide ☐	+\$3142
72	72" wide ☐	+\$3261
84	84" wide ☐	+\$3381
96	96" wide ☐	+\$3500
Step 6. Surface Material		
<i>For squared-edge (S.)</i>		
L	laminate top/thermoplastic edge ☐	+\$0
W	veneer top/veneer edge ☐	+\$1435
<i>For thin-edge (T.)</i>		
L	laminate top/thermoplastic edge ☐	+\$1010
W	veneer top/veneer edge ☐	+\$2530
Step 7. Number of Cutouts		
N	no cutouts ☐	+\$0
A	1 cutout ☐	+\$0
Step 8. Cutout #1 Location		
<i>For 1 cutout (A)</i>		
C	center cutout ☐	+\$0

Step 9. Technology Integration for Cutout #1		
<i>For 1 cutout (A)</i>		
TB	cutout for technology bucket ☐	+\$190
L6	cutout for logic Y1425 6 port ☐	+\$125
L5	cutout for logic Y1425 5 port ☐	+\$125
L3	cutout for logic Y1425 3 port ☐	+\$65
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Headway™ Tapered Shape, Y-Base, Seated Height Table

continued

Step 10.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LT	light tone 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$200
40	dark brown walnut 	+\$200
A2	white ash 	+\$0
ED	aged cherry 	+\$200
EK	medium red walnut 	+\$200
ET	clear on ash 	+\$0
EU	oak on ash 	+\$0
EV	walnut on ash 	+\$0
EW	medium matte walnut 	+\$200
OU	walnut 	+\$200
UL	natural maple 	+\$0
UX	walnut on cherry 	+\$0

Step 11. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
BU	black umber 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0

Headway™ Tapered Shape, Y-Base, Seated Height Table

continued

LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 12. Base Finish

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNC	satin carbon leg with satin carbon foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
G1	graphite satin leg with graphite satin foot ☐	+\$0

Polished Aluminum

LFF	white leg with polished aluminum foot ☐	+\$210
LFK	studio white leg with polished aluminum foot ☐	+\$210
LFL	black leg with polished aluminum foot ☐	+\$210
LFM	satin carbon leg with polished aluminum foot ☐	+\$210
LFN	graphite leg with polished aluminum foot ☐	+\$210

Step 13. Undersurface Wire Management

N	no undersurface wire management ☐	+\$0
T	trough ☐	+\$420
H	hammock ☐	+\$550


Step 14. Hammock Finish

For hammock (H)

1HS04	hush greystone ☐	+\$0
1HS05	hush charcoal ☐	+\$0

Headway™ Tapered Shape, Y-Base, Standing Height Table

DP2CYS
DP2CYT



Product Information

Description

This Y-base tapered-top standing-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate and veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management.

See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Tapered Shape, Y-Base, Standing Height Table

continued

Specification Information		
Step 1.		
DP2CY	☐	
Step 2. Edge		
S.	squared-edge ☐	+\$0
T.	thin-edge ☐	+\$0
Step 3. Height		
42	42" high ☐	+\$0
Step 4. Depth		
42	42" deep ☐	+\$0
48	48" deep ☐	+\$0
Step 5. Width		
<i>For 42" deep (42)</i>		
60	60" wide ☐	+\$3243
72	72" wide ☐	+\$3369
84	84" wide ☐	+\$3496
96	96" wide ☐	+\$3622
<i>For 48" deep (48)</i>		
60	60" wide ☐	+\$3306
72	72" wide ☐	+\$3426
84	84" wide ☐	+\$3545
96	96" wide ☐	+\$3665
Step 6. Surface Material		
<i>For squared-edge (S.)</i>		
L	laminate top/thermoplastic edge ☐	+\$0
W	veneer top/veneer edge ☐	+\$1435
<i>For thin-edge (T.)</i>		
L	laminate top/thermoplastic edge ☐	+\$1010
W	veneer top/veneer edge ☐	+\$2530
Step 7. Number of Cutouts		
N	no cutouts ☐	+\$0
A	1 cutout ☐	+\$0
Step 8. Cutout #1 Location		
<i>For 1 cutout (A)</i>		
C	center cutout ☐	+\$0

Step 9. Technology Integration for Cutout #1		
<i>For 1 cutout (A)</i>		
TB	cutout for technology bucket ☐	+\$190
L6	cutout for logic Y1425 6 port ☐	+\$125
L5	cutout for logic Y1425 5 port ☐	+\$125
L3	cutout for logic Y1425 3 port ☐	+\$65
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Headway™ Tapered Shape, Y-Base, Standing Height Table

continued

Step 10.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LT	light tone 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$200
40	dark brown walnut 	+\$200
A2	white ash 	+\$0
ED	aged cherry 	+\$200
EK	medium red walnut 	+\$200
ET	clear on ash 	+\$0
EU	oak on ash 	+\$0
EV	walnut on ash 	+\$0
EW	medium matte walnut 	+\$200
OU	walnut 	+\$200
UL	natural maple 	+\$0
UX	walnut on cherry 	+\$0

Step 11. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
BU	black umber 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0

Headway™ Tapered Shape, Y-Base, Standing Height Table

continued

LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 12. Base Finish

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNC	satin carbon leg with satin carbon foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
G1	graphite satin leg with graphite satin foot ☐	+\$0

Polished Aluminum

LFF	white leg with polished aluminum foot ☐	+\$210
LFK	studio white leg with polished aluminum foot ☐	+\$210
LFL	black leg with polished aluminum foot ☐	+\$210
LFM	satin carbon leg with polished aluminum foot ☐	+\$210
LFN	graphite leg with polished aluminum foot ☐	+\$210

Step 13. Undersurface Wire Management

N	no undersurface wire management ☐	+\$0
T	trough ☐	+\$420
H	hammock ☐	+\$550


Step 14. Hammock Finish

For hammock (H)

1HS04	hush greystone ☐	+\$0
1HS05	hush charcoal ☐	+\$0

Headway™ Oval Shape, Cabinet-Base, Seated Height Table

DP1DCS
DP1DCT



Product Information

Description

This cabinet base oval seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate and veneer tops 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Laminate and veneer tops 120" to 144" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base.

When specifying 1 cutout (A) in tables 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 120" wide to 144" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. For 60"-deep tables, cutouts can also be located over the left or right cabinet bases (S, T). No center cutouts available.

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying technology mounting panels in bases (P), 2 technology panels are included.

When specifying metal painted curtain (C) or trough (T) undersurface wire management option, finish will match inner cabinet base paint finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H) or metal painted curtain with fabric sling (C).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) or metal painted curtain with fabric sling (C) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Oval Shape, Cabinet-Base, Seated Height Table *continued*

Specification Information			
Step 1.			
DP1DC	☐		
Step 2. Edge			
S.	squared-edge ☐		+\$0
T.	thin-edge ☐		+\$0
Step 3. Height			
2	28.5" high ☐		+\$0
Step 4. Depth			
48	48" deep ☐		+\$0
60	60" deep ☐		+\$0
Step 5. Width			
<i>For 48" deep (48)</i>			
96	96" wide ☐		+\$3836
120	120" wide ☐		+\$5482
132	132" wide ☐		+\$5722
144	144" wide ☐		+\$5963
<i>For 60" deep (60)</i>			
96	96" wide ☐		+\$4531
120	120" wide ☐		+\$6747
132	132" wide ☐		+\$6923
144	144" wide ☐		+\$7100
Step 6. Surface Material			
<i>For squared-edge (S.) with 96" wide (96)</i>			
L	laminate top/thermoplastic edge ☐		+\$0
W	veneer top/veneer edge ☐		+\$1435
<i>For squared-edge (S.) with 120" wide (120), 132" wide (132), or 144" wide (144)</i>			
L	laminate top/thermoplastic edge ☐		+\$0
W	veneer top/veneer edge ☐		+\$2740
<i>For thin-edge (T.) with 96" wide (96)</i>			
L	laminate top/thermoplastic edge ☐		+\$1010
W	veneer top/veneer edge ☐		+\$2530

<i>For thin-edge (T.) with 120" wide (120), 132" wide (132), or 144" wide (144)</i>			
L	laminate top/thermoplastic edge ☐		+\$1265
W	veneer top/veneer edge ☐		+\$4850
Step 7. Removable Cabinet Door Material			
L	laminate door material/thermoplastic edge ☐		+\$0
W	veneer door material/veneer edge ☐		+\$635
Step 8. Number of Cutouts			
<i>For 96" wide (96)</i>			
N	no cutouts ☐		+\$0
A	1 cutout ☐		+\$0
<i>For 120" wide (120), 132" wide (132), or 144" wide (144)</i>			
N	no cutouts ☐		+\$0
A	1 cutout ☐		+\$0
B	2 cutouts ☐		+\$0
Step 9. Cutout #1 Location			
<i>For 48" deep (48) or 60" deep (60) with 96" wide (96) with 1 cutout (A)</i>			
C	center cutout ☐		+\$0
<i>For 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 1 cutout (A) or 2 cutouts (B)</i>			
L	left cutout ☐		+\$0
R	right cutout ☐		+\$0
<i>For 60" deep (60) with 120" wide (120), 132" wide (132), or 144" wide (144) with 1 cutout (A) or 2 cutouts (B)</i>			
L	left cutout ☐		+\$0
R	right cutout ☐		+\$0
S	left cutout over cabinet base ☐		+\$0
T	right cutout over cabinet base ☐		+\$0
Step 10. Cutout #2 Location			
<i>For 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with left cutout (L)</i>			
R	right cutout ☐		+\$0
<i>For 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with right cutout (R)</i>			
L	left cutout ☐		+\$0

Headway™ Oval Shape, Cabinet-Base, Seated Height Table *continued*

For 60" deep (60) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with left cutout (L) or left cutout over cabinet base (S)

R	right cutout ☐	+\$0
T	right cutout over cabinet base ☐	+\$0

For 60" deep (60) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with right cutout (R) or right cutout over cabinet base (T)

L	left cutout ☐	+\$0
S	left cutout over cabinet base ☐	+\$0

Step 11. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B) with center cutout (C), or left cutout (L), or right cutout (R)

TB	cutout for technology bucket ☐	+\$190
L6	cutout for logic Y1425 6 port ☐	+\$125
L5	cutout for logic Y1425 5 port ☐	+\$125
L3	cutout for logic Y1425 3 port ☐	+\$65
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

For 1 cutout (A) or 2 cutouts (B) with left cutout over cabinet base (S), or right cutout over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Step 12. Technology Integration for Cutout #2

For 2 cutouts (B) with left cutout (L), or right cutout (R)

TB	cutout for technology bucket ☐	+\$190
L6	cutout for logic Y1425 6 port ☐	+\$125
L5	cutout for logic Y1425 5 port ☐	+\$125
L3	cutout for logic Y1425 3 port ☐	+\$65
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

For 2 cutouts (B) with left cutout over cabinet base (S), or right cutout over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Step 13.

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Oval Shape, Cabinet-Base, Seated Height Table *continued*

For veneer top/veneer edge (W)

		96	120	132	144
2U	light brown walnut ☐	+\$200	400	400	400
40	dark brown walnut ☐	+\$200	400	400	400
A2	white ash ☐	+\$0	0	0	0
ED	aged cherry ☐	+\$200	400	400	400
EK	medium red walnut ☐	+\$200	400	400	400
ET	clear on ash ☐	+\$0	0	0	0
EU	oak on ash ☐	+\$0	0	0	0
EV	walnut on ash ☐	+\$0	0	0	0
EW	medium matte walnut ☐	+\$200	400	400	400
OU	walnut ☐	+\$200	400	400	400
UL	natural maple ☐	+\$0	0	0	0
UX	walnut on cherry ☐	+\$0	0	0	0

Step 14. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
JB	millwork cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0

LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0

Step 15. Removable Cabinet Door Finish

For laminate door material/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Oval Shape, Cabinet-Base, Seated Height Table *continued*

For veneer door material/veneer edge (W)

2U	light brown walnut ☐	+\$100
40	dark brown walnut ☐	+\$100
A2	white ash ☐	+\$0
ED	aged cherry ☐	+\$100
EK	medium red walnut ☐	+\$100
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut ☐	+\$100
OU	walnut ☐	+\$100
UL	natural maple ☐	+\$0
UX	walnut on cherry ☐	+\$0

Step 16. Removable Cabinet Door Edge Finish

For laminate door material/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0

LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 17. Inner Cabinet Leg Finish

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
CN	metallic champagne ☐	+\$0
MS	metallic silver ☐	+\$0
SNC	satin carbon ☐	+\$0
BK	black ☐	+\$0
G1	graphite ☐	+\$0

Step 18. Technology Mounting Panel in Leg

P	technology panels in bases ☐	+\$260
N	no panel in bases ☐	+\$0

Step 19. Undersurface Wire Management

		96	120	132	144
N	no undersurface wire management ☐	+\$0	0	0	0
T	trough ☐	+\$420	840	840	840
C	metal painted curtain with fabric sling ☐	+\$635	1270	1270	1270
H	hammock ☐	+\$550	1100	1100	1100


Step 20. Hammock Finish

For hammock (H)

1HS04	hush greystone ☐	+\$0
1HS05	hush charcoal ☐	+\$0

Headway™ Oval Shape, Y-Base, Seated Height Table

DP1DYS
DP1DYT



Product Information

Description

This Y-base oval seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate tops 60" to 108" wide have 1-piece construction and are supported by 2 end legs.

Laminate tops 120" to 144" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

Veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

Veneer tops 108" to 144" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 108" wide to 144" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Oval Shape, Y-Base, Seated Height Table *continued*

Specification Information

Step 1.

DP1DY ☐

Step 2. Edge

S. squared-edge ☐ +\$0
T. thin-edge ☐ +\$0

Step 3. Height

28 28.5" high ☐ +\$0

Step 4. Depth

42 42" deep ☐ +\$0
48 48" deep ☐ +\$0
54 54" deep ☐ +\$0

Step 5. Width

For 42" deep (42)

60 60" wide ☐ +\$3078
72 72" wide ☐ +\$3205
84 84" wide ☐ +\$3331
96 96" wide ☐ +\$3458

For 48" deep (48)

60 60" wide ☐ +\$3142
72 72" wide ☐ +\$3261
84 84" wide ☐ +\$3381
96 96" wide ☐ +\$3500

For 54" deep (54)

96 96" wide ☐ +\$3648
108 108" wide ☐ +\$5609
120 120" wide ☐ +\$5904
132 132" wide ☐ +\$6185
144 144" wide ☐ +\$6466

Step 6. Surface Material

For squared-edge (S.) with 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

L laminate top/thermoplastic edge ☐ +\$0
W veneer top/veneer edge ☐ +\$1435

For squared-edge (S.) with 108" wide (108), 120" wide (120), 132" wide (132), or 144" wide (144)

L laminate top/thermoplastic edge ☐ +\$0
W veneer top/veneer edge ☐ +\$2740

For thin-edge (T.) with 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

L laminate top/thermoplastic edge ☐ +\$1010
W veneer top/veneer edge ☐ +\$2530

For thin-edge (T.) with 108" wide (108), 120" wide (120), 132" wide (132), or 144" wide (144)

L laminate top/thermoplastic edge ☐ +\$1265
W veneer top/veneer edge ☐ +\$4850

Step 7. Number of Cutouts

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

N no cutouts ☐ +\$0
A 1 cutout ☐ +\$0

For 108" wide (108), 120" wide (120), 132" wide (132), or 144" wide (144)

N no cutouts ☐ +\$0
A 1 cutout ☐ +\$0
B 2 cutouts ☐ +\$0

Step 8. Cutout #1 Location

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with 1 cutout (A)

C center cutout ☐ +\$0

For 108" wide (108), 120" wide (120), 132" wide (132), or 144" wide (144) with 1 cutout (A) or 2 cutouts (B)

L left cutout ☐ +\$0
R right cutout ☐ +\$0

Headway™ Oval Shape, Y-Base, Seated Height Table *continued*

Step 10. Technology Integration for Cutout #1

For 1 cutout (A) or 2 cutouts (B)

TB	cutout for technology bucket ☐	+\$190
L6	cutout for logic Y1425 6 port ☐	+\$125
L5	cutout for logic Y1425 5 port ☐	+\$125
L3	cutout for logic Y1425 3 port ☐	+\$65
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Step 11. Technology Integration for Cutout #2

For 2 cutouts (B)

TB	cutout for technology bucket ☐	+\$190
L6	cutout for logic Y1425 6 port ☐	+\$125
L5	cutout for logic Y1425 5 port ☐	+\$125
L3	cutout for logic Y1425 3 port ☐	+\$65
C5	cutout for 5.75" x 5.75" technology unit ☐	+\$65
C6	cutout for 7.13" x 5.75" technology unit ☐	+\$65
C7	cutout for 7" x 3.25" technology unit ☐	+\$65
C8	cutout for 10" x 4" technology unit ☐	+\$65
C9	cutout for 10" x 6.75" technology unit ☐	+\$125

Step 12.

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Oval Shape, Y-Base, Seated Height Table *continued*

For veneer top/veneer edge (W)

		60	72	84	96	108
2U	light brown	+\$200	200	200	200	400
	walnut A					
40	dark brown	+\$200	200	200	200	400
	walnut A					
A2	white ash A	+\$0	0	0	0	0
ED	aged cherry A	+\$200	200	200	200	400
EK	medium red	+\$200	200	200	200	400
	walnut A					
ET	clear on ash A	+\$0	0	0	0	0
EU	oak on ash A	+\$0	0	0	0	0
EV	walnut on ash A	+\$0	0	0	0	0
EW	medium matte	+\$200	200	200	200	400
	walnut A					
OU	walnut A	+\$200	200	200	200	400
UL	natural maple A	+\$0	0	0	0	0
UX	walnut on cherry A	+\$0	0	0	0	0

		120	132	144
2U	light brown walnut A	+\$400	400	400
40	dark brown walnut A	+\$400	400	400
A2	white ash A	+\$0	0	0
ED	aged cherry A	+\$400	400	400
EK	medium red walnut A	+\$400	400	400
ET	clear on ash A	+\$0	0	0
EU	oak on ash A	+\$0	0	0
EV	walnut on ash A	+\$0	0	0
EW	medium matte walnut A	+\$400	400	400
OU	walnut A	+\$400	400	400
UL	natural maple A	+\$0	0	0
UX	walnut on cherry A	+\$0	0	0

Step 13. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BU	black umber A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
HX	aged cherry A	+\$0

HY	walnut on cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBE	medium red walnut A	+\$0
LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LU	soft white A	+\$0
MT	medium tone A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Step 14. Base Finish

Smooth Paint

		60	72	84	96	108
8Q	folkstone grey leg with folkstone grey foot A	+\$0	0	0	0	0
91	white leg with white foot A	+\$0	0	0	0	0
98	studio white leg with studio white foot A	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot A	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0	0	0	0	0

Headway™ Oval Shape, Y-Base, Seated Height Table *continued*

		120	132	144
8Q	folkstone grey leg with folkstone grey foot A	+\$0	0	0
91	white leg with white foot A	+\$0	0	0
98	studio white leg with studio white foot A	+\$0	0	0
WL	sandstone leg with sandstone foot A	+\$0	0	0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0	0	0

Metallic Paint

		60	72	84	96	108
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0

		120	132	144
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0

Sand Texture Paint

		60	72	84	96	108
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

		120	132	144
BK	black leg with black foot A	+\$0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0

Polished Aluminum

		60	72	84	96	108
LFL	black leg with polished aluminum foot A	+\$210	210	210	210	360
LFM	satin carbon leg with polished aluminum foot A	+\$210	210	210	210	360
LFK	studio white leg with polished aluminum foot A	+\$210	210	210	210	360
LFF	white leg with polished aluminum foot A	+\$210	210	210	210	360
LFN	graphite leg with polished aluminum foot A	+\$210	210	210	210	360

		120	132	144
LFL	black leg with polished aluminum foot A	+\$360	360	360
LFM	satin carbon leg with polished aluminum foot A	+\$360	360	360
LFK	studio white leg with polished aluminum foot A	+\$360	360	360
LFF	white leg with polished aluminum foot A	+\$360	360	360
LFN	graphite leg with polished aluminum foot A	+\$360	360	360

Step 15. Undersurface Wire Management

		60	72	84	96	108
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$420	420	420	420	840
H	hammock A	+\$550	550	550	550	1100
				120	132	144
N	no undersurface wire management A			+\$0	0	0
T	trough A			+\$840	840	840
H	hammock A			+\$1100	1100	1100


Step 16. Hammock Finish

For hammock (H)

1HS04	hush greystone A	+\$0
1HS05	hush charcoal A	+\$0

Headway™ Oval Shape, Y-Base, Standing Height Table

DP2DYS
DP2DYT



Product Information

Description

This Y-base oval standing-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with 1½" leveling glides. Shipped knocked down.

Notes

Laminate and veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

Laminate and veneer tops are 1¼" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management.

See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Headway™ Conference Tables

Headway™ Oval Shape, Y-Base, Standing Height Table *continued*

Specification Information		
Step 1.		
DP2DY	A	
Step 2. Edge		
S.	squared-edge A	+\$0
T.	thin-edge A	+\$0
Step 3. Height		
42	42" high A	+\$0
Step 4. Depth		
42	42" deep A	+\$0
48	48" deep A	+\$0
Step 5. Width		
<i>For 42" deep (42)</i>		
60	60" wide A	+\$3243
72	72" wide A	+\$3369
84	84" wide A	+\$3496
96	96" wide A	+\$3622
<i>For 48" deep (48)</i>		
60	60" wide A	+\$3306
72	72" wide A	+\$3426
84	84" wide A	+\$3545
96	96" wide A	+\$3665
Step 6. Surface Material		
<i>For squared-edge (S.)</i>		
L	laminate top/thermoplastic edge A	+\$0
W	veneer top/veneer edge A	+\$1435
<i>For thin-edge (T.)</i>		
L	laminate top/thermoplastic edge A	+\$1010
W	veneer top/veneer edge A	+\$2740
Step 7. Number of Cutouts		
N	no cutouts A	+\$0
A	1 cutout A	+\$0
Step 8. Cutout #1 Location		
<i>For 1 cutout (A)</i>		
C	center cutout A	+\$0

Step 9. Technology Integration for Cutout #1		
<i>For 1 cutout (A)</i>		
TB	cutout for technology bucket A	+\$190
L6	cutout for logic Y1425 6 port A	+\$125
L5	cutout for logic Y1425 5 port A	+\$125
L3	cutout for logic Y1425 3 port A	+\$65
C5	cutout for 5.75" x 5.75" technology unit A	+\$65
C6	cutout for 7.13" x 5.75" technology unit A	+\$65
C7	cutout for 7" x 3.25" technology unit A	+\$65
C8	cutout for 10" x 4" technology unit A	+\$65
C9	cutout for 10" x 6.75" technology unit A	+\$125

Headway™ Oval Shape, Y-Base, Standing Height Table *continued*

Step 10.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LT	light tone 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$200
40	dark brown walnut 	+\$200
A2	white ash 	+\$0
ED	aged cherry 	+\$200
EK	medium red walnut 	+\$200
ET	clear on ash 	+\$0
EU	oak on ash 	+\$0
EV	walnut on ash 	+\$0
EW	medium matte walnut 	+\$200
OU	walnut 	+\$200
UL	natural maple 	+\$0
UX	walnut on cherry 	+\$0

Step 11. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
BU	black umber 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0

Headway™ Oval Shape, Y-Base, Standing Height Table *continued*

LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 12. Base Finish

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNC	satin carbon leg with satin carbon foot ☐	+\$0

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
G1	graphite satin leg with graphite satin foot ☐	+\$0

Polished Aluminum

LFL	black leg with polished aluminum foot ☐	+\$210
LFM	satin carbon leg with polished aluminum foot ☐	+\$210
LFK	studio white leg with polished aluminum foot ☐	+\$210
LFF	white leg with polished aluminum foot ☐	+\$210
LFN	graphite leg with polished aluminum foot ☐	+\$210

Step 13. Undersurface Wire Management

N	no undersurface wire management ☐	+\$0
T	trough ☐	+\$420
H	hammock ☐	+\$550


Step 14. Hammock Finish

For hammock (H)

1HS04	hush greystone ☐	+\$0
1HS05	hush charcoal ☐	+\$0

Headway™ Communal Table, Seated Height

DP1EFS



Product Information

Description

This seated height communal table comes in a squared edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Logic Mini™ power options. Tables comes with 1½" leveling glides. Shipped knocked down.

Notes

Communal seated table height is 28½" from floor to top of surface.

All laminate and veneer tops will have 1-piece construction.

When specifying cutouts for 60"-, 72"-, or 84"-wide tables, options are for no cutout (NN), or for cutouts located on left and right (C3).

When specifying cutouts for 96"-, 108"-, or 120"-wide tables, options are for no cutout (NN), for cutouts located on left and right (C3), or for cutouts on left, right, and center (C5).


Order the following compatible power components separately:

- Logic mini vine for Headway™ communal table (DP1416.)

For additional finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Specification Information

Step 1.

DP1EF A

Step 2. Edge

S. squared-edge A +\$0

Step 3. Depth

24 24" deep A +\$0

36 36" deep A +\$0

42 42" deep A +\$0

Step 4. Width

For 24" deep (24)

60 60" wide A +\$3399

72 72" wide A +\$3468

84 84" wide A +\$3537

96 96" wide A +\$3606

108 108" wide A +\$4187

120 120" wide A +\$4769

For 36" deep (36)

60 60" wide A +\$3943

72 72" wide A +\$4044

84 84" wide A +\$4145

96 96" wide A +\$4247

108 108" wide A +\$4911

120 120" wide A +\$5575

For 42" deep (42)

84 84" wide A +\$4571

96 96" wide A +\$4702

108 108" wide A +\$5256

120 120" wide A +\$5811

Step 5. Top Surface Material

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

L laminate top/thermoplastic edge A +\$0

U laminate top/universal edge A +\$0

W veneer top/veneer edge A +\$760

For 108" wide (108) or 120" wide (120)

L laminate top/thermoplastic edge A +\$0

U laminate top/universal edge A +\$0

Headway™ Communal Table, Seated Height *continued*

Step 6. Outer Leg Panel Material		
L	laminate outer leg panel/thermoplastic edge ☐	+\$0
W	veneer outer leg panel/veneer edge ☐	+\$1310

Step 7. Cutouts		
<i>For 60" wide (60), 72" wide (72), or 84" wide (84)</i>		
NN	no cutouts ☐	+\$0
C3	cutout for logic mini vine, 1 left and 1 right ☐	+\$100
<i>For 96" wide (96), 108" wide (108), or 120" wide (120)</i>		
NN	no cutouts ☐	+\$0
C3	cutout for logic mini vine, 1 left and 1 right ☐	+\$100
C5	cutout for logic mini vine, 1 left, ☐	+\$150

Step 8.		
<i>For laminate top/thermoplastic edge (L) AND laminate top/universal edge (U)</i>		

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Communal Table, Seated Height *continued*

Top/Edge Finish

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$200
40	dark brown walnut ☐	+\$200
A2	white ash ☐	+\$0
ED	aged cherry ☐	+\$200
EK	medium red walnut ☐	+\$200
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut ☐	+\$200
OU	walnut ☐	+\$200
UL	natural maple ☐	+\$0
UX	walnut on cherry ☐	+\$0

Step 9. Top Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
9V	tapestry beige ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
JB	millwork cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0

LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

For laminate top/universal edge (U)

		60	72	84	96	108
PLY	plywood edge ☐	+\$85	85	85	85	100
						120
PLY	plywood edge ☐					+\$100

Headway™ Communal Table, Seated Height *continued*

Step 10. Outer Leg Panel Finish

For laminate outer leg panel/thermoplastic edge (L)

6X	cinnamon ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

For veneer outer leg panel/veneer edge (W)

2U	light brown walnut ☐	+\$200
40	dark brown walnut ☐	+\$200
A2	white ash ☐	+\$0
ED	aged cherry ☐	+\$200
EK	medium red walnut ☐	+\$200
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut ☐	+\$200
OU	walnut ☐	+\$200
UL	natural maple ☐	+\$0
UX	walnut on cherry ☐	+\$0

Step 11. Outer Leg Panel Edge Finish

For laminate outer leg panel/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
JB	millwork cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0

Headway™ Communal Table, Seated Height *continued*

LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0

Step 12. Inner Structure Finish

Smooth Paint

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Metallic Paint


CN	metallic champagne ☐	+\$0
MS	metallic silver ☐	+\$0
SNC	satin carbon ☐	+\$0

Sand Texture Paint

BK	black ☐	+\$0
G1	graphite ☐	+\$0

Headway™ Communal Table, Counter Height

DP1EGS



Product Information

Description

This counter height communal table comes in a squared edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Logic Mini™ power options. Tables comes with 1½" leveling glides. Shipped knocked down.

Notes

Communal counter table height is 36" from floor to top of surface.

All laminate and veneer tops will have 1-piece construction.

When specifying cutouts for 60", 72", or 84"-wide tables, options are for no cutout (NN), or for cutouts located on left and right (C3).

When specifying cutouts for 96", 108", or 120"-wide tables, options are for no cutout (NN), for cutouts located on left and right (C3), or for cutouts on left, right, and center (C5).


Order the following compatible power components separately:

- Logic mini vine for Headway™ communal table (DP1416.)

For additional finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Specification Information

Step 1.

DP1EG A

Step 2. Edge

S. squared-edge A +\$0

Step 3. Depth

24 24" deep A +\$0

36 36" deep A +\$0

42 42" deep A +\$0

Step 4. Width

For 24" deep (24)

60 60" wide A +\$3530

72 72" wide A +\$3599

84 84" wide A +\$3667

96 96" wide A +\$3736

108 108" wide A +\$4318

120 120" wide A +\$4900

For 36" deep (36)

60 60" wide A +\$4238

72 72" wide A +\$4339

84 84" wide A +\$4441

96 96" wide A +\$4542

108 108" wide A +\$5206

120 120" wide A +\$5870

For 42" deep (42)

84 84" wide A +\$4862

96 96" wide A +\$4993

108 108" wide A +\$5547

120 120" wide A +\$6102

Step 5. Top Surface Material

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

L laminate top/thermoplastic edge A +\$0

U laminate top/universal edge A +\$0

W veneer top/veneer edge A +\$760

For 108" wide (108) or 120" wide (120)

L laminate top/thermoplastic edge A +\$0

U laminate top/universal edge A +\$0

Headway™ Communal Table, Counter Height *continued*

Step 6. Outer Leg Panel Material

L	laminate outer leg panel/thermoplastic edge ☐	+\$0
W	veneer outer leg panel/veneer edge ☐	+\$1520

Step 7. Cutouts

For 60" wide (60), 72" wide (72), or 84" wide (84)

NN	no cutouts ☐	+\$0
C3	cutout for logic mini vine, 1 left and 1 right ☐	+\$100

For 96" wide (96), 108" wide (108), or 120" wide (120)

NN	no cutouts ☐	+\$0
C3	cutout for logic mini vine, 1 left and 1 right ☐	+\$100
C5	cutout for logic mini vine, 1 left, ☐	+\$150

Step 8.

For laminate top/thermoplastic edge (L) AND laminate top/universal edge (U)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Communal Table, Counter Height *continued*

Headway™ Communal Table

Top/Edge Finish

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$200
40	dark brown walnut ☐	+\$200
A2	white ash ☐	+\$0
ED	aged cherry ☐	+\$200
EK	medium red walnut ☐	+\$200
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut ☐	+\$200
OU	walnut ☐	+\$200
UL	natural maple ☐	+\$0
UX	walnut on cherry ☐	+\$0

Step 9. Top Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
9V	tapestry beige ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
JB	millwork cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0

LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

For laminate top/universal edge (U)

		60	72	84	96	108
PLY	plywood edge ☐	+\$85	85	85	85	100
						120
PLY	plywood edge ☐					+\$100

Headway™ Communal Table, Counter Height *continued*

Step 10. Outer Leg Panel Finish

For laminate outer leg panel/thermoplastic edge (L)

6X	cinnamon 	+\$0
76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LT	light tone 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

For veneer outer leg panel/veneer edge (W)

2U	light brown walnut 	+\$300
40	dark brown walnut 	+\$300
A2	white ash 	+\$0
ED	aged cherry 	+\$300
EK	medium red walnut 	+\$300
ET	clear on ash 	+\$0
EU	oak on ash 	+\$0
EV	walnut on ash 	+\$0
EW	medium matte walnut 	+\$300
OU	walnut 	+\$300
UL	natural maple 	+\$0
UX	walnut on cherry 	+\$0

Step 11. Outer Leg Panel Edge Finish

For laminate outer leg panel/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
8Z	neutral grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
BU	black umber 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
JB	millwork cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0
LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0

Headway™ Communal Table, Counter Height *continued*

Headway™ Communal Table

LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0

Step 12. Inner Structure Finish

Smooth Paint

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Metallic Paint


CN	metallic champagne ☐	+\$0
MS	metallic silver ☐	+\$0
SNC	satin carbon ☐	+\$0

Sand Texture Paint

BK	black ☐	+\$0
G1	graphite ☐	+\$0

Headway™ Communal Table, Standing Height

DP1EPS



Product Information

Description

This standing height communal table comes in a squared edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Logic Mini™ power options. Tables comes with 1½" leveling glides. Shipped knocked down.

Notes

Communal standing table height is 42" from floor to top of surface.

All laminate and veneer tops will have 1-piece construction.

When specifying cutouts for 60"-, 72"-, or 84"-wide tables, options are for no cutout (NN), or for cutouts located on left and right (C3).

When specifying cutouts for 96"-, 108"-, or 120"-wide tables, options are for no cutout (NN), for cutouts located on left and right (C3), or for cutouts on left, right, and center (C5).


Order the following compatible power components separately:

- Logic mini vine for Headway™ communal table (DP1416.)

For additional finish options, see Vary Easy program.

See planning guide for additional information.

Dimensions



Specification Information

Step 1.

DP1EP [A]

Step 2. Edge

S. squared-edge [A] +\$0

Step 3. Depth

24 24" deep [A] +\$0

36 36" deep [A] +\$0

42 42" deep [A] +\$0

Step 4. Width

For 24" deep (24)

60 60" wide [A] +\$3580

72 72" wide [A] +\$3649

84 84" wide [A] +\$3718

96 96" wide [A] +\$3787

108 108" wide [A] +\$4369

120 120" wide [A] +\$4951

For 36" deep (36)

60 60" wide [A] +\$4407

72 72" wide [A] +\$4508

84 84" wide [A] +\$4609

96 96" wide [A] +\$4710

108 108" wide [A] +\$5375

120 120" wide [A] +\$6039

For 42" deep (42)

84 84" wide [A] +\$5035

96 96" wide [A] +\$5166

108 108" wide [A] +\$5720

120 120" wide [A] +\$6275

Step 5. Top Surface Material

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

L laminate top/thermoplastic edge [A] +\$0

U laminate top/universal edge [A] +\$0

W veneer top/veneer edge [A] +\$760

For 108" wide (108) or 120" wide (120)

L laminate top/thermoplastic edge [A] +\$0

U laminate top/universal edge [A] +\$0

Headway™ Communal Table, Standing Height *continued*

Step 6. Outer Leg Panel Material

L	laminate outer leg panel/thermoplastic edge ☐	+\$0
W	veneer outer leg panel/veneer edge ☐	+\$1900

Step 7. Cutouts

For 60" wide (60), 72" wide (72), or 84" wide (84)

NN	no cutouts ☐	+\$0
C3	cutout for logic mini vine, 1 left and 1 right ☐	+\$100

For 96" wide (96), 108" wide (108), or 120" wide (120)

NN	no cutouts ☐	+\$0
C3	cutout for logic mini vine, 1 left and 1 right ☐	+\$100
C5	cutout for logic mini vine, 1 left, ☐	+\$150

Step 8.

For laminate top/thermoplastic edge (L) AND laminate top/universal edge (U)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Communal Table, Standing Height *continued*

Top/Edge Finish

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with veneer top/veneer edge (W)

2U	light brown walnut 	+\$200
40	dark brown walnut 	+\$200
A2	white ash 	+\$0
ED	aged cherry 	+\$200
EK	medium red walnut 	+\$200
ET	clear on ash 	+\$0
EU	oak on ash 	+\$0
EV	walnut on ash 	+\$0
EW	medium matte walnut 	+\$200
OU	walnut 	+\$200
UL	natural maple 	+\$0
UX	walnut on cherry 	+\$0

Step 9. Top Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
8Z	neutral grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
9V	tapestry beige 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HT	inner tone 	+\$0
HX	aged cherry 	+\$0
HY	walnut on cherry 	+\$0
JB	millwork cherry 	+\$0
LA	light ash 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBD	dark brown walnut 	+\$0
LBE	medium red walnut 	+\$0
LBF	neutral twill 	+\$0
LBG	sarum twill 	+\$0
LBH	earthen twill 	+\$0
LBJ	graphite twill 	+\$0
LBK	pewter mesh 	+\$0
LBL	steel mesh 	+\$0
LBM	crisp linen 	+\$0
LBN	classic linen 	+\$0

LBP	casual linen 	+\$0
LBQ	white twill 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LU	soft white 	+\$0
MT	medium tone 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

For laminate top/universal edge (U)

		60	72	84	96	108
PLY	plywood edge 	+\$85	85	85	85	100
						120
PLY	plywood edge 					+\$100

Headway™ Communal Table, Standing Height *continued*

Step 10. Outer Leg Panel Finish

For laminate outer leg panel/thermoplastic edge (L)

6X	cinnamon ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

For veneer outer leg panel/veneer edge (W)

2U	light brown walnut ☐	+\$350
40	dark brown walnut ☐	+\$350
A2	white ash ☐	+\$0
ED	aged cherry ☐	+\$350
EK	medium red walnut ☐	+\$350
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut ☐	+\$350
OU	walnut ☐	+\$350
UL	natural maple ☐	+\$0
UX	walnut on cherry ☐	+\$0

Step 11. Outer Leg Panel Edge Finish

For laminate outer leg panel/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
JB	millwork cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0

Headway™ Communal Table, Standing Height *continued*

LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0

Step 12. Inner Structure Finish

Smooth Paint

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0


Metallic Paint

CN	metallic champagne ☐	+\$0
MS	metallic silver ☐	+\$0
SNC	satin carbon ☐	+\$0


Sand Texture Paint

BK	black ☐	+\$0
G1	graphite ☐	+\$0

Headway™ Cabinet Base, Seated DP3C. Height



Product Information	
Description	
This independent 2-cabinet base kit allows for customized surfaces from suppliers other than HermanMiller. Cabinet base comes in multiple depths and widths. The removable cabinet doors come in laminate or veneer. Base accommodates multiple understructure cable management options. Base kit comes with 1½" leveling glides. Surface attachment hardware included. Shipped knocked down.	
Notes	
Cabinet bases are 22" deep.	
When specifying technology mounting panels in bases (P), 2 technology panels are included.	
When specifying metal painted curtain (C) or trough (T) undersurface wire management option, finish will match inner cabinet base paint finish.	
To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), specify trough (T) for undersurface wire management.	
When specifying a cabinet base only for a customized top, see planning guide for top restrictions and guidelines.	
The included surface attachment hardware is used for a wood top or wood sub-top. See planning guide for attachment information for nonwood tops.	
See planning guide for additional information.	
Dimensions	



Specification Information			
Step 1.			
DP3C. A			
Step 2. Height			
2	28" high	A	+\$0
Step 3. Table Depth			
42	42" deep	A	+\$0
48	48" deep	A	+\$0
54	54" deep	A	+\$0
60	60" deep	A	+\$0
Step 4. Table Width			
For 42" deep (42) or 48" deep (48)			
72	72" wide	A	+\$2652
78	78" wide	A	+\$2739
84	84" wide	A	+\$2825
90	90" wide	A	+\$2941
96	96" wide	A	+\$3057
102	102" wide	A	+\$3850
108	108" wide	A	+\$3905
114	114" wide	A	+\$3933
120	120" wide	A	+\$3960
126	126" wide	A	+\$3988
132	132" wide	A	+\$4015
138	138" wide	A	+\$4042
144	144" wide	A	+\$4069

Headway™ Cabinet Base, Seated

Height *continued*

For 54" deep (54) or 60" deep (60)

96	96" wide ☐	+\$3188
102	102" wide ☐	+\$4352
108	108" wide ☐	+\$4419
114	114" wide ☐	+\$4453
120	120" wide ☐	+\$4487
126	126" wide ☐	+\$4521
132	132" wide ☐	+\$4554
138	138" wide ☐	+\$4588
144	144" wide ☐	+\$4622
150	150" wide ☐	+\$4656
156	156" wide ☐	+\$4689
162	162" wide ☐	+\$4723
168	168" wide ☐	+\$4757
174	174" wide ☐	+\$4791
180	180" wide ☐	+\$4824
186	186" wide ☐	+\$4858
192	192" wide ☐	+\$4892
198	198" wide ☐	+\$5735
204	204" wide ☐	+\$5783
210	210" wide ☐	+\$5807
216	216" wide ☐	+\$5830
222	222" wide ☐	+\$5854
228	228" wide ☐	+\$5877
234	234" wide ☐	+\$5901
240	240" wide ☐	+\$5925

Step 5. Removable Cabinet Door Material

L	laminate door/thermoplastic edge ☐	+\$0
W	veneer door/veneer edge ☐	+\$635

Step 6. Removable Cabinet Door Finish

For laminate door/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Headway™ Cabinet Base, Seated Height *continued*

For veneer door/veneer edge (W)

2U	light brown walnut ☐	+\$100
40	dark brown walnut ☐	+\$100
A2	white ash ☐	+\$0
ED	aged cherry ☐	+\$100
EK	medium red walnut ☐	+\$100
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut ☐	+\$100
OU	walnut ☐	+\$100
UL	natural maple ☐	+\$0
UX	walnut on cherry ☐	+\$0

Step 7. Removable Cabinet Door Edge Finish

For laminate door/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
8Z	neutral grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BU	black umber ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HT	inner tone ☐	+\$0
HX	aged cherry ☐	+\$0
HY	walnut on cherry ☐	+\$0
JB	millwork cherry ☐	+\$0
LA	light ash ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBD	dark brown walnut ☐	+\$0
LBE	medium red walnut ☐	+\$0
LBF	neutral twill ☐	+\$0
LBG	sarum twill ☐	+\$0
LBH	earthen twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBK	pewter mesh ☐	+\$0
LBL	steel mesh ☐	+\$0
LBM	crisp linen ☐	+\$0
LBN	classic linen ☐	+\$0
LBP	casual linen ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0

LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 8. Inner Cabinet Leg Finish

Smooth Paint

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Metallic Paint

CN	metallic champagne ☐	+\$0
MS	metallic silver ☐	+\$0
SNC	satin carbon ☐	+\$0

Sand Texture Paint

BK	black ☐	+\$0
G1	graphite ☐	+\$0

Step 9. Technology Mounting Panel in Leg

N	no panel in bases ☐	+\$0
P	technology panels in bases ☐	+\$260

Step 10. Undersurface Wire Management


		72	78	84	90	96
N	no undersurface wire management ☐	+\$0	0	0	0	0
T	trough ☐	+\$420	420	420	420	420
C	metal painted curtain with fabric sling ☐	+\$635	635	635	635	635
H	hammock ☐	+\$550	550	550	550	550
		102	108	114	120	126
N	no undersurface wire management ☐	+\$0	0	0	0	0
T	trough ☐	+\$840	840	840	840	840
C	metal painted curtain with fabric sling ☐	+\$1270	1270	1270	1270	1270
H	hammock ☐	+\$1100	1100	1100	1100	1100

Headway™ Cabinet Base, Seated

Height *continued*

		132	138	144	150	156
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$840	840	840	840	840
C	metal painted curtain with fabric sling A	+\$1270	1270	1270	1270	1270
H	hammock A	+\$1100	1100	1100	1100	1100
		162	168	174	180	186
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$840	840	840	840	840
C	metal painted curtain with fabric sling A	+\$1270	1270	1270	1270	1270
H	hammock A	+\$1100	1100	1100	1100	1100
		192	198	204	210	216
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$840	1260	1260	1260	1260
C	metal painted curtain with fabric sling A	+\$1270	1905	1905	1905	1905
H	hammock A	+\$1100	1650	1650	1650	1650
		222	228	234	240	
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$1260	1260	1260	1260	
C	metal painted curtain with fabric sling A	+\$1905	1905	1905	1905	
H	hammock A	+\$1650	1650	1650	1650	
Step 11. Hammock Finish						
For hammock (H)						
1HS04	hush greystone A					+\$0
1HS05	hush charcoal A					+\$0

Headway™ Y-Base, Seated Height DP3Y.



Product Information


Description

This independent Y-base supports surfaces to create a complete table. Base accommodates multiple understructure cable management options. Base comes with 1½" leveling glides. Surface attachment hardware included. Shipped knocked down.

Notes

- Tables 60" to 96" wide have 2 legs.
- Tables 108" to 192" wide have 3 legs.
- Tables 204" to 240" wide have 4 legs.
- Base supports surfaces 36" to 54" deep.
- This base-only product cannot be used with a stone top larger than 42"D x 78"W.
- The included surface attachment hardware is used for a wood top or wood sub-top. See planning guide for attachment information for nonwood tops.
- When specifying trough (T) undersurface wire management option, finish will match base finish.
- For base load limits, nonstandard surface dimensions, cutout locations, and other planning information, see planning guide.

Dimensions



Specification Information

Step 1.

DP3Y. A

Step 2. Height

28 28.5" high A +\$0

Step 3. Table Depth

36 36" deep A +\$0
42 42" deep A +\$0
48 48" deep A +\$0
54 54" deep A +\$0

Step 4. Table Width

For 36" deep (36)

60 60" wide A +\$2277
66 66" wide A +\$2305
72 72" wide A +\$2333
78 78" wide A +\$2362
84 84" wide A +\$2390
90 90" wide A +\$2418
96 96" wide A +\$2446

For 42" deep (42)

60 60" wide A +\$2277
66 66" wide A +\$2305
72 72" wide A +\$2333
78 78" wide A +\$2362
84 84" wide A +\$2390
90 90" wide A +\$2418
96 96" wide A +\$2446
102 102" wide A +\$3669
108 108" wide A +\$3722
114 114" wide A +\$3748
120 120" wide A +\$3774
126 126" wide A +\$3801
132 132" wide A +\$3827
138 138" wide A +\$3854
144 144" wide A +\$3880

Headway™ Y-Base, Seated Height

continued

For 48" deep (48)

60	60" wide ☐	+\$2277
66	66" wide ☐	+\$2305
72	72" wide ☐	+\$2333
78	78" wide ☐	+\$2362
84	84" wide ☐	+\$2390
90	90" wide ☐	+\$2418
96	96" wide ☐	+\$2446
102	102" wide ☐	+\$3669
108	108" wide ☐	+\$3722
114	114" wide ☐	+\$3748
120	120" wide ☐	+\$3774
126	126" wide ☐	+\$3801
132	132" wide ☐	+\$3827
138	138" wide ☐	+\$3854
144	144" wide ☐	+\$3880

For 54" deep (54)

96	96" wide ☐	+\$2446
102	102" wide ☐	+\$3669
108	108" wide ☐	+\$3722
114	114" wide ☐	+\$3748
120	120" wide ☐	+\$3774
126	126" wide ☐	+\$3801
132	132" wide ☐	+\$3827
138	138" wide ☐	+\$3854
144	144" wide ☐	+\$3880
150	150" wide ☐	+\$4115
156	156" wide ☐	+\$4350
162	162" wide ☐	+\$4384
168	168" wide ☐	+\$4418
174	174" wide ☐	+\$4452
180	180" wide ☐	+\$4486
186	186" wide ☐	+\$4520
192	192" wide ☐	+\$4554
198	198" wide ☐	+\$5313
204	204" wide ☐	+\$5461
210	210" wide ☐	+\$5535
216	216" wide ☐	+\$5609
222	222" wide ☐	+\$5683
228	228" wide ☐	+\$5756
234	234" wide ☐	+\$5830
240	240" wide ☐	+\$5904

Step 5. Base Finish

Smooth Paint

		60	66	72	78	84
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0	0	0	0	0
91	white leg with white foot ☐	+\$0	0	0	0	0
98	studio white leg with studio white foot ☐	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot ☐	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0	0	0	0	0

		90	96	102	108	114
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0	0	0	0	0
91	white leg with white foot ☐	+\$0	0	0	0	0
98	studio white leg with studio white foot ☐	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot ☐	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0	0	0	0	0

		120	126	132	138	144
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0	0	0	0	0
91	white leg with white foot ☐	+\$0	0	0	0	0
98	studio white leg with studio white foot ☐	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot ☐	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0	0	0	0	0

Headway™ Table Bases

Headway™ Y-Base, Seated Height

continued

Headway™ Table Bases

		150	156	162	168	174
8Q	folkstone grey leg with folkstone grey foot A	+\$0	0	0	0	0
91	white leg with white foot A	+\$0	0	0	0	0
98	studio white leg with studio white foot A	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot A	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0	0	0	0	0

		180	186	192	198	204
8Q	folkstone grey leg with folkstone grey foot A	+\$0	0	0	0	0
91	white leg with white foot A	+\$0	0	0	0	0
98	studio white leg with studio white foot A	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot A	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0	0	0	0	0

		210	216	222	228	234
8Q	folkstone grey leg with folkstone grey foot A	+\$0	0	0	0	0
91	white leg with white foot A	+\$0	0	0	0	0
98	studio white leg with studio white foot A	+\$0	0	0	0	0
WL	sandstone leg with sandstone foot A	+\$0	0	0	0	0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0	0	0	0	0

		240
8Q	folkstone grey leg with folkstone grey foot A	+\$0
91	white leg with white foot A	+\$0
98	studio white leg with studio white foot A	+\$0
WL	sandstone leg with sandstone foot A	+\$0
WN	warm grey neutral leg with warm grey neutral foot A	+\$0

Metallic Paint

		60	66	72	78	84
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0

		90	96	102	108	114
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0

		120	126	132	138	144
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0

Headway™ Y-Base, Seated Height

continued

		150	156	162	168	174
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0

		180	186	192	198	204
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0

		210	216	222	228	234
CN	metallic champagne leg with metallic champagne foot A	+\$0	0	0	0	0
MS	metallic silver leg with metallic silver foot A	+\$0	0	0	0	0
SNC	satin carbon leg with satin carbon foot A	+\$0	0	0	0	0

		240
CN	metallic champagne leg with metallic champagne foot A	+\$0
MS	metallic silver leg with metallic silver foot A	+\$0
SNC	satin carbon leg with satin carbon foot A	+\$0

Sand Texture Paint

		60	66	72	78	84
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

		90	96	102	108	114
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

		120	126	132	138	144
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

		150	156	162	168	174
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

		180	186	192	198	204
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

		210	216	222	228	234
BK	black leg with black foot A	+\$0	0	0	0	0
G1	graphite satin leg with graphite satin foot A	+\$0	0	0	0	0

		240
BK	black leg with black foot A	+\$0
G1	graphite satin leg with graphite satin foot A	+\$0

Headway™ Table Bases

Headway™ Y-Base, Seated Height

continued

Headway™ Table Bases

Polished Aluminum						
		60	66	72	78	84
LFL	black leg with polished aluminum foot 	+\$210	210	210	210	210
LFM	satin carbon leg with polished aluminum foot 	+\$210	210	210	210	210
LFK	studio white leg with polished aluminum foot 	+\$210	210	210	210	210
LFF	white leg with polished aluminum foot 	+\$210	210	210	210	210
LFN	graphite leg with polished aluminum foot 	+\$210	210	210	210	210

		90	96	102	108	114
LFL	black leg with polished aluminum foot 	+\$210	210	360	360	360
LFM	satin carbon leg with polished aluminum foot 	+\$210	210	360	360	360
LFK	studio white leg with polished aluminum foot 	+\$210	210	360	360	360
LFF	white leg with polished aluminum foot 	+\$210	210	360	360	360
LFN	graphite leg with polished aluminum foot 	+\$210	210	360	360	360

		120	126	132	138	144
LFL	black leg with polished aluminum foot 	+\$360	360	360	360	360
LFM	satin carbon leg with polished aluminum foot 	+\$360	360	360	360	360
LFK	studio white leg with polished aluminum foot 	+\$360	360	360	360	360
LFF	white leg with polished aluminum foot 	+\$360	360	360	360	360
LFN	graphite leg with polished aluminum foot 	+\$360	360	360	360	360

		150	156	162	168	174
LFL	black leg with polished aluminum foot 	+\$360	360	360	360	360
LFM	satin carbon leg with polished aluminum foot 	+\$360	360	360	360	360
LFK	studio white leg with polished aluminum foot 	+\$360	360	360	360	360
LFF	white leg with polished aluminum foot 	+\$360	360	360	360	360
LFN	graphite leg with polished aluminum foot 	+\$360	360	360	360	360

Headway™ Y-Base, Seated Height

continued

		180	186	192	198	204
LFL	black leg with polished aluminum foot A	+\$360	360	360	505	505
LFM	satin carbon leg with polished aluminum foot A	+\$360	360	360	505	505
LFK	studio white leg with polished aluminum foot A	+\$360	360	360	505	505
LFF	white leg with polished aluminum foot A	+\$360	360	360	505	505
LFN	graphite leg with polished aluminum foot A	+\$360	360	360	505	505
		210	216	222	228	234
LFL	black leg with polished aluminum foot A	+\$505	505	505	505	505
LFM	satin carbon leg with polished aluminum foot A	+\$505	505	505	505	505
LFK	studio white leg with polished aluminum foot A	+\$505	505	505	505	505
LFF	white leg with polished aluminum foot A	+\$505	505	505	505	505
LFN	graphite leg with polished aluminum foot A	+\$505	505	505	505	505
						240
LFL	black leg with polished aluminum foot A					+\$505
LFM	satin carbon leg with polished aluminum foot A					+\$505
LFK	studio white leg with polished aluminum foot A					+\$505
LFF	white leg with polished aluminum foot A					+\$505
LFN	graphite leg with polished aluminum foot A					+\$505

Step 6. Undersurface Wire Management

		60	66	72	78	84
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$420	420	420	420	420
H	hammock A	+\$550	550	550	550	550

		90	96	102	108	114
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$420	420	840	840	840
H	hammock A	+\$550	550	1100	1100	1100
		120	126	132	138	144
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$840	840	840	840	840
H	hammock A	+\$1100	1100	1100	1100	1100
		150	156	162	168	174
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$840	840	840	840	840
H	hammock A	+\$1100	1100	1100	1100	1100
		180	186	192	198	204
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$840	840	840	1260	1260
H	hammock A	+\$1100	1100	1100	1650	1650
		210	216	222	228	234
N	no undersurface wire management A	+\$0	0	0	0	0
T	trough A	+\$1260	1260	1260	1260	1260
H	hammock A	+\$1650	1650	1650	1650	1650
						240
N	no undersurface wire management A					+\$0
T	trough A					+\$1260
H	hammock A					+\$1650

Step 7. Hammock Finish


For hammock (H)

1HS04	hush greystone A	+\$0
1HS05	hush charcoal A	+\$0

Headway™ Table Bases

Headway™ Y-Base, Standing Height

DP4Y.



Product Information

Description

This independent standing-height Y-base supports surfaces to create a complete table. Base accommodates multiple understructure cable management options. Base comes with 1½" leveling glides. Surface attachment hardware included. Shipped knocked down.

Notes

All standing-height Y-bases have 2 legs.

When specifying trough (T) undersurface wire management option, finish will match base finish.


For base load limits, nonstandard surface dimensions, cutout locations, and other planning information, see planning guide.

Base supports surfaces 60" to 96" wide, and 36", 42", and 48" deep.

This base-only product cannot be used with a stone top larger than 42"D x 78"W.

The included surface attachment hardware is used for a wood top or wood sub-top. See planning guide for attachment information for nonwood tops.

Dimensions



Specification Information

Step 1.

DP4Y. A

Step 2. Height

42 42" high A +\$0

Step 3. Table Depth

36 36" deep A +\$0

42 42" deep A +\$0

48 48" deep A +\$0

Step 4. Table Width

60 60" wide A +\$2454

66 66" wide A +\$2483

72 72" wide A +\$2511

78 78" wide A +\$2539

84 84" wide A +\$2567

90 90" wide A +\$2595

96 96" wide A +\$2623

Step 5. Base Finish

Smooth Paint

8Q folkstone grey leg with folkstone grey foot A +\$0

91 white leg with white foot A +\$0

98 studio white leg with studio white foot A +\$0

WL sandstone leg with sandstone foot A +\$0

WN warm grey neutral leg with warm grey neutral foot A +\$0

Metallic Paint

CN metallic champagne leg with metallic champagne foot A +\$0

MS metallic silver leg with metallic silver foot A +\$0

SNC satin carbon leg with satin carbon foot A +\$0

Sand Texture Paint

BK black leg with black foot A +\$0

G1 graphite satin leg with graphite satin foot A +\$0

Polished Aluminum

LFL black leg with polished aluminum foot A +\$210

LFM satin carbon leg with polished aluminum foot A +\$210

LFK studio white leg with polished aluminum foot A +\$210

LFF white leg with polished aluminum foot A +\$210


LFN graphite leg with polished aluminum foot A +\$210

Headway™ Y-Base, Standing
Height *continued*

Step 6. Undersurface Wire Management		
N	no undersurface wire management ☐	+\$0
T	trough ☐	+\$420
H	hammock ☐	+\$550
Step 7. Hammock Finish		
<i>For hammock (H)</i>		
1HS04	hush greystone ☐	+\$0
1HS05	hush charcoal ☐	+\$0

Logic Mini Vine for Headway™ Communal Table

DP1416



Product Information

Description

This electrical distributor plugs directly into floor, wall, or ceiling-drop outlets to provide AC and USB power to Headway™ communal tables. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962A.

Notes

Cord length is 18' from plug end to junction box.


Junction box is 3' from end of table.

A small LED illuminates through the USB ports when the USB version is plugged in and powered.


USB ports provide 10-watt power to charge most devices and tablets at full charging rate.

Cord head contains a circuit breaker when unit contains more than 3 simplex receptacles.

Dimensions



Two Power Modules



Three Power Modules

Specification Information

Step 1.

DP1416. A

Step 2. Number of Modules

- 2** two power modules A
- 3** three power modules A

Step 3. Power Type

- J** 1 AC simplex receptacles, 2 powered USB, all modules A
- K** 2 AC simplex receptacles, all modules A
- L** first module has 1 AC simplex plus 2 powered USB all other modules have all AC simplexes A

Step 4. Power Infeed Length

- 18** 18' cord A

Step 5. Table Width

For two power modules (2)

- S** for use with outfield table 60" wide or 72" wide or 84" wide A
- M** for use with outfield table 96" wide or 108" wide A
- L** for use with outfield table 120" wide A

For three power modules (3)

- M** for use with outfield table 96" wide or 108" wide A
- L** for use with outfield table 120" wide A

Prices for Steps 1-5.


		18S	18M	18L
DP1416.	2 J	\$1378	1385	1392
	K	\$958	964	969
	L	\$1169	1174	1180
	3 J	—	\$1836	1843
	K	—	\$1229	1234
	L	—	\$1441	1446

Step 6. Finish

91	white A	+\$0
98	studio white A	+\$0
BK	black A	+\$0
G1	graphite A	+\$0

Tech Bucket

DP5B.




Product Information

Description
This tech bucket is grommet mounted in Headway™ cabinet-base and Y-base tables to conceal cords off the table surface. It can be customized with faceplates to accommodate hard-wired power and data needs. It has 4 pass-through openings for data cords to be routed into the bucket. Lid opens toward either side of the table and pivots 95° from closed to open allowing easy access to the bucket. Bucket is black. Lid comes in a choice of finishes.


Notes
Tech bucket has knockouts at both ends to allow for data faceplates.
See planning guide for specific knockout dimensions.
For Chicago power, specify the tech bucket and hardwire in a junction box. A licensed electrician must wire junction box to the building's electrical supply.

Dimensions



Specification Information

Step 1.		
DP5B.	A	\$536
Step 2. Lid Finish		
91	white A	+\$0
98	studio white A	+\$0
BK	black A	+\$0
G1	graphite A	+\$0



Product Information

Description

This perforated shelf mounts to the rails under the surface for cabinet-base and Y-base tables. It can manage technology equipment away from wire management to allow more room for power cords and data cables. Finish is black to match rail finish.

Notes

1 shelf is included with a table assembly.

Dimensions

Specification Information

Step 1.

DP6L. A


Step 2. Length

9 9" long A

Prices for Steps 1-2.


DP6L. 9 \$181

Headway™ Technology/Accessories



Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.







Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425.

Step 2. Configuration

A	2 simplex receptacles, 2 powered USB
C	4 simplex receptacles, 2 powered USB
D	5 simplex receptacles, 2 powered USB
E	3 simplex receptacles
F	5 simplex receptacles
G	6 simplex receptacles

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring
C	IEC connector for Renew Tables

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

For conduit with open end, for hard-wiring (B)

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit

For IEC connector for Renew Tables (C)

03	3' cord/conduit
-----------	--------------------------------------

Prices for Steps 1-4.

		03	06	10	20
Y1425. A	A	\$683	683	694	705
	B	\$737	737	747	—
	C	\$694	—	—	—
	C A	\$792	792	804	816
	B	\$845	845	857	—
	C	\$804	—	—	—
	D A	\$863	863	875	885
	B	\$916	916	926	—
	C	\$875	—	—	—
	E A	\$526	526	536	546
	B	\$578	578	589	—
	C	\$536	—	—	—


F A	\$634	634	647	657
B	\$688	688	699	—
C	\$647	—	—	—
G A	\$705	705	715	728
B	\$757	757	770	—
C	\$715	—	—	—

Step 5. Finish

91	white			+\$0
98	studio white			+\$0
BK	black			+\$0
G1	graphite			+\$0
MS	metallic silver			+\$0

Power Plug Strip

Y1500.



Product Information

Description

This corded power strip provides 6 outlets. It is available with 6' and 10' cord lengths. Power strip is UL Listed and CSA Certified. Finish is black.

Notes


The 10' cord (10) length is recommended for use with height adjustable table.

When used with Canvas Vista™, power strip plugs directly into the harness with power + data cover (FG150.) located under the chase.

Order the following products separately:

- Hinged cable trough (Y1300.)
- Vista harness with power + data cover (FG150.)

Dimensions



Specification Information

Step 1.

Y1500. A

Step 2. Configuration

6 6 AC outlets A

Step 3. Cord Length

06 6' long A

10 10' long A

Prices for Steps 1-3.

	06	10
Y1500. 6	\$68	79

Index by Product Name

Headway™ Tables	
Headway™ Boat Shape, Cabinet-Base, Seated Height Table	page(s) 26
Headway™ Boat Shape, Y-Base, Seated Height Table	34
Headway™ Boat Shape, Y-Base, Standing Height Table	42
Headway™ Cabinet Base, Seated Height	88
Headway™ Communal Table, Counter Height	78
Headway™ Communal Table, Seated Height	73
Headway™ Communal Table, Standing Height	83
Headway™ Oval Shape, Cabinet-Base, Seated Height Table	59
Headway™ Oval Shape, Y-Base, Seated Height Table	64
Headway™ Oval Shape, Y-Base, Standing Height Table	69
Headway™ Rectangle Shape, Cabinet-Base, Seated Height Table	5
Headway™ Rectangle Shape, Y-Base, Seated Height Table	14
Headway™ Rectangle Shape, Y-Base, Standing Height Table	22
Headway™ Tapered Shape, Cabinet-Base, Seated Height Table	46
Headway™ Tapered Shape, Y-Base, Seated Height Table	51
Headway™ Tapered Shape, Y-Base, Standing Height Table	55
Headway™ Y-Base, Seated Height	92
Headway™ Y-Base, Standing Height	98
Logic G1000 Grommet Mounted Electrical Distributor	103
Logic Mini Vine for Headway™ Communal Table	100
Power Plug Strip	105
Tech Bucket	101
Tech Shelf	102

Index by Product Number

DP1ACS Headway™ Rectangle Shape, Cabinet-Base, Seated Height Table	page(s) 5
DP1ACT	
DP1AYS Headway™ Rectangle Shape, Y-Base, Seated Height Table	14
DP1AYT	
DP1BCS Headway™ Boat Shape, Cabinet-Base, Seated Height Table	26
DP1BCT	
DP1BYS Headway™ Boat Shape, Y-Base, Seated Height Table	34
DP1BYT	
DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height Table	46
DP1CCT	
DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table	51
DP1CYT	
DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table	59
DP1DCT	
DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table	64
DP1DYT	
DP1EFS Headway™ Communal Table, Seated Height	73
DP1EGS Headway™ Communal Table, Counter Height	78
DP1EPS Headway™ Communal Table, Standing Height	83
DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table	22
DP2AYT	
DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table	42
DP2BYT	
DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table	55
DP2CYT	
DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table	69
DP2DYT	
DP3C. Headway™ Cabinet Base, Seated Height	88
DP3Y. Headway™ Y-Base, Seated Height	92
DP4Y. Headway™ Y-Base, Standing Height	98
DP5B. Tech Bucket	101
DP6L. Tech Shelf	102
DP1416 Logic Mini Vine for Headway™ Communal Table	100
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	103
Y1500. Power Plug Strip	105



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2019 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi—Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

® **HermanMiller**, ●, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisiyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Motia, Passage, Pellicle, Perspectives, Plex, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live Platform, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Multiscrim, Nelson, Nevi, Overlay, Pari, Pixelated Support, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus, Vista and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsur® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.