Steelcase Flex Collection

Availability

Electronic price list updated with release 190.E (U.S.) and 151.E (Canada), dated December 16, 2019.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Spec News is available on *village.steelcase.com*. Search Steelcase Marketing Resources (Adstock) and download the current release's Spec News.

Tip: Steelcase Marketing Resources is a new global platform for ordering Steelcase marketing materials that replaces Adstock.

View or download Steelcase Specification Guides at https://www.steelcase.com/resources/documents?tax-[doctype]=spec-guide.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a 1. Products that are scheduled to be culled are indicated with an 1. followed by the last order entry date.

Surface Materials

The surface materials team has announced the launch of the Finish Library, found at http://finishlibrary.steelcase.com.

► For a list of all trademarks, refer to the last page of this specification guide.

© 2019 Steelcase Inc.



For Canadian Pricing

Canadian factor can be found at www.steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- · Round each to the nearest dollar.
- · Add base and options for total list price.


Working with This Specification Guide	
Ten Tips: How to Get the Most Out of This Book	2
Additional Resources	4
Statement of Line	6
Understanding	
Height-Adjustable Desks and Bases	10
Work Tables and Slim Tables	14
Curved Screens	16
Freestanding Screens	17
Acoustic Boundary	18
Carts	19
Markerboard Solutions	20
Mobile Power and Charging Cart	22
Accessories	24
Specifying	
Height-Adjustable Desks	26
Height-Adjustable Bases	30
Work Tables — Standing Height	32
Work Tables — Standing Height	34 36
Work Table—Bases Only Slim Table	38
Slim Table—Base Only, Standing Height	39
Curved Screens	40
Freestanding Screens	41
Acoustic Boundary	42
Carts	44
Markerboard Solutions	46
Mobile Power and Charging Cart	48
Accessories	50
Surface Materials	53

59

Resources

Ten Tips:

How to Get the Most Out of This Book




Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.

Tip 2



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.

Product Drawing



Study the product detail pages in the *Understanding* section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where

applicable:
• Product Drawing

Actual DimensionsProduct DetailsConnections

· Wiring and Cabling

Surface Materials

· Application Topics

Product Details


gives specific information on the product and how it is used.

Connections

describes how the product is assembled or how it attaches to another product.



Find cross references by looking for page numbers flagged with an arrow.



Actual Dimensions table lists the dimensions of the product.

Wiring and Cabling details the power and cable-management and cable routing capabilities of the product. **Surface Materials** lists what material is used for each part of the product.

Tip 5

Refer to the specifying

pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- · Standard Includes
- · Required to Specify
- Options
- Related Products
- · Specification Information
- Dimensions
- · Style Number

Product Drawing

shows you what the

product looks like.

• Price

Standard Includes

(under the red or dark grey band) provides a list of what comes standard with the product.

for specification.

Required to Specify

(under the red or dark grey

band) itemizes the information that you must provide to order the standard product and the preferred sequence

Specification Information (under the teal or

(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

Successful from Packages—This Trim To Package Successful from Packages—This Trim To Packages—This Trim

Options

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products

provide specification information for products that are directly related.

Tip 6

Required to Specify

Specify with Customiz Stain

Italic typeface on specifying pages usually identifies wording that you should use in your order.

Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.

Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 8



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

Tip 10

Style	
Number	Page
TS7042BL	131
TS7042S	130
TS7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Additional Resources

Flex products are supported with informational materials, tools, and software to help you plan, specify, and order an installation efficiently.

Printed Materials

Other Specification Guides

Steelcase offers a comprehensive portfolio of furniture and solutions. For the full offering of products, refer to the individual product specification guides. These can be accessed at the www.steelcase.com web site or at village.steelcase.com.

Computer Tools

Electronic Catalog

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools-Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project Symbols libraries, as well as 20-20 CAP Studio.

Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

Digital Publications

You can access these digital publications at www.steelcase.com or village.steelcase.com.

Support

Steelcase Capabilities

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For ordering or product assistance,

please call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939 or visit our Web site: www.steelcase.com.

Additional Resources

Statement of Line



Understanding
► Page 10
Specifying
► Page 26



Understanding
► Page 10
Specifying
► Page 30

Height-Adjustable Desks

	46"W	58"W	70"W	
23"D or 24"D	•	•	•	
29"D or 30"D	•	•	•	

Tip: Widths are parametric to 1/16" from 46"-72".

Height [.]	-Adjustat	ole Baso	35

	46"W	58"W	70"W	
23"D or 24"D	•	•	•	
29"D or 30"D	•	•	•	

Tip: Widths are parametric to 1/16" from 46"-72".



Understanding
▶Page 14
Specifying
▶Page 32




Understanding
►Page 14
Specifying
►Page 34

Work Tables—Seated Height

			•	
	46"W	58"W	70"W	
23"D	•	•	•	
29"D	•	•	•	

Work Tables—Standing Height

	46"W	58"W	70"W
23"D	•	•	•
29"D	•	•	•



Understanding
▶Page 14
Specifying

► Page 36



Understanding
▶Page 14
Specifying
▶Page 38

Work Table—Bases Only

	46"W	58"W	70"W
23"D	•	•	•
29"D	•	•	•

Slim Table

58"W



Understanding
►Page 14
Specifying
►Page 39




Understanding
►Page 16
Specifying
►Page 40

Slim Table—Base Only, Standing Height

	58"W
18"D	•

Curved Screens				
	46"W	58"W	70"W	
10"D			•	



Understanding
Page 17
Specifying
Page 41



Understanding

▶Page 17

Specifying
▶Page 41

Rectangle Freestanding Screen

	47"H	71"H	
35 ¹ / ₂ "D	•	•	



47"H 471/2"D •



Understanding
Page 18
Specifying
Page 42

Acoustic Boundary

	79"H	116 ⁷ /8"H
58 ³ /8"W	•	

Statement of Line, continued




Understanding
►Page 19
Specifying
►Page 44

Understanding
►Page 19
Specifying
►Page 44


Team Cart

41³/s"H 46"W •





Understanding
►Page 19
Specifying
►Page 44




Understanding
►Page 20
Specifying
►Page 46

Board Cart Package

41³/s"H
46"W •



47"H 71"H 35¹/₂"W •



Understanding
►Page 20
Specifying
►Page 46



Understanding
Page 20
Specifying
Page 46

Understanding

►Page 20 Specifying

Page 47

Markerboard Package

47"H 71"H 351/2"W ●



38"H

16" Dia.



Understanding
►Page 20
Specifying
►Page 47

Wall Rails Package

Tip: Widths are parametric to 1/16" from 48"-96"W.

Wall Rails

Tip: Widths are parametric to 1/16" from 48"-96"W.

Mobile Power



- Understanding
- ► Page 22 Specifying
- ▶ Page 48

Mobile Power Charging Cart



- Understanding
- ► Page 23 Specifying ► Page 49

Accessories



Power Hanger

Understanding ▶Page 24 Specifying

► Page 50



Baskets

Understanding ▶Page 24 Specifying

► Page 50



Understanding ▶Page 24

Specifying

Page 51



Cable Tray for Flex Height-Adjustable Desks

Understanding

Page 24
Specifying
▶Page 51



Cable Catch

Understanding

- ▶Page 25
- Specifying Page 51



Cable Brackets

Understanding ▶Page 25 Specifying
Page 52



Cable Riser

Understanding ▶Page 25 Specifying
Page 52




Brakes for Flex Height-Adjustable Desks

Understanding

- Specifying

▶Page 10


Height-Adjustable Desks and Bases



Product Details

High-Pressure Laminate Desks

Edge profile is available in 3 mm edge profile.



PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and woodgrain finishes.

Edge profile finishes are specified separately from laminate color.

Radius corners are standard and have a 5" radius on all four sides with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

Wood Veneer Desks

Edge profile is wood veneer with a square (3 mm) radius.

Plywood Desks

Plywood desk's edge profile is exposed plywood with a square (3 mm) radius.

Simple touch control-

ler is available as an option and easily adjusts height of desk, at a rate of 11/2" per second, by lifting or pressing down on the controller. Tip: Available with an antimicrobial option.

Active touch control-

ler is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders. Tip: Mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.

Obstruction sensing technology is standard with all Flex desks. The worksurface will backtrack when it makes contact with an object.

The overall depth of the worksurface is 23"D, 24"D, 29"D, or 30"D.

Desk overhang for CPU holder or layering of low storage and pedestals is available as an option. The overhang is 9" and available on 58"W or larger desks. Desk widths 70"W or larger allow for single or dual overhang.



Extended height Flex desks adjust 223/5"H to 487/10"H in any increment. Basic height-adjustable base adjusts from 273/5"H-469/10"H in any increment.

Wiring and Cabling

Low surge electric motor with quiet operation adjusts at 11/2" per second. Motor is 110V and includes a 10' power cord. Motor has 0.1W standby power.

Chicago requires that desks shipping into Illinois ship with a 9' power cord.

Flex desks and bases are listed by ETL.



Cable travs are available as an option or can be ordered separately. 46"W-5715/16"W desks use the 28" cable tray. 58"W-72"W desks use the 48"W cable trav.

Integrated power is

optional and is located in the understructure of a desk. Integrated power consolidates technology to provide one cord out of the desk for convenience to the user. Two versions are available: underworksurface only and underworksurface plus worksurface clamp on convenience power. Worksurface power has two power outlet options, either dual USB-A or USB-C. Desks 5715/16"W and under receive three power outlets in the understructure and desks 58"W and above receive five power outlets.

Integrated power is standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.

Over-current power protec-

tion is standard on the inte-

grated power option. If the


over-current protection trips,

reset by pushing the button located on the face of the

understructure.

Integrated power is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile

plug for use with one-door and two-door low-profile connectors.



Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



Cable brackets, ordered separately, support horizontal cable management below the worksurface.

▶ Specifying, page 52



Inside dimensions of cable brackets are 6"D x 21/4"W x 1/18"H.

Surface Materials

High-Pressure Laminate Desk

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option) A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

3 mm edge profile

Plastic

Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Plywood Desk

· 3862 OP Baltic Birch boowyla

Square 3 mm edge profile

- Wood veneer to match desk
- Plywood to match desk

Height-adjustable base

4799 Platinum Metallic 7207 Black 7243 Seagull

• 7360 Merle

Foot

Paint

Rollers

6053 Seagull 6205 Black Platinum Solid 6249

 6527 Merle

Brake

Merle

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

Tip: Braided cord color is defaulted to 9007 Sterling.

Finish	Pantone Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

^{*}Default finish on integrated power.

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

Universal boundary

screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

On extended height desks, any storage

higher than 19" will impede the height range of the desk. On basic height desks, any storage higher than 237/10" will impede the height range of the desk. Tip: Do not place storage underneath controller.

When mounting CPU

holders, specify the overhang option. Tip: CPU holders that require less than 12"D clearance may be mounted inboard of legs.

All assemblies meet or exceed ANSI/BIFMA standards.

WARNING

Read base only warranty limitations.

Keyboard assemblies

are not allowed for use on height-adjustable desks. They do not meet minimum safety requirements.

Installation

Desks ship with pre-drilled holes for mounting bases.

Height-adjustable base requires attachment to the worksurface.

Base supports a maximum distributed weight capacity of 360 pounds.

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options.

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Worksurface Weight				
			·Options	Accessory
	Worksurface	· Understructure	Integrated	Curved
Shape	Weight	Weight	Power Weight	Screen*



			23"D	24"D			
Rectangular	46"	23" or 24"	27 lb	29 lb	7.1 lb	5.0 lb	1.9 lb
	58"	23" or 24"	35 lb	36 lb	9.4 lb	5.0 lb	3.7 lb
	70"	23" or 24"	42 lb	43 lb	11.7 lb	5.0 lb	5.5 lb
			29"D	30"D			
	46"	29" or 30"	34 lb	36 lb	7.1 lb	5.0 lb	1.9 lb
	58"	29" or 30"	43 lb	45 lb	9.4 lb	5.0 lb	3.7 lb
	70"	29" or 30"	52 lb	54 lb	11.7 lb	5.0 lb	5.5 lb

*For detailed curved screen information, see page 16.

Work Tables and Slim Tables

Steelcase Flex work

tables are a family of standing and seated height tables that span a wide array of team activities; from an individual desk for focus work, to collaborative work-surfaces for the team, and in-between spaces.

Specifying, pages 32–39

Pegs are standard on all four legs and provide a convenient place to hang a backpack,

cable catch, power hanger, or

accessory cup.

Wheel housing finish
matches the wheel/glide finish selected.

Cable catch, optional, attaches to the pegs to assist cord and cable routing.


Radius corners are standard on the top and have 5" radius on all four corners with a continuous user edge.

Legs come standard with four glides on standing and seated height tables. Mobile two wheels and two glides is available as an option. Slim tables are only available with four glides.

Legs are 2" diameter.


Wheels provide intentional user mobility.

Glides provide 1" of leveling and are used for installation on uneven floors.



Product Details

High-Pressure Laminate Worksurface



Edge profile is available in 3 mm edge profile.

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and woodgrain finishes

Edge profile finishes are specified separately from laminate color.

Radius corners are standard and have a 5" radius on all four sides with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

Wood Veneer Worksurface

Footrest on standing

change of posture and brings

height table supports

comfort for sitting all day.

Edge profile is wood veneer with a square (3 mm) radius.

Plywood Worksurface

Edge profile is exposed plywood with a square (3 mm) radius.

Cable catch joined between two tables acts as a simple trough cable management.

Cable catch is felted PET and will stretch or conform, dependent on the weight of the cords stored. Do not place items within that restrict airflow to electrical components.

Frame, pegs, and footrest can be specified in different colors.

Base only style num-

bers are available for customers who want to provide their own tops. Tops for work tables can be sized with no more than 8" overhang on all sides and be no more than 60 pounds. Tops for slim tables can be sized with no more than 6" overhang on all sides and be no more than 30 pounds. Tops need to be a minimum of 1" thick to use the provided screws.

Slim table is sized to cap the ends of two 29"D work tables.

Surface Materials

Тор

- Laminate
- · Wood veneer
- Plywood
- Customiz stain (option)
- · Full-fill finish (option)

3 mm edge profile

- Plastic (if laminate top is selected)
- Square wood veneer to match table (if wood top is selected)
- Square plywood edge to match table (if plywood is selected)

Frame

Paint

Footrest

Paint

Pegs

Paint


Wheels, glides, and housing

- 6527 Merle with Merle tread
- 6053 Seagull with sterling dark solid tread

Cable catch

- P630 Medium Heather Grey
- P631 Dark Heather Grey

Curved Screens



Actual Dimensions					
Desk width	46", 58", or 70"				
Height	18"				
Weight	1.9 lb, 3.7 lb, 5.5 lb				
Depth	1/2"				

Surface Materials

Screen

Fabric

Brackets

• 6527 Merle

Application Topics

Curved screens are sized to work with modular size desks. Mounting a pair of screens on a parametric sized desk will create a gap between screens.

Tip: It is recommended that CET SmartTools be used to evaluate the gap on the desk.

Curved screen is mounted with a 5%" cord

drop.

Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Privacy configuration

provides 11½" of screen above the worksurface and 5½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. Screens are meant to be handled by the user. Choose fabrics colors that will wear well over time.

Modesty configuration

provides 3½" of screen above the worksurface and 13½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen.

When ordering a single screen, selecting the correct hand is important. Handedness is assigned

Handedness is assigned from the user position when the curved screen is mounted in privacy mode.

Single curved screens


mounted to a modular size desk will cover half the width of the desk. If more coverage is desired, order the next size larger of screens. Tip: It is recommended that CET SmartTools be used to evaluate the placement of the screen on the desk.


Freestanding Screens

Freestanding screens

offer infinite possibilities for space division, personal privacy, and keeping information visible.

Specifying, page 41





Actual Dimensions · Feature · Overall Depth Width Height Rectangle 15/32 351/2" 47" or 71" screen Angled 15/32" 471/2" 47" screen

Product Details

Freestanding screens are lightweight for ease of use in both portrait and land-scape modes. 47"H screens weigh under 8 pounds and 71"H screens weigh under 10 pounds.

Rectangle freestanding screens are the same size as the markerboards and can be displayed in the same locations: board cart, team cart, stand, and wall rail

Magnet edge allows for 360° of attachment to other screens. Straight line, T, or X applications are possible.

Fabric is applied in a warp vertical direction. Due to the size of the screens, fabric is unable to be applied in a warp horizontal direction.

Screens are meant to be handled by the user. Choose fabrics colors that will wear well over time.

Color scheme can have contrasting color as long as it is within the same fabric family. (For example, 5H16 Indigo can be specified for Surface 1 and 5H19 Cumulus can be specified for Surface 2; both are Billiard Multi-Use by Designtex.)

Surface Materials

Screen

Fabric

Magnet edge and glide


· 6527 Merle

Acoustic Boundary

Steelcase Flex acoustic boundary improves acoustic performance and

creates flexible space division.


▶ Specifying, page 42



supported markerboards

and screens.

Product Details



Aligning of boundary units to reduce gaps where sound can travel allows for optimal acoustic performance.

Short boundary fits through a standard door opening, allowing for ease of movement throughout an office environment.



Avoid pendant lighting when moving acoustic boundaries through office environments. Top of boundary must be two feet lower than ceiling height to allow clearance for fire suppression systems.



No clip or single sided clip option is available if a clean aesthetic is desired.

Due to recycled content of PET, there may be slight color variation between skins.

Acoustic boundaries perform to an NRC rating of 0.75.

Surface Materials

Outer skin

- P631 Dark Heather Grey PET
- P636 Light Heather Grey PET

Board clips and casters

- 6053 Seagull
- 6527 Merle

Actual Dimensions

space.

Feature	Overal	II	
:	; Depth	Width	Height
Short	223/4"	583/8"	79"
Tall	223/4"	583/8"	1167/8"

Carts

The Flex carts consist of a team cart and a board cart. The team cart provides storage for team needs. The board cart holds up to eight markerboards and allows teams to create, move, and share information.

►Specifying, page 44

pounds.

Board cart holds eight

Clips are standard and lock markerboards and screens

in place in portrait mode or

support in landscape mode.

Carts are standard with two wheels and two locking casters for ease of mobility.

Actual Dimensions

Depth	20"
Width	46"
Height	413/8"

markerboards and/or

screens internal and two

markerboards/screens

displayed.

Product Details

Shelves are specifiable in a contrasting color from the frame.

Accessory baskets,


Hooks are standard and

hangers, or accessory cups.

hold backpacks, power

Hooks can hold up to 25

ordered separately, sit on the team cart shelves to provide storage for team needs.



Board cart package

contains a cart, eight 71"H markerboards, and an accessory cup.

Markerboards or freestanding screens can be positioned in a portrait or landscape orientation on

Surface Materials

Frame

the carts.

· Paint

Shelves

Paint

Wheels and casters

- 6053 Seagull with sterling dark solid tread
- 6527 Merle with Merle tread

Board clips

- 6053 Seagull
- 6527 Merle

Board organizer

• 6527 Merle

Accessory cup

- P635 Heather Navy exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Markerboard Solutions

Steelcase Flex markerboard solutions

are lightweight and mobile for creating, sharing, and moving your work.

Specifying, page 46

Wall rails offer additional display options for markerboards and screens and can activate otherwise blank walls.

Markerboards are lightweight and easily portable bringing information wherever it is needed.

Stand provides freestanding space division with boards and also serves as a podium for active collaboration and quick meet-ups.

Pegs are standard on the stand and provide a convenient place to hang a backpack, power hanger, or accessory cup.

Actual Dimensions · Feature · Overall Depth Width Height Stand 16" Dia. N.A. 38" 47" or 71" Markerboard 1/2" 351/2" Wall rail 48"-96" N.A.

Product Details

Stand is standard with a plywood top and two slots. Slots support markerboards and screens to create a freestanding display and space division.

Markerboards are double sided and available in two sizes: 47"H and 71"H

Markerboards have a plywood edge for increased durability.

Markerboards are lightweight for ease of use in both portrait and landscape modes. 47"H markerboards weigh 8 pounds and 71"H markerboards weigh approximately 10 pounds.

Radius corners have a 31/2" radius.

Wall rails come in a top and bottom rail set.

Wall rails are double tracked to provide density of information display. Tracks are lined with low friction tape for ease of sliding markerboards and screens.

Wall rails can be installed for either portrait or landscape positioning of markerboards and screens.

Wall rails can be field cut or are available in factory cut sizes from 48"W to 96"W with 1/16" increments.

Wall rails can be joined together with included pins for sizes longer than 96"W.

Wall rails mount directly to structural wall.

Wall rail tracks are sized for 1/2" or thinner boards. Wall rail is not intended for glass.

Wall rail package contains a top and bottom set of wall rails and four 71"H markerboards.

When applying markerboards or screens to wall rails, consult with your local officials for code compliance details.

Surface Materials

- Stand base
 6053 Seagull
 6527 Merle

Stand top
• 3862 OP Baltic Birch Plywood


- Wall rail
 4799 Platinum Metallic
- 7360 Merle

- Accessory cups
 P635 Heather Navy
 exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Mobile Power

Mobile power is a sleek, smart mobile power solution that gives teams and individuals the freedom to work anywhere they want.

► Specifying, page 48



Actual Dimensions Mobile power unit Mobile power charging tray Depth N.A. 1" Width 4" 104/5" Length 112/5" 161/10"

Product Details

Mobile power units

have a capacity of 218-watt hours each and can provide up to 117-watt of power simultaneously to up to four devices.

Mobile power charging tray can be specified as standalone freestanding tray, with a bumper on the outside with rubber feet, or without the bumper so it can be integrated into the Steelcase Flex mobile power-charging cart.

Mobile power charging tray ships with a freestanding 200-watt power supply. The power supply comes with a 84/s¹ cord when specified as freestanding or a 62/s¹ cord when specified without the bumper.

Surface Materials

Flex mobile power kit (tray and power units always match)

• 6000 Black


easy portability.

· 6009 Arctic White

Mobile Power Charging Cart

Mobile power charging cart allows for convenient charging for up to 10 mobile power units with one cord to connect to an outlet.

► Specifying, page 49



Two charging shelves always ship with cutout and railing to accommodate two

mobile power charging trays. Mobile power ordered separately, see page 48.

Product Details

Top two shelves are specifiable in either black or white and should be selected based on mobile power color that will be purchased.

Bottom shelf color will always match cart frame.

Mobile power charging cart does not accommodate clips or hooks for hanging accessories or markerboards.

Mobile power charging cart is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug.

Surface Materials

Frame and bottom shelf

Paint

Top two shelves

- 7204 Black
- 7241 Arctic White

Wheels and casters

- 6053 Seagull with sterling dark solid tread
- · 6527 Merle with Merle tread


Actual Dimensions Depth 13" Width 32"

413/8" Height

Accessories

Flex accessories can be used across the collection to provide functionality and personalization.

► Specifying, pages 50



Baskets and cups are made of formed felted PET and available in two color combinations: navy or grey.

Baskets and cups are sold in packages of four.

Power hangers are available in two configurations: four power and three power with USB.

Power hangers hang from the pegs on work tables.

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

Finish	Pantone Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

Tip: Braided cord color is defaulted to cover finish but can be changed if desired.

Product Details

Power hangers are standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.

Power hangers are available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.

Power hangers are weighted and have a rubberized back to allow them to sit firmly on the worksurface.

Power cords should not be routed in walkways or where subject to damage.

Over-current protection is standard on power hangers. The reset button is located on the side of the power hanger. If the over-current protection trips, reset by pushing the button back into place.


Baskets and cups are cleanable with a damp cloth.



Cable trays are available as an option or can be ordered separately. 46"W–57¹⁵/16"W desks use the 28"W cable tray. 58"W–72"W desks use the 48"W cable tray.



Cable catch, optional, attaches to the pegs to assist cord and cable routing.



Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



Cable brackets, ordered separately, support horizontal cable management below the worksurface.

► Specifying, page 52



Inside dimensions of cable brackets are 6"D x 21/4"W x 1/18"H.

Surface Materials

Power hangers

- 4AY2 Chili
- 4AZ5 Marlin4BQ7 Fuchsia
- 4CZ8 Light Peacock
- 7243 Seagull
- 7360 Merle

Baskets

- P635 Heather Navy exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Accessory cups

- P635 Heather Navy exterior with P630 Medium
- Heather Grey interior
 P636 Light Heather Grey
 exterior with P631 Dark
 Heather Grey interior

Cable tray

• P631 Dark Heather Grey

Cable bracket

• 6527 Merle

Cable riser

• 7360 Merle

Cable catch

- P630 Medium Heather Grey
- P631 Dark Heather Grey

Height-Adjustable Desks



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: Antimicrobial can be specifed only when specifying simple touch controller.

Standard Includes

- · Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge, wood group 1 veneer with matching square 3 mm edge, or plywood with matching square 3 mm edge
- · Electric height-adjustable sit-to-stand base: paint price aroup 1
- Active touch controller
- · Foot: paint price group 1
- · Roller: plastic
- Modular widths: 46", 58", or 70"
- · Attachment hardware
- · No overhang on worksurface
- · Power cord: 10' with standard plug

Required to Specify

- 1 Style number
- 2 Antimicrobial or non-antimicrobial surface, if simple touch controller selected (see below under Required Selections)
- 3 Desk depth
- 4 Desk width
- 5 High-Pressure Laminate, wood, or plywood color for worksurface
- 6 Plastic color number for 3 mm plastic edge on laminate worksurface, if selected
- 7 Paint color number for base
- 8 Paint color number for foot
- 9 Plastic color number for rollers
- 10 Options, if selected (see below)
- ► See Surface Materials, page 54.

Required to Specify

Antimicrobial Surface

Product details, page 10

U.S. Price **Required Selections**

- Simple touch controller · Non-antimicrobial surface
- · Antimicrobial surface

No cost No cost

Specify with non-antimicrobial surface.

Specify with antimicrobial surface.

Surface
Materials

U.S. Price Options High-Pressure Laminate desks

- · Laminate price group 2 for 46"W-54"W desks · Laminate price group 2
- for 541/16"W-72"W desks · Open Line laminate
- +\$ 24 +\$ 74 plus cost
- **Required to Specify** Specify laminate color number.
- Specify laminate color number.
- ▶ See Surface Materials Reference Manual. of laminate
- **Wood veneer desks** Wood group 2 +\$ 74 · Wood group 3 +\$260
- · Customiz stain No cost · Full-fill finish on wood group 1 +\$ 74
- Specify wood color number. Specify wood color number. Specify with Customiz stain.
- See Surface Materials Reference Manual. Specify full-fill finish color number.

· Paint price group 2 Foot

Base

· Paint price group 2 · Paint price group 3

· Lux Coatings

USB-A

+\$ 15 +\$ 15

+\$ 30

- Specify paint color number.
- Specify paint color number. Specify paint color number. Specify Lux Coatings color number.

- **Desk Type** · Parametric width desk **Overhang**
- +\$ 30 No cost
- See Surface Materials, page 54. Specify with parametric desk type.

Specify with desk overhang, left.

Specify with desk overhang, right.

Specify with desk overhang, left and right.

· Desk overhang, left No cost · Desk overhang, right No cost · Desk overhang, left and right No cost

available on 58"W or larger

Integrated Power

Controller

Power configuration for 46"W-5715/16"W desks No cost

· No under worksurface power Under worksurface power only

clamp with two outlets and

· Simple touch controller

· Active touch controller

+\$350

No cost

+\$ 52

- Specify with no under worksurface power. Specify with under worksurface power.
- Under worksurface power and clamp with two outlets and dual • Under worksurface power and +\$825
- Specify with under worksurface power

and clamp with two outlets and dual Specify with under worksurface power and clamp with two outlets and USB-C.

Specify with simple touch controller.

Specify with active touch controller.

NEMA 5-15 3-prong plug.

Tip: The 9" overhang is

Tip: Desks 70"W or larger

allow for single or dual

Tip: Standard plug is a

desks.

overhang.

Tip: Active touch controller is a defaulted selection. Upcharge is not reflected in the base price.

Options, continued on next page

▶Options, continued from previous page

Specification Information

Dimensions

Style

	Options	U.S. Price	Required to Specify			
Integrated	Power configuration for 5	B"W-72"W desks				
Power, continued	No under worksurface power	No cost	Specify with no under worksurface power.			
	 Under worksurface power only 	+\$375	Specify with under worksurface power.			
	 Under worksurface power and clamp with two outlets and dual USB-A 	+\$615	Specify with under worksurface power and clamp with two outlets and dual USB-A.			
	 Under worksurface power and clamp with two outlets and USB-C 	+\$850	Specify with under worksurface power and clamp with two outlets and USB-C.			
	Power cord type					
	 10' standard cord 	No cost	Specify with 10' standard cord.			
	10' braided cord	+\$ 53	Specify with 10' braided cord.			
	20' standard cord	+\$ 53	Specify with 20' standard cord.			
	20' braided cord	+\$160	Specify with 20' braided cord.			
	Curly cord	+\$235	Specify with curly cord.			
	Power plug type					
	Thread low profile	+\$ 29	Specify with thread low profile.			
	PVC					
	• PVC free	+\$ 25	Specify with non-PVC.			
Cable Tray	No cable tray	No cost	Specify with no cable tray.			
	 Cable tray for 23"/24"D 	+\$135	Specify with cable tray.			
	 Cable tray for 29"/30"D 	+\$150	Specify with cable tray.			
Brakes	No brakes	No cost	Specify with no brakes.			
	With brakes	+\$ 50	Specify with brakes.			
Related	Curved screens		▶ Page 40			
Products	 Cable tray 		▶ Page 51			
	 Cable brackets 		Page 52			

Number	: <u>N</u>	Desk Type Modular	46"W	; N.A.	58"W 541/16"W– 60"W	: N.A. : 60 ¹ / ₁₆ "W– : 66"W	70"W 661/16"W– 72"W
		Parametric	46"W– 48"W	: 48 ¹ / ₁₆ "W– : 54"W			
High-Pres	sure Laminat	e Desks—Bas	sic Heigh	t			
FLXSRQ	23" or 24"		\$1713	\$1768	\$1822	\$1882	\$1940
	29" or 30"		\$1928	\$1991	\$2052	\$2115	\$2182
Wood Grou	up 1 Desks—	Basic Height	·	·	•		
FLXSRQ	23" or 24"		\$2307	\$2372	\$2436	\$2506	\$2572
	29" or 30"		\$2548	\$2620	\$2690	\$2765	\$2839
Plywood D	esks—Basic	Height					
FLXSRQ	23" or 24"		\$2395	\$2460	\$2524	\$3982	\$4040
	29" or 30"		\$2610	\$2683	\$2754	\$4215	\$4282
•							

· U.S. Base Prices





▶ Specification Information, continued from previous page

29" or 30"

Style	· Dimensions		· U.S. Base Prices					
Number	D	Desk Type Modular	46"W	: N.A.	: 58"W	; N.A.	: 70"W	
	:	Parametric	: 46"W- : 48"W	48 ¹ / ₁₆ "W– 54"W	54 ¹ / ₁₆ "W– 60"W	: 60 ¹ / ₁₆ "W– : 66"W	: 66 ¹ / ₁₆ "W- : 72"W	
High-Pres	sure Laminate	Desks—Ex	tended Ho	eight				
	23" or 24"		\$1863	\$1922	\$1981	\$2046	\$2108	
	29" or 30"		\$2097	\$2163	\$2230	\$2299	\$2371	
Wood Grou	ıp 1 Desks—Ex	xtended Hei	ght		•	•	•	
FLXERQ	23" or 24"		\$2457	\$2526	\$2595	\$2670	\$2740	
	29" or 30"		\$2717	\$2792	\$2868	\$2949	\$3028	
:	:		:	:	:	:	:	
Plywood D	esks—Extend	ed Height						
FLXERQ	23" or 24"		\$2545	\$2614	\$2683	\$4146	\$4208	

\$2779

\$2855

\$2932

\$4399


\$4471



Height-Adjustable Bases

Product details,

page 10



Tip: Height-adjustable bases shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: Antimicrobial can be specifed only when specifying simple touch controller.

Tip: The 9" overhang is available on 58"W or larger desks.

Tip: Desks 70"W or larger allow for single or dual overhang.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Tip: Active touch controller is a defaulted selection. Upcharge is not reflected in the base price.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Standard Includes

- · Electric height-adjustable sit-to-stand base: paint price group 1
- · Foot: paint price group 1
- Roller: plastic
- Active touch controller
- · Modular widths: 46", 58", or 70"
- Attachment hardware
- · No overhang for worksurface
- · Power cord: 10' with standard plug

- **Required to Specify**
- 1 Style number 2 Antimicrobial or non-antimicrobial surface, if simple touch controller selected (see below under Required Selections)
- 3 Desk depth
- 4 Desk width
- 5 Paint color number for base
- 6 Paint color number for foot
- 7 Plastic color number for rollers
- 8 Options, if selected (see below)
- See Surface Materials, page 54.

	Required Selections	U.S. Price	Required to Specify
Antimicrobial	Simple touch controller Non-antimicrobial surface Antimicrobial surface	No cost	Specify with non-antimicrobial surface.
Surface		No cost	Specify with antimicrobial surface.

	Options	U.S. Price	nequired to Specify
Surface Materials	Base Paint price group 2	+\$ 15	Specify paint color number.
Materials	Faint price group 2	+\$ 13	Specify paint color number.
	Foot		
	 Paint price group 2 	+\$ 15	Specify paint color number.
	 Paint price group 3 	+\$ 30	Specify paint color number.
	 Lux Coatings 	+\$ 30	Specify Lux Coatings color number.
			►See Surface Materials, page 54.
Desk Type	Parametric width desk	No cost	Specify with parametric desk type.
Overhang	Desk overhang, left	No cost	Specify with desk overhang, left.
	 Desk overhang, right 	No cost	Specify with desk overhang, right.
	 Desk overhang, left and right 	No cost	Specify with desk overhang, left and right.
Integrated	Power configuration for 4	6"W-57 ¹⁵ /16"W des	ks
Power	No under worksurface power	No cost	Specify with no under worksurface power.
	 Under worksurface power only 	+\$350	Specify with under worksurface power.
	 Under worksurface power and 	+\$590	Specify with under worksurface power
	clamp with two outlets and dual		and clamp with two outlets and dual
	USB-A		USB-A.
	 Under worksurface power and 	+\$825	Specify with under worksurface power
	clamp with two outlets and USB-C		and clamp with two outlets and USB-C.
	Power configuration for 5	8"W-72"W desks	
	No under worksurface power	No cost	Specify with no under worksurface power.
	 Under worksurface power only 	+\$375	Specify with under worksurface power.
	 Under worksurface power and 	+\$615	Specify with under worksurface power
	clamp with two outlets and dual		and clamp with two outlets and dual
	USB-A		USB-A.
	 Under worksurface power and 	+\$850	Specify with under worksurface power
	clamp with two outlets and USB-C		and clamp with two outlets and USB-C.
Controller	Simple touch controller	No cost	Specify with simple touch controller.
	 Active touch controller 	+\$ 52	Specify with active touch controller.

▶Options, continued on next page

▶Options, continued from previous page

Specification Information

	Options	U.S. Price	Required to Specify	
Integrated	Power cord type			
Power,	10' standard cord	No cost	Specify with 10' standard cord.	
continued	 10' braided cord 	+\$ 53	Specify with 10' braided cord.	
	 20' standard cord 	+\$ 53	Specify with 20' standard cord.	
	 20' braided cord 	+\$160	Specify with 20' braided cord.	
	 Curly cord 	+\$235	Specify with curly cord.	
	Power plug type			
	• Thread low profile +\$ 29		Specify with thread low profile.	
	PVC			
	• PVC free	+\$ 25	Specify with non-PVC.	
Cable Tray	No cable tray	No cost	Specify with no cable tray.	
	 Cable tray for 23"/24"D 	+\$135	Specify with cable tray.	
	 Cable tray for 29"/30"D 	+\$150	Specify with cable tray.	
Brakes	No brakes	No cost	Specify with no brakes.	
	 With brakes 	+\$ 50	Specify with brakes.	
Related	Curved screens		▶Page 40	
Products	 Cable tray 		▶ Page 51	
	 Cable brackets 		▶ Page 52	

· Style Number	Dimensions D	Base Type	· U.S. Base Prices				
		Modular	46"W 46"W- 48"W	N.A. : 48 ¹ / ₁₆ "W– : 54"W	58"W 54 ¹ / ₁₆ "W– 60"W	: N.A. : 60 ¹ / ₁₆ "W– : 66"W	: 70"W
	:	Parametric					: 66¹/16"W– : 72"W
Rectangula	ar Bases—Bas	sic Height					
FLXSRQB	23" or 24"		\$1619	\$1673	\$1726	\$1786	\$1844
:	29" or 30"		\$1829	\$1890 :	\$1910 :	\$1944 :	\$1963 :
Rectangula	ar Bases—Ext	ended Heigl	ht				
FLXERQB	23" or 24"		\$1760	\$1818	\$1875	\$1941	\$2005
	29" or 30"		\$1989	\$2055	\$2077	\$2113	\$2133



Work Tables—Seated Height



Standard Includes

Required to Specify

Need help?
Product details,
page 14

- Top surface: High-Pressure Laminate price group 1 with 3 mm plastic edge, wood group 1 veneer with matching 3 mm square edge, or plywood with matching square 3 mm edge
- Frame: paint price group 1
- Pegs: paint price group 1, paint price group 2, paint price group 3, or Lux Coatings
- 1" adjustable glides
- Wheels or glides: plastic
- · Attachment hardware

- 1 Style number
- 2 Table depth
- 3 Table width
- 4 High-Pressure Laminate, wood, or plywood color for top surface
- 5 Plastic color number for 3 mm plastic edge on laminate worksurface, if selected
- 6 Paint color number for frame
- 7 Paint color number for pegs
- 8 Plastic color number for wheels or glides: 6053 Seagull 6527 Merle
- 9 Options, if selected (see below)
- ► See Surface Materials, page 54.

	Options	U.S. Price	Required to Specify		
Surface	High-Pressure Laminate	top surface			
Materials	 Laminate price group 2 for 46"W tables 	+\$ 18	Specify laminate color number.		
	 Laminate price group 2 for 58"W or 70"W tables 	+\$ 24	Specify laminate color number.		
	Open Line laminate	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual		
	Wood veneer for top surf	ace			
	 Wood group 2 	+\$ 74	Specify wood color number.		
	 Wood group 3 	+\$260	Specify wood color number.		
	 Customiz stain 	No cost	Specify with Customiz stain.		
			► See Surface Materials Reference Manua		
	 Full-fill finish on wood group 1 	+\$ 74	Specify full-fill finish color number.		
	Frame				
	 Paint price group 2 	+\$ 45	Specify paint color number.		
	 Paint price group 3 	+\$ 75	Specify paint color number.		
	 Lux Coatings 	+\$ 75	Specify Lux Coatings color number.		
			► See Surface Materials, page 54.		
Mobility	Static four glides	No cost	Specify with static four glides.		
	 Mobile, two glides and 	See prices at right	Specify with mobile two glides and		
	two wheels		two wheels.		
Cable Catch	No cable catch	No cost	Specify with no cable catch.		
	 Cable catch for 46"W 	+\$135	Specify with cable catch.		
	 Cable catch for 58"W 	+\$150	Specify with cable catch.		
	 Cable catch for 70"W 	+\$165	Specify with cable catch.		
Related	Power hanger		▶Page 50		
Products	Cable catch		▶ Page 51		



Two glides and two wheels



Specificat	ion Informatio	n			
·Style	 Dimensions 	· Options			
Number	D	46"W	· 58"W	· 70"W	Add \$ to
:		:	:	:	Base Price)
:	:	:	:	:	Two glides
:		:	:	:	and two
		:	÷	·	· wheels
		:			:



High-Press	sure Lamina	ate Work Tabl	es—Seate	d Height		
FLXWTL	23"	\$ 918	\$ 956	\$1024	+\$50	
	29"	\$ 997	\$1050	\$1132	+\$50	

Wood Group 1 Work Tables—Seated Height							
FLXWTL	23"	\$1512	\$1570	\$1656	+\$50		
	29"	\$1617	\$1688	\$1789	+\$50		
:	:			:			

Plywood T	ables—Sea	ated Height				
FLXWTL	23"	\$1600	\$1658	\$3124	+\$50	
	29"	\$1679	\$1752	\$3232	+\$50	
		-				

Work Tables—Standing Height

► Need help?

Product details, page 14



Standard Includes

Top surface: High-Pressure Laminate price group 1 with 3 mm plastic edge, wood group 1 veneer with matching 3 mm square edge, or plywood with matching square 3 mm edge

- Frame: paint price group 1
- Footrest: paint price group 1
- Pegs: paint price group 1, paint price group 2, paint price group 3, or Lux Coatings
- 1" adjustable glides
- Wheels or glides : plastic
- · Attachment hardware

Required to Specify

- 1 Style number
- 2 Table depth
- 3 Table width
- 4 High-Pressure Laminate, wood, or plywood color for top surface
- 5 Plastic color number for 3 mm plastic edge on laminate worksurface, if selected
- 6 Paint color number for frame
- 7 Paint color number for footrest
- 8 Paint color number for pegs
- 9 Plastic color number for wheels and glides:6053 Seagull
 - 6053 Seagul 6527 Merle
- 10 Options, if selected (see below)
- ► See Surface Materials, page 54.

	Options	U.S. Price	Required to Specify
Surface	High-Pressure Laminate	top surface	
Materials	 Laminate price group 2 for 46"W tables 	+\$ 18	Specify laminate color number.
	 Laminate price group 2 for 58"W and 70"W tables 	+\$ 24	Specify laminate color number.
	Open Line laminate	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual
	Wood veneer for top surf	ace	
	Wood group 2Wood group 3	+\$ 74 +\$260	Specify wood color number. Specify wood color number.
	Customiz stain	No cost	Specify with Customiz stain. See Surface Materials Reference Manual
	Full-fill finish on wood group 1	+\$ 74	Specify full-fill finish color number.
	Frame • Paint price group 2	+\$ 45	Specify point color number
	Paint price group 2Paint price group 3Lux Coatings	+\$ 45 +\$ 75 +\$ 75	Specify paint color number. Specify paint color number. Specify Lux Coatings color number.
	Lux Coalings	+\$ 75	See Surface Materials, page 54.
	Footrest		
	Paint price group 2Paint price group 3	+\$ 25 +\$ 45	Specify paint color number. Specify paint color number.
	Lux Coatings	+\$ 45	Specify Lux Coatings color number. See Surface Materials, page 54.
Mobility	Static four glidesMobile, two glides and two wheels	No cost See prices at right	Specify with static four glides. Specify with mobile two glides and two wheels.
Cable Catch	No cable catch Oable catch	No cost	Specify with no cable catch.
	Cable catch for 46"WCable catch for 58"W	+\$135 +\$150	Specify with cable catch. Specify with cable catch.
	Cable catch for 70"W	+\$165	Specify with cable catch.
Related Products	Power hanger Cable catch		► Page 50 ► Page 51



Two glides and two wheels

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Style • Dimension Number D	 Dimensions 	· U.S. Base	Prices		 Options
	D	46"W	: 58"W	70"W	(Add \$ to
, -	:		:		Base Price
•					· Two glides
•	:		:	:	and two
			÷	· ·	wheels
•					



High-Pressure Laminate Work Tables—Standing Height

FLXWTH	23"	\$1344	\$1456	\$1597	+\$50		
	29"	\$1453	\$1579	\$1735	+\$50		
					•		

Wood Group 1 Work Tables—Standing Height

Troop aroup 1 from 1 abroad around 11018111								
FLXWTH	23"	\$1938	\$2070	\$2229	+\$50			
	29"	\$2073	\$2217	\$2392	+\$50			

Plywood Tables—Standing Height

i iywoou i	anics—sta	inuning nierynt				
FLXWTH	23"	\$2026	\$2158	\$3697	+\$50	
	29"	\$2135	\$2281	\$3835	+\$50	

Work Table—Bases Only

	Standard Includes	Required to Specify
Need help? Product details, page 14	 Frame: paint price group 1 Footrest: paint price group 1 Pegs: paint price group 1, paint price group 2, paint price group 3, or Lux Coatings 1" adjustable glides Wheels or glides: plastic Attachment hardware 	1 Style number 2 Table depth 3 Table width 4 Paint color number for frame 5 Paint color number for footrest 6 Paint color number for pegs 7 Plastic color number for wheels or glides: 6053 Seagull 6527 Merle 8 Options, if selected (see below) ▶ See Surface Materials, page 54.

	Options	U.S. Price	Required to Specify			
Surface	Frame					
Materials	 Paint price group 2 	+\$ 45	Specify paint color number.			
	Paint price group 3	+\$ 75	Specify paint color number.			
	Lux Coatings	+\$ 75	Specify Lux Coatings color number.			
	Ŭ	•	See Surface Materials, page 54.			
	Footrest for standing height					
	 Paint price group 2 	+\$ 25	Specify paint color number.			
	 Paint price group 3 	+\$ 45	Specify paint color number.			
	 Lux Coatings 	+\$ 45	Specify Lux Coatings color number.			
			See Surface Materials, page 54.			
Mobility	Static four glides	No cost	Specify with static four glides.			
-	 Mobile, two glides and 	See prices below	Specify with mobile two glides and			
	two wheels	and at right	two wheels.			
Cable Catch	No cable catch	No cost	Specify with no cable catch.			
	 Cable catch for 46"W 	+\$135	Specify with cable catch.			
	 Cable catch for 58"W 	+\$150	Specify with cable catch.			
	 Cable catch for 70"W 	+\$165	Specify with cable catch.			
Related	Power hanger		▶Page 50			
Products	 Cable catch 		▶ Page 51			

• Style Number	• Dimensions D	· U.S. Base Prices			· Options
		46"W	: 58"W	: 70"W	(Add \$ to Base Price) Two glides and two wheels
Work Table	e Bases Only—	-Seated H	leight		
FLXWTLB	23"	\$815	\$850	\$ 915	+\$50
	29"	\$887	\$935	\$1012	+\$50

[▶] Specification Information, continued on next page







▶ Specification Information, continued from previous page

Specification Information							
·Style	 Dimensions 	·U.S. Base	Prices		· Options		
Number	D	46"W	· 58"W	· 70"W	(Add \$ to		
	:	:	:	:	Base Price)		
	:	:	:	:	Two glides		
			:		and two		
					wheels		
		:					
		-		-	•		



			Height	ly—Standing	Bases Onl	Work Table
	+\$50	\$1487	\$1350	\$1241	23"	FLXWTHB
	+\$50	\$1615	\$1464	\$1343	29"	
_	,	*****	\$1350	\$1241	23"	



Slim Table



Standard Includes

Need help?
Product details,
page 14

- Top surface: High-Pressure Laminate price group 1 with 3 mm plastic edge, wood group 1 veneer with matching 3 mm square edge, or plywood with matching square 3 mm edge
- Frame: paint price group 1
- Footrest: paint price group 1
- Pegs: paint price group 1, paint price group 2, paint price group 3, or Lux Coatings
- 1" adjustable glides: plastic
- Attachment hardware

Required to Specify

- 1 Style number
- 2 High-Pressure Laminate, wood, or plywood color for top surface
- 3 Plastic color number for profile edge on laminate worksurface, if selected
- 4 Paint color number for frame
- 5 Paint color number for footrest
- 6 Paint color number for pegs
- 7 Plastic color number for glides: 6053 Seagull 6527 Merle
- 8 Options, if selected (see below)
- ► See Surface Materials, page 54.

	Options	U.S. Price	Required to Specify	
Surface	High-Pressure Laminate	top surface		
Materials	 Laminate price group 2 	+\$ 24	Specify laminate color number.	
	Open Line laminate	+\$ 74 plus cost of laminate	See Surface Materials Reference Manual	
	Wood veneer for top surf	ace		
	 Wood group 2 	+\$ 74	Specify wood color number.	
	Wood group 3	+\$260	Specify wood color number.	
	Customiz stain	No cost	Specify with Customiz stain.	
			See Surface Materials Reference Manual	
	 Full-fill finish on wood group 1 	+\$ 74	Specify full-fill finish color number.	
	Frame			
	 Paint price group 2 	+\$ 45	Specify paint color number.	
	 Paint price group 3 	+\$ 75	Specify paint color number.	
	 Lux Coatings 	+\$ 75	Specify Lux Coatings color number.	
			See Surface Materials, page 54.	
	Footrest			
	 Paint price group 2 	+\$ 25	Specify paint color number.	
	 Paint price group 3 	+\$ 45	Specify paint color number.	
	 Lux Coatings 	+\$ 45	Specify Lux Coatings color number.	
			► See Surface Materials, page 54.	
Related	Power hanger		▶ Page 50	
Products	Cable catch		▶ Page 51	

Specification Information

Dimensions		∙Style	∙U.S.
D	W	Number	Base
			Price

High-Pressure Laminate Slim Table—Standing Height

18"	58"	FLXSLIM	\$1403

Wood Group 1 Slim Table—Standing Height

18"	58"	FLXSLIM	\$199
-----	-----	---------	-------

Plywood Slim Table—Standing Height

18" 58" **FLXSLIM** \$2057



Slim Table—Base Only, Standing Height



Standard Includes

Required to Specify

Need help? Product details, page 14

- Frame: paint price group 1
- · Footrest: paint price group 1
- Pegs: paint price group 1, paint price group 2, paint price group 3, or Lux Coatings
- 1" adjustable glidess: plastic
- · Attachment hardware

- 1 Style number
- 2 Paint color number for frame
- 3 Paint color number for footrest4 Paint color number for pegs
- 5 Plastic color number for glides:
- 6053 Seagull 6527 Merle
- 6 Options, if selected (see below)
- ► See Surface Materials, page 54.

	Options	U.S. Price	Required to Specify
Surface	Frame		
Materials	 Paint price group 2 	+\$45	Specify paint color number.
	 Paint price group 3 	+\$75	Specify paint color number.
	 Lux Coatings 	+\$75	Specify Lux Coatings color number.
	-		See Surface Materials, page 54.
	Footrest		
	 Paint price group 2 	+\$25	Specify paint color number.
	 Paint price group 3 	+\$45	Specify paint color number.
	 Lux Coatings 	+\$45	Specify Lux Coatings color number.
	· ·		See Surface Materials, page 54.
Related	Power hanger		▶ Page 50
Products	Cable catch		Page 51

Spe	Specification Information		
	ensions	• Style	·U.S.
D	W	Number	Base
:		:	Price
18"	58"	FLXSLIMB	\$1313



Curved Screens



Tip: Handedness is only needed to specify when ordering single curved screen.

Tip: Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Tip: When choosing contrasting fabrics, outside and inside screen fabric must stay within the same fabric family.

Standard Includes Required to Specify

- Need help?
 Product details,
 page 16
- Curved desk screen: fabric price group A or 1
- Magnet attachment housing: 6527 Merle
- · Attachment hardware

- 1 Style number
- 2 Desk width
- 3 Handedness, if specifying single curved screen (see below under Required Selections)
- 4 Fabric color number for inside screen
- 5 Fabric color number for outside screen
- 6 Options, if selected (see below)
- See Surface Materials, page 54.

	Required Selections	s U.S. Price	Required to Specify				
Handedness	Single curved screen • LH privacy/RH modesty	No cost	Specify with LH privacy/RH modesty.				
	 RH privacy/LH modesty 	No cost	Specify with RH privacy/LH modesty.				
	Options	U.S. Price	Required to Specify				
Surface	Fabric for inside screen	(per screen)					
Materials	 Fabric price group A 	No cost	Specify fabric color number.				
	 Fabric price group 1 	No cost	Specify fabric color number.				
	 Fabric price group 2 	+\$ 18	Specify fabric color number.				
	 Fabric price group 3 	+\$ 47	Specify fabric color number.				
	 Fabric price group 4 	+\$ 60	Specify fabric color number.				
	 Fabric price group 5 	+\$ 73	Specify fabric color number.				
	 Fabric price group 6 	+\$ 85	Specify fabric color number.				
	 Fabric price group 7 	+\$ 98	Specify fabric color number.				
	 Fabric price group 8 	+\$111	Specify fabric color number.				
	 Fabric price group 9 	+\$124	Specify fabric color number.				
	 Fabric price group 10 	+\$136	Specify fabric color number.				
	Customer's Own Material (COM)	+\$ 8	See Surface Materials Reference Manual.				
	Fabric for outside screen (per screen)						
	 Fabric price group A 	No cost	Specify fabric color number.				
	 Fabric price group 1 	No cost	Specify fabric color number.				
	 Fabric price group 2 	+\$ 18	Specify fabric color number.				
	 Fabric price group 3 	+\$ 47	Specify fabric color number.				
	 Fabric price group 4 	+\$ 60	Specify fabric color number.				
	 Fabric price group 5 	+\$ 73	Specify fabric color number.				
	 Fabric price group 6 	+\$ 85	Specify fabric color number.				
	 Fabric price group 7 	+\$ 98	Specify fabric color number.				
	 Fabric price group 8 	+\$111	Specify fabric color number.				
	 Fabric price group 9 	+\$124	Specify fabric color number.				
	Fabric price group 10	+\$136	Specify fabric color number.				
	Customer's Own Material (COM)	+\$ 8	See Surface Materials Reference Manual.				

Dim H	ensions D	ns Style Number		se		
		:	Desk Width			
:		:	: 46"W	: 58"W	: 70"W	
Cur	ved Screen	-Single				
18"	1/2"	FLXCS	\$485	\$ 560	\$ 635	
:		:	:	:	:	
Cur	ved Screen	–Pair				



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Freestanding Screens

Tip: 71"H is only available on the rectangle freestanding screen.

Tip: When choosing contrasting fabrics, surface 1 and surface 2 must stay within the same fabric family.



Fabric Surface 1




Fabric Surface 2

Tip: When choosing contrasting fabrics, the angled screen becomes righthanded on the side of surface 1 and left-handed on the side of surface 2.

Tip: The angeled screen attaches magnetically only on its long side.

Tip: Fabric is applied in a warp vertical direction. Due to the size of the screens, fabric is unable to be applied in a warp horizontal direction.





Standard Includes

Required to Specify

► Need help? Product details, page 17

> Surface **Materials**

- Freestanding screen: fabric price group A or 1
- · Magnetic edge: 6527 Merle

Options

- 1 Style number
- 2 Screen height
- 3 Fabric color number for surface 1
- 4 Fabric color number for surface 2
- 5 Options, if selected (see below)
- See Surface Materials, page 54.

Required to Specify

Specify fabric color number.

Specify fabric color number.

Specify fabric color number. Specify fabric color number.

See Surface Materials Reference Manual.

Fabric surface 1		
Fabric price group A	No cost	Specify fabric color number.
 Fabric price group 1 	No cost	Specify fabric color number.
 Fabric price group 2 	+\$ 18	Specify fabric color number.
 Fabric price group 3 	+\$ 47	Specify fabric color number.
Fabric price group 4	+\$ 60	Specify fabric color number.
 Fabric price group 5 	+\$ 73	Specify fabric color number.
 Fabric price group 6 	+\$ 85	Specify fabric color number.
Fabric price group 7	+\$ 98	Specify fabric color number.
Fabric price group 8	+\$111	Specify fabric color number.
Fabric price group 9	+\$124	Specify fabric color number.
 Fabric price group 10 	+\$136	Specify fabric color number.
Customer's Own Material (COM)	+\$ 8	See Surface Materials Reference Manual.
Fabric surface 2		
 Fabric price group A 	No cost	Specify fabric color number.
Fabric price group 1	No cost	Specify fabric color number.
Fabric price group 2	+\$ 18	Specify fabric color number.
 Fabric price group 3 	+\$ 47	Specify fabric color number.
 Fabric price group 4 	+\$ 60	Specify fabric color number.
 Fabric price group 5 	+\$ 73	Specify fabric color number.
 Fabric price group 6 	+\$ 85	Specify fabric color number.

U.S. Price

Specification Information

Style Dimensions		·U.S. Base	
Number	W	Prices	
		47"H	: 71"H
		•	

• Fabric price group 7

· Fabric price group 8

• Fabric price group 9

(COM)

· Fabric price group 10

Customer's Own Material

Rectangle Freestanding Screen

FLXFSRQ	351/2"	\$725	\$850	

+\$ 98

+\$111

+\$124

+\$136

+\$8

Angled Freestanding Screen

Angiou i rootanang ooroon					
FLXFSAG	471/2"	\$785	N.A.		
-					

Acoustic Boundary



Standard Includes Required to Specify Need help? Product details, · Acoustic boundary: PET 1 Style number · Four casters: plastic 2 Height (see below under Required · Board clips, if selected: plastic, to match casters Selections) page 18 Counterweights 3 PET color number for acoustic boundary: P631 Dark Heather Grey P636 Light Heather Grey Attachment hardware 4 Plastic color number for casters and board clips, if selected 5 Board clips (see below under Required Selections) See Surface Materials, page 54.

	Required Selections	U.S. Price	Required to Specify
Height	• Short: 79"H • Tall: 116 ⁷ / ₈ "H	See price below See price below	Specify with short height. Specify with tall height.
Board Clips	No clips	No cost	Specify with no clips.
_	Clips on one side	+\$25	Specify with clips, single side.
	 Clips on both sides 	+\$50	Specify with clips, dual side.
Related	Accessory cups		▶ Page 51
Products	Markerboards		▶ Page 46

Speci	Tication	n Information		
Dimens	sions W	· Style Number	·U.S. Base Pri	ces
			Short (79"H)	: Tall (116 ⁷ /8"H)
223/4" 5	58 ³ /8"	FLXBDRY	\$3500	\$4775



Carts

Standard Includes Required to Specify Frame: paint price group 1 ► Need help? 1 Style number Product details, · One perforated shelf, if board cart or board cart 2 Paint color number for frame page 19 package is selected: paint price group 1 3 Paint color number for shelves • Three perforated shelves, if team cart is selected: 4 Plastic color number for wheels and paint price group 1 casters: 6053 Seagull Wheels and casters: plastic · Board clips: plastic 6527 Merle · Board organizer: 6527 Merle 5 Plastic color number for board clips: Board cart package, if selected: board cart, eight 71"H markerboards, and accessory cup 6053 Seagull 6527 Merle 6 PET color number for accessory cup, if board cart package selected: P635 Heather Navy P636 Light Heather Grey 7 Options, if selected (see below) ► See Surface Materials, page 54.

	Options	U.S. Price	Required to Specify			
Surface	Frame					
Materials	 Paint price group 2 	+\$35	Specify paint color number.			
	 Paint price group 3 	+\$70	Specify paint color number.			
	Lux Coatings	+\$70	Specify Lux Coatings color number.			
	3	•	► See Surface Materials, page 54.			
	Shelves for team car	t				
	 Paint price group 2 	+\$35	Specify paint color number.			
	 Paint price group 3 	+\$70	Specify paint color number.			
	 Lux Coatings 	+\$70	Specify Lux Coatings color number.			
	-		See Surface Materials, page 54.			
	Shelf for board cart and board cart package					
	 Paint price group 2 	+\$20	Specify paint color number.			
	 Paint price group 3 	+\$40	Specify paint color number.			
	• Lux Coatings +\$40		Specify Lux Coatings color number.			
Related	Flex basket		Page 50			
Products	 Flex cup 		▶ Page 51			

Specification Information							
·Dim	ensions	5	· Style	·U.S.			
D	W	н	Number	Base			
:			:	Price			
:							

Team Cart



▶ Specification Information, continued on next page





▶ Specification Information, continued from previous page

Specification Information						
· Dimensions		s	· Style	·U.S.		
D	W	н	Number	ber Base Price		
:			:	:		



Board Cart

20"	46"	413/8"	FLXCTBD	\$1900



Tip: Board cart package includes a board cart, eight 71"H markerboards, and an accessory cup.

Board Cart Package

20"	46"	413/8"	FLXCTBDPKG	\$6424
:			:	:



Markerboard Solutions

Specification Information

W

Style

Number

·Dimensions

·U.S.

Prices 47"H

Markerboards

	Standard Includes	Required to Specify
► Need help? Product details, page 20	 Markerboard, double sided Markerboard package, if selected: four double-sided markerboards 	1 Style number 2 Markerboard height

Tip: Four markerboards
come in a nackage

Markerboard					
FLXMB	351/2"	\$ 635	\$ 675		
:	:	:	:		

: 71"H

Markerboard Package					
FLXMB4	351/2"	\$2075	\$2225		
•					

Stand



	Standard Includes	Required to Specify
► Need help? Product details, page 20	Stand base: plastic Stand worksurface: 3862 OP Baltic Birch plywood	1 Style number 2 Plastic color number for base: 6053 Seagull 6527 Merle



Wall Rails

Standard Includes Required to Specify · Wall-mounted rails, upper, and lower rail: paint price 1 Style number

- ► Need help? Product details, page 20
- · End caps: plastic default to match paint color
- Parametric widths: 48"-96" with 1/16" increments Wall rail package, if selected: upper and lower wall rail and four 71"H markerboards
- · Pins for connecting two wall rails together

- 2 Rail width 3 Paint color number for wall rails
- 4 Options, if selected (see below)
- ► See Surface Materials, page 54.

	Options	U.S. Price	Required to Specify
Surface Materials	 Paint price group 2 	+\$60	Specify paint color number.

Specification Information · U.S. Style Dimensions Number Base **Price**

Tip: Wall rails can be joined together with included pins for sizes longer than 96"W.

Wall Rails

FLXWR	48"-96"	\$ 725

Tip: The wall rail package contains one upper and one lower wall rail and four 71"H markerboards.

Wall Rail Package

FLXWRPKG	48"-96"	\$2950



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Mobile Power

Mobile power will be available Winter 2019/2020.



Tip: Mobile power and tray ship separately via FedEx ground due to lithium ion battery regulations.

Standard Includes Required to Specify

- ► Need help? Product details, page 22
- Five mobile power unitsOne mobile power charging tray
- One power supply with standard NEMA plug
- Battery and tray: 6000 Black or 6009 Arctic White
- 1 Style number 2 Plastic color for battery and tray
- 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Tray	 Freestanding tray with 8⁴/₅" cord 	No cost	Specify with bumper.
	 Tray with cart integration with 6²/₅" cord 	No cost	Specify with no bumper.

Specification Information					
Style Number	· U.S. Price				
FLXMBATPKG	\$4900				
:	· · · · · · · · · · · · · · · · · · ·				



Mobile Power Charging Cart

Mobile power charging cart will be available Winter 2019/2020.



Standard Includes

Required to Specify

- ► Need help? Product details, page 23
- Frame: paint price group 1 · One perforated bottom shelf: paint matches frame
- Two shelves for mobile power charging tray integration: 7204 Black or 7241 Arctic White

 Casters: 6053 Seagull or 6527 Merle plastic
- · Power routing clips and cable management tray for underside of cart
- Power tap for plugging in mobile power charging tray power supplies
- 9' cord

- 1 Style number
- 2 Paint color number for frame and bottom shelf
- 3 Paint color number for top charging shelves
- 4 Plastic color number for casters
- 5 Options, if selected (see below)
- ► See Surface Materials, page 54.

	Options	U.S. Price	Required to Specify
Surface Materials	Frame and bottom shell Paint price group 1 Paint price group 2 Paint price group 3	No cost +\$35 +\$70	Specify paint color number. Specify paint color number. Specify paint color number.
Plug Type	Standard NEMA 3-prongThread low profile plug	No cost +\$29	Specify with standard NEMA 3-prong. Specify with Thread low profile plug.

Tip: Cart is standard with shelves and cable routing for two mobile power kits.

Spe	Specification Information					
· ·		Style	·U.S.			
D	W	н	Number	Base Price		
:			<u>:</u>	:		
13"	32"	413/8"	FLXBCTBAT	\$2600		



Accessories

Power Hanger



Tip: Power hangers shipping to Illinois will receive 9' power cord.

► Need help? Product details,

page 24

Standard Includes

- Rubberized hanger back: 7360 Merle
- · Cover: paint
- Power cord: 10' with standard plug

Required to Specify

- 1 Style number
- 2 Paint color number for cover:
 - 4AY2 Chili
- 4AZ5 Marlin
- 4BQ7 Fuchsia
- 4CZ8 Light Peacock
- 7243 Seagull 7360 Merle
- 3 Options, if selected (see below)
- See Surface Materials, page 54.

	Options	U.S. Price	Required to Specify
Power Cord	Cord type		
	10' standard cord	No cost	Specify with 10' standard cord.
	 20' standard cord 	+\$ 53	Specify with 20' standard cord.
	 10' braided cord 	+\$ 53	Specify with 10' braided cord.
	 20' braided cord 	+\$160	Specify with 20' braided cord.
	Plug type		
	Thread low profile	+\$ 29	Specify with thread low profile plug.
	PVC		
	• PVC free	+\$ 25	Specify with non-PVC.
Power	• 4 power	No cost	Specify with 4 power.
Configuration	3 power and 1 USB	+\$ 85	Specify with 3 power and 1 USB

Tip: Braided cord color is defaulted to cover finish but can be changed if desired.

Tip: Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Baskets



Standard Includes

- · Package of four baskets: molded PET felt
- **Required to Specify**
- 1 Style number 2 PET color number:
- P635 Heather Navy P636 Light Heather Grey

Specification Information

► Need help?

page 24

Product details,

• Style Number	· U.S. Price	
-	:	
FLXBSK	\$510	



Cups



Standard Includes Required to Specify

► Need help? Product details, page 24

► Need help? Product details,

page 25

- Package of four cups: molded PET felt
- 1 Style number
- 2 PET color number: P635 Heather Navy P636 Light Heather Grey

Style Number	Price
FLXCUP	\$296

Cable Catch



Standard Includes

· Cable management for work tables: soft PET felt

Required to Specify

- 1 Style number
- 2 Table width
- 3 PET color number: P630 Medium Heather Grey P631 Dark Heather Grey

Specification Information

Cable Tray for Flex Height-Adjustable Desks

Product details,

page 24



Tip: 46"W-57¹⁵/16"W desks use the 28"W cable tray. 58"W-72"W desks use the 48"W cable tray.

	Standard Includes
eed help?	 Cable tray: P631 Dark He

- eather Grey molded PET felt · Attachment hardware
- 28"W cable tray, if 46"W-5715/16"W worksurface selected
- 48"W cable tray, if 58"W-72"W worksurface selected
- **Required to Specify** 1 Style number
- 2 Worksurface depth and width

Specification Information

•Style Number	• Dimensions Worksurface Width	Worksurface Depth		
:	:	23"D/24"D	: 29"D/30"D	
FLXCT	46"-72"	\$135	\$150	



For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Cable Brackets



Tip: Cable brackets can be used instead of cable trays or will fit inside footprint of 29"/30"D cable trays.


Standard Includes	Required to Specify
-------------------	---------------------

► Need help? Product details, page 25 • Cable brackets, quantity of four: 6527 Merle plastic

Style number

Specification Information		
• Style Number	·U.S. Price	
FLXCBK4	\$37 ·	

Cable Riser



Fence connection

Tip: Cable riser leg connection does not work with the Flex height-adjustable desk.

Þ	Need help?
	Product details
	nage 25

- Standard Includes
- Cable riser with fence connection: 7360 Merle paint
 Attachment hardware

Style number

Required to Specify

Specification Information		
• Style Number	· U.S. Price	
OLCR	\$76 ·	

Brakes for Flex Height-Adjustable Desks

page 10



	Standard Includes	Required	
► Need help?	Two brakes: 6527 Merle plastic	Style number	
Product details,	 Attachment hardware 		

Specification Information Style U.S. Number Price

FLXBRK \$50



to Specify

Surface Materials

Surface Materials

E 4

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification

tools are available to assist you in the specification process-the Surface Materials Binders.

The global surface

materials palette is a core collection of fi nishes that is available across multiple geographies (Americas/EMEA - Europe, Middle East, and Africa/ APAC - Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see steelcase.com/ surface-materials.

Surface Materials

Binders include:

- · Surface Materials Reference Manual
- · A complete set of swatch cards for hard surfaces. vertical surface fabrics, and seating upholstery

Paint

Tip: All products may not be available in all colors listed below.

Applies to:

- · Height-adjustable desk lifting columns
- 4799 Platinum Metallic
- 7207 Black 7243 Seagull
- 7360 Merle
- Applies to:
- · Wall rails
- 4799 Platinum Metallic
- 7360 Merle
- Established

Applies to:

- · Power hanger cover
- 4AY2 Chili
- 4AZ5 Marlin
- 4BQ7 Fuchsia 4CZ8 Light Peacock
- 7243 Seagull 7360 Merle

Applies to:

- · Table frames
- · Pegs Footrest
- Cart frame
- Cart shelves
- Height-adjustable desk

Price Group 1

Smooth Paint

4242 Milk

4710 Low Gloss Black

Textured Paint

- 7207 Black
- 7225 Sand
- 7236 Fog **G**
- Slate 3 7237
- Fieldstone 7239 Midnight
- Arctic White 7241
- 7243 Seagull
- Sterling Dark Solid 7250
- 7278 Dark Bronze
- 7360 Merle

Price Group 2

Smooth Metallic Paint

- 4728 Nickel Metallic
- 4743 Mineral Metallic
- Pearl Metallic 4744
- Champagne Metallic 4750
- Steel Metallic @ 4752 Gold Dust Metallic **G** 4788
- 4798
- Sterling Metallic
- Platinum Metallic 4803 Near Black Metallic
- Carbon Metallic 7245

Textured Metallic Paint

7245 Carbon Metallic 7246 Midnight Metallic

Select Surfaces

Price Group 3

Accent paint

Accent paints allow you to

choose from a pre-matched color palette of trend driven colors. Refer to the Surface Materials Reference Manual for more information

Accent Paint

- 4AQ8 Wasabi
- 4AQ9 Scarlet
- 4AV3 Blue Jay
- 4AV4 Baltic
- 4AX0 Flash
- 4AX1 Citron 4AY2 Chili
- 4AZ5 Marlin
- 4BQ7 Fuchsia
- 4CZ1 Aubergine
- 4CZ2 Peacock 4CZ3 Jungle
- 4CZ4 Merlot
- 4CZ5 Honey
- 4CZ6 Lagoon
- 4CZ7 Saffron
- 4CZ8 Light Peacock

Lux Coatings

- 4B20 Obsidian
- 4B22 Matte Brass **Burnished Bronze**
- 4B24 Night Bronze
- 4B25 Matte Copper
- 4B26 Smoked Mica
- 4B27 Blue Steel
- 4B28 Silver Lilac
- 4B29 Cast Iron
- 4B30 Bright Gold

Custom Surfaces

Price Group 3

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the Surface Materials Reference Manual for more information about this program. Tip: Price Group 3 paints

Accessory Paint

are not available on height-

adjustable bench bases.

Steelcase Surfaces

Applies to:

- · Table frames
- Pegs
- Footrest
- Cart frame Cart shelves
- Height-adjustable desk
- feet
- 4140 Arctic White Gloss 4144 Black Gloss

Laminate

Select Surfaces

High-Pressure Laminate

- Applies to:
- · Height-adjustable desk worksurface
- Tables

Price Group 1

Fiber Laminate

- 2850 Vanadium Fiber 2851 Rhyme Fiber 6
- 2852 Tungsten Fiber
- 2854 Vellum Fiber
- Novell Fiber 2859
- 2860 Granite Fiber
- 2861 Coconut Fiber 2862 Stucco Fiber

Micro Laminate

- 2920 Marl Micro
- 2921 Gypsum Micro
- 2922 Clay Micro 2923 Shadow Micro

Patina Laminate

- 2870 Blonde Bronze Patina Blackened Bronze
- Patina 2873 Instant Iron Patina
- **Solid Laminate**
- 2722 Cream **G** 2730 Arctic White
- 2746 Black
- 2759 Warm White G
- Mist **G** 2811
- 2883 Seagull
- 2884 Milk
- 2885 Dune 2HMG Merle

Speckle Laminate

- 2820 Coffee Speckle G
- Woodrose Speckle 6
- Driftwood Speckle 2824 Smoke Speckle
- 2825 Vanadium Speckle
- Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are

not an exact match but do

coordinate with each other.

Woodgrain Laminate

- 2406 Clear Cherry
- 2409 Clear Maple
- 2410 Graphite Walnut
- Natural Cherry 2412
- 2422 Medium Cherry
- 2511 Winter on Maple
- 2535 Virginia Walnut
- 2536 Blackwood
- 2538 Clear Walnut
- Warm Oak **G** 2539
- Blonde on Maple 2592
- 2612 Marbled Maple 2614 Chocolate Walnut
- 2615 Marbled Cherry V2
- 2714 Natural Walnut 2772 Medium Mahogany
- on Walnut **3**
- 2HAK Clear Oak
- 2HAN Ash Noce 2HAT Acacia
- Ash Wenge 2HAW 2HBN Bisque Noce
- 2HRW Bisque Wenge
- 2HCN Clay Noce
- Clay Wenge 2HCW
- 2HSN Storm Noce 2HSW Storm Wenge

Select Surfaces

High-Pressure

Laminate **Price Group 2**

Textured Woodgrain

- Laminate
- 2TH2 Fawn Cypress 2TH3 Weathered Char
- 2TH4 Saddle Oak
- 2TH5 Veranda Teak 2TH6 Persian Cherry

2TH7 Walnut Heights **Textured Industrial**

- Laminate
- 2UH1 Reclaimed Aggregate 2UH2 Reclaimed Gravel 2UH4 Cement

Custom Surfaces

Open Line Laminate (OLL)

2UH6 Sheetrock

This service allows you to order non-standard laminate at an additional processing fee of \$74 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

Enter the required edge finish as you would a standard laminate. Laminate Approval and Material Requirements to confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

· Visit www.steelcase.com

For additional information, refer to the Surface Materials Reference Manual.

Wood

Applies to:

- Height-adjustable desk worksurface
- Tables

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- · Do not store products in trailers
- Store products in areas that simulate offi ce temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Established

Steelcase Surfaces

Veneer

Veneers are matched for proper balance and consistency. Veneers are available quarter cut, except for Oak, which is rift cut. Refer to the Surface Materials Reference Manual for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch

Flat-cut open-pore finish choices

Wood Group 1

FC/OP Graphite Walnut 3062 FC/OP Clear Cherry (Aged) 3402

FC/OP Natural Cherry 6 3412

3422 FC/OP Medium Cherry

FC/OP Clear Maple* 3522

FC/OP Amber on Maple 3 3572 FC/OP Blonde on Maple 3592

FC/OP Clear Walnut 3702

3712 FC/OP Natural Walnut

FC/OP Dark Mahogany on Walnut 3722

FC/OP Medium Walnut 3752

FC/OP Dark Walnut 3762

FC/OP Medium Mahogany on Walnut

Quarter-cut open-pore finish choices

Wood Group 1

3042 QC/OP Ash*

3222 QC/OP Clear Maple*

QC/OP Amber on Maple 6

3292 QC/OP Blonde on Maple

QC/OP Clear Walnut 3302 3312 QC/OP Natural Walnut

QC/OP Dark Mahogany on Walnut 3322

QC/OP Medium Walnut 3352 QC/OP Dark Walnut 3362

3372 QC/OP Medium Mahogany on Walnut

3382 QC/OP Graphite Walnut

Rift-cut open-pore finish choices

Wood Group 1

3602 RC/OP Desert Oak

RC/OP Warm Oak **G** 3612

3692 RC/OP Espresso Oak

Full-fill finish is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on worksurfaces only.

Flat-cut full-fill finish choices

Wood Group 1

3064 FC/FF Graphite Walnut

FC/FF Clear Cherry (Aged) 3404

FC/FF Natural Cherry 6 3414

3424 FC/FF Medium Cherry

FC/FF Clear Maple* 3524 FC/FF Blonde on Maple 3544

3574 FC/FF Amber on Maple 6

3704 FC/FF Clear Walnut

FC/FF Natural Walnut 3714

3724 FC/FF Dark Mahogany on Walnut

FC/FF Medium Walnut 3754

FC/FF Dark Walnut 3764

3774 FC/FF Medium Mahogany on Walnut

Steelcase December 2019

Quarter-cut full-fill finish choices

Wood Group 1

3224 QC/FF Clear Maple*

QC/FF Amber on Maple 6 3274

3294 QC/FF Blonde on Maple

QC/FF Clear Walnut 3304 QC/FF Natural Walnut 3314

3324 QC/FF Dark Mahogany on Walnut

3354 QC/FF Medium Walnut

QC/FF Dark Walnut 3364

3374 QC/FF Medium Mahogany on Walnut

QC/FF Graphite Walnut

Rift-cut full-fill finish choices

Wood Group 1

3604 RC/FF Desert Oak

3614 RC/FF Warm Oak 6

RC/FF Espresso Oak 3694

*To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000756 for 3042, form number 05-0001370 for 3222 and 3224.

Premium Veneers

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is Graded-In as Wood Group 2 and Wood Group 3, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat.

Quarter-cut open-pore finish choices

Wood Group 2

3032 QC/OP Dark Thin Line Bamboo

3052 QC/OP Ribbon Sapele

Wood Group 3

3832 QC/OP Figured Anegre

QC/OP Figured Makore

Tip: Full-fill finish is not available on Premium veneers as a standard. To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clearcoat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000755 for 3032, form number 09-0000757 for 3052, form number 09-0000758 for 3832, and form number 09-0000759 for 3842

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surface-materials under the Select Surfaces section.

Composite Veneer

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Graded-In as Wood Group 1 pricing.

Flat-cut open-pore finish choices

Wood Group 1

3JDX FC/OP Oak Composite

3JFX FC/OP Maple Composite

3JHX FC/OP Cherry Composite

3JJX FC/OP Walnut Composite

Quarter-cut open-pore finish choices

Wood Group 1

3F8X QC/OP European Walnut Composite

3GAX QC/OP Gold Teak Composite

3GFX QC/OP Rosewood Composite

3GGX QC/OP Zebrano Composite

3HJX QC/OP Oak Composite

3HVX QC/OP Walnut Composite

3JEX QC/OP Maple Composite 3JGX QC/OP Cherry Composite

3ZNX QC/OP Night Cerused Oak Composite

Natural Veneer

Natural veneer is available in the Select Surfaces offering. Natural veneer may have extended leadtimes. Place your order as you normally would for any other finish, calling out the appropriate finish code.

The following finishes are available through the natural veneer offering:

Flat-cut open-pore finish choices

Wood Group 1

3342 FC/OP Black Walnut

35A2 FC/OP Blanch Maple

37A2 FC/OP Thunder Walnut

Wood Group 3

3082 FC/OP Washed Walnut

Flat-cut full-fill finish choices

Wood Group 1

3734 FC/FF Black Walnut

Wood Group 3

3084 FC/FF Washed Walnut

Quarter-cut open-pore finish choices

Wood Group 1

32A2 QC/OP Blanch Maple

QC/OP Thunder Walnut 33A2

3392 QC/OP Black Walnut

Quarter-cut full-fill finish choices

Wood Group 1

3394 QC/FF Black Walnut

Rift-cut open-pore finish choices

Wood Group 1

36A2 RC/OP Volcanic Oak

Planked Veneer

Planked veneer is available in the Select Surfaces offering. Planked veneer may have extended leadtimes. Place vour order as vou normally would for any other finish, calling out the appropriate finish code.

The following finishes are available through the planked veneer offering:

Wood Group 1

3P41 OP Planked Cherry 3P51 OP Planked Maple

OP Planked Oak

3P71 OP Planked Walnut

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color,

and natural color aging. **Custom Surfaces**

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product

lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies ssregardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the Surface Materials Reference Manual for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate

Requirements and information on ordering a Customiz stain color are found in the Surface Materials Reference Manual.

Plywood

Applies to:

- Height-adjustable desk worksurface
- Tables top surface 3862 OP Baltic Birch

Plastic

Applies to:

 Height-adjustable desk rollers

6053 Seagull

6205 Black

6527 Merle 6249 Platinum Solid

Applies to:

· Cart board clips

- · Cart wheels and casters
- · Table wheels and casters
- · Slim table glides
- Acoustic boundary 6053 Seagull 6527 Merle

Applies to:

· Board cart board orgainizer 6527 Merle

Applies to:

 Wall rail end caps 6527 Merle 6249 Platinum Solid

Applies to:

· Height-adjustable desk power

5U23 Blue Jay

6000 Black 6009 Arctic White

Seagull 6053

Platinum Solid 6249

6338 Chili

6527 Merle Applies to:

- Height-adjustable desk worksurface
- Tables top surface
- 6000 Black
- 6001 Coffee
- 6009 Arctic White
- 6034 Natural Cherry 6036 Medium Cherry
- 6037 Winter on Maple
- 6038 Blonde on Maple
- Natural Walnut 6041
- Medium Mahogany on 6045
- Walnut **3**
- 6052 Milk 6053 Seagull
- 6213 Acacia
- Clear Oak 6219
- 6231 Graphite Walnut
- Clear Cherry 6234
- Clear Maple 6237
- 6242 Virginia Walnut
- 6243 Blackwood
- 6245 Clear Walnut
- 6246 Warm Oak **3**
- 6249 Platinum Solid
- 6271 Plywood
- 6527 Merle
- 6612 Grey V2 G
- 6615 Grey V5 6619 Ice **G**
- 6631 Cream
- 6635 Dawn **G**
- 6636 Mist
- 6654 Sand Warm White 6655
- 6676 Marbled Maple
- Chocolate Walnut 6677
- 6678 Marbled Cherry
- 6694 Slate
- 6695 Midnight
- 6697 Fog 6698 Fieldstone
- 6703 Ash Wenge
- 6704 Storm Wenge
- 6705 Bisque Wenge
- 6706 Clay Wenge
- Ash Noce 6707
- 6708 Bisque Noce 6709 Clay Noce
- 6710 Storm Noce

Select Surfaces

- 6T02 Fawn Cypress 6T03 Weathered Char
- 6T04 Saddle Oak
- 6T05 Veranda Teak
- 6T06 Persian Cherry
- 6T07 Walnut Heights 6T08 Aggregate
- 6T09 Gravel
- 6T10 Cement
- 6T12 Sheetrock Tip: Light color plastic edges

are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Established

Select Surfaces

For information on products within Select

Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/ surface-materials under the Select Surfaces section.

PET

Applies to:

- Cable catch
- P630 Medium Heather Grey P631 Dark Heather Grey

Applies to:

- Cable tray
- P631 Dark Heather Grey

Applies to:

- Cup
- Basket
- P635 Heather Navy P636 Light Heather Grey

Applies to:

- Acoustic boundary
- P631 Dark Heather Grey P636 Light Heather Grey

Upholstery

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

Tip: Braided cord color is defaulted to 9007 Sterling.

Finish	Pantone Color
9003 Fuchsia	4BQ7 Fuchsia
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

*Default finish on integrated power.

Applies to:

- Curved screens
- · Freestanding screens

Price Group A

Sprite

Price Group 1

Abacus 6 Alloy

Boccie Buzz2

Charm

Lapel Link Optic

Pianista*

Playground 3 Rhythm

Price Group 2

Bariolage Bouquet **G**

Cogent: Connect Flip: Orbit Flip: TexHex

Fresco Latch

Milano 😉

Price Group 3

Billiard by Designtex

*Not available on freestandina screens

Select Surfaces

For information on products within Select Surfaces,

including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase. com/surface-materials under the Select Surfaces section.

Custom Surfaces

Price Group COM (Customer's Own Material)

Fabric Approval and Yardage To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

· Visit www.steelcase.com

For additional information regarding Customer's Own Material, call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Resources

Resources

Style Number Index

60

Style Number Index

Style Number	Page	Description
FLXBCTBAT	49	Flex, Mobile Power Charging Cart
FLXBDRY	42	Flex, Acoustic Boundary
FLXBRK	52	Flex, Brakes for Hgt-Adj Desks
FLXBSK	50	Flex, Baskets
FLXCBK4	52	Flex, Cable Brackets
FLXCC	51	Flex, Cable Catch
FLXCS	40	Flex, Curved Screen
FLXCSP	40	Flex, Curved Screen, Pair
FLXCT	51	Flex, Cable Tray
FLXCTBD	45	Flex, Board Cart
FLXCTBDPKG	45	Flex, Board Cart Package
FLXCTTM	44	Flex, Team Cart
FLXCUP	51	Flex, Cups
FLXERQ	28	Flex, Hgt-Adj Desks, Ext Height
FLXERQB	31	Flex, Hgt-Adj Bases, Ext Height
FLXFSAG	41	Flex, Freestanding Screen, Angled
FLXFSRQ	41	Flex, Freestanding Screen, Rectangle
FLXMB	46	Flex, Markerboard
FLXMB4	46	Flex, Markerboard Package
FLXMBATPKG	48	Flex, Mobile Power
FLXPH	50	Flex, Power Hangers
FLXSLIM	38	Flex, Slim Tables, Stding-Hgt
FLXSLIMB	39	Flex, Slim Tables, Stding-Hgt
FLXSRQ	27	Flex, Hgt-Adj Desks, Basic Height
FLXSRQB	31	Flex, Hgt-Adj Bases, Basic Height
FLXSTAND	46	Flex, Stand
FLXWR	47	Flex, Wall Rails
FLXWRPKG	47	Flex, Wall Rail Package
FLXWTH	35	Flex, Stding-Hgt Work Tables
FLXWTHB	37	Flex, Stding-Hgt Work Tables, Base
FLXWTL	33	Flex, Seated-Hgt Tables
FLXWTLB	36	Flex, Seated-Hgt Tables, Base
OLCR	52	Ology, Cable Riser

Trademark List

- The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, Sylvi, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong
- The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora
- The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Liahtolier.
- The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- The following is a registered trademark of Microsoft Corporation, Redmond, WA:
- The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

- The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.
- The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: Emu.
- The following is a registered trademark of Security People, Inc.: Digilock.
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Ainsley, Akira, Alcove, Alerion, Alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bassline, B-Free, Bira, Bivi, Bixby, Bottomline, Brody, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, Clipper, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, Divisio, Donovan, Dune, Duo, Echo, Edge, Elsna, Empath, Empress, Enea, ēno, EnSync, Enviro, Escapade, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, LessThanFive, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mistic, Mistic Metal, Mistic Wood, Montara650, Montreal, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Roam, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, SILQ, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Southside, Stationkits, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Umami, Underscore, Uno, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, Waldorf, Woodruff, Workspring, and X-tenz.
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

- ™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following trademark is used under license from Cradle to Cradle Products Innovation Institute, Oakland, CA: Cradle to Cradle Certified.
- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- The following trademarks are under license from PP Møbler: Bar and Flag Halyard.
- ™ The following trademarks are under license from Viccarbe: Davos, Holy Day, Last Minute, RS, Sistema, and Wrapp.
- ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
- ™ The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- ™ The following is a trademark of Clestra Hauserman: IRYS.
- ™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.
- [™] The following are trademarks of PolyVision: a³, e3, Flow, Motif, PolyVision, Sans, and Serif.
- ™ The following is a trademark of Bostock Company, Inc: SnapCab.
- ™ The following is a trademark of Williams-Sonoma. Inc: West Elm.
- ™ The following is a trademark of Elena Marquina Testor: nanimarquina.
- ™ The following is a trademark of Forbo International SA: Forbo.
 - Trademarks used here in are the property of Steelcase. Inc. or of their respective owners.