

## OFS Obeya Price List

---

June 1, 2019





### OUR COMMITMENT TO OUR CUSTOMER

OFS and Carolina products are manufactured with careful attention to detail and with an on-going commitment to achieve a level of quality that is free of defects in materials and workmanship, given normal use and proper care. In an effort to stand by this philosophy, OFS and Carolina, hereby warrants, to the original purchaser of the product and from the original date of purchase.

OFS and Carolina products warrant to 12 years on single-shift applications with exceptions noted below.

Carolina products warrant to 12 years on multi-shift applications with exceptions noted below.

OFS and Carolina will repair or replace, at our discretion without charge to the original purchaser, any product or part thereof which fails as the result of such a defect during the warranty period. In the event any product has to be returned to the factory for verification of a complaint, it must be pre-authorized by the factory and shipped prepaid along with written information containing the name of the original purchaser, original invoice number, and a copy of the original purchase order. If the product is returned to an authorized dealer for repairs, OFS and Carolina will provide the materials to repair the product free of charge, including transportation cost.

### EXCEPTIONS TO THE 12 YEAR SINGLE-SHIFT WARRANTY:

Category	Years Under Warranty					
ANCILLARY AND WORK SPACE	1	2	3	5	10	Lifetime
All drawer glide suspensions						X
All locking mechanisms						X
Base height adjustable mechanism				X		
Casters, Glides, Control Mechanisms and Pneumatic Cylinders						X
Foam, Mesh Material				X		
WORK CHAIRS	1	2	3	5	10	Lifetime
Foam, Mesh Material				X		
Work Chairs with heavy duty upgrades					X	
CAROLINA	1	2	3	5	10	Lifetime
Foam, Mesh Material				X		
Recliner components, sleeper chair mechanisms and accessories				X		
Recliner mechanisms					X	
Three Position Recliner & wall saver mechanisms				X		
OTHER	1	2	3	5	10	Lifetime
Electrical components/Power Supplies	X					
Remote control projection screen		X				
Task Lights			X			

Warranty does not cover:

- Natural variations in color, grain, or texture of wood, leather and other textiles over which OFS and Carolina has no control.
- Normal aging and wear of of textiles, filling materials and finishes are exempted from this warranty.
- Textile color matching, textile puddling, fastness of colors or wearing qualities of any material.
- Slight differences in textile color due to supplier dye lot differences on large orders or on repeat orders placed at later dates from the original order.
- Labor and service not covered under warranty.
- Customer's Own Material (COM/COV/COL) is not covered by the textiles warranty. Any warranty claims for these upholstery materials will fall to the original vendor of the textile. With a broad spectrum of harsh cleaning agents used by facilities, it is recommended that the owner test each textile selection with their specific cleaning methods before ordering.
- OFS or Carolina products or components attached in some manner to any other manufacturer's products or components (i.e. OFS conference tops to another manufacturer's base).
- Damage caused by a transportation company.
- Damage created by loading file drawers with anything other than hanging files.
- Freight or other shipping charges on returned product or parts, labor and service.



## TEXTILES

OFS and Carolina will evaluate the textile to determine its possible use on our furniture, but this does not warrant or guarantee the performance of the textile. OFS and Carolina warrants the workmanship (cutting, sewing, upholstery fit) of textiles to perform under normal aging and wear when cared for according to cleaning and maintenance guidelines provided by the textile supplier/manufacturer. With a broad spectrum of harsh cleaning agents used by facilities, it is recommended that the owner test each textile selection with their specific cleaning methods before ordering. If any textiles exhibit deterioration, delamination or other failure not associated with the application to OFS or Carolina products or due to cleaning methods, OFS and Carolina will not be responsible for costs associated with recovering or replacement. Textiles on products with a heavy duty upgrade must exceed 100,000 double rubs for the textile workmanship portion of the warranty to apply.

## PRODUCT DESIGN & DISCONTINUED PRODUCTS

OFS and Carolina reserves the right to make alterations in design and construction or discontinue products without prior notice. If items are discontinued, OFS and Carolina reserves the right to repair or replace defective components with equivalent components, if available.

## LIMITATION OF LIABILITY

Except as otherwise provided, OFS and Carolina make no other warranties, expressed or implied, including but not limited to the warranties of merchantability and fitness for a particular purpose.

Under no circumstances, including but not limited to breach of contract, breach of warranty or negligence, shall OFS and Carolina be liable for lost profits, loss of goodwill, stored data, general, special, consequential or exemplary damages, even if OFS and Carolina had notice of these damages or they were foreseeable. OFS and Carolina shall not be liable for consequential or incidental damages arising from any product defect. OFS and Carolina shall not be responsible for verifying Dealer's or customer's description of needs, data, or the fitness for a particular purpose of goods. OFS and Carolina liability in all cases shall be limited to repair or replacement of the defective parts, or the purchase price of the product. Damages resulting from user modifications, attachments to a product, misuse, abuse, alteration, negligent use, accidents, improper or lack of maintenance and damage in transportation are not covered under this warranty.

This warranty is applicable only to those products actually manufactured by OFS and Carolina. On product furnished by OFS and Carolina, but with components or equipment manufactured by others, including, but not limited to, foam, mechanisms, casters and textiles, the written warranty, if any, of the manufacturer is assigned to the purchaser.

**POSSESSION OF THE PRICE LIST DOES NOT CONSTITUTE AN OFFER TO SELL. WE RESERVE THE RIGHT TO MODIFY PRODUCTS, PRICES OR DISCONTINUE ITEMS WITHOUT PRIOR NOTIFICATION.**

## ORDERING INFORMATION

All orders should be placed with:

### OFS

P.O. Box 100  
Huntingburg, IN 47542  
800-521-5381 Fax 812-683-7256  
order\_entry@ofs.com

### Carolina

P.O. Box 4398  
Archdale, NC 27263  
800-763-0212 Fax 336-431-9400  
oenc@ofs.com

## ORDER MUST INCLUDE

- Company name, address, telephone and fax number
- Contact person
- Authorized signature
- Purchase order number
- Sold to address & ship to address
- Order date
- Requested ship date
- Complete style number
- Fabric/Vinyl/Leather grade, vendor, pattern and color
- Correct Net Dealer pricing
- Any special instructions
- CDA (if applicable)

**NOTE: A customer drawing or sketch of the planned configuration in modular applications will facilitate order processing.**

## PRICES

All prices herein are list prices including delivery to one destination, effective with the date printed on the cover, and supersede all other published price lists. US List Prices are domestic prices only for shipment within the Continental United States. Prices are subject to change without notice, unless quoted in writing. Possession of the price list does not constitute authority to sell or offer for sale OFS and Carolina products.

## CREDIT CARD PAYMENTS

OFS and Carolina accept Visa, MasterCard, Discover and American Express. All methods of payments are subject to a 2% processing fee or the State's Lawful Amount for the total invoice when paying online, fax or over the phone.

**Note:** Discounts are not allowed if paid by credit card.

## ACKNOWLEDGMENTS

Orders are acknowledged upon receipt of credit approval. Your acknowledgment is a detailed description of items, prices, shipping information and shipping date. Please read your acknowledgment closely and notify OFS and Carolina immediately of any discrepancies. OFS and Carolina are not responsible for errors on orders placed by phone without written confirmation.



#### **AVAILABILITY**

OFS and Carolina are committed to the fastest possible shipment of all products. All other items are available within our normal manufacturing schedule. For information on stock availability, call our customer service hotline 800.521.5381 for OFS and 800.763.0212 for Carolina.

**Note:** Planned shipping dates may be delayed due to fires, strikes, natural disasters or other causes beyond our control.

#### **QUANTITY ORDERS**

Contact your OFS or Carolina Customer Service Representative to verify inventory and production schedules to ensure requested shipment date prior to placing large quantity orders.

#### **DELIVERY AND FREIGHT CHARGES**

All shipments are F.O.B. point of shipment, freight prepaid and allowed, excluding surcharges. Shipments outside of the Continental United States are freight prepaid and allowed to port of exit. OFS and Carolina reserve the right to select the most appropriate carrier and routing on all shipments; however, we will try to accommodate requests for your preferred carrier. OFS and Carolina reserve the right to implement a surcharge. Orders of less than \$1500 net will be assessed a handling charge of \$100 net per order. Any charges arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown. Orders requiring special services are subject to an additional charge.

##### **These services include:**

- Reconsignment from original destination to new destination. . . . . **\$35 plus \$3.00 per mile net**
- Refused/Returned Freight
  - Freight refused at destination and returned to OFS or Carolina . . . . . **Double Freight**
  - Freight refused at time of delivery; returned to OFS or Carolina to deliver at a later date . . . . . **Triple Freight**
- Detention Fees (after 2 hours of waiting) . . . . . **\$85 net per hour**
- Weekend delivery available Friday after 3:00 p.m. through Sunday night or Holiday . . . . . **\$600 net per truck**
- Customer Pickup
  - Customer Request for 3rd party to pick up freight at OFS or Carolina terminal . . . . . **\$125 net**
- Change of Tags/Address/Phone #'s on Shipments . . . . . **\$35 net**

#### **SPECIAL ORDERS**

The OFS and Carolina lines of office furniture are among the most complete in the industry. However, should a particular need arise requiring size modification or customization, contact your Customer Service Representative for a price quotation. Because of the uniqueness of the product, special orders are not subject to cancellation.

#### **CANCELLATION AND ORDER CHANGES**

All orders accepted by OFS and Carolina are considered firm and binding and are not subject to cancellation.

#### **WAREHOUSE STORAGE CHARGES**

If a shipment is held beyond fourteen (14) calendar days after the order is ready for shipment at your request, a .067% per day (2% per month) storage charge will be assessed. The effective date will be fourteen (14) calendar days after the order is ready for shipment, as long as this date is after the acknowledged ship date. Further, the prices applied to the order will be those prices in effect at time of shipment.

#### **EXTENDED PRODUCTION AND SHIP DATES**

Orders placed with OFS and Carolina with extended lead times as requested by you will be subject to price in effect at time of shipment.

#### **DAMAGED MERCHANDISE AND FREIGHT CLAIMS**

1. Inspect all cartons for damage and carton quantity. All shipments are delivered to the transportation company in good condition; OFS' and Carolina's liability ceases at this time. Do not refuse merchandise damaged in transit. Instead, enter a claim with the transportation company.
2. Record damages and/or shortages on the bill of lading and freight bill. Do not accept the shipment until all shortages are noted on both the bill of lading and the freight bill. Sign only for the items you receive. If you give the delivering carrier a clear receipt for a shipment, the carrier is relieved of further responsibility.
3. If concealed damage is found: Notify the delivering carrier at once and request an inspection. For shipments via Styline Logistics, notify your OFS or Carolina Customer Service Representative. This must be done within fifteen (15) calendar days of delivery. Without this inspection the transportation company will not entertain a claim for loss or damage. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted the carrier, noting the time and date, and that the carrier failed to comply with your request. All shipping cartons and inner packing must be retained for carrier inspection. Do not move the damaged merchandise from the receiving location. It must also be retained for the inspection.



### **RETURN OF MERCHANDISE**

OFS or Carolina will not accept returned merchandise without a signed Return Authorization (RA) issued by our Customer Service Department. All returned merchandise must be properly packaged and cartoned to prevent further damage. Carton must be clearly marked with identifying RA number so that proper credit can be issued. We will consider issuing RAs for the following reasons:

- Manufacturing defect (must be inspected by a OFS or Carolina Sales Representative)
- OFS or Carolina order processing error
- Shipping error
- Duplicate shipments
- Mismarked cartons

All merchandise must be returned within thirty (30) days of the date of the RA to receive credit. Freight damage, signs of usage, missing parts, etc. will be adjusted on the amount of credit to be issued.

### **REPAIR CHARGES**

Reimbursement from OFS or Carolina for repairs must have prior approval.

### **CUSTOM FINISH COLOR**

Custom finish matching is available for special requirements. OFS and Carolina must be provided with a suitable 8" x 10" or larger finish sample. However, custom finishes can be developed to meet specific needs. There will be a \$300 net upcharge per order for new custom finishes (waived on projects of \$100,000 net price or more). Custom finish upcharge for repeat or additional orders will be \$150 per order, even when the upcharge was waived on the original project. Custom finish matches are valid for 12 months from sample date. After this time period, custom finishes must be rematched and reapproved for use.

### **FINISH DISCLAIMER**

Some desktop accessories with plastic feet can penetrate or burn the finish. This is not a defect in the finish. Wood is a natural product and minor variations in wood color, grain and texture may be visible even though the pieces are finished at the same time. Also, light finishes when exposed to ultraviolet rays may darken and change color. These are not defects in finish, and merchandise cannot be replaced because of these natural variations.

### **BIFMA AND ANSI TESTING**

OFS and Carolina are members of the Business and Institutional Furniture Manufacturer's Association. Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, OFS and Carolina products within this price list generally meet or exceed applicable BIFMA and ANSI standards.

### **MODIFICATION PRICING**

Modifications must be clearly designated on customer's purchase order by placing the letters MOD and modification # in front of the model number and noting the modification needed.

**Example:** MOD#2-4-9622MCT-LC2-EW-G1-G1 with top cut down to 94" wide

Contact your Customer Service Representative for upcharge on drawer configuration changes for traditional casegoods series.

### **GLIDES**

OFS and Carolina utilizes different types of glides in our seating and occasional tables construction, ie; non-marring, non-skid glides, adjustable glides, plastic glides, etc. The type of glide used in a product depends on the products design and typical application. Due to varying flooring materials and our inability to test on all flooring types, **OFS and Carolina assumes no responsibility for floors damaged by glides. For questions regarding glides, or to request specific glides contact Customer Service.**

### **FABRIC PUDDLING**

The content of certain fabrics makes these fabrics susceptible to puddling and wrinkling over which OFS and Carolina have no control. Slight changes in weather and humidity can affect these fabrics. OFS and Carolina will not assume responsibility when this happens.

### **FABRIC COLOR MATCHING**

OFS and Carolina do not guarantee and will not assume responsibility for the fastness of colors or wearing qualities of any material. Because of industry dye lot variations, colors may not match exactly. Any adjustments made will depend upon the fabric manufacturers willingness to stand behind their product.

### **CUT YARDAGE FABRICS**

Cut yardage from any OFS and Carolina Textile partner may be purchased through OFS and Carolina. Contact Customer Service for cut yardage pricing.



## **DIRECTIONAL FABRICS**

Directional fabrics such as plaids, stripes and certain patterns may not meet your expectations due to certain sewing patterns, tufting and contoured shapes of certain styles and models. When required we will upholster to customer specifications but such orders are not subject to return. If you have a question or concern about one of these fabrics, please contact your Customer Service Representative and submit a fabric sample for approval prior to placing an order.

## **FABRIC APPLICATION**

OFS and Carolina will match all fabrics that require matching such as plaids, stripes, or prints. Unless otherwise noted on the customer's purchase order, OFS and Carolina will apply textiles to upholstered items in the manner which we deem to be most appealing. OFS and Carolina take no responsibility for the direction in which textiles are applied unless the desired direction is noted on the customer purchase order. OFS and Carolina reserve the right to reject textiles we deem unsuitable for application on our products.

## **GUARANTEE**

Although every effort is made to select covering materials for wearability as well as appeal, we CANNOT guarantee covers for wearability or colorfastness. We can extend only that guarantee which the supplier extends to us.

## **FIRE RETARDANT PRODUCTS**

California Technical Bulletin 117-2013: All OFS and Carolina upholstered seating products and the resilient filling materials used in the upholstered seating products meet or exceed the requirements of the State of California, Department of Consumer Affairs, Technical Bulletin 117-2013. Compliance with these requirements is indicated by the label attached to the seat bottom.

Flame Retardant Chemicals: All standard OFS and Carolina upholstered seating products are offered with components, as identified in TB117-2013, that are free of flame retardant chemicals. All OFS and Carolina upholstered seating products will indicate Flame Retardant chemical composition in accordance to the labeling requirements of California Senate Bill 1019. OFS and Carolina assume no responsibility for customer specification of textiles and other upholstery materials containing flame retardant chemicals on products shipping into regions with laws banning these substances.

California Technical Bulletin 133: Cal TB 133 is a flammability test for seating products used in public spaces. The testing procedure for Cal TB 133 requires the burning of an entire product since the test is a composite test and not a component test. OFS and Carolina have pretested and certified many different chair styles and upholsteries. If Cal TB 133 certification is required, a burn test may need to be completed with a specific model and upholstery combination. Contact Customer Service for Cal TB 133 approval, pricing and lead times.

OFS and Carolina can not be held liable if purchase order does not indicate a requirement for Cal TB 133 compliance.

Boston Fire Code: Please contact OFS or Carolina Customer Service if compliance is required.

## **TEXTILES**

OFS and Carolina offer an extensive program of graded-in textiles including fabrics, leathers, vinyls, polyurethanes and Cryptons® from the industry's finest sources. While our binders may not include cards from every supplier, we do maintain programs with the following:

NOTE: For a list of current OFS and Carolina grades visit the textiles section of the OFS and Carolina websites at:

ofs.com and carolina.ofs.com

## **FABRIC PARTNERS**

— <b>ARC-COM</b> www.arc-com.com	— <b>HELVETIA LEATHER</b> www.helvetialeather.com
— <b>ARCHITEX</b> www.architex-ljh.com	— <b>MAHARAM</b> www.maharam.com
— <b>CAMIRA</b> www.camirafabrics.com	— <b>MAYER FABRICS</b> www.mayerfabrics.com
— <b>CARNEGIE</b> www.carnegiefabrics.com	— <b>MOMENTUM</b> www.themomgroup.com
— <b>C.F. STINSON</b> www.cfstinson.com	— <b>SPRADLING INTERNATIONAL, INC.</b> www.spradlingvinyl.com
— <b>DESIGNTEX</b> www.designtex.com	— <b>ULTRAFABRICS</b> www.ultrafabricsllc.com
— <b>GREEN HIDES</b> www.greenhides.com	



### COM/ (CUSTOMER'S OWN MATERIAL) & GRADED-IN TEXTILE POLICY

OFS and Carolina will evaluate the fabric to determine if it is possible to use this type of fabric on our furniture, but this does not warrant or determine the performance of the fabric. Any warranty claims for these upholstery materials will fall to the original vendor of the fabric, not OFS or Carolina. With a broad spectrum of harsh cleaning agents used by facilities, OFS and Carolina recommend that the owner test each fabric selection with their specific cleaning methods before ordering

### COM/COL ORDERING INSTRUCTIONS

All COM and COL materials must be submitted to OFS and Carolina for preliminary approval prior to shipment of fabric or leather. Approval signifies only that such materials can be applied to the products for which they are intended. Such approval does not constitute any responsibility nor any warranty on the part of OFS or Carolina as to the appearance, behavior or durability of the COM or COL.

1. Send 4" x 4" swatch for approval to: **OFS, Attn: Customer Service, 1204 East 6th St., Huntingburg, IN 47542 or Carolina, Attn: Customer Service, 1264 Jackson Lake Rd., High Point, NC, 27263**
2. Send a swatch along with the order to: **OFS, Attn: Customer Service, 1204 East 6th St., Huntingburg, IN 47542 or Carolina, Attn: Customer Service, 1264 Jackson Lake Rd., High Point, NC, 27263**  
  
This sample is used to verify that the correct fabric is received. It is not used for application approval.
3. Specify the COM or COL supplier's company name, pattern, color and number.
4. The COM or COL supplier must include the dealer name and purchase order number on all packing lists.
5. Include application instructions for striped, plaid, patterned or unusually designed fabrics (i.e. direction of stripes) and which face to use on reversible fabrics.
6. Ship COM or COL material prepaid to: **OFS Plant 3, Attn: COM Department, 1008 North Chestnut Street, Huntingburg, IN 47542 Carolina, 533 Archdale Blvd., Archdale, NC, 27263**

COM and COL orders will be scheduled for production only upon receipt of production yardage. In the absence of a representative sample sent with the purchase order or application instructions, OFS and Carolina will apply the fabric in what it determines to be the best manner and cannot be held responsible after upholstering. **Excess COM/COL materials will be discarded at the discretion of OFS and Carolina unless otherwise instructed by the customer at the time the order is placed.**

### COM YARDAGE REQUIREMENTS (RAILROADED FABRICS)


Yardage requirements listed in our price list are based on 54" wide. We can take no responsibility for tailoring, wearability or application of COM covers. OFS and Carolina will not be held responsible for receipt of defective fabrics, as we apply all COM as first quality goods. At no additional charge, OFS and Carolina will pre-approve any COM at the customer's request. The additional yardages are based on 54" wide goods. Please contact Customer Service if goods are less than 54" wide. **Though every effort has been made to estimate excess yardage required for stripes and matches, OFS and Carolina takes NO responsibility where additional materials must be ordered..**

**Repeat ranges are calculated by using the higher repeat i.e. If the repeat is 13V x 15H you would use 15H to calculate the extra yardage needed.**


Repeat	Railroad (RR)	Direct	2-Way-Repeat in 2 Directions
1/4"-5"	Add 10%	Add 15%	Add 15%
6"-9"	Add 15%	Add 18%	Add 20%
10"-13"	Add 30%	Add 35%	Add 40%
14"-19"	Add 45%	Add 55%	Add 60%

**Repeats larger than 19", fabrics less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. COM must be a single cut piece. Multiple pieces will require more yardage.** A swatch showing one full repeat must be sent for yardage requirement instructions for these special circumstances. Please contact your customer service representative for assistance.


**Railroad**



**Direct**



**2-Way**



### COM APPLICATION

All COM fabrics are cut according to the fabric pattern at the discretion of OFS and Carolina unless otherwise directed by the customer.



#### **COM FIRE RETARDANT PRODUCTS**

OFS and Carolina assume no responsibility for the fire retardancy of any COM/COL. Customers are solely responsible for making sure that their COM/COL complies with all applicable codes and regulations.

#### **COL (CUSTOMER'S OWN LEATHER)**

COL requirements are based on an average hide size of 50-55 square feet. Please consult the sales office for requirements on sizes different from this. All square footage requirements are based on usable footage. The shape of the hide and the usable footage may make it necessary for us to request more leather after your COL is received. Please note that leather is a natural product and variation in texture is a pleasing quality belonging exclusively to high grade, full top grain leathers. Due to the variation in thickness of leather, OFS and Carolina recommends sending a 4" x 4" swatch for approval. OFS and Carolina approval signifies only that such materials can be applied to the products for which they are intended. Such approval does not constitute any responsibility nor any warranty on the part of OFS and Carolina as to the appearance, behavior or durability of the COL. **Note: Calf hide requirements will vary based on the chair model selected. Please contact the sales office for pattern adaptability confirmation and square footage requirements prior to placing an order.**





**FABRIC PARTNERS**

—	<b>ARC-COM</b> <a href="http://www.arc-com.com">www.arc-com.com</a>
—	<b>ARCHITEX</b> <a href="http://www.architex-ljh.com">www.architex-ljh.com</a>
—	<b>CAMIRA</b> <a href="http://www.camirafabrics.com">www.camirafabrics.com</a>
—	<b>CARNEGIE</b> <a href="http://www.carnegiefabrics.com">www.carnegiefabrics.com</a>
—	<b>C.F. STINSON</b> <a href="http://www.cfstinson.com">www.cfstinson.com</a>
—	<b>DESIGNTEX</b> <a href="http://www.designtex.com">www.designtex.com</a>
—	<b>GREEN HIDES</b> <a href="http://www.greenhides.com">www.greenhides.com</a>
—	<b>HELVETIA LEATHER</b> <a href="http://www.helvetialeather.com">www.helvetialeather.com</a>
—	<b>MAHARAM</b> <a href="http://www.maharam.com">www.maharam.com</a>
—	<b>MAYER FABRICS</b> <a href="http://www.mayerfabrics.com">www.mayerfabrics.com</a>
—	<b>MOMENTUM</b> <a href="http://www.themomgroup.com">www.themomgroup.com</a>
—	<b>SPRADLING INTERNATIONAL, INC.</b> <a href="http://www.spradlingvinyl.com">www.spradlingvinyl.com</a>
—	<b>ULTRAFABRICS</b> <a href="http://www.ultrafabricsllc.com">www.ultrafabricsllc.com</a>



## WOOD CARE

Careful craftsmanship makes your new OFS wood furniture incredibly durable, and with proper care your furniture will provide beauty and convenience for years.

All OFS products undergo rigid color-match procedures to ensure the best in color consistency.

- Dust frequently using a soft, damp, clean cloth, wiping with the grain.
- Remove liquid spills immediately, using a blotting rather than wiping motion.
- To clean, use a glass cleaner formulated with ammonia. Apply a small amount to a soft dry cloth and wipe in the direction of the grain. Dry with a soft cloth. Do not use furniture polish containing oil or silicone.
- Avoid prolonged exposure to direct sunlight, high humidity, extreme heat or cold and moisture.

## LAMINATE CARE

- Avoid prolonged exposure to direct sunlight, high humidity, extreme heat or cold and moisture.
- Dust frequently with a soft, damp, clean cloth or mild detergent solution. Avoid using chemical or abrasive cleaning compounds.
- To avoid build up of cleaning agents, rinse the laminate surface with warm water and wipe with a clean damp cloth.

## SEATING CARE

- Dust exposed wood parts frequently using a soft, damp, clean cloth, wiping with the grain.
- To clean wood, use a glass cleaner formulated with ammonia. Apply a small amount to a soft dry cloth and wipe in the direction of the grain. Dry with a soft cloth. Do not use furniture polish containing oil or silicone.
- To clean leather and vinyl upholstery, use a warm, damp cloth to restore a bright finish. For stubborn stains, use a moisturizing soap. Remove lather with a damp cloth, but do not rinse. Buff with a dry cloth.
- For fabric upholstery, use a damp cloth to wipe up spills. For tougher stains, contact your local OFS dealer for cleaning instructions.
- Avoid prolonged exposure to direct sunlight, high humidity, extreme heat or cold and moisture.
- The components of your OFS chair, such as controls, casters and understructure, require “common sense” care and cleaning as necessary.
- Activate chair mechanisms periodically to ensure proper function of moving parts.

## CORIAN SOLID SURFACE CARE

- Washing with soap and water is usually sufficient to remove surface dirt or stains.
- Ammonia based liquid cleaner (not window cleaner) may also be used. Always rinse surface thoroughly and wipe dry.
- Drying is an important step, preventing a build-up of soap film or cleaning residue, which can create the appearance of light scratches over time.
- Stubborn soap film or cleaning residue build-up in Corian® is easily removed with abrasive cleanser and a white Scotch-Brite® pad or a sponge.
- For darker colors, a polish may be used to enhance the shine. For areas where there may be food contact, always use a polish formulated for food contact areas, such as Countertop Magic®. Where food contact is not a possibility, a simple furniture polish may be used. Always follow the manufacturer’s instructions for using the polish and for safety concerns.



All OFS and Carolina products have achieved **SCS Indoor Advantage Gold Certification** from SCS Global Services. Indoor Advantage Gold certification is SCS Global Services' highest level of indoor air quality performance for furniture. The certification assures that furniture products support a healthy indoor environment by meeting strict chemical emission limits for volatile organic compounds (VOCs). To be certified, products must be tested by independent labs for compliance with the ANSI/BIFMA X7.1, and either ANSI/BIFMA e.3 or CDPH/EHLB Standard Method V1-1 for VOC emissions of concerns.



**level®** is the multi-attribute, sustainability standard and third-party certification program for the furniture industry. It has been created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. Taking into account a company's social actions, energy usage, material selection and human and ecosystem health impacts, level addresses how a product is sustainable from multiple perspectives. With level, customers can make informed choices about commercial furniture that exceed single attribute ecocertifications. The level brand identifies that a product has been vetted by an independent third party certifier and its numeric marking 1, 2, or 3 indicates what threshold of certification it has achieved. Manufacturers—big and small—now have a methodology to present the environmental characteristics in a clear, easily understood manner with a vernacular that gives end users the ability to make an “apples to apples” comparison.



SCS Global Services [**SCS**] has been providing global leadership in third-party quality, environmental and sustainability verification, certification, auditing, testing, and standards development for three decades. Its programs span a cross-section of industries, recognizing achievements in green building, product manufacturing, food and agriculture, forestry, power generation retail, and more. SCS is accredited to provide services under a wide range of nationally and internationally recognized certification programs. Consistent with its mission, SCS is a chartered benefit corporation and Certified B Corp™, reflecting its commitment to socially and environmentally responsible business practices.



The FSC® standards [**Forest Stewardship Council®**] represent the world's strongest system for guiding forest management toward sustainable outcomes. us.fsc.org FSC certified products are manufactured with material that comes from managed forests that are traceable from the time the logs are cut to the time the final project is installed and are recorded by way of a COC or chain of custody claim on all invoices. The demand for certified forest products has grown significantly in recent years. OFS' and Carolina goal to act as a responsible steward of the environment encouraged us to pursue our FSC Chain of Custody [COC] certification which would provide our customers (Dealer, A&D Community and End-users) the added reassurance they've done their part to be earth friendly in their product purchase and enable them to substantiate the LEED [**Leadership in Energy and Environmental Design**] Materials & Resources Credits for certified wood, in which the intent is to encourage environmentally responsible forest management. FSC certification is optional on many, but not all, OFS' and Carolina product lines. Please contact OFS or Carolina Customer Service for information in regards to which of our product lines are available as FSC certified, and what the necessary procedures are for ordering FSC certified products from OFS and Carolina.



OFS' and Carolina company-owned transportation company, Styline Logistics, is **SmartWay**-certified. SmartWay is one of U.S Environmental Protection Agency's [**EPA**] clean air programs that uses voluntary, rather than regulatory methods, to achieve air quality benefits. SmartWay's focus is in the transportation sector, and encompasses products and services associated with fuel-consuming engines.




The "**Premium Indiana Forest Products**" brand tells everyone that there is an abundant, sustainable supply of the finest Indiana hardwoods to meet consumer demand. It also tells them that Indiana's forests are well-managed, legally-harvested and environmentally responsible. The logo is reflective of the wood itself. Indiana hardwoods display a depth that defies imagination.




## TYPICAL CONFIGURATIONS

## T100201



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
2	OB-TP	T Post	\$ 5,588
7	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 6,566
2	OB-FWPMB	42" Full Wall Panel - Markerboard	\$ 1,370
6	OB-FWPF	42" Full Wall Panel - Fabric	\$ 3,564
3	OB-FWPC	42" Full Wall Panel - Cork	\$ 1,830
1	OB-FRWPM	42" Framed Machined Slat Wall Panel	\$ 2,263
2	OB-FRWPM	42" Framed Metal Infill Wall Panel	\$ 5,556
4	OB-CP	Corner Post	\$ 7,504
3	OB-84FWRK	84" Full Wall Rail Kit	\$ 2,919
2	OB-84BMK	84" Beam Kit	\$ 3,226
1	OB-126FWRK	126" Full Wall Rail Kit	\$ 1,331
1	OB-126BMK	126" Beam Kit	\$ 2,269
<b>Total</b>			<b>\$43,986</b>


## T100202



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
6	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 5,628
3	OB-FWPMB	42" Full Wall Panel - Markerboard	\$ 2,055
6	OB-FWPF	42" Full Wall Panel - Fabric	\$ 3,564
3	OB-FWPC	42" Full Wall Panel - Cork	\$ 1,830
3	OB-FRWPM	42" Framed Machined Slat Wall Panel	\$ 6,789
1	OB-FRWPM	42" Framed Metal Infill Wall Panel	\$ 2,778
6	OB-CP	Corner Post	\$ 11,256
6	OB-CMT	Ceiling Modules, 42" x 68.188" x 5.188" - Use on 3X3 with an OB-126RBRK and 3X2 with an OB-84RBRK	\$ 8,118
1	OB-4P	4 Way Post	\$ 3,049
1	OB-126RBRK	126" Center Roof Beam Kit	\$ 2,385
3	OB-126FWRK	126" Full Wall Rail Kit	\$ 3,993
1	OB-126CKF	126" Sliding Folding Curtains	\$ 4,868
5	OB-126BMK	126" Beam Kit	\$ 11,345
<b>Total</b>			<b>\$ 67,658</b>


## TYPICAL CONFIGURATIONS

## T100203



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
6	OB-TP	T Post	\$ 16,764
3	OB-SWPMB	42" Split Wall Panel - Markerboard	\$ 1,242
3	OB-SWPC	42" Split Wall Panel - Cork	\$ 1,134
3	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 2,814
3	OB-FWPF	42" Full Wall Panel - Fabric	\$ 1,782
1	OB-FRWPM	42" Framed Machined Slat Wall Panel	\$ 2,263
2	OB-FRWPA	42" Framed Split Infill Wall Panel - Acrylic	\$ 4,036
4	OB-CP	Corner Post	\$ 7,504
6	OB-CMT	Ceiling Modules, 42" x 68.188" x 5.188" - Use on 3X3 with an OB-126RBRK and 3X2 with an OB-84RBRK	\$ 8,118
1	OB-126WSRK	126" Table Wall Rail Kit	\$ 1,878
1	OB-126SWRK	126" Split Wall Rail Kit	\$ 3,285
3	OB-126RBRK	126" Center Roof Beam Kit	\$ 7,155
1	OB-126FWRK	126" Full Wall Rail Kit	\$ 1,331
1	OB-126CKF	126" Sliding Folding Curtains	\$ 4,868
10	OB-126BMK	126" Beam Kit	\$22,690
1	OB-12624RT	125.938' x 24" x 1.125" Rectangle Worksurface, Obeya	\$ 899
<b>Total</b>			<b>\$ 87,763</b>


## T100204



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
2	OB-TP	T Post	\$ 5,588
5	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 4,690
9	OB-FWPF	42" Full Wall Panel - Fabric	\$ 5,346
2	OB-FWPF	42" Full Wall Panel - Fabric	\$ 1,188
5	OB-CP	Corner Post	\$ 9,380
2	OB-CMS	Ceiling Modules, 48.5" x 52.5" x 5.188" - Use on 1X1 (No roof beam kit needed)	\$ 2,502
1	OB-4P	4 Way Post	\$ 3,049
1	OB-4920RT	49" x 20" x 1.125" Rectangle Worksurface, Obeya	\$ 367
1	OB-4649STR	45.5" x 49" x 1.125" Sweep RH Worksurface, Obeya	\$ 644
1	OB-4624WTL	45.5" x 23.5" x 1.125" Wedge LH Worksurface, Obeya	\$ 382
7	OB-42FWRK	42" Full Wall Rail Kit	\$ 4,424
3	OB-42BMK	42" Beam Kit	\$ 3,111
<b>Total</b>			<b>\$ 39,483</b>


## TYPICAL CONFIGURATIONS

## T100205




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
6	OB-SWPMB	42" Split Wall Panel - Markerboard	\$ 2,484
6	OB-SWPC	42" Split Wall Panel - Cork	\$ 2,268
4	OB-CP	Corner Post	\$ 7,504
1	OB-126WSRK	126" Table Wall Rail Kit	\$ 1,878
2	OB-126SWRK	126" Split Wall Rail Kit	\$ 6,570
1	OB-126BMK	126" Beam Kit	\$ 2,269
1	OB-12624RT	125.938" x 24" x 1.125" Rectangle Worksurface, Obeya	\$ 899
<b>Total</b>			<b>\$ 23,872</b>

## T100206




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
6	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 5,628
6	OB-FWPF	42" Full Wall Panel - Fabric	\$ 3,564
4	OB-CP	Corner Post	\$ 7,504
2	OB-126FWRK	126" Full Wall Rail Kit	\$ 2,662
2	OB-126BMK	126" Beam Kit	\$ 4,538
<b>Total</b>			<b>\$ 23,896</b>

## T100207



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
6	OB-FWPMB	42" Full Wall Panel - Markerboard	\$ 4,110
6	OB-FWPF	42" Full Wall Panel - Fabric	\$ 3,564
2	OB-FRWPA	42" Framed Split Infill Wall Panel - Acrylic	\$ 4,036
4	OB-CP	Corner Post	\$ 7,504
2	OB-126FWRK	126" Full Wall Rail Kit	\$ 2,662
2	OB-126BMK	126" Beam Kit	\$ 4,538
<b>Total</b>			<b>\$ 26,414</b>

## T100208




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
3	OB-SWPMB	42" Split Wall Panel - Markerboard	\$ 1,242
3	OB-SWPC	42" Split Wall Panel - Cork	\$ 1,134
1	OB-FRWPMs	42" Framed Machined Slat Wall Panel	\$ 2,443
2	OB-FRWPA	42" Framed Split Infill Wall Panel - Acrylic	\$ 5,720
4	OB-CP	Corner Post	\$ 7,504
1	OB-126WSRK	126" Table Wall Rail Kit	\$ 1,878
1	OB-126SWRK	126" Split Wall Rail Kit	\$ 3,285
2	OB-126BMK	126" Beam Kit	\$ 4,538
1	OB-12624RT	125.938" x 24" x 1.125" Rectangle Worksurface, Obeya	\$ 3,641
<b>Total</b>			<b>\$ 31,385</b>




## TYPICAL CONFIGURATIONS

## T100209




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
3	OB-SWPMB	42" Split Wall Panel - Markerboard	\$ 1,242
3	OB-SWPC	42" Split Wall Panel - Cork	\$ 1,134
1	OB-FRWPM	42" Framed Metal Infill Wall Panel	\$ 2,778
4	OB-CP	Corner Post	\$ 7,504
6	OB-CMT	Ceiling Modules, 42" x 68.188" x 5.188" - Use on 3X3 with an OB-126RBRK and 3X2 with an OB-84RBRK	\$ 8,118
1	OB-126SWRK	126" Split Wall Rail Kit	\$ 3,285
1	OB-126RBRK	126" Center Roof Beam Kit	\$ 2,385
3	OB-126BMK	126" Beam Kit	\$ 6,807
1	OB-12634PB	Planter Box - 126" x 14" x 34"	\$ 5,727
<b>Total</b>			<b>\$ 38,980</b>

## T100210



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
3	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 2,814
3	OB-FWPF	42" Full Wall Panel - Fabric	\$ 1,782
4	OB-CP	Corner Post	\$ 7,504
1	OB-CMS	Ceiling Modules, 48.5" x 52.5" x 5.188" - Use on 1X1 (No roof beam kit needed)	\$ 1,251
1	OB-4649STR	45.5" x 49" x 1.125" Sweep RH Worksurface, Obeya	\$ 644
3	OB-42FWRK	42" Full Wall Rail Kit	\$ 1,896
1	OB-42CKF	42" Sliding Folding Curtains	\$ 1,861
1	OB-42BMK	42" Beam Kit	\$ 1,037
<b>Total</b>			<b>\$ 18,789</b>


## T100211



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
3	OB-SWPMB	42" Split Wall Panel - Markerboard	\$ 1,242
3	OB-SWPC	42" Split Wall Panel - Cork	\$ 1,134
1	OB-FRWPMs	42" Framed Machined Slat Wall Panel	\$ 2,263
4	OB-CP	Corner Post	\$ 7,504
1	OB-126WSRK	126" Table Wall Rail Kit	\$ 1,878
1	OB-126SWRK	126" Split Wall Rail Kit	\$ 3,285
1	OB-126CKF	126" Sliding Folding Curtains	\$ 4,868
2	OB-126BMK	126" Beam Kit	\$ 4,538
1	OB-12624RT	125.938" x 24" x 1.125" Rectangle Worksurface, Obeya	\$ 899
<b>Total</b>			<b>\$ 27,611</b>


## TYPICAL CONFIGURATIONS

## T100212




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
4	OB-CP	Corner Post	\$ 7,504
4	OB-42BMK	42" Beam Kit	\$ 4,148
<b>Total</b>			<b>\$ 11,652</b>

## T100213




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
4	OB-CP	Corner Post	\$ 7,504
2	OB-84BMK	84" Beam Kit	\$ 3,226
2	OB-42BMK	42" Beam Kit	\$ 2,074
<b>Total</b>			<b>\$ 12,804</b>

## T100214




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
4	OB-CP	Corner Post	\$ 7,504
4	OB-84BMK	84" Beam Kit	\$ 6,452
<b>Total</b>			<b>\$ 13,956</b>

## T100215




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
4	OB-CP	Corner Post	\$ 7,504
2	OB-84BMK	84" Beam Kit	\$ 3,226
2	OB-126BMK	126" Beam Kit	\$ 4,538
<b>Total</b>			<b>\$ 15,268</b>

## T100216



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
4	OB-CP	Corner Post	\$ 7,504
4	OB-126BMK	126" Beam Kit	\$ 9,076
<b>Total</b>			<b>\$ 16,580</b>

## T100217




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
8	OB-TP	T Post	\$ 22,352
4	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 3,752
4	OB-FWPF	42" Full Wall Panel - Fabric	\$ 2,376
2	OB-FRWPP	42" Framed Split Infill Wall Panel - PET	\$ 4,410
4	OB-CP	Corner Post	\$ 7,504
2	OB-84BMK	84" Beam Kit	\$ 3,226
4	OB-42FWRK	42" Full Wall Rail Kit	\$ 2,528
10	OB-42BMK	42" Beam Kit	\$ 10,370
<b>Total</b>			<b>\$ 56,518</b>




## TYPICAL CONFIGURATIONS

## T100218




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
4	OB-TP	T Post	\$ 11,176
2	OB-FRWPP	42" Framed Split Infill Wall Panel - PET	\$ 4,410
1	OB-FRWPL	42" Framed Split Infill Wall Panel - HPL	\$ 2,456
4	OB-CP	Corner Post	\$ 7,504
3	OB-84BMK	84" Beam Kit	\$ 4,839
1	OB-4P	4 Way Post	\$ 3,049
9	OB-42BMK	42" Beam Kit	\$ 9,333
<b>Total</b>			<b>\$ 42,767</b>

## T100219



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
2	OB-TP	T Post	\$ 5,588
3	OB-FWPMB	42" Full Wall Panel - Markerboard	\$ 2,055
3	OB-FWPF	42" Full Wall Panel - Fabric	\$ 1,782
4	OB-CP	Corner Post	\$ 7,504
4	OB-42BMK	42" Beam Kit	\$ 4,148
1	OB-126FWRK	126" Full Wall Rail Kit	\$ 1,331
2	OB-126BMK	126" Beam Kit	\$ 4,538
<b>Total</b>			<b>\$ 26,946</b>

## T100220



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
2	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 1,876
2	OB-FWPF	42" Full Wall Panel - Fabric	\$ 1,188
4	OB-CP	Corner Post	\$ 7,504
1	OB-4649STL	45.5" x 49" x 1.125" Sweep LH Worksurface, Obeya	\$ 644
2	OB-42FWRK	42" Full Wall Rail Kit	\$ 1,264
2	OB-42BMK	42" Beam Kit	\$ 2,074
<b>Total</b>			<b>\$ 14,550</b>


## T100221



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
2	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 1,876
2	OB-FWPF	42" Full Wall Panel - Fabric	\$ 1,188
2	OB-FRWPA	42" Framed Split Infill Wall Panel - Acrylic	\$ 4,036
4	OB-CP	Corner Post	\$ 7,504
1	OB-84FWRK	84" Full Wall Rail Kit	\$ 973
1	OB-84BMK	84" Beam Kit	\$ 1,613
1	OB-4830ROT	48" x 29.5" x 29" Runoff Table - Veneer/HPL	\$ 1,404
2	OB-42BMK	42" Beam Kit	\$ 2,074
<b>Total</b>			<b>\$ 20,668</b>


## TYPICAL CONFIGURATIONS

## T100222




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
2	OB-SWPW	42" Split Wall Panel - Veneer/HPL	\$ 1,192
1	OB-SWPMB	42" Split Wall Panel - Markerboard	\$ 414
1	OB-SWPC	42" Split Wall Panel - Cork	\$ 378
2	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 1,876
2	OB-FWPF	42" Full Wall Panel - Fabric	\$ 1,188
4	OB-CP	Corner Post	\$ 7,504
1	OB-84SWRK	84" Split Wall Rail Kit	\$ 2,362
1	OB-84FWRK	84" Full Wall Rail Kit	\$ 973
2	OB-84BMK	84" Beam Kit	\$ 3,226
<b>Total</b>			<b>\$ 19,113</b>

## T100223




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
7	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 6,566
2	OB-FWPMB	42" Full Wall Panel - Markerboard	\$ 1,370
3	OB-FWPF	42" Full Wall Panel - Fabric	\$ 1,782
2	OB-FWPC	42" Full Wall Panel - Cork	\$ 1,220
4	OB-CP	Corner Post	\$ 7,504
4	OB-CMT	Ceiling Modules, 42" x 68.188" x 5.188" - Use on 3X3 with an OB-126RBRK and 3X2 with an OB-84RBRK	\$ 5,412
1	OB-84RBRK	84" Center Roof Beam Kit	\$ 1,685
2	OB-84FWRK	84" Full Wall Rail Kit	\$ 1,946
1	OB-6042ROTB	60" x 41.5" x 42" Bar Height Runoff Table - Veneer/HPL	\$ 2,619
1	OB-126FWRK	126" Full Wall Rail Kit	\$ 1,331
1	OB-126BMK	126" Beam Kit	\$ 2,269
<b>Total</b>			<b>\$ 33,704</b>

## T100224



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
4	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 3,752
4	OB-FWPF	42" Full Wall Panel - Fabric	\$ 2,376
4	OB-FRWPV	42" Framed Split Infill Wall Panel - Veneer	\$ 10,024
4	OB-FRWPM	42" Framed Metal Infill Wall Panel	\$ 11,112
6	OB-CP	Corner Post	\$ 11,256
2	OB-84FWRK	84" Full Wall Rail Kit	\$ 1,946
6	OB-84BMK	84" Beam Kit	\$ 9,678
1	OB-4P	4 Way Post	\$ 3,049
<b>Total</b>			<b>\$ 53,193</b>


## T100225



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
8	OB-TP	T Post	\$ 22,352
6	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 5,628
2	OB-FWPMB	42" Full Wall Panel - Markerboard	\$ 1,370
4	OB-FWPF	42" Full Wall Panel - Fabric	\$ 2,376
2	OB-FRWPP	42" Framed Split Infill Wall Panel - PET	\$ 4,410
4	OB-FRWPMs	42" Framed Machined Slat Wall Panel	\$ 9,052
4	OB-CP	Corner Post	\$ 7,504
1	OB-84FWRK	84" Full Wall Rail Kit	\$ 973
1	OB-84BMK	84" Beam Kit	\$ 1,613
4	OB-42FWRK	42" Full Wall Rail Kit	\$ 2,528
10	OB-42BMK	42" Beam Kit	\$ 10,370
<b>Total</b>			<b>\$ 68,176</b>


## TYPICAL CONFIGURATIONS

## T100226




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
2	OB-TP	T Post	\$ 5,588
12	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 11,256
12	OB-FWPF	42" Full Wall Panel - Fabric	\$ 7,128
4	OB-CP	Corner Post	\$ 7,504
12	OB-CMT	Ceiling Modules, 42" x 68.188" x 5.188" - Use on 3X3 with an OB-126RBRK and 3X2 with an OB-84RBRK	\$ 16,236
2	OB-126RBRK	126" Center Roof Beam Kit	\$ 4,770
4	OB-126FWRK	126" Full Wall Rail Kit	\$ 5,324
3	OB-126BMK	126" Beam Kit	\$ 6,807
<b>Total</b>			<b>\$ 64,613</b>

## T100227




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
4	OB-TP	T Post	\$ 11,176
3	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 2,814
3	OB-FWPF	42" Full Wall Panel - Fabric	\$ 1,782
4	OB-FRWWA	42" Framed Split Infill Wall Panel - Acrylic	\$ 8,072
4	OB-CP	Corner Post	\$ 7,504
3	OB-CMS	Ceiling Modules, 48.5" x 52.5" x 5.188" - Use on 1X1 (No roof beam kit needed)	\$ 3,753
3	OB-42FWRK	42" Full Wall Rail Kit	\$ 1,896
7	OB-42BMK	42" Beam Kit	\$ 7,259
<b>Total</b>			<b>\$ 44,256</b>

## T100228



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
2	OB-SWPW	42" Split Wall Panel - Veneer/HPL	\$ 1,192
5	OB-SWPMB	42" Split Wall Panel - Markerboard	\$ 2,070
5	OB-SWPF	42" Split Wall Panel - Fabric	\$ 2,045
6	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 5,628
6	OB-FWPF	42" Full Wall Panel - Fabric	\$ 3,564
8	OB-CP	Corner Post	\$ 15,008
3	OB-84FWRK	84" Full Wall Rail Kit	\$ 2,919
3	OB-84BMK	84" Beam Kit	\$ 4,839
2	OB-4P	4 Way Post	\$ 6,098
6	OB-42SWRK	42" Split Wall Rail Kit	\$ 9,132
<b>Total</b>			<b>\$ 52,495</b>


## T100229



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
8	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 7,504
8	OB-FWPF	42" Full Wall Panel - Fabric	\$ 4,752
4	OB-FRWPMS	42" Framed Machined Slat Wall Panel	\$ 9,052
6	OB-CP	Corner Post	\$ 11,256
8	OB-CMD	Ceiling Modules, 42" x 47.188" x 5.188" - Use on 2X2 with an OB-84RBRK and 2X3 with an OB-126RBRK	\$ 7,840
2	OB-84RBRK	84" Center Roof Beam Kit	\$ 3,370
4	OB-84FWRK	84" Full Wall Rail Kit	\$ 3,892
4	OB-84BMK	84" Beam Kit	\$ 6,452
1	OB-4P	4 Way Post	\$ 3,049
<b>Total</b>			<b>\$ 57,167</b>


## TYPICAL CONFIGURATIONS

## T100230



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
2	OB-TP	T Post	\$ 5,588
4	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 3,752
4	OB-FWPF	42" Full Wall Panel - Fabric	\$ 2,376
2	OB-FRWPM	42" Framed Metal Infill Wall Panel	\$ 5,556
4	OB-CP	Corner Post	\$ 7,504
2	OB-84FWRK	84" Full Wall Rail Kit	\$ 1,946
2	OB-84BMK	84" Beam Kit	\$ 3,226
2	OB-126WSRK	126" Table Wall Rail Kits	\$ 3,756
1	OB-126BMK	126" Beam Kit	\$ 2,269
2	OB-12624RT	125.938" x 24" x 1.125" Rectangle Worksurfaces, Obeya	\$ 1,798
<b>Total</b>			<b>\$ 37,771</b>

## T100233



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
9	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 8,442
9	OB-FWPF	42" Full Wall Panel - Fabric	\$ 5,346
4	OB-CP	Corner Post	\$ 7,504
2	OB-42CKP	Static Panel Curtains - 42" x 2" x 9"	\$ 5,002
3	OB-126FWRK	126" Full Wall Rail Kit	\$ 3,993
1	OB-126BMK	126" Beam Kit	\$ 2,269
<b>Total</b>			<b>\$ 32,556</b>


## T100235



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
4	OB-SWPW	42" Split Wall Panel - Veneer/HPL	\$ 2,384
4	OB-SWPMB	42" Split Wall Panel - Marker Board	\$ 1,656
3	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 2,814
1	OB-FWPMB	42" Full Wall Panel - Marker Board	\$ 685
2	OB-FWPC	42" Full Wall Panel - Cork	\$ 1,220
2	OB-FRWPM	42" Framed Machined Slat Wall Panel	\$ 4,526
4	OB-CP	Corner Post	\$ 7,504
6	OB-CMD	Ceiling Modules, 42" x 47.188" x 5.188" - Use on 2X2 with an OB-84RBRK and 2X3 with an OB-126RBRK	\$ 5,880
2	OB-84SWRK	84" Split Wall Rail Kit	\$ 4,724
1	OB-6042ROTB	60" x 41.5" x 42" Bar Height Runoff Table - Veneer/HPL	\$ 2,619
1	OB-126RBRK	126" Center Roof Beam Kit	\$ 2,385
1	OB-126FWRK	126" Full Wall Rail Kit	\$ 1,331
1	OB-126BMK	126" Beam Kit	\$ 2,269
<b>Total</b>			<b>\$ 39,997</b>


## TYPICAL CONFIGURATIONS

## T100236




<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
2	OB-TP	T Post	\$ 5,588
6	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 5,628
8	OB-FWPF	42" Full Wall Panel - Fabric	\$ 4,752
2	OB-FRWPA	42" Framed Split Infill Wall Panel - Acrylic	\$ 4,036
4	OB-CP	Corner Post	\$ 7,504
4	OB-CMSD	Ceiling Modules, 48.5" x 47.188" x 5.188" -Use on a 2X1 space with an OB-42RBRK	\$ 4,024
2	OB-84FWRK	84" Full Wall Rail Kit	\$ 1,946
2	OB-84BMK	84" Beam Kit	\$ 3,226
2	OB-42RBRK	42" Center Roof Beam Kits	\$ 2,200
3	OB-42FWRK	42" Full Wall Rail Kit	\$ 1,896
<b>Total</b>			<b>\$40,800</b>

## T100237



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
6	OB-FWPW	42" Full Wall Panel - Veneer/HPL	\$ 5,628
3	OB-FWPMB	42" Full Wall Panel - Markerboard	\$ 2,055
3	OB-FWPF	42" Full Wall Panel - Fabric	\$ 1,782
2	OB-FRWPP	42" Framed Split Infill Wall Panel - PET	\$ 4,410
3	OB-FRWPA	42" Framed Split Infill Wall Panel - Acrylic	\$ 6,054
4	OB-CP	Corner Post	\$ 7,504
2	OB-126FWRK	126" Full Wall Rail Kit	\$ 2,662
2	OB-126BMK	126" Beam Kit	\$ 4,538
<b>Total</b>			<b>\$ 34,633</b>

## T100238



<u>Qty</u>	<u>Model Number</u>	<u>Description</u>	<u>List</u>
4	OB-TP	T Post	\$ 11,176
4	OB-CP	Corner Post	\$ 7,504
1	OB-4P	4 Way Post	\$ 3,049
2	OB-126WSRK	126" Table Wall Rail Kits	\$ 3,756
10	OB-126BMK	126" Beam Kit	\$ 22,690
2	OB-12624RT	125.938" x 24" x 1.125" Rectangle Worksurfaces, Obeya	\$ 1,798
<b>Total</b>			<b>\$ 49,973</b>




## STANDARD FEATURES

- Vertical Uprights for Attaching Walls
- Veneer or HPL Face and Back with Exposed Maple Ply/Solid Wood Edge
- Hollow Core allows Wire Management through Post
- Creates a 90 Degree Connection

## NOTE:














- The Hardwood Cores and Bent Plywood Sections are Natural Products. Each Post will be Slightly Different in Overall Look and Characteristic Marks in the Plywood Should be Expected.

## CORNER POST



model	w	d	h	wt	cu ft	list	
OB-CP	6.75	6.75	90	45	3.5	\$	1,876

## OPTIONS

Finish	Edge 1 Wall Type	Edge 2 Wall Type	Post Power Sleeve Cutout
Veneer <i>Quartered</i> <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMDST</b> Desert <b>\$694</b> <b>SMWAL</b> Walnut <b>\$694</b> <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut <b>\$694</b>	 <b>WALO</b> Open/Curtain Wall	 <b>WALO</b> Open/Curtain Wall	<div>X9 None - Standard</div> <div> RM Yes</div>
HPL <b>AQP</b> Aqua Lagoon <b>BLP</b> Black <b>BRP</b> Burgundy <b>FWP</b> Frosty White <b>GRP</b> Grey <b>RWP</b> Pure White <b>SGP</b> Slate Grey <b>SMP</b> Summer Vacation <b>SRP</b> Sunray <b>WDP</b> Woodvine	 <b>WALF</b> Full Wall	 <b>WALF</b> Full Wall	
	 <b>WALS</b> Split Wall	 <b>WALS</b> Split Wall	
	 <b>WFRP</b> Framed Panel Wall	 <b>WFRP</b> Framed Panel Wall	
	 <b>WSIT</b> Table Wall Sitting	 <b>WSIT</b> Table Wall Sitting	
	 <b>WBAR</b> Table Wall Bar	 <b>WBAR</b> Table Wall Bar	

## HOW TO ORDER

SPECIFY: Finish | edge 1 wall type | edge 2 wall type | post power sleeve cutout.

## MODEL NUMBER

OB-CP

Finish	Edge 1 Wall Type	Edge 2 Wall Type	Post Power Sleeve Cutout
SMDST	WALO	WALO	X9



Obeya


## STANDARD FEATURES

- Vertical Uprights for Attaching Walls
- Veneer or HPL Face and Back with Exposed Maple Ply/Solid Wood Edge
- Hollow Core allows Wire Management through Post
- Creates a 3 Way Connection at 90 and 180 Degrees

### NOTE:























- The Hardwood Cores and Bent Plywood Sections are Natural Products. Each Post will be Slightly Different in Overall Look and Characteristic Marks in the Plywood Should be Expected.

## T POST



model	w	d	h	wt	cu ft	list
OB-TP	10.5	6.75	90	55	5	\$ 2,794

## OPTIONS

Finish	Edge 1 Wall Type	Edge 2 Wall Type	Edge 3 Wall Type	Post Power Sleeve Cutout
Veneer <i>Quartered</i> <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMDST</b> Desert <b>\$839</b> <b>SMWAL</b> Walnut <b>\$839</b> <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut <b>\$839</b>	 <b>WALO</b> Open/Curtain Wall	 <b>WALO</b> Open/Curtain Wall	 <b>WALO</b> Open/Curtain Wall	<b>X9</b> None - Standard 
HPL <b>AQP</b> Aqua Lagoon <b>BLP</b> Black <b>BRP</b> Burgundy <b>FWP</b> Frosty White <b>GRP</b> Grey <b>RWP</b> Pure White <b>SGP</b> Slate Grey <b>SMP</b> Summer Vacation <b>SRP</b> Sunray <b>WDP</b> Woodvine	 <b>WALF</b> Full Wall	 <b>WALF</b> Full Wall	 <b>WALF</b> Full Wall	 <b>A3J</b> Right Handed Corner
	 <b>WALS</b> Split Wall	 <b>WALS</b> Split Wall	 <b>WALS</b> Split Wall	  <b>A3K/A3J</b> Left and Right Handed Corners
	 <b>WFRP</b> Framed Panel Wall	 <b>WFRP</b> Framed Panel Wall	 <b>WFRP</b> Framed Panel Wall	
	 <b>WSIT</b> Table Wall Sitting	 <b>WSIT</b> Table Wall Sitting	 <b>WSIT</b> Table Wall Sitting	
	 <b>WBAR</b> Table Wall Bar	 <b>WBAR</b> Table Wall Bar	 <b>WBAR</b> Table Wall Bar	

## HOW TO ORDER

SPECIFY: Finish | edge 1 wall type | edge 2 wall type | edge 3 wall type | post power sleeve cutout.

## MODEL NUMBER

OB-TP

Finish	Edge 1 Wall Type	Edge 2 Wall Type	Edge 3 Wall Type	Post Power Sleeve Cutout
SMDST	WALO	WALO	WALO	X9




## STANDARD FEATURES

- Vertical Uprights for Attaching Walls
- Veneer or HPL Faces with Exposed Maple Ply/Solid Wood Edge
- Hollow Core allows Wire Management through Post
- Creates a 4 Way Connection of Walls at 90 Degree Increments

## NOTE:

























- The Hardwood Cores and Bent Plywood Sections are Natural Products. Each Post will be Slightly Different in Overall Look and Characteristic Marks in the Plywood Should be Expected.

## 4 WAY POST



model	w	d	h	wt	cu ft	list
OB-4P	10.5	10.5	90	70	8	\$ 3,049

## OPTIONS

Finish	Edge 1 Wall Type	Edge 2 Wall Type	Edge 3 Wall Type	Edge 4 Wall Type
Veneer <i>Quartered</i> SMOAK Oak SMOSL Oslo SMDST Desert \$1,006 SMWAL Walnut \$1,006 <i>Flat Cut</i> SMFOAK Oak SMFWAL Walnut \$1,006	 WALO Open/Curtain Wall	 WALO Open/Curtain Wall	 WALO Open/Curtain Wall	 WALO Open/Curtain Wall
HPL AGP Aqua Lagoon BLP Black BRP Burgundy FWP Frosty White GRP Grey RWP Pure White SGP Slate Grey SMP Summer Vacation SRP Sunray WDP Woodvine	 WALF Full Wall	 WALF Full Wall	 WALF Full Wall	 WALF Full Wall
	 WALS Split Wall	 WALS Split Wall	 WALS Split Wall	 WALS Split Wall
	 WFRP Framed Panel Wall	 WFRP Framed Panel Wall	 WFRP Framed Panel Wall	 WFRP Framed Panel Wall
	 WSIT Table Wall Sitting	 WSIT Table Wall Sitting	 WSIT Table Wall Sitting	 WSIT Table Wall Sitting
	 WBAR Table Wall Bar	 WBAR Table Wall Bar	 WBAR Table Wall Bar	 WBAR Table Wall Bar

## HOW TO ORDER

SPECIFY: Finish | edge 1 wall type | edge 2 wall type | edge 3 wall type | edge 4 wall type.

## MODEL NUMBER

OB-4P

Finish	Edge 1 Wall Type	Edge 2 Wall Type	Edge 3 Wall Type	Edge 4 Wall Type
SMDST	WALO	WALO	WALO	WALO





## STANDARD FEATURES






- Spans Between 2 Posts
- Used for Open, Framed Panel or Curtain Walls
- Contains: Beam, Cladding Panels, Bottom Trim Rail and Mounting Hardware
- Wire Management Chase Built into Extrusion
- Duplex Receptacle Mounting Cutout in Center of Extrusion (receptacle ordered separately)
- 1.25" Maximum Plug Width

## BEAM KITS



model	w	d	h	wt	cu ft	list	
OB-42BMK	42	3	7	20	1.5	\$	1,037
OB-84BMK	84	3	7	39	3	\$	1,613
OB-126BMK	126	3	7	57	5	\$	2,269

## OPTIONS

Cladding Finish	Roof Beam Power Cutout	Beam Trim Type
Veneer <i>Quartered</i> SMOAK Oak SMOSL Oslo SMDST Desert \$58 SMWAL Walnut \$58 <i>Flat Cut</i> SMFOAK Oak SMFWAL Walnut \$58 HPL AQP Aqua Lagoon BLP Black BRP Burgundy FWP Frosty White GRP Grey RWP Pure White SGP Slate Grey SMP Summer Vacation SRP Sunray WDP Woodvine	X9 None - Standard SGCT - Single Sided DBCT - Double Sided	 OPWALL Open Wall  CUWALL Curtain Wall  1FWALL One Framed Panel Wall (Available on OB-42BMK, OB-84BMK, OB-126BMK)  2FWALL Two Framed Panel Wall (Available on OB-84BMK, OB-126BMK only)  3FWALL Three Framed Panel Wall (Available on OB-126BMK only)

## HOW TO ORDER

SPECIFY: Cladding finish | roof beam power cutout | beam trim type.

## MODEL NUMBER

OB-42BMK


Cladding Finish	Roof Beam Power Cutout	Beam Trim Type
SMDST	X9	OPWALL



STANDARD FEATURES

- Spans Between 2 Posts
  - Contains: Top Rail, 2 Cross Rails and Mounting Hardware
- Wire Management Cavity Behind Panels and Built into Top Rail Extrusion
  - Duplex Receptacle Mounting Cutout in Center of Extrusion (receptacle ordered separately)
- 1" Maximum Plug Width
  - Supports Hanging Full Wall Panels (ordered separately)
  - Requires Panels Both Sides

FULL WALL RAIL KITS



model	w	d	h	wt	cu ft	list	
OB-42FWRK (shown)	42	1.75	90	24	2	\$	632
OB-84FWRK	84	1.75	90	46	3	\$	973
OB-126FWRK	126	1.75	90	67	5	\$	1,331

HOW TO ORDER

MODEL NUMBER


OB-42FWRK



## STANDARD FEATURES

- Spans Between 2 Posts
- Duplex Receptacle Mounting Cutout in Center of Extrusion (receptacle ordered separately)
- 1.25" Maximum Plug Width for Upper Beam
- 1" Maximum Plug Width for Upper Panel Extrusion
- Supports Hanging Split Wall Panels (ordered separately)
- Contains: Beam with Cladding Panels and Bottom Trim Rail, Split Wall Top and Bottom Rail with all Mounting Hardware
- Requires Panels Both Sides

## SPLIT WALL RAIL KITS



model	w	d	h	wt	cu ft	list
OB-42SWRK	42	1.75	90	37	2	\$ 1,522
OB-84SWRK	84	1.75	90	71	3	\$ 2,362
OB-126SWRK (shown)	126	1.75	90	104	5	\$ 3,285

## OPTIONS

Cladding Finish	Roof Beam Power Cutout
Veneer <i>Quartered</i> SMOAK Oak SMOSL Oslo SMDST Desert \$58 SMWAL Walnut \$58 <i>Flat Cut</i> SMFOAK Oak SMFWAL Walnut \$58  HPL AQP Aqua Lagoon BLP Black BRP Burgundy FWP Frosty White GRP Grey RWP Pure White SGP Slate Grey SMP Summer Vacation SRP Sunray WDP Woodvine	X9 None - Standard SGCT - Single Sided DBCT - Double Sided

## HOW TO ORDER

SPECIFY: Cladding finish | roof beam power cutout.

## MODEL NUMBER

OB-42SWRK

Cladding Finish	Roof Beam Power Cutout
SMDST	X9




## STANDARD FEATURES

- Spans Opening Between Posts
- Contains: Beams, Cladding and Mounting Hardware for Rail and Worksurface
- Worksurface Ordered Separate

## NOTE:

- Cannot be used on Adjoining Perpendicular Walls.

## TABLE WALL RAIL KITS



model	w	d	h	wt	cu ft	list	
OB-42WSRK	42	3	6	40	0.9	\$	914
• Duplex Receptacle Mounting Cutout in Center of Extrusion (receptacle ordered separately)							
• 1.25" Maximum Plug Width							
OB-84WSRK	84	3	6	77	1.8	\$	1,433
• Duplex Receptacle Mounting Cutout in Center of Extrusion (receptacle ordered separately)							
• 1.25" Maximum Plug Width							
OB-126WSRK (shown)	126	3	6	114	2.7	\$	1,878
• Two Duplex Receptacle Mounting Cutouts Centered 42" Apart in Extrusion (receptacle ordered separately)							
• 1.25" Maximum Plug Width							

## OPTIONS

Cladding Finish	Roof Beam Power Cutout
Veneer <i>Quartered</i> SMOAK Oak SMOSL Oslo SMDST Desert \$58 SMWAL Walnut \$58 <i>Flat Cut</i> SMFOAK Oak SMFWAL Walnut \$58  HPL AQP Aqua Lagoon BLP Black BRP Burgundy FWP Frosty White GRP Grey RWP Pure White SGP Slate Grey SMP Summer Vacation SRP Sunray WDP Woodvine	X9 None - Standard SGCT - Single Sided DBCT - Double Sided

## HOW TO ORDER

SPECIFY: Cladding finish | roof beam power cutout.

## MODEL NUMBER

OB-42WSRK


Cladding Finish	Roof Beam Power Cutout
SMDST	X9



## STANDARD FEATURES

- Spans Centered Between 2 Walls
- Supports Ceiling Modules (ordered separately)
- Cutout for Duplex Receptacles for Roof Power
- Contains: Beam with Cladding Panels, Bottom Trim Rail and Mounting Hardware

## CENTER ROOF BEAM KITS



model	w	d	h	wt	cu ft	list
<b>OB-42RBRK</b>	49	3	7	22	1.2	\$ 1,100
<ul style="list-style-type: none"><li>• Spans Across a Single Panel Wall</li><li>• Duplex Receptacle Mounting Cutout in Center of Extrusion (receptacle ordered separately)</li><li>• 1.25" Maximum Plug Width</li></ul>						
<b>OB-84RBRK</b>	91	3	7	42	2.2	\$ 1,685
<ul style="list-style-type: none"><li>• Spans Across a Two Panel Wall</li><li>• Duplex Receptacle Mounting Cutout in Center of Extrusion (receptacle ordered separately)</li><li>• 1.25" Maximum Plug Width</li></ul>						
<b>OB-126RBRK (shown)</b>	133	3	7	63	3.2	\$ 2,385
<ul style="list-style-type: none"><li>• Spans Across a Three Panel Wall</li><li>• Two Duplex Receptacle Mounting Cutouts Centered 42" Apart in Extrusion (receptacle ordered separately)</li><li>• 1.25" Maximum Plug Width</li></ul>						

## OPTIONS

### Cladding Finish

Veneer  
*Quartered*  
**SMDST** Desert  
**SMOAK** Oak  
**SMOSL** Oslo  
**SMWAL** Walnut  
*Flat Cut*  
**SMFOAK** Oak  
**SMFWAL** Walnut  
  
HPL  
**AQP** Aqua Lagoon  
**BLP** Black  
**BRP** Burgundy  
**FWP** Frosty White  
**GRP** Grey  
**RWP** Pure White  
**SGP** Slate Grey  
**SMP** Summer Vacation  
**SRP** Sunray  
**WDP** Woodvine

## HOW TO ORDER

SPECIFY: Cladding finish

### MODEL NUMBER

OB-42RBRK

### Cladding Finish

SMDST



## STANDARD FEATURES

- Attaches to Beam Kit and Post or Framed Panel to Close Off an Opening
- Creates Space Division and Semi Visual Privacy

- Veneer/HPL Plywood Slat Panel Infill with exposed Ply Cutouts

## NOTE:




- Cannot have Stand Alone Center Panel. Panel Must Attach to Post or Another Panel

## FRAMED MACHINED WOOD INFILL WALL PANEL



model	w	d	h	wt	cu ft	list
OB-FRWPMs	42	2.75	83	68	9.7	\$ 2,263

## OPTIONS

Frame Finish	Infill Pattern	Infill Finish	Ganging
Veneer <i>Quartered</i> <b>SMDST</b> Desert <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMWAL</b> Walnut <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut  Paint <b>BLK</b> Black <b>IRN</b> Iron <b>WHT</b> White  Studio Paint <b>\$180</b> <b>BLUS</b> Blush <b>CIDR</b> Cider <b>DIJO</b> Dijon <b>FALO</b> Fallow <b>FERN</b> Fern <b>MDNT</b> Midnight <b>PINE</b> Pine <b>TUND</b> Tundra	<b>HZTL</b> Horizontal Slats <b>CIRC</b> Circles <b>DIAG</b> Diagonal Slats <b>WAVE</b> Wave Slats	Veneer <i>Quartered</i> <b>SMDST</b> Desert <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMWAL</b> Walnut <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut  HPL <b>AQP</b> Aqua Lagoon <b>BLP</b> Black <b>BRP</b> Burgundy <b>FWP</b> Frosty White <b>GRP</b> Grey <b>RWP</b> Pure White <b>SGP</b> Slate Grey <b>SMP</b> Summer Vacation <b>SRP</b> Sunray <b>WDP</b> Woodvine	 <b>C6D</b> Left Handed   <b>C6E</b> Right Handed   <b>C6D/C6E</b> Left and Right Handed

## HOW TO ORDER

SPECIFY: Frame finish | infill pattern | infill finish | ganging.

## MODEL NUMBER

OB-FRWPMs

Frame Finish	Infill Pattern	Infill Finish	Ganging
SMDST	HZTL	SMDST	C6D




## STANDARD FEATURES

- Attaches to Beam Kit and Post or Framed Panel to Close Off an Opening
- Powder Coat Metal Infill
- Creates Space Division and Semi Visual Privacy

## NOTE:




- Cannot have Stand Alone Center Panel. Panel Must Attach to Post or Another Panel

## FRAMED METAL INFILL WALL PANEL



model	w	d	h	wt	cu ft	list
OB-FRWPM	42	2.75	83	52-69	9.7	\$ 2,778

## OPTIONS

Frame Finish	Metal Infill	Infill Finish	Ganging
Veneer <i>Quartered</i> SMDST Desert SMOAK Oak SMOSL Oslo SMWAL Walnut <i>Flat Cut</i> SMFOAK Oak SMFWAL Walnut  Paint BLK Black IRN Iron WHT White  Studio Paint <b>\$180</b> BLUS Blush CIDR Cider DIJO Dijon FALO Fallow FERN Fern MDNT Midnight PINE Pine TUND Tundra	WMSH Wire Mesh (10GA) - Standard PERF Perforated Metal (round) <b>\$567</b>	MSL Luster Grey - Standard  Standard Powder Coat <b>\$486</b> BWT Bone White BUFF Buff CHLK Chalk SGLD Gold GRPH Graphite HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze HIF Warm Grey  Studio Powder Coat <b>\$486</b> CADT Cadet CLOV Clover GLDN Goldenrod HERN Heron LATT Latte MOSS Moss RUSS Russet SUNS Sunset	 C6D Left Handed   C6E Right Handed   C6D/C6E Left and Right Handed

## HOW TO ORDER

SPECIFY: Frame finish | metal infill | infill finish | ganging.

## MODEL NUMBER

OB-FRWPM

Frame Finish	Metal Infill	Infill Finish	Ganging
SMDST	PERF	BWT	C6D




## STANDARD FEATURES

- Attaches to Beam Kit and Post or Framed Panel to Close Off an Opening
- Creates Space Division and Semi Visual Privacy
- Veneer or Paint Infill

## NOTE:




- Cannot have Stand Alone Center Panel. Panel Must Attach to Post or Another Panel

## FRAMED GRILL INFILL WALL PANEL - VENEER/PAINT



model	w	d	h	wt	cu ft	list
OB-FRWPV	42	2.75	83	74	9.7	\$ 2,506

## OPTIONS

Frame Finish	Infill Finish	Ganging
Veneer <i>Quartered</i> <b>SMDST</b> Desert <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMWAL</b> Walnut <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut  Paint <b>BLK</b> Black <b>IRN</b> Iron <b>WHT</b> White  Studio Paint <b>\$180</b> <b>BLUS</b> Blush <b>CIDR</b> Cider <b>DIJO</b> Dijon <b>FALO</b> Fallow <b>FERN</b> Fern <b>MDNT</b> Midnight <b>PINE</b> Pine <b>TUND</b> Tundra	Veneer <i>Quartered</i> <b>SMDST</b> Desert <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMWAL</b> Walnut <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut  Paint <b>BLK</b> Black <b>IRN</b> Iron <b>WHT</b> White  Studio Paint <b>\$180</b> <b>BLUS</b> Blush <b>CIDR</b> Cider <b>DIJO</b> Dijon <b>FALO</b> Fallow <b>FERN</b> Fern <b>MDNT</b> Midnight <b>PINE</b> Pine <b>TUND</b> Tundra	 <b>C6D</b> Left Handed   <b>C6E</b> Right Handed   <b>C6D/C6E</b> Left and Right Handed

## HOW TO ORDER

SPECIFY: Frame finish | infill finish | ganging.

## MODEL NUMBER

OB-FRWPV

Frame Finish	Infill Finish	Ganging
SMDST	SMDST	C6D






## STANDARD FEATURES

- Attaches to Beam Kit and Post or Framed Panel to Close Off an Opening
- Creates Space Division and Semi Visual Privacy
- HPL Infill

## NOTE:




- Cannot have Stand Alone Center Panel. Panel Must Attach to Post or Another Panel

## FRAMED GRILL INFILL WALL PANEL - HPL



model	w	d	h	wt	cu ft	list
OB-FRWPL	42	2.75	83	74	9.7	\$ 2,456

## OPTIONS

Frame Finish	Infill Finish	Ganging
Veneer <i>Quartered</i> <b>SMDST</b> Desert <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMWAL</b> Walnut <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut  Paint <b>BLK</b> Black <b>IRN</b> Iron <b>WHT</b> White  Studio Paint <b>\$180</b> <b>BLUS</b> Blush <b>CIDR</b> Cider <b>DIJO</b> Dijon <b>FALOW</b> Fallow <b>FERN</b> Fern <b>MDNT</b> Midnight <b>PINE</b> Pine <b>TUND</b> Tundra	HPL <b>AQP</b> Aqua Lagoon <b>BLP</b> Black <b>BRP</b> Burgundy <b>FWP</b> Frosty White <b>GRP</b> Grey <b>RWP</b> Pure White <b>SGP</b> Slate Grey <b>SMP</b> Summer Vacation <b>SRP</b> Sunray <b>WDP</b> Woodvine	 <b>C6D</b> Left Handed   <b>C6E</b> Right Handed   <b>C6D/C6E</b> Left and Right Handed

## HOW TO ORDER

SPECIFY: Frame finish | infill finish | ganging.

## MODEL NUMBER

OB-FRWPL

Frame Finish	Infill Finish	Ganging
SMDST	SMDST	C6D




## STANDARD FEATURES

- Attaches to Beam Kit and Post or Framed Panel to Close Off an Opening
- Creates Space Division and Semi Visual Privacy
- Acrylic Infill

## NOTE:




- Cannot have Stand Alone Center Panel. Panel Must Attach to Post or Another Panel

## FRAMED GRILL INFILL WALL PANEL - ACRYLIC



model	w	d	h	wt	cu ft	list
OB-FRWPA	42	2.75	83	70	9.7	\$ 2,018

## OPTIONS

Frame Finish	Infill Finish	Ganging
Veneer <i>Quartered</i> <b>SMDST</b> Desert <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMWAL</b> Walnut <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut  Paint <b>BLK</b> Black <b>IRN</b> Iron <b>WHT</b> White  Studio Paint <b>\$180</b> <b>BLUS</b> Blush <b>CIDR</b> Cider <b>DIJO</b> Dijon <b>FALO</b> Fallow <b>FERN</b> Fern <b>MDNT</b> Midnight <b>PINE</b> Pine <b>TUND</b> Tundra	Acrylic <b>B9Q</b> Clear - Standard <b>B8Y</b> Frosted <b>\$662</b>	 <b>C6D</b> Left Handed   <b>C6E</b> Right Handed   <b>C6D/C6E</b> Left and Right Handed

## HOW TO ORDER

SPECIFY: Frame finish | infill finish | ganging.

## MODEL NUMBER

OB-FRWPA

Frame Finish	Infill Finish	Ganging
SMDST	B9Q	C6D




## STANDARD FEATURES

- Attaches to Beam Kit and Post or Framed Panel to Close Off an Opening
- Creates Space Division and Semi Visual Privacy
- PET Infill

## NOTE:




- Cannot have Stand Alone Center Panel. Panel Must Attach to Post or Another Panel

## FRAMED GRILL INFILL WALL PANEL - PET



model	w	d	h	wt	cu ft	list
OB-FRWPP	42	2.75	83	64	9.7	\$ 2,205

## OPTIONS

Frame Finish	Infill Finish	Ganging
Veneer <i>Quartered</i> SMDST Desert SMOAK Oak SMOSL Oslo SMWAL Walnut <i>Flat Cut</i> SMFOAK Oak SMFWAL Walnut  Paint BLK Black IRN Iron WHT White  Studio Paint \$180 BLUS Blush CIDR Cider DIJO Dijon FALO Fallow FERN Fern MDNT Midnight PINE Pine TUND Tundra	PET BLACK BLUSH CADET ECRU FOSSIL GREIGE IVORY LIME MALACHITE NAVY	 C6D Left Handed   C6E Right Handed   C6D/C6E Left and Right Handed

## HOW TO ORDER

SPECIFY: Frame finish | infill finish | ganging.

## MODEL NUMBER

OB-FRWPP

Frame Finish	Infill Finish	Ganging
SMDST	BLACK	C6D




## SLIDING FOLDING CURTAINS STANDARD FEATURES

- Attaches to Underside of Beam Kit
- Includes Curtain and Mounting Hardware
- Track Included in Beam Kit

## NOTE:

- When ordering Beam Kit specify **CUWALL** only (see page 13)




model	w	d	h	wt	cu ft	list
OB-42CKF	42	3.5	90		0.5	\$ 1,861

- For Use on 42"W Wall Openings

OB-84CKF	84	3.5	90		0.5	\$ 3,425
----------	----	-----	----	--	-----	----------

- For Use on 84"W Wall Openings



model	w	d	h	wt	cu ft	list
OB-126CKF	2 piece 63 (each panel)	3.5	90		0.5	\$ 4,868

- For Use on 126"W Wall Openings

## OPTIONS

## Curtain Textile

<b>Maharam</b> Prose - Standard Twinkle Candle Scenic Icing Flight Carnation <b>Phase</b> North Empire Kettle Dynasty Fog Origin OB-42CKF <b>\$92</b> OB-84CKF <b>\$289</b> OB-126CKF <b>\$603</b> <b>Dormer</b> Bone Trawler OB-42CKF <b>\$485</b> OB-84CKF <b>\$973</b> OB-126CKF <b>\$1,567</b>	<b>Twister</b> 001 002 013 OB-42CKF <b>\$533</b> OB-84CKF <b>\$908</b> OB-126CKF <b>\$1,433</b> <b>Wane</b> Albatross Smoke OB-42CKF <b>\$598</b> OB-84CKF <b>\$1,158</b> OB-126CKF <b>\$1,831</b>	<b>Snowsound</b> <b>Melange</b> 302 304 305 OB-42CKF <b>\$1,187</b> OB-84CKF <b>\$1,371</b> OB-126CKF <b>\$2,353</b> <b>Boucle</b> 801 OB-42CKF <b>\$1,627</b> OB-84CKF <b>\$2,132</b> OB-126CKF <b>\$3,255</b> <b>Velvet</b> 001 OB-42CKF <b>\$2,653</b> OB-84CKF <b>\$3,460</b> OB-126CKF <b>\$5,106</b>
---	--	---

NOTE: Refer to manufacturer's website for color options.

## HOW TO ORDER

SPECIFY: Curtain textile.

## MODEL NUMBER

OB-42CKF

## Curtain Textile

Maharam, Prose, Twinkle



## STANDARD FEATURES

- Attaches to Underside of Beam Kit
- Includes Curtain and Mounting Hardware

## STATIC PANEL CURTAIN



model	w	d	h	wt	cu ft	list
OB-42CKP	42	2	90	10	0.1	\$ 2,501

## OPTIONS

Trim Rail Finish	Curtain Textile
Veneer <i>Quartered</i> <b>SMDST</b> Desert <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMWAL</b> Walnut <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut  Paint <b>BLK</b> Black <b>IRN</b> Iron <b>WHT</b> White  Studio Paint <b>\$30</b> <b>BLUS</b> Blush <b>CIDR</b> Cider <b>DIJO</b> Dijon <b>FALO</b> Fallow <b>FERN</b> Fern <b>MDNT</b> Midnight <b>PINE</b> Pine <b>TUND</b> Tundra	<b>Carnegie</b> Vue - Lattice 20 21 22 Vue - Meridian 10 11 12 13 14

## HOW TO ORDER

SPECIFY: Trim rail finish | curtain textile.

## MODEL NUMBER

OB-42CKP

Trim Rail Finish	Curtain Textile
SMDST	Carnegie, Vue, Lattice, 20



## STANDARD FEATURES

- Use to Enclose Wall for Full Visual Privacy
- Modular Panels Allow Materials to be Mixed or Matched
- Veneer or HPL

## FULL WALL VENEER OR HPL PANEL



model	w	d	h	wt	cu ft	list
OB-FWPW	42	0.75	90	85	5.8	\$ 938

## OPTIONS

Finish	Receptacle Housing	Roof Beam Power Cutout	Media Wire Management	Worksurface Connection	Foot Ring Machining	Media Wall Wire Manager	Wire Manager Height	Coat Hook	Coat Hook Finish
Veneer <i>Quartered</i> SMDST Desert SMOAK Oak SMOSL Oslo SMWAL Walnut <i>Flat Cut</i> SMFOAK Oak SMFWAL Walnut	X9 None - Standard 	X9 None - Standard 	X9 None - Standard  LMT2 Sitting Ht. Left Media Wire Mgmt. RMT2 Sitting Ht. Right Media Wire Mgmt. CMT2 Sitting Ht. Center Media Wire Mgmt. LBT2 Bar Ht. Left Media Wire Mgmt. RBT2 Bar Ht. Right Media Wire Mgmt. CBT2 Bar Ht. Center Media Wire Mgmt.  NOTE: Duplex Receptacles Not Included	X9 None - Standard  WSLF Sitting Ht. Left Worksurface Conn. WSRT Sitting Ht. Right Worksurface Conn. WSRL Sitting Ht. Left and Right Worksurface Conn.  WSBL Bar Ht. Left Worksurface Conn. WSBR Bar Ht. Right Worksurface Conn.	X9 None - Standard    HWTC Cantilever Top (no foot ring) HWT30W 30"W Top HWT36W 36"W Top (not recommended for use inside enclosed unit) HWT42W 42"W Top (not recommended for use inside enclosed unit)  HWTC Cantilever Top (no foot ring) HWT30W 30"W Top HWT36W 36"W Top HWT42W 42"W Top	X9 None - Standard  Veneer \$528 <i>Quartered</i> SMDST Desert SMOAK Oak SMOSL Oslo SMWAL Walnut <i>Flat Cut</i> SMFOAK Oak SMFWAL Walnut  HPL \$528 AQP Aqua LAG Lagoon BLP Black BRP Burgundy FWP Frosty White GRP Grey RWP Pure White SGP Slate Grey SMP Summer SRP Vacation WDP Woodvine	X9 None - Standard  A2K Sitting A2L Bar	X9 None - Standard    A4SL Left Coat Hook \$87    A4SR Right Coat Hook \$87	X9 None - Standard  ASHK Ash WLHK Walnut
HPL AQP Aqua LAG Lagoon BLP Black BRP Burgundy FWP Frosty White GRP Grey RWP Pure White SGP Slate Grey SMP Summer SRP Vacation WDP Woodvine	SINGLE Two Receptacles \$47   DOUBLE Four Receptacles \$82   NOTE: Duplex Receptacles Not Included	A8Y Center   A8Z Left Handed Half (use on two adjoining panels when splitting a seam)   A8X Right Handed Half (use on two adjoining panels when splitting a seam) 	LMT2/LBT2 Left Handed Half (use on two adjoining panels when splitting a seam)   RMT2/RBT2 Right Handed Half (use on two adjoining panels when splitting a seam)   CMT2/CBT2 Center 	WSBC Bar Ht. Left and Right Worksurface Conn.  NOTE: Includes Worksurface Bracket   Position - Left   Position - Right   Position - Left and Right 					

## HOW TO ORDER

SPECIFY: Finish | receptacle housing | roof beam power cutout | media wire management | worksurface connection | foot ring machining | media wall wire manager | wire manager height | coat hook | coat hook finish.

## MODEL NUMBER

OB-FWPW

Finish	Receptacle Housing	Roof Beam Power Cutout	Media Wire Management	Worksurface Connection	Foot Ring Machining	Media Wall Wire Manager	Wire Manager Height	Coat Hook	Coat Hook Finish
SMDST	X9	X9	X9	X9	X9	X9	X9	X9	X9



## STANDARD FEATURES

- Use to Enclose Wall for Full Visual Privacy
- Modular Panels Allow Materials to be Mixed or Matched
- Fabric

## FULL WALL FABRIC PANEL



model	w	d	h	wt	cu ft
OB-FWPF	42	0.75	90	87	5.8

yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2.75	n/a	594	639	691	756	846	975	1,105	1,234	1,363	1,493	1,622	1,751	1,881	2,010	2,139	n/a	n/a	n/a

## OPTIONS

Fabric/Grade	Receptacle Housing	Roof Beam Power Cutout	Media Wire Management	Worksurface Connection	Foot Ring Machining	Media Wall Wire Manager	Wire Manager Height	Coat Hook	Coat Hook Finish
Grade, Vendor, Pattern, Color	X9 None - Standard	X9 None - Standard	X9 None - Standard	X9 None - Standard	X9 None - Standard	X9 None - Standard	X9 None - Standard	X9 None - Standard	X9 None - Standard
NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric.  Fabric roll must be 48"W minimum. OFS does not recommend the use of railroaded fabrics. We advise using solid color fabrics for the best results.	 SINGLE Two Receptacles \$47	 A8Y Center	LMT2 Sitting Ht. Left Media Wire Mgmt. RMT2 Sitting Ht. Right Media Wire Mgmt. CMT2 Sitting Ht. Center Media Wire Mgmt. LBT2 Bar Ht. Left Media Wire Mgmt. RBT2 Bar Ht. Right Media Wire Mgmt. CBT2 Bar Ht. Center Media Wire Mgmt.	WSLF Sitting Ht. Left Worksurface Conn. WSRT Sitting Ht. Right Worksurface Conn. WSRL Sitting Ht. Left and Right Worksurface Conn.	HWTC Cantilever Top (no foot ring) HWT30W 30"W Top HWT36W 36"W Top (not recommended for use inside enclosed unit) HWT42W 42"W Top (not recommended for use inside enclosed unit)  HWTC Cantilever Top (no foot ring) HWT30W 30"W Top HWT36W 36"W Top HWT42W 42"W Top	Veneer \$528 Quartered SMDST Desert SMOAK Oak SMOSL Oslo SMWAL Walnut Flat Cut SMFOAK Oak SMFWAL Walnut HPL \$528 AQP Aqua LAG Lagoon BLP Black BRP Burgundy FWP Frosty White GRP Grey RWP Pure White SGP Slate Grey SMP Summer Vacation SRP Sunray WDP Woodvine	A2K Sitting A2L Bar	 A4SL Left Coat Hook \$87	ASHK Ash WLHK Walnut
	 DOUBLE Four Receptacles \$82	 A8Z Left Handed Half (use on two adjoining panels when splitting a seam)	NOTE: Duplex Receptacles Not Included	WSBL Bar Ht. Left Worksurface Conn. WSBR Bar Ht. Right Worksurface Conn.				 A4SR Right Coat Hook \$87	
		 A8X Right Handed Half (use on two adjoining panels when splitting a seam)	Position - Left Handed Half (use on two adjoining panels when splitting a seam)	WSBC Bar Ht. Left and Right Worksurface Conn.					
			Position - Right Handed Half (use on two adjoining panels when splitting a seam)	NOTE: Includes Worksurface Bracket					
			Position - Center	Position - Left					
			NOTE: When Left or Right Handed Options are specified, the Adjoining Panel must also be Fabric	Position - Right					
				Position - Left and Right					

## HOW TO ORDER

SPECIFY: Textile pattern and color | receptacle housing | roof beam power cutout | media wire management | worksurface connection | foot ring machining | media wall wire manager | wire manager height | coat hook | coat hook finish.

## MODEL NUMBER

OB-FWPF

Fabric/Grade	Receptacle Housing	Roof Beam Power Cutout	Media Wire Management	Worksurface Connection	Foot Ring Machining	Media Wall Wire Manager	Wire Manager Height	Coat Hook	Coat Hook Finish
Grade 3, Momentum, Hue, Smoke	X9	X9	X9	X9	X9	X9	X9	X9	X9




Obeya

## STANDARD FEATURES

- Use to Enclose Wall for Full Visual Privacy
- Modular Panels Allow Materials to be Mixed or Matched


### FULL WALL CORK PANEL



model	w	d	h	wt	cu ft	list
OB-FWPC	42	0.75	90	77	5.8	\$ 610















- Cork Face with MDF Backer

### FULL WALL MARKERBOARD PANEL



model	w	d	h	wt	cu ft	list
OB-FWPMB	42	0.75	90	88	5.8	\$ 685

### OPTIONS

Receptacle Housing	Roof Beam Power Cutout	Media Wire Management	Worksurface Connection	Foot Ring Machining	Media Wall Wire Manager	Wire Manager Height	Coat Hook	Coat Hook Finish
<b>X9 None - Standard</b>  <b>SINGLE</b> Two Receptacles \$47  <b>DOUBLE</b> Four Receptacles \$82 <b>NOTE: Duplex Receptacles Not Included</b>	<b>X9 None - Standard</b>  <b>A8Y Center</b>  <b>A8Z Left Handed Half</b> (use on two adjoining panels when splitting a seam)  <b>A8X Right Handed Half</b> (use on two adjoining panels when splitting a seam)	<b>X9 None - Standard</b> <b>LMT2</b> Sitting Ht. Left Media Wire Mgmt. <b>RMT2</b> Sitting Ht. Right Media Wire Mgmt. <b>CMT2</b> Sitting Ht. Center Media Wire Mgmt. <b>LBT2</b> Bar Ht. Left Media Wire Mgmt. <b>RBT2</b> Bar Ht. Right Media Wire Mgmt. <b>CBT2</b> Bar Ht. Center Media Wire Mgmt.  <b>NOTE: Duplex Receptacles Not Included</b>  Position - Left Handed Half (use on two adjoining panels when splitting a seam)  Position - Right Handed Half (use on two adjoining panels when splitting a seam)  Position - Center	<b>X9 None - Standard</b> <b>WSLF</b> Sitting Ht. Left Worksurface Conn. <b>WSRT</b> Sitting Ht. Right Worksurface Conn. <b>WSRL</b> Sitting Ht. Left and Right Worksurface Conn.  <b>WSBL</b> Bar Ht. Left Worksurface Conn. <b>WSBR</b> Bar Ht. Right Worksurface Conn.  <b>WSBC</b> Bar Ht. Left and Right Worksurface Conn.  <b>NOTE: Includes Worksurface Bracket</b>  Position - Left  Position - Right  Position - Left and Right	<b>X9 None - Standard</b>  <b>HWTC</b> Cantilever Top (no foot ring) <b>HWT30W</b> 30"W Top <b>HWT36W</b> 36"W Top (not recommended for use inside enclosed unit) <b>HWT42W</b> 42"W Top (not recommended for use inside enclosed unit)  <b>HWTC</b> Cantilever Top (no foot ring) <b>HWT30W</b> 30"W Top <b>HWT36W</b> 36"W Top <b>HWT42W</b> 42"W Top	Veneer <b>\$528</b> <i>Quartered</i> <b>SMDST</b> Desert <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMWAL</b> Walnut <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut  <b>HPL \$528</b> <b>AQP</b> Aqua Lagoon <b>BLP</b> Black <b>BRP</b> Burgundy <b>FWP</b> Frosty White <b>GRP</b> Grey <b>RWP</b> Pure White <b>SGP</b> Slate Grey <b>SMP</b> Summer Vacation <b>SRP</b> Sunray <b>WDP</b> Woodvine	<b>X9 None - Standard</b>   <b>A2K</b> Sitting <b>A2L</b> Bar    <b>A4SL</b> Left Coat Hook <b>\$87</b>    <b>A4SR</b> Right Coat Hook <b>\$87</b>	<b>X9 None - Standard</b>  <b>ASHK</b> Ash <b>WLHK</b> Walnut	

### HOW TO ORDER

SPECIFY: Receptacle housing | roof beam power cutout | media wire management | worksurface connection | foot ring machining | media wall wire manager | wire manager height | coat hook | coat hook finish.

### MODEL NUMBER

OB-FWPC

Receptacle Housing	Roof Beam Power Cutout	Media Wire Management	Worksurface Connection	Foot Ring Machining	Media Wall Wire Manager	Wire Manager Height	Coat Hook	Coat Hook Finish
X9	X9	X9	X9	X9	X9	X9	X9	X9






## STANDARD FEATURES





- Use to Enclose Wall for Partial Visual Privacy
- Modular Panels Allow Materials to be Mixed or Matched
- Panel Location: 29.5" from Floor to Bottom  
76.5" from Floor to Top

## SPLIT WALL VENEER OR HPL PANEL



model	w	d	h	wt	cu ft	list	
OB-SWPW	42	0.75	47	45	3.1	\$	596

## OPTIONS

Finish	Media Cutout
Veneer <i>Quartered</i> <b>SMDST</b> Desert <b>SMOAK</b> Oak <b>SMOSL</b> Oslo <b>SMWAL</b> Walnut <i>Flat Cut</i> <b>SMFOAK</b> Oak <b>SMFWAL</b> Walnut	<b>X9</b> None - Standard 
HPL <b>AQP</b> Aqua Lagoon <b>BLP</b> Black <b>BRP</b> Burgundy <b>FWP</b> Frosty White <b>GRP</b> Grey <b>RWP</b> Pure White <b>SGP</b> Slate Grey <b>SMP</b> Summer Vacation <b>SRP</b> Sunray <b>WDP</b> Woodvine	<b>A8Y</b> Center  <b>A8Z</b> Left Handed Half (use on two adjoining panels when splitting a seam)  <b>A8X</b> Right Handed Half (use on two adjoining panels when splitting a seam) 
<b>NOTE: Duplex Receptacles Not Included</b>	

## HOW TO ORDER

SPECIFY: Finish | media cutout.

## MODEL NUMBER

OB-SWPW


Finish	Media Cutout
SMDST	X9



## STANDARD FEATURES

- Use to Enclose Wall for Partial Visual Privacy
- Modular Panels Allow Materials to be Mixed or Matched
- Panel Location: 29.5" from Floor to Bottom  
76.5" from Floor to Top




## SPLIT WALL FABRIC PANEL



model	w	d	h	wt	cu ft
OB-SWPF	42	0.75	47	46	3.1

yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.75	n/a	409	438	471	512	569	652	734	816	899	981	1,063	1,146	1,228	1,310	1,392	n/a	n/a	n/a

## OPTIONS

Fabric/Grade	Media Cutout
Grade, Vendor, Pattern, Color  NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric.  Fabric roll must be 48"W minimum. OFS does not recommend the use of railroaded fabrics. We advise using solid color fabrics for the best results.	X9 None - Standard  A8Y Center  A8Z Left Handed Half (use on two adjoining panels when splitting a seam)  A8X Right Handed Half (use on two adjoining panels when splitting a seam)  NOTE: Duplex Receptacles Not Included

## HOW TO ORDER

SPECIFY: Textile pattern and color | media cutout. See page H for a full list of our graded-in fabric options.

## MODEL NUMBER

OB-SWPF


Fabric/Grade	Media Cutout
Grade 3, Momentum, Hue, Smoke	X9



## STANDARD FEATURES

- Use to Enclose Wall for Partial Visual Privacy
- Modular Panels Allow Materials to be Mixed or Matched
- Panel Location: 29.5" from Floor to Bottom  
76.5" from Floor to Top

### SPLIT WALL CORK PANEL



model	w	d	h	wt	cu ft	list	
OB-SWPC	42	0.75	47	40	3.1	\$	378

- Cork Face with MDF Backer

### SPLIT WALL MARKERBOARD PANEL



model	w	d	h	wt	cu ft	list	
OB-SWPMB	42	0.75	47	46	3.1	\$	414

## OPTIONS

### Media Cutout

X9 None - Standard



A8Y Center



A8Z Left Handed Half (use on two adjoining panels when splitting a seam)



A8X Right Handed Half (use on two adjoining panels when splitting a seam)

NOTE: Duplex Receptacles Not Included

### HOW TO ORDER

SPECIFY: Media cutout.

### MODEL NUMBER

OB-SWPC

Media Cutout

X9




## STANDARD FEATURES

• Modular Baffle Roof Panel

• Veneer, Paint, HPL or PET Baffle Finish


• Powder Coat Metal Frame

## CEILING MODULES




model	w	d	h	wt	cu ft	list
OB-CMD	42	47.188	5.188	28	8.6	\$ 980

- Use on 2 x 2 spaces with an OB-84RBRK and 2 x 3 spaces with an OB-126RBRK
- Spans from Outer Wall to Center Roof Beam




OB-CMSD	48.5	47.188	5.188	33	9.9	\$ 1,006
---------	------	--------	-------	----	-----	----------

- Use on a 2 x 1 space with an OB-42RBRK
- Spans from Outer Wall to Center Roof Beam




OB-CMS	48.5	52.5	5.188	35	10.9	\$ 1,251
--------	------	------	-------	----	------	----------

- Use on 1 x 1 space (No Roof Beam Kit Needed)
- Spans from Outer Wall to Outer Wall



OB-CMT	42	68.188	5.188	39	12.3	\$ 1,353
--------	----	--------	-------	----	------	----------

- Use on 3 x 2 spaces with an OB-84RBRK and 3 x 3 spaces with an OB-126RBRK
- Spans from Outer Wall to Center Roof Beam



OB-CMST	48.5	68.188	5.188	44	14.1	\$ 1,464
---------	------	--------	-------	----	------	----------

- Use on a 3 x 1 space with an OB-42RBRK
- Spans from Outer Wall to Center Roof Beam

## OPTIONS

Baffle Finish		Metal Finish
PET - Standard	HPL \$298	Standard Powder Coat
BLACK	AQP Aqua Lagoon	BWT Bone White
BLUSH	BLP Black	BUFF Buff
CADET	BRP Burgundy	CHLK Chalk
ECRU	FWP Frosty White	SGLD Gold
FOSSIL	GRP Grey	GRPH Graphite
GREIGE	RWP Pure White	MSL Luster Grey
IVORY	SGP Slate Grey	HIP Oiled Bronze
LIME	SMP Summer Vacation	BKO Onyx
MALACHITE	SRP Sunray	POLR Polar
NAVY	WDP Woodvine	SBRZ Soft Bronze
		HIF Warm Grey
Veneer \$298	Paint \$298	
Quartered	BLK Black	Studio Powder Coat \$88
SMDST Desert	IRN Iron	CADT Cadet
SMOAK Oak	WHT White	CLOV Clover
SMOSL Oslo		GLDN Goldenrod
SMWAL Walnut	Studio Paint \$333	HERN Heron
Flat Cut	BLUS Blush	LATT Latte
SMFOAK Oak	CIDR Cider	MOSS Moss
SMFWAL Walnut	DIJO Dijon	RUSS Russet
	FALO Fallow	SUNS Sunset
	FERN Fern	
	MDNT Midnight	
	PINE Pine	
	TUND Tundra	

## HOW TO ORDER

SPECIFY: Baffle finish | metal finish.

## MODEL NUMBER


OB-CMD

Baffle Finish	Metal Finish
SMDST	BWT

## STANDARD FEATURES


- 1.125" Top
- Veneer, HPL or Solid Surface
- 3" Radius on Corners
- Flat Knife on User Edge

## FULL WALL PANEL WORKSURFACE




model	w	d	h	wt	cu ft	veneer/HPL	solid surface
<b>OB-4920RT</b> (Rectangle)	49	20	1.125	28	1.8	\$ 367	\$ 1,486

- Single Side
- Requires Four Brackets: Two Brackets Back Edge, One on Each End Edge (specify when ordering Full Wall Panels)




<b>OB-4624WTL</b> (Wedge Left Handed)	45.5	23.5	1.125	22.5	2	\$ 382	\$ 1,547
---------------------------------------	------	------	-------	------	---	--------	----------

- Tapers from Left to Right
- Requires Three Brackets: Two Brackets Back Edge, One Wide End Edge (specify when ordering Full Wall Panels)



<b>OB-4624WTR</b> (Wedge Right Handed)	45.5	23.5	1.125	22.5	2	\$ 382	\$ 1,547
--	------	------	-------	------	---	--------	----------

- Tapers from Right to Left
- Requires Three Brackets: Two Brackets Back Edge, One Wide End Edge (specify when ordering Full Wall Panels)



<b>OB-4649STL</b> (Sweep Left Handed)	45.5	49	1.125	33	4	\$ 644	\$ 2,607
---------------------------------------	------	----	-------	----	---	--------	----------

- Left Return
- Requires Four Brackets: Two Brackets Back Edge, Two Brackets Side Edge (specify when ordering Full Wall Panels)



<b>OB-4649STR</b> (Sweep Right Handed)	45.5	49	1.125	33	4	\$ 644	\$ 2,607
--	------	----	-------	----	---	--------	----------

- Right Return
- Requires Four Brackets: Two Brackets Back Edge, Two Brackets Side Edge (specify when ordering Full Wall Panels)

## OPTIONS

### Finish

Veneer  
*Quartered*  
**SMDST** Desert  
**SMOAK** Oak  
**SMOSL** Oslo  
**SMWAL** Walnut  
*Flat Cut*  
**SMFOAK** Oak  
**SMFWAL** Walnut  
HPL  
**AQP** Aqua Lagoon  
**BLP** Black  
**BRP** Burgundy  
**FWP** Frosty White  
**GRP** Grey  
**RWP** Pure White  
**SGP** Slate Grey  
**SMP** Summer Vacation  
**SRP** Sunray  
**WDP** Woodvine  
Solid Surface  
**CWS** Cameo White  
**CSS** Concrete  
**DMS** Deep Mnk  
**MWS** Modern White

## HOW TO ORDER

SPECIFY: Finish.

### MODEL NUMBER

OB-4624WTL

### Finish

SMDST



## STANDARD FEATURES


- 1.125" Top
- Veneer, HPL or Solid Surface
- 3" Radius on Corners
- Flat Knife on User and Approach Sides

## TABLE WALL WORKSURFACE



model	w	d	h	wt	cu ft	veneer/HPL	solid surface
OB-4224RT (Rectangle)	41.938	24	1.125	29	1.9	\$ 363	\$ 1,470

OB-8424RT (Rectangle)	83.938	24	1.125	58	3.7	\$ 603	\$ 2,442
-----------------------	--------	----	-------	----	-----	--------	----------



model	w	d	h	wt	cu ft	veneer/HPL	solid surface
OB-12624RT (Rectangle)	125.938	24	1.125	86	5.5	\$ 899	\$ 3,641

\* Two Pieces

## OPTIONS

## Finish

Veneer

*Quartered*

**SMDST** Desert

**SMOAK** Oak

**SMOSL** Oslo

**SMWAL** Walnut

*Flat Cut*

**SMFOAK** Oak

**SMFWAL** Walnut

HPL

**AQP** Aqua Lagoon

**BLP** Black

**BRP** Burgundy

**FWP** Frosty White

**GRP** Grey

**RWP** Pure White

**SGP** Slate Grey

**SMP** Summer Vacation

**SRP** Sunray

**WDP** Woodvine

Solid Surface

**CWS** Cameo White

**CSS** Concrete

**DMS** Deep Mnk

**MWS** Modern White

## HOW TO ORDER

SPECIFY: Finish.

## MODEL NUMBER

OB-4224RT

## Finish

SMDST



## DESK HEIGHT TABLE STANDARD FEATURES

- 1.125" Top
- Veneer, HPL or Solid Surface
- 3" Radius on Corners
- Flat Knife on User Edge
- Ships KD

## RUNOFF TABLE



model	w	d	h	wt	cu ft	veneer/HPL	solid surface
OB-4830ROT	48	29.5	29	69	5	\$ 1,404	\$ 3,235
OB-5430ROT	54	29.5	29	73	5	\$ 1,454	\$ 3,468
OB-6030ROT	60	29.5	29	79	6	\$ 1,505	\$ 3,705
OB-6630ROT	66	29.5	29	85	6	\$ 1,629	\$ 4,008
OB-7230ROT	72	29.5	29	90	6	\$ 1,676	\$ 4,243
OB-7830ROT	78	29.5	29	92	7	\$ 1,768	\$ 4,513
OB-4836ROT	48	35.5	29	78	5.5	\$ 1,489	\$ 3,249
OB-5436ROT	54	35.5	29	83	5.5	\$ 1,548	\$ 3,492
OB-6036ROT	60	35.5	29	90	6.5	\$ 1,609	\$ 3,740
OB-6636ROT	66	35.5	29	97	6.5	\$ 1,743	\$ 4,052
OB-7236ROT	72	35.5	29	103	7	\$ 1,801	\$ 4,295
OB-7836ROT	78	35.5	29	106	7.5	\$ 1,902	\$ 4,577
OB-4842ROT	48	41.5	29	87	6	\$ 1,573	\$ 3,262
OB-5442ROT	54	41.5	29	93	6	\$ 1,641	\$ 3,515
OB-6042ROT	60	41.5	29	101	7	\$ 1,713	\$ 3,774
OB-6642ROT	66	41.5	29	110	7	\$ 1,856	\$ 4,096
OB-7242ROT	72	41.5	29	117	8	\$ 1,925	\$ 4,346
OB-7842ROT	78	41.5	29	120	8	\$ 2,035	\$ 4,641

## OPTIONS

Worksurface Finish	Wire Manager Cutout	Base Finish
Veneer <i>Quartered</i> SMDST Desert SMOAK Oak SMOSL Oslo SMWAL Walnut <i>Flat Cut</i> SMFOAK Oak SMFWAL Walnut  Studio Veneer (10% upcharge) SFO Salvaged Linen SFW Salvaged Root  HPL AQP Aqua Lagoon BLP Black BRP Burgundy FWP Frosty White GRP Grey RWP Pure White SGP Slate Grey SMP Summer Vacation SRP Sunray WDP Woodvine  Solid Surface CWS Cameo White CSS Concrete DMS Deep Mnk MWS Modern White	X9 None - <b>Standard</b>  H7P Cutout NOTE: Use <b>only</b> when X9 :(No Media Wall Wire Manager) is specified on Full Wall Panel  NC1 Cutout NOTE: Use <b>only</b> when <b>Veneer</b> or <b>HPL</b> Media Wall Wire Manager is specified on Full Wall Panel	SMDST Desert SMOAK Oak SMOSL Oslo SMWAL Walnut SMFOAK Oak SMFWAL Walnut

## HOW TO ORDER

SPECIFY: Worksurface finish | wire manager cutout | base finish.

## MODEL NUMBER

OB-4830ROT

Worksurface Finish	Wire Manager Cutout	Base Finish
SMDST	X9	SMDST



## BAR HEIGHT TABLE STANDARD FEATURES

- 1.125" Top
- Veneer, HPL or Solid Surface
- 3" Radius on Corners
- Flat Knife on User Edge
- Ships KD

## RUNOFF TABLE



model	w	d	h	wt	cu ft	veneer/HPL	solid surface
OB-4830ROTB	48	29.5	42	86	6.5	\$ 2,284	\$ 3,524
OB-5430ROTB	54	29.5	42	91	6.5	\$ 2,401	\$ 3,811
OB-6030ROTB	60	29.5	42	98	7.5	\$ 2,459	\$ 3,955
OB-6630ROTB	66	29.5	42	105	7.5	\$ 2,576	\$ 4,242
OB-7230ROTB	72	29.5	42	112	7.5	\$ 2,634	\$ 4,457
OB-7830ROTB	78	29.5	42	117	8.5	\$ 2,750	\$ 4,671
OB-4836ROTB	48	35.5	42	95	7	\$ 2,358	\$ 3,939
OB-5436ROTB	54	35.5	42	101	7	\$ 2,484	\$ 4,264
OB-6036ROTB	60	35.5	42	110	8	\$ 2,547	\$ 4,426
OB-6636ROTB	66	35.5	42	118	8	\$ 2,672	\$ 4,670
OB-7236ROTB	72	35.5	42	125	8.5	\$ 2,734	\$ 4,913
OB-7836ROTB	78	35.5	42	129	9	\$ 2,859	\$ 5,237
OB-4842ROTB	48	41.5	42	105	7.5	\$ 2,409	\$ 4,203
OB-5442ROTB	54	41.5	42	111	7.5	\$ 2,549	\$ 4,576
OB-6042ROTB	60	41.5	42	122	8.5	\$ 2,619	\$ 4,763
OB-6642ROTB	66	41.5	42	128	8.5	\$ 2,759	\$ 5,043
OB-7242ROTB	72	41.5	42	137	9.5	\$ 2,829	\$ 5,322
OB-7842ROTB	78	41.5	42	141	9.5	\$ 2,968	\$ 5,695

## OPTIONS

Worksurface Finish	Wire Manager Cutout	Base Finish	Knuckle Finish	Foot Rail Finish
Veneer <i>Quartered</i> SMDST Desert SMOAK Oak SMOSL Oslo SMWAL Walnut <i>Flat Cut</i> SMFOAK Oak SMFWAL Walnut  Studio Veneer (10% upcharge) SFO Salvaged Linen SFW Salvaged Root  HPL AQP Aqua Lagoon BLP Black BRP Burgundy FWP Frosty White GRP Grey RWP Pure White SGP Slate Grey SMP Summer Vacation SRP Sunray WDP Woodvine  Solid Surface CWS Cameo White CSS Concrete DMS Deep Mnk MWS Modern White	X9 None - <b>Standard</b>  H7P Cutout NOTE: Use <b>only</b> when X9 :(No Media Wall Wire Manager) is specified on Full Wall Panel  NC1 Cutout NOTE: Use <b>only</b> when <b>Veneer</b> or <b>HPL</b> Media Wall Wire Manager is specified on Full Wall Panel	SMDST Desert SMOAK Oak SMOSL Oslo SMWAL Walnut SMFOAK Oak SMFWAL Walnut	PAL Polished Aluminum  Standard Powder Coat BWT Bone White BUFF Buff CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze HIF Warm Grey  Studio Powder Coat <b>\$50</b> CADT Cadet CLOV Clover GLDN Goldenrod HERN Heron LATT Latte MOSS Moss RUSS Russet SUNS Sunset	Standard Powder Coat BWT Bone White BUFF Buff CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze HIF Warm Grey  Studio Powder Coat <b>\$50</b> CADT Cadet CLOV Clover GLDN Goldenrod HERN Heron LATT Latte MOSS Moss RUSS Russet SUNS Sunset

## HOW TO ORDER

SPECIFY: Worksurface finish | wire manager cutout | base finish | knuckle finish | foot rail finish.

## MODEL NUMBER

OB-4830ROTB

Worksurface Finish	Wire Manager Cutout	Base Finish	Knuckle Finish	Foot Rail Finish
SMDST	X9	SMDST	BWT	BWT





## STANDARD FEATURES

- Veneer, HPL Face
- Includes Receptacle Housing (receptacles ordered separately)

## POST POWER SLEEVE

model	w	d	h	wt	cu ft	veneer/HPL	
OB-PPS	5.125	1	90	10	1	\$	357

## OPTIONS

### Finish

Veneer

*Quartered*

**SMDST** Desert

**SMOAK** Oak

**SMOSL** Oslo

**SMWAL** Walnut

*Flat Cut*

**SMFOAK** Oak

**SMFWAL** Walnut

HPL

**AQP** Aqua Lagoon

**BLP** Black

**BRP** Burgundy

**FWP** Frosty White

**GRP** Grey

**RWP** Pure White

**SGP** Slate Grey

**SMP** Summer Vacation

**SRP** Sunray

**WDP** Woodvine

### HOW TO ORDER

SPECIFY: Finish.

### MODEL NUMBER

OB-PPS


### Finish

SMDST



## STANDARD FEATURES

- Multi Circuit Jumper for Four-Wire Metal Conduit
- UL Listed



model	w	d	h	wt	cu ft	list
MCJ18M	18	1.75	1	3	0.1	\$ 59
MCJ20M	20	1.75	1	3	0.1	\$ 60
MCJ22M	22	1.75	1	4	0.1	\$ 61
MCJ24M	24	1.75	1	4	0.1	\$ 63
MCJ26M	26	1.75	1	5	0.1	\$ 65
MCJ28M	28	1.75	1	5	0.1	\$ 66
MCJ30M	30	1.75	1	6	0.1	\$ 67
MCJ34M	34	1.75	1	7	0.1	\$ 70
MCJ36M	36	1.75	1	7	0.1	\$ 71
MCJ40M	40	1.75	1	8	0.1	\$ 71
MCJ42M	42	1.75	1	8	0.1	\$ 71
MCJ46M	46	1.75	1	9	0.1	\$ 76
MCJ48M	48	1.75	1	10	0.1	\$ 78
MCJ60M	60	1.75	1	12	0.1	\$ 87
MCJ72M	72	1.75	1	14	0.1	\$ 96
MCJ84M	84	1.75	1	16	0.2	\$ 101
MCJ96M	96	1.75	1	18	0.2	\$ 109
MCJ108M	108	1.75	1	20	0.2	\$ 116
MCJ120M	120	1.75	1	22	0.2	\$ 126

## SEISMIC ANCHOR BRACKET STANDARD FEATURES

- Anchors Post to Floor
- Black Powder Coat
- Includes Brackets & Mounting Hardware for Post and Concrete Floor



model	w	d	h	wt	cu ft	list
OB-SABC	5	2	1.75	2	0.2	\$ 78

- Use with OB-CP Corner Post

model	w	d	h	wt	cu ft	list
OB-SABT	5	2	1.75	3	0.2	\$ 114

- Use with OB-TP T Post

model	w	d	h	wt	cu ft	list
OB-SAB4	5	2	1.75	4	0.2	\$ 151

- Use with OB-4P 4 Way Post

## HOW TO ORDER

### MODEL NUMBER

MCJ18M

**H BLOCK CONNECTOR STANDARD FEATURES**


- Enables Power Connection to Start at any Point in the Chain of Tables
- Allows Junction of up to Four Jumpers
- UL Listed



model	w	d	h	wt	cu ft	list
HCB	1.75	0.5	0.625	1	0.1	\$ 28

**UNIVERSAL FIELD WIRED CIRCUIT TRAC MODULE STANDARD FEATURES**

- For Use with Phase 3 (Three Circuit) or 4 Trac (Two Circuit) In-Feed to Meet Ashrae Title 24 Requirements
- Must be Hardwired from Outlet to Module with Electrician Provided Conduit and Wiring
- UL Listed



model	w	d	h	wt	cu ft	list
UCTM-1	14	2	2	3	0.5	\$ 1,788

**SENSOR STANDARD FEATURES**


- Circuitrac Sensor for use with UCTM-1



model	w	d	h	wt	cu ft	list
SEN1	3	3	3	1	0.5	\$ 642

**DUPLEX RECEPTACLE STANDARD FEATURES**

- Includes Mounting Hardware
- 20 Amp Outlet
- UL Listed



model		w	d	h	wt	cu ft	list
OB-DPLX1	Circuit I	6	1.75	1	1	0.1	\$ 60
OB-DPLX2	Circuit II	6	1.75	1	1	0.1	\$ 60

**POST CAP STANDARD FEATURES**

- Cap Top for Post Cavity
- Luster Grey Finish



model	w	d	h	wt	cu ft	list
OB-CPC	5.44	5.44	0.06	1	0.1	\$ 23

- Use with Corner Post OB-CP



OB-TPC	8.44	5.44	0.06	1	0.1	\$ 28
--------	------	------	------	---	-----	-------

- Use with T Post OB-TP




OB-4PC	8.44	8.44	0.06	1	0.1	\$ 33
--------	------	------	------	---	-----	-------

- Use with 4 Way Post OB-4P

**HOW TO ORDER****MODEL NUMBER**

HCB2


## POWER AND DATA STANDARD FEATURES




model	w	d	h	wt	cu ft	list
<b>PWF2M120</b>	120	60	29	24	1	\$ 122
<ul style="list-style-type: none"> <li>• Metal Conduit</li> <li>• 10' Cord</li> <li>• Hardwire</li> <li>• UL Listed</li> </ul>						



model	w	d	h	wt	cu ft	list
<b>PWF2L</b>	6'	60	29	14	1	\$ 120
<ul style="list-style-type: none"> <li>• Liquid Tight Conduit</li> <li>• 6' Cord</li> <li>• Hardwire</li> <li>• UL Listed</li> </ul>						




model	w	d	h	wt	cu ft	list
<b>PWF2M</b>	6'	60	29	14	1	\$ 104
<ul style="list-style-type: none"> <li>• Metal Conduit</li> <li>• 6' Cord</li> <li>• Hardwire</li> <li>• UL Listed</li> </ul>						



model	w	d	h	wt	cu ft	list
<b>PWF2MNYC</b>	104	2	1.5	17	1	\$ 253
<ul style="list-style-type: none"> <li>• Metal Conduit</li> <li>• 6' Cord</li> <li>• Hardwire</li> <li>• Complies with New York Code</li> <li>• UL Listed</li> </ul>						



model	w	d	h	wt	cu ft	list
<b>PWF2QD</b>	6.5	4.75	1	2	1	\$ 88
<ul style="list-style-type: none"> <li>• Rotating Power In-Feed</li> <li>• Quick Disconnect Wall Outlet</li> <li>• Allows Cords to be Removed from Wall when Hardwiring</li> <li>• Complies with New York City Code</li> <li>• UL Listed</li> </ul>						



model	w	d	h	wt	cu ft	list
<b>PWF20AMP</b>	6'	n/a	n/a	14	1	\$ 199
<ul style="list-style-type: none"> <li>• Limits System to One Circuit (Must use all Circuit I Components)</li> <li>• 20 Amp Plug</li> <li>• Usage requires 20 Amp Wall Outlet</li> <li>• 90° Plug</li> <li>• 6' Cord</li> <li>• UL Recognized</li> </ul>						

## HOW TO ORDER

## MODEL NUMBER

PWF2M120



## STANDARD FEATURES




- Mounts to Face of Wall Panel
- Powder Coated Cover Cap and Lamp Shade
- 15' Power Cord
- Solid Ash Swivel
- 450 Lumen LED Bulb
- Cord Mounted Rocker Switch

## WALL MOUNT LAMP



model	w	d	h	wt	cu ft	list
OB-ALP	6.25	8.25	9	2.5	0.4	\$ 573

## OPTIONS

Lamp Shade/Cap Finish	Swivel Spacer Finish	Cord
 Standard Powder Coat <b>BWT</b> Bone White <b>BUFF</b> Buff <b>CHLK</b> Chalk <b>SGLD</b> Gold <b>GRPH</b> Graphite <b>MSL</b> Luster Grey <b>H1P</b> Oiled Bronze <b>BKO</b> Onyx <b>POLR</b> Polar <b>SBRZ</b> Soft Bronze <b>H1F</b> Warm Grey  Studio Powder Coat <b>\$10</b> <b>CADT</b> Cadet <b>CLOV</b> Clover <b>GLDN</b> Goldenrod <b>HERN</b> Heron <b>LATT</b> Latte <b>MOSS</b> Moss <b>RUSS</b> Russet <b>SUNS</b> Sunset	 Veneer <b>SMDST</b> Desert <b>SMOSL</b> Oslo  Paint <b>BLK</b> Black <b>IRN</b> Iron <b>WHT</b> White  Studio Paint <b>\$10</b> <b>BLUS</b> Blush <b>CIDR</b> Cider <b>DIJO</b> Dijon <b>FALO</b> Fallow <b>FERN</b> Fern <b>MDNT</b> Midnight <b>PINE</b> Pine <b>TUND</b> Tundra	 <b>BLKC</b> Black <b>BRSC</b> Brass <b>IVRC</b> Ivory <b>SLVC</b> Silver <b>BWZC</b> Black/White Zig Zag

## HOW TO ORDER

SPECIFY: Lamp Shade/Cap Finish | Swivel Spacer Finish | Cord.

## MODEL NUMBER

OB-ALP

Lamp Shade/Cap Finish	Swivel Spacer Finish	Cord
BWT	SMDST	BLKC



## STANDARD FEATURES



- Mounts to Face of Wall Panel
- Powder Coated Cover Cap
- Solid Ash Pole
- 25 lb. weight limit

## WALL MOUNT POLE



model	w	d	h	wt	cu ft	list
OB-ALH	6.25	3.25	3.25	1	0.2	\$ 248

## OPTIONS

Cap Finish	Pole Finish
 Standard Powder Coat <b>BWT</b> Bone White <b>BUFF</b> Buff <b>CHLK</b> Chalk <b>SGLD</b> Gold <b>GRPH</b> Graphite <b>MSL</b> Luster Grey <b>H1P</b> Oiled Bronze <b>BKO</b> Onyx <b>POLR</b> Polar <b>SBRZ</b> Soft Bronze <b>H1F</b> Warm Grey  Studio Powder Coat <b>\$10</b> <b>CADT</b> Cadet <b>CLOV</b> Clover <b>GLDN</b> Goldenrod <b>HERN</b> Heron <b>LATT</b> Latte <b>MOSS</b> Moss <b>RUSS</b> Russet <b>SUNS</b> Sunset	 Veneer <b>SMDST</b> Desert <b>SMOSL</b> Oslo  Paint <b>BLK</b> Black <b>IRN</b> Iron <b>WHT</b> White  Studio Paint <b>\$10</b> <b>BLUS</b> Blush <b>CIDR</b> Cider <b>DIJO</b> Dijon <b>FALO</b> Fallow <b>FERN</b> Fern <b>MDNT</b> Midnight <b>PINE</b> Pine <b>TUND</b> Tundra

HOW TO ORDER  
SPECIFY: Cap Finish | Pole Finish.

## MODEL NUMBER


OB-ALH

Cap Finish	Pole Finish
BWT	SMDST



## STANDARD FEATURES

### PLANTER BOX



model	w	d	h	wt	cu ft	list
OB-4234PB	42	14	34	87	15	\$ 2,233
OB-8434PB	84	14	34	172	29	\$ 4,119
OB-12634PB	126	14	34	252	43	\$ 5,727

### OPTIONS

#### Finish

Veneer

*Quartered*

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

**SMDST** Desert

HOW TO ORDER

SPECIFY: Finish.

#### MODEL NUMBER

OB-4234PB

#### Finish

SMDST