

# **POLE & TABLET ARMS**

#### PoleArm and Tablet Arm Options





Quick Change Mount Detail



### Technical Specs -









- Thermo-fused polyester finish
- High pressure die-cast aluminum construction
- Conforms to VESA 75mm x 75mm, 100mm x 100mm and 100mm x 200mm mounting patterns
- 5.25" range of vertical movement
- 40 degrees of tilt (20 degrees+/20 degrees-)
- 360 degree monitor rotation
- 360 degree arm rotation
- · Tablet Mount for tablet applications
- Quick Change Mount and Direct Mount for monitor application
- Mounts available: Bolt through, C-Clamp
  - 15lbs maximum weight per arm

Adapt Ergonomics/Adapt Global 17650 E. 32nd Place, Suite 10-A, Aurora, CO 80011 1.800.840.8499 | www.adapt-global.com infousa@adapt-global.com

## **SELECT YOUR POLEARM**

### **MODEL**

Step 1



PA121 \$317.10

PA101 \$184.80



- Thermo-fused polyester finish
- High pressure die cast aluminum construction
- Conforms to VESA 75mm x 75mm, 100mm x 100mm and 100mm x 200mm mounting patterns
- 5.25"/133.5mm range of vertical movement
- 10.3"/260.83mm width extension
- 12"/304.87mm height extension
- 40 degrees of tilt
- (20 degrees+/20 degrees )
- 360 degree monitor rotation
- 360 degree arm rotation



PA201 \$210

PA221 **\$367.50** 

### PoleArm Extended Specifications

- Thermo-fused polyester finish
- High pressure die cast aluminum construction
- Conforms to VESA 75mm x 75mm, 100mm x 100mm and 100mm x 200mm mounting patterns
- 5.25"/133.5mm range of vertical movement
- 21"/531.46mm width extension
- 16.5"/419.60mm height extension
- 40 degrees of tilt
- (20 degrees+/20 degrees )
- 360 degree monitor rotation
- 360 degree arm rotation

### MONITOR MOUNT

Step 2



#### **Direct Mount**

DM

This is our standard monitor mount that comes with all arms unless otherwise specificed.

Included



### **Quick Change**

00

Allows users to switch monitors out quickly and easily.

\$11 per arm



#### **Tablet Mount**

ΤM

Standard tablet mount allows users to easily mount tablets. **Included** 

### **SURFACE MOUNT** -

Step 3




# Vertical Mounts\*

\* Available Vertical Mounts include Space Beam 1 and Space Beam 2. Contact your Adapt Representative for more information.

Note: Upright extrusion will always be anodized aluminum.

### COLOR —

Step 4



Minimum order quantities apply to White and Champagne colors.