# USG Orion™ Acoustical Panels by USG

## **Health Product** Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 09 51 00

PRODUCT DESCRIPTION: MANUFACTURED BY USG INTERIORS, LLC. USG Orion™ Acoustical Ceiling Panels are built with a non-directional pattern to ensure a consistent appearance. Specially designed with ClimaPlus performance to withstand mold and mildew, these sag resistant, noise reducing panels are optimal for schools, hotels, lobbies, general office and conference areas.



## Section 1: Summary

## **Basic Method / Product Threshold**

### CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	Are All Substances Abo	ve the Threshold Indicated:
Nested Materials Method Basic Method	<ul><li>C 100 ppm</li><li>€ 1,000 ppm</li></ul>	© Considered C Partially Considered	Characterized  Percent Weight and Roi	<b>⊙</b> Yes <b>○</b> No de Provided?
Threshold Disclosed Per	C Per GHS SDS Per OSHA MSDS	C Not Considered	Screened	⊙ Yes ○ No
<ul><li>Material</li><li>Product</li></ul>	C Other	Explanation(s) provided for Residuals/Impurities?	Using Priority Hazard Li	ists with Results Disclosed?
			Identified	C Yes © No
			Name and Identifier Pro	wided?

### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

USG ORION™ ACOUSTICAL PANELS [ MINERAL WOOL (BIOSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT GREATER THAN 18 % BY WEIGHT) LT-UNK UNDISCLOSED NoGS STARCH LT-UNK KAOLIN CLAY LT-UNK | CAN SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK | CAN ALUMINA TRIHYDRATE BM-2 | RES PLASTER OF PARIS NoGS POLY(VINYL ALCOHOL) LT-UNK CALCIUM CARBONATE BM-3 UNDISCLOSED LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GREENGUARD Certification - USG Orion™ Acoustical **Panels** 

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared VERIFIER:

**VERIFICATION #:** 

C Yes No

PUBLISHED DATE: 2018-04-27 EXPIRY DATE: 2021-04-27

SCREENING DATE: 2018-04-27



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

### USG ORION™ ACOUSTICAL PANELS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: See the SDS on usg.com for occupational exposure information. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: Chemical inventory and screening of the ingredients in USG Orion™ 60, 75, and 85 Acoustical Panels.

## MINERAL WOOL (BIOSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE **CONTENT GREATER THAN 18 % BY WEIGHT)**

ID: 65997-17-3

%: 2.7000 - 3.0000	GS: LT-UNK	RC: PreC	nano: <b>No</b>	ROLE: Core/Basemat
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: The synthetic mineral wool fiber used in this product is exonerated from classification as a carcinogen in accordance with Note Q in the EU Commission Directive 97/69/EC. No residuals/impurities at 1000 ppm.

%: <b>2.7000 - 3.0000</b>	gs: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Thermoplastic binder/Basemat				
HAZARDS:	AGENCY(IES) WITH	AGENCY(IES) WITH WARNINGS:						
None Found	No warnings	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: Proprietary ingredient. Highest concern GreenScreen® score-LT-U, assigned by USG's Authorized GreenScreen Practitioner. CAS RN not in HPD automatic tool system. Polymer is considered non-hazardous, contains no reactive residuals, and has an oral LD50 > 5,000 mg/kg.

**STARCH** ID: 9005-25-8 %: 2.0000 - 3.0000 GS: LT-UNK RC: None ROLE: Binder/Basemat NANO: No HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Not derived from wheat. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

KAOLIN CLAY 1D: 1332-58-7

%: 1.5000 - 2.5000	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Filler/Coating
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	MAK		Carcinogen Group but not sufficient fo	3B - Evidence of carcinogenic effects or classification

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

## **SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)**

ID: 65997-17-3

%: 1.2000 - 2.5000	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Structural core/Laminate
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	EU - GHS (H-Statements)		H351 - Suspect	ed of causing cancer

SUBSTANCE NOTES: Continuous filament glass fibers is used in the manufacturing of this product are not respirable. Additionally, IARC (International Agency for Research on Cancer), NTP (US National Toxicology Program) and OSHA (US Occupational Safety and Health Administration) do not list continuous filament glass fibers as a carcinogen. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

ALUMINA TRIHYDRATE ID: 21645-51-2

%: 1.0000 - 2.0000	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	ROLE: Fire retardant/Laminate
HAZARDS:	AGENCY(IES) WITH WA	ARNINGS:		
RESPIRATORY	AOEC - Asthmagens		Ast only	hmagen (ARs) - sensitizer-induced - inhalable forms

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

PLASTER OF PARIS

ID: 26499-65-0

%: 0.9000 - 1.6000

GS: NoGS

RC: None

NANO: No

ROLE: Filler/Basemat

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

POLY(VINYL ALCOHOL) ID: 9002-89-5

%: 0.5000 - 0.9000	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Binder/Laminate			
HAZARDS:	AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

CALCIUM CARBONATE	ID: <b>471-34-1</b>

%: 0.5000 - 2.0000	GS: <b>BM-3</b>	RC: None	nano: <b>No</b>	ROLE: Filler/Coating		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found o	on HPD Priority lists				

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

%: <b>0.3000 - 0.8000</b>	GS: LT-UNK	RC: <b>None</b>	nano: <b>No</b>	ROLE: <b>Binder</b>	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: 0.2 – 0.5% in Coating/0.1 – 0.3% in Laminate. Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1).

TITANIUM DIOXIDE ID: 13463-67-7

%: <b>0.2000 - 0.5000</b>	GS: <b>LT-1</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: Pigment/Coating		
HAZARDS:	AGENCY(IES) WITH W.	ARNINGS:				
CANCER	US CDC - Occu	US CDC - Occupational Carcinogens		ational Carcinogen		
CANCER	CA EPA - Prop 6	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		2B - Possibly carcinogenic to humans - inhaled from ational sources		
CANCER	MAK	MAK		ogen Group 3A - Evidence of carcinogenic effects sufficient to establish MAK/BAT value		
ENDOCRINE	TEDX - Potentia	TEDX - Potential Endocrine Disruptors		ial Endocrine Disruptor		

SUBSTANCE NOTES: Since titanium dioxide is bound with in the coating and not inhalable, it is excluded from several regulatory hazard lists. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.



## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

CERTIFICATE URL:

**GREENGUARD Certification - USG** Orion™ Acoustical Panels

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Cloquet, MN

**2016-06-** DATE:

ISSUE DATE: EXPIRY Environment

CERTIFIER OR LAB: UL

01

https://spot.ulprospector.com/en/na/BuiltEnvironment/Suppliers/32898/USG

**CERTIFICATION AND COMPLIANCE NOTES:** 



## **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## Section 5: General Notes

Ingredient specific notes are included in Section 2.

### MANUFACTURER INFORMATION

MANUFACTURER: USG

ADDRESS: 550 West Adams Street Chicago IL 60661, United States

WEBSITE: usg.com

CONTACT NAME: USG Sustainability

TITLE: Sustainability Manager

PHONE: 1-800-USG4YOU

EMAIL: sustainability@usg.com

### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity **EYE** Eye irritation/corrosivity

**GEN** Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

### **Other Terms**

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.