

# Tandus Centiva

APPLAUSE III

APPLAUSE III-02803 Color: Mosaic 28502  
Powerbond Installation



APPLAUSE III 02803 Color: Mosaic 28502  
with insets of Plexus Colour IV  
Powerbond Installation

Tandus Centiva

PRODUCT COORDINATES – SOFT SURFACE



CIRCLET



AFTERMATH II



ASSERTIVE SERIES



PLEXUS COLOUR IV

PRODUCT COORDINATES – LVT




VENUE WOOD, ASH

UVP 3308




NUGRAIN, PEACOCK

CNU 3716



VENUE ABSTRACT, CONCRETE MORTAR

UVA 5131

















SUBSTRATE, MAGMA


CSU 0957


CONSTRUCTION OPTIONS


All Tandus Centiva Powerbond® and Modular options are 100% closed-loop recyclable through our ReStart® program and do not contain pesticides (antimicrobials) as part of our reduce chemical initiatives. We ensure 100% of the flooring samples returned are recycled or reused, guaranteed.


	Backing Systems	Warranty	Rollability	100% Closed-loop Recyclable	Seams	Moisture Management	Installation	Recycled Content
Powerbond	Powerbond® Cushion	lifetime LIMITED	 GOOD	 RECYCLABLE	 IMPERMEABLE	 IMPACT 0 @ 10,000	PEEL & STICK DIRECT GLUE	 RECYCLED CONTENT
Modular	ER3®	lifetime LIMITED	 EXCELLENT	 RECYCLABLE			DIRECT GLUE	 RECYCLED CONTENT
	ethos®	lifetime LIMITED	 EXCELLENT	 RECYCLABLE			TANDUS TAPE+ DIRECT GLUE	 RECYCLED CONTENT
	Flex-Aire®*	lifetime LIMITED	 GOOD	 RECYCLABLE			TANDUS TAPE+ PEEL & STICK DIRECT GLUE	 RECYCLED CONTENT

\*Flex-Aire also available as a 6’ rolled good

-   
GOOD

  
EXCELLENT

= Rollability is the ability to move (or roll) pieces of furniture such as chairs or beds on flooring
- 

= Moisture penetration by impact at seams @10psi: No penetration after 10,000 impacts
- 

= Impermeable seams



ReStart® includes Tandus Centiva’s third-party certified reclamation and recycling program that reclaims and recycles post consumer flooring, installation waste, samples and portfolios. To initiate ReStart, contact customer service at 800-248-2878. ReStart is available for all Tarkett products and may be initiated by contacting your Tarkett representative.



CERTIFIED  
CERTIFIED  
CERTIFIED  
CERTIFIED

Product	Recycled Content	Min. Post-Consumer Recycled Content	NSF 140 Rating
ER3® Modular	45-67%	20%	Platinum
ethos® Modular	26-51%	26%	Platinum
Powerbond® Cushion	7-32%	7%	Gold
Flex-Aire® Cushion Modular	21-40%	4%	Gold


Recycled content varies by product style and has been certified by Scientific Certification Systems (SCS) Global Services. For a detailed analysis of how Tandus Centiva products perform in environmental rating systems such as LEED, please visit our ecoScorecard at [tandus-centiva.ourgreenproducts.com](http://tandus-centiva.ourgreenproducts.com). All vinyl products, when recovered, are 100% recyclable in Tandus Centiva’s closed-loop recycling process.




Tandus Centiva offers Environmental Product Declarations (EPD) for the following: ethos Modular, ER3 Modular, Flex-Aire Cushion Modular and Powerbond Cushion.

# Tandus Centiva

## APPLAUSE III 02803



Coordinate Group:	3
Size:	Powerbond: 6 feet (1.8 m) Modular: 24" x 24" (60.9 cm x 60.9 cm)
Surface Texture:	Level Loop
Yarn Content:	Dynex® Nylon
Dye Method:	50% Solution Dyed / 50% Yarn Dyed
Pile Height Average:	0.117" (3.0 mm)
Pattern Match:	Not Required
Powerbond Construction Options:	Powerbond® Cushion
Modular Construction Options:	ER3® Modular, Flex-Aire® Cushion Modular, ethos® Modular
Modular Installation Options:	24" X 24":



MONOLITHIC

Information subject to change. For samples, warranties and the most up-to-date specifications, visit [tandus-centiva.com](http://tandus-centiva.com) or call 800.248.2878.

Photos may not accurately depict color. Please order samples for exact product color.

03/2016

**GLUE DOWN**