

KnollExtra

Price List
March 2020



Knoll

Introduction	Using the KnollExtra Price List	3
	Placing Your Order	4
	KnollExtra Visual Index	5
	KnollExtra Bracket Chart	10
	Maintaining Your Purchase	11
Lighting	LED Light Series: Sparrow® : by Antenna Design	12
	LED Light Series: Highwire® : by Antenna Design	14
	LED Light Series: Sparrow® International : by Antenna Design	16
	LED Light Series: Highwire® International : by Antenna Design	18
	Copeland™ Light : by Stephan Copeland	20
Power Series	Power Series : Power Cube	24
	Power Series : Power Disc	26
Universal Screens	Pop Up™ Screens : by Antenna Design	28
	Pop Up™ Easy Screens : by Antenna Design	30
Desktop Accessories	The Smokador™ Collection : Exec Rectilinear	32
	The Smokador™ Collection : Desk Pads	36
	The Smokador™ Collection : Replacement Parts	38
Organizational Tools	KnollExtra Magnetic Accessory Cup : Antenna Design	40
	Orchestra® Universal System Accessories : by Bruce Hannah & Ayse Birsell	42
Technology Management	Sapper™ Monitor Arm Collection : Easy Order Single Arm Kits	58
	Sapper™ Monitor Arm Collection : Easy Order Double Arm Kits	64
	Sapper™ Monitor Arm Collection : Easy Order Triple Monitor Support Kits	68
	Sapper™ Monitor Arm Collection : Easy Order Quadruple Mount Support Kits	72
	Sapper™ Monitor Arm Collection : Easy Order Sapper Sleeve Arm Kits	74
	Sapper™ Monitor Arm Collection : Easy Order Sapper 50® Single Arm kits	78
	Sapper™ Monitor Arm Collection : Easy Order Sapper 50® Double Arm kits	82
	Sapper™ Monitor Arm Collection : Easy Order Sapper 50® Sleeve Arm Kits	86
	Sapper™ Monitor Arm Collection : Easy Order Beam Kits for 3 Monitors with Table Clamps	90
	Sapper™ Monitor Arm Collection : Easy Order Beam Kits for 3 Monitors with Antenna Mounts	92
	Sapper™ Monitor Arm Collection : Easy Order Beam Kits for 4 Monitors with Table Clamps	94
	Sapper™ Monitor Arm Collection : Easy Order Beam Kits for 4 Monitors with Antenna Mounts	96
	Sapper™ Monitor Arm Collection : Easy Order Double Beam Kits for 6 Monitors with Table Clamps	98
	Sapper™ Monitor Arm Collection : Easy Order Double Beam Kits for 6 Monitors with Antenna Mounts	100
	Sapper™ Monitor Arm Collection : Easy Order Double Beam Kits for 8 Monitors with Table Clamps	102
	Sapper™ Monitor Arm Collection : Easy Order Double Beam Kits for 8 Monitors with Antenna Mounts	104
	Sapper™ Monitor Arm Collection : Monitor Arms and Brackets	106
	Sapper™ Monitor Arm Collection : Movement Joints and VESA Plate Adaptors	110
	Sapper™ Monitor Arm Collection : Beams	114
	Sapper™ Monitor Arm Collection : Masts	116
	Sapper™ Monitor Arm Collection : Adjustment Knobs and Mast Cable Management Clips	118
	Sapper™ Monitor Arm Collection : Mounting Options	120
	Sapper™ Monitor Arm Collection : Easy Order Horsepower™ Monitor Arm Kits	126
	Sapper™ Monitor Arm Collection : Horsepower Mounting Options	128
	Sapper™ Monitor Arm Collection : Mounting, Construction and Application Information	130
	Sapper XYZ® Monitor Arm Series : Easy Order Sapper XYZ Single Arm Kits	136
	Sapper XYZ® Monitor Arm Series : Easy Order Dual Sapper XYZ Arm Kit	140
	Sapper XYZ® Monitor Arm Series : Easy Order Sapper XYZ 30 Arm Kits	142
	Sapper XYZ® Monitor Arm Series : Easy Order Sapper XYZ Crossbar Arm Kits	146
	Sapper XYZ® Monitor Arm Series : Mounting Options for Sapper XYZ Single Arms	150
	Sapper XYZ® Monitor Arm Series : Mounting Options for Dual Sapper XYZ Arms	152
	Sapper XYZ® Monitor Arm Series : Sapper XYZ Crossbar Mounting Options	154
	Sapper XYZ® Monitor Arm Series : Replacement Parts for Sapper XYZ Single Arms	156
	Sapper XYZ® Monitor Arm Series : Replacement Parts for Sapper XYZ 30 Arms	158
	Sapper XYZ® Monitor Arm Series : Sapper XYZ Crossbar Replacement Parts	160
	Sapper XYZ® Monitor Arm Series : Mounting, Construction and Application Information	162
	Adjustable Keyboard Supports : Easy Order Kits	164
	Freestanding Ergonomic Accessories	166
	Adjustable CPU Holders : Vertical and Sling CPU Holders	168

	Height-Adjustable Table Leg CPU Holders : Single and Double CPU Holders	170
	Cable Management : Cable Management Clips and Basket	172
Storage	Storage : pencil drawers	174
Communication Boards	Universal Marker Boards : by Bruce Hannah & Ayse Birsal	176
	Universal Fabric Boards : Standard Sizes	178
	Universal Fabric Boards : Options and Mounting Information	180
	Scribe™ Mobile Markerboards : by Antenna Design	182
Alpha-Numeric Index		184
Selling Policy		187
General Ordering Information		189

Using the KnollExtra Price List

An Overview

In the first part of the Price List you'll find Lighting and Power Series.

The second part features a full range of desktop accessories including Smokador and Orchestra, perfect for panel-mounted or freestanding application.

Part three offers a broad range of systems support products, including technology management and communication boards.

Can't find it? Consult the Table of Contents on page 1 or the Alpha-numeric Index on page 184.

Product Information on Each Page

The KnollExtra Price List was designed to provide you with everything you need to know in order to understand, specify, and care for KnollExtra products. On each page, the following features will assist you:

Description/Construction explains salient features, capabilities, materials, and country of origin.

Dimensions provide the overall space the product will require. Statistics are based on the maximum width, depth and height of the product.

Weight is based on the product itself. It does not include packaging or complementary items such as pens, memo paper or calendars.

Order Code/Ordering Information outlines exactly how to specify KnollExtra product and the full scope of finish options. The Order Code provides an example of how one pattern number is specified.

Custom Options reviews availability of special sizes, finishes etc.

For More Information

For more information, contact your Knoll sales representative, telephone Customer Service at 1-800-343-5665, or visit one of the Knoll showrooms listed on the last page of this book.

A Word About Finishes

KnollExtra finishes are designed to complement a broad range of interiors and office products.

Key KnollExtra finishes coordinate with specific Knoll systems finishes:

<i>Product</i>	<i>Core Finish</i>	<i>Office System Finishes</i>
Orchestra Load bar / Slat board	Medium grey (115)	Medium grey (115)
	Soft grey (117)	Soft grey (117)
	Black (111)	Black (111)
	Beige Mist (611)	Beige Mist (611)

Placing Your Order

Use the Following Addresses

If you would like to send a standard lead time order to our order entry department, please use the following address:

For North American orders:
Knoll, Inc.
1235 Water Street
East Greenville, PA 18041
Attn: Order Entry

Fax: 215 679-1788
Tel: 800 343-KNOLL

All accepted orders will be confirmed in writing on the Knoll standard order confirmation form.

Ship-Complete Orders

Orders that must ship complete are to be so stated on the purchase order. Products with different lead times, combined on one order, can be acknowledged for shipment based on the longest of those lead times. Orders not marked “ship complete” will be released according to the confirmation, and invoiced in increments.

For More Information


For complete Knoll Selling Policy and warranty information, please refer to page 187 of this price list.

For additional information on KnollExtra, contact your Knoll representative, a Knoll dealer, or telephone Customer Services at 800 343-KNOLL.


KnollExtra Visual Index

Page	LIGHTING	
------	----------	--

12-15	Sparrow® LED	Highwire® LED
-------	--------------	---------------




20-21	Copeland Standard	Copeland Compact
-------	-------------------	------------------



Page	TECHNOLOGY MANAGEMENT : POWER SERIES		
------	--------------------------------------	--	--

24-25	Power Cube 24 x 24	Power Cube 36 x 36	Power Disc
-------	--------------------	--------------------	------------



Page	UNIVERSAL SCREENS			
------	-------------------	--	--	--

28-31	Pop Up™ Desktop Screens	Pop Up™ Floorstanding Screens	Pop Up™ Easy Screen U-Surround	Pop Up™ Easy Screen Side Screen
-------	-------------------------	-------------------------------	--------------------------------	---------------------------------



Page	THE SMOKADOR COLLECTION					
------	-------------------------	--	--	--	--	--

32-33	Memo Box	Business Card Holder	Round Pencil Cup	Round Clip cup	Single Letter Tray	Double Letter Tray
-------	----------	----------------------	------------------	----------------	--------------------	--------------------




34-35	Round Wastebasket	Rectilinear Wastebasket
-------	-------------------	-------------------------



KnollExtra Visual Index

Page	THE SMOKADOR COLLECTION			
------	-------------------------	--	--	--

36-37	Rectilinear Desk Pad	Conference Pad	Radiused Desk Pad	Oval Conference Pad
-------	----------------------	----------------	-------------------	---------------------




Page	KNOLLEXTRA MAGNETIC ACCESSORY CUP
------	-----------------------------------

40-41	Magnetic Accessory Cup
-------	------------------------




Page	ORCHESTRA UNIVERSAL SYSTEM ACCESSORIES					
------	--	--	--	--	--	--


42-45	Front Single Letter Tray	Front Double Letter Tray	Side Single Letter Tray	Side Double Letter Tray	Side Single Legal Tray	Side Double Legal Tray
-------	--------------------------	--------------------------	-------------------------	-------------------------	------------------------	------------------------




46-47	2-Way Binder Bin	Vertical Paper Pack	Slanted Sorter	File Sorter
-------	------------------	---------------------	----------------	-------------




48-49	Hanging File Holders	Pencil Cup	Utility Tray	Tape Dispenser	Memo Tray
-------	----------------------	------------	--------------	----------------	-----------



50-51	Telephone Shelf	Wastebasket & Recycling Wastebasket
-------	-----------------	-------------------------------------








52-54	Load Bar/Info Rail	Worksurface: Mounted Bracket	Slat board: 6 1/2'' H	Slat board: 14 3/4'' H
-------	--------------------	------------------------------	-----------------------	------------------------




KnollExtra Visual Index

Page	TECHNOLOGY MANAGEMENT : SAPPER™ MONITOR ARM COLLECTION				
------	---	--	--	--	--


58-125	Single Arm Kits	Double Arm Kits	Triple Support Kits	Quadruple Support Kits	Sleeve Arm Kits
--------	-----------------	-----------------	---------------------	------------------------	-----------------




Sapper 50
Single Arm Kits




Sapper 50
Double Arm Kits




Sapper 50
Sleeve Arm Kits



Multiple Monitor
Beam Kits






Horsepower
Mounting Kits






Page	TECHNOLOGY MANAGEMENT : SAPPER XYZ® MONITOR ARM SERIES		
------	---	--	--

136-157	Single Arm Kits	Dual Arms Kits	Crossbar
---------	-----------------	----------------	----------












Page	TECHNOLOGY MANAGEMENT : ADJUSTABLE KEYBOARD SUPPORTS		
------	---	--	--





164-165	27" Integrated	21" Swivel	21" Swivel HP
---------	----------------	------------	---------------



KnollExtra Visual Index

Page	TECHNOLOGY MANAGEMENT		
166-167	Surf Board or VDT Corner	VDT Sleeve	
			
168-169	Adjustable Vertical CPU Holder	Adjustable Sling CPU Holder	HAT Leg CPU Holder
			
170-171	Cable Management Clips	Cable Management Basket	
			
Page	STORAGE		
174-175	Universal Pencil Drawer	BackPack Pencil Drawer	
			

KnollExtra Visual Index

Page	COMMUNICATIONS BOARDS			
176-183	Marker Board	Marker Tray	Fabric Boards	Scribe™ Mobile Markerboard
				

KnollExtra Bracket Chart

Manufacturer	System	Bracket Suffix
Knoll	Reff	R
	Dividends	DV
	<i>(stanchion-mounted)</i> Dividends	DS
	Calibre	CE
	Currents	C
	<i>(stanchion-mounted)</i> Currents	CS

*EY for orchestra brackets. If your system is not listed, please consult your Knoll sales representative or Customer Service at 1-800-343-5665.

Maintaining Your Purchase

Maintenance

While KnollExtra relies on highly durable materials in each product line, regular basic maintenance will ensure the longevity of your product. Most stains, marks, and discolorations can be removed by following the simple instructions outlined on this page.

Plastic

Windex and a dry cloth.

Stainless Steel:

Windex and a dry cloth.

Antique Brass, Brushed Zinc and Black Oxide:

A damp cloth with no cleaning agents.

Satin Brass:

Pledge.

Linoleum:

Windex and a dry cloth.

Contemporary and Traditional Standard Leathers:

Mild soap and water on a soft cloth.

Spinneybeck Leathers:

As a result of the high quality aniline dye process, most scratches or minor stains can be removed simply by gently rubbing them with your fingers. The body's natural oils revitalize the leather. For stubborn stains, use mild soap and water. Take care to wash the surface evenly since soaps may slightly alter the leather's tonality.

Surf Collection:

Wipe nylon skin using warm water and mild detergent. Do not use abrasives.

Office Automation

Accessories/Storage Drawers:

Clean with a soft cloth and Windex, Fantastik, Endust or other non-abrasive household cleaners. Remove stubborn stains with SofScrub.

For Surf Board and VDT Sleeve soft touch paints, never use abrasives. Clean with lukewarm water and a soft cloth.

Marker Boards:

For day-to-day use, surface requires only a dry cleaning with a standard felt eraser or dry cloth. For best results, keep marker board and marker pens at room temperature. KnollExtra suggests Bic Great Erase BOLD marker pens which are designed for use on marker boards. All marker pens should be tightly capped and stored horizontally when not in use.

Follow the instructions below as a periodic maintenance program, or to remove stubborn stains:

1. Clean with EV-1 or any liquid ammonia-added cleaner and rinse with clean water, then dry. For best results, wash board like a window with sponge and squeegee.

2. Interim cleaning may be done by sprinkling a dry powdered cleanser on an eraser and applying to the board in a circular motion. Rinse with clean water, then dry.

3. To remove crayon, scotch tape, or other stubborn materials, apply a mild solvent or paste made with scouring powder and water.

Fabric Boards:

Despite the durability of most panel textiles, fabric boards are subject to long-term soiling and wear. A regular maintenance program will significantly lessen soil and dirt build up or staining on your fabric boards. Cleaning is particularly important in areas adjacent to air conditioning or ventilation systems.

Remember to consult the care instructions provided by the fabric manufacturer. The general recommendations below should apply to most fabric boards.

1. Avoid excessive heat or moisture which can affect finishes and adhesives. Never allow fabric panels to become wet inside the core. Room temperature should be maintained between 50 and 85 degrees; humidity should be maintained between 20 and 50%.

2. Avoid contact with sharp edges which could puncture the surface.

3. Do not handle fabric boards more than necessary. Avoid bending or flexing the panels; this could break the bond between the surface and core materials.





4. Grease or oil should be wiped off immediately upon contact. Remove excess grease or oil by blotting. Use hot water and mild soap to remove any remaining residue.

5. Whenever possible, clean only with warm water and mild soap. Use caution when applying cleaning agents, particularly those that contain alcohol, strong alkalis, or solvents. These ingredients may react to the vinyl backing or adhesives used in the fabric boards. Always test cleaning agents on fabric from the rear of the panel before using on the front.

6. Care should be taken in using strong room cleaners or pesticides. Their fumes may contain agents which lead to the loosening of the fabric board glue bond.

Pop Up Screens:





Clean with soap and water. For greasy stains, use a cleaning agent, first testing in a less visible area.

type	description
Open Table Clamp Mount	Sparrow desktop LED light with open table clamp mount
	
Panel Table Clamp Mount	Sparrow desktop LED light with panel table clamp mount
	
Antenna Beam Side Mount	Sparrow desktop LED light with Antenna beam side mount
	
Freestanding Base	Sparrow desktop LED light with freestanding base
	
Occupancy sensor	Universal occupancy sensor

pattern no.	list price
LED 1 (B or S) CLMP	\$488.
LED 1 (B or S) PCLMP	511.
LED 1 (B or S) SIDE	511.
LED 1 (B or S) BASE	521.
LED PIR	110.

Order Code	Ordering Information	Additional Information	Light Source Information
Example: LED-1-S-CLMP-111	<i>Specify:</i>	Sparrow is available in a black or white light finish with stainless steel or black frame.	9 watts single multichip LED.
LED	1. Pattern number		50,000 hours lifespan.
1	2. Frame Finish		
S	3. Mount	Occupancy sensor (LED PIR) can be added to any LED light and must be ordered separately.	
CLMP	4. Light Finish		
	Frame Finish Options:		
	Black (B)	UL Certified.	
111	Silver (S)		
	<i>Light Finish Options:</i>	Open table clamp for use on open edge work surface and with minimum of 1 1/16" from back edge of work surface to wall, screen or panel. Work surface thickness minimum of 0.7", maximum of 1.5".	
	Black (111)		
	White (118)	Panel table clamp for use with minimum of 3/16" from back edge of work surface to wall, screen or panel. Work surface thickness minimum of 0.9", maximum of 1.7".	

Height Range	Construction	Design Awards
Articulates 18° to 90° <ul style="list-style-type: none">• Table clamp: 2.5" to 21.4"• Antenna beam side: 3.5" to 22.3"• Freestanding: 4.3" to 23.2"	Lamp: LED, cast aluminum housing, stainless steel frame and plastic reflector and lens. Table clamp mount: steel. Antenna beam side mount: die cast aluminum. Freestanding base: plastic and cast iron. Occupancy sensor: extruded aluminum body, plastic face, end caps and lens.	Best of NeoCon 2013 Silver Award. Sparrow is TAA compliant.

type	description
19" Undercabinet Light	19" Highwire under-cabinet LED light with power source
	
37" Undercabinet Light	37" Highwire under-cabinet LED light with power source
	
67" Undercabinet Light	67" Highwire under-cabinet LED light with power source
	
79" Undercabinet Light	79" Highwire under-cabinet LED light with power source
	
Undercabinet Light Adder	19" Highwire under-cabinet LED light adder with connector cable
	37" Highwire under-cabinet LED light adder with connector cable
	67" Highwire under-cabinet LED light adder with connector cable
Occupancy sensor	Universal occupancy sensor





pattern no.	list price
LED 2 IN 19	\$344.
LED 2 IN 37	574.
LED 2 IN 67	862.
LED 2 IN 79	1,034.
LED 2 AD 19	293.
LED 2 AD 37	523.
LED 2 AD 67	800.
LED PIR	110.

Order Code	Ordering Information	Additional Information	Light Source Information
Example: LED-2-AD-19-01-BLK	<i>Specify:</i> 1. Pattern number 2. Type of light 3. Length 4. Connector where required 5. Finish	Light ships with magnet and wood screw-in mounts. Occupancy sensor (LED PIR) can be added to any light and must be ordered separately. Occupancy sensor requires an additional 4.5" of clearance in addition to the length of the light. UL Certified.	19": 9 watts, 35 LEDs. 37": 16 watts, 70 LEDs. 67": 30 watts, 126 LEDs. 79": 32 watts, 140 LEDs. 50,000 hours lifespan.
LED			
2			
AD			
19			
01	<i>Type of Light:</i> Individual : Ships with power source Adder: Ships without power source for interconnection purposes Highwire can be interconnected up to a maximum of 60 watts <i>Connector</i> 01: In-line 03: 3" 12: 12" 24: 24" 36: 36" <i>Finish Options:</i> Black (BLK) Silver (SLV)		
BLK			

Construction	Design Awards
Highwire: LEDs, extruded aluminum housing, plastic reflector end caps. Occupancy sensor: extruded aluminum body, plastic face, end caps and lens.	Best of NeoCon 2013 Silver Award. Highwire is TAA compliant.

LED Light Series: Sparrow® International
by Antenna Design



KnollExtra

type	description
Open Table Clamp Mount	Sparrow desktop LED light with open table clamp mount and power source
	
Panel Table Clamp Mount	Sparrow desktop LED light with panel table clamp mount and power source
	
Antenna Beam Side Mount	Sparrow desktop LED light with Antenna beam side mount and power source
	
Freestanding Base	Sparrow desktop LED light with freestanding base and power source
	
Occupancy sensor	Universal occupancy sensor

pattern no.	list price
LED 1 (B or S) CLMP I	\$521.
LED 1 (B or S) PCLMP I	521.
LED 1 (B or S) SIDE I	521.
LED 1 (B or S) BASE I	521.
LED PIR	110.

Order Code	Ordering Information	Additional Information	Light Source Information
Example: LED-1-S-CLMP-I-CE-111	<i>Specify:</i>	Sparrow is available in a black or white light finish with stainless steel or black frame.	9 watts single multichip LED.
LED	1. Pattern number		50,000 hours lifespan.
1	2. Frame Finish		
S	3. Mount	Occupancy sensor (LED PIR) can be added to any LED light and must be ordered separately.	
CLMP	4. Certification/plug type: CE - Europe and Middle East (not UK) PSE - Japan UK - UK and Singapore SAA - Australia	UL Certified.	
I		Open table clamp for use on open edge work surface and with minimum of 1 1/16" from back edge of work surface to wall, screen or panel. Work surface thickness minimum of 0.7", maximum of 1.5".	
CE			
111	Standard lead times do not apply for International orders, your account manager can request lead times.		
	Frame Finish: Black (B) Silver (S)	Panel table clamp for use with minimum of 3/16" from back edge of work surface to wall, screen or panel. Work surface thickness minimum of 0.9", maximum of 1.7".	
	Light Finish Options: Black (111) White (118)		

Height Range	Construction	Design Awards
Articulates 18° to 90° <ul style="list-style-type: none">• Table clamp: 2.5" to 21.4"• Antenna beam side: 3.5" to 22.3"• Freestanding: 4.3" to 23.2"	Lamp: LED, cast aluminum housing, stainless steel frame and plastic reflector and lens. Table clamp mount: steel. Antenna beam side mount: die cast aluminum. Freestanding base: plastic and cast iron. Occupancy sensor: extruded aluminum body, plastic face, end caps and lens.	Best of NeoCon 2013 Silver Award. Sparrow is TAA compliant.

type	description
19" Undercabinet Light	19" Highwire under-cabinet LED light with power source
	
37" Undercabinet Light	37" Highwire under-cabinet LED light with power source
	
Undercabinet Light Adder	19" Highwire under-cabinet LED light adder with connector cable
	37" Highwire under-cabinet LED light adder with connector cable
Occupancy sensor	Universal occupancy sensor

pattern no.	list price
LED 2 IN 19 I	\$344.
LED 2 IN 37 I	574.
LED 2 AD 19	293.
LED 2 AD 37	523.
LED PIR	110.


Order Code	Ordering Information	Ordering Information	Additional Information
Example: LED-2-IN-19-I-CE-BLK	<i>Specify:</i>	Standard lead times do not apply for International orders, your account manager can request lead times.	Light ships with magnet and wood screw-in mounts.
LED LED	1. Pattern number		
2 Highwire	2. Type of light		
IN Individual	3. Length		Occupancy sensor (LED PIR) can be added to any light and must be ordered separately.
19 Length	4. Connector where required		
I International	5. Certification/Plug type:		Occupancy sensor requires an additional 4.5" of clearance in addition to the length of the light.
CE Certification/ Plug type	CE-Europe and Middle East (not UK or Germany)		
BLK Finish	UK-UK and Singapore		
	6. Finish		
	<i>Type of Light:</i>		
	Individual : Ships with power source		
	Adder: Ships without power source for interconnection purposes		
	<i>Connector</i>		
	01: In-line		
	03: 3"		
	12: 12"		
	24: 24"		
	36: 36"		
	If IN line type, leave connector blank		
	<i>Finish Options:</i>		
	Black (BLK)		
	Silver (SLV)		

Light Source Information	Construction	Design Awards
19": 9 watts, 35 LEDs. 37": 16 watts, 70 LEDs. 67": 30 watts, 126 LEDs. 79": 32 watts, 140 LEDs.	Highwire: LEDs, extruded aluminum housing, plastic reflector end caps.	Best of NeoCon 2013 Silver Award.
50,000 hours lifespan.	Occupancy sensor: extruded aluminum body, plastic face, end caps and lens.	Highwire is TAA compliant.

Copeland™ Light
by Stephan Copeland


KnollExtra

product	description
Standard Arm	<ul style="list-style-type: none">Standard Arm.10 watt LED bulb.Mounting option must be ordered separately.20.75" h x 21.75" w (at 90° angle)Reaches height fo 29.75" when extended up and depth of 35.75" when extended out.



Shown with base

Compact Arm	<ul style="list-style-type: none">Compact Arm.6 watt LED bulb.Mounting option must be ordered separately.16.25" h x 17.75" w (at 90° angle)Reaches height of 23.5" when extended up and depth of 28.75" when extended out.
-------------	--







Shown with base

pattern no.	list price
COPE-01-()	\$249.

COPE-02-()	232.
-------------	------

Order Code	Ordering Information		Light Bulb Information
Example: COPE-01-SV,COPE-01-BASE-SV	<i>Specify:</i>	<i>Finish Options:</i>	<ul style="list-style-type: none">Standard size ships with 10 watt LED bulb and Compact ships with 6 watt LED bulb.Standard is 10W/120v/3000K and Compact is 6W/120v/3000K.An incandescent light bulb can also be used. 75 watt is the maximum for the standard light and 60 watt is the maximum for the compact light.
COPE-01-SV Copeland light standard arm in silver	1. Pattern number for arm	Silver (SV)	
COPE-01-BASE-SV Copeland standard base in silver	2. Finish for arm	Black (111)	
	3. Mounting option pattern number		
	4. Mounting option finish		

Construction	Design Awards
The Copeland Light has a steel arm, aluminum axles, zinc coated cast iron base and metallic-painted ABS shade.	Best of NeoCon 2005, Silver Award

product	description
Mounting Options	<p>Standard base</p> <ul style="list-style-type: none"> To be used with standard arm only. 
	<p>Compact base</p> <ul style="list-style-type: none"> To be used with compact arm only. 
	<p>Table clamp</p> <ul style="list-style-type: none"> To be used with either size arm. Works on desks of up to 1 3/4" thick. 
	<ul style="list-style-type: none"> Slat Wall mount. To be used with either size arm. Can be used on all Knoll systems slat wall as well as Orchestra® slat boards and load bars. 





pattern no.	list price
COPE-01-BASE-()	\$135.
COPE-02-BASE-()	128.
COPE-CLMP-()	77.
COPE-SLT-()	113.

Order Code	Ordering Information	Light Bulb Information
Example: COPE-01-SV,COPE-01-BASE-SV	<i>Specify:</i>	<ul style="list-style-type: none"> • Standard size ships with 10 watt LED bulb and Compact ships with 6 watt LED bulb. • Standard is 10W/120v/3000K and Compact is 6W/120v/3000K. • An incandescent light bulb can also be used. 75 watt is the maximum for the standard light and 60 watt is the maximum for the compact light.
COPE-01-SV Copeland light standard arm in silver	1. Pattern number for arm	
COPE-01-BASE-SV Copeland standard base in silver	2. Finish for arm	
	3. Mounting option pattern number	
	4. Mounting option finish	

Construction	Design Awards
The Copeland Light has a steel arm, aluminum axles, zinc coated cast iron base and metallic-painted ABS shade.	Best of NeoCon 2005, Silver Award

Power Series
Power Cube
by Antenna Design

KnollExtra

item	description
<div>Power Cube, hard wired</div> 	24" square table with electrical outlets on one side
	24" square table with electrical outlets on two sides
	24" square table with electrical outlets/USB on one side
	24" square table with electrical outlets/USB on two sides
	36" square table with electrical outlets on one side
	36" square table with electrical outlets on two sides
	36" square table with electrical outlets/USB on one side
	36" square table with electrical outlets/USB on two sides
<div>Power Cube, cord set</div> 	24" square table with electrical outlets on one side
	24" square table with electrical outlets/USB on one side
	36" square table with electrical outlets on one side
	36" square table with electrical outlets/USB on one side
<div>Power Cube, no power</div> 	24" square table without power
	36" square table without power
Markerboard Cleaning Cloth	40 x 30 cm microfiber cloth
Markers	Set of 4 markers
<div>Magnetic Accessory Cup</div> 	Optional cup to hold dry erase markers and microfiber cloth eraser and/or personal device power cords; magnetic application can be applied to any side of the Power Cube

pattern no.	list price
ACT-PW-PC-24-24-13-1E	\$2,140.
ACT-PW-PC-24-24-13-2E	2,365.
ACT-PW-PC-24-24-13-1EUSB	2,478.
ACT-PW-PC-24-24-13-2EUSB	2,702.
ACT-PW-PC-36-36-13-1E	2,478.
ACT-PW-PC-36-36-13-2E	2,702.
ACT-PW-PC-36-36-13-1EUSB	2,815.
ACT-PW-PC-36-36-13-2EUSB	3,041.
ACT-PW-PC-24-24-13-1C	2,140.
ACT-PW-PC-24-24-13-1CUSB	2,478.
ACT-PW-PC-36-36-13-1C	2,478.
ACT-PW-PC-36-36-13-1CUSB	2,815.

ACT-PW-PC-24-24-13-X	1,915.
ACT-PW-PC-36-36-13-X	2,252.

ACT-CB-M-CLOTH	15.
----------------	-----

ACT-CB-M-MARKER	31.
-----------------	-----

ACT-CUP-MG	150.
------------	------

Order Code	Ordering Information	General Notes	Construction
Example: ACT-PW-PC-36-36-13-1E	Specify: 1. Pattern number	Each electrical module has either 4 outlets or 3 outlets and 2 USB ports, depending on specification.	Power Cube: Powder coated steel, steel and nylon levelers
ACT	Activity Spaces	Power Cube is 13" high with 4 levelers. Hard wired comes with 72" whip. Cord set comes with 72" cord with a 3-prong plug for 120V outlets. Base includes one slot per corner for choice of cord exit.	Magnetic Accessory Cup: See page 40.
PW	Power Collection		
PC	Power Cube	Optional Magnetic Accessory Cup must be specified in one of the following finishes: Code: Description 111 Jet Black 115 Medium Grey 118 Bright White 130 Dark Red 131 Slate Blue	
36-36-13	36"x36"x13"		
1E	Electrical outlets on one side		

Note: Each Power Cube comes with a whiteboard finish and ships with 4 dry erase markers (blue, green, red and black) and a microfiber cloth eraser.	Power Disc: Max Load: 120V, 15A, 50/60 Hz
To prevent dry erase markers from drying out, store them with the cap down in the optional cup.	Voltage Protection Rating: L-N 600V, L-G 600V, N-G 600V
	UL Listed Relocatable Power Tap/ Surge Protection Device
	10' 3-prong cord recesses in base for flat surfaces or can be threaded through standard grommet.
	on/off switch with LED indicator
	Unit weighs 4.3 lbs.
	Made in China for Knoll.

Power Series

Power Series
Power Disc
by Antenna Design

KnollExtra


item	description
Power Disc	9" round Power Disc with six 15-amp electrical outlets




pattern no.	list price
ACT-PW-TAB-9-EL	\$443.

Order Code	Ordering Information	Additional Information
Example: ACT-PW-TAB-9-EL	<i>Specify:</i>	Max Load: 120V, 15A, 50/60 Hz
ACT	Activity Spaces	Voltage Protection Rating: L-N 600V, L-G 600V, N-G 600V
PW	Power Series	UL Listed Relocatable Power Tap/ Surge Protection Device
TAB	Power Disc tabletop module	10' 3-prong cord recesses in base for flat surfaces or can be threaded through standard grommet.
EL	Electrical (120v)	On/off switch with LED indicator
		Unit weighs 4.3 lbs.
		Made in China for Knoll.

product	description
Desktop Screen	15"H x 39"W flexible molded foam screen





Floorstanding Screen	53"H x 72"W Fabric-wrapped curved screen
----------------------	--



pattern no.	list
POP-DT-15-39-G-M ()	\$336.

POP-FS-53-72-F-()	1,596.
--------------------	--------

Order Code	Ordering Information	Additional Information	Construction
Example: POP-DT-15-39-G-M-01	Specify:	Desktop	Desktop
POP-DT-15-39-G-M	1. Pattern number	Screen thickness is 3/8"	Screen: Molded Foam
	2. Finish	4 bases ship with each	Bases: Die-cast Zinc
01 Medium Grey	Finishes : Medium Grey (01) Light Grey (02) Slate Blue (03) Bright Red (04)	Floorstanding Curvature of the screen follows a 27" radius Screen ships with top and bottom rails in screen color	Floorstanding Screen: Fabric-wrapped foam Rails: Extruded aluminum Glides: Clear plastic

product	type	description
<div><div><div>Pop Up Easy Screen U - Surround</div><div></div></div><div>Sold in set of 8 complete screens</div></div>	Corrugated Cardboard Screen	Adjustable U-Surround, Brown
		Adjustable U-Surround, Red Orange
	Corrugated Plastic Screen	Adjustable U-Surround, Clear Translucent corners and center panel
		Adjustable U-Surround, Clear Translucent corners and Red center panel
		Adjustable U-Surround, Red corners and Clear Translucent center panel
		Adjustable U-Surround, Red corners and Red center panel
<div><div><div>Pop Up Easy Side Screen</div><div></div></div><div>Sold in set of 10 complete screens</div></div>	Corrugated Cardboard Screen	24" d Side Screen, Brown
		24" d Side Screen, Red Orange
		27" d Side Screen, Brown
		27" d Side Screen, Red Orange
		30" d Side Screen, Brown
		30" d Side Screen, Red Orange
	Corrugated Plastic Screen	24" d Side Screen, Clear Translucent
		27" d Side Screen, Clear Translucent
		30" d Side Screen, Clear Translucent






pattern no.	list
POP U CC 242329 BN	\$720.
POP U CC 242329 RD	845.
POP U PL 242329 CT CT	1,645.
POP U PL 242329 CT RD	1,645.
POP U PL 242329 RD CT	1,645.
POP U PL 242329 RD RD	1,645.
POP S CC 2424 BN	350.
POP S CC 2424 RD	400.
POP S CC 2427 BN	360.
POP S CC 2427 RD	410.
POP S CC 2430 BN	370.
POP S CC 2430 RD	420.
POP S PL 2424 CT	350.
POP S PL 2427 CT	675.
POP S PL 2430 CT	690.

Order Code	Ordering Information	Additional Information	Ordering Note
U-Surround	<i>Specify:</i> 1. Pattern number	<i>Mounting Information:</i> All Easy Screen configurations can be attached to worksurfaces via Velcro which comes pre-attached to the bottom of screens.	Screens are sold in sets. U-Surrounds come with all components for 8 screens. Side screens come with all components for 10 screens. Pricing is for a set of screens - not individual screens.
Example: POP-U-PL-242329-RDCT			
POP Pop Up Easy Screen			
U U-Surround			
PL Corrugated Plastic			
242329 24"h x 23"d x 29"w			
RD Red Corners			
CT Clear Translucent Center Panel			
Side Screen			
Example: POP-S-CC-2424-RD			
POP Pop Up Easy Screen			
S Side Screen			
CC Corrugated Cardboard			
2424 24"h x 24"d			
RD Red Orange			

Application Information
U-Surround Screens are compatible with desktops ranging 58" - 96" wide for 23" deep tops and 46 - 84" wide for 29" deep tops depending on orientation of corners.

The Smokador™ Collection
Exec Rectilinear
accessories

KnollExtra



product	description	w	d	h	wgt.
Memo Box	Matte black interior. Includes 4" x 6" memo paper. Non-skid rubber pad on bottom.	4 1/4"	6 1/4"	5/8"	1 lb. 4 ozs.
					
Business Card Holder	Felt base. Available in black oxide only.	3 1/2"	2"	2"	6 ozs.
					
Round Pencil Cup	Matte black interior. Non-skid rubber pad on bottom.	3 1/8"		3 1/2"	9 ozs.
					
Round Clip Cup	Matte black interior. Non-skid rubber pad on bottom.	3"		2"	8 ozs.
					
Single Letter Tray	Legal size. Matte black interior with black linoleum floor pad. Recessed rubber feet and black felt bottom prevent scuffing.	10"	15"	2 1/4"	4 lbs. 5 ozs.
					
Double Letter Tray	Legal size. Matte black interiors with black linoleum floor pads and matte black posts. 2 1/2" between trays. Recessed rubber feet and black felt bottom prevent scuffing. Ships fully assembled.	10"	15"	6 1/2"	9 lbs. 2 ozs.
					

pattern no.	black oxide	brushed steel
1905	\$149.	\$161.
1906	108.	
1915	119.	128.
1916	139.	149.
1901	248.	311.
1901-2	555.	687.

Order Code	Ordering Information	Custom Options	Construction
Example: 1905-BO	Specify:	Special sized letter and memo trays available. 100 piece minimum per line item.	Black oxide finish is a matte black hand-applied coating over steel.
1905 Memo box	1. Pattern number		
BO Black oxide	2. Finish		
	Metal finishes: Black Oxide (BO) Brushed Steel (BS)	Custom finishes available upon sample chip approval. 25 piece minimum per line item. Production set up fee varies by product. Contact your Knoll sales representative or Customer Service for complete pricing information.	Brushed steel is brushed steel with a lacquer finish.

The Smokador™ Collection
Exec Rectilinear
waste baskets

KnollExtra

product	description	w	d	h	wgt.
Round Wastebasket	Black oxide exterior with matte black interior. Non-toxic. 15 qt. capacity.	10"		14¾"	5 lbs.
					
Rectilinear Wastebasket	Black oxide exterior with matte black interior. Non-toxic. 24 qt. capacity.	8⅛"	13¼"	14⅞"	7 lbs.
					

pattern no.	black oxide
050	\$161.
055-BO	279.

Order Code	Ordering Information	Custom Options	Construction
Example: 050-BO	Specify:	Custom finishes available upon sample chip approval. 750 piece minimum on plated finishes; 100 piece minimum on painted finishes. Production set up fee varies by finish. Contact your Knoll sales representative or Customer Service for complete pricing information.	Metal Wastebaskets: Black oxide finish is a matte black hand-applied coating over steel.
050	1. Pattern number		
BO	2. Finish(when applicable)		
	Round wastebasket Metal finishes: Black Oxide (BO)		

Manufactured in the United States.

The Smokador™ Collection
Desk Pads

KnollExtra



product	description	w	d	wgt.
Rectilinear Desk Pad	Black linoleum with felt back. Rectilinear edge detail. No side panels.	34"	20"	4 lbs.
		38"	24"	5 lbs.
Radiused Desk Pad	Black linoleum with felt back. Radiused edge detail. No side panels.	23"	17"	3 lbs. 8 ozs.
		30"	18"	3 lbs. 12 ozs.
		34"	20"	4 lbs.
		38"	24"	5 lbs.
Rectilinear Conference Pad	Leather or black linoleum. Black felt back.	18"	12"	1 lb. 6 ozs.
		18"	12"	3 lbs. 6 ozs.
Oval Conference Pad	Black linoleum with black felt back.	18"	12"	1 lb. 4 ozs.

pattern no.	Black Linoleum	Vicenza
1912-30	\$204.	
1912-40	232.	
012-1	169.	
012-2	190.	
012-3	216.	
012-4	238.	
1912-20	113.	
3313		375.
512-20	113.	

Order Code	Ordering Information		
Example: 1912-30	Specify: 1. Pattern number 2. Finish(when applicable) Spinneybeck leathers: Vicenza (VZ)	There are 20 rich colors available in Vicenza. To view the complete color selection, please contact your Knoll sales representative or Spinneybeck. Please note that 10 or more units are required on all Spinneybeck orders.	Additional linoleum colors available. Special sizes available up to 34"W x 28"D. 50 piece minimum on all custom desk pads. Contact your Knoll sales representative or Customer Service for complete pricing information. Customer's own leather (COL) available upon approval of sample. 10 unit minimum on all specials. Upcharges based on number of cowhides required for production. Contact your Knoll sales representative or Customer Service for complete pricing information.
1912-30 Rectilinear Desk Pad			

Manufactured in the United States.

Desktop Accessories

product	description	d	h
Metal Letter Tray Stacking Posts	4 per set, with screws. For use with the Contemporary Leather and Exec Rectilinear Collections. Available in mirror chrome, mirror brass, and matte black only.	1/4"	4 1/4"
			
Letter Tray Stacking Post Threaded Rods	4 per set. For use with stacking posts for the Contemporary Leather and Exec Rectilinear Collections.		
			

pattern no.	list price
001-214	\$43.
001-315	8.

Order Code		Ordering Information	
Example:	001-214-MC	Specify:	Metal letter tray post finishes:
001-214	Metal letter tray stacking posts	1. Pattern number	Mirror Brass (MB)
		2. Finish (except Threaded Rods)	Matte Black (BK)
MC	Mirror chrome		

KnollExtra Magnetic Accessory Cup

Antenna Design

product	description	diameter	overall height	weight
Magnetic Accessory Cup	Large accessory cup for application to any magnetic surface. Fits dry erase markers, power cords, etc. Interior diameter is 3.7"; interior height is 4.4".	4"	6"	1.1 lbs.









pattern number	list price
ACT-CUP-MG	\$150.

Order Code	Ordering Information	Construction
Example: ACT-CUP-MG	<i>Specify:</i>	Die cast aluminum with textured powder coat paint, wool felt insert, neodymium magnets and steel fasteners.
ACT-CUP- Magnetic accessory cup	1. Pattern number	
MG	2. Finish	
118 Bright White	Finish:	Note: A non-magnetic version of this accessory cup is available on Interpole (Replace MG in pattern code with IP, see Antenna Workspaces price list for pricing) and Scribe Mobile Markerboards (see page 194 for specifications and pricing).
	Code: Description	Pacemakers and items sensitive to magnetic fields should be kept 3.5" from product.
	111 Jet Black	
	115 Medium Grey	
	118 Bright White	
	130 Dark Red	To prevent dry erase markers from drying out, store them with the cap down. To protect magnetic surface, avoid dragging the cup when repositioning.
	131 Slate Blue	

Orchestra® Universal System Accessories
by Bruce Hannah & Ayse Birsel
letter trays

KnollExtra

product	description	w	d	h	wgt.
Front Letter Single Tray	Single tray. Non-scuffing rubber feet.	10 ¼"	13"	2 ¾"	1 lb. 2 ozs.
					
Front Letter Double Tray	Double tray. Non-scuffing rubber feet. Removable stacking brackets included.	10 ¼"	13"	7 ¼"	2 lbs. 5 ozs.
					
Side Letter Single Tray	Single tray. Non-scuffing rubber feet.	13 ¼"	9 ½"	2 ¾"	1 lb. 7 ozs.
					
Side Letter Double Tray	Double tray. Non-scuffing rubber feet. Removable stacking brackets included.	13 ¼"	9 ½"	7 ¼"	2 lbs. 15 ozs.
					
Side Legal Single Tray	Single tray. Non-scuffing rubber feet.	15 ½"	9 ½"	2 ¾"	2 lbs.
					
Side Legal Double Tray	Double tray. Non-scuffing rubber feet. Removable stacking brackets included.	15 ½"	9 ½"	7 ¼"	4 lbs. 1 oz.
					

Order Code	Ordering Information	Custom Options
Example: ORCH-F-LT-BK	<i>Specify:</i>	Custom colors available upon sample chip approval. \$364 color match fee and 500 piece minimum per line item.
ORCH-F-LT Front letter tray	1. Pattern number	
BK Black	2. Finish	
	<i>Opaque plastic finishes:</i> Black (BK) Medium Grey (DG) Soft Grey (E)	
	<i>Translucent K-resin finish:</i> Clear (CL)	
	Letter trays mounted on slat wall or load bars accommodate up to max. 15lbs of weight.	

pattern no.	translucent colors list price	opaque colors list price
ORCH-F-LT	\$61.	\$48.
2ORCH-F-LT	122.	105.
ORCH-S-LT	61.	48.
2ORCH-S-LT	122.	105.
ORCH-S-LGT	75.	64.
2ORCH-S-LGT	145.	127.

Construction	Design Awards
<i>Opaque plastic finishes:</i> Sturdy polystyrene plastic in matte, textured finish. Fingerprint resistant.	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991;
<i>Translucent finishes:</i> Sturdy K-resin (SBC) plastic.	Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.
Manufactured in the United States.	

Orchestra® Universal System Accessories
by Bruce Hannah & Ayse Birsel
letter trays

KnollExtra

product	description	w	d	h	wgt.
Replacement Stacking Brackets	Set of four stacking brackets for all Orchestra letter trays.	¾"	½"	2"	1 oz. (set)

pattern no.	translucent colors list price	opaque colors list price
ORCH-SB	\$6.	\$5.

Order Code	Ordering Information	Custom Options
Example: ORCH-F-LT-BK	<i>Specify:</i>	Custom colors available upon sample chip approval. \$364 color match fee and 500 piece minimum per line item.
ORCH-F-LT Front letter tray	1. Pattern number 2. Finish	
BK Black	<i>Opaque plastic finishes:</i> Black (BK) Medium Grey (DG) Soft Grey (E) <i>Translucent K-resin finish:</i> Clear (CL) Letter trays mounted on slat wall or load bars accommodate up to max. 15lbs of weight.	

Construction	Design Awards
<i>Opaque plastic finishes:</i> Sturdy polystyrene plastic in matte, textured finish. Fingerprint resistant.	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991;
<i>Translucent finishes:</i> Sturdy K-resin (SBC) plastic.	Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.
Manufactured in the United States.	

Orchestra® Universal System Accessories
by Bruce Hannah & Ayse Birsel
paper management

KnollExtra

product	description	w	d	h	wgt.
2-Way Binder Bin	Horizontal or vertical positioning. Excellent for rail-mount, desktop, and overhead storage.	4 7/8"	12 1/4"	8 1/4"	1 lb. 6 ozs.
					
Vertical Paper Pack	Holds memo, letter, legal and unbound EDP size material.	15 1/4"	5"	9"	2 lbs. 1 oz.
					
Slanted Sorter	Removable dividers tilt left and right.	9"	11"	8 1/2"	2 lbs. 4 ozs.
					
File Sorter	Versatile sorter holds small files, stationery, envelopes, messages and other desktop papers.	10 1/4"	5 1/2"	5 1/2"	1 lb. 8 ozs.
					

Order Code	Ordering Information	Custom Options
Example: ORCH-BDN-DG	<i>Specify:</i>	Custom colors available upon sample chip approval. \$364 color match fee and 500 piece minimum per line item.
ORCH-BDN	1. Pattern number	
	2. Finish	
DG	<i>Opaque plastic finishes:</i>	
	Black (BK)	
	Medium Grey (DG)	
	Soft Grey (E)	
	<i>Translucent K-resin finish:</i>	
	Clear (CL)	






pattern no.	translucent colors list price	opaque colors list price
ORCH-BDN	\$78.	\$69.
ORCH-VPP	83.	78.
ORCH-SSD	83.	78.
ORCH-FS	59.	53.

Construction	Design Awards
<i>Opaque plastic finishes:</i> Sturdy polystyrene plastic in matte, textured finish. Fingerprint resistant.	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.
<i>Translucent finish:</i> Sturdy K-resin (SBC) plastic.	
Manufactured in the United States.	

Orchestra® Universal System Accessories

by Bruce Hannah & Ayse Birsel

hanging file holders, pencil cup, utility trays, tape dispenser and memo tray




product	description	w	d	h	wgt.
Hanging File Holders <div></div>	2 per set. Attach to rail and hold legal or letter size hanging folders for easy access. Not for use on Currents slat wall.	1"	8"	1"	8 ozs. (pair)
Pencil Cup <div></div>	Three compartments for pencils, 4" x 6" memo paper, and large Post-It™ Notes.	5"	3"	4"	7 ozs.
Utility Tray <div></div>	6 versatile compartments hold pencils, paper clips, and other paper management items. Largest compartment is 3" x 8 1/4".	12"	7"	1"	12 ozs.
Tape Dispenser <div></div>	Holds standard, clear tape (not included).	1"	4 1/2"	3 1/2"	3 ozs.
Memo Tray <div></div>	Includes 4" x 6" memo paper. Non-scuffing rubber feet.	6"	4"	1"	9 ozs.

Order Code	Ordering Information	Custom Options
Example: ORCH-PC	<i>Specify:</i>	For plastic accessories, custom colors available upon sample chip approval. \$364 color match fee and 500 piece minimum per line item.
ORCH-PC Pencil cup	1. Pattern number	
CL Clear	2. Finish	
	3. Divider finish(mini-shelf only)	
	<i>Opaque plastic finishes:</i> Black (BK) Medium Grey (DG) Soft Grey (E)	
	<i>Translucent K-resin finish:</i> Clear (CL)	
	<i>Hanging file holder metal finishes:</i> Black (BK)	

pattern no.	translucent colors list price	opaque colors list price
ORCH-HFH		\$58.
ORCH-PC	36.	32.
ORCH-UT	43.	41.
ORCH-TD	29.	27.
ORCH-MT	36.	32.

Construction	Design Awards
<i>Hanging file holders:</i> Medium grey painted aluminum or black anodized aluminum. Mini-shelf dividers are poly-styrene plastic.	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.
<i>Pencil cup and utility tray:</i> Sturdy polystyrene plastic in a matte,textured finish. Fingerprint resistant.	
<i>Translucent finishes:</i> Sturdy K-resin (SBC) plastic.	
Manufactured in the United States.	

Orchestra® Universal System Accessories
by Bruce Hannah & Ayse Birsel
telephone shelf and waste baskets


product	description	w	d	h	wgt.
Telephone Shelf	Holds virtually any standard office telephone. Available in black only.	12"	11 ½"	2"	3 lbs. 12 ozs.
					
Wastebasket	Freestanding. 24 qt. capacity.	8 ½"	14"	14 ⅞"	4 lbs. 6 ozs.
					
Recycling Wastebasket	Blue recycling color for desk-side separation of waste materials. Includes recycling stickers. Freestanding. 24 qt. capacity.	8 ½"	14"	14 ⅞"	4 lbs. 6 ozs.
					

pattern no.	list	opaque colors list price
ORCH-TS-UNI		\$120.
ORCH-WBK	130.	
ORCH-WBK-R-EB	130.	

Order Code	Ordering Information	Custom Options
Example: ORCH-WBK	<i>Specify:</i> 1. Pattern number 2. Finish (When applicable) <i>Telephone Shelf finishes:</i> Black (BK)	For plastic accessories, custom colors available upon sample chip approval. \$364 color match fee and 500 piece minimum per line item.
ORCH-WBK		
Waste basket		

Custom Options	Construction	Construction	Design Awards
Additional desk pad colors available. Special sizes available up to 34"W x 28"D. 50 piece minimum on all custom desk pads. Custom wastebasket colors available upon sample chip approval. \$359 color match fee and 750 minimum per line item. Contact your Knoll sales representative or Customer Service for complete pricing information.	<i>Telephone shelf:</i> 16-gauge painted steel. All other items are manufactured in the United States.	<i>Wastebasket:</i> Polypropylene with matte textured finish. Manufactured in the United States.	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.

Orchestra® Universal System Accessories
by Bruce Hannah & Ayse Birsel
load bar/info rail

product	description	w	d	h	wgt.
Load Bar/Info Rail 	<ul style="list-style-type: none">Fits virtually every office system.Mounts on panel, stanchion, wall or freestanding desk.Info Rail underside holds memos and notes for easy access.Black plastic end caps.Wall, stanchion or panel-mounted brackets included in list price (see mounting options page).	24"	1/2"	3"	1 lb. 9 ozs.
		30"	1/2"	3"	2 lbs.
		35"	1/2"	3"	2 lbs. 6 ozs.
		36"	1/2"	3"	2 lbs. 9 ozs.
		42"	1/2"	3"	3 lbs.
		45"	1/2"	3"	3 lbs. 2 ozs.
		48"	1/2"	3"	3 lbs. 4 ozs.
		54"	1/2"	3"	4 lbs.
		60"	1/2"	3"	4 lbs. 5 ozs.
		66"	1/2"	3"	4 lbs. 8 ozs.
		72"	1/2"	3"	4 lbs. 12 ozs.
Dividends and Caliber Stanchion Mounted Load Bar	(Note: Dividends End Panels including sliding door overdesks do not support load bars.)	31 5/8"	1/2"	3"	
		37 5/8"	1/2"	3"	
		43 5/8"	1/2"	3"	
		55 3/8"	1/2"	3"	
		67 5/8"	1/2"	3"	



pattern no.	list
OR-LBI-24-()()	\$121.
OR-LBI-30-()()	121.
OR-LBI-35-()()	129.
OR-LBI-36-()()	129.
OR-LBI-42-()()	143.
OR-LBI-45-()()	159.
OR-LBI-48-()()	159.
OR-LBI-54-()()	177.
OR-LBI-60-()()	185.
OR-LBI-66-()()	203.
OR-LBI-72-()()	238.
OR-LBI-36-DV-()()	82.
OR-LBI-42-DV-()()	100.
OR-LBI-48-DV-()()	118.
OR-LBI-60-DV-()()	138.
OR-LBI-72-DV-()()	177.

Order Code	Ordering Information		
Example: OR-LBI-36-111 OR-BKT-PM-R	Specify: 1. Pattern number 2. System Suffix 3. Finish 4. Mounting Option	Painted Core aluminum finishes: Medium Grey (115) Soft Grey (117) Black (111) Beige Mist Metallic (611) Brown (112) Dark Grey (113) Folkstone Grey (114) Sandstone (116) Bright White (118) Medium Grey Metallic (612)	Painted Legacy aluminum finishes are still available for existing customers only: Medium Metallic Grey (DG) Soft Grey (E) Warm Putty (WP) Flint (F) Black (BK)
OR-LBI-36 36" load bar			
111 Black			
OR-BKT-PM-R Panel-mounted bracket for Reff			
	Special sizes and small quantity orders may be painted		
	Anodized aluminum finish: Silver Anodized (SV)		

Mounting Options	Custom Options	Construction	Design Awards
Please note flat panel monitor arms cannot be mounted on Orchestra® load bars. Flat panel monitors can be mounted on Orchestra® slat wall only when mounted on an architectural wall. Please see p.130 for flat panel monitor support mount options.	Note: Load Bar/Info Rails are available in custom lengths. Please note that for all lengths greater than 66", load bar will be painted, not anodized. Contact your local Knoll Customer Service representative for details.	Load bar/info rail: Corrosion-resistant T-6063 painted or anodized aluminum. End caps are textured polystyrene plastic. Load Bar is filled with 1/2" Delrin plastic pellets to support papers on info rail.	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.
		Manufactured in the United States.	

See page 56 for mounting options

Orchestra® Universal System Accessories
by Bruce Hannah & Ayse Birsel
slat board 61/2" and 143/4"

product	description	w	d	h	wgt.
<div>Slat board-6 1/2"</div> 	<ul style="list-style-type: none">Fits virtually every office system. Mounts on panel, stanchion, wall or freestanding desk.3 horizontal accessory channels.Info rail underside holds memos and notes for easy access.Wall, stanchion, or panel-mounted brackets included in list price (see mounting options page).	24"	1"	6 1/2"	2 lbs. 9 ozs.
		30"	1"	6 1/2"	3 lbs. 3 ozs.
		35"	1"	6 1/2"	3 lbs. 13 ozs.
		36"	1"	6 1/2"	3 lbs. 13 ozs.
		42"	1"	6 1/2"	4 lbs. 8 ozs.
		45"	1"	6 1/2"	4 lbs. 8 ozs.
		48"	1"	6 1/2"	5 lbs. 2 ozs.
		54"	1"	6 1/2"	5 lbs. 12 ozs.
		60"	1"	6 1/2"	6 lbs. 6 ozs.
		66"	1"	6 1/2"	7 lbs.
		72"	1"	6 1/2"	7 lbs. 11 ozs.
<div>Slat board-14 3/4"</div> 	<ul style="list-style-type: none">Fits virtually every office system. Mounts on panel, stanchion, wall or freestanding desk.8 horizontal accessory channels.Info rail underside holds memos and notes for easy access.Wall, stanchion, or panel-mounted brackets included in list price (see mounting options page).	24"	1"	14 3/4"	5 lbs. 2 ozs.
		30"	1"	14 3/4"	6 lbs. 6 ozs.
		35"	1"	14 3/4"	7 lbs. 1 oz.
		36"	1"	14 3/4"	7 lbs. 1 oz.
		42"	1"	14 3/4"	9 lbs.
		45"	1"	14 3/4"	9 lbs.
		48"	1"	14 3/4"	10 lbs. 4 ozs.
		54"	1"	14 3/4"	11 lbs. 8 ozs.
		60"	1"	14 3/4"	12 lbs. 12 ozs.
		66"	1"	14 3/4"	14 lbs.
		72"	1"	14 3/4"	15 lbs. 6 ozs.

pattern no.	list price
OR-SL-06-24-() ()	\$180.
OR-SL-06-30-() ()	210.
OR-SL-06-35-() ()	239.
OR-SL-06-36-() ()	239.
OR-SL-06-42-() ()	266.
OR-SL-06-45-() ()	298.
OR-SL-06-48-() ()	298.
OR-SL-06-54-() ()	327.
OR-SL-06-60-() ()	356.
OR-SL-06-66-() ()	386.
OR-SL-06-72-() ()	417.
OR-SL-14-24-() ()	475.
OR-SL-14-30-() ()	526.
OR-SL-14-35-() ()	574.
OR-SL-14-36-() ()	574.
OR-SL-14-42-() ()	633.
OR-SL-14-45-() ()	694.
OR-SL-14-48-() ()	694.
OR-SL-14-54-() ()	753.
OR-SL-14-60-() ()	813.
OR-SL-14-66-() ()	870.
OR-SL-14-72-() ()	935.


Order Code	Ordering Information		
Example: OR-SL-06-42-DV-117-OR-BKT-PM-DV	Specify:	Painted aluminum finishes:	Painted Legacy aluminum finishes
OR-SL-06-42	1. Pattern number	Medium Grey (115)	are still available for existing customers only:
DV	2. System	Soft Grey (117)	Medium Metallic Grey (DG)
117	3. Finish	Black (111)	Soft Grey (E)
OR-BKT-PM-DV	4. Mounting Option	Beige Mist Metallic (611)	Warm Putty (WP)
		Brown (112)	Flint (F)
		Dark Grey (113)	Black (BK)
		Folkstone Grey (114)	
		Sandstone (116)	Worksurface-mounted bracket:
		Bright White (118)	Metal posts attach to underside of worksurface with C-clamp, raising Load Bar 10" above worksurface. Usable on worksurfaces 1 1/8"-1 13/16" thick. Set of 2 brackets. For Slat boards wider than 66", order additional brackets.
		Medium Grey Metallic (612)	
	Satin anodized aluminum finish:		
	Satin Anodized Aluminum (SA) includes painted matte black endcap. Special sizes and small quantity orders may be painted		For use with load bars and 6 1/2" slat boards only.

Mounting Options	Custom Options	Construction
Please note flat panel monitor arms cannot be mounted on Orchestra® load bars. Flat panel monitors can be mounted on Orchestra® slat wall only when mounted on an architectural wall. Please review before mounting. Please see p.130 for flat panel monitor support mount options.	Panel, stanchion and wall-mounted brackets: Wall, stanchion, or panel-mounted brackets are included in the list price.	Note: Slat board is available in custom lengths of up to 96". Please note that for all lengths greater than 66", load bar will be painted, not anodized. Brackets are currently available for virtually every major office system. Panel-mounted brackets for other systems can be developed. Minimum of 100 sets per bracket. Tooling and set-up charges may be required.
Dividends Horizon panel mounting note: Slat board mounts on panel slots which are 5"-7 1/2" below the top cap, depending on the height of the panel.		Corrosion-resistant T-6063-T5 painted or anodized aluminum. End caps are 11 gauge steel painted matte black.Bottom rail is filled with 1/2" Delrin plastic pellets to support papers on Info Rail. Worksurface-mounted bracket: Die-cast aluminum painted black. Manufactured in the United States.

Orchestra® Universal System Accessories

by Bruce Hannah & Ayse Birsel

mounting options

product	description
<div>Mounting Options</div> <div></div> <div>Worksurface - Mounted Brackets</div>	Panel Mounted Bracket (Deep Universal only). Based on 1" centers. Set of 2.*
	Panel Mounted Bracket (Dividends Panel only). Set of 2.*
	Panel Mounted Bracket (Reff only). Set of 2.*
	Panel Mounted Bracket (Shallow Universal only). Based on 1" centers. Set of 2.*
	Stanchion-Mounted Bracket (Calibre only). Set of 2.*
	Stanchion-Mounted Bracket (Currents workshelf and stanchion). Set of 2.*
	Stanchion-Mounted Bracket (Dividends only). Set of 2.*
	Wall-Mounted Bracket. Set of 2.*
	Worksurface-Mounted Bracket. For load bars and 6 1/2" slat boards only. Set of 2. Black finish.

pattern no.	list price
OR-BKT-PM-B *	\$13.
OR-BKT-PM-DV *	13.
OR-BKT-PM-R *	13.
OR-BKT-PM-D *	13.
OR-BKT-PM-CE *	17.
OR-BKT-PM-CS *	37.
OR-BKT-PM-DS *	17.
OR-BKT-WM *	32.
OR-BKT-SM-A	190.

* No charge when ordered with Load Bar or Slat board, configured in load bar and slat board pattern numbers when ordered with load bars and slat boards.


Order Code	Ordering Information	Mounting Options	
Example: OR-BKT-SM-A	<i>Specify:</i>	<i>Panel, stanchion and wall-mounted brackets:</i>	<i>Worksurface-mounted bracket:</i>
OR-BKT-SM-A Worksurface-mounted bracket	1. Pattern number	Wall, stanchion, or panel-mounted brackets are included in the list price and are specified when ordering pattern number.	Metal posts attach to underside of worksurface with C-clamp, raising Load Bar 10" above worksurface. Usable on worksurfaces 7/8"-1 1/2" thick. There should be at least 3/4"-1" of space between the back of the desk and the surface behind (ie. it cannot be flush). Set of 2 brackets. For Load Bars wider than 66", order additional brackets. For use with load bars and 6 1/2" slat boards only.

Mounting Options	Custom Options	Construction	Design Awards
Please note flat panel monitor arms cannot be mounted on Orchestra® load bars. Flat panel monitors can be mounted on Orchestra® slat wall only when mounted on an architectural wall. Please review before mounting. Please see p.130 for flat panel monitor support mount options.	Brackets are currently available for virtually every major office system. Panel-mounted brackets for other systems can be developed. Minimum of 100 sets per bracket. Tooling and set-up charges may be required. Contact your Knoll sales representative or Customer Service for complete pricing information.	<i>Worksurface-mounted bracket:</i> Die-cast aluminum painted black. Manufactured in the United States.	Permanent Collection of the Cooper-Hewitt, National Design Museum, Smithsonian Institution, 1994; ROSCOE Award, Interior Design Magazine, 1991; Outstanding Performance, Product Design Achievement Award, IBD Southern California Chapter, 1991; Bronze Award, IBD Product Design Competition, 1990.
Worksurface mounted bracket is for use with load bars and 6 1/2" slat boards only. (14 3/4" slat board is too large for this application.)			






Sapper™ Monitor Arm Collection

Easy Order Single Arm Kits

by Richard Sapper



Kit includes everything needed to mount one monitor to a worksurface, slat wall or wall: single standard arm, 16" mast(unless otherwise specified), movement joint (includes fast release monitor plate), adjustment knob, cable management clips and mounting option (see right for options)



Order Code	Ordering Information		
Example: SAP-MA-S-CLMP-K-(115)-(R)	<i>Specify:</i>	<i>Antenna table center beam side mount finish options:</i>	USA made standard single monitor arm kits are available in a silver finish for a \$119 upcharge to standard finish by specifying a 613 finish. Kits with a 613 finish (which come with foreign components) are BAA-(Buy American Act) and TAA-compliant (Trade Agreements Act).
SAP-MA-S-CLMP-K Sapper single standard arm table clamp kit	1. Pattern number	Jet Black (111)	* Kits without masts do not require and do not include adjustment knob and cable management clips.
115 Medium Grey	2. Finish where required	Brown (112)	
R Red knob	Kits do not require any additional mounting specifications.	Dark Grey (113)	
	<i>Standard Monitor Arm Finish Options:</i>	Folkstone (114)	
		Medium Grey (115)	
	<i>Silver Monitor Arm Finish Option:</i>	Sandstone (116)	
		Soft Grey (117)	
		Bright White (118)	
		Dark Red (130)	
		Slate Blue (131)	
	<i>Silver Compact Arm Finish Option:</i>	Beige Mist Metallic (611)	
		Medium Metallic Grey (612)	
		Silver Metallic (613)	
	<i>Knob Finish Option:</i>		
	Red (R)		
	Black (B)		


pattern no.	silver finish list price	standard finish list price
SAP MA S CLMP K ()	\$392.	\$340.
SAP MA S 24 CLMP K ()	446.	388.
SAP MA S CLMP DP K ()	432.	376.
SAP MA S 24 CLMP DP K ()	486.	422.
SAP MA S GRMT K ()	397.	346.
SAP MA S 24 GRMT K ()	449.	391.
SAP MA S FTM K ()	375.	326.
SAP MA S 24 FTM K ()	422.	367.
SAP MA S ANT CTR K ()	375.	326.
SAP MA S 24 ANT CTR K ()	430.	374.

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.






Sapper™ Monitor Arm Collection

Easy Order Single Arm Kits

by Richard Sapper



Kit includes everything needed to mount one monitor to a worksurface, slat wall or wall: single standard arm, 16" mast(unless otherwise specified), movement joint (includes fast release monitor plate), adjustment knob, cable management clips and mounting option (see right for options)



Single monitor arm Antenna table center beam side mount kit with 16" mast

Single monitor arm Antenna table center beam side mount kit with 24" mast

Single monitor arm slat wall 8" mast mount kit

Single monitor arm slat wall 12" mast mount kit

Single monitor arm slat wall 16" mast mount kit

Single monitor arm wall 8" mast mount kit

Single monitor arm wall 12" mast mount kit

Single monitor arm wall 16" mast mount kit

Single monitor arm Interpole slot mount kit *

Single monitor arm Interpole direct channel mount kit *

Compact monitor arm direct slat wall mount kit *

Order Code	Ordering Information		
Example: SAP-MA-S-CLMP-K-(115)-(R)	<i>Specify:</i>	<i>Antenna table center beam side mount finish options:</i>	USA made standard single monitor arm kits are available in a silver finish for a \$119 upcharge to standard finish by specifying a 613 finish. Kits with a 613 finish (which come with foreign components) are BAA-(Buy American Act) and TAA-compliant (Trade Agreements Act).
SAP-MA-S-CLMP-K Sapper single standard arm table clamp kit	1. Pattern number	Jet Black (111)	* Kits without masts do not require and do not include adjustment knob and cable management clips.
115 Medium Grey	2. Finish where required	Brown (112)	
R Red knob	Kits do not require any additional mounting specifications.	Dark Grey (113)	
	<i>Standard Monitor Arm Finish Options:</i>	Folkstone (114)	
	Jet Black (111)	Medium Grey (115)	
	Medium Grey (115)	Sandstone (116)	
	Bright White (118)	Soft Grey (117)	
	<i>Silver Monitor Arm Finish Option:</i>	Bright White (118)	
	Silver (SILV)	Dark Red (130)	
	<i>Silver Compact Arm Finish Option:</i>	Slate Blue (131)	
	Silver (613)	Beige Mist Metallic (611)	
	<i>Knob Finish Option:</i>	Medium Metallic Grey (612)	
	Red (R)	Silver Metallic (613)	
	Black (B)		

pattern no.	silver finish list price	standard finish list price
SAP MA S ANT SIDE K ()	\$384.	\$332.
SAP MA S 24 ANT SIDE K ()	439.	381.

SAP MA S SW MST 8 K ()	404.	351.
SAP MA S SW MST 12 K ()	411.	357.
SAP MA S SW MST 16 K ()	420.	363.

SAP MA S WL MST 8 K ()	397.	346.
SAP MA S WL MST 12 K ()	404.	351.
SAP MA S WL MST 16 K ()	411.	357.

SAP MA S POLE SLOT K ()	310.	270.
---------------------------------	------	------

SAP MA S POLE DCH K ()	378.	328.
--------------------------------	------	------

SAP MA C SW DIR K ()	284.	220.
------------------------------	------	------

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.


Sapper™ Monitor Arm Collection

Easy Order Single Arm Kits

by Richard Sapper

KnollExtra

type	description
Compact Arm Direct Wall Mount	Compact monitor arm direct wall mount kit *



Kit includes everything needed to mount one monitor to a worksurface, slat wall or wall: single standard arm, 16" mast(unless otherwise specified), movement joint (includes fast release monitor plate), adjustment knob, cable management clips and mounting option (see right for options)

pattern no.	silver finish list price	standard finish list price
SAP MA C WL DIR K ()	\$266.	\$201.





Order Code	Ordering Information		
Example: SAP-MA-S-CLMP-K-(115)-(R)	<i>Specify:</i>	<i>Antenna table center beam side mount finish options:</i>	
SAP-MA-S-CLMP-K Sapper single standard arm table clamp kit	1. Pattern number	Jet Black (111)	
115 Medium Grey	2. Finish where required	Brown (112)	
R Red knob	Kits do not require any additional mounting specifications.	Dark Grey (113)	
	<i>Standard Monitor Arm Finish Options:</i>	Folkstone (114)	
	Jet Black (111)	Medium Grey (115)	
	Medium Grey (115)	Sandstone (116)	
	Bright White (118)	Soft Grey (117)	
	<i>Silver Monitor Arm Finish Option:</i>	Bright White (118)	
	Silver (SILV)	Dark Red (130)	
	<i>Silver Compact Arm Finish Option:</i>	Slate Blue (131)	
	Silver (613)	Beige Mist Metallic (611)	
	<i>Knob Finish Option:</i>	Medium Metallic Grey (612)	
	Red (R)	Silver Metallic (613)	
	Black (B)		

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Double Arm Kits

by Richard Sapper

	type	description
	Two-Piece Table Clamp Mount	Double monitor arm table clamp kit with 16" mast
		Double monitor arm with 180° limit table clamp kit with 16" mast
		Double monitor arm table clamp kit with 24" mast
		Double monitor arm with 180° limit table clamp kit with 24" mast
	Deep Table Clamp Mount	Double monitor arm deep table clamp kit with 16" mast
		Double monitor arm with 180° limit deep table clamp kit with 16" mast
		Double monitor arm deep table clamp kit with 24" mast
		Double monitor arm with 180° limit deep table clamp kit with 24" mast
	Grommet Mount	Double monitor arm grommet mount kit with 16" mast
		Double monitor arm with 180° limit grommet mount kit with 16" mast
		Double monitor arm grommet mount kit with 24" mast
		Double monitor arm with 180° limit grommet mount kit with 24" mast
	Fixed Table Mount	Double monitor arm fixed table mount kit with 16" mast
		Double monitor arm with 180° limit fixed table mount kit with 16" mast
		Double monitor arm fixed table mount kit with 24" mast
		Double monitor arm with 180° limit fixed table mount kit with 24" mast

Kit includes everything needed to mount two monitors to a worksurface, slat wall or wall: two standard arms, 16" mast (unless otherwise specified), movement joints (includes fast release monitor plate), adjustment knob, cable management clips, double arm bracket and mounting option (see right for options)

Order Code	Ordering Information		
Example: SAP-MA-D-ANT-SIDE-K-(115)-(613)-(R)	<i>Specify:</i>	<i>Antenna table center beam side mount finish options:</i>	USA made double monitor arm kits are available in a silver finish for a \$119 upcharge to standard finish by specifying a 613 finish. Kits with a 613 finish (which come with foreign components) are BAA-(Buy American Act) and TAA compliant (Trade Agreements Act).
SAP-MA-D-ANT-SIDE-K	1. Pattern number	Jet Black (111)	
115	2. Finish where required	Brown (112)	
613	Kits do not require any additional mounting specifications.	Dark Grey (113)	
R	<i>Standard Monitor Arm Finish Options:</i>	Folkstone (114)	
	Jet Black (111)	Medium Grey (115)	
	Medium Grey (115)	Sandstone (116)	
	Bright White (118)	Soft Grey (117)	
	<i>Silver Monitor Arm Finish Option:</i>	Bright White (118)	
	Silver (SILV)	Dark Red (130)	
		Slate Blue (131)	
		Beige Mist Metallic (611)	
		Medium Metallic Grey (612)	
		Silver Metallic (613)	
	<i>Knob Finish Option:</i>		
	Red (R)		
	Black (B)		





pattern no.	silver finish list price	standard finish list price
SAP MA D CLMP K ()	\$685.	\$597.
SAP MA DL CLMP K ()	717.	628.
SAP MA D 24 CLMP K ()	740.	643.
SAP MA DL 24 CLMP K ()	774.	673.
SAP MA D CLMP DP K ()	729.	633.
SAP MA DL CLMP DP K ()	761.	665.
SAP MA D 24 CLMP DP K ()	777.	676.
SAP MA DL 24 CLMP DP K ()	813.	707.
SAP MA D GRMT K ()	702.	609.
SAP MA DL GRMT K ()	733.	641.
SAP MA D 24 GRMT K ()	742.	645.
SAP MA DL 24 GRMT K ()	781.	679.
SAP MA D FTM K ()	671.	585.
SAP MA DL FTM K ()	704.	617.
SAP MA D 24 FTM K ()	716.	622.
SAP MA DL 24 FTM K ()	751.	653.

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Double Arm Kits

by Richard Sapper

	type	description	
	Antenna Center Beam Center Mount	Double monitor arm Antenna table center beam center mount kit with 16" mast	
		Double monitor arm Antenna table center beam center mount kit with 24" mast	
		Double monitor arm with 180° limit Antenna table center beam center mount kit with 16" mast	
		Double monitor arm with 180° limit Antenna table center beam center mount kit with 24" mast	
	Antenna Center Beam Side Mount	Double monitor arm Antenna table center beam side mount kit with 16" mast	
		Double monitor arm Antenna table center beam side mount kit with 24" mast	
		Double monitor arm with 180° limit Antenna table center beam side mount kit with 16" mast	
		Double monitor arm with 180° limit Antenna table center beam side mount kit with 24" mast	
	Slat Wall Mast Mount	Double monitor arm slat wall 12" mast mount kit	
		Double monitor arm slat wall 16" mast mount kit	
		Double monitor arm slat wall 8" mast mount kit	
		Double monitor arm with 180° limit slat wall 12" mast mount kit	
		Double monitor arm with 180° limit slat wall 16" mast mount kit	
		Double monitor arm with 180° limit slat wall 8" mast mount kit	
	Wall Mast Mount	Double monitor arm wall 12" mast mount kit	
		Double monitor arm wall 16" mast mount kit	
		Double monitor arm wall 8" mast mount kit	
		Double monitor arm with 180° limit wall 12" mast mount kit	
		Double monitor arm with 180° limit wall 16" mast mount kit	
		Double monitor arm with 180° limit wall 8" mast mount kit	

Kit includes everything needed to mount two monitors to a worksurface, slat wall or wall: two standard arms, 16" mast (unless otherwise specified), movement joints (includes fast release monitor plate), adjustment knob, cable management clips, double arm bracket and mounting option (see right for options)

Order Code	Ordering Information		
Example: SAP-MA-D-ANT-SIDE-K-(115)-(613)-(R)	<i>Specify:</i>		
SAP-MA-D-ANT-SIDE-K	Sapper double monitor arm Antenna side beam mount	1. Pattern number 2. Finish where required	<i>Antenna table center beam side mount finish options:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131) Beige Mist Metallic (611) Medium Metallic Grey (612) Silver Metallic (613)
115	Medium Grey	Kits do not require any additional mounting specifications.	
613	Silver	<i>Standard Monitor Arm Finish Options:</i> Jet Black (111) Medium Grey (115) Bright White (118)	
R	Red knob	<i>Silver Monitor Arm Finish Option:</i> Silver (SILV) <i>Knob Finish Option:</i> Red (R) Black (B)	

pattern no.	silver finish list price	standard finish list price
SAP MA D ANT CTR K ()	\$671.	\$585.
SAP MA D 24 ANT CTR K ()	724.	629.
SAP MA DL ANT CTR K ()	704.	617.
SAP MA DL 24 ANT CTR K ()	759.	660.
SAP MA D ANT SIDE K ()	678.	592.
SAP MA D 24 ANT SIDE K ()	730.	635.
SAP MA DL ANT SIDE K ()	711.	623.
SAP MA DL 24ANT SIDE K ()	766.	666.
SAP MA D SW MST 12 K ()	708.	616.
SAP MA D SW MST 16 K ()	714.	622.
SAP MA D SW MST 8 K ()	702.	609.
SAP MA DL SW MST 12 K ()	740.	647.
SAP MA DL SW MST 16 K ()	746.	654.
SAP MA DL SW MST 8 K ()	733.	641.
SAP MA D WL MST 12 K ()	702.	609.
SAP MA D WL MST 16 K ()	708.	616.
SAP MA D WL MST 8 K ()	693.	602.
SAP MA DL WL MST 12 K ()	733.	641.
SAP MA DL WL MST 16 K ()	740.	647.
SAP MA DL WL MST 8 K ()	724.	633.


Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Triple Monitor Support Kits

by Richard Sapper

KnollExtra

	type	description
 <i>Kit includes everything needed to mount three monitors to a worksurface, slat wall or wall: two standard arms, 16" mast (unless otherwise specified), movement joints (includes fast release monitor plate), adjustment knob, cable management clips, triple monitor support bracket and mounting option (see right for options)</i>	Two-Piece Table Clamp Mount	Triple monitor support two-piece table clamp kit
	Deep Table Clamp Mount	Triple monitor support deep table clamp kit
	Grommet Mount	Triple monitor support grommet mount kit
	Fixed Table Mount	Triple monitor support fixed table mount kit

Order Code	Ordering Information		Ordering Note
Example: SAP-MA-3-CLMP-K-(111)-(B)	<i>Specify:</i> 1. Pattern number 2. Finish where required		Please note a triple monitor support includes two standard arms plus one triple monitor support bracket with a movement joint. The monitor in the middle can rotate, tilt and swivel but has no depth adjustment. See page 130 for further details.
SAP-MA-3-CLMP-K	Sapper triple monitor support table clamp kit		
111	Jet Black		USA made triple monitor arm kits are available in a silver finish for a \$119 upcharge to standard finish by specifying a 613 finish. Kits with a 613 finish (which come with foreign components) are BAA-(Buy American Act) and TAA compliant (Trade Agreements Act).
B	Black knob		
<i>Antenna table center beam side mount finish options:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131) Beige Mist Metallic (611) Medium Metallic Grey (612) Silver Metallic (613)			
<i>Standard Monitor Arm Finish Options:</i> Jet Black (111) Medium Grey (115) Bright White (118)			
<i>Silver Monitor Arm Finish Option:</i> Silver (SILV)			
<i>Knob Finish Option:</i> Red (R) Black (B)			

pattern no.	silver finish list price	standard finish list price
SAP MA 3 CLMP K ()	\$939.	\$816.
SAP MA 3 CLMP DP K ()	980.	855.
SAP MA 3 GRMT K ()	953.	829.
SAP MA 3 FTM K ()	924.	806.


Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Triple Monitor Support Kits

by Richard Sapper

KnollExtra

	type	description
 <i>Kit includes everything needed to mount three monitors to a worksurface, slat wall or wall: two standard arms, 16" mast (unless otherwise specified), movement joints (includes fast release monitor plate), adjustment knob, cable management clips, triple monitor support bracket and mounting option (see right for options)</i>	Antenna Center Beam Center Mount	Triple monitor support Antenna table center beam center mount kit
	Antenna Center Beam Side Mount	Triple monitor support Antenna table center beam side mount kit
	Slat Wall Mast Mount	Triple monitor support slat wall 8" mast mount kit
		Triple monitor support slat wall 12" mast mount kit
		Triple monitor support slat wall 16" mast mount kit
	Wall Mast Mount	Triple monitor support wall 8" mast mount kit
		Triple monitor support wall 12" mast mount kit
		Triple monitor support wall 16" mast mount kit

pattern no.	silver finish list price	standard finish list price
SAP MA 3 ANT CTR K ()	\$924.	\$806.
SAP MA 3 ANT SIDE K () ()	931.	811.
SAP MA 3 SW MST 8 K ()	953.	829.
SAP MA 3 SW MST 12 K ()	960.	835.
SAP MA 3 SW MST 16 K ()	966.	843.
SAP MA 3 WL MST 8 K ()	947.	824.
SAP MA 3 WL MST 12 K ()	953.	829.
SAP MA 3 WL MST 16 K ()	960.	835.



Order Code	Ordering Information		Ordering Note
Example: SAP-MA-3-CLMP-K-(111)-(B)	<i>Specify:</i>	<i>Antenna table center beam side mount finish options:</i>	Please note a triple monitor support includes two standard arms plus one triple monitor support bracket with a movement joint. The monitor in the middle can rotate, tilt and swivel but has no depth adjustment. See page 130 for further details.
SAP-MA-3-CLMP-K Sapper triple monitor support table clamp kit	1. Pattern number 2. Finish where required	Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131) Beige Mist Metallic (611) Medium Metallic Grey (612) Silver Metallic (613)	
111 Jet Black	Kits do not require any additional mounting specifications.		USA made triple monitor arm kits are available in a silver finish for a \$119 upcharge to standard finish by specifying a 613 finish. Kits with a 613 finish (which come with foreign components) are BAA-(Buy American Act) and TAA compliant (Trade Agreements Act).
B Black knob	<i>Standard Monitor Arm Finish Options:</i> Jet Black (111) Medium Grey (115) Bright White (118)		
	<i>Silver Monitor Arm Finish Option:</i> Silver (SILV)		
	<i>Knob Finish Option:</i> Red (R) Black (B)		

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Quadruple Mount Support Kits

by Richard Sapper

type	description	
 	Antenna Center Beam Center Mount	Quadruple monitor support Antenna table center beam center mount 16" mast kit
		Quadruple monitor support Antenna table center beam center mount 24" mast kit

Kit includes everything needed to mount four monitors back-to-back to a center table mount: four standard arms, 16" or 24" mast, movement joints (includes fast release monitor plate), adjustment knob, cable management clips, quadruple monitor support bracket and mounting option (see right for options)

Order Code	Ordering Information	Ordering Note
Example: SAP-MA-16-4-ANT-CTR-K-(111)-(R)	<i>Specify:</i> 1. Pattern number 2. Finish where required	USA made quadruple monitor arm kits are available in a silver finish for a \$449 upcharge to standard finish by specifying a 613 finish. Kits with a 613 finish (which come with foreign components) are BAA-(Buy American Act) and TAA compliant (Trade Agreements Act).
SAP-MA-16-4-ANT-CTR-K	Sapper quadruple monitor support Antenna table center beam center mount 16" mast kit	
111	Jet Black	
R	Red knob	
	<i>Standard Monitor Arm Finish Options:</i> Jet Black (111) Medium Grey (115) Bright White (118) <i>Silver Monitor Arm Finish Option:</i> Silver (SILV) <i>Knob Finish Option:</i> Red (R) Black (B)	


pattern no.	silver finish list price	standard finish list price
SAP MA 16 4 ANT CTR K ()	\$1,163.	\$1,010.
SAP MA 24 4 ANT CTR K ()	1,219.	1,059.

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Sapper Sleeve Arm Kits

by Richard Sapper



Kit includes everything needed to mount one monitor to a worksurface: Sleeve arm, 16" or 24" mast, movement joint, adjustment knob, cable management clips and mounting option (see right for options)



Order Code	Ordering Information		
Example: SAP-MA-SL-16-CLMP-K-111-R			
SAP-MA-SL-16-CLMP-K	Sapper arm with table clamp kit on 16" mast		
111	Jet Black		
R	Red knob		
	<i>Specify:</i> 1. Pattern number 2. Finish where required Kits do not require any additional mounting specifications. <i>Standard Monitor Arm Finish Options:</i> Jet Black (111) Medium Grey (115) Bright White (118) <i>Silver Monitor Arm Finish Option:</i> Silver (613) <i>Knob Finish Option:</i> Red (R) Black (B)	<i>Antenna center beam side mount finish options:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131) Beige Mist Metallic (611) Medium Metallic Grey (612) Silver Metallic (613)	* Kits without masts do not require and do not include adjustment knob and cable management clips.


pattern no.	silver finish list price	standard finish list price
SAP MA SL 16 CLMP K	\$263.	\$226.
SAP MA SL 24 CLMP K	316.	275.
SAP MA SL 16 FTM K	240.	210.
SAP MA SL 24 FTM K	294.	256.
SAP MA SL 16 ANT CTR K	246.	215.
SAP MA SL 24 ANT CTR K	303.	264.

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Sapper Sleeve Arm Kits

by Richard Sapper



Kit includes everything needed to mount one monitor to a worksurface: Sleeve arm, 16" or 24" mast, movement joint, adjustment knob, cable management clips and mounting option (see right for options)



Order Code	Ordering Information		
Example: SAP-MA-SL-16-CLMP-K-111-R			
SAP-MA-SL-16-CLMP-K	Sapper arm with table clamp kit on 16" mast		
111	Jet Black		
R	Red knob		
	<i>Specify:</i> 1. Pattern number 2. Finish where required Kits do not require any additional mounting specifications. <i>Standard Monitor Arm Finish Options:</i> Jet Black (111) Medium Grey (115) Bright White (118) <i>Silver Monitor Arm Finish Option:</i> Silver (613) <i>Knob Finish Option:</i> Red (R) Black (B)	<i>Antenna center beam side mount finish options:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131) Beige Mist Metallic (611) Medium Metallic Grey (612) Silver Metallic (613)	* Kits without masts do not require and do not include adjustment knob and cable management clips.

pattern no.	silver finish list price	standard finish list price
SAP MA SL 16 ANT SIDE K	\$254.	\$221.
SAP MA SL 24 ANT SIDE K	310.	270.
SAP MA SL WL MST 8 K	263.	226.
SAP MA SL WL MST 12 K	269.	233.
SAP MA SL WL MST 16 K	275.	238.
SAP MA SL WL DIR K	172.	149.
SAP MA SL POLE SLOT K	191.	168.
SAP MA SL POLE DCH K	263.	226.


Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Sapper 50® Single Arm kits

by Richard Sapper

KnollExtra

	type	description
 <p>Kit includes everything needed to mount one monitor to a worksurface: single Sapper 50 monitor arm, mast option (if applicable), Sapper 50 movement joint, adjustment knob, cable management clips and mounting option (see right for options).</p>	Two-Piece Table Clamp Mount	Sapper 50 monitor arm table clamp 16" mast kit
		Sapper 50 monitor arm table clamp 24" mast kit
	Deep Table Clamp Mount	Sapper 50 monitor arm deep table clamp 16" mast kit
		Sapper 50 monitor arm deep table clamp 24" mast kit
	Grommet Mount	Sapper 50 monitor arm grommet mount 16" mast kit
		Sapper 50 monitor arm grommet mount 24" mast kit
	Fixed Table Mount	Sapper 50 monitor arm fixed table mount 16" mast kit
		Sapper 50 monitor arm fixed table mount 24" mast kit
	Antenna Center Beam Center Mount	Sapper 50 monitor arm Antenna center beam center mount 16" mast kit
		Sapper 50 monitor arm Antenna center beam center mount 24" mast kit

Order Code	Ordering Information		
Example: SAP-MA-50S-16-CLMP-K-111-R			
SAP-MA-50S-16-CLMP-K	Sapper Monitor Arm Collection monitor arm	<i>Specify:</i> 1. Pattern number 2. Finish where required Kits do not require any additional mounting specifications.	<i>Antenna center beam side mount finish options:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131)
111	Jet Black finish	<i>Standard Monitor Arm Finish Options:</i> Jet Black (111) Bright White (118)	* Kits without masts do not require and do not include adjustment knob and cable management clips.
R	Red adjustment knob	<i>Silver Monitor Arm Finish Option:</i> Silver (613) <i>Knob Finish Option:</i> Red (R) Black (B)	Sapper 50 is not available in Medium Grey (115).


pattern no.	silver finish list price	standard finish list price
SAP MA 50S 16 CLMP K	\$622.	\$538.
SAP MA 50S 24 CLMP K	669.	587.
SAP MA 50S 16 CLMP DP K	657.	572.
SAP MA 50S 24 CLMP DP K	711.	622.
SAP MA 50S 16 GRMT K	627.	545.
SAP MA 50S 24 GRMT K	675.	593.
SAP MA 50S 16 FTM K	603.	525.
SAP MA 50S 24 FTM K	651.	572.
SAP MA 50S 16 ANT CTR K	603.	525.
SAP MA 50S 24 ANT CTR K	651.	572.

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.






Sapper™ Monitor Arm Collection

Easy Order Sapper 50® Single Arm kits

by Richard Sapper



Kit includes everything needed to mount one monitor to a worksurface: single Sapper 50 monitor arm, mast option (if applicable), Sapper 50 movement joint, adjustment knob, cable management clips and mounting option (see right for options).

type	description	
	Antenna Center Beam Side Mount	Sapper 50 monitor arm Antenna center beam side mount 16" mast kit
		Sapper 50 monitor arm Antenna center beam side mount 24" mast kit
	Wall Mast Mount	Sapper 50 monitor arm wall 8" mast mount kit
		Sapper 50 monitor arm wall 12" mast mount kit
		Sapper 50 monitor arm wall 16" mast mount kit
	Direct Wall Mount	Sapper 50 monitor arm direct wall mount kit *
	Interpole Slot Mount	Sapper 50 monitor arm Interpole slot mount kit *
	Interpole Direct Channel Mount	Sapper 50 monitor arm Interpole direct channel mount kit *

Order Code	Ordering Information		
Example: SAP-MA-50S-16-CLMP-K-111-R	<i>Specify:</i>	<i>Antenna center beam side mount finish options:</i>	* Kits without masts do not require and do not include adjustment knob and cable management clips.
SAP-MA-50S-16-CLMP-K	Sapper Monitor Arm	1. Pattern number	
	Collection monitor arm	2. Finish where required	
111	Jet Black finish	Kits do not require any additional mounting specifications.	Sapper 50 is not available in Medium Grey (115).
R	Red adjustment knob	<i>Standard Monitor Arm Finish Options:</i>	
		Jet Black (111)	
		Bright White (118)	
		<i>Silver Monitor Arm Finish Option:</i>	
		Silver (613)	
		<i>Knob Finish Option:</i>	
		Red (R)	
		Black (B)	

pattern no.	silver finish list price	standard finish list price
SAP MA 50S 16 ANT SIDE K	\$609.	\$531.
SAP MA 50S 24 ANT SIDE K	663.	579.
SAP MA 50S WL MST 8 K	627.	545.
SAP MA 50S WL MST 12 K	633.	550.
SAP MA 50S WL MST 16 K	640.	556.
SAP MA 50 WL DIR K	411.	357.
SAP MA 50S POLE SLOT K	598.	519.
SAP MA 50S POLE DCH K	667.	579.




Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Sapper 50® Double Arm kits

by Richard Sapper

KnollExtra

	type	description
 <i>Kit includes everything needed to mount two monitors to a worksurface: two Sapper 50 double monitor arms, Sapper 50 double arm bracket, 16" or 24" mast, two Sapper 50 movement joints, adjustment knob, cable management clips and mounting option (see right for options).</i>	Two-Piece Table Clamp Mount	Sapper 50 double monitor arm table clamp 16" mast kit
		Sapper 50 double monitor arm table clamp 24" mast kit
	Deep Table Clamp Mount	Sapper 50 double monitor arm deep table clamp 16" mast kit
		Sapper 50 double monitor arm deep table clamp 24" mast kit
	Grommet Mount	Sapper 50 double monitor arm grommet mount 16" mast kit
		Sapper 50 double monitor arm grommet mount 24" mast kit
	Fixed Table Mount	Sapper 50 double monitor arm fixed table mount 16" mast kit
		Sapper 50 double monitor arm fixed table mount 24" mast kit

pattern no.	silver finish list price	standard finish list price
SAP MA 50D 16 CLMP K	\$806.	\$700.
SAP MA 50D 24 CLMP K	856.	744.

SAP MA 50D 16 CLMP DP K	844.	733.
SAP MA 50D 24 CLMP DP K	897.	778.

SAP MA 50D 16 GRMT K	812.	706.
SAP MA 50D 24 GRMT K	864.	751.

SAP MA 50D 16 FTM K	783.	681.
SAP MA 50D 24 FTM K	836.	728.







Order Code	Ordering Information		
Example: SAP-MA-50D-16-CLMP-K-111-R	<i>Specify:</i>	<i>Antenna center beam side mount</i>	See page 130 for comprehensive mounting, application and construction information.
SAP-MA-50D-16-CLMP-K	1. Pattern number	<i>finish options:</i>	
111	2. Finish where required	Jet Black (111)	Sapper 50 is not available in Medium Grey (115).
R		Brown (112)	
	Kits do not require any additional mounting specifications.	Dark Grey (113)	
		Folkstone (114)	
		Medium Grey (115)	
	<i>Standard Monitor Arm Finish</i>	Sandstone (116)	
	<i>Options:</i>	Soft Grey (117)	
	Jet Black (111)	Bright White (118)	
	Bright White (118)	Dark Red (130)	
		Slate Blue (131)	
	<i>Silver Monitor Arm Finish Option:</i>	Beige Mist Metallic (611)	
	Silver (613)	Medium Metallic Grey (612)	
	<i>Knob Finish Option:</i>	Silver Metallic (613)	
	Red (R)		
	Black (B)		

Sapper™ Monitor Arm Collection

Easy Order Sapper 50® Double Arm kits

by Richard Sapper

KnollExtra

		type	description
		Antenna Center Beam Center Mount	Sapper 50 double monitor arm Antenna center beam center mount 16" mast kit
			Sapper 50 double monitor arm Antenna center beam center mount 24" mast kit
		Antenna Center Beam Side Mount	Sapper 50 double monitor arm Antenna center beam side mount 16" mast kit
			Sapper 50 double monitor arm Antenna center beam side mount 24" mast kit
		Wall Mast Mount	Sapper 50 double monitor arm wall 12" mast mount kit
			Sapper 50 double monitor arm wall 16" mast mount kit

Kit includes everything needed to mount two monitors to a worksurface: two Sapper 50 double monitor arms, Sapper 50 double arm bracket, 16" or 24" mast, two Sapper 50 movement joints, adjustment knob, cable management clips and mounting option (see right for options).


pattern no.	silver finish list price	standard finish list price
SAP MA 50D 16 ANT CTR K	\$830.	\$723.
SAP MA 50D 24 ANT CTR K	881.	768.
SAP MA 50D 16 ANT SIDE K	783.	681.
SAP MA 50D 24 ANT SIDE K	836.	728.
SAP MA 50D WL MST 12 K	818.	711.
SAP MA 50D WL MST 16 K	825.	716.

Order Code	Ordering Information		
Example: SAP-MA-50D-16-CLMP-K-111-R	<i>Specify:</i> 1. Pattern number 2. Finish where required	<i>Antenna center beam side mount finish options:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131)	See page 130 for comprehensive mounting, application and construction information.
SAP-MA-50D-16-CLMP-K	Sapper 50 double monitor arm with table clamp on 16" mast	Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131)	Sapper 50 is not available in Medium Grey (115).
111	Jet Black finish	Beige Mist Metallic (611) Medium Metallic Grey (612)	
R	Red adjustment knob	Silver Metallic (613)	
	<i>Standard Monitor Arm Finish Options:</i> Jet Black (111) Bright White (118)		
	<i>Silver Monitor Arm Finish Option:</i> Silver (613)		
	<i>Knob Finish Option:</i> Red (R) Black (B)		

Sapper™ Monitor Arm Collection

Easy Order Sapper 50® Sleeve Arm Kits

by Richard Sapper



Kit includes everything needed to mount one monitor to a worksurface: Sapper 50 sleeve arm, 16" or 24" mast, Sapper 50 movement joint, adjustment knob, cable management clips and mounting option (see right for options)



Order Code	Ordering Information		
Example: SAP-MA-50S-SL-16-CLMP-K-111-R			
SAP-MA-50S-SL-16-CLMP-K	Sapper 50 sleeve arm with table clamp kit on 16" mast	<i>Specify:</i> 1. Pattern number 2. Finish where required Kits do not require any additional mounting specifications. <i>Standard Monitor Arm Finish Options:</i> Jet Black (111) Bright White (118) <i>Silver Monitor Arm Finish Option:</i> Silver (613) <i>Knob Finish Option:</i> Red (R) Black (B)	<i>Antenna center beam side mount finish options:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131) Beige Mist Metallic (611) Medium Metallic Grey (612) Silver Metallic (613) * Kits without masts do not require and do not include adjustment knob and cable management clips. Sapper 50 is not available in Medium Grey (115).
111	Jet Black		
R	Red knob		


pattern no.	silver finish list price	standard finish list price
SAP MA 50S SL 16 CLMP K	\$399.	\$347.
SAP MA 50S SL 24 CLMP K	453.	395.
SAP MA 50S SL 16 FTM K	378.	328.
SAP MA 50S SL 24 FTM K	432.	376.
SAP MA 50S SL 16 ANT CTR K	386.	335.
SAP MA 50S SL 24 ANT CTR K	441.	384.

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Sapper 50® Sleeve Arm Kits

by Richard Sapper



Kit includes everything needed to mount one monitor to a worksurface: Sapper 50 sleeve arm, 16" or 24" mast, Sapper 50 movement joint, adjustment knob, cable management clips and mounting option (see right for options)



Order Code	Ordering Information		
Example: SAP-MA-50S-SL-16-CLMP-K-111-R			
SAP-MA-50S-SL-16-CLMP-K	Sapper 50 sleeve arm with table clamp kit on 16" mast	<i>Specify:</i> 1. Pattern number 2. Finish where required Kits do not require any additional mounting specifications. <i>Standard Monitor Arm Finish Options:</i> Jet Black (111) Bright White (118) <i>Silver Monitor Arm Finish Option:</i> Silver (613) <i>Knob Finish Option:</i> Red (R) Black (B)	<i>Antenna center beam side mount finish options:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131) Beige Mist Metallic (611) Medium Metallic Grey (612) Silver Metallic (613) * Kits without masts do not require and do not include adjustment knob and cable management clips. Sapper 50 is not available in Medium Grey (115).
111	Jet Black		
R	Red knob		



pattern no.	silver finish list price	standard finish list price
SAP MA 50S SL 16 ANT SIDE K	\$393.	\$342.
SAP MA 50S SL 24 ANT SIDE K	447.	390.
SAP MA 50S SL WL MST 8 K	399.	347.
SAP MA 50S SL WL MST 12 K	405.	352.
SAP MA 50S SL WL MST 16 K	411.	357.
SAP MA 50S SL CWL DIR K	378.	328.
SAP MA 50S SL WL DIR K	378.	328.
SAP MA 50S SL POLE SLOT K	378.	328.
SAP MA 50S SL POLE DCH K	447.	390.

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Easy Order Beam Kits for 3 Monitors with Table Clamps

by Richard Sapper

type		description
	Small beam kit with heavy duty table clamp mounts	50" beam kit with 16" mast and 3 movement joint slides
		50" beam kit with 16" mast and 3 Sapper 50 movement joint slides
		50" beam kit with 24" mast and 3 movement joint slides
		50" beam kit with 24" mast and 3 Sapper 50 movement joint slides
	Medium beam kit with heavy duty table clamp mounts	64" beam kit with 16" mast and 3 movement joint slides
		64" beam kit with 16" mast and 3 Sapper 50 movement joint slides
		64" beam kit with 24" mast and 3 movement joint slides
		64" beam kit with 24" mast and 3 Sapper 50 movement joint slides

Kit includes everything needed to mount one beam to a worksurface table: two masts, 2 heavy duty table clamps, 3 movement joint slides, 2 beam-to-mast mounts, 2 adjustment knobs, beam cable management clips, mast cable management clips and beam option (see right for options)

pattern no.	list price
SAP B 16 S 3 CLMP HD K	\$1,214.
SAP 50 B 16 S 3 CLMP HD K	1,501.
SAP B 24 S 3 CLMP HD K	1,315.
SAP 50 B 24 S 3 CLMP HD K	1,601.
SAP B 16 M 3 CLMP HD K	1,274.
SAP 50 B 16 M 3 CLMP HD K	1,562.
SAP B 24 M 3 CLMP HD K	1,376.
SAP 50 B 24 M 3 CLMP HD K	1,663.



Order Code	Ordering Information
Example: SAP-B-16-S-3-CLMP-HD-K-(R)	Specify:
SAP-B-16-	1. Pattern number
S-3-	2. Knob finish option
CLMP-HD-	Kits do not require any additional mounting specifications.
K	Knob Finish Option:
R	Red (R)
	Black (B)

Mounting and Application Information
See page 130 for comprehensive mounting and application information.

Sapper™ Monitor Arm Collection

Easy Order Beam Kits for 3 Monitors with Antenna Mounts

by Richard Sapper

type		description	
	Small beam kit with Antenna center beam side mounts	50" beam kit with 16" mast and 3 movement joint slides	
		50" beam kit with 16" mast and 3 Sapper 50 movement joint slides	
		50" beam kit with 24" mast and 3 movement joint slides	
		50" beam kit with 24" mast and 3 Sapper 50 movement joint slides	
	Medium beam kit with Antenna center beam side mounts	64" beam kit with 16" mast and 3 movement joint slides	
		64" beam kit with 16" mast and 3 Sapper 50 movement joint slides	
		64" beam kit with 24" mast and 3 movement joint slides	
		64" beam kit with 24" mast and 3 Sapper 50 movement joint slides	

Kit includes everything needed to mount one beam to an Antenna workstation: two masts, 2 Antenna center beam side mounts, 3 movement joint slides, 2 beam-to-mast mounts, 2 adjustment knobs, beam cable management clips, mast cable management clips and beam option (see right for options)

pattern no.	list price
SAP B 16 S 3 ANT SIDE K	\$1,140.
SAP 50 B 16 S 3 ANT SIDE K	1,426.
SAP B 24 S 3 ANT SIDE K	1,237.
SAP 50 B 24 S 3 ANT SIDE K	1,526.
SAP B 16 M 3 ANT SIDE K	1,200.
SAP 50 B 16 M 3 ANT SIDE K	1,486.
SAP B 24 M 3 ANT SIDE K	1,299.
SAP 50 B 24 M 3 ANT SIDE K	1,586.

Order Code	Ordering Information	
Example: SAP-B-16-S-3-ANT-SIDE-K-(118)-(R)	<i>Specify:</i> 1. Pattern number 2. Finish where required	
SAP-B-16-S-3-ANT-SIDE-K	Sapper small beam kit on 16" mast with 3 movement joint slides and Antenna center beam side mount	
118	Bright White	
R	Red knob	

- Antenna table center beam side mount finish option:*
Jet Black (111)
Brown (112)
Dark Grey (113)
Folkstone (114)
Medium Grey (115)
Sandstone (116)
Soft Grey (117)
Bright White (118)
Dark Red (130)
Slate Blue (131)
Beige Mist Metallic (611)
Medium Metallic Grey (612)
Silver Metallic (613)
- Knob Finish Option:*
Red (R)
Black (B)



Mounting and Application Information
See page 130 for comprehensive mounting and application information.

Sapper™ Monitor Arm Collection

Easy Order Beam Kits for 4 Monitors with Table Clamps

by Richard Sapper

KnollExtra

type		description
	Small beam kit with heavy duty table clamp mounts	50" beam kit with 16" mast and 4 movement joint slides
		50" beam kit with 16" mast and 4 Sapper 50 movement joint slides
		50" beam kit with 24" mast and 4 movement joint slides
		50" beam kit with 24" mast and 4 Sapper 50 movement joint slides
	Medium beam kit with heavy duty table clamp mounts	64" beam kit with 16" mast and 4 movement joint slides
		64" beam kit with 16" mast and 4 Sapper 50 movement joint slides
		64" beam kit with 24" mast and 4 movement joint slides
		64" beam kit with 24" mast and 4 Sapper 50 movement joint slides

Kit includes everything needed to mount one beam to a worksurface table: two masts, 2 heavy duty table clamps, 4 movement joint slides, 2 beam-to-mast mounts, 2 adjustment knobs, beam cable management clips, mast cable management clips and beam option (see right for options)

pattern no.	list price
SAP B 16 S 4 CLMP HD K	\$1,275.
SAP 50 B 16 S 4 CLMP HD K	1,659.
SAP B 24 S 4 CLMP HD K	1,378.
SAP 50 B 24 S 4 CLMP HD K	1,760.
SAP B 16 M 4 CLMP HD K	1,337.
SAP 50 B 16 M 4 CLMP HD K	1,720.
SAP B 24 M 4 CLMP HD K	1,439.
SAP 50 B 24 M 4 CLMP HD K	1,821.



Order Code	Ordering Information
Example: SAP-B-16-S-4-CLMP-HD-K-(R)	Specify:
SAP-B-16-	1. Pattern number
S-4-	2. Knob finish option
CLMP-HD-	Kits do not require any additional mounting specifications.
K	Knob Finish Option:
R	Red (R)
	Black (B)

Mounting and Application Information
See page 130 for comprehensive mounting and application information.

Sapper™ Monitor Arm Collection

Easy Order Beam Kits for 4 Monitors with Antenna Mounts

by Richard Sapper

type	description	
	Small beam kit with Antenna center beam side mounts	50" beam kit with 16" mast and 4 movement joint slides
		50" beam kit with 16" mast and 4 Sapper 50 movement joint slides
		50" beam kit with 24" mast and 4 movement joint slides
		50" beam kit with 24" mast and 4 Sapper 50 movement joint slides
	Medium beam kit with Antenna center beam side mounts	64" beam kit with 16" mast and 4 movement joint slides
		64" beam kit with 16" mast and 4 Sapper 50 movement joint slides
		64" beam kit with 24" mast and 4 movement joint slides
		64" beam kit with 24" mast and 4 Sapper 50 movement joint slides

Kit includes everything needed to mount one beam to an Antenna workstation: two masts, 2 Antenna center beam side mounts, 4 movement joint slides, 2 beam-to-mast mounts, 2 adjustment knobs, beam cable management clips, mast cable management clips and beam option (see right for options)

pattern no.	list price
SAP B 16 S 4 ANT SIDE K	\$1,202.
SAP 50 B 16 S 4 ANT SIDE K	1,584.
SAP B 24 S 4 ANT SIDE K	1,301.
SAP 50 B 24 S 4 ANT SIDE K	1,683.
SAP B 16 M 4 ANT SIDE K	1,264.
SAP 50 B 16 M 4 ANT SIDE K	1,645.
SAP B 24 M 4 ANT SIDE K	1,362.
SAP 50 B 24 M 4 ANT SIDE K	1,743.



Order Code	Ordering Information	
Example: SAP-B-16-S-4-ANT-SIDE-K-(118)-(R)	<i>Specify:</i> 1. Pattern number 2. Finish where required	<i>Antenna table center beam side mount finish option:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131) Beige Mist Metallic (611) Medium Metallic Grey (612) Silver Metallic (613)
SAP-B-16-S-4-ANT-SIDE-K	Sapper small beam kit on 16" mast with 4 movement joint slides and Antenna center beam side mount	Kits do not require any additional mounting specifications.
118	Bright White	<i>Knob Finish Option:</i> Red (R) Black (B)
R	Red knob	

Mounting and Application Information
See page 130 for comprehensive mounting and application information.

Sapper™ Monitor Arm Collection

Easy Order Double Beam Kits for 6 Monitors with Table Clamps

by Richard Sapper

type	description	
	Small 32" mast double beam kit with heavy duty table clamp mounts	50" double beam kit with 32" mast and 6 movement joint slides
		50" double beam kit with 32" mast and 6 Sapper 50 movement joint slides
	Medium 32" mast double beam kit with heavy duty table clamp mounts	64" double beam kit with 32" mast and 6 movement joint slides
		64" double beam kit with 32" mast and 6 Sapper 50 movement joint slides

Kit includes everything needed to mount two beams to a worksurface table: two 32" masts, 2 heavy duty table clamps, 6 movement joint slides, 4 beam-to-mast mounts, 4 adjustment knobs, beam cable management clips, mast cable management clips and two beam options (see right for options)

pattern no.	list price
SAP B 32 S 6 CLMP HD K	\$1,975.
SAP 50 B 32 S 6 CLMP HD K	2,549.
SAP B 32 M 6 CLMP HD K	2,035.
SAP 50 B 32 M 6 CLMP HD K	2,607.



Order Code	Ordering Information
Example: SAP-B-32-S-6-CLMP-HD-K-(R)	Specify: 1. Pattern number 2. Knob finish option
SAP-B-32-S-6-CLMP-HD-K	Kits do not require any additional mounting specifications.
R	Knob Finish Option: Red (R) Black (B)

Mounting and Application Information
See page 130 for comprehensive mounting and application information.

Sapper™ Monitor Arm Collection

Easy Order Double Beam Kits for 6 Monitors with Antenna Mounts

by Richard Sapper

type	description	
	Small 32" mast double beam kit with Antenna center beam side mounts	50" double beam kit with 32" mast and 6 movement joint slides
		50" double beam kit with 32" mast and 6 Sapper 50 movement joint slides
	Medium 32" mast double beam kit with Antenna center beam side mounts	64" double beam kit with 32" mast and 6 movement joint slides
		64" double beam kit with 32" mast and 6 Sapper 50 movement joint slides

Kit includes everything needed to mount two beams to an Antenna workstation: two 32" masts, 2 Antenna center beam side mounts, 6 movement joint slides, 4 beam-to-mast mounts, 4 adjustment knobs, beam cable management clips, mast cable management clips and two beam options (see right for options)

Order Code	Ordering Information	
Example: SAP-B-32-S-6-ANT-SIDE-K-(118)-(R)		
SAP-B-32-S-6-ANT-SIDE-K	Sapper 2 small beams kit on 32" mast with 6 movement joint slides and Antenna center beam side mount	
118	Bright White	
R	Red knob	

- Specify:
1. Pattern number
 2. Finish where required
- Kits do not require any additional mounting specifications.
- Knob Finish Option:*
- Red (R)
Black (B)

- Antenna table center beam side mount finish option:*
- Jet Black (111)
Brown (112)
Dark Grey (113)
Folkstone (114)
Medium Grey (115)
Sandstone (116)
Soft Grey (117)
Bright White (118)
Dark Red (130)
Slate Blue (131)
Beige Mist Metallic (611)
Medium Metallic Grey (612)
Silver Metallic (613)

pattern no.	list price
SAP B 32 S 6 ANT SIDE K	\$1,900.
SAP 50 B 32 S 6 ANT SIDE K	2,474.
SAP B 32 M 6 ANT SIDE K	1,958.
SAP 50 B 32 M 6 ANT SIDE K	2,534.



Mounting and Application Information
See page 130 for comprehensive mounting and application information.

Sapper™ Monitor Arm Collection

Easy Order Double Beam Kits for 8 Monitors with Table Clamps

by Richard Sapper

KnollExtra

type	description	
	Small 32" mast double beam kit with heavy duty table clamp mounts	50" double beam kit with 32" mast and 8 movement joint slides
		50" double beam kit with 32" mast and 8 Sapper 50 movement joint slides
	Medium 32" mast double beam kit with heavy duty table clamp mounts	64" double beam kit with 32" mast and 8 movement joint slides
		64" double beam kit with 32" mast and 8 Sapper 50 movement joint slides

Kit includes everything needed to mount two beams to a worksurface table: two 32" masts, 2 heavy duty table clamps, 8 movement joint slides, 4 beam-to-mast mounts, 4 adjustment knobs, beam cable management clips, mast cable management clips and two beam options (see right for options)

pattern no.	list price
SAP B 32 S 8 CLMP HD K	\$2,100.
SAP 50 B 32 S 8 CLMP HD K	2,865.
SAP B 32 M 8 CLMP HD K	2,159.
SAP 50 B 32 M 8 CLMP HD K	2,923.



Order Code	Ordering Information
Example: SAP-B-32-S-8-CLMP-HD-K-(R)	Specify:
SAP-B-32-	1. Pattern number
S-8-	2. Knob finish option
CLMP-HD-	Kits do not require any additional mounting specifications.
K	Knob Finish Option:
R	Red (R)
	Black (B)

Mounting and Application Information
See page 130 for comprehensive mounting and application information.

Sapper™ Monitor Arm Collection

Easy Order Double Beam Kits for 8 Monitors with Antenna Mounts

by Richard Sapper

type	description	
	Small 32" mast double beam kit with Antenna center beam side mounts	50" double beam kit with 32" mast and 8 movement joint slides
		50" double beam kit with 32" mast and 8 Sapper 50 movement joint slides
	Medium 32" mast double beam kit with Antenna center beam side mounts	64" double beam kit with 32" mast and 8 movement joint slides
		64" double beam kit with 32" mast and 8 Sapper 50 movement joint slides

Kit includes everything needed to mount two beams to an Antenna workstation: two 32" masts, 2 Antenna center beam side mounts, 8 movement joint slides, 4 beam-to-mast mounts, 4 adjustment knobs, beam cable management clips, mast cable management clips and two beam options (see right for options)

Order Code	Ordering Information	
Example: SAP-B-32-S-8-ANT-SIDE-K(118)-(R)	<i>Specify:</i>	
SAP-B-32-S-8-ANT-SIDE-K	1. Pattern number	<i>Antenna table center beam side mount finish option:</i>
	2. Finish where required	Jet Black (111)
	Kits do not require any additional mounting specifications.	Brown (112)
		Dark Grey (113)
	<i>Knob Finish Option:</i>	Folkstone (114)
		Medium Grey (115)
118	Bright White	Sandstone (116)
R	Red knob	Soft Grey (117)
		Bright White (118)
		Dark Red (130)
		Slate Blue (131)
		Beige Mist Metallic (611)
		Medium Metallic Grey (612)
		Silver Metallic (613)


pattern no.	list price
SAP B 32 S 8 ANT SIDE K	\$2,027.
SAP 50 B 32 S 8 ANT SIDE K	2,789.
SAP B 32 M 8 ANT SIDE K	2,086.
SAP 50 B 32 M 8 ANT SIDE K	2,850.

Mounting and Application Information
See page 130 for comprehensive mounting and application information.

Sapper™ Monitor Arm Collection

Monitor Arms and Brackets

by Richard Sapper

description	
	Sleeve mount arm (arm with movement joint)
<p>Arms and brackets can be ordered individually for easy reconfiguration</p>	Single compact arm (with movement joint)
	Single standard arm (with movement joint)
	Double arm bracket (does not include arms, must order separately)
	Triple support bracket (does not include arms, must order separately)
	Quadruple monitor arm bracket (does not include arms, must order separately)

Order Code	Ordering Information	
Example: SAP-MA-S-115	<i>Specify:</i>	
SAP-MA-S Sapper single standard monitor arm	1. Pattern number 2. Finish where required	
115 Medium Grey	Kits do not require any additional mounting specifications.	
	<i>Standard Monitor Arm Finish</i> <i>Options:</i> Jet Black (111) Medium Grey (115) Bright White (118)	
	<i>Silver Standard Monitor Arm Finish</i> <i>Option:</i> Silver (SILV)	
	<i>Silver Finish Option:</i> Silver (613)	

USA made standard monitor arm is available in a silver finish for a \$115 upcharge to standard finish by specifying a 613 finish. The standard arm with a 613 finish is BAA-(Buy American Act) and TAA-compliant (Trade Agreements Act).


pattern no.	silver finish list price	standard finish list price
SAP MA SL ()	\$73.	\$63.
SAP MA C	221.	158.
SAP MA S ()	217.	188.
SAP D BKT		95.
SAP 3 BKT		306.
SAP 4 BKT		188.

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.
*Please note you cannot use the compact arm with a standard mount or mast or a standard arm with the compact mount.

Sapper™ Monitor Arm Collection

Monitor Arms and Brackets


by Richard Sapper



Arms and brackets can be ordered individually for easy reconfiguration



Single Sapper 50 arm (with movement joint)



Sapper 50 double arm bracket (does not include arms, must order separately)










Order Code	Ordering Information	
Example: SAP-MA-S-115	<i>Specify:</i>	
SAP-MA-S Sapper single standard monitor arm	1. Pattern number 2. Finish where required	
115 Medium Grey	Kits do not require any additional mounting specifications.	
	<i>Standard Monitor Arm Finish</i> <i>Options:</i> Jet Black (111) Bright White (118)	
	<i>Silver Standard Monitor Arm Finish</i> <i>Option:</i> Silver (SILV)	
	<i>Silver Finish Option:</i> Silver (613)	
	USA made standard monitor arm is available in a silver finish for a \$115 upcharge to the standard finish by specifying a 613 finish. The standard arm with a 613 finish is BAA-(Buy American Act) and TAA- compliant (Trade Agreements Act).	
	Sapper 50 is not available in Medium Grey (115).	

pattern no.	silver finish list price	standard finish list price
SAP MA 50S SL	\$208.	\$180.
SAP MA 50S	460.	400.
SAP 50D BKT	n/a	148.

See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection
Movement Joints and VESA Plate Adaptors
by Richard Sapper

description	
 Beam movement joint slides can be ordered individually for easy reconfiguration	Movement joint (includes fast release pin) 
	Beam movement joint slide (includes movement joint with fast release pin) 
	Sapper 50 movement joint (includes fast release pin) 
	Sapper 50 beam movement joint slide (includes movement joint with fast release pin) 
	100 X 200 VESA plate adaptor (does not include movement joint) 
200 X 200 VESA plate adaptor (does not include movement joint) 	




Order Code	Ordering Information	
Example: SAP-MJ	<i>Specify:</i>	
SAP-MJ	Sapper movement joint	1. Pattern number

USA made standard monitor arm is available in a silver finish for a \$115 upcharge to the standard finish by specifying a 613 finish. The standard arm with a 613 finish is BAA-(Buy American Act) and TAA- compliant (Trade Agreements Act).

pattern number	list price
SAP MJ	\$57.
SAP B MJ	98.
SAP MA 50S MJ	110.
SAP B MJ 50	190.
SAP VESA 100 200	67.
SAP VESA 200 200	85.

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection
Movement Joints and VESA Plate Adaptors
by Richard Sapper

description	
 <i>Beam movement joint slides can be ordered individually for easy reconfiguration</i>	300 X 300 VESA plate adaptor (does not include movement joint)
	
400 X 400 VESA plate adaptor (does not include movement joint)	
	

pattern number	list price
SAP VESA 300 300	\$102.
SAP VESA 400 400	119.

Order Code	Ordering Information	
Example: SAP-MJ	<i>Specify:</i>	
SAP-MJ Sapper movement joint	1. Pattern number	USA made standard monitor arm is available in a silver finish for a \$115 upcharge to the standard finish by specifying a 613 finish. The standard arm with a 613 finish is BAA-(Buy American Act) and TAA- compliant (Trade Agreements Act).


Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Beams

by Richard Sapper

KnollExtra

type		description
	Small beam	50" beam (includes mast-to-beam bracket and 6 beam cable management clips)
	Medium beam	64" beam (includes mast-to-beam bracket and 8 beam cable management clips)

Beam comes with mast-to-beam brackets and beam cable management clips. Order mounting option, mast option and movement joint slides separately for full mounting solution.

pattern no.	list price
SAP B S	\$549.
SAP B M	609.

Order Code	Ordering Information
Example: SAP-B-S	Specify:
SAP-B-S Sapper small beam	1. Pattern number

Mounting and Application Information
See page 130 for comprehensive mounting and application information.

Sapper™ Monitor Arm Collection

Masts

by Richard Sapper



Masts come in various sizes to accommodate different monitor mounting solutions

description	
	8" Mast (includes adjustment knob and 1 cable management clip)
	12" Mast (includes adjustment knob and 2 cable management clips)
	16" Mast (includes adjustment knob and 2 cable management clips)
	24" Mast (includes adjustment knob and 2 cable management clips)
	32" Mast (includes 2 adjustment knobs and 4 cable management clips)

Order Code

Example: **SAP-MST-12**

SAP-MST- Sapper 12" mast

12

pattern no.	list price
SAP MST 8	\$89.
SAP MST 12	95.
SAP MST 16	101.
SAP MST 24	150.
SAP MST 32	225.






Mounting and Application Information

See page 130 for comprehensive mounting, application and construction information.

Sapper™ Monitor Arm Collection

Adjustment Knobs and Mast Cable Management Clips

by Richard Sapper

	description
 <i>Adjustment knobs and cable management clips can be ordered individually</i>	Adjustment knob 
	Mast cable management clips (set of 10) 
	Beam cable management clips (set of 10) 
	Beam mast cable management clips (set of 2) 

Order Code	Ordering Information
Example: SAP-MST-KN-(B)	<i>Specify:</i>
SAP-MST-KNB	1. Pattern number
B	2. Finish where required
Black knob	<i>Knob Finish Option:</i>
	Red (R)
	Black (B)

pattern no.	list price
SAP MST KNB ()	\$15.
SAP MST CM	26.
SAP B CM	24.
SAP B MST CM	38.

Mounting and Application Information
See page 130 for comprehensive mounting and application information.

Sapper™ Monitor Arm Collection

Mounting Options

by Richard Sapper



Wide selection of interchangeable mounting options provide ultimate flexibility

description	
Two-piece Table Clamp Mount	
Deep Table Clamp Mount	
Heavy Duty Clamp Mount	
Grommet Mount	
Fixed Table Mount	
Antenna Table Center Beam Center Mount	
Antenna Table Center Beam Side Mount	
Slat Wall Mast Mount	
Direct Slat Wall Mount	

Order Code	Ordering Information	
Example: SAP-CLMP		
SAP-CLMP	Sapper table clamp	
	Specify:	Antenna table center beam side mount finish options:
	1. Pattern number	Jet Black (111)
	2. Finish where required	Brown (112)
		Dark Grey (113)
		Folkstone (114)
		Medium Grey (115)
		Sandstone (116)
		Soft Grey (117)
		Bright White (118)
		Dark Red (130)
		Slate Blue (131)
		Beige Mist Metallic (611)
		Medium Metallic Grey (612)
		Silver Metallic (613)

pattern no.	list price
SAP CLMP	\$70.
SAP CLMP DP	107.
SAP CLMP HD	101.
SAP GRMT	73.
SAP FTM	49.
SAP ANT CTR	56.
SAP ANT SIDE ()	63.
SAP SW MST	89.
SAP SW DIR	95.










Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.
*Please note you cannot use the compact arm with a standard mount or mast or a standard arm with the compact mount.

Sapper™ Monitor Arm Collection

Mounting Options

by Richard Sapper

KnollExtra

	description
 <i>Wide selection of interchangeable mounting options provide ultimate flexibility</i>	Wall Mast Mount 
	Direct Wall mount 
	Interpole Slot Mount 
	Interpole Direct Channel Mount 
	Interpole Channel Mast Mount 
	Interpole Slot Mast Mount 
	Compact Arm Direct Slat Wall Mount 
	Compact Arm Direct Wall Mount 

Order Code	Ordering Information	
Example: SAP-CLMP	<i>Specify:</i> 1. Pattern number 2. Finish where required	<i>Antenna table center beam side mount finish options:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131) Beige Mist Metallic (611) Medium Metallic Grey (612) Silver Metallic (613)
SAP-CLMP		





pattern no.	list price
SAP WL MST	\$82.
SAP WL DIR	89.
SAP POLE SLOT	119.
SAP POLE DCH	180.
SAP POLE CH MST	180.
SAP POLE SLOT MST	119.
SAP SW DIR C	89.
SAP WL DIR C	81.

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.
*Please note you cannot use the compact arm with a standard mount or mast or a standard arm with the compact mount.

Sapper™ Monitor Arm Collection

Mounting Options

by Richard Sapper

 Wide selection of interchangeable mounting options provide ultimate flexibility	description	
	Sapper 50 Direct Wall Mount	
	Sapper 50 Interpole Slot Mount	
	Sapper 50 Interpole Direct Channel Mount	

pattern no.	list price
SAP 50 WL DIR	\$149.
SAP POLE50 SLOT	180.
SAP POLE50 DCH	238.







Order Code		Ordering Information	
Example:	SAP-CLMP	Specify:	Antenna table center beam side
SAP-CLMP	Sapper table clamp	1. Pattern number	mount finish options:
		2. Finish where required	Jet Black (111)
			Brown (112)
			Dark Grey (113)
			Folkstone (114)
			Medium Grey (115)
			Sandstone (116)
			Soft Grey (117)
			Bright White (118)
			Dark Red (130)
			Slate Blue (131)
			Beige Mist Metallic (611)
			Medium Metallic Grey (612)
			Silver Metallic (613)

Mounting and Application Information
See page 130 for comprehensive mounting, application and construction information.
*Please note you cannot use the compact arm with a standard mount or mast or a standard arm with the compact mount.

Sapper™ Monitor Arm Collection

Easy Order Horsepower™ Monitor Arm Kits

by Richard Sapper

	type	description
 	Horsepower Mount for a 20 lb. monitor	Sapper sleeve arm mount for a single monitor up to 20 lbs., 24" mast kit
		
	Horsepower Mount for a 30 lb. 100x100 VESA	Sapper fixed sleeve arm mount for a single monitor 21-30 lbs., 100x100 VESA, 24" mast kit
		
	Horsepower Mount for a 30 lb. 200x200 VESA	Sapper fixed sleeve arm mount for a single monitor 21-30 lbs., 200x200 VESA, 24" mast kit
		
	Horsepower Mount for a 30 lb. 400x400 VESA	Sapper fixed sleeve arm mount for a single monitor 21-30 lbs., 400x400 VESA, 24" mast kit
		

Kit includes everything needed to mount one monitor to a Horsepower. Horsepower Mount for 20 lb. Monitor (top): Sleeve arm, movement joint, 24" mast, adjustment knob, cable management clips and Horsepower mount. Horsepower for 30 lb. Mount (bottom): corresponding VESA plate, two fixed sleeve arms, two 24" masts, two adjustment knobs, cable management clips and Horsepower mounts. Horsepower is not included.

Order Code	Ordering Information		
Example: SAP MA HP 224 100 K			
SAP MA HP 224 100 K	Sapper Horsepower arm with 100x100 VESA plate and Horsepower mount on 24" masts	<i>Specify:</i> 1. Pattern number 2. Finish where required Kits do not require any additional mounting specifications.	<i>Horsepower Mount finish options:</i> Jet Black (111) Brown (112) Dark Grey (113) Folkstone (114) Medium Grey (115) Sandstone (116) Soft Grey (117) Bright White (118) Dark Red (130) Slate Blue (131) Beige Mist Metallic (611) Medium Metallic Grey (612) Silver Metallic (613)
111	Sleeve arm finish (Jet Black only)	<i>Knob Finish Option:</i> Red (R) Black (B)	All Sapper mount kits for Horsepower include sleeve arms in black finish only. The mounts which attach to the Horsepower are available in all Antenna colors.
117	Soft Grey mount finish		
R	Red Knob		







pattern no.	list price
SAP MA HP SL 124 K	\$365.
SAP MA HP 224 100 K	755.
SAP MA HP 224 200 K	776.
SAP MA HP 224 400 K	899.

Mounting and Application Information	
To mount monitors on Horsepower, counter weights are necessary to keep the unit stable. A down-mounted cabinet or metal shelf along with a ballast kit are required, available in the Antenna price list. Please reference the Horsepower Technology Cart planning guide.	<p>Sapper Monitor Arm kits can be mounted to 30", 36" and 48" wide Independent Horsepower and support screen widths up to 32", 38" and 50" wide overall on corresponding units.</p> <p>Horsepower, down-mounted cabinets or shelf and ballast kit must be purchased separately, available in the Antenna price list.</p>

Sapper™ Monitor Arm Collection

Horsepower Mounting Options

by Richard Sapper

description	
  <i>Horsepower Mounts and VESA plates can be ordered separately for planning flexibility.</i>	Horsepower Mount - order one for each mast
	
	Horsepower 100x100 VESA plate for a 21-30lb monitor
	
Horsepower 200x200 VESA plate for a 21-30lb monitor	
	
Horsepower 400x400 VESA plate for a 21-30lb monitor	
	

pattern no.	list price
SAP HP BKT	\$162.
SAP HP VESA 100100	144.
SAP HP VESA 200200	167.
SAP HP VESA 400400	289.

Order Code	Ordering Information		Mounting and Application Information
Example: SAP HP BKT	<i>Specify:</i>		To mount monitors on Horsepower, counter weights are necessary to keep the unit stable. A down-mounted cabinet or metal shelf along with a ballast kit are required, available in the Antenna price list. Please reference the Horsepower Tech Cart planning guide.
SAP HP	Sapper Horsepower	1. Pattern number	
BKT	Mount	2. Finish where required	Sapper Monitor Arm kits can be mounted to 30", 36" and 48" wide Independent Horsepower and support screen widths up to 32", 38" and 50" wide overall on corresponding units.
117	Soft Grey mount finish		
		<i>Horsepower Mount finish options:</i>	
		Jet Black (111)	
		Brown (112)	
		Dark Grey (113)	
		Folkstone (114)	
		Medium Grey (115)	
		Sandstone (116)	
		Soft Grey (117)	
		Bright White (118)	
		Dark Red (130)	
		Slate Blue (131)	
		Beige Mist Metallic (611)	
		Medium Metallic Grey (612)	
		Silver Metallic (613)	

To mount a monitor up to 20lbs. order a Sapper 24" mast, a Sleeve Arm, movement joint and one Horsepower Mount.

To mount a monitor up to 30 lbs. order two Sapper 24" masts, two Sleeve Arms (no movement joint needed), two Horsepower Mounts and a corresponding VESA plate.

Horsepower, down-mounted cabinets and ballast kits must be purchased separately, available in the Antenna price list.

Sapper™ Monitor Arm Collection

Mounting, Construction and Application Information

Mounting and Application Information:

- All Sapper standard monitor arms:*
- Maximum weight of 20 lbs * per arm, weight limits vary by mounting option
 - Ship standard with fast release movement joint
 - Offer 165 degrees of monitor tilt up and down, 180 degrees of swivel left and right and 360 degrees of rotation for portrait and landscape viewing
 - Fold into themselves to be highly compact at (only 2 7⁄8" when fully compressed)
 - Are durable and lightweight (standard arm weighs only 2.6 pounds)

- All Sapper 50 monitor arms:*
- Maximum weight of 50 lbs. per arm for single arm and 30 lbs. per arm for double, weight limits vary by mounting option
 - Ship standard with fast release movement joint
 - Offer 117 degrees of monitor tilt up and down, 180 degrees of swivel left and right and 360 degrees of rotation for portrait or landscape viewing
 - Fold into themselves to be highly compact (only 4.75" when fully compressed)

Sapper Monitor Arms are intended to be connected directly to monitors or VESA plate adapters. Monitor Arms are not intended to support any additional devices that are connected or mounted to monitors. Loading monitors with additional devices, even within the weight support limits, will affect the functionality of Sapper Monitor Arms and will void their warranty.

*Please note this limit accommodates up to 95% of monitors on the market. There is not a specific monitor size maximum limitation for a single Sapper monitor arm. A larger size (e.g., 24" widescreen) does not necessarily equate to a higher weight monitor. It is key to understand the application to know if a certain size monitor will fit within a space and/or if there are multiple monitors. Also, it is important to note weight limitations vary by application. See details below.


Weight Limits:
Weight limitations for individual mounting options are outlined below. Taken together (both the mounting option weight limit and the individual arm limit) you can determine the best mounting approach for your client given the number of monitors they desire to mount and the weight of those monitors. Weight limits are outlined by mounting option on the next few pages.

For example, if you want to mount two monitors on a worksurface with a grommet mount and each of those monitors weighs 18 lbs (2 monitors x 18 lbs each equals 36 lbs total), we can accommodate that with the 45 lbs weight limit for the 24" mast on a grommet mount and the 20 lbs limitation for each arm. However, we cannot accommodate three monitors weighing 18 lbs each (3 monitors x 18 lbs each equals 54 lbs total) with a 24" mast on a grommet mount, because the maximum weight limitation on a single mast is 45 lbs for this mount.


Size Limits:

Monitor Arms
There is no specific maximum size for a single arm solution (outside the limitations of the space in which you are trying to put it). When mounting two monitors, the maximum outer horizontal width per monitor is 31.8" for a cockpit solution or 33.9" for a flat positioning flush next to each other. For three monitors, the maximum outer horizontal width per monitor is 19.4" for a cockpit solution or 20.5" for a flat positioning flush next to each other in a row. Clients can accommodate larger screen monitors in triples by turning monitor screens to a portrait position.


Sapper multiple monitor Standard Arm Configurations:




Double Cockpit




Double Flat



Triple Cockpit



Triple Flat




Maximum Monitor Height on a 32" Mast for Double Stacked Monitors

Please note while four monitors (two-on-two) are shown above, the height limitation apply to six monitor (three-on-three) configurations as well.

KEY NOTE: Flat panel monitor manufacturers refer to their products by diagonal screen measurements. So a 19" widescreen monitor has a 19" screen measured diagonally, but is not necessarily 19" in horizontal width (refer to manufacturers specifications for specific overall height and width).

Beams
For beam solutions, the length of the desktop or Antenna center beam must be at least the width between the outside of the two mounts. For the heavy duty mount, this distance is 39.92" for the small beam and 44.02" for the medium beam. For the Antenna center beam side mount, this distance is 43.17" for the small beam and 47.27" for the medium beam. The length of the workspace in both scenarios must be at least the length of the beam. If monitors extend beyond the end of the beam, additional workspace is required. For additional size guidelines and limitations, please see the Easy Order Beam Kit Guide.



Monitor Mounting:

Our Sapper monitor arms are compatible with the international Video Electronics Standard Association (VESA) industry interface standard and a monitor must be compliant with this standard to be mounted. The standard movement joint (20 lbs maximum) has the VESA standard 75 mm x 75 mm (2.95" x 2.95") and 100 mm x 100 mm (3.94" x 3.94") hole patterns; the Sapper 50 movement joint (50 lbs maximum) has the VESA standard 100 mm x 100 mm (3.94" x 3.94") hole pattern. If your customer has a recessed monitor back with only 75 mm x 75 mm holes, additional spaces will be needed to ensure proper fit. Contact Customer Service for more details including part and pricing information.

A VESA plate adaptor may be necessary for larger monitors and televisions and can be ordered separately in the sizes of 100 mm x 200mm (M5 screws), 200mm x 200mm (M6 screws), 300mm x 300mm (M8 screws) and 400mm x 400mm/400mm x 600mm (M8 screws). Adaptors ship with separate installation instructions and may require spacers. Knoll VESA plate adaptors ship with screws to attach the adaptor to the Knoll VESA plate but do not ship with screws to attach the adaptor to the monitor or television (see screw sizes listed above, English size equivalents may be needed instead); screw length is dependent on the specific monitor or television and screw should be tested prior to installation to ensure correct length. Knoll is not responsible for use of incorrect screws.

Knoll and its dealers will not take the responsibility for mounting the monitor to the arm. The end user's IT department must confirm VESA mounting compliance and mount the monitor to the arm using customer's own screws. The most common screws are M5 x 8mm and M5 x 10mm.

Please follow installation instructions closely (available in each kit box shipped as well as on Knoll Exchange).

Apple Computer Note:
VESA Adapters are required for Thunderbolt Displays and iMacs, available from apple.com. Contact Apple directly for VESA Adaptor options on specific iMac models as some may need to be purchased with integrated VESA Mount Adapters. With these adapters, the displays will mount to the 100mm x 100mm hole pattern. iMac 21.5" can be mounted on Sapper and Sapper XYZ. All other Apple displays must be mounted on Sapper 50 or Sapper XYZ 30 due to weight specifications.

Monitor Specifications
When specifying a monitor arm solution, it is critical to understand the attributes of the selected monitor. Monitor designs vary in shape, size, and construction which can lead to uneven weight distribution. Monitors that are asymmetrical or uneven in weight distribution may experience drifting in rotation or tilt over extended periods of time.

To assure proper compatibility of a monitor with the selected monitor arm, Knoll recommends installing and observing a mock up for any undesired shifts or movement that may occur over time as a result from monitor irregularities.

Clamp Mounting:
Two-Piece Table Clamp Mounting:

The standard two-piece table clamp is easy to install or retrofit and works on most worksurfaces or desks that are a minimum of 1 1⁄8" thick solid core. The maximum worksurface thickness is 2 3⁄4". There are four settings to accommodate a range of worksurface thicknesses. For the fourth setting to accommodate the thickest worksurfaces you must invert the lower mounting plate to allow the mount to clamp the maximum 2 3⁄4". It is important to mock up the table clamp, particularly on competitive product to ensure a proper fit. The clamp is not compatible with Network.
Deep Table Clamp Mounting:
This clamp is one piece and works on most surfaces. The deep table clamp mount is intended to clear most knife-edge (45 degree angle) desks or worksurfaces.
Heavy-Duty Table Clamp Mounting:
This clamp is intended for heavier weight applications. Please note that individual monitor arm weight limitations still apply.

Grommet Mounting:
With all systems furniture, it is important to pass monitor and peripheral plugs through grommet mount cover while it is still loose. Please note the grommet mount is compatible with Postformed Autostrada, Reff, Propeller, Scope and Wa, but is not compatible with the Graham Collection or Dividends Horizon grommet holes. To use on Network, spacers must be requested through Customer Service. The required cutout in the worksurface is 3" x 1.77", which includes room for the threaded stud (actual hole in the grommet plate is 2" x 1.77").

Fixed Table Mounting:
Installers will need to drill a permanent hole into the worksurface so the mast will be fixed to a dedicated location on the worksurface. Please note with this mounting, the mast will not be able to be moved without leaving a permanent hole. The worksurface must be of adequate structure and we recommend a minimum of 1 1⁄8" thick solid core for adequate structural integrity. Knoll cannot be held responsible for the structural integrity of non-Knoll worksurfaces.

Crinion Open Table Center Channel Mounting:
This mount is intended to provide maximum worksurface or desk usage by mounting to the center channel. Note that when used for individuals, you will need to stagger users across the table.

Dividends Horizon Benching Mounting:
This mount is intended to provide maximum worksurface or desk usage by mounting in between worksurfaces. It clamps to worksurfaces ranging from 3⁄8" to 1 1⁄8". Note that when used for individuals, you will need to stagger users across the table. This mount is designed for use with Dividends Horizon flat profile panel trim, and is not compatible with radius profile.

Antenna Table Center Beam Center Mounting:
This mount is intended to provide maximum worksurface or desk usage by mounting to the center beam. Note that when used for individuals, you will need to stagger users across the table.

Antenna Table Center Beam Side Mounting:
This mount allows you to clear the flip door while allowing for maximum worksurface usage and individual height adjustment without the need to stagger users. Please note a screen can be mounted in the center beam with a monitor arm in front of it. The fit will be snug and flush with the screen.

Slat Wall Mast Mounting:
For single monitor mounting, you can use either the slat wall mast mount or direct slat wall mount. For double or triple monitor mounting, you must use the slat wall mast mount. The slat wall direct mount cannot be used for multiple monitors. Works with most Knoll slat board and slat wall profiles, however, load ratings vary across products and mounting approaches. Please review product breakdown on the following pages to ensure compatibility with your specific application needs.

Orchestra/KnollExtra slat board must be mounted to an architectural wall if a flat panel monitor arm is to be mounted to it. You can only use this slat board when it is wall-mounted as outlined below. Knoll cannot be held responsible for the structural integrity of a wall so please work with clients to ensure their wall is structurally sound to hold the slat board, the arm configuration and the monitor weight.

Slat Wall Direct Mounting (for both standard and compact arm):
For single monitor mounting, you can use either the slat wall mast mount or direct slat wall mount. For double or triple monitor mounting, you must use the slat wall mast mount. The slat wall direct mount cannot be used for multiple monitors.

Please note that the Compact Arm Direct Wall Mount is specific to the compact arm. You cannot use the standard mount with the compact arm or a standard arm with the compact mount.

Works with most Knoll slat board and slat wall profiles, however, load ratings vary across products and mounting approaches. Please review product breakdown on the following pages to ensure compatibility with your specific application needs.

Orchestra/KnollExtra slat board must be mounted to an architectural wall if a flat panel monitor arm is to be mounted to it. You can only use this slat board when it is wall-mounted as outlined below. Knoll cannot be held responsible for the structural integrity of a wall so please work with clients to ensure their wall is structurally sound to hold the slat board, the arm configuration and the monitor weight.

Direct Wall Mast Mounting:
For single monitor mounting, you can use either the direct wall mast mount or direct wall mount. For double or triple monitor mounting, you must use the wall mast mount. The direct wall mount cannot be used for multiple monitors. For use on architectural walls only as outlined further on this page. Knoll cannot be held responsible for the structural integrity of a wall so please work with clients to ensure their wall is structurally sound to hold the arm configuration and the monitor weight. See above for weight limits if mounting slat wall to an architectural wall.

Direct Wall Mounting (for both standard and compact arm):
For single monitor mounting, you can use either the direct wall mast mount or direct wall mount. For double or triple monitor mounting, you must use the wall mast mount. The direct wall mount cannot be used for multiple monitors. Please note that the Compact Arm Direct Wall Mount is specific to the compact arm. You cannot use the standard mount with the compact arm or a standard arm with the compact mount.

For use on architectural walls only as outlined further on this page. Knoll cannot be held responsible for the structural integrity of a wall so please work with clients to ensure their wall is structurally sound to hold the arm configuration and the monitor weight. See above for weight limits if mounting slat wall to an architectural wall.

Sapper 50 Direct Wall Mounting (for Sapper 50 monitor arm):

For single monitor mounting, you can use either the direct wall mast mount or direct wall mount.

Please note that the Sapper 50 Direct Wall Mount is specific to the Sapper 50 arm. You cannot use the standard mount with the Sapper 50 arm or a standard arm with the Sapper 50 mount.

For use on architectural walls only as outlined further on this page. Knoll cannot be held responsible for the structural integrity of a wall so please work with clients to ensure their wall is structurally sound to hold the arm configuration and the monitor weight.

Interpole Mounting

Sapper arms can be mounted on either the slot or channel sides of Interpole with the proper mount. Mounts can be moved after installation but the pole may have residual markings.


If screens are mounted on the slot side, use the channel mount. If overheads are mounted on the slot side, then a SapperXYZ with extended channel mount will be necessary for full adjustability.

Cable Management:

Monitor Arms

External cable management allows for easy installation and removal of monitors. There are gates under the arm that will contain wires from the monitor to plastic cable management clips that go on the mast to keep wires tidy to the electrical socket.

Gates




Clips



Beams


For the beam solutions, there are beam cord management clips on the back of the beam (6 on the small, 8 on the medium) that can hold wires from the monitor to the mast cable management. The beam mast cable management is wider than the standard mast cable management to accommodate multiple monitor wires.




Adjustment:

The Sapper monitor arm collection offers intuitive adjustment. To adjust the height, you simply manually lift the arm and twist the adjustment knob like a screw up or down the mast to a comfortable setting. The easiest way to lift the monitor is to fold it in before making the adjustment. To adjust the depth, you can move the arm in or out. You can also rotate the monitor 360 degrees for landscape or portrait viewing and adjust the swivel back and forth 180 degrees and tilt up and down 165 degrees. The arm folds in and out from 2 7/8" fully compressed to approximately 17" when fully extended.

Height Adjustment



Rotation, Swivel, Tilt and Depth Adjustment




Fast Release:

Monitor Arms

Allows for swift installation and removal of flat panel monitors by merely popping the quick release pin up to remove monitor with movement joint/back plate attached.

Fast Release



Beams

Allows for swift installation and removal of flat panel monitors by merely pulling the bottom of the movement joint slide toward the user from the beam while lifting the top of the monitor up.

For installations with Fast Release Wall Cords, simply pull the cord down while lifting the top of the monitor up.


Theft Deterrence:

All movement joints come with a set screw within the fast release pin, to prevent fast release if so desired. Also there is a set screw at the top of the mast to deter removal of the entire arm and monitor from the mast.

Deactivate Fast Release with Set Screw



Set Screw to Prevent Arm Removal



Compatibility:

The Sapper Monitor Arm Collection is not compatible with the Wishbone Flat Panel Monitor Support System (i.e., Wishbone, Zorro or Rotation arms, posts, tool bars, brackets, mounting, etc.). They have been designed independently and as such parts from one system cannot be used with the other.

Monitors cannot be mounted on KnollExtra®/Orchestra® load bars.

Installation Instructions:

Comprehensive installation instructions will be shipped with product and are also available on Knoll Exchange for easy reference.

Construction:

Arm: die cast aluminum with a cold rolled steel top plate

Mast: anodized aluminum extrusion

Beam: satin anodized extruded aluminum

Adjustment knob: nylon undermold with a TPU overmold

Movement joint (includes fast release monitor plate): plastic bushings, zinc and plastic molded plastic tilt friction components and glass filled nylon VESA plate

Movement joint slide: aluminum, powder coated silver

VESA plate adaptors: steel

Table clamp, grommet mount, fixed table mount, Antenna center beam center mount: steel

Slat wall and wall mounts (both mast mount and direct, both standard and compact sizes): die cast aluminum with steel back plates

Double arm bracket: die cast aluminum, steel top plate, extruded aluminum posts, plastic upper and lower bushings

Triple support arm bracket: die cast aluminum, steel top plate, extruded aluminum posts, plastic upper and lower bushings

Mast-to-beam bracket: aluminum, powder coated silver

Cable management: transparent polycarbonate clips on the mast and beam; plastic gates under standard arms

Antenna and Quadruple support arm bracket: die cast aluminum

Two-Piece Table Clamp, Deep Table Clamp, Heavy-Duty Table, Clamp, Grommet, Fixed Table and Antenna Center Beam Table Mounting: steel

Antenna Table Center Beam Side Mounting: die-cast Aluminum

Slat Wall and Wall Mounts both Direct Mast Mounting, Direct Mounting and Sapper 50 Direct Mounting (for both standard and compact arms): Die-cast Aluminum with steel back plates

Quadruple arm bracket: Die-cast Aluminum

Horsepower mounts: die-cast aluminum, powder coated. Steel VESA mounts.

Sapper Monitor Arm Collection Mounting Options by Product Line

	Two-Piece Table Clamp	Deep Table Clamp	Heavy Duty Table Clamp	Grommet Mount	Fixed Table Mount	Antenna Center Beam Center / Side Mounts	Slat Wall* Direct Wall Mounts*
Postformed	Yes	Yes	Yes	Yes	Yes	No	No
Postformed Network	No	No	No	Yes, but needs spacer through CPD	Yes	No	No
Currents	Yes	Yes	Yes	Yes	Yes	No	Yes
Autostrada AS1	Yes (non tapered edge only)	Yes	Yes	Yes	Yes	No	Yes
Autostrada AS2	Yes (non tapered edge only)	Yes	Yes	Yes	Yes	No	No
Autostrada AS3	Yes (non tapered edge only)	Yes	Yes	Yes	Yes	No	Yes
Crinion Open Table / AS4	Yes (non tapered edge only)	Yes	Yes	No	Yes	No	Yes**
Reff	Yes	Yes	Yes	Yes	Yes	No	No
Dividends Horizon	Yes	Yes	Yes	No	Yes	No	Yes**
Equity	Yes	Yes	Yes	No	Yes	No	No
Cascade Edge Worksurfaces	Yes (non tapered edge only)	Yes	Yes	Yes	Yes	No	No
Template	Yes	Yes	Yes	No	Yes	No	No
Graham Collection	Yes	Yes	Yes	No	Yes	No	No
Antenna	Yes	Yes	Yes	Yes	Yes	Yes	No
Upstart	Yes	Yes	Yes	No	Yes	No	No
Interaction	Yes	Yes	Yes	No	Yes	No	No
Magnusson	Yes	Yes	Yes	Yes	Yes	No	No
Propeller	Yes	Yes	Yes	Yes	Yes	No	No

*See Slat Wall and Direct Wall Weight Limits and Notes in the following chart.

**Not an option for Sapper 50 monitor arm.

Slat Wall Mounting Weight Limits

Note: Weight limit per arm is 20 lbs. for standard, compact and sleeve monitor arms unless weight limit for mounting option specified is less.
Weight limit per arm is 50 lbs. for Sapper 50 arm and sleeve unless weight limit for mounting option specified is less.

Currents Spine / Autostrada AS1 Spine				Autostrada Applied Wall / AS3			Dividends Horizon panel			KnollExtra / Orchestra® slat			Crinion Open Table Center Screen			Reff / Autostrada AS2 P Vertical Panel		
	Standard, Compact, Sleeve	Sapper 50 arm	Sapper 50 sleeve	Standard, Compact, Sleeve	Sapper 50 arm	Sapper 50 sleeve	Standard, Compact, Sleeve	Sapper 50 arm	Sapper 50 sleeve	Standard, Compact, Sleeve	Sapper 50 arm	Sapper 50 sleeve	Standard, Compact, Sleeve	Sapper 50 arm	Sapper 50 sleeve	Standard, Compact, Sleeve	Sapper 50 arm	Sapper 50 sleeve
Direct Mount	20 lbs.	N/A	N/A	20 lbs.	N/A	N/A	20 lbs.	N/A	N/A	20 lbs.	N/A	N/A	15 lbs.	N/A	N/A	20 lbs.	N/A	N/A
Mast Mount																		
8" Mast	60 lbs.	22.5 lbs.	50 lbs.	60 lbs.	22.5 lbs.	50 lbs.	10 lbs.	N/A	N/A	45 lbs.	22.5 lbs.	45 lbs.	15 lbs.	N/A	N/A	60 lbs.	27.5 lbs.	50 lbs.
12" Mast	60 lbs.	N/A	50 lbs.	60 lbs.	N/A	50 lbs.	7.5 lbs.	N/A	N/A	45 lbs.	22.5 lbs.	45 lbs.	10 lbs.	N/A	N/A	60 lbs.	25 lbs.	50 lbs.
16" Mast	50 lbs.	N/A	50 lbs.	50 lbs.	N/A	50 lbs.	5 lbs.	N/A	N/A	30 lbs.	22.5 lbs.	30 lbs.	5 lbs.	N/A	N/A	60 lbs.	25 lbs.	50 lbs.
24" Mast	30 lbs.	N/A	50 lbs.	30 lbs.	N/A	30 lbs.	N/A	N/A	N/A	15 lbs.	N/A	N/A	N/A	N/A	N/A	60 lbs.	22.5 lbs	50 lbs.
32" Mast	20 lbs.	N/A	50 lbs.	20 lbs.	N/A	20 lbs.	N/A	N/A	N/A	15 lbs.	N/A	N/A	N/A	N/A	N/A	60 lbs.	20 lbs.	50 lbs.
	Note: No maximum total load limit.			Note: Mounting requires special mount plate through CPD as slat wall pitch is different than other AS product; No maximum total load limit.			Note: Maximum total load limit is 30 lbs. per slat wall.			Note: Can only be mounted on a structural architectural wall; Must use one Orchestra® wall mount bracket (OR-BKT-WM) per arm installed on 24" on center maximum; No maximum total load limit.			Note: Can only be used in combination with the Autostrada buttress (see AS price list); Must be used with COT mid-span support positioned under each buttress; Maximum total load limit is 45 lbs. per screen face. Weight limits above are per face or side of screen.			Note: Must use AS WRB slatwall reinforcement bracket.		

Mounting Option Weight Limits

Mounting Option	Weight Limit											
	8" & 12" & 16"				24"				32"			
	Standard, Compact, Sleeve	Sapper 50	Sapper 50 double	Sapper 50 sleeve arm	Standard, Compact, Sleeve	Sapper 50	Sapper 50 double	Sapper 50 sleeve arm	Standard, Compact, Sleeve	Sapper 50	Sapper 50 double	Sapper 50 sleeve arm
Two-Piece Table Clamp*	60 lbs.	50 lbs.	60 lbs.	50 lbs.	75 lbs.	40 lbs.	50 lbs.	50 lbs.	75 lbs.	35 lbs.	45 lbs.	50 lbs.
Deep Table Clamp*	60 lbs.	50 lbs.	32 lbs.	50 lbs.	75 lbs.	42 lbs.	30 lbs	50 lbs.	75 lbs.	42 lbs.	20 lbs.	50 lbs.
Heavy Duty Table Clamp*	60 lbs.	50 lbs.	60 lbs.	50 lbs.	120 lbs.	42 lbs.	50 lbs.	50 lbs.	120 lbs.	40 lbs.	45 lbs.	50 lbs.
Grommet Mount	60 lbs.	50 lbs.	65 lbs.	50 lbs.	45 lbs.	45 lbs.	60 lbs.	100 lbs.	45 lbs.	40 lbs.	50 lbs.	100 lbs.
Fixed Table Mount	80 lbs.	50 lbs.	60 lbs.	50 lbs.	85 lbs.	50 lbs.	55 lbs.	100 lbs.	85 lbs.	50 lbs.	50 lbs.	100 lbs.
Antenna Center Beam Center Mount	80 lbs.	50 lbs.	90 lbs.	50 lbs.	100 lbs.	50 lbs.	70 lbs.	100 lbs.	100 lbs.	50 lbs.	50 lbs.	100 lbs.
Antenna Center Beam Side Mount*	60 lbs.	50 lbs.	80 lbs.	50 lbs.	100 lbs.	50 lbs.	60 lbs.	100 lbs.	100 lbs.	50 lbs.	50 lbs.	100 lbs.

Note: For standard, compact and sleeve arms, mast heights 8", 12" and 16" maximum load limit achieved using quadruple monitor arm bracket. 24" and 32" mast maximum load limit achieved using quadruple monitor arm bracket or stacking arms.
Note: For Sapper 50 arms, mast heights 8", 12" and 16" maximum load limit achieved using single arm. 24" and 32" mast maximum load limit achieved using single arm or stacking arms.
Note: single/double/triple/quadruple solutions can hold 20 lbs. per arm, Sapper 50 single can hold up to 50 lbs. per arm, Sapper 50 double can hold up to 30 lbs. per arm.
*Quadruple monitor arm not an option.

Interpole Mounting Weight Limits

Note: Interpole can hold 100 lbs. of weight per side, on a maximum of two opposite sides.

Wall Mounting Weight Limits

Note: for Standard arms, weight limit per arm is 20 lbs., unless weight limit for mounting option specified is less.
Note: For Sapper 50 single, weight limit per arm is 50 lbs., unless weight limit for mounting option specified is less.
Note: For Sapper 50 double, weight limit per arm is 30 lbs., unless weight limit for mounting option specified is less.

	Standard, Compact, Sleeve	Sapper 50	Sapper 50 double	Sapper 50 sleeve arm
Direct Mount	20 lbs.	50 lbs.	N/A	50 lbs.
Mast Mount:				
8" Mast	75 lbs.	50 lbs.	60 lbs.	50 lbs.
12" Mast	75 lbs.	47.5 lbs.	60 lbs.	50 lbs.
16" Mast	75 lbs.	45 lbs.	60 lbs.	50 lbs.
24" Mast	75 lbs.	42.5 lbs.	60 lbs.	50 lbs.
32" Mast	70 lbs.	32.5 lbs.	60 lbs.	50 lbs.


Sapper Multiple Monitor Beam Solutions Weight Limits and Mounting Notes

Item	Standard movement joint slide	Sapper 50 movement joint slide
One row (3-4 monitors):		
Small beam on 16" mast	100 lbs	200 lbs
Small beam on 24" mast	100 lbs	200 lbs
Medium beam on 16" mast	100 lbs	200 lbs
Medium beam on 24" mast	100 lbs	200 lbs
Two rows (6-8 monitors):		
2 small beams on 32" mast	200 lbs	200 lbs
2 medium beams on 32v mast	200 lbs	200 lbs

*Note: You can purchase pieces outside of kits and support additional monitors that will physically fit, only up to weight limits listed.
20 lbs per standard monitor mount, 50 lbs per Sapper 50 monitor mount

Sapper XYZ® Monitor Arm Series
Easy Order Sapper XYZ Single Arm Kits
by Richard Sapper

KnollExtra

	type	description
 <i>Kit includes everything needed to mount one monitor to a worksurface: Sapper XYZ monitor arm, movement joint, cable management clips and mounting option (see right for options).</i>	Two-piece Table Clamp Mount	Sapper XYZ monitor arm table clamp kit Sapper XYZ monitor arm table clamp kit with movement limit of 180° at base
	Deep Table Clamp Mount	Sapper XYZ monitor arm deep table clamp kit
	Grommet Mount	Sapper XYZ monitor arm grommet mount kit
	Fixed Table Mount	Sapper XYZ monitor arm fixed table mount kit
	Antenna Center Beam Side Mount	Sapper XYZ monitor arm Antenna center beam side mount kit

pattern no.	silver finish list price	standard finish list price
XYZ MA S CLMP K ()	\$514.	\$446.
XYZ MA SL CLMP K ()	545.	479.
XYZ MA S CLMP DP K ()	601.	524.
XYZ MA S GRMT K ()	528.	459.
XYZ MA S FTM K ()	493.	429.
XYZ MA S ANT SIDE K ()	514.	447.

Order Code	Ordering Information		
Example: XYZ-MA-S-CLMP-K- (111)	Specify:	Mount Finish Option Note:	Sapper XYZ monitor arm table clamp kit with movement limit of 180° uses a different table clamp than the standard Sapper XYZ table clamp kit
XYZ Sapper XYZ	1. Pattern number	All mounting options come in a black finish, with the exception of the Antenna Center Beam Side Mount which will come in the same finish color that was specified for the arm.	
MA Monitor arm	2. Finish		
S Single arm	Kits do not require any additional mounting specifications.		
CLMP Two-piece table clamp mounting option	Standard Monitor Arm Finish Options:	Arm Finish Option Note:	
K Kit	Jet Black (111)	All monitor arm finishes are monochromatic with the exception of Bright White, which has a light grey shroud.	
111 Jet Black Finish	Medium Grey (115)		
	Bright White (118)		
	Silver Monitor Arm Finish Option: Silver (613)		




Mounting and Application Information
See page 162 for comprehensive mounting, application and construction information.

Sapper XYZ® Monitor Arm Series

Easy Order Sapper XYZ Single Arm Kits

by Richard Sapper

KnollExtra

	type	description	
 <p>Kit includes everything needed to mount one monitor to a worksurface: Sapper XYZ monitor arm, movement joint, cable management clips and mounting option (see right for options).</p>	Interpole Slot Mount	Sapper XYZ monitor arm Intepole slot mount kit	
		Interpole Direct Channel Mount	Sapper XYZ monitor arm Intepole direct channel mount kit
		Interpole Extended Channel Mount	Sapper XYZ monitor arm Intepole extended channel mount kit

pattern no.	silver finish list price	standard finish list price
XYZ MA S POLE SLOT K	\$575.	\$501.
XYZ MA S POLE DCH K	643.	559.
XYZ MA S POLE ECH K	709.	617.

Order Code		Ordering Information	
Example:	XYZ-MA-S-CLMP-K- (111)	<i>Specify:</i>	<i>Mount Finish Option Note:</i>
XYZ	Sapper XYZ	1. Pattern number	All mounting options come in a black finish, with the exception of the Antenna Center Beam Side Mount which will come in the same finish color that was specified for the arm.
MA	Monitor arm	2. Finish	
S	Single arm	Kits do not require any additional mounting specifications.	
CLMP	Two-piece table clamp mounting option	<i>Standard Monitor Arm Finish Options:</i>	
K	Kit	Jet Black (111)	
111	Jet Black Finish	Medium Grey (115)	<i>Arm Finish Option Note:</i>
		Bright White (118)	All monitor arm finishes are monochromatic with the exception of Bright White, which has a light grey shroud.
		<i>Silver Monitor Arm Finish Option:</i>	
		Silver (613)	

Mounting and Application Information
See page 162 for comprehensive mounting, application and construction information.



Sapper XYZ® Monitor Arm Series

Easy Order Dual Sapper XYZ Arm Kit

by Richard Sapper

KnollExtra

type	description
Dual Two-Piece Table Clamp Mount	Dual Sapper XYZ monitor arm table clamp kit
	Dual Sapper XYZ monitor arm table clamp kit with movement limit of 90° for each arm



Kit includes everything needed to mount two monitor arms to a worksurface: two Sapper XYZ monitor arms with movement joint, two sets of cable management clips and mounting option (see right for options).

pattern no.	silver finish list price	standard finish list price
XYZ MA D CLMP K ()	\$1,001.	\$871.
XYZ MA DL CLMP K ()	1,032.	903.

Order Code	Ordering Information
Example: XYZ-MA-D-CLMP-K-111	Specify:
XYZ Sapper XYZ	1. Pattern number
MA Monitor arm	2. Finish
D Dual arm	Kits do not require any additional mounting specifications.
CLMP Two-piece table clamp mounting option	Standard Monitor Arm Finish Options:
K Kit	Jet Black (111)
111 Jet Black Finish	Medium Grey (115)
	Bright White (118)
	Silver Monitor Arm Finish Option: Silver (613)
	Mount Finish Option Note:
	All mounting options come in a black finish, with the exception of the Antenna Center Beam Side Mount which will come in the same finish color that was specified for the arm.
	Arm Finish Option Note:
	All monitor arm finishes are monochromatic with the exception of Bright White, which has a light grey shroud.
	Sapper XYZ monitor arm table clamp kit with movement limit of 180° uses a different table clamp than the standard Sapper XYZ table clamp kit


Mounting and Application Information
See page 162 for comprehensive mounting, application and construction information.

Sapper XYZ® Monitor Arm Series

Easy Order Sapper XYZ 30 Arm Kits

by Richard Sapper

KnollExtra

	type	description
 <p>Kit includes everything needed to mount one monitor to a worksurface: Sapper XYZ 30 monitor arm, Sapper 50 movement joint, cable management clip and mounting option (see right for options).</p>	Two-Piece Table Clamp Mount	Sapper XYZ 30 monitor arm table clamp kit
	Deep Table Clamp Mount	Sapper XYZ 30 monitor arm deep table clamp kit
	Grommet Mount	Sapper XYZ 30 monitor arm grommet mount kit
	Fixed Table Mount	Sapper XYZ 30 monitor arm fixed table mount kit
	Antenna Center Beam Side Mount	Sapper XYZ 30 monitor arm Antenna center beam side mount kit


pattern no.	silver finish list price	standard finish list price
XYZ MA 30S CLMP K	\$762.	\$662.
XYZ MA 30S CLMP DP K	851.	739.
XYZ MA 30S GRMT K	775.	674.
XYZ MA 30S FTM K	741.	645.
XYZ MA 30S ANT SIDE K	763.	663.

Order Code	Ordering Information	Ordering Note
Example: XYZ-MA-30S-CLMP-K-(111)	Specify:	Mount Finish Option Note:
XYZ	1. Pattern number	All mounting options come in a black finish, with the exception of the Antenna Center Beam Side Mount which will come in the same finish color that was specified for the arm.
MA	2. Finish	
30S	Kits do not require any additional mounting specifications.	
CLMP	Standard Monitor Arm Finish Options:	Sapper XYZ 30 uses Sapper XYZ Crossbar mounts and cable management clips.
K	Jet Black (111)	
111	Medium Grey (115)	
	Bright White (118)	
	Silver Monitor Arm Finish Option: Silver (613)	

Mounting and Application Information
See page 162 for comprehensive mounting, application and construction information.

Sapper XYZ® Monitor Arm Series
Easy Order Sapper XYZ 30 Arm Kits
by Richard Sapper

KnollExtra

	type	description
 <i>Kit includes everything needed to mount one monitor to a worksurface: Sapper XYZ 30 monitor arm, Sapper 50 movement joint, cable management clip and mounting option (see right for options).</i>	Interpole Slot Mount	Sapper XYZ 30 monitor arm Interpole slot mount kit
	Interpole Direct Channel Mount	Sapper XYZ 30 monitor arm Interpole direct channel mount kit

pattern no.	silver finish list price	standard finish list price
XYZ MA 30S POLE SLOT K	\$824.	\$717.
XYZ MA 30S POLE DCH K	891.	774.

Order Code	Ordering Information	Ordering Note
Example: XYZ-MA-30S-CLMP-K-111	Specify: 1. Pattern number 2. Finish	Mount Finish Option Note:
XYZ	Sapper XYZ	All mounting options come in a black finish, with the exception of the Antenna Center Beam Side Mount which will come in the same finish color that was specified for the arm.
MA	Monitor arm	
30S	30 Single	
CLMP	Two-piece table clamp mounting option	
K	Kit	Sapper XYZ 30 uses Sapper XYZ Crossbar mounts and cable management clips.
111	Jet Black Finish	
	Standard Monitor Arm Finish Options: Jet Black (111) Medium Grey (115) Bright White (118)	
	Silver Monitor Arm Finish Option: Silver (613)	


Mounting and Application Information
See page 162 for comprehensive mounting, application and construction information.

Sapper XYZ® Monitor Arm Series

Easy Order Sapper XYZ Crossbar Arm Kits

by Richard Sapper

KnollExtra

	type	description
 <i>Kit includes everything needed to mount two monitors to a worksurface: Sapper XYZ Crossbar monitor arm, two movement joints, cable management clip and 2 fastener strips and mounting option (see right for options).</i>	Two-Piece Table Clamp Mount	Sapper XYZ Crossbar monitor arm table clamp kit
	Deep Table Clamp Mount	Sapper XYZ Crossbar monitor arm deep table clamp kit
	Grommet Mount	Sapper XYZ Crossbar monitor arm grommet mount kit
	Fixed Table Mount	Sapper XYZ Crossbar monitor arm fixed table mount kit


pattern no.	silver finish list price	standard finish list price
XYZ MA C CLMP K ()	\$847.	\$736.
XYZ MA C CLMP DP K ()	1,003.	872.
XYZ MA C GRMT K ()	907.	789.
XYZ MA C FTM K ()	862.	749.

Order Code	Ordering Information	Order Notes
Example: XYZ-MA-C-CLMP-K- (111)	Specify:	Mount Finish Option Note:
XYZ	1. Pattern number	All mounting options come in a black finish, with the exception of the Antenna Center Beam Side Mount which will come in the same finish color that was specified for the arm.
MA	2. Finish	
C	Kits do not require any additional mounting specifications.	
CLMP	Standard Monitor Arm Finish Options:	Due to extensive adjustability of Sapper XYZ monitor arms, a mock-up is recommended to ensure it is suited for the specific workstation, particularly if placed in front of a wall or panel.
K	Jet Black (111)	
111	Medium Grey (115)	
	Bright White (118)	
	Silver Monitor Arm Finish Option:	
	Silver (613)	

Mounting and Application Information
See page 162 for comprehensive mounting, application and construction information.

Sapper XYZ® Monitor Arm Series
Easy Order Sapper XYZ Crossbar Arm Kits
by Richard Sapper

KnollExtra

	type	description
 <i>Kit includes everything needed to mount two monitors to a worksurface: Sapper XYZ Crossbar monitor arm, two movement joints, cable management clip and 2 fastener strips and mounting option (see right for options).</i>	Antenna Center Beam Side Mount	Sapper XYZ Crossbar monitor arm Antenna center beam side mount kit
	Interpole Slot Mount	Sapper XYZ Crossbar monitor arm Intepole slot mount kit
	Interpole Direct Channel Mount	Sapper XYZ Crossbar monitor arm Intepole direct channel mount kit

pattern no.	silver finish list price	standard finish list price
XYZ MA C ANT SIDE K ()	\$907.	\$789.
XYZ MA C POLE SLOT K	1,101.	956.
XYZ MA C POLE DCH K	1,120.	975.





Order Code	Ordering Information	Order Notes
Example: XYZ-MA-C-CLMP-K-111	Specify:	Mount Finish Option Note:
XYZ	1. Pattern number	All mounting options come in a black finish, with the exception of the Antenna Center Beam Side Mount which will come in the same finish color that was specified for the arm.
MA	2. Finish	
C	Kits do not require any additional mounting specifications.	
CLMP	Standard Monitor Arm Finish Options:	Due to extensive adjustability of Sapper XYZ monitor arms, a mock-up is recommended to ensure it is suited for the specific workstation, particularly if placed in front of a wall or panel.
K	Jet Black (111)	
111	Medium Grey (115)	
	Bright White (118)	
	Silver Monitor Arm Finish Option: Silver (613)	

Mounting and Application Information
See page 162 for comprehensive mounting, application and construction information.

Sapper XYZ® Monitor Arm Series

Mounting Options for Sapper XYZ Single Arms

by Richard Sapper


	description
 <i>Interchangeable mounting options provide flexibility</i>	Sapper XYZ two-piece table clamp 
	Sapper XYZ deep table clamp 
	Sapper XYZ grommet mount 
	Sapper XYZ fixed table mount 
	Sapper XYZ Antenna center beam side mount 
	Sapper XYZ Interpole direct channel mount 
	Sapper XYZ Interpole extended channel mount 
	Sapper XYZ Interpole slot mount 
	Sapper XYZ two-piece table clamp with 180° of movement at base 

Order Code	Ordering Information		
Example: XYZ-CLMP			
XYZ	Sapper XYZ	<i>Specify:</i> 1. Pattern number 2. Finish	<i>Mount Finish Option Note:</i> All mounting options come in a black finish, with the exception of the Antenna Center Beam Side Mount which will come in the same finish color that was specified for the arm.
CLMP	Two-piece table clamp mounting option		
		<i>Antenna Center Beam Side Mount Finish Options:</i> Jet Black (111) Medium Grey (115) Bright White (118) Silver (613)	Sapper XYZ monitor arm table clamp kit with movement limit of 180° uses a different table clamp than the standard Sapper XYZ table clamp kit



pattern no.	list
XYZ CLMP	\$95.
XYZ CLMP DP	153.
XYZ GRMT	100.
XYZ FTM	72.
XYZ ANT SIDE	95.
XYZ POLE DCH	207.
XYZ POLE ECH	229.
XYZ POLE SLOT	146.
XYZ SL CLMP	126.

Mounting and Application Information
See page 162 for comprehensive mounting, application and construction information.

Sapper XYZ® Monitor Arm Series
Mounting Options for Dual Sapper XYZ Arms
 by Richard Sapper



Interchangeable mounting options provide flexibility

description
<p>Sapper XYZ dual two-piece table clamp</p> 
<p>Sapper XYZ dual two-piece table clamp with 180° of movement at base</p> 








pattern no.	list
XYZ D CLMP	\$167.
XYZ DL CLMP	198.

Order Code	Ordering Information
Example: XYZ-CLMP	<i>Specify:</i>
XYZ	Sapper XYZ
CLMP	Two-piece table clamp mounting option
	<p><i>Antenna Center Beam Side Mount Finish Options:</i></p> <p>Jet Black (111)</p> <p>Medium Grey (115)</p> <p>Bright White (118)</p> <p>Silver (613)</p>
	<p><i>Mount Finish Option Note:</i></p> <p>All mounting options come in a black finish, with the exception of the Antenna Center Beam Side Mount which will come in the same finish color that was specified for the arm.</p>
	Sapper XYZ monitor arm table clamp kit with movement limit of 180° uses a different table clamp than the standard Sapper XYZ table clamp kit

Mounting and Application Information

See page 162 for comprehensive mounting, application and construction information.

Sapper XYZ® Monitor Arm Series
Sapper XYZ Crossbar Mounting Options
by Richard Sapper

description	
 <i>Seven interchangeable mounting options provide flexibility</i>	Sapper XYZ Crossbar two-piece table clamp 
	Sapper XYZ Crossbar deep table clamp 
	Sapper XYZ Crossbar grommet mount 
	Sapper XYZ Crossbar fixed table mount 
	Sapper XYZ Crossbar Antenna center beam side mount 
Sapper XYZ Crossbar Interpole direct channel mount 	

pattern no.	list
XYZ C CLMP	\$113.
XYZ C CLMP DP	254.
XYZ C GRMT	170.
XYZ C FTM	140.
XYZ C ANT SIDE	170.
XYZ C POLE DCH	354.

Order Code	Ordering Information	Ordering Notes
Example: XYZ-C-CLMP	Specify:	Mount Finish Option Note:
XYZ-C	1. Pattern number	All mounting options come in a black finish, with the exception of the Antenna Center Beam Side Mount which will come in the same finish color that was specified for the arm.
CLMP	2. Finish	
	Antenna Center Beam Side Mount	
	Finish Options:	
	Jet Black (111)	
	Medium Grey (115)	
	Bright White (118)	
	Silver (613)	






Mounting and Application Information
See page 162 for comprehensive mounting, application and construction information.

Sapper XYZ® Monitor Arm Series

Replacement Parts for Sapper XYZ Single Arms

by Richard Sapper

KnollExtra

description	
	Sapper XYZ monitor arm (includes movement joint)
	Sapper XYZ movement joint (includes fast release pin)
	Sapper XYZ cable management clip for post (set of 10)
	Sapper XYZ cable management block for channel (set of 10)
	Sapper XYZ Ballast Plate (adds 1.5 lbs to Sapper XYZ Arm in the case monitor is too light)

Arms and cable management clips can be ordered separately.

pattern no.	silver finish list price	standard finish list price
XYZ MA S ()	\$453.	\$394.
XYZ MJ	n/a	57.
XYZ MA CLIP	n/a	31.
XYZ MA BLOCK	n/a	31.
XYZ WGT	n/a	46.




Order Code	Ordering Information	
Example: XYZ-MA-S-111	Specify:	
XYZ	Sapper XYZ	Arm Finish Option Note: All monitor arm finishes are monochromatic with the exception of Bright White, which has a light grey shroud.
MA	Monitor arm	
S	Single monitor arm	
111	Jet Black finish	Standard Monitor Arm Finish
		Options:
		Jet Black (111)
		Medium Grey (115)
		Bright White (118)
		Silver Monitor Arm Finish Option:
		Silver (613)

Mounting and Application Information
See page 162 for comprehensive mounting, application and construction information.

Sapper XYZ® Monitor Arm Series

Replacement Parts for Sapper XYZ 30 Arms

by Richard Sapper

description	
	Sapper XYZ 30 monitor arm (includes bracket and Sapper 50 movement joint)
	Sapper XYZ Crossbar cable management clip for post (set of 10)
	Sapper 50 movement joint (includes fast release pin)

Arms and cable management clips can be ordered separately.


pattern no.	silver finish list price	standard finish list price
XYZ MA 30	\$604.	\$525.
XYZ MA C CLIP		32.
SAP MA 50S MJ		110.

Order Code	Ordering Information	Ordering Note	Mounting and Application Information
Example: XYZ-MA-30-111	Specify:	Due to extensive adjustability of Sapper XYZ monitor arms, a mock-up is recommended to ensure it is suited for the specific workstation, particularly if placed in front of a wall or panel.	See page 162 for comprehensive mounting, application and construction information.
XYZ	1. Pattern number		
MA	2. Finish		
30	Standard Monitor Arm Finish		
111	Options:	Sapper XYZ 30 uses Sapper XYZ Crossbar mounts and cable management clips.	
	Jet Black (111)		
	Medium Grey (115)		
	Bright White (118)		
	Silver Monitor Arm Finish Option:		
	Silver (613)		

Sapper XYZ® Monitor Arm Series

Sapper XYZ Crossbar Replacement Parts

by Richard Sapper

description	
 <i>Kit includes everything needed to mount two monitors to a worksurface: Sapper XYZ Crossbar monitor arm, two movement joints, cable management clip and 2 fastener strips and mounting option (see right for options).</i>	Sapper XYZ monitor arm (includes Crossbar and two movement joints)
	Sapper XYZ Crossbar (includes two movement joints)
	Sapper XYZ Crossbar cable management clip for post (set of 10)
	Sapper XYZ Crossbar cable management fastener strip (set of 10)
	Sapper XYZ movement joint (includes fast release pin)

pattern no.	silver finish list price	standard finish list price
XYZ MA C ()	\$798.	\$693.
XYZ CROSS ()	518.	449.
XYZ MA C CLIP		32.
XYZ MA C STRIP	n/a	34.
SAP MJ	n/a	57.

Order Code	Ordering Information	Ordering Note	Mounting and Application Information
Example: XYZ-MA-C-111	Specify:	Due to extensive adjustability of Sapper XYZ monitor arms, a mock-up is recommended to ensure it is suited for the specific workstation, particularly if placed in front of a wall or panel.	See page 162 for comprehensive mounting, application and construction information.
XYZ	1. Pattern number		
MA	2. Finish		
C	Standard Monitor Arm Finish		
111	Options:		
	Jet Black (111)		
	Medium Grey (115)		
	Bright White (118)		
	Silver Monitor Arm Finish Option:		
	Silver (613)		

Sapper XYZ® Monitor Arm Series

Mounting, Construction and Application Information

All Sapper XYZ monitor arms:

- Ship standard with fast release movement joint
- Offer 360 degrees of pivot at the base and at the elbow joint
- Offer 153 degrees of monitor tilt up and down, 180 degrees of swivel left and right and 360 degrees of rotation for portrait and landscape viewing

Sapper XYZ Single monitor arms:

- Minimum weight of 6 lbs. per arm and maximum weight of 20 lbs. per arm *
- Fold into themselves to be highly compact at less than 2 inches when fully compressed
- Are durable and lightweight (weighs only 4 pounds)

Sapper XYZ Crossbar monitor arms:

- Minimum weight of 6 lbs. and maximum weight of 18.5 lbs. per movement joint, 37 lbs. total
- Folds into itself to be 7.38" when fully compressed

*Please note this limit accommodates up to 95% of monitors on the market.

Sapper XYZ 30 monitor arms:

- Minimum weight of 21 lbs. per arm for best arm functionality.
- Maximum weight of 30 lbs. per arm.

Sapper XYZ Monitor Arms are intended to be connected directly to monitors or VESA plate adapters. Monitor Arms are not intended to support any additional devices that are connected or mounted to monitors. Loading monitors with additional devices, even within the weight support limits, will affect the functionality of Sapper XYZ Monitor Arms and will void their warranty.


Size Limits:

Monitor Arms


There is no specific maximum size for a Sapper XYZ single monitor arm (outside the limitations of the space in which you are trying to put it).

For Dual Sapper XYZ, the maximum outer horizontal width per monitor is 37.75" for a cockpit solution or 38.6" for a flat positioning flush next to each other.

Dual Sapper XYZ




Double Cockpit




Double Flat

For Sapper XYZ Crossbar, the maximum outer horizontal width per monitor is 25.5" for a cockpit position or 26.625" for a flat positioning flush next to each other.

Sapper XYZ Crossbar



Double Cockpit



Double Flat

Key Note: Flat panel monitor manufacturers refer to their products by diagonal screen measurements. So a 19" widescreen monitor has a 19" screen measured diagonally, but is not necessarily 19" in horizontal width (refer to manufacturer's specifications for specific overall height and width).

Monitor Mounting:

All Sapper XYZ monitor arms are compatible with the international Video Electronics Standard Association (VESA) industry interface standard (75 mm x 75 mm and 100 mm x 100 mm hole patterns or 2.95" x 2.95" and 3.94" x 3.94")

adopted by most panel manufacturers. VESA compliancy is a requirement to mount any monitor to a monitor arm. If your customer has a recessed monitor back with only 75 mm x 75 mm holes, additional spacers may be needed to ensure proper fit. Contact Customer Service for more details including part and pricing information.

A VESA plate adaptor may be necessary for larger monitors and televisions and can be ordered separately in the sizes of 100 mm x 200mm (M5 screws), 200mm x 200mm (M6 screws), 300mm x 300mm (M8 screws) and 400mm x 400mm/400mm x 600mm (M8 screws). Adaptors ship with separate installation instructions and may require spacers. Knoll VESA plate adaptors do not ship with screws. Customers will need to provide screws to attach the adaptor to the monitor or television; screw length is dependent on the specific monitor or television and screw should be tested prior to installation to ensure correct length. Knoll is not responsible for use of incorrect screws.

Knoll and its dealers will not take the responsibility for mounting the monitor to the arm. The end user's IT department must confirm VESA mounting compliance and mount the monitor to the arm using customer's own screws. The most common screws are M5 x 8mm and M5 x 10mm.

Please follow installation instructions closely (available in each kit box shipped as well as on Knoll Exchange).

Apple Computer Note:

VESA Adapters are required for Thunderbolt Displays and iMacs, available from apple.com. Contact Apple directly for VESA Adaptor options on specific iMac models as some may need to be purchased with integrated VESA Mount Adapters. With these adapters, the displays will mount to the 100mm x 100mm hole pattern. iMac 21.5" can be mounted on Sapper and Sapper XYZ. All other Apple displays must be mounted on Sapper 50 or Sapper XYZ 30 due to weight specifications.

Clamp Mounting:

Two-Piece Table Clamp Mounting:

The standard two-piece table clamp is easy to install or retrofit and works on most worksurfaces or desks that are a minimum of 1 1/8" thick solid core. The maximum worksurface thickness is 2 3/4". There are four settings to accommodate a range of worksurface thicknesses. It is important to mock up the table clamp, particularly on competitive product to ensure a proper fit. The clamp is not compatible with Network.

Deep Table Clamp Mounting:

This clamp is one piece and works on most surfaces. The deep table clamp mount is intended to clear most knife-edge (45 degree angle) desks or worksurfaces.

Grommet Mounting:

With all systems furniture, it is important to pass monitor and peripheral plugs through grommet mount cover while it is still loose. Please note the grommet mount is compatible with Autostrada, Reff, Propeller, but is not compatible with the Graham Collection or Dividends Horizon grommet holes. To use on Postformed Network, spacers must be requested through Customer Service. The required cutout in the worksurface is 3" x 1.77", which includes room for the threaded stud (actual hole in the grommet plate is 1.44" x 1.77").

Fixed Table Mounting:

Installers will need to drill a permanent hole into the worksurface so the post will be fixed to a dedicated location on the worksurface. Please note with this mounting, the mount will not be able to be moved without leaving a permanent hole. The worksurface must be of adequate structure; Knoll cannot be held responsible for the structural integrity of non-Knoll worksurfaces.

Antenna Table Center Beam Side Mounting:

This mount allows you to clear the flip door while allowing for maximum worksurface usage and individual height adjustment without the need to stagger users. Please note a screen can be mounted in the center beam with a monitor arm in front of it. The fit will be snug and flush with the screen.

Interpole Mounting

SapperXYZ arms can be mounted on either the slot or channel sides of Interpole with the proper mount.

If screens are mounted on the slot side of Interpole use a Direct Channel Mount. If overheads are mounted on the slot side of Interpole, use an Extended Channel Mount (not available for Sapper XYZ Crossbar).

Cable Management:

External cable management allows for easy installation and removal of monitors and keep wires tidy to the electrical socket. On Sapper XYZ single arms and Sapper XYZ 30 arms there is a cable management block in the channel under the arm that will contain wires from the monitor to plastic cable management clips that go on the post. On Sapper XYZ Crossbar, there are two hook and loop fastener strips on the crossbar to neatly drape cables down to the plastic cable management clip attached to the post.

Arm Adjustment:

The Sapper XYZ monitor arms collection offers intuitive one touch adjustment. To adjust the height, you simply lift the monitor to the desired position. To adjust the depth, you simply pull or push the monitor in or out. You can also rotate the monitor 360 degrees for landscape or portrait viewing, adjust the swivel back and forth 180 degrees and tilt up and down 153 degrees. The single arm folds in and out from 2" fully compressed to approximately 21" when fully extended. Sapper XYZ Crossbar folds in and out from 7.8" fully compressed to 18.38" when fully extended.

Due to the extensive adjustability of Sapper XYZ monitor arms, a mock-up is recommended to ensure it is suited for the specific workstation, particularly if placed in front of a wall or panel.

Weight Adjustment:

The Sapper XYZ and Sapper XYZ Crossbar monitor arm is preset for a 10 lb monitor on a single arm and 18.5 lbs on a Sapper XYZ Crossbar. Other monitor weights up to 20 lbs can be accommodated by adjusting the weight adjustment nut to the proper weight using the Allen key wrench on the back of the movement joint. Note that the 20 lb setting is not visible on the scale. Turn clockwise to decrease weight or counterclockwise to increase weight to appropriate level. The arm should be held in a downward position if increasing the weight and in an upward position if decreasing the weight. When proper weight is set, the arm should stay exactly where you place it.

Temperature Note: Sapper XYZ Crossbar's gas strut weight tolerance performance may be reduced by 1-2 lbs when used in temperatures above or below typical office temperatures.

Fast Release:

Allows for swift installation and removal of flat panel monitors by merely popping the quick release pin up to remove monitor with movement joint/back plate attached. Be sure to lift the arm to the highest position before removing monitor, or the arm will quickly move upwards.

Theft Deterrence:

All movement joints come with a set screw within the fast release pin, to prevent fast release if so desired.

Compatibility:

The Sapper XYZ monitor arms are not compatible with the Sapper Monitor Arm Collection. It has been designed independently and as such, parts from one system cannot be used with the other, with the exception of the movement joint. Finish colors are consistent across the Sapper XYZ and Sapper Monitor Arm Collection portfolios.

Monitor arms cannot be mounted on KnollExtra®/ Orchestra® load bars.

Installation Instructions:

Comprehensive installation instructions will be shipped with product and are also available on Knoll Exchange for easy reference.

Construction:

Arm: die cast aluminum with steel channels and plastic molded shroud

Movement joint (includes fast release monitor plate): plastic bushings, zinc and plastic molded plastic tilt friction components and glass filled nylon VESA plate

VESA plate adaptors: steel




Table clamp, grommet mount, fixed table mount: steel

Cable management: Sapper XYZ single arm and Sapper XYZ 30: transparent polycarbonate clip on the post; soft plastic in channel under arm

Sapper XYZ Crossbar: transparent polycarbonate clip on post; hook and loop fastener strips on crossbar

Antenna Table Center Beam Side Mounting: die-cast aluminum

Adjustable Keyboard Supports
Easy Order Kits

type	description	w	d	h
	Advanced Easy Lift arm	27"	11"	1.1"
	Advanced Easy Lift arm with dual pivot	27"	11"	1.1"
	Short Easy Lift arm	27"	11"	1.1"
	Sit/Stand arm	27"	11"	1.1"
	Sit/Stand arm with dual pivot	27"	11"	1.1"
	Advanced Easy Lift arm	20.7"-29.7"	11"	2.3"
	Advanced Easy Lift arm with dual pivot	20.7"-29.7"	11"	2.3"
	Short Easy Lift arm	20.7"-29.7"	11"	2.3"
	Sit/Stand arm	20.7"-29.7"	11"	2.3"
	Sit/Stand arm with dual pivot	20.7"-29.7"	11"	2.3"
	Advanced Easy Lift arm	20.7" - 29.7"	11"	2" - 3.2"
	Advanced Easy Lift arm with dual pivot	20.7" - 29.7"	11"	2" - 3.2"
	Short Easy Lift arm	20.7" - 29.7"	11"	2" - 3.2"
	Sit/Stand arm	20.7" - 29.7"	11"	2" - 3.2"
	Sit/Stand arm with dual pivot	20.7" - 29.7"	11"	2" - 3.2"

pattern no.	list price
OAK-27-AL-BK-(16,18,22,23,25)	\$527.
OAK-27-AL-BK-PT-(16,18,22,23,25)	610.
OAK-27-SL-BK-(16,18,22)	483.
OAK-27-SS-BK-(16,18,22,23,25)	639.
OAK-27-SS-BK-PT-(16,18,22,23,25)	722.
OAK-21-AL-BK-(16,18,22,23,25)	555.
OAK-21-AL-BK-PT-(16,18,22,23,25)	639.
OAK-21-SL-BK-(16,18,22)	511.
OAK-21-SS-BK-(16,18,22,23,25)	665.
OAK-21-SS-BK-PT-(16,18,22,23,25)	749.
OAK-21HP-AL-BK-(16,18,22,23,25)	621.
OAK-21HP-AL-BK-PT-(16,18,22,23,25)	705.
OAK-21HP-SL-BK-(16,18,22)	575.
OAK-21HP-SS-BK-(16,18,22,23,25)	732.
OAK-21HP-SS-BK-PT-(16,18,22,23,25)	816.


Order Code	Ordering Information	Application Notes	Construction
Example: OAK-21HP-AL-BK-PT-22	<i>Specify:</i> 1. Pattern number 2. Track length	Keyboard support provides users with a more ergonomic working environment by allowing for height and tilt adjustment of the keyboard. When not in use, the keyboard support stores completely under the worksurface to free vital worksurface space.	<i>Platform:</i> All platforms are HDPE. Wristrests are polyurethane mold with polypropylene insert.
OAK-21HP-AL-BK	21" HP platform mounted on Advanced Easy Lift mechanism	Options are 16, 17.75, 21.75, 23 and 25 inches.	<i>Mechanisms:</i> All arms are steel with a powdercoat finish. Tracks are steel with nylon glides.
PT	Dual Pivot	Minimum clearance required is the length of the track plus 1".	
22	22" track		
		Dimensions above are for the platform only. For full configuration depths, all component measurements and application suggestions refer to the Keyboard Measurements on Knoll Exchange.	
		21" Swivel HP platform offers a fully adjustable keyboard support option with height adjustable mousing surface which can be positioned over the numeric keyboard pad allowing for proper neutral posture.	
		For double mousing surfaces on 21" Swivel and 21" Swivel HP platforms, separate pads are orderable as KR parts.	

Mechanism Attributes	Antenna and Tone Mounting Note
<i>All mechanisms have the following features:</i> <ul style="list-style-type: none">• Spring assist adjustment• Knobless height adjustment• Pivots 360° on the track• Black textured metal finish	<i>Advanced Easy lift arm:</i> <ul style="list-style-type: none">• Variable height adjustment of 8.8" (up 2.38", down 6.5")• Soft touch knob adjusts tilt from 10° to (-) 20° <i>Short easy lift arm:</i> <ul style="list-style-type: none">• Variable height adjustment of 5.1" below the worksurface• Soft touch knob adjusts tilt from , 10° to (-)20° <i>Sit/Stand arm:</i> <ul style="list-style-type: none">• Variable height adjustment of 14.2" (up 8.3", down 5.9")• Soft touch knob adjusts tilt from 10° to (-) 15°
	<i>Pivot feature:</i> Allows the keyboard platform to move independently from arm, allowing it to stay parallel to the worksurface as the arm is moved laterally.
	Keyboard support must be specified with a sliding track that is less than the depth of the top and anything below the top such as a power harness or cable basket. For taller individuals, we recommend using a dual pivot solution with the track mounted on the diagonal to maximize knee space.
	<i>Antenna:</i> In order to mount on Antenna Workspace, an adapter is needed, available through the Antenna price list. Pattern code YAK.
	<i>Tone:</i> In order to mount on Tone T-leg and 24" deep C-Leg tables, an adapter is needed available through the Antenna price list. Pattern code YAK. For 30" deep C-Leg tables, specify the 16" track only.


Adjustable CPU Holders

Vertical and Sling CPU Holders

product	description	w	d	h	wgt
Adjustable Sling CPU Holder	<ul style="list-style-type: none">Adjustable Sling CPU Holder, 16" track	3.75"-64"	17"	10"-61"	4 lbs.



Adjustable Vertical CPU Holder	<ul style="list-style-type: none">Adjustable Vertical CPU Holder, 16" trackAdjustable Vertical CPU Holder, 16" track, lockable	7.5"-9.3"	17"	18.25"-22.5"	13 lbs.
		7.5"-9.3"	17"-22.3"	18.25"-22.5"	14 lbs.



pattern no.	list price
OA-CPU2-SLNG	\$398.

OA-CPU2-MTL	426.
OA-CPU2-MTL-L	499.


Order Code	Ordering Information	Additional Information	Construction
Example: OA-CPU2-SLNG	<i>Specify:</i> 1. Pattern number	<i>Adjustable Sling CPU Holder:</i> Accommodates equipment 2.5"-64" wide by 8"-59" high.	<i>Adjustable Sling CPU Holder:</i> Black painted glass filled nylon mounting mechanism. Woven nylon sling.
OA Office Automation		Slides on track under the worksurface and swivels 360° for easy CPU access.	<i>Adjustable Vertical CPU Holder:</i> Black painted steel frame with glass filled nylon slide clamp.
CPU2 CPU		Weight capacity of 75 lbs.	<i>Track:</i> Black painted steel
SLNG Sling		<i>Adjustable Vertical CPU Holder:</i> Accommodates equipment 3.5"-9.3" wide by 13.5"-22.5" high. The lockable Vertical CPU Holder accommodates a CPU depth range of 14.8"-22.3". Slides on track under worksurface and swivels 360° for easy CPU access. Weight capacity of 85 lbs.	

Mounting Note	Antenna, Tone and Telescope Mounting
CPU holders come standard with a 17" long track. They mount on work surfaces 18" or deeper. The lockable Adjustable Vertical CPU Holder offers theft deterrence with a heavy-duty, tamper-proof locking nut with pentagonal key.	<i>Antenna:</i> In order to mount on Antenna Workspace, an adapter is needed, available through the Antenna price list. Pattern code YAPCU. <i>Tone:</i> In order to mount on Tone T-leg and 24" deep C-Leg, an adapter is needed available through the Antenna price list. Pattern code YACPU. 30" deep C-Leg provides enough track clearance. <i>Telescope:</i> Due to legroom clearance, CPUs cannot mount on Telescope tables less than 72" wide. For mounting on tables 72" or wider, only one power supply tray can be installed opposite from the CPU holder, and the YACPU adapter from the Antenna price list is needed.

Height-Adjustable Table Leg CPU Holders

Single and Double CPU Holders

product	description	w	d	h	wgt
Height-Adjustable Table Leg CPU Holder	• Height-Adjustable Table Leg Single CPU Holder	7.17" - 12.7"	9.5"	9.1"	11.12 lbs.
	• Height-Adjustable Table Leg Double CPU Holder	11.97" - 21.9"	9.5"	9.1"	22.24 lbs.





pattern no.	list price
OA-CPU2-S- HAL	\$367.
OA-CPU2-D- HAL	587.

Order Code	Ordering Information	Additional Information	Construction
Example: OA-CPU2-S-HAL-114	Specify:	Single CPU Holder:	CPU holders are made of painted steel with adhesive-backed rubber liners and a nylon adjustment knob.
OA Office Automation	1. Pattern number	Accommodates equipment 4.8"-9.2" wide.	
CPU2 CPU Holder	2. Finish		
S Single	Options:	Height limitation for equipment dependent on lowest setting of table height.	
HAL Height Adjustable Table Leg	Smooth Painted Finish:	Double CPU Holder:	
114 Folkstone Grey	Jet Black (111)	Each side accommodates equipment 4.8" - 9.2" wide.	
	Brown (112)	Height limitation for equipment dependent on lowest setting of table height.	
	Dark Grey (113)		
	Folkstone Grey (114)		
	Medium Grey (115)		
	Sandstone (116)		
	Soft Grey (117)		
	Beige Mist Metallic (611)		
	Medium Metallic Grey (612)		
	Silver (613)		
	Bright White (118)		
		Weight capacity of 50 lbs. per support.	

Mounting Note	Table Compatibility
Height adjustable table leg CPU holders are designed to attach around the leg of Knoll height adjustable tables, resting on the foot of the leg.	Height adjustable table leg CPU holders will work with Tone, Reff, and k. stand height adjustable tables.
	The attachment for the table leg is not compatible with k. bench, Antenna Workspace, or Telescope.

Cable Management



Cable Management Clips and Basket

product	description	width	depth	height
	Cable Management Clips			
	Set of 2			
	Set of 20			
	Cable Management Basket			
	Undermount two-tier wire cable management basket	36.25"	10.22"	7.88"

pattern no.	list
TM-CM-CLIPS-S2	\$17.
TM-CM-CLIPS-S20	114.
TM-CM-BSKT- ()	230.

Order Code	Ordering Information	Additional Information	Construction
Example: TM-CM-BSKT-CL	<i>Specify:</i> 1. Pattern number 2. Finish Finish options for Basket: Clear (CL) Charcoal (CH)	<i>Cable Management Clips:</i> Each clip is 5.6"l x 1.5"w. Available in black finish only. <i>Cable Management Basket::</i> Basket is available in two finishes: Clear (CL) is a clear powder coat finish on top of raw steel wire. Charcoal (CH) is a recycled black powder coat. Both finishes may vary in color slightly due to nature of the material.	<i>Cable Management Clips:</i> Glass reinforced molded nylon. <i>Cable Management Basket:</i> Powder coated steel wire.

Mounting Options	Mounting Note
<p>Cable Management Clips have two mounting options. Hardware is included for both options.</p> <p>Swivel mounting: Install using the primary center screw only.</p> <p>Fixed mounting: Install using the three screws provided (primary center screw and two side screws). A double-sided stick pad is included for ease of installation when fixed mounting.</p> <p>On average, use two clips per workstation.</p>	<p>Cable Management Baskets are designed to be mounted to the underside of height-adjustable or fixed height work surfaces through a series of screw holes in the attachment plates.</p>

product	description	w	d	back/front h	wgt.
BackPack® Pencil Drawer 	<ul style="list-style-type: none">• 23”w 11 ½”D paper storage.• Full width pencil trough.• Two removable plastic organizing trays.• Black painted steel construction with full extension ball-bearing slides.• Optional lock.	24”	17 ⅝”	2”	
Optional Lock for BackPack® Pencil Drawer	<ul style="list-style-type: none">• Non-handed.	1 ¼”	2 ¼”	1 ¼”	5 ozs.
Universal Pencil Drawer 	<ul style="list-style-type: none">• 7 roomy compartments.• Large rear compartment holds flat, legal files, ruler, etc.• Slanted card compartment holds index cards, Post-It™ Notes or business cards.• Middle compartment holds White-Out™ bottle or change.• Front middle compartment holds stapler, pens, scissors, etc.• Other compartments holds calculator, clips, pins, etc.• Available in textured matte black plastic.• Three-quarters extension, ball bearing metal slides with smooth, silent movement.	16 ½”	22 ¾”	1 ¾”	5 lbs. 12 ozs.



pattern no.	list price
BP-PD	\$266.
BP-L	77.
ORCH-PD-A	322.

Order Code	Ordering Information	Application Notes	Construction
Example: ORCH-PD-A ORCH-PD-A	Pencil drawer 1. Pattern number 2. Lock option (BackPack drawer only)	<p>Pencil Drawers can be used with virtually any Knoll or competitor wood worksurface.</p> <p><i>Universal Pencil Drawer:</i> Minimum depth worksurface for drawer is 24”.</p> <p>Minimum depth worksurface for drawer is 18”. Pencil Drawer attaches 2 ⅝” below the underside of wood worksurfaces at any location. Mounting hardware and template included.</p> <p><i>BackPack Lock option:</i> Lock attaches to slides in field. Removable for use elsewhere.</p> <p>Call Customer Service for availability and minimum requirement.</p>	<p><i>Universal pencil drawer:</i> Durable vacuum-formed ABS plastic drawer in a matte black, textured finish. Three-quarter extension, ball bearing metal slides with smooth, silent movement.</p> <p>Manufactured in the United States.</p> <p><i>Backpack Pencil Drawer:</i> Durable 20-gauge steel painted black. Full-extension ball-bearing metal slides with click-stop in half-open position.</p> <p>Die-cast zinc lock painted black.</p> <p>BackPack® Pencil Drawer manufactured in Canada.</p>

Design Awards
ROSCOE Award, <i>Interior Design</i> Magazine, 1994. Honorable Mention, Furniture, <i>ID Magazine</i> Annual Design Review, 1994.

Universal Marker Boards
by Bruce Hannah & Ayse Birsel

KnollExtra

product	description	w	d	h	wgt.
Marker Board 	<ul style="list-style-type: none">• 1/2" wide anodized aluminum frame with white surface.• Marker Tray option specified separately.• Mountable on load bar, panel, wall or top cap.• Load bar-mounted brackets included in list price, but specified separately (see Mounting Options below).	24"	5/8"	18"	5 lbs. 2 ozs.
		30"	5/8"	18"	8 lbs. 10 ozs.
		30"	5/8"	24"	11 lbs. 7 ozs.
		36"	5/8"	18"	10 lbs. 5 ozs.
		36"	5/8"	24"	13 lbs. 12 ozs.
		42"	5/8"	24"	16 lbs. 1 oz.
		42"	5/8"	30"	20 lbs. 1 oz.
		48"	5/8"	30"	22 lbs. 15 ozs.
Marker Tray 	<ul style="list-style-type: none">• Anodized aluminum snap-fit tray for Marker Board markers and erasers.	17"	1 1/4"		5 ozs.
Mounting Options	Load Bar-Mounted Brackets. Set of 2.				
	Panel-Mounted Brackets (Generic deep)				
	Panel-Mounted Brackets (Generic shallow)				
	Panel-Mounted Brackets for Dividends				
	Panel-Mounted Brackets for Reff				
	Top Cap-Mounted Brackets (Dividends only)				
	Top Cap-Mounted Brackets (Reff only)				
	Wall-Mounted Brackets. Set of 2.				

pattern no.	list price
OR-WB-24-18	\$245.
OR-WB-30-18	371.
OR-WB-30-24	417.
OR-WB-36-18	522.
OR-WB-36-24	580.
OR-WB-42-24	672.
OR-WB-42-30	749.
OR-WB-48-30	863.
OR-WB-TR	66.

OR-WB-LBZ *	7.
OR-WB-PM-B	26.
OR-WB-PM-D	26.
OR-WB-PM-DV	57.
OR-WB-PM-R	69.
OR-WB-TCM-DV *	7.
OR-WB-TCM-R	7.
OR-WB-WM	44.


* No charge when ordered with Marker or Tack Board

Order Code	Ordering Information		
Example: OR-WB-24-18-BK OR-WB-PM-B OR-WB-TR-BK			
OR-WB-24-18	24" x 18" Marker board	<i>Specify:</i> 1. Pattern number 2. Frame finish 3. Mounting option 4. System suffix (panel and top cap-mounted only) 5. Marker Tray (optional) 6. Marker Tray finish	<i>Mounting options:</i> <i>Rail-Mounted:</i> Standard option. Includes load bar clip and adhesive-backed rubber bumper to protect panel fabric and prevent deflection. <i>Panel-Mounted:</i> To ensure rigidity, specify two sets and brackets
BK	Black frame	<i>Anodized finish:</i> Black (BK) Silver (SV) *	
OR-WB-PM	Panel-mounted		
B	Generic Deep		
OR-WB-TR	Marker tray		
BK	Black	*Please consult Customer Service for lead times.	

	Custom Options	Construction
<i>Note:</i> If your system is not listed, contact your KnollExtra representative or Customer Service for appropriate panel-mounted bracket to specify.	Other writing surface and custom frame colors available. Custom frame sizes available up to 72"W x 48"D in size. 25 unit minimum per line item on all customs. Contact your Knoll sales representative or Customer Service for pricing information.	Satin anodized aluminum frame (can be powder coated black). Porcelain coating on cold rolled steel laminated to corrugated and hardboard with a Mylar backing. All Universal Marker Boards are magnetized. Manufactured in the United States.

Universal Fabric Boards

Standard Sizes

product	description	w	d	h	textile fabric yards
	<ul style="list-style-type: none">• Standard fabric board has 1/2" thick mineral board construction with squared corner.• Rounded corner or radiused edge, available at upcharge.• Panel or wall mounting options.	24"	1/2"	14"	.66
		24"	1/2"	16"	.66
		24"	1/2"	18"	.66
		24"	1/2"	20"	.75
		24"	1/2"	24"	1
		30"	1/2"	14"	.66
		30"	1/2"	16"	.66
		30"	1/2"	18"	.66
		30"	1/2"	20"	.75
		30"	1/2"	24"	1
		36"	1/2"	14"	.66
		36"	1/2"	16"	.66
		36"	1/2"	18"	.66
		36"	1/2"	20"	.75
		36"	1/2"	24"	1
		42"	1/2"	14"	.66
		42"	1/2"	16"	.66
		42"	1/2"	18"	.66
		42"	1/2"	20"	.75
		42"	1/2"	24"	1
		48"	1/2"	14"	.66
		48"	1/2"	16"	.66
		48"	1/2"	18"	.66
		48"	1/2"	20"	.75
		48"	1/2"	24"	1
		60"	1/2"	14"	.66
		60"	1/2"	16"	.66
		60"	1/2"	18"	.66
		60"	1/2"	20"	.75
		60"	1/2"	24"	1


pattern no.	COM 10	15	20	30	35	40	45/46	50	55	60
F-24-14-()-A-()-()	\$332.	\$341.	\$381.	\$394.	\$398.	\$406.	\$420.	\$421.	\$444.	\$459.
F-24-16-()-A-()-()	332.	341.	381.	394.	398.	406.	420.	421.	444.	459.
F-24-18-()-A-()-()	355.	365.	392.	407.	410.	416.	429.	432.	455.	472.
F-24-20-()-A-()-()	444.	448.	456.	476.	479.	485.	500.	504.	528.	544.
F-24-24-()-A-()-()	499.	508.	560.	584.	589.	596.	618.	621.	657.	681.
F-30-14-()-A-()-()	380.	386.	439.	449.	455.	460.	478.	479.	500.	514.
F-30-16-()-A-()-()	390.	396.	447.	460.	463.	476.	487.	489.	512.	527.
F-30-18-()-A-()-()	403.	408.	459.	477.	479.	485.	499.	500.	523.	540.
F-30-20-()-A-()-()	502.	509.	548.	561.	567.	577.	591.	592.	618.	637.
F-30-24-()-A-()-()	559.	570.	606.	628.	633.	644.	665.	666.	702.	725.
F-36-14-()-A-()-()	390.	396.	459.	477.	479.	485.	499.	500.	523.	540.
F-36-16-()-A-()-()	411.	420.	476.	485.	489.	496.	508.	509.	534.	550.
F-36-18-()-A-()-()	423.	431.	483.	497.	500.	507.	522.	523.	543.	560.
F-36-20-()-A-()-()	502.	509.	558.	575.	580.	586.	601.	603.	629.	646.
F-36-24-()-A-()-()	591.	601.	675.	696.	701.	712.	730.	732.	769.	794.
F-42-14-()-A-()-()	415.	421.	496.	508.	512.	518.	533.	534.	557.	571.
F-42-16-()-A-()-()	446.	453.	504.	515.	522.	525.	540.	542.	563.	581.
F-42-18-()-A-()-()	446.	453.	528.	541.	543.	551.	563.	568.	591.	605.
F-42-20-()-A-()-()	570.	579.	626.	640.	645.	655.	670.	671.	697.	717.
F-42-24-()-A-()-()	694.	705.	768.	790.	794.	803.	826.	827.	863.	885.
F-48-14-()-A-()-()	423.	431.	506.	518.	523.	528.	542.	543.	568.	585.
F-48-16-()-A-()-()	446.	453.	528.	541.	543.	551.	563.	568.	591.	605.
F-48-18-()-A-()-()	457.	463.	528.	541.	543.	551.	563.	568.	591.	605.
F-48-20-()-A-()-()	570.	579.	626.	640.	645.	655.	670.	671.	697.	717.
F-48-24-()-A-()-()	707.	717.	878.	901.	905.	913.	936.	938.	974.	996.
F-60-14-()-A-()-()	536.	543.	639.	655.	658.	665.	679.	n/a	n/a	n/a
F-60-16-()-A-()-()	550.	556.	654.	666.	670.	677.	691.	n/a	n/a	n/a
F-60-18-()-A-()-()	584.	590.	668.	682.	685.	692.	707.	n/a	n/a	n/a
F-60-20-()-A-()-()	622.	632.	696.	712.	715.	722.	734.	n/a	n/a	n/a
F-60-24-()-A-()-()	707.	717.	878.	901.	905.	913.	936.	n/a	n/a	n/a

Order Code	Ordering Information	Mounting Options
Example: F-24-16-R2-A-30-W388/1 F-WM-F	<i>Specify:</i> 1. Pattern number 2. Corner/edge detail 3. Thickness 4. Fabric grade 5. Fabric selection 6. Mounting option pattern number 7. System suffix (panel-mounted option only)	<i>Panel-mounted brackets:</i> Panel-mounted brackets are included in the list price but must be specified separately. To specify appropriate panel-mounted bracket, consult the KnollExtra Bracket Chart on page 10. Panel mounted bracket size must match height of fabric board.
F-24-16	24" x 16" Fabric board	
R2	Rounded corner/radius edge detail	
A	Thickness	
30	Fabric grade 30	
W388/1	Freehand, Glacier	
F-WM-F	Wall-mounted, flush	
	<i>Corner/edge detail:</i> Squared corner/rectilinear edge (S1) Squared corner/radiused edge (S2) Rounded corner/radiused edge (R2) Standard fabric board has squared corner and rectilinear edge details. See page 178 for edge upcharge. Standard fabric board has 1/2" thick mineral board.	<i>Wall-mounted options:</i> Wall-mounted applications must be specified as flush (F-WM-F) or reveal (F-WM-R). Both options are appropriate for any smooth, clean surface. Flush wall-mount option utilizes velcro squares. Reveal wall-mount option provides 1/2" clearance for wire management behind fabric board. Fabric boards mount with 4 brackets onto 2 black painted wall rails that screw into wall to ensure rigidity. For other mounting options and pricing, contact Customer Service.
		<i>Under overhead specification note:</i> For application under a system overhead, provide clearance distance between the worksurface and the bottom of the overhead or task light. <i>Side by side fabric board specification note:</i> Please note if a panel-mounted fabric board will be used contiguous to another fabric board, drawings are required and there will be an up-charge. <i>60" wide boards in fabric grades 50, 55 and 60:</i> Due to grades 50, 55 and 60 fabric widths being less than the width of a 60" board, contact your KnollExtra representative or Customer Service for pricing and fabric railroading information.

Custom Options	Fabric Selection					
<i>For special sizes:</i> For specials contact Customer Service. Maximum fabric board size is 120"W x 24"H. Fabric must be railroaded on any panel wider than 60".	<i>Grade 10</i> Annex Beacon Broadcloth II Circuit Element Growth Spurt Messa Pivot Skylark Symbolic Details Tailor Made II ** Twister Versatility	<i>Grade 20 (cont.)</i> Infinite Mainframe Nematic II Photon II Ponder Reflect Resolution Weave Three <i>Grade 30</i> Basket Draft Harmony Match Point Micro Relay Silhouette	<i>Grade 40</i> Amplify Bandwidth Foil Rap Glisten * Hard Rock Heavy Metal Palladium Hourglass * Spellbound *	<i>Grade 50</i> Abacus * Chance * Chroma *‡ Knoll Hopsack * Mariner *‡ Prague * Prep * Presto * Stepping Stones *‡ Trophy *	<i>Grade 55</i> Bistro * Cavalier *‡ Knoll Felt * Ransom * Transition * Tryst * <i>Grade 60</i> Classic Boucle *‡	<i>Grade A</i> Trophy * <




Universal Fabric Boards


Options and Mounting Information

product	description	application	w	d	h
<div>Fabric Boards</div> <div></div>	Mounting Options	½" Reveal Wall-Mounted			
		Flush Wall-Mounted (No charge when ordered with fabric board)			
		Panel-Mounted Dividends (No charge when ordered with fabric board)			
		Panel-Mounted Reff (No charge when ordered with fabric board)			
	Edge Detail	Rounded corner/radiused edge (add -R2 to end of fabric board pattern number)			
		Squared corner/radiused edge (add -S2 to end of fabric board pattern number)			
		Squared corner/rectilinear edge (add -S1 to end of fabric board pattern number)			

pattern no.	list price
F-WM-R-(14, 16, 18, 20 or 24)	\$131.
F-WM-F-(24, 30, 36, 42, 48, 60)- (14, 16, 18, 20 or 24)	41.
F-PM-D-(14, 16, 18, 20 or 24)	50.
F-PM-R-(14, 16, 18, 20 or 24)	50.
R2	42.
S2	42.
S1	n/c

Order Code	Ordering Information		Mounting Options
Example: F-60-14-S1-A-40-W337/4 F-PM-R-14	<i>Specify:</i> 1. Pattern number 2. Corner/edge detail 3. Fabric grade 4. Fabric selection 5. Mounting option pattern number 6. System suffix (panel-mounted option only)		<i>Panel-mounted brackets:</i> Panel-mounted brackets are included in the list price but must be specified separately. To specify appropriate panel-mounted bracket, consult the Knoll sales bracket chart on page 12.
F-60-14	60" x 14" fabric board	<i>Thickness option:</i> Standard fabric board has ½" thick mineral board.	Panel mounted bracket size must match height of fabric board.
S1	Squared corner/rectilinear edge		
A	Thickness	<i>Corner/edge detail:</i> Squared corner/rectilinear edge (S1) Squared corner/radiused edge (S2) Rounded corner/radiused edge (R2)	<i>Wall-mounted options:</i> Wall-mounted applications must be specified as flush (F-WM-F) or reveal (F-WM-R). Both options are appropriate for any smooth, clean surface. Flush wall-mount option utilizes velcro squares.
40	Fabric grade		
W337/4	Sennit, Olivine		
F-PM	Panel-mounted		
R	Reff		
14	14" Fabric board bracket		

Custom Options	Corner/Edge Detail	
<i>Under overhead specification note:</i> For application under a system overhead, provide clearance distance between the worksurface and the bottom of the overhead or task light. <i>Side by side fabric board specification note:</i> Please note if a panel-mounted fabric board will be used contiguous to another fabric board drawings are required and there will be an up-charge.	<i>For special sizes:</i> For specials contact Customer Service. Maximum fabric board size is 120"W x 24"H. Fabric must be railroaded on any panel wider than 60". <i>Customer's own material:</i> For approval, submit at least one yard of fabric for application testing. For panel-mounted applications, all COMs and textiles that are not pre-approved must be UL-tested. Please consult Knoll sales Customer Service for details.	
	<i>S1. Squared corner/Rectilinear edge</i> 	<i>R2. Rounded corner/Radiused edge</i> 
	<i>S2. Squared corner/Radiused edge</i> 	

item	description
	30" x 54" mobile whiteboard
	36" x 54" mobile whiteboard
	42" x 54" mobile whiteboard
	48" x 54" mobile whiteboard
Markers	Set of 4 markers
Markerboard Cleaning Cloth	40 x 30 cm microfiber cloth
Paper Pad Mount	Set of 2 hooks

Order Code		Specification Information	Application Notes
Example:	ACT-CB-M-LW-30-54-X-111	<i>Specify:</i>	<i>Marker storage options</i>
ACT	Activity Spaces	1. Pattern number	Marker storage options (trays and cups) must be ordered with markerboard and are not retrofittable in the field. Replace -X in pattern with :
CB	Communication Boards	2. Marker tray	
M	Mobile	3. Frame finish	
LW	Laminate Whiteboard	<i>Finish options:</i>	
30-54	30" x 54" board	Select one of the following finishes	
A	One cup and one tray	Code: Description	Code: Upchg. Desc.
111	Jet Black finish	111 Jet Black	S \$81 One tray
		115 Medium Grey	D \$162 Two trays
		118 Bright White	C \$58 One cup
		130 Dark Red	E \$116 Two cups
		131 Slate Blue	A \$139 One cup and one tray
		Note: Frame finish applies to cross members and legs, as well as any marker trays and cups. Paint is textured power coat.	B \$220 One cup and two trays
			F \$197 Two cups and one tray
			G \$278 Two cups and two trays

pattern no.	list price
ACT-CB-M-LW-30-54-X	\$1,653.
ACT-CB-M-LW-36-54-X	1,723.
ACT-CB-M-LW-42-54-X	1,791.
ACT-CB-M-LW-48-54-X	1,863.
ACT-CB-M-MARKER	31.
ACT-CB-M-CLOTH	15.
ACT-CB-M-FLIPHOOK	94.

Construction	
Whiteboard: Honeycomb core with medium-density fiberboard skin, high pressure laminate finish and ABS edge.	<p><i>Note:</i></p> <p>Each markerboard ships with four dry erase markers (blue, green, red and black) and a microfiber cleaning cloth.</p> <p>Overall height from floor is 72" high with writable surface starting 25" from floor.</p> <p>The optional marker tray runs the length of the crossmember. The optional marker cup mounts to the side.</p> <p>To prevent dry erase markers from drying out, store them with the cap down in the optional cup.</p>
Crossmember: Aluminum	
Legs: Steel	
Cup: Die cast aluminum with wool felt insert and steel fasteners.	

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
001-214	38	F-30-20	178	OAK-27-AL-BK-PT-(16,18,22,23,25)	164	OR-SL-14-35-()()	54
001-315	38	F-30-24	178	OAK-27-SL-BK-(16,18,22)	164	OR-SL-14-36-()()	54
012-1	36	F-36-14	178	OAK-27-SS-BK-(16,18,22,23,25)	164	OR-SL-14-42-()()	54
012-2	36	F-36-16	178	OAK-27-SS-BK-PT-(16,18,22,23,25)	164	OR-SL-14-45-()()	54
012-3	36	F-36-18	178	OA-SLV(A,B,C)-(E, J)	166	OR-SL-14-48-()()	54
012-4	36	F-36-20	178	OA-SLV(A,B,C)-(GS, BS)	166	OR-SL-14-54-()()	54
050	34	F-36-24	178	OR-BKT-PM-B	56	OR-SL-14-60-()()	54
055-BO	34	F-42-14	178	OR-BKT-PM-CE	56	OR-SL-14-66-()()	54
1901	32	F-42-16	178	OR-BKT-PM-CS	56	OR-SL-14-72-()()	54
1901-2	32	F-42-18	178	OR-BKT-PM-D	56	OR-WB-24-18	176
1905	32	F-42-20	178	OR-BKT-PM-DS	56	OR-WB-30-18	176
1906	32	F-42-24	178	OR-BKT-PM-DV	56	OR-WB-30-24	176
1912-20	36	F-48-14	178	OR-BKT-PM-R	56	OR-WB-36-18	176
1912-30	36	F-48-16	178	OR-BKT-SM-A	56	OR-WB-36-24	176
1912-40	36	F-48-18	178	OR-BKT-WM	56	OR-WB-42-24	176
1915	32	F-48-20	178	ORCH-BDN	46	OR-WB-42-30	176
1916	32	F-48-24	178	ORCH-F-LT	42	OR-WB-48-30	176
2ORCH-F-LT	42	F-60-14	178	ORCH-FS	46	OR-WB-LBZ	176
2ORCH-S-LGT	42	F-60-16	178	ORCH-HFH	48	OR-WB-PM-B	176
2ORCH-S-LT	42	F-60-18	178	ORCH-MT	48	OR-WB-PM-D	176
3313	36	F-60-20	178	ORCH-PC	48	OR-WB-PM-DV	176
512-20	36	F-60-24	178	ORCH-PD-A	174	OR-WB-PM-R	176
ACT-CB-M-CLOTH	24, 182	F-PM-D-(14, 16, 18, 20 or 24)	180	ORCH-SB	44	OR-WB-TCM-DV	176
ACT-CB-M-FLIPHOOK	182	F-PM-R-(14, 16, 18, 20 or 24)	180	ORCH-S-LGT	42	OR-WB-TCM-R	176
ACT-CB-M-LW-30-54-X	182	F-WM-F-(24, 30, 36, 42, 48, 60)- (14, 16, 18, 20 or 24)	180	ORCH-S-LT	42	OR-WB-TR	176
ACT-CB-M-LW-36-54-X	182	F-WM-R-(14, 16, 18, 20 or 24)	180	ORCH-SSD	46	OR-WB-WM	176
ACT-CB-M-LW-42-54-X	182	LED 1 (B or S) BASE	12	ORCH-TD	48	POP S CC 2424 BN	30
ACT-CB-M-LW-48-54-X	182	LED 1 (B or S) BASE I	16	ORCH-TS-UNI	50	POP S CC 2424 RD	30
ACT-CB-M-MARKER	24, 182	LED 1 (B or S) CLMP	12	ORCH-UT	48	POP S CC 2427 BN	30
ACT-CUP-MG	24, 40	LED 1 (B or S) CLMP I	16	ORCH-VPP	46	POP S CC 2427 RD	30
ACT-PW-PC-24-24-13-1C	24	LED 1 (B or S) PCLMP	12	ORCH-WBK	50	POP S CC 2430 BN	30
ACT-PW-PC-24-24-13-1CUSB	24	LED 1 (B or S) PCLMP I	16	ORCH-WBK-R-EB	50	POP S CC 2430 RD	30
ACT-PW-PC-24-24-13-1E	24	LED 1 (B or S) SIDE	12	OR-LBI-24-()()	52	POP S PL 2424 CT	30
ACT-PW-PC-24-24-13-1EUSB	24	LED 1 (B or S) SIDE I	16	OR-LBI-30-()()	52	POP S PL 2427 CT	30
ACT-PW-PC-24-24-13-2E	24	LED 2 AD 19	14, 18	OR-LBI-35-()()	52	POP S PL 2430 CT	30
ACT-PW-PC-24-24-13-2EUSB	24	LED 2 AD 37	14, 18	OR-LBI-36-DV-()()	52	POP U CC 242329 BN	30
ACT-PW-PC-24-24-13-X	24	LED 2 AD 67	14	OR-LBI-36-()()	52	POP U CC 242329 RD	30
ACT-PW-PC-36-36-13-1C	24	LED 2 IN 19	14	OR-LBI-42-DV-()()	52	POP U PL 242329 CT CT	30
ACT-PW-PC-36-36-13-1CUSB	24	LED 2 IN 19 I	18	OR-LBI-42-()()	52	POP U PL 242329 CT RD	30
ACT-PW-PC-36-36-13-1E	24	LED 2 IN 37	14	OR-LBI-45-()()	52	POP U PL 242329 RD CT	30
ACT-PW-PC-36-36-13-1EUSB	24	LED 2 IN 37 I	18	OR-LBI-48-DV-()()	52	POP U PL 242329 RD RD	30
ACT-PW-PC-36-36-13-2E	24	LED 2 IN 67	14	OR-LBI-48-()()	52	POP-DT-15-39-G-M	28
ACT-PW-PC-36-36-13-2EUSB	24	LED 2 IN 79	14	OR-LBI-54-()()	52	POP-FS-53-72-F	28
ACT-PW-PC-36-36-13-X	24	LED PIR	12, 14, 16, 18	OR-LBI-60-DV-()()	52	R2	180
ACT-PW-TAB-9-EL	26	OA-CPU2-D- HAL	170	OR-LBI-60-()()	52	S1	180
BP-L	174	OA-CPU2-MTL	168	OR-LBI-66-()()	52	S2	180
BP-PD	174	OA-CPU2-MTL-L	168	OR-LBI-72-DV-()()	52	SAP 3 BKT	106
COPE-01	20	OA-CPU2-S- HAL	170	OR-LBI-72-()()	52	SAP 4 BKT	106
COPE-01-BASE	22	OA-CPU2-SLNG	168	OR-SL-06-24-()()	54	SAP 50 B 16 M 3 ANT SIDE K	92
COPE-02	20	OAK-21-AL-BK-(16,18,22,23,25)	164	OR-SL-06-30-()()	54	SAP 50 B 16 M 3 CLMP HD K	90
COPE-02-BASE	22	OAK-21-AL-BK-PT-(16,18,22,23,25)	164	OR-SL-06-35-()()	54	SAP 50 B 16 M 4 ANT SIDE K	96
COPE-CLMP	22	OAK-21HP-AL-BK-(16,18,22,23,25)	164	OR-SL-06-36-()()	54	SAP 50 B 16 M 4 CLMP HD K	94
COPE-SLT	22	OAK-21HP-AL-BK-PT-(16,18,22,23,25)	164	OR-SL-06-42-()()	54	SAP 50 B 16 S 3 ANT SIDE K	92
F-24-14	178	OAK-21HP-SL-BK-(16,18,22)	164	OR-SL-06-42-()()	54	SAP 50 B 16 S 3 CLMP HD K	90
F-24-16	178	OAK-21HP-SS-BK-(16,18,22,23,25)	164	OR-SL-06-45-()()	54	SAP 50 B 16 S 4 ANT SIDE K	96
F-24-18	178	OAK-21HP-SS-BK-PT-(16,18,22,23,25)	164	OR-SL-06-48-()()	54	SAP 50 B 16 S 4 CLMP HD K	94
F-24-20	178	OAK-21-SL-BK-(16,18,22)	164	OR-SL-06-54-()()	54	SAP 50 B 24 M 3 ANT SIDE K	92
F-24-24	178	OAK-21-SS-BK-(16,18,22,23,25)	164	OR-SL-06-60-()()	54	SAP 50 B 24 M 3 CLMP HD K	90
F-30-14	178	OAK-21-SS-BK-PT-(16,18,22,23,25)	164	OR-SL-06-66-()()	54	SAP 50 B 24 M 4 ANT SIDE K	96
F-30-16	178	OAK-27-AL-BK-(16,18,22,23,25)	164	OR-SL-06-72-()()	54	SAP 50 B 24 M 4 CLMP HD K	94
F-30-18	178			OR-SL-14-24-()()	54	SAP 50 B 24 S 3 ANT SIDE K	92

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
SAP 50 B 24 S 3 CLMP HD K	90	SAP MA 3 SW MST 8 K	70	SAP MA D CLMP DP K	64	SAP MA SL WL MST 12 K	76
SAP 50 B 24 S 4 ANT SIDE K	96	SAP MA 3 WL MST 12 K	70	SAP MA D CLMP K	64	SAP MA SL WL MST 16 K	76
SAP 50 B 24 S 4 CLMP HD K	94	SAP MA 3 WL MST 16 K	70	SAP MA D FTM K	64	SAP MA SL WL MST 8 K	76
SAP 50 B 32 M 6 ANT SIDE K	100	SAP MA 3 WL MST 8 K	70	SAP MA D GRMT K	64	SAP MJ	110, 160
SAP 50 B 32 M 6 CLMP HD K	98	SAP MA 50 WL DIR K	80	SAP MA D SW MST 12 K	66	SAP MST 12	116
SAP 50 B 32 M 8 ANT SIDE K	104	SAP MA 50D 16 ANT CTR K	84	SAP MA D SW MST 16 K	66	SAP MST 16	116
SAP 50 B 32 M 8 CLMP HD K	102	SAP MA 50D 16 ANT SIDE K	84	SAP MA D SW MST 8 K	66	SAP MST 24	116
SAP 50 B 32 S 6 ANT SIDE K	100	SAP MA 50D 16 CLMP DP K	82	SAP MA D WL MST 12 K	66	SAP MST 32	116
SAP 50 B 32 S 6 CLMP HD K	98	SAP MA 50D 16 CLMP K	82	SAP MA D WL MST 16 K	66	SAP MST 8	116
SAP 50 B 32 S 8 ANT SIDE K	104	SAP MA 50D 16 FTM K	82	SAP MA D WL MST 8 K	66	SAP MST CM	118
SAP 50 B 32 S 8 CLMP HD K	102	SAP MA 50D 16 GRMT K	82	SAP MA DL 24 ANT CTR K	66	SAP MST KNB	118
SAP 50 WL DIR	124	SAP MA 50D 24 ANT CTR K	84	SAP MA DL 24 CLMP DP K	64	SAP POLE CH MST	122
SAP 50D BKT	108	SAP MA 50D 24 ANT SIDE K	84	SAP MA DL 24 CLMP K	64	SAP POLE DCH	122
SAP ANT CTR	120	SAP MA 50D 24 CLMP DP K	82	SAP MA DL 24 FTM K	64	SAP POLE SLOT	122
SAP ANT SIDE	120	SAP MA 50D 24 CLMP K	82	SAP MA DL 24 GRMT K	64	SAP POLE SLOT MST	122
SAP B 16 M 3 ANT SIDE K	92	SAP MA 50D 24 FTM K	82	SAP MA DL 24ANT SIDE K	66	SAP POLE50 DCH	124
SAP B 16 M 3 CLMP HD K	90	SAP MA 50D 24 GRMT K	82	SAP MA DL ANT CTR K	66	SAP POLE50 SLOT	124
SAP B 16 M 4 ANT SIDE K	96	SAP MA 50D WL MST 12 K	84	SAP MA DL ANT SIDE K	66	SAP SW DIR	120
SAP B 16 M 4 CLMP HD K	94	SAP MA 50D WL MST 16 K	84	SAP MA DL CLMP DP K	64	SAP SW DIR C	122
SAP B 16 S 3 ANT SIDE K	92	SAP MA 50S	108	SAP MA DL CLMP K	64	SAP SW MST	120
SAP B 16 S 3 CLMP HD K	90	SAP MA 50S 16 ANT CTR K	78	SAP MA DL FTM K	64	SAP VESA 100 200	110
SAP B 16 S 4 ANT SIDE K	96	SAP MA 50S 16 ANT SIDE K	80	SAP MA DL GRMT K	64	SAP VESA 200 200	110
SAP B 16 S 4 CLMP HD K	94	SAP MA 50S 16 CLMP DP K	78	SAP MA DL SW MST 12 K	66	SAP VESA 300 300	112
SAP B 24 M 3 ANT SIDE K	92	SAP MA 50S 16 CLMP K	78	SAP MA DL SW MST 16 K	66	SAP VESA 400 400	112
SAP B 24 M 3 CLMP HD K	90	SAP MA 50S 16 FTM K	78	SAP MA DL SW MST 8 K	66	SAP WL DIR	122
SAP B 24 M 4 ANT SIDE K	96	SAP MA 50S 16 GRMT K	78	SAP MA DL WL MST 12 K	66	SAP WL DIR C	122
SAP B 24 M 4 CLMP HD K	94	SAP MA 50S 24 ANT CTR K	78	SAP MA DL WL MST 16 K	66	SAP WL MST	122
SAP B 24 S 3 ANT SIDE K	92	SAP MA 50S 24 ANT SIDE K	80	SAP MA DL WL MST 8 K	66	SF-SB-(E, J)	166
SAP B 24 S 3 CLMP HD K	90	SAP MA 50S 24 CLMP DP K	78	SAP MA HP 224 100 K	126	SF-SB-(GS, BS)	166
SAP B 24 S 4 ANT SIDE K	96	SAP MA 50S 24 CLMP K	78	SAP MA HP 224 200 K	126	TM-CM-BSKT-	172
SAP B 24 S 4 CLMP HD K	94	SAP MA 50S 24 FTM K	78	SAP MA HP 224 400 K	126	TM-CM-CLIPS-S2	172
SAP B 32 M 6 ANT SIDE K	100	SAP MA 50S 24 GRMT K	78	SAP MA HP SL 124 K	126	TM-CM-CLIPS-S20	172
SAP B 32 M 6 CLMP HD K	98	SAP MA 50S MJ	110, 158	SAP MA S	106	XYZ ANT SIDE	150
SAP B 32 M 8 ANT SIDE K	104	SAP MA 50S POLE DCH K	80	SAP MA S 24 ANT CTR K	58	XYZ C ANT SIDE	154
SAP B 32 M 8 CLMP HD K	102	SAP MA 50S POLE SLOT K	80	SAP MA S 24 ANT SIDE K	60	XYZ C CLMP	154
SAP B 32 S 6 ANT SIDE K	100	SAP MA 50S SL	108	SAP MA S 24 CLMP DP K	58	XYZ C CLMP DP	154
SAP B 32 S 6 CLMP HD K	98	SAP MA 50S SL 16 ANT CTR K	86	SAP MA S 24 CLMP K	58	XYZ C FTM	154
SAP B 32 S 8 ANT SIDE K	104	SAP MA 50S SL 16 ANT SIDE K	88	SAP MA S 24 FTM K	58	XYZ C GRMT	154
SAP B 32 S 8 CLMP HD K	102	SAP MA 50S SL 16 CLMP K	86	SAP MA S 24 GRMT K	58	XYZ C POLE DCH	154
SAP B CM	118	SAP MA 50S SL 16 FTM K	86	SAP MA S ANT CTR K	58	XYZ CLMP	150
SAP B M	114	SAP MA 50S SL 24 ANT CTR K	86	SAP MA S ANT SIDE K	60	XYZ CLMP DP	150
SAP B MJ	110	SAP MA 50S SL 24 ANT SIDE K	88	SAP MA S CLMP DP K	58	XYZ CROSS	160
SAP B MJ 50	110	SAP MA 50S SL 24 CLMP K	86	SAP MA S CLMP K	58	XYZ D CLMP	152
SAP B MST CM	118	SAP MA 50S SL 24 FTM K	86	SAP MA S FTM K	58	XYZ DL CLMP	152
SAP B S	114	SAP MA 50S SL CWL DIR K	88	SAP MA S GRMT K	58	XYZ FTM	150
SAP CLMP	120	SAP MA 50S SL POLE DCH K	88	SAP MA S POLE DCH K	60	XYZ GRMT	150
SAP CLMP DP	120	SAP MA 50S SL POLE SLOT K	88	SAP MA S POLE SLOT K	60	XYZ MA 30	158
SAP CLMP HD	120	SAP MA 50S SL WL DIR K	88	SAP MA S SW MST 12 K	60	XYZ MA 30S ANT SIDE K	142
SAP D BKT	106	SAP MA 50S SL WL MST 12 K	88	SAP MA S SW MST 16 K	60	XYZ MA 30S CLMP DP K	142
SAP FTM	120	SAP MA 50S SL WL MST 16 K	88	SAP MA S SW MST 8 K	60	XYZ MA 30S CLMP K	142
SAP GRMT	120	SAP MA 50S SL WL MST 8 K	88	SAP MA S WL MST 12 K	60	XYZ MA 30S FTM K	142
SAP HP BKT	128	SAP MA 50S WL MST 12 K	80	SAP MA S WL MST 16 K	60	XYZ MA 30S GRMT K	142
SAP HP VESA 100100	128	SAP MA 50S WL MST 16 K	80	SAP MA S WL MST 8 K	60	XYZ MA 30S POLE DCH K	144
SAP HP VESA 200200	128	SAP MA 50S WL MST 8 K	80	SAP MA SL	106	XYZ MA 30S POLE SLOT K	144
SAP HP VESA 400400	128	SAP MA C	106	SAP MA SL 16 ANT CTR K	74	XYZ MA BLOCK	156
SAP MA 16 4 ANT CTR K	72	SAP MA C SW DIR K	60	SAP MA SL 16 ANT SIDE K	76	XYZ MA C	160
SAP MA 24 4 ANT CTR K	72	SAP MA C WL DIR K	62	SAP MA SL 16 CLMP K	74	XYZ MA C ANT SIDE K	148
SAP MA 3 ANT CTR K	70	SAP MA D 24 ANT CTR K	66	SAP MA SL 16 FTM K	74	XYZ MA C CLIP	158, 160
SAP MA 3 ANT SIDE K	70	SAP MA D 24 ANT SIDE K	66	SAP MA SL 24 ANT CTR K	74	XYZ MA C CLMP DP K	146
SAP MA 3 CLMP DP K	68	SAP MA D 24 CLMP DP K	64	SAP MA SL 24 ANT SIDE K	76	XYZ MA C CLMP K	146
SAP MA 3 CLMP K	68	SAP MA D 24 CLMP K	64	SAP MA SL 24 CLMP K	74	XYZ MA C FTM K	146
SAP MA 3 FTM K	68	SAP MA D 24 FTM K	64	SAP MA SL 24 FTM K	74	XYZ MA C GRMT K	146
SAP MA 3 GRMT K	68	SAP MA D 24 GRMT K	64	SAP MA SL POLE DCH K	76	XYZ MA C POLE DCH K	148
SAP MA 3 SW MST 12 K	70	SAP MA D ANT CTR K	66	SAP MA SL POLE SLOT K	76	XYZ MA C POLE SLOT K	148
SAP MA 3 SW MST 16 K	70	SAP MA D ANT SIDE K	66	SAP MA SL WL DIR K	76	XYZ MA C STRIP	160

<i>pattern no.</i>	<i>page</i>
XYZ MA CLIP	156
XYZ MA D CLMP K	140
XYZ MA DL CLMP K	140
XYZ MA S	156
XYZ MA S ANT SIDE K	136
XYZ MA S CLMP DP K	136
XYZ MA S CLMP K	136
XYZ MA S FTM K	136
XYZ MA S GRMT K	136
XYZ MA S POLE DCH K	138
XYZ MA S POLE ECH K	138
XYZ MA S POLE SLOT K	138
XYZ MA SL CLMP K	136
XYZ MJ	156
XYZ POLE DCH	150
XYZ POLE ECH	150
XYZ POLE SLOT	150
XYZ SL CLMP	150
XYZ WGT	156

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Rockwell Unscripted, Series 2 Storage, Template, Quoin and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, digital locks, upholstery, textiles and leathers, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Generation by Knoll, k. task, Life, Moment, MultiGeneration by Knoll, Ollo, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Anchor Storage except digital locks, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Rockwell Unscripted, Quoin wood components, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, k. lounge structural components, KnollStudio Pixel and Propeller, Tone bases and k.screens.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, Currents handcrank, KnollStudio, Rockwell Unscripted wire bases, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU holders and all universal storage drawers and Power Collection, k. bench (except changes in finish, see below) and k. stand bases (except changes in finish, see below).</i></p> <p><i>3 Years: Rockwell Unscripted upholstery (except textiles and leather), Office Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, KnollExtra Pop Up Screens.</i></p> <p><i>2 Years: Anchor Storage digital locks, Quoin digital locks, all other KnollExtra product and KnollTextiles Ultrasuede.</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered arm pads and soft arm pads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric. Rockwell Unscripted fabric and accessories, Spinneybeck leathers, and KnollTextiles upholstery except Ultrasuede.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Changes in surface finishes, including colorfastness due to aging or exposure to light.• Except as specifically noted above, textiles and upholstery supplied by KnollTextiles and Spinneybeck FilzFelt (consult current price lists for applicable warranties). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
Compliance with Law	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."