



























Introduction	Designer Index	3
	Visual Index	3
	Using the KnollStudio Price List	10
	Intertek Clean Air Certified KnollStudio Products	11
	Materials and Finishes	12
	Product Maintenance	13
	Placing Your KnollStudio Order	14
Propeller Collection	Emanuela Frattini : Propeller® Training Table Series	16
	Emanuela Frattini : Propeller® Column Base Tables	30
	Emanuela Frattini : Propeller® Conference Table Series	32
	Emanuela Frattini : Propeller® Accessories	76
	Emanuela Frattini : Propeller® Electrical	92
Pixel Collection	Marc Krusin : Pixel™ Table Series	140
	Marc Krusin : Pixel™ Trapezoid Table Series	164
	Marc Krusin : Pixel™ Storage Units	168
	Marc Krusin : Pixel™ Electrical	178
	Marc Krusin : Pixel™ Accessories	190
LSM Conference Tables	Debra Lehman-Smith and Ron Fiegenschuh : LSM Conference Table Series with V-Base	198
	Debra Lehman-Smith and Ron Fiegenschuh : LSM Conference Table Series with L-Legs	212
	Debra Lehman-Smith and Ron Fiegenschuh : LSM Electrical	226
Alpha-Numeric Index		235
Selling Policy		241
General Ordering Information		243









Emanuela Frattini	18-31, 34-51, 54-91, 94-101, 104-111
Marc Krusin	142-197
Debra Lehman-Smith & Ron Fiegenschuh	200-211, 214-235




Page	PROPELLER COLLECTION
18	FRATTINI Propeller training rectangular and square 
20	Propeller training semi-circular tables, bridge tops and segments 
22	Propeller training rectangular tables with C-legs/T-legs 
24	Propeller training flip-top tables with C-legs and T-legs 
26	Propeller training rectangular folding tables and dolly 
28	Propeller standing height tables and shelves 
30	Propeller training column base tables 
34	Propeller conference round and rounded tables with standard legs 
36	Propeller conference bullet table with standard legs 
38	Propeller conference square and rectangular conference tables with standard legs 








Page	PROPELLER COLLECTION, continued
40	FRATTINI Propeller conference segmented rounded and rectangular tables 
54	Propeller conference tables with drum base 
56	Propeller segmented conference tables with drum base 
64	Propeller conference tables with peanut base 
68	Propeller segmented conference tables with peanut base 
76	Propeller accessories - fabric and tackable modesty and privacy screens 
80	Propeller accessories - attachment clamps for modesty and privacy screens 
82	Propeller accessories - tackable modesty screens for flip-top tables 

Page	PROPELLER COLLECTION, continued
84	FRATTINI Propeller accessories - credenzas and sideboards 
86	Propeller accessories - replacement parts 
88	Propeller accessories - Peanut and Drum base conference tables 
94	Propeller electrical - Plexus boxes with cordset 
96	Propeller electrical - Empty Plexus boxes 
98	Propeller electrical - Pre-wired Plexus boxes 
100	Propeller electrical - Quadruplex, and wire management 
102	Propeller electrical - 2+2 Raceway components 

Page	PROPELLER COLLECTION, continued	
106	FRATTINI	Propeller electrical - Jumper and infeed cables
		
108		Propeller electrical - Leg options for Prewired Plexus boxes
		
110		Propeller electrical - Leg options for Empty Plexus boxes
		
112		Propeller electrical - Plexus Communication and Data Faceplates
		

Page	PIXEL COLLECTION	
142	KRUSIN	Pixel™ C-Leg tables
		
150		Pixel™ T-Leg tables
		
0		Pixel™ Trapezoid tables Fixed Top, Work Height  Pixel™ Trapezoid Tables Fixed Top, Pin Set Height 
		Pixel™ Trapezoid Flip Top tables Work Height, Casters  Pixel™ Trapezoid tables Pin Set Height Adjustable 
154		Pixel™ Four Leg tables 
		Pixel™ Y-Leg tables 
		Pixel™ Y-Fold table
		
158		Pixel™ Column Leg tables
		
158		Pixel™ S table Series C-Leg Fixed Top 

Page	PIXEL COLLECTION, continued	
106	FRATTINI	Propeller electrical - Jumper and infeed cables
168		Pixel™ Storage Units
		
178		Pixel™ Electrical
		
180		Pixel™ Electrical (continued)
		
186		Pixel™ Trac
		

Page	TABLES / EXECUTIVE OFFICE				
188	KRUSIN	Pixel™ Wire Management			
					
190		Pixel™ Modesty Screens			
					
198	SMITH & FIEGENSCHUH	Rectangular Conference table with V Base	Rectangular 2 Segment Conference table with V Base	Rectangular 3 Segment Conference table with V Base	Rectangular 4 Segment Conference table with V Base
					
		Rectangular 5 Segment Conference table with V Base	Rectangular 6 Segment Conference table with V Base	Rectangular Conference table with L-Legs	Rectangular 2 Segment Conference table with L-Legs
					
		Rectangular 3 Segment Conference table with L-Legs	Rectangular 4 Segment Conference table with L-Legs	Rectangular 5 Segment Conference table with L-Legs	
					

A Price List Overview

Where do I send my order? How should I maintain my marble table? From textile options to wood polishes, the KnollStudio price list is designed to provide you with everything you need to know in order to understand, specify, and care for furniture in the KnollStudio Collection.

This book is divided into three easy-to-use sections.

- Propeller Table Series
- Pixel™ Tables Series
- LSM Conference Tables

For a quick overview of the collection's scope, review the Visual Index on pages 3-9. If you're looking for pieces by a specific designer, try the Designer Index on page 2.

Finishes

For detailed explanations of the many materials used in constructing KnollStudio furniture, consult page 12. A cross-reference of KnollStudio veneer or lumber finishes with standard Knoll Office veneers is provided on page 12. Easy-care maintenance information is also provided on pages 13-14.

Placing Your KnollStudio Order

For information about where to send your order and key terms and conditions, see page 14. The complete Knoll Selling Policy is available on pages 241-242.

General Ordering Information and Knoll's Sustainability Statement is available on page 243

Product Information On Each Page

On each page, the following features will assist you:

Description provides both the pattern number and a basic description of the product.

Dimensions provide the overall space the product will require. Statistics are based on the maximum width, depth, and height of the product.

Weight is based on the product itself. It does not include packaging. Weights are rounded to the nearest pound.

Weights of upholstered items do not include weight of textile/leather. To calculate total weight, multiply covering requirements by textile/leather weight, and add to product weight.

Pattern Number provides both the product identification number and all additional selections required for ordering. Finish options are enclosed in parentheses. Finish suffix descriptions are found under Finishes on the bottom portion of the page.

Order Code/Ordering Information outlines exactly how to specify KnollStudio product and the full scope of finishes and other options. The Order Code provides an example of how one pattern number on the page is specified.

Construction provides specific materials and finishes employed, as well as specific construction details.

Note to Knoll Dealer Sellers:

The products contained in this price list are also available through the Knoll Essentials program, with limited exceptions. For additional information, please contact your customer service representative or visit Knoll Exchange.

For More Information

For more information, contact your KnollStudio representative, a Knoll Space reailer or e-tailer, or telephone Customer Services at 800 343-KNOLL. To find the retailer or showroom nearest you, visit www.knoll.com.

Intertek Clean Air Certification

Intertek's Clean Air Certification validates the level of volatile organic compound (VOC) emissions from products. VOCs are gases emitted from products and include a variety of chemicals that may effect consumers' health in the short- and long-term. Both Intertek Clean Air GOLD and SILVER certifications ensure the user-health, safety and sustainability of Knoll products. A selection of Knoll Office and KnollStudio products are Intertek certified Clean Air, most of which are certified GOLD, which imposes more rigorous standards than certified SILVER.


- USGBC LEED credits
- California 01350 Special Environmental Requirements (CDPH)
- California Department of General Service (DGS) Indoor Air Quality Specifications for Open Panel Office Furniture
- Compliant to BIFMA e3 standard credit 7.6.2 and 7.6.3

KnollStudio Natural Materials


Wood and marble are natural materials that vary. Use material samples and printed sample materials as reference only. KnollStudio printed and finish samples offer an example of what an “average” natural material may look like, within a range of acceptance carefully delineated by Knoll. Because of the breadth of variations possible with any natural material, Knoll specialists select these materials with stringent criteria, accepting only the top 3 - 5% of what is available.

Wood*Knoll Natural Veneers*

All natural finishes are selected from the finest hardwoods available around the world. Veneers are flat cut and carefully matched so that cathedral or heart patterns are perfectly balanced. Natural veneers also are cut to allow a generous margin of quarter-grain figuring ensuring invisible splicing.



*Quarter
Pattern*



*Cathedral
Pattern*

Marble

Knoll selects the highest quality, structurally sound marble through a host of quarries in the United States, Turkey, Spain, Slovenia and Italy. Because each mountain range and quarry have their own signature, every marble piece - even within a single quarry - is unique. Hues, veins, crystals, fossils, clouds, and distinctive marks will vary from piece to piece. This is the extraordinary character of stone as a material. Its high quality and its unique nature give the Knoll tables a feel of incredible sculptural beauty. The following are the marbles that KnollStudio offers:

Coated Marbles*Coated Marbles*

Coated marbles have transparent, high-polish, polyester coating to prevent use-associated stains. Even with this protection, coated marbles should not be used outdoors. Stains should be wiped immediately. Coating will yellow over time.

Satin Coated Marble

Satin coated marbles have transparent satin polyester coating to prevent use-associated stains. This satin finish gives the stone a natural, honed appearance while providing the same protective qualities as the Coated Marbles. Even with this protection, satin coated marbles should not be used outdoors. Stains should be wiped immediately. Coating will yellow over time.

Arabescato

Ivory white with dark grey veining. May contain random green veins.

Calacatta

Ivory white. Gold and beige random veins with additional veins varying from cream to green and grey.

Grey Marble

Grey with black and white veins. Hues vary in tone and intensity.

Man-Made Materials & Finishes*Stainless Steel*

Completely rust-proof, highly durable, and resistant to bending stress.

Polished Chrome

Several-step plating process that includes a heavy layer of nickel for added rust protection and a bright mirror finish.

Satin Chrome

Chrome plating applied for a soft satinized chrome finish with a higher nickel content.

Polished Aluminum

A shiny, polished finish.

Clear Anodized Aluminum

A light grey satin finish.

Laminate

An exceptionally durable plastic surface. Highly resistant to most chemicals and extensive wear.

Vetro Bianco:

Vetro Bianco is an engineered resin free quartz surface. The brilliant white surface is nonporous, stain proof, and extremely durable making it suitable for indoor and outdoor use.

With proper care, your KnollStudio furniture should last for years to come. To help ensure the longevity of your purchase, below are helpful hints on routine cleaning for your KnollStudio piece. Most basic maintenance can be performed with common household cleaning products.

Wood

Clean with a commercial brand of liquid furniture polish twice a month. For stubborn dirt or light scratches, rub lightly with very fine steel wool before using furniture polish. Steel wool Grade #0000 is recommended. To rejuvenate luster, apply a furniture cream as a last step. Do not use water or household solvents: they will destroy the protective finish.

Marble with Polyester Coating

Wash with lukewarm water. Wash more thoroughly with Windex, Fantastik, Ivory Flakes in warm water, or other non-abrasive solutions. Rinse with warm water and dry with a soft cloth.

Vetro Bianco

Wash surface with lukewarm water. Clean more thoroughly with a non-abrasive solution such as Windex or Fantastik. Rinse with warm water and dry with a soft cloth. Wipe off stains immediately with water and a soft cloth. Never use steel wool or other abrasives on surface.

Glass/Acrylic Polycarbonate

Clean with Windex, Fantastik or other non-abrasive cleaning solutions. Wipe dry with a clean cloth.

Laminate/Melamine

Scrub with Windex, Fantastik, Mr. Clean, or other household soaps or detergents well dissolved in water, or with a very soft cloth dampened with alcohol or a synthetic thinner. For a dull finish, rub with jeweler's rouge as a polishing agent and finish with paste wax. Never use abrasives. Remove stubborn stains with Soft Scrub.

Stainless Steel

Use Windex, Fantastik, or other non-abrasive household cleaners. For small scratches, rub with Comet, Ajax, or other mild abrasives in the direction of the grain. Apply a coat of auto wax to maintain beauty.

Chrome/Satin Chrome

Clean with Windex or an automotive chrome cleaner such as Semi-Chrome twice a month. Apply a coat of hard paste wax to protect against moisture.

Polished Aluminum

Clean with Windex, Fantastik, or other non-abrasive cleaning solutions. Coat with a hard paste wax semi-annually to maintain luster and prevent discoloration.

Anodized Aluminum

Clean with mild soaps, detergents, or other non-abrasive cleaning agents. Apply paste wax or DuPont non-abrasive car polish #7 twice a year to prevent oxidation.

For stubborn stains or discolorations, apply navel jelly aluminum cleaner.

Urethane Edge

Clean with household soaps and detergents well dissolved in water. Do not use abrasive cleaning solutions.

Powder Coat Paint

Clean with Windex or Endust using a soft cloth. Remove stubborn stains with Soft Scrub.

Use the Following Address:

If you would like to send an order directly to our order entry departments, please use the following address:

Knoll, Inc.
P.O. Box 157
East Greenville, PA 18041
Attn: Order Entry

Fax: 215 679-1570
Tel: 800 343-KNOLL

When Placing Your Order, Include:

- All information requested on the order form.
- Local taxes for the “delivered to” address.
- For orders \$2,000 or under (including applicable taxes and delivery/installation fees, if any), full payment must be made when order is placed.
- For orders over \$2,000, a deposit equal to one-half of the complete order value is required at order placement. Balance must be settled before shipment.

Key Points to Remember:

All accepted orders will be confirmed in writing on the Knoll standard acknowledgement form. A copy of the acknowledgement will be mailed to the customer prior to production.

Freight within the 48 contiguous United States and Canada, excluding the Yukon, Northwest Territories and Newfoundland, is prepaid and included in the price of all orders.

For residential orders, Knoll strongly recommends White Glove delivery service to most locations in the Continental United States and Canada. White Glove service includes inside delivery, unpacking, furniture installation and removing cartons and crates. The fee for this service will be quoted at the point of purchase.

KnollStudio’s limited warranty covers all furniture against manufacturing defects in this price list for a period of five years after delivery to the customer.

All pricing is in U.S. dollars.

For More Information:

For complete Knoll Selling Policy and warranty information, please refer to pages 241-242 in the back of this price list.



For additional information on KnollStudio, contact your KnollStudio representative, a Knoll Space retailer or e-tailer, or telephone Customer Services at 800 343-KNOLL. To find the retailer or showroom nearest you, visit www.knoll.com.

Emanuela Frattini
Propeller® Training Table Series
Configurations and Product Information

Below are only a few examples of suggested configurations using Propeller Training tables, bridge tops, segments and screens.



All connections are tool-free and can be made by the user. To gang tables, connectors can be simply removed from the integral storage port in the leg. When tables are hard wired a screwdriver is needed.

The inherent flexibility of Propeller tables allows for diverse applications, ranging from setups for conference rooms to private offices and workstations.






Ordering Information	Scope	Construction
<i>Specify:</i> 1. Pattern number 2. Top finish selection 3. Caster or glide selection (table only) 4. Edgeband selection 5. Grommet option (table and bridge only) 6. Leg/grommet finish <i>Shipping:</i> Tops and legs are shipped separately. Legs ship knocked-down: foot plate and vertical component. Simple field assembly required.	<i>Product scope:</i> P2-F Folding table P2-M Semi-round table P2-R Rectangular table P2-S Segment P2-V Rectangular bridge P6-C Flip Top table P8-C Adjustable Height table <i>Electrical options:</i> Please see Propeller Electrical section for product and specification details.	<i>Top:</i> 1 3/16" thick; 3-ply, solid-core construction. Plastic laminate top and backer sheet on bottom. Threaded inserts are die-cast zinc. <i>Edges:</i> All table edges are finished, allowing ganged tables to be separated and used individually. Flat ABS edgeband, molded urethane edge and solid wood edge are available. <i>Molded edge detail:</i> Molded, seamless urethane edge with integral color. <i>Flat edgeband:</i> ABS flat edgeband, with integral color. <i>1/4" edge detail:</i> Solid wood <i>Grommet option:</i> Individual table segments may be specified with zero, one, or two grommets, located at mid-depth or front edge locations. All grommets are 3 1/4" diameter. Optional grommet-mounted power receptacles available. Grommet liners are black injection molded ABS plastic. Yin-yang grommet cap is textured, die-cast aluminum with powder-coat finish. <i>Legs:</i> Propeller's S-shaped training leg incorporates two separate channels for power and communications wiring. Cables are laid behind flipper strips. Vertical leg is extruded aluminum construction with clear satin anodized or powder coat finish. There are three types of Propeller training legs: Standard Training leg section: <i>Standard Training leg:</i> vertical extrusion is 3 3/4"w x 1 3/8"d. Leg end caps are injection-molded, glass-filled nylon. Leg mounting plates are aluminum die-castings with integral storage port in a textured paint finish. <i>C-leg and T-legs:</i> C-leg and T-leg offer additional kneespace. Vertical extrusion is 5"w x 2 1/4"d, same profile as conference leg. Cast aluminum end plates with textured paint finish. Cast aluminum foot in textured metallic powder coat. <i>Glides/casters:</i> Glides and locking casters-black nylon. C-Leg has low glide at front and high glide in the back. T-Leg has two low glides. <i>Connector plates:</i> Aluminum die-casting with textured paint finish. Integral storage port for connecting tables. <i>Connector bars:</i> Bar and latch are made of cast alloy with tumble-bead finish. Button is injection-molded red ABS plastic. Spring and back plate are steel stampings.

Emanuela Frattini
Propeller® Training Table Series
Rectangular and Square Tables

	description	w	d	h	clearance between legs w	clearance between legs d	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994	P2-R Rectangular table 	48"	18"	28½"	40"	7¾"	44
		60"	18"	28½"	52"	7¾"	55
		72"	18"	28½"	64"	7¾"	62
		36"	24"	28½"	28"	13¾"	50
		48"	24"	28½"	40"	13¾"	54
		60"	24"	28½"	52"	13¾"	63
		72"	24"	28½"	64"	13¾"	73
		42"	30"	28½"	34"	19¼"	57
		48"	30"	28½"	40"	19¾"	63
		60"	30"	28½"	52"	19¾"	75
		66"	30"	28½"	58"	19¾"	81
		72"	30"	28½"	64"	19¾"	87
		48"	36"	28½"	52"	25¼"	73
		60"	36"	28½"	52"	25¾"	87
		72"	36"	28½"	64"	25¾"	101
			P2-N Square table 	36"	36"	28½"	
		42"	42"	28½"			75
		48"	48"	28½"			94

Order Code	Finishes	Electrical
<i>Example:</i> P2-R24-G-PA-6-Y-111	<i>Woodgrain laminate top finishes:</i>	<i>Grommet Options: (\$33 per cutout)</i>
P2-R24	Light Ash (suffix 139)	Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" diameter. Optional grommet-mounted power receptacles available, see page 100.
G	Warm Ash (suffix 140)	
PA	Whitened Ash (suffix 141)	
6	Grey Ash (suffix 142)	
Y	Classic Oak (suffix 143)	No grommet (suffix Y)
111	Graphite Pear (suffix 144)	Single grommet, left, mid-depth (BG)
	Zebra (suffix 145)	Two grommets, left & right, front (DR), (DL), (DG)
	Medium Cherry (suffix 124)	Two grommets, left & right, mid-depth (AG)
	Natural Maple (suffix 125)	Single grommet, center, front (ER), (EL), (EG)
	Natural Cherry (suffix 126)	Single grommet, center, right (HG)
	Walnut (suffix 127)	Single grommet, center (P2-N) (GG)
	<i>Solid laminate top finishes:</i>	* AG, BG not available on 18" deep tables
<i>Specify:</i>	Bright White (suffix 118)	
1. Pattern number	Brushed Sand (suffix 122)	
2. Locking caster or glide selection	Folkstone Grey (suffix 114)	
3. Top finish selection	Jet Black (suffix 111)	
4. Edgeband selection	Micro Grey (suffix 121)	
5. Grommet, Plexus or Transact option	<i>Veneer top/edge finishes:</i>	
6. Leg/grommet finish	Brown Oak (suffix V427)	
	Burnt Walnut (suffix V313)	
	Chalk Oak (suffix V421)	
	Ebonized Walnut (suffix D)	
	Graphite Oak (suffix V513)	
	Light Oak (suffix V423)	
	Maple (suffix K)	
	Natural Beech (suffix B)	
	Old English Walnut (suffix V417)	
	Warm Brown Walnut (suffix J)	
	American Walnut (suffix AW)	
	Natural Oak (suffix ON)	
	Fumed Oak (suffix OF)	
	Ebonized Oak (suffix OE)	
	<i>Flat edgeband finishes:</i>	
	Black (suffix 111T)	
	Mink (suffix 324T)	
	Innertone (suffix 386T)	
	Platinum (suffix 367T)	
	Folkstone (suffix 004T)	
	Bright White (suffix 118T)	
	<i>Molded edgeband finishes:</i>	
	Black (suffix 300)	
	Mink (suffix 324)	
	Innertone (suffix 386)	
	Platinum (suffix 367)	
	Folkstone (suffix 004)	
	Light Grey (suffix 4)	
	Medium Grey (suffix 5)	
	<i>Leg and grommet finishes:</i>	
	Anodized Aluminum (suffix A)	
	Jet Black (suffix 111)	
	Medium Metallic Grey (suffix 612)	
	Bright White (suffix 118)	
	<i>Glides/Casters:</i>	
	Glides (suffix G)	
	Locking Casters (suffix C)	
		
		Y
		
		AG
		
		BG
		
		DG
		
		EG
		
		GG

pattern no.	laminate/ flat edge	laminate / molded edge	veneer/ flat edge	veneer/wood edge
P2-R02 *	\$1,200.	\$1,478.	\$3,511.	\$4,185.
P2-R04 *	\$1,334.	\$1,639.	\$3,591.	\$4,263.
P2-R06 *	\$1,444.	\$1,776.	\$3,645.	\$4,328.
P2-R10 *	\$1,269.	\$1,753.	\$3,508.	\$4,185.
P2-R12 *	\$1,490.	\$1,832.	\$3,580.	\$4,271.
P2-R14	\$1,643.	\$2,023.	\$3,650.	\$4,348.
P2-R16	\$1,804.	\$2,218.	\$3,730.	\$4,432.
P2-R21 *	\$1,569.	\$1,927.	\$3,616.	\$4,301.
P2-R22 *	\$1,643.	\$2,023.	\$3,645.	\$4,348.
P2-R24	\$1,804.	\$2,218.	\$3,753.	\$4,472.
P2-R25	\$1,882.	\$2,313.	\$3,793.	\$4,509.
P2-R26	\$1,959.	\$2,410.	\$3,824.	\$4,549.
P2-R32 *	\$1,804.	\$2,218.	\$3,722.	\$4,432.
P2-R34	\$1,959.	\$2,410.	\$3,822.	\$4,549.
P2-R36	\$2,115.	\$2,602.	\$3,930.	\$4,670.
P2-N30 *	\$1,643.	\$2,023.	\$2,976.	\$3,985.
P2-N41 *	\$1,804.	\$2,218.	\$3,230.	\$4,263.
P2-N52	\$1,959.	\$2,410.	\$3,254.	\$4,328.

Features		
Sequence Options: (\$33 per cutout) Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2 1/2" x 6". Sequence is available on 24" and 30" deep Rectangular tables only. 36", 42" and 48" wide tables, ES location only; 72" wide tables, DS location only. No Sequence (Y) Single Sequence, center, front (ES) Two Sequence, left & right, front (DS) 	Plexus options: (\$33 per cutout) * Plexus box not available For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For medium Plexus, center, front (EM), (DR), (DL) For medium Plexus, left & right, front (DM), (ER), (EL) For medium Plexus, center (P2-N) (GM) 	Connecting tables: Each rectangular table includes two connector bars to connect rectangular tops to each other on any side. When not needed, connectors store in ports at top of table leg. Maintenance: See pages 13. Note: Propeller tables are certified Clean Air GOLD. Square Tables: Square tables have four legs with rectangular table end plates. Two connector bars per table. Square tables gang on all four sides to training tables of same width.
Small Plexus Options: (\$33 per cutout) Tables may be specified with zero, one or two cutouts. All small Plexus cutouts are 6 7/8"-6 1/4". Small Plexus is available on 24" and 30" tables only. 36", 42", 48" and 60" wide tables, ES location only. No Small Plexus (Y) Single Small Plexus, center, front (ESP) Two Small Plexus, right & left, front (DSP) 	+ For more detailed information, consult the Electrical section of the Propeller Manual.	

Emanuela Frattini

Propeller® Training Table Series

Semi-Circular Tables, Bridge Tops and Segments

	description	w	d	h	clearance between legs	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1996	P2-M Semi-circular table - three legs	48"	24"	28 ½"	35 ½"	51
		60"	30"	28 ½"	51 ½"	62
		72"	36"	28 ½"	63 ½"	81
	P2-S Bridging segment 90° - no legs	90°	24"	2 ⅞"		
		90°	30"	2 ⅞"		
		90°	36"	2 ⅞"		

pattern no.	laminate/ flat edge	laminate/ molded edge	veneer/ flat edge	veneer/wood edge
P2-M10	\$1,411.	\$1,736.	\$3,090.	\$4,844.
P2-M20	\$1,569.	\$1,927.	\$3,455.	\$5,455.
P2-M30	\$1,725.	\$2,121.	\$3,828.	\$6,073.
P2-S92	\$778.	\$955.	\$1,527.	\$2,470.
P2-S94	\$857.	\$1,050.	\$1,650.	\$2,677.
P2-S96	\$932.	\$1,146.	\$1,778.	\$2,882.



Order Code	Finishes	Electrical
<i>Example:</i> P2-M20-C-SL-4-A	<i>Woodgrain laminate top finishes:</i>	<i>Flat edgeband finishes:</i>
P2-M20 60" wide semi-circular table	Light Ash (suffix 139)	Black (suffix 111T)
C Locking casters	Warm Ash (suffix 140)	Mink (suffix 324T)
SL Slate laminate	Whitened Ash (suffix 141)	Innertone (suffix 386T)
4 Light Grey edgeband	Grey Ash (suffix 142)	Platinum (suffix 367T)
A Anodized Aluminum legs	Classic Oak (suffix 143)	Folkstone (suffix 004T)
	Graphite Pear (suffix 144)	Bright White (suffix 118T)
	Zebra (suffix 145)	
	Medium Cherry (suffix 124)	<i>Molded edgeband finishes:</i>
	Natural Maple (suffix 125)	Black (suffix 300)
	Natural Cherry (suffix 126)	Mink (suffix 324)
	Walnut (suffix 127)	Innertone (suffix 386)
		Platinum (suffix 367)
	<i>Solid laminate top finishes:</i>	Folkstone (suffix 004)
	Bright White (suffix 118)	Light Grey (suffix 4)
	Brushed Sand (suffix 122)	Medium Grey (suffix 5)
	Folkstone Grey (suffix 114)	
	Jet Black (suffix 111)	<i>Leg and grommet finishes:</i>
	Micro Grey (suffix 121)	Anodized Aluminum (suffix A)
		Jet Black (suffix 111)
	<i>Veneer top/edge finishes:</i>	Medium Metallic Grey (suffix 612)
	Brown Oak (suffix V427)	Bright White (suffix 118)
	Burnt Walnut (suffix V313)	
	Chalk Oak (suffix V421)	<i>Glides/Casters:</i>
	Ebonized Walnut (suffix D)	Glides (suffix G)
	Graphite Oak (suffix V513)	Locking Casters (suffix C)
	Light Oak (suffix V423)	
	Maple (suffix K)	
	Natural Beech (suffix B)	
	Old English Walnut (suffix V417)	
	Warm Brown Walnut (suffix J)	
	American Walnut (suffix AW)	
	Natural Oak (suffix ON)	
	Fumed Oak (suffix OF)	
	Ebonized Oak (suffix OE)	

Features
Plexus Options: (\$33 per coutout) * Plexus box not available For no Plexus box (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For medium Plexus, center, front (EM) For medium Plexus, left & right, front (DM) Y GM AM EM DM Semi-Circular Tables: Semi-circular tables have three legs for maximum leg space. Use 180° tables free-standing or connected to other tables. 180° tables connect to rectangular tables of same width or to rectangular tables in a back-to-back configuration. Connect two semi-circular tables to create a large round table. Bridge tops have a weight capacity of 300 pounds. <i>Configurations:</i> with rectangular table/bridge top with rectangular tables back-to-back two 180° tables <i>Stacking:</i> Semi-circular tables and square tables do not stack. Bridge tops can be stacked ten high on table dolly (see page 26). <i>Shipping:</i> Propeller tables shipped knocked-down. Simple field assembly required. <i>Maintenance:</i> See pages 13. <i>Note:</i> Propeller tables are certified Clean Air GOLD. Note: Cutouts not available on Semi-Circular Tables.

Emanuela Frattini
Propeller® Training Table Series
Rectangular Tables with C-Legs and T-Legs



Designer(s):
Emanuela Frattini, 1994

description	w	d	h	leg type	clearance between legs	table weight (lbs.)
P2-C Rectangular table with C-Legs/T-Legs  	48"	18"	28 1/2"	C-Legs	34 1/2"	50
	60"	18"	28 1/2"	C-Legs	46 1/2"	53
	72"	18"	28 1/2"	C-Legs	58 1/2"	55
	36"	24"	28 1/2"	C-Legs	22 1/2"	60
	48"	24"	28 1/2"	C-Legs	34"	67
	48"	24"	28 1/2"	T-Legs	34"	67
	60"	24"	28 1/2"	C-Legs	46 1/2"	76
	60"	24"	28 1/2"	T-Legs	46 1/2"	76
	72"	24"	28 1/2"	C-Legs	58 1/2"	86
	72"	24"	28 1/2"	T-Legs	58 1/2"	86
	42"	30"	28 1/2"	C-Legs	29 1/2"	70
	48"	30"	28 1/2"	C-Legs	34 1/2"	76
	48"	30"	28 1/2"	T-Legs	34 1/2"	76
	60"	30"	28 1/2"	C-Legs	46 1/2"	82
	60"	30"	28 1/2"	T-Legs	46 1/2"	82
	66"	30"	28 1/2"	C-Legs	52 1/2"	88
	66"	30"	28 1/2"	T-Legs	52 1/2"	88
	72"	30"	28 1/2"	C-Legs	58 1/2"	100
	72"	30"	28 1/2"	T-Legs	58 1/2"	100
	48"	36"	28 1/2"	T-Legs	34 3/4"	95
	60"	36"	28 1/2"	T-Legs	43 3/4"	109
	72"	36"	28 1/2"	T-Legs	52 3/4"	123

pattern no.	lamine/flat edge	lamine/molded edge	veneer/flat edge	veneer/wood edge
P2-C02 *	\$1,747.	\$2,198.	\$4,049.	\$4,760.
P2-C04 *	\$1,761.	\$2,257.	\$4,139.	\$4,834.
P2-C06 *	\$1,808.	\$2,319.	\$4,188.	\$4,900.
P2-C10 *	\$2,029.	\$2,500.	\$4,053.	\$4,760.
P2-C12 *	\$2,037.	\$2,505.	\$4,339.	\$5,067.
P2-C13	\$2,181.	\$2,679.	\$4,513.	\$5,119.
P2-C14	\$2,198.	\$2,703.	\$4,414.	\$5,143.
P2-C15	\$2,352.	\$2,892.	\$4,591.	\$5,196.
P2-C16	\$2,355.	\$2,896.	\$4,492.	\$5,229.
P2-C17	\$2,518.	\$3,099.	\$4,670.	\$5,282.
P2-C21 *	\$2,115.	\$2,602.	\$4,377.	\$5,094.
P2-C22 *	\$2,198.	\$2,703.	\$4,408.	\$5,143.
P2-C23 *	\$2,364.	\$2,876.	\$4,585.	\$5,333.
P2-C24	\$2,355.	\$2,896.	\$4,517.	\$5,267.
P2-C27	\$2,524.	\$3,071.	\$4,698.	\$5,456.
P2-C25	\$2,432.	\$2,990.	\$4,555.	\$5,306.
P2-C28	\$2,599.	\$3,168.	\$4,736.	\$5,494.
P2-C26	\$2,507.	\$3,087.	\$4,585.	\$5,342.
P2-C29	\$2,678.	\$3,121.	\$4,767.	\$5,296.
P2-C32 *	\$2,551.	\$2,896.	\$4,657.	\$5,417.
P2-C34	\$2,633.	\$3,087.	\$4,763.	\$5,533.
P2-C36	\$2,720.	\$3,279.	\$4,869.	\$5,656.

Order Code	Finishes	Features
<i>Example:</i> P2-C26-PA-R5-EG-612	<i>Woodgrain laminate top finishes:</i>	<i>C-Leg tables/T-Leg tables:</i>
P2-C26 72" x 30" rectangular training table with C-Legs	Light Ash (suffix 139)	C-Leg and T-Leg tables combine
PA Pearwood laminate	Warm Ash (suffix 140)	Propeller table features with more leg space. Tables have either two C-Legs or two T-Legs. 24"d and 30"d training tables
R5 Black edgeband	Whitened Ash (suffix 141)	C-Legs are mounted to the rear. T-Legs are centered. All legs are positioned at 3 7/8" from table edge on the depth side.
EG Single grommet, center, front	Grey Ash (suffix 142)	Tables have identical wire management and ganging capabilities as standard training tables.
612 Medium Metallic Grey legs	Classic Oak (suffix 143)	
	Graphite Pear (suffix 144)	
	Zebra (suffix 145)	
	Medium Cherry (suffix 124)	
	Natural Maple (suffix 125)	
	Natural Cherry (suffix 126)	
	Walnut (suffix 127)	
<i>Specify:</i>	<i>Solid laminate top finishes:</i>	<i>Note:</i>
1. Pattern number	Bright White (suffix 118)	C-Leg and T-Leg tables are available with glides only.
2. Top finish selection	Brushed Sand (suffix 122)	
3. Edgeband selection	Folkstone Grey (suffix 114)	
4. Grommet or Plexus option	Jet Black (suffix 111)	<i>Maintenance:</i>
5. Leg/grommet finish	Micro Grey (suffix 121)	See pages 13.
	<i>Veneer top/edge finishes:</i>	<i>Note:</i>
	Brown Oak (suffix V427)	Propeller tables are certified Clean Air GOLD.
	Burnt Walnut (suffix V313)	
	Chalk Oak (suffix V421)	<i>Connecting tables:</i>
	Ebonized Walnut (suffix D)	Each rectangular table includes four connector plates and two connector bars to connect rectangular tables to each other on any side. When not needed, connectors may be stored in additional black plastic storage port attached underneath table tops.
	Graphite Oak (suffix V513)	
	Light Oak (suffix V423)	
	Maple (suffix K)	
	Natural Beech (suffix B)	
	Old English Walnut (suffix V417)	
	Warm Brown Walnut (suffix J)	
	American Walnut (suffix AW)	
	Natural Oak (suffix ON)	
	Fumed Oak (suffix OF)	
	Ebonized Oak (suffix OE)	
	<i>Flat edgeband finishes:</i>	
	Black (suffix 111T)	
	Mink (suffix 324T)	
	Innertone (suffix 386T)	
	Platinum (suffix 367T)	
	Folkstone (suffix 004T)	
	Bright White (suffix 118T)	
	<i>Molded edgeband finishes:</i>	
	Black (suffix 300)	
	Mink (suffix 324)	
	Innertone (suffix 386)	
	Platinum (suffix 367)	
	Folkstone (suffix 004)	
	Light Grey (suffix 4)	
	Medium Grey (suffix 5)	
	<i>Leg and grommet finishes:</i>	
	Anodized Aluminum (suffix A)	
	Jet Black (suffix 111)	
	Medium Metallic Grey (suffix 612)	
	Bright White (suffix 118)	
	<i>Glides/Casters:</i>	
	Glides (suffix G)	
	Locking Casters (suffix C)	

Electrical

Grommet Options: (\$33 per cutout)

Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Optional grommet-mounted power receptacles available, see page 100.

No grommet (suffix Y)
Single grommet, left, mid-depth (BG)
Two grommets, left & right, front
(DR), (DL), (DG)
Two grommets, left & right, mid-depth
(AG)
Single grommet, center, front (ER), (EL),
(EG)
Single grommet, center, right (HG)
* AG, BG not available on 18" deep
tables

Sequence Options: (\$33 per cutout)

Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2 1/2" x 6". Sequence is available on 24" and 30" deep Rectangular C-leg tables only. 36", 42" and 48" wide tables, ES location only; 72" wide tables, DS location only.

No Sequence (Y)
Single Sequence, center, front (ES)
Two Sequence, left & right, front (DS)

Small Plexus Options: (\$33 per cutout)

Tables may be specified with zero, one or two cutouts. All small Plexus cutouts are 6⁷/₈"-6¹/₄". Small Plexus is available on 24" and 30" tables only. 36", 42", 48" and 60" wide tables, ES location only.

No Small Plexus (Y)
Single Small Plexus, center, front (ESP)
Two Small Plexus, right & left, front
(DSP)



Plexus options: (\$33 per cutout

*Plexus Box not available
 For no Plexus (Y)
 For medium Plexus, center, mid-depth (GM)
 For medium Plexus, left & right, mid-depth (AM)
 For medium Plexus, center, front (EM) (DR), (DL)
 For medium Plexus, left & right, front (DM), (ER), (EL)

Emanuela Frattini

Propeller® Training Table Series

Flip-Top Tables with C-Legs and T-Legs

	description	w	d	h	leg type	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 2002 	P6-C Rectangular flip-top table with C-Legs/T-Legs  	48"	18"	29"	C-Legs	71
		60"	18"	29"	C-Legs	82
		72"	18"	29"	C-Legs	91
	 	48"	24"	29"	C-Legs	73
		60"	24"	29"	C-Legs	84
		72"	24"	29"	C-Legs	96
		48"	30"	29"	C-Legs	83
		60"	30"	29"	C-Legs	97
		72"	30"	29"	C-Legs	111
		48"	36"	29"	T-Legs	95
		60"	36"	29"	T-Legs	112
		72"	36"	29"	T-Legs	126

Order Code	Finishes	Electrical
Example: P6-C26-PA-R6-EG-A	<i>Veneer top/edge finishes:</i>	+ For more detailed information, consult the Electrical section of the Propeller Manual.
P6-C26	Brown Oak (suffix V427)	
	Burnt Walnut (suffix V313)	
	Chalk Oak (suffix V421)	
PA	Ebonized Walnut (suffix D)	
	Graphite Oak (suffix V513)	
R6	Light Oak (suffix V423)	
	Maple (suffix K)	
EG	Natural Beech (suffix B)	
	Old English Walnut (suffix V417)	
	Warm Brown Walnut (suffix J)	
A	American Walnut (suffix AW)	
	Natural Oak (suffix ON)	
	Fumed Oak (suffix OF)	
	Ebonized Oak (suffix OE)	
		<i>Grommet Options: (\$33 per cutout)</i>
		Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" diameter. Optional grommet-mounted power receptacles available, see page 100.
		No grommet (Y)
		Single grommet, left, mid-depth (BG)
		Two grommets, left and right, front (DG)
		Two grommets, left and right, mid-depth (AG)
		Single grommet, center, front (EG)
		Singel grommet, center (GG)
		* AG, BG not available on 18" deep tables

pattern no.	lamine/ flat edge	lamine/ molded edge	veneer/ flat edge	veneer/wood edge
P6-C02	\$1,967.	\$2,416.	\$4,636.	\$5,375.
P6-C04	\$2,104.	\$2,589.	\$4,816.	\$5,540.
P6-C06	\$2,225.	\$2,732.	\$4,899.	\$5,640.
P6-C12	\$2,920.	\$3,429.	\$5,141.	\$5,901.
P6-C14	\$3,078.	\$3,574.	\$5,260.	\$6,031.
P6-C16	\$3,229.	\$3,704.	\$5,333.	\$6,108.
P6-C22	\$3,062.	\$3,525.	\$5,162.	\$5,932.
P6-C24	\$3,243.	\$3,682.	\$5,379.	\$6,171.
P6-C26	\$3,362.	\$3,828.	\$5,491.	\$6,289.
P6-C32	\$3,213.	\$3,693.	\$5,364.	\$6,148.
P6-C34	\$3,414.	\$3,854.	\$5,507.	\$6,310.
P6-C36	\$3,690.	\$4,002.	\$5,558.	\$6,369.

Y

ESP

DSP

C-Leg/T-Leg Flip-Top Rectangular Tables:

24"d and 30"d tables have C-Legs mounted to the rear, 36"d flip-top tables have centered T-Legs. Legs are positioned at 2 7/8" from table edge on the depth side. Flip-Top tables can be ganged side to side or front to back to other flip-top or standard tables.

Wire management:

Vertical extrusion of C-Legs and T-Legs is 5" w x 2 1/4" – same profile as conference leg profile. In horizontal position, Quadruplex monument or shallow plug in Plexus boxes can be used.

Nesting:

Flip-Top tables nest easily for compact storage. C-Leg and T-Leg Flip Top tables allow the top to flip and nest as well as providing more leg space than a standard folding table. When nested, the tables are staggered. There is no limit to the number of tables that can be nested together.

Nesting:

Flip-Top tables nest easily for compact storage. C-Leg and T-Leg Flip Top tables allow the top to flip and nest as well as providing more leg space than a standard folding table. When nested, the tables are staggered. There is no limit to the number of tables that can be nested together.

Example:

Footprint area guideline C-Leg 48" x 24" C-Leg

- Two 48" x 24" C-Leg tables flipped and nested measure 51" x 30 1/2"
- Three 48" x 24" C-Leg tables flipped and nested measure 54" x 38 1/2"
- Six 48" x 24" C-Leg tables flipped and nested measure 63" x 63"

Example:

Footprint area guideline T-Leg 72" x 36" T-Leg

- Two 72" x 36" T-Leg tables flipped and nested measure 75" x 42"
- Three 72" x 36" T-Leg tables flipped and nested measure 78" x 49 1/2"
- Six 72" x 36" T-Leg tables flipped and nested measure 87" x 72"

Shipping:

C-Leg/T-Leg Flip-Top tables are shipped knocked down. The table top, flip mechanism, aluminum cross-member, and leg kit are all shipped in separate boxes. Simple field assembly required.

Nesting Diagrams Guideline:

	2 Tables	3 Tables	6 Tables
48x24C			
60x30C			

Features:

Note:

- Rectangular Fliptop tables can be specified with medium cordset Plexus or Transact
- Plexus options not available for 48" wide tables
- Plexus options for 60" and 72" wide tables: (GM, AM)

Glides/Casters:
Glides (suffix G)
Locking Casters (suffix C)



Note:

Propeller tables are certified Clean Air GOLD.

Maintenance:

See pages 13

Emanuela Frattini
Propeller® Training Table Series
Rectangular Folding Tables and Dolly


	description	w	d	h	clearance between legs w	clearance between legs d	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994	P2-F Folding table 	60"	24"	28½"	52"	13¾"	72
		72"	24"	28½"	64"	13¾"	81
		60"	30"	28½"	52"	19¾"	83
		66"	30"	28½"	58"	19¾"	89
		72"	30"	28½"	64"	19¾"	95
		60"	36"	28½"	52"	25¾"	95
		72"	36"	28½"	64"	25¾"	109
	P2-DOLLY Table dolly with one handle 	60"	30"	32¼"			
		72"	30"	32¼"			
		60"	36"	32¼"			
		72"	36"	32¼"			
	P2-DOLLY-H Additional handle for table dolly						

pattern no.	table dolly	laminate/ flat edge	laminate/ molded edge	veneer/ flat edge	veneer/wood edge
P2-F14		\$2,115.	\$2,602.	\$4,591.	\$5,348.
P2-F16		\$2,276.	\$2,793.	\$4,663.	\$5,438.
P2-F24		\$2,276.	\$2,793.	\$4,711.	\$5,498.
P2-F25		\$2,355.	\$2,896.	\$4,751.	\$5,537.
P2-F26		\$2,432.	\$2,990.	\$4,782.	\$5,576.
P2-F34		\$2,432.	\$2,990.	\$4,803.	\$5,605.
P2-F36		\$2,589.	\$3,181.	\$4,911.	\$5,726.
P2-DOLLY24	\$1,672.				
P2-DOLLY26	\$1,868.				
P2-DOLLY34	\$1,868.				
P2-DOLLY36	\$2,062.				
P2-DOLLY-H	\$747.				

Order Code	Finishes	Electrical
<i>Example:</i> P2-F16-G-129-R6-Y-612	<i>Woodgrain laminate top finishes:</i>	
P2-F16	24" x 72" rectangle folding table	Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T)
G	Glides	
129	Micro Sand laminate	
R6	Medium Grey edgeband	
Y	No grommet	
612	Medium Metallic Grey legs	
<i>Specify:</i>		
1. Pattern number		+ For more detailed information, consult the Electrical section of the Propeller Manual.
2. Locking caster or glide selection		
3. Top finish selection		
4. Edgeband selection		
5. Grommet option		
6. Leg/grommet finish		
	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T)	
	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5)	
	<i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)	
	<i>Leg and grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)	
	<i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	
		<i>Grommet options:</i> (\$33 per cutout) Tables may be specified with zero, one or two grommets. All grommets are 3¼" diameter . Optional grommet mounted power receptacles available, see page 100.
		No grommet (suffix Y) Single grommet, left, mid-depth (BG) Two grommets, left and right, front (DG) Two grommets, left and right, mid-depth (AG) Single grommet, center, front (EG) Single grommet, center, right (HG)
		 Y
		 DG
		 AG
		 EG
		 BG

Features
<i>Connecting tables:</i> Each folding table, includes two connector bars to connect rectangular tops to each other on any side. When not needed, connectors store in ports at top of table leg.
<i>Table dollies:</i> Table dollies can stack 5 folding tables. Red urethane edge is scuff resistant, bottom is medium grey laminate, handle is stainless steel. Wheels are self-lubricating steel bearings with puncture-proof and impact-resistant solid cushion tires, mounted on a polypropylene hub.
<i>Note:</i> Height of Propeller table folded is 4¼".
<i>Maintenance:</i> See pages 13.
<i>Note:</i> Propeller tables are certified Clean Air GOLD.



Emanuela Frattini
Propeller® Training Table Series
Standing Height Tables

	description	w	d	h	clearance between legs w	clearance between legs d	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994	P2-H Standing height table 	48"	24"	38"	40"	13 3/4"	66
		60"	24"	38"	52"	13 3/4"	75
		72"	24"	38"	64"	13 3/4"	85
		48"	30"	38"	40"	19 3/4"	75
		60"	30"	38"	52"	19 3/4"	87
		72"	30"	38"	64"	19 3/4"	99
		48"	36"	38"	40"	25 3/4"	85
		60"	36"	38"	52"	25 3/4"	99
		72"	36"	38"	64"	25 3/4"	113




pattern no.	shelf	laminate/ flat edge	laminate/ molded edge	veneer/ flat edge	veneer/wood edge
P2-H12 *		\$1,643.	\$2,023.	\$3,996.	\$4,709.
P2-H14		\$1,804.	\$2,218.	\$4,068.	\$4,785.
P2-H16		\$1,959.	\$2,410.	\$4,150.	\$4,869.
P2-H22 *		\$1,804.	\$2,218.	\$4,082.	\$4,803.
P2-H24		\$1,959.	\$2,410.	\$4,188.	\$4,929.
P2-H26		\$2,115.	\$2,602.	\$4,263.	\$5,007.
P2-H32 *		\$1,959.	\$2,410.	\$4,348.	\$5,088.
P2-H34		\$2,115.	\$2,602.	\$4,446.	\$5,202.
P2-H36		\$2,276.	\$2,673.	\$4,551.	\$5,094.

Order Code	Finishes	Electrical
<i>Example:</i> P2-H26-G-111-5-AG-612	<i>Woodgrain laminate top finishes:</i>	<i>Flat edgeband finishes:</i>
P2-H26	Light Ash (suffix 139)	Black (suffix 111T)
	Warm Ash (suffix 140)	Mink (suffix 324T)
G	Whitened Ash (suffix 141)	Innertone (suffix 386T)
	Grey Ash (suffix 142)	Platinum (suffix 367T)
111	Classic Oak (suffix 143)	Folkstone (suffix 004T)
5	Graphite Pear (suffix 144)	Bright White (suffix 118T)
AG	Zebra (suffix 145)	
612	Medium Cherry (suffix 124)	<i>Molded edgeband finishes:</i>
	Natural Maple (suffix 125)	Black (suffix 300)
	Natural Cherry (suffix 126)	Mink (suffix 324)
	Walnut (suffix 127)	Innertone (suffix 386)
<i>Example:</i> P2-K26-A	<i>Solid laminate top finishes:</i>	Platinum (suffix 367)
P2-K26	Bright White (suffix 118)	Folkstone (suffix 004)
	Brushed Sand (suffix 122)	Light Grey (suffix 4)
A	Folkstone Grey (suffix 114)	Medium Grey (suffix 5)
	Jet Black (suffix 111)	
	Micro Grey (suffix 121)	<i>Leg and grommet finishes:</i>
		Anodized Aluminum (suffix A)
		Jet Black (suffix 111)
		Medium Metallic Grey (suffix 612)
		Bright White (suffix 118)
	<i>Veneer top/edge finishes:</i>	
	Brown Oak (suffix V427)	
	Burnt Walnut (suffix V313)	
	Chalk Oak (suffix V421)	
	Ebonized Walnut (suffix D)	
	Graphite Oak (suffix V513)	
	Light Oak (suffix V423)	
	Maple (suffix K)	
	Natural Beech (suffix B)	
	Old English Walnut (suffix V417)	
	Warm Brown Walnut (suffix J)	
	American Walnut (suffix AW)	
	Natural Oak (suffix ON)	
	Fumed Oak (suffix OF)	
	Ebonized Oak (suffix OE)	
<i>Specify:</i>		
1. Pattern number		
2. Locking caster or glide selection		
3. Top finish selection		
4. Edgeband selection		
5. Grommet/Plexus option		
6. Grommet and leg finish		
<i>Specify shelf:</i>		
7. Pattern number		
8. Shelf finish		

Features
<i>Plexus options: (\$33 per cutout)</i> * Plexus Box not available For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For medium Plexus, center, front (EM) For medium Plexus, left & right, front (DM) * AM, DM available for 72" wide tables only
<i>Standing height tables:</i> Use Standing Height Tables free-standing or connected to other Standing Height Tables. Two connectors provided with tables.
<i>Legs:</i> Extruded aluminum construction with clear satin anodized finish or powder-coat finish. Wire management flipper strips are flexible PVC. Leg end caps are injection-molded, glass-filled nylon. Leg mounting plates are aluminum die-castings with a textured paint finish. Black ribbed nylon glide or black nylon caster.
<i>Maintenance:</i> See pages 13.
<i>Note:</i> Propeller tables are certified Clean Air GOLD.



Emanuela Frattini
Propeller® Column Base Tables
Round and Square Tables

	description	w	d	h	weight	base
	P2-Y Propeller round column base table	42"		28 1/2"	71	4-star
		48"		28 1/2"	85	4-star
		42"		28 1/2"	71	4-star
		48"		28 1/2"	85	4-star
	P3-J Propeller round column base table	42"		28 1/2"	71	4-star
		48"		28 1/2"	85	4-star
		42"		28 1/2"	71	4-star
		48"		28 1/2"	85	4-star
	P2-X Propeller square column base table	30"	30"	28 1/2"	53	4-star
		36"	36"	28 1/2"	67	4-star
		42"	42"	28 1/2"	83	4-star
		48"	48"	28 1/2"	102	4-star
	P3-L Propeller square column base table	30"	30"	28 1/2"	53	4-star
		36"	36"	28 1/2"	67	4-star
		42"	42"	28 1/2"	83	4-star
		48"	48"	28 1/2"	102	4-star



pattern no.	laminate/ flat edge	laminate/ molded edge	laminate/ ½" wood edge	veneer/ flat edge	veneer/ ¼" wood edge
P2-Y42	\$1,958.	\$2,252.		\$4,154.	\$5,924.
P2-Y48	\$1,977.	\$2,262.		\$4,257.	\$6,018.

P3-J42	\$5,147.
P3-J48	\$5,336.

P2-X30	\$1,509.	\$1,854.	\$3,465.	\$4,507.
P2-X36	\$1,643.	\$2,021.	\$3,592.	\$4,631.
P2-X42	\$1,783.	\$2,190.	\$3,847.	\$4,904.
P2-X48	\$1,920.	\$2,361.	\$3,872.	\$4,757.


P3-L30	\$3,916.
P3-L36	\$3,944.
P3-L42	\$3,743.
P3-L48	\$3,933.

Order Code	Ordering Information	Electrical
<i>Example:</i> P2-X30-117-1-Y-A	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)	+ For more detailed information, consult the Electrical section of the Propeller Manual.
P2-X30	Propeller 30" square table, 4-star base	
117	Soft Grey laminate	<i>Grommet options: (\$33 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" diameter. Optional grommet mounted power receptacles available, see page 100 for details.
1	Spring Green edgeband	
Y	No grommet	No grommet (suffix Y) Single grommet, center (suffix GG)
A	Anodized Aluminum base	
<i>Specify:</i>	<i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)	
1. Pattern number	<i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	
2. Top finish		
3. Edge band selection (except for wood top with wood edge)		
4. Grommet option		
5. Leg/grommet finish		
	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T) Medium Grey (suffix R6)	
	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5)	
	<i>Leg and grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)	
		<i>Note:</i> - Plexus box not available on column base tables.

Specification Information	
The column base of the tables has one integrated channel for wire management. Cables are laid behind a translucent PVC flipper strip and can be easily pulled out. Wires can be brought to the table top through an optional center grommet. <i>Column profile:</i> 	<i>Urethane table edge detail:</i>  <i>Flat edgeband:</i>  <i>Wood Edge:</i> Tables can be specified with either 1/4" wood edge with veneer top or 1/2" wood edge with laminate top. <i>Base:</i> Extruded aluminum column with integrated wire management channel in anodized or powder-coat finish. Silver steel top attachment plate. Cast aluminum star-base with protective textured metallic surface coat matching the column color. Leveling low black nylon glides. <i>Maintenance:</i> See pages 13. <i>Note:</i> Propeller tables are certified Clean Air GOLD.

Below are only a few examples of suggested configurations using Propeller Conference tables and accessories.


Conference table types



The inherent flexibility of Propeller tables allows for diverse applications, ranging from setups for conference rooms to private offices and workstations.

Below are a few examples of private office and workstation configurations using Propeller Conference tables and accessories. The possibilities of connecting tables and accessories are virtually unlimited.

Conference area configurations




All configurations utilize standard Propeller products which are grouped according to desired application. Coordination of finishes allows for cohesive aesthetic solutions.

Ordering	Construction	Connecting Segments
<i>Specify:</i> 1. Pattern number 2. Caster or glide selection (table only). 3. Top finish selection 4. Edgeband selection 5. Grommet option (table and bridge only) 6. Leg/grommet finish P3-RL Rectangular table, Std. legs P2-IL Rectangular desk return, C-Legs P3-AL Bullet conference table, T-legs Bullet conference table, Std. legs P3-HL Rectangular table, T-Legs P3-IL Rounded rectangular table, T-Legs P3-J Round conference table, column base	<i>Top:</i> 1 3/16" thick, 3-ply, solid medium density fiberboard core with balanced backer sheet on bottom. Solid veneer or plastic laminate. Wood tops are cross veneered. Threaded inserts are die-cast zinc. <i>Edges:</i> All table edges are finished, allowing ganged tables to be separated and used individually. ABS flat edgeband and solid wood edge are available. On rectangular tables with wood edges, short sides have rectilinear edges for ganging, long side edges are chamfered.	<i>Long side edge detail:</i> Solid wood <i>Short side edge detail:</i> Solid wood <i>Flat edgeband:</i> ABS flat edgeband, with integral color. <i>Wood Edge Profiles:</i> AutoStrada and Saarinen edge profiles are available as long side edge details. On rectangular tables with wood edges, short sides have rectilinear edges for ganging, long side edges are chamfered. <i>Long side edge detail:</i> AutoStrada profile = AE <i>Long side edge detail:</i> Saarinen profile = SE <i>Long side edge detail:</i> Propeller profile = PE <i>Legs:</i> Propeller's S-shaped conference leg incorporates two separate channels for power and communications wiring. Cables are laid behind flipper strips to meet UL code. Vertical leg is extruded aluminum construction with clear satin anodized or powder coat finish. Legs are 5"w x 2 1/4"d with 25% greater capacity than the training table leg. There are two types of Propeller Conference legs: Standard Conference legs and T-Legs. <i>Standard Conference legs:</i> Leg mounting plates are steel stampings with powder-coat finish. Leg end caps are injection-molded, glass-filled nylon. Black plastic glide with 3/4" levelling range or 2" lockable black nylon caster. <i>T-Legs:</i> T-legs offer additional kneespace. Cast aluminum end plates with textured paint finish. Cast aluminum foot in textured metallic powder coat. Conference Leg T-Leg <i>Glides/casters:</i> Glides and locking casters-black nylon. <i>Electrical options:</i> Electrical options include Grommet, Quadruplex and Plexus box. Please see Propeller Electrical section beginning on page 92. <i>Shipping:</i> Tops and legs are shipped separately. Legs ship knocked-down into foot plate and vertical assembly. Simple field assembly required.

Emanuela Frattini
Propeller® Conference Table Series
Round/Rounded Tables with Standard Legs



Designer(s):
Emanuela Frattini, 1994

description	type	w	d	h	clearance between legs d	clearance between legs w	no. of legs included	top weight (lbs.)
P3-DL Round table, with legs 		48"		28 1/2"	28 1/2"		4	59
		54"		28 1/2"	33 1/2"		4	75
		60"		28 1/2"	39"		4	92
P3-ML Rounded square table, with legs 		42"	42"	28 1/2"	20 1/2"		4	47
		48"	48"	28 1/2"	25 1/2"		4	62
		54"	54"	28 1/2"	30 1/2"		4	80
		60"	60"	28 1/2"	35 1/2"		4	99
P3-NL Rounded rectangular table, with legs 		60"	42"	28 1/2"	27 1/4"	25"	4	74
		66"	42"	28 1/2"	33 1/4"	25"	4	82
		72"	42"	28 1/2"	39 1/4"	25"	4	90
		78"	42"	28 1/2"	45 1/4"	25"	4	98
		84"	42"	28 1/2"	51 1/4"	25"	4	106
		90"	42"	28 1/2"	57 1/4"	25"	4	115
		96"	42"	28 1/2"	63 1/4"	25"	4	123
		60"	48"	28 1/2"	28 1/4"	25"	4	83
		66"	48"	28 1/2"	34 1/4"	25"	4	92
		72"	48"	28 1/2"	40 1/4"	25"	4	102
		78"	48"	28 1/2"	46 1/4"	25"	4	111
		84"	48"	28 1/2"	52 1/4"	25"	4	120
		90"	48"	28 1/2"	58 1/4"	25"	4	130
		96"	48"	28 1/2"	64 1/4"	25"	4	139
		72"	60"	28 1/2"	41 1/4"	27"	4	126
		78"	60"	28 1/2"	47 1/4"	27"	4	138
		84"	60"	28 1/2"	53 1/4"	27"	4	149
		90"	60"	28 1/2"	59 1/4"	27"	4	161
		96"	60"	28 1/2"	65 1/4"	27"	4	173

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-DL48	\$2,408.	\$5,938.	\$4,497.	\$7,490.	\$7,866.
P3-DL54	\$2,932.	\$6,448.	\$5,156.	\$8,123.	\$8,530.
P3-DL60	\$2,937.	\$6,594.	\$5,339.	\$8,395.	\$8,814.
P3-ML42	\$2,906.	\$6,373.	\$5,950.	\$8,743.	\$9,183.
P3-ML48	\$2,920.	\$6,517.	\$5,984.	\$9,002.	\$9,453.
P3-ML54	\$3,062.	\$6,660.	\$6,223.	\$9,264.	\$9,727.
P3-ML60	\$3,128.	\$6,807.	\$6,421.	\$9,524.	\$10,002.
P3-NL44	\$3,057.	\$7,424.	\$6,723.	\$10,352.	\$10,867.
P3-NL46	\$3,144.	\$7,625.	\$6,839.	\$10,488.	\$11,014.
P3-NL48	\$3,146.	\$7,829.	\$6,853.	\$10,623.	\$11,155.
P3-NL50	\$3,152.	\$8,030.	\$7,015.	\$10,759.	\$11,295.
P3-NL52	\$3,155.	\$8,233.	\$7,032.	\$10,894.	\$11,440.
P3-NL54	\$3,158.	\$8,435.	\$7,246.	\$11,025.	\$11,578.
P3-NL56	\$3,166.	\$8,638.	\$7,257.	\$11,163.	\$11,725.
P3-NL64	\$3,140.	\$7,829.	\$6,748.	\$10,614.	\$11,145.
P3-NL66	\$3,146.	\$8,030.	\$6,859.	\$10,747.	\$11,286.
P3-NL68	\$3,152.	\$8,233.	\$6,879.	\$10,886.	\$11,428.
P3-NL70	\$3,155.	\$8,435.	\$7,040.	\$11,020.	\$11,571.
P3-NL72	\$3,160.	\$8,638.	\$7,062.	\$11,153.	\$11,708.
P3-NL74	\$3,166.	\$8,840.	\$7,275.	\$11,288.	\$11,852.
P3-NL76	\$3,170.	\$9,042.	\$7,292.	\$11,423.	\$11,996.
P3-NL88	\$3,376.	\$8,840.	\$7,375.	\$11,268.	\$11,832.
P3-NL90	\$3,381.	\$9,042.	\$7,399.	\$11,405.	\$11,976.
P3-NL92	\$3,385.	\$9,232.	\$7,567.	\$11,532.	\$12,109.
P3-NL94	\$3,391.	\$9,427.	\$7,592.	\$11,659.	\$12,241.
P3-NL96	\$3,396.	\$9,622.	\$7,707.	\$11,781.	\$12,370.

Order Code	Finishes			
<i>Example:</i>	P3-NL44-C-K-SE-AG-A	<i>Woodgrain laminate top finishes:</i>	<i>Veneer top/edge finishes:</i>	<i>Flat edgeband finishes:</i>
P3-NL44	60" x 42" rounded rectangle table	Light Ash (suffix 139)	Brown Oak (suffix V427)	Black (suffix 111T)
		Warm Ash (suffix 140)	Burnt Walnut (suffix V313)	Mink (suffix 324T)
C	Locking casters	Whitened Ash (suffix 141)	Chalk Oak (suffix V421)	Innertone (suffix 386T)
K	Maple veneer top	Grey Ash (suffix 142)	Ebonized Walnut (suffix D)	Platinum (suffix 367T)
SE	Saarinен edge profile	Classic Oak (suffix 143)	Graphite Oak (suffix V513)	Folkstone (suffix 004T)
AG	Left and right grommets, mid-depth	Graphite Pear (suffix 144)	Light Oak (suffix V423)	Bright White (suffix 118T)
		Zebra (suffix 145)	Maple (suffix K)	
		Medium Cherry (suffix 124)	Natural Beech (suffix B)	<i>Molded edgeband finishes:</i>
		Natural Maple (suffix 125)	Old English Walnut (suffix V417)	Black (suffix 300)
		Natural Cherry (suffix 126)	Warm Brown Walnut (suffix J)	Mink (suffix 324)
A	Anodized grommets	Walnut (suffix 127)	American Walnut (suffix AW)	Innertone (suffix 386)
			Natural Oak (suffix ON)	Platinum (suffix 367)
			Fumed Oak (suffix OF)	Folkstone (suffix 004)
			Ebonized Oak (suffix OE)	Light Grey (suffix 4)
				Medium Grey (suffix 5)
<i>Specify:</i>		<i>Solid laminate top finishes:</i>	<i>Wood edge profiles:</i>	<i>Grommet finishes:</i>
1. Pattern number		Bright White (suffix 118)	Autostrada edge (suffix AE)	Anodized Aluminum (suffix A)
2. Locking caster or glide selection		Brushed Sand (suffix 122)	Propeller edge (suffix PE)	Jet Black (suffix 111)
3. Top finish selection		Folkstone Grey (suffix 114)	Saarinен edge (suffix SE)	Medium Metallic Grey (suffix 612)
4. Edgeband selection		Jet Black (suffix 111)		Bright White (suffix 118)
5. Edge profile option (veneer/wood edge only)		Micro Grey (suffix 121)		
6. Grommet/Plexus cutout option				
7. Grommet/leg finish				

Electrical		Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$47 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3/4" in diameter. See page 32 for details. Optional grommet-mounted power receptacles available, see page 100. No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, left, mid-depth (BG)	<i>Plexus Cutout Options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Tables may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) * For medium double Plexus, center, mid-depth (GMD) For medium double Plexus, left and right, mid-depth (AMD) * <i>*for rounded rectangular tables only</i>	<i>Maintenance:</i> See pages 13. <i>Note:</i> Propeller tables are certified Clean Air GOLD. <i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables. - Plexus box not available on 42" square tables. - Configurations AM, AMD and GJ not available on 48", 54" and 60" square tables. - AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini
Propeller® Conference Table Series
Bullet Table with Standard Legs

	description	type	w	d	h	clearance	clearance	no. of legs incl.	top wgt (lbs.)
						btwn. legs w	btwn. legs d		
<i>Designer(s):</i> Emanuela Frattini, 1994	P3-BL Bullet table, with legs		54"	42"	28 ½"	25 ½"	25"	4	70
			60"	42"	28 ½"	31 ½"	25"	4	78
			66"	42"	28 ½"	37 ½"	25"	4	86
			72"	42"	28 ½"	43 ½"	25"	4	94
			78"	42"	28 ½"	49 ½"	25"	4	102
			84"	42"	28 ½"	55 ½"	25"	4	111
			90"	42"	28 ½"	61 ½"	25"	4	119
			96"	42"	28 ½"	71 ¼"	25"	4	127
			54"	48"	28 ½"	25 ½"	25"	4	79
			60"	48"	28 ½"	31 ½"	25"	4	88
			66"	48"	28 ½"	37 ½"	25"	4	98
			72"	48"	28 ½"	43 ½"	25"	4	107
			78"	48"	28 ½"	49 ½"	25"	4	116
			84"	48"	28 ½"	55 ½"	25"	4	126
			90"	48"	28 ½"	61 ½"	25"	4	135
			96"	48"	28 ½"	71 ½"	25"	4	145
			54"	60"	28 ½"	25 ½"	27"	4	98
			60"	60"	28 ½"	31 ½"	27"	4	110
			66"	60"	28 ½"	37 ½"	27"	4	122
			72"	60"	28 ½"	43 ½"	27"	4	133
			78"	60"	28 ½"	49 ½"	27"	4	145
			84"	60"	28 ½"	55 ½"	27"	4	157
			90"	60"	28 ½"	61 ½"	27"	4	168
			96"	60"	28 ½"	72 ¼"	27"	4	180

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-BL42	\$3,056.	\$7,829.	\$6,204.	\$8,996.	\$9,445.
P3-BL44	\$3,059.	\$7,924.	\$6,221.	\$9,160.	\$9,618.
P3-BL46	\$3,197.	\$8,022.	\$6,394.	\$9,324.	\$9,788.
P3-BL48	\$3,201.	\$8,115.	\$6,413.	\$9,484.	\$9,959.
P3-BL50	\$3,206.	\$8,213.	\$6,520.	\$9,650.	\$10,132.
P3-BL52	\$3,213.	\$8,311.	\$6,540.	\$9,816.	\$10,303.
P3-BL54	\$3,217.	\$8,407.	\$6,646.	\$9,978.	\$10,477.
P3-BL56	\$3,222.	\$8,500.	\$6,667.	\$10,143.	\$10,652.
P3-BL62	\$3,058.	\$8,030.	\$6,451.	\$9,324.	\$9,788.
P3-BL64	\$3,063.	\$8,123.	\$6,473.	\$9,484.	\$9,959.
P3-BL66	\$3,201.	\$8,222.	\$6,647.	\$9,650.	\$10,132.
P3-BL68	\$3,206.	\$8,319.	\$6,670.	\$9,816.	\$10,303.
P3-BL70	\$3,213.	\$8,415.	\$6,776.	\$9,978.	\$10,477.
P3-BL72	\$3,215.	\$8,513.	\$6,798.	\$10,143.	\$10,652.
P3-BL74	\$3,219.	\$8,609.	\$6,953.	\$10,303.	\$10,820.
P3-BL76	\$3,227.	\$8,702.	\$6,973.	\$10,470.	\$10,993.
P3-BL82	\$3,268.	\$8,638.	\$6,973.	\$10,297.	\$10,810.
P3-BL84	\$3,277.	\$8,734.	\$6,994.	\$10,459.	\$10,982.
P3-BL86	\$3,450.	\$8,830.	\$7,216.	\$10,623.	\$11,155.
P3-BL88	\$3,454.	\$8,925.	\$7,378.	\$10,788.	\$11,327.
P3-BL90	\$3,459.	\$9,027.	\$7,404.	\$10,951.	\$11,500.
P3-BL92	\$3,464.	\$9,120.	\$7,516.	\$11,112.	\$11,670.
P3-BL94	\$3,468.	\$9,218.	\$7,540.	\$11,281.	\$11,845.
P3-BL96	\$3,477.	\$9,310.	\$7,565.	\$11,443.	\$12,015.

Order Code	Finishes	Electrical
<i>Example:</i> P3-BL42-C-DC-R5-GG-A	<i>Woodgrain laminate top finishes:</i>	<i>Wood edge profiles:</i>
P3-BL42	Light Ash (suffix 139)	Autostrada edge (suffix AE)
C	Warm Ash (suffix 140)	Propeller edge (suffix PE)
DC	Whitened Ash (suffix 141)	Saarinen edge (suffix SE)
R5	Grey Ash (suffix 142)	
GG	Classic Oak (suffix 143)	<i>Flat edgeband finishes:</i>
A	Graphite Pear (suffix 144)	Black (suffix 111T)
	Zebra (suffix 145)	Mink (suffix 324T)
	Medium Cherry (suffix 124)	Innertone (suffix 386T)
	Natural Maple (suffix 125)	Platinum (suffix 367T)
	Natural Cherry (suffix 126)	Folkstone (suffix 004T)
	Walnut (suffix 127)	Bright White (suffix 118T)
	<i>Solid laminate top finishes:</i>	<i>Molded edgeband finishes:</i>
	Bright White (suffix 118)	Black (suffix 300)
	Brushed Sand (suffix 122)	Mink (suffix 324)
	Folkstone Grey (suffix 114)	Innertone (suffix 386)
	Jet Black (suffix 111)	Platinum (suffix 367)
	Micro Grey (suffix 121)	Folkstone (suffix 004)
	<i>Veneer top/edge finishes:</i>	Light Grey (suffix 4)
	Brown Oak (suffix V427)	Medium Grey (suffix 5)
	Burnt Walnut (suffix V313)	
	Chalk Oak (suffix V421)	<i>Grommet finishes:</i>
	Ebonized Walnut (suffix D)	Anodized Aluminum (suffix A)
	Graphite Oak (suffix V513)	Jet Black (suffix 111)
	Light Oak (suffix V423)	Medium Metallic Grey (suffix 612)
	Maple (suffix K)	Bright White (suffix 118)
	Natural Beech (suffix B)	
	Old English Walnut (suffix V417)	
	Warm Brown Walnut (suffix J)	
	American Walnut (suffix AW)	
	Natural Oak (suffix ON)	
	Fumed Oak (suffix OF)	
	Ebonized Oak (suffix OE)	


Specify:

1. Pattern number
2. Locking caster or glide selection
3. Top finish selection
4. Edgeband selection
5. Edge profile option (veneer/wood edge only)
6. Grommet/Plexus cutout option
7. Grommet/leg finish

Features

Plexus Cutout Options: (\$47 per cutout)

Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Tables may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92.



For no Plexus (Y)

For medium Plexus, center, mid-depth (GM)

For medium Plexus, left & right, mid-depth (AM)

For double medium Plexus, center, mid-depth (GMD)

For double medium Plexus, left & right, mid-depth (AMD)

Maintenance:

See pages 13.

Note:

Propeller tables are certified Clean Air GOLD.

Note:

- Double Plexus AMD and GMD configurations not available on 42" deep tables.

- **AM and AMD are not appropriate for stand alone tables or end segments.**

Emanuela Frattini

Propeller® Conference Table Series

Square/Rectangular Tables with Standard Legs

	description	w	d	h	clearance	clearance	no. of legs	top wgt.
					btwn. legs w	btwn. legs d		
<i>Designer(s):</i> Emanuela Frattini, 1994	P3-SL Square table, with legs	42"	42"	28 ½"	25 ¼"	25"	4	57
		48"	48"	28 ½"	31 ¼"	25"	4	75
		54"	54"	28 ½"	37 ¼"	25"	4	95
		60"	60"	28 ½"	43 ¼"	27"	4	117
								
	P3-RL Rectangular table, with legs	48"	42"	28 ½"	31 ¼"	25"	4	66
		54"	42"	28 ½"	37 ¼"	25"	4	74
		60"	42"	28 ½"	43 ¼"	25"	4	82
		66"	42"	28 ½"	49 ¼"	25"	4	90
		72"	42"	28 ½"	55 ¼"	25"	4	98
		78"	42"	28 ½"	61 ¼"	25"	4	107
		84"	42"	28 ½"	67 ¼"	25"	4	115
		90"	42"	28 ½"	73 ¼"	25"	4	123
		96"	42"	28 ½"	79 ¼"	25"	4	131
		54"	48"	28 ½"	37 ¼"	25"	4	84
		60"	48"	28 ½"	43 ¼"	25"	4	94
		66"	48"	28 ½"	49 ¼"	25"	4	103
		72"	48"	28 ½"	55 ¼"	25"	4	113
		78"	48"	28 ½"	55 ¼"	25"	4	122
		84"	48"	28 ½"	55 ¼"	25"	4	131
		90"	48"	28 ½"	55 ¼"	25"	4	141
		96"	48"	28 ½"	55 ¼"	25"	4	150
		48"	60"	28 ½"	31 ¼"	27"	4	94
		54"	60"	28 ½"	37 ¼"	27"	4	105
		66"	60"	28 ½"	49 ¼"	27"	4	129
		72"	60"	28 ½"	55 ¼"	27"	4	141
		78"	60"	28 ½"	61 ¼"	27"	4	152
		84"	60"	28 ½"	67 ¼"	27"	4	164
		90"	60"	28 ½"	73 ¼"	27"	4	176
		96"	60"	28 ½"	79 ¼"	27"	4	288

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-SL42	\$2,673.	\$4,955.	\$4,832.	\$6,720.	\$7,057.
P3-SL48	\$2,686.	\$5,438.	\$4,867.	\$7,519.	\$7,897.
P3-SL54	\$2,837.	\$5,917.	\$5,316.	\$8,588.	\$9,016.
P3-SL60	\$2,851.	\$6,400.	\$5,456.	\$8,570.	\$9,000.
P3-RL40	\$2,734.	\$5,222.	\$5,402.	\$7,257.	\$7,623.
P3-RL42	\$2,776.	\$5,350.	\$5,465.	\$7,398.	\$7,765.
P3-RL44	\$2,781.	\$5,478.	\$5,483.	\$7,530.	\$7,905.
P3-RL46	\$2,914.	\$5,601.	\$5,651.	\$7,665.	\$8,046.
P3-RL48	\$2,917.	\$5,728.	\$5,666.	\$7,799.	\$8,191.
P3-RL50	\$2,921.	\$5,852.	\$5,685.	\$7,931.	\$8,329.
P3-RL52	\$2,931.	\$5,979.	\$5,923.	\$8,068.	\$8,470.
P3-RL54	\$2,935.	\$6,101.	\$5,937.	\$8,204.	\$8,614.
P3-RL56	\$2,938.	\$6,228.	\$5,954.	\$8,341.	\$8,757.
P3-RL62	\$2,781.	\$5,581.	\$5,711.	\$7,654.	\$8,038.
P3-RL64	\$2,785.	\$5,706.	\$5,725.	\$7,793.	\$8,182.
P3-RL66	\$2,919.	\$5,830.	\$5,895.	\$7,924.	\$8,321.
P3-RL68	\$2,922.	\$5,957.	\$5,914.	\$8,060.	\$8,462.
P3-RL70	\$2,932.	\$6,085.	\$5,933.	\$8,194.	\$8,604.
P3-RL72	\$2,935.	\$6,209.	\$6,085.	\$8,330.	\$8,750.
P3-RL74	\$2,938.	\$6,333.	\$6,102.	\$8,466.	\$8,891.
P3-RL76	\$2,943.	\$6,459.	\$6,118.	\$8,599.	\$9,030.
P3-RL80	\$2,785.	\$6,190.	\$5,731.	\$8,311.	\$8,727.
P3-RL82	\$2,958.	\$6,317.	\$6,034.	\$8,445.	\$8,869.
P3-RL86	\$3,128.	\$6,563.	\$6,266.	\$8,716.	\$9,150.
P3-RL88	\$3,135.	\$6,687.	\$6,288.	\$8,851.	\$9,293.
P3-RL90	\$3,140.	\$6,813.	\$6,309.	\$8,986.	\$9,434.
P3-RL92	\$3,146.	\$6,939.	\$6,552.	\$9,120.	\$9,562.
P3-RL94	\$3,152.	\$7,065.	\$6,576.	\$9,256.	\$9,719.
P3-RL96	\$3,155.	\$7,193.	\$6,598.	\$9,388.	\$9,861.

Order Code	Finishes		
<i>Example:</i>	P3-RL56-C-Z-SE-Y-A	<i>Woodgrain laminate top finishes:</i>	<i>Veneer top/edge finishes:</i>
P3-RL56	96" x 42" rectangular table	Light Ash (suffix 139)	Brown Oak (suffix V427)
C	Locking casters	Warm Ash (suffix 140)	Burnt Walnut (suffix V313)
Z	Medium Red Mahogany top	Whitened Ash (suffix 141)	Chalk Oak (suffix V421)
SE	Saارين edge profile	Grey Ash (suffix 142)	Ebonized Walnut (suffix D)
Y	No grommets	Classic Oak (suffix 143)	Graphite Oak (suffix V513)
A	Anodized Aluminum legs	Graphite Pear (suffix 144)	Light Oak (suffix V423)
		Zebra (suffix 145)	Maple (suffix K)
		Medium Cherry (suffix 124)	Natural Beech (suffix B)
		Natural Maple (suffix 125)	Old English Walnut (suffix V417)
		Natural Cherry (suffix 126)	Warm Brown Walnut (suffix J)
		Walnut (suffix 127)	American Walnut (suffix AW)
			Natural Oak (suffix ON)
		<i>Solid laminate top finishes:</i>	Fumed Oak (suffix OF)
		Bright White (suffix 118)	Ebonized Oak (suffix OE)
		Brushed Sand (suffix 122)	
		Folkstone Grey (suffix 114)	<i>Wood edge profiles:</i>
		Jet Black (suffix 111)	Autostrada edge (suffix AE)
		Micro Grey (suffix 121)	Propeller edge (suffix PE)
			Saارين edge (suffix SE)
			<i>Molded edgeband finishes:</i>
			Black (suffix 300)
			Mink (suffix 324)
			Innertone (suffix 386)
			Platinum (suffix 367)
			Folkstone (suffix 004)
			Light Grey (suffix 4)
			Medium Grey (suffix 5)
			<i>Grommet finishes:</i>
			Anodized Aluminum (suffix A)
			Jet Black (suffix 111)
			Medium Metallic Grey (suffix 612)
			Bright White (suffix 118)



- Specify:*
- Pattern number
 - Locking castor or glide selection
 - Top finish selection
 - Edgeband selection
 - Edge profile option (veneer/wood edge only)
 - Grommet/Plexus cutout option
 - Grommet/leg finish

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 13.
<i>Grommet options: (\$47 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3¼" in diameter, see page 32 for details. Optional grommet-mounted power receptacles available, see page 100.	<i>Note:</i> Propeller tables are certified Clean Air GOLD.
No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, left, mid-depth (BG)	<i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables. - Plexus box not available on 42" square tables and 48"x 42" tables. - Configurations AM and AMD not available on 48", 54" and 60" square tables. - AM and AMD are not appropriate for stand alone tables or end segments.
 Y	 AM
 GG	 AMD
 BG	 GMD

Emanuela Frattini

Propeller® Conference Table Series

Rounded Two Segment Conference Table with Standard Legs

	description	overall w	d	h	section width A, B	no. of legs included	top wgt (lbs.)
Designer(s): Emanuela Frattini, 1994 	P3-CL Rounded rectangular table, 2 segments, with legs 	108"	42"	28½"	54"	6	140
		120"	42"	28½"	60"	6	156
		132"	42"	28½"	66"	6	172
		144"	42"	28½"	72"	6	188
		156"	42"	28½"	78"	6	204
		168"	42"	28½"	84"	6	222
		180"	42"	28½"	90"	6	238
		108"	48"	28½"	54"	6	158
		120"	48"	28½"	60"	6	176
		132"	48"	28½"	66"	6	196
		144"	48"	28½"	72"	6	214
		156"	48"	28½"	78"	6	232
		168"	48"	28½"	84"	6	252
		180"	48"	28½"	90"	6	270
		108"	60"	28½"	54"	6	196
		120"	60"	28½"	60"	6	220
		132"	60"	28½"	66"	6	244
		144"	60"	28½"	72"	6	266
		156"	60"	28½"	78"	6	290
		168"	60"	28½"	84"	6	314
		180"	60"	28½"	90"	6	336

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-CL10	\$5,266.	\$14,923.	\$11,833.	\$17,258.	\$18,120.
P3-CL12	\$5,276.	\$15,116.	\$11,867.	\$17,581.	\$18,461.
P3-CL14	\$5,453.	\$15,309.	\$12,102.	\$17,910.	\$18,805.
P3-CL16	\$5,461.	\$15,500.	\$12,139.	\$18,241.	\$19,148.
P3-CL18	\$5,474.	\$15,690.	\$12,173.	\$18,567.	\$19,495.
P3-CL20	\$5,483.	\$15,887.	\$12,210.	\$18,897.	\$19,843.
P3-CL22	\$5,492.	\$16,079.	\$12,244.	\$19,220.	\$20,186.
P3-CL30	\$5,276.	\$15,326.	\$11,877.	\$17,910.	\$18,805.
P3-CL32	\$5,283.	\$15,519.	\$11,913.	\$18,241.	\$19,148.
P3-CL34	\$5,461.	\$15,716.	\$12,151.	\$18,567.	\$19,495.
P3-CL36	\$5,474.	\$15,907.	\$12,192.	\$18,897.	\$19,843.
P3-CL38	\$5,483.	\$16,100.	\$12,234.	\$19,220.	\$20,186.
P3-CL40	\$5,492.	\$16,291.	\$12,270.	\$19,550.	\$20,530.
P3-CL42	\$5,502.	\$16,486.	\$12,310.	\$19,879.	\$20,871.
P3-CL50	\$5,496.	\$16,542.	\$11,958.	\$19,860.	\$20,854.
P3-CL52	\$5,507.	\$16,736.	\$12,008.	\$20,187.	\$21,048.
P3-CL54	\$5,878.	\$16,928.	\$12,475.	\$20,516.	\$21,542.
P3-CL56	\$5,887.	\$17,119.	\$12,525.	\$20,842.	\$21,883.
P3-CL58	\$5,900.	\$17,312.	\$12,569.	\$21,169.	\$22,225.
P3-CL60	\$5,911.	\$17,506.	\$12,621.	\$21,502.	\$22,572.
P3-CL62	\$5,922.	\$17,699.	\$12,665.	\$21,823.	\$22,913.

Note: Order 2 additional legs if tables will be seperated



Order Code	Finishes	Electrical
Example: P3-CL10-G-K-AE-HG-HG-A P3-CL10 108" x 42" rounded rectangular table, 2 segments G Glides K Maple veneer top AE Autostrada edge profile HG Single grommet, outside, segment A HG Single grommet, outside, segment B A Anodized Aluminum grommet and leg finish	Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121) Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonyzed Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonyzed Oak (suffix OE)	Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE) Flat edgeband finishes: Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T) Molded edgeband finishes: Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5) Grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)
Specify: 1. Pattern number 2. Locking caster or glide option 3. Top finish selection 4. Edgeband selection 5. Edge profile option (veneer/wood edge only) 6. Grommet/Plexus cutout option, segment A 7. Grommet/Plexus cutout option, segment B 8. Grommet/leg finish Specify additional legs: 9. Pattern number 10. Leg finish		+ For more detailed information, consult the Electrical section of the Propeller Manual. Grommet options: (\$47 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter, see page 32 for details. Optional grommet-mounted power receptacles available, see page 100. No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)

Features
Plexus Cutout Options: (\$47 per cutout) Table can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. Maintenance: See pages 13. Note: Propeller tables are certified Clean Air GOLD. Note: - Double Plexus AMD and GMD configurations not available on 42" deep tables. - AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini

Propeller® Conference Table Series

Rounded Three Segment Conference Tables with Standard Legs

	description	overall w	d	h	section width A,C	section width B	no. of legs incl.	top wgt (lbs.)
Designer(s): Emanuela Frattini, 1994 	P3-FL Rounded rectangular table, 3 segments, with legs 	192"	42"	28½"	60"	72"	8	248
		204"	42"	28½"	72"	60"	8	262
		216"	42"	28½"	72"	72"	8	286
		228"	42"	28½"	78"	72"	8	302
		240"	42"	28½"	84"	72"	8	320
		252"	42"	28½"	90"	72"	8	336
		192"	48"	28½"	60"	72"	8	289
		204"	48"	28½"	72"	60"	8	308
		216"	48"	28½"	72"	72"	8	327
		228"	48"	28½"	78"	72"	8	345
		240"	48"	28½"	84"	72"	8	365
		252"	48"	28½"	90"	72"	8	383
		192"	60"	28½"	60"	72"	8	359
		204"	60"	28½"	72"	60"	8	383
		216"	60"	28½"	72"	72"	8	407
		228"	60"	28½"	78"	72"	8	431
		240"	60"	28½"	84"	72"	8	455
		252"	60"	28½"	90"	72"	8	477

Note: Order 4 additional legs if table will be separated.

Order Code	Finishes	Electrical
Example: P3-FL10-G-SL-R6-Y-GMD-Y-GG-612 P3-FL10 204" x 42" rounded rectangular table, 3 segments G Glides SL Slate laminate tops R6 Medium Grey edgeband Y Single grommet, center, mid-depth, segment A GMD Double medium plexus, center, segment B 612 Medium Metallic Grey grommet and leg finish	Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121) Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE) Flat edgeband finishes: Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T) Molded edgeband finishes: Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5) Grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)

Specify:

1. Pattern number

2. Locking caster or glide option

3. Top finish selection

4. Edgeband selection

5. Edge profile option (veneer/wood edge only)

6. Grommet/Plexus cutout option, segment A

7. Grommet/Plexus option, segment B

8. Grommet/Plexus option, segment C

Specify additioanl legs:

9. Pattern number

10. Leg finish

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-FL06	\$7,988.	\$19,744.	\$17,778.	\$24,495.	\$25,721.
P3-FL10	\$8,244.	\$20,244.	\$17,857.	\$25,033.	\$26,288.
P3-FL12	\$8,377.	\$20,493.	\$18,056.	\$25,307.	\$26,573.
P3-FL14	\$8,408.	\$20,689.	\$18,156.	\$25,634.	\$26,914.
P3-FL16	\$8,436.	\$20,882.	\$18,257.	\$25,959.	\$27,258.
P3-FL18	\$8,470.	\$21,074.	\$18,357.	\$26,291.	\$27,606.
P3-FL26	\$8,217.	\$20,554.	\$17,932.	\$25,236.	\$26,497.
P3-FL30	\$8,464.	\$20,938.	\$18,339.	\$25,892.	\$27,186.
P3-FL32	\$8,496.	\$21,128.	\$18,445.	\$26,219.	\$27,529.
P3-FL34	\$8,526.	\$21,324.	\$18,554.	\$26,550.	\$27,877.
P3-FL36	\$8,560.	\$21,517.	\$18,660.	\$26,877.	\$28,219.
P3-FL38	\$8,595.	\$21,710.	\$18,768.	\$27,205.	\$28,565.
P3-FL46	\$8,562.	\$22,500.	\$18,382.	\$28,121.	\$29,530.
P3-FL50	\$9,027.	\$22,886.	\$19,179.	\$28,680.	\$30,114.
P3-FL52	\$9,062.	\$23,080.	\$19,300.	\$28,961.	\$30,405.
P3-FL54	\$9,095.	\$23,274.	\$19,419.	\$29,284.	\$30,752.
P3-FL56	\$9,133.	\$23,466.	\$19,542.	\$29,616.	\$31,097.
P3-FL58	\$9,167.	\$23,657.	\$19,661.	\$29,942.	\$31,438.

Features
Plexus Cutout Options: (\$47 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. Y GM GMD AM AMD Maintenance: See pages 13. Note: Propeller tables are certified Clean Air GOLD. Note: - Double Plexus AMD and GMD configurations not available on 42" deep tables. - AM and AMD are not appropriate for stand alone tables or end segments.


42

43

Emanuela Frattini

Propeller® Conference Table Series

Rounded Four Segment Conference Tables with Standard Legs

description		total w	d	h	section width A,D	section width B,C	no. of legs incl.	top wgt. (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994   P3-EL Rounded rectangular table, 4 segments, with legs		264"	42"	28 1/2"	72"	60"	10	352
		276"	42"	28 1/2"	78"	60"	10	368
		288"	42"	28 1/2"	78"	66"	10	384
		300"	42"	28 1/2"	84"	66"	10	402
		312"	42"	28 1/2"	84"	72"	10	418
		324"	42"	28 1/2"	90"	72"	10	434
		264"	48"	28 1/2"	72"	60"	10	402
		276"	48"	28 1/2"	78"	60"	10	420
		288"	48"	28 1/2"	78"	66"	10	438
		300"	48"	28 1/2"	84"	66"	10	458
		312"	48"	28 1/2"	84"	72"	10	478
		324"	48"	28 1/2"	90"	72"	10	496
		264"	60"	28 1/2"	72"	60"	10	500
		276"	60"	28 1/2"	78"	60"	10	524
		288"	60"	28 1/2"	78"	66"	10	548
		300"	60"	28 1/2"	84"	66"	10	572
		312"	60"	28 1/2"	84"	72"	10	596
		324"	60"	28 1/2"	90"	72"	10	618

Note: Order 6 additional legs if tables will be separated.

Order Code	Finishes	Electrical
<i>Example:</i>	P3-EL32-G-125-PE-Y-GM-GM-Y-A	
P3-EL32	276" x 48" rounded rectangular table, 4 segments	
G	Glides	
125	Natural Maple laminate top	
PE	Propeller edge	
Y	No plexus, segment A	
GM	Single grommet, center, mid-depth, segment B	
GM	Single grommet, center, mid-depth, segment C	
Y	No plexus, segment D	
A	Aluminum grommet and leg finish	
<i>Specify:</i>		
1. Pattern number		
2. Locking caster or glide option		
3. Top finish selection		
4. Edgeband selection		
5. Edge profile option (veneer/wood edge only)		
6. Grommet/Plexus cutout option, segment A		
7. Grommet/Plexus cutout option, segment B		
8. Grommet/Plexus cutout option, segment C		
9. Grommet/Plexus cutout option, segment D		
10. Grommet.leg finish		
	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) <i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121) <i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE) <i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T) <i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5) <i>Grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)
		+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$47 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter, see page 32 for details. Optional grommet-mounted power receptacles available, see page 100. No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)  Y  BG  GG  HG  AG

Specify additional legs

11. Pattern number
12. Leg finish


pattern no.	laminat/ flat edge	laminat/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-EL10	\$11,286.	\$19,454.	\$24,823.	\$27,646.	\$29,028.
P3-EL12	\$11,326.	\$19,706.	\$24,941.	\$27,917.	\$29,312.
P3-EL14	\$11,364.	\$19,957.	\$25,065.	\$28,187.	\$29,596.
P3-EL16	\$11,405.	\$20,204.	\$25,187.	\$28,453.	\$29,878.
P3-EL18	\$11,442.	\$20,453.	\$25,310.	\$28,729.	\$30,166.
P3-EL20	\$11,482.	\$20,706.	\$25,433.	\$28,998.	\$30,449.
P3-EL30	\$11,474.	\$20,380.	\$25,412.	\$28,689.	\$30,123.
P3-EL32	\$11,512.	\$20,634.	\$25,541.	\$28,961.	\$30,405.
P3-EL34	\$11,554.	\$20,882.	\$25,670.	\$29,229.	\$30,691.
P3-EL36	\$11,593.	\$21,128.	\$25,799.	\$29,501.	\$30,975.
P3-EL38	\$11,630.	\$21,383.	\$25,928.	\$29,769.	\$31,256.
P3-EL40	\$11,672.	\$21,632.	\$26,061.	\$30,038.	\$31,543.
P3-EL50	\$12,292.	\$23,234.	\$26,649.	\$31,830.	\$33,420.
P3-EL52	\$12,332.	\$23,404.	\$26,790.	\$32,085.	\$33,688.
P3-EL54	\$12,374.	\$23,735.	\$26,935.	\$32,373.	\$33,992.
P3-EL56	\$12,420.	\$24,064.	\$27,080.	\$32,659.	\$34,291.
P3-EL58	\$12,460.	\$24,310.	\$27,221.	\$32,932.	\$34,578.
P3-EL60	\$12,502.	\$24,567.	\$27,368.	\$33,201.	\$34,860.

Features	
<i>Plexus Cutout Options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)	<i>Maintenance:</i> See pages 13. <i>Note:</i> Propeller tables are certified Clean Air GOLD.

Emanuela Frattini

Propeller® Conference Table Series

Rectangular Two Segment Conference Table with Standard Legs

	description	overall w	d	h	section width, A,B	no. of legs incl.	top wgt. (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 1994	P3-SL Rectangular table, 2 segments with legs 	108"	42"	28½"	54"	6	148
		120"	42"	28½"	60"	6	164
		132"	42"	28½"	66"	6	180
		144"	42"	28½"	72"	6	196
		108"	48"	28½"	54"	6	168
		120"	48"	28½"	60"	6	188
		132"	48"	28½"	66"	6	206
		144"	48"	28½"	72"	6	226
		108"	60"	28½"	54"	6	210
		120"	60"	28½"	60"	6	234
		132"	60"	28½"	66"	6	258
		144"	60"	28½"	72"	6	282

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-SL10	\$5,036.	\$9,967.	\$10,265.	\$14,056.	\$14,758.
P3-SL12	\$5,131.	\$10,220.	\$10,297.	\$14,324.	\$15,040.
P3-SL14	\$5,207.	\$10,470.	\$10,632.	\$14,596.	\$15,326.
P3-SL16	\$5,260.	\$10,717.	\$10,689.	\$14,865.	\$15,606.
P3-SL30	\$5,046.	\$10,429.	\$10,750.	\$14,575.	\$15,304.
P3-SL32	\$5,141.	\$10,682.	\$10,787.	\$14,847.	\$15,590.
P3-SL34	\$5,212.	\$10,932.	\$11,129.	\$15,116.	\$15,872.
P3-SL36	\$5,268.	\$11,184.	\$11,162.	\$15,386.	\$16,154.
P3-SL50	\$5,452.	\$11,894.	\$11,441.	\$16,154.	\$16,960.
P3-SL52	\$5,919.	\$12,071.	\$11,863.	\$16,406.	\$17,230.
P3-SL53	\$5,950.	\$12,399.	\$11,920.	\$16,694.	\$17,528.
P3-SL56	\$6,017.	\$12,647.	\$12,011.	\$16,967.	\$17,814.

Note: Order 2 additional legs if tables will be seperated

Order Code	Finishes	Electrical
<i>Example:</i> P3-SL10-G-K-R5-BG-A	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)
P3-SL10	108" x 42" rectangular table, 2 segments	
G	Glides	
K	Maple veneer top	
R5	Black edgeband	
BG	Single grommet, side, segment A	
BG	Single grommet, side, segment B	
A	Anodized Aluminum grommet and leg finish	
	<i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T)
	<i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5)
		<i>Grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)



- Specify:
1. Pattern number
 2. Locking caster or glide option
 3. Top finish selection
 4. Edgeband selection
 5. Edge profile option (veneer/wood edge only)
 6. Grommet/Plexus cutout option, segment A
 7. Grommet/Plexus cutout option, segment B
 8. Grommet/leg finish

Features
<i>Plexus Cutout Options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92.
Y GM GMD AM AMD
<i>Maintenance:</i> See pages 13.
<i>Note:</i> Propeller tables are certified Clean Air GOLD.
<i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables. - AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini

Propeller® Conference Table Series

Rectangular Three Segment Conference Table with Standard Legs

	description	total w	d	h	section width A,C	section width B	no. of legs incl.	top wgt. (lbs.)
Designer(s): Emanuela Frattini, 1994 	P3-TL Rectangular table, 3 segments, with legs 	156"	42"	28½"	54"	48"	8	214
		168"	42"	28½"	60"	48"	8	230
		180"	42"	28½"	60"	60"	8	246
		192"	42"	28½"	66"	60"	8	262
		204"	42"	28½"	72"	60"	8	278
		216"	42"	28½"	72"	72"	8	294
		156"	48"	28½"	54"	48"	8	243
		168"	48"	28½"	60"	48"	8	263
		180"	48"	28½"	60"	60"	8	282
		192"	48"	28½"	66"	60"	8	300
		204"	48"	28½"	72"	60"	8	320
		216"	48"	28½"	72"	72"	8	339
		156"	60"	28½"	54"	48"	8	304
		168"	60"	28½"	60"	48"	8	328
		180"	60"	28½"	60"	60"	8	351
		192"	60"	28½"	66"	60"	8	375
		204"	60"	28½"	72"	60"	8	399
		216"	60"	28½"	72"	72"	8	423

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-TL10	\$7,116.	\$14,460.	\$15,074.	\$20,581.	\$21,609.
P3-TL12	\$7,212.	\$14,710.	\$15,108.	\$20,851.	\$21,896.
P3-TL14	\$7,359.	\$14,959.	\$15,130.	\$21,120.	\$22,176.
P3-TL16	\$7,432.	\$15,211.	\$15,469.	\$21,392.	\$22,463.
P3-TL18	\$7,487.	\$15,463.	\$15,524.	\$21,663.	\$22,745.
P3-TL20	\$7,548.	\$15,716.	\$15,720.	\$21,932.	\$23,030.
P3-TL30	\$7,226.	\$15,134.	\$15,824.	\$21,362.	\$22,431.
P3-TL32	\$7,327.	\$15,386.	\$15,871.	\$21,632.	\$22,714.
P3-TL34	\$7,383.	\$15,655.	\$15,906.	\$21,903.	\$22,996.
P3-TL36	\$7,461.	\$15,907.	\$16,261.	\$22,171.	\$23,279.
P3-TL38	\$7,521.	\$16,154.	\$16,312.	\$22,443.	\$23,563.
P3-TL40	\$7,592.	\$16,406.	\$16,514.	\$22,710.	\$23,845.
P3-TL50	\$7,902.	\$17,350.	\$17,036.	\$23,735.	\$24,920.
P3-TL52	\$8,390.	\$17,525.	\$17,495.	\$23,987.	\$25,187.
P3-TL54	\$8,646.	\$17,738.	\$17,760.	\$24,243.	\$25,456.
P3-TL56	\$8,683.	\$18,069.	\$17,845.	\$24,537.	\$25,763.
P3-TL58	\$8,764.	\$18,315.	\$17,967.	\$24,803.	\$26,043.
P3-TL60	\$8,808.	\$18,606.	\$18,026.	\$25,085.	\$26,335.

Note: Order 4 additional legs if tables will be seperated

Order Code	Finishes	Electrical
Example: P3-TL10-G-SL-5-GG-AG-GG-612 P3-TL10 156" x 42" rounded rectangular table, 3 segments G Glides SL Slate laminate top 5 Medium Grey edgeband GG Single grommet, center, segment A AG Two grommets, left and right, mid-depth, segment B GG Single grommet, center, segment C 612 Medium Metallic Grey grommet and leg finish	Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121) Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonyzed Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonyzed Oak (suffix OE)	Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE) Flat edgeband finishes: Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T) Molded edgeband finishes: Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5) Grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)

- Specify:
- Pattern number
 - Locking caster or glide option
 - Top finish selection
 - Edgeband selection
 - Edge profile option (veneer/wood edge only)
 - Grommet/Plexus cutout option, segment A
 - Grommet/Plexus cutout option, segment B
 - Grommet/Plexus cutout option, segment C
 - Grommet/leg finish

Features
Plexus Cutout Options: (\$47 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. Y GM AM AMD GMD Maintenance: See pages 13. Note: Propeller tables are certified Clean Air GOLD.

Note:



- Double Plexus AMD and GMD configurations not available on 42" deep tables.

- **AM and AMD are not appropriate for stand alone tables or end segments.**

Emanuela Frattini

Propeller® Conference Table Series

Rectangular Four Segment Conference Table with Standard Legs

	description	total w	d	h	section width A,D	section width B,C	no. of legs incl.	top wgt. (lbs.)
Designer(s): Emanuela Frattini, 1994 	P3-VL Rectangular table, 4 segments, with legs	228"	42"	28 1/2"	60"	54"	10	312
		240"	42"	28 1/2"	60"	60"	10	328
		252"	42"	28 1/2"	66"	60"	10	344
		264"	42"	28 1/2"	66"	66"	10	360
		276"	42"	28 1/2"	72"	66"	10	376
		288"	42"	28 1/2"	72"	72"	10	392
		228"	48"	28 1/2"	60"	54"	10	356
		240"	48"	28 1/2"	60"	60"	10	376
		252"	48"	28 1/2"	66"	60"	10	394
		264"	48"	28 1/2"	66"	66"	10	412
		276"	48"	28 1/2"	72"	66"	10	432
		288"	48"	28 1/2"	72"	72"	10	452
		228"	60"	28 1/2"	60"	54"	10	444
		240"	60"	28 1/2"	60"	60"	10	468
		252"	60"	28 1/2"	66"	60"	10	492
		264"	60"	28 1/2"	66"	66"	10	516
		276"	60"	28 1/2"	72"	66"	10	540
		288"	60"	28 1/2"	72"	72"	10	564

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-VL10	\$9,469.	\$19,454.	\$19,882.	\$27,646.	\$29,028.
P3-VL12	\$9,577.	\$19,706.	\$19,948.	\$27,917.	\$29,312.
P3-VL14	\$9,672.	\$19,957.	\$20,355.	\$28,187.	\$29,505.
P3-VL16	\$9,758.	\$20,204.	\$20,723.	\$28,453.	\$29,878.
P3-VL18	\$9,824.	\$20,453.	\$20,815.	\$28,729.	\$30,166.
P3-VL20	\$9,894.	\$20,706.	\$20,901.	\$28,998.	\$30,449.
P3-VL30	\$9,585.	\$20,380.	\$21,167.	\$28,689.	\$30,123.
P3-VL32	\$9,697.	\$20,634.	\$21,241.	\$28,961.	\$30,405.
P3-VL34	\$9,783.	\$20,882.	\$21,625.	\$29,229.	\$30,691.
P3-VL36	\$9,869.	\$21,128.	\$22,006.	\$29,501.	\$30,975.
P3-VL38	\$9,934.	\$21,383.	\$22,079.	\$29,769.	\$31,256.
P3-VL40	\$10,006.	\$21,632.	\$22,153.	\$30,038.	\$31,543.
P3-VL50	\$10,929.	\$23,234.	\$23,341.	\$31,830.	\$33,420.
P3-VL52	\$11,429.	\$23,404.	\$23,820.	\$32,085.	\$33,688.
P3-VL54	\$11,472.	\$23,735.	\$23,915.	\$32,373.	\$33,992.
P3-VL56	\$11,512.	\$24,064.	\$24,013.	\$32,659.	\$34,291.
P3-VL58	\$11,601.	\$24,310.	\$24,147.	\$32,932.	\$34,578.
P3-VL60	\$11,692.	\$24,567.	\$24,281.	\$33,201.	\$34,860.

Note: Order 6 additional legs if tables will be seperated

Order Code	Finishes	Electrical
Example: P3-VL32-G-125-R5-Y-BG-BG-Y-A	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)
P3-VL32	276" x 48" rounded rectangular table, 4 segments	
G	Glides	
125	Natural Maple laminate top	
R5	Black edgeband	
Y	No grommet, segment A	
BG	Single grommet, right, segment B	
BG	Single grommet, right, segment C	
Y	No grommet, segment D	
A	Aluminum grommet and leg finish	

- Specify:
1. Pattern number

2. Locking caster or glide option

3. Top finish selection

4. Edgeband selection

5. Edge profile option (veneer/wood edge only)

6. Grommet/Plexus cutout option, segment A

7. Grommet/Plexus cutout option, segment B

8. Grommet/Plexus cutout option, segment C

9. Grommet/Plexus cutout option, segment D

10. Grommet/leg finish

Veneer top/edge finishes:

Brown Oak (suffix V427)

Burnt Walnut (suffix V313)

Chalk Oak (suffix V421)

Ebonized Walnut (suffix D)

Graphite Oak (suffix V513)

Light Oak (suffix V423)

Maple (suffix K)

Natural Beech (suffix B)

Old English Walnut (suffix V417)

Warm Brown Walnut (suffix J)

American Walnut (suffix AW)

Natural Oak (suffix ON)

Fumed Oak (suffix OF)

Ebonized Oak (suffix OE)


Grommet finishes:

Anodized Aluminum (suffix A)

Jet Black (suffix 111)

Medium Metallic Grey (suffix 612)

Bright White (suffix 118)



+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet options: (\$47 per cutout)
Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter, see page 32 for details. Optional grommet-mounted power receptacles available, see page 100.


No grommet (Y)
Single grommet, center (GG)
Two grommets, left & right (AG)
Single grommet, right (BG)

Features
Plexus Cutout Options: (\$47 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. Y GM GMD AM AMD Maintenance: See pages 13. Note: Propeller tables are certified Clean Air GOLD. Note: - Double Plexus AMD and GMD configurations not available on 42" deep tables. - AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini
Propeller® Conference Table Series
Conference Tables with Drum and Peanut Base Product
Information

Below are only a few examples of suggested configurations using Propeller Conference tables with Drum and Peanut base.

Table types and configurations



The inherent flexibility of Propeller tables allows for applications Ideal for conference rooms and break-out areas.

Conference tables with Drum and Peanut bases offer enhanced wire management capability and unobstructed kneespace. On most tables drum and peanut bases will be located at the center of the table or segment, some exceptions arise on tables with three and four segments, where a base is shared between two segments.

Three different Drum bases are offered, to suit varying top shapes and size of tables. Certain larger tables may require support frames under the table top. A Peanut base suits all table sizes.




Table with drum base
Three sizes available.

Small: an 18" round drum with a 25" round footplate
Medium: an 18" round drum with a 30" round footplate
Large: a 23" round drum with a 30" round footplate

Please refer to base size when ordering a drum base table.




Table with square drum base
Three sizes available.

Small: a 13" square drum with a 25" square footplate
Medium: a 13" square drum with a 30" square footplate
Large: a 16 1/2" square drum with a 30" square footplate

Please refer to base size when ordering a square drum base table.

Square drum base side panels are available in a perforated solid metal with silver powder coat finish or matching veneer side panels.








Table with rectangular drum base
Four sizes available.





Small: a 24" x 13" rectangular base with a 36" x 30" rectangular footplate
Medium: a 24" x 13" rectangular base with a 48" x 30" rectangular footplate
Large: a 31" x 16" rectangular base with a 36" x 36" rectangular footplate
X-Large: a 16" x 31" rectangular base with a 48" x 36" rectangular footplate

Please refer to base size when ordering a rectangular drum base table

Rectangular drum base side panels are available as solid metal with silver powder coat finish or matching veneer side panels.

Peanut base
All 42", 48", and 60" tables feature the 27" x 8" Peanut base.

Ordering Information	Contruction																								
<i>Specify:</i> 1. Pattern number 2. 2. Top finish selection 3. 3. Edgeband selection 4. 4. Grommet option 5. 5. Base finish *D/P, D= Drum base, P= Peanut base <table><tr><td>P3-RD/P</td><td>Rectangular table</td></tr><tr><td>P3-BD/P</td><td>Bullet conference table</td></tr><tr><td>P3-ND/P</td><td>Rounded rectangular table</td></tr><tr><td>P3-DD/P</td><td>Round conference table</td></tr><tr><td>P3-SD/P</td><td>Square conference table</td></tr><tr><td>P3-BD/P</td><td>Rounded square table</td></tr><tr><td>P3-SD/P</td><td>Rectangular table, 2 segments</td></tr><tr><td>P3-TD/P</td><td>Rectangular table, 3 segments</td></tr><tr><td>P3-VD/P</td><td>Rectangular table, 4 segments</td></tr><tr><td>P3-CD/P</td><td>Rounded rectangular table, 2 segments</td></tr><tr><td>P3-FD/P</td><td>Rounded rectangular table, 3 segments</td></tr><tr><td>P3-ED/P</td><td>Rounded rectangular table, 4 segments</td></tr></table>	P3-RD/P	Rectangular table	P3-BD/P	Bullet conference table	P3-ND/P	Rounded rectangular table	P3-DD/P	Round conference table	P3-SD/P	Square conference table	P3-BD/P	Rounded square table	P3-SD/P	Rectangular table, 2 segments	P3-TD/P	Rectangular table, 3 segments	P3-VD/P	Rectangular table, 4 segments	P3-CD/P	Rounded rectangular table, 2 segments	P3-FD/P	Rounded rectangular table, 3 segments	P3-ED/P	Rounded rectangular table, 4 segments	<i>Top:</i> 1 3/16" thick, 3-ply, solid medium density fiberboard core with balanced backer sheet on bottom. Wood veneer or plastic laminate. Threaded inserts are die-cast zinc. <i>Edges:</i> All table edges are finished, allowing ganged tables to be separated and used individually; ABS flat edgeband and solid wood edge are available. On rectangular tables with wood edges, short sides have rectilinear edges for ganging, long side edges are chamfered. <i>Long side edge detail:</i> Solid wood  <i>Short side edge detail:</i> Solid wood  <i>Flat edgeband:</i> ABS flat edgeband, with integral color.  <i>Wood Edge Profiles:</i> AutoStrada and Saarinen edge profiles are available as long side edge details. On rectangular tables with wood edges, short sides have rectilinear edges for ganging, long side edges are chamfered. Please contact your Knoll representative for pricing. <i>Long side edge detail:</i> AutoStrada profile = AE  <i>Long side edge detail:</i> Saarinen profile = SE  <i>Long side edge detail:</i> Propeller profile = PE 
P3-RD/P	Rectangular table																								
P3-BD/P	Bullet conference table																								
P3-ND/P	Rounded rectangular table																								
P3-DD/P	Round conference table																								
P3-SD/P	Square conference table																								
P3-BD/P	Rounded square table																								
P3-SD/P	Rectangular table, 2 segments																								
P3-TD/P	Rectangular table, 3 segments																								
P3-VD/P	Rectangular table, 4 segments																								
P3-CD/P	Rounded rectangular table, 2 segments																								
P3-FD/P	Rounded rectangular table, 3 segments																								
P3-ED/P	Rounded rectangular table, 4 segments																								

Installation			
<i>Side panels:</i> The side panels of the Drum are available in 18-gauge perforated metal with a silver powder coat finish or solid veneer (same finishes as veneer tops). Veneer panels interior finish, black powder coat sheet metal. Panels feature black nylon fastners and are easily removable without tools, providing immediate access to wiring, in compliance with UL guidelines.	Field attachment of Drum and Peanut base to table top is necessary. Some larger configurations require attachment of support frame. Tops ship with pre-drilled holes for frame attachment. <i>Connecting plate:</i> For configurations using more than one segment, tops must connected using connector plates (included in box), inserted in pre-drilled holes.	<i>Leveling: Drum base</i> All Drums have leveling nuts to allow for irregularities in the floor.	<i>Electrical options:</i> Compatible with shallow Plexus Boxes. All Drum/Peanut bases feature internal wire management hooks. All tables with frames ship with wire management C-clips.
			
		<i>Leveling: Peanut base</i> All peanut bases have leveling glides to allow for irregularities in the floor.	<i>Shipping:</i> Tops, Drum/Peanut bases and frames are shipped separately. Drum and Peanut bases ship fully-assembled. Support frames, required for some larger tables are shipped in a box. Tops are predrilled for frame or base.
			

Emanuela Frattini

Propeller® Conference Table Series

Round/Rounded, Square/Rectangular and Bullet Tables with Drum Base

		w	d	h	base size	no. of drums	frame	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini, 2004 	P3-DD Round table with drum base 		48"	28 1/2"	S	1	N	142
			54"	28 1/2"	M	1	N	173
			60"	28 1/2"	L	1	N	202
	P3-MD Rounded square table with drum base 		48"	28 1/2"	M	1	N	160
			54"	28 1/2"	M	1	N	178
			60"	28 1/2"	L	1	N	209
	P3-ND Rounded rectangular table, with drum base 	60"	48"	28 1/2"	M	1	N	181
	P3-BD Bullet table, with drum base 	54"	48"	28 1/2"	M	1	N	177
		60"	48"	28 1/2"	M	1	N	186
		54"	60"	28 1/2"	L	1	N	208
		60"	60"	28 1/2"	L	1	N	220
		66"	60"	28 1/2"	L	1	N	232

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge	veneer/wood edge (AE, SE)
P3-DD48	\$4,439.	\$6,914.	\$6,339.	\$8,695.	\$9,133.
P3-DD54	\$4,832.	\$7,488.	\$6,858.	\$9,311.	\$9,779.
P3-DD60	\$4,958.	\$7,604.	\$7,153.	\$9,608.	\$10,089.

P3-MD48	\$4,826.	\$7,340.	\$7,668.	\$9,930.	\$10,429.
P3-MD54	\$4,965.	\$7,641.	\$7,899.	\$10,232.	\$10,743.
P3-MD60	\$5,092.	\$7,793.	\$8,292.	\$10,664.	\$11,196.

P3-ND64	\$5,044.	\$8,059.	\$8,407.	\$11,267.	\$11,831.
----------------	----------	----------	----------	-----------	-----------

P3-BD62	\$4,961.	\$8,564.	\$8,119.	\$10,294.	\$10,807.
P3-BD64	\$4,966.	\$8,600.	\$8,142.	\$10,386.	\$10,903.
P3-BD82	\$5,292.	\$9,130.	\$8,737.	\$10,816.	\$11,358.
P3-BD84	\$5,296.	\$9,164.	\$8,761.	\$11,087.	\$11,640.
P3-BD86	\$5,471.	\$9,510.	\$8,974.	\$11,341.	\$11,907.


Order Code	Finishes		
Example: P3-ND64-K-PE-GM-WK	<i>Woodgrain laminate top finishes:</i>	<i>Wood edge profiles:</i>	<i>Drum Base Finishes:</i>
P3-ND64 60" x 48" Rounded rectangular table	Light Ash (suffix 139)	Autostrada edge (suffix AE)	Perforated Aluminum (suffix A)
K Maple veneer top	Warm Ash (suffix 140)	Propeller edge (suffix PE)	
PE Propeller edge profile	Whitened Ash (suffix 141)	Saarinene edge (suffix SE)	<i>Veneer Drum Base Finishes (upcharge applies)</i>
GM Center plexus	Grey Ash (suffix 142)		For veneer drum base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple drum finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.
WK Maple veneer drum finish (\$979 upcharge)	Classic Oak (suffix 143)		
	Graphite Pear (suffix 144)	<i>Flat edgeband finishes:</i>	
	Zebra (suffix 145)	Black (suffix 111T)	
	Medium Cherry (suffix 124)	Mink (suffix 324T)	
	Natural Maple (suffix 125)	Innertone (suffix 386T)	
	Natural Cherry (suffix 126)	Platinum (suffix 367T)	
	Walnut (suffix 127)	Folkstone (suffix 004T)	
		Bright White (suffix 118T)	
<i>Specify:</i>	<i>Solid laminate top finishes:</i>	<i>Grommet finishes:</i>	
1. Pattern number	Bright White (suffix 118)	Anodized Aluminum (suffix A)	1 base (small and medium) \$814
2. Top finish selection	Brushed Sand (suffix 122)		1 base (large) \$979
3. Edgeband selection	Folkstone Grey (suffix 114)		
4. Edge profile option (veneer/wood edge only)	Jet Black (suffix 111)		
5. Grommet/Plexus cutout option	Micro Grey (suffix 121)		
6. Drum base finish (upcharge for veneer drum)	<i>Veneer top/edge finishes:</i>		
	Brown Oak (suffix V427)		
	Burnt Walnut (suffix V313)		
	Chalk Oak (suffix V421)		
	Ebonized Walnut (suffix D)		
	Graphite Oak (suffix V513)		
	Light Oak (suffix V423)		
	Maple (suffix K)		
	Natural Beech (suffix B)		
	Old English Walnut (suffix V417)		
	Ebonized Oak (suffix OE)		

Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet Option: (\$47 per cutout)
Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter, see page 52 for details.
Optional grommet-mounted power receptacles available, see page 100.


For no grommet: (suffix Y)
 For center grommet: (GG)
 For mid depth grommet, left and right:
 (AG)



Plexus Option: (\$47 per cutout)

Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Tables may be specified with zero, one or two cutouts. All drum base can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. To specify plexus box and for more information, see pages 92.

For no plexus: (suffix Y)
For center plexus: (GM)
For center double plexus: (GMD)



Features

Maintenance:
See pages 13.

Frame:
Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion shipped with c-clips for wire management. For tables without a frame, please see page 88 to specify C-clips separately.




Base Location:
In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments.



Note:
Propeller tables are certified Clean Air
GOLD.

AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini
Propeller® Conference Table Series
Rounded Two, Three and Four Segment Conference Tables with
Drum Base



Designer(s):
Emanuela Frattini, 2004



description	total w	d	h	section width, outside	section width, inside	base size	no. of drums	frame	table wgt. (lbs.)
P3-CD Rounded rectangular table, 2 segments, with drum base 	108"	48"	28½"	54"		S	2	N	324
	120"	48"	28½"	60"		S	2	N	342
	132"	48"	28½"	66"		S	2	N	362
	144"	48"	28½"	72"		S	2	Y	380
	156"	48"	28½"	78"		S	2	Y	398
	168"	48"	28½"	84"		S	2	Y	501
	108"	60"	28½"	54"		L	2	N	416
	120"	60"	28½"	60"		L	2	N	440
	132"	60"	28½"	66"		L	2	N	464
	144"	60"	28½"	72"		L	2	Y	486
	156"	60"	28½"	78"		L	2	Y	510
	168"	60"	28½"	84"		L	2	Y	534
P3-FD Rounded rectangular table, 3 segments, with drum base 	192"	48"	28½"	60"	72"	S	3	Y	538
	204"	48"	28½"	72"	60"	S	3	Y	557
	216"	48"	28½"	72"	72"	S	3	Y	576
	228"	48"	28½"	78"	72"	S	3	Y	594
	240"	48"	28½"	84"	72"	S	3	Y	614
	252"	48"	28½"	90"	72"	S	3	Y	632
	192"	60"	28½"	60"	72"	L	3	Y	689
	204"	60"	28½"	72"	60"	L	3	Y	632
	216"	60"	28½"	72"	72"	L	3	Y	737
	228"	60"	28½"	78"	72"	L	3	Y	761
	240"	60"	28½"	84"	72"	L	3	Y	785
	252"	60"	28½"	90"	72"	L	3	Y	807

Order Code	Finishes
<i>Example:</i> P3-ED34-117-R5-AM-AM-A	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)
P3-ED34	48" x 288" Rounded rectangular table
117	Soft Grey laminate top
R5	Black edgeband
AM	Medium plexus, left and right, segment A
AM	Medium plexus, left and right, segment B
A	Perforated drum anodized finish
<i>Specify:</i> 1. Pattern number 2. Top finish selection 3. Edgeband selection 4. Edge profile option (veneer/wood edge only) 5. Grommet/Plexus cutout option, segment A 6. Grommet/Plexus cutout option, segment B 7. Grommet/Plexus cutout option, segment C 8. Grommet/Plexus cutout option, segment D 9. Drum base finish (upcharge for veneer drum)	<i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121) <i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonyized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonyized Oak (suffix OE) <i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE) <i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T) <i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5) <i>Grommet finishes:</i> Anodized Aluminum (suffix A) <i>Drum Base finishes:</i> Perforated Aluminum (suffix A) <i>Veneer Drum Base finishes: (upcharge applies)</i> For veneer drum base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple drum finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish. 2 bases (small) \$1,631 2 bases (large) \$1,954 3 bases (small) \$2,446 3 bases (large) \$2,935 4 bases (small) \$3,262 4 bases (large) \$3,912

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-CD30	\$9,375.	\$17,046.	\$15,521.	\$19,143.	\$20,100.
P3-CD32	\$9,384.	\$17,122.	\$15,556.	\$19,248.	\$20,210.
P3-CD34	\$9,562.	\$17,503.	\$15,791.	\$19,550.	\$20,531.
P3-CD36	\$11,062.	\$18,990.	\$17,275.	\$21,155.	\$22,212.
P3-CD38	\$11,359.	\$19,332.	\$17,587.	\$21,544.	\$22,620.
P3-CD40	\$14,586.	\$22,437.	\$20,743.	\$24,867.	\$26,110.
P3-CD50	\$10,290.	\$17,989.	\$16,273.	\$19,951.	\$20,948.
P3-CD52	\$10,298.	\$18,070.	\$16,316.	\$20,062.	\$21,064.
P3-CD54	\$10,666.	\$18,803.	\$16,776.	\$20,602.	\$21,631.
P3-CD56	\$12,173.	\$20,286.	\$18,272.	\$22,210.	\$23,320.
P3-CD58	\$11,775.	\$19,983.	\$17,923.	\$21,915.	\$23,011.
P3-CD60	\$11,907.	\$20,173.	\$18,084.	\$22,152.	\$23,258.
P3-FD26	\$17,072.	\$26,142.	\$26,018.	\$30,186.	\$31,696.
P3-FD30	\$17,318.	\$27,705.	\$26,416.	\$31,178.	\$32,738.
P3-FD32	\$17,621.	\$28,070.	\$26,778.	\$31,638.	\$33,222.
P3-FD34	\$18,032.	\$28,558.	\$27,253.	\$32,210.	\$33,821.
P3-FD36	\$18,065.	\$28,647.	\$27,357.	\$32,404.	\$34,024.
P3-FD38	\$18,664.	\$29,286.	\$28,009.	\$33,166.	\$34,821.
P3-FD46	\$18,453.	\$27,184.	\$27,456.	\$31,534.	\$33,106.
P3-FD50	\$18,921.	\$30,444.	\$28,234.	\$33,211.	\$34,873.
P3-FD52	\$19,219.	\$30,810.	\$28,611.	\$33,687.	\$35,371.
P3-FD54	\$19,636.	\$31,305.	\$29,099.	\$34,275.	\$35,989.
P3-FD56	\$19,675.	\$31,393.	\$29,215.	\$34,483.	\$36,209.
P3-FD58	\$20,274.	\$32,047.	\$29,883.	\$35,260.	\$37,024.




Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 13 .
<i>Plexus cutout options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92.	
For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion and is shipped with C-clips for wire management. For tables without a frame, please see page 88 to specify clips seperately.
<i>Base Location:</i> In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments.	<i>Note:</i> Propeller tables are certified Clean Air GOLD.
	AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini


Propeller® Conference Table Series

Rounded Two, Three and Four Segment Conference Tables with Drum Base

Designer(s):
Emanuela Frattini, 2004



description	total w	d	h	section width, outside	section width, inside	base size	no. of drums	frame	table wgt. (lbs.)
P3-ED Rounded rectangular table, 4 segments, with drum base	264"	48"	28½"	72"	60"	S	3	Y	651
	276"	48"	28½"	78"	60"	S	3	Y	669
	288"	48"	28½"	78"	66"	S	3	Y	687
	300"	48"	28½"	84"	66"	S	4	Y	790
	312"	48"	28½"	84"	72"	S	4	Y	810
	324"	48"	28½"	90"	72"	S	4	Y	828
	264"	60"	28½"	72"	60"	L	3	Y	830
	276"	60"	28½"	78"	60"	L	3	Y	854
	288"	60"	28½"	78"	66"	L	3	Y	878
	300"	60"	28½"	84"	66"	L	4	Y	1012
	312"	60"	28½"	84"	72"	L	4	Y	1036
	324"	60"	28½"	90"	72"	L	4	Y	1058



Order Code	Finishes		
<i>Example:</i>	P3-ED34-117-R5-AM-AM-A	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)
P3-ED34	48" x 288" Rounded rectangular table		
117	Soft Grey laminate top		
R5	Black edgeband		
AM	Medium plexus, left and right, segment A		<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T)
AM	Medium plexus, left and right, segment B		
A	Perforated drum anodized finish		
		<i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)	
		<i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonyized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonyized Oak (suffix OE)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5)
			<i>Grommet finishes:</i> Anodized Aluminum (suffix A)
<i>Specify:</i>			
1. Pattern number			
2. Top finish selection			
3. Edgeband selection			
4. Edge profile option (veneer/wood edge only)			
5. Grommet/Plexus cutout option, segment A			
6. Grommet/Plexus cutout option, segment B			
7. Grommet/Plexus cutout option, segment C			
8. Grommet/Plexus cutout option, segment D			
9. Drum base finish (upcharge for veneer drum)			


pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-ED30	\$20,872.	\$30,770.	\$33,825.	\$38,998.	\$40,947.
P3-ED32	\$21,154.	\$31,111.	\$34,181.	\$39,459.	\$41,430.
P3-ED34	\$21,192.	\$31,189.	\$34,308.	\$39,633.	\$41,618.
P3-ED36	\$24,527.	\$38,028.	\$37,623.	\$43,608.	\$45,789.
P3-ED38	\$24,639.	\$38,028.	\$37,820.	\$43,902.	\$46,097.
P3-ED40	\$25,247.	\$38,869.	\$38,499.	\$44,688.	\$46,925.
P3-ED50	\$21,689.	\$32,904.	\$35,023.	\$40,822.	\$42,865.
P3-ED52	\$21,972.	\$33,248.	\$35,396.	\$41,298.	\$43,365.
P3-ED54	\$22,014.	\$33,329.	\$35,537.	\$41,537.	\$43,613.
P3-ED56	\$25,356.	\$40,216.	\$38,866.	\$45,074.	\$47,325.
P3-ED58	\$25,468.	\$40,409.	\$39,080.	\$45,385.	\$47,654.
P3-ED60	\$26,075.	\$41,074.	\$39,769.	\$46,187.	\$48,500.

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$47 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 52 for details. Optional grommet-mounted power receptacles available, see page 100. No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG) Y GG AG BG HG	<i>Plexus cutout options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD) Y GM GMD AM AMD
	<i>Maintenance:</i> See pages 13 . <i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion and is shipped with C-clips for wire management. For tables without a frame, please see page 88 to specify clips seperately. <i>Base Location:</i> In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments. <i>Note:</i> Propeller tables are certified Clean Air GOLD. AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini

Propeller® Conference Table Series

Square/Rectangular Conference Tables with Square/Rectangular Drum Base

	description	overall width	d	h	base size	no. of drums	frame	table weight (lbs.)
<i>Designer(s):</i> Emanuela Frattini	P3-SS Square table, with square drum base  	48"	48"	28 ½"	M	1	N	173
		54"	54"	28 ½"	M	1	N	193
		60"	60"	28 ½"	L	1	N	227
	P3-RS Rectangular table, with square drum base 	54"	48"	28 ½"	M	1	N	182
		60"	48"	28 ½"	M	1	N	192
		48"	60"	28 ½"	L	1	N	204
		54"	60"	28 ½"	L	1	N	215
	P3-RR Rectangular table, with rectangular drum base 	72"	48"	28 ½"	S	1	Y	226
		84"	48"	28 ½"	M	1	Y	267
		72"	60"	28 ½"	L	1	Y	270
		84"	60"	28 ½"	XL	1	Y	319

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge	veneer/wood edge (AE/SE)
P3-SS48	\$4,186.	\$5,983.	\$6,221.	\$7,432.	\$7,655.
P3-SS54	\$4,333.	\$6,348.	\$6,636.	\$7,953.	\$8,202.
P3-SS60	\$4,496.	\$6,571.	\$6,931.	\$8,296.	\$8,552.
P3-RS62	\$4,272.	\$6,451.	\$6,998.	\$8,170.	\$8,428.
P3-RS64	\$4,280.	\$6,479.	\$7,025.	\$8,217.	\$8,472.
P3-RS80	\$4,431.	\$6,636.	\$7,190.	\$8,375.	\$8,632.
P3-RS82	\$4,590.	\$6,977.	\$7,459.	\$8,679.	\$8,953.
P3-RR68	\$4,593.	\$6,997.	\$7,389.	\$8,653.	\$8,923.
P3-RR72	\$6,486.	\$8,953.	\$9,433.	\$10,773.	\$11,058.
P3-RR88	\$5,162.	\$7,800.	\$8,102.	\$9,426.	\$9,717.
P3-RR92	\$7,135.	\$9,832.	\$10,313.	\$11,716.	\$12,023.

Order Code	Finishes		
<i>Example:</i>	P3-SS54-V417-SE-Y-WV417	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE) <i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T) <i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5) <i>Grommet finishes:</i> Anodized Aluminum (suffix A)
P3-SS54	54" x 54" Square table with square drum base		
V417	Old English Walnut veneer top		
SE	Saarinen edge detail		
Y	No grommet/plexus cutout		
WV417	Old English Walnut veneer drum finish		
<i>Example:</i>	<i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121) <i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonyized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonyized Oak (suffix OE)		
1. Pattern number			
2. Top finish selection			
3. Edgeband profile			
4. Edge profile option (veneer/wood edge only)			
5. Grommet/Plexus cutout option, segment A			
6. Drum base finish (upcharge for veneer drum)			

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 13 .
<i>Plexus cutout options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92.	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion and is shipped with C-clips for wire management. For tables without a frame, please see page 88 to specify clips separately.
<i>Grommet options: (\$47 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 ¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 52 for details. Optional grommet-mounted power receptacles available, see page 100.	<i>Base Location:</i> In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments.
No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG) Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)	<i>Note:</i> Propeller tables are certified Clean Air GOLD.
 Y  GG  AG  BG  HG	AM and AMD are not appropriate for stand alone tables or end segments.




Emanuela Frattini

Propeller® Conference Table Series



Rectangular Two, Three and Four Segment Conference Tables

with Square Drum Base

Designer(s):
Emanuela Frattini, 2004



Square Drum Base

description	overall width	d	h	section width, outside	section width, inside	base size	no. of drums	frame	table weight (lbs.)
P3-SS Rectangular table, 2 segments, with square drum base 	108"	48"	28½"	54"		S	2	N	334
	120"	48"	28½"	60"		S	2	N	354
	132"	48"	28½"	66"		S	2	N	372
	144"	48"	28½"	72"		S	2	Y	392
	108"	60"	28½"	54"		L	2	N	430
	120"	60"	28½"	60"		L	2	N	454
	132"	60"	28½"	66"		L	2	N	478
	144"	60"	28½"	72"		L	2	Y	502
P3-TS Rectangular table, 3 segments, with square drum base 	156"	48"	28½"	54"	48"	S	2	Y	409
	168"	48"	28½"	60"	48"	S	2	Y	494
	180"	48"	28½"	60"	60"	S	3	N	549
	192"	48"	28½"	66"	60"	S	3	N	549
	204"	48"	28½"	72"	60"	S	3	Y	569
	216"	48"	28½"	72"	72"	S	3	Y	588
	156"	60"	28½"	54"	48"	L	2	Y	524
	168"	60"	28½"	60"	48"	L	2	Y	548
	180"	60"	28½"	60"	60"	L	3	N	705
	192"	60"	28½"	66"	60"	L	3	N	705
	204"	60"	28½"	72"	60"	L	3	Y	669
	216"	60"	28½"	72"	72"	L	3	Y	753
P3-VS Rectangular table, 4 segments, with square drum base 	228"	48"	28½"	60"	54"	S	3	Y	605
	240"	48"	28½"	60"	60"	S	3	Y	625
	252"	48"	28½"	66"	60"	S	3	Y	643
	264"	48"	28½"	66"	66"	S	3	Y	765
	276"	48"	28½"	72"	66"	S	3	Y	681
	288"	48"	28½"	72"	72"	S	3	Y	701
	228"	60"	28½"	60"	54"	L	3	Y	774
	240"	60"	28½"	60"	60"	L	3	Y	798
	252"	60"	28½"	66"	60"	L	3	Y	822
	264"	60"	28½"	66"	66"	L	3	Y	846
	276"	60"	28½"	72"	66"	L	3	Y	870
	288"	60"	28½"	72"	72"	L	3	Y	894

Order Code	Finishes			
<i>Example:</i>	P3-SS30-V421-R5-GM-GM-WV421	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Veneer top/edge finishes continued:</i> Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Molded edgeband finishes continued:</i> Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5)
P3-SS30	48" x 108" rect. table			
V421	Chalk Oak veneer top			
R5	Black edgeband			
GM	Medium plexus, left and right, mid-depth, segment A			<i>Grommet finishes:</i> Anodized Aluminum (suffix A) <i>Drum Base finishes:</i> Aluminum (suffix A)
GM	Medium plexus, left and right, mid-depth, segment B	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)		<i>Veneer Drum Base finishes: (upcharge applies)</i> For veneer drum base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple drum finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.
WV421	Chalk Oak veneer drum finish (upchg. applies)			
<i>Specify:</i>		<i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T)	
		<i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ehonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367)	2 bases (small) \$2,054 2 bases (large) \$2,370 3 bases (small) \$3,080 3 bases (large) \$3,554

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-SS30	\$8,222.	\$12,562.	\$13,682.	\$16,005.	\$16,517.
P3-SS32	\$8,222.	\$12,633.	\$13,713.	\$16,110.	\$16,623.
P3-SS34	\$8,467.	\$13,200.	\$14,029.	\$16,504.	\$17,037.
P3-SS36	\$10,053.	\$14,867.	\$15,641.	\$18,170.	\$18,709.
P3-SS50	\$9,184.	\$13,957.	\$14,924.	\$17,375.	\$17,913.
P3-SS52	\$8,980.	\$13,148.	\$13,859.	\$16,591.	\$17,098.
P3-SS53	\$9,499.	\$14,719.	\$15,360.	\$17,952.	\$18,527.
P3-SS56	\$11,099.	\$16,392.	\$16,992.	\$19,631.	\$20,210.
P3-TS30	\$11,107.	\$17,235.	\$18,592.	\$22,133.	\$22,858.
P3-TS32	\$11,251.	\$17,460.	\$18,776.	\$22,384.	\$23,115.
P3-TS34	\$12,330.	\$18,948.	\$20,574.	\$24,162.	\$24,932.
P3-TS36	\$12,575.	\$19,520.	\$20,890.	\$24,555.	\$25,346.
P3-TS38	\$15,063.	\$22,081.	\$23,410.	\$27,129.	\$27,921.
P3-TS40	\$15,393.	\$22,615.	\$23,787.	\$27,578.	\$28,382.
P3-TS50	\$12,145.	\$19,132.	\$20,652.	\$24,280.	\$25,075.
P3-TS52	\$12,093.	\$18,467.	\$19,738.	\$23,648.	\$24,412.
P3-TS54	\$13,470.	\$19,711.	\$20,799.	\$24,885.	\$25,642.
P3-TS56	\$13,989.	\$21,290.	\$22,291.	\$26,249.	\$27,072.
P3-TS58	\$16,499.	\$23,866.	\$24,822.	\$28,835.	\$29,660.
P3-TS60	\$16,966.	\$24,905.	\$25,808.	\$29,771.	\$30,633.
P3-VS30	\$16,755.	\$25,503.	\$27,701.	\$32,430.	\$33,450.
P3-VS32	\$16,761.	\$25,576.	\$27,736.	\$32,529.	\$33,557.
P3-VS34	\$17,261.	\$26,400.	\$28,310.	\$33,180.	\$34,226.
P3-VS36	\$17,504.	\$26,971.	\$28,626.	\$33,575.	\$34,641.
P3-VS38	\$17,809.	\$27,346.	\$28,956.	\$33,964.	\$35,031.
P3-VS40	\$17,814.	\$27,425.	\$28,987.	\$34,062.	\$35,135.
P3-VS50	\$17,952.	\$26,281.	\$27,717.	\$33,169.	\$34,174.
P3-VS52	\$18,156.	\$27,090.	\$28,775.	\$33,952.	\$34,996.
P3-VS54	\$18,730.	\$28,113.	\$29,467.	\$34,789.	\$35,865.
P3-VS56	\$19,250.	\$29,692.	\$30,962.	\$36,149.	\$37,295.
P3-VS58	\$19,568.	\$30,073.	\$31,310.	\$36,547.	\$37,698.
P3-VS60	\$19,579.	\$30,158.	\$31,356.	\$36,643.	\$37,796.

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 13 .
<i>Grommet options: (\$47 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 52 for details. Optional grommet-mounted power receptacles available, see page 100.	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame ships with C-clips for wire mangement. For tables without a frame, please see page 88 to specify clips seperately.
No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)	<i>Base Location:</i> In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments.
 Y	<i>Note:</i> Propeller tables are certified Clean Air GOLD.
 AG	AM and AMD are not appropriate for stand alone tables or end segments.
 GG	
 BG	

Emanuela Frattini



Propeller® Conference Table Series

Bullet, Rounded and Rectangular Conference Tables with Peanut Base

	description	w	d	h	frame	no. of bases
	P3-BP Bullet table, with peanut base 	78"	42"	28 1/2"	N	2
		84"	42"	28 1/2"	N	2
		90"	42"	28 1/2"	N	2
		96"	42"	28 1/2"	N	2
		78"	48"	28 1/2"	N	2
		84"	48"	28 1/2"	N	2
		90"	48"	28 1/2"	N	2
		96"	48"	28 1/2"	N	2
		96"	60"	28 1/2"	N	2
	P3-NP Rounded rectangular table, with peanut base 	78"	42"	28 1/2"	N	2
		84"	42"	28 1/2"	N	2
		90"	42"	28 1/2"	N	2
		96"	42"	28 1/2"	N	2
		78"	48"	28 1/2"	N	2
		84"	48"	28 1/2"	N	2
		90"	48"	28 1/2"	N	2
		96"	48"	28 1/2"	N	2
		96"	60"	28 1/2"	N	2
	P3-RP Rectangular table, with peanut base 	78"	42"	28 1/2"	N	2
		84"	42"	28 1/2"	N	2
		90"	42"	28 1/2"	N	2
		96"	42"	28 1/2"	N	2
		78"	48"	28 1/2"	N	2
		84"	48"	28 1/2"	N	2
		90"	48"	28 1/2"	N	2
		96"	48"	28 1/2"	N	2
		96"	60"	28 1/2"	N	2

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-BP50	\$5,702.	\$9,484.	\$8,761.	\$11,101.	\$11,659.
P3-BP52	\$5,706.	\$9,518.	\$8,777.	\$11,151.	\$11,707.
P3-BP54	\$5,713.	\$9,553.	\$8,881.	\$11,288.	\$11,854.
P3-BP56	\$5,718.	\$9,589.	\$8,897.	\$11,338.	\$11,905.
P3-BP70	\$5,706.	\$9,506.	\$9,007.	\$11,377.	\$11,944.
P3-BP72	\$5,713.	\$9,541.	\$9,029.	\$11,422.	\$11,995.
P3-BP74	\$5,718.	\$9,577.	\$9,181.	\$11,612.	\$12,195.
P3-BP76	\$5,722.	\$9,614.	\$9,201.	\$11,662.	\$12,243.
P3-BP96	\$5,973.	\$10,140.	\$9,777.	\$12,319.	\$12,934.
P3-NP50	\$5,648.	\$8,871.	\$9,244.	\$12,230.	\$12,843.
P3-NP52	\$5,653.	\$8,906.	\$9,259.	\$12,278.	\$12,892.
P3-NP54	\$5,654.	\$8,943.	\$9,464.	\$12,522.	\$13,148.
P3-NP56	\$5,660.	\$8,977.	\$9,480.	\$12,567.	\$13,197.
P3-NP70	\$5,652.	\$8,874.	\$9,268.	\$12,252.	\$12,867.
P3-NP72	\$5,656.	\$8,909.	\$9,286.	\$12,302.	\$12,917.
P3-NP74	\$5,660.	\$8,946.	\$9,495.	\$12,548.	\$13,173.
P3-NP76	\$5,666.	\$8,981.	\$9,513.	\$12,598.	\$13,228.
P3-NP96	\$5,891.	\$9,388.	\$9,916.	\$13,005.	\$13,655.
P3-RP50	\$5,418.	\$7,544.	\$7,946.	\$9,565.	\$10,042.
P3-RP52	\$5,425.	\$7,580.	\$8,178.	\$9,858.	\$10,349.
P3-RP54	\$5,432.	\$7,614.	\$8,193.	\$9,902.	\$10,398.
P3-RP56	\$5,435.	\$7,652.	\$8,211.	\$9,952.	\$10,452.
P3-RP70	\$5,425.	\$7,571.	\$8,188.	\$9,850.	\$10,344.
P3-RP72	\$5,432.	\$7,606.	\$8,335.	\$10,048.	\$10,551.
P3-RP74	\$5,437.	\$7,644.	\$8,352.	\$10,102.	\$10,606.
P3-RP76	\$5,440.	\$7,679.	\$8,372.	\$10,152.	\$10,659.
P3-RP96	\$5,652.	\$8,132.	\$8,834.	\$10,706.	\$11,242.

Order Code	Finishes
<i>Example:</i> P3-BP52-118-118-Y-A	<i>Woodgrain laminate top finishes:</i>
P3-BP52 84" x 42" Rectangular table	Light Ash (suffix 139)
118 Bright White laminate top	Warm Ash (suffix 140)
118 Bright White edgeband	Whitened Ash (suffix 141)
Y No grommet	Grey Ash (suffix 142)
A Anodized aluminum base	Classic Oak (suffix 143)
	Graphite Pear (suffix 144)
	Zebra (suffix 145)
	Medium Cherry (suffix 124)
	Natural Maple (suffix 125)
	Natural Cherry (suffix 126)
	Walnut (suffix 127)
<i>Specify:</i>	<i>Solid laminate top finishes:</i>
1. Pattern number	Bright White (suffix 118)
2. Top finish selection	Brushed Sand (suffix 122)
3. Edgeband selection	Folkstone Grey (suffix 114)
4. Edge profile option (veneer/wood edge only)	Jet Black (suffix 111)
5. Grommet/Plexus cutout option	Micro Grey (suffix 121)
6. Peanut base selection	<i>Veneer top/edge finishes:</i>
	Brown Oak (suffix V427)
	Burnt Walnut (suffix V313)
	Chalk Oak (suffix V421)
	Ebonized Walnut (suffix D)
	Graphite Oak (suffix V513)
	Light Oak (suffix V423)
	Maple (suffix K)
	Natural Beech (suffix B)
	Old English Walnut (suffix V417)
	Warm Brown Walnut (suffix J)
	<i>Veneer top/edge finishes continued:</i>
	American Walnut (suffix AW)
	Natural Oak (suffix ON)
	Fumed Oak (suffix OF)
	Ebonized Oak (suffix OE)
	<i>Wood edge profiles:</i>
	Autostrada edge (suffix AE)
	Propeller edge (suffix PE)
	Saarenen edge (suffix SE)
	<i>Flat edgeband finishes:</i>
	Black (suffix 111T)
	Mink (suffix 324T)
	Innertone (suffix 386T)
	Platinum (suffix 367T)
	Folkstone (suffix 004T)
	Bright White (suffix 118T)
	<i>Molded edgeband finishes:</i>
	Black (suffix 300)
	Mink (suffix 324)
	Innertone (suffix 386)
	Platinum (suffix 367)
	Folkstone (suffix 004)
	Light Grey (suffix 4)
	Medium Grey (suffix 5)
	<i>Grommet finishes:</i>
	Anodized Aluminum (suffix A)
	<i>Peanut Base finishes:</i>
	Perforated Aluminum (suffix A)
	<i>Veneer Peanut Base finishes: (upcharge applies)</i>
	For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.
	2 bases \$4,029




Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$47 per cutout)</i> Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 52 for details. Optional grommet-mounted power receptacles available, see page 100. No grommet (Y) Single grommet, center (CG) Two grommets, left & right (AG) Single grommet, side (BG) Single grommet, right, mid-depth (HG) 	<i>Plexus cutout options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut tables can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. Tables may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)  <i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables. <i>Maintenance:</i> See pages 13 <i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes C-clips for wire management. For tables without a frame, please see page 83 to specify C-clips separately. <i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments. Please note that on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7 1/2" from the edge. <i>Note:</i> Propeller tables are certified Clean Air GOLD. AM and AMD are not appropriate for stand alone tables or end segments.



Emanuela Frattini

Propeller® Conference Table Series

Rounded Two, Three and Four Segment Conference Tables with Peanut Base



Designer(s):
Emanuela Frattini, 2004



description	overall w	d	h	section width, outside	section width, inside	frame	no. of bases
P3-CP Rounded rectangular table, 2 segments, with peanut base 	108"	42"	28 1/2"	54"		Y	2
	120"	42"	28 1/2"	60"		Y	2
	132"	42"	28 1/2"	66"		Y	2
	144"	42"	28 1/2"	72"		Y	2
	156"	42"	28 1/2"	78"		Y	2
	168"	42"	28 1/2"	84"		Y	3
	180"	42"	28 1/2"	90"		Y	3
	108"	48"	28 1/2"	54"		Y	2
	120"	48"	28 1/2"	60"		Y	2
	132"	48"	28 1/2"	66"		Y	2
	144"	48"	28 1/2"	72"		Y	2
	156"	48"	28 1/2"	78"		Y	2
	168"	48"	28 1/2"	84"		Y	3
	180"	48"	28 1/2"	90"		Y	3
	108"	60"	28 1/2"	54"		Y	2
	120"	60"	28 1/2"	60"		Y	2
	132"	60"	28 1/2"	66"		Y	2
	144"	60"	28 1/2"	72"		Y	2
P3-FP Rounded rectangular table, 3 segments, with peanut base 	156"	60"	28 1/2"	78"		Y	2
	168"	60"	28 1/2"	84"		Y	3
	180"	60"	28 1/2"	90"		Y	3
	192"	42"	28 1/2"	60"	72"	Y	3
	204"	42"	28 1/2"	72"	60"	Y	3
	216"	42"	28 1/2"	72"	72"	Y	3
	228"	42"	28 1/2"	78"	72"	Y	3
	240"	42"	28 1/2"	84"	72"	Y	3

Order Code	Ordering Information		
<i>Example:</i>	P3-CP10-K-SE-GM-GM-WK	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE) <i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T) <i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5)
P3-CP10	108" x 42" rounded rect. table		<i>Grommet finishes:</i> Anodized Aluminum (suffix A)
K	Maple veneer top		<i>Peanut Base finishes:</i> Perforated Aluminum (suffix A)
SE	Saarinen edge detail		
GM	Medium plexus, center, mid-depth, segment A		<i>Veneer Peanut Base finishes: (upcharge applies)</i> For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.
GM	Medium plexus, center, mid-depth, segment B		
WK	Maple veneer base (upcharge applies)		
<i>Specify:</i>			
1. Pattern number			
2. Top finish selection			
3. Edgeband selection			
4. Edge profile option (veneer/wood edge only)			
5. Grommet/Plexus cutout option, segment A			2 bases \$4,029
6. Grommet/Plexus cutout option, segment B			3 bases \$6,047
7. Grommet/Plexus cutout option, segment C			4 bases \$8,060
8. Grommet/Plexus cutout option, segment D			
9. Peanut base selection			
	<i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebony Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebony Oak (suffix OE)		

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-CP10	\$8,259.	\$15,978.	\$14,408.	\$17,980.	\$18,879.
P3-CP12	\$8,267.	\$16,056.	\$14,446.	\$18,082.	\$18,986.
P3-CP14	\$8,769.	\$16,740.	\$14,985.	\$18,705.	\$19,646.
P3-CP16	\$8,780.	\$16,815.	\$15,022.	\$18,809.	\$19,748.
P3-CP18	\$9,074.	\$17,159.	\$15,329.	\$19,195.	\$20,154.
P3-CP20	\$11,601.	\$19,603.	\$17,802.	\$21,813.	\$22,904.
P3-CP22	\$11,753.	\$19,811.	\$17,973.	\$22,055.	\$23,159.
P3-CP30	\$8,267.	\$16,007.	\$14,450.	\$18,037.	\$18,940.
P3-CP32	\$8,277.	\$16,083.	\$14,488.	\$18,144.	\$19,049.
P3-CP34	\$8,779.	\$16,770.	\$15,034.	\$18,772.	\$19,712.
P3-CP36	\$8,790.	\$16,847.	\$15,072.	\$18,879.	\$19,821.
P3-CP38	\$9,083.	\$17,191.	\$15,387.	\$19,268.	\$20,232.
P3-CP40	\$11,611.	\$19,634.	\$17,863.	\$21,888.	\$22,985.
P3-CP42	\$11,762.	\$19,845.	\$18,034.	\$22,137.	\$23,244.
P3-CP50	\$8,491.	\$16,302.	\$14,533.	\$18,154.	\$19,061.
P3-CP52	\$8,499.	\$16,378.	\$14,582.	\$18,269.	\$19,180.
P3-CP54	\$9,194.	\$17,419.	\$15,350.	\$19,132.	\$20,088.
P3-CP56	\$9,206.	\$17,495.	\$15,398.	\$19,244.	\$20,204.
P3-CP58	\$9,500.	\$17,841.	\$15,718.	\$19,644.	\$20,622.
P3-CP60	\$12,028.	\$20,286.	\$18,202.	\$22,272.	\$23,386.
P3-CP62	\$12,180.	\$20,497.	\$18,383.	\$22,525.	\$23,653.
P3-FP06	\$13,743.	\$23,162.	\$22,869.	\$26,838.	\$28,179.
P3-FP10	\$13,998.	\$24,573.	\$22,942.	\$27,575.	\$28,955.
P3-FP12	\$14,401.	\$24,935.	\$23,399.	\$28,029.	\$29,428.
P3-FP14	\$14,810.	\$25,420.	\$23,864.	\$28,591.	\$30,021.
P3-FP16	\$14,843.	\$25,505.	\$23,962.	\$28,776.	\$30,213.

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$47 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 52 for details. Optional grommet-mounted power receptacles available, see page 100. No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG) 	<i>Plexus cutout options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut base tables can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD) 
	<i>Maintenance:</i> See pages 13 . <i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes c-clips for wire management. For tables without a frame, please see page 88 to specify C-clips seperately. <i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments. Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7 1/2" from the edge. <i>Note:</i> Propeller tables are certified Clean Air GOLD. AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini



Propeller® Conference Table Series

Rounded Two, Three and Four Segment Conference Tables with Peanut Base

	description	overall			section width, outside	section width, inside	frame	no. of bases
		w	d	h				
<i>Designer(s):</i> Emanuela Frattini, 2004   	P3-FP Rounded rectangular table, 3 segments, with peanut base  A B C	252"	42"	28 1/2"	90"	72"	Y	3
		192"	48"	28 1/2"	60"	72"	Y	3
		204"	48"	28 1/2"	72"	60"	Y	3
		216"	48"	28 1/2"	72"	72"	Y	3
		228"	48"	28 1/2"	78"	72"	Y	3
		240"	48"	28 1/2"	84"	72"	Y	3
		252"	48"	28 1/2"	90"	72"	Y	3
		192"	60"	28 1/2"	60"	72"	Y	3
		204"	60"	28 1/2"	72"	60"	Y	3
		216"	60"	28 1/2"	72"	72"	Y	3
		228"	60"	28 1/2"	78"	72"	Y	3
		240"	60"	28 1/2"	84"	72"	Y	3
		252"	60"	28 1/2"	90"	72"	Y	3
	P3-EP Rounded rectangular table, 4 segments, with peanut base  A B C D	264"	42"	28 1/2"	72"	60"	Y	3
		276"	42"	28 1/2"	78"	60"	Y	3
		288"	42"	28 1/2"	78"	66"	Y	3
		300"	42"	28 1/2"	84"	66"	Y	3
		312"	42"	28 1/2"	84"	72"	Y	4
		324"	42"	28 1/2"	90"	72"	Y	4
		264"	48"	28 1/2"	72"	60"	Y	3
		276"	48"	28 1/2"	78"	60"	Y	3
		288"	48"	28 1/2"	78"	66"	Y	3
		300"	48"	28 1/2"	84"	66"	Y	4
		312"	48"	28 1/2"	84"	72"	Y	4
		324"	48"	28 1/2"	90"	72"	Y	4
		264"	60"	28 1/2"	72"	60"	Y	3

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-FP18	\$15,442.	\$26,148.	\$24,613.	\$29,530.	\$31,006.
P3-FP26	\$13,970.	\$23,223.	\$23,015.	\$27,084.	\$28,438.
P3-FP30	\$14,217.	\$24,792.	\$23,412.	\$28,074.	\$29,477.
P3-FP32	\$14,518.	\$25,151.	\$23,779.	\$28,536.	\$29,964.
P3-FP34	\$14,930.	\$25,640.	\$24,251.	\$29,108.	\$30,562.
P3-FP36	\$14,962.	\$25,730.	\$24,355.	\$29,305.	\$30,768.
P3-FP38	\$15,564.	\$26,371.	\$25,006.	\$30,063.	\$31,565.
P3-FP46	\$14,316.	\$23,296.	\$23,453.	\$27,396.	\$28,765.
P3-FP50	\$14,784.	\$26,550.	\$24,231.	\$29,075.	\$30,530.
P3-FP52	\$15,085.	\$26,919.	\$24,610.	\$29,550.	\$31,025.
P3-FP54	\$15,499.	\$27,415.	\$25,094.	\$30,139.	\$31,644.
P3-FP56	\$15,536.	\$27,505.	\$25,209.	\$30,346.	\$31,864.
P3-FP58	\$16,137.	\$28,153.	\$25,880.	\$31,124.	\$32,682.
P3-EP10	\$17,583.	\$27,582.	\$30,242.	\$35,174.	\$36,930.
P3-EP12	\$17,865.	\$27,922.	\$30,595.	\$35,628.	\$37,406.
P3-EP14	\$17,903.	\$28,001.	\$30,714.	\$35,797.	\$37,584.
P3-EP16	\$19,787.	\$33,431.	\$32,622.	\$37,852.	\$39,746.
P3-EP18	\$19,898.	\$33,617.	\$32,812.	\$38,096.	\$39,999.
P3-EP20	\$19,937.	\$33,742.	\$32,932.	\$38,307.	\$40,221.
P3-EP30	\$17,772.	\$27,853.	\$30,820.	\$35,897.	\$37,693.
P3-EP32	\$18,052.	\$28,195.	\$31,180.	\$36,356.	\$38,173.
P3-EP34	\$18,090.	\$28,269.	\$31,305.	\$36,532.	\$38,359.
P3-EP36	\$19,976.	\$33,746.	\$33,218.	\$39,055.	\$41,008.
P3-EP38	\$20,088.	\$33,933.	\$33,414.	\$39,347.	\$41,316.
P3-EP40	\$20,127.	\$34,055.	\$33,539.	\$39,571.	\$41,552.
P3-EP50	\$18,589.	\$29,983.	\$32,023.	\$37,720.	\$39,607.

Order Code	Ordering Information		
<i>Example:</i>	P3-CP10-K-SE-GM-GM-WK	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE) <i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T) <i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5)
P3-CP10	108" x 42" rounded rect. table		<i>Grommet finishes:</i> Anodized Aluminum (suffix A)
K	Maple veneer top		<i>Peanut Base finishes:</i> Perforated Aluminum (suffix A)
SE	Saarinen edge detail		
GM	Medium plexus, center, mid-depth, segment A		<i>Veneer Peanut Base finishes: (upcharge applies)</i> For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.
GM	Medium plexus, center, mid-depth, segment B		2 bases \$4,029 3 bases \$6,047 4 bases \$8,060
WK	Maple veneer base (upcharge applies)		
<i>Specify:</i>		<i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121) <i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	
1. Pattern number			
2. Top finish selection			
3. Edgeband selection			
4. Edge profile option (veneer/wood edge only)			
5. Grommet/Plexus cutout option, segment A			
6. Grommet/Plexus cutout option, segment B			
7. Grommet/Plexus cutout option, segment C			
8. Grommet/Plexus cutout option, segment D			
9. Peanut base selection			




Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$47 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 52 for details. Optional grommet-mounted power receptacles available, see page 100. No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG) 	<i>Plexus cutout options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut base tables can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)  <i>Maintenance:</i> See pages 13 . <i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes c-clips for wire management. For tables without a frame, please see page 83 to specify C-clips separately. <i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments. Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7 1/2" from the edge. <i>Note:</i> Propeller tables are certified Clean Air GOLD. AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini


Propeller® Conference Table Series

Rounded Two, Three and Four Segment Conference Tables with Peanut Base

Designer(s):
Emanuela Frattini, 2004



description	overall			section	section	frame	no. of bases
	w	d	h	width, outside	width, inside		
P3-EP Rounded rectangular table, 4 segments, with peanut base	276"	60"	28½"	78"	60"	Y	3
	288"	60"	28½"	78"	66"	Y	3
	300"	60"	28½"	84"	66"	Y	4
	312"	60"	28½"	84"	72"	Y	4
	324"	60"	28½"	90"	72"	Y	4



pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-EP52	\$18,869.	\$30,328.	\$32,394.	\$38,197.	\$40,109.
P3-EP54	\$18,913.	\$30,412.	\$32,532.	\$38,436.	\$40,360.
P3-EP56	\$20,803.	\$35,933.	\$34,460.	\$40,522.	\$42,546.
P3-EP58	\$20,916.	\$36,125.	\$34,670.	\$40,834.	\$42,874.
P3-EP60	\$20,956.	\$36,254.	\$34,812.	\$41,074.	\$43,128.

Order Code	Ordering Information		
<i>Example:</i> P3-CP10-K-SE-GM-GM-WK	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)	<i>Grommet finishes:</i> Anodized Aluminum (suffix A)
P3-CP10 108" x 42" rounded rect. table			
K Maple veneer top			
SE Saarinen edge detail			
GM Medium plexus, center, mid-depth, segment A		<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T)	<i>Peanut Base finishes:</i> Perforated Aluminum (suffix A)
GM Medium plexus, center, mid-depth, segment B			<i>Veneer Peanut Base finishes: (upcharge applies)</i> For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.
WK Maple veneer base (upcharge applies)			
	<i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5)	2 bases \$4,029 3 bases \$6,047 4 bases \$8,060
	<i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebony Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebony Oak (suffix OE)		

- Specify:
1. Pattern number
 2. Top finish selection
 3. Edgeband selection
 4. Edge profile option (veneer/wood edge only)
 5. Grommet/Plexus cutout option, segment A
 6. Grommet/Plexus cutout option, segment B
 7. Grommet/Plexus cutout option, segment C
 8. Grommet/Plexus cutout option, segment D
 9. Peanut base selection

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual. <i>Grommet options: (\$47 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 52 for details. Optional grommet-mounted power receptacles available, see page 100. No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)	<i>Plexus cutout options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut base tables can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92. For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD) <i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" and 48" deep tables.
	<i>Maintenance:</i> See pages 13 . <i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes c-clips for wire management. For tables without a frame, please see page 88 to specify C-clips separately. <i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments. Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7½" from the edge. <i>Note:</i> Propeller tables are certified Clean Air GOLD. AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini

Propeller® Conference Table Series

Rectangular Two, Three and Four Segment Conference Tables

with Peanut Base

	description	w	d	h	section width, outside	section width, inside	frame	no. of bases
<i>Designer(s):</i> Emanuela Frattini	P3-SP Rectangular table, 2 segments, with peanut base	108"	42"	28 ½"	54"		Y	2
		120"	42"	28 ½"	60"		Y	2
		132"	42"	28 ½"	66"		Y	2
		144"	42"	28 ½"	72"		Y	2
		108"	48"	28 ½"	54"		Y	2
		120"	48"	28 ½"	60"		Y	2
		132"	48"	28 ½"	66"		Y	2
		144"	48"	28 ½"	72"		Y	2
		108"	60"	28 ½"	54"		Y	2
		120"	60"	28 ½"	60"		Y	2
		132"	60"	28 ½"	66"		Y	2
		144"	60"	28 ½"	72"		Y	2
	P3-TP Rectangular table, 3 segments, with peanut base	156"	42"	28 ½"	54"	48"	Y	2
		168"	42"	28 ½"	60"	48"	Y	2
		180"	42"	28 ½"	60"	60"	Y	3
		192"	42"	28 ½"	66"	60"	Y	3
		204"	42"	28 ½"	72"	60"	Y	3
		216"	42"	28 ½"	72"	72"	Y	3
		156"	48"	28 ½"	54"	48"	Y	2
		168"	48"	28 ½"	60"	48"	Y	2
		180"	48"	28 ½"	60"	60"	Y	3
		192"	48"	28 ½"	66"	60"	Y	3
		204"	48"	28 ½"	72"	60"	Y	3
		216"	48"	28 ½"	72"	72"	Y	3
		156"	60"	28 ½"	54"	48"	Y	2
		168"	60"	28 ½"	60"	48"	Y	2
		180"	60"	28 ½"	60"	60"	Y	3
		192"	60"	28 ½"	66"	60"	Y	3
		204"	60"	28 ½"	72"	60"	Y	3
		216"	60"	28 ½"	72"	72"	Y	3

Order Code	Finishes
<i>Example:</i>	<i>Woodgrain laminate top finishes:</i>
P3-TP10	Light Ash (suffix 139)
K	Warm Ash (suffix 140)
AE	Whitened Ash (suffix 141)
GM	Grey Ash (suffix 142)
AM	Classic Oak (suffix 143)
GM	Graphite Pear (suffix 144)
AM	Zebra (suffix 145)
GM	Medium Cherry (suffix 124)
AM	Natural Maple (suffix 125)
GM	Natural Cherry (suffix 126)
WK	Walnut (suffix 127)

- Specify:
- Pattern number
 - Top finish selection
 - Edgeband selection
 - Edge profile option (veneer/wood edge only)
 - Grommet/Plexus cutout option, segment A
 - Grommet/Plexus cutout option, segment B
 - Grommet/Plexus cutout option, segment C
 - Grommet/Plexus cutout option, segment D
 - Peanut base selection

- Woodgrain laminate top finishes:*
- Light Ash (suffix 139)
- Warm Ash (suffix 140)
- Whitened Ash (suffix 141)
- Grey Ash (suffix 142)
- Classic Oak (suffix 143)
- Graphite Pear (suffix 144)
- Zebra (suffix 145)
- Medium Cherry (suffix 124)
- Natural Maple (suffix 125)
- Natural Cherry (suffix 126)
- Walnut (suffix 127)
- Solid laminate top finishes:*
- Bright White (suffix 118)
- Brushed Sand (suffix 122)
- Folkstone Grey (suffix 114)
- Jet Black (suffix 111)
- Micro Grey (suffix 121)
- Veneer top/edge finishes:*
- Brown Oak (suffix V427)
- Burnt Walnut (suffix V313)
- Chalk Oak (suffix V421)
- Ebonized Walnut (suffix D)
- Graphite Oak (suffix V513)
- Light Oak (suffix V423)
- Maple (suffix K)
- Natural Beech (suffix B)
- Old English Walnut (suffix V417)
- Warm Brown Walnut (suffix J)
- American Walnut (suffix AW)

- Veneer top/edge finishes continued:*
- Natural Oak (suffix ON)
- Fumed Oak (suffix OF)
- Ebonized Oak (suffix OE)
- Wood edge profiles:*
- Autostrada edge (suffix AE)
- Propeller edge (suffix PE)
- Saارينen edge (suffix SE)
- Flat edgeband finishes:*
- Black (suffix 111T)
- Mink (suffix 324T)
- Innertone (suffix 386T)
- Platinum (suffix 367T)
- Folkstone (suffix 004T)
- Bright White (suffix 118T)
- Molded edgeband finishes:*
- Black (suffix 300)
- Brown Oak (suffix V427)
- Mink (suffix 324)
- Innertone (suffix 386)
- Platinum (suffix 367)
- Folkstone (suffix 004)
- Light Grey (suffix 4)
- Medium Grey (suffix 5)

- Grommet finishes:*
- Anodized Aluminum (suffix A)
- Peanut Base finishes:*
- Perforated Aluminum (suffix A)
- Veneer Peanut Base finishes: (upcharge applies)*
- For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior-fabricated sheet metal with black powder coat finish.
- 2 bases \$4,029
- 3 bases \$6,047

pattern no	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-SP10	\$8,030.	\$12,139.	\$12,882.	\$15,749.	\$16,538.
P3-SP12	\$8,123.	\$12,212.	\$12,914.	\$15,850.	\$16,642.
P3-SP14	\$8,523.	\$13,313.	\$13,555.	\$16,603.	\$17,431.
P3-SP16	\$8,699.	\$13,712.	\$13,946.	\$17,181.	\$18,038.
P3-SP30	\$8,038.	\$12,187.	\$13,357.	\$16,318.	\$17,135.
P3-SP32	\$8,136.	\$12,261.	\$13,392.	\$16,421.	\$17,240.
P3-SP34	\$8,528.	\$13,362.	\$14,037.	\$17,175.	\$18,033.
P3-SP36	\$8,589.	\$13,440.	\$14,073.	\$17,276.	\$18,141.
P3-SP50	\$8,444.	\$13,122.	\$14,029.	\$17,208.	\$18,067.
P3-SP52	\$8,913.	\$14,098.	\$14,437.	\$17,732.	\$18,616.
P3-SP54	\$9,265.	\$14,450.	\$14,808.	\$18,116.	\$19,021.
P3-SP56	\$9,336.	\$14,574.	\$14,896.	\$18,288.	\$19,205.
P3-TP10	\$10,048.	\$16,257.	\$17,500.	\$21,762.	\$22,851.
P3-TP12	\$10,261.	\$16,444.	\$17,651.	\$21,984.	\$23,081.
P3-TP14	\$12,631.	\$18,757.	\$19,823.	\$24,259.	\$25,470.
P3-TP16	\$12,871.	\$19,713.	\$20,320.	\$24,856.	\$26,098.
P3-TP18	\$12,931.	\$19,775.	\$20,370.	\$24,972.	\$26,223.
P3-TP20	\$13,260.	\$20,453.	\$20,825.	\$25,514.	\$26,790.
P3-TP30	\$10,155.	\$16,525.	\$18,227.	\$22,632.	\$23,763.
P3-TP32	\$10,374.	\$16,720.	\$18,390.	\$22,870.	\$24,013.
P3-TP34	\$12,656.	\$18,862.	\$20,581.	\$25,164.	\$26,422.
P3-TP36	\$12,903.	\$19,841.	\$21,090.	\$25,787.	\$27,076.
P3-TP38	\$12,964.	\$19,927.	\$21,141.	\$25,905.	\$27,200.
P3-TP40	\$13,298.	\$20,633.	\$21,597.	\$26,461.	\$27,782.
P3-TP50	\$10,831.	\$18,066.	\$19,407.	\$24,174.	\$25,379.
P3-TP52	\$11,438.	\$19,205.	\$19,968.	\$24,858.	\$26,100.
P3-TP54	\$13,919.	\$21,864.	\$22,384.	\$27,445.	\$28,816.
P3-TP56	\$14,123.	\$22,095.	\$22,630.	\$27,711.	\$29,096.
P3-TP58	\$14,207.	\$22,251.	\$22,749.	\$27,929.	\$29,327.
P3-TP60	\$14,517.	\$22,569.	\$23,063.	\$28,293.	\$29,709.


Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 13 .
<i>Grommet options: (\$47 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 ¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 52 for details. Optional grommet-mounted power receptacles available, see page 100.	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes C-clips for wire management. For tables without a frame, please see page 88 to specify clips separately.
No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)	<i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.
	Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7 ½" from the edge.
	<i>Note:</i> Propeller tables are certified Clean Air GOLD.
	AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini

Propeller® Conference Table Series

Rectangular Two, Three and Four Segment Conference Tables

with Peanut Base




	description	w	d	h	section width, outside	section width, inside	frame	no. of bases
<i>Designer(s):</i> Emanuela Frattini	P3-VP Rectangular table, 4 segments, with peanut base 	228"	42"	28 ½"	60"	54"	Y	3
		240"	42"	28 ½"	60"	60"	Y	3
		252"	42"	28 ½"	66"	60"	Y	3
		264"	42"	28 ½"	66"	66"	Y	3
		276"	42"	28 ½"	72"	66"	Y	3
		288"	42"	28 ½"	72"	72"	Y	3
		228"	48"	28 ½"	60"	54"	Y	3
		240"	48"	28 ½"	60"	60"	Y	3
		252"	48"	28 ½"	66"	60"	Y	3
		264"	48"	28 ½"	66"	66"	Y	3
		276"	48"	28 ½"	72"	66"	Y	3
		288"	48"	28 ½"	72"	72"	Y	3
		228"	60"	28 ½"	60"	54"	Y	3
		240"	60"	28 ½"	60"	60"	Y	3
		252"	60"	28 ½"	66"	60"	Y	3
		264"	60"	28 ½"	66"	66"	Y	3
		276"	60"	28 ½"	72"	66"	Y	3
		288"	60"	28 ½"	72"	72"	Y	3

pattern no	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-VP10	\$14,882.	\$23,174.	\$24,587.	\$30,365.	\$31,884.
P3-VP12	\$14,992.	\$23,275.	\$24,653.	\$30,507.	\$32,031.
P3-VP14	\$15,656.	\$24,670.	\$25,595.	\$31,589.	\$33,172.
P3-VP16	\$15,742.	\$25,505.	\$25,954.	\$32,066.	\$33,670.
P3-VP18	\$16,050.	\$25,854.	\$26,276.	\$32,473.	\$34,094.
P3-VP20	\$16,116.	\$25,913.	\$26,365.	\$32,636.	\$34,267.
P3-VP30	\$15,006.	\$23,535.	\$25,842.	\$31,906.	\$33,502.
P3-VP32	\$15,111.	\$23,642.	\$25,908.	\$32,053.	\$33,656.
P3-VP34	\$15,766.	\$25,024.	\$26,830.	\$33,105.	\$34,762.
P3-VP36	\$15,853.	\$25,875.	\$27,201.	\$33,596.	\$35,276.
P3-VP38	\$16,160.	\$26,209.	\$27,505.	\$33,990.	\$35,690.
P3-VP40	\$16,228.	\$26,320.	\$27,578.	\$34,142.	\$35,851.
P3-VP50	\$16,344.	\$26,719.	\$27,955.	\$34,643.	\$36,379.
P3-VP52	\$16,847.	\$27,773.	\$28,418.	\$35,235.	\$36,997.
P3-VP54	\$17,457.	\$28,393.	\$29,061.	\$35,918.	\$37,715.
P3-VP56	\$17,498.	\$28,479.	\$29,155.	\$36,037.	\$37,836.
P3-VP58	\$17,827.	\$28,874.	\$29,519.	\$36,505.	\$38,332.
P3-VP60	\$17,913.	\$29,038.	\$29,648.	\$36,742.	\$38,579.

Order Code	Finishes		
<i>Example:</i>	P3-TP10-K-AE-GM-GM-WK	<i>Woodgrain laminate top finishes:</i> Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)	<i>Veneer top/edge finishes continued:</i> Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
P3-TP10	156 x 42" rounded rect. table		
K	Maple veneer top		
AE	Autostrada edge detail		
GM	Medium plexus, center, mid-depth, segment A	<i>Wood edge profiles:</i> Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)	
AM	Medium plexus, left and right, mid-depth, segment B		
GM	Medium plexus, center, mid-depth, segment C	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T)	
WK	Maple veneer base (upcharge applies)	<i>Solid laminate top finishes:</i> Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)	
<i>Specify:</i>			
1. Pattern number			
2. Top finish selection			
3. Edgeband selection			
4. Edge profile option (veneer/wood edge only)			
5. Grommet/Plexus cutout option, segment A			
6. Grommet/Plexus cutout option, segment B			
7. Grommet/Plexus cutout option, segment C			
8. Grommet/Plexus cutout option, segment D			
9. Peanut base selection			
<i>Veneer top/edge finishes:</i> Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW)			
<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5)			
<i>Grommet finishes:</i> Anodized Aluminum (suffix A)			
<i>Peanut Base finishes:</i> Perforated Aluminum (suffix A)			
<i>Veneer Peanut Base finishes: (upcharge applies)</i> For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior-fabricated sheet metal with black powder coat finish.			
2 bases \$4,029			
3 bases \$6,047			

Electrical	Features
+ For more detailed information, consult the Electrical section of the Propeller Manual.	<i>Maintenance:</i> See pages 13 .
<i>Grommet options: (\$47 per cutout)</i> Individual table segments may be specified with zero, one or two grommets. All grommets are 3 ¼" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 52 for details. Optional grommet-mounted power receptacles available, see page 100.	<i>Frame:</i> Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes C-clips for wire management. For tables without a frame, please see page 88 to specify clips separately.
No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)	<i>Base Location:</i> For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.
 Y	<i>Note:</i> - Double Plexus AMD and GMD configurations not available on 42" deep tables.
 GG	
 AG	
 BG	
<i>Plexus cutout options: (\$47 per cutout)</i> Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut tables can accommodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 92.	
For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)	
 Y	
 GM	
 AM	
 GMD	
 AMD	
AM and AMD are not appropriate for stand alone tables or end segments.	

Emanuela Frattini
Propeller® Accessories
Privacy and Modesty Screens with Fabric or Perforated Metal
Interior

	description	w	d	h
Designer(s): Emanuela Frattini, 1994 	P2-SC 11" high screen 	22 ½"	1"	11"
		28 ½"	1"	11"
		34 ½"	1"	11"
		40 ½"	1"	11"
		46 ½"	1"	11"
		58 ½"	1"	11"
		64 ½"	1"	11"
	P2-SC 13" high screen 	22 ½"	1"	13"
		28 ½"	1"	13"
		34 ½"	1"	13"
		40 ½"	1"	13"
		46 ½"	1"	13"
		58 ½"	1"	13"
		64 ½"	1"	13"
	P2-SC 18" high screen 	22 ½"	1"	18"
		28 ½"	1"	18"
		34 ½"	1"	18"
		40 ½"	1"	18"
		46 ½"	1"	18"
		58 ½"	1"	18"
		64 ½"	1"	18"
		70 ½"	1"	18"

pattern no.	screen fabric	metal (add suffix -M)
P2-SC2411-()	\$412.	\$657.
P2-SC3011-()	\$449.	\$731.
P2-SC3611-()	\$486.	\$806.
P2-SC4211-()	\$542.	\$882.
P2-SC4811-()	\$589.	\$992.
P2-SC6011-()	\$694.	\$1,132.
P2-SC6611-()	\$749.	\$1,205.
P2-SC7211-()	\$794.	\$1,272.
P2-SC2413-()	\$449.	\$731.
P2-SC3013-()	\$486.	\$806.
P2-SC3613-()	\$523.	\$882.
P2-SC4213-()	\$580.	\$992.
P2-SC4813-()	\$626.	\$1,069.
P2-SC6013-()	\$731.	\$1,205.
P2-SC6613-()	\$787.	\$1,281.
P2-SC7213-()	\$834.	\$1,347.
P2-SC2418-()	\$486.	\$806.
P2-SC3018-()	\$523.	\$882.
P2-SC3618-()	\$565.	\$956.
P2-SC4218-()	\$619.	\$1,069.
P2-SC4818-()	\$666.	\$1,142.
P2-SC6018-()	\$765.	\$1,281.
P2-SC6618-()	\$822.	\$1,358.
P2-SC7218-()	\$867.	\$1,425.

58" and 64" fabrics will usually be railroaded, 70" fabric will always be railroaded.

Order Code	Finishes	Features
Example: P2-SC-6018-A-A2 P2-SC-BKT-PS-A	Frame, screen and privacy clamp paint finish options: Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)	Screens: Fabric screens are universal for either modesty or privacy use. Screen heights are measured from table top to screen top. 11" high screens are recommended for modesty application. Note: smaller screens have to be railroaded as a special to match wide screens.
P2-SC Propeller screen 6018 58 ½"w x 18"h A Aluminum frame finish A2 Thorn fabric	Screen fabric selection: Grade A: Black (suffix A4) Cane (suffix A5) Granite (suffix A1) Thorn (suffix A2)	Screen Attachment: Privacy screens attach anywhere along table edge. They can be full table width/depth or less. Corresponding attachment clamps must be ordered separately.
P2-SC-BKT-PS 2 privacy screen attachment clamps A Aluminum finish	Approved KnollTextiles: Allegory WC865 Back Drop W302 Bollywood WC1015 Infinite K2263 Matinee WC272 Odeon K317 Sequel WC866	Modesty screens attach to leg plates, have to be sized to match full table width (less ½") or depth for rectangular training tables.

Specify:

1. Pattern number

2. Frame finish


3. Screen fabric selection/suffix -M for metal screen

4. Attachment bracket (see page 80)

5. Privacy clamp finish (see page 80)




Frame:
Frame consists of extruded aluminum horizontals and die-cast vertical members. Powdercoat finish.

Metal screens are sheet metal with perforation pattern and fused powder-coat finish. Metal screens should be used for privacy only.



Maintenance:
See pages 13.

Emanuela Frattini
Propeller® Accessories
Tackable Fabric Privacy Screens

	description	w	d	h	
<i>Designer(s):</i> Emanuela Frattini, 1999	P2-SCT Propeller tackable fabric privacy screen for training tables, 11" above table top		22 1/2"	1"	11"
			28 1/2"	1"	11"
			34 1/2"	1"	11"
			40 1/2"	1"	11"
			46 1/2"	1"	11"
			58 1/2"	1"	11"
			64 1/2"	1"	11"
			70 1/2"	1"	11"
	P2-SCT Propeller tackable fabric privacy screen for training tables, 13" above table top		22 1/2"	1"	13"
			28 1/2"	1"	13"
			34 1/2"	1"	13"
			40 1/2"	1"	13"
			46 1/2"	1"	13"
			58 1/2"	1"	13"
			64 1/2"	1"	13"
			70 1/2"	1"	13"
	P2-SCT Propeller tackable fabric privacy screen for training tables, 18" above table top		22 1/2"	1"	18"
			28 1/2"	1"	18"
			34 1/2"	1"	18"
			40 1/2"	1"	18"
			46 1/2"	1"	18"
			58 1/2"	1"	18"
			64 1/2"	1"	18"
			70 1/2"	1"	18"

pattern no.	COM 10	20	30	40	45	50	55	60
P2SCT2411-()	\$546.	\$551.	\$609.	\$614.	\$619.	\$664.	\$679.	\$693.
P2SCT3011-()	\$616.	\$621.	\$671.	\$677.	\$682.	\$749.	\$773.	\$789.
P2SCT3611-()	\$698.	\$704.	\$762.	\$773.	\$787.	\$834.	\$862.	\$882.
P2SCT4211-()	\$743.	\$750.	\$820.	\$829.	\$843.	\$915.	\$952.	\$967.
P2SCT4811-()	\$801.	\$807.	\$877.	\$885.	\$899.	\$986.	\$1,024.	\$1,048.
P2SCT6011-()	\$989.	\$993.	\$1,082.	\$1,089.	\$1,107.	\$1,233.	\$1,277.	\$1,308.
P2SCT6611-()	\$1,152.	\$1,180.	\$1,302.	\$1,328.	\$1,369.	\$1,384.	\$1,440.	\$1,480.
P2SCT7211-()	\$1,237.	\$1,265.	\$1,397.	\$1,425.	\$1,461.	\$1,480.	\$1,535.	\$1,570.

P2SCT2413-()	\$571.	\$575.	\$629.	\$636.	\$643.	\$679.	\$699.	\$708.
P2SCT3013-()	\$636.	\$642.	\$698.	\$703.	\$708.	\$765.	\$790.	\$808.
P2SCT3613-()	\$722.	\$732.	\$792.	\$806.	\$820.	\$851.	\$882.	\$899.
P2SCT4213-()	\$787.	\$796.	\$866.	\$882.	\$895.	\$954.	\$986.	\$1,008.
P2SCT4813-()	\$843.	\$854.	\$931.	\$945.	\$959.	\$1,031.	\$1,070.	\$1,091.
P2SCT6013-()	\$1,030.	\$1,040.	\$1,130.	\$1,142.	\$1,156.	\$1,270.	\$1,315.	\$1,346.
P2SCT6613-()	\$1,180.	\$1,205.	\$1,328.	\$1,358.	\$1,397.	\$1,411.	\$1,471.	\$1,507.
P2SCT7213-()	\$1,272.	\$1,302.	\$1,411.	\$1,440.	\$1,480.	\$1,498.	\$1,553.	\$1,593.

P2SCT2418-()	\$607.	\$612.	\$667.	\$672.	\$682.	\$707.	\$728.	\$738.
P2SCT3018-()	\$707.	\$710.	\$766.	\$779.	\$787.	\$834.	\$860.	\$876.
P2SCT3618-()	\$834.	\$848.	\$915.	\$927.	\$945.	\$956.	\$983.	\$999.
P2SCT4218-()	\$889.	\$903.	\$990.	\$999.	\$1,020.	\$1,052.	\$1,087.	\$1,110.
P2SCT4818-()	\$945.	\$959.	\$1,052.	\$1,069.	\$1,085.	\$1,136.	\$1,172.	\$1,199.
P2SCT6018-()	\$1,180.	\$1,196.	\$1,305.	\$1,321.	\$1,340.	\$1,430.	\$1,475.	\$1,506.
P2SCT6618-()	\$1,347.	\$1,377.	\$1,515.	\$1,544.	\$1,584.	\$1,598.	\$1,657.	\$1,696.
P2SCT7218-()	\$1,461.	\$1,488.	\$1,639.	\$1,666.	\$1,706.	\$1,720.	\$1,779.	\$1,818.

Order Code	Finishes	Features	Construction
<i>Example:</i> P2-SCT6018A-WC296/17	<i>Frame/clamp finish:</i> Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)	<i>Screens:</i> Propeller tackable screens are upholstered on front and back. Screens 60" and wider will also be railroaded. Smaller screens have to be railroaded as a special to match wide screens. Tackable screens can be specified for privacy application only. Screen heights are measured from table top to screen top. Privacy screens can be attached anywhere along table edge. They can be full table width/depth or less. Corresponding attachment clamps must be ordered separately. 58" and 64" fabrics will usually be railroaded, 70" fabric will always be railroaded	<i>Frame:</i> Extruded aluminum horizontal and die-cast vertical members. Powder-coat finish. <i>Screen:</i> 1/2" thick mineral board for durable, highly tackable surface. Upholstered on both sides. <i>Maintenance:</i> See pages 13.
P2-SC-BKT-PS-A			
P2-SCT			
6018			
A			
WC296/17			
P2-SC-BKT			
PS			
A			
<i>Specify:</i> 1. Pattern number 2. Frame finish 3. Panel fabric selection 4. Attachment clamp (see page 80) 5. Attachment clamp finish (see page 80)			

Fabrics Approved for Upholstery on Propeller Tackable Screens			
Grade 10: COM Broadcloth II Element Foundation Growth Spurt Symbolic Details Tailor Made II Versatility	Grade 20 con't Infinite Reflect Resolution Weave Three	Grade 40: Foil Rap Hard Rock Heavy Metal Ornament Palladium	Grade 45: Dristi Macro Mezzo Grade 50: Knoll Hopsack Presto Ricochet Grade 55: Knoll Felt

Emanuela Frattini

Propeller® Accessories

Attachment Clamps for Modesty and Privacy Screens

	description	
<i>Designer(s):</i> Emanuela Frattini, 1994	P2-SC-BKT-MP Set of two modesty screen attachment clips	
		
	P2-SC-BKT-PS Set of two privacy screen attachment clamps, single	
		
	P2-SC-BKT-PSD Set of two privacy screen attachment clamps, shared	
		
	P2-SC-BKT-PSE One privacy screen attachment clamp, end	
		
	P2-SC-BKT-PST One privacy screen attachment clamp, T-end	
		

pattern no.	brackets
P2-SC-BKT-MP	\$42.
P2-SC-BKT-PS-()	\$118.
P2-SC-BKT-PSD-()	\$157.
P2-SC-BKT-PSE-()	\$100.
P2-SC-BKT-PST-()	\$136.

Order Code	Finishes	Features
<i>Example:</i> P2-SC-BKT-PSD-111		
P2-SC-BKT-PSD	Set of two privacy screen attachment clamps, shared	
111	Jet Black finish	
<i>Specify:</i>		
1. Pattern number		
2. Finish		
		<i>Privacy screen attachment clamps:</i> Clamps are die-cast aluminum with a fused powder-coat finish. One set (two clamps) required for attachment of each screen. Specify single attachment clamps. Clamps can be attached at any location on table edge by simple screw fit.
		Screens install without the use of any tools and are held in place with a simple friction fit.

Mid-depth privacy screen attachment:
Use two end clamps to attach mid-depth screens anywhere along the table top. When using a mid-depth screen with a standard privacy screen, use one T-end clamp where the two screens meet and one end clamp at the free end.




Maintenance:
See pages 13.

Modesty screen attachment clips:
Clips are injection molded medium grey nylon. Two clips required for each screen. Clips are inserted in top of leg endplate.

Emanuela Frattini

Propeller® Accessories

Tackable Modesty Screens for Flip-Top Tables

	description	w	d	h
<i>Designer(s):</i> Emanuela Frattini	P2-FT Propeller tackable fabric modesty screen for Flip-Top tables, 11"	31"	7/8"	11"
		43"	7/8"	11"
		55"	7/8"	11"
				
	P2-FT Propeller tackable fabric modesty screen for Flip-Top tables, 13"	31"	7/8"	13"
		43"	7/8"	13"
		55"	7/8"	13"
				
	P2-FT Propeller tackable fabric modesty screen for Flip-Top tables, 18"	31"	7/8"	18"
		43"	7/8"	18"
		55"	7/8"	18"
				
P2-FT-BKT-MP Set of two modesty panel attachment clips for Flip-Top table				

pattern no.	brackets	screen fabric
P2FT4811-()		\$589.
P2FT6011-()		\$694.
P2FT7211-()		\$794.
P2FT4813-()		\$626.
P2FT6013-()		\$731.
P2FT7213-()		\$834.
P2FT4818-()		\$666.
P2FT6018-()		\$765.
P2FT7218-()		\$867.
P2-FT-BKT-MP()	\$133.	

Order Code	Finishes	Features
<i>Example:</i> P2FT4811-A-W534/4 P2-FT-BKT-MP-A	<i>Frame/Clamp finish:</i> Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)	<i>Screens:</i> Modesty screens for Flip-top tables are available in mesh screen fabric and select KnollTextiles. Available in three standard heights and widths. Screens are non-sided and non-directional.
P2FT	Propeller Flip-Top modesty screen	<i>Modesty screen attachment clips:</i> Two P2-FT-BKT-MP clips required for each screen. Clips are screw fixed to the Flip-top leg. Please reference the Propeller Manual for drawings. Modesty screens for the Flip-top tables differ in size to standard modesty/privacy screens.
4811	31"w x 11"h	
A	Aluminum frame	
W534/4	Foil Wrap, Silver	
P2-FT-BKT-MP	Modesty screen attachment bracket	
A	Aluminum finish	

Specify:






1. Pattern number
2. Frame finish
3. Panel fabric selection
4. Attachment clamp
5. Attachment clamp finish

Construction	Fabrics Approved for Upholstery on Flip-Top Modesty Screens
<i>Frame:</i> Extruded aluminum horizontal and die-cast vertical members. Powder coat finish.	<i>Mesh screen fabric:</i> Black (suffix A4) Cane (suffix A5) Granite (suffix A1) Thorn (suffix A2) <i>Approved KnollTextiles:</i> Allegory WC865 Back Drop W302 Bollywood WC1015 Infinite K2263 Matinee WC272 Odeon K317 Sequel WC866 Transition W816

Emanuela Frattini
Propeller® Accessories
Credenzas and Sideboards

Designer(s):
Emanuela Frattini, 1994



description	w	d*	h
P5-0 Two position credenza 	36 1/4"	20"	28 1/2"
	36 1/4"	20"	28 1/2"
P5-1 Four position credenza 	67 3/8"	20"	28 1/2"
	67 3/8"	20"	28 1/2"
	67 3/8"	20"	28 1/2"
	67 3/8"	20"	28 1/2"
	67 3/8"	20"	28 1/2"
P5-2 Six position credenza 	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
	98 1/2"	20"	28 1/2"
P5-C Small sideboard 	67 3/8"	20"	28 1/2"
P5-D Large sideboard 	98 1/2"	20"	28 1/2"

Order Code	Finishes
<i>Example:</i> P5-2-9-V-A	<i>Woodgrain laminate top finishes:</i>
P5	Propeller credenza
2	Six positions
9	Double box/file, double door, Double box/file
B	Natural Beech veneer
A	Aluminum legs and pulls
<i>Example:</i> P5-1-2-LJ-4-A	
P5	Propeller credenza
1	Four positions
2	Four box/file
LJ	Brushed Aluminum laminate top
4	Light Grey edgeband
A	Aluminum pedestal, pulls and legs
<i>Specify:</i>	
1.	Pattern number
2.	Top finish (pedestal finish for veneer tops)
3.	Edge band selection (sideboard and laminate credenzas)
4.	Leg/pull/shelf finish (pedestal for laminate top credenzas)
* Please note, AE/SE optional edge option adds 3" to the overall depth of each piece; AE1/SE1 optional edge option adds 1 1/2" to the overall depth of each piece.	
	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T) <i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5) <i>Wood edge profiles:</i> Autostrada edge, both sides (suffix AE) Autostrada edge, front (suffix AE1) Propeller edge (suffix PE) Saarinen edge, both sides (suffix SE) Saarinen edge, front (suffix SE1) <i>Leg, shelf and grommet finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)
	<i>Leg, pull, shelf and pedestal finishes on painted credenzas:</i> Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 6112) Bright White (suffix 118) Features <i>Credenza:</i> Peanut-shaped leg of Propeller credenza does not include wire channels. <i>Wood credenzas:</i> Pedestals on wood credenzas are pre-configured with matching veneer run along credenza front. <i>Credenzas with laminate top:</i> Pedestals on laminate top credenzas are painted to match leg and pull finish. All credenzas are fully lockable. One key for all locks. Pull finish matches leg finish. Credenzas have six legs, four side legs and two short center legs.

pattern no.	top/edge/pedestal laminate/flat edge/ painted case	top/edge/pedestal laminate/wood/ painted case	top/edge/pedestal veneer/flat edge/ veneer case	top/edge/pedestal veneer/PE wood/ veneer case	top/edge/pedestal veneer/ AE/SE wood/ veneer case	top/edge/pedestal veneer/ AE1/SE1 wood/ veneer case
P5-01	\$6,194.	\$7,712.	\$8,351.	\$9,614.	\$9,657.	\$9,657.
P5-02	\$5,822.	\$7,336.	\$8,014.	\$9,220.	\$9,264.	\$9,264.
P5-11	\$10,469.	\$12,874.	\$13,731.	\$14,759.	\$14,829.	\$14,829.
P5-12	\$10,843.	\$12,874.	\$14,071.	\$14,759.	\$14,829.	\$14,829.
P5-13	\$10,469.	\$12,283.	\$13,731.	\$14,349.	\$14,415.	\$14,415.
P5-14	\$10,469.	\$12,283.	\$13,731.	\$14,349.	\$14,415.	\$14,415.
P5-15	\$10,094.	\$11,696.	\$13,393.	\$13,938.	\$14,006.	\$14,006.
P5-21	\$14,118.	\$17,296.	\$18,927.	\$20,090.	\$20,187.	\$20,187.
P5-22	\$14,866.	\$17,885.	\$19,608.	\$20,497.	\$20,595.	\$20,595.
P5-23	\$14,118.	\$16,707.	\$18,927.	\$19,679.	\$19,774.	\$19,774.
P5-24	\$14,118.	\$16,707.	\$18,927.	\$19,679.	\$19,774.	\$19,774.
P5-25	\$13,743.	\$17,102.	\$18,589.	\$19,267.	\$19,358.	\$19,358.
P5-26	\$14,118.	\$16,707.	\$18,927.	\$19,679.	\$19,774.	\$19,774.
P5-27	\$14,554.	\$17,296.	\$19,330.	\$20,090.	\$20,187.	\$20,187.
P5-28	\$14,554.	\$17,296.	\$19,330.	\$20,090.	\$20,187.	\$20,187.
P5-29	\$14,554.	\$17,296.	\$19,330.	\$20,090.	\$20,187.	\$20,187.
P5-C	\$4,165.	\$5,602.	\$4,735.	\$6,766.	\$6,798.	\$6,798.
P5-D	\$5,539.	\$7,568.	\$6,291.	\$9,190.	\$9,233.	\$9,233.

Credenza Construction:
Pedestals of wood credenzas are 3-ply solid medium density fiberboard core with veneer surface on front, back and sides. Pedestals of laminate top credenzas have textured powder-coat paint surface on front, back and sides. Pedestals have double module construction (double door, single door left or right with single box/file drawer, double box/file drawer). Layout is preconfigured as shown to right. Credenzas have beam frame construction. Pedestal modules glide onto frame and are numbered in sequence for veneer run.

Double door pedestal has one adjustable shelf. Inside dimensions are 29"w, 17 1/4"d, 19"h. A door hinges open from left. B door hinges open from right. P5-11 and P5-21 have single box/file drawer units. Box/file drawer unit: file drawer suitable for letter and legal filing; full extension drawers. Insides of drawers are lined with black vinyl.

Credenza Construction con't.
Extruded aluminum legs with anodized aluminum or powder-coat finish (medium metallic grey, dark metallic grey). Black plastic leveling glides. Pulls are die-cast aluminum with powder-coat finish. Beam supports are powder-coated metal, positioned to be invisible in frontal view.

Sideboard:
Peanut-shaped leg of Propeller side boards does not include wire channels. Sideboards ship with perforated metal shelf that attaches to legs at 7 3/4" under side board top. Shelf finish matches leg finish. Small side-board has four legs, large sideboard has six legs (four side legs and two center legs).

Sideboard Construction:
1 1/8" thick 3-ply solid medium density fiberboard core with urethane edge on laminate tops, ABS flat edgeband or solid wood edge on wood tops. Black plastic glides.


Extruded aluminum legs with anodized or powder-coated finish.

18-gauge perforated metal shelf with 4 rolled edges, attached to leg with steel rod. Fused powder-coat finish.

Credenza/sideboard leg profile:




Credenza pull detail:



Shipping:
Credenzas and sideboards shipped knocked down. Field assembly required. Sideboards ship tops, shelf and legs separately. Credenzas ship top, pedestal modules (two for four position credenza, three for six position credenza), legs and beam support separately. Pedestals are marked for veneer run.

Maintenance:
See pages 13.



Credenza configurations:



Emanuela Frattini

Propeller® Accessories

Replacement Parts, Training and Conference Tables

	description	type	w	d	h
Designer(s): Emanuela Frattini, 1994 	P2-TLEG Replacement leg kit, trapezoid tables	Set of 2	3 3⁄4"	1 3⁄8"	27 1⁄4"
		Set of 4	3 3⁄4"	1 3⁄8"	27 1⁄4"
		Set of 2	3 3⁄4"	1 3⁄8"	27 1⁄4"
		Set of 4			
		Set of 2, 18" table			
		Set of 2, 24" and 30" tables			
		Set of 2, 30" tables			
		Set of 2, 36" tables			
		Set of 2, 30" tables			
		Set of 2, 36" tables			
	P3-CLEG Single conference table leg 	caster		2 1⁄4"	27 1⁄2"
		glide		2 1⁄4"	27 1⁄2"
	P2-CASTER4 Replacement casters, aluminum training leg	Set of 4	2"	1 1⁄2"	1 3⁄4"
		Set of 4	1 1⁄2"	1 1⁄2"	1 1⁄2"
	P2-GLIDE4 Aluminum leg replacement glides				
	P3-KNOB8 Tool-free hand screws for conference table leg				8 for 2 legs
	P2-C-2 Replacement connector bars	Set of 2, temporary connection	4 3⁄8"	3⁄4"	3⁄4"
	P4-RW-C2 Replacement connectors	Set of 2, permanent connection			

Order Code	Finishes	Features
Example: P2-RLEG2KIT-G-A P2-RLEGKIT 2 replacement legs, training table, aluminum leg G Glides A Anodized Aluminum finish	Specify: 1. Caster or glide option (Training table legs only) 2. Leg finish	Grommet and Leg finishes: Anodized aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118) Glides/Casters: Glides (suffix G) Locking Casters (suffix C)
Example: P3-CLEG-C-111 P3-CLEG-C Replacement leg, conference table, aluminum leg 111 Jet Black finish		Legs are for replacement of standard conference and training legs. For hardwired applications specify empty plexus boxes and empty legs. See page 110 or Propeller manual for more information. For pre-wired applications, specify with pre-wired plexus boxes and pre-wired legs. See page 108 or the Propeller manual for more information.

pattern no.	list
P2-TLEG2-()-()	\$895.
P2-TLEG4-()-()	\$1,567.

P2-RLEG2KIT-()-()	\$895.
P2-RLEG4KIT-()-()	\$1,567.

P2-TCLEG218-()	\$2,141.
P2-TCLEG2-()	\$2,141.

P2-TTLEG30-()	\$2,141.
P2-TTLEG2-()	\$2,141.

P3-CLEG-C-()	\$469.
P3-CLEG-F-()	\$469.

P2-CASTER4	\$46.
-------------------	-------

P2-GLIDE4	\$46.
------------------	-------

P3-KNOB8	\$233.
-----------------	--------

P2-C-2	\$53.
---------------	-------

P4-RW-C2	\$54.
-----------------	-------

Maintenance:
See pages 13.

Emanuela Frattini

Propeller® Electrical


Plexus Box and Connectivity Options

Plexus Boxes for Training and Conference Tables are covered power and communications units mounted flush into the table top, offering a clean aesthetic. Plexus Boxes are installed in the field and fit in pre-configured cutout locations in Propeller table tops. Various cutout locations are available, see specific products pages for more information.


Plexus Box types and sizes:

Plexus Boxes are available in two lengths, small and medium.
Medium boxes are also available in a double width format.

Small Box (Training tables only)




Offers one duplex power outlet with surge protector, one communication outlet and one additional data plate.




P4S-BOXS-()

Double Medium Box (Conference tables only)




Offers room for four duplex power outlets with surge protector, two quadruple communications outlets and four additional data plates.




P4SD-BOXM-()

Medium Box (Conference and training tables)



Offers room for two duplex power outlets with surge protector, one quadruple communication outlet and two additional data plates.



P4S-BOXM-()

Ordering Information

To specify Plexus Boxes:

1. Determine power and data requirements and suitable box size
2. Specify table type with required cutout option. (see chart on table product page)
3. Specify box(es).
4. Specify data outlets.
5. Specify infeed legs and finish (empty and pre-wired versions only).
6. Specify jumper cables (pre-wired version only).

Performance

Power options:
The Plexus Box is available in three electric power options: a cordset unit, comprised of a 15 amp single circuit with 3-prong plug; a pre-wired unit, comprised of an eight wire power distribution system for two 20 amp convenience circuits (A,B) and two 20 amp protected circuits (X,Y) with separate neutral and ground; an empty unit, comprised of an empty box to be field installed by a licensed electrician. All power and communication wiring is completely separated by a metal septum to avoid interference.

Data/Communication Options:
The Plexus Box is available with standardized cutouts for communication and data faceplates, which are available as blank or preconfigured with data and communication jacks. The small Plexus Box can accommodate two faceplates, the medium Plexus Box can accommodate three faceplates and the double medium Plexus box can accommodate six face plates. Cordset boxes are sold with one preconfigured data faceplate, please see product details for specifics.


Power outlets and data/communication faceplates are positioned under a hinged lid to allow access. The extruded aluminum lid features a brush seal allowing wires to pass when lid is closed. Inside the box, power receptacles and one data/communication cutout are positioned on a 60° angle wall, while additional data/communication cutouts are located on the floor of the box.

Standard data/communications cutouts will accommodate common faceplates by AMP, CommScope, Nordex and Panduit

Plexus Box Connectivity options:

Plexus Boxes are available with three connectivity options for either temporary or permanent installation.


Plexus Box with Cordset



For temporary power and communications access.

P4()-BOX()-PP
Use existing leg.

Empty Plexus Box



For hard-wired power and communications access. Compatible with legs shown below.

P4()-BOX()-E



Training leg
P4-RWIN4-RE (right)
P4-RWIN4-LE (left)



Conference leg
P3-CLEG-PE



Trapezoid leg
P4-RWIN4-TE




C-Leg
P4-RWIN4-CRE (right)
P4-RWIN4-CLE (left)



T-Leg
P3-TLEGU-PE

Pre-wired Plexus Box




For permanent power and communications access. Compatible with legs shown below.

P4()-BOX()-PR




Training leg
P4-RWIN4-R (right)
P4-RWIN4-L (left)




Conference leg
P3-CLEG-PR



Trapezoid leg
P4-RWIN4-T



C-Leg
P4-RWIN4-CR (right)
P4-RWIN4-CL (left)



T-Leg
P3-TLEGU-PR

Connectivity

Plexus Box with cordset:
The Plexus Box with cordset offers temporary power and communications access, comprising a single 15 amp electrical circuit with a 3-prong plug. The 15’ cable can simply be channeled through the Propeller leg to connect to a standard floor or wall outlet. The standard Propeller leg is used with this option. Plexus Boxes with cordset simply rest in the table cutout. Do not attach permanently to the table to comply with UL requirements. Option not available for Chicago or New York.

Pre-wired Plexus Box:
The pre-wired Plexus Box offers four permanent 20 amp electrical circuits for power distribution and data access. An additional special pre-wired infeed leg (R) must specified to bring wires from building power to supply power the table. Jumper cables connect power infeed legs to first box and are used to link multiple boxes. Suitable for most regions if connected to building power by a licensed electrician.

The pre-wired Plexus box uses an eight wire, four circuit power distribution system.

Empty Plexus Box for hardwiring:
The empty Plexus Box for hardwiring offers permanent power and data/communication access and has room for wiring up to four circuits. An additional special empty infeed leg (E) must be specified to bring wires from building power supply to the first empty Plexus Box. Suitable for all regions.

Construction



The Plexus box is constructed of an extruded aluminum lid and bezel in anodized finish. Sides and body are fabricated of stamped steel with aluminum powder-coat finish. Plexus boxes attach via clamps from underneath the table top. Accommodates table thickness from 1” to 1 1/2”.

Cutout options

Plexus Box cutout locations:
For cutout locations see chart on specific product pages. Boxes ship with actual cutout template for field cutting tables, when necessary.

Cutout dimensions (w x d):
Small Plexus Box: 6.875” x 6.25”
Medium Plexus Box: 6.5” x 10.25”
Double Medium 10.25” x 11.875”

Emanuela Frattini
Propeller® Electrical
One-Circuit Plexus Boxes with Cordset

	description	type	w	d	h	
<i>Designer(s):</i> Emanuela Frattini		P4S-BOXS-PP small plexus box	one electrical duplex, room for two data faceplates	7.5"	6.75"	2.8"
			one electrical duplex, two RJ45 jacks with category 6 transition cables	7.5"	6.75"	2.8"
		P4S-BOXM-PP medium shallow box with cordset and surge protector	two duplex, four RJ11 jacks, room for 2 additional data plates	10.5"	7"	2.8"
			two duplex, four RJ45 jacks, room for 2 additional data plates	10.5"	7"	2.8"
			two duplex, two RJ11 jacks, two RJ45 jacks, room for 2 additional data plates	10.5"	7"	2.8"
		P4SD-BOXM-PP medium shallow double wide box with cordset and surge protector	four duplex, eight RJ11 jacks, room for 4 additional data plates	10.5"	12.5"	2.8"
			four duplex, eight RJ45 jacks, room for 4 additional data plates	10.5"	12.5"	2.8"
			four duplex, four RJ11 jacks, four RJ45 jacks, room for 4 additional data plates	10.5"	12.5"	2.8"

Order Code	Finishes
<i>Example:</i> P4SD-BOXM-PP-5-B-A	
P4SD-BOXM-PP	Medium shallow Plexus Box
5	Four category 5 transition cables
B	ATT/Lucent transition cables (non-EIA)
A	Aluminum finish

- Specify:
- Plexus Box for cutout size
 - Desired data configuration
 - Select B for (ATT/Lucent) or A for (EIA) wiring in building
 - Plexus Box lid finish

Plexus Box lid finishes:
Aluminum (suffix A)

Features

Plexus Box with Cordset:
The Plexus Box with cordset offers temporary power and data access at the table top. The height of each box is only 2.8" and accommodates table thickness up to 1 1/2" allowing for complete knee clearance. Inside the box, power receptacles and one data/communication cutout are positioned on a angled wall, while additional data/communication cutouts are located on the floor of the box. All power and communication wiring is completely separated by a metal septum to avoid interference. The extruded aluminum lid features a brush seal, allowing for wires to pass through when the lid is closed. The box feature a black circuit reset button.

The Plexus with cordset is comprised of a single 15 amp electrical circuit with a 3-prong plug. The 15' cord can simply be channeled through the Propeller leg to connect to a standard floor or wall outlet. The standard Propeller leg is used with this option. For horizontal wire management, use wire management trough on page 100. Please note, the double medium box features two 15' cords.

UL listed product. Cordset Plexus Boxes simply rest in the table cutout. Do not attach permanently to the table to comply with UL requirements. This option is not available for Chicago or New York.


Three box sizes are available:

Small Plexus Box with cordset:
The small Plexus Box offers a single electrical duplex and a data/communication cutout positioned on the interior angled wall, with an additional data/communication cutout in the floor of the box. Available in two configurations: one with preconfigured data faceplate with two RJ45 jacks and two 20' Category 6 transition cables (2), or without data/communication faceplates (X).

pattern no.	list price
P4S-BOXS-PP-X	\$971.
P4S-BOXS-PP-2	\$1,451.
P4S-BOXM-PP-11(A)	\$1,884.
P4S-BOXM-PP-5-(A,B)-(A)	\$1,905.
P4S-BOXM-PP-4511-(A,B)-(A)	\$1,895.
P4SD-BOXM-PP-11(A)	\$2,921.
P4SD-BOXM-PP-5-(A,B)-(A)	\$2,929.
P4SD-BOXM-PP-4511-(A,B)-(A)	\$3,065.

			Construction
<i>Medium Plexus Box with cordset:</i> The medium Plexus Box offers two electrical duplexes and a data/communication cutout positioned on the interior angled wall, with two additional data/communication cutouts in the floor of the box. Available in three configurations: with one preconfigured data faceplate with four RJ11 jacks and four 20' Category 3 transition cables (11), with one preconfigured data faceplate with four RJ45 jacks and four 20' Category 6 transition cables (5), or with one preconfigured data faceplate with two RJ11 jacks and two RJ45 jacks with two 20' Category 3 transition cables and two 20' Category 6 transition cables.	<i>Double Medium Plexus Box with cordset:</i> The double medium Plexus Box with cordset offers the same features as the medium box, but two sided; a total of four electrical duplexes (two per side) and two data/communication cutouts position on the angled wall (one per side), with four additional data/communication cutouts in the floor of the box (two per side). Available in three configurations: with two preconfigured data faceplates, each with four RJ11 jacks and four 20' Category 3 transition cables (11), with two preconfigured data faceplates, each with four RJ45 jacks and four 20' Category 6 transition cables (5), or with two preconfigured data faceplates, each with two RJ11 jacks and two RJ45 jacks with two 20' Category 3 transition cables and two 20' Category 6 transition cables.	For preconfigured data options and transition cables, select (A) for EIA wiring, or (B) for ATT/Lucent wiring. To specify individual data/communication plates, please see page 112.	The Plexus Box is constructed of an extruded aluminum lid and bezel in anodized finish. Sides and body are fabricated of stamped steel with aluminum powder-coat finish. Plexus boxes attach via clamps from underneath the table top. Accommodates table thickness from 1" to 1 1/2". <i>Cut-out Dimensions (w x d):</i> Small Plexus Box 6.875" x 6.25" Medium Plexus Box 10.25" x 6.5" Double Medium Plexus Box 10.25" x 11.875"

Emanuela Frattini
Propeller® Electrical
Empty Plexus Boxes for Hardwiring

	description	accommodates	w	d	h
<i>Designer(s):</i> Emanuela Frattini	P4S-BOXM-E medium shallow box, empty	two duplex, room for three additional data plates	10.5"	7"	2.8"
					
	P4SD-BOXM-E double shallow medium box, empty	four duplex, room for six additional data plates	10.875"	12.5"	2.8"
					

pattern no.	list price
P4S-BOXM-E-(A)	\$1,005.
P4SD-BOXM-E-(A)	\$1,804.

Order Code	Finishes	Empty Shallow Plexus for hardwiring	
<i>Example:</i> P4S-BOXM-E-A	<i>Plexus Box lid/infeed leg finishes:</i> Aluminum (suffix A)	The empty Plexus Box for hardwiring offers permanent power and data/communication access and has room for wiring up to four circuits. An additional special empty infeed leg (E) must be specified to bring wires from building power supply to the first empty Plexus Box. Suitable for all regions. <i>Empty Medium Plexus Box:</i> The medium Plexus Box offers room for two electrical duplexes and a data/communication cutout positioned on the interior angled wall, with two additional data/communication cutouts in the floor of the box. <i>Empty Double Medium Plexus Box:</i> the empty double medium Plexus Box offers the same features as the medium box, but two sided; room for four electrical duplexes (two each side) and two data/communication cutouts position on the interior angled wall (one per side), with four additional data/communication cutouts in the floor of the box (two per side).	<i>Outlets:</i> Electrical duplexes are included with each empty box; to be field installed by a licensed electrician. Eagle Cooper, Black: 4270-5BK Orange: IG5262-RN To specify individual data/communication plates, please see page 112.
P4S-BOXM-E Medium shallow plexus box, empty			
A Aluminum finish			
<i>Specify:</i> Propeller table with desired cutout size and location			
- Plexus box size - Anodized finish			
<i>Can also specify:</i>			
- Empty leg, refer to page 102. - Electrical outlets, refer to page 102. - Communication outlets, refer to page 102. - Jumper cable to connect empty leg to 1st plexus (female-male), refer to page 102. - Jumper cable to connect plexus boxes (male-male), refer to page 102.			
Power outlets to be installed by electrical contractor; communication outlets to be installed by licensed communications contractor.			

Construction
The Plexus Box is constructed of an extruded aluminum lid and bezel in andonized finish. Sides and body are fabricated of stamped steel with aluminum powder-coat finish. Plexus boxes attach via clamps from underneath the table top. Accomodates table thickness from 1" to 1 1/2". <i>Infeed leg:</i> For Training or Conference tables with standard legs an additional special empty infeed leg (E) must be specified to bring wires from building power supply to the first empty Plexus Box. Suitable for all regions. <i>Cut-out Dimensions (w x d):</i> Small Plexus Box: 6.875" x 6.25" Medium Plexus Box: 10.25" x 6.5" Double Medium Plexus Box: 10.25" x 11.875"

Emanuela Frattini
Propeller® Electrical
Quadruplex and Wire Management

Designer(s):
Emanuela Frattini, 1994



description	type	w	d	h
P4-PP 360° quadruplex desktop monument for use in grommet	4 power outlets			
P4-WMT Double wire management trough		18"	5"	1"
		32"	5"	1"
		44"	5"	1"
		56"	5"	1"
		96"	5"	1"
P4-AWB Equity worksurface cable basket		20"	4"	2"
		26"	4"	2"
		32"	4"	2"
		36"	4	2"
		42"	4"	2"
P4-MRI Wire management clips (10)				
P4-GR Grommet replacement sleeve and cover		3 1/4"		1 1/4"

pattern no.	list price
P4-PP-()	\$379.
P4-WMT-18	\$34.
P4-WMT-32	\$45.
P4-WMT-44	\$58.
P4-WMT-56	\$76.
P4-WMT-96	\$115.
P4-AWB20	\$58.
P4-AWB26	\$64.
P4-AWB32	\$77.
P4-AWB36	\$78.
P4-AWB42	\$83.
P4-MRI	\$42.
P4-GR-()	\$46.

Order Code	Finishes	Features
<i>Example:</i> P4-PP-A	<i>Quadruplex finishes:</i> Black (suffix BK) Aluminum (suffix A)	<i>Quadruplex monument:</i> Four power outlets in one single desktop monument. The power hemisphere has two 15 amp, single circuit, 10' power cords; one cord per two outlets. Fits in standard size Propeller grommet with adapter shipped with unit. Composed of two 180° black or aluminum powder-coat ABS plastic dome segments. UL listed.
P4-PP	Quadruplex monument, 4 power outlets	<i>Morrison wire management clips:</i> Plastic clips with fastener can be drilled on the underside of the table in desired location to hold up wires and cables. Simply drill a pilot hole in the desired location .7" deep (use 13/32" drill).
A	Aluminum	
<i>Specify:</i> 1. Pattern number 2. Finish		
Note: Aluminum finish is powder coat, not anodized.		
<i>Grommet Finishes:</i> Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)		

Wire management troughs:
Rigid black PVC plastic.

Maintenance:
See pages 13.




Emanuela Frattini
Propeller® Electrical
2+2 Raceway Components

pattern no.	list price
P4-RWR48	\$597.
P4-RWR60	\$636.
P4-RWR66	\$636.
P4-RWR72	\$672.
P4-RWT	\$636.
P4-PDC-22	\$673.
P4-PDC-21	\$673.
P4-PDC-12	\$673.
P4-AMP1145A	\$723.
P4-AMP1145B	\$723.
P4-PDC-24	\$673.
P4-RWDA	\$46.
P4-RWDB	\$46.
P4-RWDX	\$46.
P4-RWDY	\$46.
P4-RWDOX	\$54.
P4-RWDOY	\$54.

Order Code		Ordering Information	Specification Information
<i>Example:</i>	P4-RWR60	<i>Infeed leg finishes:</i>	Note: All tables must be ganged permanently with electrical connectors when used with raceway. <i>Raceway:</i> All raceways include a pre-installed power rail that fits 2 duplex outlets. The 20", 26", 38" long raceway also has pre-cut holes for installation of two double communication outlets. The 14" raceway can fit either 2 duplex outlets or one duplex outlet and one double communications outlet. Raceways ship with special locking connectors for permanently ganging tables.
P4	Propeller accessory	Anodized Aluminum (suffix A)	
RW	Raceway	Jet Black (suffix 111)	
R	For rectangular table	Medium Metallic Grey (suffix 612)	
60	For 60" wide table		
<i>Specify:</i>		<i>Propeller raceway:</i> Propeller 2 + 2 Raceway is a four-circuit, eight-wire modular power distribution system available for all Knoll Systems. 2 + 2 Raceway components distribute two 20-amp convenience circuits (A, B), with neutral and ground, and two protected 20-amp circuits (X, Y) with separate neutral and ground. UL183 listed for use on tables.	A complete Propeller Raceway consists of pre-assembled raceway kits mounted inside metal troughs, jumper cables and infeed legs, ordered individually. • One raceway kit per table required. • Jumper cables bridge power between tables. • Power infeed legs bring power from building power to raceway. The raceway circuit is connected to the building power via a junction box. Installation by licensed electrician only. <i>Maintenance:</i> See pages 13.
- Suitable raceway kit for every table - Jumper cables for every table-to-table connection - Power infeed leg (one per raceway) - Power infeed leg finish - Power and communication outlets			

			Construction
Communication wiring has to be field installed by communication contractor.	Jumper cables ship with clamps for attachment underneath table top.	<i>Duplex outlets:</i> Duplex outlet circuits are designated by white letters on black background.	<i>Power infeed leg:</i> Extruded aluminum leg with glide and cast aluminum end plate or cast aluminum foot for C-legs or T-legs.
Raceway kits do not include wire management trough for surplus wires. Use P4-WMT/P4-WMTR on page 102 for storage of surplus wires. <i>Jumper cables:</i> Jumper cables ensure power connection in a straight line configuration, or for tables joined perpendicularly, or for configurations with bridges or segments between tables.	<i>Power infeed leg:</i> Supplies raceway with power from building power source. Complete leg assembly hard-wired inside, fully enclosed wiring. Use junction box to connect raceway to building power. Specify left leg if infeed is located left of raceway, right leg if infeed is located right of raceway. Power infeed has 6' cord for hard wiring that can be cut to length during installation of raceway. Cord must be cut to 18" length or less for application in New York City.	<i>Communication modules:</i> AMP outlet faceplates are black textured finish. AMP RJ45 outlets are available with EIA-T568B (ATT wiring) or EIA-T568A (all other EIA wiring) configurations. All RJ45 data/communication outlets are specially configured and rated for Category 5 high speed data cabling, except those with couplers (Cat 3).	Wiring is shielded inside fully enclosed leg section. 6' open lines to attach junction box on bottom of leg. 9 1/4" long jumper infeed end at top of infeed leg connects to raceway kit. <i>Raceway Kits:</i> Bent sheet metal trough with dark metallic grey finish (suffix V). Raceway is fully enclosed in metal trough. Refer to page 106 for jumper cables.

Emanuela Frattini
Propeller® Electrical
Jumper Cables for Raceway Kit and Pre-Wired Plexus Boxes

	description	type	w
<i>Designer(s):</i> Emanuela Frattini, 1994	P4-RWJ Male-male jumper cable- to connect between plexus boxes or between raceways 		10"
			17"
			27"
			37"
			47"
			57"
			67"
	P4-RWMF Female-male jumper cable- to connect power infeed leg to first plexus box or first raceway 		10"
			17"
			27"
			37"
	P4-RWM Infeed cable 	Prewired power connection for drum/peanut	30"
		Prewired power connection for drum/peanut	96"

pattern no.	list price
P4-RWJ10	\$121.
P4-RWJ17	\$128.
P4-RWJ27	\$146.
P4-RWJ37	\$157.
P4-RWJ47	\$168.
P4-RWJ57	\$182.
P4-RWJ67	\$196.




P4-RWMFJ10	\$121.
P4-RWMFJ17	\$128.
P4-RWMFJ27	\$146.
P4-RWMFJ37	\$157.

P4-RWM30	\$217.
P4-RWM96	\$382.

Order Code	Specification Information	
<i>Example:</i> P4-RWMFJ17	Note: All tables must be ganged permanently with electrical connectors when used with raceway. Building power must be turned off before reconfiguration.	<i>Jumper cables: Training</i> Jumper cables ensure power connection between legs and raceway kits under each table.
P4RWMF Female-male jumper cable to connect power infeed leg to first plexus box or first raceway		
J17 17" female/male jumper cable	<i>Jumper cables:</i> Jumper cables ensure power connection in a straight line configuration, or for tables joined perpendicularly, or for configurations with bridges or segments between tables. Jumper cables ship with clamps for attachment underneath table top.	<i>Raceway jumper connections:</i> Male-male jumper cables for connection between raceway kits. Female-male jumper cables for connection between power infeed leg and raceway kit. <i>Plexus jumper connections:</i> Male-male jumper cables for connection between Plexus boxes. Female-male jumper cables for connection between power infeed leg and Plexus box.

- Specify:*
1. Male-male or male-female jumper cable connection
 2. Length of jumper cable needed

Emanuela Frattini
Propeller® Electrical
Leg Options for Training and Conference Tables
Leg Options for Prewired Plexus Boxes

	description	type
Designer(s): Emanuela Frattini, 1994 	P3-CLEG-PR	Conference Std. leg, Prewired (Universal)
		
	P3-TLEGU-PR	T-Leg, Prewired (Universal) T-Leg, Prewired (Universal) for 30" Tables
		
	P4-RWIN4-CL	C-Leg, Prewired (Left)
		
	P4-RWIN4-CR	C-Leg, Prewired (Right)
		
	P4-RWIN4-T	Trapezoid Std. leg, Prewired (Universal)
		
	P4-RWIN4-RR	Training Std. leg, Prewired (Right)
		
	P4-RWIN4-RL	Training Std. leg, Prewired (Left)
		

Order Code	Finishes	Specification Information
Example: P4-RWIN4-L(A)		
P4-RWIN4-L	Infeed leg for rectangular table, left Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)	Note: All tables must be ganged permanently with electrical connectors when used with raceway. Building power must be turned off before reconfiguration.
A	Anodized finish	

- Specify:
1. Power infeed leg
 2. Power infeed leg finish

pattern no.	list price
P3-CLEG-PR-()	\$962.

P3-TLEGU-PR-()	\$1,454.
P3-TLEGU-PR30-()	\$1,395.

P4-RWIN4-CL-()	\$1,454.
------------------------	----------

P4-RWIN4-CR-()	\$1,454.
------------------------	----------




P4-RWIN4-T-()	\$630.
-----------------------	--------

P4-RWIN4-RR-()	\$630.
------------------------	--------

P4-RWIN4-RL-()	\$630.
------------------------	--------

Standard conference, trapezoid and T-Legs are universal and can be used on either side of the table. For C-Legs and training specify right or left.	C-Leg & T-Leg: Extruded aluminum with anodized or powder-coat finish. One section of leg is completely enclosed for electrical wiring, other section has clear flexible PVC strips to lay in communication wiring. Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish.	Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish. Black nylon glides.
---	---	--

Emanuela Frattini
Propeller® Electrical
Leg Options for Training and Conference Tables
Leg Options for Empty Plexus Boxes

	description	type
Designer(s): Emanuela Frattini, 1994 	P3-CLEG-PE	Conference Std. leg, Empty (Universal)
		
	P3-TLEGU-PE	T-Leg, Empty (Universal) T-Leg, Empty (Universal) for 30" tables
		
	P4-RWIN4-RER	Training Std. leg, Empty (Right)
		
	P4-RWIN4-REL	Training Std. leg, Empty (Left)
		
	P4-RWIN4-CRE	C-Leg, Empty (Right)
		
	P4-RWIN4-CLE	C-Leg, Empty (Left)
		
	P4-RWIN4-TE	Trapezoid Std. Leg, Empty
		





Order Code	Finishes	Specification Information
Example: P4-RWIN4-RE(A) P4-RWIN4-RE	<i>Infeed leg finishes:</i> Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)	Note: All tables must be ganged permanently with electrical connectors when used with raceway. Building power must be turned off before reconfiguration.
A	Anodized finish	

- Specify:
1. Power infeed leg
 2. Power infeed leg finish

pattern no.	list price
P3-CLEG-PE-()	\$671.
P3-TLEGU-PE-() P3-TLEGU-PE30-()	\$895. \$860.
P4-RWIN4-RER-()	\$477.
P4-RWIN4-REL-()	\$477.
P4-RWIN4-CRE-()	\$1,211.
P4-RWIN4-CLE-()	\$1,211.
P4-RWIN4-TE-()	\$477.

C-Leg & T-Leg: Extruded aluminum with anodized or powder-coat finish. One section of leg is completely enclosed for electrical wiring, other section has clear flexible PVC strips to lay in communication wiring. Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish.	Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish. Black nylon glides.
---	--

Emanuela Frattini
Propeller® Electrical
Plexus Communication and Data Faceplates

description	accomodates	w	d	h	color
P7-C3 data faceplate, one RJ-11 communication jack 	one RJ-11 Cat. 3 jack*	3.2"	1.9"	.4"	black
	one RJ-11 Cat. 3 jack*	3.2"	1.9"	.4"	grey
P7-C6 data faceplate, one RJ-45 data jack 	one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-C3-C6 data faceplate, one RJ-11 communication jack, one RJ-45 data jack 	one RJ-11 Cat. 3 jack, one RJ-45 Cat.6 jack*	3.2"	1.9"	.4"	black
	one RJ-11 Cat. 3 jack, one RJ-45 Cat.6 jack*	3.2"	1.9"	.4"	grey
P7-C3-C6-C6 data faceplate, one RJ-11 communication jack, two RJ-45 data jacks 	one RJ-11 Cat. 3 jack, two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one RJ-11 Cat. 3 jack, two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-C6-C6 data faceplate, two RJ-45 data jacks 	two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7 Black data faceplate	Black (suffix P7)	15 pin VGA (suffix VGA)
C3 RJ11 Cat. 3 jack	Grey (suffix P7GR)	Mini Stereo jack (suffix MS) *
C6 RJ45 Cat. 6 jack		Mini Stereo coupler (suffix MSI)
C6 RJ45 Cat. 6 jack		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

pattern no.	list price
P7-C3	\$69.
P7GR-C3	\$81.
P7-C6	\$109.
P7GR-C6	\$123.
P7-C3-C6	\$159.
P7GR-C3-C6	\$172.
P7-C3-C6-C6	\$264.
P7GR-C3-C6-C6	\$277.
P7-C6-C6	\$208.
P7GR-C6-C6	\$220.

A/V and data jacks:


DB Connection:
15 pin High density VGA female/female coupler. (suffix VGA)
DVI Connection:
DVI in-line female/female coupler. (suffix DVI)
RCA Connection:
White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)
Stereo Connection:
Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:
USB A/A inline in XLR body. (suffix USB)
Video Connection:
S-Video (SVHS) female/female coupler. (suffix SV)
XLR Connection:
3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).
HDMI Connection:
HDMI in-line female/female coupler (suffix HDMI).
* requires on-site wiring.

A/V Cables are not included.

Construction



ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.

description	accomodates	w	d	h	color
P7-C6-C6-C6 data faceplate, three RJ-45 data jacks 	three RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	three RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-C6-C6-C6-C6 data faceplate, four RJ-45 data jacks 	four RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	four RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-C3-C3-C6-C6 data faceplate, two RJ-11 communication jacks, two RJ-45 data jacks 	two RJ-11 Cat. 3 jack, two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	two RJ-11 Cat. 3 jack, two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-C5-C5 data faceplate, two RJ-45 data jacks 	two RJ-45 Cat. 5e couplers, female/female	3.2"	1.9"	.4"	black
	two RJ-45 Cat. 5e couplers, female/female	3.2"	1.9"	.4"	grey
P7-C5-C5-C5 data faceplate, three RJ-45 data jacks 	three RJ-45 Cat. 5e couplers, female/female	3.2"	1.9"	.4"	black
	three RJ-45 Cat. 5e couplers, female/female	3.2"	1.9"	.4"	grey

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black (suffix P7)	15 pin VGA (suffix VGA)
C3	Grey (suffix P7GR)	Mini Stereo jack (suffix MS) *
C6		Mini Stereo coupler (suffix MSI)
C6		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

pattern no.	list price
P7-C6-C6-C6	\$308.
P7GR-C6-C6-C6	\$321.
P7-C6-C6-C6-C6	\$406.
P7GR-C6-C6-C6-C6	\$418.
P7-C3-C3-C6-C6	\$320.
P7GR-C3-C3-C6-C6	\$333.
P7-C5-C5	\$208.
P7GR-C5-C5	\$220.
P7-C5-C5-C5	\$308.
P7GR-C5-C5-C5	\$321.

Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
USB Connection: USB A/A inline in XLR body. (suffix USB)
Video Connection: S-Video (SVHS) female/female coupler. (suffix SV)
XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).
HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.
A/V Cables are not included.

description	accomodates	w	d	h	color
P7-C3I-C3I data faceplate, two RJ-11 communication jacks 	two RJ-11 Cat. 3 couplers, female/female	3.2"	1.9"	.4"	black
	two RJ-11 Cat. 3 couplers, female/female	3.2"	1.9"	.4"	grey
P7-LC-LC data faceplate, two fiber optic connectors 	two LC fiber optic duplex connectors female/female	3.2"	1.9"	.4"	black
	two LC fiber optic duplex connectors female/female	3.2"	1.9"	.4"	grey
P7-LC-LC-C6-C6 data faceplate, two fiber optic connectors, two RJ45 Cat. 6 jacks 	two fiber optic duplex connectors, two RJ45 Cat. 6 jacks	3.2"	1.9"	.4"	black
	two fiber optic duplex connectors, two RJ45 Cat. 6 jacks	3.2"	1.9"	.4"	grey
P7-VGA-C6 data faceplate, one 15 pin VGA 60" patch cord, one RJ-45 data jack 	one 15 pin VGA 60" patch cord, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one 15 pin VGA 60" patch cord, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey

pattern no.	list price
P7-C3I-C3I	\$94.
P7GR-C3I-C3I	\$107.
P7-LC-LC	\$453.
P7GR-LC-LC	\$466.
P7-LC-LC-C6-C6	\$651.
P7GR-LC-LC-C6-C6	\$665.
P7-VGA-C6	\$279.
P7GR-VGA-C6	\$292.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black (suffix P7)	15 pin VGA (suffix VGA)
C3	Grey (suffix P7GR)	Mini Stereo jack (suffix MS) *
C6		Mini Stereo coupler (suffix MSI)
C6		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.




A/V and data jacks:

DB Connection:
15 pin High density VGA female/female coupler. (suffix VGA)
DVI Connection:
DVI in-line female/female coupler. (suffix DVI)
RCA Connection:
White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)
Stereo Connection:
Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:
USB A/A inline in XLR body. (suffix USB)
Video Connection:
S-Video (SVHS) female/female coupler. (suffix SV)
XLR Connection:
3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).
HDMI Connection:
HDMI in-line female/female coupler (suffix HDMI).
* requires on-site wiring.

A/V Cables are not included.




Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.

description	accomodates	w	d	h	color
P7-VGA-C6-C6 data faceplate, one 15 pin VGA 60" patch cord, two RJ-45 data jacks 	one 15 pin VGA coupler, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"	black
	one 15 pin VGA coupler, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"	grey
P7-VGA-C3-C6 data faceplate, one 15 pin VGA , one RJ-11 communication jack, one RJ-45 data jack 	one 15 pin VGA coupler, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one 15 pin VGA coupler, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-VGA-MS-C3-C6 data faceplate, one 15 pin VGA 60" patch cord, one Mini-Stereo jack, one RJ-11 communication jack, one RJ-45 data jack 	one 15pin VGA , one Mini-Stereo jack, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one 15pin VGA , one Mini-Stereo jack, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black (suffix P7)	15 pin VGA (suffix VGA)
C3	RJ11 Cat. 3 jack	Mini Stereo jack (suffix MS) *
C6	RJ45 Cat. 6 jack	Mini Stereo coupler (suffix MSI)
C6	RJ45 Cat. 6 jack	HDMI coupler (suffix HDMI)
		3 pin XLR female (suffix 3X) *
		3 pin mini XLR female (suffix 3M) *
		Cord minders (suffix CM)
		Blank plate (suffix X)
	<i>Communication data options:</i>	
	RJ-11 Category 3 jack (suffix C3) *	
	RJ-45 Category 5e inline coupler (suffix C5E)	
	RJ-45 Category 6 jack (suffix C6) *	
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

pattern no.	list price
P7-VGA-C6-C6	\$379.
P7GR-VGA-C6-C6	\$391.
P7-VGA-C3-C6	\$336.
P7GR-VGA-C3-C6	\$349.
P7-VGA-MS-C3-C6	\$355.
P7GR-VGA-MS-C3-C6	\$368.


Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.
A/V Cables are not included.


description	accomodates	w	d	h	color
P7-VGA-MSI-C3-C6 data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, one RJ-11 communication jack, one RJ-45 data jack 	one 15 pin VGA, one Mini-Stereo in-line coupler, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one 15 pin VGA, one Mini-Stereo in-line coupler, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-VGA-MS-C6 data faceplate, one 15 pin VGA w/ 60" patch cord, one Mini-Stereo jack, one RJ-45 data jack 	one 15 pin VGA, one Mini-Stereo jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one 15 pin VGA, one Mini-Stereo jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-VGA-MSI-C6 data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, one RJ-45 data jack 	one 15 pin VGA, one Mini-Stereo in-line coupler, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one 15 pin VGA, one Mini-Stereo in-line coupler, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey


Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black (suffix P7)	15 pin VGA (suffix VGA)
C3	Grey (suffix P7GR)	Mini Stereo jack (suffix MS) *
C6		Mini Stereo coupler (suffix MSI)
C6		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

pattern no.	list price
P7-VGA-MSI-C3-C6	\$401.
P7GR-VGA-MSI-C3-C6	\$414.
P7-VGA-MS-C6	\$297.
P7GR-VGA-MS-C6	\$310.
P7-VGA-MSI-C6	\$345.
P7GR-VGA-MSI-C6	\$358.

Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
A/V and data jacks: DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).
USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.
A/V Cables are not included.

description	accomodates	w	d	h	color
P7-VGA-MS-C6-C6 data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack, two RJ-45 data jacks 	one 15 pin VGA coupler, one Mini-Stereo jack, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"	black
	one 15 pin VGA coupler, one Mini-Stereo jack, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"	grey

P7-VGA-MSI-C6-C6 data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, two RJ-45 data jack 	one 15 pin VGA coupler, one Mini-Stereo in-line coupler, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"	black
	one 15 pin VGA coupler, one Mini-Stereo in-line coupler, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"	grey

P7-C3-C6-USB data faceplate, one RJ-11 communication jack, one RJ-45 data jack, one USB A/A w/72" patch cord 	one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack,* one USB A/A w/72" patch cord	3.2"	1.9"	.4"	black
	one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack,* one USB A/A w/72" patch cord	3.2"	1.9"	.4"	grey

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i> Black (suffix P7) Grey (suffix P7GR)	<i>A/V and data options:</i> 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM) Blank plate (suffix X)
P7 Black data faceplate		<i>Communication, data jacks:</i> RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) RJ-45 Data Connection: RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)
C3 RJ11 Cat. 3 jack		
C6 RJ45 Cat. 6 jack		
C6 RJ45 Cat. 6 jack	<i>Communication data options:</i> RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)	
<i>Specify:</i> Faceplate with desired communication or data jacks. 1. Faceplate 2. Communication/data jack 3. Communication/data jack 4. Communication/data jack On-site wiring to be installed by communications/data contractor.	Data cables are not supplied. * requires on-site wiring RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	





pattern no.	list price
P7-VGA-MS-C6-C6	\$396.
P7GR-VGA-MS-C6-C6	\$409.

P7-VGA-MSI-C6-C6	\$443.
P7GR-VGA-MSI-C6-C6	\$467.

P7-C3-C6-USB	\$320.
P7GR-C3-C6-USB	\$333.

Construction	
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).	USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.





Emanuela Frattini
Propeller® Electrical
Plexus Communication and Data Faceplates

description	acomodates	w	d	h	color
P7-VGA-MS data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack 	one 15 pin VGA coupler, one Mini-Stereo jack*	3.2"	1.9"	.4"	black
	one 15 pin VGA coupler, one Mini-Stereo jack*	3.2"	1.9"	.4"	grey
P7-VGA-MSI data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler 	one 15 pin VGA coupler, one Mini-Stereo in-line coupler	3.2"	1.9"	.4"	black
	one 15 pin VGA coupler, one Mini-Stereo in-line coupler	3.2"	1.9"	.4"	grey
P7-3X-3X data faceplate, two 3 pin XLR jacks 	two 3 pin XLR jacks*	3.2"	1.9"	.4"	black
	two 3 pin XLR jacks*	3.2"	1.9"	.4"	grey
P7-3M-3M data faceplate, two 3 pin mini-XLR jacks 	two 3 pin mini-XLR jacks*	3.2"	1.9"	.4"	black
	two 3 pin mini-XLR jacks*	3.2"	1.9"	.4"	grey

pattern no.	list price
P7-VGA-MS	\$199.
P7GR-VGA-MS	\$212.
P7-VGA-MSI	\$246.
P7GR-VGA-MSI	\$260.
P7-3X-3X	\$413.
P7GR-3X-3X	\$426.
P7-3M-3M	\$326.
P7GR-3M-3M	\$339.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7 Black data faceplate	Black (suffix P7)	15 pin VGA (suffix VGA)
C3 RJ11 Cat. 3 jack	Grey (suffix P7GR)	Mini Stereo jack (suffix MS) *
C6 RJ45 Cat. 6 jack		Mini Stereo coupler (suffix MSI)
C6 RJ45 Cat. 6 jack		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
<i>Specify:</i> Faceplate with desired communication or data jacks.	Data cables are not supplied.	<i>Communication, data jacks:</i>
1. Faceplate	* requires on-site wiring	RJ-11 Telephone Connection:
2. Communication/data jack	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks	RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3)
3. Communication/data jack	require wires to be crimped to backs.	Configured for Amp cables.(suffix C3I)
4. Communication/data jack		RJ-45 Data Connection:
		RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E)
		RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)
On-site wiring to be installed by communications/data contractor.		


Construction	
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).	USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.


description	accomodates	w	d	h	color
P7-3M-3M-3M data faceplate, three 3 pin mini-XLR jacks 	three 3 pin mini-XLR jacks*	3.2"	1.9"	.4"	black
	three 3 pin mini-XLR jacks*	3.2"	1.9"	.4"	grey
P7-VGA-USB data faceplate, one 15 pin HD VGA coupler, one USB A/A w/72" patch cord 	one 15 pin HD VGA coupler, one USB A/A w/72" patch cord	3.2"	1.9"	.4"	black
	one 15 pin HD VGA coupler, one USB A/A w/72" patch cord	3.2"	1.9"	.4"	grey
P7-USB-USB data faceplate, two USB A/A w/72" patch cord 	two USB A/A w/72" Patch cords	3.2"	1.9"	.4"	black
	two USB A/A w/72" Patch cords	3.2"	1.9"	.4"	grey
P7-VGA-MS-RCA data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack, one RCA (white, red and yellow) coupler 	one 15 pin VGA, one Mini-Stereo jack,* one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"	black
	one 15 pin VGA, one Mini-Stereo jack,* one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"	grey

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black (suffix P7)	15 pin VGA (suffix VGA)
C3	Grey (suffix P7GR)	Mini Stereo jack (suffix MS) *
C6		Mini Stereo coupler (suffix MSI)
C6		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

pattern no.	list price
P7-3M-3M-3M	\$485.
P7GR-3M-3M-3M	\$497.
P7-VGA-USB	\$258.
P7GR-VGA-USB	\$270.
P7-USB-USB	\$165.
P7GR-USB-USB	\$179.
P7-VGA-MS-RCA	\$322.
P7GR-VGA-MS-RCA	\$335.

Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
A/V and data jacks: DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).
USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.
A/V Cables are not included.

description	accommodates	w	d	h	color
P7-VGA-MSI-RCA data faceplate, one 15 pin HD VGA coupler, one Mini-Stereo coupler, one set RCA (white, red and yellow) couplers 	one 15 pin HD VGA coupler, one Mini-Stereo coupler, one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"	black
	one 15 pin HD VGA coupler, one Mini-Stereo coupler, one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"	grey





P7-VGA-RCA data faceplate, one 15 pin HD VGA coupler, one set RCA (white, red and yellow) couplers 	one 15 pin HD VGA coupler, one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"	black
	one 15 pin HD VGA coupler, one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"	grey

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i> Black (suffix P7) Grey (suffix P7GR)	<i>A/V and data options:</i> 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM) Blank plate (suffix X)
P7 Black data faceplate		<i>Communication, data jacks:</i> RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)
C3 RJ11 Cat. 3 jack		RJ-45 Data Connection: RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)
C6 RJ45 Cat. 6 jack	<i>Communication data options:</i> RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)	
C6 RJ45 Cat. 6 jack		
<i>Specify:</i> Faceplate with desired communication or data jacks.	Data cables are not supplied. * requires on-site wiring RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	
1. Faceplate		
2. Communication/data jack		
3. Communication/data jack		
4. Communication/data jack		
On-site wiring to be installed by communications/data contractor.		

pattern no.	list price
P7-VGA-MSI-RCA	\$372.
P7GR-VGA-MSI-RCA	\$385.

P7-VGA-RCA	\$306.
P7GR-VGA-RCA	\$319.


	Construction
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).	USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included. ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.

description	accomodates	w	d	h	color
P7-DVI-VGA data faceplate, one DVI coupler, one 15 pin HD VGA coupler 	one DVI in-line coupler, one 15 pin HD VGA coupler	3.2"	1.9"	.4"	black
	one DVI in-line coupler, one 15 pin HD VGA coupler	3.2"	1.9"	.4"	grey
P7-DVI data faceplate, one DVI coupler 	one CVI in-line coupler	3.2"	1.9"	.4"	black
	one CVI in-line coupler	3.2"	1.9"	.4"	grey
P7-DVI-MS-MS data faceplate, one DVI in-line coupler, two mini stereo jacks 	one DVI coupler, two Mini-Stereo jacks	3.2"	1.9"	.4"	black
	one DVI coupler, two Mini-Stereo jacks	3.2"	1.9"	.4"	grey
P7-DVI-MSI-MSI data faceplate, one DVI coupler, two mini stereo in-line couplers 	one DVI coupler, two Mini-Stereo couplers	3.2"	1.9"	.4"	black
	one DVI coupler, two Mini-Stereo couplers	3.2"	1.9"	.4"	grey

pattern no.	list price
P7-DVI-VGA	\$504.
P7GR-DVI-VGA	\$517.
P7-DVI	\$334.
P7GR-DVI	\$347.
P7-DVI-MS-MS	\$371.
P7GR-DVI-MS-MS	\$384.
P7-DVI-MSI-MSI	\$468.
P7GR-DVI-MSI-MSI	\$482.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6		
P7	Black data faceplate	
C3	RJ11 Cat. 3 jack	
C6	RJ45 Cat. 6 jack	
C6	RJ45 Cat. 6 jack	
<i>Specify:</i> Faceplate with desired communication or data jacks. 1. Faceplate 2. Communication/data jack 3. Communication/data jack 4. Communication/data jack On-site wiring to be installed by communications/data contractor.		
	<i>Faceplate finishes:</i> Black (suffix P7) Grey (suffix P7GR) <i>Communication data options:</i> RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC) Data cables are not supplied. * requires on-site wiring RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	<i>A/V and data options:</i> 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM) Blank plate (suffix X) <i>Communication, data jacks:</i> RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I) RJ-45 Data Connection: RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.

description	accomodates	w	d	h	color
P7-HDMI data faceplate, one HDMI w/36" patch cord 	one HDMI coupler, female/female w/36" patch cord	3.2"	1.9"	.4"	black
	one HDMI coupler, female/female w/36" patch cord	3.2"	1.9"	.4"	grey
P7-HDMI-VGA-MS data faceplate, one HDMI w/36" patch cord, one VGA w/60" patch cord, one mini stereo jack 	one HDMI coupler, one VGA, one Mini-Stereo jack	3.2"	1.9"	.4"	black
	one HDMI coupler, one VGA, one Mini-Stereo jack	3.2"	1.9"	.4"	grey

pattern no.	list price
P7-HDMI	\$225.
P7GR-HDMI	\$238.
P7-HDMI-VGA-MS	\$413.
P7GR-HDMI-VGA-MS	\$426.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7 Black data faceplate	Black (suffix P7)	15 pin VGA (suffix VGA)
C3 RJ11 Cat. 3 jack	Grey (suffix P7GR)	Mini Stereo jack (suffix MS) *
C6 RJ45 Cat. 6 jack		Mini Stereo coupler (suffix MSI)
C6 RJ45 Cat. 6 jack		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.


- Faceplate
- Communication/data jack
- Communication/data jack
- Communication/data jack


On-site wiring to be installed by communications/data contractor.


Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.
USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.
A/V Cables are not included.

A/V and data jacks:

DB Connection:
15 pin High density VGA female/female coupler. (suffix VGA)
DVI Connection:
DVI in-line female/female coupler. (suffix DVI)
RCA Connection:
White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)
Stereo Connection:
Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

description	accomodates	w	d	h	color
P7-HDMI-VGA-MSI data faceplate, one HDMI w/36" patch cord, one VGA w/60" patch cord, one mini stereo in-line coupler 	one HDMI coupler, one VGA, one Mini-Stereo in-line coupler, female/female	3.2"	1.9"	.4"	black
	one HDMI coupler, one VGA, one Mini-Stereo in-line coupler, female/female	3.2"	1.9"	.4"	grey

P7-VGA-MS-USB data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack, one USB A/A w/72" patch cord 	one 15 pin VGA, one Mini-Stereo jack*, one USB A/B in-line coupler	3.2"	1.9"	.4"	black
	one 15 pin VGA, one Mini-Stereo jack*, one USB A/B in-line coupler	3.2"	1.9"	.4"	grey

P7-VGA-MSI-USB data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, one USB A/A w/72" patch cord 	one 15 pin VGA , one Mini-Stereo coupler, one USB A/B in-line coupler	3.2"	1.9"	.4"	black
	one 15 pin VGA , one Mini-Stereo coupler, one USB A/B in-line coupler	3.2"	1.9"	.4"	grey


Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6		
P7	Black data faceplate	
C3	RJ11 Cat. 3 jack	
C6	RJ45 Cat. 6 jack	
C6	RJ45 Cat. 6 jack	
<i>Specify:</i> Faceplate with desired communication or data jacks.		
1. Faceplate		
2. Communication/data jack		
3. Communication/data jack		
4. Communication/data jack		
On-site wiring to be installed by communications/data contractor.		
Finishes		
<i>Faceplate finishes:</i> Black (suffix P7) Grey (suffix P7GR)		
<i>Communication data options:</i> RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)		
Data cables are not supplied.		
* requires on-site wiring RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.		
<i>A/V and data options:</i> 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM) Blank plate (suffix X)		
<i>Communication, data jacks:</i> RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I) RJ-45 Data Connection: RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)		

pattern no.	list price
P7-HDMI-VGA-MSI	\$461.
P7GR-HDMI-VGA-MSI	\$474.

P7-VGA-MS-USB	\$287.
P7GR-VGA-MS-USB	\$300.

P7-VGA-MSI-USB	\$334.
P7GR-VGA-MSI-USB	\$347.

Construction	
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).	USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.

description	accomodates	w	d	h	color
P7-RCA data faceplate, one set RCA (white, red and yellow) couplers 	one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"	black
	one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"	grey
P7-SV data faceplate, one S-Video coupler 	one S-Video (SVHS), in-line coupler	3.2"	1.9"	.4"	black
	one S-Video (SVHS), in-line coupler	3.2"	1.9"	.4"	grey
P7-DVI-SV data faceplate, one DVI coupler, one S-Video coupler 	one DVI in-line coupler, one S-Video (SVHS) in-line coupler	3.2"	1.9"	.4"	black
	one DVI in-line coupler, one S-Video (SVHS) in-line coupler	3.2"	1.9"	.4"	grey

pattern no.	list price
P7-RCA	\$134.
P7GR-RCA	\$147.
P7-SV	\$224.
P7GR-SV	\$237.
P7-DVI-SV	\$546.
P7GR-DVI-SV	\$560.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6	<i>Faceplate finishes:</i>	<i>A/V and data options:</i>
P7	Black (suffix P7)	15 pin VGA (suffix VGA)
C3	Grey (suffix P7GR)	Mini Stereo jack (suffix MS) *
C6		Mini Stereo coupler (suffix MSI)
C6		HDMI coupler (suffix HDMI)
	<i>Communication data options:</i>	3 pin XLR female (suffix 3X) *
	RJ-11 Category 3 jack (suffix C3) *	3 pin mini XLR female (suffix 3M) *
	RJ-45 Category 5e inline coupler (suffix C5E)	Cord minders (suffix CM)
	RJ-45 Category 6 jack (suffix C6) *	Blank plate (suffix X)
	Fiber optic (suffix LC)	
	Data cables are not supplied.	
	* requires on-site wiring	
	RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	

Specify: Faceplate with desired communication or data jacks.

1. Faceplate
2. Communication/data jack
3. Communication/data jack
4. Communication/data jack

On-site wiring to be installed by communications/data contractor.


A/V and data jacks:

DB Connection:
15 pin High density VGA female/female coupler. (suffix VGA)
DVI Connection:
DVI in-line female/female coupler. (suffix DVI)
RCA Connection:
White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)
Stereo Connection:
Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:
USB A/A inline in XLR body. (suffix USB)
Video Connection:
S-Video (SVHS) female/female coupler. (suffix SV)
XLR Connection:
3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).
HDMI Connection:
HDMI in-line female/female coupler (suffix HDMI).
* requires on-site wiring.

A/V Cables are not included.

Construction
ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.

description	accomodates	w	d	h	color
P7-X data faceplate, blank, no cut-outs 	blank, no cut-outs	3.2"	1.9"	.4"	black
	blank, no cut-outs	3.2"	1.9"	.4"	grey
P7-CM data faceplate, three cord minders .	three cord minders	3.2"	1.9"	.4"	black
	three cord minders	3.2"	1.9"	.4"	grey

pattern no.	list price
P7-X	\$8.
P7GR-X	\$22.
P7-CM	\$51.
P7GR-CM	\$63.

Order Code	Finishes	Features
<i>Example:</i> P7-C3-C6-C6		
P7	Black data faceplate	
C3	RJ11 Cat. 3 jack	
C6	RJ45 Cat. 6 jack	
C6	RJ45 Cat. 6 jack	
<i>Specify:</i> Faceplate with desired communication or data jacks. 1. Faceplate 2. Communication/data jack 3. Communication/data jack 4. Communication/data jack On-site wiring to be installed by communications/data contractor.		
	<i>Faceplate finishes:</i> Black (suffix P7) Grey (suffix P7GR) <i>Communication data options:</i> RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC) Data cables are not supplied. * requires on-site wiring RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.	<i>A/V and data options:</i> 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM) Blank plate (suffix X) <i>Communication, data jacks:</i> RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I) RJ-45 Data Connection: RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

Construction
<i>A/V and data jacks:</i> DB Connection: 15 pin High density VGA female/female coupler. (suffix VGA) DVI Connection: DVI in-line female/female coupler. (suffix DVI) RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA) Stereo Connection: Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI). USB Connection: USB A/A inline in XLR body. (suffix USB) Video Connection: S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.

		TOP OPTIONS					TROUGH OPTIONS
TYPE	TABLE	FRONT CENTER	FRONT LEFT	FRONT RIGHT	FRONT LEFT AND RIGHT	CENTER CENTER	CENTER
NO CUTOUTS	ALL TABLES	Y	Y	Y	Y	Y	●
ROUND GROMMET	FIXED T-LEG	ERG	DRGL	DRGR	DRG	GRG	●
	FLIP T-LEG	ERG	DRGL	DRGR	DRG	GRG	●
	FIXED C-LEG	ERG	DRGL	DRGR	DRG	GRG	●
	FLIP C-LEG	ERG	DRGL	DRGR	DRG	●	●
	FIXED Y-LEG	ERG	DRGL	DRGR	DRG	GRG	●
	FLIP Y-LEG	ERG	DRGL	DRGR	DRG	GRG	●
	Y-FOLD, (96 X 48)	●	●	●	●	GRG2 *	●
	4-LEG RECTANGLE	ERG	DRGL	DRGR	DRG	GRG	●
	4-LEG SQUARE	ERG	●	●	●	GRG	●
	ELEC. HGT. C-LEG	ERG	DRGL	DRGR	DRG	●	●
	ELEC. HGT. T-LEG	ERG	DRGL	DRGR	DRG	●	●
	COLUMN LEG	●	●	●	●	GRG	●
KE1, KE2, KE3	FIXED T-LEG	ENO	DNOL	DNOR	DNO	GNO	●
	FLIP T-LEG	ENO	DNOL	DNOR	DNO	GNO	●
	FIXED C-LEG	ENO	DNOL	DNOR	DNO	GNO	●
	FLIP C-LEG	●	●	●	●	●	●
	FIXED Y-LEG	ENO	DNOL	DNOR	DNO	GNO	●
	FLIP Y-LEG	ENO	DNOL	DNOR	DNO	GNO	●
	Y-FOLD, (96 X 48)	●	●	●	●	GNO2 *	●
	4-LEG RECTANGLE	ENO	DNOL	DNOR	DNO	GNO	●
	4-LEG SQUARE	ENO	●	●	●	GNO	●
	ELEC. HGT. C-LEG	●	●	●	●	●	●
	ELEC. HGT. T-LEG	ENO	DNOL	DNOR	DNO	●	●
	COLUMN LEG	●	●	●	●	GNO	●
	TRAPEZOID	●	BNOL**	BNOR**	●	●	●
	FIXED T-LEG	EN	DNL	DNR	DN	GN	●
KE4	FLIP T-LEG	EN	DNL	DNR	DN	GN	●
	FIXED C-LEG	EN	DNL	DNR	DN	GN	●
	FLIP C-LEG	EN	DNL	DNR	DN	●	●
	FIXED Y-LEG	EN	DNL	DNR	DN	GN	●
	FLIP Y-LEG	EN	DNL	DNR	DN	GN	●
	Y FOLD	●	●	●	●	●	●
	4-LEG RECTANGLE	EN	DNL	DNR	DN	GN	●
	4-LEG SQUARE	EN	●	●	●	GN	●
	ELEC. HGT. C-LEG	EN	DNL	DNR	DN	●	●
	ELEC. HGT. T-LEG	EN	DNL	DNR	DN	●	●
	COLUMN LEG	●	●	●	●	GN	●
KE5	FIXED T-LEG	EA	DAL	DAR	DA	GA	●
	FLIP T-LEG	EA	DAL	DAR	DA	GA	●
	FIXED C-LEG	EA	DAL	DAR	DA	GA	●
	FLIP C-LEG	EA	DAL	DAR	DA	●	●
	FIXED Y-LEG	EA	DAL	DAR	DA	GA	●
	FLIP Y-LEG	EA	DAL	DAR	DA	GA	●
	Y-FOLD, (96 X 48)	●	●	●	●	GA2 *	●
	4-LEG RECTANGLE	EA	DAL	DAR	DA	GA	●
	4-LEG SQUARE	EA	●	●	●	GA	●
	ELEC. HGT. C-LEG	EA	DAL	DAR	DA	●	●
	ELEC. HGT. T-LEG	EA	DAL	DAR	DA	●	●
	COLUMN LEG	●	●	●	●	GA	●
	TRAPEZOID	●	BAL	BAR	●	●	●

		TOP OPTIONS					TROUGH OPTIONS
TYPE	TABLE	FRONT CENTER	FRONT LEFT	FRONT RIGHT	FRONT LEFT AND RIGHT	CENTER CENTER	CENTER
KE6	FIXED T-LEG	●	●	●	●	●	●
	FLIP T-LEG	●	●	●	●	●	●
	FIXED C-LEG	●	●	●	●	●	TAS
	FLIP C-LEG	●	●	●	●	●	TAS
	FIXED Y-LEG	●	●	●	●	●	●
	FLIP Y-LEG	●	●	●	●	●	●
	Y FOLD	●	●	●	●	●	●
	4-LEG RECTANGLE	●	●	●	●	●	●
	4-LEG SQUARE	●	●	●	●	●	●
	ELEC. HGT. C-LEG	●	●	●	●	●	●
	ELEC. HGT. T-LEG	●	●	●	●	●	●
	COLUMN LEG	●	●	●	●	●	●
KE7	FIXED T-LEG	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES
	FLIP T-LEG						
	FIXED C-LEG						
	FLIP C-LEG						
	FIXED Y-LEG						
	FLIP Y-LEG						
	Y FOLD						
	4-LEG RECTANGLE						
	4-LEG SQUARE						
	ELEC. HGT. C-LEG						
	ELEC. HGT. T-LEG						
	COLUMN LEG	●	●	●	●	●	●
KE8	FIXED T-LEG	ET	DTL	DTR	DT	GT	●
	FLIP T-LEG	ET	DTL	DTR	DT	GT	●
	FIXED C-LEG	ET	DTL	DTR	DT	GT	●
	FLIP C-LEG	ET	DTL	DTR	DT	●	●
	FIXED Y-LEG	ET	DTL	DTR	DT	GT	●
	FLIP Y-LEG	ET	DTL	DTR	DT	GT	●
	Y-FOLD, (96 X 48)	●	●	●	●	GT2 *	●
	4-LEG RECTANGLE	ET	DTL	DTR	DT	GT	●
	4-LEG SQUARE	ET	●	●	●	GT	●
	ELEC. HGT. C-LEG	ET	DTL	DTR	DT	●	●
	ELEC. HGT. T-LEG	ET	DTL	DTR	DT	●	●
	COLUMN LEG	●	●	●	●	GT	●
	TRAPEZOID	●	BTL	BTR	●	●	●

PATTERN CODE EXAMPLES

Y - NO CUTOUTS

ERG - ONE CUTOUT FRONT CENTER FOR ROUND GROMMET

DN - TWO CUTOUTS FOR KE4 ELECTRICAL MODULES, (1) FRONT LEFT AND (1) FRONT RIGHT


* A Y-FOLD TABLE CONSISTS OF TWO 48” X 48” SQUARE SEGMENTS. ONE CUTOUT WILL BE PLACED IN BOTH SECTIONS FOR A TOTAL OF TWO CUTOUTS PER TABLE.

** ONLY APPLICABLE FOR KE3 MODULE ON TRAPEZOID TABLES. KE1 AND KE2 SHOULD NOT BE SPECIFIED.

● NOT AVAILABLE

NOTE: LOCATION AT LEFT AND RIGHT CUTOUTS ON TRAPEZOID ARE CENTER ON DEPTH.

Marc Krusin
Pixel™ Table Series
C-Leg A Series Tables, Flip Top



	description	w	d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015 <i>Award(s):</i> Best of Neocon Gold Award, 2015	 	48"	18"	28 ¾"	C-Leg	74
		60"	18"	28 ¾"	C-Leg	66
		72"	18"	28 ¾"	C-Leg	75
		48"	21"	28 ¾"	C-Leg	74
		60"	21"	28 ¾"	C-Leg	78
		72"	21"	28 ¾"	C-Leg	91
		48"	24"	28 ¾"	C-Leg	74
		60"	24"	28 ¾"	C-Leg	78
		72"	24"	28 ¾"	C-Leg	91
		48"	30"	28 ¾"	C-Leg	74
		60"	30"	28 ¾"	C-Leg	93
		72"	30"	28 ¾"	C-Leg	106
 	 	48"	18"	28 3/4 - 33 ¾"	C-Leg	60
		60"	18"	28 3/4 - 33 ¾"	C-Leg	69
		72"	18"	28 3/4 - 33 ¾"	C-Leg	78
		48"	21"	28 3/4 - 33 ¾"	C-Leg	71
		60"	21"	28 3/4 - 33 ¾"	C-Leg	82
		72"	21"	28 3/4 - 33 ¾"	C-Leg	94
		48"	24"	28 3/4 - 33 ¾"	C-Leg	71
		60"	24"	28 3/4 - 33 ¾"	C-Leg	82
		72"	24"	28 3/4 - 33 ¾"	C-Leg	94
		48"	30"	28 3/4 - 33 ¾"	C-Leg	82
		60"	30"	28 3/4 - 33 ¾"	C-Leg	96
		72"	30"	28 3/4 - 33 ¾"	C-Leg	109
KGANG Pixel ganging mechanism						
						

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood
KCPW4818-(C)-()-()-()	\$1,918.	\$2,038.	\$3,309.
KCPW6018-(C)-()-()-()	\$1,996.	\$2,134.	\$3,448.
KCPW7218-(C)-()-()-()	\$2,064.	\$2,219.	\$3,605.
KCPW4821-(C)-()-()-()	\$1,979.	\$2,111.	\$3,460.
KCPW6021-(C)-()-()-()	\$2,064.	\$2,214.	\$3,656.
KCPW7221-(C)-()-()-()	\$2,137.	\$2,306.	\$3,846.
KCPW4824-(C)-()-()-()	\$1,979.	\$2,111.	\$3,460.
KCPW6024-(C)-()-()-()	\$2,064.	\$2,214.	\$3,656.
KCPW7224-(C)-()-()-()	\$2,137.	\$2,306.	\$3,846.
KCPW4830-(C)-()-()-()	\$2,069.	\$2,212.	\$3,665.
KCPW6030-(C)-()-()-()	\$2,159.	\$2,323.	\$3,894.
KCPW7230-(C)-()-()-()	\$2,242.	\$2,425.	\$4,060.
KCPA4818-(C)-()-()-()	\$2,061.	\$2,183.	\$3,434.
KCPA6018-(C)-()-()-()	\$2,139.	\$2,279.	\$3,572.
KCPA7218-(C)-()-()-()	\$2,208.	\$2,363.	\$3,729.
KCPA4821-(C)-()-()-()	\$2,124.	\$2,256.	\$3,586.
KCPA6021-(C)-()-()-()	\$2,208.	\$2,358.	\$3,781.
KCPA7221-(C)-()-()-()	\$2,282.	\$2,450.	\$3,972.
KCPA4824-(C)-()-()-()	\$2,124.	\$2,256.	\$3,586.
KCPA6024-(C)-()-()-()	\$2,208.	\$2,358.	\$3,781.
KCPA7224-(C)-()-()-()	\$2,282.	\$2,450.	\$3,972.
KCPA4830-(C)-()-()-()	\$2,212.	\$2,357.	\$3,790.
KCPA6030-(C)-()-()-()	\$2,305.	\$2,468.	\$4,020.
KCPA7230-(C)-()-()-()	\$2,387.	\$2,570.	\$4,188.
KGANG	\$31.	n/a	n/a

Order Code	Finishes		
<i>Example:</i> KCPW7224-C-114-004T-Y-115T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)	Hybrid Chrome Base: Chromed legs are available on KCPW at an upcharge of \$832 list. Legs and feet will be chromed while the horizontal trough will be in a standard Pixel paint finish. Place suffix C after leg finish suffix. Please note Hybrid Chrome base is not available on 18" depth tables on casters. <i>Example:</i> KCPW6030-C-118-300-Y-118T-C
C Locking casters	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)	<i>Note:</i> Glides are not available on flip top tables.
114 Folkstone laminate		<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.
004T Folkstone flat edgeband			
Y No grommet	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)	
115T Medium Grey legs		<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)	

Electrical	Construction	Features
<i>Cutout Options: (\$31 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 140 for the proper cutout code. <i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. <i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage. Trough cutout on C-Leg Only TAS - Center Cutout C-Leg tables may be specified with a center trough cutout but only if no box cutouts are specified on the top. <i>Maintenance:</i> See pages 13. <i>Note:</i> Pixel tables are certified Clean Air GOLD.

Marc Krusin
Pixel™ Table Series
C-Leg S Series Tables, Fixed Top



	description	w	d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015 <i>Award(s):</i> Best of Neocon Gold Award, 2015 	KLCXW Work Height, Fixed Top  	48"	18"	28 3/4"	C-Leg	52
		60"	18"	28 3/4"	C-Leg	61
		72"	18"	28 3/4"	C-Leg	70
		48"	21"	28 3/4"	C-Leg	63
		60"	21"	28 3/4"	C-Leg	74
		72"	21"	28 3/4"	C-Leg	85
		48"	24"	28 3/4"	C-Leg	63
		60"	24"	28 3/4"	C-Leg	74
		72"	24"	28 3/4"	C-Leg	85
		48"	30"	28 3/4"	C-Leg	74
		60"	30"	28 3/4"	C-Leg	87
		72"	30"	28 3/4"	C-Leg	101
	KLCXA Pin Set Height Adjustable, Fixed Top	48"	18"	28 3/4" - 34"	C-Leg	55
		60"	18"	28 3/4" - 34"	C-Leg	64
		72"	18"	28 3/4" - 34"	C-Leg	73
		48"	21"	28 3/4" - 34"	C-Leg	66
		60"	21"	28 3/4" - 34"	C-Leg	77
		72"	21"	28 3/4" - 34"	C-Leg	89
		48"	24"	28 3/4" - 34"	C-Leg	66
		60"	24"	28 3/4" - 34"	C-Leg	77
		72"	24"	28 3/4" - 34"	C-Leg	89
		48"	30"	28 3/4" - 34"	C-Leg	77
		60"	30"	28 3/4" - 34"	C-Leg	91
		72"	30"	28 3/4" - 34"	C-Leg	104
KGANG Pixel ganging mechanism 						

pattern no.	laminate/flat edge
KLCXW4818-(C,G)-()-()-()	\$1,171.
KLCXW6018-(C,G)-()-()-()	\$1,223.
KLCXW7218-(C,G)-()-()-()	\$1,268.
KLCXW4821-(C,G)-()-()-()	\$1,171.
KLCXW6021-(C,G)-()-()-()	\$1,223.
KLCXW7221-(C,G)-()-()-()	\$1,268.
KLCXW4824-(C,G)-()-()-()	\$1,171.
KLCXW6024-(C,G)-()-()-()	\$1,223.
KLCXW7224-(C,G)-()-()-()	\$1,268.
KLCXW4830-(C,G)-()-()-()	\$1,227.
KLCXW6030-(C,G)-()-()-()	\$1,284.
KLCXW7230-(C,G)-()-()-()	\$1,336.
KLCXA4818-(C,G)-()-()-()	\$1,264.
KLCXA6018-(C,G)-()-()-()	\$1,310.
KLCXA7218-(C,G)-()-()-()	\$1,353.
KLCXA4821-(C,G)-()-()-()	\$1,302.
KLCXA6021-(C,G)-()-()-()	\$1,354.
KLCXA7221-(C,G)-()-()-()	\$1,400.
KLCXA4824-(C,G)-()-()-()	\$1,302.
KLCXA6024-(C,G)-()-()-()	\$1,354.
KLCXA7224-(C,G)-()-()-()	\$1,400.
KLCXA4830-(C,G)-()-()-()	\$1,359.
KLCXA6030-(C,G)-()-()-()	\$1,416.
KLCXA7230-(C,G)-()-()-()	\$1,467.
KGANG	\$31.

Order Code	Finishes		
<i>Example:</i>	KLCXW6024-C-114-004T-Y-115T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)
KLCXW6024	60" x 24" Work Height, Fixed Top		
C	Locking casters		
114	Folkstone laminate	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
004T	Folkstone flat edgeband		
Y	No grommet		
115T	Medium Grey legs		
<i>Specify:</i> 1. Pattern number 2. Locking casters or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish			
		<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)	<i>Note:</i> Glides are not available on flip top tables. *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.
		<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)	

Electrical	Construction	Features
<i>Cutout Options: (\$31 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 140 for the proper cutout code.	<i>Laminate tops:</i> Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Tops can be specified with a flat ABS edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.
<i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Wire Management:</i> Use magnetic clips to secure wires and cords to black horizontal beam underneath the tabletop. Tuck excess wires and cords inside wire management bar.
		<i>Maintenance:</i> See pages 13.
		<i>Note:</i> Pixel tables are certified Clean Air GOLD.

Marc Krusin
Pixel™ Table Series
C-Leg S Series Tables, Flip Top





	description	w	d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015 <i>Award(s):</i> Best of Neon Gold Award, 2015 	KLCPW Work Height, Flip Top, Casters 	48"	18"	28¾"	C-Leg	74
		60"	18"	28¾"	C-Leg	66
		72"	18"	28¾"	C-Leg	75
		48"	21"	28¾"	C-Leg	74
		60"	21"	28¾"	C-Leg	78
		72"	21"	28¾"	C-Leg	91
		48"	24"	28¾"	C-Leg	74
		60"	24"	28¾"	C-Leg	78
		72"	24"	28¾"	C-Leg	91
		48"	30"	28¾"	C-Leg	74
		60"	30"	28¾"	C-Leg	93
		72"	30"	28¾"	C-Leg	106
	KLCPA Pin Set Height Adjustable, Flip Top, Casters	48"	18"	28¾" - 34"	C-Leg	60
		60"	18"	28¾" - 34"	C-Leg	69
		72"	18"	28¾" - 34"	C-Leg	78
		48"	21"	28¾" - 34"	C-Leg	71
		60"	21"	28¾" - 34"	C-Leg	82
		72"	21"	28¾" - 34"	C-Leg	94
		48"	24"	28¾" - 34"	C-Leg	71
		60"	24"	28¾" - 34"	C-Leg	82
		72"	24"	28¾" - 34"	C-Leg	94
		48"	30"	28¾" - 34"	C-Leg	82
		60"	30"	28¾" - 34"	C-Leg	96
		72"	30"	28¾" - 34"	C-Leg	109
	KGANG Pixel ganging mechanism 					

pattern no.	laminate/flat edge
KLCPW4818-(C)-()-()-()	\$1,484.
KLCPW6018-(C)-()-()-()	\$1,548.
KLCPW7218-(C)-()-()-()	\$1,603.
KLCPW4821-(C)-()-()-()	\$1,484.
KLCPW6021-(C)-()-()-()	\$1,548.
KLCPW7221-(C)-()-()-()	\$1,603.
KLCPW4824-(C)-()-()-()	\$1,484.
KLCPW6024-(C)-()-()-()	\$1,548.
KLCPW7224-(C)-()-()-()	\$1,603.
KLCPW4830-(C)-()-()-()	\$1,551.
KLCPW6030-(C)-()-()-()	\$1,619.
KLCPW7230-(C)-()-()-()	\$1,682.
KLCPA4818-(C)-()-()-()	\$1,546.
KLCPA6018-(C)-()-()-()	\$1,604.
KLCPA7218-(C)-()-()-()	\$1,656.
KLCPA4821-(C)-()-()-()	\$1,593.
KLCPA6021-(C)-()-()-()	\$1,656.
KLCPA7221-(C)-()-()-()	\$1,712.
KLCPA4824-(C)-()-()-()	\$1,593.
KLCPA6024-(C)-()-()-()	\$1,656.
KLCPA7224-(C)-()-()-()	\$1,712.
KLCPA4830-(C)-()-()-()	\$1,659.
KLCPA6030-(C)-()-()-()	\$1,729.
KLCPA7230-(C)-()-()-()	\$1,790.
KGANG	\$31.

Order Code	Finishes		
Example:	KLCPW6024-C-114-004T-Y-115T		
KLCPW6024	60" x 24" Work Height, Flip Top	Colored laminate finishes: Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	Flat edgeband finishes: Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)
C	Locking casters	Woodgrain laminate finishes: Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	Note: Glides are not available on flip top tables. *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.
114	Folkstone laminate		
004T	Folkstone flat edgeband		
Y	No grommet		
115T	Medium Grey legs		
Specify:			
1. Pattern number			
2. Locking casters or glide selection			
3. Top finish selection			
4. Edgeband selection			
5. Cutout option			
6. Leg finish			
		Woodgrain flat edgeband finishes: Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	
		Leg finishes: Jet Black (suffix 111T) Bright White (suffix 118T) * Medium Grey (suffix 115T) Sterling (suffix 906T)	
		Glides/Casters: Glides (suffix G) Casters (suffix C)	

Electrical	Construction	Features	
<i>Cutout Options: (\$31 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 140 for the proper cutout code.	<i>Laminate tops:</i> Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Tops can be specified with a flat ABS edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.	<i>Caution:</i> When moving flip top tables on casters, only push tables while the top is down in the flat position.
<i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Wire Management:</i> Use magnetic clips to secure wires and cords to black horizontal beam underneath the tabletop. Tuck excess wires and cords inside wire management bar.	
		<i>Flip Mechanism:</i> To flip tabletop, pull red button on right side of the table and use other hand to gently lift the tabletop up. Black button on left side of the table can also be pushed while performing the same movement.	
		<i>Maintenance:</i> See pages 13.	
		<i>Note:</i> Pixel tables are certified Clean Air GOLD.	

Marc Krusin
Pixel™ Table Series
T-Leg Tables, Fixed Top




	description	w	d	h	leg type	table wgt. (lbs)
Designer(s): Marc Krusin, 2015 Award(s): Best of Neocon Gold Award, 2015	KTXW Work Height, Fixed Top  	60"	30"	28 3/4"	T-Leg	84
		72"	30"	28 3/4"	T-Leg	98
		60"	36"	28 3/4"	T-Leg	98
		72"	36"	28 3/4"	T-Leg	114
	KTXA Pin Set Height Adjustable, Fixed Top  	60"	30"	28 3/4" - 33 3/4"	T-Leg	88
		72"	30"	28 3/4" - 33 3/4"	T-Leg	102
		60"	36"	28 3/4" - 33 3/4"	T-Leg	101
		72"	36"	28 3/4" - 33 3/4"	T-Leg	117
	KTXE Electric Height Adjustable, Fixed top, Glides  	60"	36"	26" - 51 1/2"	T-Leg	132
		72"	36"	26" - 51 1/2"	T-Leg	146
	KGANG Pixel ganging mechanism 					

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood
KT_XW6030-()-()-()-()	\$1,864.	\$2,030.	\$3,530.
KT_XW7230-()-()-()-()	\$1,954.	\$2,141.	\$4,163.
KT_XW6036-()-()-()-()	\$1,908.	\$2,087.	\$3,685.
KT_XW7236-()-()-()-()	\$2,055.	\$2,256.	\$4,158.
KT_XA6030-()-()-()-()	\$1,999.	\$2,165.	\$3,735.
KT_XA7230-()-()-()-()	\$2,183.	\$2,368.	\$3,923.
KT_XA6036-()-()-()-()	\$2,186.	\$2,365.	\$3,933.
KT_XA7236-()-()-()-()	\$2,332.	\$2,533.	\$4,403.
KT_XE6036-(G)-()-()-(111T, 118T)	\$4,084.	\$4,276.	\$5,671.
KT_XE7236-(G)-()-()-(111T, 118T)	\$4,183.	\$4,397.	\$6,104.
KGANG	\$31.	n/a	n/a

Order Code	Finishes		
<i>Example:</i> KTXW7224-C-114-004T-Y-115T			
KTXW7224	72" x 24" Work Height, Fixed Top		
C	Locking casters		
114	Folkstone laminate		
004T	Folkstone flat edgeband		
Y	No grommet		
115T	Medium Grey legs		
<i>Specify:</i>			
1. Pattern number			
2. Locking casters or glide selection			
3. Top finish selection			
4. Edgeband selection			
5. Cutout option			
6. Leg finish			
	Colored laminate finishes: Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	Molded edgeband finishes: Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)	Hybrid Chrome Base: Chromed legs are available on KTXW at an upcharge of \$832 list. Legs and feet will be chromed while the horizontal trough will be in a standard Pixel paint finish. Place suffix C after leg finish suffix. <i>Example:</i> KTXW6030-C-118-300-Y-118T-C
	Woodgrain laminate finishes: Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	Flat edgeband finishes: Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)	<i>Note:</i> Glides are not available on flip top tables.
	Veneer top/edge finishes: American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	Woodgrain flat edgeband finishes: Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.
		Leg finishes: Jet Black (suffix 111T) Bright White (suffix 118T) * Medium Grey (suffix 115T) Sterling (suffix 906T)	
		Glides/Casters: Glides (suffix G) Casters (suffix C)	

Electrical	Construction	Features
<i>Cutout Options: (\$31 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 140 for the proper cutout code. <i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops with have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. <i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage. Trough cutout on C-Leg Only TAS - Center Cutout C-Leg tables may be specified with a center trough cutout but only if no box cutouts are specified on the top. <i>Maintenance:</i> See pages 13. <i>Note:</i> Pixel tables are certified Clean Air GOLD.

Marc Krusin
Pixel™ Table Series
T-Leg Tables, Flip Top


	description	w	d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015	KTPW Work Height, Flip Top, Casters 	60"	30"	28¾"	T-Leg	93
		72"	30"	28¾"	T-Leg	107
		60"	36"	28¾"	T-Leg	106
		72"	36"	28¾"	T-Leg	122
<i>Award(s):</i> Best of Neocon Gold Award, 2015	KTPA Pin Set Height Adjustable, Flip top, Casters 	60"	30"	28 3/4 - 34"	T-Leg	96
		72"	30"	28 3/4 - 34"	T-Leg	110
		60"	36"	28 3/4 - 34"	T-Leg	109
		72"	36"	28 3/4 - 34"	T-Leg	125
 	KGANG Pixel ganging mechanism 					

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood
KTPW6030-(C)-()-()-()	\$2,496.	\$2,663.	\$4,187.
KTPW7230-(C)-()-()-()-()	\$2,596.	\$2,783.	\$4,385.
KTPW6036-(C)-()-()-()-()	\$2,595.	\$2,776.	\$4,388.
KTPW7236-(C)-()-()-()-()	\$2,747.	\$2,950.	\$4,866.
KTPA6030-(C)-()-()-()-()	\$2,698.	\$2,862.	\$4,370.
KTPA7230-(C)-()-()-()-()	\$2,794.	\$2,981.	\$4,567.
KTPA6036-(C)-()-()-()-()	\$2,790.	\$2,970.	\$4,584.
KTPA7236-(C)-()-()-()-()	\$2,944.	\$3,148.	\$5,050.
KGANG	\$31.	n/a	n/a

Order Code	Finishes		
<i>Example:</i> KTPW6036-C-114-004T-Y-115T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)	Hybrid Chrome Base: Chromed legs are available on KTPW at an upcharge of \$832 list. Legs and feet will be chromed while the horizontal trough will be in a standard Pixel paint finish. Place suffix C after leg finish suffix. <i>Example:</i> KTPW6030-C-118-300-Y-118T-C
C Locking casters	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)	<i>Note:</i> Glides are not available on flip top tables.
114 Folkstone laminate		<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.
004T Folkstone flat edgeband			
Y No grommet	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) * Medium Grey (suffix 115T) Sterling (suffix 906T)	
115T Medium Grey legs		<i>Glides/Casters:</i> Casters (suffix C)	
<i>Specify:</i> 1. Pattern number 2. Locking caster or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish			

Electrical	Construction	Features
<i>Cutout Options: (\$31 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 140 for the proper cutout code. <i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. <i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage. <i>Maintenance:</i> See pages 13. <i>Note:</i> Pixel tables are certified Clean Air GOLD.

Marc Krusin
Pixel™ Table Series
Four Leg Tables, Fixed Top




	description	w	d	h	top	99sort	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015	KFXW Work Height, Fixed Top	36"	36"	28¾"	square		57
		42"	42"	28¾"	square		72
<i>Award(s):</i> Best of Neocon Gold Award, 2015		48"	48"	28¾"	square		89
		48"	18"	28¾"	rectangle		43
		60"	18"	28¾"	rectangle		56
		72"	18"	28¾"	rectangle		65
		48"	24"	28¾"	rectangle		53
		60"	24"	28¾"	rectangle		62
		72"	24"	28¾"	rectangle		79
		48"	30"	28¾"	rectangle		62
		60"	30"	28¾"	rectangle		73
		72"	30"	28¾"	rectangle		85
		48"	36"	28¾"	rectangle		71
		60"	36"	28¾"	rectangle		85
		72"	36"	28¾"	rectangle		99

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood
KFXW3636- (-)(-)(-)(-)(-)	\$1,299.	\$1,433.	\$2,712.
KFXW4242- (-)(-)(-)(-)(-)	\$1,428.	\$1,584.	\$2,923.
KFXW4848- (-)(-)(-)(-)(-)	\$1,436.	\$1,605.	\$3,435.
KFXW4818- (-)(-)(-)(-)(-)	\$1,255.	\$1,392.	\$2,484.
KFXW6018- (-)(-)(-)(-)(-)	\$1,355.	\$1,510.	\$2,637.
KFXW7218- (-)(-)(-)(-)(-)	\$1,411.	\$1,583.	\$2,761.
KFXW4824- (-)(-)(-)(-)(-)	\$1,282.	\$1,428.	\$2,599.
KFXW6024- (-)(-)(-)(-)(-)	\$1,326.	\$1,490.	\$2,758.
KFXW7224- (-)(-)(-)(-)(-)	\$1,449.	\$1,634.	\$2,995.
KFXW4830- (-)(-)(-)(-)(-)	\$1,321.	\$1,478.	\$2,758.
KFXW6030- (-)(-)(-)(-)(-)	\$1,371.	\$1,549.	\$2,952.
KFXW7230- (-)(-)(-)(-)(-)	\$1,418.	\$1,620.	\$3,105.
KFXW4836- (-)(-)(-)(-)(-)	\$1,358.	\$1,528.	\$2,923.
KFXW6036- (-)(-)(-)(-)(-)	\$1,419.	\$1,609.	\$3,094.
KFXW7236- (-)(-)(-)(-)(-)	\$1,524.	\$1,738.	\$3,542.

Order Code	Finishes
<i>Example:</i> KFXW6030-G-141-118T-Y-118T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
KFXW6030 60" x 30" rectangle, 4-Leg, Fixed, Work Height	
G Glides	
141 Whitened Ash laminate	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)
118T Bright White flat edgeband	
Y No grommet	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)
118T Bright White legs	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)
	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) * Medium Grey (suffix 115T) Sterling (suffix 906T)
<i>Specify:</i> 1. Pattern number 2. Locking casters or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
	<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)
	*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.

Electrical	Construction	Features
<i>Cutout Options: (\$31 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double * cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 140 for the proper cutout code. *Square tables may not have double cutout codes <i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. <i>Legs:</i> Legs are extruded aluminum and finished in a highly durable textured powder coat paint.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. Four leg tables have the ganging mechanism incorporated into the leg casting. To join the tables, align the mechanisms and slide the lever along the curved path to engage. <i>Maintenance:</i> See pages 13-0. <i>Note:</i> Pixel tables are certified Clean Air GOLD.

Marc Krusin
Pixel™ Table Series
Y-Leg Tables, Fixed, Flip, and Fold Tops

	description	w	d	h	table wgt. (lbs)
Designer(s): Marc Krusin, 2015 Award(s): Best of Neocon Gold Award, 2015	KYXW Work Height, Fixed Top  	72"	36"	28 3/4"	116
		84"	36"	28 3/4"	131
	KYPW Work Height, Flip Top, Casters 	72"	36"	28 3/4"	118
		84"	36"	28 3/4"	133
	KYDW Work Height, Y-Fold Top, Casters 	96"	48"	28 3/4"	
	KGANG Pixel ganging mechanism 				

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood	veneer/wood knife edge
KYXW7236-(-)(-)(-)(-)	\$2,157.	\$2,359.	\$4,249.	n/a
KYXW8436-(-)(-)(-)(-)	\$2,308.	\$2,484.	\$4,778.	n/a

KYPW7236-(C)-()-()-()	\$2,399.	\$2,602.	\$4,554.	n/a
KYPW8436-(C)-()-()-()	\$2,569.	\$2,756.	\$4,954.	n/a



KYDW9648-(C)-()-()-()	\$8,808.	\$8,948.	n/a	n/a
--------------------------	----------	----------	-----	-----

KGANG	\$31.	n/a	n/a	n/a
-------	-------	-----	-----	-----

Order Code	Finishes		
Example: KYPW7236-C-142-367T-Y-906T	Colored laminate finishes: Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	Molded edgeband finishes: Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)	Woodgrain flat edgeband finishes: Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)
KYPW7236 36" x 72" rectangle, Y-Leg, Flip top table			
C Locking casters	Woodgrain laminate finishes: Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	Flat edgeband finishes: Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)	Leg finishes: Black (suffix 111T) Bright White (suffix 118T) * * Medium Grey (suffix 115T) Sterling (suffix 906T)
142 Grey Ash laminate			
367T Platinum flat edgeband			
Y No grommet			
906T Sterling legs			
Specify:	Markerboard laminate finish: White (suffix M) *		Glides/Casters: Glides (suffix G) Casters (suffix C)
1. Pattern number			
2. Locking caster or glide selection			
3. Top finish selection			
4. Edgeband selection			
5. Cutout option			
6. Leg finish			
	*Available only on KYDW9648 with ABS flat edgeband.		Note: Glides are not available on flip top tables and fold tables.
	Veneer top/edge finishes: American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)		* *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.

Electrical	Construction	Features	
<i>Cutout Options: (\$31 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 140 for the proper cutout code. Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175. <i>Note:</i> KYDW9648 consists of two 48" x 48" square segments. One cutout will be placed in both sections for a total of two cutouts per table.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match. <i>Note:</i> KYDW9648 Y-Fold table specified in white markerboard laminate is only available with ABS flat edgeband. <i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage. <i>Markerboard:</i> A white laminate markerboard top finish is available on the Y-Fold table with ABS edge. <i>Maintenance:</i> See pages 13. <i>Note:</i> Pixel tables are certified Clean Air GOLD.	<i>Caution:</i> When moving flip top tables on casters, only push tables while the top is down in the flat position. KYDW9648 Y-Fold table can be moved in the folded position. <i>Note:</i> Folding the KYDW9648 Y-Fold table requires two people.

Marc Krusin
Pixel™ Table Series
Column Leg Tables

	description	width	depth	height	top	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015 <i>Award(s):</i> Best of Neocon Gold Award, 2015 	KBXW Work Height, Fixed Round Top, Knife Edge	36"		28¾"	round	48
						
	KBXL Lounge Height, Fixed Round Top, Knife Edge	36"		23 ½"	round	47
	KBXC Counter Height, Fixed Round Top, Knife Edge	36"		36"	round	49
	KBXB Bar Height, Fixed Round Top, Knife Edge	36"		42"	round	50
	KBXW Work Height, Fixed Square Top, Knife Edge	30"	30"	28¾"	square	45
						
	KBXL Lounge Height, Fixed Square Top, Knife Edge	30"	30"	23 ½"	square	44
	KBXC Counter Height, Fixed Square Top, Knife Edge	30"	30"	36"	square	46
	KBXB Bar Height, Fixed Square Top, Knife Edge	30"	30"	42"	square	46

pattern no.	laminate/molded edge	veneer/wood edge
KBXW36D-(G)-()-()-()	\$1,326.	\$2,584.
KBXL36D-(G)-()-()-()	\$1,309.	\$2,567.
KBXC36D-(G)-()-()-()	\$1,340.	\$2,589.
KBXB36D-(G)-()-()-()	\$1,354.	\$2,616.
KBXW3030-(G)-()-()-()	\$1,276.	\$2,274.
KBXL3030-(G)-()-()-()	\$1,262.	\$2,258.
KBXC3030-(G)-()-()-()	\$1,289.	\$2,279.
KBXB3030-(G)-()-()-()	\$1,305.	\$2,306.

Order Code	Finishes		
<i>Example:</i> KBXB36D-G-111-300-Y-111T	<i>Colored laminate finishes:</i>		
KBXB36D	36" diameter, round, counter height	Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)
G	Glides	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)
111	Black laminate		
300	Black molded edgeband		
Y	No grommet		
111T	Jet Black legs		
<i>Specify:</i>		<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Glides:</i> Glides (suffix G)
1. Pattern number			
2. Glide selection			
3. Top finish selection			
4. Edgeband selection			
5. Cutout option			
6. Leg finish			

Electrical	Construction
<i>Cutout Options: (\$31 list per cutout)</i> Tables may be specified with zero or one round grommet. Please refer to page 140 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of an MDF core sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Reverse knife edge is only available in a molded urethane edge and a solid wood edge. ABS flat edge is not available.
<i>Note:</i> Column base tables can only accommodate the KE1, KE2, and KE3 electrical modules.	<i>Legs:</i> Legs are extruded aluminum and finished in a highly durable textured powder coat paint.
Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	

Marc Krusin
Pixel™ Table Series
Column Leg Tables

	description	width	depth	height	top	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015 <i>Award(s):</i> Best of Neocon Gold Award, 2015 	KBXW Work Height, Fixed Round Top, Knife Edge	42"	42"	28¾"	round	–
	KBXL Lounge Height, Fixed Round Top, Knife Edge	42"	42"	23 ½"	round	–
	KBXC Counter Height, Fixed Round Top, Knife Edge	42"	42"	36"	round	–
	KBXB Bar Height, Fixed Round Top, Knife Edge	42"	42"	42"	round	–
	KBXW Work Height, Fixed Square Top, Knife Edge	36"	36"	28¾"	square	–
	KBXL Lounge Height, Fixed Square Top, Knife Edge	36"	36"	23 ½"	square	–
	KBXC Counter Height, Fixed Square Top, Knife Edge	36"	36"	36"	square	–
	KBXB Bar Height, Fixed Square Top, Knife Edge	36"	36"	42"	square	–

pattern no.	laminate/molded edge	veneer/wood edge
KBXW42DE-(G)-()-()-()	\$1,529.	\$3,093.
KBXL42DE-(G)-()-()-()	\$1,513.	\$3,079.
KBXC42DE-(G)-()-()-()	\$1,548.	\$3,111.
KBXB42DE-(G)-()-()-()	\$1,569.	\$3,128.
KBXW3636E-(G)-()-()-()	\$1,406.	\$2,660.
KBXL3636E-(G)-()-()-()	\$1,392.	\$2,649.
KBXC3636E-(G)-()-()-()	\$1,426.	\$2,680.
KBXB3636E-(G)-()-()-()	\$1,447.	\$2,699.

Order Code	Finishes	Features
<i>Example:</i> KBXW42DE-G-111-300-Y-111T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)
KBXW42DE 42" diameter, round, counter height, electric column	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)
G Glides		<i>Glides:</i> Glides (suffix G)
111 Black laminate		
300 Black molded edgeband		
Y No grommet		
111T Jet Black legs		
<i>Specify:</i> 1. Pattern number 2. Glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	




Electrical	Construction
<i>Cutout Options: (\$31 list per cutout)</i> Tables may be specified with zero or one round grommet. Please refer to page 140 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of an MDF core sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Reverse knife edge is only available in a molded urethane edge and a solid wood edge. ABS flat edge is not available.
<i>Note:</i> Column base tables can only accommodate the KE1, KE2, and KE3 electrical modules.	<i>Legs:</i> Legs are extruded aluminum and finished in a highly durable textured powder coat paint.
Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	

Marc Krusin
Pixel™ Table Series
Pixel™ Corner Wedge




	description	width	side depth	depth	height
<i>Designer(s):</i> Marc Krusin, 2016	KP Corner Wedge Top	25 ½"	18"		
		34"	24"		
		42.5"	30"		
		51"	36"		
	KGANG Pixel ganging mechanism				
					
	KP Corner Wedge Dolly	50"		24"	27 ½"
					

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood
KP-18-()-()-()	\$502.	\$612.	\$1,049.
KP-24-()-()-()	\$531.	\$657.	\$1,304.
KP-30-()-()-()	\$579.	\$723.	\$1,714.
KP-36-()-()-()	\$635.	\$797.	\$1,881.
KGANG	\$31.	n/a	n/a
KP-DOLLY	\$1,115.		

Order Code	Finishes	Construction
<i>Example:</i> KP-24-141-004-118T	<i>Colored laminate finishes:</i>	<i>Molded edgeband finishes:</i>
KP-24 Corner Wedge Top, 24"	Bright White, matte (suffix 118)	Black (suffix 300)
141 Whitened Ash laminate	Folkstone, matte (suffix 114)	Mink (suffix 324)
004 Folkstone molded edgeband	Black, matte (suffix 111)	Innertone (suffix 386)
118T Bright white hanger		Platinum (suffix 367)
	<i>Woodgrain laminate finishes:</i>	Folkstone (suffix 004)
	Medium Cherry (suffix 124)	
	Natural Maple (suffix 125)	<i>Flat edgeband finishes:</i>
	Natural Cherry (suffix 126)	Black (suffix 111T)
	Walnut (suffix 127)	Mink (suffix 324T)
	Light Ash (suffix 139)	Innertone (suffix 386T)
	Warm Ash (suffix 140)	Platinum (suffix 367T)
	Whitened Ash (suffix 141)	Folkstone (suffix 004T)
	Grey Ash (suffix 142)	White (suffix 118T)
	Classic Oak (suffix 143)	
	Graphite Pear (suffix 144)	<i>Woodgrain flat edgeband finishes:</i>
	Zebra (suffix 145)	Medium Cherry (suffix 124)
		Natural Maple (suffix 125)
	<i>Veneer top/edge finishes:</i>	Natural Cherry (suffix 126)
	American Walnut (suffix AW)	Walnut (suffix 127)
	Natural Oak (suffix ON)	Light Ash (suffix 139)
	Fumed Oak (suffix OF)	Warm Ash (suffix 140)
	Ebonized Oak (suffix OE)	Whitened Ash (suffix 141)
		Grey Ash (suffix 142)
		Classic Oak (suffix 143)
		Graphite Pear (suffix 144)
		Zebra (suffix 145)
		<i>Hanger finishes:</i>
		Jet Black (suffix 111T)
		Bright White (suffix 118T)
		Medium Grey (suffix 115T)
		Sterling (suffix 906T)

Features	Configurations		
<i>Corner Wedge Top:</i> The Corner Wedge Top is used to easily transition Pixel rectangular training tables into L-shape, U-shape or hollow square configurations. This top connects to the adjacent tables by powder coated steel hangers and Pixel ganging brackets. By eliminating legs in the design, the Corner Wedge allows for unencumbered leg room in the corner position.	L-Shape Configuration: 	U-Shape Configuration: 	Hollow Square Configuration: 
<i>Corner Wedge Dolly:</i> The Corner Wedge Dolly is made of black powder coated steel on casters and can fit up to 12 wedges. The handle on the dolly can be used to support the weight of the Corner Wedge while ganging or removing from the Pixel Tables.			
<i>Maintenance:</i> See pages 13.			
<i>Note:</i> Pixel tables are certified Clean Air GOLD.			

Marc Krusin
Pixel™ Trapezoid Table Series
T-Leg Tables, Fixed Top





	description	w	side d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015	KZTXW Work Height, Fixed Top  	48"	24"	28 ¾"	T-Leg	
		60"	24"	28 ¾"	T-Leg	
		60"	30"	28 ¾"	T-Leg	
<i>Award(s):</i> Best of Neocon Gold Award, 2015	KZTXA Pin Set Height Adjustable, Fixed Top  	48"	24"	28 3/4 - 34"	T-Leg	
		60"	24"	28 3/4 - 34"	T-Leg	
		60"	30"	28 3/4 - 34"	T-Leg	
	KGANG Pixel ganging mechanism 					
						
						

pattern no.	laminate/flat edge	laminate/molded edge
KZTXW4824-(-)(-)(-)(-)	\$1,767.	\$1,895.
KZTXW6024-(-)(-)(-)(-)	\$1,845.	\$1,989.
KZTXW6030-(-)(-)(-)(-)	\$1,938.	\$2,096.
KZTXA4824-(-)(-)(-)(-)	\$1,965.	\$2,093.
KZTXA6024-(-)(-)(-)(-)	\$2,043.	\$2,190.
KZTXA6030-(-)(-)(-)(-)	\$2,137.	\$2,296.
KGANG	\$31.	n/a

Order Code	Finishes		
<i>Example:</i> KZTXW6024-C-114-004T-Y-115T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)	<i>Note:</i> Glides are not available on flip top tables.
KZTXW6024 40" x 24" Work Height, Fixed Top			
C Locking casters	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)	*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.
114 Folkstone laminate			
004T Folkstone flat edgeband			
Y No grommet			
115T Medium Grey legs			
<i>Specify:</i> 1. Pattern number 2. Locking casters or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish			
		<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	
		<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)	
		<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)	

Electrical	Construction	Features
<i>Cutout Options:</i> (\$31 list per cutout) Tables may be specified with no cutouts (code Y). For cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 140 for the proper cutout code.	<i>Laminate tops:</i> Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.
<i>Note:</i> Only KE3, KE5, and KE8 electrical modules are available on Pixel Trapezoid Tables.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	The Pixel Trapezoid Table Series are designed to gang and integrate with rectangular tables with the same depth from the Pixel Table Series. <i>Maintenance:</i> See pages 13.

Marc Krusin
Pixel™ Trapezoid Table Series
T-Leg Tables, Flip Top

	description	w	side d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015	KZTPW Work Height, Flip Top, Casters	48"	24"	28 ¾"	T-Leg	
	 	60"	24"	28 ¾"	T-Leg	
		60"	30"	28 ¾"	T-Leg	
<i>Award(s):</i> Best of Neocon Gold Award, 2015	KZTPA Pin Set Height Adjustable, Flip Top, Casters	48"	24"	28 3/4 - 34"	T-Leg	
	 	60"	24"	28 3/4 - 34"	T-Leg	
		60"	30"	28 3/4 - 34"	T-Leg	
 	KGANG Pixel ganging mechanism					
						

pattern no.	laminate/flat edge	laminate/molded edge
KZTPW4824-(C)-()-()-()	\$1,941.	\$2,071.
KZTPW6024-(C)-()-()-()	\$2,025.	\$2,172.
KZTPW6030-(C)-()-()-()	\$2,118.	\$2,279.
KZTPA4824-(C)-()-()-()	\$2,083.	\$2,212.
KZTPA6024-(C)-()-()-()	\$2,165.	\$2,312.
KZTPA6030-(C)-()-()-()	\$2,260.	\$2,420.
KGANG	\$31.	n/a

Order Code	Finishes		
<i>Example:</i> KZTPW4824-C-114-004T-Y-115T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Molded edgeband finishes:</i> Black (suffix 300) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004)	<i>Note:</i> Glides are not available on flip top tables.
C	Locking casters		*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.
114	Folkstone laminate		
004T	Folkstone flat edgeband		
Y	No grommet		
115T	Medium Grey legs		
<i>Specify:</i>			
1. Pattern number			
2. Locking caster or glide selection			
3. Top finish selection			
4. Edgeband selection			
5. Cutout option			
6. Leg finish			
	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)	<i>Dimensions:</i> Side depth refers to the shorter non-parallel sides of the trapezoid top.
		<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	
		<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) * Medium Grey (suffix 115T) Sterling (suffix 906T)	
		<i>Glides/Casters:</i> Casters (suffix C)	


Electrical	Construction	Features	
<i>Cutout Options: (\$31 list per cutout)</i> Tables may be specified with no cutouts (code Y). For cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 140 for the proper cutout code.	<i>Laminate tops:</i> Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.	<i>Caution:</i> When moving flip top tables on casters, only push tables while the top is down in the flat position.
<i>Note:</i> Only KE3, KE5, and KE8 electrical modules are available on Pixel Trapezoid Tables.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	The Pixel Trapezoid Table Series are designed to gang and integrate with rectangular tables with the same depth from the Pixel Table Series.	
		<i>Maintenance:</i> See pages 13.	

Marc Krusin
Pixel™ Storage Units
Pedestal

	description	w	d	h	top thickness	weight
Designer(s): Marc Krusin, 2015	KS-31 Pedestal with two drawers	18"	18"	26"	1/2"	
	 					


pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
KS-31-(G,C)-()-()-()	\$2,966.	\$3,090.



Order Code	Finishes	Construction
<i>Example:</i> KS-31-C-118-118T-118T-118T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> 3/4" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
KS-31	Pixel Pedestal	Flat edgeband finishes: Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)
C	locking casters	
118	Bright White laminate top	
118T	Bright White ABS edge	
118T	Bright White painted case	
118T	Bright White legs	
<i>Specify:</i> 1. Pattern number 2. Locking caster or glide selection 3. Top finish selection 4. ABS edge selection 5. Case finish selection 6. Leg finish	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) <i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE) <i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Drawers:</i> Body of drawer is veneer wrapped, mitered, and glued 1/2" particle board. Drawer front is 3/4" particle board with wood veneer applied on surface of each side or finished in a textured wet paint. The drawer features a faux double drawer facade which is delineated with a horizontal 1/8" groove painted or stained to match the case finish. <i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Aluminum (suffix 906T) <i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C) * *Casters are always black

<i>Laminate and Veneer tops:</i> Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops.	<i>Interior configuration:</i> KS-31 
<i>Note:</i> There is a 1/8" reveal between the top of the case and the bottom of the pedestal top.	
<i>Legs:</i> Legs are constructed using a combination of extruded aluminum and a machined aluminum sheet metal plate. Upper mounting plates are aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	
<i>Maintenance:</i> See pages 13.	

Marc Krusin
Pixel™ Storage Units
Consoles



Designer(s):
Marc Krusin, 2015



description	w	d	h	top thickness	weight
KS-21L Console with two drawer interior with interior divider (left). False front facade shows three drawers (right) and a split double pencil drawer (left) 	60"	14 3⁄4"	28 3⁄4"	1 1⁄8"	
KS-21R Console with two drawer interior with interior divider (right). False front facade shows three drawers (left) and a split double pencil drawer (right) 	60"	14 3⁄4"	28 3⁄4"	1 1⁄8"	

Order Code	Finishes	Construction
<i>Example:</i> KS-21R-G-118-118T-118T-118T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> 3⁄4" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
KS-21R	Pixel Console, split double pencil drawer (right)	
G	Glides	<i>Drawers:</i> Body of drawers are veneer wrapped, mitered, and glued 1⁄2" particle board. Drawer fronts are 3⁄4" particle board with laminate or wood veneer applied on surface of each side or finished in a textured wet paint. The consoles feature false front facades that show three drawers and a split double pencil drawer (left or right). These are delineated with 1⁄8" grooves, painted or stained to match the case finish.
118	Bright White laminate yop	
118T	White ABS edge	
118T	Bright White painted case	
118T	Bright White legs	
<i>Specify:</i> 1. Pattern number 2. Glide selection 3. Top finish selection 4. ABS edge selection 5. Case finish selection 6. Leg finish	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) <i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE) <i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint.
		<i>Glides/Casters:</i> Glides (suffix G)





pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
KS-21L-(G)-()-()-()	\$6,685.	\$7,301.
KS-21R-(G)-()-()-()	\$6,685.	\$7,301.

Laminate and Veneer tops: Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops.	<i>Interior configurations:</i> KS-21L 
<i>Note:</i> There is a 1⁄8" reveal between the top of the case and the bottom of the console top.	KS-21R 
<i>Maintenance:</i> See pages 13.	

Marc Krusin

Pixel™ Storage Units




Two Position Credenzas

	description	w	d	h	top thickness	weight
Designer(s): Marc Krusin, 2015 	KS-01 Two position credenza. Two doors, with center divide and two adjustable interior shelves	30"	18"	28¾"	1 ⅞"	
						
	KS-02L Two position credenza. Single door (right) with interior shelf. Drawer and box file (left)	30"	18"	28¾"	1 ⅞"	
						
	KS-02R Two position credenza. Single door (left) with interior shelf. Drawer and box file (right)	30"	18"	28¾"	1 ⅞"	
						


Order Code	Finishes	Construction
<i>Example:</i> KS-01-G-141-004T-118T-118T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> ¾" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
KS-01 Pixel Two Position Credenza, two doors		
G Glides	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Drawers and box files:</i> Body of drawer and box files are veneer wrapped, mitered, and glued 1/2" particle board. Drawer and box file fronts and cabinet doors are 3/4" particle board with wood veneer applied on surface of each side or finished in a textured wet paint.
141 Whitened Ash laminate top		
004T Folkstone ABS edge		
118T Bright White painted case		
118T Bright White legs	<i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)
	<i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)
		<i>Glides/Casters:</i> Glides (suffix G)

- Specify:
- Pattern number
 - Glide selection
 - Top finish selection
 - ABS edge selection
 - Case finish selection
 - Leg finish



pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
KS-01-(G)-()-()-()	\$4,783.	\$5,092.
KS-02L-(G)-()-()-()	\$5,451.	\$5,947.
KS-02R-(G)-()-()-()	\$5,451.	\$5,947.

Laminate and Veneer tops: Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops.	<i>Interior configurations:</i> KS-01 	KS-02L 
	Two front doors removed to show interior with adjustable shelves.	Right door removed to show interior with adjustable shelf. Left side features a drawer above a box file.
<i>Note:</i> There is a ⅛" reveal between the top of the case and the bottom of the pedestal top.		
<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint.		KS-02R 
		Left door removed to show interior with adjustable shelf. Right side features a drawer above a box file.
<i>Maintenance:</i> See pages 13.		

Marc Krusin
Pixel™ Storage Units
Four Position Credenzas





Designer(s):
Marc Krusin, 2015

description	w	d	h	top thickness	weight
KS-11L Four position credenza. Four doors, left door set divided, right door set open, interior adjustable shelves	60"	18"	28¾"	1 ⅞"	
					
KS-11R Four position credenza. Four doors, right door set divided, left door set open, interior adjustable shelves	60"	18"	28¾"	1 ⅞"	
					


Order Code	Finishes	Construction
<i>Example:</i> KS-12R-G-OF-386T-111T-115T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> ¾" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
KS-12R Pixel Four Position Credenza, two doors, two drawers and box files		<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)
G Glides	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	<i>Drawers and box files:</i> Body of drawers and box files are veneer wrapped, mitered, and glued 1/2" partical board. Drawer and box file fronts and cabinet doors are 3/4" particle board with wood veneer applied on surface of each side or finished in a textured wet paint.
OF Fumed Oak veneer top		
386T Innertone ABS edge		
111T Jet Black painted case		
115T Medium Grey legs	<i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)
<i>Specify:</i> 1. Pattern number 2. Glide selection 3. Top finish selection 4. ABS edge selection 5. Case finish selection 6. Leg finish	<i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)
		<i>Glides/Casters:</i> Glides (suffix G)





pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
KS-11L-(G)-()-()-()	\$7,295.	\$7,964.
KS-11R-(G)-()-()-()	\$7,295.	\$7,964.

Laminate and Veneer tops: Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops. <i>Note:</i> There is a ⅛" reveal between the top of the case and the bottom of the pedestal top. <i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint. <i>Maintenance:</i> See pages 13.	<i>Interior configurations:</i> KS-11L  Four doors removed to show interior adjustable shelves. KS-11R  Four doors removed to show interior adjustable shelves.
--	--

Marc Krusin
Pixel™ Storage Units
Four Position Credenzas

Designer(s):
Marc Krusin, 2015






description	w	d	h	top thickness	weight
KS-12L Four position credenza. Two doors with center divide and interior adjustable shelves (right), two box files (left) 	60"	18"	28¾"	1 ⅙"	
KS-12R Four position credenza. Two doors with center divide and interior adjustable shelves (left), two box files (right) 	60"	18"	28¾"	1 ⅙"	
KS-13L Residential - Four position credenza. Two doors with center divide and interior adjustable shelves (right), three drawers (left) 	60"	18"	28¾"	½"	
KS-13R Residential - Four position credenza. Two doors with center divide and interior adjustable shelves (left), three drawers (right) 	60"	18"	28¾"	½"	

Order Code	Finishes	Construction
<i>Example:</i> KS-12R-G-OF-386T-111T-115T	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111) <i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) <i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE) <i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T) <i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) <i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T) <i>Glides/Casters:</i> Glides (suffix G)
KS-12R Pixel Four Position Credenza, two doors, two drawers and box files		
G Glides		
OF Fumed Oak veneer top		
386T Innertone ABS edge		
111T Jet Black painted case		
115T Medium Grey legs		

Specify:

1. Pattern number
2. Glide selection
3. Top finish selection
4. ABS edge selection
5. Case finish selection
6. Leg finish

pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
KS-12L-(G)-()-()-()	\$8,782.	\$9,585.
KS-12R-(G)-()-()-()	\$8,782.	\$9,585.
KS-13L-(G)-()-()-()	\$8,751.	\$9,547.
KS-13R-(G)-()-()-()	\$8,751.	\$9,547.

Laminate and Veneer tops: Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops. <i>Note:</i> There is a ⅛" reveal between the top of the case and the bottom of the pedestal top. <i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint. <i>Maintenance:</i> See pages 13.	<i>Interior configurations:</i> KS-12L  Two right doors removed to show interior adjustable shelves. Left side feature two drawers above two box files. KS-12R  Two left doors removed to show interior adjustable shelves. Right side feature two drawers above two box files.	KS-13L  Two right doors removed to show interior adjustable shelves. Left side features three drawers. KS-13R  Two left doors removed to show interior adjustable shelves. Right side features three drawers.
--	---	---

Marc Krusin
Pixel™ Electrical
Round Grommet, KE1, KE2, KE3

	description	type	power cord
<i>Designer(s):</i> Marc Krusin, 2015	KERG Round grommet	Round Grommet	n/a
			
	KE1 Two receptacle module	1 Power, 1 USB	120" Cordset
		2 Power	120" Cordset
		1 Power, 1 USB	48" Cordset
		2 Power	48" Cordset
		1 Power, 1 USB	72" Cordset
		2 Power	72" Cordset
	KE2 Three receptacle module	2 Power, 1 USB	48" Cordset
		3 Power	48" Cordset
		2 Power, 1 USB	72" Cordset
		3 Power	72" Cordset
	KE3 Four receptacle module	2 Power, 2 USB	48" Cordset
		4 Power	48" Cordset
		2 Power, 2 USB	72" Cordset
		4 Power	72" Cordset





pattern no.	
KERG-()	\$27.
KE1101C120-()	\$361.
KE1200C120-()	\$253.
KE1101C48-()	\$361.
KE1200C48-()	\$253.
KE1101C72-()	\$361.
KE1200C72-()	\$253.
KE2201C48-()	\$367.
KE2300C48-()	\$263.
KE2201C72-()	\$367.
KE2300C72-()	\$263.
KE3202C48-()	\$581.
KE3400C48-()	\$407.
KE3202C72-()	\$581.
KE3400C72-()	\$407.

Order Code	Ordering Information	Construction
<i>Example:</i> KE1200C72-BK	<i>Case and Receptacle Finishes:</i>	<i>Cutout Codes:</i>
KE1 KE1 Electrical Module	Black case with Black receptacles (suffix BK)	Please refer to the Grommet and Electrical Module Cutout Matrix on page 140 for table compatibility and cutout codes.
200 2 Power	White case with White receptacles (suffix WH)	
C72 72" Cordset	Bright White case with Bright White receptacles (suffix 118)	<i>Description:</i>
BK Black finish		KERG: Die-cast aluminum with powder coat matte paint finish.
	Note: White (suffix WH) option for electrical modules has a warmer tone compared to Bright White (suffix 118). It is recommended that Bright White be specified with a Bright White laminate top for closest match.	KE1: Die-cast aluminum and plastic with powder coat matte paint finish.
	<i>Round Grommet Finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)	KE2: Plastic construction with a soft-touch finish.
		KE3: Plastic construction with integral gloss finish.

Specify:

1. Pattern number
2. Case Finish

Electrical
<i>USB:</i>
The USB option that is included in the KE1, KE2, and KE3 modules will have (2) USB jacks per position. For example a KE1101C72 module includes (1) Power and (1) USB but would actually have (1) Power and (2) USB jacks.
USB: 2 Amps
<i>Note:</i> Additional data and power configurations can be requested through Custom Product Development.

	description	type	power cord
<i>Designer(s):</i> Marc Krusin, 2015	KE4 Four receptacle module 	4 Power	48" Cordset
		4 Power	72" Cordset
		3 Power, 1 USB	48" Cordset
		3 Power, 1 USB	72" Cordset
		3 Power, 1 USB	48" Pixel Link
		3 Power, 1 USB	60" Pixel Link
		2 Power, 2 USB	48" Cordset
		2 Power, 2 USB	72" Cordset
		2 Power, 2 USB	48" Pixel Link
		2 Power, 2 USB	60" Pixel Link
	KE5 Four receptacle module 	3 Power, 1 USB	48" Cordset
		3 Power, 1 USB	72" Cordset
		4 Power	48" Cordset
		4 Power	72" Cordset
		3 Power, 1 USB	48" Pixel Link
		3 Power, 1 USB	60" Pixel Link
		3 Power, 1 USB	72" Hardwire
		2 Power, 2 USB	48" Cordset
	KE7 Four receptacle module with clamp mount 	2 Power, 2 USB	72" Cordset
		2 Power, 2 USB	48" Pixel Link
		2 Power, 2 USB	60" Pixel Link
		2 Power, 2 USB	72" Hardwire
		3 Power, 1 USB	72" Cordset
		4 Power	72" Cordset
		2 Power, 2 USB	72" Cordset
	KE8 Three receptacle module 	3 Power	48" Cordset
		3 Power	72" Cordset
		3 Power	48" Pixel Link
		3 Power	60" Pixel Link
		3 Power	72" Hardwire
		2 Power, 1 USB	48" Cordset
		2 Power, 1 USB	72" Cordset
		2 Power, 1 USB	48" Pixel Link
		2 Power, 1 USB	60" Pixel Link
		2 Power, 1 USB	72" Hardwire


pattern no.	.
KE4400C48-()	\$472.
KE4400C72-()	\$472.
KE4301C48-()	\$521.
KE4301C72-()	\$521.
KE4301L48U2-()	\$588.
KE4301L60U2-()	\$591.
KE4202C48-()	\$617.
KE4202C72-()	\$617.
KE4202L48U2-()	\$727.
KE4202L60U2-()	\$729.
KE5301C48-()	\$648.
KE5301C72-()	\$648.
KE5400C48-()	\$664.
KE5400C72-()	\$664.
KE5301L48U2-()	\$677.
KE5301L60U2-()	\$679.
KE5301H(L,R)-()	\$723.
KE5202C48-()	\$752.
KE5202C72-()	\$752.
KE5202L48U2-()	\$782.
KE5202L60U2-()	\$784.
KE5202H(L,R)-()	\$826.
KE7301C72-()	\$648.
KE7400C72-()	\$665.
KE7202C72-()	\$752.

KE8300C48-()	\$502.
KE8300C72-()	\$502.
KE8300L48U2-()	\$532.
KE8300L60U2-()	\$535.
KE8300H(L,R)-()	\$577.
KE8201C48-()	\$619.
KE8201C72-()	\$619.
KE8201L48U2-()	\$650.
KE8201L60U2-()	\$652.
KE8201H(L,R)-()	\$694.

Order Code	Ordering Information	Pixel Link
<i>Example:</i> KE8300L60-BK		
KE8	KE8 Electrical Module	
300	3 Power	
L60	60" Pixel Link	
BK	Black finish	
<i>Specify:</i>		
1. Pattern number		
2. Case Finish		
	<i>Case and Receptacle Finishes:</i>	
	Black case with Black receptacles (suffix BK)	Cutout Codes: Please refer to the Grommet and Electrical Module Cutout Matrix on page 140for table compatibility and cutout codes.
	White case with White receptacles (suffix WH)	
	Bright White case with Bright White receptacles (suffix 118)	<i>Note:</i> Power Modules with a Pixel Link require a Starter Box. 72" wide tables require a jumper cable. Please refer to page 184 of the price list for Pixel Link Starter Boxes and Cables.
	Note: White (suffix WH) option for electrical modules has a warmer tone compared to Bright White (suffix 118). It is recommended that Bright White be specified with a Bright White laminate top for closest match.	Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. Please specify a Starter Box (KLSC) if using the Pixel Link system. Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one infeed. The smart LED indicators built into the Starter Box will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units.

Construction	Electrical	
<i>Description:</i> KE4: Die-cast aluminum with powder coat matte paint finish. KE5: Aluminum case with powder coat matte paint finish. KE7: Aluminum case with powder coat matte paint finish. * KE8: Aluminum case with powder coat matte paint finish.	<i>USB:</i> The USB option that is included in the KE4 module will have (2) USB jacks per position. For example a KE4202C72 module includes (2) Power and (2) USB but will actually have (2) Power and (4) USB jacks. The USB option that is included in the KE5, KE7, and KE8 modules will only have (1) USB jack per position. For example a KE5202C72 module includes (2) Power and (2) USB and will have (2) Power and (2) USB jacks.	USB: 2 Amps <i>Note:</i> Additional data and power configurations can be requested through Custom Product Development.
*KE7 Electrical Module is compatible with flat edge tops only. This mount will <u>not</u> work with knife edge tables.		



Marc Krusin
Pixel™ Electrical
KE6: C-Leg Trough Only

	description	type	power cord
<i>Designer(s):</i> Marc Krusin, 2015	KE6 Four receptacle module 	3 Power, 1 USB	48" Cordset
		3 Power, 1 USB	72" Cordset
		3 Power, 1 USB	48" Pixel Link
		3 Power, 1 USB	60" Pixel Link
		3 Power, 1 USB	72" Hardwire

pattern no.	
KE6301C48-()	\$765.
KE6301C72-()	\$765.
KE6301L48U2-()	\$789.
KE6301L60U2-()	\$791.
KE6301H-()	\$841.

Order Code	Ordering Information		Pixel Link
<i>Example:</i> KE6301C72	<i>Case and Receptacle Finishes:</i>		Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. Please specify a Starter Box (KLSC) if using the Pixel Link system. Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one infeed. The smart LED indicators built into the Starter Box will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units.
KE6	Black case with Black receptacles (suffix BK)		
301	White case with White receptacles (suffix WH)		
C72	Bright White case with Bright White receptacles (suffix 118)		
BK			
<i>Specify:</i>			
1. Pattern number			
2. Case Finish			
Note:			
White (suffix WH) option for electrical modules has a warmer tone compared to Bright White (suffix 118). It is recommended that Bright White be specified with a Bright White laminate top for closest match.			
KE6 Electrical Modules are only available on C-Leg tables with trough cutout.			
<i>Cutout Codes:</i>			
Please refer to the Grommet and Electrical Module Cutout Matrix on page 140for table compatibility and cutout codes.			
<i>Note:</i>			
Power Modules with a Pixel Link require a Starter Box. 72” wide tables require a jumper cable. Please refer to page 184of the price list for Pixel Link Starter Boxes and Cables.			

Construction	Electrical
<i>Description:</i> KE6: Aluminum case with powder coat matte paint finish.	<i>USB:</i> The USB option that is included in the KE6 module will only have (1) USB jack per position. For example a KE6301C72 module includes (3) Power and (1) USB and will have (3) Power and (1) USB jack. USB: 2 Amps <i>Note:</i> Additional data and power configurations can be requested through Custom Product Development.

	description	type	power cord
<i>Designer(s):</i> Marc Krusin, 2015	KLJ Jumper cable 	Jumper cable	12"
		Jumper cable	24"
		Jumper cable	36"
		Jumper cable	48"
		Jumper cable	60"
	KLSC Starter box 	Starter box	72" Cordset
		Starter box	120" Cordset
	KLA1-2 Pixel Link Adaptor		
	KLA2-1 Pixel Link Adaptor		

pattern no.	
KLJ12U2	\$106.
KLJ24U2	\$111.
KLJ36U2	\$116.
KLJ48U2	\$122.
KLJ60U2	\$128.
KLSC72U2	\$534.
KLSC120U2	\$549.

KLA1-2	\$106.
KLA2-1	\$106.

Order Code	Pixel Link	Pixel Link Rules	
<i>Example:</i> KLSC120	Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one starter box. The smart LED indicators will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units.	Starter Boxes: Starter Boxes can accommodate a maximum of (8) electrical modules and/or jumper cables (do not count the Starter Box itself). <i>Example:</i> (8) Electrical Modules or (4) Electrical Modules with (4) Jumper Cables. Electrical Modules: <u>Cordset:</u> Choose an Electrical Module with the appropriate length cordset to reach the power source. <u>Pixel Link:</u> Choose an electrical module with a Pixel Link length equivalent to the width of your table. The maximum Pixel Link cable length is 60”. Therefore, on 72” tables, you will need to order the electrical module with 60” Pixel Link cable and an additional 12” jumper cable. Cutout Codes: Refer to the Pixel Grommet and Electrical Module Cutout Matrix on page 140 for table compatibility and cutout codes. Corner Wedge: If utilizing a Corner Wedge in your configuration, specify a 24” Pixel Link to accommodate the added distance and curve for each corner wedge top.	
KLSC			Pixel Link Starter Box
120			120” power cord
<i>Specify:</i> 1. Pattern number 2. Cord length			

Ordering Information	
How to Specify Pixel Link Power System:	
Example 1: Need: (3) rows of (8) tables	Example 2: Need: (3) rows of (8) tables
<u>Table Specifications:</u> (24) 60" x 24" Pixel C-Leg Tables with consistent cutout positions on all tables.	<u>Table Specifications:</u> (24) 72" x 30" Pixel C-Leg Tables with consistent cutout positions on all tables.
Starter boxes can only accommodate a maximum of (8) electrical modules + jumper cables (do not count the starter box itself). For this application, we will need to specify (3) starter boxes (one for each row) since no jumpers are required. Choose the length cord that matches the distance to your power source.	Here we are going to show the same application with larger tables. Again, we have used (24) KE4 electrical modules with a 60" Pixel Link connector. Since our tables are 72" we will need to add 12" jumper cables to our specification to accommodate the added length.
<u>Electrical Specifications:</u> (24) KE4 Pixel Electrical Module - KE4301L60BK (3) Pixel Link Starter Box with 72" Cordset - KLSC72	Since we now have two components per table (electrical module + jumper cable) we will need a starter box for every (4) tables. In this case we will need (6) starter boxes. An additional power source will need to be provided for each row. Choose the length cord that matches the distance to each power source.
<u>Electrical Specifications:</u> (24) KE4 Pixel Electrical Module - KE4301L60BK (18) 12" Pixel Jumper Cable - KLJ12 (6) Pixel Link Starter Box with 72" Cordset - KLSC72	

	description
<i>Designer(s):</i> Marc Krusin, 2015	KE-VF Vertical wire management clips for Four Leg Pixel Tables 
	KE-VB Vertical wire management clips for Column Base Pixel Tables 
	KE-VCT Vertical wire management clips for C and T Leg Pixel Tables 
	KE-VCTE Vertical wire management clips for Electric Height Adjustable C and T Leg Pixel Tables 
	KE-VY Vertical wire management clips for Y Leg Pixel Tables 
	KE-H Horizontal wire management clips for Pixel Tables 
	KE-KLH Magnetic wire management clips for Pixel S Series Tables 
	KE-VC Vertical cord cover for C and T leg tables with casters 
	KE-VG Vertical cord cover for C and T leg tables with glides 

Order Code	Finishes	Features	
<i>Example:</i> KE-CT KE-CT Vertical wire management clips for C and T Leg	<i>Cord cover finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)	<i>Vertical Wire Management Clips:</i> Vertical wire management clips easily snap on to the leg of the Pixel Table in order to guide the wires and cords down to the floor. Clips slide up and down the leg for adjustment.	<i>Horizontal Wire Management Clips:</i> Horizontal wire management clips screw onto the underside of the table top which secure the wires or cables in place.
<i>Specify:</i> 1. Pattern number		<i>Note:</i> Vertical wire management clips are clear and come in a pack of 2.	<i>Note:</i> Horizontal wire mangement clips are black and come in a pack of 4.
<i>Example:</i> KE-VG-118T KE-VG Vertical cord cover for C and T Leg table on glides 118T Bright White			

Specify:
1. Pattern number
2. Paint finish

pattern no.	.
KE-VF	\$20.
KE-VB	\$20.
KE-VCT	\$32.
KE-VCTE	\$21.
KE-VY	\$20.
KE-H	\$24.
KE-KLH	\$56.
KE-VC-()	\$61.
KE-VG-()	\$66.


Cord Covers:
Cord covers can be specified for both C and T leg Pixel tables on casters or glides. Covers are extruded aluminum and snap onto the leg to hide vertical wires and allow for a more seamless look. Specify paint finish to match table leg finish. Recommended for use when specifying Pixel Trac.

Note:
Cord covers cannot be used on electric and pinset height adjustable tables.

Marc Krusin

Pixel™ Accessories

Pixel™ Modesty and Privacy Screens

	description	h	w	d
<i>Designer(s):</i> Marc Krusin, 2018	KSF48L Pixel modesty screen, 44". For 48" Four leg tables only	14"	44"	½"
				
	KSF60L Pixel modesty screen, 56". For 60" Four leg tables only	14"	56"	½"
				
	KSF72L Pixel modesty screen, 68". For 72" Four leg tables only	14"	68"	½"
				
	KST60L Pixel modesty screen, 38". For 60" T-Leg flip tables only	14"	38"	½"
				
	KST72L Pixel modesty screen, 50". For 72" T-Leg flip tables only	14"	50"	½"
				

pattern no.	list
KSF48L-(-)(-)	\$495.
KSF60L-(-)(-)	\$540.
KSF72L-(-)(-)	\$646.
KST60L-(-)(-)	\$492.
KST72L-(-)(-)	\$536.

Order Code	Finishes		Construction
<i>Example:</i> KSF60-111-111T	<i>Colored laminate finishes:</i>		<i>Laminate screens:</i> Constructed of MDF substrate sandwiched between laminate veneer. Laminate screens are specified with a flat .8mm ABS edgeband.
KSF60	Pixel Modesty/Privacy screen, 56" laminate	Bright White (suffix 118) Folkstone Grey (suffix 114) Jet Black (suffix 111)	
111	Jet Black laminate finish		
111T	Black flat edgeband		
<i>Specify:</i> 1. Pattern number 2. Screen finish 3. Edgeband finish			
	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)		<i>Flat edgeband finishes:</i> Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) White (suffix 118T)
		<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145)	

Features
<i>Modesty Screens:</i> Modesty screens can remain attached to Pixel Flip-Top Tables while tables are flipped and nested due to the flexibility of the Hytel® hinge.
<i>Note:</i> Tables cannot be flipped or nested if privacy screen is attached.
<i>Modesty/Privacy screen brackets:</i> Two brackets are required for each modesty and privacy screen EXCEPT for KS84L (84" width) which requires three brackets. Modesty Brackets screw into inserts located on the underside of the table top. Privacy brackets clamp onto the table top.

Marc Krusin

Pixel™ Accessories

Pixel™ Modesty and Privacy Screens

	description	h	w	d
Designer(s): Marc Krusin, 2018	KS24L Pixel side privacy screen, 24". For all C-Leg, T-Leg, and Four leg tables	14"	24"	½"
				
	KS30L Pixel side privacy screen, 30". For all C-Leg, T-Leg, and Four leg tables	14"	30"	½"
				
	KS36L Pixel side privacy screen, 36". For all C-Leg, T-Leg, Y-Leg, and Four leg tables	14"	36"	½"
				

pattern no.	list
KS24L-()-()	\$404.

KS30L-()-()	\$425.
----------------------	--------

KS36L-()-()	\$479.
----------------------	--------

Order Code	Finishes	Construction
<i>Example:</i> KS24L-118-118T	<i>Colored laminate finishes:</i>	Flat edgeband finishes:
KS24L Pixel Side Privacy screen, 24" laminate	Bright White (suffix 118)	Black (suffix 111T)
	Folkstone Grey (suffix 114)	Mink (suffix 324T)
118 Bright White laminate finish	Jet Black (suffix 111)	Innertone (suffix 386T)
		Platinum (suffix 367T)
118T White flat edgeband		Folkstone (suffix 004T)
	<i>Woodgrain laminate finishes:</i>	White (suffix 118T)
	Medium Cherry (suffix 124)	
	Natural Maple (suffix 125)	<i>Woodgrain flat edgeband finishes:</i>
	Natural Cherry (suffix 126)	Medium Cherry (suffix 124)
	Walnut (suffix 127)	Natural Maple (suffix 125)
	Light Ash (suffix 139)	Natural Cherry (suffix 126)
	Warm Ash (suffix 140)	Walnut (suffix 127)
	Whitened Ash (suffix 141)	Light Ash (suffix 139)
	Grey Ash (suffix 142)	Warm Ash (suffix 140)
	Classic Oak (suffix 143)	Whitened Ash (suffix 141)
	Graphite Pear (suffix 144)	Grey Ash (suffix 142)
	Zebra (suffix 145)	Classic Oak (suffix 143)
		Graphite Pear (suffix 144)
		Zebra (suffix 145)

Specify:
1. Pattern number
2. Screen finish
3. Edgeband finish

Features
<i>Privacy screen brackets:</i> Two privacy screen brackets are required for each privacy screen EXCEPT for KS84L (84" width) which requires three brackets. Privacy screen brackets clamp onto the table top.
<i>Note:</i> Tables cannot be flipped or nested if privacy screen is attached.

Marc Krusin

Pixel™ Accessories

Pixel™ Modesty and Privacy Screen Brackets

	description
<i>Designer(s):</i> Marc Krusin, 2018	KSB-M Pixel Modesty Screen Bracket 
	KSB-PS Pixel Privacy Screen Bracket - Single table 
	KSB-PD Pixel Shared Privacy Screen Bracket 
	KSB-MCB Pixel Shared Privacy Screen Mid-span Connecting Bracket 

pattern no.	list
KSB-M-()	\$87.
KSB-PS-()	\$129.
KSB-PD-()	\$141.
KSB-MCB-()	\$122.

Order Code	Finishes	Construction	Features	
<i>Example:</i> KSB-M-118T	<i>Bracket finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Modesty and Privacy bracket:</i> Brackets are constructed using a combination of cast aluminum and a Hytrel® hinge which allows tables to flip while screens are attached. Aluminum parts are powder coated and available in Bright White and Jet Black.	<i>Modesty and Privacy screen brackets:</i> Two brackets are required for each modesty screen EXCEPT for KS84L (84" width) which requires three brackets. Modesty brackets screw into inserts located on the underside of the table top. Privacy brackets clamp onto the table top.	
KSB-M				Pixel modesty screen bracket
118T				White bracket finish
<i>Specify:</i> 1. Pattern number 2. Specify bracket finish				
		<i>Note:</i> Bracket screws are always black.		








Specifications
KSB-M: Specify if only modesty is required.
KSB-PS: Specify if only privacy is required. <i>Note:</i> If both modesty and privacy are being used together, specify both KSB-M and KSB-PS.
KSB-PD: Specify if privacy screen is shared by two tables. Bracket will also double as ganging bracket to join adjacent tables together.
KSB-MCB: Specify in conjunction with KSB-PS if privacy screen is shared by two perpendicular tables along the long edge of one table and the short edge of the second table.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Conference Table with V-Base


Below are a few configurations of the LSM V-Base rectangular conference tables




L3RV(P,S)04
One segment 96" wide by 48" deep
table top with supporting 24" V-Base

L3SV(P,S)32
Two segment 120" wide by 60" deep
table top with supporting 30" V-Base


L3TV(P,S)54
Four segment 216" wide by 72" deep
table top with supporting 42" V-Base
and two intermediate legs




24" V-Base
For 48" deep tables, allowing
5 3/8" dia. floor access concealed
within base



30" V-Base
For 60" deep tables, allowing
8 3/8" dia. floor access concealed
within base



42" V-Base
For 72" deep tables, allowing 11 3/8"
dia. floor access concealed within
base



Triangular Leg
Serves as an intermediate support
leg for tables over 180" wide

The V-Base design with two supporting column bases and a center trough allows for maximum knee clearance, and thoughtful electrical and communication distribution

Ordering Information

- Specify:
1. Pattern Number, indicating either Plinth (suffix P) or Surround edge detail (suffix S)
 2. Top finish
 3. Base/edge detail finish
 4. Power Center cut-out option, per section

Construction

Top:
Plastic laminate and wood veneer, 1" thick; 3-ply solid particle fiberboard core with balanced backer sheet. Veneer tops come with matching 1/4" solid lumber exterior edges and veneer self-edge at joining section edges. Plastic laminate tops are edged with matching .8mm ABS flat edge band.


Engineered stone and marble, 20mm thick tops with 1" painted medium density fiberboard sub-tops.

Edges:
The LSM Conference Table Series features two distinctive applied edge details for all top finishes. The extruded aluminum edge details are available in two profiles and are finished to match base finish options. To specify the table, select either Plinth (P) or partial Surround (S)*; profiles are diagramed below:

* Partial Surround only available on glass top.



Plinth edge




Partial Surround


LSM Power center electrical hubs for table top access. Individual tables have cut-out options per section, per table. See chart below:




Y



GE2, GE3, GE6



BE2, BE3, BE6



AE2, AE3, AE6,

Pattern no.	Outside segment	Inside segment
L3-RV(P,S)01	Y, GE2, GE3, GE6, AE2, BE2, GGG2, AGG2, BGG2	
L3-RV(P,S)04	Y, GE2, GE3, GE6, AE2, AE3, BE2, BE3, GGG2, AGG2, BGG2	
L3-SV(P)22	Y, BE2, BE3, BGG2	
L3-SV(P)24	Y, BE2, BGG2	Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2
L3-SV(P)32	Y, BE2, BE3, BGG2	
L3-SV(P)35	Y	Y, GE2, GE3, GE6, AE2, GGG2, AGG2
L3-TV(P)52	Y, BE2, BE3, BGG2	Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2
L3-VV(P)60	Y, BE2, BE3, BGG2	Y, AE2, AE3, GE2, GE3, GE6, GGG2, AGG2
L3-VV(P)62	BE2, BE3, BE6, BGG2	Y, AE2, AE3, GE2, GE3, GE6, GGG2, AGG2
L3-VV(P)70	Y, BE2, BE3, BGG2	Y, AE2, AE3, GE2, GE3, GE6, GGG2, AGG2
L3-XV(P)90	Y, BE2, BE3, BGG2	Y, AE2, AE3, GE2, GE3, GE6, GGG2, AGG2
L3-XV(P)92	Y, BE2, BE3, BGG2	Y, AE2, AE3, GE2, GE3, GE6, GGG2, AGG2
L3SV(P)26	Y	Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2
L3TV(P)54	Y	Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2
L3VV(P)72	Y	Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2
L3XV(P)94	Y, BE2, BE3, BGG2	Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2
L3TV(P)36	Y, BE2, BE3, BGG2	Y, AE2, GE2, GE3, GE6, GGG2, AGG2
L3SV(P)26	Y	Y, AE2, AE3, GE2, GE3, GE6, GGG2, AGG2

Power Center and Grommet Cutout Options:
\$125. Per cut out, per section
Y - No Cut Outs

AE2 - 2X1 Power Center, center depth, two side locations (R&L)
AE3 - 3X1 Power Center, center depth, two side locations (R&L)
AE6 - 6X2 Power Center, center depth, two side locations (R&L)
BE2 - 2X1 Power Center, center on depth, one side location
BE3 - 3X1 Power Center, center on depth, one side location
BE6 - 6X2 Power Center, center on depth, one side location

GE2 - 2X1 Power Center, center on depth, center on width
GE3 - 3X1 Power Center, center on depth, center on width
GE6 - 6X2 Power Center, center on depth, center on width
AGG2 - Grommet, center on depth, two side locations (R&L)
BGG2 - Grommet, center on depth, one side location
GGG2 - Grommet, center on depth, center on width

V-Base:

The v-base is constructed of polished stainless steel, horizontal brushed stainless steel, or powder coat painted cold rolled steel. End panels of the V-bases are easily removable using thumb screws and handles located at the top edge; simply remove thumb screws, lift with handles to remove from internal hook.

Leveling:

Three leveling glides are located within each v-base column and feature a glide-shroud that eliminates any light gap due to irregularities in the floor

Electrical Options:

Compatible with the LSM Power Center electrical hubs for table top access, or LSM Power Port electrical hubs for electrical access through the trough located on the underside of the table's top surface. Individual tables have unique cut-out options per base/table size



Shipping:

Tops, v-base column, trough, support rails and intermediate legs are shipped separately. V-base columns shipped fully assembled. Tops are predrilled for attachment to base and rails.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Conference Table with V-Base


	description	w	d	h	no. of sections	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3RV01 V-Base conference table 	84"	42"	29"	1	Paint/Paint
		84"	42"	29"	1	Satin S.S./Anno. Aluminum
		84"	42"	29"	1	Pol. S.S./Chrome
	L3RV04 V-Base conference table 	96"	48"	29"	1	Paint/Paint
		96"	48"	29"	1	Satin S.S./Anno. Aluminum
		96"	48"	29"	1	Pol S.S./Chrome



pattern number	laminate	veneer	engineered stone (VB)	grey marble (GG, GGS)	arabescato, grey marble (MA, MAS, GG, GGS)	calacatta (MC, MCS)	laminated glass (ALG)
L3RV(P,S)01-()-()	\$6,950.	\$11,027.	\$17,502.	\$18,062.	\$20,279.	\$24,378.	\$32,724.
L3RV(P,S)01-()-SS	\$9,791.	\$13,867.	\$20,343.	\$20,901.	\$23,119.	\$27,218.	\$35,564.
L3RV(P,S)01-()-C	\$12,766.	\$16,841.	\$23,314.	\$23,876.	\$26,095.	\$30,192.	\$38,537.
L3RVP04-()-()	\$7,597.	\$12,998.	\$21,395.	\$22,125.	\$24,318.	\$29,650.	n/a
L3RVP04-()-SS	\$10,703.	\$16,103.	\$24,499.	\$25,229.	\$27,422.	\$32,754.	n/a
L3RVP04-()-C	\$14,144.	\$19,544.	\$27,941.	\$28,672.	\$30,864.	\$36,196.	n/a

Order Code	Finishes	Electrical
<i>Example:</i> L3RVP01-MAS-SS-GE6	<i>Colored laminate top:</i> Bright White (suffix 118) <i>Note: Flat .8mm ABS edgeband to match</i>	<i>Grommet options: (\$144 per cutout)</i> Table may be specified with zero, one or two grommets. All grommets are 2 ³ / ₈ " diameter. Grommet not available on laminated glass.
MAS	Satin Coated Arabescato top	
SS	Horizontal brushed stainless steel base and anodized aluminum edge detail to match	
GE6	Cutout for L46x2 Power Center, center, mid-depth	

- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options
 5. Grommet finish (optional)

Features
<i>Power Center Cutout Options: (\$144 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.
For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)
Available Electrical Cut-outs per individual table. L3RV01: Y, GE2, GE3, GE6, AE2, BE2, GGG2, AGG2, BGG2 L3RV04: Y, GE2, GE3, GE6, AE2, AE3, BE2, BE3, GGG2, AGG2, BGG2
Cutouts not available for laminated glass.

<i>Plinth edge detail:</i> 
<i>Partial Surround edge detail:</i> 
<i>Note:</i> LSM tables are certified Clean Air GOLD.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base


Rectangular Two Segment Conference Table with V-Base

	description	w	d	h	no. of sections	Section Width	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3SV32 V-Base conference table	120"	60"	29"	2	60"	Paint/Paint
		120"	60"	29"	2	60"	Satin S.S./Anno. Aluminum
		120"	60"	29"	2	60"	Pol. S.S./Chome
	L3SV22 V-Base conference table	120"	48"	29"	2	60"	Paint/Paint
		120"	48"	29"	2	60"	Satin S.S./Anno. Aluminum
		120"	48"	29"	2	60"	Pol S.S./Chrome

pattern number	laminate (_)	veneer	engineered stone (VB)	grey marble (GG, GGS)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3SVP32-()-()	\$9,862.	\$18,327.	\$30,699.	\$32,342.	\$36,844.	\$45,216.
L3SVP32-()-SS	\$13,971.	\$22,435.	\$34,660.	\$36,478.	\$40,972.	\$49,343.
L3SVP32-()-C	\$18,871.	\$27,334.	\$37,956.	\$41,354.	\$45,854.	\$54,222.
L3SVP22-()-()	\$9,242.	\$16,158.	\$28,453.	\$29,473.	\$30,781.	\$37,490.
L3SVP22-()-SS	\$12,717.	\$19,635.	\$31,930.	\$32,949.	\$34,257.	\$40,968.
L3SVP22-()-C	\$16,980.	\$23,898.	\$36,191.	\$37,211.	\$38,517.	\$45,229.

Order Code	Finishes	Electrical
<i>Example:</i> L3SPS32	L3SVP32-AW-C-BE3-BE3 120" x 60" rectangular table, plinth edge, two segments	
AW	American Walnut veneer top	
C	Polished stainless steel base and chromed aluminum edge detail	
BE3	Cutout for L43x1 Power Center, left of joining section edge, mid-depth, Segment 1	
BE3	Cutout for L43x1 Power Center, right of joining section edge, mid-depth, Segment 2	





- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options

Features
<i>Power Center Cutout Options: (\$144 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below. Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.
For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6) Available Electrical Cut-outs per individual table. L3SV22: Y, BE2, BE3, BGG2 L3SV32: Y, BE2, BE3, BGG2 Y A B G
The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below. <i>Plinth edge detail:</i>  <i>Note:</i> LSM tables are certified Clean Air GOLD.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Three Segment Conference Table with V-Base

	description	w	d	h	no. of sections	section width	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3SV24 V-Base conference table 	144"	48"	29"	3	48"	Paint/Paint
		144"	48"	29"	3	48"	Satin S.S./Anno. Aluminum
		144"	48"	29"	3	48"	Pol. S.S./Chrome
	L3SV35 V-Base conference table 	150"	60"	29"	3	50"	Paint/Paint
		150"	60"	29"	3	50"	Satin S.S./Anno. Aluminum
		150"	60"	29"	3	50"	Pol. S.S./Chrome
	L3TV52 V-Base conference table 	180"	60"	29"	3	60"	Paint/Paint
		180"	60"	29"	3	60"	Satin S.S./Anno. Aluminum
		180"	60"	29"	3	60"	Pol. S.S./Chrome
	L3TV36 V-Base conference table with intermediate legs 	192"	48"	29"	3	64"	Paint/Paint
		192"	48"	29"	3	64"	Satin S.S. / Anno. Aluminum
		192"	48"	29"	3	64"	Pol. S.S./Chrome
	L3SV26 V-Base conference table with intermediate legs 	144"	72"	29"	3	48"	Paint/Paint
		144"	72"	29"	3	48"	Satin S.S./ Anno. Aluminum
		144"	72"	29"	3	48"	Pol. S.S./ Chrome

Order Code	Finishes	Electrical
<i>Example:</i> L3SVP35-118-118-Y-GE6-Y	<i>Colored laminate top:</i> Bright White (suffix 118) <i>Note: Flat .8mm ABS edgeband to match</i>	<i>Grommet options: (\$144 per cutout)</i> Table may be specified with zero, one or two grommets. All grommets are 2 3⁄8" diameter. Grommet not available on laminated glass.
L3SVP35	150" x 60" rectangular table, plinth edge, three segments	
118	Bright White laminate with matching ABS edgeband	
118	Bright White painted base and Bright White painted aluminum edge to match	
Y	No cutout, segment 1	
GE6	Cutout for L46x2 Power Center, center, mid-depth, segment 2	
Y	No cutout, segment 3	
	<i>Veneer top with 1⁄4" solid wood edge:</i> White Ash (suffix A101) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonyed Oak (suffix OE)	<i>Engineered Stone top:</i> Vetro Bianco (suffix VB) <i>Note:</i> Limited availability based on material sheet size.
	<i>Base/Edge finishes:</i> Polished Stainless Steel/Mirror Chrome (suffix C) Horizontal Brushed Stainless Steel/anodized aluminum (suffix SS) White (suffix 118) Black (suffix R5)	No grommets (Y) Single grommet, center, mid-depth (GGG2) Single grommet, left, mid-depth (BGG2) Two grommets, left & right, mid-depth (AGG2)

Specify:

1. Pattern number
2. Top finish (including edgeband)
3. Base and Edge profile finish
4. Cut-out options




pattern number	laminate (L)	veneer (V)	engineered stone (VB)	grey marble (GG, GGS)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3SVP24-()-()	\$10,395.	\$18,104.	\$30,735.	\$31,832.	\$36,092.	\$44,146.
L3SVP24-()-SS	\$13,955.	\$22,050.	\$34,292.	\$35,393.	\$39,652.	\$47,704.
L3SVP24-()-C	\$18,790.	\$26,885.	\$39,132.	\$40,225.	\$44,507.	\$52,539.
L3SVP35-()-()	\$11,441.	\$21,868.	\$41,950.	\$43,811.	\$44,695.	\$55,174.
L3SVP35-()-SS	\$15,597.	\$26,022.	\$46,106.	\$47,969.	\$48,850.	\$59,329.
L3SVP35-()-C	\$21,741.	\$32,167.	\$52,254.	\$54,115.	\$54,994.	\$65,472.
L3TVP52-()-()	\$11,784.	\$24,483.	\$44,020.	\$45,373.	\$52,048.	\$64,615.
L3TVP52-()-SS	\$15,841.	\$28,540.	\$47,756.	\$49,429.	\$56,105.	\$68,672.
L3TVP52-()-C	\$22,198.	\$34,897.	\$51,687.	\$55,785.	\$62,460.	\$75,029.
L3TVP36-()-()	\$14,281.	\$24,700.	\$43,045.	\$46,208.	\$57,702.	\$70,474.
L3TVP36-()-SS	\$17,908.	\$28,326.	\$46,670.	\$49,835.	\$61,330.	\$74,101.
L3TVP36-()-C	\$24,534.	\$33,724.	\$53,297.	\$56,462.	\$67,957.	\$80,726.
L3SVP26-()-()	\$14,589.	\$26,086.	\$49,043.	\$50,495.	\$63,439.	\$77,819.
L3SVP26-()-SS	\$19,287.	\$31,116.	\$54,074.	\$55,529.	\$68,470.	\$82,851.
L3SVP26-()-C	\$24,925.	\$36,423.	\$59,381.	\$60,834.	\$73,776.	\$88,158.

Features
<i>Power Center Cutout Options: (\$144 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below. Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both. For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6) Available Electrical Cut-outs per individual table. L3SV24 outside sections: Y, BE2, BGG2 inside sections: Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2 L3SV35 outside sections: Y inside sections: Y, GE2, GE3, GE6, AE2, AE3, AGG2, GGG2 L3TV52 outside: Y, BE2, BE3, BGG2 inside: Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2 L3TV36 outside: Y, BE2, BE3, BGG2 inside: Y, AE2, GE2, GE3, GE6, AGG2, GGG2 L3SV26 outside: Y inside: Y, GE2, GE3, GE6, AE2, AE3, AGG2, GGG2 The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below. <i>Plinth edge detail:</i>  <i>Note:</i> LSM tables are certified Clean Air GOLD.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Four Segment Conference Table with V-Base

	description	w	d	h	no. of sections	section width	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3TV54 V-Base conference table with intermediate legs 	216"	72"	29"	4	54"	Paint/Paint
		216"	72"	29"	4	54"	Satin. S.S./Anno. Aluminum
		216"	72"	29"	4	54"	Pol. S.S./Chrome
	L3VV60 V-Base conference table with intermediate legs 	240"	48"	29"	4	60"	Paint/Paint
		240"	48"	29"	4	60"	Satin S.S./Anno. Aluminum
		240"	48"	29"	4	60"	Pol. S.S./Chrome
	L3VV62 V-Base conference table with intermediate legs 	288"	48"	29"	4	72"	Paint/Paint
		288"	48"	29"	4	72"	Satin. S.S./Anno. Aluminum
		288"	48"	29"	4	72"	Pol. S.S./Chrome
	L3VV70 V-Base conference table with intermediate legs 	240"	60"	29"	4	60"	Paint/Paint
		240"	60"	29"	4	60"	Satin S.S./Anno. Aluminum
		240"	60"	29"	4	60"	Pol. S.S./Chrome

pattern number	laminate (L)	veneer (L)	engineered stone (VB)	grey marble (GG, GGS)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3TVP54-()-()	\$19,047.	\$36,276.	\$70,974.	\$76,267.	\$94,577.	\$116,105.
L3TVP54-()-SS	\$24,043.	\$41,270.	\$75,968.	\$81,261.	\$99,570.	\$121,100.
L3TVP54-()-C	\$31,289.	\$48,516.	\$83,215.	\$88,507.	\$106,815.	\$128,343.
L3VVP60-()-()	\$17,172.	\$31,007.	\$55,411.	\$59,394.	\$72,970.	\$88,940.
L3VVP60-()-SS	\$19,736.	\$33,569.	\$57,976.	\$61,957.	\$75,534.	\$91,502.
L3VVP60-()-C	\$28,302.	\$42,136.	\$66,542.	\$70,523.	\$84,101.	\$100,069.
L3VVP62-()-()	\$18,877.	\$34,207.	\$64,794.	\$69,526.	\$85,806.	\$104,953.
L3VVP62-()-SS	\$22,467.	\$37,799.	\$68,385.	\$73,117.	\$89,397.	\$108,545.
L3VVP62-()-C	\$29,442.	\$44,773.	\$75,359.	\$80,092.	\$96,373.	\$115,518.
L3VVP70-()-()	\$17,753.	\$34,693.	\$61,089.	\$67,839.	\$84,860.	\$102,879.
L3VVP70-()-SS	\$22,052.	\$38,995.	\$65,075.	\$72,141.	\$89,161.	\$107,179.
L3VVP70-()-C	\$30,620.	\$47,561.	\$72,377.	\$80,707.	\$97,727.	\$115,747.

Order Code	Finishes	Electrical
<i>Example:</i> L3TVP54-118-118-Y-GE6-GE6-Y	<i>Colored laminate top:</i> Bright White (suffix 118) <i>Note: Flat .8mm ABS edgeband to match</i>	<i>Grommet options: (\$144 per cutout)</i> Table may be specified with zero, one or two grommets. All grommets are 2⅝" diameter. Grommet not available on laminated glass.
L3TVP54	216" x 72" rectangular table, plinth edge, four segments	
118	Bright White laminate with matching ABS edgeband	No grommets (Y)
118	Bright White painted base and Bright White painted aluminum edge to match	Single grommet, center, mid-depth (GGG2)
Y	No cutout, segment 1	Single grommet, left, mid-depth (BGG2)
GE6	Cutout for L46x2 Power Center, center, mid-depth, segment 2	Two grommets, left & right, mid-depth (AGG2)
GE6	Cutout for L46x2 Power Center, center, mid-depth, segment 3	
Y	No cutout, segment 4	
	<i>Veneer top with ¼" solid wood edge:</i> White Ash (suffix A101) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonyed Oak (suffix OE)	<i>Engineered Stone top:</i> Vetro Bianco (suffix VB) <i>Note:</i> Limited availability based on material sheet size.
	<i>Base/Edge finishes:</i> Polished Stainless Steel/Mirror Chrome (suffix C) Horizontal Brushed Stainless Steel/anodized aluminum (suffix SS) White (suffix 118) Black (suffix R5)	


- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options


	Features
<i>Power Center Cutout Options: (\$144 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.	The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below.
For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)	L3VV70 outside: Y, BE2, BE3, BGG2 inside: Y, AE2, AE3, GE2, GE3, GE6, AGG2, GGG2
Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.	Available Electrical Cut-outs per individual table. L3TV54 outside sections: Y inside sections: Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2
	L3VV60 outside sections: Y, BE2, BE3, BGG2 inside sections: AE2, AE3, GE2, GE3, GE6, AGG2, GGG2
	L3VV62 outside: Y, BE2, BE3, BE6, BGG2 inside: Y, AE2, AE3, GE2, GE3, GE6, AGG2, GGG2

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Five Segment Conference Table with V-Base

	description	w	d	h	no. of sections	section width	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3XV90 V-Base conference table with intermediate legs	300"	60"	29"	5	60"	Paint/Paint
		300"	60"	29"	5	60"	Satin S.S./Anno. Aluminum
		300"	60"	29"	5	60"	Pol. S.S./Chrome



pattern number	laminate (L)	veneer (V)	grey marble (GG, GGS)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3XVP90-()-()	\$20,803.	\$41,979.	\$89,261.	\$111,638.	\$134,003.
L3XVP90-()-SS	\$25,066.	\$46,243.	\$93,526.	\$115,901.	\$138,266.
L3XVP90-()-C	\$35,572.	\$56,750.	\$104,030.	\$126,407.	\$148,772.

Order Code	Finishes	Electrical
<i>Example:</i> L3XVP90	L3XVP90-VB-C-BE3-AE3-AE3-AE3-BE3 360" x 60" rectangular table, plinth edge, five segments	Coated laminate top: Bright White (suffix 118) <i>Note: Flat .8mm ABS edgeband to match</i>
VB	Vetro Bianco top	Coated marble top finishes (polished, satin): Arabescato (suffix MA, MAS) Calacatta (suffix MC, MCS) Grey Marble (suffix GG, GGS)
C	Polished stainless steel base and chromed aluminum edge detail	Base/Edge finishes: Polished Stainless Steel/Mirror Chrome (suffix C) Horizontal Brushed Stainless Steel/anodized aluminum (suffix SS) White (suffix 118) Black (suffix R5)
BE3	Cutout for L43x1 Power center, right, mid-depth, segment 1	No grommets (Y) Single grommet, center, mid-depth (GGG2) Single grommet, left, mid-depth (BGG2) Two grommets, left & right, mid-depth (AGG2)
AE3	Cutout for L43x1 Power Center, left and right, mid-depth, segment 2	
AE3	Cutout for L43x1 Power Center, left and right, mid-depth, segment 3	
AE3	Cutout forL43x1 Power Center, left and right, mid-depth, segment 4	
BE3	Cutout for L43x1 Power center, left, mid-depth, segment 5	

- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options

Features
<i>Power Center Cutout Options: (\$144 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.
For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)
Available Electrical Cut-outs per individual table. L3XV90 outside sections: Y, BE2, BE3, BGG2 inside sections: Y, AE2, AE3, GE2, GE3, GE6, AGG2, GGG2
Y B A G
The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below. <i>Plinth edge detail:</i> 
<i>Note:</i> LSM tables are certified Clean Air GOLD.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with V-Base

Rectangular Six Segment Conference Table with V-Base

	description	w	d	h	no. of sections	section width	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3VVP72 V-Base conference table with intermediate legs	288"	72"	29"	6	48"	Paint/Paint
		288"	72"	29"	6	48"	Satin S.S./Anno. Aluminum
		288"	72"	29"	6	48"	Pol. S.S./Chrome
	L3XV92 V-Base conference table with intermediate legs	360"	60"	29"	6	60"	Paint/Paint
		360"	60"	29"	6	60"	Satin S.S./Anno. Aluminum
		360"	60"	29"	6	60"	Pol. S.S./Chrome
	L3XV94 V-Base conference table with intermediate legs	360"	72"	29"	6/8	60"/45"	Paint/Paint
		360"	72"	29"	6/8	60"/45"	Satin S.S./Anno. Aluminum
		360"	72"	29"	6/8	60"/45"	Pol. S.S./Chrome

Order Code	Finishes	Electrical
<i>Example:</i> L3VVP72-MA-SS-Y-AE2-AE2-AE2-Y	<i>Colored laminate top:</i> Bright White (suffix 118) <i>Note: Flat .8mm ABS edgeband to match</i>	<i>Coated marble top finishes (polished, satin):</i> Arabescato (suffix MA, MAS) Calacatta (suffix MC, MCS) Grey Marble (suffix GG, GGS)
L3VVP72	288" x 72" rectangular table, plinth edge, six segments	
MA	Polished Arabescato marble top	
SS	Horizontal brushed stainless steel base and anodized aluminum edge detail to match	
Y	Cutout for L46x2 Power Center, right, mid-depth, segment B	
AE2	Cutout for L46x2 Power Center, left and right, mid-depth, segment B	
AE2	Cutout for L46x2 Power Center, left and right, mid-depth, segment B	
AE2	Cutout for L46x2 Power Center, left and right, mid-depth, segment B	
AE2	Cutout for L46x2 Power Center, left and right, mid-depth, segment B	
Y	Cutout for L46x2 Power Center, left, mid-depth, segment B	

- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options

pattern number	laminate (L)	veneer (V)	engineered stone (VB)	grey marble (GG, GGS)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3VVP72-()-()	\$24,637.	\$47,633.	\$93,870.	\$100,974.	\$125,389.	\$154,106.
L3VVP72-()-SS	\$29,558.	\$52,555.	\$98,790.	\$105,896.	\$130,310.	\$159,028.
L3VVP72-()-C	\$40,685.	\$63,680.	\$109,918.	\$117,022.	\$141,437.	\$170,156.
L3XVP92-()-()	\$22,802.	\$48,213.	\$105,490.	\$106,369.	\$133,661.	\$160,963.
L3XVP92-()-SS	\$27,032.	\$52,442.	\$112,362.	\$110,597.	\$137,886.	\$165,190.
L3XVP92-()-C	\$39,477.	\$64,888.	\$115,569.	\$123,042.	\$150,335.	\$177,638.
L3XVP94-()-()	\$25,316.	\$56,123.	\$120,509.	\$123,792.	\$154,348.	\$190,299.
L3XVP94-()-SS	\$30,237.	\$61,045.	\$125,366.	\$128,650.	\$159,203.	\$195,155.
L3XVP94-()-C	\$41,365.	\$72,169.	\$139,054.	\$153,475.	\$184,028.	\$219,979.


Features
<i>Power Center Cutout Options: (\$144 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.
For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) For Two Power Centers, left and right, mid-depth (AE2), (AE3), (AE6)
Available Electrical Cut-outs per individual table. L3VVP72 outside sections: Y inside sections: Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2
L3XV92 outside sections: Y, BE2, BE3, BGG2 inside sections: Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2
L3XV94 outside: Y, BE2, BE3, BGG2 inside: Y, GE2, GE3, GE6, AE2, AE3, GGG2, AGG2
Y B A G
<i>Note:</i> LSM tables are certified Clean Air GOLD.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with L-Legs

Configuration and Product Information



Below are the three general configurations of the LSM L-Leg conference tables: square, rectangular with four legs, and rectangular with four corner legs and intermediate support legs



L3SL(P,S)48
One segment, 48" square with four corner L-Legs



L-Leg
Aluminum extruded L-shaped corner leg with adjustable glide, or fixed L-shaped glide





L3SL(P,S)32
Two segment, 120" wide and 60" deep with four corner L-Legs



T-Leg
Aluminum extruded T-shaped intermediate support leg with adjustable glide, or fixed T-shaped glide

The L-Leg design maximizes leg clearance using an under table support structure that allows for a 120" wide table with the use of just four legs. Tables wider than 120" are supported with an inset intermediate supporting leg



L3TL(P,S)52
Three segment, 180" wide and 60" deep with four corner L-Legs and four inset T-shaped intermediate supporting legs

Ordering Information


- Specify:
1. Pattern Number, indicating either Plinth (suffix P) or Surround edge detail (suffix S)
 2. Top finish
 3. Base/edge detail finish
 4. Power Center cut-out option, per section

Construction

Top:
Plastic laminate and wood veneer, 1 3/16" thick; 3-ply solid particle fiberboard core with balanced backer sheet. Veneer tops come with matching 3/4" solid lumber exterior edges and veneer self-edge at joining section edges. Plastic laminate tops are edged with matching .8mm ABS flat edge band.

The LSM Conference Table Series features two distinctive applied edge details for all top finishes. The extruded aluminum edge details are available in two profiles and are finished to match base finish options. To specify the table, select either Plinth (P) or partial Surround (S)*; profiles are diagramed below:

*Partial Surround only available on glass top.



Plinth edge




Partial Surround


LSM Power center electrical hubs for table top access. Individual tables have cut-out options per section, per table. See chart below:



Y



GE2, GE3, GE6



BE2, BE3, BE6

Pattern no.	Outside segment		Inside segment
L3-RL(P)48	Y, GE2, GE3, GGG2		
L3-RL(P,S)52	Y, GE2, GE3, GE6, GGG2		
L3-SL(P)48	Y, GE2, GE3, GGG2		
L3-RL(P)00	Y, GE2, GE3, GE6, GGG2		
L3-RL(P)02	Y, GE2, GE3, GE6, GGG2		
L3-RL(P)04	Y, GE2, GE3, GE6, GGG2		
L3-SL(P)20	Y, BE2, BGG2		
L3-SL(P)22	Y, BE2, BE3, BGG2		
L3-SL(P)24	Y, BE2, BE3, BE6, BGG2		
L3-TL(P)40	Y, BE2, BGG2		Y, GE2, GE3, GE6, GGG2
L3-TL(P)42	Y, BE2, BE3, BGG2		Y, GE2, GE3, GE6, GGG2
L3-TL(P)44	Y, BE2, BE3, BE6, BGG2		Y, GE2, GE3, GE6, GGG2
L3-VL(P)60	Y, BE2, BE3, BGG2		Y, GE2, GE3, GE6, GGG2
L3-VL(P)62	Y, BE2, BE3, BE6, BGG2		Y, GE2, GE3, GE6, GGG2
L3-XL(P)80	Y, BE2, BE3, BGG2		Y, GE2, GE3, GE6, GGG2
L3-XL(P)82	Y, BE2, BE3, BE6, BGG2		Y, GE2, GE3, GE6, GGG2
L3-SL(P,S)60	Y, GE2, GE3, GE6, GGG2		
L3-RL(P)10	Y, GE2, GE3, GE6, GGG2		
L3-RL(P)12	Y, GE2, GE3, GGG2		
L3-RL(P)14	Y, GE2, GE3, GE6, GGG2		
L3-SL(P)30	Y, BE2, BGG2		
L3-SL(P)32	Y, BE2, BE3, BGG2		
L3-SL(P)34	Y, BE2, BE3, BE6, BGG2		
L3-TL(P)50	Y, BE2, BGG2		Y, GE2, GE3, GE6, GGG2
L3-TL(P)52	Y, BE2, BE3, BGG2		Y, GE2, GE3, GE6, GGG2
L3-TL(P)54	Y, BE2, BE3, BE6, BGG2		Y, GE2, GE3, GE6, GGG2
L3-VL(P)70	Y, BE2, BE3, BGG2		Y, GE2, GE3, GE6, GGG2
L3-VL(P)72	Y, BE2, BE3, BE6, BGG2		Y, GE2, GE3, GE6, GGG2
L3-XL(P)90	Y, BE2, BE3, BGG2		Y, GE2, GE3, GE6, GGG2
L3-XL(P)92	Y, BE2, BE3, BGG2		Y, GE2, GE3, GE6, BGG2

Power Center Cutout Options:

\$125. Per cut out, per section

Y - No Cut Outs

BE2 - 2X1 Power Center, center on depth, one side location

BE3 - 3X1 Power Center, center on depth, one side location

BE6 - 6X2 Power Center, center on depth, one side location

GE2 - 2X1 Power Center, center on depth, center on width

GE3 - 3X1 Power Center, center on depth, center on width

GE6 - 6X2 Power Center, center on depth, center on width

Leg and frame

The L-Leg conference tables feature extruded aluminum legs that connect to the table surface with four adjustable aluminum corner castings that allows for precise alignment with the tables edge. A steel sub-structure spans the table's width and provides rigid support for all material options

Leveling:

Three leveling glides are located within each v-base column and feature a glide-shroud that eliminates any light gap due to irregularities in the floor


Electrical Options:

Compatible with either a 2 5/8" grommet, or the LSM Power Center electrical hubs for table top electrical access; individual tables have unique cut-out options per table size

Shipping:

Tops, legs, intermediate legs and supporting rails are shipped separately. Tops are predrilled for attachment to legs and support rails

Debra Lehman-Smith and Ron Fiegenschuh
LSM Conference Table Series with L-Legs
Rectangular Two Segment Conference Table with L-Legs

	description	w	d	h	no. of sections	section width	no. of legs	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012 	L3SL20 L-Leg conference table	108"	48"	29"	2	54"	4	Chrome
		108"	48"	29"	2	54"	4	Paint/ Anodized
	L3SL22 L-Leg conference table	120"	48"	29"	2	60"	4	Chrome
		120"	48"	29"	2	60"	4	Paint/ Anodized
	L3SL24 L-Leg conference table	144"	48"	29"	2	72"	6	Chrome
		144"	48"	29"	2	72"	6	Paint/ Anodized
	L3SL30 L-Leg conference table	108"	60"	29"	2	54"	4	Chrome
		108"	60"	29"	2	54"	4	Paint/ Anodized
	L3SL32 L-Leg conference table	120"	60"	29"	2	60"	4	Chrome
		120"	60"	29"	2	60"	4	Paint/ Anodized
	L3SL34 L-Leg conference table	144"	60"	29"	2	72"	6	Chrome
		144"	60"	29"	2	72"	6	Paint/ Anodized

pattern no.	laminate	veneer	engineered stone (VB)	grey marble (GG, GGS)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3SLP20-()-C	\$11,111.	\$18,243.	\$26,942.	\$27,758.	\$32,672.	\$39,842.
L3SLP20-()-()	\$6,072.	\$11,082.	\$19,051.	\$19,822.	\$24,473.	\$31,259.

L3SLP22-()-C	\$13,044.	\$19,460.	\$28,734.	\$29,646.	\$35,120.	\$43,105.
L3SLP22-()-()	\$6,198.	\$12,225.	\$20,747.	\$21,609.	\$26,790.	\$34,344.

L3SLP24(-)-C	\$15,189.	\$22,620.	\$34,357.	\$35,450.	\$42,008.	\$51,582.
L3SLP24(-)-()	\$7,077.	\$14,056.	\$24,857.	\$25,893.	\$32,096.	\$41,157.

L3SLP30-()-C	\$13,301.	\$20,718.	\$31,329.	\$32,348.	\$38,499.	\$47,470.
L3SLP30-()-()	\$6,453.	\$13,419.	\$23,217.	\$24,180.	\$30,000.	\$38,490.

L3SLP32-()-C	\$14,203.	\$23,090.	\$34,697.	\$34,750.	\$41,585.	\$51,566.
L3SLP32-()-()	\$7,301.	\$15,648.	\$27,740.	\$26,453.	\$32,923.	\$42,368.

L3SLP34-()-C	\$15,381.	\$25,178.	\$38,793.	\$41,169.	\$49,357.	\$61,311.
L3SLP34-()-()	\$7,269.	\$16,474.	\$32,399.	\$31,318.	\$39,067.	\$50,382.

Order Code	Finishes	Electrical
Example: L3SLP20-MC-SS-BE2-BE2	Colored laminate top: Bright White (suffix 118) <i>Note: Flat .8mm ABS edgeband to match</i>	Coated marble top finishes: Arabescato (suffix MA, MAS) Calacatta (suffix MC, MCS) Grey Marble (suffix GG, GGS)
L3SL20 108" x 48" rectangular table, plinth edge, two segments		Grommet options: (\$144 per cutout) Tables may be specified with zero, one or two grommets per section. All grommets are 2 7/8" diameter. For detailed information, consult page 212
MC Coated Calacatta top	Veneer top with 1/4" solid wood edge: White Ash (suffix A101) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	
SS Brushed anodized aluminum legs, stainless finish edge		Engineered Stone top: Vetro Bianco (suffix VB)
BE2 Cutout for L42x1 Power Center, left of joining edge section, mid-depth, segment 1		<i>Note: Limited availability based on material sheet size.</i>
BE2 Cutout for L42x1 Power Center, right of joining edge section, mid-depth, segment 2		<i>Leg/Edge finishes:</i> Polished Stainless Steel/Mirror Chrome (suffix C) Horizontal Brushed Stainless Steel/anodized aluminum (suffix SS) White (suffix 118) Black (suffix R5)

Specify:

1. Pattern number
2. Top finish (including edgeband)
3. Base and Edge profile finish
4. Cut-out options
5. Grommet finish (optional)





		Features
<i>Power Center Cutout Options: (\$144 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below. Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one	For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) Available Electrical Cut-outs per individual table. L3SL20: Y, BE2, BGG2 L3SL22: Y, BE2, BE3, BGG2 L3SL24: Y, BE2, BE3, BE6, BGG2 L3SL30: Y, BE2, BGG2 L3SL32: Y, BE2, BE3, BGG2 L3SL34: Y, BE2, BE3, BE6, BGG2	The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below. <i>Plinth edge detail:</i> 

Note:
LSM tables are certified Clean Air
GOLD.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with L-Legs

Rectangular Three Segment Conference Table with L-Legs


	description	w	d	h	no. of sections	section width	no. of legs	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3TL40 L-Leg conference table	162"	48"	29"	3	54"	8	Chrome
		162"	48"	29"	3	54"	8	Paint/Anodized
	L3TL42 L-Leg conference table	180"	48"	29"	3	60"	8	Chrome
		180"	48"	29"	3	60"	8	Paint/Anodized
	L3TL44 L-Leg conference table	216"	48"	29"	3	72"	8	Chrome
		216"	48"	29"	3	72"	8	Paint/Anodized
	L3TL50 L-Leg conference table	162"	60"	29"	3	54"	8	Chrome
		162"	60"	29"	3	54"	8	Paint/Anodized
	L3TL52 L-Leg conference table	180"	60"	29"	3	60"	8	Paint/Anodized
		180"	60"	29"	3	60"	8	Chrome
	L3TL54 L-Leg conference table	216"	60"	29"	3	72"	8	Chrome
		216"	60"	29"	3	72"	8	Paint/Anodized

pattern no.	laminate	veneer	engineered stone (VB)	grey marble (GG, GGS)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3TLP40-()-C	\$20,054.	\$28,057.	\$41,428.	\$42,675.	\$50,101.	\$60,940.
L3TLP40-()-()	\$8,713.	\$16,228.	\$28,426.	\$29,606.	\$36,633.	\$46,888.
L3TLP42-()-C	\$20,725.	\$30,349.	\$44,379.	\$45,753.	\$53,942.	\$65,895.
L3TLP42-()-()	\$9,063.	\$18,105.	\$30,922.	\$32,220.	\$39,969.	\$51,284.
L3TLP44-()-C	\$20,821.	\$31,969.	\$49,558.	\$51,201.	\$61,042.	\$75,398.
L3TLP44-()-()	\$9,465.	\$19,935.	\$36,151.	\$37,704.	\$47,017.	\$60,606.
L3TLP50-()-C	\$20,539.	\$31,665.	\$47,940.	\$49,496.	\$58,790.	\$72,356.
L3TLP50-()-()	\$9,181.	\$19,631.	\$34,602.	\$36,073.	\$44,869.	\$57,705.
L3TLP52-()-()	\$10,152.	\$20,679.	\$40,596.	\$39,227.	\$48,926.	\$63,083.
L3TLP52-()-C	\$20,841.	\$32,782.	\$50,569.	\$52,829.	\$63,078.	\$78,038.
L3TLP54-()-C	\$21,231.	\$35,929.	\$56,732.	\$73,792.	\$90,189.	\$114,121.
L3TLP54-()-()	\$9,861.	\$23,667.	\$45,407.	\$59,099.	\$74,616.	\$97,264.

Order Code	Finishes	Electrical
<i>Example:</i> L3TLP40-35-114-114-Y-GE6-Y	<i>Colored laminate top:</i> Bright White (suffix 118) <i>Note: Flat .8mm ABS edgeband to match</i>	<i>Grommet options: (\$144 per cutout)</i> Tables may be specified with zero, one or two grommets per section. All grommets are 2 3/8" diameter. For detailed information, consult page 212
L3TLP40	162" x 48" rectangular table, plinth edge, three segments	
114	Folkstone Grey laminate with matching ABS edgeband	
114	Folkstone Grey painted legs and Folkstone Grey painted aluminum edge to match	
Y	No cutout, segment 1	No grommets (Y)
GE6	Cutout for L46x2 Power Center, center, mid-depth, segment 2	Single grommet, center, mid-depth (GGG2)
Y	No cutout, segment 3	Single grommet, left, mid-depth (BGG2)

Specify:




1. Pattern number
2. Top finish (including edgeband)
3. Base and Edge profile finish
4. Cut-out options
5. Grommet finish (optional)

	Features
<i>Power Center Cutout Options: (\$144 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below.	For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6)  Available Electrical Cut-outs per individual table. L3TL40 outside sections: Y, BE2, BGG2 inside sections: Y, GE2, GE3, GE6, GGG2 L3TL42 outside sections: Y, BE2, BE3, BGG2 inside sections: Y, GE2, GE3, GE6, GGG2 L3TL44 outside: Y, BE2, BE3, BGG2 inside: Y, GE2, GE3, GE6, GGG2 L3TL50 outside sections: Y, BE2, BGG2 inside sections: Y, GE2, GE3, GGG2 L3TL52 outside sections: Y, BE2, BE3, BGG2 inside sections: Y, GE2, GE3, GE6, GGG2 L3TL54 outside: Y, BE2, BE3, BE6, BGG2 inside: Y, GE2, GE3, GE6, GCG2
	The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below. <i>Plinth edge detail:</i> 
	<i>Note:</i> LSM tables are certified Clean Air GOLD.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with L-Legs


Rectangular Four Segment Conference Table with L-Legs

	description	w	d	h	no. of sections	section width	no. of legs	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3VL60 L-Leg conference table	240"	48"	29"	4	60"	10	Paint/ Anodized
		240"	48"	29"	4	60"	10	Chrome
	L3VL62 L-Leg conference table	288"	48"	29"	4	72"	10	Paint/ Anodized
		288"	48"	29"	4	72"	10	Chrome
	L3VL70 L-Leg conference table	240"	60"	29"	4	60"	10	Paint/ Anodized
		240"	60"	29"	4	60"	10	Chrome
	L3VL72 L-Leg conference table	288"	60"	29"	4	72"	10	Paint/ Anodized
		288"	60"	29"	4	72"	10	Chrome

pattern no.	laminate	veneer top	engineered stone (VB)	grey marble (GG, GGS)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3VLP60-(-)()	\$11,268.	\$23,321.	\$43,509.	\$44,260.	\$57,097.	\$70,708.
L3VLP60-(-)-C	\$25,900.	\$38,733.	\$60,669.	\$61,463.	\$75,029.	\$89,410.
L3VLP62-(-)()	\$11,676.	\$30,392.	\$50,924.	\$51,836.	\$67,254.	\$83,574.
L3VLP62-(-)-C	\$26,334.	\$46,259.	\$68,504.	\$69,470.	\$85,762.	\$103,006.
L3VLP70-(-)()	\$11,699.	\$26,655.	\$52,270.	\$54,124.	\$70,229.	\$87,282.
L3VLP70-(-)-C	\$26,343.	\$42,267.	\$68,131.	\$71,871.	\$88,899.	\$106,911.
L3VLP72-(-)()	\$12,217.	\$30,626.	\$59,828.	\$63,708.	\$83,044.	\$103,517.
L3VLP72-(-)-C	\$26,896.	\$46,494.	\$63,334.	\$81,998.	\$102,431.	\$124,067.

Order Code	Finishes	Electrical
<i>Example:</i>	L3VLP60-ON-C-BE3-GE3-GE3-BE3	
L3VLP60	240" x 48" rectangular table, plinth edge, four segments	
ON	Natural Oak veneer top	
C	Mirror chrome legs and mirror chrome edge detail	
BE3	Cutout for L43x1 Power Center, left of joining edge section, mid-depth, segment 1	
GE3	Cutout for L43x1 Power Center, center, mid-depth, segment 2	
GE3	Cutout for L43x1 Power Center, center, mid-depth, segment 3	
BE3	Cutout for L43x1 Power Center, right of joining edge section, mid-depth, segment 4	





- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options
 5. Grommet finish (optional)

Features	
<i>Power Center Cutout Options: (\$144 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below. Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.	Y B G For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) Available Electrical Cut-outs per individual table. L3VL60 outside sections: Y, BE2, BE3, BGG2 inside sections: Y, GE2, GE3, GE6, GGG2 L3VL62 outside sections: Y, BE2, BE3, BE6, BGG2 inside sections: Y, GE2, GE3, GE6, GGG2 L3VL70 outside: Y, BE2, BE3, BGG2 inside: Y, GE2, GE3, GE6, GGG2 L3VL72 outside sections: Y, BE2, BE3, BE6, BGG2 inside sections: Y, GE2, GE3, GE6, GGG2
	The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below. <i>Plinth edge detail:</i>  <i>Note:</i> LSM tables are certified Clean Air GOLD.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Conference Table Series with L-Legs


Rectangular Five Segment Conference Table with L-Legs

	description	w	d	h	no. of sections	section width	no. of legs	base/edge selection
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L3XL80 L-Leg conference table	300"	48"	29"	5	60"	12	Paint/Anodized
		300"	48"	29"	5	60"	12	Chrome
	L3XL82 L-Leg conference table	360"	48"	29"	5	72"	12	Paint/Anodized
		360"	48"	29"	5	72"	12	Chrome
	L3XL90 L-Leg conference table	300"	60"	29"	5	60"	12	Paint/Anodized
		300"	60"	29"	5	60"	12	Chrome
	L3XL92 L-Leg conference table	360"	60"	29"	5	72"	12	Paint/Anodized
		360"	60"	29"	5	72"	12	Chrome

pattern no.	laminate	veneer top	engineered stone (VB)	grey marble (GG, GGS)	arabescato (MA, MAS)	calacatta (MC, MCS)
L3XLP80-(-)()	\$13,472.	\$28,540.	\$56,606.	\$59,439.	\$76,440.	\$93,441.
L3XLP80-(-)-C	\$31,287.	\$47,329.	\$77,721.	\$80,714.	\$98,679.	\$116,645.
L3XLP82-(-)()	\$14,118.	\$31,565.	\$67,566.	\$71,029.	\$91,776.	\$112,524.
L3XLP82-(-)-C	\$32,058.	\$50,636.	\$89,392.	\$93,050.	\$114,976.	\$136,901.
L3XLP90-(-)()	\$13,942.	\$32,639.	\$66,826.	\$72,441.	\$93,616.	\$114,781.
L3XLP90-(-)-C	\$31,773.	\$51,677.	\$82,235.	\$94,439.	\$116,817.	\$139,181.
L3XLP92-(-)()	\$14,610.	\$37,620.	\$74,677.	\$86,795.	\$112,623.	\$138,459.
L3XLP92-(-)-C	\$32,568.	\$57,065.	\$92,231.	\$109,698.	\$136,989.	\$164,292.

Order Code	Finishes	Electrical
<i>Example:</i>	L3XLP80-CW-C-Y-GE3-GE3-GE3-Y	
L3XLP80	300" x 48" rectangular table, plinth edge, five segments	
CW	Corian top	
C	Mirror chrome legs and mirror chrome edge detail	
Y	No cutout, segment 1	
GE3	Cutout for L43x1 Power Center, center, mid-depth, segment 2	
GE3	Cutout for L43x1 Power Center, center, mid-depth, segment 3	
GE3	Cutout for L43x1 Power Center, center, mid-depth, segment 4	
Y	No cutout, segment 5	

- Specify:
1. Pattern number
 2. Top finish (including edgeband)
 3. Base and Edge profile finish
 4. Cut-out options
 5. Grommet finish (optional)




Features		
<i>Power Center Cutout Options: (\$144 per cutout)</i> Tables can be hardwired using pre-wired boxes, or plugged in with cordset boxes. Table top segments may be specified with zero, one or two cutouts. Individual tables have unique cutout options, please refer to the chart below. Power Centers are available in three sizes and multiple configurations. L42X1 Power Centers feature 2 simplex outlets and either one knockout or two active USB jacks, L43X1 Power Centers feature 3 simplex outlets and either one knockout or two active USB jacks, L46X2 Power Centers feature 6 simplex outlets and either two knockouts or four active USB jacks, or combination of both.	For no Power Center (Y) For Single Power Center, center, mid-depth (GE2), (GE3), (BE6) For Single Power Center, left or right of joining section edge, mid-depth (BE2), (BE3), (BE6) Available Electrical Cut-outs per individual table. L3XL80 outside sections: Y, BE2, BE3, BGG2 inside sections: Y, GE2, GE3, GE6, GGG2 L3XL82 outside sections: Y, BE2, BE3, BE6, BGG2 inside sections: Y, GE2, GE3, GE6, GGG2 L3XL90 outside: Y, BE2, BE3, BGG2 inside: Y, GE2, GE3, GE6, GGG2 L3XL92 outside sections: Y, BE2, BE3, BGG2 inside sections: Y, GE2, GE3, GE6, GGG2	 Y  B  G The LSM Conference Table features a distinctive applied edge detail. The extruded aluminum edge detail is available in a plinth edge profile and is finished to match base finish options. To specify the table, select Plinth edge (P); profile is diagramed below. <i>Plinth edge detail:</i>  <i>Note:</i> LSM tables are certified Clean Air GOLD.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Electrical

Power Centers with Cordset

	description	type	w	h	d
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L42X1-CS-X small power center	2 power, 1 telecom plate knockout	11"	4 1/2"	4 3/4"
	L42X1-CS-USB small power center	2 power, 2 active USB	11	4 1/2"	4 3/4"
	L43X1-CS-X medium power center	3 power, 1 telecom plate knockout	13"	4 1/2"	4 3/4"
	L43X1-CS-USB medium power center	3 power, 2 Active USB	13	4 1/2"	4 3/4"
	L46X2-CS-X-X large power center	6 power, 2 telecom plate knockouts	24"	4 1/2"	4 3/4"
	L46X2-CS-USB-X large power center	6 power, 2 Active USB, 1 telecom plate knockout	24"	4 1/2"	4 3/4"
	L46X2-CS-USB-USB large power center	6 power, 4 Active USB	24"	4 1/2"	4 3/4"



pattern no.	painted finish (118, 114)	satin stainless steel (SS)	mirror chrome (C)
L42X1-CS-X-()	\$610.	\$1,432.	\$1,460.
L42X1-CS-USB-()	\$838.	\$1,432.	\$1,460.
L43X1-CS-X-()	\$725.	\$1,527.	\$1,529.
L43X1-CS-USB-()	\$953.	\$1,732.	\$2,278.
L46X2-CS-X-X-()	\$876.	\$1,766.	\$2,054.
L46X2-CS-USB-X-()	\$1,106.	\$1,970.	\$2,245.
L46X2-CS-USB-USB-()	\$1,334.	\$2,172.	\$2,436.

Order Code	Finishes	Features	
<i>Example:</i> L46X2-CS-X-X-C	<i>Power Center finishes:</i> Bright White (suffix 118) Black (suffix R5) Mirror Chrome (suffix C) Satin Stainless Steel (suffix SS)	The Power Center is a flush mounted electrical hub for table-top distribution of power and access to data, or audiovisual connections. Available in three sizes, a multitude of interior configurations, and either as a 15 amp cord set, or a 20 amp prewired version. The L42X1 is available as a cord-set version only; with two simplex electrical outlets and either room for one data faceplate, or with two active USB charging outlets. The L43X1 is available as either a cord-set version or a prewired version, available as two alternating circuits; with three simplex electrical outlets and either room for one data faceplate, or two active USB charging outlets. The L46X2 is available as either a cord-set version or a prewired version, available as two alternation circuits; with six simplex electrical outlets and room for two data faceplates, or four active USB charging outlets, or a combination of two active USB charging outlets and one data faceplates.	All cord-set boxes feature a convenience outlet located on the underside of the box. 108" flexible power cord. <i>Note:</i> Power Centers use Propeller electrical Plexus communication and data faceplates. UL Listed.
L46X2-CS-X-X Large power center with cordset, 6 power, 2 telecom plate knockouts			
C Mirror chrome			
<i>Specify:</i> LSM table with desired cutout size and location 1. Power Center size 2. Communication / USB charging option 3. Power Center finish			

All cord-set boxes feature a convenience outlet located on the underside of the box. 108" flexible power cord.

Note:
Power Centers use Propeller electrical Plexus communication and data faceplates.



UL Listed.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Electrical

Prewired Power Centers

	description	type	w	h	d
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L43X1-HW-X medium power center	3 power, 1 telecom plate knockout	13"	4 1/2"	4 3/4"
	L43X1-HW-USB medium power center	3 power, 2 Active USB	13	4 1/2"	4 3/4"
	L46X2-HW-X-X large power center	6 power, 2 telecom plate knockouts	24"	4 1/2"	4 3/4"
	L46X2-HW-USB-X large power center	6 power, 2 Active USB, 1 telecom plate knockout	24"	4 1/2"	4 3/4"
	L46X2-HW-USB-USB large power center	6 power, 4 Active USB	24"	4 1/2"	4 3/4"



pattern no.	painted finish (118, 114)	satin stainless steel (SS)	mirror chrome (C)
L43X1-HW(C1, C2)-X-()	\$762.	\$1,563.	\$1,559.
L43X1-HW(C1, C2)-USB-()	\$991.	\$1,766.	\$1,751.
L46X2-HW(C1, C2)-X-X-()	\$915.	\$1,802.	\$2,085.
L46X2-HW(C1, C2)-USB-X-()	\$1,144.	\$1,999.	\$2,278.
L46X2-HW(C1, C2)-USB-USB-()	\$1,371.	\$2,201.	\$2,468.

Order Code	Finishes	Features
<i>Example:</i> L43X1-HWC2-X-C		
L43X1-HWC2-X	Medium power center, 3 power, 1 telecom plate knockout, circuit two	<i>Power Center finishes:</i> Bright White (suffix 118) Black (suffix R5) Mirror Chrome (suffix C) Satin Stainless Steel (suffix SS)
C	Mirror Chrome	

*Specify:*LSM table with desired cutout size and location

1. Power Center size
2. Communication/USB charging option
3. Power Center finish

The Power Center is a flush mounted electrical hub for table-top distribution of power and access to data, or audiovisual connections. Available in three sizes, a multitude of interior configurations, and either as a 15 amp cord set, or a 20 amp prewired version. The L42X1 is available as a cord-set version only; with two simplex electrical outlets and either room for one data faceplate, or with two active USB charging outlets. The L43X1 is available as either a cord-set version or a prewired version, available as two alternating circuits; with three simplex electrical outlets and either room for one data faceplate, or two active USB charging outlets. The L46X2 is available as either a cord-set version or a prewired version, available as two alternation circuits; with six simplex electrical outlets and room for two data faceplates, or four active USB charging outlets, or a combination of two active USB charging outlets and one data faceplates.

Prewired boxes feature a simplified four-wire distribution system, with easy to connect jumper cables (sold separately). This option does require hard-wiring from building power to the first Power Center using a power in-feed cable, sold separately.

Alternate between circuits when ordering multiple boxes for a single run.

*Note:*Power Centers use Propeller electrical Plexus communication and data faceplates.


UL Listed.

Debra Lehman-Smith and Ron Fiegenschuh

LSM Electrical

Perimeter Power Electrical Box

	description	type	w	d	h
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	LG2PP2 2 Power, Black Finish		6.5	1.81	2.26
	LG2PP202 2 Power, 2 USB, Black Finish		6.5	1.81	2.26
	LG2PP202X 2 Power, 2 USB, 1 Telcom Plate Knockout, Black Finish		6.5	1.81	2.26
	LG2PP2X 2 Power, 1 Telcom Plate Knockout, Black Finish		6.5	1.81	2.26
	LG2PP4 4 Power, Black Finish		9	1.81	2.26
	LG2PP402 4 Power, 2 USB, Black Finish		9	1.81	2.26
	LG2PP402X 4 Power, 2 USB, 1 Telcom Plate Knockout, Black Finish		9	1.81	2.26
	LG2PP404 4 Power, 4 USB, Black Finish		9	1.81	2.26
	LG2PP4X 4 Power, 1 Telcom Plate Knockout, Black Finish		9	1.81	2.26



pattern no.	.
LG2PP2	\$326.
LG2PP202	\$510.
LG2PP202X	\$510.
LG2PP2X	\$326.
LG2PP4	\$415.
LG2PP402	\$580.
LG2PP402X	\$580.
LG2PP404	\$711.
LG2PP4X	\$415.

Order Code	Features
<i>Example:</i> L4PP2	<i>Note:</i> Perimeter Power Electrical Boxes use Propeller electrical plexus communication and data face plates.
L4PP2	Two power, no plate knockout, black finish, top mount 72" black cord, two 1/2" self tapping screws

Specify:


1. Perimeter power electrical box

	description	length	configuration
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L4JFF Interconnecting cable	12"	Female/Female
		20"	Female/Female
		30"	Female/Female
		35"	Female/Female
		40"	Female/Female
		45"	Female/Female
		50"	Female/Female
		60"	Female/Female
		75"	Female/Female
	L4SF Hardwire Starter Cable	45"	Female
		90"	Female
	L4JFM Interconnecting cable	20"	Female/Male
		40"	Female/Male
		60"	Female/Male
		75"	Female/Male

pattern no.	.
L4JFF-12	\$111.
L4JFF-20	\$123.
L4JFF-30	\$134.
L4JFF-35	\$148.
L4JFF-40	\$154.
L4JFF-45	\$160.
L4JFF-50	\$165.
L4JFF-60	\$171.
L4JFF-75	\$191.
L4SF-45	\$154.
L4SF-90	\$202.
L4JFM-20	\$123.
L4JFM-40	\$154.
L4JFM-60	\$171.
L4JFM-75	\$191.

Order Code	Features
<i>Example:</i> L4JFF-60	For use with the LSM electrical Power Centers.
L4JFF-60 Interconnecting cable, 60" in length	
<i>Specify:</i> 1. Cable type 2. Cable length	Interconnecting cables ensure power connection in a straight line configuration. Link multiple units together without the hassles of sequential placement. Interconnecting cables are a four wire, two circuit system. Hardwire starter cable is required to connect first Power Center unit to building power.

	description	w	h	type
<i>Designer(s):</i> Debra Lehman-Smith and Ron Fiegenschuh, 2012	L4WMR Ribbon wire manager	4.25"	27" - 31"	
	L4WMA Antenna wire manager	3"	23"	
	L4AXSW Power Port Electrical			2 Power Outlets, 1 USB Power Hub, 120" soft cord
	L4AXHW Power Port Electrical			2 Power Outlets, 1 USB Power Hub, 120" hard wire whip



pattern no.	.
L4WMR	\$165.
L4WMA-(111T, 118T)	\$443.
L4AXSW	\$800.
L4AXHW	\$928.

Order Code	Features
<i>Example:</i> L4AXHW	<i>Ribbon Vertical Wire Manager:</i> The ribbon vertical manager, designed by LSM, is a mirror chrome spring that serves as a conduit for vertical cable management. Spring diameter is 2.5". Die-cast aluminum flanges terminate the top and bottom of the spring and are finished in a smooth medium grey powder coat paint.
L4AXHW	<i>Antenna Vertical Wire Manager:</i> The Antenna vertical manager serves as an enclosed vertical cable conduit for vertical cable management. Offered in two painted options. <i>Antenna finishes:</i> Black (suffix 111T) Bright White (suffix 118T)
	<i>Power Port Electrical:</i> The Power Port trough offers under table access to electrical power within the center trough of the V-Base table series. Available in hard wire or cord set, the box offers two simplex electrical outlets and four active USB charging outlets. The easy to mount boxes simply fit into existing cut outs and are secured using thumb screws (included). UL Listed.

A medium grey ABS plastic spacer fits between the top flange and the underside of the table which provides horizontal wire distribution in four directions. Connection hardware is included and consists of wood screws and double sided table, for use depending on top and table type.

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
KBXB3030	158	KCXW6030	142	KERG	178	KLCXA7224	146
KBXB3636E	160	KCXW7218	142	KE-VB	188	KLCXA7230	146
KBXB36D	158	KCXW7221	142	KE-VC	188	KLCXW4818	146
KBXB42DE	160	KCXW7224	142	KE-VCT	188	KLCXW4821	146
KBXC3030	158	KCXW7230	142	KE-VCTE	188	KLCXW4824	146
KBXC3636E	160	KE1101C120	178	KE-VF	188	KLCXW4830	146
KBXC36D	158	KE1101C48	178	KE-VG	188	KLCXW6018	146
KBXC42DE	160	KE1101C72	178	KE-VY	188	KLCXW6021	146
KBXL3030	158	KE1200C120	178	KFXW3636	154	KLCXW6024	146
KBXL3636E	160	KE1200C48	178	KFXW4242	154	KLCXW6030	146
KBXL36D	158	KE1200C72	178	KFXW4818	154	KLCXW7218	146
KBXL42DE	160	KE2201C48	178	KFXW4824	154	KLCXW7221	146
KBXW3030	158	KE2201C72	178	KFXW4830	154	KLCXW7224	146
KBXW3636E	160	KE2300C48	178	KFXW4836	154	KLCXW7230	146
KBXW36D	158	KE2300C72	178	KFXW4848	154	KLJ12U2	184
KBXW42DE	160	KE3202C48	178	KFXW6018	154	KLJ24U2	184
KCPA4818	144	KE3202C72	178	KFXW6024	154	KLJ36U2	184
KCPA4821	144	KE3400C48	178	KFXW6030	154	KLJ48U2	184
KCPA4824	144	KE3400C72	178	KFXW6036	154	KLJ60U2	184
KCPA4830	144	KE4202C48	180	KFXW7218	154	KLSC120U2	184
KCPA6018	144	KE4202C72	180	KFXW7224	154	KLSC72U2	184
KCPA6021	144	KE4202L48U2	180	KFXW7230	154	KP-18	162
KCPA6024	144	KE4202L60U2	180	KFXW7236	154	KP-24	162
KCPA6030	144	KE4301C48	180	KGANG 142, 144, 146, 148, 150, 152, 156, 162, 164, 166		KP-30	162
KCPA7218	144	KE4301C72	180			KP-36	162
KCPA7221	144	KE4301L48U2	180	KLA1-2	184	KP-DOLLY	162
KCPA7224	144	KE4301L60U2	180	KLA2-1	184	KS-01	172
KCPA7230	144	KE4400C48	180	KLCPA4818	148	KS-02L	172
KCPW4818	144	KE4400C72	180	KLCPA4821	148	KS-02R	172
KCPW4821	144	KE5202C48	180	KLCPA4824	148	KS-11L	174
KCPW4824	144	KE5202C72	180	KLCPA4830	148	KS-11R	174
KCPW4830	144	KE5202H(L,R)	180	KLCPA6018	148	KS-12L	176
KCPW6018	144	KE5202L48U2	180	KLCPA6021	148	KS-12R	176
KCPW6021	144	KE5202L60U2	180	KLCPA6024	148	KS-13L	176
KCPW6024	144	KE5301C48	180	KLCPA6030	148	KS-13R	176
KCPW6030	144	KE5301C72	180	KLCPA7218	148	KS-21L	170
KCPW7218	144	KE5301H(L,R)	180	KLCPA7221	148	KS-21R	170
KCPW7221	144	KE5301L48U2	180	KLCPA7224	148	KS24L	194
KCPW7224	144	KE5301L60U2	180	KLCPA7230	148	KS30L	194
KCPW7230	144	KE5400C48	180	KLCPW4818	148	KS-31	168
KCXA4818	142	KE5400C72	180	KLCPW4821	148	KS36L	194
KCXA4821	142	KE6301C48	182	KLCPW4824	148	KS48L	190
KCXA4824	142	KE6301C72	182	KLCPW4830	148	KS60L	190
KCXA4830	142	KE6301H	182	KLCPW6018	148	KS72L	190
KCXA6018	142	KE6301L48U2	182	KLCPW6021	148	KS84L	190
KCXA6021	142	KE6301L60U2	182	KLCPW6024	148	KSB-M	196
KCXA6024	142	KE7202C72	180	KLCPW6030	148	KSB-MCB	196
KCXA6030	142	KE7301C72	180	KLCPW7218	148	KSB-PD	196
KCXA7218	142	KE7400C72	180	KLCPW7221	148	KSB-PS	196
KCXA7221	142	KE8201C48	180	KLCPW7224	148	KSF48L	192
KCXA7224	142	KE8201C72	180	KLCPW7230	148	KSF60L	192
KCXA7230	142	KE8201H(L,R)	180	KLCXA4818	146	KSF72L	192
KCXE6030	142	KE8201L48U2	180	KLCXA4821	146	KST60L	192
KCXE7230	142	KE8201L60U2	180	KLCXA4824	146	KST72L	192
KCXW4818	142	KE8300C48	180	KLCXA4830	146	KTD	186
KCXW4821	142	KE8300C72	180	KLCXA6018	146	KTK48	186
KCXW4824	142	KE8300H(L,R)	180	KLCXA6021	146	KTK60	186
KCXW4830	142	KE8300L48U2	180	KLCXA6024	146	KTK72	186
KCXW6018	142	KE8300L60U2	180	KLCXA6030	146	KTK84	186
KCXW6021	142	KE-H	188	KLCXA7218	146	KTK96	186
KCXW6024	142	KE-KLH	188	KLCXA7221	146	KTPA6030	152

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
KTPA6036	152	L3TVP36	204	P2-C15	22	P2-R25	18
KTPA7230	152	L3TVP52	204	P2-C16	22	P2-R26	18
KTPA7236	152	L3TVP54	206	P2-C17	22	P2-R32	18
KTPW6030	152	L3VLP60	222	P2-C-2	86	P2-R34	18
KTPW6036	152	L3VLP62	222	P2-C21	22	P2-R36	18
KTPW7230	152	L3VLP70	222	P2-C22	22	P2-RLEG2KIT	86
KTPW7236	152	L3VLP72	222	P2-C23	22	P2-RLEG4KIT	86
KTSH120	186	L3VVP60	206	P2-C24	22	P2-S92	20
KTSH72	186	L3VVP62	206	P2-C25	22	P2-S94	20
KTXA6030	150	L3VVP70	206	P2-C26	22	P2-S96	20
KTXA6036	150	L3VVP72	210	P2-C27	22	P2-SC2411	76
KTXA7230	150	L3XLP80	224	P2-C28	22	P2-SC2413	76
KTXA7236	150	L3XLP82	224	P2-C29	22	P2-SC2418	76
KTXE6036	150	L3XLP90	224	P2-C32	22	P2-SC3011	76
KTXE7236	150	L3XLP92	224	P2-C34	22	P2-SC3013	76
KTXW6030	150	L3XVP90	208	P2-C36	22	P2-SC3018	76
KTXW6036	150	L3XVP92	210	P2-CASTER4	86	P2-SC3611	76
KTXW7230	150	L3XVP94	210	P2-DOLLY24	26	P2-SC3613	76
KTXW7236	150	L42X1-CS-USB	226	P2-DOLLY26	26	P2-SC3618	76
KYDW9648	156	L42X1-CS-X	226	P2-DOLLY34	26	P2-SC4211	76
KYPW7236	156	L43X1-CS-USB	226	P2-DOLLY36	26	P2-SC4213	76
KYPW8436	156	L43X1-CS-X	226	P2-DOLLY-H	26	P2-SC4218	76
KYXW7236	156	L43X1-HW(C1, C2)-USB	228	P2-F14	26	P2-SC4811	76
KYXW8436	156	L43X1-HW(C1, C2)-X	228	P2-F16	26	P2-SC4813	76
KZTPA4824	166	L46X2-CS-USB-USB	226	P2-F24	26	P2-SC4818	76
KZTPA6024	166	L46X2-CS-USB-X	226	P2-F25	26	P2-SC6011	76
KZTPA6030	166	L46X2-CS-X-X	226	P2-F26	26	P2-SC6013	76
KZTPW4824	166	L46X2-HW(C1, C2)-USB-USB	228	P2-F34	26	P2-SC6018	76
KZTPW6024	166	L46X2-HW(C1, C2)-USB-X	228	P2-F36	26	P2-SC6611	76
KZTPW6030	166	L46X2-HW(C1, C2)-X-X	228	P2FT4811	82	P2-SC6613	76
KZTXA4824	164	L4AXHW	234	P2FT4813	82	P2-SC6618	76
KZTXA6024	164	L4AXSW	234	P2FT4818	82	P2-SC7211	76
KZTXA6030	164	L4JFF-12	232	P2FT6011	82	P2-SC7213	76
KZTXW4824	164	L4JFF-20	232	P2FT6013	82	P2-SC7218	76
KZTXW6024	164	L4JFF-30	232	P2FT6018	82	P2-SC-BKT-MP	80
KZTXW6030	164	L4JFF-35	232	P2FT7211	82	P2-SC-BKT-PS	80
L3RL(P,S)52	214	L4JFF-40	232	P2FT7213	82	P2-SC-BKT-PSD	80
L3RLP00	214	L4JFF-45	232	P2FT7218	82	P2-SC-BKT-PSE	80
L3RLP02	214	L4JFF-50	232	P2-FT-BKT-MP	82	P2-SC-BKT-PST	80
L3RLP04	214	L4JFF-60	232	P2-GLIDE4	86	P2SCT2411	78
L3RLP10	216	L4JFF-75	232	P2-H12	28	P2SCT2413	78
L3RLP12	216	L4JFM-20	232	P2-H14	28	P2SCT2418	78
L3RLP14	216	L4JFM-40	232	P2-H16	28	P2SCT3011	78
L3RLP48	214	L4JFM-60	232	P2-H22	28	P2SCT3013	78
L3RV(P,S)01	200	L4JFM-75	232	P2-H24	28	P2SCT3018	78
L3RVP04	200	L4SF-45	232	P2-H26	28	P2SCT3611	78
L3SL(P,S)60	214	L4SF-90	232	P2-H32	28	P2SCT3613	78
L3SLP20	218	L4WMA	234	P2-H34	28	P2SCT3618	78
L3SLP22	218	L4WMR	234	P2-H36	28	P2SCT4211	78
L3SLP24	218	LG2PP2	230	P2-M10	20	P2SCT4213	78
L3SLP30	218	LG2PP202	230	P2-M20	20	P2SCT4218	78
L3SLP32	218	LG2PP202X	230	P2-M30	20	P2SCT4811	78
L3SLP34	218	LG2PP2X	230	P2-N30	18	P2SCT4813	78
L3SLP48	214	LG2PP4	230	P2-N41	18	P2SCT4818	78
L3SV P22	202	LG2PP402	230	P2-N52	18	P2SCT6011	78
L3SVP24	204	LG2PP402X	230	P2-R02	18	P2SCT6013	78
L3SVP26	204	LG2PP404	230	P2-R04	18	P2SCT6018	78
L3SVP32	202	LG2PP4X	230	P2-R06	18	P2SCT6611	78
L3SVP35	204	P2-C02	22	P2-R10	18	P2SCT6613	78
L3TLP40	220	P2-C04	22	P2-R12	18	P2SCT6618	78
L3TLP42	220	P2-C06	22	P2-R14	18	P2SCT7211	78
L3TLP44	220	P2-C10	22	P2-R16	18	P2SCT7213	78
L3TLP50	220	P2-C12	22	P2-R21	18	P2SCT7218	78
L3TLP52	220	P2-C13	22	P2-R22	18	P2-TCLEG2	86
L3TLP54	220	P2-C14	22	P2-R24	18	P2-TCLEG218	86

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
P2-TLEG2	86	P3-CL20	40	P3-EL10	44	P3-FL58	42
P2-TLEG4	86	P3-CL22	40	P3-EL12	44	P3-FP06	66
P2-TTLEG2	86	P3-CL30	40	P3-EL14	44	P3-FP10	66
P2-TTLEG30	86	P3-CL32	40	P3-EL16	44	P3-FP12	66
P2-X30	30	P3-CL34	40	P3-EL18	44	P3-FP14	66
P2-X36	30	P3-CL36	40	P3-EL20	44	P3-FP16	66
P2-X42	30	P3-CL38	40	P3-EL30	44	P3-FP18	68
P2-X48	30	P3-CL40	40	P3-EL32	44	P3-FP26	68
P2-Y42	30	P3-CL42	40	P3-EL34	44	P3-FP30	68
P2-Y48	30	P3-CL50	40	P3-EL36	44	P3-FP32	68
P3-BD62	54	P3-CL52	40	P3-EL38	44	P3-FP34	68
P3-BD64	54	P3-CL54	40	P3-EL40	44	P3-FP36	68
P3-BD82	54	P3-CL56	40	P3-EL50	44	P3-FP38	68
P3-BD84	54	P3-CL58	40	P3-EL52	44	P3-FP46	68
P3-BD86	54	P3-CL60	40	P3-EL54	44	P3-FP50	68
P3-BL42	36	P3-CL62	40	P3-EL56	44	P3-FP52	68
P3-BL44	36	P3-CLEG-C	86	P3-EL58	44	P3-FP54	68
P3-BL46	36	P3-CLEG-F	86	P3-EL60	44	P3-FP56	68
P3-BL48	36	P3-CLEG-PE	110	P3-EP10	68	P3-FP58	68
P3-BL50	36	P3-CLEG-PR	108	P3-EP12	68	P3-J42	30
P3-BL52	36	P3-CP10	66	P3-EP14	68	P3-J48	30
P3-BL54	36	P3-CP12	66	P3-EP16	68	P3-KNOB8	86
P3-BL56	36	P3-CP14	66	P3-EP18	68	P3-L30	30
P3-BL62	36	P3-CP16	66	P3-EP20	68	P3-L36	30
P3-BL64	36	P3-CP18	66	P3-EP30	68	P3-L42	30
P3-BL66	36	P3-CP20	66	P3-EP32	68	P3-L48	30
P3-BL68	36	P3-CP22	66	P3-EP34	68	P3-MD48	54
P3-BL70	36	P3-CP30	66	P3-EP36	68	P3-MD54	54
P3-BL72	36	P3-CP32	66	P3-EP38	68	P3-MD60	54
P3-BL74	36	P3-CP34	66	P3-EP40	68	P3-ML42	34
P3-BL76	36	P3-CP36	66	P3-EP50	68	P3-ML48	34
P3-BL82	36	P3-CP38	66	P3-EP52	70	P3-ML54	34
P3-BL84	36	P3-CP40	66	P3-EP54	70	P3-ML60	34
P3-BL86	36	P3-CP42	66	P3-EP56	70	P3-ND64	54
P3-BL88	36	P3-CP50	66	P3-EP58	70	P3-NL44	34
P3-BL90	36	P3-CP52	66	P3-EP60	70	P3-NL46	34
P3-BL92	36	P3-CP54	66	P3-FD26	56	P3-NL48	34
P3-BL94	36	P3-CP56	66	P3-FD30	56	P3-NL50	34
P3-BL96	36	P3-CP58	66	P3-FD32	56	P3-NL52	34
P3-BP50	64	P3-CP60	66	P3-FD34	56	P3-NL54	34
P3-BP52	64	P3-CP62	66	P3-FD36	56	P3-NL56	34
P3-BP54	64	P3-DBASEL	88	P3-FD38	56	P3-NL64	34
P3-BP56	64	P3-DBASEL-W	88	P3-FD46	56	P3-NL66	34
P3-BP70	64	P3-DBASEM	88	P3-FD50	56	P3-NL68	34
P3-BP72	64	P3-DBASEM-W	88	P3-FD52	56	P3-NL70	34
P3-BP74	64	P3-DBASES	88	P3-FD54	56	P3-NL72	34
P3-BP76	64	P3-DBASES-W	88	P3-FD56	56	P3-NL74	34
P3-BP96	64	P3-DD48	54	P3-FD58	56	P3-NL76	34
P3-CD30	56	P3-DD54	54	P3-FL06	42	P3-NL88	34
P3-CD32	56	P3-DD60	54	P3-FL10	42	P3-NL90	34
P3-CD34	56	P3-DL48	34	P3-FL12	42	P3-NL92	34
P3-CD36	56	P3-DL54	34	P3-FL14	42	P3-NL94	34
P3-CD38	56	P3-DL60	34	P3-FL16	42	P3-NL96	34
P3-CD40	56	P3-ED30	58	P3-FL18	42	P3-NP50	64
P3-CD50	56	P3-ED32	58	P3-FL26	42	P3-NP52	64
P3-CD52	56	P3-ED34	58	P3-FL30	42	P3-NP54	64
P3-CD54	56	P3-ED36	58	P3-FL32	42	P3-NP56	64
P3-CD56	56	P3-ED38	58	P3-FL34	42	P3-NP70	64
P3-CD58	56	P3-ED40	58	P3-FL36	42	P3-NP72	64
P3-CD60	56	P3-ED50	58	P3-FL38	42	P3-NP74	64
P3-CL10	40	P3-ED52	58	P3-FL46	42	P3-NP76	64
P3-CL12	40	P3-ED54	58	P3-FL50	42	P3-NP96	64
P3-CL14	40	P3-ED56	58	P3-FL52	42	P3-PBASE	90
P3-CL16	40	P3-ED58	58	P3-FL54	42	P3-PBASE-W	90
P3-CL18	40	P3-ED60	58	P3-FL56	42	P3-RBASEL	90

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
P3-RBASEL-W	90	P3-SL50	46	P3-TP54	72	P4-AMP1145B	104
P3-RBASEM	90	P3-SL52	46	P3-TP56	72	P4-AWB20	100
P3-RBASEM-W	90	P3-SL53	46	P3-TP58	72	P4-AWB26	100
P3-RBASES	90	P3-SL54	38	P3-TP60	72	P4-AWB32	100
P3-RBASES-W	90	P3-SL56	46	P3-TS30	62	P4-AWB36	100
P3-RBASEXL	90	P3-SL60	38	P3-TS32	62	P4-AWB42	100
P3-RBASEXL-W	90	P3-SP10	72	P3-TS34	62	P4-GR	100
P3-RL40	38	P3-SP12	72	P3-TS36	62	P4-MRI	100
P3-RL42	38	P3-SP14	72	P3-TS38	62	P4-PDC-12	104
P3-RL44	38	P3-SP16	72	P3-TS40	62	P4-PDC-21	104
P3-RL46	38	P3-SP30	72	P3-TS50	62	P4-PDC-22	104
P3-RL48	38	P3-SP32	72	P3-TS52	62	P4-PDC-24	104
P3-RL50	38	P3-SP34	72	P3-TS54	62	P4-PP	100
P3-RL52	38	P3-SP36	72	P3-TS56	62	P4-RW-C2	86
P3-RL54	38	P3-SP50	72	P3-TS58	62	P4-RWDA	104
P3-RL56	38	P3-SP52	72	P3-TS60	62	P4-RWDB	104
P3-RL62	38	P3-SP54	72	P3-VL10	50	P4-RWDOX	104
P3-RL64	38	P3-SP56	72	P3-VL12	50	P4-RWDOY	104
P3-RL66	38	P3-SS30	62	P3-VL14	50	P4-RWDX	104
P3-RL68	38	P3-SS32	62	P3-VL16	50	P4-RWDY	104
P3-RL70	38	P3-SS34	62	P3-VL18	50	P4-RWIN4-CL	108
P3-RL72	38	P3-SS36	62	P3-VL20	50	P4-RWIN4-CLE	110
P3-RL74	38	P3-SS48	60	P3-VL30	50	P4-RWIN4-CR	108
P3-RL76	38	P3-SS50	62	P3-VL32	50	P4-RWIN4-CRE	110
P3-RL80	38	P3-SS52	62	P3-VL34	50	P4-RWIN4-REL	110
P3-RL82	38	P3-SS53	62	P3-VL36	50	P4-RWIN4-RER	110
P3-RL86	38	P3-SS54	60	P3-VL38	50	P4-RWIN4-RL	108
P3-RL88	38	P3-SS56	62	P3-VL40	50	P4-RWIN4-RR	108
P3-RL90	38	P3-SS60	60	P3-VL50	50	P4-RWIN4-T	108
P3-RL92	38	P3-TL10	48	P3-VL52	50	P4-RWIN4-TE	110
P3-RL94	38	P3-TL12	48	P3-VL54	50	P4-RWJ10	106
P3-RL96	38	P3-TL14	48	P3-VL56	50	P4-RWJ17	106
P3-RP50	64	P3-TL16	48	P3-VL58	50	P4-RWJ27	106
P3-RP52	64	P3-TL18	48	P3-VL60	50	P4-RWJ37	106
P3-RP54	64	P3-TL20	48	P3-VP10	74	P4-RWJ47	106
P3-RP56	64	P3-TL30	48	P3-VP12	74	P4-RWJ57	106
P3-RP70	64	P3-TL32	48	P3-VP14	74	P4-RWJ67	106
P3-RP72	64	P3-TL34	48	P3-VP16	74	P4-RWM30	106
P3-RP74	64	P3-TL36	48	P3-VP18	74	P4-RWM96	106
P3-RP76	64	P3-TL38	48	P3-VP20	74	P4-RWMFJ10	106
P3-RP96	64	P3-TL40	48	P3-VP30	74	P4-RWMFJ17	106
P3-RR68	60	P3-TL50	48	P3-VP32	74	P4-RWMFJ27	106
P3-RR72	60	P3-TL52	48	P3-VP34	74	P4-RWMFJ37	106
P3-RR88	60	P3-TL54	48	P3-VP36	74	P4-RWR48	104
P3-RR92	60	P3-TL56	48	P3-VP38	74	P4-RWR60	104
P3-RS62	60	P3-TL58	48	P3-VP40	74	P4-RWR66	104
P3-RS64	60	P3-TL60	48	P3-VP50	74	P4-RWR72	104
P3-RS80	60	P3-TLEGU-PE	110	P3-VP52	74	P4-RWT	104
P3-RS82	60	P3-TLEGU-PE30	110	P3-VP54	74	P4S-BOXM-E	96
P3-SBASEL	88	P3-TLEGU-PR	108	P3-VP56	74	P4S-BOXM-PP-11	94
P3-SBASEL-W	88	P3-TLEGU-PR30	108	P3-VP58	74	P4S-BOXM-PP-4511	94
P3-SBASEM	88	P3-TP10	72	P3-VP60	74	P4S-BOXM-PP-5	94
P3-SBASEM-W	88	P3-TP12	72	P3-VS30	62	P4S-BOXM-PRA	98
P3-SBASES	88	P3-TP14	72	P3-VS32	62	P4S-BOXM-PRB	98
P3-SBASES-W	88	P3-TP16	72	P3-VS34	62	P4S-BOXS-PP-2	94
P3-SL10	46	P3-TP18	72	P3-VS36	62	P4S-BOXS-PP-X	94
P3-SL12	46	P3-TP20	72	P3-VS38	62	P4SD-BOXM-E	96
P3-SL14	46	P3-TP30	72	P3-VS40	62	P4SD-BOXM-PP-11	94
P3-SL16	46	P3-TP32	72	P3-VS50	62	P4SD-BOXM-PP-4511	94
P3-SL30	46	P3-TP34	72	P3-VS52	62	P4SD-BOXM-PP-5	94
P3-SL32	46	P3-TP36	72	P3-VS54	62	P4SD-BOXM-PRA	98
P3-SL34	46	P3-TP38	72	P3-VS56	62	P4SD-BOXM-PRB	98
P3-SL36	46	P3-TP40	72	P3-VS58	62	P4-WM4	88, 90
P3-SL42	38	P3-TP50	72	P3-VS60	62	P4-WMT-18	100
P3-SL48	38	P3-TP52	72	P4-AMP1145A	104	P4-WMT-32	100

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
P4-WMT-44	100	P7GR-C6	112
P4-WMT-56	100	P7GR-C6-C6	112
P4-WMT-96	100	P7GR-C6-C6-C6	114
P5-01	84	P7GR-C6-C6-C6-C6	114
P5-02	84	P7GR-CM	138
P5-11	84	P7GR-DVI	130
P5-12	84	P7GR-DVI-MSI-MSI	130
P5-13	84	P7GR-DVI-MS-MS	130
P5-14	84	P7GR-DVI-SV	136
P5-15	84	P7GR-DVI-VGA	130
P5-21	84	P7GR-HDMI	132
P5-22	84	P7GR-HDMI-VGA-MS	132
P5-23	84	P7GR-HDMI-VGA-MSI	134
P5-24	84	P7GR-LC-LC	116
P5-25	84	P7GR-LC-LC-C6-C6	116
P5-26	84	P7GR-RCA	136
P5-27	84	P7GR-SV	136
P5-28	84	P7GR-USB-USB	126
P5-29	84	P7GR-VGA-C3-C6	118
P5-C	84	P7GR-VGA-C6	116
P5-D	84	P7GR-VGA-C6-C6	118
P6-C02	24	P7GR-VGA-MS	124
P6-C04	24	P7GR-VGA-MS-C3-C6	118
P6-C06	24	P7GR-VGA-MS-C6	120
P6-C12	24	P7GR-VGA-MS-C6-C6	122
P6-C14	24	P7GR-VGA-MSI	124
P6-C16	24	P7GR-VGA-MSI-C3-C6	120
P6-C22	24	P7GR-VGA-MSI-C6	120
P6-C24	24	P7GR-VGA-MSI-C6-C6	122
P6-C26	24	P7GR-VGA-MSI-RCA	128
P6-C32	24	P7GR-VGA-MSI-USB	134
P6-C34	24	P7GR-VGA-MS-RCA	126
P6-C36	24	P7GR-VGA-MS-USB	134
P7-3M-3M	124	P7GR-VGA-RCA	128
P7-3M-3M-3M	126	P7GR-VGA-USB	126
P7-3X-3X	124	P7GR-X	138
P7-C3	112	P7-HDMI	132
P7-C3-C3-C6-C6	114	P7-HDMI-VGA-MS	132
P7-C3-C6	112	P7-HDMI-VGA-MSI	134
P7-C3-C6-C6	112	P7-LC-LC	116
P7-C3-C6-USB	122	P7-LC-LC-C6-C6	116
P7-C3I-C3I	116	P7-RCA	136
P7-C5-C5	114	P7-SV	136
P7-C5-C5-C5	114	P7-USB-USB	126
P7-C6	112	P7-VGA-C3-C6	118
P7-C6-C6	112	P7-VGA-C6	116
P7-C6-C6-C6	114	P7-VGA-C6-C6	118
P7-C6-C6-C6-C6	114	P7-VGA-MS	124
P7-CM	138	P7-VGA-MS-C3-C6	118
P7-DVI	130	P7-VGA-MS-C6	120
P7-DVI-MSI-MSI	130	P7-VGA-MS-C6-C6	122
P7-DVI-MS-MS	130	P7-VGA-MSI	124
P7-DVI-SV	136	P7-VGA-MSI-C3-C6	120
P7-DVI-VGA	130	P7-VGA-MSI-C6	120
P7GR-3M-3M	124	P7-VGA-MSI-C6-C6	122
P7GR-3M-3M-3M	126	P7-VGA-MSI-RCA	128
P7GR-3X-3X	124	P7-VGA-MSI-USB	134
P7GR-C3	112	P7-VGA-MS-RCA	126
P7GR-C3-C3-C6-C6	114	P7-VGA-MS-USB	134
P7GR-C3-C6	112	P7-VGA-RCA	128
P7GR-C3-C6-C6	112	P7-VGA-USB	126
P7GR-C3-C6-USB	122	P7-X	138
P7GR-C3I-C3I	116		
P7GR-C5-C5	114		
P7GR-C5-C5-C5	114		

Selling Policy

	This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.
Freight Prepaid	Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.
Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below. Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair). Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts. <i>Product and Period of Warranty</i> <i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Rockwell Unscripted, Series 2 Storage, Template, Quoin and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, digital locks, upholstery, textiles and leathers, special or custom products, see below)</i> <i>12 Years: Chadwick, Generation by Knoll, k. task, Life, Moment, MultiGeneration by Knoll, Ollo, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i> <i>10 Years: Anchor Storage except digital locks, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Rockwell Unscripted, Quoin wood components, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, k. lounge structural components, KnollStudio Pixel and Propeller, Tone bases and k.screens.</i> <i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, Currents handcrank, KnollStudio, Rockwell Unscripted wire bases, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU holders and all universal storage drawers and Power Collection, k. bench (except changes in finish, see below) and k. stand bases (except changes in finish, see below).</i> <i>3 Years: Rockwell Unscripted upholstery (except textiles and leather), Office Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, KnollExtra Pop Up Screens.</i> <i>2 Years: Anchor Storage digital locks, Quoin digital locks, all other KnollExtra product and KnollTextiles Ultrasuede.</i> <i>1 Year: Light ballasts, bulbs and power supply, seating upholstered arm pads and soft arm pads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric. Rockwell Unscripted fabric and accessories, Spinneybeck leathers, and KnollTextiles upholstery except Ultrasuede.</i> This warranty does not apply to: • Damage caused by a carrier other than the Seller. • Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products). • COM or other third party materials applied to Products. • Products not installed by or under the auspices of a Knoll Dealer. • Dramatic temperature variations or exposure to unusual conditions. • Changes in surface finishes, including colorfastness due to aging or exposure to light. • Except as specifically noted above, textiles and upholstery supplied by KnollTextiles and Spinneybeck FilzFelt (consult current price lists for applicable warranties). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE. The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. The foregoing indemnity does not apply to the following: • Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."