

# k. bench

Price List  
March 2020



Knoll

Introduction	Knoll and Sustainable Design	2
	Finish Options	3
	Knoll Textiles Approved for Fabric Boards	5
	Knoll Textiles Approved for Fabric Center Screens	7
Tops	Rectangular Tops	8
	Radiused Tops	10
Dual Bases	k.™ bench Dual Bases	13
Single-Sided Bases	k.™ bench Single-Sided Bases	15
Single-Sided Back Panels	k.™ bench Single-Sided Back Panels	17
Desk Screens	k.™ bench Desk Screens with 1¼" Cord Drop	20
	k.™ bench Desk Screens, No Cord Drop	21
Fabric Board	k.™ bench Fabric Board	22
Center Screens	k.™ bench Center Screens	23
Cable Management	k.™ bench Cable Management	25
Power Components	k.™ bench Modular Power Components	26
Alpha-Numeric Index		30
Selling Policy		32
General Ordering Information		34

# Knoll and Sustainable Design

---

Each year Knoll sets key initiatives in the journey to sustainability. Focused on our impact to people and planet, Knoll reports material health product attributes and sets operational targets to reduce greenhouse gas emissions, waste generation and water use (in our North American facilities.)

Material transparency is a core Knoll sustainable design value, enabling us to optimize the design and performance of our products. Our material health program utilizes independent third-party certifications that provide an impartial and trustworthy foundation for industry-wide transparency. Certification by respected third parties ensures that all manufacturers are held to the same high standards. Knoll certifications include: Forest Stewardship Council (FSC®), Intertek's Clean Air Program, Business and Institutional Furniture Manufacturer's Association (BIFMA) LEVEL® certification, International Living Future Institute's (ILFI) Declare labelling and Certified Environmental Product Declarations. In addition, Knoll is aligned with the U.S. Green Building Council and can help organizations achieve credits for Leadership in Energy and Environmental Design (LEED®), WELL and the Living Building Challenge (LBC) building certifications.

In our manufacturing operations, we focus on efficiency and impact. Knoll Office and Knoll Europe manufacturing locations are ISO 14001:2015 certified. Knoll sets objectives and targets to reduce energy, water and waste. These initiatives are part of a long-term strategy to further reduce energy consumption and lower our carbon footprint.

We also believe in helping our customers find viable options when decommissioning furniture or other related assets. ANEW's Full Circle Program, in partnership with Knoll, allows customers to leverage buy-back and re-sale programs as well as explore options for repurposing or recycling that mitigate landfill impact through energy-from-waste conversion.

For more information about Knoll and sustainable design, visit [www.knoll.com/environment](http://www.knoll.com/environment).

---

**k. bench Paint Finish**

KBB Black  
 KBW White  
 KBC Grey

**Plastic Color**

B Black  
 W White  
 G Grey

**Felt Color**

B Black  
 G Grey

---

**KNOLL CORE LAMINATES**

**Solid Colors**

111 Jet Black\* \*\*  
 114 Folkstone Grey\* \*\*  
 115 Medium Grey\* \*\*  
 117 Soft Grey\* \*\*  
 118 Bright White\* \*\*  
 119 Pumice\* \*\*

**Patterned**

121 Micro Grey  
 122 Brushed Sand  
 123 Brushed Grey  
 129 Micro Sand

**Wood Grain**

124 Medium Cherry\* \*\*  
 125 Natural Maple\* \*\*  
 126 Natural Cherry\* \*\*  
 127 Walnut\* \*\*  
 139 Light Ash\* \*\*  
 140 Warm Ash\* \*\*  
 141 Whitened Ash\*  
 142 Grey Ash\* \*\*  
 143 Classic Oak\* \*\*  
 144 GraphitePear\* \*\*  
 145 Zebra\*  
 147 Silverwood\*\*  
 148 Smokewood\*\*  
 149 Barnwood\*\*

\*Matching edgeband available  
 \*\*Melamine worksurface finish

**MARKERBOARD LAMINATE**

M Markerboard

**EDGE OPTIONS FOR LAMINATE**

**WORKSURFACES**

WPLY Ply Edge Wood (V1 pricing)  
 SPLY Ply Edge Synthetic (L pricing)

## Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

<b>Code</b>	<b>V1 TECHWOOD</b>	<b>Code</b>	<b>V2 PREMIUM TECHWOOD</b>	<b>Code</b>	<b>V3 PREMIUM VENEER</b>
638	Blond Maple	647	White Pine	039	Pippy Oak *
628	Dark Mahogany	640	Ebony	044	Figured Sycamore
639	Light Cherry	642	Grigio		
641	Black Oak				
506	Maple				
509	Cherry	020	<b>V2 NATURAL VENEER</b> Natural Oak		
512	Medium Walnut	038	Rustic Walnut *		
513	Medium Teak	017	Light Walnut		
514	Espresso	002	Bronze Cherry		
637	Natural	006	Maple		
644	Light Walnut	021	Peacock Green Walnut		
645	Dove Grey	022	Old English Walnut		
		037	Birch		

	<b>Gloss Level</b>	<b>Fill Level</b>
A	Low Gloss	Closed Pore
B	MediumGloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

## Edge Options for Veneers

WOOD	Complementary Wood
SYN	Complementary Synthetic
WPLY	Wood Ply Edge *
SPLY	Synthetic Ply Edge *

\* Ply Edge available on Birch (037) worksurfaces.

### \*Note:

-Synthetic Edge option is available on worksurfaces, only.

-Finishes with \* are available on worksurfaces only.

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

<b>Fabric Name</b>	<b>Part #</b>	<b>Width</b>	<b>Grade</b>	<b>Application Note</b>
Beacon	W1597	66	10	Color #1, not approved
Annex	W1360	66	10	
Broadcloth II	W1619	66	10	
Circuit	W1754	66	10	
Element	W1077	66	10	
Growth Spurt	W692	66	10	
Messa	W2061	66	10	
Pivot	W1926	66	10	
Skylark	W1718	66	10	
Symbolic Details	W693	66	10	
Tailor Made II	W1610	66	10	Colors #1, 2A, 3, 5, & 8 are not approved
Twister	W1923	66	10	
Versatility	W432	66	10	
Reflect	W884	67	20	
Delite	K2026	54	20	Must be railroaded on Fabric Boards wider than 54"
Circle Line	W1146	66	20	
Clarity	W281	66	20	
Criss Cross	W305	66	20	
Edo	W2111	66	20	
Infinite	K2263	54	20	
Labyrinth	W352	66	20	
Logic	W1318	66	20	
Mainframe	W1783	66	20	
Nematic II	W1620	66	20	
Photon II	W1695	66	20	
Interknit	W1090	66	30	
Match Point	W1145	68	30	
Micro	W465	66	30	
Progression	W403	66	30	
Relay	W1020	66	30	
Synth	K1693	54	30	Must be railroaded on Fabric Boards wider than 54"
Foil Rap	W535	66	40	
Heavy Metal	W539	66	40	
Hourglass	K1523	56	40	Must be railroaded on Fabric Boards wider than 54"
Amplify	W1215	66	40	
Bandwidth	W1219	66	40	
Glisten	WC1071	54	40	Must be railroaded on Fabric Boards wider than 54"
Hard Rock	W1007	66	40	
Palladium	W1030	66	40	
Spellbound	W1464	58	40	Must be railroaded on Fabric Boards wider than 54"
Dristi	K872	54	45	Must be railroaded on Fabric Boards wider than 54" Color #3b not approved
Backdrop	W302	66	45	
Abacus	K715	54	50	Must be railroaded on Fabric Boards wider than 54"
Prep	K1076	58	50	Must be railroaded on Fabric Boards wider than 54"
Chance	K1552	56	50	Must be railroaded on Fabric Boards wider than 54"
Mariner	K642	54	50	Must be railroaded on Fabric Boards wider than 54"


<b>Fabric Name</b>	<b>Part #</b>	<b>Width</b>	<b>Grade</b>	<b>Application Notes</b>
Presto	K1000	54	50	Must be railroaded on Fabric Boards wider than 54"
Trophy	K1709	54	50	Must be railroaded on Fabric Boards wider than 54"
Chroma	K345	54	50	Must be railroaded on Fabric Boards wider than 54" Color #2, 5, 9, 20 not approved
Knoll Hopsack	K1206	55	50	Must be railroaded on Fabric Boards wider than 54"
Wide Angle	K244	54	50	Must be railroaded on Fabric Boards wider than 54"
Stepping Stones	K346	54	50	Must be railroaded on Fabric Boards wider than 54"
Prague	WC1393	54	50	Must be railroaded on Fabric Boards wider than 54"
Tryst	K1522	54	55	Must be railroaded on Fabric Boards wider than 54"
Bistro	K1775	57	55	Must be railroaded on Fabric Boards wider than 54"
Knoll Felt	K1207	54	55	Must be railroaded on Fabric Boards wider than 54"
Ransom	K1298	54	55	Must be railroaded on Fabric Boards wider than 54"
Classic Boucle	K162	54	60	Must be railroaded on Fabric Boards wider than 54"

Textile	Part #	Grade	Width	Application Note	Approved Colors
Annex	W1360	10	66"		8
Beacon	W1597	10	66"		3-9, 11, 12
Broadcloth II	W1619	10	66"		2, 3, 4, 6, 7, 8
Circuit	W1754	10	66"		3, 5, 6, 7
Messa	W2061	10	66"		3-8
Pivot	W1926	10	66"		2, 3, 5, 7-16
Skylark	W1718	10	66"		6, 9
Symbolic Detail	W693	10	66"		2-8
Tailor Made II	W1610	10	66"		4, 9, 10, 11A, 12-16
Twister	W1923	10	66"		3-8
Versatility	W432	10	66"		3-11
Circle Line	W1146	20	66"		1, 4, 5, 7, 8,
Criss Cross	W305	20	66"		7, 8, 9,
Delite	K2026	20	54"	Must be railroaded on screens 54"W or wider	1-14
Edo	W2111	20	66"		1-9
Mainframe	W1783	20	66"		3, 6
Nematic II	W1620	20	66"		3-6
Photon II	W1695	20	66"		4-7, 9-14
Reflect	W884	20	66"		3A-10A, 13A, 14A
Match Point	W1145	30	66"		4, 5, 8, 9, 10
Micro	W465	30	66"		1-7
Synth	K1693	30	55"	Must be railroaded on screens wider than 54"	10
Amplify	W1215	40	66"		4-12
Bandwidth	W1219	40			5-12
Crossroad	K2085	40	54"	Must be railroaded on screens 54"W or wider	2-24
Hourglass	K1523	40	56"	Must be railroaded on screens 54"W or wider	2-28
Monarch	K1149	45	54"	Must be railroaded on screens 54"W or wider	2-16
Presto	K1000	50	54"	Must be railroaded on screens 54"W or wider	2 - 14
Knoll Hopsack	K1206	55	55"	Must be railroaded on screens 54"W or wider	2, 4-16
Ransom	K1298	55	54"	Must be railroaded on screens 54"W or wider	2-14


# Rectangular Tops

For use with k.™ bench Center Screens  
24" and 30" Deep


description	w	d	h	pattern no.	laminate (L)	M/V1 (M/V)	V2 (V)	V3 (V)
k.™ bench Rectangular Tops 24" Deep for Dual or Single-Sided Bases	47"	24"	1 1/4"	<b>KHABT4724( )</b>	\$327.	\$565.	\$651.	\$879.
	53"	24"	1 1/4"	<b>KHABT5324( )</b>	355.	603.	695.	937.
	59"	24"	1 1/4"	<b>KHABT5924( )</b>	381.	642.	738.	999.
	65"	24"	1 1/4"	<b>KHABT6524( )</b>	414.	668.	769.	1,036.
	71"	24"	1 1/4"	<b>KHABT7124( )</b>	430.	694.	799.	1,077.



k.™ bench Rectangular Tops 30" Deep for Dual Bases	47"	30"	1 1/4"	<b>KHABT4730( )</b>	381.	636.	732.	987.
	53"	30"	1 1/4"	<b>KHABT5330( )</b>	435.	673.	775.	1,047.
	59"	30"	1 1/4"	<b>KHABT5930( )</b>	478.	713.	818.	1,106.
	65"	30"	1 1/4"	<b>KHABT6530( )</b>	532.	725.	836.	1,129.
	71"	30"	1 1/4"	<b>KHABT7130( )</b>	553.	750.	864.	1,166.



k.™ bench Rectangular Tops 30" Deep for Single-Sided Bases	47"	30"	1 1/4"	<b>KHABTSS4730( )</b>	381.	636.	732.	987.
	53"	30"	1 1/4"	<b>KHABTSS5330( )</b>	435.	673.	775.	1,047.
	59"	30"	1 1/4"	<b>KHABTSS5930( )</b>	478.	713.	818.	1,106.
	65"	30"	1 1/4"	<b>KHABTSS6530( )</b>	532.	725.	836.	1,129.
	71"	30"	1 1/4"	<b>KHABTSS7130( )</b>	553.	750.	864.	1,166.



### Ordering Information

#### k.™ bench Tops

1. Pattern Number
2. Grommet / no grommet
3. Top Finish Type
4. Top Finish
5. Edge Finish  
(for laminate tops only)
6. Grommet finish (paint)

### Order Code

#### k.™ bench Tops

*Example:* **KHABT6030L, 118, 118**

<b>KHABT</b>	k.™ bench Tops
<b>60</b>	Width
<b>30</b>	Depth
<b>L</b>	Laminate
<b>118</b>	Bright White Top
<b>118</b>	Bright White Edge

### Included With

#### k.™ bench Tops

Pilot Holes for base and High Cover  
Actual worksurfaces are undersized by 1/2" on each side edge.

### Options

#### k.™ bench Tops

(N) = No grommet, for use with k.™ bench Center Screens  
(G) = Grommet, for use with k.™ bench Desk Screens without Cord Drop. For grommets, add \$26 for rectangular tops.


#### Top Finish Options:

(L) = Laminate,  
(M) = Laminate top with wood edge  
(V) = Veneer

Top may be specified in any Knoll core laminate or veneer.

# Rectangular Tops

For use with Straight k. screen Contour and k.™ bench Desk Screens with Cord Drop  
23" and 29" Deep

description	w	d	h	pattern no.	laminate (L)	M/V1 (M/V)	V2 (V)	V3 (V)
k.™ bench Rectangular top, 23" Deep for Dual or Single-Sided Bases 	47"	23"	1 1/4"	<b>KHABT4723( )</b>	\$327.	\$565.	\$651.	\$879.
	53"	23"	1 1/4"	<b>KHABT5323( )</b>	355.	603.	695.	937.
	59"	23"	1 1/4"	<b>KHABT5923( )</b>	381.	642.	738.	999.
	65"	23"	1 1/4"	<b>KHABT6523( )</b>	414.	668.	769.	1,036.
	71"	23"	1 1/4"	<b>KHABT7123( )</b>	430.	694.	799.	1,077.

k.™ bench Rectangular top, 29" Deep for Dual Bases 	47"	29"	1 1/4"	<b>KHABT4729( )</b>	381.	636.	732.	987.
	53"	29"	1 1/4"	<b>KHABT5329( )</b>	435.	673.	775.	1,047.
	59"	29"	1 1/4"	<b>KHABT5929( )</b>	478.	713.	818.	1,106.
	65"	29"	1 1/4"	<b>KHABT6529( )</b>	532.	725.	836.	1,129.
	71"	29"	1 1/4"	<b>KHABT7129( )</b>	553.	750.	864.	1,166.

k.™ bench Rectangular top, 29" Deep for Single-Sided Bases 	47"	29"	1 1/4"	<b>KHABTSS4729( )</b>	381.	636.	732.	987.
	53"	29"	1 1/4"	<b>KHABTSS5329( )</b>	435.	673.	775.	1,047.
	59"	29"	1 1/4"	<b>KHABTSS5929( )</b>	478.	713.	818.	1,106.
	65"	29"	1 1/4"	<b>KHABTSS6529( )</b>	532.	725.	836.	1,129.
	71"	29"	1 1/4"	<b>KHABTSS7129( )</b>	553.	750.	864.	1,166.

### Ordering Information

#### k.™ bench Tops

1. Pattern Number
2. Top Finish Type
3. Top Finish
4. Edge Finish (for laminate tops only)

### Order Code

#### k.™ bench Tops

*Example:* **KHABT5923L, 118, 118**  
**KHABT** k.™ bench Tops  
**59** Width  
**23** Depth  
**L** Laminate  
**118** Bright White Top  
**118** Bright White Edge

### Included With

#### k.™ bench Tops

Pilot Holes for base and High Cover  
 Actual worksurfaces are undersized by 1/2" on each side edge and by 1" on the back side.

### Options


#### k.™ bench Tops

**Top Finish Options:**  
 (L) = Laminate,  
 (M) = Laminate top with wood edge  
 (V) = Veneer  
 Top may be specified in any Knoll core laminate or veneer.


# Radiused Tops

For use with k.™ bench Center Screens  
24" and 30" Deep


description	w	d	h	pattern no.	laminate (L)	V1 (V)	V2 (V)	V3 (V)
k.™ bench Radiused Top 24" Deep for Dual or Single-Sided Bases	47"	24"	1 1/4"	<b>KHABTRC4724( )</b>	\$409.	\$707.	\$814.	\$1,100.
	53"	24"	1 1/4"	<b>KHABTRC5324( )</b>	444.	754.	868.	1,172.
	59"	24"	1 1/4"	<b>KHABTRC5924( )</b>	477.	802.	923.	1,248.
	65"	24"	1 1/4"	<b>KHABTRC6524( )</b>	518.	835.	962.	1,295.
	71"	24"	1 1/4"	<b>KHABTRC7124( )</b>	539.	867.	999.	1,346.



k.™ bench Radiused Top 30" Deep for Dual Bases	47"	30"	1 1/4"	<b>KHABTRC4730( )</b>	477.	796.	916.	1,234.
	53"	30"	1 1/4"	<b>KHABTRC5330( )</b>	544.	842.	969.	1,309.
	59"	30"	1 1/4"	<b>KHABTRC5930( )</b>	598.	891.	1,023.	1,382.
	65"	30"	1 1/4"	<b>KHABTRC6530( )</b>	666.	907.	1,046.	1,412.
	71"	30"	1 1/4"	<b>KHABTRC7130( )</b>	692.	937.	1,080.	1,458.



k.™ bench Radiused Top 30" Deep for Single-Sided Bases	47"	30"	1 1/4"	<b>KHABTRCSS4730( )</b>	477.	796.	916.	1,234.
	53"	30"	1 1/4"	<b>KHABTRCSS5330( )</b>	544.	842.	969.	1,309.
	59"	30"	1 1/4"	<b>KHABTRCSS5930( )</b>	598.	891.	1,023.	1,382.
	65"	30"	1 1/4"	<b>KHABTRCSS6530( )</b>	666.	907.	1,046.	1,412.
	71"	30"	1 1/4"	<b>KHABTRCSS7130( )</b>	692.	937.	1,080.	1,458.



### Ordering Information

#### k.™ bench Tops

1. Pattern Number
2. Grommet / no grommet
3. Top Finish Type
4. Top Finish
5. Edge Finish (for laminate tops only)
6. Grommet finish (paint)

### Order Code

#### k.™ bench Tops

*Example:* **KHABTRC5924NL, 118, 118**

**KHABTRC** k.™ bench Tops  
Radiused Tops

<b>59</b>	Width
<b>24</b>	Depth
<b>N</b>	No Grommet
<b>L</b>	Laminate
<b>118</b>	Bright White Top
<b>118</b>	Bright White Edge

### Included With

#### k.™ bench Tops

Pilot Holes for base and High Cover  
Actual worksurfaces are undersized by 1/2" on each side edge.

### Options

#### k.™ bench Tops

(N) = No grommet, for use with k.™ bench Center Screens  
(C) = Grommet, for use with k.™ bench Desk Screens without Cord Drop. For grommets, add \$26 for rectangular tops.

#### Top Finish Options:

(L) = Laminate,  
(V) = Veneer

Top may be specified in any Knoll core laminate or veneer.


# Radiused Tops

For use with Straight k. screen Contour and k.™ bench Desk Screens with Cord Drop  
23" and 29" Deep


description	w	d	h	pattern no.	laminate (L)	V1 (V)	V2 (V)	V3 (V)
k.™ bench Radiused Tops 23" Deep for Dual or Single-Sided Bases	47"	23"	1 1/4"	<b>KHABTRC4723( )</b>	\$409.	\$707.	\$814.	\$1,100.
	53"	23"	1 1/4"	<b>KHABTRC5323( )</b>	444.	754.	868.	1,172.
	59"	23"	1 1/4"	<b>KHABTRC5923( )</b>	477.	802.	923.	1,248.
	65"	23"	1 1/4"	<b>KHABTRC6523( )</b>	518.	835.	962.	1,295.
	71"	23"	1 1/4"	<b>KHABTRC7123( )</b>	539.	867.	999.	1,346.



k.™ bench Radiused Tops 29" Deep for Dual Bases	47"	29"	1 1/4"	<b>KHABTRC4729( )</b>	477.	796.	916.	1,234.
	53"	29"	1 1/4"	<b>KHABTRC5329( )</b>	544.	842.	969.	1,309.
	59"	29"	1 1/4"	<b>KHABTRC5929( )</b>	598.	891.	1,023.	1,382.
	65"	29"	1 1/4"	<b>KHABTRC6529( )</b>	666.	907.	1,046.	1,412.
	71"	29"	1 1/4"	<b>KHABTRC7129( )</b>	692.	937.	1,080.	1,458.



k.™ bench Radiused Tops 29" Deep for Single-Sided Bases	47"	29"	1 1/4"	<b>KHABTRCSS4729( )</b>	477.	796.	916.	1,234.
	53"	29"	1 1/4"	<b>KHABTRCSS5329( )</b>	544.	842.	969.	1,309.
	59"	29"	1 1/4"	<b>KHABTRCSS5929( )</b>	598.	891.	1,023.	1,382.
	65"	29"	1 1/4"	<b>KHABTRCSS6529( )</b>	666.	907.	1,046.	1,412.
	71"	29"	1 1/4"	<b>KHABTRCSS7129( )</b>	692.	937.	1,080.	1,458.



## Ordering Information

### k.™ bench Tops

1. Pattern Number
2. Top Finish Type
3. Top Finish
4. Edge Finish (for laminate tops only)

## Order Code

### k.™ bench Tops

*Example:* **KHABTRC5923NL, 118, 118**

**KHABTRC**k.™ bench Tops  
Radiused Tops

<b>59</b>	Width
<b>24</b>	Depth
<b>L</b>	Laminate
<b>118</b>	Bright White Top
<b>118</b>	Bright White Edge

## Included With

### k.™ bench Tops

Pilot Holes for base and High Cover  
Actual worksurfaces are undersized by 1/2" on each side edge and by 1" on the back side.

## Options

### k.™ bench Tops


**Top Finish Options:**  
(L) = Laminate,  
(V) = Veneer

Top may be specified in any Knoll core laminate or veneer.


# Radiused Tops

For Use with Curved Corner k. screen Contour  
23" and 29" Deep


description	w	d	h	pattern no.	laminate (L)	V1 (V)	V2 (V)	V3 (V)
k.™ bench Radiused top 23" Deep for Dual or Single-Sided Bases	46"	23"	1 1/4"	<b>KHABTRC4623( )</b>	\$409.	\$707.	\$814.	\$1,100.
	52"	23"	1 1/4"	<b>KHABTRC5223( )</b>	444.	754.	868.	1,172.
	58"	23"	1 1/4"	<b>KHABTRC5823( )</b>	477.	802.	923.	1,248.
	64"	23"	1 1/4"	<b>KHABTRC6423( )</b>	518.	835.	962.	1,295.
	70"	23"	1 1/4"	<b>KHABTRC7023( )</b>	539.	867.	999.	1,346.



k.™ bench Radiused top 29" Deep for Dual Bases	46"	29"	1 1/4"	<b>KHABTRC4629( )</b>	477.	796.	916.	1,234.
	52"	29"	1 1/4"	<b>KHABTRC5229( )</b>	544.	842.	969.	1,309.
	58"	29"	1 1/4"	<b>KHABTRC5829( )</b>	598.	891.	1,023.	1,382.
	64"	29"	1 1/4"	<b>KHABTRC6429( )</b>	666.	907.	1,046.	1,412.
	70"	29"	1 1/4"	<b>KHABTRC7029( )</b>	692.	937.	1,080.	1,458.



k.™ bench Radiused top 29" Deep for Single-Sided Bases	46"	29"	1 1/4"	<b>KHABTRCSS4629( )</b>	477.	796.	916.	1,234.
	52"	29"	1 1/4"	<b>KHABTRCSS5229( )</b>	544.	842.	969.	1,309.
	58"	29"	1 1/4"	<b>KHABTRCSS5829( )</b>	598.	891.	1,023.	1,382.
	64"	29"	1 1/4"	<b>KHABTRCSS6429( )</b>	666.	907.	1,046.	1,412.
	70"	29"	1 1/4"	<b>KHABTRCSS7029( )</b>	692.	937.	1,080.	1,458.



### Ordering Information

#### k.™ bench Tops

1. Pattern Number
2. Top Finish Type
3. Top Finish
4. Edge Finish  
(for laminate tops only)

### Order Code

<b>k.™ bench Tops</b>
<i>Example:</i> <b>KHABTRC5823L, 118, 118</b>
<b>KHABTRC</b> k.™ bench Tops Radiused Tops
<b>58</b> Width
<b>23</b> Depth
<b>L</b> Laminate
<b>118</b> Bright White Top
<b>118</b> Bright White Edge

### Included With

**k.™ bench Tops**  
Pilot Holes for base and High Cover  
Actual worksurfaces are undersized by 1/2" on each side edge and by 1" on the back side.

### Options


**k.™ bench Tops**  
**Top Finish Options:**  
(L) = Laminate,  
(V) = Veneer  
Top may be specified in any Knoll core laminate or veneer.

# k.™ bench Dual Bases


## Standard Electric, Extended Electric, Mixed Electric

k.™ bench


description	type	w	d	h	pattern no.	list
k.™ bench Height-Adjustable Bases, Back-to-Back, Standard Electric both sides	For use with 47" wide tops	48"	46.5"	27.8" - 47.1"	<b>KHABES48</b>	\$4,774.
	For use with 53" wide tops	54"	46.5"	27.8" - 47.1"	<b>KHABES54</b>	4,800.
	For use with 59" wide tops	60"	46.5"	27.8" - 47.1"	<b>KHABES60</b>	4,827.
	For use with 65" wide tops	66"	46.5"	27.8" - 47.1"	<b>KHABES66</b>	4,880.
	For use with 71" wide tops	72"	46.5"	27.8" - 47.1"	<b>KHABES72</b>	4,933.



k.™ bench Height-Adjustable Bases, Back-to-Back, Standard Electric one side, Extended Electric one side	For use with 47" wide tops	48"	46.5"	varies	<b>KHABEM48</b>	5,118.
	For use with 53" wide tops	54"	46.5"	varies	<b>KHABEM54</b>	5,145.
	For use with 59" wide tops	60"	46.5"	varies	<b>KHABEM60</b>	5,171.
	For use with 65" wide tops	66"	46.5"	varies	<b>KHABEM66</b>	5,224.
	For use with 71" wide tops	72"	46.5"	varies	<b>KHABEM72</b>	5,277.



k.™ bench Height-Adjustable Bases, Back-to-Back, Extended Electric both sides	For use with 47" wide tops	48"	46.5"	23.8" - 51"	<b>KHABEX48</b>	5,463.
	For use with 53" wide tops	54"	46.5"	23.8" - 51"	<b>KHABEX54</b>	5,490.
	For use with 59" wide tops	60"	46.5"	23.8" - 51"	<b>KHABEX60</b>	5,516.
	For use with 65" wide tops	66"	46.5"	23.8" - 51"	<b>KHABEX66</b>	5,569.
	For use with 71" wide tops	72"	46.5"	23.8" - 51"	<b>KHABEX72</b>	5,622.




Ordering Information	Order Code	Included With	Options
<b>k.™ bench Height-Adjustable Base</b> 1. Pattern Number 2. Control Switch 3. Base Paint Finish	<b>k.™ bench Height-Adjustable Base</b> <i>Example:</i> <b>KHABES48,T, KBB</b> <b>KHAB</b> k.™ bench <b>ES</b> Standard Electric <b>48</b> Width <b>T</b> Toggle Switch <b>KBB</b> Black Paint	<b>k.™ bench Height-Adjustable Base</b> Columns Crossbars Center Power Raceway Attachment Hardware	<b>k.™ bench Height-Adjustable Base</b> <b>Control Switch Options:</b> (T) = Toggle Control Switch, (D) = Digital Control Switch with LED read out and programmable setting. Add \$51 list. <b>Finish Options:</b> KBB = Black KBW = White KBG = Grey

# k.<sup>TM</sup> bench Dual Bases


## Connector Shroud and Linking Bridge

k.<sup>TM</sup> bench

description	type	w	d	h	pattern no.	list
k. <sup>TM</sup> bench Back-to-Back Connector Shroud, Pair	For use at both ends of a run of k.bench tables	27 <sup>1</sup> / <sub>3</sub> "	2"	3"	<b>KHABCS</b>	\$116.



k. <sup>TM</sup> bench Linking Bridge	To connect two side-by-side k. <sup>TM</sup> bench Dual Bases	11.8"	6 <sup>1</sup> / <sub>4</sub> "	3"	<b>KHABLB</b>	80.
---------------------------------------	---	-------	---------------------------------	----	---------------	-----



### Ordering Information

#### k.<sup>TM</sup> bench "Linking Bridge" and "Back-to-Back Connector Shroud"

1. Pattern Number
2. Paint Finish

### Order Code

#### k.<sup>TM</sup> bench Height-Adjustable Base

*Example:* **KHABLB, KBB**

**KHAB** k.<sup>TM</sup> bench

**LB** Linking Bridge

**KBB** Black Paint

### Included With

#### k.<sup>TM</sup> bench Linking Bridge

Attachment Hardware

### Options

#### Finish Options:

KBB = Black

KBW = White

KBG = Grey

# k.™ bench Single-Sided Bases

## Standard Electric and Extended Electric

k.™ bench

description	type	w	d	h	pattern no.	list
k.™ bench Height-Adjustable Bases, Single-Sided, Standard Electric, 24" Deep	For use with 46" or 47" wide tops	48"	25 <sup>7</sup> / <sub>8</sub> "	27.8" - 47.1"	<b>KHABESSS4824</b>	\$2,405.
	For use with 52" or 53" wide tops	54"	25 <sup>7</sup> / <sub>8</sub> "	27.8" - 47.1"	<b>KHABESSS5424</b>	2,436.
	For use with 58" or 59" wide tops	60"	25 <sup>7</sup> / <sub>8</sub> "	27.8" - 47.1"	<b>KHABESSS6024</b>	2,465.
	For use with 64" or 65" wide tops	66"	25 <sup>7</sup> / <sub>8</sub> "	27.8" - 47.1"	<b>KHABESSS6624</b>	2,496.
	For use with 70" or 71" wide tops	72"	25 <sup>7</sup> / <sub>8</sub> "	27.8" - 47.1"	<b>KHABESSS7224</b>	2,527.
k.™ bench Height-Adjustable Bases, Single-Sided, Standard Electric, 30" Deep	For use with 46" or 47" wide tops	48"	29 <sup>7</sup> / <sub>8</sub> "	27.8" - 47.1"	<b>KHABESSS4830</b>	2,420.
	For use with 52" or 53" wide tops	54"	29 <sup>7</sup> / <sub>8</sub> "	27.8" - 47.1"	<b>KHABESSS5430</b>	2,452.
	For use with 58" or 59" wide tops	60"	29 <sup>7</sup> / <sub>8</sub> "	27.8" - 47.1"	<b>KHABESSS6030</b>	2,481.
	For use with 64" or 65" wide tops	66"	29 <sup>7</sup> / <sub>8</sub> "	27.8" - 47.1"	<b>KHABESSS6630</b>	2,512.
	For use with 70" or 71" wide tops	72"	29 <sup>7</sup> / <sub>8</sub> "	27.8" - 47.1"	<b>KHABESSS7230</b>	2,543.
k.™ bench Height-Adjustable Bases, Single-Sided, Extended Electric, 24" Deep	For use with 46" or 47" wide tops	48"	25 <sup>7</sup> / <sub>8</sub> "	23.8" - 51"	<b>KHABEXSS4824</b>	2,749.
	For use with 52" or 53" wide tops	54"	25 <sup>7</sup> / <sub>8</sub> "	23.8" - 51"	<b>KHABEXSS5424</b>	2,781.
	For use with 58" or 59" wide tops	60"	25 <sup>7</sup> / <sub>8</sub> "	23.8" - 51"	<b>KHABEXSS6024</b>	2,810.
	For use with 64" or 65" wide tops	66"	25 <sup>7</sup> / <sub>8</sub> "	23.8" - 51"	<b>KHABEXSS6624</b>	2,841.
	For use with 70" or 71" wide tops	72"	25 <sup>7</sup> / <sub>8</sub> "	23.8" - 51"	<b>KHABEXSS7224</b>	2,872.
k.™ bench Height-Adjustable Bases, Single-Sided, Extended Electric, 30" Deep	For use with 46" or 47" wide tops	48"	29 <sup>7</sup> / <sub>8</sub> "	23.8" - 51"	<b>KHABEXSS4830</b>	2,766.
	For use with 52" or 53" wide tops	54"	29 <sup>7</sup> / <sub>8</sub> "	23.8" - 51"	<b>KHABEXSS5430</b>	2,797.
	For use with 58" or 59" wide tops	60"	29 <sup>7</sup> / <sub>8</sub> "	23.8" - 51"	<b>KHABEXSS6030</b>	2,827.
	For use with 64" or 65" wide tops	66"	29 <sup>7</sup> / <sub>8</sub> "	23.8" - 51"	<b>KHABEXSS6630</b>	2,858.
	For use with 70" or 71" wide tops	72"	29 <sup>7</sup> / <sub>8</sub> "	23.8" - 51"	<b>KHABEXSS7230</b>	2,888.

### Ordering Information

#### k.™ bench Height-Adjustable Base

1. Pattern Number
2. Control Switch
3. Base Paint Finish

### Order Code

#### k.™ bench Height-Adjustable Base

*Example:* **KHABESSS4824,T,KBB**

<b>KHAB</b>	k.™ bench
<b>ES</b>	Standard Electric
<b>SS</b>	Single-Sided
<b>48</b>	Width
<b>24</b>	Depth
<b>T</b>	Toggle Switch
<b>KBB</b>	Black Paint

### Included With

#### k.™ bench Height-Adjustable Base

Columns  
Crossbars  
Center Power Raceway  
Attachment Hardware

### Options

#### k.™ bench Height-Adjustable Base

**Control Switch Options:**  
(T) = Toggle Control Switch,  
(D) = Digital Control Switch with LED read out and programmable setting. Add \$51 list.

**Finish Options:**  
KBB = Black  
KBW = White  
KBC = Grey

# k.<sup>TM</sup> bench Single-Sided Bases

## *Single-Sided Connector Shroud and Linking Bridge*

k.<sup>TM</sup> bench

description	type	w	d	h	pattern no.	list
k. <sup>TM</sup> bench Single-Sided Connector Shrouds, Pair	For use at both ends of a run of 24" deep k.bench Single-Sided tables	16 1/4"	2"	3"	<b>KHABCSSS24</b>	\$145.
	For use at both ends of a run of 30" deep k.bench Single-Sided tables	20 1/4"	2"	3"	<b>KHABCSSS30</b>	145.
k. <sup>TM</sup> bench Single-Sided Linking Bridge	To connect two side-by-side k. <sup>TM</sup> bench Single-Sided Bases	11.8"	6.25"	3"	<b>KHABLBS</b>	100.

Ordering Information	Order Code	Included With	Options
<b>k.<sup>TM</sup> bench "Linking Bridge" and "Back-to-Back Connector Shroud"</b> 1. Pattern Number 2. Paint Finish	<b>k.<sup>TM</sup> bench Height-Adjustable Base</b> <hr/> <i>Example:</i> <b>KHABLBS, KBB</b> <hr/> <b>KHAB</b> k. <sup>TM</sup> bench <hr/> <b>LB</b> Linking Bridge <hr/> <b>SS</b> Single-Sided <hr/> <b>KBB</b> Black Paint	<b>k.<sup>TM</sup> bench Linking Bridge</b> Attachment Hardware	<b>Finish Options:</b> KBB = Black KBW = White KBC = Grey

# k.™ bench Single-Sided Back Panles

k.™ bench

## For Single-Sided Standard Electric and Extended Electric Bases Laminate or Veneer, 28" High

description	w	d	h	pattern no.	laminate (L)	V1 (V)	V2 (V)
k.™ bench Single-Sided Back Panel, No Gallery Panel Connection, 28" High	48"	1 3/16"	28"	<b>KHABGPBN2848</b>	\$622.	\$1,098.	\$1,273.
	54"	1 3/16"	28"	<b>KHABGPBN2854</b>	653.	1,143.	1,332.
	60"	1 3/16"	28"	<b>KHABGPBN2860</b>	683.	1,188.	1,392.
	66"	1 3/16"	28"	<b>KHABGPBN2866</b>	714.	1,277.	1,495.
	72"	1 3/16"	28"	<b>KHABGPBN2872</b>	745.	1,321.	1,554.
	78"	1 3/16"	28"	<b>KHABGPBN2878</b>	745.	1,366.	1,613.
k.™ bench Single-Sided Back Panel, Right Side Gallery Panel Connection, 28" High	48"	1 3/16"	28"	<b>KHABGPBR2848</b>	622.	1,107.	1,285.
	54"	1 3/16"	28"	<b>KHABGPBR2854</b>	653.	1,152.	1,344.
	60"	1 3/16"	28"	<b>KHABGPBR2860</b>	683.	1,196.	1,403.
	66"	1 3/16"	28"	<b>KHABGPBR2866</b>	714.	1,286.	1,507.
	72"	1 3/16"	28"	<b>KHABGPBR2872</b>	745.	1,330.	1,566.
	78"	1 3/16"	28"	<b>KHABGPBR2878</b>	745.	1,375.	1,625.
k.™ bench Single-Sided Back Panel, Left Side Gallery Panel Connection, 28" High	48"	1 3/16"	28"	<b>KHABGPBL2848</b>	622.	1,107.	1,285.
	54"	1 3/16"	28"	<b>KHABGPBL2854</b>	653.	1,152.	1,344.
	60"	1 3/16"	28"	<b>KHABGPBL2860</b>	683.	1,196.	1,403.
	66"	1 3/16"	28"	<b>KHABGPBL2866</b>	714.	1,286.	1,507.
	72"	1 3/16"	28"	<b>KHABGPBL2872</b>	745.	1,330.	1,566.
	78"	1 3/16"	28"	<b>KHABGPBL2878</b>	745.	1,375.	1,625.
k.™ bench Single-Sided Back Panel, Full Surround Gallery Panel Connection, 28" High	48"	1 3/16"	28"	<b>KHABGPBB2848</b>	622.	1,116.	1,297.
	54"	1 3/16"	28"	<b>KHABGPBB2854</b>	653.	1,161.	1,356.
	60"	1 3/16"	28"	<b>KHABGPBB2860</b>	683.	1,250.	1,459.
	66"	1 3/16"	28"	<b>KHABGPBB2866</b>	714.	1,294.	1,519.
	72"	1 3/16"	28"	<b>KHABGPBB2872</b>	745.	1,339.	1,578.
	78"	1 3/16"	28"	<b>KHABGPBB2878</b>	745.	1,384.	1,637.

### Ordering Information

#### k.™ bench Single-Sided Back Panel

1. Adjacent Panel Height
2. Finish Code
3. Surface Finish
4. Edgeband Finish

### Order Code

#### k.™ bench Single-Sided Back Panel

Example: **KHABGPBN2848, L, 118**

<b>KHAB</b>	k.™ bench
<b>GP</b>	Gallery Panels
<b>B</b>	Back Panels
<b>N</b>	No adjacent panel
<b>28</b>	Height
<b>48</b>	Width
<b>L</b>	Laminate
<b>118</b>	Bright White

### Included With

#### k.™ bench Single-Sided Back Panel

Glides

### Options

#### Finish Options:

(L) = Laminate  
(V) = Veneer

Back Panels in woodgrain laminate have vertical grain direction up to 54" wide and horizontal grain direction for back panels 60" or wider.

Back Panels specified in veneer have vertical grain direction for all sizes.

# k.™ bench Single-Sided Back Panles

k.™ bench

## For Single-Sided Standard Electric and Extended Electric Bases Laminate or Veneer, 42" High

description	w	d	h	pattern no.	laminate (L)	V1 (V)	V2 (V)
k.™ bench Single-Sided Back Panel, No Gallery Panel Connection, 42" High	48"	1 3/16"	42"	<b>KHABGPBN4248</b>	\$622.	\$1,098.	\$1,273.
	54"	1 3/16"	42"	<b>KHABGPBN4254</b>	653.	1,143.	1,332.
	60"	1 3/16"	42"	<b>KHABGPBN4260</b>	653.	1,188.	1,392.
	66"	1 3/16"	42"	<b>KHABGPBN4266</b>	714.	1,277.	1,495.
	72"	1 3/16"	42"	<b>KHABGPBN4272</b>	745.	1,321.	1,554.
	78"	1 3/16"	42"	<b>KHABGPBN4278</b>	745.	1,366.	1,613.
k.™ bench Single-Sided Back Panel, Right Side Gallery Panel Connection, 42" High	48"	1 3/16"	42"	<b>KHABGPBR4248</b>	622.	1,107.	1,285.
	54"	1 3/16"	42"	<b>KHABGPBR4254</b>	653.	1,152.	1,344.
	60"	1 3/16"	42"	<b>KHABGPBR4260</b>	683.	1,196.	1,403.
	66"	1 3/16"	42"	<b>KHABGPBR4266</b>	714.	1,286.	1,507.
	72"	1 3/16"	42"	<b>KHABGPBR4272</b>	745.	1,330.	1,566.
	78"	1 3/16"	42"	<b>KHABGPBR4278</b>	745.	1,375.	1,625.
k.™ bench Single-Sided Back Panel, Left Side Gallery Panel Connection, 42" High	48"	1 3/16"	42"	<b>KHABGPBL4248</b>	622.	1,107.	1,285.
	54"	1 3/16"	42"	<b>KHABGPBL4254</b>	653.	1,152.	1,344.
	60"	1 3/16"	42"	<b>KHABGPBL4260</b>	683.	1,196.	1,403.
	66"	1 3/16"	42"	<b>KHABGPBL4266</b>	714.	1,286.	1,507.
	72"	1 3/16"	42"	<b>KHABGPBL4272</b>	745.	1,330.	1,566.
	78"	1 3/16"	42"	<b>KHABGPBL4278</b>	745.	1,375.	1,625.
k.™ bench Single-Sided Back Panel, Full Surround Gallery Panel Connection, 42" High	48"	1 3/16"	42"	<b>KHABGPBB4248</b>	622.	1,116.	1,297.
	54"	1 3/16"	42"	<b>KHABGPBB4254</b>	653.	1,161.	1,356.
	60"	1 3/16"	42"	<b>KHABGPBB4260</b>	683.	1,250.	1,459.
	66"	1 3/16"	42"	<b>KHABGPBB4266</b>	714.	1,294.	1,519.
	72"	1 3/16"	42"	<b>KHABGPBB4272</b>	745.	1,339.	1,578.
	78"	1 3/16"	42"	<b>KHABGPBB4278</b>	745.	1,384.	1,637.

### Ordering Information

#### k.™ bench Single-Sided Back Panel

1. Adjacent Panel Height
2. Finish Code
3. Surface Finish
4. Edgeband Finish

### Order Code

#### k.™ bench Single-Sided Back Panel

Example: **KHABGPBN4248, L, 118**

<b>KHAB</b>	k.™ bench
<b>GP</b>	Gallery Panels
<b>B</b>	Back Panels
<b>N</b>	No adjacent panel
<b>42</b>	Height
<b>48</b>	Width
<b>L</b>	Laminate
<b>118</b>	Bright White

### Included With

#### k.™ bench Single-Sided Back Panel

Glides

### Options

#### Finish Options:

(L) = Laminate  
(V) = Veneer

Back Panels in woodgrain laminate have vertical grain direction up to 54" wide and horizontal grain direction for back panels 60" or wider.

Back Panels specified in veneer have vertical grain direction for all sizes.

# k.™ bench Single-Sided Back Panles

k.™ bench

## For Single-Sided Standard Electric and Extended Electric Bases Laminate or Veneer, 49" High

description	w	d	h	pattern no.	laminate (L)	V1 (V)	V2 (V)
k.™ bench Single-Sided Back Panel, No Gallery Panel Connection, 49" High	48"	1 3/16"	49"	<b>KHABGPBN4948</b>	\$745.	\$1,369.	\$1,639.
	54"	1 3/16"	49"	<b>KHABGPBN4954</b>	781.	1,444.	1,740.
	60"	1 3/16"	49"	<b>KHABGPBN4960</b>	935.	1,518.	1,840.
	66"	1 3/16"	49"	<b>KHABGPBN4966</b>	1,081.	1,637.	1,984.
	72"	1 3/16"	49"	<b>KHABGPBN4972</b>	1,119.	1,711.	2,085.
	78"	1 3/16"	49"	<b>KHABGPBN4978</b>	1,119.	1,786.	2,185.
k.™ bench Single-Sided Back Panel, Right Side Gallery Panel Connection, 49" High	48"	1 3/16"	49"	<b>KHABGPBR4948</b>	745.	1,384.	1,659.
	54"	1 3/16"	49"	<b>KHABGPBR4954</b>	781.	1,459.	1,759.
	60"	1 3/16"	49"	<b>KHABGPBR4960</b>	935.	1,533.	1,860.
	66"	1 3/16"	49"	<b>KHABGPBR4966</b>	1,081.	1,652.	2,004.
	72"	1 3/16"	49"	<b>KHABGPBR4972</b>	1,119.	1,726.	2,105.
	78"	1 3/16"	49"	<b>KHABGPBR4978</b>	1,119.	1,800.	2,205.
k.™ bench Single-Sided Back Panel, Left Side Gallery Panel Connection, 49" High	48"	1 3/16"	49"	<b>KHABGPBL4948</b>	745.	1,384.	1,659.
	54"	1 3/16"	49"	<b>KHABGPBL4954</b>	781.	1,459.	1,759.
	60"	1 3/16"	49"	<b>KHABGPBL4960</b>	935.	1,533.	1,860.
	66"	1 3/16"	49"	<b>KHABGPBL4966</b>	1,081.	1,652.	2,004.
	72"	1 3/16"	49"	<b>KHABGPBL4972</b>	1,119.	1,726.	2,105.
	78"	1 3/16"	49"	<b>KHABGPBL4978</b>	1,119.	1,800.	2,205.
k.™ bench Single-Sided Back Panel, Full Surround Gallery Panel Connection, 49" High	48"	1 3/16"	49"	<b>KHABGPBB4948</b>	781.	1,399.	1,679.
	54"	1 3/16"	49"	<b>KHABGPBB4954</b>	781.	1,473.	1,779.
	60"	1 3/16"	49"	<b>KHABGPBB4960</b>	977.	1,592.	1,924.
	66"	1 3/16"	49"	<b>KHABGPBB4966</b>	1,018.	1,666.	2,024.
	72"	1 3/16"	49"	<b>KHABGPBB4972</b>	1,055.	1,741.	2,124.
	78"	1 3/16"	49"	<b>KHABGPBB4978</b>	1,055.	1,815.	2,225.

### Ordering Information

#### k.™ bench Single-Sided Back Panel

1. Adjacent Panel Height
2. Finish Code
3. Surface Finish
4. Edgeband Finish

### Order Code

#### k.™ bench Single-Sided Back Panel

Example: **KHABGPBN4948, L, 118**

<b>KHAB</b>	k.™ bench
<b>GP</b>	Gallery Panels
<b>B</b>	Back Panels
<b>N</b>	No adjacent panel
<b>49</b>	Height
<b>48</b>	Width
<b>L</b>	Laminate
<b>118</b>	Bright White

### Included With

#### k.™ bench Single-Sided Back Panel

Glides

### Options

#### Finish Options:

(L) = Laminate  
(V) = Veneer


Back Panels in woodgrain laminate have vertical grain direction up to 54" wide and horizontal grain direction for back panels 60" or wider.

Back Panels specified in veneer have vertical grain direction for all sizes.


k.<sup>TM</sup> bench Desk Screens with 1 1/4" Cord Drop  
 Laminate, Markerboard and Veneer  
 For 42" or 49" High Horizon

k.<sup>TM</sup> bench

description	w	d	h	pattern no.	laminates (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
k. <sup>TM</sup> bench Desk Screen, For 23" or 29" Tops and 42" High Horizon	47"	2"	18"	<b>KHABSBC4718()</b>	\$427.	\$725.	\$725.	\$836.	\$1,230.
	53"	2"	18"	<b>KHABSBC5318()</b>	436.	751.	751.	865.	1,276.
	59"	2"	18"	<b>KHABSBC5918()</b>	442.	813.	813.	934.	1,382.
	65"	2"	18"	<b>KHABSBC6518()</b>	449.	850.	850.	977.	1,441.
	71"	2"	18"	<b>KHABSBC7118()</b>	455.	877.	877.	1,008.	1,486.



k. <sup>TM</sup> bench Desk Screen, For 23" or 29" Tops and 49" High Horizon	47"	2"	25"	<b>KHABSBC4725()</b>	427.	725.	725.	836.	1,230.
	53"	2"	25"	<b>KHABSBC5325()</b>	436.	751.	751.	865.	1,276.
	59"	2"	25"	<b>KHABSBC5925()</b>	442.	813.	813.	934.	1,382.
	65"	2"	25"	<b>KHABSBC6525()</b>	449.	850.	850.	977.	1,441.
	71"	2"	25"	<b>KHABSBC7125()</b>	455.	877.	877.	1,008.	1,486.



**Ordering Information**

**k.<sup>TM</sup> bench Desk Screen**

1. Pattern Number
2. Surface Finish
3. Bracket Paint finish

**Order Code**

**k.<sup>TM</sup> bench Desk Screen**

*Example:* **KHABSBC4718L, 118, 118T**

<b>KHAB</b>	k. <sup>TM</sup> bench
<b>SBC</b>	Desk Screen with Cord Drop
<b>47</b>	Width
<b>18</b>	Height
<b>L</b>	Laminates
<b>118</b>	Bright White Laminates
<b>118T</b>	Bright White Paint

**Included With**

**k.<sup>TM</sup> bench Desk Screens**

Brackets  
Hardware


**Options**

k.<sup>TM</sup> bench Desk Screens with Cord Drop are used on 23" and 29" deep tops. They are not compatible with 24" or 30" tops.

k.<sup>TM</sup> bench Desk Screens, No Cord Drop  
*Laminate, Markerboard and Veneer*  
*For 42" or 49" High Horizon*

k.<sup>TM</sup> bench

description	w	d	h	pattern no.	lamine (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
k. <sup>TM</sup> bench Desk Screen, For 24" or 30" Tops with Grommet Option 42" High Horizon	47"	3/4"	18"	<b>KHABSB4718()</b>	\$427.	\$725.	\$725.	\$836.	\$1,230.
	53"	3/4"	18"	<b>KHABSB5318()</b>	436.	751.	751.	865.	1,276.
	59"	3/4"	18"	<b>KHABSB5918()</b>	442.	813.	813.	934.	1,382.
	65"	3/4"	18"	<b>KHABSB6518()</b>	449.	850.	850.	977.	1,441.
	71"	3/4"	18"	<b>KHABSB7118()</b>	455.	877.	877.	1,008.	1,486.



k. <sup>TM</sup> bench Desk Screen, For 24" or 30" Tops with Grommet Option 49" High Horizon	47"	3/4"	25"	<b>KHABSB4725()</b>	427.	844.	844.	970.	1,432.
	53"	3/4"	25"	<b>KHABSB5325()</b>	436.	878.	878.	1,008.	1,489.
	59"	3/4"	25"	<b>KHABSB5925()</b>	442.	977.	977.	1,122.	1,659.
	65"	3/4"	25"	<b>KHABSB6525()</b>	557.	1,012.	1,012.	1,164.	1,719.
	71"	3/4"	25"	<b>KHABSB7125()</b>	575.	1,047.	1,047.	1,204.	1,778.




Ordering Information	Order Code	Included With	Options
<b>k.<sup>TM</sup> bench Center Screen</b>	<b>k.<sup>TM</sup> bench Desk Screen</b>	<b>k.<sup>TM</sup> bench Desk Screens</b>	<b>k.<sup>TM</sup> bench Center Screens</b>
1. Pattern Number	<i>Example:</i> <b>KHABSB5918L, 118, 118T</b>	Brackets	(L) = Laminate
2. Surface Finish	<b>KHAB</b> k. <sup>TM</sup> bench	Hardware	(LM) = Markerboard Laminate
3. Bracket Paint finish	<b>SB</b> Desk Screen		(V) = Veneer
	<b>59</b> Width		
	<b>18</b> Height		
	<b>L</b> Laminate		
	<b>118</b> Bright White Laminate		
	<b>118T</b> Bright White Paint		

k.™ bench Fabric Board  
*Fabric*  
 For k.™ bench Desk Screens


k.™ bench

description	w	d	h	pattern no.	10	20	30	40	45	50	55	60
k.™ bench Fabric Board for Desk Screens, 42" Horizon	47"	1/2"	13"	<b>KHABFB4713( )</b>	\$366.	\$421.	\$436.	\$447.	\$465.	\$476.	\$495.	\$512.
	53"	1/2"	13"	<b>KHABFB5313( )</b>	424.	488.	505.	518.	539.	552.	573.	594.
	59"	1/2"	13"	<b>KHABFB5913( )</b>	441.	506.	524.	537.	559.	573.	594.	616.




For use on 18" H k.™ bench Desk Screens

k.™ bench Fabric Board for Desk Screens, 42" Horizon Fabric Railroaded	47"	1/2"	13"	<b>KHABFB4713RR( )</b>	366.	421.	436.	447.	465.	476.	495.	512.
	53"	1/2"	13"	<b>KHABFB5313RR( )</b>	424.	488.	505.	518.	539.	552.	573.	594.
	59"	1/2"	13"	<b>KHABFB5913RR( )</b>	441.	506.	524.	537.	559.	573.	594.	616.
	65"	1/2"	13"	<b>KHABFB6513RR( )</b>	477.	550.	568.	582.	607.	620.	645.	668.
	71"	1/2"	13"	<b>KHABFB7113RR( )</b>	504.	579.	600.	615.	640.	656.	680.	706.




For use on 18" H k.™ bench Desk Screens

k.™ bench Fabric Board for Desk Screens, 49" Horizon	47"	1/2"	20"	<b>KHABFB4720( )</b>	494.	567.	587.	602.	627.	642.	666.	691.
	53"	1/2"	20"	<b>KHABFB5320( )</b>	536.	616.	638.	654.	680.	697.	723.	750.
	59"	1/2"	20"	<b>KHABFB5920( )</b>	567.	653.	675.	693.	720.	738.	766.	795.



For use on 25" H k.™ bench Desk Screens

k.™ bench Fabric Board for Desk Screens, 49" Horizon, Fabric Railroaded	47"	1/2"	20"	<b>KHABFB4720RR( )</b>	494.	567.	587.	602.	627.	642.	666.	691.
	53"	1/2"	20"	<b>KHABFB5320RR( )</b>	536.	616.	638.	654.	680.	697.	723.	750.
	59"	1/2"	20"	<b>KHABFB5920RR( )</b>	567.	653.	675.	693.	720.	738.	766.	795.
	65"	1/2"	20"	<b>KHABFB6520RR( )</b>	626.	720.	745.	764.	795.	814.	846.	876.
	71"	1/2"	20"	<b>KHABFB7120RR( )</b>	673.	774.	802.	822.	855.	876.	909.	944.



For use on 25" H k.™ bench Desk Screens

**Ordering Information**

**k.™ bench Fabric Board**

1. Pattern Number
2. Fabric Finish

**Order Code**

**k.™ bench Fabric Board**

*Example:* **KHABFB5913, W13607**

**KHAB** k.™ bench

**FB** Fabric Board

**59** Width

**13** Height

**W13607** Fabric

**Included With**

**Options**

**k.™ bench Fabric Board**


(RR) = Fabric is applied Railroaded.

Fabric Boards mount directly to user face of Laminate or Veneer Screens.


k.™ bench Center Screens  
*Fabric*  
 For 42" or 49" High Horizon

k.™ bench


description	w	d	h	pattern no.	10	20	30	40	45	50	55	60
k.™ bench Center Screen, 42" High Horizon, Fabric	48"	3/4"	24"	<b>KHABSC4824F</b>	\$1,006.	\$1,057.	\$1,106.	\$1,157.	\$1,208.	\$1,257.	\$1,307.	
	54"	3/4"	24"	<b>KHABSC5424F</b>	1,024.	1,075.	1,125.	1,176.	1,227.	1,279.	1,331.	
	60"	3/4"	24"	<b>KHABSC6024F</b>	1,046.	1,098.	1,151.	1,204.	1,255.	1,308.	1,360.	




k.™ bench Center Screen, 49" High Horizon	48"	3/4"	31"	<b>KHABSC4831F</b>	1,072.	1,126.	1,179.	1,232.	1,288.	1,341.	1,394.	
	54"	3/4"	31"	<b>KHABSC5431F</b>	1,120.	1,175.	1,231.	1,288.	1,344.	1,400.	1,457.	
	60"	3/4"	31"	<b>KHABSC6031F</b>	1,125.	1,182.	1,239.	1,294.	1,352.	1,407.	1,463.	



k.™ bench Center Screen, 42" High Horizon, Fabric Railroaded	48"	3/4"	24"	<b>KHABSC4824FRR</b>	1,006.	1,057.	1,106.	1,157.	1,208.	1,257.	1,307.	
	54"	3/4"	24"	<b>KHABSC5424FRR</b>	1,024.	1,075.	1,125.	1,176.	1,227.	1,279.	1,331.	
	60"	3/4"	24"	<b>KHABSC6024FRR</b>	1,046.	1,098.	1,151.	1,204.	1,255.	1,308.	1,360.	
	66"	3/4"	24"	<b>KHABSC6624FRR</b>	1,257.	1,320.	1,381.	1,444.	1,509.	1,571.	1,635.	
	72"	3/4"	24"	<b>KHABSC7224FRR</b>	1,308.	1,363.	1,439.	1,506.	1,570.	1,635.	1,700.	




k.™ bench Center Screen, 49" High Horizon, Fabric Railroaded	48"	3/4"	31"	<b>KHABSC4831FRR</b>	1,072.	1,126.	1,494.	1,563.	1,630.	1,341.	1,394.	
	54"	3/4"	31"	<b>KHABSC5431FRR</b>	1,120.	1,175.	1,231.	1,288.	1,344.	1,400.	1,457.	
	60"	3/4"	31"	<b>KHABSC6031FRR</b>	1,125.	1,182.	1,239.	1,294.	1,352.	1,407.	1,463.	
	66"	3/4"	31"	<b>KHABSC6631FRR</b>	1,329.	1,395.	1,462.	1,528.	1,594.	1,662.	1,728.	
	72"	3/4"	31"	<b>KHABSC7231FRR</b>	1,359.	1,427.	1,494.	1,563.	1,630.	1,698.	1,767.	




Ordering Information	Order Code	Included With	Options
<b>k.™ bench Center Screen</b>	<b>k.™ bench Center Screen</b>	<b>k.™ bench Center Screens</b>	<b>k.™ bench Center Screens</b>
1. Pattern Number	<i>Example:</i> <b>KHABSC4824F, W4321,</b>	Brackets	
2. Fabric Finish	<b>KBW</b>	Hardware	
3. Bracket Paint finish	<b>KHAB</b> k.™ bench		
	<b>SC</b> Center Screen		
	<b>48</b> Width		
	<b>24</b> Height		
	<b>F</b> Fabric		
	<b>W4321</b> Versatility		
	<b>KBW</b> White Paint		

k.™ bench Center Screens  
*Laminate, Markerboard and Veneer*  
*For 42" or 49" High Horizon*

k.™ bench

description	w	d	h	pattern no.	laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
k.™ bench Center Screen, 42" High Horizon 	48"	3/4"	24"	<b>KHABSC4824( )</b>	\$499.	\$958.	\$958.	\$1,245.	\$1,744.
	54"	3/4"	24"	<b>KHABSC5424( )</b>	515.	980.	980.	1,274.	1,783.
	60"	3/4"	24"	<b>KHABSC6024( )</b>	557.	1,017.	1,017.	1,323.	1,852.
	66"	3/4"	24"	<b>KHABSC6624( )</b>	574.	1,044.	1,044.	1,358.	1,900.
	72"	3/4"	24"	<b>KHABSC7224( )</b>	592.	1,066.	1,066.	1,385.	1,940.

k.™ bench Center Screen, 49" High Horizon 	48"	3/4"	31"	<b>KHABSC4831( )</b>	522.	1,012.	1,012.	1,316.	1,842.
	54"	3/4"	31"	<b>KHABSC5431( )</b>	541.	1,044.	1,044.	1,358.	1,900.
	60"	3/4"	31"	<b>KHABSC6031( )</b>	584.	1,071.	1,071.	1,393.	1,950.
	66"	3/4"	31"	<b>KHABSC6631( )</b>	604.	1,115.	1,115.	1,449.	2,028.
	72"	3/4"	31"	<b>KHABSC7231( )</b>	624.	1,146.	1,146.	1,491.	2,087.

**Ordering Information**

**k.™ bench Center Screen**

1. Pattern Number
2. Surface Finish
3. Bracket Paint finish

**Order Code**

**k.™ bench Center Screen**

*Example:* **KHABSC4824L, 115, KBW**

<b>KHAB</b>	k.™ bench
<b>SC</b>	Center Screen
<b>48</b>	Width
<b>24</b>	Height
<b>L</b>	Laminate
<b>F</b>	Fabric
<b>115</b>	Medium Grey Laminate
<b>KBW</b>	White Paint

**Included With**





**k.™ bench Center Screens**

Brackets  
Hardware

**Options**

**k.™ bench Center Screens**

(L) = Laminate  
(LM) = Markerboard Laminate  
(V) = Veneer




description	type	w	d	h	pattern no.	list
k. High Cover 	For use with k.™ bench and k.™ stand tables	30"	15 1/2"	3 1/8"	<b>KHC</b>	\$312.
k. Cable Management Clips, Kit of 4 	For use under worksurfaces	5 1/2"	1"	1/2"	<b>KCMCLIPS4</b>	52.
k.™ bench Felt Cable Sleeve 	For use with k.™ bench Dual Bases tables				<b>KHABFS</b>	260.
k.™ bench Vertical Wire Manager 	For use with k.™ bench Dual bases	11 1/2"	2 1/2"	15 1/2"	<b>KHABVWM</b>	390.
k.™ bench Single-Sided Felt Cable Sleeve	For use with k.™ bench Single-Sided bases				<b>KHABFSSS</b>	150.
k.™ bench Single-Sided Vertical Wire Manager	For use with k.™ bench Single-Sided bases				<b>KHABVMSS</b>	390.

Ordering Information	Order Code	Included With	Options
<b>k. High covers</b> 1. Pattern Number 2. Paint Finish	<b>k. High Covers</b>  <i>Example:</i> <b>KHC, KBB</b> <b>KHC</b> k. High Cover <b>KBB</b> Black Paint	<b>k. High Cover</b> Cover Cable Clips Attachment Hardware	<b>"k. High Cover" and "k. Cable Management Clips"</b> KBB = Black KBW = White KBC = Grey
<b>k. Cable Management Clips</b> 1. Pattern Number 2. Color	<b>k. Cable Management Clips</b>  <i>Example:</i> <b>KCMCLIPS4, KBB</b> <b>KCMCLIPS</b> k. Cable Management Clips <b>4</b> Kit of 4 <b>KBB</b> Black	<b>k. Cable Management Clips</b> Cable Clips Screws to attach to worksurface	<b>k.™ bench Felt Cable Sleeve</b> B = Black G = Grey
<b>k.™ bench Felt Cable Sleeve Dual or Single-Sided</b> 1. Pattern Number 2. Felt Color	<b>k.™ bench Felt Cable Sleeve</b>  <i>Example:</i> <b>KHABFS, KBB</b> <b>KHAB</b> k.™ bench <b>FS</b> Felt Cable Sleeve <b>KBB</b> Black Felt	<b>k.™ bench Felt Cable Sleeve Dual or Single-Sided</b> Felt Cable Sleeve Attachment Hardware	<b>k.™ bench Vertical Wire Manager Dual or Single-Sided</b> 111 = Jet Black Only
<b>k.™ bench Vertical Wire Manager Dual or Single-Sided</b> 1. Pattern Number	<b>k.™ bench Vertical Wire Manager</b>  <i>Example:</i> <b>KHABVWM</b> <b>KHAB</b> k.™ bench <b>VWM</b> Vertical Wire Manager	<b>k.™ bench Vertical Wire Manager Dual or Single-Sided</b> Attachment Hardware	

# k.<sup>TM</sup> bench Modular Power Components

## 2+2, 3+3 and 4-4-2 Electrical Systems

k.<sup>TM</sup> bench

description	type	width	depth	height	pattern number	list
	2+2, (2) Duplex Outlets per Side	12"	2"	2"	<b>KHABPHE12</b>	\$208.
	3+3, (2) Duplex Outlets per Side	12"	2"	2"	<b>KHABPHT12</b>	236.
	4-4-2, (2) Duplex Outlets per Side	12"	2"	2"	<b>KHABPHX12</b>	247.
	2+2, (4) Duplex Outlets per Side	24"	2"	2"	<b>KHABPHE24</b>	377.
	3+3, (4) Duplex Outlets per Side	24"	2"	2"	<b>KHABPHT24</b>	453.
	4-4-2, (4) Duplex Outlets per Side	24"	2"	2"	<b>KHABPHX24</b>	475.
PDC Module Extension Kit	Package of 10				<b>KHABPDCX</b>	212.
 <p>(shown 30")</p>	for 12" wide power harness, outlets both sides	18"	3"	3"	<b>KHABPC18D</b>	113.
	for 12" wide power harness, outlets one side	18"	3"	3"	<b>KHABPC18S</b>	113.
	for 24" wide power harness, outlets both sides	30"	3"	3"	<b>KHABPC30D</b>	133.
	for 24" wide power harness, outlets one side	30"	3"	3"	<b>KHABPC30S</b>	133.
Raceway End Cap	Package of 2	3/8"	3"	3"	<b>KHABPCE</b>	19.
	Package of 10	1"	1"	1"	<b>KHABPCP</b>	212.

### Ordering Information

#### Electrical Components

1. Pattern Number

### Order Code

#### Electrical Components

*Example:* **KHABPHE12**

**KHAB** k.<sup>TM</sup> bench

**PHE** Power Harness

**12** Width

### Included With

#### Power Harness

Power Trough Attachment





### Options

#### Electrical Components

# k.<sup>TM</sup> bench Modular Power Components

## 2+2, 3+3 and 4-4-2 Electrical Systems



k.<sup>TM</sup> bench

description	type	width	depth	height	pattern number	list
 Infeeds	2+2 Ceiling Infeed	144"	2 1/8"	2 1/8"	<b>KHABPEPI12</b>	\$502.
	2+2 Ceiling Infeed	240"	2 1/8"	2 1/8"	<b>KHABPEPI20</b>	913.
	2+2 Hardwire Infeed for New York City	85"	2 1/8"	2 3/8"	<b>KHABPEPNY</b>	505.
	2+2 Modular Base Infeed	85"	2 1/8"	2 3/8"	<b>KHABPEDPI</b>	230.
	3+3 Ceiling Infeed	144"	2 1/8"	2 1/8"	<b>KHABPTPI12</b>	543.
	3+3 Ceiling Infeed	240"	2 1/8"	2 1/8"	<b>KHABPTPI20</b>	957.
	3+3 Hardwire Infeed for New York City	85"	2 1/8"	2 3/8"	<b>KHABPTPNY</b>	531.
	3+3 Modular Base Infeed	85"	2 1/8"	2 3/8"	<b>KHABPTDPI</b>	266.
	4-4-2 Ceiling Infeed	144"	2 1/8"	2 1/8"	<b>KHABPXPI12</b>	571.
	4-4-2 Ceiling Infeed	240"	2 1/8"	2 1/8"	<b>KHABPXPI20</b>	1,005.
4-4-2 Hardwire Infeed for New York City	85"	2 1/8"	2 3/8"	<b>KHABXPXNY</b>	559.	
4-4-2 Modular Base Infeed	85"	2 1/8"	2 3/8"	<b>KHABPXDPI</b>	277.	
 k. <sup>TM</sup> bench Compact Infeeds	2+2 Hardwire Infeed for New York City	85"	4 3/4"	4 3/4"	<b>KHABPECNY</b>	306.
	3+3 Hardwire Infeed for New York City	85"	4 3/4"	4 3/4"	<b>KHABPTCNY</b>	321.
	4-4-2 Hardwire Infeed for New York City	85"	4 3/4"	4 3/4"	<b>KHABPXCNY</b>	352.
 k. <sup>TM</sup> bench Dual Compact Infeed Mounting Bracket	For mounting Compact Infeed in Linking Bridge of k. <sup>TM</sup> bench Dual Bases	11 2/3"	4"	3"	<b>KHABPMK</b>	281.
 k. <sup>TM</sup> bench Single-Sided Compact Infeed Mounting Bracket	For mounting Compact Infeed in Linking Bridge of k. <sup>TM</sup> bench Single-Sided Bases	11 2/3"	4"	3"	<b>KHABPMKSS</b>	281.

Ordering Information	Order Code	Included With	Options
<b>Electrical Components</b> 1. Pattern Number	<b>Electrical Components</b> <i>Example:</i> <b>KHABPHE12</b> <b>KHAB</b> k. <sup>TM</sup> bench <b>PHE</b> Power Harness <b>12</b> Width	<b>Power Harness</b> Power Trough Attachment	<b>Electrical Components</b>

# k.™ bench Modular Power Components 2+2, 3+3 and 4-4-2 Electrical Systems,

k.™ bench

description	type	w	d	h	pattern no.	list
Duplex Receptacles 	Circuit A, black	1 1/2"	1"	4 1/2"	<b>KHABPDA</b>	\$48.
	Circuit A, black with controlled symbol	1 1/2"	1"	4 1/2"	<b>KHABPDAC</b>	48.
	Circuit B, black	1 1/2"	1"	4 1/2"	<b>KHABPDB</b>	48.
	Circuit B, black with controlled symbol	1 1/2"	1"	4 1/2"	<b>KHABPDBC</b>	48.
	Circuit C, black	1 1/2"	1"	4 1/2"	<b>KHABPDC</b>	48.
	Circuit C, black with controlled symbol	1 1/2"	1"	4 1/2"	<b>KHABPDCC</b>	48.
	Circuit X, black	1 1/2"	1"	4 1/2"	<b>KHABPDX</b>	48.
	Circuit X, black with controlled symbol	1 1/2"	1"	4 1/2"	<b>KHABPDXC</b>	48.
	Circuit X, black with orange triangle	1 1/2"	1"	4 1/2"	<b>KHABPDXT</b>	48.
	Circuit X, orange with black triangle	1 1/2"	1"	4 1/2"	<b>KHABPD XO</b>	48.
	Circuit Y, black	1 1/2"	1"	4 1/2"	<b>KHABPDY</b>	48.
	Circuit Y, black with controlled symbol	1 1/2"	1"	4 1/2"	<b>KHABPDYC</b>	48.
	Circuit Y, black with orange triangle	1 1/2"	1"	4 1/2"	<b>KHABPDYT</b>	48.
	Circuit Y, orange with black triangle	1 1/2"	1"	4 1/2"	<b>KHABPDYO</b>	48.
	Circuit Z, black	1 1/2"	1"	4 1/2"	<b>KHABPDZ</b>	48.
	Circuit Z, black with controlled symbol	1 1/2"	1"	4 1/2"	<b>KHABPDZC</b>	48.
	Circuit Z, black with orange triangle	1 1/2"	1"	4 1/2"	<b>KHABPDZT</b>	48.
	Circuit Z, orange with black triangle	1 1/2"	1"	4 1/2"	<b>KHABPDZO</b>	48.
	Duplex Receptacles for 4-4-2 Electrical System 	Circuit 1, black	1 1/2"	1"	4 1/2"	<b>KHABPD1</b>
Circuit 1, black with controlled symbol		1 1/2"	1"	4 1/2"	<b>KHABPD1C</b>	50.
Circuit 2, black		1 1/2"	1"	4 1/2"	<b>KHABPD2</b>	50.
Circuit 2, black with controlled symbol		1 1/2"	1"	4 1/2"	<b>KHABPD2C</b>	50.
Circuit 3, black		1 1/2"	1"	4 1/2"	<b>KHABPD3</b>	50.
Circuit 3, black with controlled symbol		1 1/2"	1"	4 1/2"	<b>KHABPD3C</b>	50.
Circuit 3, orange with black triangle		1 1/2"	1"	4 1/2"	<b>KHABPD3O</b>	50.
Circuit 4, black		1 1/2"	1"	4 1/2"	<b>KHABPD4</b>	50.
Circuit 4, black with controlled symbol		1 1/2"	1"	4 1/2"	<b>KHABPD4C</b>	50.
Circuit 4, orange with black triangle		1 1/2"	1"	4 1/2"	<b>KHABPD4O</b>	50.

## Ordering Information

### Electrical Components

1. Pattern Number

### Order Code

#### Electrical Components

*Example:* **KHABPDA**

**KHAB** k.™ bench

**PD** Power, Duplex Receptacle

**A** Circuit A

### Included With

#### Power Harness

Power Trough Attachment






### Options

#### Electrical Components

# k.<sup>TM</sup> bench Modular Power Components

## 2+2, 3+3 and 4-4-2 Electrical Systems,

k.<sup>TM</sup> bench

description	type	w	d	h	pattern no.	list	
 USB Duplex	Circuit A, black	1 1/2"	1"	4 1/2"	<b>KHABPUSBA</b>	\$209.	
	Circuit B, black	1 1/2"	1"	4 1/2"	<b>KHABPUSBB</b>	209.	
	Circuit C, black	1 1/2"	1"	4 1/2"	<b>KHABPUSBC</b>	209.	
	Circuit X, black	1 1/2"	1"	4 1/2"	<b>KHABPUSBX</b>	209.	
	Circuit Y, black	1 1/2"	1"	4 1/2"	<b>KHABPUSBY</b>	209.	
	Circuit Z, black	1 1/2"	1"	4 1/2"	<b>KHABPUSBZ</b>	209.	
Outlet Fillers	Package of 10	1 1/2"	1 1/4"	2 1/2"	<b>KHABPROF</b>	42.	
 Jumper Cable, 2+2	For 24" between power harnesses	24"	1"	1"	<b>KHABPEJ24</b>	138.	
	For 30" between power harnesses	30"	1"	1"	<b>KHABPEJ30</b>	148.	
	For 36" between power harnesses	36"	1"	1"	<b>KHABPEJ36</b>	156.	
	For 42" between power harnesses	42"	1"	1"	<b>KHABPEJ42</b>	171.	
	For 48" between power harnesses	48"	1"	1"	<b>KHABPEJ48</b>	181.	
	For 54" between power harnesses	54"	1"	1"	<b>KHABPEJ54</b>	187.	
	For 60" between power harnesses	60"	1"	1"	<b>KHABPEJ60</b>	200.	
 Jumper Cable, 3+3	For 24" between power harnesses	24"	1"	1"	<b>KHABPTJ24</b>	181.	
	For 30" between power harnesses	30"	1"	1"	<b>KHABPTJ30</b>	190.	
	For 36" between power harnesses	36"	1"	1"	<b>KHABPTJ36</b>	204.	
	For 42" between power harnesses	42"	1"	1"	<b>KHABPTJ42</b>	223.	
	For 48" between power harnesses	48"	1"	1"	<b>KHABPTJ48</b>	234.	
	For 54" between power harnesses	54"	1"	1"	<b>KHABPTJ54</b>	241.	
 Jumper Cable, 4-4-2	For 24" between power harnesses	24"	1"	1"	<b>KHABPXJ24</b>	189.	
	For 30" between power harnesses	30"	1"	1"	<b>KHABPXJ30</b>	201.	
	For 36" between power harnesses	36"	1"	1"	<b>KHABPXJ36</b>	215.	
	For 42" between power harnesses	42"	1"	1"	<b>KHABPXJ42</b>	234.	
	For 48" between power harnesses	48"	1"	1"	<b>KHABPXJ48</b>	245.	
	For 54" between power harnesses	54"	1"	1"	<b>KHABPXJ54</b>	256.	
 Communications Mounting Plate	Mounts under k. <sup>TM</sup> bench power trough	3 1/2"	3 1/2"	3"	<b>KHABCMP</b>	35.	
	k. <sup>TM</sup> bench Power Strip	Mounts under worksurface	24 3/4"	2"	2"	<b>KPS24</b>	478.

### Ordering Information

#### Electrical Components

1. Pattern Number

### Order Code

#### Electrical Components

<i>Example:</i>	<b>KHABPUSBA</b>
<b>KHAB</b>	k. <sup>TM</sup> bench
<b>PUSB</b>	Power, USB Duplex
<b>A</b>	Circuit A

### Included With

#### Power Harness

Power Trough Attachment

### Options

#### Electrical Components

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
KCMCLIPS4	25	KHABCPBB2866	17	KHABGPBR4272	18	KHABPHX12	26
KHABCOMP	29	KHABCPBB2872	17	KHABGPBR4278	18	KHABPHX24	26
KHABCS	14	KHABCPBB2878	17	KHABGPBR4948	19	KHABPMK	27
KHABCSSS24	16	KHABCPBB4248	18	KHABGPBR4954	19	KHABPMKSS	27
KHABCSSS30	16	KHABCPBB4254	18	KHABGPBR4960	19	KHABPROF	29
KHABEM48	13	KHABCPBB4260	18	KHABGPBR4966	19	KHABPTCNY	27
KHABEM54	13	KHABCPBB4266	18	KHABGPBR4972	19	KHABPTDPI	27
KHABEM60	13	KHABCPBB4272	18	KHABGPBR4978	19	KHABPTJ24	29
KHABEM66	13	KHABCPBB4278	18	KHABLB	14	KHABPTJ30	29
KHABEM72	13	KHABCPBB4948	18	KHABLBSS	16	KHABPTJ36	29
KHABES48	13	KHABCPBB4954	19	KHABPC18D	26	KHABPTJ42	29
KHABES54	13	KHABCPBB4960	19	KHABPC18S	26	KHABPTJ48	29
KHABES60	13	KHABCPBB4966	19	KHABPC30D	26	KHABPTJ54	29
KHABES66	13	KHABCPBB4972	19	KHABPC30S	26	KHABPTJ60	29
KHABES72	13	KHABCPBB4978	19	KHABPCE	26	KHABPTPI12	27
KHABESS4824	15	KHABCPBL2848	17	KHABPCP	26	KHABPTPI20	27
KHABESS4830	15	KHABCPBL2854	17	KHABPD1	28	KHABPTPNY	27
KHABESS5424	15	KHABCPBL2860	17	KHABPD1C	28	KHABPUSBA	29
KHABESS5430	15	KHABCPBL2866	17	KHABPD2	28	KHABPUSBB	29
KHABESS6024	15	KHABCPBL2872	17	KHABPD2C	28	KHABPUSBC	29
KHABESS6030	15	KHABCPBL2878	17	KHABPD3	28	KHABPUSBX	29
KHABESS6624	15	KHABCPBL4248	18	KHABPD3C	28	KHABPUSBY	29
KHABESS6630	15	KHABCPBL4254	18	KHABPD3O	28	KHABPUSBZ	29
KHABESS7224	15	KHABCPBL4260	18	KHABPD4	28	KHABPXCNY	27
KHABESS7230	15	KHABCPBL4266	18	KHABPD4C	28	KHABPXDI	27
KHABEX48	13	KHABCPBL4272	18	KHABPD4O	28	KHABPXJ24	29
KHABEX54	13	KHABCPBL4278	18	KHABPDA	28	KHABPXJ30	29
KHABEX60	13	KHABCPBL4948	19	KHABPDAC	28	KHABPXJ36	29
KHABEX66	13	KHABCPBL4954	19	KHABPDB	28	KHABPXJ42	29
KHABEX72	13	KHABCPBL4960	19	KHABPDBC	28	KHABPXJ48	29
KHABEXSS4824	15	KHABCPBL4966	19	KHABPDC	28	KHABPXJ54	29
KHABEXSS4830	15	KHABCPBL4972	19	KHABPDCC	28	KHABPXJ60	29
KHABEXSS5424	15	KHABCPBL4978	19	KHABPDCX	26	KHABPXPI12	27
KHABEXSS5430	15	KHABCPBN2848	17	KHABPDX	28	KHABPXPI20	27
KHABEXSS6024	15	KHABCPBN2854	17	KHABPDXC	28	KHABPXPNY	27
KHABEXSS6030	15	KHABCPBN2860	17	KHABPDXO	28	KHABSB4718	21
KHABEXSS6624	15	KHABCPBN2866	17	KHABPDXT	28	KHABSB4725	21
KHABEXSS6630	15	KHABCPBN2872	17	KHABPDY	28	KHABSB5318	21
KHABEXSS7224	15	KHABCPBN2878	17	KHABPDYC	28	KHABSB5325	21
KHABEXSS7230	15	KHABCPBN4248	18	KHABPDYO	28	KHABSB5918	21
KHABFB4713	22	KHABCPBN4254	18	KHABPDYT	28	KHABSB5925	21
KHABFB4713RRR	22	KHABCPBN4260	18	KHABPDZ	28	KHABSB6518	21
KHABFB4720	22	KHABCPBN4266	18	KHABPDZC	28	KHABSB6525	21
KHABFB4720RRR	22	KHABCPBN4272	18	KHABPDZO	28	KHABSB7118	21
KHABFB5313	22	KHABCPBN4278	18	KHABPDZT	28	KHABSB7125	21
KHABFB5313RRR	22	KHABCPBN4948	19	KHABPECNY	27	KHABSB4718	20
KHABFB5320	22	KHABCPBN4954	19	KHABPEDPI	27	KHABSB4725	20
KHABFB5320RRR	22	KHABCPBN4960	19	KHABPEJ24	29	KHABSB5318	20
KHABFB5913	22	KHABCPBN4966	19	KHABPEJ30	29	KHABSB5325	20
KHABFB5913RRR	22	KHABCPBN4972	19	KHABPEJ36	29	KHABSB5918	20
KHABFB5920	22	KHABCPBN4978	19	KHABPEJ42	29	KHABSB5925	20
KHABFB5920RRR	22	KHABGPBR2848	17	KHABPEJ48	29	KHABSB6518	20
KHABFB6513RRR	22	KHABGPBR2854	17	KHABPEJ54	29	KHABSB6525	20
KHABFB6520RRR	22	KHABGPBR2860	17	KHABPEJ60	29	KHABSB7118	20
KHABFB7113RRR	22	KHABGPBR2866	17	KHABPEPI12	27	KHABSB7125	20
KHABFB7120RRR	22	KHABGPBR2872	17	KHABPEPI20	27	KHABSC4824	24
KHABFS	25	KHABGPBR2878	17	KHABPEPNY	27	KHABSC4824F	23
KHABFSS	25	KHABGPBR4248	18	KHABPHE12	26	KHABSC4824FRR	23
KHABCPBB2848	17	KHABGPBR4254	18	KHABPHE24	26	KHABSC4831	24
KHABCPBB2854	17	KHABGPBR4260	18	KHABPHT12	26	KHABSC4831F	23
KHABCPBB2860	17	KHABGPBR4266	18	KHABPHT24	26	KHABSC4831FRR	23

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
KHABSC5424	24	KHABTRC7029	12
KHABSC5424F	23	KHABTRC7123	11
KHABSC5424FRR	23	KHABTRC7124	10
KHABSC5431	24	KHABTRC7129	11
KHABSC5431F	23	KHABTRC7130	10
KHABSC5431FRR	23	KHABTRCSS4629	12
KHABSC6024	24	KHABTRCSS4729	11
KHABSC6024F	23	KHABTRCSS4730	10
KHABSC6024FRR	23	KHABTRCSS5229	12
KHABSC6031	24	KHABTRCSS5329	11
KHABSC6031F	23	KHABTRCSS5330	10
KHABSC6031FRR	23	KHABTRCSS5829	12
KHABSC6624	24	KHABTRCSS5929	11
KHABSC6624FRR	23	KHABTRCSS5930	10
KHABSC6631	24	KHABTRCSS6429	12
KHABSC6631FRR	23	KHABTRCSS6529	11
KHABSC7224	24	KHABTRCSS6530	10
KHABSC7224FRR	23	KHABTRCSS7029	12
KHABSC7231	24	KHABTRCSS7129	11
KHABSC7231FRR	23	KHABTRCSS7130	10
KHABT4723	9	KHABTSS4729	9
KHABT4724	8	KHABTSS4730	8
KHABT4729	9	KHABTSS5329	9
KHABT4730	8	KHABTSS5330	8
KHABT5323	9	KHABTSS5929	9
KHABT5324	8	KHABTSS5930	8
KHABT5329	9	KHABTSS6529	9
KHABT5330	8	KHABTSS6530	8
KHABT5923	9	KHABTSS7129	9
KHABT5924	8	KHABTSS7130	8
KHABT5929	9	KHABVWM	25
KHABT5930	8	KHABVWMSS	25
KHABT6523	9	KHC	25
KHABT6524	8	KPS24	29
KHABT6529	9		
KHABT6530	8		
KHABT7123	9		
KHABT7124	8		
KHABT7129	9		
KHABT7130	8		
KHABTRC4623	12		
KHABTRC4629	12		
KHABTRC4723	11		
KHABTRC4724	10		
KHABTRC4729	11		
KHABTRC4730	10		
KHABTRC5223	12		
KHABTRC5229	12		
KHABTRC5323	11		
KHABTRC5324	10		
KHABTRC5329	11		
KHABTRC5330	10		
KHABTRC5823	12		
KHABTRC5829	12		
KHABTRC5923	11		
KHABTRC5924	10		
KHABTRC5929	11		
KHABTRC5930	10		
KHABTRC6423	12		
KHABTRC6429	12		
KHABTRC6523	11		
KHABTRC6524	10		
KHABTRC6529	11		
KHABTRC6530	10		
KHABTRC7023	12		

# Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
<b>Terms &amp; Conditions of Sales</b>	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
<b>Ordering Information</b>	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
<b>Order Confirmation</b>	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
<b>Pricing Policies</b>	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
<b>Taxes</b>	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
<b>Terms of Payment</b>	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
<b>Changes and Cancellation</b>	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
<b>Freight Prepaid</b>	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
<b>Delivery/Freight Charges</b>	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
<b>Claims</b>	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>
<b>Seller's Security Interest</b>	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
<b>Returns</b>	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
<b>Held Orders/Storage</b>	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

# Selling Policy

<b>Customer's Own Material</b>	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
<b>Warranty</b>	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Rockwell Unscripted, Series 2 Storage, Template, Quoin and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, digital locks, upholstery, textiles and leathers, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Generation by Knoll, k. task, Life, Moment, MultiGeneration by Knoll, Ollo, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Anchor Storage except digital locks, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Rockwell Unscripted, Quoin wood components, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, k. lounge structural components, KnollStudio Pixel and Propeller, Tone bases and k.screens.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, Currents handcrank, KnollStudio, Rockwell Unscripted wire bases, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU holders and all universal storage drawers and Power Collection, k. bench (except changes in finish, see below) and k. stand bases (except changes in finish, see below).</i></p> <p><i>3 Years: Rockwell Unscripted upholstery (except textiles and leather), Office Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, KnollExtra Pop Up Screens.</i></p> <p><i>2 Years: Anchor Storage digital locks, Quoin digital locks, all other KnollExtra product and KnollTextiles Ultrasuede.</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered arm pads and soft arm pads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric. Rockwell Unscripted fabric and accessories, Spinneybeck leathers, and KnollTextiles upholstery except Ultrasuede.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none"><li>• Damage caused by a carrier other than the Seller.</li><li>• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).</li><li>• COM or other third party materials applied to Products.</li><li>• Products not installed by or under the auspices of a Knoll Dealer.</li><li>• Dramatic temperature variations or exposure to unusual conditions.</li><li>• Changes in surface finishes, including colorfastness due to aging or exposure to light.</li><li>• Except as specifically noted above, textiles and upholstery supplied by KnollTextiles and Spinneybeck FilzFelt (consult current price lists for applicable warranties).</li></ul> <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
<b>Delay/Force Majeure</b>	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
<b>Compliance with Law</b>	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
<b>Patents</b>	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>
<b>Limitations of Liability</b>	<b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

## Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."