


Reff Profiles

**26 1/2" PLANNING
VOLUME ONE**

Price List
March 2020



Knoll

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	9
	Planning Guidelines and Specification	12
Panels	Monolithic panels 34" H	13
	Monolithic panels 42" H	19
	Monolithic panels 49" H	26
	Monolithic panels 64" H	33
	Monolithic panels 79" H	40
	Tiled panels 34" H	47
	Tiled panels 42" H	52
	Tiled panels 49" H	59
	Tiled panels 64" H	66
	Tiled panels 79" H	73
	Aluminum Reveal kits	80
	Beltway one side, window panel 49" H	83
	Beltway two sides, window panel 49" H	97
	Stacking modules	99
	Frameless glass add-ups for panels	105
	Panel connection posts	107
	Panel trims and post covers	111
	Panel Accessories	113
	Ceiling cable entry posts, poles and cable infeed	114
	Ceiling cable entry post covers	116
	Rolling door and hinged door	118
	Attachment kits	120
	Floor to ceiling modules	121
	Required components	129
	Power distribution components	130
	Beltway electrical components	137
	Data and Communications	139
	Reff Ported Panel Components	140
Worksurfaces	Worksurfaces	143
	Worksurface 1 1/4"	147
	Conference 1 1/4"	163
	Optional edge details 1 1/4"	165
	Optional edge 1 1/4	166
	Cascade Edge 1 1/4"	181
	Worksurface Credenza	186
Tables	Tables with Open Frame Legs	189
	Open Frame legs Infill Options	190
	Tables with L-legs	191
	Tables with Reverse L-Legs	192
	Tables with Soft Rectangular Legs	193
	Tables with 2 x 4 Legs	194
	Tables with 4 x 4 Legs	196
	Tables with Column Legs	198
	Tables - Mobile	199
	Tables - Sliding	200
	Tables - Height Adjustable & Sliding	203
	Tables - Fixed Height with Column Base Leg	206
	Tables - Height Adjustable	208
Support components	Top support components	210
	Stiffeners	220
Cabinetry	Pedestals, 26 1/2" planning	221
	Cabinets, 26 1/2" planning	233

Overhead storage	Overhead, 26 1/2 planning	256
	Task Lights for Overhead Storage	264
Transaction tops, regular	Transaction tops	265
Gallery desk surrounds	Gallery desk surrounds	267
Classic Desks	Classic Desks	270
Preconfigured Reff Desking	Single pedestal desks	274
	Double pedestal desks	277
	Desk returns	280
	Single pedestal credenzas	283
	Bridge assemblies	286
	Double pedestal credenzas	289
Accessories and Client Samples	Accessories - Planning Guidelines and Specification	292
	Accessories	305
	Tackboards	325
	Desk Screens	330
	Cubbies	335
Wall Mounting of Knoll Products		337
Alpha-Numeric Index		339
Selling Policy		354
KnollKey Lock Program		356
General Ordering Information		357

Knoll and Sustainable Design

Each year Knoll sets key initiatives in the journey to sustainability. Focused on our impact to people and planet, Knoll reports material health product attributes and sets operational targets to reduce greenhouse gas emissions, waste generation and water use (in our North American facilities.)

Material transparency is a core Knoll sustainable design value, enabling us to optimize the design and performance of our products. Our material health program utilizes independent third-party certifications that provide an impartial and trustworthy foundation for industry-wide transparency. Certification by respected third parties ensures that all manufacturers are held to the same high standards. Knoll certifications include: Forest Stewardship Council (FSC®), Intertek's Clean Air Program, Business and Institutional Furniture Manufacturer's Association (BIFMA) LEVEL® certification, International Living Future Institute's (ILFI) Declare labelling and Certified Environmental Product Declarations. In addition, Knoll is aligned with the U.S. Green Building Council and can help organizations achieve credits for Leadership in Energy and Environmental Design (LEED®), WELL and the Living Building Challenge (LBC) building certifications.

In our manufacturing operations, we focus on efficiency and impact. Knoll Office and Knoll Europe manufacturing locations are ISO 14001:2015 certified. Knoll sets objectives and targets to reduce energy, water and waste. These initiatives are part of a long-term strategy to further reduce energy consumption and lower our carbon footprint.

We also believe in helping our customers find viable options when decommissioning furniture or other related assets. ANEW's Full Circle Program, in partnership with Knoll, allows customers to leverage buy-back and re-sale programs as well as explore options for repurposing or recycling that mitigate landfill impact through energy-from-waste conversion.

For more information about Knoll and sustainable design, visit www.knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide on Exchange for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 1/2" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 15/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 15/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 2mm PVC or 2mm wood.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide on Exchange for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see *support* section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. Which provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code	V1 TECHWOOD	Code	V2 PREMIUM TECHWOOD	Code	V3 PREMIUM VENEER
638	Blond Maple	647	White Pine	039	Pippy Oak *
628	Dark Mahogany	640	Ebony	044	Figured Sycamore
639	Light Cherry	642	Grigio		
641	Black Oak				
506	Maple		V2 NATURAL VENEER		
509	Cherry	020	Natural Oak		
512	Medium Walnut	038	Rustic Walnut *		
513	Medium Teak	017	Light Walnut		
514	Espresso	002	Bronze Cherry		
637	Natural	006	Maple		
644	Light Walnut	021	Peacock Green Walnut		
645	Dove Grey	022	Old English Walnut		
		037	Birch		

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
B	Medium Gloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

Edge Options for Veneers

WOOD	Complementary Wood
SYN	Complementary Synthetic
WPLY	Wood Ply Edge *
SPLY	Synthetic Ply Edge *

* Ply Edge available on Birch (037) worksurfaces.

*Note:

-Synthetic Edge option is available on worksurfaces, only.

-Finishes with * are available on worksurfaces only.

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

Laminate Finishes

Core Laminate

Surface / Edge

111	Jet Black**
114	Folkstone Grey**
115	Medium Grey**
117	Soft Grey**
118	Bright White**
119	Pumice**
121	Micro Grey *
122	Brushed Sand *
123	Brushed Grey *
128	Fog**
129	Micro Sand *

*121, 122, 123, 129 Not available with matching edge option, and only available on worksurfaces.

**Melamine worksurface finish.

Worksurfaces manufactured in Melamine are available in High Pressure Laminate at a 10% upcharge. Other products are also available in High Pressure Laminate and would need to be quoted separately.

LW Marker Board - Available for panels, Task panels and sliding display boards.

Note: All core Laminate worksurfaces are available with matching and non matching edges.

ie; A worksurface in 118, can have 139 edge finish.

Note: Pedestals and Cabinets with metal interior, when specified in "Wood Grain Laminate" or "Veneer", the shelves are painted black.

Wood Grain Laminates

Surface / Edge

124	Medium Chery**
125	Natural Maple**
126	Natural Cherry**
127	Walnut**
139	Light Ash**
140	Warm Ash**
141	Whitened Ash**
142	Grey Ash**
143	Classic Oak**
144	Graphite Pear**
145	Zebra

Textured Wood Grain Laminate

Surface / Edge

147	Silverwood**
148	Smokewood**
149	Barnwood**

Wood Grain Laminates are NOT available on the following components:

- Storage with J Pull option
 - Administrative and Reception products
 - 1 1/4" thick Worksurfaces with optional edge
 - Panel post covers, post caps, top trims, end trims and screen doors
 - 147, 148 and 149 available on build to spec components and 1 1/4" thick worksurfaces.
- Not available on pre-configured components or 1 1/2" thick worksurfaces.

Additional Edge Options for Laminate worksurfaces (only):

WPLY Ply Edge - Wood (V1 Pricing)

SPLY Ply Edge - Synthetic (L Pricing)

Important Note:

Laminate wood grain direction depends on the width of the product.

For any vertical surface, ie; modesty panels, overheads and hutches, **up to 60"** wide, the laminate wood grain direction will be **vertical**. For any vertical surface **greater than 60"** wide, the laminate wood grain direction is **horizontal**.

Impact Resistant Laminate

Core & Wood Grain Laminates

Surface / Edge


911	Jet Black
914	Folkstone Grey
917	Soft Grey
918	Bright White
919	Pumice
924	Medium Cherry
925	Natural Maple
926	Natural Cherry
927	Walnut
928	Fog

Note: The Rules of Wood Grain Laminates, applies to the Impact Resistant Laminates. 25% Upcharge applies to the laminate pricing for the Impact Resistant Laminates.

up to 60" (vertical)



60" greater (horizontal)



Mixed Finishes: For Laminate worksurfaces with Laminate or Veneer Edge Options, specify mixed finish worksurfaces using separate top finish & edge finish.

For Example:

Top finish: 114 Folkstone Grey Laminate

Edge finish: 115 Medium Grey Laminate, or Y882 Dove Grey Techwood

Forbo

851 Biscuit
852 Sky Blue
853 Stone
854 Cinnamon
855 Heather Blue

Solid Surface

AW Artic White

Glass

G1
TEMP Clear Tempered

G2

Architectural Glass Options

GL13 Powder
GL8 Wafer
GL6 Block Matrix

G3

Back Painted Glass 5mm

GL11 Back Painted Black
GL14 Folkstone Grey
GL15 Back Painted Medium Grey
GL17 Back Painted Soft Grey
GL18 Back Painted White

Colored Glass

GL25 Bronze
GL35 Grey
GL85 Star Clear

Note:

All Glass options are Tempered.

Paint/Plated/Anodized finishes

P1

111 Jet Black
112 Brown
113 Dark Grey
114 Folkstone Grey
115 Medium Grey
116 Sandstone
117 Soft Grey
118 Bright White
119 Pumice

P2

611 Beige Mist Metallic
612 Medium Metallic Grey
AA Anodized Aluminum

P3

613 Silver

P4

PD Polish Chrome
PU Satin Nickel
PT Brushed Pewter
AP Anodized Polished
AU Anodized Satin

Complementary Colors:

AP (anodized polished) complements PD (polished chrome)

AU (anodized satin) complements PU (satin nickel)

Locks

B Black
S Matte Silver

*Note:

- All finishes shift in color over time, this natural aging process varies by material.

Fabric Options For Panels*Grade 10*

Annex (W1360)
 Beacon (W1597)
 Broadcloth II (W1619)
 Circuit (W1754)
 Element (W1077)
 Growth Spurt (W692)
 Messa (W2061)
 Pivot (W1926)
 Skylark (W1718)
 Symbolic Detail (W693)
 Tailor Made II (W1610/6)
 Twister (W1923)
 Versatility (W432)

Grade 20

Circle Line (W1146)
 Criss Cross (W305)
 Delite (K2026)
 Edo (W2111) ▲
 Infinite (K2263)
 Logic (W1318)
 Nematic II (W1620)
 Photon II (W1695)
 Ponder (W2382)
 Reflect (W884) ø

Grade 30

Bond (WC1577)
 Match Point (W1145)
 Micro (W465)*
 Relay (W1020) ▲
 Synth (K1693)

Grade 40

Crossroad (K2085)

Grade 45

Monarch (K1149)

**with backing only*

▲ Monolithic panels and tackboards only

ø May not be available in all colors.

★Non-merchandized available for purchase but samples not available.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50

Presto (K1000) For tackboards only

Grade 55

Knoll Felt (K1207)
 Knoll Hopsack (K1206)
 Ransom (K1298)

Customers Own Material

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.


When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A


(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.


Panel Trim Profiles




Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)


Worksurface Profiles



1 1/2", 1 1/4" and 1" Thick Standard




1 1/4" Thick Cascade



1" Thick Sliding Table

NOTE: See page 165 for 7 Optional Edges which are also available.




Integral Wood J-Pull

Does not protrude

Matches the case finish in all veneer options and solid color laminates. Refer to finish page.

Position: The full extension of top of doors or drawers (bottom on the flip doors)



C-Pull

(Nickle Plated Finish Only)


7³/₈" wide x 1⁵/₃₂" deep

Protrudes 1" from the drawer front

Available in Nickle Plated Finish only

1 pull per drawer front

Position: center, 1/2" down from the top of drawer



D-Pull


7³/₄" wide x 1¹³/₃₂" deep

Protrudes 1¹³/₃₂" from the drawer front

Available in all core paint finishes, Bushed Pewter (PT) and Satin Brass (PZ)

1 pull per drawer front

Position: Assembled to plate, center line
1/2" down from the top of drawer



S-Pull

(Stainless Steel Finish Only)


6⁵/₃₂" wide x 1¹/₁₆" deep

Protrudes 1³/₆₄" from the drawer front

Available in Stainless Steel only

1 pull per drawer front

Position: Center, 1/2" down from the top of drawer



R-Cylinder

1" diameter

Protrudes 1" from the drawer front


Available in painted and plated finishes

1 pull per 16" & 19" wide pedestal drawer

Position: center position for 16" & 19" drawers

2 pulls per 30" & 36" lateral drawers

Position: 6" in from end, 1 1/2" down from top of drawers



H-Out Line

4" wide x 1" deep

Protrudes 1" from the drawer front


Available in painted and plated finishes

1 pull per 16" & 19" wide pedestal drawer

Position: center, 1 1/2" down from the top of drawer

2 pulls per 30" & 36" lateral drawers

Position: 6" in from left/right, 1 1/2" down from top of drawers



T-Tab


Short Tab: 2" wide x 1 3/4" deep

Long Tab: 10" wide x 1 3/4" deep

Protrudes 3/4" from drawer front

Available in painted or plated finishes

Position: Center line position on drawers




F-Bar Pull

Short bar pull: 3 3/8" wide x .3" thick

Long bar pull: 10 1/2" wide x .3" thick

Protrudes 1" from drawer front

Available in painted and plated finishes



G-Grommet Pull

1 3/32" diameter

Flush with the drawer front

Available in painted and plated finishes


1 pull per 60" & 72" sliding doors

Position: 1.656" from left or right, center line vertical

2 pulls per 90" & 108" sliding doors

Position: 1.656" from left and right, center line vertical

Position: Center line position on drawers



What is Reff Profiles?

Reff Profiles is finely detailed office furniture that combines versatility with image by providing unparalleled attention to quality from dovetailed joinery to a patented finishing process. Users can choose from a broad range of natural woods, fine veneers and durable laminates to create private offices, freestanding work areas and panel-based environments that fit the individual's requirements. A variety of stacking panel styles, including monolithic, tiled and floor-to-ceiling, will support any design criteria.

Worksurfaces are available in traditional rectilinear or innovative curvilinear shapes for a choice of aesthetic approaches and ergonomic solutions. Cabinetry can be specified in numerous sizes and configurations with either wood or metal interiors with a choice of hardware options to support any storage requirement. Innovative desk-height storage, cabinets and office towers combine aesthetics with functionality.

The result is a comprehensive product offering that will satisfy a wide spectrum of users. Let your imagination take hold.

For private offices consider a variety of deskings options including flush, cantilevered, recessed or bow fronts and storage solutions including innovative workwalls.

In freestanding furniture, Reff Profiles offers a full selection of components to support any requirement from managerial to administrative. Options include numerous worksurfaces and meeting tops with a variety of freestanding supports. Administrative and Gallery desk surrounds, stationary and mobile storage components and storage towers provide exceptional planning alternatives.

Panel systems provide high-density power, data and communications capacity along with acoustic control and design flexibility. Panels can be specified with smooth monolithic surfaces, tiled faces or stacking modules. Additionally, panel surfaces are available with fabric on both sides or with fabric on one side and wood on the other.

Who should consider Reff Profiles?

Reff Profiles is well suited to organizations who want to project a high image while supporting any work environment from private offices to panel-based workstations. Companies will appreciate the fine quality and breathtaking aesthetics of Reff Profiles and, for those rapidly changing firms who require interchangeable components to support long term use, Reff Profiles is truly the design choice for inspired offices.

Desk Height Planning vs. Standard Height Planning

Reff Profiles offers two support height planning models: "standard" height (26 1/2") and "desk" height (28 3/8").

"Standard height" support components provide an underdesk clearance of 26 1/2". This yields a worksurface height of 27 3/4" with 1 1/4" thick worksurfaces and 28" with 1 1/2" worksurfaces.

Standard height planning (26 1/2") may be utilized in panel-based open planning, freestanding open planning (including Reff ProfilesGallery), and in private office planning.

"Desk height" support components provide an underdesk clearance of 28 3/8". This yields a worksurface height of 29 5/8" with 1 1/4" thick worksurfaces and 29 7/8" with 1 1/2" thick worksurfaces.

"Low Credenza" and "3/4 high" storage options may be incorporated into desk height planning models. Progressive Low Credenza storage incorporates a 1 1/16" top shelf for a finished height of 23 3/8". 3/4 high storage is 22 3/8"h and requires a 1" thick applied worksurface top which yields a low worksurface height of 23 3/8".

Desk height planning (28 3/8") may be utilized in freestanding open planning (including Administrative and Reception desk units) and in private office planning.

Storage Relationships

Care should be taken to make sure storage cabinets are specified in the type that corresponds to the planning height model being used.

Classic Cabinets, Overheads, Workwalls, and Overdesk Units are available for both standard and desk height planning and must be specified accordingly.

Progressive Cabinets, Progressive Overheads, and Desktop Towers are only available for desk height planning.

Task panels are intended to be used with desk height planning. They are not recommended for use with standard height planning.


Price List / Planning Guide Organization

The Reff Profiles price list is divided into two volumes. Volume 1 contains pricing related to panels and "standard" height (26 1/2") planning. Planning guidelines for 26 1/2" height planning are available in the Reff Planning Guide, on Exchange. The Reff Profiles price list Volume 2 contains pricing and planning information for "desk" height (28 3/8") elements.

It is not advised to mix 28 3/8"h desk height products with 26 1/2" components.

Monolithic panels 34" H fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF3418-() ()	\$714.	\$782.	\$884.	\$948.	\$1,038.	\$1,098.
Regular acoustics	20"	34"	R3B0PFF3420-() ()	714.	782.	884.	948.	1,038.	1,098.
	24"	34"	R3B0PFF3424-() ()	770.	838.	940.	1,004.	1,094.	1,154.
	30"	34"	R3B0PFF3430-() ()	820.	888.	990.	1,054.	1,144.	1,204.
	36"	34"	R3B0PFF3436-() ()	873.	941.	1,043.	1,107.	1,197.	1,257.
	42"	34"	R3B0PFF3442-() ()	1,002.	1,070.	1,172.	1,236.	1,326.	1,386.
	48"	34"	R3B0PFF3448-() ()	1,039.	1,107.	1,209.	1,273.	1,363.	1,424.




Order Code	Specification Information	Application Notes	
Example: R3B0PFF3418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2¾".
P	Monolithic panel		
FF	Fabric on both sides		All panels on this page have no high acoustical option or Beltway option.
34	34" high		
18	18" wide		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 120.
(A)	Trim profile		
006B	Trim finish		
(4)	4" Base height		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
(K)	Knockouts option in base		Ported panel components to be installed below worksurface if panel
111	Base finish		
W281	Fabric Side 1		
W281	Fabric Side 2		
M	Milled for ported components		

Monolithic panels 34" H

fabric one side, laminate other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PFL3418-()()	\$683.	\$714.	\$760.	\$787.	\$826.	\$855.
Regular acoustics	20"	34"	R3B0PFL3420-()()	683.	714.	760.	787.	826.	855.
	24"	34"	R3B0PFL3424-()()	727.	758.	804.	831.	870.	899.
	30"	34"	R3B0PFL3430-()()	775.	806.	852.	879.	918.	947.
	36"	34"	R3B0PFL3436-()()	817.	848.	894.	921.	960.	989.
	42"	34"	R3B0PFL3442-()()	929.	960.	1,006.	1,033.	1,072.	1,101.
	48"	34"	R3B0PFL3448-()()	959.	990.	1,036.	1,063.	1,102.	1,131.




Order Code	Specification Information	Application Notes	
Example: R3B0PFL3418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2¾".
P	Monolithic panel		
FL	Fabric one side		All panels on this page have no high acoustical option or Beltway option.
34	34" high		
18	18" wide		
(A)	Trim profile		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 120.
006B	Trim finish		
(4)	4" Base height		
(K)	Knockouts option in base		
111	Base finish		
W281	Fabric Side 1		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
114	Folkstone grey- side 2		
M	Milled for ported components		Ported panel components to be installed below worksurface if panel

Monolithic panels 34" H

fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF13418-() ()	\$801.	\$835.	\$886.	\$919.	\$964.	\$997.
Regular acoustics	20"	34"	R3B0PF13420-() ()	804.	838.	889.	922.	967.	1,000.
	24"	34"	R3B0PF13424-() ()	856.	890.	941.	974.	1,019.	1,052.
	30"	34"	R3B0PF13430-() ()	910.	944.	995.	1,028.	1,073.	1,106.
	36"	34"	R3B0PF13436-() ()	967.	1,001.	1,052.	1,085.	1,130.	1,163.
	42"	34"	R3B0PF13442-() ()	1,095.	1,129.	1,180.	1,213.	1,258.	1,291.
	48"	34"	R3B0PF13448-() ()	1,131.	1,165.	1,216.	1,249.	1,294.	1,327.




Order Code	Specification Information	Application Notes	
Example: R3B0PF13418-A4K	<i>To order please specify pattern number including:</i>		
R3	Reff Generation 3	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
B0	No Beltway		6" Raceway option increases panel height by 2 3/4".
P	Monolithic panel		
F1	Fabric one side, V1 other side	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	All panels on this page have no high acoustical option or Beltway option.
34	34" high		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 120.
18	18" wide		
(A)	Trim profile		
506B	Trim finish		
(4)	4" Base height		
(K)	Knockouts option in base		
111	Base finish		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
W281	Fabric Side 1		
506B	Maple - Side 2		Ported panel components to be installed below worksurface if panel 34"h.
M	Milled for ported components		

Monolithic panels 34" H

fabric one side, conventional veneer other side

Reff Profiles Vol. One


description	w	h	pattern no.	grade					
				10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	R3B0PF234 18-() ()	\$816.	\$850.	\$901.	\$934.	\$979.	\$1,012.
	20"	34"	R3B0PF234 20-() ()	819.	853.	904.	937.	982.	1,015.
	24"	34"	R3B0PF234 24-() ()	871.	905.	956.	989.	1,034.	1,067.
	30"	34"	R3B0PF234 30-() ()	929.	963.	1,014.	1,047.	1,092.	1,125.
	36"	34"	R3B0PF234 36-() ()	982.	1,016.	1,067.	1,100.	1,145.	1,178.
	42"	34"	R3B0PF234 42-() ()	1,119.	1,153.	1,204.	1,237.	1,282.	1,315.
	48"	34"	R3B0PF234 48-() ()	1,153.	1,187.	1,238.	1,271.	1,316.	1,349.

Order Code	Specification Information	Application Notes	
Example: R3B0PF23418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2 3/4".
P	Monolithic panel		
F2	Fabric one side,V2 other side	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	All panels on this page have no high acoustical option or Beltway option.
34	34" high		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 120.
18	18" wide		
(A)	Trim profile		
006B	Trim finish		
(4)	4" Base height		
(K)	Knockouts option in base		
111	Base finish		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
W281	Fabric Side 1		
006B	Maple - Side 2		Ported panel components to be installed below worksurface if panel 34"h.
M	Milled for ported components		

Monolithic panels 34" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF334 18-() ()	\$1,085.	\$1,119.	\$1,170.	\$1,203.	\$1,248.	\$1,281.
Regular acoustics	20"	34"	R3B0PF334 20-() ()	1,091.	1,125.	1,176.	1,209.	1,254.	1,287.
	24"	34"	R3B0PF334 24-() ()	1,160.	1,194.	1,245.	1,278.	1,323.	1,356.
	30"	34"	R3B0PF334 30-() ()	1,239.	1,273.	1,324.	1,357.	1,402.	1,435.
	36"	34"	R3B0PF334 36-() ()	1,308.	1,342.	1,393.	1,426.	1,471.	1,504.
	42"	34"	R3B0PF334 42-() ()	1,494.	1,528.	1,579.	1,612.	1,657.	1,690.
	48"	34"	R3B0PF334 48-() ()	1,538.	1,572.	1,623.	1,656.	1,701.	1,734.




Order Code	Specification Information	Application Notes	
Example: R3B0PF33418-A4K	<i>To order please specify pattern number including:</i>		
R3	Reff Generation 3	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
B0	No Beltway		6" Raceway option increases panel height by 2¾".
P	Monolithic panel		
F3	Fabric one side, V3 one side	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	All panels on this page have no high acoustical option or Beltway option.
34	34" high		
18	18" wide		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 120.
(A)	Trim profile		
039E	Trim finish		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
(4)	4" Base height		
(K)	Knockouts option in base		Ported panel components to be installed below worksurface if panel 34"h.
111	Base finish		
W281	Fabric Side 1		
039E	Figured Anigre - Side 2		
M	Milled for ported components		

Monolithic panels 34" H

Laminate/Laminate

Reff Profiles Vol. One

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	R3B0PLL3418 ()()	\$686.
	20"	34"	R3B0PLL3420 ()()	686.
	24"	34"	R3B0PLL3424 ()()	749.
	30"	34"	R3B0PLL3430 ()()	838.
	36"	34"	R3B0PLL3436 ()()	905.
	42"	34"	R3B0PLL3442 ()()	933.
	48"	34"	R3B0PLL3448 ()()	978.

Order Code	Specification Information	Application Notes
Example: R3B0PLL3418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum
R3 Reff Generation 3	1. Trim profile	2. Base height: 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).
B0 No Beltway	2. Trim finish	These Panels will accept all core Laminates
P Monolithic panel	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
LL Laminate both sides	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	
34 34" high	3. Base height	
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	
(A) Trim profile	5. Base finish	
118 Trim finish	6. Panel side 1 finish(s) inside	
(4) 4" Base height	7. Panel side 2 finish(s) outside	
(K) Knockouts option in base	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	
111 Base finish		
118 Laminate Side 1		
118 Laminate Side 2		
M Milled for ported components		

Monolithic panels 42" H fabric both sides

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18"	42"	R3B0PFF42 18-() ()	\$651.	\$723.	\$829.	\$911.	\$1,005.	\$1,073.
	20"	42"	R3B0PFF42 20-() ()	651.	723.	829.	911.	1,005.	1,073.
	24"	42"	R3B0PFF42 24-() ()	694.	766.	872.	954.	1,048.	1,116.
	30"	42"	R3B0PFF42 30-() ()	757.	829.	935.	1,017.	1,111.	1,179.
	36"	42"	R3B0PFF42 36-() ()	815.	887.	993.	1,075.	1,169.	1,237.
	42"	42"	R3B0PFF42 42-() ()	874.	946.	1,052.	1,134.	1,228.	1,296.
	48"	42"	R3B0PFF42 48-() ()	940.	1,012.	1,118.	1,200.	1,294.	1,362.
	60"	42"	R3B0PFF42 60-() ()	1,062.	1,224.	1,434.	1,584.	1,782.	1,906.
	66"	42"	R3B0PFF42 66-() () *	1,099.	1,261.	1,471.	1,621.	1,819.	1,943.
	72"	42"	R3B0PFF42 72-() () *	1,134.	1,296.	1,506.	1,656.	1,854.	1,978.
Monolithic, fabric both sides High acoustics	18"	42"	R3B0PAA42 18-() ()	715.	787.	893.	975.	1,069.	1,137.
	20"	42"	R3B0PAA42 20-() ()	715.	787.	893.	975.	1,069.	1,137.
	24"	42"	R3B0PAA42 24-() ()	761.	833.	939.	1,021.	1,115.	1,183.
	30"	42"	R3B0PAA42 30-() ()	825.	897.	1,003.	1,085.	1,179.	1,247.
	36"	42"	R3B0PAA42 36-() ()	892.	964.	1,070.	1,152.	1,246.	1,314.
	42"	42"	R3B0PAA42 42-() ()	962.	1,034.	1,140.	1,222.	1,316.	1,384.
	48"	42"	R3B0PAA42 48-() ()	1,032.	1,104.	1,210.	1,292.	1,386.	1,454.
	60"	42"	R3B0PAA42 60-() () *	1,157.	1,319.	1,529.	1,679.	1,877.	2,001.
	66"	42"	R3B0PAA42 66-() () *	1,196.	1,358.	1,568.	1,718.	1,916.	2,040.
	72"	42"	R3B0PAA42 72-() () *	1,237.	1,399.	1,609.	1,759.	1,957.	2,081.


Order Code	Specification Information	Application Notes	
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>		
R3 Reff Generation 3	1. Trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The Reff Profiles System does not support the stacking of modules onto 42”H panels. These panels can be used to achieve transaction top height (see page 265).
B0 No Beltway	2. Trim finish		
P Monolithic panel	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	2. <i>Base height:</i> 4 = 4” base height 6 = 6” base height (add \$55 per panel for this option).	6” Raceway option increases panel height by 2 3/4”.
FF Fabric on both sides	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	79”H hookstrip reveal strips are ordered separately from page	Product on this page can be attached to posts 42”, 49”, 64”, and 79”H as well as panels 42”, 49”, 64” and 79”H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 120.
42 42” high	3. Base height		Remember to specify Beltway paint finish when applicable.
18 18” wide	4. Knockout option (K = with knockouts, N = without knockouts)		
(A) Trim profile	5. Base finish		*These panel widths do not accept stacking modules.
006B Trim finish	6. Panel side 1 finish(s) inside		
(4) 4” Base height	7. Panel side 2 finish(s) outside		
(K) Knockouts option in base	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable		
111 Base finish			
W281 Fabric Side 1			
W281 Fabric Side 2			
M Milled for ported components			

Monolithic panels 42" H with Beltway

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-()()	\$1,279.	\$1,385.	\$1,519.	\$1,607.	\$1,717.	\$1,797.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-()()	1,279.	1,385.	1,519.	1,607.	1,717.	1,797.
	24"	42"	R3B2PFF42 24-()()	1,304.	1,410.	1,544.	1,632.	1,742.	1,822.
	30"	42"	R3B2PFF42 30-()()	1,369.	1,475.	1,609.	1,697.	1,807.	1,887.
	36"	42"	R3B2PFF42 36-()()	1,602.	1,708.	1,842.	1,930.	2,040.	2,120.
	42"	42"	R3B2PFF42 42-()()	1,723.	1,829.	1,963.	2,051.	2,161.	2,241.
	48"	42"	R3B2PFF42 48-()()	1,785.	1,891.	2,025.	2,113.	2,223.	2,303.

Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-()()	1,261.	1,350.	1,470.	1,555.	1,657.	1,731.
Beltway one side	20"	42"	R3B1PFF42 20-()()	1,261.	1,350.	1,470.	1,555.	1,657.	1,731.
	24"	42"	R3B1PFF42 24-()()	1,283.	1,372.	1,492.	1,577.	1,679.	1,753.
	30"	42"	R3B1PFF42 30-()()	1,346.	1,435.	1,555.	1,640.	1,742.	1,816.
	36"	42"	R3B1PFF42 36-()()	1,574.	1,663.	1,783.	1,868.	1,970.	2,044.
	42"	42"	R3B1PFF42 42-()()	1,693.	1,782.	1,902.	1,987.	2,089.	2,163.
	48"	42"	R3B1PFF42 48-()()	1,747.	1,836.	1,956.	2,041.	2,143.	2,217.



Order Code	Specification Information	Application Notes
Example: R3B2PFF4218	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B2 Beltway two sides	1. Top trim profile	B = Square
P Monolithic panel	2. Top trim finish	C = Bullnose
FF Fabric on both sides	i) Top trim profile A,B or C options:	E = Extruded Aluminum
42 42" high	V1, V2, V3, P1, P2, P3 finishes	
18 18" wide	ii) Top trim profile E options:	
(A) Trim profile	AA-anodized aluminum or P1, P2, P3 finish listed on page 5	
006B Trim finish	excluding silver	
(4) 4" base height	3. Base height	
(K) Base knockouts	4. Base Knockout option	
111 Base finish	(K = with knockouts, N = without knockouts)	
W281 Fabric - Side 1 below belt	5. Base finish	
W281 Fabric - Side 1 above belt	6. Panel side 1 finish(s) inside below belt	
W281 Fabric - Side 2 below belt	7. Panel side 1 finish(s) inside above belt	
W281 Fabric - Side 2 above belt	8. Panel side 2 finish(s) outside below belt	
111 Jet Black Beltway finish	9. Panel side 2 finish(s) outside above belt	
	10. Beltway finish	
	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	

The Reff Profiles System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 265).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

*Fabric inserts of these panels are two pieces, split vertically.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 42" H

fabric one side, laminate other side

Reff Profiles Vol. One

Panels


description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	42"	R3B0PFL42 18-() ()	\$559.	\$593.	\$637.	\$677.	\$717.	\$747.
Regular acoustics	20"	42"	R3B0PFL42 20-() ()	559.	593.	637.	677.	717.	747.
	24"	42"	R3B0PFL42 24-() ()	566.	600.	644.	684.	724.	754.
	30"	42"	R3B0PFL42 30-() ()	679.	713.	757.	797.	837.	867.
	36"	42"	R3B0PFL42 36-() ()	735.	769.	813.	853.	893.	923.
	42"	42"	R3B0PFL42 42-() ()	825.	859.	903.	943.	983.	1,013.
	48"	42"	R3B0PFL42 48-() ()	896.	930.	974.	1,014.	1,054.	1,084.
	60"	42"	R3B0PFL42 60-() ()	976.	1,048.	1,139.	1,206.	1,295.	1,348.
	66"	42"	R3B0PFL42 66-() ()	1,012.	1,084.	1,175.	1,242.	1,331.	1,384.
	72"	42"	R3B0PFL42 72-() ()	1,049.	1,121.	1,212.	1,279.	1,368.	1,421.
Monolithic, fabric one side	18"	42"	R3B1PFL42 18-() ()	1,098.	1,145.	1,205.	1,240.	1,291.	1,329.
Beltway one side (fabric side)	20"	42"	R3B1PFL42 20-() ()	1,098.	1,145.	1,205.	1,240.	1,291.	1,329.
	24"	42"	R3B1PFL42 24-() ()	1,126.	1,173.	1,233.	1,268.	1,319.	1,357.
	30"	42"	R3B1PFL42 30-() ()	1,210.	1,257.	1,317.	1,352.	1,403.	1,441.
	36"	42"	R3B1PFL42 36-() ()	1,412.	1,459.	1,519.	1,554.	1,605.	1,643.
	42"	42"	R3B1PFL42 42-() ()	1,447.	1,494.	1,554.	1,589.	1,640.	1,678.
	48"	42"	R3B1PFL42 48-() ()	1,626.	1,673.	1,733.	1,768.	1,819.	1,857.

Order Code	Specification Information	Application Notes	
Example: R3B0PFL4218-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The Reff Profiles System does not support the stacking of modules onto 42”H panels. These panels can be used to achieve transaction top height (see transaction tops page 0.)
R3	Reff Generation 3		
B0	No Beltway		
P	Monolithic panel		
FL	Fabric one side, laminate other		
42	42” high		
18	18” wide		
(A)	Trim profile		
006B	Trim finish		
(4)	4” Base height		
(K)	Knockouts option in base		
111	Base finish		
W281	Fabric - side 1		
114	Folkstone grey- side 2		
M	Optional milled frame		
		2. <i>Base height:</i> 4 = 4” base height 6 = 6” base height (add \$55 per panel for this option). These Panels will accept all core Laminates	6” Raceway option increases panel height by 2 3/4”. Product on this page can be attached to posts 42”, 49”, 64”, and 79”H as well as panels 42”, 49”, 64” and 79”H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. 79”H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 42" H

fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	42"	R3B0PF142 18-() ()	\$658.	\$695.	\$750.	\$792.	\$839.	\$874.
Regular acoustics	20"	42"	R3B0PF142 20-() ()	658.	695.	750.	792.	839.	874.
	24"	42"	R3B0PF142 24-() ()	663.	700.	755.	797.	844.	879.
	30"	42"	R3B0PF142 30-() ()	799.	836.	891.	933.	980.	1,015.
	36"	42"	R3B0PF142 36-() ()	864.	901.	956.	998.	1,045.	1,080.
	42"	42"	R3B0PF142 42-() ()	975.	1,012.	1,067.	1,109.	1,156.	1,191.
	48"	42"	R3B0PF142 48-() ()	1,058.	1,095.	1,150.	1,192.	1,239.	1,274.
	60"	42"	R3B0PF142 60-() ()*	1,150.	1,231.	1,339.	1,415.	1,520.	1,582.
	66"	42"	R3B0PF142 66-() ()*	1,195.	1,276.	1,384.	1,460.	1,565.	1,627.
	72"	42"	R3B0PF142 72-() ()*	1,234.	1,315.	1,423.	1,499.	1,604.	1,666.
Monolithic, fabric one side	18"	42"	R3B1PF142 18-() ()	1,287.	1,340.	1,410.	1,451.	1,510.	1,551.
Beltway one side (fabric side)	20"	42"	R3B1PF142 20-() ()	1,287.	1,340.	1,410.	1,451.	1,510.	1,551.
	24"	42"	R3B1PF142 24-() ()	1,325.	1,378.	1,448.	1,489.	1,548.	1,589.
	30"	42"	R3B1PF142 30-() ()	1,423.	1,476.	1,546.	1,587.	1,646.	1,687.
	36"	42"	R3B1PF142 36-() ()	1,655.	1,708.	1,778.	1,819.	1,878.	1,919.
	42"	42"	R3B1PF142 42-() ()	1,701.	1,754.	1,824.	1,865.	1,924.	1,965.
	48"	42"	R3B1PF142 48-() ()	1,915.	1,968.	2,038.	2,079.	2,138.	2,179.

Order Code	Specification Information	Application Notes	
Example: R3B0PF14218-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The Reff Profiles System does not support the stacking of modules onto 42”H panels. These panels can be used to achieve transaction top height (see transaction tops page 0).
R3	Reff Generation 3		
B0	No Beltway		
P	Monolithic panel		
F1	Fabric one side, V1 other		
42	42” high		
18	18” wide		
18	18” wide		
(A)	Trim profile		
506B	Trim finish		
(4)	4” Base height		
(K)	Knockouts option in base		
111	Base finish		
W281	Fabric - Side 1		
506B	Maple - side 2		
M	Optional milled frame		

<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The Reff Profiles System does not support the stacking of modules onto 42”H panels. These panels can be used to achieve transaction top height (see transaction tops page 0).
1. Trim profile		
2. Trim finish		
<i>i)</i> Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes		
<i>ii)</i> Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	2. <i>Base height:</i> 4 = 4” base height 6 = 6” base height (add \$55 per panel for this option).	6” Raceway option increases panel height by 2¾”.
3. Base height		
4. Knockout option <i>(K = with knockouts, N = without knockouts)</i>		Product on this page can be attached to posts 42”, 49”, 64”, and 79”H as well as panels 42”, 49”, 64” and 79”H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
5. Base finish		
6. Panel side 1 finish(s) inside		
7. Panel side 2 finish(s) outside		
8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable		Remember to specify Beltway paint finish when applicable.
		79”H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 42" H

fabric one side, conventional veneer other side

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	42"	R3B0PF242 18-() ()	\$666.	\$703.	\$758.	\$800.	\$847.	\$882.
Regular acoustics	20"	42"	R3B0PF242 20-() ()	666.	703.	758.	800.	847.	882.
	24"	42"	R3B0PF242 24-() ()	678.	715.	770.	812.	859.	894.
	30"	42"	R3B0PF242 30-() ()	813.	850.	905.	947.	994.	1,029.
	36"	42"	R3B0PF242 36-() ()	879.	916.	971.	1,013.	1,060.	1,095.
	42"	42"	R3B0PF242 42-() ()	990.	1,027.	1,082.	1,124.	1,171.	1,206.
	48"	42"	R3B0PF242 48-() ()	1,077.	1,114.	1,169.	1,211.	1,258.	1,293.
	60"	42"	R3B0PF242 60-() ()*	1,164.	1,245.	1,353.	1,429.	1,534.	1,596.
	66"	42"	R3B0PF242 66-() ()*	1,213.	1,294.	1,402.	1,478.	1,583.	1,645.
	72"	42"	R3B0PF242 72-() ()*	1,254.	1,335.	1,443.	1,519.	1,624.	1,686.
Monolithic, fabric one side	18"	42"	R3B1PF242 18-() ()	1,317.	1,370.	1,440.	1,480.	1,540.	1,581.
Beltway one side (fabric side)	20"	42"	R3B1PF242 20-() ()	1,317.	1,370.	1,440.	1,480.	1,540.	1,581.
	24"	42"	R3B1PF242 24-() ()	1,345.	1,398.	1,468.	1,509.	1,568.	1,609.
	30"	42"	R3B1PF242 30-() ()	1,454.	1,507.	1,577.	1,618.	1,677.	1,718.
	36"	42"	R3B1PF242 36-() ()	1,689.	1,742.	1,812.	1,853.	1,912.	1,953.
	42"	42"	R3B1PF242 42-() ()	1,734.	1,787.	1,857.	1,898.	1,957.	1,998.
	48"	42"	R3B1PF242 48-() ()	1,947.	2,000.	2,070.	2,111.	2,170.	2,211.

Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Trim profile	A = Flat
B0 No Beltway	2. Trim finish	B = Square
P Monolithic panel	i) Top trim profile A,B or C	C = Bullnose
F2 Fabric one side, V2 other	options:	E = Extruded Aluminum
42 42" high	V1, V2, V3, P1, P2, P3 finishes	<i>2. Base height:</i>
18 18" wide	ii) Top trim profile E options:	4 = 4" base height
18 18" wide	AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	6 = 6" base height (add \$55 per panel for this option)
(A) Trim profile	3. Base height	<i>3. Beltway:</i>
006B Trim finish	4. Knockout option	B0 = No Beltway
(4) 4" Base height	(K = with knockouts, N = without knockouts)	B1 = Beltway 1 side
(K) Knockouts option in base	5. Base finish	6" Raceway option increases panel height by 2 ³ / ₄ ".
111 Base finish	6. Panel side 1 finish(s) inside	
W281 Fabric - side 1	7. Panel side 2 finish(s) outside	
006B Maple - side 2	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	
M Optional milled frame		

The Reff Profiles System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 0).

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, exotic veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	42"	R3B0PF342 18- () ()	\$882.	\$919.	\$974.	\$1,016.	\$1,063.	\$1,098.
	20"	42"	R3B0PF342 20- () ()	882.	919.	974.	1,016.	1,063.	1,098.
	24"	42"	R3B0PF342 24- () ()	895.	932.	987.	1,029.	1,076.	1,111.
	30"	42"	R3B0PF342 30- () ()	1,077.	1,114.	1,169.	1,211.	1,258.	1,293.
	36"	42"	R3B0PF342 36- () ()	1,168.	1,205.	1,260.	1,302.	1,349.	1,384.
	42"	42"	R3B0PF342 42- () ()	1,316.	1,353.	1,408.	1,450.	1,497.	1,532.
	48"	42"	R3B0PF342 48- () ()	1,437.	1,474.	1,529.	1,571.	1,618.	1,653.
	60"	42"	R3B0PF342 60- () ()*	1,536.	1,617.	1,725.	1,801.	1,906.	1,968.
	66"	42"	R3B0PF342 66- () ()*	1,600.	1,681.	1,789.	1,865.	1,970.	2,032.
	72"	42"	R3B0PF342 72- () ()*	1,656.	1,737.	1,845.	1,921.	2,026.	2,088.
 Monolithic, fabric one side Beltway fabric side	18"	42"	R3B1PF342 18- () ()	1,757.	1,810.	1,880.	1,921.	1,980.	2,021.
	20"	42"	R3B1PF342 20- () ()	1,757.	1,810.	1,880.	1,921.	1,980.	2,021.
	24"	42"	R3B1PF342 24- () ()	1,796.	1,849.	1,919.	1,960.	2,019.	2,060.
	30"	42"	R3B1PF342 30- () ()	1,942.	1,995.	2,065.	2,106.	2,165.	2,206.
	36"	42"	R3B1PF342 36- () ()	2,263.	2,316.	2,386.	2,427.	2,486.	2,527.
	42"	42"	R3B1PF342 42- () ()	2,322.	2,375.	2,445.	2,486.	2,545.	2,586.
	48"	42"	R3B1PF342 48- () ()	2,612.	2,665.	2,735.	2,776.	2,835.	2,876.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Trim profile	A = Flat
B0 No Beltway, B1=Beltway, one side	2. Trim finish	B = Square
P Monolithic panel	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	C = Bullnose
F3 Fabric one side, V3 other	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	E = Extruded Aluminum
42 42" high	3. Base height	<i>2. Base height:</i>
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	4 = 4" base height
(A) Trim profile	5. Base finish	6 = 6" base height (add \$55 per panel for this option)
039E Trim finish	6. Panel side 1 finish(s) inside	<i>3. Beltway:</i>
(4) 4" Base height	7. Panel side 2 finish(s) outside	B0 = No Beltway
(K) Knockouts option in base	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	B1 = Beltway 1 side
111 Base finish		6" Raceway option increases panel height by 2 3/4".
W281 Fabric - side 1		
039E Pippy Oak- side 2		
M Optional milled frame		

The Reff Profiles System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 0).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.


Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

Laminate/Laminate

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	R3B0PLL4218() ()	\$726.
	20"	42"	R3B0PLL4220() ()	726.
	24"	42"	R3B0PLL4224() ()	792.
	30"	42"	R3B0PLL4230() ()	887.
	36"	42"	R3B0PLL4236() ()	959.
	42"	42"	R3B0PLL4242() ()	1,054.
	48"	42"	R3B0PLL4248() ()	1,180.
	60"	42"	R3B0PLL4260() ()*	1,274.
	66"	42"	R3B0PLL4266() ()*	1,314.
	72"	42"	R3B0PLL4272() ()*	1,350.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum
B0 No Beltway	2. Trim finish	2. Base height: 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).
P Monolithic panel	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	These Panels will accept all core Laminates
LL Laminate both sides	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	
42 42" high	3. Base height	
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	
(A) Trim profile	5. Base finish	
114 Trim finish	6. Panel side 1 finish(s) inside	
(4) 4" Base height	7. Panel side 2 finish(s) outside	
(K) Knockouts option in base	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	
111 Base finish		
114 Folkstone grey - Side 1		
114 Folkstone grey - Side 2		
M Optional milled frame		

The Reff Profiles System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 0).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 120 at no charge.


Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H

fabric both sides

Reff Profiles Vol. One


description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	49"	R3B0PFF49 18-() ()	\$728.	\$822.	\$952.	\$1,036.	\$1,152.	\$1,226.
	20"	49"	R3B0PFF49 20-() ()	728.	822.	952.	1,036.	1,152.	1,226.
	24"	49"	R3B0PFF49 24-() ()	776.	870.	1,000.	1,084.	1,200.	1,274.
	30"	49"	R3B0PFF49 30-() ()	842.	936.	1,066.	1,150.	1,266.	1,340.
	36"	49"	R3B0PFF49 36-() ()	881.	975.	1,105.	1,189.	1,305.	1,379.
	42"	49"	R3B0PFF49 42-() ()	952.	1,046.	1,176.	1,260.	1,376.	1,450.
	48"	49"	R3B0PFF49 48-() ()	1,045.	1,139.	1,269.	1,353.	1,469.	1,543.
	60"	49"	R3B0PFF49 60-() () *	1,206.	1,384.	1,642.	1,818.	2,046.	2,186.
	66"	49"	R3B0PFF49 66-() () *	1,246.	1,424.	1,682.	1,858.	2,086.	2,226.
	72"	49"	R3B0PFF49 72-() () *	1,281.	1,459.	1,717.	1,893.	2,121.	2,261.

Monolithic, fabric both sides High acoustics 	18"	49"	R3B0PAA49 18-() ()	793.	887.	1,017.	1,101.	1,217.	1,291.
	20"	49"	R3B0PAA49 20-() ()	793.	887.	1,017.	1,101.	1,217.	1,291.
	24"	49"	R3B0PAA49 24-() ()	848.	942.	1,072.	1,156.	1,272.	1,346.
	30"	49"	R3B0PAA49 30-() ()	921.	1,015.	1,145.	1,229.	1,345.	1,419.
	36"	49"	R3B0PAA49 36-() ()	964.	1,058.	1,188.	1,272.	1,388.	1,462.
	42"	49"	R3B0PAA49 42-() ()	1,044.	1,138.	1,268.	1,352.	1,468.	1,542.
	48"	49"	R3B0PAA49 48-() ()	1,144.	1,238.	1,368.	1,452.	1,568.	1,642.
	60"	49"	R3B0PAA49 60-() () *	1,309.	1,487.	1,745.	1,921.	2,149.	2,289.
	66"	49"	R3B0PAA49 66-() () *	1,355.	1,533.	1,791.	1,967.	2,195.	2,335.
	72"	49"	R3B0PAA49 72-() () *	1,401.	1,579.	1,837.	2,013.	2,241.	2,381.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
R3 Reff Generation 3 B0 No Beltway P Monolithic panel FF Fabric on both sides 49 49" high 18 18" wide (A) Trim profile 006B Trim finish (4) 4" Base height (K) Knockouts option in base 111 Base finish W281 Fabric side 1 W281 Fabric side 2 M Optional milled frame	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option). 3. Base height 4. Knockout option (K = with knockouts, N = without knockouts) 5. Base finish 6. Panel side 1 finish(s) inside 7. Panel side 2 finish(s) outside 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	

Monolithic panels 49" H with Beltway

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-()()	\$1,315.	\$1,443.	\$1,577.	\$1,681.	\$1,823.	\$1,909.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-()()	1,315.	1,443.	1,577.	1,681.	1,823.	1,909.
	24"	49"	R3B2PFF49 24-()()	1,342.	1,470.	1,604.	1,708.	1,850.	1,936.
	30"	49"	R3B2PFF49 30-()()	1,411.	1,539.	1,673.	1,777.	1,919.	2,005.
	36"	49"	R3B2PFF49 36-()()	1,665.	1,793.	1,927.	2,031.	2,173.	2,259.
	42"	49"	R3B2PFF49 42-()()	1,791.	1,919.	2,053.	2,157.	2,299.	2,385.
	48"	49"	R3B2PFF49 48-()()	1,855.	1,983.	2,117.	2,221.	2,363.	2,449.



Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-()()	1,291.	1,402.	1,534.	1,628.	1,757.	1,837.
Beltway one side	20"	49"	R3B1PFF49 20-()()	1,291.	1,402.	1,534.	1,628.	1,757.	1,837.
	24"	49"	R3B1PFF49 24-()()	1,317.	1,428.	1,560.	1,654.	1,783.	1,863.
	30"	49"	R3B1PFF49 30-()()	1,380.	1,491.	1,623.	1,717.	1,846.	1,926.
	36"	49"	R3B1PFF49 36-()()	1,632.	1,743.	1,875.	1,969.	2,098.	2,178.
	42"	49"	R3B1PFF49 42-()()	1,754.	1,865.	1,997.	2,091.	2,220.	2,300.
	48"	49"	R3B1PFF49 48-()()	1,816.	1,927.	2,059.	2,153.	2,282.	2,362.


Order Code	Specification Information	Application Notes	
Example: R3B2PFF4918-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
R3 Reff Generation 3	1. Top trim profile	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	
B2 Beltway, both sides	2. Top trim finish <i>i</i>)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver		Remember to specify Beltway paint finish when applicable.
P Monolithic panel	3. Base height		
FF Fabric on both sides	4. Base Knockout option (K = with knockouts, N = without knockouts)		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
49 49" high	5. Base finish		
18 18" wide	6. Panel side 1 finish(s) inside below belt		
A Flat style top trim profile	7. Panel side 1 finish(s) inside above belt		
4 4" base height	8. Panel side 2 finish(s) outside below belt		
K Include knockouts in base	9. Panel side 2 finish(s) outside above belt		
W281 Side 1 - Below Belt	10. Beltway finish		
W281 Side 1 - Above Belt	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable		
W281 Side 2 - Below Belt			
W281 Side 2 - Above Belt			
006B Maple (top trim finish)			
111 Jet Black (base finish)			
M Optional milled frame			
111 Beltway finish			

Monolithic panels 49" H


fabric one side, laminate other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	49"	R3B0PFL49 18-() ()	\$618.	\$662.	\$719.	\$757.	\$807.	\$840.
Regular acoustics	20"	49"	R3B0PFL49 20-() ()	618.	662.	719.	757.	807.	840.
	24"	49"	R3B0PFL49 24-() ()	675.	719.	776.	814.	864.	897.
	30"	49"	R3B0PFL49 30-() ()	765.	809.	866.	904.	954.	987.
	36"	49"	R3B0PFL49 36-() ()	824.	868.	925.	963.	1,013.	1,046.
	42"	49"	R3B0PFL49 42-() ()	911.	955.	1,012.	1,050.	1,100.	1,133.
	48"	49"	R3B0PFL49 48-() ()	1,025.	1,069.	1,126.	1,164.	1,214.	1,247.
	60"	49"	R3B0PFL49 60-() () *	1,118.	1,198.	1,309.	1,388.	1,491.	1,551.
	66"	49"	R3B0PFL49 66-() () *	1,150.	1,230.	1,341.	1,420.	1,523.	1,583.
	72"	49"	R3B0PFL49 72-() () *	1,188.	1,268.	1,379.	1,458.	1,561.	1,621.



Monolithic, fabric one side	18"	49"	R3B1PFL49 18-() ()	1,118.	1,172.	1,236.	1,279.	1,340.	1,383.
Beltway one side (fabric side)	20"	49"	R3B1PFL49 20-() ()	1,118.	1,172.	1,236.	1,279.	1,340.	1,383.
	24"	49"	R3B1PFL49 24-() ()	1,164.	1,218.	1,282.	1,325.	1,386.	1,429.
	30"	49"	R3B1PFL49 30-() ()	1,250.	1,304.	1,368.	1,411.	1,472.	1,515.
	36"	49"	R3B1PFL49 36-() ()	1,502.	1,556.	1,620.	1,663.	1,724.	1,767.
	42"	49"	R3B1PFL49 42-() ()	1,640.	1,694.	1,758.	1,801.	1,862.	1,905.
	48"	49"	R3B1PFL49 48-() ()	1,730.	1,784.	1,848.	1,891.	1,952.	1,995.



Order Code	Specification Information	Application Notes	
Example: R3B0PFL4918-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option). These Panels will accept all core Laminates	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules
R3 Reff Generation 3	1. Trim profile		
B0 No Beltway	2. Trim finish		
P Monolithic panel	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes		
FL Fabric one side, laminate other	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver.		
49 49" high	3. Base height		
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)		
(A) Trim profile	5. Base finish		
006B Trim finish	6. Panel side 1 finish(s) inside		
(4) 4" Base height	7. Panel side 2 finish(s) outside		
(K) Knockouts option in base	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable		
111 Base finish			
W281 Fabric - side 1			
114 Folkstone grey- side 2			
M Optional milled frame			

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 49" H

fabric one side, techwood other side

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	49"	R3B0PF149 18-() ()	\$727.	\$775.	\$841.	\$888.	\$943.	\$982.
Regular acoustics	20"	49"	R3B0PF149 20-() ()	727.	775.	841.	888.	943.	982.
	24"	49"	R3B0PF149 24-() ()	794.	842.	908.	955.	1,010.	1,049.
	30"	49"	R3B0PF149 30-() ()	904.	952.	1,018.	1,065.	1,120.	1,159.
	36"	49"	R3B0PF149 36-() ()	970.	1,018.	1,084.	1,131.	1,186.	1,225.
	42"	49"	R3B0PF149 42-() ()	1,073.	1,121.	1,187.	1,234.	1,289.	1,328.
	48"	49"	R3B0PF149 48-() ()	1,207.	1,255.	1,321.	1,368.	1,423.	1,462.
	60"	49"	R3B0PF149 60-() () *	1,312.	1,407.	1,538.	1,626.	1,740.	1,815.
	66"	49"	R3B0PF149 66-() () *	1,350.	1,445.	1,576.	1,664.	1,778.	1,853.
	72"	49"	R3B0PF149 72-() () *	1,397.	1,492.	1,623.	1,711.	1,825.	1,900.
Monolithic, fabric one side	18"	49"	R3B1PF149 18-() ()	1,318.	1,383.	1,453.	1,502.	1,575.	1,620.
Beltway one side (fabric side)	20"	49"	R3B1PF149 20-() ()	1,318.	1,383.	1,453.	1,502.	1,575.	1,620.
	24"	49"	R3B1PF149 24-() ()	1,364.	1,429.	1,499.	1,548.	1,621.	1,666.
	30"	49"	R3B1PF149 30-() ()	1,468.	1,533.	1,603.	1,652.	1,725.	1,770.
	36"	49"	R3B1PF149 36-() ()	1,763.	1,828.	1,898.	1,947.	2,020.	2,065.
	42"	49"	R3B1PF149 42-() ()	1,930.	1,995.	2,065.	2,114.	2,187.	2,232.
	48"	49"	R3B1PF149 48-() ()	2,030.	2,095.	2,165.	2,214.	2,287.	2,332.

Order Code	Specification Information	Application Notes	
Example: R3B0PF14918-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.
R3	Reff Generation 3	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	
B0	No Beltway		
P	Monolithic panel		
F1	Fabric one side, V1 other		
49	49" high		
18	18" wide		
(A)	Trim profile		
506B	Trim finish		
(4)	4" Base height		
(K)	Knockouts option in base		
111	Base finish		
W281	Fabric - Side 1		
506B	Maple - side 2		
M	Optional milled frame		

<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.
1. Trim profile	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	
2. Trim finish		
<i>i)</i> Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes		
<i>ii)</i> Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver.		
3. Base height		
4. Knockout option <i>(K = with knockouts, N = without knockouts)</i>		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
5. Base finish		
6. Panel side 1 finish(s) inside		
7. Panel side 2 finish(s) outside		
8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable		Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 49" H

fabric one side, conventional veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade					
				10	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	49"	R3B0PF249 18-() ()	\$740.	\$788.	\$854.	\$901.	\$956.	\$995.
	20"	49"	R3B0PF249 20-() ()	740.	788.	854.	901.	956.	995.
	24"	49"	R3B0PF249 24-() ()	811.	859.	925.	972.	1,027.	1,066.
	30"	49"	R3B0PF249 30-() ()	919.	967.	1,033.	1,080.	1,135.	1,174.
	36"	49"	R3B0PF249 36-() ()	988.	1,036.	1,102.	1,149.	1,204.	1,243.
	42"	49"	R3B0PF249 42-() ()	1,093.	1,141.	1,207.	1,254.	1,309.	1,348.
	48"	49"	R3B0PF249 48-() ()	1,232.	1,280.	1,346.	1,393.	1,448.	1,487.
	60"	49"	R3B0PF249 60-() () *	1,336.	1,431.	1,562.	1,650.	1,764.	1,839.
	66"	49"	R3B0PF249 66-() () *	1,379.	1,474.	1,605.	1,693.	1,807.	1,882.
	72"	49"	R3B0PF249 72-() () *	1,421.	1,516.	1,647.	1,735.	1,849.	1,924.

 Monolithic, fabric one side Beltway one side (fabric side)	18"	49"	R3B1PF249 18-() ()	1,342.	1,407.	1,477.	1,526.	1,599.	1,644.
	20"	49"	R3B1PF249 20-() ()	1,342.	1,407.	1,477.	1,526.	1,599.	1,644.
	24"	49"	R3B1PF249 24-() ()	1,390.	1,455.	1,525.	1,574.	1,647.	1,692.
	30"	49"	R3B1PF249 30-() ()	1,499.	1,564.	1,634.	1,683.	1,756.	1,801.
	36"	49"	R3B1PF249 36-() ()	1,800.	1,865.	1,935.	1,984.	2,057.	2,102.
	42"	49"	R3B1PF249 42-() ()	1,963.	2,028.	2,098.	2,147.	2,220.	2,265.
	48"	49"	R3B1PF249 48-() ()	2,064.	2,129.	2,199.	2,248.	2,321.	2,366.

Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 49 49" high 18 18" wide 18 18" wide (A) Trim profile 006B Trim finish (4) 4" Base height (K) Knockouts option in base 111 Base finish W281 Fabric - side 1 006B Maple - side 2 M Optional milled frame	<i>To order please specify pattern number including:</i> 1. Trim profile 2. Trim finish <i>i)</i> Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii)</i> Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver. 3. Base height 4. Knockout option (<i>K</i> = <i>with knockouts</i> , <i>N</i> = <i>without knockouts</i>) 5. Base finish 6. Panel side 1 finish(s) inside 7. Panel side 2 finish(s) outside 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option) 3. <i>Beltway:</i> B0 = No Beltway B1 = Beltway 1 side 6" Raceway option increases panel height by 2 3/4". The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 120 at no charge.


Monolithic panels 49" H

fabric one side, exotic veneer other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	49"	R3B0PF349 18-() ()	\$978.	\$1,026.	\$1,092.	\$1,139.	\$1,194.	\$1,233.
Regular acoustics	20"	49"	R3B0PF349 20-() ()	978.	1,026.	1,092.	1,139.	1,194.	1,233.
	24"	49"	R3B0PF349 24-() ()	1,071.	1,119.	1,185.	1,232.	1,287.	1,326.
	30"	49"	R3B0PF349 30-() ()	1,219.	1,267.	1,333.	1,380.	1,435.	1,474.
	36"	49"	R3B0PF349 36-() ()	1,313.	1,361.	1,427.	1,474.	1,529.	1,568.
	42"	49"	R3B0PF349 42-() ()	1,452.	1,500.	1,566.	1,613.	1,668.	1,707.
	48"	49"	R3B0PF349 48-() ()	1,641.	1,689.	1,755.	1,802.	1,857.	1,896.
	60"	49"	R3B0PF349 60-() ()*	1,760.	1,855.	1,986.	2,074.	2,188.	2,263.
	66"	49"	R3B0PF349 66-() ()*	1,818.	1,913.	2,044.	2,132.	2,246.	2,321.
	72"	49"	R3B0PF349 72-() ()*	1,873.	1,968.	2,099.	2,187.	2,301.	2,376.



Monolithic, fabric one side	18"	49"	R3B1PF349 18-() ()	1,787.	1,852.	1,922.	1,971.	2,044.	2,089.
Beltway fabric side	20"	49"	R3B1PF349 20-() ()	1,787.	1,852.	1,922.	1,971.	2,044.	2,089.
	24"	49"	R3B1PF349 24-() ()	1,857.	1,922.	1,992.	2,041.	2,114.	2,159.
	30"	49"	R3B1PF349 30-() ()	2,000.	2,065.	2,135.	2,185.	2,257.	2,302.
	36"	49"	R3B1PF349 36-() ()	2,410.	2,475.	2,545.	2,594.	2,667.	2,712.
	42"	49"	R3B1PF349 42-() ()	2,628.	2,693.	2,763.	2,812.	2,885.	2,930.
	48"	49"	R3B1PF349 48-() ()	2,767.	2,831.	2,901.	2,950.	3,023.	3,068.



Order Code	Specification Information	Application Notes
Example: R3B0PF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Trim profile	A = Flat
B0 No Beltway	2. Trim finish	B = Square
P Monolithic panel	i) Top trim profile A,B or C options:	C = Bullnose
F3 Fabric one side, V3 other	V1, V2, V3, P1, P2, P3 finishes	E = Extruded Aluminum
49 49" high	ii) Top trim profile E options:	
18 18" wide	AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	<i>2. Base height:</i>
(A) Trim profile	3. Base height	4 = 4" base height
039E Trim finish	4. Knockout option	6 = 6" base height (add \$55 per panel for this option)
(4) 4" Base height	(K = with knockouts, N = without knockouts)	<i>3. Beltway:</i>
(K) Knockouts option in base	5. Base finish	B0 = No Beltway
111 Base finish	6. Panel side 1 finish(s) inside	B1 = Beltway 1 side
W281 Fabric - side 1	7. Panel side 2 finish(s) outside	
039E Pippy Oak- side 2	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	6" Raceway option increases panel height by 2 3/4".
M Optional milled frame		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 49" H

Laminate/Laminate

Reff Profiles Vol. One

description	w	h	pattern no.	L
 Monolithic, laminate both sides with raceway both sides	18"	49"	R3B0PLL4918() ()	\$862.
	20"	49"	R3B0PLL4920() ()	862.
	24"	49"	R3B0PLL4924() ()	941.
	30"	49"	R3B0PLL4930() ()	1,054.
	36"	49"	R3B0PLL4936() ()	1,138.
	42"	49"	R3B0PLL4942() ()	1,251.
	48"	49"	R3B0PLL4948() ()	1,402.
	60"	49"	R3B0PLL4960() ()*	1,512.
	66"	49"	R3B0PLL4966() ()*	1,557.
	72"	49"	R3B0PLL4972() ()*	1,605.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 49 49" high 18 18" wide (A) Trim profile 114 Trim finish (4) 4" Base height (K) Knockouts option in base 111 Base finish 114 Folkstone grey - Side 1 114 Folkstone grey - Side 2 M Optional milled frame	<i>To order please specify pattern number including:</i> 1. Trim profile 2. Trim finish <i>i)</i> Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii)</i> Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver. 3. Base height 4. Knockout option (<i>K</i> = <i>with knockouts</i> , <i>N</i> = <i>without knockouts</i>) 5. Base finish 6. Panel side 1 finish(s) inside 7. Panel side 2 finish(s) outside 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option). These Panels will accept all core Laminates The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 64" H fabric both sides

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18"	64"	R3B0PFF64 18-() ()	\$839.	\$959.	\$1,123.	\$1,237.	\$1,387.	\$1,483.
	20"	64"	R3B0PFF64 20-() ()	839.	959.	1,123.	1,237.	1,387.	1,483.
	24"	64"	R3B0PFF64 24-() ()	888.	1,008.	1,172.	1,286.	1,436.	1,532.
	30"	64"	R3B0PFF64 30-() ()	956.	1,076.	1,240.	1,354.	1,504.	1,600.
	36"	64"	R3B0PFF64 36-() ()	979.	1,099.	1,263.	1,377.	1,527.	1,623.
	42"	64"	R3B0PFF64 42-() ()	1,140.	1,260.	1,424.	1,538.	1,688.	1,784.
	48"	64"	R3B0PFF64 48-() ()	1,207.	1,327.	1,491.	1,605.	1,755.	1,851.
	60"	64"	R3B0PFF64 60-() () *	1,399.	1,639.	1,985.	2,221.	2,515.	2,711.
	66"	64"	R3B0PFF64 66-() () *	1,445.	1,685.	2,031.	2,267.	2,561.	2,757.
	72"	64"	R3B0PFF64 72-() () *	1,493.	1,733.	2,079.	2,315.	2,609.	2,805.
Monolithic, fabric both sides High acoustics	18"	64"	R3B0PAA64 18-() ()	913.	1,033.	1,197.	1,311.	1,461.	1,557.
	20"	64"	R3B0PAA64 20-() ()	913.	1,033.	1,197.	1,311.	1,461.	1,557.
	24"	64"	R3B0PAA64 24-() ()	974.	1,094.	1,258.	1,372.	1,522.	1,618.
	30"	64"	R3B0PAA64 30-() ()	1,045.	1,165.	1,329.	1,443.	1,593.	1,689.
	36"	64"	R3B0PAA64 36-() ()	1,070.	1,190.	1,354.	1,468.	1,618.	1,714.
	42"	64"	R3B0PAA64 42-() ()	1,252.	1,372.	1,536.	1,650.	1,800.	1,896.
	48"	64"	R3B0PAA64 48-() ()	1,323.	1,443.	1,607.	1,721.	1,871.	1,967.
	60"	64"	R3B0PAA64 60-() () *	1,520.	1,760.	2,106.	2,342.	2,636.	2,832.
	66"	64"	R3B0PAA64 66-() () *	1,571.	1,811.	2,157.	2,393.	2,687.	2,883.
	72"	64"	R3B0PAA64 72-() () *	1,621.	1,861.	2,207.	2,443.	2,737.	2,933.


Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option). Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
R3 Reff Generation 3	1. Trim profile	
B0 No Beltway	2. Trim finish	
P Monolithic panel	i) Top trim profile A,B or C options:	
FF Fabric on both sides	ii) Top trim profile E options:	
64 64" high	AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	
18 18" wide	3. Base height	
(A) Trim profile	4. Knockout option	
006B Trim finish	(K = with knockouts, N = without knockouts)	
(4) 4" Base height	5. Base finish	
(K) Knockouts option in base	6. Panel side 1 finish(s) inside	
111 Base finish	7. Panel side 2 finish(s) outside	
W281 Fabric side 1	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable.	
W281 Fabric side 2		
M Optional milled frame		

Monolithic panels 64" H

fabric both sides, with Beltway

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-()()	\$1,437.	\$1,579.	\$1,777.	\$1,911.	\$2,091.	\$2,207.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-()()	1,437.	1,579.	1,777.	1,911.	2,091.	2,207.
	24"	64"	R3B2PFF64 24-()()	1,507.	1,649.	1,847.	1,981.	2,161.	2,277.
	30"	64"	R3B2PFF64 30-()()	1,542.	1,684.	1,882.	2,016.	2,196.	2,312.
	36"	64"	R3B2PFF64 36-()()	1,866.	2,008.	2,206.	2,340.	2,520.	2,636.
	42"	64"	R3B2PFF64 42-()()	1,996.	2,138.	2,336.	2,470.	2,650.	2,766.
	48"	64"	R3B2PFF64 48-()()	2,063.	2,205.	2,403.	2,535.	2,717.	2,833.



Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-()()	1,406.	1,537.	1,718.	1,842.	2,007.	2,113.
Beltway one side	20"	64"	R3B1PFF64 20-()()	1,406.	1,537.	1,718.	1,842.	2,007.	2,113.
	24"	64"	R3B1PFF64 24-()()	1,469.	1,600.	1,781.	1,905.	2,070.	2,176.
	30"	64"	R3B1PFF64 30-()()	1,504.	1,635.	1,816.	1,940.	2,105.	2,211.
	36"	64"	R3B1PFF64 36-()()	1,826.	1,957.	2,138.	2,262.	2,427.	2,533.
	42"	64"	R3B1PFF64 42-()()	1,952.	2,083.	2,264.	2,388.	2,553.	2,659.
	48"	64"	R3B1PFF64 48-()()	2,013.	2,144.	2,325.	2,449.	2,614.	2,720.

Order Code	Specification Information	Application Notes	
Example: R3B2PFF6418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
R3	Reff Generation 3	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
B2	Beltway both sides, B1=Beltway, one side		Remember to specify Beltway paint finish when applicable.
P	Monolithic panel		*These panel widths do not accept stacking modules.
FF	Fabric on both sides		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
64	64" high		
18	18" wide		
(A)	Trim profile		
006B	Trim finish		
(4)	4" base height		
(K)	Base knockouts		
111	Base finish		
W281	Fabric - Side 1 below belt		
W281	Fabric - Side 1 above belt		
W281	Fabric - Side 2 below belt		
W281	Fabric - Side 2 above belt		
111	Jet Black Beltway finish		

Monolithic panels 64" H

fabric one side, laminate other side

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PFL64 18-() ()	\$734.	\$786.	\$859.	\$911.	\$977.	\$1,020.
Regular acoustics	20"	64"	R3B0PFL64 20-() ()	734.	786.	859.	911.	977.	1,020.
	24"	64"	R3B0PFL64 24-() ()	808.	860.	933.	985.	1,051.	1,094.
	30"	64"	R3B0PFL64 30-() ()	911.	963.	1,036.	1,088.	1,154.	1,197.
	36"	64"	R3B0PFL64 36-() ()	984.	1,036.	1,109.	1,161.	1,227.	1,270.
	42"	64"	R3B0PFL64 42-() ()	1,089.	1,141.	1,214.	1,266.	1,332.	1,375.
	48"	64"	R3B0PFL64 48-() ()	1,226.	1,278.	1,351.	1,403.	1,469.	1,512.
	60"	64"	R3B0PFL64 60-() () *	1,328.	1,437.	1,589.	1,691.	1,824.	1,909.
	66"	64"	R3B0PFL64 66-() () *	1,374.	1,483.	1,635.	1,737.	1,870.	1,955.
	72"	64"	R3B0PFL64 72-() ()	1,418.	1,527.	1,679.	1,781.	1,914.	1,999.
Monolithic fabric one side	18"	64"	R3B1PFL64 18-() ()	1,246.	1,308.	1,399.	1,453.	1,532.	1,590.
Beltway one side (fabric side)	20"	64"	R3B1PFL64 20-() ()	1,246.	1,308.	1,399.	1,453.	1,532.	1,590.
	24"	64"	R3B1PFL64 24-() ()	1,331.	1,393.	1,484.	1,538.	1,617.	1,675.
	30"	64"	R3B1PFL64 30-() ()	1,410.	1,472.	1,563.	1,617.	1,696.	1,754.
	36"	64"	R3B1PFL64 36-() ()	1,753.	1,815.	1,906.	1,960.	2,039.	2,097.
	42"	64"	R3B1PFL64 42-() ()	1,819.	1,881.	1,972.	2,026.	2,105.	2,163.
	48"	64"	R3B1PFL64 48-() ()	1,968.	2,030.	2,121.	2,175.	2,254.	2,312.

Order Code	Specification Information	Application Notes	
Example: R3B0PFL6418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.
R3	Reff Generation 3		
B0	No Beltway		
P	Monolithic panel		
FL	Fabric one side, laminate other		
64	64" high		
18	18" wide		
(A)	Trim profile		
006B	Trim finish		
(4)	4" Base height		
(K)	Knockouts option in base		
111	Base finish		
W281	Fabric - side 1		
114	Folkstone grey- side 2		
M	Optional milled frame		
	1. Trim profile 2. Trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver. 3. Base height 4. Knockout option (K = with knockouts, N = without knockouts) 5. Base finish 6. Panel side 1 finish(s) inside 7. Panel side 2 finish(s) outside 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option). These Panels will accept all core Laminates	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules

Monolithic panels 64" H


fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF164 18-() ()	\$863.	\$925.	\$1,009.	\$1,066.	\$1,143.	\$1,193.
Regular acoustics	20"	64"	R3B0PF164 20-() ()	863.	925.	1,009.	1,066.	1,143.	1,193.
	24"	64"	R3B0PF164 24-() ()	947.	1,009.	1,093.	1,150.	1,227.	1,277.
	30"	64"	R3B0PF164 30-() ()	1,071.	1,133.	1,217.	1,274.	1,351.	1,401.
	36"	64"	R3B0PF164 36-() ()	1,157.	1,219.	1,303.	1,360.	1,437.	1,487.
	42"	64"	R3B0PF164 42-() ()	1,281.	1,343.	1,427.	1,484.	1,561.	1,611.
	48"	64"	R3B0PF164 48-() ()	1,444.	1,506.	1,590.	1,647.	1,724.	1,774.
	60"	64"	R3B0PF164 60-() () *	1,564.	1,688.	1,863.	1,982.	2,135.	2,236.
	66"	64"	R3B0PF164 66-() () *	1,617.	1,741.	1,916.	2,035.	2,188.	2,289.
	72"	64"	R3B0PF164 72-() () *	1,670.	1,794.	1,969.	2,088.	2,241.	2,342.



Monolithic fabric one side	18"	64"	R3B1PF164 18-() ()	1,465.	1,536.	1,637.	1,703.	1,795.	1,858.
Beltway one side (fabric side)	20"	64"	R3B1PF164 20-() ()	1,465.	1,536.	1,637.	1,703.	1,795.	1,858.
	24"	64"	R3B1PF164 24-() ()	1,560.	1,631.	1,732.	1,798.	1,890.	1,953.
	30"	64"	R3B1PF164 30-() ()	1,657.	1,728.	1,829.	1,895.	1,987.	2,050.
	36"	64"	R3B1PF164 36-() ()	2,058.	2,129.	2,230.	2,296.	2,388.	2,451.
	42"	64"	R3B1PF164 42-() ()	2,140.	2,211.	2,312.	2,378.	2,470.	2,533.
	48"	64"	R3B1PF164 48-() ()	2,312.	2,383.	2,484.	2,550.	2,642.	2,705.



Order Code	Specification Information	Application Notes	
Example: R3B0PF16418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.
R3	Reff Generation 3	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	
B0	No Beltway		
P	Monolithic panel		
F1	Fabric one side, V1 other		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
64	64" high		
18	18" wide		
18	18" wide		
(A)	Trim profile		Remember to specify Beltway paint finish when applicable.
006B	Trim finish		
(4)	4" Base height		
(K)	Knockouts option in base		
111	Base finish		*These panel widths do not accept stacking modules.
W281	Fabric - side 1		
006B	Maple - side 2		
M	Optional milled frame		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 64" H

fabric one side, conventional veneer other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF264 18-() ()	\$881.	\$943.	\$1,027.	\$1,084.	\$1,161.	\$1,211.
Regular acoustics	20"	64"	R3B0PF264 20-() ()	881.	943.	1,027.	1,084.	1,161.	1,211.
	24"	64"	R3B0PF264 24-() ()	965.	1,027.	1,111.	1,168.	1,245.	1,295.
	30"	64"	R3B0PF264 30-() ()	1,091.	1,153.	1,237.	1,294.	1,371.	1,421.
	36"	64"	R3B0PF264 36-() ()	1,176.	1,238.	1,322.	1,379.	1,456.	1,506.
	42"	64"	R3B0PF264 42-() ()	1,303.	1,365.	1,449.	1,506.	1,583.	1,633.
	48"	64"	R3B0PF264 48-() ()	1,471.	1,533.	1,617.	1,674.	1,751.	1,801.
	60"	64"	R3B0PF264 60-() () *	1,586.	1,710.	1,885.	2,004.	2,157.	2,258.
	66"	64"	R3B0PF264 66-() () *	1,642.	1,766.	1,941.	2,060.	2,213.	2,314.
	72"	64"	R3B0PF264 72-() () *	1,700.	1,824.	1,999.	2,118.	2,271.	2,372.



Monolithic fabric one side	18"	64"	R3B1PF264 18-() ()	1,492.	1,563.	1,664.	1,730.	1,822.	1,885.
Beltway one side (fabric side)	20"	64"	R3B1PF264 20-() ()	1,492.	1,563.	1,664.	1,730.	1,822.	1,885.
	24"	64"	R3B1PF264 24-() ()	1,592.	1,663.	1,764.	1,830.	1,922.	1,985.
	30"	64"	R3B1PF264 30-() ()	1,686.	1,757.	1,858.	1,924.	2,016.	2,079.
	36"	64"	R3B1PF264 36-() ()	2,092.	2,163.	2,264.	2,330.	2,422.	2,485.
	42"	64"	R3B1PF264 42-() ()	2,180.	2,251.	2,352.	2,418.	2,510.	2,573.
	48"	64"	R3B1PF264 48-() ()	2,355.	2,426.	2,527.	2,593.	2,685.	2,748.



Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Trim profile	A = Flat
B0 No Beltway	2. Trim finish	B = Square
P Monolithic panel	i) Top trim profile A,B or C options:	C = Bullnose
F2 Fabric one side, V2 other	V1, V2, V3, P1, P2, P3 finishes	E = Extruded Aluminum
64 64" high	ii) Top trim profile E options:	<i>2. Base height:</i>
18 18" wide	AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	4 = 4" base height
A Flat style top trim profile	3. Base height	6 = 6" base height (add \$55 per panel for this option)
4 4" base height	4. Knockout option	<i>3. Beltway:</i>
K Include knockouts in base	(K = with knockouts, N = without knockouts)	B0 = No Beltway
W281 Fabric - Side 1	5. Base finish	B1 = Beltway 1 side
006B Maple surface - side 2	6. Panel side 1 finish(s) inside	<i>6" Raceway option increases panel height by 2 3/4".</i>
006B Maple (top trim finish)	7. Panel side 2 finish(s) outside	
111 Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	
M Optional milled frame		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 64" H

fabric one side, exotic veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	64"	R3B0PF364 18-() ()	\$1,160.	\$1,222.	\$1,306.	\$1,363.	\$1,440.	\$1,490.
	20"	64"	R3B0PF364 20-() ()	1,160.	1,222.	1,306.	1,363.	1,440.	1,490.
	24"	64"	R3B0PF364 24-() ()	1,274.	1,336.	1,420.	1,477.	1,554.	1,604.
	30"	64"	R3B0PF364 30-() ()	1,443.	1,505.	1,589.	1,646.	1,723.	1,773.
	36"	64"	R3B0PF364 36-() ()	1,558.	1,620.	1,704.	1,761.	1,838.	1,888.
	42"	64"	R3B0PF364 42-() ()	1,732.	1,794.	1,878.	1,935.	2,012.	2,062.
	48"	64"	R3B0PF364 48-() ()	1,956.	2,018.	2,102.	2,159.	2,236.	2,286.
	60"	64"	R3B0PF364 60-() ()*	2,086.	2,210.	2,385.	2,504.	2,657.	2,758.
	66"	64"	R3B0PF364 66-() ()*	2,162.	2,286.	2,461.	2,580.	2,733.	2,834.
	72"	64"	R3B0PF364 72-() ()*	2,239.	2,363.	2,538.	2,657.	2,810.	2,911.

 Monolithic, fabric one side Beltway fabric side	18"	64"	R3B1PF364 18-() ()	1,982.	2,053.	2,154.	2,220.	2,312.	2,375.
	20"	64"	R3B1PF364 20-() ()	1,982.	2,053.	2,154.	2,220.	2,312.	2,375.
	24"	64"	R3B1PF364 24-() ()	2,115.	2,186.	2,287.	2,353.	2,445.	2,508.
	30"	64"	R3B1PF364 30-() ()	2,247.	2,318.	2,419.	2,485.	2,577.	2,640.
	36"	64"	R3B1PF364 36-() ()	2,794.	2,865.	2,966.	3,032.	3,124.	3,187.
	42"	64"	R3B1PF364 42-() ()	2,909.	2,980.	3,081.	3,147.	3,239.	3,302.
	48"	64"	R3B1PF364 48-() ()	3,148.	3,219.	3,320.	3,386.	3,478.	3,541.

Order Code	Specification Information	Application Notes
Example: R3B0PF36418-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panels with beltway, please specify; Side 1 - Below belt Side 1 - Above belt	
64 64" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver	
(A) Trim profile	7. Base finish	
039E Trim finish	8. Beltway finish - only for panels with Beltway	
(4) 4" Base height	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	
(K) Knockouts option in base		
111 Base finish		
W281 Fabric - side 1		
039E Pippy Oak- side 2		
M Optional milled frame		

Monolithic panels 64" H

Laminate/Laminate

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	L
 Monolithic, laminate both sides with raceway both sides	18"	64"	R3B0PLL6418() ()	\$961.
	20"	64"	R3B0PLL6420() ()	961.
	24"	64"	R3B0PLL6424() ()	1,047.
	30"	64"	R3B0PLL6430() ()	1,173.
	36"	64"	R3B0PLL6436() ()	1,266.
	42"	64"	R3B0PLL6442() ()	1,391.
	48"	64"	R3B0PLL6448() ()	1,558.
	60"	64"	R3B0PLL6460() ()*	1,684.
	66"	64"	R3B0PLL6466() ()*	1,735.
	72"	64"	R3B0PLL6472() ()*	1,787.

Order Code	Specification Information	Application Notes
Example: R3B0PLL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 64 64" high 18 18" wide (A) Trim profile 114 Trim finish (4) 4" Base height (K) Knockouts option in base 111 Base finish 114 Folkstone grey - Side 1 114 Folkstone grey - Side 2 M Optional milled frame	<i>To order please specify pattern number including:</i> 1. Trim profile 2. Trim finish <i>i)</i> Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii)</i> Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver. 3. Base height 4. Knockout option (<i>K</i> = with knockouts, <i>N</i> = without knockouts) 5. Base finish 6. Panel side 1 finish(s) inside 7. Panel side 2 finish(s) outside 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option). These Panels will accept all core Laminates The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 79" H

fabric both sides

Reff Profiles Vol. One


description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	79"	R3B0PFF79 18-() ()	\$1,048.	\$1,200.	\$1,406.	\$1,544.	\$1,730.	\$1,842.
	20"	79"	R3B0PFF79 20-() ()	1,048.	1,200.	1,406.	1,544.	1,730.	1,842.
	24"	79"	R3B0PFF79 24-() ()	1,115.	1,267.	1,473.	1,611.	1,797.	1,909.
	30"	79"	R3B0PFF79 30-() ()	1,202.	1,354.	1,560.	1,698.	1,884.	1,996.
	36"	79"	R3B0PFF79 36-() ()	1,232.	1,384.	1,590.	1,728.	1,914.	2,026.
	42"	79"	R3B0PFF79 42-() ()	1,323.	1,475.	1,681.	1,819.	2,005.	2,117.
	48"	79"	R3B0PFF79 48-() ()	1,468.	1,620.	1,826.	1,964.	2,150.	2,262.
	60"	79"	R3B0PFF79 60-() ()	1,693.	1,999.	2,405.	2,697.	3,065.	3,289.
	66"	79"	R3B0PFF79 66-() ()	1,733.	2,039.	2,445.	2,737.	3,105.	3,329.
	72"	79"	R3B0PFF79 72-() ()	1,773.	2,079.	2,485.	2,777.	3,145.	3,369.
Monolithic, fabric both sides High acoustics 	18"	79"	R3B0PAA79 18-() ()	1,141.	1,293.	1,499.	1,637.	1,823.	1,935.
	20"	79"	R3B0PAA79 20-() ()	1,141.	1,293.	1,499.	1,637.	1,823.	1,935.
	24"	79"	R3B0PAA79 24-() ()	1,214.	1,366.	1,572.	1,710.	1,896.	2,008.
	30"	79"	R3B0PAA79 30-() ()	1,313.	1,465.	1,671.	1,809.	1,995.	2,107.
	36"	79"	R3B0PAA79 36-() ()	1,353.	1,505.	1,711.	1,849.	2,035.	2,147.
	42"	79"	R3B0PAA79 42-() ()	1,451.	1,603.	1,809.	1,947.	2,133.	2,245.
	48"	79"	R3B0PAA79 48-() ()	1,613.	1,765.	1,971.	2,109.	2,295.	2,407.
	60"	79"	R3B0PAA79 60-() ()	1,846.	2,152.	2,558.	2,850.	3,218.	3,442.
	66"	79"	R3B0PAA79 66-() ()	1,888.	2,194.	2,600.	2,892.	3,260.	3,484.
	72"	79"	R3B0PAA79 72-() ()	1,928.	2,234.	2,640.	2,932.	3,300.	3,524.

Order Code	Specification Information	Application Notes	
Example: R3B0PFF7918-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page are not designed to be stacked upon.
R3	Reff Generation 3		
B0	No Beltway		
P	Monolithic panel		Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
FF	Fabric on both sides		
79	79" high	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	6" Raceway option increases panel height by 2 3/4".
18	18" wide		
(A)	Trim profile		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
006B	Trim finish		
(4)	4" Base height		Remember to specify Beltway paint finish when applicable.
(K)	Knockouts option in base		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
111	Base finish		
W281	Fabric side 1		
W281	Fabric side 2		
M	Optional milled frame		


Monolithic panels 79" H

fabric both sides with Beltway

description	w	h	pattern n	grade 10	20	30	35	40	45
Monolithic, fabric both sides Beltway one side	18"	79"	R3B1PFF79 18-() ()	\$1,505.	\$1,673.	\$1,899.	\$2,050.	\$2,258.	\$2,389.
	20"	79"	R3B1PFF79 20-() ()	1,505.	1,673.	1,899.	2,050.	2,258.	2,389.
	24"	79"	R3B1PFF79 24-() ()	1,575.	1,743.	1,969.	2,120.	2,328.	2,459.
	30"	79"	R3B1PFF79 30-() ()	1,607.	1,775.	2,001.	2,152.	2,360.	2,491.
	36"	79"	R3B1PFF79 36-() ()	1,928.	2,096.	2,322.	2,473.	2,681.	2,812.
	42"	79"	R3B1PFF79 42-() ()	2,054.	2,222.	2,448.	2,599.	2,807.	2,938.
	48"	79"	R3B1PFF79 48-() ()	2,115.	2,283.	2,509.	2,660.	2,868.	2,999.



Monolithic, fabric both sides Beltway two sides	18"	79"	R3B2PFF79 18-() ()	1,584.	1,768.	2,014.	2,178.	2,408.	2,558.
	20"	79"	R3B2PFF79 20-() ()	1,584.	1,768.	2,014.	2,178.	2,408.	2,558.
	24"	79"	R3B2PFF79 24-() ()	1,653.	1,837.	2,083.	2,247.	2,477.	2,627.
	30"	79"	R3B2PFF79 30-() ()	1,685.	1,869.	2,115.	2,279.	2,509.	2,659.
	36"	79"	R3B2PFF79 36-() ()	2,011.	2,195.	2,441.	2,605.	2,835.	2,985.
	42"	79"	R3B2PFF79 42-() ()	2,140.	2,324.	2,570.	2,734.	2,964.	3,114.
	48"	79"	R3B2PFF79 48-() ()	2,205.	2,389.	2,635.	2,799.	3,029.	3,179.



Order Code	Specification Information	Application Notes	
Example: R3B1PFF7918-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page are not designed to be stacked upon.
R3	Reff Generation 3		
B1	Beltway one side		
P	Monolithic panel		Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
FF	Fabric on both sides		
79	79" high		
18	18" wide		6" Raceway option increases panel height by 2 3/4".
(A)	Trim profile		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
006B	Trim finish		
(4)	4" base height		
(K)	Base knockouts		Remember to specify Beltway paint finish when applicable.
111	Base finish		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
W281	Fabric - Side 1 below belt		
W281	Fabric - Side 1 above belt		
W281	Fabric - Side 2 below belt		
W281	Fabric - Side 2 above belt		
111	Jet Black Beltway finish		

<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum
1. Top trim profile	
2. Top trim finish	
<i>i</i>)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
<i>ii</i>)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	2. Base height: 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).
3. Base height	
4. Base Knockout option (K = with knockouts, N = without knockouts)	
5. Base finish	
6. Panel side 1 finish(s) inside below belt	
7. Panel side 1 finish(s) inside above belt	
8. Panel side 2 finish(s) outside below belt	
9. Panel side 2 finish(s) outside above belt	
10. Beltway finish	
11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	

Monolithic panels 79" H


fabric one side, laminate other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PFL79 18-()()	\$926.	\$993.	\$1,084.	\$1,146.	\$1,230.	\$1,278.
Regular acoustics	20"	79"	R3B0PFL79 20-()()	926.	993.	1,084.	1,146.	1,230.	1,278.
	24"	79"	R3B0PFL79 24-()()	1,015.	1,082.	1,173.	1,235.	1,319.	1,367.
	30"	79"	R3B0PFL79 30-()()	1,142.	1,209.	1,300.	1,362.	1,446.	1,494.
	36"	79"	R3B0PFL79 36-()()	1,245.	1,312.	1,403.	1,465.	1,549.	1,597.
	42"	79"	R3B0PFL79 42-()()	1,379.	1,446.	1,537.	1,599.	1,683.	1,731.
	48"	79"	R3B0PFL79 48-()()	1,541.	1,608.	1,699.	1,761.	1,845.	1,893.
	60"	79"	R3B0PFL79 60-()()	1,661.	1,795.	1,974.	2,102.	2,267.	2,365.
	66"	79"	R3B0PFL79 66-()()	1,694.	1,828.	2,007.	2,135.	2,300.	2,398.
	72"	79"	R3B0PFL79 72-()()	1,727.	1,861.	2,040.	2,168.	2,333.	2,431.



Monolithic, fabric one side	18"	79"	R3B1PFL79 18-()()	1,342.	1,421.	1,534.	1,603.	1,706.	1,775.
Beltway one side (fabric side)	20"	79"	R3B1PFL79 20-()()	1,342.	1,421.	1,534.	1,603.	1,706.	1,775.
	24"	79"	R3B1PFL79 24-()()	1,433.	1,512.	1,625.	1,694.	1,797.	1,866.
	30"	79"	R3B1PFL79 30-()()	1,518.	1,597.	1,710.	1,779.	1,882.	1,951.
	36"	79"	R3B1PFL79 36-()()	1,883.	1,962.	2,075.	2,144.	2,247.	2,316.
	42"	79"	R3B1PFL79 42-()()	2,054.	2,133.	2,246.	2,315.	2,418.	2,487.
	48"	79"	R3B1PFL79 48-()()	2,147.	2,226.	2,339.	2,408.	2,511.	2,580.



Order Code	Specification Information	Application Notes	
Example: R3B0PFL7918-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page are not designed to be stacked upon.
R3	Reff Generation 3		
B0	No Beltway		
P	Monolithic panel		
FL	Fabric one side, laminate other		
79	79" high		
18	18" wide		
(A)	Trim profile		
006B	Trim finish		
(4)	4" Base height		
(K)	Knockouts option in base		
111	Base finish		
W281	Fabric - side 1		
114	Folkstone grey- side 2		
M	Optional milled frame		
		2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		These Panels will accept all core Laminates	6" Raceway option increases panel height by 2 3/4".
			Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
			Remember to specify Beltway paint finish when applicable.
			79"H hookstrip reveal strips are ordered separately from page 120 at

Monolithic panels 79" H

fabric one side, techwood other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF179 18-() ()	\$1,088.	\$1,165.	\$1,270.	\$1,342.	\$1,435.	\$1,496.
Regular acoustics	20"	79"	R3B0PF179 20-() ()	1,088.	1,165.	1,270.	1,342.	1,435.	1,496.
	24"	79"	R3B0PF179 24-() ()	1,191.	1,268.	1,373.	1,445.	1,538.	1,599.
	30"	79"	R3B0PF179 30-() ()	1,346.	1,423.	1,528.	1,600.	1,693.	1,754.
	36"	79"	R3B0PF179 36-() ()	1,466.	1,543.	1,648.	1,720.	1,813.	1,874.
	42"	79"	R3B0PF179 42-() ()	1,619.	1,696.	1,801.	1,873.	1,966.	2,027.
	48"	79"	R3B0PF179 48-() ()	1,816.	1,893.	1,998.	2,070.	2,163.	2,224.
	60"	79"	R3B0PF179 60-() ()	1,950.	2,107.	2,316.	2,465.	2,650.	2,765.
	66"	79"	R3B0PF179 66-() ()	1,992.	2,149.	2,358.	2,507.	2,692.	2,807.
	72"	79"	R3B0PF179 72-() ()	2,023.	2,180.	2,389.	2,538.	2,723.	2,838.



Monolithic, fabric one side	18"	79"	R3B1PF179 18-() ()	1,572.	1,665.	1,793.	1,875.	1,993.	2,071.
Beltway one side (fabric side)	20"	79"	R3B1PF179 20-() ()	1,572.	1,665.	1,793.	1,875.	1,993.	2,071.
	24"	79"	R3B1PF179 24-() ()	1,681.	1,774.	1,902.	1,984.	2,102.	2,180.
	30"	79"	R3B1PF179 30-() ()	1,786.	1,879.	2,007.	2,089.	2,207.	2,285.
	36"	79"	R3B1PF179 36-() ()	2,213.	2,306.	2,434.	2,516.	2,634.	2,712.
	42"	79"	R3B1PF179 42-() ()	2,410.	2,503.	2,631.	2,713.	2,831.	2,909.
	48"	79"	R3B1PF179 48-() ()	2,519.	2,612.	2,740.	2,822.	2,940.	3,018.



Order Code	Specification Information	Application Notes	
Example: R3B0PF17918-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page are not designed to be stacked upon.
R3	Reff Generation 2		
B0	No Beltway		
P	Monolithic panel		
F1	Fabric one side, V1 other		
79	79" high		
18	18" wide		
(A)	Trim profile		
506B	Trim finish		
(4)	4" Base height		
(K)	Knockouts option in base		
111	Base finish		
W281	Fabric - Side 1		
506B	Maple - side 2		
M	Optional milled frame		

<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page are not designed to be stacked upon.
1. Trim profile		
2. Trim finish		
<i>i)</i> Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes		Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.
<i>ii)</i> Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	6" Raceway option increases panel height by 2¾".
3. Base height		
4. Knockout option <i>(K = with knockouts, N = without knockouts)</i>		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
5. Base finish		
6. Panel side 1 finish(s) inside		
7. Panel side 2 finish(s) outside		
8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 120 at

Monolithic panels 79" H


fabric one side, conventional veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF279 18-(X)	\$1,108.	\$1,185.	\$1,290.	\$1,362.	\$1,455.	\$1,516.
Regular acoustics	20"	79"	R3B0PF279 20-(X)	1,108.	1,185.	1,290.	1,362.	1,455.	1,516.
	24"	79"	R3B0PF279 24-(X)	1,214.	1,291.	1,396.	1,468.	1,561.	1,622.
	30"	79"	R3B0PF279 30-(X)	1,371.	1,448.	1,553.	1,625.	1,718.	1,779.
	36"	79"	R3B0PF279 36-(X)	1,492.	1,569.	1,674.	1,746.	1,839.	1,900.
	42"	79"	R3B0PF279 42-(X)	1,650.	1,727.	1,832.	1,904.	1,997.	2,058.
	48"	79"	R3B0PF279 48-(X)	1,847.	1,924.	2,029.	2,101.	2,194.	2,255.
	60"	79"	R3B0PF279 60-(X)	1,984.	2,141.	2,350.	2,499.	2,684.	2,799.
	66"	79"	R3B0PF279 66-(X)	2,022.	2,179.	2,388.	2,537.	2,722.	2,837.
	72"	79"	R3B0PF279 72-(X)	2,065.	2,222.	2,431.	2,580.	2,765.	2,880.



Monolithic, fabric one side	18"	79"	R3B1PF279 18-(X)	1,601.	1,694.	1,822.	1,904.	2,022.	2,100.
Beltway one side (fabric side)	20"	79"	R3B1PF279 20-(X)	1,601.	1,694.	1,822.	1,904.	2,022.	2,100.
	24"	79"	R3B1PF279 24-(X)	1,711.	1,804.	1,932.	2,014.	2,132.	2,210.
	30"	79"	R3B1PF279 30-(X)	1,815.	1,908.	2,036.	2,118.	2,236.	2,314.
	36"	79"	R3B1PF279 36-(X)	2,249.	2,342.	2,470.	2,552.	2,670.	2,748.
	42"	79"	R3B1PF279 42-(X)	2,454.	2,547.	2,675.	2,757.	2,875.	2,953.
	48"	79"	R3B1PF279 48-(X)	2,565.	2,658.	2,786.	2,868.	2,986.	3,064.



Order Code	Specification Information	Application Notes	
Example: R3B0PF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	The panels on this page are not designed to be stacked upon.
R3	Reff Generation 3		
B0	No Beltway		
P	Monolithic panel		
F2	Fabric one side, V2 other		
79	79" high		
18	18" wide		
18	18" wide		
(A)	Trim profile		
006B	Trim finish		
(4)	4" Base height		
(K)	Knockouts option in base		
111	Base finish		
W281	Fabric - side 1		
006B	Maple - side 2		
M	Optional milled frame		
	<i>1. Trim profile</i> <i>2. Trim finish</i> <i>i) Top trim profile A,B or C options:</i> <i>V1, V2, V3, P1, P2, P3 finishes</i> <i>ii) Top trim profile E options:</i> <i>AA-anodized aluminum or P1, P2, P3 finish, excluding silver.</i> <i>3. Base height</i> <i>4. Knockout option</i> <i>(K = with knockouts,</i> <i>N = without knockouts)</i> <i>5. Base finish</i> <i>6. Panel side 1 finish(s) inside</i> <i>7. Panel side 2 finish(s) outside</i> <i>8. Optional: specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable</i>	<i>2. Base height:</i> <i>4 = 4" base height</i> <i>6 = 6" base height (add \$55 per panel for this option)</i> <i>3. Beltway:</i> <i>B0 = No Beltway</i> <i>B1 = Beltway 1 side</i> <i>6" Raceway option increases panel height by 2 3/4".</i>	<i>Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.</i> <i>6" Raceway option increases panel height by 2 3/4".</i> <i>Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.</i> <i>Remember to specify Beltway paint finish when applicable.</i> <i>79"H hookstrip reveal strips are ordered separately from page 120 at no charge.</i>

Monolithic panels 79" H

fabric one side, exotic veneer other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF379 18-() ()	\$1,460.	\$1,537.	\$1,642.	\$1,714.	\$1,807.	\$1,868.
Regular acoustics	20"	79"	R3B0PF379 20-() ()	1,460.	1,537.	1,642.	1,714.	1,807.	1,868.
	24"	79"	R3B0PF379 24-() ()	1,606.	1,683.	1,788.	1,860.	1,953.	2,014.
	30"	79"	R3B0PF379 30-() ()	1,816.	1,893.	1,998.	2,070.	2,163.	2,224.
	36"	79"	R3B0PF379 36-() ()	1,983.	2,060.	2,165.	2,237.	2,330.	2,391.
	42"	79"	R3B0PF379 42-() ()	2,195.	2,272.	2,377.	2,449.	2,542.	2,603.
	48"	79"	R3B0PF379 48-() ()	2,463.	2,540.	2,645.	2,717.	2,810.	2,871.
	60"	79"	R3B0PF379 60-() ()*	2,610.	2,767.	2,976.	3,125.	3,310.	3,425.
	66"	79"	R3B0PF379 66-() ()*	2,664.	2,821.	3,030.	3,179.	3,364.	3,479.
	72"	79"	R3B0PF379 72-() ()*	2,721.	2,878.	3,087.	3,236.	3,421.	3,536.



Monolithic, fabric one side	18"	79"	R3B1PF379 18-() ()	2,109.	2,202.	2,330.	2,412.	2,530.	2,608.
Beltway fabric side	20"	79"	R3B1PF379 20-() ()	2,109.	2,202.	2,330.	2,412.	2,530.	2,608.
	24"	79"	R3B1PF379 24-() ()	2,259.	2,352.	2,480.	2,562.	2,680.	2,758.
	30"	79"	R3B1PF379 30-() ()	2,398.	2,491.	2,619.	2,701.	2,819.	2,897.
	36"	79"	R3B1PF379 36-() ()	2,983.	3,076.	3,204.	3,286.	3,404.	3,482.
	42"	79"	R3B1PF379 42-() ()	3,258.	3,351.	3,479.	3,561.	3,679.	3,757.
	48"	79"	R3B1PF379 48-() ()	3,411.	3,502.	3,632.	3,714.	3,832.	3,910.



Order Code	Specification Information	Application Notes
Example: R3B0PF37918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Trim profile	A = Flat
B0 No Beltway	2. Trim finish	B = Square
P Monolithic panel	i) Top trim profile A,B or C options:	C = Bullnose
F3 Fabric one side, V3 other	V1, V2, V3, P1, P2, P3 finishes	E = Extruded Aluminum
79 79" high	ii) Top trim profile E options:	
18 18" wide	AA-anodized aluminum or P1, P2, P3 finish, excluding silver.	
(A) Trim profile	3. Base height	<i>2. Base height:</i>
039E Trim finish	4. Knockout option	4 = 4" base height
(4) 4" Base height	(K = with knockouts, N = without knockouts)	6 = 6" base height (add \$55 per panel for this option)
(K) Knockouts option in base	5. Base finish	<i>3. Beltway:</i>
111 Base finish	6. Panel side 1 finish(s) inside	B0 = No Beltway
W281 Fabric - side 1	7. Panel side 2 finish(s) outside	B1 = Beltway 1 side
039E Pippy Oak- side 2	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	6" Raceway option increases panel height by 2 3/4"
M Optional milled frame		

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Monolithic panels 79" H

Laminate/Laminate


Reff Profiles Vol. One

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918() ()	\$1,048.
	20"	79"	R3B0PLL7920() ()	1,048.
	24"	79"	R3B0PLL7924() ()	1,143.
	30"	79"	R3B0PLL7930() ()	1,278.
	36"	79"	R3B0PLL7936() ()	1,382.
	42"	79"	R3B0PLL7942() ()	1,519.
	48"	79"	R3B0PLL7948() ()	1,702.
	60"	79"	R3B0PLL7960() ()*	1,838.
	66"	79"	R3B0PLL7966() ()*	1,894.
	72"	79"	R3B0PLL7972() ()*	1,950.

Order Code	Specification Information	Application Notes	
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	The panels on this page are not designed to be stacked upon.
R3	Reff Generation 3		
B0	No Beltway		
P	Monolithic panel		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
LL	Laminate both sides		
79	79" high	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option).	6" Raceway option increases panel height by 2 3/4".
18	18" wide		
(A)	Trim profile	These Panels will accept all core Laminates	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
114	Trim finish		
(4)	4" Base height		Remember to specify Beltway paint finish when applicable.
(K)	Knockouts option in base		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
111	Base finish		
114	Folkstone grey - Side 1		
114	Folkstone grey - Side 2		
M	Optional milled frame		
	1. Trim profile 2. Trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish, excluding silver. 3. Base height 4. Knockout option (K = with knockouts, N = without knockouts) 5. Base finish 6. Panel side 1 finish(s) inside 7. Panel side 2 finish(s) outside 8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable		

Tiled panels 34" H fabric

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-() ()	\$698.	\$806.	\$882.	\$950.	\$1,054.	\$1,114.
Regular acoustics	20"	34"	R3B0TFF34 20-() ()	698.	806.	882.	950.	1,054.	1,114.
	24"	34"	R3B0TFF34 24-() ()	754.	862.	938.	1,006.	1,110.	1,170.
	30"	34"	R3B0TFF34 30-() ()	804.	912.	988.	1,056.	1,160.	1,220.
	36"	34"	R3B0TFF34 36-() ()	857.	965.	1,041.	1,109.	1,213.	1,273.
	42"	34"	R3B0TFF34 42-() ()	986.	1,094.	1,170.	1,238.	1,342.	1,402.
	48"	34"	R3B0TFF34 48-() ()	1,023.	1,131.	1,207.	1,275.	1,379.	1,439.



Order Code	Specification Information	Application Notes
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Top trim finish	B = Square
T Tiled panel	<i>i)Top trim profile A,B or C options:</i>	C = Bullnose
FF Fabric on both sides	V1, V2, V3, P1, P2, P3 finishes	E = Extruded Aluminum
34 34" high	<i>ii)Top trim profile E options:</i>	2. Base height:
18 18" wide	AA-anodized aluminum or P1, P2, P3 finish listed on page	4 = 4" base height
A Trim profile - A	5excluding silver	6 = 6" base height (add \$55 per panel)
006B Trim finish	3. Base height	All panels on this page accept stacking modules.
4 Base height - 4"	4. Base Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
K Base knockout	5. Base finish	
111 Base finish	6. Panel side 1A	
W281 Side 1A	7. Panel side 1B	
W281 Side 1B	8. Panel side 2A	
W281 Side 2A	9. Panel side 2B	
W281 Side 2B	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	
M Optional milled frame		

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 120.


The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.


Ported panel components to be installed below worksurface if panel 34"h.

Tiled panels 34" H glass

Reff Profiles Vol. One

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A) 	18"	34"	R2B0TWA34 18-() ()	\$1,094.	\$1,300.	\$44.	\$86.	\$109.
	20"	34"	R2B0TWA34 20-() ()	1,094.	1,300.	44.	86.	109.
	24"	34"	R2B0TWA34 24-() ()	1,145.	1,391.	44.	86.	116.
	30"	34"	R2B0TWA34 30-() ()	1,328.	1,634.	44.	86.	132.
	36"	34"	R2B0TWA34 36-() ()	1,377.	1,744.	44.	86.	134.
	42"	34"	R2B0TWA34 42-() ()	1,446.	1,881.	44.	86.	142.
	48"	34"	R2B0TWA34 48-() ()	1,497.	1,993.	44.	86.	148.

Tiled, two 15" high glass sections with center mullion (type B) 	30"	34"	R2B0TWB34 30-() ()	1,589.	1,898.	44.	86.	160.
	36"	34"	R2B0TWB34 36-() ()	1,654.	2,025.	44.	86.	165.
	42"	34"	R2B0TWB34 42-() ()	1,733.	2,164.	44.	86.	170.
	48"	34"	R2B0TWB34 48-() ()	1,799.	2,301.	44.	86.	176.

Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C 	18"	34"	R2B0TWC34 18-() ()	862.	1,124.	35.	70.	132.
	20"	34"	R2B0TWC34 20-() ()	862.	1,124.	35.	70.	132.
	24"	34"	R2B0TWC34 24-() ()	909.	1,184.	35.	70.	142.
	30"	34"	R2B0TWC34 30-() ()	1,121.	1,458.	44.	86.	179.
	36"	34"	R2B0TWC34 36-() ()	1,248.	1,621.	44.	86.	202.
	42"	34"	R2B0TWC34 42-() ()	1,321.	1,715.	44.	86.	219.
	48"	34"	R2B0TWC34 48-() ()	1,384.	1,805.	44.	86.	229.

Order Code

Example:	R2B0TWA3418-A4K
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
A	Trim profile - A
006B	Trim finish
4	Base height - 4"
K	Base knockouts
111	Base finish
B	Tile divider
111	Window Frame finish
GL13	Glass option

Specification Information

To order please specify pattern number including:

- Top trim profile
- Top trim finish
 - Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Base finish
- Tile Divider option
(applicable R2B0TWA and R2B0TWB)
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
- Window frame finish
(Painted or Anodized aluminum finishes)
If AA finish (anodized) upcharge applicable as noted in AA price column
- Glass option:

- Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- Base height:*
4 = 4" base height
6 = 6" base height (add \$55 per panel)
- Extruded aluminum tile divider:*
Add for:
\$20 for 18w and 20w
\$21 for 24w and 30w
\$22 for 36w and 42w
\$28 for 48w
- Glass option:*
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 120.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Tiled panels 34" H

fabric one side, laminate or techwood opposite side

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics	18"	34"	R3B0TFL34 18-() ()	\$751.	\$801.	\$843.	\$877.	\$923.	\$953.
	20"	34"	R3B0TFL34 20-() ()	751.	801.	843.	877.	923.	953.
	24"	34"	R3B0TFL34 24-() ()	799.	849.	891.	925.	971.	1,001.
	30"	34"	R3B0TFL34 30-() ()	850.	900.	942.	976.	1,022.	1,052.
	36"	34"	R3B0TFL34 36-() ()	900.	950.	992.	1,026.	1,072.	1,101.
	42"	34"	R3B0TFL34 42-() ()	1,024.	1,074.	1,116.	1,150.	1,196.	1,226.
	48"	34"	R3B0TFL34 48-() ()	1,060.	1,110.	1,152.	1,186.	1,232.	1,262.
Tiled, fabric one side techwood other; Regular acoustics	18"	34"	R3B0TF134 18-() ()	831.	889.	929.	963.	1,017.	1,047.
	20"	34"	R3B0TF134 20-() ()	831.	889.	929.	963.	1,017.	1,047.
	24"	34"	R3B0TF134 24-() ()	887.	945.	985.	1,019.	1,073.	1,103.
	30"	34"	R3B0TF134 30-() ()	944.	1,002.	1,042.	1,076.	1,130.	1,160.
	36"	34"	R3B0TF134 36-() ()	998.	1,056.	1,096.	1,130.	1,184.	1,214.
	42"	34"	R3B0TF134 42-() ()	1,138.	1,196.	1,236.	1,270.	1,324.	1,354.
	48"	34"	R3B0TF134 48-() ()	1,176.	1,234.	1,274.	1,308.	1,362.	1,392.

Order Code	Specification Information	Application Notes	
Example: R3B0TFL3418-A4K	<i>To order please specify pattern number including:</i>		
R3	Reff Generation 3	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	All panels on this page accept stacking modules.
B0	No Beltway		6" Raceway option increases panel height by 2 3/4".
T	Tiled panel		
FL	Fabric one side, laminate other		All panels on this page have no high acoustical option or Beltway option.
34	34" high	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 120.
18	18" wide	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel)	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
A	Trim profile - A	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$20 for 18w and 20w \$21 for 24w and 30w \$22 for 36w and 42w \$28 for 48w	Ported panel components to be installed below worksurface if panel 34" h.
006B	Trim finish		
4	Base height - 4"		
K	Base knockout		
111	Base finish		
B	Tile Divider		
W281	Side 1A		
W281	Side 1B		
114	Side 2A		
114	Side 2B		
M	Optional milled frame		
	1. Top trim profile		
	2. Top trim finish		
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes		
	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver		
	3. Base height		
	4. Knockout option (K = with knockouts, N = without knockouts)		
	5. Base finish		
	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)		
	7. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top		
	8. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	These Panels will accept all core Laminates.	

Tiled panels 34" H

fabric one side, conventional or exotic opposite side

Reff Profiles Vol. One


description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics	18"	34"	R3B0TF234 18-() ()	\$833.	\$889.	\$929.	\$961.	\$1,013.	\$1,043.
	20"	34"	R3B0TF234 20-() ()	833.	889.	929.	961.	1,013.	1,043.
	24"	34"	R3B0TF234 24-() ()	884.	940.	980.	1,012.	1,064.	1,094.
	30"	34"	R3B0TF234 30-() ()	941.	997.	1,037.	1,069.	1,121.	1,151.
	36"	34"	R3B0TF234 36-() ()	996.	1,052.	1,092.	1,124.	1,176.	1,206.
	42"	34"	R3B0TF234 42-() ()	1,134.	1,190.	1,230.	1,262.	1,314.	1,344.
	48"	34"	R3B0TF234 48-() ()	1,174.	1,230.	1,270.	1,302.	1,354.	1,384.
Tiled, fabric one side, exotic other Regular acoustics	18"	34"	R3B0TF334 18-() ()	1,111.	1,167.	1,207.	1,239.	1,291.	1,321.
	20"	34"	R3B0TF334 20-() ()	1,111.	1,167.	1,207.	1,239.	1,291.	1,321.
	24"	34"	R3B0TF334 24-() ()	1,184.	1,240.	1,280.	1,312.	1,364.	1,394.
	30"	34"	R3B0TF334 30-() ()	1,259.	1,315.	1,355.	1,387.	1,439.	1,469.
	36"	34"	R3B0TF334 36-() ()	1,331.	1,387.	1,427.	1,459.	1,511.	1,541.
	42"	34"	R3B0TF334 42-() ()	1,519.	1,575.	1,615.	1,647.	1,699.	1,729.
	48"	34"	R3B0TF334 48-() ()	1,572.	1,628.	1,668.	1,700.	1,752.	1,782.

Order Code	Specification Information	Application Notes	
Example: R3B0TF23418-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	All panels on this page accept stacking modules.
R3	Reff Generation 3		6" Raceway option increases panel height by 2¾".
B0	No Beltway		All panels on this page have no high acoustical option or Beltway option.
T	Tiled panel		Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 120.
F2	Fabric one side, conventional other		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
34	34" high		Ported panel components to be installed below worksurface if panel 34" h.
18	18" wide		
A	Trim profile - A		
006B	Trim finish		
4	Base height - 4"		
K	Base knockout		
111	Base finish		
B	Tile divider		
W281	Side 1A		
W281	Side 1B		
006B	Side 2A		
006B	Side 2B		
M	Optional milled frame		
	1. Top trim profile		
	2. Top trim finish		
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes		
	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver		
	3. Base height		
	4. Knockout option (K = with knockouts, N = without knockouts)		
	5. Base finish		
	6. Tile divider		
	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)		
	7. Fabric side, finish (specify selection per insert)		
	i) tile 1A bottom		
	ii) tile 1B top		
	8. Hard side, finish		
	If laminate:		
	i) tile 2A bottom		
	ii) tile 2B top		
	If V1, V2 or V3 specify wood finish, one finish per side (not per insert)		
		1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
		2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel)	
		4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$20 for 18w and 20w \$21 for 24w and 30w \$22 for 36w and 42w \$28 for 48w	
		These Panels will accept all core Laminates.	

Tiled panels 34" H Laminate/Laminate

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	34"	R3B0TLL3418() ()	\$852.
	20"	34"	R3B0TLL3420() ()	852.
	24"	34"	R3B0TLL3424() ()	927.
	30"	34"	R3B0TLL3430() ()	1,038.
	36"	34"	R3B0TLL3436() ()	1,122.
	42"	34"	R3B0TLL3442() ()	1,156.
	48"	34"	R3B0TLL3448() ()	1,191.


Order Code	Specification Information	Application Notes
Example: R3B0TLL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Top trim finish	2. Base height: 4 = 4" base height 6 = 6" base height (add \$55 per panel)
T Tiled panel	i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34" h add per panel: \$20 for 18w and 20w \$21 for 24w and 30w \$22 for 36w and 42w \$28 for 48w
LL Laminate both sides	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
34 34" high	3. Base height	
18 18" wide	4. Base Knockout option (K = with knockouts, N = without knockouts)	
A Trim profile - A	5. Base finish	
006B Trim finish	6. Panel side 1A	
4 Base height - 4"	7. Panel side 1B	
K Base knockout	8. Panel side 2A	
111 Base finish	9. Panel side 2B	
B Tile divider	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	
118 Side 1A		
118 Side 1B		
118 Side 2A		
118 Side 2B		
M Optional milled frame		

Tiled panels 42" H


fabric both sides

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B0TFF42 18-() ()	\$778.	\$918.	\$1,032.	\$1,118.	\$1,242.	\$1,326.
Regular acoustics	20"	42"	R3B0TFF42 20-() ()	778.	918.	1,032.	1,118.	1,242.	1,326.
	24"	42"	R3B0TFF42 24-() ()	836.	976.	1,090.	1,176.	1,300.	1,384.
	30"	42"	R3B0TFF42 30-() ()	896.	1,036.	1,150.	1,236.	1,360.	1,444.
	36"	42"	R3B0TFF42 36-() ()	954.	1,094.	1,208.	1,294.	1,418.	1,502.
	42"	42"	R3B0TFF42 42-() ()	1,078.	1,218.	1,332.	1,418.	1,542.	1,626.
	48"	42"	R3B0TFF42 48-() ()	1,133.	1,273.	1,387.	1,473.	1,597.	1,681.



Tiled, fabric both sides	18"	42"	R3B0TAA42 18-() ()	852.	992.	1,106.	1,192.	1,316.	1,400.
High acoustics	20"	42"	R3B0TAA42 20-() ()	852.	992.	1,106.	1,192.	1,316.	1,400.
	24"	42"	R3B0TAA42 24-() ()	916.	1,056.	1,170.	1,256.	1,380.	1,464.
	30"	42"	R3B0TAA42 30-() ()	986.	1,126.	1,240.	1,326.	1,450.	1,534.
	36"	42"	R3B0TAA42 36-() ()	1,049.	1,189.	1,303.	1,389.	1,513.	1,597.
	42"	42"	R3B0TAA42 42-() ()	1,190.	1,330.	1,444.	1,530.	1,654.	1,738.
	48"	42"	R3B0TAA42 48-() ()	1,253.	1,393.	1,507.	1,593.	1,717.	1,801.




Order Code	Specification Information	Application Notes
Example: R3B0TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Top trim finish	B = Square
T Tiled panel	i) Top trim profile A, B or C	C = Bullnose
FF Fabric on both sides	options:	E = Extruded Aluminum
42 42" high	V1, V2, V3, P1, P2, P3 finishes	2. Base height:
18 18" wide	ii) Top trim profile E options:	4 = 4" base height
A Trim profile - A	AA-anodized aluminum or P1, P2, P3 finish listed on page	6 = 6" base height (add \$55 per panel)
006B Trim finish	5 excluding silver	
4 Base height - 4"	3. Base height	All panels on this page accept stacking modules.
K Base knockout	4. Base Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
111 Base finish	5. Base finish	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
W281 Side 1A	6. Panel side 1A	Remember to specify Beltway paint finish when applicable.
W281 Side 1B	7. Panel side 1B	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
W281 Side 1C	8. Panel side 1C	
W281 Side 2A	9. Panel side 2A	
W281 Side 2B	10. Panel side 2B	
W281 Side 2C	11. Panel side 2C	
M Optional milled frame	12. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	


Tiled panels 42" H

fabric both sides with Beltway

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18"	42"	R3B1TFF42 18-()()	\$1,398.	\$1,535.	\$1,653.	\$1,739.	\$1,863.	\$1,947.
	20"	42"	R3B1TFF42 20-()()	1,398.	1,535.	1,653.	1,739.	1,863.	1,947.
	24"	42"	R3B1TFF42 24-()()	1,431.	1,568.	1,686.	1,772.	1,896.	1,980.
	30"	42"	R3B1TFF42 30-()()	1,506.	1,643.	1,761.	1,847.	1,971.	2,055.
	36"	42"	R3B1TFF42 36-()()	1,779.	1,916.	2,034.	2,120.	2,244.	2,328.
	42"	42"	R3B1TFF42 42-()()	1,921.	2,058.	2,176.	2,262.	2,386.	2,470.
	48"	42"	R3B1TFF42 48-()()	1,989.	2,126.	2,244.	2,330.	2,454.	2,538.



Tiled, fabric both sides Beltway two sides	18"	42"	R3B2TFF42 18-()()	1,425.	1,559.	1,681.	1,767.	1,891.	1,975.
	20"	42"	R3B2TFF42 20-()()	1,425.	1,559.	1,681.	1,767.	1,891.	1,975.
	24"	42"	R3B2TFF42 24-()()	1,513.	1,647.	1,769.	1,855.	1,979.	2,063.
	30"	42"	R3B2TFF42 30-()()	1,536.	1,670.	1,792.	1,878.	2,002.	2,086.
	36"	42"	R3B2TFF42 36-()()	1,809.	1,943.	2,065.	2,151.	2,275.	2,359.
	42"	42"	R3B2TFF42 42-()()	1,958.	2,092.	2,214.	2,300.	2,424.	2,508.
	48"	42"	R3B2TFF42 48-()()	2,028.	2,162.	2,284.	2,370.	2,494.	2,578.




Order Code	Specification Information	Application Notes
Example: R3B1TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Top trim finish	B = Square
T Tiled panel	ii)Top trim profile A,B or C options:	C = Bullnose
FF Fabric on both sides	V1, V2, V3, P1, P2, P3 finishes	E = Extruded Aluminum2. Base height:
42 42" high	ii)Top trim profile E options:	4 = 4" base height
18 18" wide	AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver	6 = 6" base height (add \$55 per panel)
A Trim profile - A	3. Base height	6" Raceway option increases panel height by 2 3/4".
006B Trim finish	4. Base Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
4 Base height - 4"	5. Base finish	Remember to specify Beltway paint finish when applicable.
K Base knockout	6. Panel side 1A	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
111 Base finish	7. Panel side 1B	
W281 Side 1A	8. Panel side 1C	
W281 Side 1B	9. Panel side 2A	
W281 Side 1C	10. Panel side 2B	
W281 Side 2A	11. Panel side 2C	
W281 Side 2B	12. Beltway finish	
W281 Side 2C		
B Beltway finish		

Tiled panels 42" H


fabric one side, laminate other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$839.	\$906.	\$964.	\$1,005.	\$1,065.	\$1,106.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	839.	906.	964.	1,005.	1,065.	1,106.
	24"	42"	R3B0TFL42 24-() ()	892.	959.	1,017.	1,058.	1,118.	1,159.
	30"	42"	R3B0TFL42 30-() ()	953.	1,020.	1,078.	1,119.	1,179.	1,220.
	36"	42"	R3B0TFL42 36-() ()	1,007.	1,074.	1,132.	1,173.	1,233.	1,274.
	42"	42"	R3B0TFL42 42-() ()	1,121.	1,188.	1,246.	1,287.	1,347.	1,388.
	48"	42"	R3B0TFL42 48-() ()	1,181.	1,248.	1,306.	1,347.	1,407.	1,448.



Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,448.	1,517.	1,575.	1,615.	1,676.	1,717.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,448.	1,517.	1,575.	1,615.	1,676.	1,717.
	24"	42"	R3B1TFL42 24-() ()	1,477.	1,546.	1,604.	1,644.	1,705.	1,746.
	30"	42"	R3B1TFL42 30-() ()	1,551.	1,620.	1,678.	1,718.	1,779.	1,820.
	36"	42"	R3B1TFL42 36-() ()	1,815.	1,884.	1,942.	1,982.	2,043.	2,084.
	42"	42"	R3B1TFL42 42-() ()	1,951.	2,020.	2,078.	2,118.	2,179.	2,220.
	48"	42"	R3B1TFL42 48-() ()	2,016.	2,085.	2,143.	2,183.	2,244.	2,285.



Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Top trim finish	
T Tiled panel	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
FL Fabric one side, laminate other	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
42 42" high	3. Base height	
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	
A Trim profile - A	5. Base finish	
006B Trim finish	6. Tile divider	
4 Base height - 4"	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
K Base knockout	7. Fabric side, finish (specify selection per insert)	
111 Base finish	i) tile 1A bottom	
B Tile Divider	ii) tile 1B middle	
W281 Side 1A	iii) tile 1C top	
W281 Side 1B	8. Laminate side:	
W281 Side 1C	i) tile 2A bottom	
114 Side 2A	ii) tile 2B middle	
114 Side 2B	iii) tile 2C top	
114 Side 2C		
M Optional milled frame		

The Reff Profiles System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 0).

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$55 per panel)


4. *Extruded aluminum tile divider:*
Optional for non fabric side only
(fabric side always black)
42"h add per panel:
\$30 for 18w and 20w
\$33 for 24w and 30w
\$39 for 36w and 42w
\$47 for 48w

These Panels will accept all core Laminates.


Tiled panels 42" H

fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18-() ()	\$929.	\$1,003.	\$1,064.	\$1,106.	\$1,172.	\$1,213.
Regular acoustics	20"	42"	R3B0TF142 20-() ()	929.	1,003.	1,064.	1,106.	1,172.	1,213.
	24"	42"	R3B0TF142 24-() ()	991.	1,065.	1,126.	1,168.	1,234.	1,273.
	30"	42"	R3B0TF142 30-() ()	1,057.	1,131.	1,192.	1,234.	1,300.	1,341.
	36"	42"	R3B0TF142 36-() ()	1,117.	1,191.	1,252.	1,294.	1,360.	1,401.
	42"	42"	R3B0TF142 42-() ()	1,248.	1,322.	1,383.	1,425.	1,491.	1,532.
	48"	42"	R3B0TF142 48-() ()	1,306.	1,380.	1,441.	1,483.	1,549.	1,590.



Tiled, fabric one side	18"	42"	R3B1TF142 18-() ()	1,589.	1,664.	1,725.	1,766.	1,833.	1,873.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20-() ()	1,589.	1,664.	1,725.	1,766.	1,833.	1,873.
	24"	42"	R3B1TF142 24-() ()	1,622.	1,697.	1,758.	1,799.	1,866.	1,906.
	30"	42"	R3B1TF142 30-() ()	1,699.	1,774.	1,835.	1,876.	1,943.	1,983.
	36"	42"	R3B1TF142 36-() ()	1,985.	2,060.	2,121.	2,162.	2,229.	2,269.
	42"	42"	R3B1TF142 42-() ()	2,140.	2,215.	2,276.	2,317.	2,384.	2,424.
	48"	42"	R3B1TF142 48-() ()	2,213.	2,288.	2,349.	2,390.	2,457.	2,497.




Order Code	Specification Information	Application Notes	
Example: R3B0TF14218-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	The Reff Profiles System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 0).
R3	Reff Generation 3		
B0	No Beltway		
T	Tiled panel		
F1	Fabric one side, V1 other	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
42	42" high	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel)	Remember to specify Beltway paint finish when applicable.
18	18" wide	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$31 for 18w and 20w \$34 for 24w and 30w \$40 for 36w and 42w \$48 for 48w	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
A	Trim profile - A		
506B	Trim finish		
4	Base height - 4"		
K	Base knockout		
111	Base finish		
B	Tile divider		
W281	Side 1A		
W281	Side 1B		
W281	Side 1C		
506B	Side 2 Tiled finish		
M	Optional milled frame		
	1. Top trim profile		
	2. Top trim finish		
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes		
	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver		
	3. Base height		
	4. Knockout option (K = with knockouts, N = without knockouts)		
	5. Base finish		
	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)		
	7. Fabric side, finish (specify selection per insert)		
	i) tile 1A bottom		
	ii) tile 1B middle		
	iii) tile 1C top		
	8. Techwood side:		
	i) tile 2A bottom		
	ii) tile 2B middle		
	iii) tile 2C top		
		These Panels will accept all core Laminates.	

Tiled panels 42" H


fabric one side, conventional veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18-() ()	\$1,015.	\$1,087.	\$1,147.	\$1,187.	\$1,251.	\$1,292.
Regular acoustics	20"	42"	R3B0TF242 20-() ()	1,015.	1,087.	1,147.	1,187.	1,251.	1,292.
	24"	42"	R3B0TF242 24-() ()	1,083.	1,155.	1,215.	1,255.	1,319.	1,360.
	30"	42"	R3B0TF242 30-() ()	1,156.	1,228.	1,288.	1,328.	1,392.	1,433.
	36"	42"	R3B0TF242 36-() ()	1,228.	1,300.	1,360.	1,400.	1,464.	1,505.
	42"	42"	R3B0TF242 42-() ()	1,367.	1,439.	1,499.	1,539.	1,603.	1,644.
	48"	42"	R3B0TF242 48-() ()	1,433.	1,505.	1,565.	1,605.	1,669.	1,710.



Tiled, fabric one side	18"	42"	R3B1TF242 18-() ()	1,741.	1,814.	1,873.	1,914.	1,978.	2,019.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20-() ()	1,741.	1,814.	1,873.	1,914.	1,978.	2,019.
	24"	42"	R3B1TF242 24-() ()	1,774.	1,847.	1,906.	1,947.	2,011.	2,052.
	30"	42"	R3B1TF242 30-() ()	1,862.	1,935.	1,994.	2,035.	2,099.	2,140.
	36"	42"	R3B1TF242 36-() ()	2,181.	2,254.	2,313.	2,354.	2,418.	2,459.
	42"	42"	R3B1TF242 42-() ()	2,349.	2,422.	2,481.	2,522.	2,586.	2,627.
	48"	42"	R3B1TF242 48-() ()	2,427.	2,500.	2,559.	2,600.	2,664.	2,705.



Order Code	Specification Information	Application Notes	
Example: R3B0TF24218-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	The Ref Profiles System does not support the stacking of modules onto 42”H panels. These panels can be used to achieve transaction top height (see page 0).
R3	Reff Generation 3		
B0	No Beltway		
T	Tiled panel		
F2	Fabric one side, V2 other	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	Product on this page can be attached to posts 42”, 49”, 64”, and 79”H as well as panels 42”, 49”, 64” and 79”H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
42	42” high	2. <i>Base height:</i> 4 = 4” base height 6 = 6” base height (add \$55 per panel)	Remember to specify Beltway paint finish when applicable.
18	18” wide	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42”h add per panel: \$31 for 18w and 20w \$34 for 24w and 30w \$40 for 36w and 42w \$48 for 48w	79”H hookstrip reveal strips are ordered separately from page 120 at no charge.
A	Trim profile - A		
006B	Trim finish		
4	Base height - 4”		
K	Base knockout		
111	Base finish		
B	Tile divider		
W281	Side 1A		
W281	Side 1B		
W281	Side 1C		
006B	Side 2 Tiled finish		
M	Optional milled frame		
	1. Top trim profile		
	2. Top trim finish		
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes		
	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver		
	3. Base height		
	4. Knockout option (K = with knockouts, N = without knockouts)		
	5. Base finish		
	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)		
	7. Fabric side, finish (specify selection per insert)		
	i) tile 1A bottom		
	ii) tile 1B middle		
	ii) tile 1C top		
	8. Conventional Veneer side:	These Panels will accept all core Laminates.	

These Panels will accept all core Laminates.


Tiled panels 42" H

fabric one side, exotic veneer other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$1,237.	\$1,309.	\$1,369.	\$1,409.	\$1,473.	\$1,514.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	1,237.	1,309.	1,369.	1,409.	1,473.	1,514.
	24"	42"	R3B0TF342 24-() ()	1,317.	1,389.	1,449.	1,489.	1,554.	1,594.
	30"	42"	R3B0TF342 30-() ()	1,408.	1,480.	1,540.	1,580.	1,644.	1,685.
	36"	42"	R3B0TF342 36-() ()	1,495.	1,567.	1,627.	1,667.	1,731.	1,772.
	42"	42"	R3B0TF342 42-() ()	1,664.	1,736.	1,796.	1,836.	1,900.	1,941.
	48"	42"	R3B0TF342 48-() ()	1,748.	1,820.	1,880.	1,920.	1,984.	2,025.



Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	2,128.	2,201.	2,260.	2,301.	2,365.	2,406.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	2,128.	2,201.	2,260.	2,301.	2,365.	2,406.
	24"	42"	R3B1TF342 24-() ()	2,169.	2,242.	2,301.	2,342.	2,406.	2,447.
	30"	42"	R3B1TF342 30-() ()	2,274.	2,347.	2,406.	2,447.	2,511.	2,552.
	36"	42"	R3B1TF342 36-() ()	2,668.	2,741.	2,800.	2,841.	2,905.	2,946.
	42"	42"	R3B1TF342 42-() ()	2,868.	2,941.	3,000.	3,041.	3,105.	3,146.
	48"	42"	R3B1TF342 48-() ()	2,967.	3,040.	3,099.	3,140.	3,204.	3,245.




Order Code	Specification Information	Application Notes	
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>		
R3	Reff Generation 3		
B0	No Beltway		
T	Tiled panel		
F3	Fabric one side, V3 other		
42	42" high		
18	18" wide		
A	Trim profile - A		
006B	Trim finish		
4	Base height - 4"		
K	Base knockout		
111	Base finish		
B	Tile divider		
W281	Side 1A		
W281	Side 1B		
W281	Side 1C		
039C	Side 2 Tiled finish		
M	Optional milled frame		
	1. Top trim profile 2. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver 3. Base height 4. Knockout option (K = with knockouts, N = without knockouts) 5. Base finish 6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider) 7. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle ii) tile 1C top 8. Exotic Veneer side:	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable 1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel) 4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$31 for 18w and 20w \$34 for 24w and 30w \$40 for 36w and 42w \$48 for 48w These Panels will accept all core Laminates.	The Reff Profiles System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 0). Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Tiled panels 42" H

Laminate/Laminate

Reff Profiles Vol. One


description	w	h	pattern no.	L
Tiled, laminate both sides	18"	42"	R3B0TLL4218() ()	\$1,026.
with raceway both sides	20"	42"	R3B0TLL4220() ()	1,026.
	24"	42"	R3B0TLL4224() ()	1,119.
	30"	42"	R3B0TLL4230() ()	1,252.
	36"	42"	R3B0TLL4236() ()	1,353.
	42"	42"	R3B0TLL4242() ()	1,393.
	48"	42"	R3B0TLL4248() ()	1,434.




Order Code	Specification Information	Application Notes
Example: R3B0TLL4218-A4K R3 Reff Generation 3 B0 No Beltway T Tiled panel LL Laminate both sides 42 42" high 18 18" wide A Trim profile - A 006B Trim finish 4 Base height - 4" K Base knockout 111 Base finish B Tile divider 118 Side 1A 118 Side 1B 118 Side 1C 118 Side 2A 118 Side 2B 118 Side 2C M Optional milled frame	<i>To order please specify pattern number including:</i> - Top trim profile - Top trim finish - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes - Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver - Base height - Knockout option (K = with knockouts, N = without knockouts) - Base finish - Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) - Laminate side 1, finish (specify selection per insert) - tile 1A bottom - tile 1B middle - tile 1C top - Laminate side 2: - tile 2A bottom - tile 2B middle - tile 2C top	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable 1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel) 4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 42"h add per panel: \$31 for 18w and 20w \$34 for 24w and 30w \$39 for 36w and 42w \$48 for 48w These Panels will accept all core Laminates. The Reff Profiles System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 0). Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Tiled panels 49" H fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B0TFF49 18-() ()	\$873.	\$1,035.	\$1,149.	\$1,251.	\$1,407.	\$1,497.
Regular acoustics	20"	49"	R3B0TFF49 20-() ()	873.	1,035.	1,149.	1,251.	1,407.	1,497.
	24"	49"	R3B0TFF49 24-() ()	933.	1,095.	1,209.	1,311.	1,467.	1,557.
	30"	49"	R3B0TFF49 30-() ()	1,004.	1,166.	1,280.	1,382.	1,538.	1,628.
	36"	49"	R3B0TFF49 36-() ()	1,071.	1,233.	1,347.	1,449.	1,605.	1,695.
	42"	49"	R3B0TFF49 42-() ()	1,208.	1,370.	1,484.	1,586.	1,742.	1,832.
	48"	49"	R3B0TFF49 48-() ()	1,274.	1,436.	1,550.	1,652.	1,808.	1,898.



Tiled, fabric both sides	18"	49"	R3B0TAA49 18-() ()	956.	1,118.	1,232.	1,334.	1,490.	1,580.
High acoustics	20"	49"	R3B0TAA49 20-() ()	956.	1,118.	1,232.	1,334.	1,490.	1,580.
	24"	49"	R3B0TAA49 24-() ()	1,023.	1,185.	1,299.	1,401.	1,557.	1,647.
	30"	49"	R3B0TAA49 30-() ()	1,103.	1,265.	1,379.	1,481.	1,637.	1,727.
	36"	49"	R3B0TAA49 36-() ()	1,174.	1,337.	1,451.	1,553.	1,709.	1,799.
	42"	49"	R3B0TAA49 42-() ()	1,325.	1,487.	1,601.	1,703.	1,859.	1,949.
	48"	49"	R3B0TAA49 48-() ()	1,402.	1,564.	1,678.	1,780.	1,936.	2,026.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Top trim finish	B = Square
T Tiled panel	i) Top trim profile A, B or C	C = Bullnose
FF Fabric on both sides	options:	E = Extruded Aluminum
49 49" high	V1, V2, V3, P1, P2, P3 finishes	2. Base height:
18 18" wide	ii) Top trim profile E options:	4 = 4" base height
A Trim profile - A	AA-anodized aluminum or P1, P2, P3 finish listed on page	6 = 6" base height (add \$55 per panel)
006B Trim finish	5 excluding silver	All panels on this page accept stacking modules.
4 Base height - 4"	3. Base height	6" Raceway option increases panel height by 2 3/4".
K Base knockout	4. Base Knockout option (K = with knockouts, N = without knockouts)	
111 Base finish	5. Base finish	
W281 Side 1A	6. Panel side 1A	
W281 Side 1B	7. Panel side 1B	
W281 Side 1C	8. Panel side 1C	
W281 Side 2A	9. Panel side 2A	
W281 Side 2B	10. Panel side 2B	
W281 Side 2C	11. Panel side 2C	
M Optional milled frame	12. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Tiled panels 49" H

fabric both sides with Beltway

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18"	49"	R3B1TFF49 18-() ()	\$1,440.	\$1,599.	\$1,717.	\$1,819.	\$1,975.	\$2,065.
	20"	49"	R3B1TFF49 20-() ()	1,440.	1,599.	1,717.	1,819.	1,975.	2,065.
	24"	49"	R3B1TFF49 24-() ()	1,470.	1,629.	1,747.	1,849.	2,005.	2,095.
	30"	49"	R3B1TFF49 30-() ()	1,547.	1,706.	1,824.	1,926.	2,082.	2,172.
	36"	49"	R3B1TFF49 36-() ()	1,852.	2,011.	2,129.	2,231.	2,387.	2,477.
	42"	49"	R3B1TFF49 42-() ()	2,001.	2,160.	2,278.	2,380.	2,536.	2,626.
	48"	49"	R3B1TFF49 48-() ()	2,070.	2,229.	2,347.	2,449.	2,605.	2,695.



Tiled, fabric both sides Beltway two sides	18"	49"	R3B2TFF49 18-() ()	1,459.	1,615.	1,737.	1,839.	1,995.	2,085.
	20"	49"	R3B2TFF49 20-() ()	1,459.	1,615.	1,737.	1,839.	1,995.	2,085.
	24"	49"	R3B2TFF49 24-() ()	1,493.	1,649.	1,771.	1,873.	2,029.	2,119.
	30"	49"	R3B2TFF49 30-() ()	1,576.	1,732.	1,854.	1,956.	2,112.	2,202.
	36"	49"	R3B2TFF49 36-() ()	1,885.	2,041.	2,163.	2,265.	2,421.	2,511.
	42"	49"	R3B2TFF49 42-() ()	2,034.	2,190.	2,312.	2,414.	2,570.	2,660.
	48"	49"	R3B2TFF49 48-() ()	2,111.	2,267.	2,391.	2,491.	2,647.	2,737.



Order Code	Specification Information	Application Notes
Example: R3B2TFF4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile:
B2 with Beltway	2. Top trim finish	A = Flat
T Tiled panel	ii)Top trim profile A,B or C options:	B = Square
FF Fabric on both sides	V1, V2, V3, P1, P2, P3 finishes	C = Bullnose
49 49" high	ii)Top trim profile E options:	E = Extruded Aluminum2. Base height:
18 18" wide	AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver	4 = 4" base height
A Trim profile	3. Base height	6 = 6" base height (add \$55 per panel)
006B Trim finish	4. Base Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
4 Base height	5. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Base knockout	6. Panel side 1A	
111 Base finish	7. Panel side 1B	
W281 Side 1A	8. Panel side 1C	
W281 Side 1B	9. Panel side 2A	
W281 Side 1C	10. Panel side 2B	
W281 Side 2A	11. Panel side 2C	
W281 Side 2B	12. Beltway finish	
W281 Side 2C		
B Beltway finish		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.


Tiled panels 49" H

fabric one side, laminate opposite side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	49"	R3B0TFL49 18-() ()	\$942.	\$1,017.	\$1,080.	\$1,131.	\$1,200.	\$1,245.
	20"	49"	R3B0TFL49 20-() ()	942.	1,017.	1,080.	1,131.	1,200.	1,245.
	24"	49"	R3B0TFL49 24-() ()	996.	1,071.	1,134.	1,185.	1,254.	1,299.
	30"	49"	R3B0TFL49 30-() ()	1,066.	1,141.	1,204.	1,255.	1,324.	1,369.
	36"	49"	R3B0TFL49 36-() ()	1,125.	1,200.	1,263.	1,314.	1,383.	1,428.
	42"	49"	R3B0TFL49 42-() ()	1,254.	1,329.	1,392.	1,443.	1,512.	1,557.
	48"	49"	R3B0TFL49 48-() ()	1,323.	1,398.	1,461.	1,512.	1,581.	1,626.



Tiled, fabric one side Beltway one side (fabric side)	18"	49"	R3B1TFL49 18-() ()	1,496.	1,575.	1,634.	1,685.	1,757.	1,802.
	20"	49"	R3B1TFL49 20-() ()	1,496.	1,575.	1,634.	1,685.	1,757.	1,802.
	24"	49"	R3B1TFL49 24-() ()	1,525.	1,604.	1,663.	1,714.	1,786.	1,831.
	30"	49"	R3B1TFL49 30-() ()	1,602.	1,681.	1,740.	1,791.	1,863.	1,908.
	36"	49"	R3B1TFL49 36-() ()	1,894.	1,973.	2,032.	2,083.	2,155.	2,200.
	42"	49"	R3B1TFL49 42-() ()	2,033.	2,112.	2,171.	2,222.	2,294.	2,339.
	48"	49"	R3B1TFL49 48-() ()	2,108.	2,187.	2,246.	2,297.	2,369.	2,414.



Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Top trim finish	
T Tiled panel	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
FL Fabric one side. laminate other	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
49 49" high	3. Base height	
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	
A Trim profile	5. Base finish	
006B Trim finish	6. Tile divider	
4 Base height	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
K Base knockout	7. Fabric side, finish (specify selection per insert)	
111 Base finish	i) tile 1A bottom	
W281 Side 1A	ii) tile 1B middle	
W281 Side 1B	iii) tile 1C top	
W281 Side 1C	8. Laminate side:	
114 Side 2A	i) tile 2A bottom	
114 Side 2B	ii) tile 2B middle	
114 Side 2C	iii) tile 2C top	
M Optional milled frame		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$55 per panel)

4. *Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
49"h add per panel:
\$31 for 18w and 20w
\$34 for 24w and 30w
\$40 for 36w and 42w
\$48 for 48w


6" Raceway option increases panels height by 2 3/4".
These Panels will accept all core Laminates.

Tiled panels 49" H

fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18-() ()	\$1,038.	\$1,125.	\$1,185.	\$1,236.	\$1,317.	\$1,362.
Regular acoustics	20"	49"	R3B0TF149 20-() ()	1,038.	1,125.	1,185.	1,236.	1,317.	1,362.
	24"	49"	R3B0TF149 24-() ()	1,105.	1,192.	1,252.	1,303.	1,384.	1,429.
	30"	49"	R3B0TF149 30-() ()	1,178.	1,265.	1,325.	1,376.	1,457.	1,502.
	36"	49"	R3B0TF149 36-() ()	1,250.	1,337.	1,397.	1,448.	1,529.	1,574.
	42"	49"	R3B0TF149 42-() ()	1,398.	1,485.	1,545.	1,596.	1,677.	1,722.
	48"	49"	R3B0TF149 48-() ()	1,464.	1,551.	1,611.	1,662.	1,743.	1,788.



Tiled, fabric one side	18"	49"	R3B1TF149 18-() ()	1,638.	1,726.	1,786.	1,836.	1,918.	1,962.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20-() ()	1,638.	1,726.	1,786.	1,836.	1,918.	1,962.
	24"	49"	R3B1TF149 24-() ()	1,676.	1,764.	1,824.	1,874.	1,956.	2,000.
	30"	49"	R3B1TF149 30-() ()	1,756.	1,844.	1,904.	1,954.	2,036.	2,080.
	36"	49"	R3B1TF149 36-() ()	2,080.	2,168.	2,228.	2,278.	2,360.	2,404.
	42"	49"	R3B1TF149 42-() ()	2,234.	2,322.	2,382.	2,432.	2,514.	2,558.
	48"	49"	R3B1TF149 48-() ()	2,313.	2,401.	2,461.	2,511.	2,593.	2,637.




Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Top trim finish	
T Tiled panel	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
F1 Fabric one side, V1 other	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
49 49" high	3. Base height	
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	
A Trim profile	5. Base finish	
006B Trim finish	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
4 Base height	7. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
K Base knockout	8. Techwood side, finish:	
111 Base finish		
W281 Side 1A		
W281 Side 1B		
W281 Side 1C		
506B Side 2 - Techwood finish		
M Optional milled frame		
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel)	Remember to specify Beltway paint finish when applicable.
	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$31 for 18w and 20w \$34 for 24w and 30w \$40 for 36w and 42w \$48 for 48w	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
	6" Raceway option increases panels height by 2 3/4". These Panels will accept all core Laminates.	


Tiled panels 49" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18-() ()	\$1,140.	\$1,224.	\$1,284.	\$1,332.	\$1,410.	\$1,455.
Regular acoustics	20"	49"	R3B0TF249 20-() ()	1,140.	1,224.	1,284.	1,332.	1,410.	1,455.
	24"	49"	R3B0TF249 24-() ()	1,208.	1,292.	1,352.	1,400.	1,478.	1,523.
	30"	49"	R3B0TF249 30-() ()	1,297.	1,381.	1,441.	1,489.	1,567.	1,612.
	36"	49"	R3B0TF249 36-() ()	1,368.	1,452.	1,512.	1,560.	1,638.	1,683.
	42"	49"	R3B0TF249 42-() ()	1,524.	1,608.	1,668.	1,716.	1,794.	1,839.
	48"	49"	R3B0TF249 48-() ()	1,605.	1,689.	1,749.	1,797.	1,875.	1,920.



Tiled, fabric one side	18"	49"	R3B1TF249 18-() ()	1,797.	1,882.	1,941.	1,990.	2,068.	2,113.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20-() ()	1,797.	1,882.	1,941.	1,990.	2,068.	2,113.
	24"	49"	R3B1TF249 24-() ()	1,835.	1,920.	1,979.	2,028.	2,106.	2,151.
	30"	49"	R3B1TF249 30-() ()	1,924.	2,009.	2,068.	2,117.	2,195.	2,240.
	36"	49"	R3B1TF249 36-() ()	2,276.	2,361.	2,420.	2,469.	2,547.	2,592.
	42"	49"	R3B1TF249 42-() ()	2,446.	2,531.	2,590.	2,639.	2,717.	2,762.
	48"	49"	R3B1TF249 48-() ()	2,534.	2,619.	2,678.	2,727.	2,805.	2,850.




Order Code	Specification Information	Application Notes	
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
R3	Reff Generation 3		
B0	No Beltway		
T	Tiled panel		
F2	Fabric one side, V2 other		
49	49" high		
18	18" wide		
A	Trim profile		
006B	Trim finish		
4	Base height		
K	Base knockout		
111	Base finish		
W281	Side 1A		
W281	Side 1B		
W281	Side 1C		
006B	Side 2 - Conventional veneer finish		
M	Optional milled frame		
	1. Top trim profile		
	2. Top trim finish		
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes		
	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver		
	3. Base height		
	4. Knockout option (K = with knockouts, N = without knockouts)		
	5. Base finish		
	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)		
	7. Fabric side, finish (specify selection per insert)		
	i) tile 1A bottom		
	ii) tile 1B middle		
	iii) tile 1C top		
	8. Conventional veneer side:		
		1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
		2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel)	Remember to specify Beltway paint finish when applicable.
		4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$31 for 18w and 20w \$34 for 24w and 30w \$40 for 36w and 42w \$48 for 48w	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
		6" Raceway option increases panels height by 2¾". These Panels will accept all core Laminates.	

Tiled panels 49" H

fabric one side, exotic veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-() ()	\$1,385.	\$1,469.	\$1,529.	\$1,577.	\$1,655.	\$1,700.
Regular acoustics	20"	49"	R3B0TF349 20-() ()	1,385.	1,469.	1,529.	1,577.	1,655.	1,700.
	24"	49"	R3B0TF349 24-() ()	1,469.	1,553.	1,613.	1,661.	1,739.	1,784.
	30"	49"	R3B0TF349 30-() ()	1,578.	1,662.	1,722.	1,770.	1,848.	1,893.
	36"	49"	R3B0TF349 36-() ()	1,667.	1,751.	1,811.	1,859.	1,937.	1,982.
	42"	49"	R3B0TF349 42-() ()	1,858.	1,942.	2,002.	2,050.	2,128.	2,173.
	48"	49"	R3B0TF349 48-() ()	1,954.	2,038.	2,098.	2,146.	2,224.	2,269.



Tiled, fabric one side	18"	49"	R3B1TF349 18-() ()	2,192.	2,277.	2,336.	2,385.	2,463.	2,508.
Beltway fabric side	20"	49"	R3B1TF349 20-() ()	2,192.	2,277.	2,336.	2,385.	2,463.	2,508.
	24"	49"	R3B1TF349 24-() ()	2,240.	2,325.	2,384.	2,433.	2,511.	2,556.
	30"	49"	R3B1TF349 30-() ()	2,349.	2,434.	2,493.	2,542.	2,620.	2,665.
	36"	49"	R3B1TF349 36-() ()	2,783.	2,868.	2,927.	2,976.	3,054.	3,099.
	42"	49"	R3B1TF349 42-() ()	2,991.	3,076.	3,135.	3,184.	3,262.	3,307.
	48"	49"	R3B1TF349 48-() ()	3,100.	3,185.	3,244.	3,293.	3,371.	3,416.




Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Top trim finish	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable
T Tiled panel	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
F3 Fabric one side, V3 other	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
49 49" high	3. Base height	
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
A Trim profile	5. Base finish	Remember to specify Beltway paint finish when applicable.
006B Trim finish	6. Tile divider	
4 Base height	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
K Base knockout	7. Fabric side, finish (specify selection per insert)	
111 Base finish	i) tile 1A bottom	
W281 Side 1A	ii) tile 1B middle	
W281 Side 1B	iii) tile 1C top	
W281 Side 1C	8. Exotic veneer side:	
039E Side 2 - Exotic Veneer finish		
M Optional milled frame		

Tiled panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	49"	R3B0TLL4918() ()	\$1,072.
	20"	49"	R3B0TLL4920() ()	1,072.
	24"	49"	R3B0TLL4924() ()	1,168.
	30"	49"	R3B0TLL4930() ()	1,308.
	36"	49"	R3B0TLL4936() ()	1,413.
	42"	49"	R3B0TLL4942() ()	1,456.
	48"	49"	R3B0TLL4948() ()	1,500.



Order Code

Example:	R3B0TLL4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
49	49" high
18	18" wide
A	Trim profile - A
006B	Trim finish
4	Base height - 4"
K	Base knockout
111	Base finish
B	Tile divider
118	Side 1A
118	Side 1B
118	Side 1C
118	Side 2A
118	Side 2B
118	Side 2C
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Top trim finish
 - i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver
3. Base height
4. Knockout option (K = with knockouts, N = without knockouts)
5. Base finish
6. Tile divider
 - B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
7. Laminate side 1, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
8. Laminate side 2:
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C top

9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum

2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$55 per panel)

4. Extruded aluminum tile divider:
Optional for non fabric side only
 (fabric side always black)
 49"h add per panel:
 \$31 for 18w and 20w
 \$34 for 24w and 30w
 \$40 for 36w and 42w
 \$48 for 48w

These Panels will accept all core Laminates.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Tiled panels 64" H fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()	\$998.	\$1,214.	\$1,366.	\$1,502.	\$1,710.	\$1,830.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()	998.	1,214.	1,366.	1,502.	1,710.	1,830.
	24"	64"	R3B0TFF64 24-() ()	1,073.	1,289.	1,441.	1,577.	1,785.	1,905.
	30"	64"	R3B0TFF64 30-() ()	1,152.	1,368.	1,520.	1,656.	1,864.	1,984.
	36"	64"	R3B0TFF64 36-() ()	1,218.	1,434.	1,586.	1,722.	1,930.	2,050.
	42"	64"	R3B0TFF64 42-() ()	1,392.	1,608.	1,760.	1,896.	2,104.	2,224.
	48"	64"	R3B0TFF64 48-() ()	1,461.	1,677.	1,829.	1,965.	2,173.	2,293.



Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()	1,094.	1,310.	1,462.	1,598.	1,806.	1,926.
High acoustics	20"	64"	R3B0TAA64 20-() ()	1,094.	1,310.	1,462.	1,598.	1,806.	1,926.
	24"	64"	R3B0TAA64 24-() ()	1,172.	1,388.	1,540.	1,676.	1,884.	2,004.
	30"	64"	R3B0TAA64 30-() ()	1,261.	1,477.	1,629.	1,765.	1,973.	2,093.
	36"	64"	R3B0TAA64 36-() ()	1,344.	1,560.	1,712.	1,848.	2,056.	2,176.
	42"	64"	R3B0TAA64 42-() ()	1,530.	1,746.	1,898.	2,034.	2,242.	2,362.
	48"	64"	R3B0TAA64 48-() ()	1,614.	1,830.	1,982.	2,118.	2,326.	2,446.



Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Top trim finish	B = Square
T Tiled panel	ii) Top trim profile A,B or C options:	C = Bullnose
FF Fabric on both sides	V1, V2, V3, P1, P2, P3 finishes	E = Extruded Aluminum
64 64" high	ii) Top trim profile E options:	2. Base height:
18 18" wide	AA-anodized aluminum or P1, P2, P3 finish listed on page	4 = 4" base height
A Trim profile	5excluding silver	6 = 6" base height (add \$55 per panel)
006B Trim finish	3. Base height	All panels on this page accept stacking modules.
4 Base height	4. Base Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
K Base knockout	5. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Base finish	6. Panel side 1A	
W281 Side 1A	7. Panel side 1B	
W281 Side 1B	8. Panel side 1C	
W281 Side 1C	9. Panel side 1D	
W281 Side 1D	10. Panel side 2A	
W281 Side 2A	11. Panel side 2B	
W281 Side 2B	12. Panel side 2C	
W281 Side 2C	13. Panel side 2D	
W281 Side 2D	14. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	
M Optional milled frame		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Tiled panels 64" H fabric both sides, with Beltway

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18"	64"	R3B1TFF64 18-() ()	\$1,560.	\$1,773.	\$1,929.	\$2,065.	\$2,273.	\$2,393.
	20"	64"	R3B1TFF64 20-() ()	1,560.	1,773.	1,929.	2,065.	2,273.	2,393.
	24"	64"	R3B1TFF64 24-() ()	1,640.	1,853.	2,009.	2,145.	2,353.	2,473.
	30"	64"	R3B1TFF64 30-() ()	1,680.	1,893.	2,049.	2,185.	2,393.	2,513.
	36"	64"	R3B1TFF64 36-() ()	2,063.	2,276.	2,432.	2,568.	2,776.	2,896.
	42"	64"	R3B1TFF64 42-() ()	2,216.	2,429.	2,585.	2,721.	2,929.	3,049.
	48"	64"	R3B1TFF64 48-() ()	2,293.	2,506.	2,662.	2,798.	3,006.	3,126.



Tiled, fabric both sides Beltway two sides	18"	64"	R3B2TFF64 18-() ()	1,583.	1,793.	1,953.	2,089.	2,297.	2,417.
	20"	64"	R3B2TFF64 20-() ()	1,583.	1,793.	1,953.	2,089.	2,297.	2,417.
	24"	64"	R3B2TFF64 24-() ()	1,665.	1,875.	2,035.	2,171.	2,379.	2,499.
	30"	64"	R3B2TFF64 30-() ()	1,706.	1,916.	2,076.	2,212.	2,420.	2,540.
	36"	64"	R3B2TFF64 36-() ()	2,099.	2,309.	2,469.	2,605.	2,813.	2,933.
	42"	64"	R3B2TFF64 42-() ()	2,249.	2,459.	2,619.	2,755.	2,963.	3,083.
	48"	64"	R3B2TFF64 48-() ()	2,334.	2,544.	2,704.	2,840.	3,048.	3,168.




Order Code	Specification Information	Application Notes
Example: R3B1TFF6418-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	
B1 Beltway one side	2. Top trim finish	6" Raceway option increases panel height by 2 3/4".
T Tiled panel	i) Top trim profile A, B or C options:	
FF Fabric on both sides	V1, V2, V3, P1, P2, P3 finishes	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
64 64" high	ii) Top trim profile E options:	
18 18" wide	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	3. Base height	
4 4" base height	4. Base Knockout option (K = with knockouts, N = without knockouts)	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
K Include knockouts in base	5. Base finish	
W281 Fabric - Side 1A	6. Panel side 1A	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1B	7. Panel side 1B	
W281 Fabric - Side 1C	8. Panel side 1C	
W281 Fabric - Side 1D	9. Panel side 1D	
W281 Fabric - Side 2A	10. Panel side 2A	
W281 Fabric - Side 2B	11. Panel side 2B	
W281 Fabric - Side 2C	12. Panel side 2C	
W281 Fabric - Side 2D	13. Panel side 2D	
006B Maple (top trim finish)	14. Beltway finish	
111 Jet Black (base finish)		
111 Beltway finish		

Tiled panels 64" H


fabric one side, laminate other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-() ()	\$1,097.	\$1,197.	\$1,281.	\$1,349.	\$1,441.	\$1,501.
Regular acoustics	20"	64"	R3B0TFL64 20-() ()	1,097.	1,197.	1,281.	1,349.	1,441.	1,501.
	24"	64"	R3B0TFL64 24-() ()	1,161.	1,261.	1,345.	1,413.	1,505.	1,565.
	30"	64"	R3B0TFL64 30-() ()	1,239.	1,339.	1,423.	1,491.	1,583.	1,643.
	36"	64"	R3B0TFL64 36-() ()	1,309.	1,409.	1,493.	1,561.	1,653.	1,713.
	42"	64"	R3B0TFL64 42-() ()	1,473.	1,573.	1,657.	1,725.	1,817.	1,877.
	48"	64"	R3B0TFL64 48-() ()	1,542.	1,642.	1,726.	1,794.	1,886.	1,946.



Tiled, fabric one side	18"	64"	R3B1TFL64 18-() ()	1,647.	1,753.	1,831.	1,899.	1,995.	2,055.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-() ()	1,647.	1,753.	1,831.	1,899.	1,995.	2,055.
	24"	64"	R3B1TFL64 24-() ()	1,726.	1,832.	1,910.	1,978.	2,074.	2,134.
	30"	64"	R3B1TFL64 30-() ()	1,763.	1,869.	1,947.	2,015.	2,111.	2,171.
	36"	64"	R3B1TFL64 36-() ()	2,139.	2,245.	2,323.	2,391.	2,487.	2,547.
	42"	64"	R3B1TFL64 42-() ()	2,281.	2,387.	2,465.	2,533.	2,629.	2,689.
	48"	64"	R3B1TFL64 48-() ()	2,358.	2,464.	2,542.	2,610.	2,706.	2,766.



Order Code	Specification Information	Application Notes
Example: R3B0TFL6418-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Top trim finish	
T Tiled panel	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
FL Fabric one side, laminate other	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
64 64" high	3. Base height	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel)
A Trim profile	5. Base finish	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$45 for 18w and 20w \$49 for 24w and 30w \$54 for 36w and 42w \$70 for 48w
006B Trim finish	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
4 Base height	7. Fabric side, finish (specify selection per insert)	6" Raceway option increases panels height by 2 3/4". These Panels will accept all core Laminates.
K Base knockout	i) tile 1A	
111 Base finish	ii) tile 1B	
B Tile divider	iii) tile 1C	
W281 Side 1A	iv) tile 1D	
W281 Side 1B	8. Laminate side:	
W281 Side 1C	i) tile 2A	
W281 Side 1D	ii) tile 2B	
114 Side 2A	iii) tile 2C	
114 Side 2B	iv) tile 2D	
114 Side 2C		
114 Side 2D		
M Optional milled frame		


Tiled panels 64" H

fabric one side, techwood other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-() ()	\$1,215.	\$1,331.	\$1,411.	\$1,479.	\$1,587.	\$1,647.
Regular acoustics	20"	64"	R3B0TF164 20-() ()	1,215.	1,331.	1,411.	1,479.	1,587.	1,647.
	24"	64"	R3B0TF164 24-() ()	1,287.	1,403.	1,483.	1,551.	1,659.	1,719.
	30"	64"	R3B0TF164 30-() ()	1,374.	1,490.	1,570.	1,638.	1,746.	1,806.
	36"	64"	R3B0TF164 36-() ()	1,448.	1,564.	1,644.	1,712.	1,820.	1,880.
	42"	64"	R3B0TF164 42-() ()	1,632.	1,748.	1,828.	1,896.	2,004.	2,064.
	48"	64"	R3B0TF164 48-() ()	1,707.	1,823.	1,903.	1,971.	2,079.	2,139.



Tiled, fabric one side	18"	64"	R3B1TF164 18-() ()	1,805.	1,922.	2,002.	2,069.	2,178.	2,237.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-() ()	1,805.	1,922.	2,002.	2,069.	2,178.	2,237.
	24"	64"	R3B1TF164 24-() ()	1,892.	2,009.	2,089.	2,156.	2,265.	2,324.
	30"	64"	R3B1TF164 30-() ()	1,934.	2,051.	2,131.	2,198.	2,307.	2,366.
	36"	64"	R3B1TF164 36-() ()	2,343.	2,460.	2,540.	2,607.	2,716.	2,775.
	42"	64"	R3B1TF164 42-() ()	2,501.	2,618.	2,698.	2,765.	2,874.	2,933.
	48"	64"	R3B1TF164 48-() ()	2,592.	2,709.	2,789.	2,856.	2,965.	3,024.




Order Code	Specification Information	Application Notes	
Example: R3B0TF16418-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
R3	Reff Generation 3		
B0	No Beltway		
T	Tiled panel		
F1	Fabric one side, V1 other		
64	64" high	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
18	18" wide	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel)	Remember to specify Beltway paint finish when applicable.
A	Trim profile	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$45 for 18w and 20w \$49 for 24w and 30w \$54 for 36w and 42w \$70 for 48w	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
506B	Trim finish		
4	Base height		
K	Base knockout		
111	Base finish		
B	Tile divider		
W281	Side 1A		
W281	Side 1B		
W281	Side 1C		
W281	Side 1D		
506B	Side 2 - Techwood finish		
M	Optional milled frame		

Tiled panels 64" H


fabric one side, conventional veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18-() ()	\$1,328.	\$1,440.	\$1,520.	\$1,584.	\$1,688.	\$1,748.
Regular acoustics	20"	64"	R3B0TF264 20-() ()	1,328.	1,440.	1,520.	1,584.	1,688.	1,748.
	24"	64"	R3B0TF264 24-() ()	1,406.	1,518.	1,598.	1,662.	1,766.	1,826.
	30"	64"	R3B0TF264 30-() ()	1,498.	1,610.	1,690.	1,754.	1,858.	1,918.
	36"	64"	R3B0TF264 36-() ()	1,585.	1,697.	1,777.	1,841.	1,945.	2,005.
	42"	64"	R3B0TF264 42-() ()	1,783.	1,895.	1,975.	2,039.	2,143.	2,203.
	48"	64"	R3B0TF264 48-() ()	1,868.	1,980.	2,060.	2,124.	2,228.	2,288.



Tiled, fabric one side	18"	64"	R3B1TF264 18-() ()	1,977.	2,090.	2,169.	2,234.	2,338.	2,398.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20-() ()	1,977.	2,090.	2,169.	2,234.	2,338.	2,398.
	24"	64"	R3B1TF264 24-() ()	2,072.	2,185.	2,264.	2,329.	2,433.	2,493.
	30"	64"	R3B1TF264 30-() ()	2,117.	2,230.	2,309.	2,374.	2,478.	2,538.
	36"	64"	R3B1TF264 36-() ()	2,571.	2,684.	2,763.	2,828.	2,932.	2,992.
	42"	64"	R3B1TF264 42-() ()	2,742.	2,855.	2,934.	2,999.	3,103.	3,163.
	48"	64"	R3B1TF264 48-() ()	2,829.	2,942.	3,021.	3,086.	3,190.	3,250.



Order Code	Specification Information	Application Notes	
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
R3	Reff Generation 3		
B0	No Beltway		
T	Tiled panel		
F2	Fabric one side, V2 other		
64	64" high		
18	18" wide		
A	Trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
006B	Trim finish	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel)	Remember to specify Beltway paint finish when applicable.
4	Base height	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$45 for 18w and 20w \$49 for 24w and 30w \$54 for 36w and 42w \$70 for 48w	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
K	Base knockout		
111	Base finish		
B	Tile divider		
W281	Side 1A		
W281	Side 1B		
W281	Side 1C		
W281	Side 1D		
006B	Side 2 - Conventional veneer finish		
M	Optional milled frame	6" Raceway option increases panels height by 2¾". These Panels will accept all core Laminates.	


Tiled panels 64" H

fabric one side, exotic veneer other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-() ()	\$1,613.	\$1,725.	\$1,805.	\$1,869.	\$1,973.	\$2,033.
Regular acoustics	20"	64"	R3B0TF364 20-() ()	1,613.	1,725.	1,805.	1,869.	1,973.	2,033.
	24"	64"	R3B0TF364 24-() ()	1,708.	1,820.	1,900.	1,964.	2,068.	2,128.
	30"	64"	R3B0TF364 30-() ()	1,820.	1,932.	2,012.	2,076.	2,180.	2,240.
	36"	64"	R3B0TF364 36-() ()	1,928.	2,040.	2,120.	2,184.	2,288.	2,348.
	42"	64"	R3B0TF364 42-() ()	2,173.	2,285.	2,365.	2,429.	2,533.	2,593.
	48"	64"	R3B0TF364 48-() ()	2,274.	2,386.	2,466.	2,530.	2,634.	2,694.



Tiled, fabric one side	18"	64"	R3B1TF364 18-() ()	2,410.	2,523.	2,602.	2,667.	2,771.	2,831.
Beltway fabric side	20"	64"	R3B1TF364 20-() ()	2,410.	2,523.	2,602.	2,667.	2,771.	2,831.
	24"	64"	R3B1TF364 24-() ()	2,529.	2,642.	2,721.	2,786.	2,890.	2,950.
	30"	64"	R3B1TF364 30-() ()	2,580.	2,693.	2,772.	2,837.	2,941.	3,001.
	36"	64"	R3B1TF364 36-() ()	3,137.	3,250.	3,329.	3,394.	3,498.	3,558.
	42"	64"	R3B1TF364 42-() ()	3,349.	3,462.	3,541.	3,606.	3,710.	3,770.
	48"	64"	R3B1TF364 48-() ()	3,458.	3,571.	3,650.	3,715.	3,819.	3,879.



Order Code	Specification Information	Application Notes	
Example: R3B0TF36418-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
R3	Reff Generation 3	1. Top trim profile	
B0	No Beltway	2. Top trim finish	
T	Tiled panel	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
F3	Fabric one side, V3 other	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
64	64" high	3. Base height	
18	18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	
A	Trim profile	5. Base finish	
039E	Trim finish	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
4	Base height	7. Fabric side, finish (specify selection per insert)	
K	Base knockout	i) tile 1A bottom	
111	Base finish	ii) tile 1B middle	
B	Tile divider	iii) tile 1C top	
W281	Side 1A	iv) tile 1D top	
W281	Side 1B	8. Exotic veneer side, finish:	
W281	Side 1C		
W281	Side 1D		
039E	Side 2 - Exotic veneer finish		
M	Optional milled frame		


<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$45 for 18w and 20w \$49 for 24w and 30w \$54 for 36w and 42w \$70 for 48w	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
	Remember to specify Beltway paint finish when applicable.
6" Raceway option increases panels height by 2 3/4". These Panels will accept all core Laminates.	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Tiled panels 64" H

Laminate/Laminate

Reff Profiles Vol. One

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	64"	R3B0TLL6418() ()	\$1,332.
with raceway both sides	20"	64"	R3B0TLL6420() ()	1,332.
	24"	64"	R3B0TLL6424() ()	1,452.
	30"	64"	R3B0TLL6430() ()	1,630.
	36"	64"	R3B0TLL6436() ()	1,759.
	42"	64"	R3B0TLL6442() ()	1,811.
	48"	64"	R3B0TLL6448() ()	1,883.




Order Code	Specification Information	Application Notes	
Example: R3B0TLL6418-A4K	<i>To order please specify pattern number including:</i>		
R3 Reff Generation 3	1. Top trim profile	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
B0 No Beltway	2. Top trim finish		
T Tiled panel	<i>i)</i> Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
LL Laminate both sides	<i>ii)</i> Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel)	Remember to specify Beltway paint finish when applicable.
64 64" high	3. Base height	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$45 for 18w and 20w \$49 for 24w and 30w \$54 for 36w and 42w \$70 for 48w	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)		
A Trim profile - A	5. Base finish	These Panels will accept all core Laminates.	
006B Trim finish	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)		
4 Base height - 4"	7. Laminate side 1, finish (specify selection per insert)		
K Base knockout	<i>i)</i> tile 1A bottom		
111 Base finish	<i>ii)</i> tile 1B middle		
B Tile divider	<i>iii)</i> tile 1C middle		
118 Side 1A	<i>iv)</i> tile 1D top		
118 Side 1B			
118 Side 1C			
118 Side 1D			
118 Side 2A			
118 Side 2B			
118 Side 2C			
118 Side 2D			
M Optional milled frame	8. Laminate side 2: <i>i)</i> tile 2A bottom <i>ii)</i> tile 2B middle <i>iii)</i> tile 2C middle <i>iv)</i> tile 2D top		


Tiled panels 79" H

fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18-() ()	\$1,244.	\$1,514.	\$1,704.	\$1,874.	\$2,134.	\$2,284.
Regular acoustics	20"	79"	R3B0TFF79 20-() ()	1,244.	1,514.	1,704.	1,874.	2,134.	2,284.
	24"	79"	R3B0TFF79 24-() ()	1,322.	1,592.	1,782.	1,952.	2,212.	2,362.
	30"	79"	R3B0TFF79 30-() ()	1,400.	1,670.	1,860.	2,030.	2,290.	2,440.
	36"	79"	R3B0TFF79 36-() ()	1,479.	1,749.	1,939.	2,109.	2,369.	2,519.
	42"	79"	R3B0TFF79 42-() ()	1,680.	1,950.	2,140.	2,310.	2,570.	2,720.
	48"	79"	R3B0TFF79 48-() ()	1,766.	2,036.	2,226.	2,396.	2,656.	2,806.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18-() ()	1,360.	1,630.	1,820.	1,990.	2,250.	2,400.
High acoustics	20"	79"	R3B0TAA79 20-() ()	1,360.	1,630.	1,820.	1,990.	2,250.	2,400.
	24"	79"	R3B0TAA79 24-() ()	1,450.	1,720.	1,910.	2,080.	2,340.	2,490.
	30"	79"	R3B0TAA79 30-() ()	1,534.	1,804.	1,994.	2,164.	2,424.	2,574.
	36"	79"	R3B0TAA79 36-() ()	1,621.	1,891.	2,081.	2,251.	2,511.	2,661.
	42"	79"	R3B0TAA79 42-() ()	1,844.	2,114.	2,304.	2,474.	2,734.	2,884.
	48"	79"	R3B0TAA79 48-() ()	1,942.	2,212.	2,402.	2,572.	2,832.	2,982.




Order Code	Specification Information	Application Notes
Example: R3B0TFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Top trim finish	B = Square
T Tiled panel	ii) Top trim profile A,B or C options:	C = Bullnose
FF Fabric on both sides	V1, V2, V3, P1, P2, P3 finishes	E = Extruded Aluminum
79 79" high	5xcluding silver	2. Base height:
18 18" wide	3. Base height	4 = 4" base height
A Trim profile	4. Base Knockout option (K = with knockouts, N = without knockouts)	6 = 6" base height (add \$55 per panel)
006B Trim finish	5. Base finish	All panels on this page accept stacking modules.
4 Base height	6. Panel side 1A	6" Raceway option increases panel height by 2 3/4".
K Base knockout	7. Panel side 1B	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H.
111 Base finish	8. Panel side 1C	Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
W281 Side 1A	9. Panel side 1E	Remember to specify Beltway paint finish when applicable.
W281 Side 1B	10. Panel side 2A	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
W281 Side 1C	11. Panel side 2B	
W281 Side 1D	12. Panel side 2C	
W281 Side 1E	13. Panel side 2E	
W281 Side 2A	14. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$20 list upcharge applicable	
W281 Side 2C		
W281 Side 2D		
W281 Side 2E		
M Optional milled frame		

Tiled panels 79" H


fabric both sides, with Beltway

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18-() ()	\$1,619.	\$1,886.	\$2,080.	\$2,250.	\$2,510.	\$2,660.
Beltway one side	20"	79"	R3B1TFF79 20-() ()	1,619.	1,886.	2,080.	2,250.	2,510.	2,660.
	24"	79"	R3B1TFF79 24-() ()	1,699.	1,966.	2,160.	2,330.	2,590.	2,740.
	30"	79"	R3B1TFF79 30-() ()	1,738.	2,005.	2,199.	2,369.	2,629.	2,779.
	36"	79"	R3B1TFF79 36-() ()	2,123.	2,390.	2,584.	2,754.	3,014.	3,164.
	42"	79"	R3B1TFF79 42-() ()	2,279.	2,546.	2,740.	2,910.	3,170.	3,320.
	48"	79"	R3B1TFF79 48-() ()	2,353.	2,620.	2,814.	2,984.	3,244.	3,394.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18-() ()	1,640.	1,904.	2,102.	2,272.	2,532.	2,682.
Beltway two sides	20"	79"	R3B2TFF79 20-() ()	1,640.	1,904.	2,102.	2,272.	2,532.	2,682.
	24"	79"	R3B2TFF79 24-() ()	1,725.	1,989.	2,187.	2,357.	2,617.	2,767.
	30"	79"	R3B2TFF79 30-() ()	1,763.	2,027.	2,225.	2,395.	2,655.	2,805.
	36"	79"	R3B2TFF79 36-() ()	2,153.	2,417.	2,615.	2,785.	3,045.	3,195.
	42"	79"	R3B2TFF79 42-() ()	2,311.	2,575.	2,773.	2,943.	3,203.	3,353.
	48"	79"	R3B2TFF79 48-() ()	2,396.	2,660.	2,858.	3,028.	3,288.	3,438.




Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway 1 side	2. Top trim finish	B = Square
T Tiled panel	ii) Top trim profile A,B or C options:	C = Bullnose
FF Fabric on both sides	V1, V2, V3, P1, P2, P3 finishes	E = Extruded Aluminum
79 79" high	5exclusing silver	2. Base height:
18 18" wide	ii) Top trim profile E options:	4 = 4" base height
A Trim profile	AA-anodized aluminum or P1, P2, P3 finish listed on page	6 = 6" base height (add \$55 per panel)
006B Trim finish	3. Base height	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	4. Base Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
4 4" base height	5. Base finish	Remember to specify Beltway paint finish when applicable.
K Include knockouts in base	6. Panel side 1A	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
W281 Fabric - Side 1A	7. Panel side 1B	
W281 Fabric - Side 1B	8. Panel side 1C	
W281 Fabric - Side 1C	9. Panel side 1D	
W281 Fabric- Side 1D	10. Panel side 1E	
W281 Fabric - Side 1E	11. Panel side 2A	
W281 Fabric - Side 2A	12. Panel side 2B	
W281 Fabric - Side 2B	13. Panel side 2C	
W281 Fabric - Side 2C	14. Panel side 2D	
W281 Fabric - Side 2D	15. Panel side 2E	
W281 Fabric - Side 2E	16. Beltway finish	
111 Beltway finish		


Tiled panels 79" H

fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-() ()	\$1,361.	\$1,486.	\$1,591.	\$1,676.	\$1,791.	\$1,866.
Regular acoustics	20"	79"	R3B0TFL79 20-() ()	1,361.	1,486.	1,591.	1,676.	1,791.	1,866.
	24"	79"	R3B0TFL79 24-() ()	1,445.	1,570.	1,675.	1,760.	1,875.	1,950.
	30"	79"	R3B0TFL79 30-() ()	1,514.	1,639.	1,744.	1,829.	1,944.	2,019.
	36"	79"	R3B0TFL79 36-() ()	1,590.	1,715.	1,820.	1,905.	2,020.	2,095.
	42"	79"	R3B0TFL79 42-() ()	1,781.	1,906.	2,011.	2,096.	2,211.	2,286.
	48"	79"	R3B0TFL79 48-() ()	1,863.	1,988.	2,093.	2,178.	2,293.	2,368.



Tiled, fabric one side	18"	79"	R3B1TFL79 18-() ()	1,738.	1,871.	1,968.	2,053.	2,173.	2,248.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-() ()	1,738.	1,871.	1,968.	2,053.	2,173.	2,248.
	24"	79"	R3B1TFL79 24-() ()	1,817.	1,950.	2,047.	2,132.	2,252.	2,327.
	30"	79"	R3B1TFL79 30-() ()	1,857.	1,990.	2,087.	2,172.	2,292.	2,367.
	36"	79"	R3B1TFL79 36-() ()	2,230.	2,363.	2,460.	2,545.	2,665.	2,740.
	42"	79"	R3B1TFL79 42-() ()	2,375.	2,508.	2,605.	2,690.	2,810.	2,885.
	48"	79"	R3B1TFL79 48-() ()	2,450.	2,583.	2,680.	2,765.	2,885.	2,960.




Order Code	Specification Information	Application Notes
Example: R3B0TFL7918-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Top trim finish	
T Tiled panel	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
FL Fabric one side, laminate other	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
79 79" high	3. Base height	
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	
A Trim profile	5. Base finish	
006B Trim finish	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
4 Base height	7. Fabric side, finish (specify selection per insert)	
K Base knockout	i) tile 1A	
111 Base finish	ii) tile 1B	
B Tile divider	iii) tile 1C	
W281 Side 1A	iv) tile 1D	
W281 Side 1B	v) tile 1E	
W281 Side 1C	8. Laminate side:	
W281 Side 1D	i) tile 2A	
W281 Side 1E	ii) tile 2B	
114 Side 2A	iii) tile 2C	
114 Side 2B	iv) tile 2D	
114 Side 2C	v) tile 2E	
114 Side 2D		
114 Side 2E		
M Optional milled frame		

Tiled panels 79" H


fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,509.	\$1,654.	\$1,754.	\$1,839.	\$1,974.	\$2,049.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,509.	1,654.	1,754.	1,839.	1,974.	2,049.
	24"	79"	R3B0TF179 24-() ()	1,597.	1,742.	1,842.	1,927.	2,062.	2,137.
	30"	79"	R3B0TF179 30-() ()	1,677.	1,822.	1,922.	2,007.	2,142.	2,217.
	36"	79"	R3B0TF179 36-() ()	1,760.	1,905.	2,005.	2,090.	2,225.	2,300.
	42"	79"	R3B0TF179 42-() ()	1,975.	2,120.	2,220.	2,305.	2,440.	2,515.
	48"	79"	R3B0TF179 48-() ()	2,067.	2,212.	2,312.	2,397.	2,532.	2,607.



Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,907.	2,053.	2,153.	2,237.	2,373.	2,447.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,907.	2,053.	2,153.	2,237.	2,373.	2,447.
	24"	79"	R3B1TF179 24-() ()	1,996.	2,142.	2,242.	2,326.	2,462.	2,536.
	30"	79"	R3B1TF179 30-() ()	2,031.	2,177.	2,277.	2,361.	2,497.	2,571.
	36"	79"	R3B1TF179 36-() ()	2,445.	2,591.	2,691.	2,775.	2,911.	2,985.
	42"	79"	R3B1TF179 42-() ()	2,605.	2,751.	2,851.	2,935.	3,071.	3,145.
	48"	79"	R3B1TF179 48-() ()	2,685.	2,831.	2,931.	3,015.	3,151.	3,225.




Order Code	Specification Information	Application Notes	
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	The panels on this page will not accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2¾".
T	Tiled panel		
F1	Fabric one side, V1 other	<i>i) Profile A, B or C options:</i> V1, V2, V3, P1, P2, P3 finishes <i>ii) Profile E options:</i> AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
79	79" high		
18	18" wide		
A	Trim profile		
506B	Trim finish		
4	Base height		
K	Base knockout		
111	Base finish		
B	Tile divider		
W281	Side 1A		
W281	Side 1B		
W281	Side 1C		
W281	Side 1D		
W281	Side 1E		
506B	Side 2 - Techwood finish		
M	Optional milled frame		
	1. Top trim profile		
	2. Top trim finish		
	3. Base height		
	4. Knockout option (K = with knockouts, N = without knockouts)		
	5. Base finish		
	6. Tile divider		
	7. Fabric side, finish (specify selection per insert)		
	8. Techwood side:		


Tiled panels 79" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,648.	\$1,788.	\$1,888.	\$1,968.	\$2,098.	\$2,173.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,648.	1,788.	1,888.	1,968.	2,098.	2,173.
	24"	79"	R3B0TF279 24-() ()	1,745.	1,885.	1,985.	2,065.	2,195.	2,270.
	30"	79"	R3B0TF279 30-() ()	1,831.	1,971.	2,071.	2,151.	2,281.	2,356.
	36"	79"	R3B0TF279 36-() ()	1,924.	2,064.	2,164.	2,244.	2,374.	2,449.
	42"	79"	R3B0TF279 42-() ()	2,157.	2,297.	2,397.	2,477.	2,607.	2,682.
	48"	79"	R3B0TF279 48-() ()	2,258.	2,398.	2,498.	2,578.	2,708.	2,783.



Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	2,087.	2,228.	2,327.	2,408.	2,538.	2,613.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	2,087.	2,228.	2,327.	2,408.	2,538.	2,613.
	24"	79"	R3B1TF279 24-() ()	2,180.	2,321.	2,420.	2,501.	2,631.	2,706.
	30"	79"	R3B1TF279 30-() ()	2,227.	2,368.	2,467.	2,548.	2,678.	2,753.
	36"	79"	R3B1TF279 36-() ()	2,679.	2,820.	2,919.	3,000.	3,130.	3,205.
	42"	79"	R3B1TF279 42-() ()	2,848.	2,989.	3,088.	3,169.	3,299.	3,374.
	48"	79"	R3B1TF279 48-() ()	2,942.	3,083.	3,182.	3,263.	3,393.	3,468.




Order Code	Specification Information	Application Notes	
Example: R3B0TF27918-A4K	<i>To order please specify pattern number including:</i>	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	The panels on this page will not accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2¾".
T	Tiled panel		
F2	Fabric one side, V2 other		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
79	79" high	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
18	18" wide	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel)	
A	Trim profile	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$58 for 18w and 20w \$66 for 24w and 30w \$70 for 36w and 42w \$92 for 48w	Remember to specify Beltway paint finish when applicable.
006B	Trim finish		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
4	Base height		
K	Base knockout		
111	Base finish		
B	Tile divider		
W281	Side 1A		
W281	Side 1B		
W281	Side 1C		
W281	Side 1D		
W281	Side 1E		
006B	Side 2 - Conventional veneer finish		
M	Optional milled frame		
	2. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver		
	3. Base height		
	4. Knockout option (K = with knockouts, N = without knockouts)		
	5. Base finish		
	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)		
	7. Fabric side, finish (specify selection per insert) i) tile 1A ii) tile 1B iii) tile 1C iv) tile 1D v) tile 1E		
	8. Conventional veneer side:		

Tiled panels 79" H


fabric one side, exotic veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-() ()	\$2,000.	\$2,140.	\$2,240.	\$2,320.	\$2,450.	\$2,525.
Regular acoustics	20"	79"	R3B0TF379 20-() ()	2,000.	2,140.	2,240.	2,320.	2,450.	2,525.
	24"	79"	R3B0TF379 24-() ()	2,118.	2,258.	2,358.	2,438.	2,568.	2,643.
	30"	79"	R3B0TF379 30-() ()	2,228.	2,368.	2,468.	2,548.	2,678.	2,753.
	36"	79"	R3B0TF379 36-() ()	2,342.	2,482.	2,582.	2,662.	2,792.	2,867.
	42"	79"	R3B0TF379 42-() ()	2,628.	2,768.	2,868.	2,948.	3,078.	3,153.
	48"	79"	R3B0TF379 48-() ()	2,752.	2,892.	2,992.	3,072.	3,202.	3,277.



Tiled, fabric one side	18"	79"	R3B1TF379 18-() ()	2,542.	2,683.	2,782.	2,863.	2,993.	3,068.
Beltway fabric side	20"	79"	R3B1TF379 20-() ()	2,542.	2,683.	2,782.	2,863.	2,993.	3,068.
	24"	79"	R3B1TF379 24-() ()	2,656.	2,797.	2,896.	2,977.	3,107.	3,182.
	30"	79"	R3B1TF379 30-() ()	2,714.	2,855.	2,954.	3,035.	3,165.	3,240.
	36"	79"	R3B1TF379 36-() ()	3,267.	3,408.	3,507.	3,588.	3,718.	3,793.
	42"	79"	R3B1TF379 42-() ()	3,477.	3,618.	3,717.	3,798.	3,928.	4,003.
	48"	79"	R3B1TF379 48-() ()	3,592.	3,733.	3,832.	3,913.	4,043.	4,118.



Order Code	Specification Information	Application Notes
Example: R3B0TF37918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Top trim finish	
T Tiled panel	ii) Profile A, B or C options:	
F3 Fabric one side, V3 other	V1, V2, V3, P1, P2, P3 finishes	
79 79" high	ii) Profile E options:	
18 18" wide	AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
A Trim profile	3. Base height	
039E Trim finish	4. Knockout option	
4 Base height	(K = with knockouts, N = without knockouts)	
K Base knockout	5. Base finish	
111 Base finish	6. Tile divider	
B Tile divider	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
W281 Side 1A	7. Fabric side, finish (specify selection per insert)	
W281 Side 1B	i) tile 1A	
W281 Side 1C	ii) tile 1B	
W281 Side 1D	ii) tile 1C	
W281 Side 1E	ii) tile 1D	
039E Side 2 - Exotic veneer finish	ii) tile 1E	
M Optional milled frame	8. Exotic veneer side:	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$20 list upcharge applicable	
	1. <i>Top trim profile:</i>	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height (add \$55 per panel)	
	4. <i>Extruded aluminum tile divider:</i>	
	Optional for non fabric side only	
	(fabric side always black)	
	79" h add per panel:	
	\$58 for 18w and 20w	
	\$66 for 24w and 30w	
	\$70 for 36w and 42w	
	\$92 for 48w	
		The panels on this page will not accept stacking modules.
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.

Tiled panels 79" H

Laminate/Laminate

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	79"	R3B0TLL7918() ()	\$1,556.
	20"	79"	R3B0TLL7920() ()	1,556.
	24"	79"	R3B0TLL7924() ()	1,697.
	30"	79"	R3B0TLL7930() ()	1,902.
	36"	79"	R3B0TLL7936() ()	2,053.
	42"	79"	R3B0TLL7942() ()	2,115.
	48"	79"	R3B0TLL7948() ()	2,222.



Order Code	Specification Information	Application Notes
Example: R3B0TLL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option)
B0 No Beltway	2. Top trim finish	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$58 for 18w and 20w \$66 for 24w and 30w \$70 for 36w and 42w \$92 for 48w
T Tiled panel	ii) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	The panels on this page will not accept stacking modules. Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
LL Laminate both sides	ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
79 79" high	3. Base height	Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
18 18" wide	4. Knockout option (K = with knockouts, N = without knockouts)	
A Trim profile	5. Base finish	These Panels will accept all core Laminates.
006B Trim finish	6. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
4 Base height	7. Laminate side 1, finish (specify selection per insert)	
K Base knockout	i) tile 1A bottom	
111 Base finish	ii) tile 1B middle	
B Tile divider, black reveal	iii) tile 1C middle	
118 Laminate - side 1A	iv) tile 1D middle	
118 Laminate - side 1B	v) tile 1E top	
118 Laminate - side 1C	8. Laminate side 2: same as above	
118 Laminate - side 1D		
118 Laminate - side 1E		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
118 Laminate - side 2E		
M Optional milled frame		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34"h tiled with 4" or 6"h base raceway	18"	34"	R2APT3418 ()	\$130.	
	20"	34"	R2APT3420 ()	130.	
	24"	34"	R2APT3424 ()	133.	
	30"	34"	R2APT3430 ()	135.	
	36"	34"	R2APT3436 ()	143.	
	42"	34"	R2APT3442 ()	145.	
	48"	34"	R2APT3448 ()	150.	

Retrofit kit for Reff Profiles panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42"h tiled with 4" or 6"h base raceway	18"	42"	R2APT4218 ()	200.	
	20"	42"	R2APT4220 ()	200.	
	24"	42"	R2APT4224 ()	206.	
	30"	42"	R2APT4230 ()	208.	
	36"	42"	R2APT4236 ()	219.	
	42"	42"	R2APT4242 ()	227.	
	48"	42"	R2APT4248 ()	237.	

Retrofit kit for Reff Profiles panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 49"h tiled with 4" or 6"h base raceway	18"	49"	R2APT4918 ()	213.	
	20"	49"	R2APT4920 ()	213.	
	24"	49"	R2APT4924 ()	221.	
	30"	49"	R2APT4930 ()	224.	
	36"	49"	R2APT4936 ()	236.	
	42"	49"	R2APT4942 ()	246.	
	48"	49"	R2APT4948 ()	252.	

Retrofit kit for Reff Profiles panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64"h tiled with 4" or 6"h base raceway	18"	64"	R2APT6418 ()	301.	
	20"	64"	R2APT6420 ()	301.	
	24"	64"	R2APT6424 ()	313.	
	30"	64"	R2APT6430 ()	319.	
	36"	64"	R2APT6436 ()	334.	
	42"	64"	R2APT6442 ()	347.	
	48"	64"	R2APT6448 ()	361.	

Retrofit kit for Reff Profiles panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Anodized Aluminum or painted excluding silver.	These pattern codes can be used for all post conditions such as "L", "T" or "S".
R2 Reff Generation 2 (AutoStrada Reff)		
A Aluminum		
PT Panels Tiled		
34 Height		
18 Width		
AA Anodized Aluminum		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79"h tiled with 4" or 6"h base raceway	18"	79"	R2APT7918 ()	\$391.	
	20"	79"	R2APT7920 ()	391.	
	24"	79"	R2APT7924 ()	402.	
	30"	79"	R2APT7930 ()	410.	
	36"	79"	R2APT7936 ()	434.	
	42"	79"	R2APT7942 ()	446.	
	48"	79"	R2APT7948 ()	469.	
Retrofit kit for Reff Profiles panels purchased under pattern numbers prefixed "R2". Kit includes vertical hookstrip cover and tile dividers					
Alum horizontal reveal with 4" or 6" base raceway	18"		R2AHBW18 ()	49.	
	20"		R2AHBW20 ()	49.	
	24"		R2AHBW24 ()	53.	
	30"		R2AHBW30 ()	55.	
	36"		R2AHBW36 ()	59.	
	42"		R2AHBW42 ()	61.	
	48"		R2AHBW48 ()	68.	
horizontal reveal only					
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()	49.	
	20"		R2AHSR20 ()	49.	
	24"		R2AHSR24 ()	53.	
	30"		R2AHSR30 ()	55.	
	36"		R2AHSR36 ()	59.	
	42"		R2AHSR42 ()	61.	
	48"		R2AHSR48 ()	68.	
horizontal reveal only					
Aluminum reveal kit for T post with 4" or 6"h raceway	34"		R2ATPK34 ()		86.
	42"		R2ATPK42 ()		107.
	49"		R2ATPK49 ()		123.
	64"		R2ATPK64 ()		171.
	79"		R2ATPK79 ()		213.
Aluminum reveal kit for L post with 4" or 6"h raceway	34"		R2ALPK34 ()		85.
	42"		R2ALPK42 ()		118.
	49"		R2ALPK49 ()		130.
	64"		R2ALPK64 ()		180.
	79"		R2ALPK79 ()		227.

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Anodized Aluminum or painted excluding silver.	These pattern codes can be used for all post conditions such as "L", "T" or "S".
R2 Reff Generation 2 (AutoStrada Reff)		
A Aluminum		
PT Panels Tiled		
34 Height		
18 Width		
AA Anodized Aluminum		

description	width	height	pattern no.	AA or paint finish	list
Alum vertical reveal for end trim with 4" or 6"h raceway		34"	R2AETK34 ()		\$84.
		42"	R2AETK42 ()		102.
		49"	R2AETK49 ()		120.
		64"	R2AETK64 ()		159.
		79"	R2AETK79 ()		201.

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i> 1. Specify Finish : Anodized Aluminum or painted excluding silver.	These pattern codes can be used for all post conditions such as "L", "T" or "S".
R2 Reff Generation 2 (AutoStrada Reff)		
A Aluminum		
PT Panels Tiled		
34 Height		
18 Width		
AA Anodized Aluminum		

Beltway one side, window panel 49" H tiled panel with glass type "A" at top

description	w	h	pattern no.	grade					
				10	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-() ()	\$1,505.	\$1,610.	\$1,690.	\$1,758.	\$1,852.	\$1,922.
	20"	49"	R3B1TFFA49 20-() ()	1,505.	1,610.	1,690.	1,758.	1,862.	1,922.
	24"	49"	R3B1TFFA49 24-() ()	1,556.	1,661.	1,741.	1,809.	1,913.	1,973.
	30"	49"	R3B1TFFA49 30-() ()	1,661.	1,766.	1,846.	1,914.	2,018.	2,078.
	36"	49"	R3B1TFFA49 36-() ()	2,000.	2,105.	2,185.	2,253.	2,357.	2,417.
	42"	49"	R3B1TFFA49 42-() ()	2,181.	2,286.	2,366.	2,434.	2,538.	2,598.
	48"	49"	R3B1TFFA49 48-() ()	2,281.	2,386.	2,466.	2,534.	2,638.	2,698.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
T Tiled panel	3. Base height: 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Knockout option (K = with knockouts, N = without knockouts)	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
A Type A window	5. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Side 1A finish	
18 18" wide	7. Side 1B finish	
A Trim profile	8. Side 2A finish	
006B Trim finish	9. Side 2B finish	
4 Base height	10. Beltway finish	
K Base knockout	11. Glass window frame finish	
111 Base finish	12. Glass type Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Side 1A		
W281 Side 1B		
W281 Side 2A		
W281 Side 2B		
B Beltway finish		
111 Window Frame finish		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by width)


Width	Add
18"	\$92
20"	\$92
24"	\$108
30"	\$128
36"	\$152
42"	\$181
48"	\$206

Add to all products on this page: upcharge of \$41 per panel for P2 paint class options or \$69 per panel for P3 paint class options.

Beltway one side, window panel 49" H tiled panel with glass type "B" at top

Reff Profiles Vol. One

description	w	h	pattern no.	grade					
				10	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,793.	\$1,898.	\$1,978.	\$2,046.	\$2,150.	\$2,210.
	36"	49"	R3B1TFFB49 36-() ()	2,142.	2,247.	2,327.	2,395.	2,499.	2,559.
	42"	49"	R3B1TFFB49 42-() ()	2,321.	2,426.	2,506.	2,574.	2,678.	2,738.
	48"	49"	R3B1TFFB49 48-() ()	2,432.	2,537.	2,617.	2,685.	2,789.	2,849.





Order Code	Specification Information	Application Notes
Example: R3B1TFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile:	A = Flat
B1 Beltway one side	A = Flat	B = Square
T Tiled panel	B = Square	C = Bullnose
FF Fabric both sides	C = Bullnose	E = Extruded Aluminum
B Type B window	E = Extruded Aluminum	2. Base height:
49 49" high	2. Top trim finish	4 = 4" base height
30 30" wide	i) Top trim profile A,B or C	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
006B Trim finish	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
4 Base height	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
K Base knockout	AA-anodized aluminum or P1, P2, P3 finish listed on page 5	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
111 Base finish	excluding silver	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
W281 Side 1A	3. Base height:	
W281 Side 1B	4 = 4" base height	
W281 Side 2A	6 = 6" base height (add \$55 per panel for this option)	
W281 Side 2B	4. Knockout option	
B Beltway finish	(K = with knockouts, N = without knockouts)	
111 Window Frame finish	5. Base finish	
TEMP Glass option	6. Side 1A finish	
	7. Side 1B finish	
	8. Side 2A finish	
	9. Side 2B finish	
	10. Beltway finish	
	11. Glass window frame finish	
	12. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H monolithic with glass at top

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	R3B1PFFA49 18-() ()	\$1,360.	\$1,431.	\$1,530.	\$1,597.	\$1,687.	\$1,745.
	20"	49"	R3B1PFFA49 20-() ()	1,360.	1,431.	1,530.	1,597.	1,687.	1,745.
	24"	49"	R3B1PFFA49 24-() ()	1,407.	1,478.	1,577.	1,644.	1,734.	1,792.
	30"	49"	R3B1PFFA49 30-() ()	1,498.	1,569.	1,668.	1,735.	1,825.	1,883.
	36"	49"	R3B1PFFA49 36-() ()	1,784.	1,855.	1,954.	2,021.	2,111.	2,169.
	42"	49"	R3B1PFFA49 42-() ()	1,938.	2,009.	2,108.	2,175.	2,265.	2,323.
	48"	49"	R3B1PFFA49 48-() ()	2,031.	2,102.	2,201.	2,268.	2,358.	2,416.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	R3B1PFFB49 30-() ()	1,630.	1,701.	1,800.	1,867.	1,957.	2,015.
	36"	49"	R3B1PFFB49 36-() ()	1,926.	1,997.	2,096.	2,163.	2,253.	2,311.
	42"	49"	R3B1PFFB49 42-() ()	2,078.	2,149.	2,248.	2,315.	2,405.	2,463.
	48"	49"	R3B1PFFB49 48-() ()	2,182.	2,253.	2,352.	2,419.	2,509.	2,567.

Order Code	Specification Information	Application Notes
Example: R3B1PFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
P Monolithic panel	3. Base height: 4 = 4" base height 6 = 6" base height (add \$55 per panel for this option)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Knockout option (K = with knockouts, N = without knockouts)	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
A Type A window	5. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Side 1 finish	
18 18" wide	7. Side 2 finish	
A Trim profile	8. Beltway finish	
006B Trim finish	9. Glass window frame finish	
4 Base height	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
K Base knockout		
111 Base finish		
W281 Side 1		
W281 Side 2		
B Beltway finish		
111 Window Frame finish		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by width)


Width	Add
18"	\$92
20"	\$92
24"	\$108
30"	\$128
36"	\$152
42"	\$181
48"	\$206

Add to all products on this page: upcharge of \$41 per panel for P2 paint class options or \$69 per panel for P3 paint class options.

Beltway one side, window panel 49" H
 tiled with glass type "A" at top,
 fabric one side, laminate other side

Reff Profiles Vol. One


description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-()()	\$1,650.	\$1,705.	\$1,746.	\$1,779.	\$1,829.	\$1,859.
	20"	49"	R3B1TFLA49 20-()()	1,650.	1,705.	1,746.	1,779.	1,829.	1,859.
	24"	49"	R3B1TFLA49 24-()()	1,701.	1,756.	1,797.	1,830.	1,880.	1,910.
	30"	49"	R3B1TFLA49 30-()()	1,809.	1,864.	1,906.	1,938.	1,989.	2,018.
	36"	49"	R3B1TFLA49 36-()()	2,151.	2,206.	2,247.	2,280.	2,330.	2,360.
	42"	49"	R3B1TFLA49 42-()()	2,330.	2,385.	2,426.	2,459.	2,509.	2,539.
	48"	49"	R3B1TFLA49 48-()()	2,435.	2,490.	2,530.	2,564.	2,614.	2,644.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile:	A = Flat
B1 Beltway one side	A = Flat	B = Square
T Tiled panel	B = Square	C = Bullnose
FL Fabric BW side, laminate other	C = Bullnose	E = Extruded Aluminum
A Type A window	E = Extruded Aluminum	2. Base height:
49 49" high	2. Top trim finish	4 = 4" base height
18 18" wide	i) Top trim profile A,B or C options:	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
114 Trim finish	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
4 Base height	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
K Base knockout	3. Base height:	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
111 Base finish	4 = 4" base height	
W281 Side 1A	6 = 6" base height (add \$55 per panel for this option)	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
W281 Side 1B	4. Knockout option	These Panels will accept all core Laminates.
114 Side 2A	(K = with knockouts, N = without knockouts)	
114 Side 2B	5. Base finish	
B Beltway finish	6. Side 1A finish	
111 Window Frame finish	7. Side 1B finish	
TEMP Glass option	8. Side 2A finish	
	9. Side 2B finish	
	10. Beltway finish	
	11. Glass window frame finish	
	12. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
 tiled with glass type "B" at top,
 fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-() ()	\$1,944.	\$1,999.	\$2,040.	\$2,073.	\$2,123.	\$2,153.
	36"	49"	R3B1TFLB49 36-() ()	2,290.	2,345.	2,386.	2,419.	2,469.	2,499.
	42"	49"	R3B1TFLB49 42-() ()	2,469.	2,524.	2,565.	2,598.	2,648.	2,678.
	48"	49"	R3B1TFLB49 48-() ()	2,586.	2,641.	2,682.	2,715.	2,765.	2,795.



Order Code	Specification Information	Application Notes
Example: R3B1TFLB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile:	B = Square
T Tiled panel	A = Flat	C = Bullnose
FL Fabric BW side, laminate other	B = Square	E = Extruded Aluminum
B Type B window	C = Bullnose	2. Base height:
49 49" high	E = Extruded Aluminum	4 = 4" base height
30 30" wide	2. Top trim finish	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	i) Top trim profile A,B or C options:	
114 Trim finish	VL, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 Base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
K Base knockout	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Base finish	3. Base height:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
B Tile Divider	4 = 4" base height	
W281 Side 1A	6 = 6" base height (add \$55 per panel for this option)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Side 1B	4. Knockout option	
114 Side 2A	(K = with knockouts, N = without knockouts)	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
114 Side 2B	5. Base finish	These Panels will accept all core Laminates.
B Beltway finish	6. Tile Divider	
111 Window Frame finish	7. Side 1A finish	
TEMP Glass option	8. Side 1B finish	
	9. Side 2A finish	
	10. Side 2B finish	
	11. Beltway finish	
	12. Glass window frame finish	
	13. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$92
20"	\$92
24"	\$108
30"	\$128
36"	\$152
42"	\$181
48"	\$206

Frame finish:
 Add to all products on this page:
 upcharge of \$41 per panel for P2 paint class options or \$69 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$20
20"	\$20
24"	\$21
30"	\$21
36"	\$22
42"	\$22
48"	\$27


Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, laminate other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PFLA49 18-() ()	\$1,364.	\$1,402.	\$1,451.	\$1,482.	\$1,530.	\$1,560.
	20"	49"	R3B1PFLA49 20-() ()	1,364.	1,402.	1,451.	1,482.	1,530.	1,560.
	24"	49"	R3B1PFLA49 24-() ()	1,433.	1,471.	1,520.	1,551.	1,599.	1,629.
	30"	49"	R3B1PFLA49 30-() ()	1,560.	1,598.	1,647.	1,678.	1,726.	1,756.
	36"	49"	R3B1PFLA49 36-() ()	1,885.	1,923.	1,972.	2,003.	2,051.	2,081.
	42"	49"	R3B1PFLA49 42-() ()	2,074.	2,112.	2,161.	2,192.	2,240.	2,270.
	48"	49"	R3B1PFLA49 48-() ()	2,204.	2,242.	2,291.	2,322.	2,370.	2,400.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PFLB49 30-() ()	1,695.	1,733.	1,782.	1,813.	1,861.	1,891.
	36"	49"	R3B1PFLB49 36-() ()	2,024.	2,062.	2,111.	2,142.	2,190.	2,220.
	42"	49"	R3B1PFLB49 42-() ()	2,213.	2,251.	2,300.	2,331.	2,379.	2,409.
	48"	49"	R3B1PFLB49 48-() ()	2,355.	2,393.	2,442.	2,473.	2,521.	2,551.




Order Code	Specification Information	Application Notes
Example: R3B1PFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile:	A = Flat
B1 Beltway one side	A = Flat	B = Square
P Monolithic panel	B = Square	C = Bullnose
FL Fabric BW side, laminate other	C = Bullnose	E = Extruded Aluminum
A Type A window	E = Extruded Aluminum	2. Base height:
49 49" high	2. Top trim finish	4 = 4" base height
18 18" wide	i) Top trim profile A,B or C	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	options:	
114 Trim finish	V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 Base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
K Base knockout	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Base finish	3. Base height:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
W281 Side 1	4 = 4" base height	
114 Side 2	6 = 6" base height (add \$55 per panel for this option)	
B Beltway finish	4. Knockout option	
111 Window Frame finish	(K = with knockouts, N = without knockouts)	
TEMP Glass option	5. Base finish	
	6. Side 1 finish	
	7. Side 2 finish	
	8. Beltway finish	
	9. Glass window frame finish	
	10. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	
		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
		These Panels will accept all core Laminates.

Add upcharge for architectural glass: (as applicable by width)	
Width	Add
18"	\$92
20"	\$92
24"	\$108
30"	\$128
36"	\$152
42"	\$181
48"	\$206
Frame finish:	
4135 per panel for P2 paint class options or \$69 per panel for P3 paint class options.	
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)	
Optional non fabric tiled side only, fabric side always black	
Width	Add
18"	\$20
20"	\$20
24"	\$21
30"	\$21
36"	\$22
42"	\$22
48"	\$27

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,726.	\$1,785.	\$1,825.	\$1,858.	\$1,913.	\$1,942.
	20"	49"	R3B1TF1A49 20-() ()	1,726.	1,785.	1,825.	1,858.	1,913.	1,942.
	24"	49"	R3B1TF1A49 24-() ()	1,785.	1,844.	1,884.	1,917.	1,972.	2,001.
	30"	49"	R3B1TF1A49 30-() ()	1,896.	1,955.	1,995.	2,028.	2,083.	2,112.
	36"	49"	R3B1TF1A49 36-() ()	2,254.	2,313.	2,353.	2,386.	2,441.	2,470.
	42"	49"	R3B1TF1A49 42-() ()	2,443.	2,502.	2,542.	2,575.	2,630.	2,659.
	48"	49"	R3B1TF1A49 48-() ()	2,552.	2,611.	2,651.	2,684.	2,739.	2,768.




Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile:	A = Flat
B1 Beltway one side	A = Flat	B = Square
T Tiled panel	B = Square	C = Bullnose
F1 Fabric one side, V1 other	C = Bullnose	E = Extruded Aluminum
A Type A window	E = Extruded Aluminum	2. Base height:
49 49" high	2. Top trim finish	4 = 4" base height
18 18" wide	i) Top trim profile A,B or C options:	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
506B Trim finish	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
4 Base height	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
K Base knockout	3. Base height:	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
111 Base finish	4 = 4" base height	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
B Tile Divider	6 = 6" base height (add \$55 per panel for this option)	
W281 Side 1	4. Knockout option	
W281 Side 1B	(K = with knockouts, N = without knockouts)	
506B Side 2 - Tiled	5. Base finish	
B Beltway finish	6. Tile Divider	
111 Window Frame finish	7. Side 1A finish	
TEMP Glass option	8. Side 1B finish	
	9. Side 2 Tiled Techwood finish	
	10. Beltway finish	
	11. Glass window frame finish	
	12. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade					
				10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-() ()	\$2,033.	\$2,092.	\$2,132.	\$2,165.	\$2,220.	\$2,249.
	36"	49"	R3B1TF1B49 36-() ()	2,400.	2,459.	2,499.	2,532.	2,587.	2,616.
	42"	49"	R3B1TF1B49 42-() ()	2,587.	2,646.	2,686.	2,719.	2,774.	2,803.
	48"	49"	R3B1TF1B49 48-() ()	2,708.	2,767.	2,807.	2,840.	2,895.	2,924.




Order Code	Specification Information	Application Notes
Example: R3B1TF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile:	A = Flat
B1 Beltway one side	A = Flat	B = Square
T Tiled panel	B = Square	C = Bullnose
F1 Fabric one side, V1 other	C = Bullnose	E = Extruded Aluminum
B Type B window	E = Extruded Aluminum	2. Base height:
49 49" high	2. Top trim finish	4 = 4" base height
30 30" wide	i) Top trim profile A,B or C	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
506B Trim finish	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
4 Base height	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
K Base knockout	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
111 Base finish	3. Base height:	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
B Tile Divider	4 = 4" base height	
W281 Side 1A	6 = 6" base height (add \$55 per panel for this option)	
W281 Side 1B	4. Knockout option	
506B Side 2 - Tiled	(K = with knockouts, N = without knockouts)	
B Beltway finish	5. Base finish	
111 Window Frame finish	6. Tile Divider	
TEMP Glass option	7. Side 1A finish	
	8. Side 1B finish	
	9. Side 2 Tiled Techwood finish	
	10. Beltway finish	
	11. Glass window frame finish	
	12. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, techwood other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF1A49 18-()	\$1,404.	\$1,441.	\$1,491.	\$1,524.	\$1,571.	\$1,601.
	20"	49"	R3B1PF1A49 20-()	1,404.	1,441.	1,491.	1,524.	1,571.	1,601.
	24"	49"	R3B1PF1A49 24-()	1,470.	1,507.	1,557.	1,590.	1,637.	1,667.
	30"	49"	R3B1PF1A49 30-()	1,604.	1,641.	1,691.	1,724.	1,771.	1,801.
	36"	49"	R3B1PF1A49 36-()	1,934.	1,971.	2,021.	2,054.	2,101.	2,131.
	42"	49"	R3B1PF1A49 42-()	2,135.	2,172.	2,222.	2,255.	2,302.	2,332.
	48"	49"	R3B1PF1A49 48-()	2,264.	2,301.	2,351.	2,384.	2,431.	2,461.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF1B49 30-()	1,740.	1,777.	1,827.	1,860.	1,907.	1,937.
	36"	49"	R3B1PF1B49 36-()	2,077.	2,114.	2,164.	2,197.	2,244.	2,274.
	42"	49"	R3B1PF1B49 42-()	2,275.	2,312.	2,362.	2,395.	2,442.	2,472.
	48"	49"	R3B1PF1B49 48-()	2,417.	2,454.	2,504.	2,537.	2,584.	2,614.



Order Code	Specification Information	Application Notes
Example: R3B1PF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile:	B = Square
P Monolithic panel	A = Flat	C = Bullnose
F1 Fabric one side, V1 other	B = Square	E = Extruded Aluminum
A Type A window	C = Bullnose	2. Base height:
49 49" high	E = Extruded Aluminum	4 = 4" base height
18 18" wide	2. Top trim finish	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	i) Top trim profile A,B or C options:	
506B Trim finish	V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 Base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
K Base knockout	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Base finish	3. Base height:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
W281 Side 1	4 = 4" base height	
506B Side 2	6 = 6" base height (add \$55 per panel for this option)	
B Beltway finish	4. Knockout option (K = with knockouts, N = without knockouts)	
111 Window Frame finish	5. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
TEMP Glass option	6. Side 1 finish	
	7. Side 2 finish	
	8. Beltway finish	
	9. Glass window frame finish	
	10. Glass type	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$92
20"	\$92
24"	\$108
30"	\$128
36"	\$152
42"	\$181
48"	\$206

Frame finish:
Add to all products on this page:
upcharge of \$41 per panel for P2 paint class options or \$69 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$20
20"	\$20
24"	\$21
30"	\$21
36"	\$22
42"	\$22
48"	\$27

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, conventional veneer other side

Reff Profiles Vol. One


description	w	h	pattern no.	grade					
				10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,883.	\$1,940.	\$1,979.	\$2,012.	\$2,064.	\$2,094.
	20"	49"	R3B1TF2A49 20-() ()	1,883.	1,940.	1,979.	2,012.	2,064.	2,094.
	24"	49"	R3B1TF2A49 24-() ()	1,941.	1,998.	2,037.	2,070.	2,122.	2,152.
	30"	49"	R3B1TF2A49 30-() ()	2,060.	2,117.	2,156.	2,189.	2,241.	2,271.
	36"	49"	R3B1TF2A49 36-() ()	2,447.	2,504.	2,543.	2,576.	2,628.	2,658.
	42"	49"	R3B1TF2A49 42-() ()	2,651.	2,708.	2,747.	2,780.	2,832.	2,862.
	48"	49"	R3B1TF2A49 48-() ()	2,768.	2,825.	2,864.	2,897.	2,949.	2,979.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile:	B = Square
T Tiled panel	A = Flat	C = Bullnose
F2 Fabric one side, V2 other	B = Square	E = Extruded Aluminum
A Type A window	C = Bullnose	2. Base height:
49 49" high	E = Extruded Aluminum	4 = 4" base height
18 18" wide	2. Top trim finish	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
006B Trim finish	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
4 Base height	ii) Top trim profile E options:	
K Base knockout	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
111 Base finish	3. Base height:	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
B Tile Divider	4 = 4" base height	
W281 Side 1A	6 = 6" base height (add \$55 per panel for this option)	
W281 Side 1B	4. Knockout option	
006B Side 2 veneer finish	(K = with knockouts, N = without knockouts)	
B Beltway finish	5. Base finish	
111 Window Frame finish	6. Tile Divider	
TEMP Glass option	7. Side 1A finish	
	8. Side 1B finish	
	9. Side 2 Tiled conventional veneer finish	
	10. Beltway finish	
	11. Glass window frame finish	
	12. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-() ()	\$2,196.	\$2,253.	\$2,292.	\$2,325.	\$2,377.	\$2,407.
	36"	49"	R3B1TF2B49 36-() ()	2,590.	2,647.	2,686.	2,719.	2,771.	2,801.
	42"	49"	R3B1TF2B49 42-() ()	2,791.	2,848.	2,887.	2,920.	2,972.	3,002.
	48"	49"	R3B1TF2B49 48-() ()	2,921.	2,978.	3,017.	3,050.	3,102.	3,132.




Order Code	Specification Information	Application Notes
Example: R3B1TF2B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile:	B = Square
T Tiled panel	A = Flat	C = Bullnose
F2 Fabric one side, V2 other	B = Square	E = Extruded Aluminum
B Type B window	C = Bullnose	2. Base height:
49 49" high	E = Extruded Aluminum	4 = 4" base height
30 30" wide	2. Top trim finish	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
006B Trim finish	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
4 Base height	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
K Base knockout	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
111 Base finish	3. Base height:	
B Tile Divider	4 = 4" base height	
W281 Side 1A	6 = 6" base height (add \$55 per panel for this option)	
W281 Side 1B	4. Knockout option	
006B Side 2 Tiled veneer finish	(K = with knockouts, N = without knockouts)	
B Beltway finish	5. Base finish	
111 Window Frame finish	6. Tile Divider	
TEMP Glass option	7. Side 1A finish	
	8. Side 1B finish	
	9. Side 2 Tiled conventional veneer finish	
	10. Beltway finish	
	11. Glass window frame finish	
	12. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)
Width Add
18" \$92
20" \$92
24" \$108
30" \$128
36" \$152
42" \$181
48" \$206
Frame finish:
Add to all products on this page: upcharge of \$41 per panel for P2 paint class options or \$69 per panel for P3 paint class options.
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black
Width Add
18" \$20
20" \$20
24" \$21
30" \$21
36" \$22
42" \$22
48" \$27


Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, conventional veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF2A49 18-() ()	\$1,428.	\$1,465.	\$1,515.	\$1,548.	\$1,595.	\$1,625.
	20"	49"	R3B1PF2A49 20-() ()	1,428.	1,465.	1,515.	1,548.	1,595.	1,625.
	24"	49"	R3B1PF2A49 24-() ()	1,496.	1,533.	1,583.	1,616.	1,663.	1,693.
	30"	49"	R3B1PF2A49 30-() ()	1,635.	1,672.	1,722.	1,755.	1,802.	1,832.
	36"	49"	R3B1PF2A49 36-() ()	1,971.	2,008.	2,058.	2,091.	2,138.	2,168.
	42"	49"	R3B1PF2A49 42-() ()	2,168.	2,205.	2,255.	2,288.	2,335.	2,365.
	48"	49"	R3B1PF2A49 48-() ()	2,298.	2,335.	2,385.	2,418.	2,465.	2,495.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF2B49 30-() ()	1,771.	1,808.	1,858.	1,891.	1,938.	1,968.
	36"	49"	R3B1PF2B49 36-() ()	2,114.	2,151.	2,201.	2,234.	2,281.	2,311.
	42"	49"	R3B1PF2B49 42-() ()	2,308.	2,345.	2,395.	2,428.	2,475.	2,505.
	48"	49"	R3B1PF2B49 48-() ()	2,451.	2,488.	2,538.	2,571.	2,618.	2,648.



Order Code	Specification Information	Application Notes
Example: R3B1PF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile:	B = Square
P Monolithic panel	A = Flat	C = Bullnose
F2 Fabric one side, V2 other	B = Square	E = Extruded Aluminum
A Type A window	C = Bullnose	2. Base height:
49 49" high	E = Extruded Aluminum	4 = 4" base height
18 18" wide	2. Top trim finish	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	i) Top trim profile A,B or C options:	
506B Trim finish	V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 Base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
K Base knockout	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Base finish	3. Base height:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
W281 Side 1	4 = 4" base height	
506B Side 2	6 = 6" base height (add \$55 per panel for this option)	
B Beltway finish	4. Knockout option	
111 Window Frame finish	(K = with knockouts, N = without knockouts)	
TEMP Glass option	5. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
	6. Side 1 finish	
	7. Side 2 finish	
	8. Beltway finish	
	9. Glass window frame finish	
	10. Glass type	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$92
20"	\$92
24"	\$108
30"	\$128
36"	\$152
42"	\$181
48"	\$206

Frame finish:
Add to all products on this page:
upcharge of \$41 per panel for P2 paint class options or \$69 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$20
20"	\$20
24"	\$21
30"	\$21
36"	\$22
42"	\$22
48"	\$27


Beltway one side, window panel 49" H

tilled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side	18"	49"	R3B1TF3A49 18-() ()	\$2,278.	\$2,335.	\$2,374.	\$2,407.	\$2,459.	\$2,489.
Type A window on top, Regular acoustics	20"	49"	R3B1TF3A49 20-() ()	2,278.	2,335.	2,374.	2,407.	2,459.	2,489.
	24"	49"	R3B1TF3A49 24-() ()	2,346.	2,403.	2,442.	2,475.	2,527.	2,557.
	30"	49"	R3B1TF3A49 30-() ()	2,485.	2,542.	2,581.	2,614.	2,666.	2,696.
	36"	49"	R3B1TF3A49 36-() ()	2,954.	3,011.	3,050.	3,083.	3,135.	3,165.
	42"	49"	R3B1TF3A49 42-() ()	3,196.	3,253.	3,292.	3,325.	3,377.	3,407.
	48"	49"	R3B1TF3A49 48-() ()	3,334.	3,391.	3,430.	3,463.	3,515.	3,545.



Tiled, fabric one side, Beltway fabric side	30"	49"	R3B1TF3B49 30-() ()	2,621.	2,678.	2,717.	2,750.	2,802.	2,832.
Type B window on top, Regular acoustics	36"	49"	R3B1TF3B49 36-() ()	3,097.	3,154.	3,193.	3,226.	3,278.	3,308.
	42"	49"	R3B1TF3B49 42-() ()	3,336.	3,393.	3,432.	3,465.	3,517.	3,547.
	48"	49"	R3B1TF3B49 48-() ()	3,487.	3,544.	3,583.	3,616.	3,668.	3,698.




Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile:	A = Flat
B1 Beltway one side	A = Flat	B = Square
T Tiled panel	B = Square	C = Bullnose
F3 Fabric one side, V3 other	C = Bullnose	E = Extruded Aluminum
A Type A window	E = Extruded Aluminum	2. Base height:
49 49" high	2. Top trim finish	4 = 4" base height
18 18" wide	i) Top trim profile A,B or C	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
039E Trim finish	vi) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
4 Base height	AA-anodized aluminum or P1, P2, P3 finish listed on page 5	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
K Base knockout	excluding silver	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
111 Base finish	3. Base height:	
B Tile Divider	4 = 4" base height	
W281 Side 1A	6 = 6" base height (add \$55 per panel for this option)	
W281 Side 1B	4. Knockout option	
039E Side 2 - Tiled	(K = with knockouts, N = without knockouts)	
B Beltway finish	5. Base finish	
111 Window Frame finish	6. Tile Divider	
TEMP Glass option	7. Side 1A finish	
	8. Side 1B finish	
	9. Side 2 Tiled exotic veneer finish	
	10. Beltway finish	
	11. Glass window frame finish	
	12. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H


Reff Profiles Vol. One

monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade					
				10	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,873.	\$1,910.	\$1,960.	\$1,993.	\$2,040.	\$2,070.
	20"	49"	R3B1PF3A49 20-() ()	1,873.	1,910.	1,960.	1,993.	2,040.	2,070.
	24"	49"	R3B1PF3A49 24-() ()	1,963.	2,000.	2,050.	2,083.	2,130.	2,160.
	30"	49"	R3B1PF3A49 30-() ()	2,136.	2,173.	2,223.	2,256.	2,303.	2,333.
	36"	49"	R3B1PF3A49 36-() ()	2,581.	2,618.	2,668.	2,701.	2,748.	2,778.
	42"	49"	R3B1PF3A49 42-() ()	2,833.	2,870.	2,920.	2,953.	3,000.	3,030.
	48"	49"	R3B1PF3A49 48-() ()	3,000.	3,037.	3,087.	3,120.	3,167.	3,197.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	2,272.	2,309.	2,359.	2,392.	2,439.	2,469.
	36"	49"	R3B1PF3B49 36-() ()	2,724.	2,761.	2,811.	2,844.	2,891.	2,921.
	42"	49"	R3B1PF3B49 42-() ()	2,973.	3,010.	3,060.	3,093.	3,140.	3,170.
	48"	49"	R3B1PF3B49 48-() ()	3,153.	3,190.	3,240.	3,273.	3,320.	3,350.




Order Code	Specification Information	Application Notes
Example: R3B1PF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile:	B = Square
P Monolithic panel	A = Flat	C = Bullnose
F3 Fabric one side, V3 other	B = Square	E = Extruded Aluminum
A Type A window	C = Bullnose	2. Base height:
49 49" high	E = Extruded Aluminum	4 = 4" base height
18 18" wide	2. Top trim finish	6 = 6" base height (add \$55 per panel for this option)
A Trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
039E Trim finish	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
4 Base height	ii) Top trim profile E options:	
K Base knockout	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
111 Base finish	3. Base height:	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Side 1	4 = 4" base height	
039E Side 2	6 = 6" base height (add \$55 per panel for this option)	
B Beltway finish	4. Knockout option	
111 Window Frame finish	(K = with knockouts, N = without knockouts)	
TEMP Glass option	5. Base finish	
	6. Side 1 finish	
	7. Side 2 finish	
	8. Beltway finish	
	9. Glass window frame finish	
	10. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway two sides, window panel 49" H tiled with glass at top


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,524.	\$1,626.	\$1,710.	\$1,778.	\$1,882.	\$1,942.
	20"	49"	R3B2TFFA49 20-() ()	1,524.	1,626.	1,710.	1,778.	1,882.	1,942.
	24"	49"	R3B2TFFA49 24-() ()	1,579.	1,681.	1,765.	1,833.	1,937.	1,997.
	30"	49"	R3B2TFFA49 30-() ()	1,690.	1,792.	1,876.	1,944.	2,048.	2,108.
	36"	49"	R3B2TFFA49 36-() ()	2,033.	2,135.	2,219.	2,287.	2,391.	2,451.
	42"	49"	R3B2TFFA49 42-() ()	2,214.	2,316.	2,400.	2,468.	2,572.	2,632.
	48"	49"	R3B2TFFA49 48-() ()	2,322.	2,424.	2,508.	2,576.	2,680.	2,740.





Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	1,822.	1,924.	2,008.	2,076.	2,180.	2,240.
	36"	49"	R3B2TFFB49 36-() ()	2,175.	2,277.	2,361.	2,429.	2,533.	2,593.
	42"	49"	R3B2TFFB49 42-() ()	2,354.	2,456.	2,540.	2,608.	2,712.	2,772.
	48"	49"	R3B2TFFB49 48-() ()	2,473.	2,575.	2,659.	2,727.	2,831.	2,891.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile:	A = Flat
B2 Beltway two sides	A = Flat	B = Square
T Tiled panel	B = Square	C = Bullnose
FF Fabric on both sides	C = Bullnose	E = Extruded Aluminum
A Type A window	E = Extruded Aluminum	
49 49" high	2. Top trim finish	<i>2. Base height:</i>
18 18" wide	i) Top trim profile A,B or C	4 = 4" base height
A Trim profile	options:	6 = 6" base height (add \$550 per panel for this option)
506B Trim finish	V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 Base height	ii) Top trim profile E options:	
K Base knockout	AA-anodized aluminum or P1, P2, P3 finish listed on page 5	6" Raceway option increases panel height by 2 3/4".
111 Base finish	excluding silver	
W281 Side 1A	3. Base height:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
W281 Side 1B	4 = 4" base height	
W281 Side 2A	6 = 6" base height (add \$55 per panel for this option)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Side 2B	4. Knockout option	79"H hookstrip reveal strips are ordered separately from page 120 at no charge.
B Beltway finish	(K = with knockouts, N = without knockouts)	
111 Window Frame finish	5. Base finish	
TEMP Glass option	6. Side 1A finish	
	7. Side 1B finish	
	8. Side 2A finish	
	9. Side 2B finish	
	10. Beltway finish	
	11. Glass window frame finish	
	12. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway two sides, window panel 49" H monolithic with glass at top

Reff Profiles Vol. One

description	w	h	pattern no.	grade					
				10	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	R3B2PFFA49 18-() ()	\$1,380.	\$1,454.	\$1,550.	\$1,620.	\$1,710.	\$1,766.
	20"	49"	R3B2PFFA49 20-() ()	1,380.	1,454.	1,550.	1,620.	1,710.	1,766.
	24"	49"	R3B2PFFA49 24-() ()	1,428.	1,502.	1,598.	1,668.	1,758.	1,814.
	30"	49"	R3B2PFFA49 30-() ()	1,525.	1,599.	1,695.	1,765.	1,855.	1,911.
	36"	49"	R3B2PFFA49 36-() ()	1,813.	1,887.	1,983.	2,053.	2,143.	2,199.
	42"	49"	R3B2PFFA49 42-() ()	1,971.	2,045.	2,141.	2,211.	2,301.	2,357.
	48"	49"	R3B2PFFA49 48-() ()	2,066.	2,140.	2,236.	2,306.	2,396.	2,452.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	R3B2PFFB49 30-() ()	1,657.	1,731.	1,827.	1,897.	1,987.	2,043.
	36"	49"	R3B2PFFB49 36-() ()	1,955.	2,029.	2,125.	2,195.	2,285.	2,341.
	42"	49"	R3B2PFFB49 42-() ()	2,111.	2,185.	2,281.	2,351.	2,441.	2,497.
	48"	49"	R3B2PFFB49 48-() ()	2,217.	2,291.	2,387.	2,457.	2,547.	2,603.

Order Code	Specification Information	Application Notes
Example: R3B2PFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile:	A = Flat
B2 Beltway two sides	A = Flat	B = Square
P Monolithic panel	B = Square	C = Bullnose
FF Fabric on both sides	C = Bullnose	E = Extruded Aluminum
A Type A window	E = Extruded Aluminum	
49 49" high	2. Top trim finish	<i>2. Base height:</i>
18 18" wide	i) Top trim profile A,B or C options:	4 = 4" base height
A Trim profile	V1, V2, V3, P1, P2, P3 finishes	6 = 6" base height (add \$55 per panel for this option)
506B Trim finish	ii) Top trim profile E options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 Base height	AA-anodized aluminum or P1, P2, P3 finish listed on page 5	6" Raceway option increases panel height by 2 3/4".
K Base knockout	excluding silver	
111 Base finish	3. Base height:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 120.
W281 Side 1	4 = 4" base height	
W281 Side 2	6 = 6" base height (add \$55 per panel for this option)	
B Beltway finish	4. Knockout option	
111 Window Frame finish	(K = with knockouts, N = without knockouts)	
TEMP Glass option	5. Base finish	
	6. Side 1 finish	
	7. Side 2 finish	
	8. Beltway finish	
	9. Glass window frame finish	
	10. Glass type	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	
		79"H hookstrip reveal strips are ordered separately from page 120 at no charge.



Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$92
20"	\$92
24"	\$108
30"	\$128
36"	\$152
42"	\$181
48"	\$206

Frame finish:
Add to all products on this page:
upcharge of \$41 per panel for P2 paint class options or \$69 per panel for P3 paint class options.




Stacking modules *fabric*

description	w	h	pattern no.	grade 10	20	30	35	40	45
Stacking modules *,**	18"	8"	R3SFF08 18	\$246.	\$278.	\$316.	\$330.	\$354.	\$374.
Fabric both sides	20"	8"	R3SFF08 20	246.	278.	316.	330.	354.	374.
	24"	8"	R3SFF08 24	257.	289.	327.	341.	365.	385.
	30"	8"	R3SFF08 30	287.	319.	357.	371.	395.	415.
	36"	8"	R3SFF08 36	313.	345.	383.	397.	421.	441.
	42"	8"	R3SFF08 42	340.	372.	410.	424.	448.	468.
	48"	8"	R3SFF08 48	367.	399.	437.	451.	475.	495.
Stacking modules*	18"	15"	R3SFF15 18	333.	387.	425.	459.	511.	539.
Fabric both sides	20"	15"	R3SFF15 20	333.	387.	425.	459.	511.	539.
	24"	15"	R3SFF15 24	352.	406.	444.	478.	530.	558.
	30"	15"	R3SFF15 30	388.	442.	480.	514.	566.	594.
	36"	15"	R3SFF15 36	429.	483.	521.	555.	607.	635.
	42"	15"	R3SFF15 42	461.	515.	553.	587.	639.	667.
	48"	15"	R3SFF15 48	498.	552.	590.	624.	676.	704.

Order Code	Specification Information	Application Notes
Example: R3SFF0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	** Suitable only for top of any panel. Cannot be stacked upon.
S Stacking module	including height and width	
FF Fabric/fabric	2. Panel side 1 finish	8"h module will not accept additional modules on top.
08 8" high	<i>fabric only</i>	
18 18" wide	3. Panel side 2 finish	Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.
W281 Fabric selection - side 1	<i>fabric only</i>	Stacking modules on this page are high acoustic with a hard board septum and fiberglass.
W281 Fabric selection - side 2		Frameless glass add-ups cannot be installed on stacking modules.
		Panels manufactured before June 1998, will not accept stacking modules or frameless add-ups.

Stacking modules window

Reff Profiles Vol. One

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	RSWA15 18	\$543.	\$653.	\$17.	\$35.	\$56.
	20"	15"	RSWA15 20	543.	653.	17.	35.	56.
	24"	15"	RSWA15 24	573.	696.	17.	35.	59.
	30"	15"	RSWA15 30	663.	777.	17.	35.	65.
	36"	15"	RSWA15 36	689.	875.	17.	35.	67.
	42"	15"	RSWA15 42	723.	938.	17.	35.	70.
	48"	15"	RSWA15 48	751.	1,000.	17.	35.	74.
Stacking window module* Center mullion, type "B" 	30"	15"	RSWB15 30	795.	949.	17.	35.	78.
	36"	15"	RSWB15 36	832.	1,013.	17.	35.	81.
	42"	15"	RSWB15 42	866.	1,079.	17.	35.	84.
	48"	15"	RSWB15 48	899.	1,146.	17.	35.	87.
Stacking window module*  18" - 24"  30" - 48"	18"	30"	RSWC30 18	655.	759.	28.	43.	65.
	20"	30"	RSWC30 20	655.	759.	28.	43.	65.
	24"	30"	RSWC30 24	698.	827.	28.	43.	70.
	30"	30"	RSWC30 30	910.	1,065.	28.	43.	89.
	36"	30"	RSWC30 36	1,036.	1,224.	28.	43.	99.
	42"	30"	RSWC30 42	1,112.	1,328.	28.	43.	107.
	48"	30"	RSWC30 48	1,177.	1,428.	28.	43.	112.

Order Code	Specification Information	Application Notes
Example: RSWA1518 () ()	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff Profiles	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
A Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection.
18 18" wide	3. Glass type	Frameless glass add-ups cannot be installed on stacking modules.
111 Jet Black, window frame finish	Temp = Clear tempered glass	Panels manufactured before June 1998, will not accept stacking modules or frameless add-ups.
TEMP Clear tempered glass option	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	


Stacking modules

Double Window

Reff Profiles Vol. One

Panels

description	h	w	pattern no.	G1 clear glass	G2 architectural glass	P	V1	V2	V3	AA
Stacking window module* Single glass, type "A"	15"	60"	RSWAD1560 () ()	\$849.	\$973.					
		72"	RSWAD1572 () ()	946.	1,134.					
		84"	RSWAD1584 () ()	959.	1,183.					
		96"	RSWAD1596 () ()	975.	1,235.					
	22"	60"	RSWAD2260 () ()	1,061.	1,297.					
		72"	RSWAD2272 () ()	1,193.	1,476.					
		84"	RSWAD2284 () ()	1,216.	1,547.					
		96"	RSWAD2296 () ()	1,240.	1,620.					
Top trim for double wide stacking window modules		60"	R3CRTT60 () ()			89.	188.	209.	269.	153.
		72"	R3CRTT72 () ()			96.	202.	221.	284.	209.
		84"	R3CRTT84 () ()			117.	227.	248.	314.	228.
		96"	R3CRTT96 () ()			122.	238.	259.	330.	233.







Order Code	Specification Information	Application Notes
<i>Example:</i> RSWAD1560	<i>To order please specify:</i>	
R Reff Profiles	1. Pattern number	Panel glass is mounted flush to one side of the window module. All window modules incorporate tempered glass 4mm thick. Stabilizing kit is included with the window and is required with all double wide window installation.
SW Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	
A Type A	<i>If P2 or P3 paint finish upcharge add \$31</i>	Full length top trim is optional and can be ordered separately. Not for use on 79"h panels. Applicable finishes are listed on page 7
D Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$51</i>	
15 15" high	3. Glass type	Frameless glass add-ups cannot be installed on stacking modules.
60 60" wide	Temp = Clear tempered glass	
111 Jet Black, windowframe finish	<i>Architectural options:</i>	
TEMP Clear tempered glass option	GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
		Panels manufactured before June 1998, will not accept stacking modules or frameless add-ups.

Stacking modules

Reff Profiles Vol. One

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade 10	20	30	35	40	45	Lam.
Stacking modules *,** Fabric and laminate 	18"	8"	R3SFL0818	\$279.	\$304.	\$343.	\$361.	\$385.	\$405.	
	20"	8"	R3SFL0820	279.	304.	343.	361.	385.	405.	
	24"	8"	R3SFL0824	302.	327.	366.	384.	408.	428.	
	30"	8"	R3SFL0830	340.	365.	404.	422.	446.	466.	
	36"	8"	R3SFL0836	373.	398.	437.	455.	479.	499.	
	42"	8"	R3SFL0842	402.	427.	466.	484.	508.	528.	
	48"	8"	R3SFL0848	437.	462.	501.	519.	543.	563.	
Stacking modules *,** Fabric and techwood 	18"	8"	R3SF10818	296.	324.	364.	382.	405.	429.	
	20"	8"	R3SF10820	296.	324.	364.	382.	405.	429.	
	24"	8"	R3SF10824	316.	344.	384.	402.	425.	449.	
	30"	8"	R3SF10830	353.	381.	421.	439.	462.	486.	
	36"	8"	R3SF10836	386.	414.	454.	472.	495.	519.	
	42"	8"	R3SF10842	425.	453.	493.	511.	534.	558.	
	48"	8"	R3SF10848	457.	485.	525.	543.	566.	590.	
Stacking modules*,** Fabric and conventional veneer 	18"	8"	R3SF20818	320.	346.	386.	403.	427.	448.	
	20"	8"	R3SF20820	320.	346.	386.	403.	427.	448.	
	24"	8"	R3SF20824	345.	371.	411.	428.	452.	473.	
	30"	8"	R3SF20830	386.	412.	452.	469.	493.	514.	
	36"	8"	R3SF20836	425.	451.	491.	508.	532.	553.	
	42"	8"	R3SF20842	464.	490.	530.	547.	571.	592.	
	48"	8"	R3SF20848	498.	524.	564.	581.	605.	626.	
Stacking modules*,** Fabric and exotic veneer 	18"	8"	R3SF30818	384.	410.	450.	467.	491.	512.	
	20"	8"	R3SF30820	384.	410.	450.	467.	491.	512.	
	24"	8"	R3SF30824	421.	447.	487.	504.	528.	549.	
	30"	8"	R3SF30830	466.	492.	532.	549.	573.	594.	
	36"	8"	R3SF30836	516.	541.	581.	599.	622.	643.	
	42"	8"	R3SF30842	563.	589.	629.	646.	670.	691.	
	48"	8"	R3SF30848	605.	631.	671.	688.	712.	733.	

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	** Suitable only for top of any panel. Cannot be stacked upon.
S Stacking module	2. Panel side 1 finish(s)	
FL Fabric/Laminate	3. Panel side 2 finish(s)	
08 8" high	Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
18 18" wide		8" module will not accept additional modules.
W281 Fabric selection - side 1		15" module will accept additional module.
114 Folkstone Grey - side 2		

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Frameless glass add-ups cannot be installed on stacking modules.

Panels manufactured before June 1998, will not accept stacking modules or frameless add-ups.

Stacking modules

Reff Profiles Vol. One

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

Panels

description	w	h	pattern no.	grade	10	20	30	35	40	45	Lam.
Stacking modules*,** Laminate both sides	18"	8"	R3SLL0818								\$268.
	20"	8"	R3SLL0820								268.
	24"	8"	R3SLL0824								293.
	30"	8"	R3SLL0830								327.
	36"	8"	R3SLL0836								354.
	42"	8"	R3SLL0842								364.
	48"	8"	R3SLL0848								375.
Stacking modules* Fabric and laminate	18"	15"	R3SFL1518	398.	450.	492.	529.	580.	610.		
	20"	15"	R3SFL1520	398.	450.	492.	529.	580.	610.		
	24"	15"	R3SFL1524	414.	466.	508.	545.	596.	626.		
	30"	15"	R3SFL1530	454.	506.	548.	585.	636.	666.		
	36"	15"	R3SFL1536	493.	545.	587.	624.	675.	705.		
	42"	15"	R3SFL1542	531.	583.	625.	662.	713.	743.		
	48"	15"	R3SFL1548	568.	620.	662.	699.	750.	780.		
Stacking modules* Fabric and techwood	18"	15"	R3SF11518	421.	475.	516.	555.	608.	638.		
	20"	15"	R3SF11520	421.	475.	516.	555.	608.	638.		
	24"	15"	R3SF11524	439.	493.	534.	573.	626.	656.		
	30"	15"	R3SF11530	476.	530.	571.	610.	663.	693.		
	36"	15"	R3SF11536	517.	571.	612.	651.	704.	734.		
	42"	15"	R3SF11542	558.	612.	653.	692.	745.	775.		
	48"	15"	R3SF11548	596.	650.	691.	730.	783.	813.		
Stacking modules* Fabric and conventional veneer	18"	15"	R3SF21518	454.	507.	548.	586.	638.	667.		
	20"	15"	R3SF21520	454.	507.	548.	586.	638.	667.		
	24"	15"	R3SF21524	477.	530.	571.	609.	661.	690.		
	30"	15"	R3SF21530	521.	574.	615.	653.	705.	734.		
	36"	15"	R3SF21536	566.	619.	660.	698.	750.	779.		
	42"	15"	R3SF21542	610.	663.	704.	742.	794.	823.		
	48"	15"	R3SF21548	647.	700.	741.	779.	831.	860.		

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.

Application Notes

* Not for use on 79"H panels.

** Suitable only for top of any panel. Cannot be stacked upon.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.



Frameless glass add-ups cannot be installed on stacking modules.

Panels manufactured before June 1998, will not accept stacking modules or frameless add-ups.

Stacking modules

Reff Profiles Vol. One

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade 10	20	30	35	40	45	Lam.
Stacking modules*	18"	15"	R3SF315 18	\$550.	\$603.	\$644.	\$682.	\$734.	\$763.	
Fabric and exotic veneer	20"	15"	R3SF315 20	550.	603.	644.	682.	734.	763.	
	24"	15"	R3SF315 24	576.	629.	670.	708.	760.	789.	
	30"	15"	R3SF315 30	630.	683.	724.	762.	814.	843.	
	36"	15"	R3SF315 36	686.	739.	780.	818.	870.	899.	
	42"	15"	R3SF315 42	737.	790.	831.	869.	921.	950.	
	48"	15"	R3SF315 48	789.	842.	883.	921.	973.	1,002.	
Stacking modules*	18"	15	R3SLL1518							381.
Laminate both sides	20"	15	R3SLL1520							381.
	24"	15	R3SLL1524							413.
	30"	15	R3SLL1530							464.
	36"	15	R3SLL1536							501.
	42"	15	R3SLL1542							516.
	48"	15	R3SLL1548							518.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	** Suitable only for top of any panel. Cannot be stacked upon.
S Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
FL Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
08 8" high	Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.	15" module will accept additional module.
18 18" wide		
W281 Fabric selection - side 1		
114 Folkstone Grey - side 2		

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Frameless glass add-ups cannot be installed on stacking modules.

Panels manufactured before June 1998, will not accept stacking modules or frameless add-ups.

description	w	d	pattern no.	G1	G2/G3	list
Frameless glass add-up 8"h, for panels	18"		R3GAU0818 () ()	\$328.	\$410.	
	20"		R3GAU0820 () ()	350.	443.	
	24"		R3GAU0824 () ()	370.	481.	
	30"		R3GAU0830 () ()	411.	545.	
	36"		R3GAU0836 () ()	452.	611.	
	42"		R3GAU0842 () ()	520.	709.	
	48"		R3GAU0848 () ()	538.	755.	
Frameless glass add-up 15"h, for panels	18"		R3GAU1518 () ()	370.	522.	
	20"		R3GAU1520 () ()	402.	579.	
	24"		R3GAU1524 () ()	432.	633.	
	30"		R3GAU1530 () ()	483.	737.	
	36"		R3GAU1536 () ()	537.	838.	
	42"		R3GAU1542 () ()	621.	977.	
	48"		R3GAU1548 () ()	657.	1,058.	
Frameless glass add-up 8"h, for panels for hi/lo condition no post involved	18"		R3GAUHL0818 () ()	328.	410.	
	20"		R3GAUHL0820 () ()	350.	443.	
	24"		R3GAUHL0824 () ()	370.	481.	
	30"		R3GAUHL0830 () ()	411.	545.	
	36"		R3GAUHL0836 () ()	452.	611.	
	42"		R3GAUHL0842 () ()	520.	709.	
	48"		R3GAUHL0848 () ()	538.	755.	
Frameless glass add-up 15"h, for panels for hi/lo condition no post involved	18"		R3GAUHL1518 () ()	370.	522.	
	20"		R3GAUHL1520 () ()	402.	579.	
	24"		R3GAUHL1524 () ()	432.	633.	
	30"		R3GAUHL1530 () ()	483.	737.	
	36"		R3GAUHL1536 () ()	537.	838.	
	42"		R3GAUHL1542 () ()	621.	977.	
	48"		R3GAUHL1548 () ()	657.	1,058.	

Order Code	Specification Information	Application Notes
Example: R3GAU0818GL13AA	<i>To order please specify pattern number including:</i>	Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.
R3 AutoStrada w/generation 3 frame	1. Height 08 = 42"h panel with add-up will align with top of 49"h panel 12 = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal) 15 = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation.
GAU Glass add-up	2. Width	Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up.
08 height	3. Glass Finish <i>TEMP</i> = clear tempered glass <i>GL13</i> = powder <i>GL25</i> = Bronze <i>GL35</i> = Grey	Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.
18 width	4. Finish, capture/trim <i>Anodized aluminum or painted finish options listed on AutoStrada excluding silver</i>	Frameless glass add-ups cannot be installed on stacking modules.
GL13 glass finish, powder		Panels manufactured before June 1998, will not accept stacking modules or frameless add-ups.
AA finish, capture/trim		

To order please specify pattern number including configuration condition:

Finish: Anodized aluminum or painted finish options as listed on AutoStradaexcluding silver.

Note: Spacer kits are for use with fabric or veneer stacking modules ONLY. Not for use with stacking windows.

Installation instruction sheets for the Spacer kit, available on Knoll Exchange. Refer to reference number 6TR16HO.

description	w	d	pattern no.	G1	G2/G3	list
Attachment Kit, to install frameless glass to 15"h or 8"h stacking module			R3SKIT			\$62.
Spacer Kit includes 2 spacers and 2 washers.						
Add-up Alignment Clip, pack of 10			R3AUAC10			35.
Alignment clips recommended to ensure glass alignment of add-up modules in side by side applications						

Order Code	Specification Information	Application Notes
Example: R3GAU0818GL13AA	<i>To order please specify pattern number including:</i>	Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.
R3 AutoStrada w/generation 3 frame	1. Height 08 = 42"h panel with add-up will align with top of 49"h panel	Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation.
GAU Glass add-up	12 = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal)	Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up.
08 height	15 = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.
18 width	2. Width	Frameless glass add-ups cannot be installed on stacking modules.
GL13 glass finish, powder	3. Glass Finish <i>TEMP = clear tempered glass</i> <i>GL13 = powder</i> <i>GL25 = Bronze</i> <i>GL35 = Grey</i>	Panels manufactured before June 1998, will not accept stacking modules or frameless add-ups.
AA finish, capture/trim	4. Finish, capture/trim <i>Anodized aluminum or painted finish options listed on AutoStrada excluding silver</i>	

To order please specify pattern number including configuration condition:

Finish: Anodized aluminum or painted finish options as listed on AutoStradaexcluding silver.


Note: Spacer kits are for use with fabric or veneer stacking modules ONLY. Not for use with stacking windows.

Installation instruction sheets for the Spacer kit, available on Knoll Exchange. Refer to reference number 6TR16HO.


Panel connection posts Generation 3

Reff Profiles Vol. One

Panels

description	h	type	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	15"	stacking module post	R3L15TT	\$161.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	206.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	310.	356.
	49"		R3L49(B)(F/T)(F/T)-() () ()	344.	395.
	64"		R3L64(B)(F/T)(F/T)-() () ()	381.	436.
	79"		R3L79(B)(F/T)(F/T)-() () ()	426.	488.
	8"	stacking module post	R3L08TT	83.	n/a

*Comes with only one hookstrip

 T-Post	15"	stacking module post	R3T15T	190.	n/a
	34"		R3T34(F/T)-() () ()	250.	n/a
	42"		R3T42(B)(F/T)-() () ()	274.	313.
	49"		R3T49(B)(F/T)-() () ()	310.	356.
	64"		R3T64(B)(F/T)-() () ()	344.	395.
	79"		R3T79(B)(F/T)-() () ()	382.	439.
	8"	stacking module post	R3T08T	103.	n/a

*Comes with only one hookstrip

Order Code

Example:	R3L79(B)FT
R3	Reff Generation 3
L79	90° post; 79" h connector
(B)	with Beltway channel
(F)(T)	Tiled appearance 2 sides
(A)	Flat top Trim profile
(1)	Top cap Configuration
AA	Trim finish
(6)	6" base height
(N)	Base electrical infeed
111	Base finish
(B)	Tile divider, black reveal
W808	Face side 1 full
W808	Face side 2A
W808	Face side 2B
W808	Face side 2C
W808	Face side 2D
W808	Face side 2E

Specification Information

To order please specify pattern number including:

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled
2. *Top cap profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$31 list for this option)
3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*) Top cap profile
4. If L post, cover configuration
1 = one piece (same finish both sides)
2 = two piece (same or different finish per side)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$55 list for this option)
6. *Base electrical infeed:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None
7. *Base finish:*
8. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option excluding silver
9. Side 1 full finish (*fabric, V1, V2, V3 or painted to match laminate*)
10. *Side 2A finish*
11. *Side 2B finish*
12. *Side 2C finish*
13. *Side 2D finish*
14. *Side 2E finish*

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 120. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.


Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide on Exchange).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.


Panel connection posts

Generation 3

Reff Profiles Vol. One

description	h	type	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
	15"	stacking module post	R3X15	\$176.	n/a
	34"		R3X34-() ()	232.	n/a
	42"		R3X42(B)-() ()	252.	292.
	49"		R3X49(B)-() ()	274.	313.
	64"		R3X64(B)-() ()	310.	356.
	79"		R3X79(B)-() ()	353.	400.
	8"	stacking module post	R3X08	91.	n/a

*Comes with only one hookstrip

	15"	stacking module post	R3S15TT	161.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	206.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	310.	356.
	49"		R3S49(B)(F/T)(F/T)-() () ()	344.	395.
	64"		R3S64(B)(F/T)(F/T)-() () ()	381.	436.
	79"		R3S79(B)(F/T)(F/T)-() () ()	426.	488.
	8"	stacking module post	R3S08TT	83.	n/a

*Comes with only one hookstrip

*R3/R2 stacking post sleeve	adapter kit for stacking posts only	R3R2SLV	n/c
-----------------------------	-------------------------------------	----------------	-----



Order Code	Specification Information														
Example: R3X79(B) <table> <tr> <td>R3</td><td>Reff Generation 3</td></tr> <tr> <td>X79</td><td>X post; 79" h connector</td></tr> <tr> <td>(B)</td><td>with Beltway channel</td></tr> <tr> <td>(T)(T)</td><td>Tiled appearance 2 sides</td></tr> <tr> <td>(A)</td><td>Flat top Trim profile</td></tr> <tr> <td>(1)</td><td>Top cap Configuration</td></tr> <tr> <td>AA</td><td>Trim finish</td></tr> </table>	R3	Reff Generation 3	X79	X post; 79" h connector	(B)	with Beltway channel	(T)(T)	Tiled appearance 2 sides	(A)	Flat top Trim profile	(1)	Top cap Configuration	AA	Trim finish	<i>To order please specify pattern number including:</i> <i>Top cap profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum (Add \$31 list for this option) <i>Top cap configuration:</i> 1 = Cap finish 2 adjacent sides (<i>applicable for L, T or X posts only</i>) 2 = Cap finish 1 side (<i>applicable for T or X posts only</i>) 3 = Regular X cap unfinished all 4 sides (<i>applicable for X posts only</i>) 4 = Cap finished 3 sides/high-low (<i>applicable for L, T, X or straight posts</i>) 5 = Cap finished 2 opposite sides/high-low (<i>applicable for X or straight posts only</i>) Top cap profile <i>Trim finish</i> Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 120. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted above itself, however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical. For Top cap orientations and End power location for power specification consult Planning Guide on Exchange. Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.
R3	Reff Generation 3														
X79	X post; 79" h connector														
(B)	with Beltway channel														
(T)(T)	Tiled appearance 2 sides														
(A)	Flat top Trim profile														
(1)	Top cap Configuration														
AA	Trim finish														

Panel connection posts

Generation 3 135°

Reff Profiles Vol. One

Panels

description	h	pattern no.	Reg. post list (A/B/C profile)
135° Tiled Post 	34"	R3135V34T ()()()()()()	\$690.
	42"	R3135V42T ()()()()()()	865.
	49"	R3135V49T ()()()()()()	875.
	64"	R3135V64T ()()()()()()	1,071.
	79"	R3135V79T ()()()()()()	1,264.
135° Mono Post 	34"	R3135V34F ()()()()()()	690.
	42"	R3135V42F ()()()()()()	865.
	49"	R3135V49F ()()()()()()	875.
	64"	R3135V64F ()()()()()()	1,071.
	79"	R3135V79F ()()()()()()	1,264.

Order Code

Example: R3135V34T	
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top trim profile
(1)	Top cap configuration
111	Trim finish
(6)	6" base height
B	Base finish
B	Tile divider, black reveal
W808	Face side 1A
W808	Face side 1B

Specification Information

To order please specify pattern number including:

- Top cap profile
- Top cap configuration
- If L post, cover configuration
1 = one piece
- Base height option
- Base infeed knock-out (optional)
- Tile divider option/finish, if face type T
- Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
- Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish excluding silver
- Base finish

- Face type:
(F) = Full height (monolithic look)
(T) = Tiled
- Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$31 list for this option)
- Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)
- Base height:
4 = 4" base height
6 = 6" base height (add \$55 list for this option)

6. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 7.

Specify the mouse hole location for end power electric. Reference for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide on Exchange).

Applicable finishes are listed on page 5 and 8.

Panel connection posts

Generation 3 120°

Reff Profiles Vol. One


description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 ()()()	\$481.
	42"	R3120Y42 ()()()	507.
	49"	R3120Y49 ()()()	522.
	64"	R3120Y64 ()()()	572.
	79"	R3120Y79 ()()()	625.

Order Code	Specification Information
Example: R3120Y34	
R3 Reff Generation 3	<i>To order please specify pattern number including:</i>
120V 120° post	Specify AA for anodized aluminum look or painted option from page 7 excluding silver.
34 Height	1. Trim profile;
(A) Top trim profile	A = Flat
1 Top cap configuration	B = Square
AA Trim finish	C = Bullnose
(4) Base height	E = Extruded Aluminum
111 Base finish, Jet black	(Add \$31 list for this option)
	2. Top cap Configuration;
	1 = Reg. Y
	8 = High, Low, Low
	9 = High, High, Low
	3. Trim Finish
	Wood and Laminate for profile
	A,B and C
	Anodized or painted options for profile 'E'
	4. Base Height
	4 = 4" base height
	6 = 6" base height (add \$55 list for this option)
	5. Base finish;
	Painted or plated

Panel trims and post covers for all applications


Reff Profiles Vol. One

Panels

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	—	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$281.	\$171.
	—	42"		R2ES42(A/B/C/E)(4/6)(E/N)	316.	200.
	—	49"		R2ES49(A/B/C/E)(4/6)(E/N)	350.	228.
	—	64"		R2ES64(A/B/C/E)(4/6)(E/N)	370.	256.
	—	79"		R2ES79(A/B/C/E)(4/6)(E/N)	454.	291.

End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		R2HL3442ES(A/B/C/E)	147.	149.
	34"	49"		R2HL3449ES(A/B/C/E)	206.	152.
	34"	64"		R2HL3464ES(A/B/C/E)	261.	156.
	34"	79"		R2HL3479ES(A/B/C/E)	281.	174.
	42"	49"		R2HL4249ES(A/B/C/E)	147.	149.
	42"	64"		R2HL4264ES(A/B/C/E)	355.	152.
	42"	79"		R2HL4279ES(A/B/C/E)	407.	174.
	49"	64"		R2HL4964ES(A/B/C/E)	206.	156.
	49"	79"		R2HL4979ES(A/B/C/E)	261.	174.
	64"	79"		R2HL6479ES(A/B/C/E)	206.	152.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)	—		18"	RSNTT18(A/B/C/E)	104.	29.
	—	—	20"	RSNTT20(A/B/C/E)	104.	33.
	—	—	24"	RSNTT24(A/B/C/E)	117.	36.
	—	—	30"	RSNTT30(A/B/C/E)	130.	42.
	—	—	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	134.	57.
	—	—	36"	RSNTT36(A/B/C/E)	144.	57.
	—	—	42"	RSNTT42(A/B/C/E)	164.	58.
	—	—	48"	RSNTT48(A/B/C/E)	177.	81.

Order Code	Specification Information
Example: R2ES34A6N	To order please specify pattern number including:
R2 Reff Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	<i>A = flat</i>
A Top trip profile	<i>B = square</i>
111 Trim finish	<i>C = bullnose</i>
6 6" base height	<i>E = extruded aluminum</i>
N Non electrical base type	2. Trim finish
111 Jet Black (base finish)	3. Base height option
	<i>4 = 4"</i>
	<i>6 = 6"</i>
	4. Base type
	<i>E = electrical entry</i>
	<i>N = standard base</i>
	5. Base finish
	<i>painted or plated finish</i>

Post cover trim:
1. Trim profile
2. Trim finish

Add \$30 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

Reff Profiles Vol. One

description	h	h	w	pattern no.	Profile (A/B/C)	Profile E
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$147.	\$149.
	42"	64"		R2HL4264ETS(A/B/C/E)	355.	152.
	42"	79"		R2HL4279ETS(A/B/C/E)	407.	174.



Post cover trim for tiled and monolithic posts	34"	42"		R2HL3442(F)CS ()	42.	
Hi-Lo applications	34"	49"		R2HL3449(F)CS ()	61.	
	34"	64"		R2HL3464(F/T)CS ()()	122.	
	34"	79"		R2HL3479(F/T)CS ()()	181.	
	42"	49"		R2HL4249(F)CS ()	42.	
	42"	64"		R2HL4264(F/T)CS ()()	101.	
	42"	79"		R2HL4279(F/T)CS ()()	164.	
	49"	64"		R2HL4964(F)CS ()	61.	
	49"	79"		R2HL4979(F/T)CS ()()	122.	
	64"	79"		R2HL6479(F)CS ()	61.	



Application: for height changes involving a post

Order Code	Specification Information
Example: R2HL4249ETS	To order please specify pattern number including:
R2 Reff Generation 2	1. Trim profile
HL Hi-lo	<i>A = flat</i>
4249 Height	<i>B = square</i>
ET End trim	<i>C = bullnose</i>
S Hookstrip	<i>E = extruded aluminum</i>
A Trim profile	2. Trim finish
114 Trim finish	<i>If profile A, B or C specify V1, V2, V3 or painted to match laminate</i>
	<i>If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver</i>

Post cover trim:

1. Specify full or tiled face type
F = full (monolithic)
T = tiled
2. Finish, post cover
fabric, V1, V2, V3 or painted to match laminate
3. If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 5

Add \$30 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel Accessories

hookstrips and top caps

Reff Profiles Vol. One

Panels

description	w	pattern no.	list price
Panel hookstrips	15"	R2HK0015	\$88.
	34"	R2HK0034	121.
	42"	R2HK0042	129.
	49"	R2HK0049	138.
	64"	R2HK0064	149.
	79"	R2HK0079	156.
	8"	R2HK0008	56.
Beltway hookstrips	42"	R2HKB042	138.
	49"	R2HKB049	149.
	64"	R2HKB064	156.
	79"	R2HKB079	165.

Order Code	Specification Information	Application Notes	
Example: R2HK0008	<i>To order please specify pattern number including:</i>	An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post. Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations. New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.	
R2			Reff generation 2
HK			Hook Strip
008			Height

description	type	h	pattern no.	list price
Ceiling entry L-post.		42"	R2L42C(F/T)-(4/6)	\$310.
		49"	R2L49C(F/T)-(4/6)	332.
		64"	R2L64C(F/T)-(4/6)	352.
		79"	R2L79C(F/T)-(4/6)	419.




Cable not included

Ceiling entry T-post.		42"	R2T42C(F/T)-(4/6)	274.
		49"	R2T49C(F/T)-(4/6)	310.
		64"	R2T64C(F/T)-(4/6)	332.
		79"	R2T79C(F/T)-(4/6)	385.



Cable not included

Ceiling entry X-post.		42"	R2X42C	252.
		49"	R2X49C	274.
		64"	R2X64C	310.
		79"	R2X79C	366.



Cable not included

Order Code	Specification Information	Application Notes
Example: R2L42CFT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Base height option	*Must order post, pole and cable for electrical application.
L L-post	2. Base finish	
42 42" high	3. Side 1 full	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Side 2A	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
F Full height style face	5. Side 2B	
T Tiled style face	6. Side 2C	
4 Base height	1. <i>Face type:</i>	
111 Base finish	F = Full height	
W230 Side 1 full Fabric selection	T = Tiled	
W230 Side 2A	2. <i>Base height:</i>	
W230 Side 2B	4 = 4" base height	
W230 Side 2C	6 = 6" base height	6"H base raceway option increase entire post height by 2 3/4". (Please add \$55 list per post for this option). Price does not apply to X-post.

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 116.

description	type	h	pattern no.	list price
Ceiling entry straight line post.		42"	R2S42C(F/T)(F/T)-(4/6)	\$310.
		49"	R2S49C(F/T)(F/T)-(4/6)	332.
		64"	R2S64C(F/T)(F/T)-(4/6)	352.
		79"	R2S79C(F/T)(F/T)-(4/6)	419.



Cable not included

Ceiling entry pole. Includes junction box and ceiling grommet		41"	RCP41-(F/L/1/2/3)*	618.
		56"	RCP56-(F/L/1/2/3)*	643.
		71"	RCP71-(F/L/1/2/3)*	720.
		78"	RCP78-(F/L/1/2/3)*	746.



Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	RR3-EPVR	362.
	Ceiling power cable infeed. Ten-wire	RR3-TPVR	437.



One size fits all post sizes (13' of cable)
For use with Ceiling entry Pole and Pole combinations

Order Code	Specification Information	Application Notes
Example: R2L42CFT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2	Reff Generation 2	
L	L-post	*Must order post, pole and cable for electrical application.
42	42" high	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C	Ceiling power entry	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
F	Full height style face	6"H base raceway option increase entire post height by 2 3/4". (Please add \$55 list per post for this option). Price does not apply to X-post.
T	Tiled style face	
4	Base height	
111	Base finish	
W230	Side 1 full Fabric selection	
W230	Side 2A	
W230	Side 2B	
W230	Side 2C	

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 116.

Ceiling cable entry post covers

Alignment kits and wall starters


Reff Profiles Vol. One

description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$39.
	34"	49"			RPHL3449(F/T)	57.
	34"	64"			RPHL3464(F/T)	113.
	34"	79"			RPHL3479(F/T)	168.
	42"	49"			RPHL4249(F/T)	78.
	42"	64"			RPHL4264(F/T)	108.
	42"	79"			RPHL4279(F/T)	118.
	49"	64"			RPHL4964(F/T)	108.
	49"	79"			RPHL4979(F/T)	118.
	64"	79"			RPHL6479(F/T)	84.

Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	39.
	42"	64"			RPHL4264S	93.
	42"	79"			RPHL4279S	151.
	49"	64"			RPHL4964S	57.
	49"	79"			RPHL4979S	113.
	64"	79"			RPHL6479S	57.

Wall starter			7/8"	15"	R2SWS0015 () ()	71.
			7/8"	34"	R2SWS0034 () () ()	142.
			7/8"	42"	R2SWS0042 () () ()	173.
			7/8"	49"	R2SWS0049 () () ()	203.
			7/8"	64"	R2SWS0064 () () ()	266.
			7/8"	79"	R2SWS0079 () () ()	327.
			7/8"	8"	R2SWS0008 () ()	55.

*Wall starters come with extended top trim from adjoining panel.

Panel alignment kits 		R3SPABPT	7.
		R3SPABTD	7.
		R3SPABTT	7.
		R3SPABTW	7.
		RSPABPD	7.
		RSPABPP	7.
		RSPABPT	7.
		RSPABPW	7.
		RSPABTD	7.

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff Profiles	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	
42 42" low panel	1. Face type options:	
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 8.	

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.


Ceiling cable entry post covers

Alignment kits and wall starters

Reff Profiles Vol. One

Panels

description	panel h	post h	w	h	pattern no.	list price
Panel alignment kits					RSPABTT	\$7.
					RSPABTW	7.
					RSPABWD	7.
					RSPABWW	7.



Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff Profiles	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	
42 42" low panel	1. Face type options:	
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 8.	

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door	36"	64"		RRDPPL(L/R)6436()		\$3,489.	\$3,611.	\$4,831.
	36"	79"		RRD3PPL(L/R)7936() ()		3,806.	3,942.	5,322.
	42"	64"		RRDPPL(L/R)6442()		3,555.	3,679.	4,891.
	42"	79"		RRD3PPL(L/R)7942() ()		3,864.	3,999.	5,378.
Locking is NOT an available option with Rolling doors.								
Floor to ceiling rolling door	36"	79"		RRD3FTCPPL(L/R)7936()		3,806.	3,942.	5,322.
	42"	79"		RRD3FTCPPL(L/R)7942()		3,864.	3,999.	5,378.
Locking is NOT an available option with Rolling doors.								
Partial width threshold (full width threshold)	3"	50"		RRDTH()		403.		
	3"	96"		RRDTH(L/R)()		519.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936() () ()	4,545.		
	(36" opening)	1 1/2"	42"	79"	R2DRS7942() () ()	5,283.		

Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Trim profile
114	Trim finish
4"	4" base height
111	Base finish
613	Handle finish
613	Frame / Capture finish
TEMP	Glass option

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Top trim finish
3. Base height
4. Base finish
5. Lock option
6. Door finish

1. Top trim profile:

- A = Flat
B = Square
C = Bullnose

2. Base height:

- 4 = 4" base
6 = 6" base (add \$55 for this option)

3. Lock option:

- N = Not drilled
D = Drilled *
L = Drilled lock set included
D = *Customer supplies own handle.

Reff Profiles doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
GL6 = Block matrix
GL8 = Wafer glass
P5 = Polycarbonate

Application Notes

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 116).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79"h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64"h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description		depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()	\$4,545.			
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()	5,283.			



Woodgrain Laminate not available on Panel Door
*Upcharges apply for Veneer doors;
For 36" w doors, add \$420.
For 42" w doors, add \$488.

description	type	w	h	pattern no.	list price
Attachment Kit 34"H panels to Generation 2 Beltway posts				R234PKIT	\$142.
Attachment Kit Generation 1 34"H panels to Generation 3 Beltway posts				R334PKIT	142.
Attachment Kit Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels				R2AK	n/c
Attachment Kit Generation 1 panels to Generation 3 posts				R3AK	n/c
*R3/R2 stacking post sleeve	adapter kit for stacking posts only			R3R2SLV	n/c
					
Hookstrip cover reveal strip. (order separately for all panels)	15 Pieces	$\frac{3}{8}"$	79"	RHSC15	0.
	250 Pieces	$\frac{3}{8}"$	79"	RHSC250	0.
	70 Pieces	$\frac{3}{8}"$	79"	RHSC70	0.
Carpet gripper (Pack fo 10)				R2CG	26.
Outlet covers (for Base Side Plates only)	Pack of 10			RROF10()	175.
	Pack of 4			RROF4()	70.

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Application Notes

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.




R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Refer to Planning Guide for details.

Floor to ceiling modules

21" high, for 104" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	R3FTCFF2118			\$416.	\$440.	\$514.	\$542.	\$616.	\$692.
	20"	21"	R3FTCFF2120			416.	440.	514.	542.	616.	692.
	24"	21"	R3FTCFF2124			439.	463.	537.	565.	639.	715.
	30"	21"	R3FTCFF2130			485.	509.	583.	611.	685.	761.
	36"	21"	R3FTCFF2136			520.	544.	618.	646.	720.	796.
	42"	21"	R3FTCFF2142			567.	591.	665.	693.	767.	843.
	48"	21"	R3FTCFF2148			608.	632.	706.	734.	808.	884.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	RFTCWA2118	582.	688.						
	20"	21"	RFTCWA2120	582.	688.						
	24"	21"	RFTCWA2124	611.	741.						
	30"	21"	RFTCWA2130	713.	867.						
	36"	21"	RFTCWA2136	746.	926.						
	42"	21"	RFTCWA2142	783.	1,003.						
	48"	21"	RFTCWA2148	821.	1,062.						
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	RFTCWB2130	832.	983.						
	36"	21"	RFTCWB2136	900.	1,084.						
	42"	21"	RFTCWB2142	951.	1,162.						
	48"	21"	RFTCWB2148	996.	1,242.						

Order Code	Specification Information	Application Notes
Example: R3FTCFF2118	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 7.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$40 per module for P2 paint class options or \$70 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
21 21" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.




Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

25" high, for 108" ceiling height and 79" high panels
fabric and glass

Reff Profiles Vol. One

description	w	h	pattern no.	clear glass	arch. glass	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$461.	\$483.	\$585.	\$605.	\$705.	\$789.
	20"	25"	R3FTCFF2520			461.	483.	585.	605.	705.	789.
	24"	25"	R3FTCFF2524			489.	511.	613.	633.	733.	817.
	30"	25"	R3FTCFF2530			531.	553.	655.	675.	775.	859.
	36"	25"	R3FTCFF2536			581.	603.	705.	725.	825.	909.
	42"	25"	R3FTCFF2542			627.	649.	751.	771.	871.	955.
	48"	25"	R3FTCFF2548			673.	695.	797.	817.	917.	1,001.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	608.	714.						
	20"	25"	RFTCWA2520	608.	714.						
	24"	25"	RFTCWA2524	651.	773.						
	30"	25"	RFTCWA2530	752.	904.						
	36"	25"	RFTCWA2536	788.	969.						
	42"	25"	RFTCWA2542	838.	1,049.						
	48"	25"	RFTCWA2548	874.	1,116.						
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	863.	1,013.						
	36"	25"	RFTCWB2536	957.	1,140.						
	42"	25"	RFTCWB2542	1,014.	1,229.						
	48"	25"	RFTCWB2548	1,072.	1,318.						

Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 7.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$40 per module for P2 paint class options or \$70 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
25 25" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff Profiles FTC modules must be approved by local building authorities.

Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$610.	\$624.	\$778.	\$802.	\$952.	\$1,088.
	20"	37"	R3FTCFF3720			610.	624.	778.	802.	952.	1,088.
	24"	37"	R3FTCFF3724			644.	658.	812.	836.	986.	1,122.
	30"	37"	R3FTCFF3730			699.	713.	867.	891.	1,041.	1,177.
	36"	37"	R3FTCFF3736			760.	774.	928.	952.	1,102.	1,238.
	42"	37"	R3FTCFF3742			817.	831.	985.	1,009.	1,159.	1,295.
	48"	37"	R3FTCFF3748			872.	886.	1,040.	1,064.	1,214.	1,350.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	696.	800.
	20"	37"	RFTCWA3720	696.	800.
	24"	37"	RFTCWA3724	751.	873.
	30"	37"	RFTCWA3730	885.	1,019.
	36"	37"	RFTCWA3736	922.	1,101.
	42"	37"	RFTCWA3742	981.	1,192.
	48"	37"	RFTCWA3748	1,033.	1,282.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	953.	1,108.
	36"	37"	RFTCWB3736	1,124.	1,304.
	42"	37"	RFTCWB3742	1,212.	1,422.
	48"	37"	RFTCWB3748	1,289.	1,536.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 7.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$40 per module for P2 paint class options or \$70 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.


Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules


Reff Profiles Vol. One

*21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side*


description	w	h	pattern no.	grade 10	20	30	35	40	45
Stack-on floor to ceiling module	18"	21"	R3FTCFL2118	\$470.	\$479.	\$520.	\$533.	\$571.	\$613.
Fabric one side, laminate other side, 21"	20"	21"	R3FTCFL2120	470.	479.	520.	533.	571.	613.
	24"	21"	R3FTCFL2124	485.	494.	535.	548.	586.	628.
	30"	21"	R3FTCFL2130	544.	553.	594.	607.	645.	687.
	36"	21"	R3FTCFL2136	591.	600.	641.	654.	692.	734.
	42"	21"	R3FTCFL2142	643.	652.	693.	706.	744.	786.
	48"	21"	R3FTCFL2148	693.	702.	743.	756.	794.	836.



Stack-on floor to ceiling module	18"	21"	R3FTCF12118	491.	500.	542.	556.	595.	636.
Fabric one side, techwood other side, 21"	20"	21"	R3FTCF12120	491.	500.	542.	556.	595.	636.
	24"	21"	R3FTCF12124	511.	520.	562.	576.	615.	656.
	30"	21"	R3FTCF12130	570.	579.	621.	635.	674.	715.
	36"	21"	R3FTCF12136	619.	628.	670.	684.	723.	764.
	42"	21"	R3FTCF12142	669.	678.	720.	734.	773.	814.
	48"	21"	R3FTCF12148	728.	737.	779.	793.	832.	873.



Stack-on floor to ceiling module	18"	21"	R3FTCF22118	536.	545.	586.	600.	638.	679.
Fabric one side, conventional veneer other side, 21"	20"	21"	R3FTCF22120	536.	545.	586.	600.	638.	679.
	24"	21"	R3FTCF22124	553.	562.	603.	617.	655.	696.
	30"	21"	R3FTCF22130	622.	631.	672.	686.	724.	765.
	36"	21"	R3FTCF22136	673.	682.	723.	737.	775.	816.
	42"	21"	R3FTCF22142	733.	742.	783.	797.	835.	876.
	48"	21"	R3FTCF22148	794.	803.	844.	858.	896.	937.




Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	
18 18" wide	Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff Profiles FTC modules must be approved by local building authorities.

Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules
*21" and 25" high modules, fabric one side,
 laminate, techwood, conventional or exotic veneer other side*

description	w	h	pattern no.	grade 10	20	30	35	40	45
Stack-on floor to ceiling module	18"	21"	R3FTCF321 18	\$649.	\$658.	\$699.	\$713.	\$751.	\$792.
Fabric one side, exotic veneer other side	20"	21"	R3FTCF321 20	649.	658.	699.	713.	751.	792.
21"	24"	21"	R3FTCF321 24	670.	679.	720.	734.	772.	813.
	30"	21"	R3FTCF321 30	756.	765.	806.	820.	858.	899.
	36"	21"	R3FTCF321 36	816.	825.	866.	880.	918.	959.
	42"	21"	R3FTCF321 42	888.	897.	938.	952.	990.	1,031.
	48"	21"	R3FTCF321 48	961.	970.	1,011.	1,025.	1,063.	1,104.

Stack-on floor to ceiling module	18"	25"	R3FTCFL2518	503.	517.	570.	580.	630.	676.
Fabric one side, laminate other side, 25"	20"	25"	R3FTCFL2520	503.	517.	570.	580.	630.	676.
	24"	25"	R3FTCFL2524	520.	534.	587.	597.	647.	693.
	30"	25"	R3FTCFL2530	592.	606.	659.	669.	719.	765.
	36"	25"	R3FTCFL2536	641.	655.	708.	718.	768.	814.
	42"	25"	R3FTCFL2542	704.	718.	771.	781.	831.	877.
	48"	25"	R3FTCFL2548	761.	775.	828.	838.	888.	934.

Stack-on floor to ceiling module	18"	25"	R3FTCF12518	526.	538.	593.	603.	655.	702.
Fabric one side, techwood other side, 25"	20"	25"	R3FTCF12520	526.	538.	593.	603.	655.	702.
	24"	25"	R3FTCF12524	544.	556.	611.	621.	673.	720.
	30"	25"	R3FTCF12530	623.	635.	690.	700.	752.	799.
	36"	25"	R3FTCF12536	670.	682.	737.	747.	799.	846.
	42"	25"	R3FTCF12542	738.	750.	805.	815.	867.	914.
	48"	25"	R3FTCF12548	796.	808.	863.	873.	925.	972.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	
18 18" wide		
W281 Fabric selection - side 1	Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.	Ceiling height includes 4" allowance for trim.
114 Folkstone grey - side 2		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
111 Jet Black soffit		Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.


Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules


Reff Profiles Vol. One

21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Stack-on floor to ceiling module	18"	25"	R3FTCF22518	\$573.	\$586.	\$640.	\$650.	\$701.	\$747.
Fabric one side, conventional veneer other side, 25"	20"	25"	R3FTCF22520	573.	586.	640.	650.	701.	747.
	24"	25"	R3FTCF22524	590.	603.	657.	667.	718.	764.
	30"	25"	R3FTCF22530	676.	689.	743.	753.	804.	850.
	36"	25"	R3FTCF22536	734.	747.	801.	811.	862.	908.
	42"	25"	R3FTCF22542	805.	818.	872.	882.	933.	979.
	48"	25"	R3FTCF22548	869.	882.	936.	946.	997.	1,043.



Stack-on floor to ceiling module	18"	25"	R3FTCF325 18	688.	701.	755.	765.	816.	862.
Fabric one side, exotic veneer other side 25"	20"	25"	R3FTCF325 20	688.	701.	755.	765.	816.	862.
	24"	25"	R3FTCF325 24	714.	727.	781.	791.	842.	888.
	30"	25"	R3FTCF325 30	815.	828.	882.	892.	943.	989.
	36"	25"	R3FTCF325 36	888.	901.	955.	965.	1,016.	1,062.
	42"	25"	R3FTCF325 42	975.	988.	1,042.	1,052.	1,103.	1,149.
	48"	25"	R3FTCF325 48	1,055.	1,068.	1,122.	1,132.	1,183.	1,229.



Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	
18 18" wide	Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.

Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

Reff Profiles Vol. One


37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

Panels


description	w	h	pattern no.	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side	18"	37"	R3FTCFL3718	\$616.	\$624.	\$702.	\$714.	\$791.	\$861.
	20"	37"	R3FTCFL3720	616.	624.	702.	714.	791.	861.
	24"	37"	R3FTCFL3724	626.	634.	712.	724.	801.	871.
	30"	37"	R3FTCFL3730	744.	752.	830.	842.	919.	989.
	36"	37"	R3FTCFL3736	804.	812.	890.	902.	979.	1,049.
	42"	37"	R3FTCFL3742	897.	905.	983.	995.	1,072.	1,142.
	48"	37"	R3FTCFL3748	979.	987.	1,065.	1,077.	1,154.	1,224.




Stack-on floor to ceiling module Fabric one side, techwood other side	18"	37"	R3FTCF13718	643.	654.	733.	745.	824.	898.
	20"	37"	R3FTCF13720	643.	654.	733.	745.	824.	898.
	24"	37"	R3FTCF13724	654.	665.	744.	756.	835.	909.
	30"	37"	R3FTCF13730	777.	788.	867.	879.	958.	1,032.
	36"	37"	R3FTCF13736	844.	855.	934.	946.	1,025.	1,099.
	42"	37"	R3FTCF13742	942.	953.	1,032.	1,044.	1,123.	1,197.
	48"	37"	R3FTCF13748	1,026.	1,037.	1,116.	1,128.	1,207.	1,281.



Stack-on floor to ceiling module Fabric one side, conventional veneer other side	18"	37"	R3FTCF23718	696.	705.	784.	796.	873.	945.
	20"	37"	R3FTCF23720	696.	705.	784.	796.	873.	945.
	24"	37"	R3FTCF23724	712.	721.	800.	812.	889.	961.
	30"	37"	R3FTCF23730	843.	852.	931.	943.	1,020.	1,092.
	36"	37"	R3FTCF23736	915.	924.	1,003.	1,015.	1,092.	1,164.
	42"	37"	R3FTCF23742	1,025.	1,034.	1,113.	1,125.	1,202.	1,274.
	48"	37"	R3FTCF23748	1,120.	1,129.	1,208.	1,220.	1,297.	1,369.



Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37"	18"	37"	R3FTCF337 18	835.	844.	923.	935.	1,012.	1,084.
	20"	37"	R3FTCF337 20	835.	844.	923.	935.	1,012.	1,084.
	24"	37"	R3FTCF337 24	857.	866.	945.	957.	1,034.	1,106.
	30"	37"	R3FTCF337 30	1,018.	1,027.	1,106.	1,118.	1,195.	1,267.
	36"	37"	R3FTCF337 36	1,104.	1,113.	1,192.	1,204.	1,281.	1,353.
	42"	37"	R3FTCF337 42	1,240.	1,249.	1,328.	1,340.	1,417.	1,489.
	48"	37"	R3FTCF337 48	1,357.	1,366.	1,445.	1,456.	1,534.	1,606.



Order Code	Specification Information	Application Notes
Example: R3FTCFL3718	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
37 37" high	4. Soffit finish (paint)	
18 18" wide	Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.






Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

Reff Profiles Vol. One

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$236.
	add on	25"	R3FTCL25	260.
	add on	37"	R3FTCL37	337.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	532.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	532.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	532.
 T-Post	add on	21"	R3FTCT21	254.
	add on	25"	R3FTCT25	278.
	add on	37"	R3FTCT37	356.
	full height	104"	R3FTCT104(F/T)-() ()	480.
	full height	108"	R3FTCT108(F/T)-() ()	480.
	full height	120"	R3FTCT120(F/T)-() ()	480.
 X-Post	add on	21"	R3FTCX21	232.
	add on	25"	R3FTCX25	257.
	add on	37"	R3FTCX37	336.
	full height	104"	R3FTCX104	440.
	full height	108"	R3FTCX108	440.
	full height	120"	R3FTCX120	440.
 Straight post	add on	21"	R3FTCS21	236.
	add on	25"	R3FTCS25	260.
	add on	37"	R3FTCS37	337.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	532.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	532.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	532.
 End post	add on	21"	R3FTCE21	254.
	add on	25"	R3FTCE25	278.
	add on	37"	R3FTCE37	356.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	480.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	480.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	480.

Order Code	Specification Information	Application Notes
Example: R3FTCL104TT-6N	<i>To order please specify pattern number including:</i>	The posts on this page do not support the hanging of panel mount product above the 79"H panels.
R3FTC Reff Gen 3 Floor to ceiling	1. Post face option	Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
L Corner post	2. Base height option	
104 104" high (one piece)	3. Base infeed raceway knock-out, (optional)	The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.
TT Tiled appearance	4. Fabric selection	
6 6" base height	5. Base color	
N Base electrical infeed		If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.
111 Jet Black (base finish)	1. <i>Face type:</i>	
W808 Side 1 full	F = Full height (monolithic look)	Left and Right hand locations are determined by facing the post in question from the outside of the station.
W808 Side 1 FTC ht. (F)	T = Tiled	
W808 Side 2A	2. <i>Base height:</i>	
W808 Side 2B	4 = 4" base height	
W808 Side 2C	6 = 6" base height (add \$55 list for this option)	
W808 Side 2D	3. <i>Electrical infeed post:</i>	Hookstrip cover reveal strips are no charge but must be ordered separately from page 120.
W808 Side 2E	L = Base infeed left face	
W808 Side 2 FTC ht. (T)	M = Base infeed middle face	
111 Soffit finish	R = Base infeed right face	
	N = None	

Required components for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$76.
	25"	RFTCWS25S	98.
	37"	RFTCWS37S	117.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	278.
Caddy clips (box of 100)		RFTCCLIPS	402.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSPACE	128.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	8.
Floor to ceiling beam bracket for top of a stacking module		R3FTCSM (Pair) for G3 only	8.
		RFTCSM (Pair) for G2 only	8.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	8.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	8.


*These brackets are to be used with hinge doors only.

Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<i>To order please specify pattern number including:</i>	*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.
R Reff Profiles	1. Fabric/laminate/wood options	Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.
FTC Floor to ceiling	2. Paint option for metal soffit	
WS Wall starter	All floor to ceiling posts mimic the panel system post application.	Please see the Planning Guide on Exchange for detailed instructions on specifying and installing FTC components.
21 21" high		Use of Reff Profiles FTC components must be approved by local building authorities.
		Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling stabilizer brackets ship with bolts to connect the stabilizer beam, brackets and FTC module to the 79"H panel.

Power distribution components
 2+2 Base Raceway
 four circuit, eight-wire raceway for panels
 power rails and connector

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-E24	\$163.
	30" panel	12"	2"	2"	RR3-E30NS	179.
	36" panel	18"	2"	2"	RR3-E36NS	197.
	42" panel	24"	2"	2"	RR3-E42NS	205.
	48" panel	30"	2"	2"	RR3-E48NS	214.
	60" panel	42"	2"	2"	RR3-E60-4	325.
	66" panel	48"	2"	2"	RR3-E66-4	343.
	72" panel	54"	2"	2"	RR3-E72-4	366.

	Straight	16 1/2"	2"	2"	RR3-EPC24M	94.
		18 1/2"	2"	2"	RR3-EPCSM	94.
		20 1/4"	2"	2"	RR3-EPCM	94.
	Through post	19"	2"	2"	RR3-EPCP24M	94.

Use **RR3-EPC24M** for straight 24" to 24" wide panel.

Use **RR3-EPCSM** for straight 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-EPCM** for all other straight power connection configurations.

21"	2"	2"	RR3-EPCPSM	94.
22 3/4"	2"	2"	RR3-EPCPM	94.

Use **RR3-EPCP24M** for through post 24" to 24" wide panels.

Use **RR3-EPCPSM** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-EPCPM** for all other through post power connection configurations.

	24" panel	6"	2"	2"	RR3-E24RF	163.
	60" panel	42"	2"	2"	RR3-E60-4RF	325.
	66" panel	48"	2"	2"	RR3-E66-4RF	343.
	72" panel	54"	2"	2"	RR3-E72-4RF	366.

Order Code	Specification Information	Application Notes
Example: RR3-E-24	Reff Profiles 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff Profiles panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.	Power rails are the primary power distribution component of the Reff Profiles 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.
RR3		
E		
24		
	Order "RF" codes for use with panels manufactured before June 1996. This electrical component will come with data shields.	Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

*Power connectors must be specified according to the panel widths in the specified orientation.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price
	Circuit A				RR3-DA	\$45.
	Circuit A, with controlled symbol				RR3-DAC	45.
	Circuit B				RR3-DB	45.
	Circuit B, with controlled symbol				RR3-DBC	45.
	Circuit X				RR3-DX	45.
	Circuit X, with controlled symbol				RR3-DXC	45.
	Circuit Y				RR3-DY	45.
	Circuit Y, with controlled symbol				RR3-DYC	45.
	Circuit X				RR3-DXO	50.
	Circuit Y				RR3-DYO	50.
	Circuit A, black	4 1/2"	1"	1 1/2"	RR3-USBA	201.
	Circuit B, black	4 1/2"	1"	1 1/2"	RR3-USBB	199.
	Circuit C, black	4 1/2"	1"	1 1/2"	RR3-USBC	199.
	Circuit X, black	4 1/2"	1"	1 1/2"	RR3-USBX	199.
	Circuit Y, black	4 1/2"	1"	1 1/2"	RR3-USBY	199.
	Circuit Z, black	4 1/2"	1"	1 1/2"	RR3-USBZ	199.
Data Shield	1 pair				RR3-DATSHD	32.
Attaches to power rail, sits under duplex						

Order Code	Specification Information	Application Notes
Example: RR3-E-24	Reff Profiles 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff Profiles panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting. Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff Profiles 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.
RR3		
E		
24		
		Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection. *Power connectors must be specified according to the panel widths in the specified orientation. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.


Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-EJ18	\$117.
	20" panel	40"	2"	2"	RR3-EJ20	117.
	24" panel	44"	2"	2"	RR3-EJ24	128.
	30" panel	50"	2"	2"	RR3-EJ30	136.
	36" panel	56"	2"	2"	RR3-EJ36	147.
	42" panel	62"	2"	2"	RR3-EJ42	155.
	48" panel	68"	2"	2"	RR3-EJ48	163.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	170.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	179.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	188.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	197.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	205.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	214.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	223.
	96" panel run	118 1/2"	2"	2"	RR3-EJ96P	232.
 Extended jumper (through one post)	18" + post	40 1/2"	2"	2"	RR3-EJ18P	117.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	117.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	128.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	136.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	147.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	155.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	163.
 Power infeeds	Ceiling power cable infeed. Eight-wire				RR3-EPVR	362.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	238.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	356.
	Panel base end feed				RR3-REPI	283.
	Panel base side infeed				RR3-EPI	283.
	Surge suppressors				RR3-SP-(A,B,X,Y)	205.

Order Code	Specification Information	Application Notes
Example: RR3-EPVR		
RR3 Reff Profiles raceway	Reff Profiles 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.
E Eight wire 2+2		
P power infeed	For use in Canada, all circuits are CGA rated 15 amp capacity.	into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.
VR for vertical raceway	<i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.	
	Beltway panels can use jumpers at the panel base in a straight run or around a corner.	Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. RR3-EPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-EPNY1 includes only one power connector.
		Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.
		Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price
 Power rail for panel base	24" panel	6"	2"	2"	RR3-T24	\$188.
	30" panel	12"	2"	2"	RR3-T30NS	205.
	36" panel	18"	2"	2"	RR3-T36NS	223.
	42" panel	24"	2"	2"	RR3-T42NS	238.
	48" panel	30"	2"	2"	RR3-T48NS	247.
	60" panel	42"	2"	2"	RR3-T60-4	386.
	66" panel	48"	2"	2"	RR3-T66-4	400.
	72" panel	54"	2"	2"	RR3-T72-4	428.

 Power connector*	Straight	16 1/2"	2"	2"	RR3-TPC24M	117.
		18 1/2"	2"	2"	RR3-TPCSM	117.
		20 1/4"	2"	2"	RR3-TPCM	117.
	Through post	19"	2"	2"	RR3-TPCP24M	117.

Use **RR3-TPC24** for through post 24" to 24" wide panels.

Use **RR3-TPCS** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-TPC** for all other through post power connection configurations.

Through post	21"	2"	2"	RR3-TPCPSM	117.
	22 3/4"	2"	2"	RR3-TPCPM	117.

Use **RR3-TPCP24** for through post 24" to 24" wide panels.

Use **RR3-TPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-TPCP** for all other through post power connection configurations.

 Power rail for panel base for use with panels manufactured prior to June 1996	24" panel	6"	2"	2"	RR3-T24RF	188.
	60" panel	42"	2"	2"	RR3-T60-4RF	386.
	66" panel	48"	2"	2"	RR3-T66-4RF	400.
	72" panel	54"	2"	2"	RR3-T72-4RF	428.

Order Code

Example: RR3-T-24	
RR3	Reff Profiles Raceway
T	Ten wire 3+3
24	for 24" panel

Specification Information

Reff Profiles 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff Profiles panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Order "RF" codes for use with panels manufactured before June 1996. This electrical component will come with data shields.

Application Notes

Power rails are the primary power distribution component of the Reff Profiles 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.

*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

*3+3 Base Raceway**six circuit, ten-wire raceway for panels**power rails and connectors*

description	type	w	d	h	pattern no.	list price
Duplex outlets, black 	Circuit A				RR3-DA	\$45.
	Circuit A, with controlled symbol				RR3-DAC	45.
	Circuit B				RR3-DB	45.
	Circuit B, with controlled symbol				RR3-DBC	45.
	Circuit C				RR3-DC	45.
	Circuit C, with controlled symbol				RR3-DCC	45.
	Circuit X				RR3-DX	45.
	Circuit X, with controlled symbol				RR3-DXC	45.
	Circuit Y				RR3-DY	45.
	Circuit Y, with controlled symbol				RR3-DYC	45.
	Circuit Z				RR3-DZ	45.
	Circuit Z, with controlled symbol				RR3-DZC	45.
Duplex outlets, orange 	Circuit X				RR3-DXO	50.
	Circuit Y				RR3-DYO	50.
	Circuit Z				RR3-DZO	50.
Data Shield	1 pair				RR3-DATSHD	32.

Order Code

Example: RR3-T-24	
RR3	Reff Profiles raceway
T	Ten wire 3+3
24	for 24" panel

Specification Information

Reff Profiles 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff Profiles panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Note:
Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff Profiles 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.




*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-TJ18	\$136.
	20" panel	40"	2"	2"	RR3-TJ20	136.
	24" panel	44"	2"	2"	RR3-TJ24	147.
	30" panel	50"	2"	2"	RR3-TJ30	155.
	36" panel	56"	2"	2"	RR3-TJ36	163.
	42" panel	62"	2"	2"	RR3-TJ42	179.
	48" panel	68"	2"	2"	RR3-TJ48	197.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	205.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	214.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	223.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	232.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	238.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	259.
	90" panel run	112 1/2"	2"	2"	RR3-TJ90P	265.
	96" panel run	118 1/2"	2"	2"	RR3-TJ96P	272.
 Extended jumper	18" + post	40 1/2"	2"	2"	RR3-TJ18P	136.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	136.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	147.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	155.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	163.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	179.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	197.
 Power infeeds	Ceiling power cable infeed. Ten-wire				RR3-TPVR	437.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	272.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	393.
	Panel base end feed				RR3-RTPI	325.
	Panel base side infeed				RR3-TPI	325.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	205.

* Select which circuit needs protecting and order the specified surge processor.



** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. In Canada, circuits carry a 15 amp load rating. Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post. Cable sizes are nominal. Use the "type" column to specify the required cable for your panel. Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Power distribution components


Hardwire box

Reff Profiles Vol. One


description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$253.
	30" panel	RR3CHI301	295.
	36" panel	RR3CHI361	317.
	42" panel	RR3CHI421	320.
	48" panel	RR3CHI481	344.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	263.
	30" panel	RR3CHI302	314.
	36" panel	RR3CHI362	323.
	42" panel	RR3CHI422	327.
	48" panel	RR3CHI482	364.

Order Code	Specification Information	Application Notes
Example: RR3CHI241	Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.	Certified electrician to install. Reff Profiles Hardwire Box Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.
RR3 Reff/AutoStrada raceway G3		
CHI Chicago Hardwire Box		
24 For 24" wide panel		
1 One sided raceway		

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$170.
	30" panel		RR3-E30S	197.
	36" panel		RR3-E36S	214.
	42" panel		RR3-E42S	232.
	48" panel		RR3-E48S	238.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	205.
	30" panel		RR3-T30S	223.
	36" panel		RR3-T36S	238.
	42" panel		RR3-T42S	259.
	48" panel		RR3-T48S	265.



Order Code	Specification Information	Application Notes	
Example: RR3-E24S	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector. Two side beltway panels use power rail for base. Single side beltway panel use one sided power rail for base. <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages. Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff Profiles beltway panels.	
RR3 Reff raceway			Vertical Adjacent Jumper * *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers. Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.
E Eight wire 3+3			
24 For 24" panel			
S Single sided power			
*Power connectors must be specified according to the panel widths in the specified orientation.			


description	type	w	pattern no.	list price
Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	\$117.
	Beltway post	19 1/2"	RR3-LTPC	117.
	Beltway post	21 1/2"	RR3-LTPCP	117.




Only necessary for post applications where cable will turn 90°ree.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)	RR3-TBBCS	170.
	For 30" wide Beltway panels (8 Wire)	RR3-EBBCS	162.
	For 36" to 48" wide Beltway panels (10 Wire)	RR3-TBBCCL	180.
	For 36" to 48" wide Beltway panels (8 Wire)	RR3-EBBCL	170.


Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel	24" wide Eight Wire	RR3-EJ48	163.
	24" wide Ten Wire	RR3TJ48	197.
	30" wide Ten Wire	RR3TJ60P	214.
	36" wide Eight Wire	RR3-EJ60P	179.
	42" wide Eight Wire	RR3-EJ66P	188.
	42" wide Ten Wire	RR3TJ66P	223.
	48" wide Eight Wire	RR3-EJ72P	197.
	48" wide Ten Wire	RR3TJ72P	232.



Order Code	Specification Information	Application Notes
Example: RR3-E24S		
RR3	Reff raceway	
E	Eight wire 3+3	
24	For 24" panel	
S	Single sided power	
*Power connectors must be specified according to the panel widths in the specified orientation.		
	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.
	Two side beltway panels use power rail for base.	
	Single side beltway panel use one sided power rail for base.	
	<i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff Profiles beltway panels.
		Vertical Adjacent Jumper * *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.
		Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$15.
	Faceplate extender, black	RR3-FE	39.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
Snap in module (must be used with faceplate) 	BNC coupler, black	RR3-BNC	24.
	Cat 3 RJ11/14/25, black	RR3-C3C	14.
	CAT 5 RJ45 universal	RR3-C5C	24.
	CAT 6 universal	RR3-C6C	40.
	F series video coupler, black	RR3-FV	24.
	ST style coupler, black	RR3-ST	40.
Icons (sets of 10) 	Data icons, 16 piece black	RR3-DICON	15.
	Mixed icons, 16 piece black	RR3-MICON	15.
	Phone icons, 16 piece black	RR3PICON	15.
Fiber optics 	Sc style dual fiber optic side mount	RR3-FOSC	202.
	ST style dual fiber optic side mount	RR3-FOST	114.

Order Code	Specification Information	Application Notes
Example: RR3-2PF	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
RR3 Reff Profiles raceway		
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
RR3 Reff Profiles raceway		
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Profiles Base Raceway and Reff Profiles Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff and AutoStrada ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff and AutoStrada panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.



Vertical power port bracket kit and duplex.


Reff Ported Panel Components

port, vertical duplex and panel jumpers


Reff Profiles Vol. One

Panels


description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$63.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	100.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	34.
	Vertical Duplex A (8/10 wire applications) with controlled symbol	RR3VDAC	34.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	34.
	Vertical Duplex B (8/10 wire applications) with controlled symbol	RR3VDBC	34.
	Vertical Duplex C (10 wire applications)	RR3VDC	34.
	Vertical Duplex C (8/10 wire applications) with controlled symbol	RR3VDCC	34.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	34.
	Vertical Duplex X (8/10 wire applications) with controlled symbol	RR3VDXC	34.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	34.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	34.
	Vertical Duplex Y (8/10 wire applications) with controlled symbol	RR3VDYC	34.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	34.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	34.
	Vertical Duplex Z (8/10 wire applications) with controlled symbol	RR3VDZC	34.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	34.



Same Panel Jumper, 8w	30" Same Panel Jumper 50" 8w	RR3EBVC50	170.
	30" Same Panel Jumper 64" 8w	RR3EBVC64	185.
	30" Same Panel Jumper 78" 8w	RR3EBVC78	202.
	36" + Same Panel Jumper 62" 8w	RR3EBVC62	184.
	36" + Same Panel Jumper 76" 8w	RR3EBVC76	201.
	36" + Same Panel Jumper 90" 8w	RR3EBVC90	218.



Order Code	Specification Information	Application Note
Example: RR3FDP	For data and communications specify product listed on page 139.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h 36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h
RR3 Reff Profiles		
F Floating		
DP Data Port		
		If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff Profiles 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.


Reff Ported Panel Components

port, vertical duplex and panel jumpers

Reff Profiles Vol. One


description	type	pattern no.	list price
Same Panel Jumper, 10w	30" Same Panel Jumper 50" 10w	RR3TBVC50	\$196.
	30" Same Panel Jumper 64" 10w	RR3TBVC64	214.
	30" Same Panel Jumper 78" 10w	RR3TBVC78	234.
	36" + Same Panel Jumper 62" 10w	RR3TBVC62	209.
	36" + Same Panel Jumper 76" 10w	RR3TBVC76	230.
	36" + Same Panel Jumper 90" 10w	RR3TBVC90	247.

Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	268.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	231.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	250.




Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	235.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	205.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	222.

Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	171.
	Internal Panel Jumper 8 w	RR3EVJ	160.



Order Code	Specification Information		
Example: RR3FDP	For data and communications specify product listed on page 139.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h 36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff Profiles 0" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.
RR3 Reff Profiles			
F Floating			
DP Data Port			

Legs and End Supports



L-Leg

Leg: 3" x 3"


Top plates: 5 1/2" x 5 1/2"

Flush with worksurface edges

Finishes: painted or anodized

Available on rectilinear peninsulas;
square and rectangular 1 1/2" tables

Available in pairs



Soft Rectangular Leg

Leg: 2" x 3"


Top plates: 5 1/2" x 5 1/2"

Flush with worksurface edges

Finishes: painted or anodized

Available on rectilinear peninsulas;
square and rectangular 1 1/2" tables

Available in pairs



Open Frame Leg

Leg: 2 1/4" thick


Top plates (2): 6" x 6"

Flush with worksurface edges

Finishes: painted or anodized

Available on rectilinear peninsulas;
rectangular 1 1/2" tables

Available with laminate or wood
veneer infill panels



Reverse L-Leg

Leg: 3" x 3"


Top plates: 5 1/2" x 5 1/2"

Flush with worksurface edges

Finishes: painted or anodized

Available on rectilinear peninsulas;
square and rectangular 1 1/2" tables

Available in pairs



Column Leg

Leg: 3" diameter

Top plate: 10" x 10" (peninsulas)


Top plate: 7 5/8" x 7 5/8"

triangular (tables)

Flush with worksurface edges

Finishes: painted or plated

Available on bullet, D, P and 9
peninsulas; 2 1/2" and 4" diameter
available on 1 1/2" tables



Thick End Panel

Leg: 2 1/16" thick

Top bracket: extends 1 5/8" inboard x
2 5/16" from front and back edges

Flush with worksurface edges

Finishes: laminate or wood veneer

Veneer direction is vertical

Available on rectilinear peninsulas

Not sold separately

Worksurfaces

The selection of worksurface sizes and their relationship to each other are primary considerations when planning a Reff Profiles office. Refer to the illustrations in the Introduction to Desk Height Planning to see how the various heights of storage and worksurface supports relate to the choice of worksurface thickness. Reff worksurfaces are available in three thicknesses: 1", 1 1/4" and 1 1/2". Construction details specific to the 1 1/4" thick surfaces, including Cascade and Edge Detail surfaces, can be found in the Reff Planning Guide on Exchange.

When selecting top sizes consider whether storage components can be used to support the surfaces and what other worksurface supports will be required.

NOTE: Additional support is required when using 1" thick credenza tops for unsupported spans over 36". 1 1/4" thick worksurfaces require additional support for an unsupported span of more than 48". When using 1 1/2" thick worksurfaces the maximum unsupported span is 54".

NOTE: All dimensions shown in these descriptions and on the Worksurface price pages are nominal dimensions. Actual widths are 1/16" less than nominal. Actual depths are 1/8" less than nominal.

Construction

All worksurfaces feature 3-ply construction (see figure below) and can be specified in laminate, veneer or laminate tops with veneer edges. Laminate tops have a laminate top surface with an FSC-certified, 45-pound density particle board core and neutral tone backer sheet for balanced construction. Edges match the top in 2.0mm ABS with 2.0mm radius top and bottom edges. Ends overlap the front and back edges (see figure below).

Techwood and natural veneer tops have a veneer top surface, an FSC-certified, 45-pound density particle board core and a neutral tone backer sheet for balanced construction. Veneer tops have matching finish 2.0mm thick solid veneer edges on all sides. Edges have a 2.0mm radius on the top and bottom.

All worksurfaces except Bridge Rectilinear worksurfaces are pre-drilled with pilot holes for use with wood screws.

Application Notes


1 1/4" Straight Rectilinear worksurfaces are available in 20", 24", 30" and 36" depths for regular worksurface applications. Widths available range from 24" to 96" in 6" increments.

1 1/2" Straight Rectilinear worksurfaces are available in 20", 24", 30" and 36" depths for regular worksurface applications. Widths available range from 24" to 108" in 6" increments.


Bridge Rectilinear worksurfaces are 1 1/2" thick and available from 36"W to 54" wide in 6 inch increments in either 20" or 24" depths. They can be ordered with the grain specified to run either vertically (across the depth of the surface) or horizontally (along the length of the surface) when specified in wood grain laminate or veneer finish.

Credenza Tops are available in both 1" and in 1 1/2" thicknesses and in widths from 60" to 108" in 6" increments.

Rectilinear worksurfaces can be specified in non-standard dimensions. For information, contact Knoll Custom Product Development



Top Construction



Edge Banding

1 1/4" Worksurface Straight Rectilinear

Size Availability & Grain Direction

	20"D	24"D	30"D	36"D
24"W				
30"W				
36"W				
42"W				
48"W				
54"W				
60"W				
66"W				
72"W				
78"W				
84"W				
90"W				
96"W				

1 1/2" Worksurface Straight Rectilinear

Size Availability & Grain Direction

	20"D	24"D	30"D	36"D
24"W				
30"W				
36"W				
42"W				
48"W				
54"W				
60"W				
66"W				
72"W				
78"W				
84"W				
90"W				
96"W				
108"W				

1 1/2" Bridge Rectilinear

Size Availability & Grain Direction

	20"D	24"D
36"W		
42"W		
48"W		
54"W		

Horizontal Grain Direction

	20"D	24"D
36"W		
42"W		
48"W		
54"W		

Vertical Grain Direction

1 1/2" Worksurface Credenza

Size Availability & Grain Direction

60"W		
66"W		
72"W		
78"W		
84"W		
90"W		
96"W		
108"W		

1" Worksurface Credenza

Size Availability & Grain Direction

60"W		
66"W		
72"W		
78"W		
84"W		
90"W		
96"W		
108"W		

Grommets

Grommets are optional and must be specified by adding the appropriate designation to the pattern number. Designations are:

- N = No grommet
- F = Flush grommet location
- R = Recessed grommet location

Rectilinear worksurfaces 24" to 48" wide receive one grommet centered on the back edge of the worksurface. Rectilinear worksurfaces over 48" wide receive two grommets along the back edge.

1 1/4" and 1 1/2" thick rectilinear tops are available with no grommet, flush grommet or recessed grommets locations.

1 1/4" thick tops are available with additional grommet options; **Classic type** and **Profile type**.

Classic type grommets sit even with top of the worksurface.

Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

These 2 types of grommets, provides additional grommet options for 1 1/4" thick tops (only);

- CF = Classic grommet in flush location
- PF = Profiles grommet in flush location
- CR = Classic grommet in Recessed location
- PR = Profiles grommet in Recessed location
- CA = Classic grommet in Alternative location
- PA = Profiles grommet in Alternative location

* CA & PA are available on 36" deep tops only.

1 1/2" thick credenza tops come standard with a 1 3/8" deep edge grommet which runs along the rear of the worksurface to within 6" of each end (see figure below).

The 1" credenza tops are available with or without an edge grommet.

Refer to the Reff Planning Guide, posted on Exchange, for 2" x 3" grommet locations.

For non-standard grommet locations contact Knoll Custom Product Development.


Planning for Worksurface Thicknesses

Critical to the correct specification of Reff Profiles is an understanding of worksurface thicknesses, support component heights and their relationship to each other. Worksurfaces and support components can be combined to create the following overall finish heights:

23 3/8" – Intended as a credenza height in 28 3/8"H planning scenarios; this height is achieved using 1" thick worksurfaces with 22 3/8"H (3/4 height) storage components.


27 3/4" – Intended as the overall worksurface height in a panel supported workstation scenario; this height is achieved by combining "Standard height" 26 1/2" storage or support components with 1 1/4" thick worksurfaces.

29 7/8" – Intended as the overall worksurface height in freestanding office scenarios; this height is achieved by combining "Desk height" 28 3/8" storage or support components with 1 1/2" thick worksurfaces.



Worksurface 1 1/4"
rectilinear
20" and 24" deep

Reff Profiles Vol. One

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$375.	\$401.	\$462.	\$622.
		30"	RSA301-() ()	411.	441.	506.	682.
		36"	RSA361-() ()	435.	465.	533.	722.
		42"	RSA421-() ()	450.	486.	559.	754.
		48"	RSA481-() ()	473.	505.	580.	783.
		54"	RSA541-() ()	492.	524.	606.	820.
		60"	RSA601-() ()	531.	567.	651.	882.
		66"	RSA661-() ()	543.	585.	675.	909.
		72"	RSA721-() ()	576.	616.	706.	954.
		78"	RSA781-() ()	582.	622.	715.	967.
		84"	RSA841-() ()	617.	666.	763.	1,029.
		90"	RSA901-() ()	646.	690.	792.	1,072.
		96"	RSA961-() ()	671.	715.	823.	1,110.
	24"	24"	RSA242-() ()	393.	421.	486.	656.
		30"	RSA302-() ()	446.	475.	551.	741.
		36"	RSA362-() ()	460.	499.	569.	768.
		42"	RSA422-() ()	480.	511.	589.	792.
		48"	RSA482-() ()	508.	551.	631.	851.
		54"	RSA542-() ()	543.	585.	675.	909.
		60"	RSA602-() ()	588.	628.	719.	973.
		66"	RSA662-() ()	602.	647.	746.	1,005.
		72"	RSA722-() ()	633.	677.	781.	1,054.
		78"	RSA782-() ()	660.	708.	819.	1,102.
		84"	RSA842-() ()	687.	739.	849.	1,145.
		90"	RSA902-() ()	722.	769.	884.	1,193.
		96"	RSA962-() ()	748.	799.	921.	1,243.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Reff Profiles	1. <i>Grommet options:</i>	Worksurface stiffeners recommended to provide additional support for open spans greater than 54"w.
S Straight top	CF = Classic grommet in Flush location	These worksurfaces are predrilled with pilot holes for use with wood screws.
A 1 1/4" thick	PF = Profiles grommet in Flush location	Classic type grommet sits even with top of the worksurface.
24 24" wide	N = No Grommet	Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
1 20" deep	2. <i>Grommet finishes:</i>	Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
CF Grommet Option	Classic Grommet: Painted or Plated	Note: Recessed grommet location is note recommended for 20" and 24" deep tops.
111 Jet Black (grommet)	Profiles Grommet: Painted, PU, PD	
114 Folkstone grey	3. <i>Top Finish</i>	
() Edge Finish (L)	4. <i>Edge finish:</i> Laminate (Edge options are available on laminate only.)	


Product on this page will accept woodgrain laminate where laminate is currently an option.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Worksurface 1 1/4"
rectilinear
30" and 36" deep

Reff Profiles Vol. One

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243-() ()	\$432.	\$459.	\$525.	\$709.
		30"	RSA303-() ()	484.	517.	594.	802.
		36"	RSA363-() ()	519.	558.	640.	861.
		42"	RSA423-() ()	540.	578.	667.	902.
		48"	RSA483-() ()	578.	618.	709.	959.
		54"	RSA543-() ()	625.	670.	766.	1,034.
		60"	RSA603-() ()	647.	691.	794.	1,074.
		66"	RSA663-() ()	659.	707.	818.	1,101.
		72"	RSA723-() ()	679.	726.	832.	1,124.
		78"	RSA783-() ()	710.	758.	873.	1,177.
		84"	RSA843-() ()	735.	789.	908.	1,226.
		90"	RSA903-() ()	771.	824.	951.	1,283.
		96"	RSA963-() ()	799.	856.	985.	1,330.
	36"	60"	RSA604-() ()	745.	798.	916.	1,236.
		66"	RSA664-() ()	771.	825.	953.	1,284.
		72"	RSA724-() ()	798.	855.	984.	1,329.


Order Code	Specification Information	Application Notes
Example: RSA243RL	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff Profiles	1. Top thickness	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
S Straight top	2. Grommet option	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
A 1 1/4" thick	3. Top finish	Note: Recessed front grommets are only advisable for 30" & 36" deep tops.
24 24" wide	4. Grommet finish	
3 30" deep	1. <i>Grommet options:</i>	
CR Grommet option	CF = Classic grommet in Flush location.	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	CR = Classic grommet in Recessed location.	Worksurface stiffeners recommended to provide additional support for open spans greater than 54"w.
114 Folkstone grey	PF = Profiles grommet in Flush location.	These worksurfaces are predrilled with pilot holes for use with wood screws.
124 Edge Finish (L)	PR = Profiles grommet in Recessed location.	Classic type grommet sits even with top of the worksurface.
	N = No grommet	Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
	*CA = Classic grommet in Alternative location.	Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
	*PA = Profile grommet in Alternative location.	Note: Recessed grommet location is not recommended for 20" and 24" deep tops.
	* Note: FA and PA are for 36"D tops only.	
	2. <i>Grommet finish:</i>	
	Classic Grommet: Painted or Plated	
	Profiles Grommet: Painted, PU, PD	
	3. <i>Top finish</i>	
	4. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	

Worksurface 1 1/4"

Return and Bridge rectilinear

Horizontal or vertical grain direction

Reff Profiles Vol. One

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 1/4" thick 	20"	36"	RSAR361(H/V) () ()	\$435.	\$465.	\$533.	\$722.
		42"	RSAR421(H/V) () ()	450.	486.	559.	754.
		48"	RSAR481(H/V) () ()	473.	505.	580.	783.
		54"	RSAR541(H/V) () ()	492.	524.	606.	820.
		60"	RSAR601(H/V) () ()	531.	567.	651.	882.
		66"	RSAR661(H/V) () ()	543.	585.	675.	909.
		72"	RSAR721(H/V) () ()	576.	616.	706.	954.
	24"	36"	RSAR362(H/V) () ()	460.	499.	569.	768.
		42"	RSAR422(H/V) () ()	480.	511.	589.	792.
		48"	RSAR482(H/V) () ()	508.	551.	631.	851.
		54"	RSAR542(H/V) () ()	543.	585.	675.	909.
		60"	RSAR602(H/V) () ()	588.	628.	719.	973.
		66"	RSAR662(H/V) () ()	602.	647.	746.	1,005.
		72"	RSAR722(H/V) () ()	633.	677.	781.	1,054.

Worksurfaces

Order Code

Example:	RSAR361(H/V) () ()
R	Reff Profiles
S	Straight top
A	1 1/4" thick top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical grain
CF	Grommet option
111	Grommet finish
006B	Worksurface finish
()	Edge Finish (L)

Specification Information


To order please specify pattern number including:

- Grommet option:
CF = Classic grommet in Flush location.
PF = Profiles grommet in Flush location.
N = No grommet
- Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD
- Worksurface finish:
L, V1, V2, V3
- Edge finish: Laminate
(Edge options are available on laminate tops only.)


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces





Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4" rectilinear corner tops

Reff Profiles Vol. One

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611-() ()	\$770.	\$850.	\$977.	\$1,319.
	20"	20"	36"	42"	RKA 364211-() ()	815.	903.	1,033.	1,393.
	20"	20"	36"	48"	RKA 364811-() ()	863.	955.	1,099.	1,483.
	20"	20"	42"	36"	RKA 423611-() ()	815.	903.	1,033.	1,393.
	20"	20"	42"	42"	RKA 424211-() ()	863.	955.	1,099.	1,483.
	20"	20"	42"	48"	RKA 424811-() ()	942.	1,041.	1,200.	1,618.
	20"	20"	48"	36"	RKA 483611-() ()	863.	955.	1,099.	1,483.
	20"	20"	48"	42"	RKA 484211-() ()	942.	1,041.	1,200.	1,618.
	20"	20"	48"	48"	RKA 484811-() ()	994.	1,099.	1,263.	1,704.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622-() ()	876.	962.	1,106.	1,495.
	24"	24"	36"	42"	RKA 364222-() ()	919.	1,016.	1,166.	1,575.
	24"	24"	36"	48"	RKA 364822-() ()	967.	1,070.	1,227.	1,657.
	24"	24"	42"	36"	RKA 423622-() ()	919.	1,016.	1,166.	1,575.
	24"	24"	42"	42"	RKA 424222-() ()	967.	1,070.	1,227.	1,657.
	24"	24"	42"	48"	RKA 424822-() ()	1,046.	1,158.	1,333.	1,796.
	24"	24"	48"	36"	RKA 483622-() ()	967.	1,070.	1,227.	1,657.
	24"	24"	48"	42"	RKA 484222-() ()	1,046.	1,158.	1,333.	1,796.
	24"	24"	48"	48"	RKA 484822-() ()	1,098.	1,213.	1,392.	1,878.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff Profiles	1. <i>Grommet options:</i> CF = Classic grommet in flush location PF = Profiles grommet in flush location N = No Grommet	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
K Straight front corner	2. <i>Grommet finish:</i> Classic Grommet: Painted or Plated Profiles Grommet: Painted, PU, PD	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" top thickness	3. <i>Top finish</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
36 36" wide on left back	4. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	
36 36" wide on right back		
1 20" deep on left side		
1 20" deep on right side		
CF No grommet option		
111 Grommet Finish		
506B Maple		
() Edge Finish (L)		

These worksurfaces are predrilled with pilot holes for use with wood screws.



Actual widths are 1/16" less all around on corner worksurfaces.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4" rectilinear corner tops

Reff Profiles Vol. One

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612-()	\$802.	\$884.	\$1,021.	\$1,377.
	20"	24"	36"	42"	RKA 364212-()	849.	938.	1,075.	1,451.
	20"	24"	36"	48"	RKA 364812-()	900.	992.	1,141.	1,540.
	20"	24"	42"	36"	RKA 423612-()	849.	938.	1,075.	1,451.
	20"	24"	42"	42"	RKA 424212-()	900.	992.	1,141.	1,540.
	20"	24"	42"	48"	RKA 424812-()	982.	1,079.	1,244.	1,681.
	20"	24"	48"	36"	RKA 483612-()	900.	992.	1,141.	1,540.
	20"	24"	48"	42"	RKA 484212-()	982.	1,079.	1,244.	1,681.
	20"	24"	48"	48"	RKA 484812-()	1,028.	1,137.	1,306.	1,764.
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKA 363621-()	802.	884.	1,021.	1,377.
	24"	20"	36"	42"	RKA 364221-()	849.	938.	1,075.	1,451.
	24"	20"	36"	48"	RKA 364821-()	900.	992.	1,141.	1,540.
	24"	20"	42"	36"	RKA 423621-()	849.	938.	1,075.	1,451.
	24"	20"	42"	42"	RKA 424221-()	900.	992.	1,141.	1,540.
	24"	20"	42"	48"	RKA 424821-()	982.	1,079.	1,244.	1,681.
	24"	20"	48"	36"	RKA 483621-()	900.	992.	1,141.	1,540.
	24"	20"	48"	42"	RKA 484221-()	982.	1,079.	1,244.	1,681.
	24"	20"	48"	48"	RKA 484821-()	1,028.	1,137.	1,306.	1,764.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff Profiles	1. <i>Grommet options:</i>	
K Straight front corner	CF = Classic grommet in flush location	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
A 1 1/4" top thickness	PF = Profiles grommet in flush location	
36 36" wide on left back	N = No Grommet	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide on right back	2. <i>Grommet finish:</i>	
1 20" deep on left side	Classic Grommet: Painted or Plated	
1 20" deep on right side	Profiles Grommet: Painted, PU, PD	Product on this page will accept woodgrain laminate where laminate is currently an option.
CF No grommet option	3. <i>Top finish</i>	
111 Grommet Finish	4. <i>Edge finish:</i> Laminate	
506B Maple	(Edge options are available on laminate tops only.)	
() Edge Finish (L)		

These worksurfaces are predrilled with pilot holes for use with wood screws.


Actual widths are 1/16" less all around on corner worksurfaces.


Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4" transition wave tops

Reff Profiles Vol. One

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	RWA4221-() ()	\$461.	\$514.	\$591.	\$798.
	24"	48"	20"	RWA4821-() ()	489.	538.	620.	835.
	24"	54"	20"	RWA5421-() ()	525.	576.	666.	899.
	24"	60"	20"	RWA6021-() ()	558.	617.	708.	957.
	24"	66"	20"	RWA6621-() ()	577.	638.	731.	986.
	24"	72"	20"	RWA7221-() ()	600.	667.	764.	1,031.

Wave top transition (left 24") 	24"	36"	30"	RWA3623-() ()	481.	531.	613.	825.
	24"	42"	30"	RWA4223-() ()	501.	556.	638.	857.
	24"	48"	30"	RWA4823-() ()	524.	573.	660.	893.
	24"	54"	30"	RWA5423-() ()	560.	620.	712.	962.
	24"	60"	30"	RWA6023-() ()	599.	666.	763.	1,029.
	24"	66"	30"	RWA6623-() ()	623.	686.	790.	1,070.
	24"	72"	30"	RWA7223-() ()	653.	722.	828.	1,119.

Order Code	Specification Information	Application Notes
Example: RWA4221FL	1. <i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff Profiles	2. <i>Grommet options:</i>	36"D wave end top requires 24"D end panel for support.
W Wave top transition	CF = Classic grommet in flush location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	PF = Profiles grommet in flush location	These worksurfaces are predrilled with pilot holes for use with wood screws.
42 42" wide	N = No Grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
2 24" deep on left side	3. <i>Grommet finish:</i>	See Planning Guide for grommet locations.
1 20" deep on right side	Classic Grommet: Painted or Plated	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
CF Grommet option	Profiles Grommet: Painted, PU, PD	
111 Jet Black (grommet)	4. <i>Top finish</i>	
114 Folkstone grey	5. <i>Edge finish:</i> Laminate	
124 Edge Finish (L)	(Edge options are available on laminate tops only.)	
	Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.	
	Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.	

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.



Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 54"w.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface 1 1/4" transition wave tops





Reff Profiles Vol. One

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (left 20") 	20"	42"	24"	RWA4212-() ()	\$461.	\$514.	\$591.	\$798.
	20"	48"	24"	RWA4812-() ()	489.	538.	620.	835.
	20"	54"	24"	RWA5412-() ()	525.	576.	666.	899.
	20"	60"	24"	RWA6012-() ()	558.	617.	708.	957.
	20"	66"	24"	RWA6612-() ()	577.	638.	731.	986.
	20"	72"	24"	RWA7212-() ()	600.	667.	764.	1,031.
Wave top transition (right 24") 	30"	36"	24"	RWA3632-() ()	481.	531.	613.	825.
	30"	42"	24"	RWA4232-() ()	501.	556.	638.	857.
	30"	48"	24"	RWA4832-() ()	524.	573.	660.	893.
	30"	54"	24"	RWA5432-() ()	560.	620.	712.	962.
	30"	60"	24"	RWA6032-() ()	599.	666.	763.	1,029.
	30"	66"	24"	RWA6632-() ()	623.	686.	790.	1,070.
	30"	72"	24"	RWA7232-() ()	653.	722.	828.	1,119.

Order Code	Specification Information	Application Notes
Example: RWA4221FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff Profiles	1. <i>Grommet options:</i> CF = Classic grommet in flush location PF = Profiles grommet in flush location N = No Grommet	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. <i>Grommet finish:</i> Classic Grommet: Painted or Plated Profiles Grommet: Painted, PU, PD	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. <i>Top finish</i>	These worksurfaces are predrilled with pilot holes for use with wood screws.
42 42" wide	4. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	Curvilinear worksurfaces only available in 1 1/4" thick.
2 24" deep on left side		See Planning Guide for grommet locations.
1 20" deep on right side		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
CF Grommet option	Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.	Please call Custom Product Development for special grommet locations.
111 Jet Black (grommet)	Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
114 Folkstone grey		Slope section of top remains 2 1/4" on all tops. The straight section grows with length of top.
124 Edge Finish (L)		Worksurface stiffeners recommended to provide additional support for open spans greater than 54" w.
		Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface 1 1/4" transition wave top ends

Reff Profiles Vol. One

description	depth1	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	RWEA3631-() ()	\$615.	\$680.	\$784.	\$1,056.
	20"	42"	32"	RWEA4231-() ()	641.	707.	818.	1,101.
	20"	48"	32"	RWEA4831-() ()	675.	747.	857.	1,158.
Wave top end, (right 24") 	24"	36"	36"	RWEA3662-() ()	638.	705.	810.	1,093.
	24"	42"	36"	RWEA4262-() ()	658.	727.	835.	1,128.
	24"	48"	36"	RWEA4862-() ()	698.	768.	883.	1,192.
Wave top end, (left 20") 	32"	36"	20"	RWEA3613-() ()	615.	680.	784.	1,056.
	32"	42"	20"	RWEA4213-() ()	641.	707.	818.	1,101.
	32"	48"	20"	RWEA4813-() ()	675.	747.	857.	1,158.
Wave top end, (left 24") 	36"	36"	24"	RWEA3626-() ()	638.	705.	810.	1,093.
	36"	42"	24"	RWEA4226-() ()	658.	727.	835.	1,128.
	36"	48"	24"	RWEA4826-() ()	698.	768.	883.	1,192.

Order Code	Specification Information	Application Notes
Example: RWEA3631FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff Profiles	1. <i>Grommet options:</i>	36"D wave end top requires 24"D end panel for support.
E Wave top ends	CF = Classic grommet in flush location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	PF = Profiles grommet in flush location	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide	N = No Grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
3 32" deep on left side	2. <i>Grommet finish:</i>	See Planning Guide for grommet locations.
1 20" deep on right side	Classic Grommet: Painted or Plated	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
CF Grommet option	Profiles Grommet: Painted, PU, PD	
111 Jet Black (grommet)	3. <i>Top finish</i>	
114 Folkstone grey	4. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	
124 Edge Finish (L)	Product on this page will accept woodgrain laminate where laminate is currently an option.	

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 54"w.


Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4"

curvilinear corner tops - 20" Deep

Reff Profiles Vol. One

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611-() ()	\$770.	\$850.	\$977.	\$1,319.
	20"	20"	36"	42"	RCA364211-() ()	815.	903.	1,033.	1,393.
	20"	20"	36"	48"	RCA364811-() ()	863.	955.	1,099.	1,483.
	20"	20"	42"	36"	RCA423611-() ()	815.	903.	1,033.	1,393.
	20"	20"	42"	42"	RCA424211-() ()	863.	955.	1,099.	1,483.
	20"	20"	42"	48"	RCA424811-() ()	942.	1,041.	1,200.	1,618.
	20"	20"	48"	36"	RCA483611-() ()	863.	955.	1,099.	1,483.
	20"	20"	48"	42"	RCA484211-() ()	942.	1,041.	1,200.	1,618.
	20"	20"	48"	48"	RCA484811-() ()	994.	1,099.	1,263.	1,704.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621-() ()	802.	884.	1,021.	1,377.
	24"	20"	36"	42"	RCA364221-() ()	849.	938.	1,075.	1,451.
	24"	20"	36"	48"	RCA364821-() ()	900.	992.	1,141.	1,540.
	24"	20"	42"	36"	RCA423621-() ()	849.	938.	1,075.	1,451.
	24"	20"	42"	42"	RCA424221-() ()	900.	992.	1,141.	1,540.
	24"	20"	42"	48"	RCA424821-() ()	982.	1,079.	1,244.	1,681.
	24"	20"	48"	36"	RCA483621-() ()	900.	992.	1,141.	1,540.
	24"	20"	48"	42"	RCA484221-() ()	982.	1,079.	1,244.	1,681.
	24"	20"	48"	48"	RCA484821-() ()	1,028.	1,137.	1,306.	1,764.

Order Code	Specification Information	Application Notes
Example: RCA363611N1	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff Profiles	1. <i>Grommet options:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
C Curved front corner	CF = Classic grommet in flush location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	PF = Profiles grommet in flush location	Product on this page will accept woodgrain laminate where laminate is currently an option.
36 36" wide on left back	N = No Grommet	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide on right back	2. <i>Grommet finish:</i>	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	Classic Grommet: Painted or Plated	See Planning Guide for grommet locations.
1 20" deep on right side	Profiles Grommet: Painted, PU, PD	
CF No grommet	3. <i>Top finish</i>	
111 Grommet finish	4. <i>Edge finish:</i> Laminate	
506B Maple	(Edge options are available on laminate tops only.)	
() Edge Finish (L)		

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4"

curvilinear corner tops - 24" Deep

Reff Profiles Vol. One

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-()	\$802.	\$884.	\$1,021.	\$1,377.
	20"	24"	36"	42"	RCA364212-()	849.	938.	1,075.	1,451.
	20"	24"	36"	48"	RCA364812-()	900.	992.	1,141.	1,540.
	20"	24"	42"	36"	RCA423612-()	849.	938.	1,075.	1,451.
	20"	24"	42"	42"	RCA424212-()	900.	992.	1,141.	1,540.
	20"	24"	42"	48"	RCA424812-()	982.	1,079.	1,244.	1,681.
	20"	24"	48"	36"	RCA483612-()	900.	992.	1,141.	1,540.
	20"	24"	48"	42"	RCA484212-()	982.	1,079.	1,244.	1,681.
	20"	24"	48"	48"	RCA484812-()	1,028.	1,137.	1,306.	1,764.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-()	876.	962.	1,106.	1,495.
	24"	24"	36"	42"	RCA364222-()	919.	1,016.	1,166.	1,575.
	24"	24"	36"	48"	RCA364822-()	967.	1,070.	1,227.	1,657.
	24"	24"	42"	36"	RCA423622-()	919.	1,016.	1,166.	1,575.
	24"	24"	42"	42"	RCA424222-()	967.	1,070.	1,227.	1,657.
	24"	24"	42"	48"	RCA424822-()	1,046.	1,158.	1,333.	1,796.
	24"	24"	48"	36"	RCA483622-()	967.	1,070.	1,227.	1,657.
	24"	24"	48"	42"	RCA484222-()	1,046.	1,158.	1,333.	1,796.
	24"	24"	48"	48"	RCA484822-()	1,098.	1,213.	1,392.	1,878.

Order Code	Specification Information	Application Notes
Example: RCA363612	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff Profiles	1. <i>Grommet options:</i> CF = Classic grommet in flush location PF = Profiles grommet in flush location N = No Grommet	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	2. <i>Grommet finish:</i> Classic Grommet: Painted or Plated Profiles Grommet: Painted, PU, PD	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. <i>Top finish</i>	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide on left back	4. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	Curvilinear worksurfaces only available in 1 1/4" thick.
36 36" wide on right back		See Planning Guide for grommet locations.
1 20" deep on left side		
2 24" deep on right side		
CF No grommet		
111 Grommet finish		
506B Maple		
() Edge Finish (L)		

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.



Please call Custom Product Development for special grommet locations.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4" extended curvilinear corner tops

Reff Profiles Vol. One

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24") 	36"	72"	RCCDLA23672 () () ()	\$2,127.	\$2,769.	\$3,909.	\$5,272.
	36"	78"	RCCDLA23678 () () ()	2,212.	2,879.	4,061.	5,483.
	36"	84"	RCCDLA23684 () () ()	2,300.	2,996.	4,223.	5,702.
	36"	96"	RCCDLA23696 () () ()	2,394.	3,115.	4,393.	5,933.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	2,129.	2,775.	3,918.	5,290.
	36"	78"	RCCDLA33678 () () ()	2,215.	2,887.	4,077.	5,504.
	36"	84"	RCCDLA33684 () () ()	2,304.	3,003.	4,237.	5,721.
	36"	96"	RCCDLA33696 () () ()	2,396.	3,122.	4,408.	5,949.
Extended corner worktop, RH curved front corner (return 24") 	36"	72"	RCCDRA23672 () () ()	2,127.	2,769.	3,909.	5,272.
	36"	78"	RCCDRA23678 () () ()	2,212.	2,879.	4,061.	5,483.
	36"	84"	RCCDRA23684 () () ()	2,300.	2,996.	4,223.	5,702.
	36"	96"	RCCDRA23696 () () ()	2,394.	3,115.	4,393.	5,933.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	2,129.	2,775.	3,918.	5,290.
	36"	78"	RCCDRA33678 () () ()	2,215.	2,887.	4,077.	5,504.
	36"	84"	RCCDRA33684 () () ()	2,304.	3,003.	4,237.	5,721.
	36"	96"	RCCDRA33696 () () ()	2,396.	3,122.	4,408.	5,949.

Order Code

Example:	RCCDLA23672N2
R	Reff Profiles
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	Grommet option
111	Grommet finish
V319	Medium Cherry
()	Edge Finish (L)

Specification Information

To order please specify pattern number including:

- Grommet options:**
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet
- Grommet finish:**
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD
- Top Finish:**
- Edge finish:** Laminate (Edge options are available on laminate tops only.)

Product on this page will accept woodgrain laminate where laminate is currently an option.


These worksurfaces are predrilled with pilot holes for use with wood screws.


Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.

Worksurface 1 1/4" extended straight corner tops

Reff Profiles Vol. One

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24") 	36"	60"	24"	RCEAL223660 () () ()	\$788.	\$1,140.	\$1,545.	\$2,088.
	36"	72"	24"	RCEAL223672 () () ()	943.	1,383.	1,867.	2,522.
	42"	60"	24"	RCEAL224260 () () ()	864.	1,261.	1,706.	2,302.
	42"	72"	24"	RCEAL224272 () () ()	1,024.	1,505.	2,032.	2,744.
	48"	72"	24"	RCEAL224872 () () ()	1,103.	1,624.	2,193.	2,961.
	48"	84"	24"	RCEAL224884 () () ()	1,261.	1,867.	2,518.	3,399.
	48"	96"	24"	RCEAL224896 () () ()	1,447.	2,152.	2,896.	3,912.

Extended straight corner top, RH curved front corner (returns 24") 	36"	60"	24"	RCEAR223660 () () ()	788.	1,140.	1,545.	2,088.
	36"	72"	24"	RCEAR223672 () () ()	943.	1,383.	1,867.	2,522.
	42"	60"	24"	RCEAR224260 () () ()	864.	1,261.	1,706.	2,302.
	42"	72"	24"	RCEAR224272 () () ()	1,024.	1,505.	2,032.	2,744.
	48"	72"	24"	RCEAR224872 () () ()	1,103.	1,624.	2,193.	2,961.
	48"	84"	24"	RCEAR224884 () () ()	1,261.	1,867.	2,518.	3,399.
	48"	96"	24"	RCEAR224896 () () ()	1,447.	2,152.	2,896.	3,912.

Order Code	Specification Information
Example: RCEAL223660N2	<i>To order please specify pattern number including:</i>
R Reff Profiles	1. <i>Grommet options:</i> CF = Classic grommet in flush location PF = Profiles grommet in flush location N = No Grommet
C Corner	2. <i>Grommet finish:</i> Classic Grommet: Painted or Plated Profiles Grommet: Painted, PU, PD
E Extended	3. <i>Top Finish:</i>
A 1 1/4" thick	4. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)
L Left Hand	
22 24" returns	
36 36" d at corner straight edge	
60 60" wide	
CF Grommet option	
111 Grommet finish	
006B Maple	
() Edge Finish (L)	

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.


Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.

Worksurface 1 1/4"

Meeting tops 'D'

Reff Profiles Vol. One

description	type	w	d	pattern no.	L	M/V1	V2	V3
 Grommet choices are centered (as shown) or none	30" deep	42"	30"	RMDA4230-() ()	\$681.	\$724.	\$830.	\$1,123.
		48"	30"	RMDA4830-() ()	732.	783.	902.	1,215.
		54"	30"	RMDA5430-() ()	783.	838.	962.	1,301.
		60"	30"	RMDA6030-() ()	840.	898.	1,027.	1,387.
		66"	30"	RMDA6630-() ()	893.	954.	1,098.	1,482.
		72"	30"	RMDA7230-() ()	951.	1,015.	1,165.	1,573.
		78"	30"	RMDA7830-() ()	1,075.	1,143.	1,317.	1,777.
		84"	30"	RMDA8430-() ()	1,197.	1,275.	1,470.	1,983.
		90"	30"	RMDA9030-() ()	1,336.	1,426.	1,640.	2,212.
		96"	30"	RMDA9630-() ()	1,477.	1,575.	1,810.	2,442.
	36" deep	42"	36"	RMDA4236-() ()	748.	797.	915.	1,235.
		48"	36"	RMDA4836-() ()	819.	872.	1,000.	1,350.
		54"	36"	RMDA5436-() ()	933.	996.	1,147.	1,549.
		60"	36"	RMDA6036-() ()	1,049.	1,115.	1,284.	1,736.
		66"	36"	RMDA6636-() ()	1,069.	1,138.	1,308.	1,770.
		72"	36"	RMDA7236-() ()	1,084.	1,158.	1,333.	1,796.
		78"	36"	RMDA7836-() ()	1,223.	1,303.	1,498.	2,024.
		84"	36"	RMDA8436-() ()	1,358.	1,449.	1,667.	2,250.
		90"	36"	RMDA9036-() ()	1,433.	1,525.	1,755.	2,371.
		96"	36"	RMDA9636-() ()	1,570.	1,671.	1,922.	2,597.
 No Grommets	(20" panels)	42 1/2"	21 1/4"	RMDA4221-() ()	876.	932.	1,071.	1,444.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-() ()	957.	1,021.	1,172.	1,584.

Please specify mating trim profile

Order Code	Specification Information	Application Notes
Example: RMDA4230N1 R Reff Profiles MD Meeting D-top A 1 1/4" thick 42 42" wide 30 30" deep CC Grommet option 111 Grommet finish 506B Maple () Edge Finish (L)	To order please specify pattern number including: - Grommet options: CC = Classic grommet in Center location PF = Profiles grommet in Center location (Center location available in D-tops only) N = No Grommet - Grommet finish: Classic Grommet: Painted or Plated Profiles Grommet: Painted, PU, PD - Top Finish: - Edge finish: Laminate (Edge options are available on laminate tops only.) - Trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Additional spec option required for wrap around panel tops; specify mating trim profile. Product on this page will accept woodgrain laminate where laminate is currently an option. See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end. Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface. Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only. Note: Recessed grommet location is not recommended for 20" and 24" deep tops. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Refer to Planning Guide for modesty panel size requirements and all other support options. Products on this page are shipped without hardware which must be ordered separately from the support components section. These worksurfaces are predrilled with pilot holes for use with wood screws. Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.

Worksurface 1 1/4"

Meeting tops P and 9


Reff Profiles Vol. One

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230-() ()	\$932.	\$994.	\$1,142.	\$1,542.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836-() ()	1,036.	1,103.	1,271.	1,719.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230-() ()	932.	994.	1,142.	1,542.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836-() ()	1,036.	1,103.	1,271.	1,719.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430-() ()	1,898.	2,023.	2,326.	3,142.
		96"	30"	RM9A9630-() ()	1,977.	2,112.	2,424.	3,272.



42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff Profiles	1. <i>Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
M9 Meeting 9-top	CF = Classic grommet in flush location	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
A 1 1/4" thick	FR = Classic grommet in Recessed location	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
42 42" wide	PF = Profiles grommet in Flush location	Refer to Planning Guide for modesty panel size requirements and all other support options.
30 30" deep	PR = Profiles grommet in Recessed location	
CF Grommet option	N = No Grommet.	
111 Grommet finish	2. <i>Grommet finish:</i>	
506B Maple	Classic Grommet: Painted or Plated	
() Edge Finish (L)	Profiles Grommet: Painted, PU, PD	
	3. <i>Top Finish:</i>	
	4. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.


Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
Note: Recessed grommet location is not recommended for 20" and 24" deep tops.

Worksurface 1 1/4"

Meeting tops

Reff Profiles Vol. One


description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top		84"	30"	RMPA8430-() ()	\$1,898.	\$2,023.	\$2,326.	\$3,142.
		96"	30"	RMPA9630-() ()	1,977.	2,112.	2,424.	3,272.



84" top uses a 42" modesty, 96 top uses a 54" modesty

42" diameter

Elliptical tops		60"	30"	REBA6030-() *	1,304.	1,418.	1,626.	2,199.
		72"	42"	REBA7242-() *	1,858.	2,015.	2,320.	3,130.
		78"	48"	REBA7848-() *	2,035.	2,211.	2,542.	3,433.





Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDA4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff Profiles	1. <i>Grommet options:</i> CF = Classic grommet in flush location CR = Classic grommet in Recessed location PF = Profiles grommet in Flush location PR = Profiles grommet in Recessed location N = No Grommet	Product on this page will accept woodgrain laminate where laminate is currently an option. See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
MD Meeting D-top	2. <i>Grommet finish:</i> Classic Grommet: Painted or Plated Profiles Grommet: Painted, PU, PD	Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
A 1 1/4" thick	3. <i>Top finish:</i>	Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
42 42" wide	4. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	Note: Recessed grommet location is not recommended for 20" and 24" deep tops.
30 30" deep		
CF Grommet option		
111 Grommet finish		
506B Maple		
() Edge Finish (L)		
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Refer to Planning Guide for modesty panel size requirements and all other support options. Products on this page are shipped without hardware which must be ordered separately from the support components section. These worksurfaces are predrilled with pilot holes for use with wood screws. *Grommet location on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions. Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.

Worksurface 1 1/4"

Bow front and support

Reff Profiles Vol. One



description	w	d	h	pattern no.	L	M/V1	V2	V3
	72"	30"		RMB(A)7230-() ()	\$1,089.	\$1,206.	\$1,387.	\$1,872.
	84"	30"		RMB(A)8430-() ()	1,201.	1,332.	1,529.	2,062.
	96"	30"		RMB(A)9630-() ()	1,332.	1,475.	1,692.	2,289.
	Use 29" deep pedestals or end panels. Do not use 23" deep pedestals if using recessed modesty.							
	72"	36"		RMB(A)7236-() ()	1,159.	1,278.	1,474.	1,987.
	84"	36"		RMB(A)8436-() ()	1,269.	1,405.	1,616.	2,181.
	96"	36"		RMB(A)9636-() ()	1,407.	1,557.	1,788.	2,414.
	Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance). Can also be used with 36" deep end panel and recessed modesty.							

Order Code	Specification Information	Application Notes
Example: RMB A7230 R2	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff Profiles	1. <i>Grommet options:</i>	These worksurfaces are predrilled with pilot holes for use with wood screws.
MB Bowed front	CF = Classic grommet in flush location	See Planning Guide for grommet locations.
A 1 1/4" thick	CR = Classic grommet in Recessed location	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
72 72" wide	PF = Profiles grommet in Flush location	
30 30" wide	PR = Profiles grommet in Recessed location	
CR Grommet option	N = No Grommet	
111 Grommet finish	*CA = Classic grommet in Alternative location	
006B Medium cherry	*PA = Profiles grommet in Alternative location	
111 Jet Black (grommet)	*Note: FA and PA are for 36"D tops only.	
() Edge Finish (L)	2. <i>Grommet finish:</i>	
	Classic Grommet: Painted or Plated	
	Profiles Grommet: Painted, PU, PD	
	3. <i>Top Finish:</i>	
	4. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Shipped with hardware. Refer to Planning Guide for application details. Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface. Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only Note: Recessed grommet location is not recommended for 20" and 24" deep tops.

Conference 1 1/4"

Square and rectangular

Reff Profiles Vol. One




description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RRAG7230-()	\$702.	\$750.	\$861.	\$1,163.
	72"	36"	RRAG7236-()	764.	816.	936.	1,265.
	84"	30"	RRAG8430-()	777.	826.	954.	1,285.
	84"	36"	RRAG8436-()	835.	888.	1,023.	1,381.
	84"	42"	RRAG8442-()	1,235.	1,317.	1,511.	2,040.
	96"	30"	RRAG9630-()	873.	931.	1,070.	1,443.
	96"	36"	RRAG9636-()	962.	1,026.	1,180.	1,594.
	96"	42"	RRAG9642-()	1,416.	1,509.	1,736.	2,344.
	96"	48"	RRAG9648-()	1,507.	1,608.	1,847.	2,495.
Rectangular top 2 piece 	120"	36"	RRAG12036-()	1,545.	1,647.	1,895.	2,556.
	120"	42"	RRAG12042-()	2,129.	2,270.	2,612.	3,528.
	120"	48"	RRAG12048-()	2,314.	2,470.	2,838.	3,833.
	144"	42"	RRAG14442-()	2,394.	2,551.	2,934.	3,961.
	144"	48"	RRAG14448-()	2,563.	2,736.	3,146.	4,247.
Rectangular top 3 piece 	168"	42"	RRAG16842-()	3,137.	3,344.	3,850.	5,196.
	168"	48"	RRAG16848-()	3,408.	3,636.	4,180.	5,642.
	192"	42"	RRAG19242-()	3,401.	3,627.	4,167.	5,627.
	192"	48"	RRAG19248-()	3,664.	3,903.	4,486.	6,053.
Square tops  	*	60"	RRAG6060-()	1,440.	1,533.	1,769.	2,382.
	*	72"	RRAG7272-()	1,697.	1,810.	2,082.	2,810.
	—	36"	RRAG3636-()	541.	578.	667.	902.
	—	42"	RRAG4242-()	702.	750.	861.	1,163.
	—	48"	RRAG4848-()	923.	984.	1,132.	1,525.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RRAG72302	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff Profiles	1. Top thickness	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Rectangular	2. Width	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Depth	
72 72" wide	4. Finish	
30 30" deep	1. <i>Thickness options:</i>	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
006B Medium cherry	A = 1 1/4"	Top to top brackets included.
() Edge Finish (L)	2. <i>Top Finish</i>	Tops have no radius on edges that adjoin.
	3. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	See table base matrix in Planning Guide on Exchange.
	*Square tops in two pieces.	

Conference 1 1/4"
Round and racetrack

Reff Profiles Vol. One

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece	72"	30"	RTA7230-()	\$1,330.	\$1,418.	\$1,626.	\$2,199.
	84"	30"	RTA8430-()	1,480.	1,578.	1,814.	2,447.
	96"	30"	RTA9630-()	1,645.	1,755.	2,019.	2,725.
	72"	36"	RTA7236-()	1,518.	1,616.	1,858.	2,507.
	84"	36"	RTA8436-()	1,704.	1,818.	2,089.	2,819.
	96"	36"	RTA9636-()	1,890.	2,015.	2,320.	3,130.
	84"	42"	RTA8442-()	2,071.	2,211.	2,542.	3,433.
	96"	42"	RTA9642-()	2,323.	2,477.	2,845.	3,843.
	96"	48"	RTA9648-()	2,547.	2,712.	3,120.	4,211.
Racetrack top 2 piece	120"	36"	RTA12036-()	2,439.	2,604.	2,996.	4,042.
	120"	42"	RTA12042-()	2,636.	2,806.	3,229.	4,359.
	144"	42"	RTA14442-()	2,905.	3,095.	3,561.	4,803.
	120"	48"	RTA12048-()	2,799.	2,985.	3,433.	4,634.
	144"	48"	RTA14448-()	2,977.	3,175.	3,648.	4,923.
Racetrack top 3 piece	168"	42"	RTA16842-()	3,642.	3,880.	4,464.	6,026.
	192"	42"	RTA19242-()	3,911.	4,168.	4,798.	6,477.
	168"	48"	RTA16848-()	3,898.	4,151.	4,774.	6,446.
	192"	48"	RTA19248-()	4,072.	4,344.	4,992.	6,739.
Round tops	—	36"	RTA3636-()	748.	797.	915.	1,235.
	—	42"	RTA4242-()	870.	922.	1,061.	1,433.
	—	48"	RTA4848-()	1,430.	1,521.	1,748.	2,362.
	*	60"	RTA6060-()	2,236.	2,384.	2,744.	3,704.
	*	72"	RTA7272-()	2,767.	2,949.	3,397.	4,587.

Order Code	Specification Information	Application Notes
Example: RTA72302	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff Profiles	1. Top thickness	Wood grain laminate pattern will not align from top to top.
R Round	2. Width	Top to top brackets included with multiple piece conference tops only.
A 1 1/4" thick	3. Depth	See table base matrix in Planning Guide, on Exchange.
72 72" wide	4. Finish	Tops have no radius on edges that adjoin.
30 30" deep	1. <i>Thickness options:</i> A = 1 1/4"	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
006B Medium cherry	2. <i>Top finish</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
() Edge Finish (L)	3. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
	*Round tops in two pieces.	

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 166 through 180.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:

- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma

These edge options are NOT available in the following 4 veneer finishes;


- 513 Medium Teak
- 647 White Pine
- 640 Ebony
- 642 Grigio



Alpha



Beta



Chi




Delta



Epsilon




Phi



Gamma


Optional edge 1 1/4
front only, 20" and 24" deep

Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$462.	\$527.	\$712.
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	507.	582.	786.
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	533.	615.	828.
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	559.	642.	867.
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	581.	667.	902.
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	602.	699.	942.
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	651.	751.	1,015.
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	672.	774.	1,042.
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	707.	815.	1,097.
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	715.	823.	1,110.
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	763.	876.	1,182.
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	792.	913.	1,232.
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	823.	949.	1,278.
	24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	486.	559.	754.
		30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	551.	632.	853.
		36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	570.	656.	886.
		42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	589.	676.	911.
		48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)	632.	724.	976.
		54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)	672.	774.	1,042.
		60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)	719.	826.	1,117.
		66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)	747.	856.	1,157.
		72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)	780.	899.	1,211.
		78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)	818.	940.	1,269.
		84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)	849.	974.	1,317.
		90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)	884.	1,021.	1,377.
		96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	920.	1,061.	1,433.

Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff Profiles	1. Edge profile	Products on this page do not accept the following finishes: Y342 Medium Teak
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
G Gamma	4. Depth	
F Edge front only	5. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
24 24" wide	6. Grommet finish	
1 20" deep	7. Top finish	
F Flush grommet	<i>1. Edge profile options:</i>	
111 Jet black (grommet)	A = Alpha	
006B Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	


Optional edge 1 1/4
front only, 30" and 36" deep

description	d	width	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$525.	\$606.	\$820.
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	594.	682.	920.
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	641.	734.	990.
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	666.	764.	1,031.
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	709.	820.	1,105.
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	768.	882.	1,190.
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	794.	914.	1,233.
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	816.	938.	1,266.
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	833.	957.	1,294.
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	873.	1,006.	1,359.
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	908.	1,045.	1,414.
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	950.	1,095.	1,478.
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	985.	1,134.	1,530.
	36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	918.	1,056.	1,424.
		66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	951.	1,097.	1,481.
		72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	984.	1,133.	1,526.

Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff Profiles	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. F = Front edge with profile only	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Grommet finish	
3 30" deep	7. Top finish	
F Flush grommet	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
006B Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	Products on this page do not accept the following finishes: Y342 Medium Teak	


Optional edge 1 1/4
front and back edge, 20" and 24" deep

Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$462.	\$527.	\$712.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	507.	582.	786.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	533.	615.	828.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	559.	642.	867.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	581.	667.	902.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	602.	699.	942.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	651.	751.	1,015.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	672.	774.	1,042.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	707.	815.	1,097.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	715.	823.	1,110.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	763.	876.	1,182.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	792.	913.	1,232.
		96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	823.	949.	1,278.
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	486.	559.	754.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	551.	632.	853.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	570.	656.	886.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	589.	676.	911.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	632.	724.	976.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	672.	774.	1,042.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	719.	826.	1,117.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	747.	856.	1,157.
		72"	RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	780.	899.	1,211.
		78"	RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	818.	940.	1,269.
		84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	849.	974.	1,317.
		90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	884.	1,021.	1,377.
		96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	920.	1,061.	1,433.

Order Code	Specification Information	Application Notes
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff Profiles	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
S Straight top	2. 5th position A = Edge front and back	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Grommet finish	
1 20" deep	7. Top finish	
F Flush grommet	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
V319 Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	



Optional edge 1 1/4
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$525.	\$606.	\$820.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	594.	682.	920.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	641.	734.	990.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	666.	764.	1,031.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	709.	820.	1,105.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	768.	882.	1,190.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	794.	914.	1,233.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	816.	938.	1,266.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	833.	957.	1,294.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	873.	1,006.	1,359.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	908.	1,045.	1,414.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	950.	1,095.	1,478.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	985.	1,134.	1,530.
	36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	918.	1,056.	1,424.
		66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	951.	1,097.	1,481.
		72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)	984.	1,133.	1,526.

Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<i>>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff Profiles	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position A = Edge front and back	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Grommet finish	
3 30" deep	7. Top finish	
F Flush grommet	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
006B Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	Products on this page do not accept the following finishes: Y342 Medium Teak	

Optional edge 1 1/4 front and attaching edge profiled

Reff Profiles Vol. One


description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$462.	\$527.	\$712.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	507.	582.	786.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	533.	615.	828.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	559.	642.	867.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	581.	667.	902.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	486.	559.	754.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	551.	632.	853.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	570.	656.	886.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	589.	676.	911.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	632.	724.	976.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	462.	527.	712.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	507.	582.	786.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	533.	615.	828.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	559.	642.	867.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	581.	667.	902.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	486.	559.	754.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	551.	632.	853.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	570.	656.	886.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	589.	676.	911.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	632.	724.	976.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Reff Profiles		
S Straight top	<i>1. Edge profile options:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w
A 1 1/4" thick	A = Alpha	
G Gamma Profile option	B = Beta	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
B Both ends accept edge	C = Chi	
24 24" wide	D = Delta	Products on this page do not accept the following finishes: Y342 Medium Teak
1 20" deep	E = Epsilon	
F Flush grommet	F = Phi	
111 Grommet finish	G = Gamma	
006B Maple	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>3. Width</i>	
	<i>4. Depth</i>	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Grommet finish</i>	
	Painted or plated	
	<i>7. Top finish</i>	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Optional edge 1 1/4 front and attaching edge profiled

Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$462.	\$527.	\$712.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	507.	582.	786.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	533.	615.	828.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	559.	642.	867.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	581.	667.	902.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	486.	559.	754.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	551.	632.	853.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	570.	656.	886.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	589.	676.	911.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	632.	724.	976.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Reff Profiles		
S Straight top	<i>1. Edge profile options:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w
A 1 1/4" thick	A = Alpha	
G Gamma Profile option	B = Beta	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
B Both ends accept edge	C = Chi	
24 24" wide	D = Delta	Products on this page do not accept the following finishes: Y342 Medium Teak
1 20" deep	E = Epsilon	
F Flush grommet	F = Phi	
111 Grommet finish	G = Gamma	
006B Maple	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>3. Width</i>	
	<i>4. Depth</i>	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>8. Grommet finish</i>	
	Painted or plated	
	<i>7. Top finish</i>	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Optional edge 1 1/4 curvilinear corner front edge only

Reff Profiles Vol. One

description	widthl	w right	pattern no.	V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$977.	\$1,123.	\$1,516.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	1,033.	1,189.	1,605.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	1,099.	1,263.	1,704.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	1,033.	1,189.	1,605.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	1,099.	1,263.	1,704.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	1,200.	1,379.	1,861.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	1,099.	1,263.	1,704.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	1,200.	1,379.	1,861.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,263.	1,451.	1,958.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	1,021.	1,172.	1,584.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	1,075.	1,236.	1,670.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	1,142.	1,310.	1,773.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	1,075.	1,236.	1,670.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	1,142.	1,310.	1,773.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,244.	1,429.	1,929.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	1,142.	1,310.	1,773.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,244.	1,429.	1,929.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,306.	1,504.	2,029.

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff Profiles	1. Edge profile	Products on this page do not accept the following finishes: Y342 Medium Teak
C Corner top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Grommet finish	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
1 20" deep	8. Top finish	
1 20" deep	<i>1. Edge profile options:</i>	
F Flush grommet	A = Alpha	
111 Jet Black (grommet)	B = Beta	
006B Medium cherry	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4 curvilinear corner front edge only

Reff Profiles Vol. One

description	widthl	w right	pattern no.	V1	V2	V3
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	\$1,021.	\$1,172.	\$1,584.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	1,075.	1,236.	1,670.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	1,142.	1,310.	1,773.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	1,075.	1,236.	1,670.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	1,142.	1,310.	1,773.
	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,244.	1,429.	1,929.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	1,142.	1,310.	1,773.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,244.	1,429.	1,929.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,306.	1,504.	2,029.
	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	1,106.	1,273.	1,721.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	1,166.	1,338.	1,807.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	1,228.	1,411.	1,907.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	1,166.	1,338.	1,807.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	1,228.	1,411.	1,907.
	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,333.	1,532.	2,067.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	1,228.	1,411.	1,907.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,333.	1,532.	2,067.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,394.	1,602.	2,164.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff Profiles	6. Grommet options: N = No grommet F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Corner top	Products on this page do not accept the following finishes: Y342 Medium Teak	
A 1 1/4" thick	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
G Gamma		
F Edge Front only		
36 36" wide		
36 36" wide		
1 20" deep		
1 20" deep		
F Flush grommet		
111 Grommet finish		
006B Medium cherry		

Optional edge 1 1/4

Reff Profiles Vol. One

wave end tops
front edge only




description	depth1	d right	w	pattern no.	V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-() (1/2/3)	\$590.	\$679.	\$915.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-() (1/2/3)	620.	712.	962.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-() (1/2/3)	661.	763.	1,029.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-() (1/2/3)	708.	818.	1,101.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-() (1/2/3)	731.	839.	1,136.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-() (1/2/3)	764.	880.	1,188.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-() (1/2/3)	639.	731.	986.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-() (1/2/3)	660.	758.	1,025.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-() (1/2/3)	712.	821.	1,106.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-() (1/2/3)	763.	876.	1,182.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-() (1/2/3)	789.	909.	1,227.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-() (1/2/3)	830.	955.	1,290.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-() (1/2/3)	590.	679.	915.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-() (1/2/3)	620.	712.	962.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-() (1/2/3)	661.	763.	1,029.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-() (1/2/3)	708.	818.	1,101.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-() (1/2/3)	731.	839.	1,136.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-() (1/2/3)	764.	880.	1,188.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-() (1/2/3)	639.	731.	986.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-() (1/2/3)	660.	758.	1,025.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-() (1/2/3)	712.	821.	1,106.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-() (1/2/3)	763.	876.	1,182.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-() (1/2/3)	789.	909.	1,227.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-() (1/2/3)	830.	955.	1,290.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-() (1/2/3)	784.	903.	1,216.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-() (1/2/3)	816.	938.	1,266.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-() (1/2/3)	857.	986.	1,333.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff Profiles	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
W Wave transition top	2. 5th position F = front edge with profile only	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Grommet finish	
1 20" deep	8. Top finish	
F Flush grommet	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
006B Maple	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4

wave end tops


front edge only

description	depthl	d right	w	pattern no.	V1	V2	V3
Wave end top with profile edge front only (24" right)	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$812.	\$932.	\$1,260.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	835.	960.	1,297.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	883.	1,020.	1,376.
							
Wave end top with profile edge front only (20" left)	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	784.	903.	1,216.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	816.	938.	1,266.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	857.	986.	1,333.
							
Wave end top with profile edge front only (24" left)	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	812.	932.	1,260.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	835.	960.	1,297.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	883.	1,020.	1,376.
							

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff Profiles	1. Edge profile	Products on this page do not accept the following finishes: Y342 Medium Teak
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Grommet finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
1 20" deep	8. Top finish	
F Flush grommet	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
006B Maple	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4 meeting tops

Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none 	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$832.	\$956.	\$1,292.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	902.	1,031.	1,392.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	962.	1,106.	1,495.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	1,029.	1,182.	1,595.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	1,098.	1,262.	1,703.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	1,165.	1,337.	1,806.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,316.	1,512.	2,042.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,470.	1,689.	2,281.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,641.	1,887.	2,546.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,810.	2,082.	2,810.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	916.	1,054.	1,422.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,000.	1,154.	1,556.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	1,145.	1,319.	1,780.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,284.	1,479.	1,997.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,308.	1,507.	2,034.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,333.	1,532.	2,067.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,498.	1,722.	2,324.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,667.	1,918.	2,590.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,755.	2,019.	2,725.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,923.	2,208.	2,984.
Wrap-around panel top	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	1,071.	1,231.	1,660.
*No Grommet option	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	1,172.	1,349.	1,822.

Please specify mating end trim profile option.



Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2 R Reff Profiles MD Peninsula D-shaped top A 1 1/4" thick G Gamma F Edge front only 42 42" wide 30 30" deep C Centered grommet 111 Jet Black (grommet) 006B Maple	<i>To order please specify pattern number including:</i> - Edge profile - Width - Depth - Grommet option - Grommet finish - Top finish - Applicable "wrap around panel tops" only specify mating panel end trim profile <i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	 <i>4. Grommet options:</i> N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops) <i>8. Additional specification option required for wrap around panel tops only, specify mating trim profile</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum Products on this page do not accept the following finishes: Y342 Medium Teak


Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4 meeting tops P and 9

Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
Worksurface P-top	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	\$2,325.	\$2,679.	\$3,614.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,426.	2,788.	3,764.
Worksurface 9-top	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	2,325.	2,679.	3,614.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,426.	2,788.	3,764.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support)	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	1,143.	1,315.	1,774.
*No Grommet option	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,271.	1,462.	1,975.
						
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support)	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	1,143.	1,315.	1,774.
*No Grommet option	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,271.	1,462.	1,975.
						


Worksurfaces


Order Code	Specification Information	Application Notes	
Example: RMPAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.	
R Reff Profiles	1. Edge profile		4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only)
MP Peninsula P-shaped top	2. Width		F = Flush front grommet location (for worksurfaces 9 or P tops)
A 1 1/4" thick	3. Depth		R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)
G Gamma	4. Grommet option		
F Edge front only	5. Grommet finish		
42 42" wide	6. Top finish		
30 30" deep	7. Applicable "wrap around panel tops" only specify mating panel end trim profile		
C Centered grommet			
111 Jet Black (grommet)	<i>1. Edge profile options:</i>		Products on this page do not accept the following finishes: Y342 Medium Teak
006B Maple	A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma		

Optional edge 1 1/4

Bow front tops


Reff Profiles Vol. One

description	w	d	pattern no.	L	V1	V2	V3
Profile edge on front and back (30"D)	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)		\$1,387.	\$1,593.	\$2,152.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430()(1/2/3)		1,529.	1,757.	2,374.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630()(1/2/3)		1,693.	1,946.	2,627.

Profile edge on front and back (36"D)	72"	36"	RMBA(A/B/C/D/E/F/G)A7236()(1/2/3)		1,474.	1,692.	2,289.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436()(1/2/3)		1,615.	1,859.	2,510.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)		1,789.	2,059.	2,778.

Profile elliptical tops	60"	30"	REBA(A/B/C/D/E/F/G)A6030		1,627.	1,872.	2,527.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242		2,321.	2,664.	3,598.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848		2,542.	2,924.	3,948.

grommet options for elliptical tops, N or R

Short modesty panel	40"	1"	RB40MR-()	385.	505.	578.	763.
	52"	1"	RB52MR-()	452.	595.	684.	902.
	64"	1"	RB64MR-()	489.	640.	741.	974.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:


40" modesty for 72" bow top

52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.





When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Bulkhead (false pedestal)*	16"	24"	REBH24	542.	828.	959.	1,263.
	16"	30"	REBH30	561.	843.	983.	1,294.

Order Code	Specification Information		Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	<i>4. Grommet options:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff Profiles		N = No grommet	
MB Bow front top	1. Edge profile	F = Flush front grommet location	
A 1 ¼" thick	2. Width	R = Recessed front	
G Gamma	3. Depth	A = Alternate location (only for 36" deep bow front tops)	
A Edge front and back	4. Grommet option	Products on this page do not accept the following finishes: Y342 Medium Teak	Products on this page are shipped without hardware which must be ordered separately from the support components section.
72 72" wide	5. Grommet finish		
30 30" deep	6. Top finish		
F Flush grommet	<i>1. Edge profile options:</i>		
111 Jet Black (grommet)	A = Alpha		
006B Maple	B = Beta		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
	C = Chi		
	D = Delta		
	E = Epsilon		
	F = Phi		
	G = Gamma		

Optional edge 1 1/4 round and racetrack conference tops




Reff Profiles Vol. One

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,627.	\$1,872.	\$2,527.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,859.	2,132.	2,880.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,812.	2,088.	2,818.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	2,091.	2,399.	3,241.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,542.	2,924.	3,948.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	2,019.	2,323.	3,134.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	2,321.	2,664.	3,598.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,845.	3,273.	4,419.
Racetrack top - 2 piece Profile edge on all sides except on parting lines	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,996.	3,443.	4,647.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	3,229.	3,711.	5,012.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	3,433.	3,947.	5,325.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	3,560.	4,094.	5,525.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	3,649.	4,194.	5,663.
Racetrack top - 3 piece Profile edge on all sides except on parting lines	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	4,463.	5,134.	6,929.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	4,774.	5,489.	7,408.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	4,798.	5,516.	7,446.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,992.	5,741.	7,748.
Round tops Profile edge on all sides except on parting lines.	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,744.	3,156.	4,257.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	3,395.	3,905.	5,271.
	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	916.	1,054.	1,422.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	1,062.	1,221.	1,650.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,748.	2,011.	2,714.

Order Code	Specification Information	Application Notes
Example: RTAG72302	<i>To order please specify pattern number including:</i>	*Round tops in two pieces.
R Reff Profiles	1. Edge profile	Products on this page do not accept the following finishes:
T Racetrack top	2. Width	Y342 Medium Teak
A 1 1/4" thick	3. Depth	
G Gamma	4. Finish	
72 22" wide	<i>1. Edge profile options:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
30 30" deep	A = Alpha	Products on this page are shipped without hardware which must be ordered separately from the support components section.
006B Maple	B = Beta	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	

Optional edge 1 1/4 square and rectangular conference tops

Reff Profiles Vol. One

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece	72"	30"	RRR(A/B/C/D/E/F/G)7230-(1/2/3)	\$861.	\$990.	\$1,337.
	72"	36"	RRR(A/B/C/D/E/F/G)7236-(1/2/3)	936.	1,074.	1,450.
	84"	30"	RRR(A/B/C/D/E/F/G)8430-(1/2/3)	953.	1,098.	1,482.
	84"	36"	RRR(A/B/C/D/E/F/G)8436-(1/2/3)	1,023.	1,174.	1,586.
	84"	42"	RRR(A/B/C/D/E/F/G)8442-(1/2/3)	1,512.	1,738.	2,346.
	96"	30"	RRR(A/B/C/D/E/F/G)9630-(1/2/3)	1,070.	1,228.	1,659.
	96"	36"	RRR(A/B/C/D/E/F/G)9636-(1/2/3)	1,180.	1,358.	1,835.
	96"	42"	RRR(A/B/C/D/E/F/G)9642-(1/2/3)	1,736.	1,995.	2,692.
Rectangular top - 2 piece Profile edge on all sides except on parting lines	120"	36"	RRR(A/B/C/D/E/F/G)12036-(1/2/3)	1,895.	2,178.	2,941.
	120"	42"	RRR(A/B/C/D/E/F/G)12042-(1/2/3)	2,612.	3,003.	4,051.
	120"	48"	RRR(A/B/C/D/E/F/G)12048-(1/2/3)	2,838.	3,264.	4,408.
	144"	42"	RRR(A/B/C/D/E/F/G)14442-(1/2/3)	2,932.	3,378.	4,560.
	144"	48"	RRR(A/B/C/D/E/F/G)14448-(1/2/3)	3,146.	3,615.	4,882.
Rectangular top - 3 piece Profile edge on all sides except on parting lines	168"	42"	RRR(A/B/C/D/E/F/G)16842-(1/2/3)	3,848.	4,427.	5,974.
	168"	48"	RRR(A/B/C/D/E/F/G)16848-(1/2/3)	4,179.	4,809.	6,494.
	192"	42"	RRR(A/B/C/D/E/F/G)19242-(1/2/3)	4,167.	4,797.	6,474.
	192"	48"	RRR(A/B/C/D/E/F/G)19248-(1/2/3)	4,488.	5,161.	6,965.
Square top Profile edge on all sides except on parting lines	*	60"	RRR(A/B/C/D/E/F/G)6060-(1/2/3)	1,765.	2,029.	2,742.
	*	72"	RRR(A/B/C/D/E/F/G)7272-(1/2/3)	2,082.	2,393.	3,230.
	—	36"	RRR(A/B/C/D/E/F/G)3636-(1/2/3)	666.	764.	1,031.
	—	42"	RRR(A/B/C/D/E/F/G)4242-(1/2/3)	861.	990.	1,337.
	—	48"	RRR(A/B/C/D/E/F/G)4848-(1/2/3)	1,133.	1,301.	1,754.

Order Code

Example:	RRAG72302
R	Reff Profiles
R	Conference Room top
A	1 1/4" thick
G	Gamma
72	72" wide
30	30" deep
006B	Maple

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish

1. Edge profile options:

A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

* Square tops in two pieces.

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes



Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Cascade Edge 1 1/4" Rectilinear 24" and 30" deep

Reff Profiles Vol. One

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	RCE1R2424N	\$293.	\$256.
	24"	30"	RCE1R3024N	338.	293.
	24"	36"	RCE1R3624N	372.	322.
	24"	42"	RCE1R4224N	428.	372.
	24"	48"	RCE1R4824N	481.	418.
	24"	54"	RCE1R5424N	516.	449.
	24"	60"	RCE1R6024N	561.	488.
	24"	66"	RCE1R6624N	603.	526.
	24"	72"	RCE1R7224N	632.	551.
	24"	78"	RCE1R7824N	679.	592.
	24"	84"	RCE1R8424N	717.	625.
30"D Rectangular  shown with grommet	30"	24"	RCE1R2430N	374.	323.
	30"	30"	RCE1R3030N	418.	363.
	30"	36"	RCE1R3630N	466.	406.
	30"	42"	RCE1R4230N	504.	441.
	30"	48"	RCE1R4830N	561.	488.
	30"	54"	RCE1R5430N	634.	552.
	30"	60"	RCE1R6030N	697.	607.
	30"	66"	RCE1R6630N	777.	676.
	30"	72"	RCE1R7230N	809.	705.
	30"	78"	RCE1R7830N	864.	751.
	30"	84"	RCE1R8430N	919.	799.
	30"	90"	RCE1R9030N	988.	860.
	30"	96"	RCE1R9630N	1,056.	919.

Order Code

Example:	RCE1R3024N 118
R	Reff Profiles
CE1	Cascade edge
R	Rectangular
30	Width
24	Depth
N	No grommet
118	Finish

Specification Information

To order please specify pattern number including finish:

Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$21.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 210 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16" less nominal.
Actual depth 3/8" less nominal for cord drop.


Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4"

Curvilinear corner

Reff Profiles Vol. One

description	A	B	C	pattern no.	Woodgrain	Solid
Curvilinear corner	24"	24"	36"	RCE1L3636SSN	\$733.	\$636.
	24"	24"	42"	RCE1L4242SSN	883.	770.
	24"	24"	48"	RCE1L4848SSN	993.	864.
	24"	30"	42"	RCE1L4242DSN	1,049.	914.
	24"	30"	48"	RCE1L4848DSN	1,190.	1,036.
	30"	24"	42"	RCE1L4242SDN	1,049.	914.
	30"	24"	48"	RCE1L4848SDN	1,190.	1,036.
	30"	30"	48"	RCE1L4848DDN	1,067.	927.

shown with grommets

Order Code	Specification Information	Application Notes
Example: RCE1L3636SSN 114	<i>To order please specify pattern number including:</i>	Center-located edge grommets, located on center of sides marked A.
RCE1 Reff Profiles Cascade Edge worksurface	1. Return depths (hard coded in pattern number)	All support hardware ordered separately.
L Curvilinear Corner top	SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
36 Width	2. Grommets (hard coded in pattern number)	Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 210 as required to support Cascade edge worksurfaces for Reff Profiles panel hung applications.
36 Depth	N= no grommets G= grommets	Cascade edge worksurfaces are not recommended for free-standing applications.
S 24"d, left side	To specify grommets, replace the "N" suffix in pattern number with "G". Add \$41.	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
S 24"d, right side	3. Finish	
N No grommet	<i>Solid:</i>	
114 Folkstone Grey finish	114 Folkstone Grey	
Grain Direction	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	
	Graing Direction:	
	D = Diagonal	
	L = Left hand	
	N = Not required	
	R = Right hand	


Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$26.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4" Blended "L"

Reff Profiles Vol. One


description	B	C	A	D	pattern no.	Woodgrain	Solid
 shown with grommets	42"	60"	24"	24"	RCE1L4260SSN	\$1,215.	\$1,056.
	42"	66"	24"	24"	RCE1L4266SSN	1,248.	1,083.
	42"	72"	24"	24"	RCE1L4272SSN	1,294.	1,124.
	42"	78"	24"	24"	RCE1L4278SSN	1,306.	1,137.
	48"	60"	24"	24"	RCE1L4860SSN	1,228.	1,070.
	48"	60"	24"	30"	RCE1L4860SDN	1,209.	1,049.
	48"	60"	30"	24"	RCE1L4860DSN	1,209.	1,049.
	48"	66"	24"	24"	RCE1L4866SSN	1,273.	1,109.
	48"	66"	24"	30"	RCE1L4866SDN	1,270.	1,105.
	48"	66"	30"	24"	RCE1L4866DSN	1,270.	1,105.
	48"	72"	24"	24"	RCE1L4872SSN	1,321.	1,149.
	48"	72"	24"	30"	RCE1L4872SDN	1,330.	1,155.
	48"	72"	30"	24"	RCE1L4872DSN	1,330.	1,155.
	48"	78"	24"	24"	RCE1L4878SSN	1,457.	1,266.
	48"	84"	24"	24"	RCE1L4884SSN	1,638.	1,424.
	60"	42"	24"	24"	RCE1L6042SSN	1,215.	1,056.
	60"	48"	24"	24"	RCE1L6048SSN	1,228.	1,070.
	60"	48"	24"	30"	RCE1L6048SDN	1,209.	1,049.
	60"	48"	30"	24"	RCE1L6048DSN	1,209.	1,049.
	66"	42"	24"	24"	RCE1L6642SSN	1,248.	1,083.
	66"	48"	24"	24"	RCE1L6648SSN	1,273.	1,109.
	66"	48"	24"	30"	RCE1L6648SDN	1,270.	1,105.
	66"	48"	30"	24"	RCE1L6648DSN	1,270.	1,105.
	72"	42"	24"	24"	RCE1L7242SSN	1,294.	1,124.
	72"	48"	24"	24"	RCE1L7248SSN	1,321.	1,149.
	72"	48"	24"	30"	RCE1L7248SDN	1,330.	1,155.
	72"	48"	30"	24"	RCE1L7248DSN	1,330.	1,155.
	78"	42"	24"	24"	RCE1L7842SSN	1,306.	1,137.
	78"	48"	24"	24"	RCE1L7848SSN	1,457.	1,266.
	84"	48"	24"	24"	RCE1L8448SSN	1,638.	1,424.

Order Code		Specification Information	Application Notes		
Example: RCE1L4260SSG 114		<i>To order please specify pattern number including:</i>	Center-located edge grommets, located on center of sides marked B and C.	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.	
RCE1	Cascade edge worksurface	1. Return depths (hard coded in pattern number):	All support hardware ordered separately.		
L	Blended “L” top	SS = 24”d left and right	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48”w.		
42	Width	SD = 24”d left, 30”d right			
60	Depth	DS = 30”d left, 24”d right			
S	24”d, left side	2. Grommets (hard coded in pattern number):	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 210 as required to support Cascade edge worksurfaces for Reff panel hung applications.		
S	24”d, right side	N= no grommets	Cascade edge worksurfaces are not recommended for free-standing applications.		
G	Grommets	G= grommets			
114	Top finish	3. Finishes:			Actual width 1/16” less nominal.
		<i>Solid:</i>			Actual depth 3/8” less nominal for cord drop.
		114 Folkstone Grey	Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.		
		117 Soft Grey			
		118 Bright White			
		119 Pumice			
		Woodgrain:			
		124 Medium Cherry			
		125 Natural Maple			
		126 Natural Cherry			
		127 Walnut			

Cascade Edge 1 1/4"

Half round and corner round

Reff Profiles Vol. One

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	RCE1H4818	\$632.	\$551.
	50 1/2"	18"	RCE1H4818P	632.	551.
	60"	24"	RCE1H6024	872.	757.
	62 1/2"	24"	RCE1H6024P	872.	757.
 LH Corner Round	24"	24"	RCE1CR24L	338.	293.
 RH Corner Round	24"	24"	RCE1CR24R	338.	293.
 Notched Corner Round	24"	24"	RCE1CR24N	338.	293.

Order Code	Specification Information	Application Notes
Example: RCE1H4818P 118 R Reff Profiles CE1 Cascade edge H Half round 48 Width 18 Depth P Notch for panel trim 118 Finish	<i>To order please specify pattern number including finish:</i> <i>Available finishes:</i> Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut	All support hardware ordered separately. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w. Specify cantilever bracket from page 210 as required to support Cascade edge worksurfaces for Reff panel hung applications. Half round tops with suffix P, notched for panel end trim profile B square only. Cascade edge worksurfaces are not recommended for free-standing applications. Actual width 1/16" less nominal. Actual depth 3/8" less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.


Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4"

Wave end


Reff Profiles Vol. One

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH	36"	24"	30"	3"	15"	RCE1W363024N	\$786.	\$685.
	42"	24"	30"	9"	15"	RCE1W423024N	828.	719.
	48"	24"	30"	15"	15"	RCE1W483024N	885.	771.
	72"	24"	30"	30 1/2"	23 1/2"	RCE1W723024N	1,126.	980.



shown with grommet

Wave End, RH	36"	30"	24"	15"	3"	RCE1W362430N	786.	685.
	42"	30"	24"	15"	9"	RCE1W422430N	828.	719.
	48"	30"	24"	15"	15"	RCE1W482430N	885.	771.
	72"	30"	24"	23 1/2"	30 1/2"	RCE1W722430N	1,126.	980.



shown with grommet


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCE1W483024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
RCE1 Cascade edge worksurface	Available finishes:	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$21.
W Wave end	<i>Solid:</i>	All support hardware ordered separately.
48 Width	114 Folkstone Grey	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
30 Depth, left side	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 210 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth, right side	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Top finish	<i>Woodgrain:</i>	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Worksurface Credenza

1" No grommet

Reff Profiles Vol. One


description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	102"	RCE1021()	\$771.	\$756.	\$870.	\$1,172.
		108"	RCE1081()	850.	832.	957.	1,290.
		30"	RCE301()	422.	439.	454.	589.
		36"	RCE361()	446.	453.	473.	627.
		60"	RCE601()	555.	544.	626.	847.
		66"	RCE661()	572.	561.	646.	872.
		72"	RCE721()	602.	591.	678.	915.
		78"	RCE781()	608.	596.	687.	928.
		84"	RCE841()	650.	639.	732.	988.
		90"	RCE901()	677.	663.	759.	1,029.
		96"	RCE961()	701.	687.	790.	1,066.
	24"	102"	RCE1022()	860.	845.	971.	1,311.
		108"	RCE1082()	947.	928.	1,070.	1,443.
		30"	RCE302()	444.	460.	479.	631.
		36"	RCE362()	462.	483.	505.	680.
		60"	RCE602()	615.	603.	691.	933.
		66"	RCE662()	634.	622.	715.	965.
		72"	RCE722()	661.	648.	748.	1,012.
		78"	RCE782()	693.	680.	786.	1,058.
		84"	RCE842()	722.	708.	815.	1,099.
		90"	RCE902()	754.	740.	850.	1,145.
		96"	RCE962()	782.	767.	883.	1,193.

Order Code	Specification Information	Application Notes
Example: RCE601	<i>To order please specify pattern number including:</i> 1. <i>Finish</i> L, V1, V2, V3 2. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	No grommet options
R Reff Profiles		
C Credenza Top		Product on this page will accept woodgrain laminate where laminate is currently an option.
E 1"		
60 width		Credenza tops are drilled to accept pedestals and end panels.
1 20"		
006B Finish		Credenza tops are predrilled with pilot holes for use with wood screws.
() Edge Finish (L)		1" Credenza tops are recommended to work with the Task Panel application.
		Credenza tops are intended to be supported by full lower storage.

Worksurface Credenza

1" and 1 1/4" with edge grommet

Reff Profiles Vol. One


description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	102"	RCEEG1021()	\$1,082.	\$1,059.	\$1,216.	\$1,640.
		108"	RCEEG1081()	1,188.	1,165.	1,339.	1,807.
		60"	RCEEG601()	776.	762.	877.	1,187.
		66"	RCEEG661()	801.	786.	906.	1,222.
		72"	RCEEG721()	845.	826.	949.	1,279.
		78"	RCEEG781()	852.	835.	963.	1,302.
		84"	RCEEG841()	912.	895.	1,025.	1,382.
		90"	RCEEG901()	946.	927.	1,064.	1,440.
		96"	RCEEG961()	983.	963.	1,105.	1,492.
	24"	102"	RCEEG1022()	1,206.	1,182.	1,361.	1,836.
		108"	RCEEG1082()	1,325.	1,301.	1,497.	2,020.
		60"	RCEEG602()	860.	845.	967.	1,307.
		66"	RCEEG662()	887.	870.	1,001.	1,351.
		72"	RCEEG722()	925.	908.	1,048.	1,416.
		78"	RCEEG782()	969.	953.	1,099.	1,481.
		84"	RCEEG842()	1,010.	991.	1,139.	1,539.
		90"	RCEEG902()	1,055.	1,035.	1,190.	1,605.
		96"	RCEEG962()	1,095.	1,074.	1,237.	1,670.
Credenza tops, 1 1/4" thick 	20"	102"	RCA1021()	1,129.	1,106.	1,272.	1,716.
		108"	RCA1081()	1,240.	1,216.	1,399.	1,885.
		60"	RCA601()	812.	796.	916.	1,240.
		66"	RCA661()	837.	821.	946.	1,275.
		72"	RCA721()	881.	864.	991.	1,339.
		78"	RCA781()	889.	872.	1,006.	1,359.
		84"	RCA841()	951.	933.	1,071.	1,444.
		90"	RCA901()	990.	969.	1,112.	1,506.
		96"	RCA961()	1,027.	1,006.	1,157.	1,558.
	24"	102"	RCA1022()	1,261.	1,236.	1,422.	1,920.
		108"	RCA1082()	1,385.	1,359.	1,565.	2,114.
		60"	RCA602()	900.	882.	1,011.	1,365.
		66"	RCA662()	928.	909.	1,049.	1,414.
		72"	RCA722()	967.	950.	1,095.	1,479.
		78"	RCA782()	1,014.	994.	1,151.	1,549.
		84"	RCA842()	1,057.	1,037.	1,192.	1,608.
		90"	RCA902()	1,103.	1,083.	1,243.	1,677.
		96"	RCA962()	1,145.	1,125.	1,295.	1,745.

Order Code	Specification Information	Application Notes
Example: RCEEG601	<i>To order please specify pattern number including:</i>	These tops will always come with a cut out (notch) at the back of top.
R Reff Profiles	1. Top finish	No grommet option.
C Credenza Top	L, V1, V2, V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
E 1"	2. Edge finish: Laminate	Credenza tops are drilled to accept pedestals.
EG Edge Grommet	(Edge options are available on laminate tops only.)	Credenza tops are predrilled with pilot holes for use with wood screws.
60 Width		1" Credenza tops are recommended to work with the Task Panel application.
1 20"		Credenza tops are intended to be supported by full lower storage.
006B Finish		Edge grommet: 35mm deep, 6" in from back corner.
() Edge Finish (L)		

Worksurface Credenza

1 1/2" with edge grommet

Reff Profiles Vol. One

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	102"	RCD1021()	\$1,188.	\$1,165.	\$1,339.	\$1,807.
		108"	RCD1081()	1,306.	1,280.	1,473.	1,985.
		60"	RCD601()	854.	838.	964.	1,305.
		66"	RCD661()	881.	864.	995.	1,342.
		72"	RCD721()	928.	907.	1,042.	1,409.
		78"	RCD781()	936.	918.	1,059.	1,431.
		84"	RCD841()	1,001.	984.	1,128.	1,520.
		90"	RCD901()	1,040.	1,021.	1,171.	1,584.
		96"	RCD961()	1,082.	1,059.	1,216.	1,640.
	24"	102"	RCD1022()	1,325.	1,301.	1,497.	2,020.
		108"	RCD1082()	1,458.	1,431.	1,648.	2,224.
		60"	RCD602()	947.	928.	1,064.	1,438.
		66"	RCD662()	975.	957.	1,103.	1,488.
		72"	RCD722()	1,020.	998.	1,154.	1,557.
		78"	RCD782()	1,067.	1,046.	1,210.	1,629.
		84"	RCD842()	1,112.	1,092.	1,254.	1,693.
		90"	RCD902()	1,161.	1,138.	1,308.	1,765.
		96"	RCD962()	1,206.	1,182.	1,361.	1,836.

Order Code	Specification Information	Application Notes
Example: RCD601	<i>To order please specify pattern number including:</i>	These tops will always come with a cut out (notch) at the back of top.
R Reff Profiles	1. <i>Finish</i>	No grommet option.
C Credenza	L, V1, V2, V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
D 1 1/2" top	2. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	Credenza tops are drilled to accept pedestals.
60 Width		Credenza tops are predrilled with pilot holes for use with wood screws.
1 20"		1" Credenza tops are recommended to work with the Task Panel application.
006B Finish		Credenza tops are intended to be supported by full lower storage.
() Edge Finish (L)		Edge grommet: 35mm deep, 6" in from back corner.

Tables with Open Frame Legs

Rectangular - 26 1/2" High

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg	24"	60"	1 1/2"	RTRDOF60241()	\$1,910.	\$1,954.	\$2,190.	\$2,525.
	24"	66"	1 1/2"	RTRDOF66241()	1,894.	2,004.	2,250.	2,614.
	24"	72"	1 1/2"	RTRDOF72241()	1,970.	2,018.	2,273.	2,644.
	24"	78"	1 1/2"	RTRDOF78241()	1,999.	2,079.	2,336.	2,759.
	24"	84"	1 1/2"	RTRDOF84241()	2,018.	2,127.	2,393.	2,844.




Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	60"	1 1/2"	RTRDOF60301()	2,012.	2,038.	2,292.	2,687.
	30"	66"	1 1/2"	RTRDOF66301()	2,057.	2,091.	2,355.	2,785.
	30"	72"	1 1/2"	RTRDOF72301()	2,079.	2,107.	2,404.	2,869.
	30"	78"	1 1/2"	RTRDOF78301()	2,112.	2,176.	2,454.	2,954.
	30"	84"	1 1/2"	RTRDOF84301()	2,131.	2,240.	2,531.	3,062.





Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	60"	1 1/2"	RTRDOF60361()	2,046.	2,099.	2,368.	2,822.
	36"	66"	1 1/2"	RTRDOF66361()	2,093.	2,159.	2,439.	2,932.
	36"	72"	1 1/2"	RTRDOF72361()	2,119.	2,205.	2,495.	3,027.
	36"	78"	1 1/2"	RTRDOF78361()	2,154.	2,253.	2,550.	3,123.
	36"	84"	1 1/2"	RTRDOF84361()	2,178.	2,309.	2,619.	3,229.



Tables

Order Code	Specification Information	Application Notes
Example: RTRDOF60241	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff Profiles	1. Worksurface finish L, V1, V2, V3	Modesty sold separately.
TR Table Rectangular	2. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	1 1/2" top will come with appropriate stiffener support.
D 1 1/2"	3. Open Frame Leg finish Painted and Anodized	Grommets are NOT optional for these tables.
OF Open Frame Leg	Upcharges apply to legs with P2, P3 and P4 finishes.	
60 Width	Additional upcharges;	
24 Depth	LegFinish Add	
1 26 1/2" height leg	P2 \$200	
006B Finish	P3 \$260	
() Edge Finish (L)	P4 for 20" & 24"d legs: \$1000	
111 Leg Finish	for 30" & 36"d legs: \$1200	

Open Frame legs Infill Options

For Tables, 26¹/₂" High

Reff Profiles Vol. One

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26 ¹ / ₂ " h 	24"	20"	RIPI201()	\$359.	\$466.	\$537.	\$680.	
	24"	24"	RIPI241()	368.	479.	551.	699.	
	24"	30"	RIPI301()	388.	504.	577.	734.	
	24"	36"	RIPI361()	412.	534.	613.	778.	
Outside Infill Options for Open Frame Legs 26 ¹ / ₂ " h 	25"	20"	RIPO201()	361.	469.	538.	682.	
	25"	24"	RIPO241()	370.	481.	553.	700.	
	25"	30"	RIPO301()	390.	507.	580.	739.	
	25"	36"	RIPO361()	414.	535.	615.	780.	
Outside Glass Infill Options for Open Frame Legs 26 ¹ / ₂ " h 	25"	20"	RIPOG201()					907.
	25"	24"	RIPOG241()					1,023.
	25"	30"	RIPOG301()					1,202.
	25"	36"	RIPOG361()					1,386.

Order Code	Specification Information	Application Notes
Example: RIPI201	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill panels are required and must be ordered separately.
R Reff Profiles	1. Finish: L, V1,V2,V3, Glass	
IP Infill Panel	I=Inside	Infills; fill entire opening of open frame legs.
I Inside	O=Outside	
20 Width	OG=Outside Glass	Infills connect to each other. Can be removed without any damage to the frame legs.
1 26 ¹ / ₂ "h: Desk Height	Glass options:	Glass Option is only available for outside infill.
006B Finish	GL11, GL14, GL15, GL17, GL18	Inside infill options are wood or laminate.

Note: the infills for the open frame leg Peninsula and Tables are interchangeable, as of July 17, 2012.

Product on this page will accept woodgrain laminate where laminate is currently an option.

For Peninsula infills prior to July 17, 2012 please consult your account manager.

Tables with L-legs

Rectangular and Square

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	R2TRDL48301 () (C) ()	\$1,599.	\$1,798.	\$2,020.	\$2,084.
	30"	60"	1 1/2"	R2TRDL60301 () (E) ()	1,671.	1,901.	2,141.	2,208.
	30"	72"	1 1/2"	R2TRDL72301 () (E) ()	1,743.	1,968.	2,224.	2,354.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	R2TRDL72361 () (E) ()	1,825.	2,040.	2,311.	2,508.
---	-----	-----	--------	--------------------------------	--------	--------	--------	--------





Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	R2TSDL42421 () (C) () ()	1,662.	1,855.	2,091.	2,149.
	48"	48"	1 1/2"	R2TSDL48481 () (C) () ()	1,767.	1,947.	2,344.	2,681.



Tables

Order Code	Specification Information	Application Notes	Application Notes
Example: R2TRDL48301 () (C) ()	To order please specify pattern number including:	It is not advisable to mix 28 3/8" h desk height product with 26 1/2" h standard height products.	When ordering: Power center grommets (P), upcharges apply for; -lids and sleeves = \$200. -undermount wire basket kit = \$180
R2 Reff Profiles	1. Grommet Drilling Options: NG = no grommet P = Power center grommet D1 = Cut out for drop in electrical unit 202 D2 = Cut out for drop in electrical unit 210 D3 = Cut out for drop in electrical unit 311 D4 = Cut out for drop in electrical unit 412 * *Electrical components are not included with tables & need to be ordered separately.	Table height = 26 1/2" h to the underside of worksurface.	Grommet options; D1 to D4 are drilled options only.
TR Table Rectangular TS = Table Square	2. Grommet Locations: C = Center E = One end Note: 48" w Tables default to "C" 60" & 72" w Tables default to "E"	Product on this page will accept woodgrain laminate where laminate is currently an option.	Products on this page do not include electrical components. For electrical components, see pages 307 to 309.
D 1 1/2"	3. Grommet Finish: NG = Finish not required P = Painted and plated finishes D1, D2, D3, D4 = Drilling locations only, finish not applicable	Assembly required, ships knock down.	Modesty sold separately.
L L-Leg	4. Worksurface finish: L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 54" w.	Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00388, for drop in electrical.
48 Width	5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only)	Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges:	
30 Depth	6. Leg finish: All core paint or veneer to match top, where applicable	Leg Finish Add P2 \$180. P3 \$240. P4 \$600.	
1 26 1/2" height leg			
P Grommet Option			
C Grommet Location			
111 Grommet Finish			
006B Top Finish			
() Edge Finish (L)			
111 Leg Finish			

Tables with Reverse L-Legs

Rectangular and Square

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	R2TRDRL48301 ()(C)()()	\$1,599.	\$1,798.	\$2,020.	\$2,084.
	30"	60"	1 1/2"	R2TRDRL60301 ()(E)()()	1,671.	1,901.	2,141.	2,208.
	30"	72"	1 1/2"	R2TRDRL72301 ()(E)()()	1,743.	1,968.	2,224.	2,354.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	R2TRDRL72361 ()(E)()()	1,825.	2,040.	2,311.	2,508.
---	-----	-----	--------	----------------------------------	--------	--------	--------	--------





Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	R2TSDRL42421 ()(C)()()	1,662.	1,855.	2,091.	2,149.
	48"	48"	1 1/2"	R2TSDRL48481 ()(C)()()	1,767.	1,947.	2,344.	2,681.



Order Code	Specification Information	Application Notes	Application Notes
Example: R2TRDRL48301 ()(C)()()	To order please specify pattern number including:	It is not advisable to mix 28 3/8"h desk height product with 26 1/2"h standard height products.	When ordering: Power center grommets (P), upcharges apply for; -lids and sleeves = \$200. -undermount wire basket kit = \$180
R2 Reff Profiles	1. Grommet Drilling Options: NG = no grommet P = Power center grommet D1 = Cut out for drop in electrical unit 202 D2 = Cut out for drop in electrical unit 210 D3 = Cut out for drop in electrical unit 311 D4 = Cut out for drop in electrical unit 412 * *Electrical components are not included with tables & need to be ordered separately.	Table height = 26 1/2"h to the underside of worksurface.	Grommet options; D1 to D4 are drilled options only.
TR Table Rectangular TS = Table Square	2. Grommet Locations: C = Center E = One end Note: 48" w Tables default to "C" 60" & 72" w Tables default to "E"	Product on this page will accept woodgrain laminate where laminate is currently an option.	Products on this page do not include electrical components. For electrical components, see pages 307 to 309.
D 1 1/2"	3. Grommet Finish: NG = Finish not required P = Painted and plated finishes D1, D2, D3, D4 = Drilling locations only, finish not applicable	Assembly required, ships knock down.	Modesty sold separately.
RL Reverse L-Leg	4. Worksurface finish: L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 54"w.	Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00388, for drop in electrical.
48 Width	5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only)	Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges:	
30 Depth	6. Leg finish: All core paint or veneer to match top, where applicable	Leg Finish Add P2 \$180. P3 \$240. P4 \$600.	
1 26 1/2" height leg			
P Grommet Option			
C Grommet Location			
111 Grommet Finish			
006B Top Finish			
() Edge Finish (L)			
111 Leg Finish			

Tables with Soft Rectangular Legs

Rectangular and Square

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	R2TRDS48301 () (C) () ()	\$1,729.	\$1,923.	\$2,202.	\$2,485.
	30"	60"	1 1/2"	R2TRDS60301 () (E) () ()	1,801.	2,026.	2,278.	2,676.
	30"	72"	1 1/2"	R2TRDS72301 () (E) () ()	1,873.	2,094.	2,361.	2,825.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	R2TRDS72361 () (E) () ()	1,735.	1,947.	2,209.	2,742.
---	-----	-----	--------	---	--------	--------	--------	--------





Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	R2TSDS42421 () (C) () ()	1,793.	1,981.	2,228.	2,610.
	48"	48"	1 1/2"	R2TSDS48481 () (C) () ()	1,908.	2,073.	2,342.	2,819.



Tables

Order Code	Specification Information	Application Notes	Application Notes
Example: R2TRDS48301 () (C) () ()	To order please specify pattern number including:	It is not advisable to mix 28 3/8" h desk height product with 26 1/2" h standard height products.	When ordering: Power center grommets (P), upcharges apply for; -lids and sleeves = \$200. -undermount wire basket kit = \$180
R2 Reff Profiles	1. Grommet Drilling Options: NG = no grommet P = Power center grommet D1 = Cut out for drop in electrical unit 202 D2 = Cut out for drop in electrical unit 210 D3 = Cut out for drop in electrical unit 311 D4 = Cut out for drop in electrical unit 412 * *Electrical components are not included with tables & need to be ordered separately.	Table height = 26 1/2" h to the underside of worksurface.	Grommet options; D1 to D4 are drilled options only.
TR Table Rectangular TS = Table Square	2. Grommet Locations: C = Center E = One end Note: 48" w Tables default to "C" 60" & 72" w Tables default to "E"	Product on this page will accept woodgrain laminate where laminate is currently an option.	Products on this page do not include electrical components. For electrical components, see pages 307 to 309.
D 1 1/2"	3. Grommet Finish: NG = Finish not required P = Painted and plated finishes D1, D2, D3, D4 = Drilling locations only, finish not applicable	Assembly required, ships knock down.	Modesty sold separately.
S Soft Rectangular Leg	4. Worksurface finish: L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 54" w.	Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00388, for drop in electrical.
48 Width	5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only)	Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges:	
30 Depth	6. Leg finish: All core paint or veneer to match top, where applicable	Leg Finish Add P2 \$180. P3 \$240. P4 \$600.	
1 26 1/2" height leg			
P Grommet Option			
C Grommet Location			
111 Grommet Finish			
006B Top Finish			
() Edge Finish (L)			
111 Leg Finish			

Tables with 2 x 4 Legs Rectangular - 26 1/2" High

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36" Deep with 26 1/2" height legs	36"	72"	1 1/2"	RTM272361H () () () ()	\$2,354.	\$2,472.	\$2,571.	\$2,982.
	36"	78"	1 1/2"	RTM278361H () () () ()	2,373.	2,504.	2,610.	3,053.
	36"	84"	1 1/2"	RTM284361H () () () ()	2,415.	2,562.	2,677.	3,148.
	36"	90"	1 1/2"	RTM290361H () () () ()	2,443.	2,595.	2,715.	3,218.
	36"	96"	1 1/2"	RTM296361H () () () ()	2,464.	2,624.	2,754.	3,288.





Table Top Rectangle, 42" Deep with 26 1/2" height legs	42"	72"	1 1/2"	RTM272421H () () () ()	2,391.	2,534.	2,649.	3,115.
	42"	78"	1 1/2"	RTM278421H () () () ()	2,410.	2,570.	2,693.	3,193.
	42"	84"	1 1/2"	RTM284421H () () () ()	2,467.	2,669.	2,802.	3,334.
	42"	90"	1 1/2"	RTM290421H () () () ()	2,480.	2,706.	2,846.	3,411.
	42"	96"	1 1/2"	RTM296421H () () () ()	2,511.	2,742.	2,891.	3,491.




Order Code	Specification Information	Application Notes
Example: RTM272361H () () () ()	To order please specify pattern number including:	The product on this page (Table tops only) will accept wood grain laminate.
R Reff Profiles	1. Grommet Options: NG = No grommet P = Power center grommet D1 = Cut out for drop in electrical unit 202 D2 = Cut out for drop in electrical unit 210 D3 = Cut out for drop in electrical unit 311 D4 = Cut out for drop in electrical unit 412 * *Electrical components are not included with tables and need to be ordered separately.	Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges; Leg/Apron Finish Add V1 \$3,000 V2 \$3,200 V3 \$3,600
TM Table		For planning heights guidelines, refer to introduction on page 12.
2 2 x 4 leg		The tables on this page, come complete with structural frame. No additional stiffeners are required.
72 Width		Table's frame ships knockdown. Assembly required.
36 Depth		For laminate tops (including wood grain laminate) leg finish options are: All core paint finishes only.
1 26 1/2" h leg		
H Horizontal Grain Direction		
P Grommet Option		
C Grommet Location		
PU Grommet Finish		
006B Worksurface Finish		
() Edge Finish (L)		
006B Leg finish (all core paint, V1,V2,V3)		
111 Leg reveal finish (all core paint)		
	2. Grommet Location: B = Both ends C = Center E = One end	For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.
	3. Grommet Finish: NG = Finish not required P = Painted and plated finishes D1, D2, D3, D4 = Drilling location only, finish not applicable.	
	4. Worksurface finish: L, V1, V2, V3	
	5. Edge finish: Laminate (Edge options are available on laminate tops only.)	
	6. Leg finish: Painted or wood veneer to match top, where applicable.	
	7. Leg reveal finish: All core paint options.	
		* Upcharges apply for the following power center grommets. Grommet Add PB \$388 PC \$244 PE \$244
		Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.
		Products on this page do not include electrical components. For electrical components, see pages 307 to 309.

Tables with 2 x 4 Legs

Rectangular - 26 1/2" High

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 48" Deep with 26 1/2" height legs	48"	72"	1 1/2"	RTM272481H () () () ()	\$2,460.	\$2,664.	\$2,795.	\$3,314.
	48"	78"	1 1/2"	RTM278481H () () () ()	2,483.	2,707.	2,848.	3,403.
	48"	84"	1 1/2"	RTM284481H () () () ()	2,533.	2,770.	2,921.	3,514.
	48"	90"	1 1/2"	RTM290481H () () () ()	2,556.	2,823.	2,984.	3,614.
	48"	96"	1 1/2"	RTM296481H () () () ()	2,581.	2,862.	3,034.	3,704.



Tables

Order Code	Specification Information	Application Notes
Example: RTM272361H () () () ()	To order please specify pattern number including:	The product on this page (Table tops only) will accept wood grain laminate.
R Reff	1. Grommet Options: NG = No grommet P = Power center grommet	Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges;
TM Table	D1 = Cut out for drop in electrical unit 202	Leg/Apron Finish Add
2 2 x 4 leg	D2 = Cut out for drop in electrical unit 210	V1 \$3,000
72 Width	D3 = Cut out for drop in electrical unit 311	V2 \$3,200
36 Depth	D4 = Cut out for drop in electrical unit 412	V3 \$3,600
1 26 1/2" h leg	**Electrical components are not included with tables and need to be ordered separately.	* Upcharges apply for the following power center grommets.
H Horizontal Grain Direction	2. Grommet Location: B = Both ends C = Center E = One end	Grommet Add
P Grommet Option	3. Grommet Finish: NG = Finish not required P = Painted and plated finishes	PB \$388
C Grommet Location	D1, D2, D3, D4 = Drilling location only, finish not applicable.	PC \$244
PU Grommet Finish	4. Worksurface finish: L, V1, V2, V3	PE \$244
006B Worksurface Finish	5. Edge finish: Laminate (Edge options are available on laminate tops only.)	Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.
() Edge Finish (L)	6. Leg finish: Painted or wood veneer to match top, where applicable.	Products on this page do not include electrical components. For electrical components, see pages 307 to 309.
006B Leg Finish (all core paint, V1,V2,V3)	7. Leg reveal finish: All core paint options.	
111 Leg reveal finish (all core paint)		

Tables with 4 x 4 Legs Rectangular - 26 1/2" High

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36" Deep with 26 1/2" height legs	36"	72"	1 1/2"	RTM472361H (X)(X)(X)(X)	\$2,658.	\$2,778.	\$2,877.	\$3,289.
	36"	78"	1 1/2"	RTM478361H (X)(X)(X)(X)	2,693.	2,825.	2,932.	3,374.
	36"	84"	1 1/2"	RTM484361H (X)(X)(X)(X)	2,815.	2,960.	3,076.	3,546.
	36"	90"	1 1/2"	RTM490361H (X)(X)(X)(X)	2,843.	2,993.	3,115.	3,615.
	36"	96"	1 1/2"	RTM496361H (X)(X)(X)(X)	2,885.	3,047.	3,177.	3,708.





Table Top Rectangle, 42" Deep with 26 1/2" height legs	42"	72"	1 1/2"	RTM472421H (X)(X)(X)(X)	2,711.	2,855.	2,969.	3,434.
	42"	78"	1 1/2"	RTM478421H (X)(X)(X)(X)	2,733.	2,890.	3,015.	3,513.
	42"	84"	1 1/2"	RTM484421H (X)(X)(X)(X)	2,780.	2,982.	3,116.	3,647.
	42"	90"	1 1/2"	RTM490421H (X)(X)(X)(X)	2,893.	3,118.	3,259.	3,825.
	42"	96"	1 1/2"	RTM496421H (X)(X)(X)(X)	2,924.	3,155.	3,304.	3,905.




Order Code	Specification Information	Application Notes
Example: RTM472361H (X)(X)(X)(X)	To order please specify pattern number including:	The product on this page (Table tops only) will accept wood grain laminate.
R Reff Profiles	1. Grommet Drilling Options: NG = No grommet P = Power center grommet D1 = Cut out for drop in electrical unit 202 D2 = Cut out for drop in electrical unit 210 D3 = Cut out for drop in electrical unit 311 D4 = Cut out for drop in electrical unit 412 * *Electrical components are not included with tables & need to be ordered separately.	For planning heights guidelines, refer to introduction on page 12.
TM Table	2. <i>Grommet Location:</i> B = Both ends C = Center E = One end	The tables on this page, come complete with structural frame. No additional stiffeners are required.
4 4 x 4 leg	3. <i>Grommet Finish:</i> NG = Finish not required P = Painted and plated finishes D1, D2, D3, D4 = Drilling location only, finish not applicable.	Table's frame ships knockdown. Assembly required. For laminate tops (including wood grain laminate) leg finish options are: All core paint finishes only.
72 Width	4. <i>Worksurface finish:</i> L, V1, V2, V3	For wood tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.
36 Depth	5. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	
1 26 1/2" h leg	6. <i>Leg finish:</i> Painted or wood veneer to match top, where applicable.	
H Horizontal Grain Direction	7. <i>Leg reveal finish:</i> All core paint options.	
P Grommet Option		Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges;
C Grommet Location		Leg Finish Add V1 \$2,000 V2 \$2,200 V3 \$2,500
111 Grommet finish		* Upcharges apply for the following power center grommets.
006B Worksurface Finish		Grommet Add PB \$388 PC \$244 PE \$244
() Edge Finish (L)		Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.
006B Leg finish (all core paint, V1,V2,V3)		Products on this page do not include electrical components. For electrical components, see pages 307 to 309.
111 Leg reveal finish (all core paint)		

Tables with 4 x 4 Legs Rectangular - 26 1/2" High

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 48" Deep with 26 1/2" height legs	48"	72"	1 1/2"	RTM472481H (X)(X)(X)(X)	\$2,731.	\$2,937.	\$3,067.	\$3,584.
	48"	78"	1 1/2"	RTM478481H (X)(X)(X)(X)	2,789.	3,010.	3,151.	3,708.
	48"	84"	1 1/2"	RTM484481H (X)(X)(X)(X)	2,815.	3,051.	3,203.	3,795.
	48"	90"	1 1/2"	RTM490481H (X)(X)(X)(X)	2,855.	3,119.	3,281.	3,911.
	48"	96"	1 1/2"	RTM496481H (X)(X)(X)(X)	2,980.	3,260.	3,432.	4,100.



Tables

Order Code	Specification Information	Application Notes
Example: RTM472361H (X)(X)(X)(X)	To order please specify pattern number including:	The product on this page (Table tops only) will accept wood grain laminate.
R Reff Profiles	1. <i>Grommet Drilling Options:</i> NG = No grommet P = Power center grommet D1 = Cut out for drop in electrical unit 210 D2 = Cut out for drop in electrical unit 210 D3 = Cut out for drop in electrical unit 311 D4 = Cut out for drop in electrical unit 412 * *Electrical components are not included with tables & need to be ordered separately.	For planning heights guidelines, refer to introduction on page 12.
TM Table		The tables on this page, come complete with structural frame. No additional stiffeners are required.
4 4 x 4 leg		Table's frame ships knockdown. Assembly required.
72 Width		For laminate tops (including wood grain laminate) leg finish options are: All core paint finishes only.
36 Depth		
1 26 1/2" h leg		
H Horizontal Grain Direction		
P Grommet Option		
C Grommet Location		
111 Grommet Finish		
006B Worksurface Finish		
() Edge Finish (L)		
006B Leg finish (all core paint, V1,V2,V3)		
111 Leg reveal finish (all core paint)		

Tables with Column Legs

Round, Square, Rectangular and Racetrack

Reff Profiles Vol. One

description	width	depth	th	pattern no.	L	V1	V2	V3
Table Top Round with 26 1/2" height legs		42"	1 1/2"	RTNDC421 () () ()	\$1,776.	\$2,477.	\$2,725.	\$3,542.
		48"	1 1/2"	RTNDC481 () () ()	1,957.	2,730.	3,002.	3,903.



Table Top Square with 26 1/2" height legs	36"	36"	1 1/2"	RTSDC361 () ()	1,441.	1,593.	1,753.	2,278.
	42"	42"	1 1/2"	RTSDC421 () ()	1,577.	1,743.	1,917.	2,492.
	48"	48"	1 1/2"	RTSDC481 () ()	1,824.	2,017.	2,219.	2,884.




Table Top Rectangular with 26 1/2" height legs	72"	36"	1 1/2"	RTRDC72361 () ()	1,703.	1,882.	2,071.	2,692.
	84"	42"	1 1/2"	RTRDC84421 () ()	1,926.	2,129.	2,342.	3,045.
	96"	48"	1 1/2"	RTRDC96481 () ()	2,240.	2,477.	2,725.	3,542.





Table Top Racetrack with 26 1/2" height legs	72"	36"	1 1/2"	RTTDC72361 () ()	1,891.	2,638.	2,902.	3,772.
	84"	42"	1 1/2"	RTTDC84421 () ()	2,066.	2,880.	3,169.	4,119.
	96"	48"	1 1/2"	RTTDC96481 () ()	2,312.	3,224.	3,547.	4,610.



Order Code	Specification Information	Application Notes
Example: RTNDC421 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff Profiles	1. <i>Worksurface finish</i>	Modesty sold separately.
TN Table Round	L, V1, V2, V3	Grommets are NOT optional for these tables.
D 1 1/2"	2. <i>Edge finish: Laminates</i>	Upcharges apply to legs with P2, P3 and P4 finishes.
C Column Leg	(Edge options are available on laminate tops only.)	Additional upcharges;
36 Diameter	3. <i>Leg finish</i>	Leg Finish Add
1 26 1/2" height leg	Painted / Plated	P2 \$200.
006B Finish	* \$800 upcharges apply for legs with plated finish.	P3 \$280.
() Edge Finish (L)		P4 \$750.
111 Leg Finish		

Tables - Mobile

Rectangular, Square and Round

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36" Deep, with 26 1/2"h Column leg with casters	36"	72"	1 1/2"	RTRDC72363()()	\$2,079.	\$2,154.	\$2,282.	\$2,782.



Table Top Rectangle, 30" Deep, with 26 1/2"h Column leg with casters	30"	48"	1 1/2"	RTRDC48303()()	1,881.	1,948.	2,026.	2,334.
	30"	60"	1 1/2"	RTRDC60303()()	1,965.	2,036.	2,129.	2,502.
	30"	72"	1 1/2"	RTRDC72303()()	2,021.	2,093.	2,203.	2,638.




Table Top Rectangle, 42" and 48" Deep, with 26 1/2"h Column leg with casters	42"	42"	1 1/2"	RTSDC42423()()	1,923.	1,995.	2,088.	2,447.
	48"	48"	1 1/2"	RTSDC48483()()	1,997.	2,074.	2,192.	2,637.




Table Top Round with 26 1/2"h Column leg with casters	36"	1 1/2"	RTNDC363()()	2,375.	2,510.	2,578.	2,787.
	42"	1 1/2"	RTNDC423()()	2,440.	2,607.	2,677.	2,947.
	48"	1 1/2"	RTNDC483()()	2,527.	2,689.	2,780.	3,118.



Order Code	Specification Information	Application Notes
Example: RTRDC48303()()	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff Profiles	1. <i>Worksurface Finish:</i> L, V1, V2, V3	Assembly required, ships knock down.
TR Table Rectangular TS = Table Square TN = Table Round	2. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	Grommets and drilling are not an option for these tables.
D 1 1/2"	3. <i>Leg Finish:</i> Painted and plated finishes	Worksurface stiffeners, recommended to provide additional support for open spans greater than 54"w.
C Column Leg	Upcharges apply to legs with P2, P3 and P4 finishes.	
48 width	Additional upcharges;	
30 depth	Leg Finish Add	
3 26 1/2" height leg with castor	P2 \$140.	
006B Worksurface Finish	P3 \$200.	
() Edge Finish (L)	P4 \$607.	
111 Leg Finish		

Tables

Tables - Sliding


Laminate Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	L
Round Table with 26 1/2" height legs	36"		1"	RSTRLE361()()	\$3,399.
	42"		1"	RSTRLE421()()	3,467.



Soft Square Table with 26 1/2" height legs	36"	36"	1"	RSTSLE361()()	3,368.
	42"	42"	1"	RSTSLE421()()	3,441.



Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTLE30481()()	3,174.
	36"	54"	1"	RSTTLE36541()()	3,258.



Order Code	Specification Information	Application Notes
Example: RSTRLE361()()	To order please specify pattern number including:	Assembly required.
R Reff Profiles		Ships knocked down.
ST Sliding Table	1. <i>Worksurface finish:</i> Laminate only	Grommets are <u>not</u> an option for these tables.
R Round	2. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	Column and base are color matched
L Laminate surface	3. <i>Leg Textured finish:</i> All core paint colors.	Column = smooth
E 1" thick		Base = textured
42 42" diameter		
1 26 1/2" height leg,		
114 Finish		
124 Edge Finish (L)		
118T Leg Finish		

Product on this page will accept woodgrain laminate where laminate is currently an option.

The soft square and soft rectangular worksurfaces have softly curved sides.

Tables - Sliding


Wood Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	V1	V2	V3
Round Table with 26 1/2" height legs	36"		1"	RSTRWE361() ()	\$3,687.	\$3,745.	\$4,036.
	42"		1"	RSTRWE421() ()	3,761.	3,839.	4,198.



Soft Square Table with 26 1/2" height legs	36"	36"	1"	RSTSWE361() ()	3,654.	3,712.	4,028.
	42"	42"	1"	RSTSWE421() ()	3,735.	3,810.	4,198.



Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTWE30481() ()	3,444.	3,507.	3,847.
	36"	54"	1"	RSTTWE36541() ()	3,534.	3,616.	4,037.



Tables

Order Code	Specification Information	Application Notes
Example: RSTRWE361() ()	To order please specify pattern number including:	Column and base are color matched.
R Reff Profiles	1. Worksurface finish	Column=smooth
ST Sliding Table	V1, V2, V3 wood only	Base=textured
R Round	2. Leg Textured finish:	Assembly required, ships knock down.
W Wood surface	All core paint colors.	Grommets are not an option for these tables.
E 1" thick		The soft square and soft rectangular worksurfaces have softly curved sides.
42 42" diameter		
1 26 1/2" height leg		
006B Finish		
111T Leg Finish		

Tables - Sliding


Solid Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	Solid
Round Table with 26 1/2" height legs	36"		1"	RSTRSE361()()	\$9,455.
	42"		1"	RSTRSE421()()	10,835.



Soft Square Table with 26 1/2" height legs	36"	36"	1"	RSTSSE361()()	8,454.
	42"	42"	1"	RSTSSE421()()	9,972.



Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTSE30481()()	10,421.
	36"	54"	1"	RSTTSE36541()()	11,555.



Order Code	Specification Information	Application Notes
Example: RSTRSE361()()	To order please specify pattern number including: 1. Worksurface finish: AW=Artic White, only 2. Leg finish Textured: All core paint colors.	Assembly required. Ships knocked down. Grommets are <u>not</u> an option for these tables. Artic White finish available for solid tops. Column and base are color matched. Column=smooth Base=textured
R Reff Profiles		
ST Sliding Table		
R Round		
S Solid		
E 1" thick		
42 42" diameter		
1 26 1/2" height leg		
AW Worksurface finish		
111T Leg Finish		


Tables - Height Adjustable & Sliding Laminate Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	L
Round Sliding Table with height adjustable base	36"		1"	RSTRLE363()()	\$4,596.
	42"		1"	RSTRLE423()()	4,663.



Soft Square Sliding Table with height adjustable base	36"	36"	1"	RSTSLE363()()	4,565.
	42"	42"	1"	RSTSLE423()()	4,638.



Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	RSTTLE30483()()	4,370.
	36"	54"	1"	RSTTLE36543()()	4,455.




Tables

Order Code	Specification Information	Application Notes
Example: RSTRLE363 ()()	<i>To order please specify pattern number including:</i>	Column and base are color matched.
R Reff Profiles	1. Worksurface finish: Laminate	Column = smooth
ST Sliding Table	2. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)	Base = textured
R Round, S=Square,T=Rectangle	3. Base textured finish: All core paint colors.	Assembly required, ships knock down.
L Laminate surface	The table tops on this page will accept wood grain laminate.	All tops have groove for fingerpull when sliding.
E 1" thick		Grommets are not an option for these tables.
36 36"=36" diameter		Height range is from 27" - 42" to the underside of worksurface.
3 Height Adjustable Base		
114 Work surface finish		
124 Edge Finish (L)		
118T Base Finish		


Tables - Height Adjustable & Sliding Wood Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	V1	V2	V3
Round Sliding Table with height adjustable base	36"		1"	RSTRWE363()()	\$4,889.	\$4,947.	\$5,237.
	42"		1"	RSTRWE423()()	4,964.	5,041.	5,400.



Soft Square Sliding Table with height adjustable base	36"	36"	1"	RSTSWE363()()	4,859.	4,916.	5,230.
	42"	42"	1"	RSTSWE423()()	4,938.	5,011.	5,400.



Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	RSTTWE30483()()	4,646.	4,708.	5,050.
	36"	54"	1"	RSTTWE36543()()	4,738.	4,818.	5,238.



Order Code	Specification Information	Application Notes
Example: RSTRWE363()()	<i>To order please specify pattern number including:</i>	Column and base are color matched.
R Reff Profiles	1. Worksurface finish: V1, V2, V3	Column = smooth Base = textured
ST Sliding Table	2. Base textured finish: All core paint colors.	Assembly required, ships knock down.
R Round, S=Square,T=Rectangle		All tops have groove for fingerpull when sliding.
W Wood surface		Grommets are not an option for these tables.
E 1" thick		
36 36"=36" diameter		
3 Height Adjustable Base		
006B Maple work surface finish		Height range is from 27" - 42" to the underside of worksurface.
111T Base Finish		


Tables - Height Adjustable & Sliding Solid Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	Solid
Round Sliding Table with height adjustable base	36"		1"	RSTRSE363()()	\$10,586.
	42"		1"	RSTRSE423()()	11,966.



Soft Square Sliding Table with height adjustable base	36"	36"	1"	RSTSSE363()()	9,585.
	42"	42"	1"	RSTSSE423()()	11,103.



Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	RSTTSE30483()()	11,551.
	36"	54"	1"	RSTTSE36543()()	12,685.



Tables

Order Code	Specification Information	Application Notes
Example: RSTRSE363()()	<i>To order please specify pattern number including:</i>	Column and base are color matched.
R Reff Profiles	1. Worksurface finish: Solid Finish only	Column = smooth
ST Sliding Table	AW = Artic White	Base = textured
R Round, S=Square, T=Rectangle	2. Base textured finish:	Assembly required, ships knock down.
S Solid surface	All core paint colors.	All tops have groove for fingerpull when sliding.
E 1" thick		Grommets are not an option for these tables.
30 36"=36" diameter		Height range is from 27" - 42" to the underside of worksurface.
3 Height Adjustable Base		
AW Solid Table finish		
118T Base Finish		

Tables - Fixed Height with Column Base Leg


Laminate Surface, 1" Thick, Square Edges

Reff Profiles Vol. One


description	d	w	th	pattern no.	L
Round Column Base Table with 26 1/2" height leg	36"		1"	RCTRLE361() ()	\$2,612.
	42"		1"	RCTRLE421() ()	2,678.



Square Column Base Table with 26 1/2" height leg	36"	36"	1"	RCTSLE361() ()	2,775.
	42"	42"	1"	RCTSLE421() ()	2,845.



Rectangle Column Base Table with 26 1/2" height leg	30"	48"	1"	RCTTLE30481() ()	2,701.
	36"	54"	1"	RCTTLE36541() ()	2,755.



Order Code	Specification Information
Example: RCTRLE361 () ()	
R Reff Profiles	<i>To order please specify pattern number including:</i>
CT Column Table	1. <i>Worksurface finish:</i> Laminate
R Round, S=Square, T=Rectangle	2. <i>Edge finish:</i> Laminate (Edge options are available on laminate tops only.)
L Laminate surface	3. <i>Leg finish:</i> All core paint colors.
E 1" thick	Column and base are color matched.
36 36" diameter	Column = smooth
1 26 1/2" height leg	Base = textured
114 Work surface finish	It is not advisable to mix 28 3/8" h desk height product with 26 1/2" h standard height products.
124 Edge Finish (L)	Table height = 26 1/2" h to the underside of worksurface.
111T Leg Finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
	Assembly required, ships knock down.
	Grommets are <u>NOT</u> optional for these tables.
	The tops have the standard square edge.
	There are no grooves for finger pull, underside of table tops.
	The square and Rectangular worksurfaces, have straight edges.

Tables - Fixed Height with Column Base Leg


Wood Surface, 1" Thick, Square Edges

Reff Profiles Vol. One


description	d	w	th	pattern no.	V1	V2	V3
Round Column Base Table with 26 1/2" height legs	36"		1"	RCTRWE361 () ()	\$2,947.	\$2,977.	\$3,143.
	42"		1"	RCTRWE421 () ()	2,996.	3,034.	3,263.



Square Column Base Table with 26 1/2" height legs	36"	36"	1"	RCTSWE361 () ()	2,905.	2,952.	3,147.
	42"	42"	1"	RCTSWE421 () ()	2,983.	3,043.	3,331.



Rectangle Column Base Table with 26 1/2" height legs	30"	48"	1"	RCTTWE30481 () ()	2,838.	2,889.	3,121.
	36"	54"	1"	RCTTWE36541 () ()	2,938.	3,002.	3,333.



Tables

Order Code	Specification Information
Example: RCTRWE361 () ()	
R Reff Profiles	<i>To order please specify pattern number including:</i>
CT Column Table	1. Worksurface finish: V1, V2, V3
R Round, S=Square, T=Rectangle	2. Leg finish: All core paint colors.
W Wood surface	Column and base are color matched.
E 1" thick	Column = smooth
36 36" diameter	Base = textured
1 26 1/2" height leg	
006B Work surface finish	
111T Leg Finish	

It is not advisable to mix 28 3/8" h desk height product with 26 1/2" h standard height products.

Table height = 26 1/2" h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.



Grommets are NOT optional for these tables.

The tops have the standard square edge.
There are no grooves for finger pull, underside of table tops.
The square and Rectangular worksurfaces, have straight edges.

Tables - Height Adjustable

Laminate Surface, 1" Thick, Square Edges

Reff Profiles Vol. One



description	d	w	th	pattern no.	L
 Round Table with height adjustable base	36"		1"	RCTRLE363()()	\$3,541.
	42"		1"	RCTRLE423()()	3,594.
 Square Table with height adjustable base	36"	36"	1"	RCTSLE363()()	3,640.
	42"	42"	1"	RCTSLE423()()	3,690.
 Rectangle Table with height adjustable base	30"	48"	1"	RCTTLE30483()()	3,583.
	36"	54"	1"	RCTTLE36543()()	3,621.

Order Code	Specification Information	Application Notes
Example: RCTRLE363()()	<i>To order please specify pattern number including:</i>	It is not advisable to mix 28 ^{3/8} "h desk height product with 26 ^{1/2} "h standard height products.
R Reff Profiles	1. Worksurface finish: Laminate	Height range is from 27" - 42" to the underside of worksurface.
CT Column Table	2. Edge finish: Laminate (Edge options are available on laminate tops only).	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Round, S=Square, T=Rectangle	3. Base textured finish: All core paint colors.	Assembly required, ships knock down.
L Laminate surface		Grommets are <u>NOT</u> optional for these tables.
E 1" thick		Load capacity for Height Adjustable tables is 200 lbs, functional load.
36 36" diameter		Column and base are color matched. Column = smooth Base = textured
3 Height Adjustable Base		The tops have the standard square edge.
114 Work surface finish		There are no grooves for finger pull, underside of table tops.
124 Edge finish		The square and Rectangular worksurfaces, have straight edges.
118T Base Finish		

Tables - Height Adjustable

Wood Surface, 1" Thick, Square Edges

Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
 Round Table with height adjustable base	36"		RCTRWE363()()	\$3,823.	\$3,869.	\$4,070.
	42"		RCTRWE423()()	3,870.	3,929.	4,185.
 Square Table with height adjustable base	36"	36"	RCTSWE363()()	3,816.	3,863.	4,061.
	42"	42"	RCTSWE423()()	3,871.	3,930.	4,186.
 Rectangle Table with height adjustable base	30"	48"	RCTTWE30483()()	3,805.	3,855.	4,074.
	36"	54"	RCTTWE36543()()	3,846.	3,912.	4,188.

Tables


Order Code	Specification Information	Application Notes
Example: RSTRWE363()()	<i>To order please specify pattern number including:</i>	It is not advisable to mix 28 ^{3/8} "h desk height product with 26 ^{1/2} "h standard height products.
R Reff Profiles	1. Worksurface finish: V1, V2, V3	Height range is from 27" - 42" to the underside of worksurface.
ST Sliding Table	2. Base textured finish: All core paint colors.	Assembly required, ships knock down.
R Round, S=Square,T=Rectangle		Grommets are <u>NOT</u> optional for these tables.
W Wood surface		Load capacity for Height Adjustable tables is 200 lbs, functional load.
E 1" thick		Column and base are color matched. Column = smooth Base = textured
36 30" diameter		The tops have the standard square edge.
3 Height Adjustable Base		There are no grooves for finger pull, underside of table tops.
006B Maple work surface finish		The square and Rectangular worksurfaces, have straight edges.
111T Base Finish		

Top support components

Bracketry


Reff Profiles Vol. One

description	d	pattern no.	P1 & black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$112.	\$126.	\$131.
	24"	RBC24 (L/R)	125.	135.	142.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R)	118.	127.	131.
	24"	ASBC24 (L/R)	131.	140.	146.



Specify paint finish
 18" for 24"d tops
 24" for 30" d tops
 Ships with wood screws (use with AutoStrada, Dividends Horizon and Cascade worksurfaces)

Mid-span cantilever bracket, free standing	17"	RMSCB ()	95.	109.	114.
--	-----	------------------	-----	------	------





Order Code	Specification Information	Application Notes	
Example: RMSCB	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.	Cantilever should be specified with top to top brackets.
R Reff Profiles	1. Finish - () - Painted Finish	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
MS Mid Span	When planning with Reff overheads half depth and panel may be required for additional support. Refer to the Planning Guide on Exchange.		
CB Cantilever Bracket			
() Finish			
L brackets may be used in off module applications for L bases, T bases and half depth end panels.		Knoll takes no responsibility for the installation or security of tops	

Top support components

Bracketry

Reff Profiles Vol. One

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		RBCC	\$23.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	50.	56.	58.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	9.		
	Black only				
Top to top bracket 	6" x 1"	RBFP (Pair)	5.		
	Black only				
Wall hung support bracket 	20"	RSBWH20	54.	58.	60.
	24"	RSBWH24	56.	61.	64.
	30"	RSBWH30	60.	66.	69.
	36"	RSBWH36	67.	75.	79.
	42"	RSBWH42	71.	79.	82.
	48"	RSBWH48	87.	96.	100.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	42.		
	Black only				

Support components

Order Code	Specification Information	Application Notes	
Example: RMSCB	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.	Cantilever should be specified with top to top brackets.
R Reff Profiles	1. Finish - () - Painted Finish	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
MS Mid Span	When planning with Reff overheads half depth and panel may be required for additional support. Refer to the Planning Guide on Exchange.		
CB Cantilever Bracket			
() Finish			
L brackets may be used in off module applications for L bases, T bases and half depth end panels.		Knoll takes no responsibility for the installation or security of tops	

Top support components

Bracketry

Reff Profiles Vol. One

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$8.	\$9.	\$10.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	12.	13.	14.
		Specify paint finish			
Utility bracket		RUTB	12.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		RBWC24	68.	n/a	n/a
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		RBWC30	75.	n/a	n/a
		bracket can be used with 30" and 36" worksurfaces			


Order Code	Specification Information	Application Notes	
Example: RMSCB	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.	Cantilever should be specified with top to top brackets.
R Reff Profiles	1. Finish - () - Painted Finish	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
MS Mid Span	When planning with Reff overheads half depth and panel may be required for additional support. Refer to the Planning Guide on Exchange.		
CB Cantilever Bracket			
() Finish			
L brackets may be used in off module applications for L bases, T bases and half depth end panels.			
Knoll takes no responsibility for the installation or security of tops			

Top support components


26 1/2 high planning

Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)(H/V)-()	\$187.	\$274.	\$308.	\$405.
	30"	1"	26 1/2"	RB30(M/H)(F/R)(H/V)-()	339.	489.	554.	729.
	36"	1"	26 1/2"	RB36(M/H)(F/R)(H/V)-()	375.	537.	606.	798.
	42"	1"	26 1/2"	RB42(M/H)(F/R)(H/V)-()	403.	585.	657.	865.
	48"	1"	26 1/2"	RB48(M/H)(F/R)(H/V)-()	453.	657.	741.	975.
	54"	1"	26 1/2"	RB54(M/H)(F/R)(H/V)-()	474.	690.	776.	1,023.
	60"	1"	26 1/2"	RB60(M/H)(F/R)(H/V)-()	493.	711.	800.	1,054.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	512.	742.	839.	1,105.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	564.	816.	920.	1,213.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	602.	868.	983.	1,296.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	637.	922.	1,036.	1,366.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	673.	979.	1,098.	1,447.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	692.	999.	1,126.	1,481.



Support for corner worksurfaces. All hardware included.



ships with glides

36"	36"	26 1/2"	RB3636-()	1,221.	1,864.	2,103.	2,774.
36"	42"	26 1/2"	RB3642-()	1,248.	1,914.	2,160.	2,844.
36"	48"	26 1/2"	RB3648-()	1,302.	1,988.	2,234.	2,945.
42"	36"	26 1/2"	RB4236-()	1,248.	1,914.	2,160.	2,844.
42"	42"	26 1/2"	RB4242-()	1,279.	1,960.	2,216.	2,919.
42"	48"	26 1/2"	RB4248-()	1,333.	2,032.	2,294.	3,019.
48"	36"	26 1/2"	RB4836-()	1,302.	1,988.	2,234.	2,945.
48"	42"	26 1/2"	RB4842-()	1,333.	2,032.	2,294.	3,019.
48"	48"	26 1/2"	RB4848-()	1,383.	2,106.	2,391.	3,148.

Order Code

Example:	RB24MFHL
R	Reff Profiles
B	Back panel
24	48" panel dimension
M	Full height modesty
F	Flush modesty placement
H	Horizontal Grain Direction in Wood grain laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish

1. Modesty type:
M = Standard height (26 1/2"H)
H = Half height

2. Modesty placement:
F = Flush, cantilevered
R = Recessed

Application Notes

Product on this page will accept wood grain laminate where laminate is currently an option.

Modesties 60" wide or less, in wood grain laminate, are available in both horizontal and vertical grain direction.
For vertical surfaces greater than 60" wide, the grain direction is only horizontal.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.


Modesty panel lengths are nominal - length changes on option selected.

Please see Planning Guide for freestanding planning instruction.


Top support components
26 1/2 high planning
End panels

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	\$577.	\$967.	\$1,092.	\$1,438.
	36"	1"	26 1/2"	RE36-()	610.	1,014.	1,141.	1,505.




Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	220.	393.	447.	587.
	16"	1"	26 1/2"	RSE2(L/R)-()	238.	420.	474.	624.
	20"	1"	26 1/2"	RSE3(L/R)-()	255.	441.	496.	652.
	24"	1"	26 1/2"	RSE4(L/R)-()	270.	461.	521.	685.
	30"	1"	26 1/2"	RSE5(L/R)-()	286.	486.	547.	722.
	36"	1"	26 1/2"	RSE6(L/R)-()	305.	506.	573.	754.



left hand shown

Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	220.	393.	447.	587.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	238.	420.	474.	624.
	19"	1"	26 1/2"	RE19F-()	255.	441.	496.	652.
	23"	1"	26 1/2"	RE23F-()	270.	461.	521.	685.
	29"	1"	26 1/2"	RE29F-()	286.	486.	547.	722.



Order Code	Specification Information	Application Notes
Example: RSE1(L)114	To order please specify pattern number including: 1. Finish	Product on this page will accept woodgrain laminate where laminate is currently an option. Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered. Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
R Reff Profiles		
SE End panel		
1 13" deep		
L Left hand		
114 Folkstone grey		Modesty panel lengths are nominal - length changes on option selected. Glides ship with all supports on this page except the recessed modesty panel. Please see Planning Guide for freestanding planning instruction.

Top support components

Painted or Plated Legs 26 1/2" high planning

Reff Profiles Vol. One

description	dia.	w	h	d	pattern no.	P1	P2	P3	P4
T-Leg, plain tube style	—		26 1/2"	20"	RCB20T-() ()	\$573.	\$630.	\$661.	\$774.
	-		26 1/2"	24"	RCB24T-() ()	585.	643.	677.	787.
	-		26 1/2"	30"	RCB30T-() ()	643.	708.	744.	846.
	-		26 1/2"	40"	RCB40T-() ()	682.	749.	788.	883.



Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted and PD and PU plated finish options.

Set of four column legs (3" dia.) with casters with triangular plates	3"		26 1/2"	—	RSCC4()	1,956.	2,152.	2,260.	2,772.
---	----	--	---------	---	-----------------	--------	--------	--------	--------



Painted, PD and PU plated finish options.

Set of 4 Column legs	2 1/2"		26 1/2"		RSC254	1,258.	1,383.	1,451.	2,264.
	3"		26 1/2"		RSC304	1,344.	1,479.	1,551.	2,365.



Round Column Leg	3"		26 1/2"		RSC3	428.	471.	495.	621.
	4"		26 1/2"		RSCL4	522.	564.	588.	714.



Painted , PD and PU plated finish options


Support components

Order Code	Specification Information	Application Notes
Example: RSC	<i>To order please specify pattern number including:</i>	Column legs and T-legs are not available in plated finishes.
R Reff Profiles	1. Finish type, where applicable	All bases include 1 1/2" leveller.
S Support	2. Finish	
C Cylinder	<i>Finish type options:</i>	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
	P = Paint (P1, P2, P3)	Castors are black, swivel type. Ships with 2 locking and 2 non-locking type.
The base matrix for T-Leg (tube style) is;	For all other Top to Base matrix, please refer to the Reff planning guide on Exchange.	Individual Round Column Leg is intended for peninsula applications where end opposite the leg is rigidly supported.
20" T-Leg is used with 24"d top		
24" T-Leg is used with 30"d top		
30" T-Leg is used with 36"d top		
40" and 42" T-Leg is used with 48"d top		

Top support components

Painted or Anodized Legs 26 1/2" high planning

Reff Profiles Vol. One

description	h	pattern no.	P1	P2	P3	P4
L-Leg (Pair) 	26 1/2"	RPL1()	\$658.	\$724.	\$761.	\$927.
Reverse L-Leg (Pair) 	26 1/2"	RPRL1()	658.	724.	761.	927.
Soft Rectangular Leg (Pair) 	26 1/2"	RPS1()	747.	821.	862.	1,016.
Wide Flange Leg (Single) 28 3/8" 	26 1/2"	RPWFL26()	719.	799.	850.	1,303.

Order Code

Example:	RPL1 ()
RP	Reff Profiles
L	Leg
1	26 1/2"h
AN	Leg finish

RL = Reverse Leg
S = Soft Rectangular Leg

Specification Information

To order please specify pattern number including:

1. Finish: Painted or Anodized (AA, AP, AU)

Application Notes

Legs are sold in pairs. These legs include 1" leveller. Products on this page are 26 1/2"h.

Products should not be mixed with 28 3/8"h components. For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs.

All legs, excluding "Wide Flange Legs" are sold in pairs.


These legs (excluding the Wide flange legs) include 1" leveller allowing 3/4" adjustability.

Wide Flange legs have 2" leg height adjustability at the top of the leg to the worksurface connection.

Wide Flange legs are for use with Peninsula applications only.

Top support components
Open Frame Legs 26 1/2" high planning
Painted or Anodized

Reff Profiles Vol. One

description	d	w	h	pattern no.	P1	P2	P3	P4
Open Frame Legs, Set of one For Tables 	20"	60"	26 1/2"	RPOFL260201()	\$1,532.	\$1,684.	\$1,767.	\$2,470.
	20"	66"	26 1/2"	RPOFL266201()	1,563.	1,718.	1,806.	2,502.
	20"	72"	26 1/2"	RPOFL272201()	1,565.	1,722.	1,808.	2,504.
	20"	78"	26 1/2"	RPOFL278201()	1,580.	1,738.	1,827.	2,519.
	20"	84"	26 1/2"	RPOFL284201()	1,586.	1,744.	1,830.	2,524.
	24"	60"	26 1/2"	RPOFL260241()	1,546.	1,702.	1,787.	2,483.
	24"	66"	26 1/2"	RPOFL266241()	1,577.	1,735.	1,820.	2,515.
	24"	72"	26 1/2"	RPOFL272241()	1,579.	1,737.	1,824.	2,517.
	24"	78"	26 1/2"	RPOFL278241()	1,595.	1,757.	1,844.	2,535.
	24"	84"	26 1/2"	RPOFL284241()	1,600.	1,760.	1,847.	2,538.
	30"	60"	26 1/2"	RPOFL260301()	1,571.	1,729.	1,815.	2,779.
	30"	66"	26 1/2"	RPOFL266301()	1,601.	1,762.	1,850.	2,807.
	30"	72"	26 1/2"	RPOFL272301()	1,605.	1,764.	1,853.	2,812.
	30"	78"	26 1/2"	RPOFL278301()	1,621.	1,781.	1,873.	2,829.
	30"	84"	26 1/2"	RPOFL284301()	1,623.	1,788.	1,876.	2,831.
	36"	60"	26 1/2"	RPOFL260361()	1,571.	1,729.	1,815.	2,779.
	36"	66"	26 1/2"	RPOFL266361()	1,601.	1,762.	1,850.	2,807.
	36"	72"	26 1/2"	RPOFL272361()	1,605.	1,764.	1,853.	2,812.
	36"	78"	26 1/2"	RPOFL278361()	1,621.	1,781.	1,873.	2,829.
	36"	84"	26 1/2"	RPOFL284361()	1,623.	1,788.	1,876.	2,831.

Ships with two stiffeners and threaded metal inserts with machine screws, for fastening to underside of worksurface.

Painted and Anodized finishes only.

Order Code	Specification Information	Application Notes
Example: RPOFL260201	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 3/8" h desk height products with 26 1/2" h standard height products.
RP Reff Profiles	1. Leg Finish:	For Tables : Stiffeners must be installed in a specific location relative to the leg top plates and my not be arbitrarily located. Stiffeners are finished black.
OFL Open Frame Legs	P1 = All core painted options	
2 Set of 2 (for Tables)	P2 = All core metallic painted options, plus AA	
60 Width	P3 = 613 Silver	
20 Depth	P4 = Anodized finishes; AP & AU	
1 26 1/2" high		
AU Leg finish		

Open Frame Legs included glides with 1 1/4" height adjustability. Open Frame Legs are not intended or able to be used adjacent to full height - 26 1/2" h desk height storage. Note: These legs are intended to be used with Knoll worksurfaces, only.

Installation instruction sheets available on Knoll.com+. For Tables; refer to part number 6TP00441.

To order infills for the Open Frame legs, please refer to page 190.

Top support components

Painted or Plated Bases 26¹/₂" high planning

Reff Profiles Vol. One

description	dia.	w	h	d	pattern no.	P1	P2	P3	P4
Spider base, plain tube style 		–	26 ¹ / ₂ "	24"	RCB24X() ()	\$898.	\$987.	\$1,039.	\$1,098.
		–	26 ¹ / ₂ "	28"	RCB28X() ()	936.	1,030.	1,083.	1,137.
		–	26 ¹ / ₂ "	36"	RCB36X() ()	1,018.	1,121.	1,176.	1,218.

Ships with wood screws for fastening to underside of worksurface into pilot hole location.
Painted and PD, PT and PZ plated finishes.

Order Code	Specification Information	Application Notes
Example: RCB24X	<i>To order please specify pattern number including:</i>	The column legs and T-legs are not available in plated finishes.
R Reff Profiles	1. Finish	All bases include 1 ¹ / ₂ " leveller.
C Support Spider		
B Base		
28 Diameter	For all other Top to Base matrix, please refer to the Reff planning guide on Exchange.	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
X X-base		

The base matrix for T-Leg (tube style) is;
20" T-leg is used with 24"d top
24" T-leg is used with 30"d top
30" T-leg is used with 36"d top
40" and 42" T-leg is used with 48"d top


Top support components
Laminate or Wood Bases 26 1/2" high planning

Reff Profiles Vol. One


description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 1/2"	–	RSD1427-() ()	n/a	\$1,777.	\$2,005.	\$2,484.
	18"		26 1/2"	–	RSD1827-() ()	n/a	1,931.	2,177.	2,699.
	20"		26 1/2"	–	RSD2027-() ()	n/a	1,994.	2,247.	2,783.
	24"		26 1/2"	–	RSD2427-() ()	n/a	2,390.	2,694.	3,337.
	30"		26 1/2"	–	RSD3027-() ()	n/a	2,671.	3,007.	3,723.
	36"		26 1/2"	–	RSD3627-() ()	n/a	2,949.	3,321.	4,114.
 Drum base with hinged Access door	20"		26 1/2"	–	RSHA2027-() ()	n/a	3,184.	3,402.	3,815.
	24"		26 1/2"	–	RSHA2427-() ()	n/a	3,564.	3,832.	4,348.
	30"		26 1/2"	–	RSHA3027-() ()	n/a	3,834.	4,132.	4,719.
	36"		26 1/2"	–	RSHA3627-() ()	n/a	4,236.	4,565.	5,214.
 T-base (hardware included)*	20"		26 1/2"	12"	RST1-()	552.	645.	737.	916.
	24"		26 1/2"	12"	RST2-()	590.	694.	781.	967.
	30"		26 1/2"	12"	RST3-()	695.	803.	912.	1,130.
	36"		26 1/2"	12"	RST4-()	788.	921.	1,037.	1,284.
	42"		26 1/2"	12"	RST5-()	876.	1,025.	1,159.	1,440.
	48"		26 1/2"	12"	RST6-()	976.	1,132.	1,282.	1,588.
 L-base (hardware included), non-handed*	12"		26 1/2"	12"	RSL12-()	552.	645.	737.	916.
	15"		26 1/2"	12"	RSL15-()	563.	658.	745.	921.
	20"		26 1/2"	12"	RSL20-()	590.	681.	771.	955.
	24"		26 1/2"	12"	RSL24-()	602.	694.	781.	967.
	30"		26 1/2"	12"	RSL30-()	695.	803.	912.	1,130.
	36"		26 1/2"	12"	RSL36-()	788.	921.	1,037.	1,284.
	42"		26 1/2"	12"	RSL42-()	876.	1,025.	1,159.	1,440.
	48"		26 1/2"	12"	RSL48-()	976.	1,132.	1,282.	1,588.

Support components

Order Code	Specification Information	Application Notes
Example: RSD1427	<i>To order please specify pattern number including:</i> 1. Finish	Refer to Planning Guide on Exchange for top-base. All bases include 1 1/2" leveller. Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff Profiles		
S Support		
D Drum base, HA = Hinged with Access door		
14 Diameter		
27 Height		T and L bases are not recommended for supporting conference tops.
006B Finish		

description	type	width	depth	height	pattern number	list
Stiffener for worksurface, full depths 	36"	20"	1 1/2"	1"	AWM1 S36	\$76.
	42"	26"	1 1/2"	1"	AWM1 S42	81.
	48"	32"	1 1/2"	1"	AWM1 S48	83.
	60"	44"	1 1/2"	1"	AWM1 S60	85.
	66"	50"	1 1/2"	1"	AWM1 S66	89.
	72"	56"	1 1/2"	1"	AWM1 S72	93.
	78"	62"	1 1/2"	1"	AWM1 S78	98.
	84"	68"	1 1/2"	1"	AWM1 S84	100.

Order Code	Specification Information	Application Notes
Example: AWM1 S36	Stiffeners are black painted finish.	AutoStrada worksurfaces require stiffeners when the span between structural supports exceeds 60". Stiffener also serves as horizontal cable manager. Stiffener corresponds in width to straight or corner worksurface back edge. Specify 12" less wide stiffener to mount adjacent to floor standing pedestal. For 90" application span, use AWM1-S84 stiffener.
AWM1 Stiffener		
S Straight		
36 Application		



description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
	16"	19"	26 1/2"	RP211J-() () L	\$1,451.	\$1,552.	\$1,604.	\$1,655.	\$1,740.	\$1,921.	\$2,483.
	16"	23"	26 1/2"	RP212J-() () L	1,513.	1,622.	1,676.	1,731.	1,822.	2,011.	2,600.
	16"	29"	26 1/2"	RP213J-() () L	1,578.	1,690.	1,746.	1,803.	1,895.	2,092.	2,708.

Flushed base shown

*Pencil tray not included

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 Counter weights required per pedestal.

 	16"	19"	26 1/2"	RP211K-() () L	1,329.	1,424.	1,471.	1,519.	1,599.	1,765.	2,294.
	16"	23"	26 1/2"	RP212K-() () L	1,422.	1,524.	1,577.	1,627.	1,712.	1,893.	2,456.
	16"	29"	26 1/2"	RP213K-() () L	1,514.	1,622.	1,676.	1,730.	1,820.	2,015.	2,612.
	30"	19"	26 1/2"	RP231K-() () L	1,517.	1,627.	1,684.	1,738.	1,830.	2,021.	2,624.
	30"	23"	26 1/2"	RP232K-() () L	1,600.	1,714.	1,773.	1,831.	1,929.	2,127.	2,760.
	36"	19"	26 1/2"	RP261K-() () L	1,620.	1,737.	1,795.	1,853.	1,950.	2,155.	2,796.
	36"	23"	26 1/2"	RP262K-() () L	1,698.	1,819.	1,881.	1,942.	2,044.	2,259.	2,931.

*Pencil tray not included

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 Counter weights required per pedestal.

Order Code

Example:	RPB211J
R	Reff Profiles
PB	Pedestal with back
2	26 1/2"H
1	16" wide
1	20" deep
J	Box box file config.
114	Case finish
114	Front finish
M	Metal interior option
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option** and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

- Case finish
Wood or Laminate
- Front finish
Wood or Laminate
- Interior Option
M=Metal
- Pull option:
B=No pull, No drilling
Customer's own pull.
C=C-pull (available in Nickel finish only)
D=metal D-pull
F=Bar pull (1 pull per door set)
H=Outline pull
J=routed J-pull (finish matches case)
N=No pull, touch latch
R=Cylinder pull
S=S-pull (stainless steel finish only)
T=Tab pull (1 pull per door set)
- Pull finish=Painted or Plated
- Lock option
L=Lock hole drilled
N=No lock drilling
Drawers are always drilled for locks. Not optional.
- Lock finish
B=Black
S=Matte Silver

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 316.

Finished back must be ordered separately to achieve full depth without a modesty. (page 232)

Application Notes

It is NOT advisable to mix 28 3/8" h desk height products with 26 1/2" h standard height products. 26 1/2" high components with 1 1/4" thick tops, achieve overall desk height of 27 21/32" h.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals, 26 1/2" planning

Reff Profiles Vol. One

BBF/FF

Metal interiors and wood backs

description	w	d	h	pattern no.	metal	L/V1	L/V2	L/V3	metal	metal	metal
					interiors				interiors	interiors	interiors
					L				V1	V2	V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J()()L	\$1,612.	\$1,726.	\$1,784.	\$1,842.	\$1,936.	\$2,145.	\$2,773.
	16"	24"	26 1/2"	RPB212J()()L	1,675.	1,796.	1,857.	1,918.	2,018.	2,228.	2,881.
	16"	30"	26 1/2"	RPB213J()()L	1,743.	1,867.	1,930.	1,991.	2,094.	2,313.	2,997.




Flushed base shown

*Pencil Tray not included

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 counterweights per pedestal.

Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K()()L	1,490.	1,599.	1,653.	1,706.	1,794.	1,988.	2,581.
	16"	24"	26 1/2"	RPB212K()()L	1,588.	1,702.	1,758.	1,815.	1,910.	2,118.	2,745.
	16"	30"	26 1/2"	RPB213K()()L	1,683.	1,801.	1,860.	1,922.	2,020.	2,234.	2,900.
	30"	20"	26 1/2"	RPB231K()()L	1,846.	1,979.	2,046.	2,114.	2,223.	2,452.	3,186.
	30"	24"	26 1/2"	RPB232K()()L	1,928.	2,066.	2,135.	2,205.	2,320.	2,560.	3,321.
	36"	20"	26 1/2"	RPB261K()()L	2,004.	2,151.	2,224.	2,296.	2,417.	2,671.	3,466.
	36"	24"	26 1/2"	RPB262K()()L	2,089.	2,237.	2,312.	2,388.	2,510.	2,775.	3,601.



*Pencil Tray not included

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RPB211J	<i>To order please specify pattern number including:</i>	
R Reff Profiles	1. Case finish	*If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood.
P Pedestal with back	Wood or Laminate	
2 26 1/2"H	2. Front finish	
1 16" wide	Wood or Laminate	Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
1 20" deep	3. Interior Option	
J Box box file config.	M=Metal	
114 Case finish	4. Pull option:	Pencil trays not included in pedestals with metal interiors.
114 Front finish	B=No pull, No drilling	
M Interior option, Metal	Customer's own pull.	
T Pull option	C=C-pull (available in Nickel finish only)	Pencil tray to be ordered separately; see page 316.
111 Pull finish	D=metal D-pull	
L Lock option	F=Bar pull (1 pull per door set)	
B Lock finish	H=Outline pull	File drawers include file bars for front to back and side to side filing.
	J=routed J-pull	
	(finish matches case)	
	N=No pull, touch latch	File drawers do not support bottom loading.
	R=Cylinder pull	
	S=S-pull (stainless steel finish only)	
	T=Tab pull (1 pull per door set)	Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
	5. Pull finish=Painted or Plated	
	6. Lock option	
	L=Lock hole drilled	1 counterweight = 10 lbs.
	N=No lock drilling	
	Drawers are always drilled for locks. Not optional.	
	7. Lock finish	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
	B=Black	
	S=Matte Silver	


Product on this page **Excluding J-pull option** and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

BBF/FF


Metal interiors legal width

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors			
					L	L/V1	L/V2	L/V3	V1	V2	V3	
	Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J () () ()	\$1,519.	\$1,628.	\$1,683.	\$1,737.	\$1,828.	\$2,016.	\$2,607.
		19"	23"	26 1/2"	RP222J () () ()	1,589.	1,703.	1,760.	1,817.	1,912.	2,109.	2,728.
		19"	29"	26 1/2"	RP223J () () ()	1,655.	1,772.	1,831.	1,890.	1,988.	2,196.	2,870.
*Pencil tray not included												
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).												
*3 counterweights per pedestal												

Flushed base shown

- *Pencil tray not included
- *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
- *3 counterweights per pedestal

	Pedestal with file file configuration	19"	19"	26 1/2"	RP221K ()()	1,394.	1,494.	1,546.	1,595.	1,678.	1,853.	2,408.
		19"	23"	26 1/2"	RP222K ()()	1,495.	1,602.	1,655.	1,708.	1,796.	1,988.	2,580.
		19"	29"	26 1/2"	RP223K ()()	1,591.	1,705.	1,760.	1,817.	1,912.	2,117.	2,743.

Flushed base shown

- *Pencil tray not included
- *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
- *3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP221J R Reff Profiles P Pedestal 2 26 1/2"H 2 19" wide 1 19" deep J Box box file config. 114 Case finish 114 Front finish M Interior Option, Metal T Pull option 111 Pull finish L Lock option B Lock finish	To order please specify pattern number including: - Case finish Wood or Laminate - Front finish Wood or Laminate - Interior Option M=Metal - Pull option: B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set) - Pull finish=Painted or Plated - Lock option L=Lock hole drilled N=No lock drilling Drawers are always drilled for locks. Not optional. - Lock finish B=Black S=Matte Silver	*If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood. Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 316. Finished back must be ordered separately to achieve full depth without a modesty. (page 232)

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

It is NOT advisable to mix 28 3/8" desk height products with 26 1/2" standard height products. 26 1/2" high components with 1 1/4" thick tops, achieve overall desk height of 27 21/32"h.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals, 26 1/2" planning

Reff Profiles Vol. One

BBF/FF

Wood interior


description	w	d	h	pattern no.	wood	L	L/V1	L/V2	L/V3	wood	wood	wood
					interiors					interiors	interiors	
										V1	V2	V3
 Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,536.	\$1,647.	\$1,700.	\$1,754.	\$1,844.	\$2,038.	\$2,634.	
	16"	23"	26 1/2"	RP212J-() () L	1,707.	1,842.	1,891.	1,951.	2,053.	2,265.	2,930.	
	16"	29"	26 1/2"	RP213J-() () L	1,855.	1,990.	2,057.	2,124.	2,233.	2,464.	3,189.	
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 counterweights per pedestal.												



Flushed base shown

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,407.	1,508.	1,557.	1,607.	1,691.	1,868.	2,427.
	16"	23"	26 1/2"	RP212K-() () L	1,658.	1,778.	1,839.	1,898.	1,995.	2,204.	2,857.
	16"	29"	26 1/2"	RP213K-() () L	1,809.	1,939.	2,004.	2,070.	2,177.	2,406.	3,127.
	30"	19"	26 1/2"	RP231K-() () L	1,818.	1,949.	2,016.	2,081.	2,188.	2,416.	3,138.
	30"	23"	26 1/2"	RP232K-() () L	2,136.	2,291.	2,367.	2,444.	2,572.	2,837.	3,681.
	36"	19"	26 1/2"	RP261K-() () L	2,247.	2,409.	2,488.	2,570.	2,703.	2,990.	3,882.
	36"	23"	26 1/2"	RP262K-() () L	2,618.	2,807.	2,900.	2,996.	3,152.	3,487.	4,523.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP211J	<i>To order please specify pattern number including:</i>	
R Reff Profiles	1. Case finish Wood or Laminate	It is NOT advisable to mix 28 3/8" desk height products with 26 1/2" standard height products. 26 1/2" high components with 1 1/4" thick tops, achieve overall desk height of 27 21/32"h.
P Pedestal	2. Front finish Wood or Laminate	
2 26 1/2"H	3. Interior Option W=Wood	
1 16" wide	4. Pull option: B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding) 1 counterweight = 10 lbs. Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
1 19" deep	5. Pull finish=Painted or Plated	
J Box box file config.	6. Lock option L=Lock hole drilled N=No lock drilling Drawers are always drilled for locks. Not optional.	
114 Case finish	7. Lock finish B=Black S=Matte Silver	
114 Front finish		
W Interior option, Wood		
T Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays included in pedestals with wood interiors.

Finished back must be ordered separately to achieve full depth without a modesty. (page 232)

description	w	d	h	pattern no.	wood				wood	wood	wood
					interiors	L	L/V1	L/V2	interiors	interiors	interiors
									V1	V2	V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J() () L	\$1,705.	\$1,825.	\$1,884.	\$1,944.	\$2,045.	\$2,258.	\$2,923.
	16"	24"	26 1/2"	RPB212J() () L	1,870.	2,005.	2,072.	2,140.	2,253.	2,488.	3,223.
	16"	30"	26 1/2"	RPB213J() () L	2,022.	2,167.	2,237.	2,310.	2,430.	2,682.	3,471.




*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 counterweights per pedestal.

Flushed base shown

Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K() () L	1,570.	1,683.	1,739.	1,795.	1,888.	2,089.	2,713.
	16"	24"	26 1/2"	RPB212K() () L	1,822.	1,952.	2,019.	2,085.	2,192.	2,428.	3,150.
	16"	30"	26 1/2"	RPB213K() () L	1,976.	2,118.	2,188.	2,260.	2,376.	2,630.	3,413.
	30"	20"	26 1/2"	RPB231K() () L	2,145.	2,301.	2,377.	2,456.	2,583.	2,853.	3,705.
	30"	24"	26 1/2"	RPB232K() () L	2,391.	2,598.	2,702.	2,805.	2,967.	3,269.	4,245.
	36"	20"	26 1/2"	RPB261K() () L	2,639.	2,826.	2,922.	3,015.	3,173.	3,506.	4,555.
	36"	24"	26 1/2"	RPB262K() () L	3,011.	3,228.	3,336.	3,446.	3,627.	4,005.	5,198.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 counterweights per pedestal.

Order Code

Example:	RPB211J
R	Reff Profiles
PB	Pedestal with back
2	26 1/2"H
1	16" wide
1	20" deep
J	Box box file config.
114	Case finish
114	Front finish
W	Interior option, Wood
T	Pull Option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

- Case finish
Wood or Laminate
- Front finish
Wood or Laminate
- Interior Option
W=Wood
- Pull option:
B=No pull, No drilling
Customer's own pull.
C=C-pull (available in Nickel finish only)
D=metal D-pull
F=Bar pull (1 pull per door set)
H=Outline pull
J=routed J-pull (finish matches case)
N=No pull, touch latch
R=Cylinder pull
S=S-pull (stainless steel finish only)
T=Tab pull (1 pull per door set)
- Pull finish=Painted or Plated
- Lock option
L=Lock hole drilled
N=No lock drilling
Drawers are always drilled for locks. Not optional.
- Lock finish
B=Black
S=Matte Silver

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil tray included in pedestals with wood interiors.

Application Notes

It is NOT advisable to mix 28 3/8" desk height products with 26 1/2" standard height products. 26 1/2" high components with 1 1/4" thick tops, achieve overall desk height of 27 21/32"h.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with box box file configuration 	19"	19"	26 1/2"	RP221J ()()	\$1,612.	\$1,726.	\$1,782.	\$1,840.	\$1,934.	\$2,135.	\$2,763.
	19"	23"	26 1/2"	RP222J ()()	1,792.	1,921.	1,985.	2,049.	2,157.	2,376.	3,076.
	19"	29"	26 1/2"	RP223J ()()	1,949.	2,089.	2,159.	2,229.	2,343.	2,587.	3,348.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 counterweights per pedestal.

Flushed base shown

Pedestal with file file configuration 	19"	19"	26 1/2"	RP221K ()()	1,478.	1,582.	1,636.	1,688.	1,777.	1,961.	2,546.
	19"	23"	26 1/2"	RP222K ()()	1,743.	1,868.	1,930.	1,992.	2,095.	2,311.	3,000.
	19"	29"	26 1/2"	RP223K ()()	1,899.	2,037.	2,103.	2,173.	2,287.	2,528.	3,282.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP221J	<i>To order please specify pattern number including:</i>	
R Reff Profiles	1. Case finish	*If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood.
P Pedestal	Wood or Laminate	
2 26 1/2"H	2. Front finish	
2 19" wide	Wood or Laminate	Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
1 19" deep	3. Interior Option	
J Box box file config.	W=Wood	
114 Case finish	4. Pull option:	Pencil tray included in pedestals with wood interiors.
114 Front Finish	B=No pull, No drilling	
W Interior option, Wood	Customer's own pull.	
T Pull option	C=C-pull (available in Nickel finish only)	Finished back must be ordered separately to achieve full depth without a modesty. (page 232)
111 Pull finish	D=metal D-pull	
L Lock option	F=Bar pull (1 pull per door set)	
B Lock finish	H=Outline pull	1 counterweight = 10 lbs.
	J=routed J-pull (finish matches case)	
	N=No pull, touch latch	
	R=Cylinder pull	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
	S=S-pull (stainless steel finish only)	
	T=Tab pull (1 pull per door set)	
	5. Pull finish=Painted or Plated	
	6. Lock option	
	L=Lock hole drilled	
	N=No lock drilling	
	Drawers are always drilled for locks. Not optional.	
	7. Lock finish	
	B=Black	
	S=Matte Silver	


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors

Reff Profiles Vol. One


description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$1,165.	\$1,246.	\$1,290.	\$1,332.	\$1,401.	\$1,550.	\$2,010.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,415.	1,516.	1,567.	1,617.	1,701.	1,882.	2,442.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,620.	1,737.	1,795.	1,853.	1,950.	2,155.	2,796.
	30"	19"	26 1/2"	RP231L-() () ()	1,507.	1,613.	1,668.	1,721.	1,810.	1,999.	2,598.
	30"	23"	26 1/2"	RP232L-() () ()	1,758.	1,884.	1,949.	2,012.	2,117.	2,340.	3,040.
	36"	19"	26 1/2"	RP261L-() () ()	1,908.	2,046.	2,115.	2,183.	2,297.	2,539.	3,296.
	36"	23"	26 1/2"	RP262L-() () ()	2,230.	2,391.	2,472.	2,552.	2,685.	2,967.	3,854.

flushed base shown

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf is metal

Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	887.	n/a	n/a	n/a	1,068.	1,178.	1,531.
	16"	23"	26 1/2"	RP212M-() () ()	1,029.	n/a	n/a	n/a	1,244.	1,376.	1,783.
	16"	29"	26 1/2"	RP213M-() () ()	1,222.	n/a	n/a	n/a	1,469.	1,625.	2,110.
	30"	19"	26 1/2"	RP231M-() () ()	1,027.	n/a	n/a	n/a	1,242.	1,372.	1,779.
	30"	23"	26 1/2"	RP232M-() () ()	1,250.	n/a	n/a	n/a	1,509.	1,664.	2,162.
	36"	19"	26 1/2"	RP261M-() () ()	1,316.	n/a	n/a	n/a	1,587.	1,755.	2,276.
	36"	23"	26 1/2"	RP262M-() () ()	1,594.	n/a	n/a	n/a	1,918.	2,120.	2,750.

flushed base shown

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: RP211L (L/R)	<i>To order please specify pattern number including:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
R Reff Profiles	6. Lock option	
P Pedestal	L=Lock hole drilled	N=No lock drilling Drawers are always drilled for locks. Not optional.
2 26 1/2"H	R = Right hand Case finish	
1 16" wide	Wood or Laminate	7. Lock finish B=Black S=Matte Silver
1 19" deep	2. Front finish	
L Hinge door	Wood or Laminate	For Open Pedestals; 1. Cabinet Finish 2. Interior Option
L Hinge door, Left	3. Interior Option	
114 Case finish	M=Metal	Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.
114 Front finish	4. Pull option:	
M Interior option, Metal	B=No pull, No drilling	*If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood.
T Pull option	Customer's own pull.	
111 Pull finish	C=C-pull (available in Nickel finish only)	Finished back must be ordered separately to achieve full depth without a modesty. (page 232)
L Lock option	D=metal D-pull	
B Lock finish	F=Bar pull (1 pull per door set)	
	H=Outline pull	
	J=routed J-pull	
	(finish matches case)	
	N=No pull, touch latch	
	R=Cylinder pull	
	S=S-pull (stainless steel finish only)	
	T=Tab pull (1 pull per door set)	
	5. Pull finish=Painted or Plated	


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors and wood backs

Reff Profiles Vol. One


description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,331.	\$1,426.	\$1,471.	\$1,518.	\$1,598.	\$1,772.	\$2,301.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,582.	1,695.	1,751.	1,808.	1,901.	2,101.	2,728.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,784.	1,912.	1,977.	2,040.	2,145.	2,376.	3,087.
	30"	20"	26 1/2"	RPB231L() () ()	1,835.	1,965.	2,032.	2,096.	2,205.	2,434.	3,159.
	30"	24"	26 1/2"	RPB232L() () ()	2,089.	2,237.	2,312.	2,388.	2,510.	2,774.	3,600.
	36"	20"	26 1/2"	RPB261L() () ()	2,293.	2,460.	2,543.	2,624.	2,761.	3,052.	3,962.
	36"	24"	26 1/2"	RPB262L() () ()	2,617.	2,806.	2,899.	2,995.	3,151.	3,486.	4,522.

flushed base shown

*Pencil Tray not included

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf metal.

Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() () ()	1,052.	n/a	n/a	n/a	1,260.	1,401.	1,818.
	16"	24"	26 1/2"	RPB212M() () ()	1,202.	n/a	n/a	n/a	1,441.	1,599.	2,075.
	16"	30"	26 1/2"	RPB213M() () ()	1,383.	n/a	n/a	n/a	1,666.	1,845.	2,395.
	30"	20"	26 1/2"	RPB231M() () ()	1,359.	n/a	n/a	n/a	1,636.	1,806.	2,343.
	30"	24"	26 1/2"	RPB232M() () ()	1,580.	n/a	n/a	n/a	1,901.	2,094.	2,721.
	36"	20"	26 1/2"	RPB261M() () ()	1,708.	n/a	n/a	n/a	2,052.	2,269.	2,945.
	36"	24"	26 1/2"	RPB262M() () ()	1,981.	n/a	n/a	n/a	2,385.	2,637.	3,419.

flushed base shown

*Pencil Tray not included

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB211L(L/R)	<i>To order please specify pattern number including:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
R Reff Profiles	7. Lock option	
PB Pedestal with back	L=Lock hole drilled	
2 26 1/2"H	N=No lock drilling	
1 16" wide	Drawers are always drilled for locks. Not optional.	
1 20" deep	8. Lock finish	
L Hinge door	B=Black	
L Hinge door, Left	S=Matte Silver	
114 Case finish	*If case is Laminate, the front can be laminate or wood.	
114 Front finish	*If case is Wood, the front can only be wood.	
M Interior option, Metal	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.	
T Pull option		Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
111 Pull finish		For Open Pedestals;
L Lock option		1. Cabinet Finish
B Lock finish		2. Interior Option
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning


Open / Hinge Door

Wood interior

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$1,273.	\$1,365.	\$1,411.	\$1,456.	\$1,532.	\$1,698.	\$2,206.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,530.	1,642.	1,697.	1,753.	1,844.	2,035.	2,642.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,732.	1,855.	1,918.	1,981.	2,084.	2,302.	2,989.
	30"	19"	26 1/2"	RP231L-() () ()	1,615.	1,731.	1,791.	1,848.	1,944.	2,152.	2,792.
	30"	23"	26 1/2"	RP232L-() () ()	1,873.	2,009.	2,076.	2,144.	2,258.	2,496.	3,237.
	36"	19"	26 1/2"	RP261L-() () ()	2,020.	2,164.	2,237.	2,310.	2,430.	2,685.	3,488.
	36"	23"	26 1/2"	RP262L-() () ()	2,342.	2,511.	2,597.	2,681.	2,820.	3,116.	4,044.
	Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position N=No Lock option										

flushed base shown

Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	996.	n/a	n/a	n/a	1,197.	1,324.	1,717.
	16"	23"	26 1/2"	RP212M-() () ()	1,147.	n/a	n/a	n/a	1,383.	1,530.	1,984.
	16"	29"	26 1/2"	RP213M-() () ()	1,334.	n/a	n/a	n/a	1,603.	1,774.	2,306.
	30"	19"	26 1/2"	RP231M-() () ()	1,145.	n/a	n/a	n/a	1,375.	1,518.	1,971.
	30"	23"	26 1/2"	RP232M-() () ()	1,363.	n/a	n/a	n/a	1,640.	1,815.	2,354.
	36"	19"	26 1/2"	RP261M-() () ()	1,427.	n/a	n/a	n/a	1,723.	1,906.	2,472.
	36"	23"	26 1/2"	RP262M-() () ()	1,707.	n/a	n/a	n/a	2,049.	2,266.	2,941.
	Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.										

flushed base shown


Order Code	Specification Information	Application Notes
Example: RP211L(L/R)	<i>To order please specify pattern number including:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
R Reff Profiles	1. Hinge location, where applicable; L = Left hand R = Right hand Case finish Wood or Laminate	Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
P Pedestal	2. Case finish Wood or Laminate	Finished back must be ordered separately to achieve full depth without a modesty. (page 0)
2 26 1/2"H	3. Front finish Wood or Laminate	
1 16" wide	4. Interior Option W=Wood	
1 19" deep	5. Pull option: B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=matal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	
L Hinge door	6. Pull finish=Painted or Plated	
L Hinge Door on Left		
114 Case finish		
114 Front finish		
W Interior option, Wood		
T Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

description	w	d	h	pattern no.	wood interiors				wood interiors	wood interiors	wood interiors
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf	16"	20"	26 1/2"	RPB211L(L/R)()	\$1,441.	\$1,546.	\$1,597.	\$1,649.	\$1,733.	\$1,920.	\$2,490.
	16"	24"	26 1/2"	RPB212L(L/R)()	1,694.	1,815.	1,876.	1,936.	2,036.	2,256.	2,926.
	16"	30"	26 1/2"	RPB213L(L/R)()	1,897.	2,032.	2,099.	2,168.	2,279.	2,520.	3,272.
	30"	20"	26 1/2"	RPB231L()	1,942.	2,082.	2,150.	2,220.	2,335.	2,586.	3,359.
	30"	24"	26 1/2"	RPB232L()	2,197.	2,358.	2,436.	2,516.	2,649.	2,924.	3,796.
	36"	20"	26 1/2"	RPB261L()	2,407.	2,580.	2,667.	2,753.	2,897.	3,196.	4,151.
	36"	24"	26 1/2"	RPB262L()	2,733.	2,928.	3,026.	3,123.	3,286.	3,633.	4,713.

flushed base shown

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

	Pedestal with open configuration including shelf	16" 20" 26 1/2"	RPB211M () ()	1,163.	n/a	n/a	n/a	1,398.	1,549.	2,009.
		16" 24" 26 1/2"	RPB212M () ()	1,313.	n/a	n/a	n/a	1,580.	1,748.	2,269.
		16" 30" 26 1/2"	RPB213M () ()	1,499.	n/a	n/a	n/a	1,796.	1,993.	2,587.
		30" 20" 26 1/2"	RPB231M () ()	1,470.	n/a	n/a	n/a	1,770.	1,951.	2,536.
		30" 24" 26 1/2"	RPB232M () ()	1,693.	n/a	n/a	n/a	2,034.	2,243.	2,912.
		36" 20" 26 1/2"	RPB261M () ()	1,818.	n/a	n/a	n/a	2,190.	2,416.	3,138.
		36" 24" 26 1/2"	RPB262M () ()	2,093.	n/a	n/a	n/a	2,513.	2,780.	3,606.

flushed base shown

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RPB211L(L/R)	<i>To order please specify pattern number including:</i>	
R Ref Profiles		
PB Pedestal with back	1. <i>Hinge location, where applicable;</i> L = Left hand R = Right hand Case finish Wood or Laminate	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
2 26 1/2"H	2. Case finish Wood or Laminate	
1 16" wide	3. Front finish Wood or Laminate	
1 20" deep	4. Interior Option W=Wood	
L Hinged door, Left	5. Pull option: B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	
114 Case finish	6. Pull finish=Painted or Plated	
114 Front finish		
W Interior option, Wood		
T Pull option		
111 Pull finish		
111 Lock option		
B Lock finish		
Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.		
	7. Lock option L=Lock hole drilled N=No lock drilling Drawers are always drilled for locks. Not optional.	
	8. Lock finish B=Black S=Matte Silver	
	For Open Pedestals; 1. Cabinet Finish 2. Interior Option	
	*If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood.	
	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.	
		Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

*Mobile Pedestal**Metal interiors*

description	w	d	h	pattern no.	metal interiors				metal interiors	metal interiors	metal interiors	list
					L	L/V1	L/V2	L/V3	V1	V2	V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L() ()	\$1,422.	\$1,512.	\$1,556.	\$1,601.	\$1,679.	\$1,893.	\$2,456.	
	16"	23"	21"	RM112J-() () L() ()	1,487.	1,581.	1,627.	1,675.	1,755.	1,982.	2,572.	
	16"	23"	26 1/2"	RM212J-() () L() ()	1,997.	2,124.	2,188.	2,253.	2,361.	2,656.	3,454.	
	16"	23"	26 1/2"	RM212K-() () L() ()	1,997.	2,124.	2,188.	2,253.	2,361.	2,656.	3,454.	



*Pencil tray not included

*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT3								256.
Pack of three (3)	Counterweights are 10" wide x 14.5" high x 0.25" thick											

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	
R Reff Profiles	1. Case finish	*If case is Laminate, the front can be laminate or wood.
M Mobile Pedestal	Wood or Laminate	*If case is Wood, the front can only be wood.
1 21"H	2. Front finish	
1 16" wide	Wood or Laminate	
1 19" deep	3. Interior Option	
J Box box file config.	M=Metal	
114 Case finish	4. Pull option:	Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
114 Front finish	B=No pull, No drilling	
M Interior option, Metal	Customer's own pull.	
T Pull option	C=C-pull (available in Nickel finish only)	
111 Pull finish	D=metal D-pull	
L Lock option	F=Bar pull (1 pull per door set)	Pencil trays not included in mobile pedestals with metal interiors.
B Lock finish	H=Outline pull	Pencil tray to be ordered separately; see page 316.
	J=routed J-pull	
	(finish matches case)	
	N=No pull, touch latch	
	R=Cylinder pull	
	S=S-pull (stainless steel finish only)	
	T=Tab pull (1 pull per door set)	
	5. Pull finish=Painted or Plated	
	6. Lock option	
	L=Lock hole drilled	
	N=No lock drilling	
	Drawers are always drilled for locks. Not optional.	
	7. Lock finish	
	B=Black	
	S=Matte Silver	

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for side to side filing only. File drawers do not support bottom loading.

Mobile pedestals are glue and dowel construction.

Casters on Mobile Pedestals are non locking.

Note:
The interior depth for the 19" and 23" deep mobile pedestals listed above, with Metal Interior is 16" deep.


*Mobile Pedestal**Wood interiors*

description	w	d	h	pattern no.	wood interiors				wood interiors			list
					L	L/V1	L/V2	L/V3	V1	V2	V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L () ()	\$1,685.	\$1,792.	\$1,844.	\$1,897.	\$1,989.	\$2,242.	\$2,911.	
	16"	23"	21"	RM112J-() () L () ()	1,778.	1,890.	1,946.	2,001.	2,098.	2,364.	3,068.	
	16"	23"	26 1/2"	RM212J-() () L () ()	2,405.	2,555.	2,630.	2,706.	2,836.	3,196.	4,151.	
	16"	23"	26 1/2"	RM212K-() () L () ()	2,405.	2,555.	2,630.	2,706.	2,836.	3,196.	4,151.	



Glue and dowel construction

Pedestal backs	16"	1"	26 1/2"	RPAB16-() ()	150.				174.	197.	258.	
	19"	1"	26 1/2"	RPAB19-() ()	160.				181.	209.	272.	
	30"	1"	26 1/2"	RPAB30-() ()	302.				344.	386.	501.	
	36"	1"	26 1/2"	RPAB36-() ()	356.				410.	461.	599.	



pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT3								256.
Pack of three (3)	Counterweights are 10" wide x 14.5" high x 0.25" thick											

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	
R Reff Profiles	1. Case finish	*If case is Laminate, the front can be laminate or wood.
M Mobile Pedestal	Wood or Laminate	*If case is Wood, the front can only be wood.
1 21"H	2. Front finish	
1 16" wide	Wood or Laminate	Keying instructions must accompany all orders, refer to page 356 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
1 19" deep	3. Interior Option	
J Box box file config.	W=Wood	
114 Case finish	4. Pull option:	
114 Front finish	B=No pull, No drilling	
W Interior option, Wood	Customer's own pull.	
T Pull option	C=C-pull (available in Nickel finish only)	
111 Pull finish	D=metal D-pull	
L Lock option	F=Bar pull (1 pull per door set)	
B Lock finish	H=Outline pull	Mobile pedestals with wood interior, include one pencil tray and two tray dividers.
	J=routed J-pull (finish matches case)	
	N=No pull, touch latch	
	R=Cylinder pull	
	S=S-pull (stainless steel finish only)	
	T=Tab pull (1 pull per door set)	
	5. Pull finish=Painted or Plated	
	6. Lock option	
	L=Lock hole drilled	
	N=No lock drilling	
	Drawers are always drilled for locks. Not optional.	
	7. Lock finish	
	B=Black	
	S=Matte Silver	

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for side to side filing only. File drawers do not support bottom loading.

Mobile pedestals are glue and dowel construction.


Casters on Mobile Pedestals are non locking.

Note:
The interior depth for the 19" and 23" deep mobile pedestals listed above, with Wood Interior:
19"d pedestals - 16" interior depth.
23"d pedestals - 20" interior depth.

Cabinets, 26 1/2" planning 49" high, metal interior Bookcase and hinge doors


Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors	L/V1	L/V2	L/V3	metal interiors	metal interiors	metal interiors
					L				V1	V2	V3
Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-() () () ()	\$1,443.	\$1,733.	\$1,849.	\$1,967.	\$2,125.	\$2,350.	\$3,050.
	16"	24"	49"	RC413C(L/R)-() () () ()	1,587.	1,906.	2,035.	2,162.	2,335.	2,583.	3,352.
	30"	20"	49"	RC432C-() () () ()	2,110.	2,539.	2,710.	2,881.	3,115.	3,444.	4,469.
	30"	24"	49"	RC433C-() () () ()	2,336.	2,808.	2,997.	3,187.	3,443.	3,809.	4,945.
	36"	20"	49"	RC462C-() () () ()	2,340.	2,815.	3,003.	3,194.	3,453.	3,815.	4,953.
	36"	24"	49"	RC463C-() () () ()	2,580.	3,108.	3,318.	3,529.	3,817.	4,216.	5,471.



Metal interiors mean shelves metal.

Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-() ()	1,431.	n/a	n/a	n/a	2,069.	2,337.	3,034.
	30"	20"	49"	RC432B-() ()	1,616.	n/a	n/a	n/a	2,336.	2,632.	3,418.
	30"	24"	49"	RC433B-() ()	1,824.	n/a	n/a	n/a	2,633.	2,971.	3,854.
	36"	15"	49"	RC461B-() ()	1,589.	n/a	n/a	n/a	2,301.	2,590.	3,365.
	36"	20"	49"	RC462B-() ()	1,795.	n/a	n/a	n/a	2,594.	2,924.	3,795.
	36"	24"	49"	RC463B-() ()	2,017.	n/a	n/a	n/a	2,923.	3,291.	4,272.




Flushed base shown

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes
Example: RC412C(L/R)	<i>To order please specify pattern number including:</i>	
R Reff Profiles	7. <i>Lock option</i>	*If case is Laminate, the front can be laminate or wood.
C Cabinets	L=Lock hole drilled	*If case is Wood, the front can only be wood.
4 49" high	N=No lock drilling	
1 15" wide, 3=30" wide	8. <i>Lock finish</i>	
2 20" deep, 3=24" deep	B=Black	
C Hinge door cabinet w/ adjustable shelves	S=Matte Silver	
L Hinge door, Left	For Open Cabinets;	
114 Case finish	1. Cabinet Finish	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
006B Front finish	2. Interior Option	
M Metal interior	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
T Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

Cabinets, 26¹/₂" planning
49" high, metal interior
4 Lateral files

description	w	d	h	pattern no.	metal interiors	L/V1	L/V2	L/V3	metal interiors	metal interiors	metal interiors
					L				V1	V2	V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F- () () L () ()	\$2,461.	\$2,957.	\$3,157.	\$3,357.	\$3,627.	\$4,011.	\$5,209.
	30"	24"	49"	RC433F- () () L () ()	2,716.	3,264.	3,486.	3,705.	4,004.	4,425.	5,745.
	36"	20"	49"	RC462F- () () L () ()	3,119.	3,751.	4,005.	4,257.	4,601.	5,082.	6,599.
	36"	24"	49"	RC463F- () () L () ()	3,444.	4,142.	4,422.	4,702.	5,083.	5,618.	7,291.




Flushed base shown

Order Code	Specification Information	Application Notes
Example: RC432F	<i>To order please specify pattern number including:</i>	
R Reff Profiles	1. <i>Case finish</i> Wood or Laminate	*If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood.
C Cabinets	2. <i>Front finish</i> Wood or Laminate	
4 49" high	3. <i>Interior Option</i> M=Metal	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
3 30" wide	4. <i>Pull option:</i> B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	
2 20" deep	5. <i>Pull finish</i> =Painted or Plated	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
F 4 drawer lateral file	6. <i>Lock option</i> L=Lock hole drilled N=No lock drilling Drawers are always drilled for locks. Not optional.	
114 Case finish	7. <i>Lock finish</i> B=Black S=Matte Silver	Keying instructions must accompany all orders, refer to page 356 . Cabinets do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.
006B Front finish		
M Metal interior		
T Pull option		
111 Pull finish		
L Lock option		
B Lock finish		


Cabinets, 26 1/2" planning 49" high, wood interior Bookcase and hinge doors

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors	L/V1	L/V2	L/V3	wood interiors	wood interiors	wood interiors
					L				V1	V2	V3
Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-() () () ()	\$1,613.	\$1,941.	\$2,071.	\$2,201.	\$2,380.	\$2,628.	\$3,411.
	16"	24"	49"	RC413C(L/R)-() () () ()	1,761.	2,117.	2,260.	2,402.	2,595.	2,870.	3,723.
	30"	20"	49"	RC432C-() () () ()	2,284.	2,746.	2,929.	3,116.	3,367.	3,722.	4,830.
	30"	24"	49"	RC433C-() () () ()	2,508.	3,017.	3,221.	3,426.	3,703.	4,088.	5,305.
	36"	20"	49"	RC462C-() () () ()	2,513.	3,022.	3,226.	3,429.	3,707.	4,099.	5,321.
	36"	24"	49"	RC463C-() () () ()	2,758.	3,316.	3,541.	3,764.	4,069.	4,499.	5,841.



Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-() ()	1,605.	n/a	n/a	n/a	2,319.	2,613.	3,392.
	30"	20"	49"	RC432B-() ()	1,789.	n/a	n/a	n/a	2,587.	2,916.	3,784.
	30"	24"	49"	RC433B-() ()	1,993.	n/a	n/a	n/a	2,880.	3,252.	4,219.
	36"	15"	49"	RC461B-() ()	1,764.	n/a	n/a	n/a	2,550.	2,874.	3,729.
	36"	20"	49"	RC462B-() ()	1,966.	n/a	n/a	n/a	2,848.	3,205.	4,158.
	36"	24"	49"	RC463B-() ()	2,193.	n/a	n/a	n/a	3,173.	3,573.	4,638.




Open cabinets require no keying instructions

Flushed base shown

Order Code	Specification Information	Application Notes
Example: RC412C(L/R)	<i>To order please specify pattern number including:</i>	
R Reff Profiles	7. <i>Lock option</i>	*If case is Laminate, the front can be laminate or wood.
C Cabinets	L=Lock hole drilled	*If case is Wood, the front can only be wood.
4 49" high	N=No lock drilling	
1 15" wide, 3=30" wide	8. <i>Lock finish</i>	
2 20" deep, 3=24" deep	B=Black	
C Hinge door cabinet w/ adjustable shelves	S=Matte Silver	
L Hinge door, Left	For Open Cabinets;	
114 Case finish	1. Cabinet Finish	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
006B Front finish	2. Interior Option	
W Wood interior	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
T Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

Cabinets, 26 1/2" planning
49" high, wood interior
Wardrobe cabinet

description	w	d	height	pattern number	wood interiors	L/V1	L/V2	L/V3	wood interiors	wood interiors	wood interiors
					L				V1	V2	V3
Wardrobe cabinet	30"	20"	49"	RC432D-()W() () ()	\$2,084.	\$2,505.	\$2,673.	\$2,842.	\$3,071.	\$3,395.	\$4,408.
	30"	24"	49"	RC433D-()W() () ()	2,274.	2,736.	2,923.	3,109.	3,359.	3,715.	4,820.
	36"	20"	49"	RC462D-()W() () ()	2,290.	2,754.	2,941.	3,127.	3,379.	3,734.	4,848.
	36"	24"	49"	RC463D-()W() () ()	2,505.	3,013.	3,216.	3,420.	3,694.	4,085.	5,301.




Wood interior only

Order Code	Specification Information	Application Notes
Example: RC432D	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 7/8" h desk height products with 26 1/2" h standard height products. 26 1/2" high components with 1 1/4" thick tops, achieve overall desk height of 27 2/32" h.
R Reff Profiles	7. <i>Lock option</i> L=Lock hole drilled N=No lock drilling	
C Cabinets	8. <i>Lock finish</i> B=Black S=Matte Silver	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
4 49" high	1. <i>Hinge location, where applicable:</i> L=Left R=Right	
3 30" wide	2. <i>Case finish</i> Wood or Laminate	Keying instructions must accompany all orders, refer to page 356. Cabinets do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core. Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 317. 20" deep wardrobe cabinets provide only 18" of clear storage space.
2 20" deep	3. <i>Front finish</i> Wood or Laminate	
D Wardrobe cabinet	4. <i>Interior Option</i> W=Wood	
114 Case finish	5. <i>Pull option:</i> B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	
006B Front finish	6. <i>Pull finish</i> =Painted or Plated	
W Wood interior		
T Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

Cabinets, 26 1/2" planning
49" high, wood interior
4 Lateral files

description	w	d	h	pattern no.	wood	L/V1	L/V2	L/V3	wood	wood	wood
					interiors				interiors	interiors	interiors
					L				V1	V2	V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F- () () L () ()	\$2,633.	\$3,166.	\$3,378.	\$3,594.	\$3,882.	\$4,292.	\$5,570.
	30"	24"	49"	RC433F- () () L () ()	2,891.	3,477.	3,713.	3,948.	4,268.	4,709.	6,112.
	36"	20"	49"	RC462F- () () L () ()	3,293.	3,959.	4,223.	4,491.	4,850.	5,361.	6,963.
	36"	24"	49"	RC463F- () () L () ()	3,616.	4,349.	4,640.	4,935.	5,331.	5,894.	7,651.



Flushed base shown


Order Code	Specification Information		Application Notes
Example: RC432F	<i>To order please specify pattern number including:</i>		
R	Reff Profiles	6. <i>Lock option</i> L=Lock hole drilled N=No lock drilling Drawers are always drilled for locks. Not optional.	*If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood.
C	Cabinets	7. <i>Lock finish</i> B=Black S=Matte Silver	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
4	49" high		
3	30" wide		
2	20" deep		
F	4 drawer lateral file		
114	Case finish		File drawers include file bars for front to back and side to side filing.
006B	Front finish		
W	Wood interior		File drawers do not support bottom loading.
T	Pull option		
111	Pull finish		
L	Lock option		
B	Lock finish		

Keying instructions must accompany all orders, refer to page 356 . Cabinets do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Cabinets, 26 1/2" planning
64" high, metal interior
Bookcase and hinge doors


Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors	LV1	LV2	LV3	metal interiors	metal interiors	metal interiors
					L				V1	V2	V3
Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H- () () () ()	\$2,543.	\$3,058.	\$3,264.	\$3,471.	\$3,751.	\$4,146.	\$5,382.
	30"	24"	64"	RC633H- () () () ()	2,810.	3,376.	3,604.	3,831.	4,141.	4,580.	5,944.
	36"	20"	64"	RC662H- () () () ()	2,810.	3,376.	3,604.	3,831.	4,141.	4,580.	5,944.
	36"	24"	64"	RC663H- () () () ()	3,079.	3,701.	3,949.	4,200.	4,538.	5,016.	6,511.



Requires one lock core per cabinet
Shelves painted metal

Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () ()	1,838.	n/a	n/a	n/a	2,660.	3,000.	3,896.
	30"	20"	64"	RC632B- () ()	2,067.	n/a	n/a	n/a	2,991.	3,371.	4,376.
	30"	24"	64"	RC633B- () ()	2,299.	n/a	n/a	n/a	3,326.	3,753.	4,870.
	36"	15"	64"	RC661B- () ()	2,109.	n/a	n/a	n/a	3,048.	3,439.	4,462.
	36"	20"	64"	RC662B- () ()	2,346.	n/a	n/a	n/a	3,387.	3,824.	4,959.
	36"	24"	64"	RC663B- () ()	2,584.	n/a	n/a	n/a	3,737.	4,212.	5,468.





Open cabinets require no keying instructions.
Metal interiors mean shelves metal.


Order Code	Specification Information	Application Notes
Example: RC632H	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 3/8" h desk height products with 26 1/2" h standard height products.
R Reff Profiles	1. <i>Case finish</i> Wood or Laminate	*If case is Laminate, the front can be laminate or wood.
C Cabinets	2. <i>Front finish</i> Wood or Laminate	*If case is Wood, the front can only be wood.
6 64" high	3. <i>Interior Option</i> M=Metal	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
3 30" wide, 6=36" wide	4. <i>Pull option:</i> B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
2 20" deep, 3=24" deep	5. <i>Pull finish</i> =Painted or Plated	Keying instructions must accompany all orders, refer to page 356 . Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.
H Cabinet w/ Hinge dr. and 2 open shelves	6. <i>Lock option</i> L=Lock hole drilled N=No lock drilling	
114 Case finish	7. <i>Lock finish</i> B=Black S=Matte Silver	
006B Front finish	For Open Cabinets; 1. Cabinet Finish 2. Interior Option	
M Metal interior	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	
T Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

Cabinets, 26 1/2" planning 64" high, metal interior Hinge doors and file drawers

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	LV1	L/V2	L/V3	V1	V2	V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F -(X)(X)(X)(X)(X)	\$3,418.	\$4,110.	\$4,388.	\$4,665.	\$5,042.	\$5,572.	\$7,235.
	30"	24"	64"	RC633F -(X)(X)(X)(X)(X)	3,779.	4,541.	4,846.	5,153.	5,566.	6,156.	7,988.
	36"	20"	64"	RC662F -(X)(X)(X)(X)(X)	3,779.	4,541.	4,846.	5,153.	5,566.	6,156.	7,988.
	36"	24"	64"	RC663F -(X)(X)(X)(X)(X)	4,173.	5,015.	5,353.	5,691.	6,150.	6,795.	8,824.
Requires two lock cores per cabinet interior height clearance top drawer 10", all others 10 3/4"											


 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R) -(X)(X)(X)(X)(X)	2,595.	3,117.	3,327.	3,535.	3,820.	4,223.	5,481.
	16"	24"	64"	RC613G(L/R) -(X)(X)(X)(X)(X)	2,864.	3,444.	3,676.	3,909.	4,222.	4,664.	6,055.
	30"	20"	64"	RC632G -(X)(X)(X)(X)(X)	3,284.	3,948.	4,215.	4,482.	4,843.	5,351.	6,946.
	30"	24"	64"	RC633G -(X)(X)(X)(X)(X)	3,654.	4,393.	4,689.	4,984.	5,384.	5,952.	7,728.
	36"	20"	64"	RC662G -(X)(X)(X)(X)(X)	3,630.	4,361.	4,656.	4,948.	5,349.	5,912.	7,675.
	36"	24"	64"	RC663G -(X)(X)(X)(X)(X)	4,037.	4,851.	5,179.	5,507.	5,951.	6,574.	8,533.
Requires two lock cores per cabinet Shelves painted metal, drawer interiors painted black metal											

 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R) -(X)(X)(X)(X)(X)	2,673.	3,213.	3,428.	3,645.	3,940.	4,354.	5,653.
	16"	24"	64"	RC613P(L/R) -(X)(X)(X)(X)(X)	2,967.	3,569.	3,810.	4,053.	4,380.	4,834.	6,274.
	30"	20"	64"	RC632P -(X)(X)(X)(X)(X)	3,148.	3,782.	4,038.	4,293.	4,639.	5,127.	6,658.
	30"	24"	64"	RC633P -(X)(X)(X)(X)(X)	3,472.	4,176.	4,458.	4,740.	5,122.	5,660.	7,347.
	36"	20"	64"	RC662P -(X)(X)(X)(X)(X)	3,481.	4,185.	4,467.	4,748.	5,131.	5,673.	7,366.
	36"	24"	64"	RC663P -(X)(X)(X)(X)(X)	3,839.	4,612.	4,922.	5,233.	5,656.	6,257.	8,123.
Requires two lock cores per cabinet Shelves painted metal, drawer interiors painted black metal											


Order Code	Specification Information	Application Notes
Example: RC632F	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 7/8" desk height products with 26 1/2" standard height products.
R Reff Profiles	6. <i>Lock option, file</i> L=Lock hole drilled N=No lock drilling Drawers are always drilled for locks.	*If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood.
C Cabinets	7. <i>Lock option, door</i> L=Lock hole drilled N=No lock drilling	
6 64" high	8. <i>Lock finish</i> B=Black S=Matte Silver	
3 30" wide, 6=36" wide	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
2 20" deep, 3=24" deep	File drawers include file bars for side to side filing only. File drawers do not support bottom loading.	
F Hinge door cabinet with 4 file drawers	Pencil trays are not included in cabinets with BBF configuration.	
114 Case finish		
006B Front finish		
M Metal interior		
T Pull option		
111 Pull finish		
L Lock option, file		
L Lock option, door		
B Lock finish		
F = Hinge door cabinet with 4 File drawers		
G = Hinge door cabinet with FF		
P = Hinge door cabinet with BBF		

Cabinets, 26 1/2" planning 64" high, metal interior Hinge doors and wardrobe

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$2,153.	\$2,586.	\$2,758.	\$2,933.	\$3,170.	\$3,504.	\$4,550.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,400.	2,886.	3,081.	3,275.	3,539.	3,912.	5,077.
	30"	20"	64"	RC632C-() () () ()	2,854.	3,430.	3,662.	3,893.	4,209.	4,653.	6,039.
	30"	24"	64"	RC633C-() () () ()	3,152.	3,790.	4,046.	4,304.	4,649.	5,134.	6,664.
	36"	20"	64"	RC662C-() () () ()	3,119.	3,751.	4,005.	4,257.	4,601.	5,082.	6,599.
	36"	24"	64"	RC663C-() () () ()	3,418.	4,110.	4,388.	4,665.	5,042.	5,572.	7,235.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	3,317.	3,987.	4,254.	4,523.	4,887.	5,400.	7,011.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,678.	4,421.	4,718.	5,017.	5,420.	5,995.	7,781.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,665.	4,405.	4,701.	4,997.	5,402.	5,976.	7,754.
	36"	24"	64"	RC663E(L/R)-() () () ()	4,063.	4,885.	5,214.	5,546.	5,992.	6,621.	8,593.

Requires one lock core per cabinet
Shelves painted metal.
Coat rod included.

Left hand shown


Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 7/8" desk height products with 26 1/2" h standard height products.
R Reff Profiles	7. Lock option L=Lock hole drilled N=No lock drilling	
C Cabinets	8. Lock finish B=Black S=Matte Silver	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	1. <i>Hinge location, where applicable;</i> L = Left hand R = Right hand Case finish	
1 15" wide, 3=30" wide, 6=36" wide	2. Case finish Wood or Laminate	Keying instructions must accompany all orders, refer to page 356. Cabinets do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.
2 20" deep, 3=24" deep	3. Front finish Wood or Laminate	
C Hinge Door Cab. w/ adjustable shelves	4. Interior Option M=Metal	Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 317.
114 Case finish	5. Pull option: B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	
006B Front finish	6. Pull finish=Painted or Plated	20" deep wardrobe cabinets provide only 18" of clear storage space.
M Metal Interior		
T Pull option		
111 Pull finish		
L Lock option		
B Lock finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning 64" high, wood interior Bookcase and hinge doors

Reff Profiles Vol. One


description	w	d	h	pattern no.	wood interiors				wood interiors			
					L	L/V1	L/V2	L/V3	V1	V2	V3	
Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H-() () () () ()	\$2,717.	\$3,266.	\$3,489.	\$3,708.	\$4,010.	\$4,431.	\$5,752.	
	30"	24"	64"	RC633H-() () () () ()	2,982.	3,585.	3,826.	4,067.	4,395.	4,862.	6,313.	
	36"	20"	64"	RC662H-() () () () ()	2,982.	3,585.	3,826.	4,067.	4,395.	4,862.	6,313.	
	36"	24"	64"	RC663H-() () () () ()	3,248.	3,906.	4,169.	4,434.	4,793.	5,294.	6,870.	

Requires one lock core per cabinet



Cabinet with three adjustable shelves	30"	15"	64"	RC631B-() () ()	2,012.	n/a	n/a	n/a	2,905.	3,280.	4,257.	
	30"	20"	64"	RC632B-() () ()	2,242.	n/a	n/a	n/a	3,242.	3,655.	4,746.	
	30"	24"	64"	RC633B-() () ()	2,474.	n/a	n/a	n/a	3,574.	4,031.	5,233.	
	36"	15"	64"	RC661B-() () ()	2,282.	n/a	n/a	n/a	3,297.	3,721.	4,826.	
	36"	20"	64"	RC662B-() () ()	2,516.	n/a	n/a	n/a	3,637.	4,105.	5,328.	
	36"	24"	64"	RC663B-() () ()	2,755.	n/a	n/a	n/a	3,986.	4,492.	5,830.	


Open cabinets require no keying instructions





Order Code	Specification Information	Application Notes
Example: RC632H	To order please specify pattern number including:	It is NOT advisable to mix 28 3/8" desk height products with 26 1/2" standard height products.
R Reff Profiles	1. Case finish	
C Cabinets	Wood or Laminate	
6 64" high	2. Front finish	
3 15" wide, 3=30" wide	Wood or Laminate	
2 20" deep, 3=24" deep	3. Interior Option	
H Cabinet w/ Hinge dr. and 2 open shelves	W=Wood	
114 Case finish	4. Pull option:	
006B Front finish	B=No pull, No drilling	
W Wood interior	Customer's own pull.	
T Pull option	C=C-pull (available in Nickel finish only)	
111 Pull finish	D=metal D-pull	
L Lock option	F=Bar pull (1 pull per door set)	
B Lock finish	H=Outline pull	
	J=routed J-pull	
	(finish matches case)	
	N=No pull, touch latch	
	R=Cylinder pull	
	S=S-pull (stainless steel finish only)	
	T=Tab pull (1 pull per door set)	
	5. Pull finish=Painted or Plated	
	6. Lock option	
	L=Lock hole drilled	
	N=No lock drilling	
	7. Lock finish	
	B=Black	
	S=Matte Silver	
	For Open Cabinets;	
	1. Cabinet Finish	
	2. Interior Option	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	
	File drawers include file bars for side to side filing only. File drawers do not support bottom loading.	
	Pencil trays are not included in cabinets with BBF configuration.	
	It is NOT advisable to mix 28 3/8" desk height products with 26 1/2" standard height products.	
	*If case is Laminate, the front can be laminate or wood.	
	*If case is Wood, the front can only be wood.	
	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.	
	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.	
	Keying instructions must accompany all orders, refer to page 356.	
	Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for two lock core.	

Cabinets, 26 1/2" planning 64" high, wood interior Hinge doors and file drawers

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F -(X)(X)(X)(X)(X)	\$3,591.	\$4,316.	\$4,608.	\$4,901.	\$5,296.	\$5,855.	\$7,598.
	30"	24"	64"	RC633F -(X)(X)(X)(X)(X)	3,949.	4,745.	5,066.	5,385.	5,820.	6,433.	8,350.
	36"	20"	64"	RC662F -(X)(X)(X)(X)(X)	3,949.	4,745.	5,066.	5,385.	5,820.	6,433.	8,350.
	36"	24"	64"	RC663F -(X)(X)(X)(X)(X)	4,345.	5,224.	5,576.	5,930.	6,408.	7,079.	9,190.
Requires two lock cores per cabinet											
Interior height clearance top drawer 10", all others 10 3/4"											


 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R) -(X)(X)(X)(X)(X)	2,762.	3,320.	3,546.	3,771.	4,073.	4,502.	5,845.
	16"	24"	64"	RC613G(L/R) -(X)(X)(X)(X)(X)	3,039.	3,650.	3,895.	4,142.	4,476.	4,948.	6,424.
	30"	20"	64"	RC632G -(X)(X)(X)(X)(X)	3,458.	4,157.	4,435.	4,716.	5,094.	5,631.	7,309.
	30"	24"	64"	RC633G -(X)(X)(X)(X)(X)	3,823.	4,597.	4,908.	5,215.	5,636.	6,233.	8,092.
	36"	20"	64"	RC662G -(X)(X)(X)(X)(X)	3,801.	4,570.	4,877.	5,185.	5,603.	6,194.	8,042.
	36"	24"	64"	RC663G -(X)(X)(X)(X)(X)	4,207.	5,057.	5,399.	5,739.	6,202.	6,859.	8,905.
Requires two lock cores per cabinet											


 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R) -(X)(X)(X)(X)(X)	2,846.	3,422.	3,650.	3,883.	4,195.	4,633.	6,016.
	16"	24"	64"	RC613P(L/R) -(X)(X)(X)(X)(X)	3,139.	3,775.	4,028.	4,282.	4,628.	5,118.	6,645.
	30"	20"	64"	RC632P -(X)(X)(X)(X)(X)	3,322.	3,992.	4,263.	4,531.	4,895.	5,413.	7,026.
	30"	24"	64"	RC633P -(X)(X)(X)(X)(X)	3,647.	4,385.	4,561.	4,975.	5,377.	5,940.	7,711.
	36"	20"	64"	RC662P -(X)(X)(X)(X)(X)	3,655.	4,394.	4,690.	4,985.	5,385.	5,954.	7,731.
	36"	24"	64"	RC663P -(X)(X)(X)(X)(X)	4,008.	4,821.	5,150.	5,474.	5,915.	6,537.	8,484.
Requires two lock cores per cabinet											

Order Code	Specification Information	Application Notes
Example: RC632F	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 7/8"h desk height products with 26 1/2"h standard height products.
R Reff Profiles	6. <i>Lock option, file</i>	*If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood.
C Cabinets	L=Lock hole drilled	
6 64" high	N=No lock drilling	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
3 30" wide, 6=36" wide	Drawers are always drilled for locks.	
2 20" deep, 3=24" deep	7. <i>Lock option, door</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
F Hinge door cabinet with 4 file drawers	L=Lock hole drilled	
114 Case finish	N=No lock drilling	Keying instructions must accompany all orders, refer to page 356 . Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
006B Front finish	8. <i>Lock finish</i>	
W Wood interior	B=Black	
T Pull option	S=Matte Silver	
111 Pull finish	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	
L Lock option, file		
L Lock option, door		
B Lock finish		
F = Hinge door cabinet with 4 File drawers	1. <i>Case finish</i>	
G = Hinge door cabinet with FF	Wood or Laminate	
P = Hinge door cabinet with BBF	2. <i>Front finish</i>	
	Wood or Laminate	
	3. <i>Interior Option</i>	
	W=Wood	
	4. <i>Pull option:</i>	
	B=No pull, No drilling	
	Customer's own pull.	
	C=C-pull (available in Nickel finish only)	
	D=metal D-pull	
	F=Bar pull (1 pull per door set)	
	H=Outline pull	
	J=routed J-pull (finish matches case)	
	N=No pull, touch latch	
	R=Cylinder pull	
	S=S-pull (stainless steel finish only)	
	T=Tab pull (1 pull per door set)	
	5. <i>Pull finish</i> =Painted or Plated	

Cabinets, 26 1/2" planning
64" high, wood interior
Hinge door with shelves and wardrobe

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$2,323.	\$2,792.	\$2,982.	\$3,170.	\$3,426.	\$3,786.	\$4,915.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,576.	3,093.	3,303.	3,509.	3,792.	4,189.	5,438.
	30"	20"	64"	RC632C-() () () ()	3,025.	3,637.	3,884.	4,129.	4,461.	4,934.	6,400.
	30"	24"	64"	RC633C-() () () ()	3,325.	3,997.	4,268.	4,539.	4,905.	5,418.	7,035.
	36"	20"	64"	RC662C-() () () ()	3,293.	3,959.	4,223.	4,491.	4,850.	5,361.	6,963.
	36"	24"	64"	RC663C-() () () ()	3,591.	4,316.	4,608.	4,901.	5,296.	5,855.	7,598.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	3,490.	4,194.	4,475.	4,760.	5,141.	5,685.	7,378.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,848.	4,629.	4,940.	5,253.	5,677.	6,272.	8,142.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,836.	4,609.	4,920.	5,231.	5,653.	6,256.	8,119.
	36"	24"	64"	RC663E(L/R)-() () () ()	4,233.	5,090.	5,435.	5,779.	6,246.	6,903.	8,962.

Requires one lock core per cabinet.
Coat rod included.


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 3/8" h desk height products with 26 1/2" h standard height products.
R Reff Profiles	7. Lock option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	L=Lock hole drilled	
6 64" high	N=No lock drilling	Keying instructions must accompany all orders, refer to page 356.
1 15" wide, 3=30" wide, 6=36" wide	8. Lock finish	
2 20" deep, 3=24" deep	B=Black	Cabinets do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.
C Hinge Door Cab. w/ adjustable shelves	S=Matte Silver	
114 Case finish	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 317.
006B Front finish	7. Lock option	
W Wood Interior	L=Lock hole drilled	20" deep wardrobe cabinets provide only 18" of clear storage space.
T Pull option	N=No lock drilling	
111 Pull finish	B=Black	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
L Lock option	S=Matte Silver	
B Lock finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves	1. Hinge location, where applicable: L = Left hand R = Right hand Case finish Wood or Laminate	
E = Hinge door cabinet with full height doors, half wardrobe and half shelves	2. Case finish Wood or Laminate	
	3. Front finish Wood or Laminate	
	4. Interior Option W=Wood	
	5. Pull option: B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	
	6. Pull finish=Painted or Plated	

Cabinets, 26 1/2" planning
64" high, wood interior
Hinge door with shelves and wardrobe

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors	wood interiors	wood interiors
					L	L/V1	L/V2	L/V3	V1	V2	V3
Wardrobe cabinet	16"	20"	64"	RC612D(L/R)-() () () () ()	\$2,036.	\$2,447.	\$2,610.	\$2,775.	\$2,998.	\$3,312.	\$4,300.
	16"	24"	64"	RC613D(L/R)-() () () () ()	2,228.	2,679.	2,860.	3,040.	3,286.	3,633.	4,711.
	30"	20"	64"	RC632D- () () () () ()	2,484.	2,985.	3,187.	3,387.	3,661.	4,053.	5,258.
	30"	24"	64"	RC633D- () () () () ()	2,557.	3,078.	3,287.	3,497.	3,778.	4,172.	5,418.
	36"	20"	64"	RC662D- () () () () ()	2,751.	3,309.	3,532.	3,754.	4,059.	4,487.	5,823.
	36"	24"	64"	RC663D- () () () () ()	2,810.	3,390.	3,623.	3,857.	4,172.	4,608.	5,981.




Wood interior only

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 3/8" h desk height products with 26 1/2" h standard height products.
R Reff Profiles	1. <i>Hinge location, where applicable;</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	L = Left hand	
6 64" high	R = Right hand Case finish	
1 15" wide, 3=30" wide, 6=36" wide	Wood or Laminate	
2 20" deep, 3=24" deep	2. Case finish	
C Hinge Door Cab. w/ adjustable shelves	Wood or Laminate	
114 Case finish	3. Front finish	
006B Front finish	Wood or Laminate	
W Wood Interior	4. Interior Option	
T Pull option	W=Wood	
111 Pull finish	5. Pull option:	
L Lock option	B=No pull, No drilling	
B Lock finish	Customer's own pull.	
	C=C-pull (available in	
	Nickel finish only)	
	D=metal D-pull	
	F=Bar pull (1 pull per door set)	
	H=Outline pull	
	J=routed J-pull	
	(finish matches case)	
	N=No pull, touch latch	
	R=Cylinder pull	
	S=S-pull (stainless steel finish only)	
	T=Tab pull (1 pull per door set)	
	6. Pull finish=Painted or Plated	
C = Hinge door cabinet with full height doors and 3 adjustable shelves	7. Lock option	It is NOT advisable to mix 28 3/8" h desk height products with 26 1/2" h standard height products.
E = Hinge door cabinet with full height doors, half wardrobe and half shelves	L=Lock hole drilled	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
	N=No lock drilling	
	8. Lock finish	
	B=Black	
	S=Matte Silver	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	Keying instructions must accompany all orders, refer to page 356.
	*If case is Laminate, the front can be laminate or wood.	Cabinets do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.
	*If case is Wood, the front can only be wood.	Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 317.
	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.	20" deep wardrobe cabinets provide only 18" of clear storage space.

Cabinets, 26 1/2" planning
64" high, wood interior
Audio Visual Cabinet

description	w	d	h	pattern no.	wood interiors	L/V1	L/V2	L/V3	wood interiors	wood interiors	wood interiors
					L				V1	V2	V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I-()()()()()	\$3,810.	\$4,577.	\$4,884.	\$5,192.	\$5,610.	\$6,204.	\$8,054.
	30"	24"	64"	RC633I-()()()()()	4,189.	5,037.	5,377.	5,718.	6,179.	6,833.	8,867.
	36"	20"	64"	RC662I-()()()()()	4,071.	4,894.	5,226.	5,556.	6,005.	6,639.	8,616.
	36"	24"	64"	RC663I-()()()()()	4,455.	5,356.	5,720.	6,080.	6,572.	7,259.	9,427.




Order Code	Specification Information	Application Notes
Example: RC632I	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 7/8" h desk height products with 26 1/2" h standard height products.
R Reff Profiles	6. Lock option	
C Cabinets	L=Lock hole drilled	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	N=No lock drilling	
3 30" wide, 6=36" wide	7. Lock finish	Keying instructions must accompany all orders, refer to page 356.
2 20" deep, 3=24" deep	B=Black	
I Audio Visual Cabinet	S=Matte Silver	Cabinets do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
114 Case finish	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	
006B Front finish	*If case is Laminate, the front can be laminate or wood.	* Audio Visual cabinets require two lock cores per cabinet.
W Wood Interior	*If case is Wood, the front can only be wood.	
T Pull option	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.	
111 Pull finish		
L Lock option		
B Lock finish		

Cabinets, 26 1/2" planning 71" high, metal interiors Bookcase and hinge doors

Reff Profiles Vol. One


description	width	depth	height	pattern number	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with hinged doors below and open shelf above	30"	20"	71 3/8"	RC732H- () () () () ()	\$3,039.	\$3,649.	\$3,895.	\$4,141.	\$4,475.	\$4,946.	\$6,421.
	30"	24"	71 3/8"	RC733H- () () () () ()	3,359.	4,035.	4,305.	4,576.	4,944.	5,465.	7,097.
	36"	20"	71 3/8"	RC762H- () () () () ()	3,337.	4,011.	4,280.	4,551.	4,917.	5,432.	7,052.
	36"	24"	71 3/8"	RC763H- () () () () ()	3,661.	4,397.	4,692.	4,986.	5,386.	5,955.	7,733.

Requires one lock core per cabinet



Cabinet with open shelving	30"	20"	71 3/8"	RC732B- () () () ()	2,298.	n/a	n/a	n/a	3,325.	3,749.	4,869.
	30"	24"	71 3/8"	RC733B- () () () ()	2,548.	n/a	n/a	n/a	3,681.	4,157.	5,394.
	36"	20"	71 3/8"	RC762B- () () () ()	2,602.	n/a	n/a	n/a	3,763.	4,239.	5,504.
	36"	24"	71 3/8"	RC763B- () () () ()	2,852.	n/a	n/a	n/a	4,118.	4,646.	6,034.

Open cabinets require no keying instructions




Flushed base shown

Order Code	Specification Information	Application Notes
Example: RC732H	To order please specify pattern number including:	It is NOT advisable to mix 28 3/8" h desk height products with 26 1/2" h standard height products.
R Reff Profiles	1. Case finish	*If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood.
C Cabinets	Wood or Laminate	
7 71.4" high	2. Front finish	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
3 30" wide, 6=36" wide	Wood or Laminate	
2 20" deep, 3=24" deep	3. Interior Option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
H Cabinet w/ Hinge dr. and 2 open shelves	M=Metal	
114 Case finish	4. Pull option:	Keying instructions must accompany all orders, refer to page 356 . Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.
006B Front finish	B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	
M Metal interior	5. Pull finish=Painted or Plated	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
T Pull option		
111 Pull finish		
L Lock option		
B Lock finish		
N Left hand drill		
N Right hand drill		
	6. Lock option L=Lock hole drilled N=No lock drilling	
	7. Lock finish B=Black S=Matte Silver	
	8. Left hand drill: N=No drilling SO=Drilling 19h / 15d workwall S1=Drilling 19h / 20d workwall TO=Drilling 23h / 15d workwall T1=Drilling 23h / 20d workwall	
	9. Right hand drill: Same as above	
	For Open Cabinets; 1. Cabinet Finish 2. Interior Option 3. Left hand drill 4. Right hand drill	

Cabinets, 26 1/2" planning 71" high, metal interiors Hinge doors and file drawers


Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors	metal interiors	metal interiors
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with four files and hinged doors above	30"	20"	71 3/8"	RC732F-() () () () () ()	\$3,779.	\$4,541.	\$4,846.	\$5,153.	\$5,566.	\$6,156.	\$7,988.
	30"	24"	71 3/8"	RC733F-() () () () () ()	4,196.	5,044.	5,383.	5,723.	6,184.	6,836.	8,874.
	36"	20"	71 3/8"	RC762F-() () () () () ()	4,173.	5,015.	5,353.	5,691.	6,150.	6,795.	8,824.
	36"	24"	71 3/8"	RC763F-() () () () () ()	4,631.	5,568.	5,943.	6,320.	6,830.	7,547.	9,796.



Flushed base shown

Cabinet with two files and hinged doors above	16"	20"	71 3/8"	RC712G(L/R)-() () () () () ()	2,745.	3,299.	3,521.	3,742.	4,043.	4,471.	5,803.
	16"	24"	71 3/8"	RC713G(L/R)-() () () () () ()	3,008.	3,636.	3,890.	4,143.	4,487.	4,960.	6,435.
	30"	20"	71 3/8"	RC732G-() () () () () ()	3,482.	4,187.	4,470.	4,751.	5,137.	5,676.	7,370.
	30"	24"	71 3/8"	RC733G-() () () () () ()	3,830.	4,603.	4,915.	5,225.	5,647.	6,238.	8,101.
	36"	20"	71 3/8"	RC762G-() () () () () ()	3,784.	4,548.	4,852.	5,160.	5,575.	6,166.	8,003.
	36"	24"	71 3/8"	RC763G-() () () () () ()	4,133.	4,967.	5,302.	5,636.	6,090.	6,733.	8,740.




Flushed base shown

Order Code	Specification Information	Application Notes
Example: RC732F	To order please specify pattern number including:	It is NOT advisable to mix 28 7/8" h desk height products with 26 1/2" h standard height products.
R Reff Profiles	1. Case finish Wood or Laminate	*If case is Laminate, the front can be laminate or wood.
C Cabinets	2. Front finish Wood or Laminate	*If case is Wood, the front can only be wood.
7 71 3/8" high	3. Interior Option M=Metal	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
3 30" wide, 6=36" wide	4. Pull option: B=No pull, No drilling Customer's own pull.	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
2 20" deep, 3=24" deep	C=C-pull (available in Nickel finish only)	File drawers include file bars for front to back and side to side filing.
F Hinge door cabinet with 4 file drawers	D=metal D-pull	File drawers do not support bottom loading.
114 Case finish	F=Bar pull (1 pull per door set)	Keying instructions must accompany all orders, refer to page 356.
006B Front finish	H=Outline pull	Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for two lock core.
M Metal interior	J=routed J-pull (finish matches case)	
T Pull option	N=No pull, touch latch	
111 Pull finish	R=Cylinder pull	
L Lock option, file	S=S-pull (stainless steel finish only)	
L Lock option, door	T=Tab pull (1 pull per door set)	
B Lock finish	5. Pull finish=Painted or Plated	
N Left hand drill		
N Right hand drill		
F = Hinge door cabinet with 4 File drawers		
G = Hinge door cabinet with FF		
P = Hinge door cabinet with BBF		

6. Lock option
L=Lock hole drilled
N=No lock drilling
 7. Lock finish
B=Black
S=Matte Silver
 8. Left hand drill:
N=No drilling
SO=Drilling 19h / 15d workwall
S1=Drilling 19h / 20d workwall
TO=Drilling 23h / 15d workwall
T1=Drilling 23h / 20d workwall
 9. Right hand drill:
Same as above
- Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning
71" high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal	L/V1	L/V2	L/V3	metal	metal	metal
					interiors				interiors	interiors	
					L				V1	V2	V3
 Cabinet with BBF below and hinged doors above	16"	20"	71 3⁄8"	RC712P(L/R)-() () () () () ()	\$2,850.	\$3,424.	\$3,652.	\$3,885.	\$4,197.	\$4,639.	\$6,022.
	16"	24"	71 3⁄8"	RC713P(L/R)-() () () () () ()	3,139.	3,775.	4,028.	4,282.	4,628.	5,118.	6,645.
	30"	20"	71 3⁄8"	RC732P-() () () () () ()	3,363.	4,040.	4,313.	4,585.	4,955.	5,480.	7,113.
	30"	24"	71 3⁄8"	RC733P-() () () () () ()	3,707.	4,458.	4,761.	5,060.	5,468.	6,044.	7,844.
	36"	20"	71 3⁄8"	RC762P-() () () () () ()	3,715.	4,464.	4,768.	5,068.	5,477.	6,050.	7,855.
	36"	24"	71 3⁄8"	RC763P-() () () () () ()	4,098.	4,924.	5,257.	5,588.	6,038.	6,675.	8,665.




Order Code	Specification Information	Application Notes
Example: RC712P	<i>To order please specify pattern number including:</i>	
R Reff Profiles		
C Cabinets	1. <i>Case finish</i> Wood or Laminate	
7 71 3/8" high	2. <i>Front finish</i> Wood or Laminate	
1 15" wide, 3=30", 6=36" wide	3. <i>Interior Option</i> M=Metal	
2 20" deep, 3=24" deep	4. <i>Pull option:</i> B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	
P Hinge door cabinet with BBF	5. <i>Pull finish</i> =Painted or Plated	
114 Case finish	6. <i>Lock option</i> L=Lock hole drilled N=No lock drilling	It is NOT advisable to mix 28 3/8" h desk height products with 26 1/2" h standard height products. *If case is Laminate, the front can be laminate or wood. *If case is Wood, the front can only be wood.
006B Front finish	7. <i>Lock finish</i> B=Black S=Matte Silver	
M Metal interior	8. <i>Left hand drill:</i> N=No drilling S0=Drilling 19h / 15d workwall S1=Drilling 19h / 20d workwall T0=Drilling 23h / 15d workwall T1=Drilling 23h / 20d workwall	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Pencil trays are not included in cabinets with BBF configuration. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
T Pull option	9. <i>Right hand drill:</i> Same as above	
111 Pull finish	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	Keying instructions must accompany all orders, refer to page 356 . Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for two lock core.
L Lock option, file		
L Lock option, door		
B Lock finish		
N Left hand drill		
N Right hand drill		


Cabinets, 26 1/2" planning
71" high, metal interiors
Hinge doors and wardrobe

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors	metal interiors	metal interiors
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with hinged doors and shelves	16"	20"	71 3/8"	RC712C(L/R)-() () () () ()	\$2,424.	\$2,912.	\$3,110.	\$3,304.	\$3,571.	\$3,949.	\$5,127.
	16"	24"	71 3/8"	RC713C(L/R)-() () () () ()	2,689.	3,232.	3,453.	3,670.	3,966.	4,384.	5,689.
	30"	20"	71 3/8"	RC732C-() () () () ()	3,161.	3,803.	4,061.	4,318.	4,667.	5,156.	6,695.
	30"	24"	71 3/8"	RC733C-() () () () ()	3,508.	4,217.	4,501.	4,786.	5,172.	5,720.	7,423.
	36"	20"	71 3/8"	RC762C-() () () () ()	3,496.	4,204.	4,491.	4,774.	5,159.	5,699.	7,397.
	36"	24"	71 3/8"	RC763C-() () () () ()	3,880.	4,663.	4,975.	5,290.	5,715.	6,320.	8,206.



Cabinet with full ht. doors, half wardrobe, and half shelves	30"	20"	71 3/8"	RC732E(L/R)-() () () () ()	3,720.	4,470.	4,772.	5,072.	5,481.	6,063.	7,869.
	30"	24"	71 3/8"	RC733E(L/R)-() () () () ()	4,159.	4,999.	5,335.	5,673.	6,130.	6,780.	8,799.
	36"	20"	71 3/8"	RC762E(L/R)-() () () () ()	4,076.	4,901.	5,231.	5,562.	6,010.	6,644.	8,620.
	36"	24"	71 3/8"	RC763E(L/R)-() () () () ()	4,552.	5,474.	5,843.	6,214.	6,718.	7,419.	9,631.




Left hand shown
Flushed base shown

Order Code	Specification Information	Application Notes
Example: RC732E	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 3/8" desk height products with 26 1/2" standard height products.
R Reff Profiles	1. <i>Case finish</i> Wood or Laminate	*If case is Laminate, the front can be laminate or wood.
C Cabinets	2. <i>Front finish</i> Wood or Laminate	*If case is Wood, the front can only be wood.
7 71.4" high	3. <i>Interior Option</i> M=Metal	Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.
3 30" wide, 6=36" wide	4. <i>Pull option:</i> B=No pull, No drilling Customer's own pull. C=C-pull (available in Nickel finish only) D=metal D-pull F=Bar pull (1 pull per door set) H=Outline pull J=routed J-pull (finish matches case) N=No pull, touch latch R=Cylinder pull S=S-pull (stainless steel finish only) T=Tab pull (1 pull per door set)	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
2 20" deep, 3=24" deep	5. <i>Pull finish</i> =Painted or Plated	Keying instructions must accompany all orders, refer to page 356 . Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.
E Cabinet, 1/2 wardrobe, 1/2 shelves	6. <i>Lock option</i> L=Lock hole drilled N=No lock drilling	*Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 317.
114 Case finish	7. <i>Lock finish</i> B=Black S=Matte Silver	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
006B Front finish	8. <i>Left hand drill:</i> N=No drilling SO=Drilling 19h / 15d workwall S1=Drilling 19h / 20d workwall TO=Drilling 23h / 15d workwall T1=Drilling 23h / 20d workwall	
M Metal interior	9. <i>Right hand drill:</i> Same as above	
T Pull option	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	
111 Pull finish		
L Lock option		
B Lock finish		
N Left hand drill		
N Right hand drill		

Cabinets, 26 1/2" planning 71" high, wood interiors Bookcase and hinge doors

Reff Profiles Vol. One


description	w	d	h	pattern no.	wood interiors	L/V1	L/V2	L/V3	wood interiors	wood interiors	wood interiors
					L				V1	V2	V3
Cabinet with open shelving	30"	20"	71 3/8"	RC732B-() () () ()	\$2,471.	n/a	n/a	n/a	\$3,573.	\$4,029.	\$5,226.
	30"	24"	71 3/8"	RC733B-() () () ()	2,720.	n/a	n/a	n/a	3,935.	4,433.	5,755.
	36"	20"	71 3/8"	RC762B-() () () ()	2,777.	n/a	n/a	n/a	4,012.	4,522.	5,868.
	36"	24"	71 3/8"	RC763B-() () () ()	3,022.	n/a	n/a	n/a	4,370.	4,925.	6,395.



Open cabinets require no keying instructions

Flushed base shown

Cabinet with hinged doors below and open shelf above	30"	20"	71 3/8"	RC732H-() () () () ()	3,203.	3,851.	4,112.	4,371.	4,725.	5,225.	6,782.
	30"	24"	71 3/8"	RC733H-() () () () ()	3,523.	4,235.	4,522.	4,807.	5,196.	5,742.	7,458.
	36"	20"	71 3/8"	RC762H-() () () () ()	3,505.	4,213.	4,497.	4,779.	5,165.	5,712.	7,414.
	36"	24"	71 3/8"	RC763H-() () () () ()	3,823.	4,597.	4,908.	5,215.	5,636.	6,233.	8,092.




Order Code	Specification Information	Application Notes	
Example: RC732B () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hnge Doors, specify pattern number including:</i>	
R Reff Profiles	1. <i>Interior options:</i> W = Wood	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. <i>Cabinet Finish:</i> Wood or Laminate	2. <i>Interior options:</i> W = Wood Interior	
7 71 3/8" high	3. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
3 30" wide	4. <i>Right hand drill:</i> Same as above	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
2 20" deep, 3 = 24" deep	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	5. <i>Cabinet finish:</i> Wood or Laminate	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
B Open Bookcase		6. <i>Pull finish:</i> Painted or Plated	After specifying product code, provide keying instructions. Refer to page 356 for keying instructions.
W Wood Interior		7. <i>Left hand drill:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
006B Cabinet Finish: Maple		8. <i>Right hand drill:</i>	
N Left hand drilled			
N Right hand drilled			

Cabinets, 26 1/2" planning 71" high, wood interiors Hinge doors and file drawers


Reff Profiles Vol. One

description	w	d	pattern no.	wood interiors	L/V1	L/V2	L/V3	wood interiors	wood interiors	wood interiors
				L				V1	V2	V3
Cabinet with four files and hinged doors above	30"	20"	RC732F -() () () () () ()	\$3,949.	\$4,745.	\$5,066.	\$5,385.	\$5,820.	\$6,433.	\$8,350.
	30"	24"	RC733F -() () () () () ()	4,370.	5,252.	5,603.	5,960.	6,438.	7,114.	9,236.
	36"	20"	RC762F -() () () () () ()	4,345.	5,224.	5,576.	5,930.	6,408.	7,098.	9,213.
	36"	24"	RC763F -() () () () () ()	4,801.	5,772.	6,161.	6,552.	7,081.	7,830.	10,166.




Flushed base shown

Cabinet with two files and hinged doors above	16"	20"	RC712G(L/R) -() () () () () ()	2,916.	3,506.	3,743.	3,980.	4,300.	4,751.	6,167.
	16"	24"	RC713G(L/R) -() () () () () ()	3,216.	3,866.	4,127.	4,387.	4,740.	5,238.	6,799.
	30"	20"	RC732G -() () () () () ()	3,658.	4,395.	4,692.	4,986.	5,386.	5,955.	7,733.
	30"	24"	RC733G -() () () () () ()	4,001.	4,811.	5,135.	5,460.	5,902.	6,520.	8,465.
	36"	20"	RC762G -() () () () () ()	3,956.	4,754.	5,077.	5,398.	5,833.	6,446.	8,369.
	36"	24"	RC763G -() () () () () ()	4,306.	5,176.	5,525.	5,873.	6,347.	7,014.	9,104.



Flushed base shown

Cabinet with BBF below and hinged doors above	16"	20"	RC712P(L/R) -() () () () () ()	3,019.	3,631.	3,874.	4,118.	4,450.	4,920.	6,390.
	16"	24"	RC713P(L/R) -() () () () () ()	3,315.	3,984.	4,252.	4,521.	4,885.	5,399.	7,010.
	30"	20"	RC732P -() () () () () ()	3,537.	4,252.	4,540.	4,826.	5,214.	5,763.	7,481.
	30"	24"	RC733P -() () () () () ()	3,882.	4,666.	4,982.	5,296.	5,723.	6,321.	8,208.
	36"	20"	RC762P -() () () () () ()	3,886.	4,672.	4,987.	5,302.	5,731.	6,335.	8,222.
	36"	24"	RC763P -() () () () () ()	4,271.	5,132.	5,479.	5,824.	6,293.	6,958.	9,032.




Order Code	Specification Information	Application Notes
Example: RC732F () () () () () ()	To order, please specify pattern number including:	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff Profiles	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Case finish:</i> Wood or Laminate	After specifying product code, provide keying instructions. Refer to page 356 for keying instructions.
7 71 3/8" high	3. <i>Front finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
3 30" wide	4. <i>Interior options:</i> W = Wood Interior	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep	5. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	F = Hinge door cabinet with 4 file drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF
F Hinge Door with 4 file drawers		Pencil trays are not included in cabinets with BBF configuration.
118 Case finish		
111 Front finish		
W Wood Interior		
T Tab Pull option		
111 Pull finish		
L Lock option, files		
N Lock option, doors		
B Lock finish		
N Left hand drill		
N Right hand drill		

- Pull finish:*
Painted or Plated
 - Lock Option Files:*
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Options Doors:*
L = Lock hole drilled
N = No lock drilling
 - Left hand drill:*
N = No drilling
S0 = Drilling 19h / 15d workwall
S1 = Drilling 19h / 20d workwall
T0 = Drilling 23h / 15d workwall
T1 = Drilling 23h / 20d workwall
 - Right hand drill:*
Same as above
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Cabinets, 26 1/2" planning 71" high, wood interiors Hinge doors and wardrobe


Reff Profiles Vol. One

description	w	d	pattern no.	wood				wood	wood	wood
				interiors	L	L/V1	L/V2	interiors	interiors	interiors
								V1	V2	V3
	16"	20"	RC712D(L/R)-() () ()	\$2,182.	\$2,623.	\$2,801.	\$2,978.	\$3,220.	\$3,559.	\$4,617.
	16"	24"	RC713D(L/R)-() () ()	2,402.	2,888.	3,083.	3,277.	3,541.	3,913.	5,078.
	30"	20"	RC732D-() () ()	2,748.	3,304.	3,528.	3,750.	4,053.	4,475.	5,810.
	30"	24"	RC733D-() () ()	3,019.	3,631.	3,874.	4,118.	4,450.	4,920.	6,390.
	36"	20"	RC762D-() () ()	3,020.	3,633.	3,878.	4,122.	4,455.	4,924.	6,394.
	36"	24"	RC763D-() () ()	3,322.	3,992.	4,263.	4,531.	4,895.	5,413.	7,026.

Requires one lock core per cabinet.
Coat rod included.

Wood interior only
Flushed base shown

	16"	20"	RC712C(L/R)-() () () () ()	2,598.	3,121.	3,334.	3,541.	3,825.	4,228.	5,491.
	16"	24"	RC713C(L/R)-() () () () ()	2,862.	3,441.	3,675.	3,907.	4,221.	4,663.	6,052.
	30"	20"	RC732C-() () () () ()	3,336.	4,010.	4,280.	4,551.	4,917.	5,432.	7,052.
	30"	24"	RC733C-() () () () ()	3,682.	4,426.	4,727.	5,025.	5,430.	6,004.	7,790.
	36"	20"	RC762C-() () () () ()	3,669.	4,410.	4,707.	5,008.	5,410.	5,980.	7,761.
	36"	24"	RC763C-() () () () ()	4,054.	4,873.	5,202.	5,528.	5,974.	6,601.	8,571.

	30"	20"	RC732E(L/R)-() () () () ()	3,889.	4,677.	4,991.	5,308.	5,736.	6,341.	8,231.
	30"	24"	RC733E(L/R)-() () () () ()	4,329.	5,207.	5,556.	5,909.	6,386.	7,060.	9,162.
	36"	20"	RC762E(L/R)-() () () () ()	4,249.	5,108.	5,452.	5,796.	6,264.	6,926.	8,990.
	36"	24"	RC763E(L/R)-() () () () ()	4,728.	5,683.	6,066.	6,448.	6,968.	7,703.	9,998.

Left hand shown
Flushed base shown

Order Code	Specification Information	Application Notes
Example: RC712C(L/R) () () () () ()	To order, please specify pattern number including:	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
R Reff Profiles	1. Hinge Location where applicable: L = Left hand R = Right hand	
C Cabinets	2. Case finish: Wood or Laminate	*Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 317.
7 71 3/8" high	3. Front finish: Wood or Laminate	
1 15" wide	4. Interior options: W = Wood Interior	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
2 20" deep	5. Pull options: B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	
C Hinge Door Cab. w/ adjustable shelves		C = Hinge door cabinet with full height doors and 3 adjustable shelves. E = Hinge door cabinet with full height doors, half wardrobe and half shelves. D = Hinge door cabinet with full height wardrobe. Available only with wood interior.
118 Case finish		
118 Front finish		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
W Wood Interior		
D Pull option; D		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
PZ Pull finish		
N Lock option; No		
B Lock finish		
N Left hand drill		
N Right hand drill		


Cabinets, 26 1/2" planning

71" high, wood interiors

Audio Visual Cabinet

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	71 3/8"	RC732I -() () () () () ()	\$4,219.	\$5,071.	\$5,413.	\$5,756.	\$6,220.	\$6,872.	\$8,922.
	30"	24"	71 3/8"	RC733I -() () () () () ()	4,656.	5,597.	5,976.	6,353.	6,866.	7,591.	9,854.
	36"	20"	71 3/8"	RC762I -() () () () () ()	4,576.	5,502.	5,874.	6,250.	6,751.	7,460.	9,686.
	36"	24"	71 3/8"	RC763I -() () () () () ()	5,053.	6,076.	6,486.	6,897.	7,453.	8,238.	10,692.



Requires two lock cores per cabinet
Hinge opening 110°
Wood interior only

Order Code	Specification Information
Example: RC732I () () () () () ()	<i>To order, please specify pattern number including:</i>
R Reff Profiles	1. <i>Case finish:</i> Wood or Laminate
C Cabinets	2. <i>Front finish:</i> Wood or Laminate
7 71 3/8" high	3. <i>Interior options:</i> W = Wood Interior
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)
2 20" deep	5. <i>Pull finish:</i> Painted or Plated
I Audio Visual Cabinet	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling
006B Case finish	7. <i>Lock finish:</i> B = Black S = Matte Silver
006B Front finish	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall
W Wood Interior	9. <i>Right hand drill:</i> Same as above
D Pull option; D	
111 Pull finish	
L Lock option	
B Lock finish	
N Left hand drill	
N Right hand drill	

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinetry

Application

Cabinets included must accept orders.

Hinge door lock drilling in the cabinet

* Audio Visual lock cores


Cabinets, 26 1/2" planning

49", 64" and 72" high metal interior


Freestanding Multifunction Cabinets

Reff Profiles Vol. One


description	type	w	d	pattern no.	metal interiors				metal interiors			
					L	L/V1	L/V2	L/V3	V1	V2	V3	V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	RC423M(L/R)	\$3,355.	\$4,147.	\$4,475.	\$4,804.	\$5,237.	\$5,831.	\$6,731.	
	Box/Box/File	24"	24"	RC423N(L/R)	3,589.	4,403.	4,737.	5,071.	5,514.	6,132.	7,075.	



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	RC623M(L/R)	3,612.	4,488.	4,851.	5,217.	5,693.	6,493.	7,491.	
	Box/Box/File	24"	24"	RC623N(L/R)	3,852.	4,744.	5,114.	5,484.	5,971.	6,756.	7,794.	



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	RC723M(L/R)	3,796.	4,715.	5,099.	5,482.	5,982.	6,867.	7,925.	
	Box/Box/File	24"	24"	RC723N(L/R)	4,033.	4,972.	5,360.	5,748.	6,261.	7,140.	8,237.	



Order Code	Specification Information	Application Notes
Example: RC423M	<i>To order please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff Profiles	6. <i>Lock option file</i>	
C Cabinets	L=Lock hole drilled	
4 49" high	N=No lock drilling	
2 24" wide	7. <i>Lock option door</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 24" deep	L=Lock hole drilled	
F Hinge door cabinet with 4 file drawers	N=No lock drilling	Refer to page 356 for keying instructions.
114 Case finish	8. <i>Lock finish</i>	Drawers are always drilled for locks.
006B Front finish	B=Black	File drawers include file bars for front to back and side to side filing.
M Metal interior	S=Matte Silver	File drawers do not support bottom loading.
T Pull option		Wardrobe cabinets do not come equipped with boot tray.
111 Pull finish		Coat rod is included.
L Lock option, file		
L Lock option, door		
B Lock finish		

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

1. *Case finish*
Wood or Laminate
2. *Front finish*
Wood or Laminate
3. *Interior Option*
M=Metal
4. *Pull option:*
B=No pull, No drilling
Customer's own pull.
C=C-pull (available in Nickel finish only)
D=metal D-pull
F=Bar pull (1 pull per door set)
H=Outline pull
J=routed J-pull (finish matches case)
N=No pull, touch latch
R=Cylinder pull
S=S-pull (stainless steel finish only)
T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated

6. *Lock option file*
L=Lock hole drilled
N=No lock drilling
7. *Lock option door*
L=Lock hole drilled
N=No lock drilling
8. *Lock finish*
B=Black
S=Matte Silver

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Refer to page 356 for keying instructions.

Drawers are always drilled for locks.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Wardrobe cabinets do not come equipped with boot tray.

Coat rod is included.

Product of
J-pull op
surface o
grain lam
currently

Multifunc
interiors,
Drawer in


Cabinets, 26 1/2" planning

49", 64" and 72" high wood interior


Freestanding Multifunction Cabinet

Reff Profiles Vol. One


description	type	w	d	pattern no.	wood interiors			MIX V3	wood interiors V1	wood interiors V2	wood interiors V3
					L	L/V1	L/V2				
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	RC423M(L/R)	\$3,859.	\$4,688.	\$5,021.	\$5,358.	\$5,807.	\$6,381.	\$7,363.
	Box/Box/File	24"	24"	RC423N(L/R)	4,328.	5,190.	5,533.	5,878.	6,346.	6,931.	7,997.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	RC623M(L/R)	4,119.	5,027.	5,399.	5,770.	6,264.	7,042.	8,125.
	Box/Box/File	24"	24"	RC623N(L/R)	4,589.	5,529.	5,909.	6,288.	6,801.	7,554.	8,714.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	RC723M(L/R)	4,303.	5,256.	5,644.	6,034.	6,552.	7,415.	8,555.
	Box/Box/File	24"	24"	RC723N(L/R)	4,772.	5,759.	6,155.	6,552.	7,089.	7,938.	9,157.



Order Code	Specification Information	Application Notes
Example: RC423M	<i>To order please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff Profiles	6. <i>Lock option file</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	L=Lock hole drilled	
4 49" high	N=No lock drilling	
2 24" wide	7. <i>Lock option door</i>	Refer to page 356 for keying instructions.
3 24" deep	L=Lock hole drilled	
F Hinge door cabinet with 4 file drawers	N=No lock drilling	
114 Case finish	8. <i>Lock finish</i>	Drawers are always drilled for locks.
006B Front finish	B=Black	
W Wood interior	S=Matte Silver	
T Pull option		Pencil trays are not included in cabinets with BBF configuration.
111 Pull finish		
L Lock option, file		
L Lock option, door		File drawers include file bars for front to back and side to side filing.
B Lock finish		

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

1. *Case finish*
Wood or Laminate
2. *Front finish*
Wood or Laminate
3. *Interior Option*
W=Wood
4. *Pull option:*
B=No pull, No drilling
Customer's own pull.
C=C-pull (available in Nickel finish only)
D=metal D-pull
F=Bar pull (1 pull per door set)
H=Outline pull
J=routed J-pull (finish matches case)
N=No pull, touch latch
R=Cylinder pull
S=S-pull (stainless steel finish only)
T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated

6. *Lock option file*
L=Lock hole drilled
N=No lock drilling
7. *Lock option door*
L=Lock hole drilled
N=No lock drilling
8. *Lock finish*
B=Black
S=Matte Silver

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Refer to page 356 for keying instructions.

Drawers are always drilled for locks.

Pencil trays are not included in cabinets with BBF configuration.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 317.

Coat rod is included .

Overhead, 26 1/2 planning

Wall hung, Single high

Reff Profiles Vol. One

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back	30"	15"	19"			R2OMO30S0(-)()	\$2,110.	\$2,273.	\$2,560.	\$3,457.
	36"	15"	19"			R2OMO36S0(-)()	2,166.	2,332.	2,627.	3,546.
	42"	15"	19"			R2OMO42S0(-)()	2,222.	2,392.	2,694.	3,639.
	48"	15"	19"			R2OMO48S0(-)()	2,284.	2,450.	2,770.	3,738.
	60"	15"	19"			R2OMO60S0(-)()	2,519.	2,708.	3,056.	4,124.
	72"	15"	19"			R2OMO72S0(-)()	2,659.	2,868.	3,229.	4,358.
Wall-hung overhead cabinet (hinged door) with back	30"	15"	19"	1	2	R2OMH30S0(-)()	3,069.	3,300.	3,718.	5,019.
	36"	15"	19"	1	2	R2OMH36S0(-)()	3,267.	3,516.	3,964.	5,352.
	42"	15"	19"	2	3	R2OMH42S0(-)()	3,470.	3,736.	4,197.	5,665.
	48"	15"	19"	2	3	R2OMH48S0(-)()	3,693.	3,975.	4,461.	6,007.
	54"	15"	19"	2	3	R2OMH54S0(-)()	3,926.	4,227.	4,727.	6,366.
	60"	15"	19"	2	4	R2OMH60S0(-)()	4,125.	4,441.	5,006.	6,757.
	72"	15"	19"	2	4	R2OMH72S0(-)()	4,635.	4,989.	5,625.	7,592.
	78"	15"	19"	2	4	R2OMH78S0(-)()	4,913.	5,289.	5,963.	8,047.
	84"	15"	19"	3	6	R2OMH84S0(-)()	5,207.	5,607.	6,320.	8,530.
	90"	15"	19"	3	6	R2OMH90S0(-)()	5,520.	5,942.	6,698.	9,042.
	96"	15"	19"	3	6	R2OMH96S0(-)()	5,850.	6,298.	7,101.	9,584.
Wall-hung overhead cabinet flip door) with back	30"	15"	19"	1	1	R2OMF30S0(-)()	2,248.	2,418.	2,726.	3,681.
	36"	15"	19"	1	1	R2OMF36S0(-)()	2,395.	2,576.	2,905.	3,922.
	42"	15"	19"	1	1	R2OMF42S0(-)()	2,535.	2,731.	3,080.	4,157.
	48"	15"	19"	1	1	R2OMF48S0(-)()	2,684.	2,886.	3,253.	4,392.
	60"	15"	19"	2	2	R2OMF60S0(-)()	2,958.	3,184.	3,586.	4,845.
	72"	15"	19"	2	2	R2OMF72S0(-)()	3,131.	3,366.	3,796.	5,126.



Note: Overheads with flip doors come with J-pull options only.

Order Code	Specification Information	Application Notes
Example: R2OMO30S0	<i>To order please specify pattern number including:</i>	Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
R2 Reff Generation 2	1. Configuration option (<i>embedded in pattern no.</i>)	Open cabinets require no locks.
O Overhead	<i>H = Hinged door</i>	Tasklights are not included.
M Wall hung	<i>O = Open</i>	Hardware included for overhead cabinets.
O Open	<i>F = Flip door</i>	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
30 30" wide	2. Storage option (<i>embedded in pattern no.</i>)	A certified building contractor should be consulted.
S Standard height, 19"h	<i>S0 = 19"h x 14"d open/15"d hinged door</i>	Please refer to wall mounting information on page 337.
0 15" deep	<i>T0 = 23"h x 14"d open/15"d hinged door</i>	
Dimensions are nominal.	3. Finish:	*Keying instructions must accompany all cabinet orders.
	Wood or Laminate	Random keys are factory installed.
	4. Pull option applicable hinged doors only	Order overheads with a KnollKey order form.
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel finish C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock option	
	L = Lock hole drilled	
	N = No lock drilling	
	6. Pull Finish	
	7. Lock Option	
	8. Lock Finish	
	Product on this page Excluding J-pull option , will accept wood grain laminate, where laminate is currently an option.	
	Overheads with flip doors, come with J-pull option only.	
	Woodgrain Laminate is not available on any flip door units.	

Overhead, 26 1/2 planning

Panel hung, Single high

Reff Profiles Vol. One

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	30"	14"	19"			R2OPO30S0(-)(-)(-)	\$1,514.	\$1,625.	\$1,832.	\$2,476.
	36"	14"	19"			R2OPO36S0(-)(-)(-)	1,853.	1,991.	2,246.	3,033.
	42"	14"	19"			R2OPO42S0(-)(-)(-)	2,036.	2,192.	2,471.	3,335.
	48"	14"	19"			R2OPO48S0(-)(-)(-)	2,110.	2,268.	2,557.	3,455.
	60"	14"	19"			R2OPO60S0(-)(-)(-)	2,156.	2,322.	2,618.	3,537.
	72"	14"	19"			R2OPO72S0(-)(-)(-)	2,644.	2,841.	3,204.	4,325.
	90"	14"	19"			R2OPO90S0(-)(-)(-)	2,909.	3,127.	3,525.	4,760.
	96"	14"	19"			R2OPO96S0(-)(-)(-)	3,015.	3,243.	3,652.	4,935.
	60"	14"	23"			R2OPO60T0(-)(-)(-)	2,305.	2,480.	2,794.	3,773.
	72"	14"	23"			R2OPO72T0(-)(-)(-)	3,142.	3,385.	3,813.	5,149.
	90"	14"	23"			R2OPO90T0(-)(-)(-)	3,566.	3,833.	4,323.	5,838.
	96"	14"	23"			R2OPO96T0(-)(-)(-)	3,697.	3,977.	4,483.	6,052.
Panel-hung overhead cabinet (hinged door) no back 	30"	14"	19"	1	2	R2OPH30S0(-)(-)(-)	1,682.	1,805.	2,034.	2,744.
	36"	14"	19"	1	2	R2OPH36S0(-)(-)(-)	2,053.	2,211.	2,496.	3,368.
	60"	14"	19"	2	4	R2OPH60S0(-)(-)(-)	2,397.	2,577.	2,906.	3,925.
	72"	14"	19"	2	4	R2OPH72S0(-)(-)(-)	2,936.	3,160.	3,563.	4,812.
	90"	14"	19"	3	6	R2OPH90S0(-)(-)(-)	3,233.	3,474.	3,917.	5,288.
	96"	14"	19"	3	6	R2OPH96S0(-)(-)(-)	3,348.	3,599.	4,062.	5,483.
	60"	14"	23"	2	4	R2OPH60T0(-)(-)(-)	2,566.	2,757.	3,110.	4,201.
	72"	14"	23"	2	4	R2OPH72T0(-)(-)(-)	3,492.	3,756.	4,234.	5,717.
	90"	14"	23"	3	6	R2OPH90T0(-)(-)(-)	3,959.	4,262.	4,798.	6,478.
	96"	14"	23"	3	6	R2OPH96T0(-)(-)(-)	4,109.	4,417.	4,978.	6,722.

Order Code

Example:	R2OPH60S0DLL
R2	Reff Generation 2
O	Overhead
P	Panel hung
H	Hinge door
60	60" wide
S	Standard height, 19"h
0	15" deep
D	D-pull
L	Lock hole drilled
L	Laminate finish

Dimensions are nominal.

Specification Information

To order please specify pattern number including:

- Configuration option (*embedded in pattern no.*)
H = Hinged door
O = Open
F = Flip door
- Storage option (*embedded in pattern no.*)
S0 = 19"h x 14"d open/15"d hinged door
T0 = 23"h x 14"d open/15"d hinged door
- Finish, case
- Pull option
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish
S-pull for hinged door only (stainless steel finish only)
- Pull Finish;
Painted or Plated
- Lock option
L = Lock hole drilled
N = No lock drilling
- Lock Finish
B=Black
S=Silver

Woodgrain Laminate is not available on any flip door units.

Overheads with flip doors, come with J-pull option only.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Panel hung overheads come with no backs.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
A certified building contractor should be consulted.
Please refer to wall mounting information on page 337.

***Keying instructions must accompany all cabinet orders.**

Refer to page 356 for keying instructions.

Random keys are factory installed.


Order overheads with a KnollKey order form.

Overhead, 26 1/2 planning

Panel hung, Single high


Reff Profiles Vol. One

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back)	30"	14"	18"	1	1	R2OPF30S0J-()	\$1,264.	\$1,725.	\$1,944.	\$2,623.
	36"	14"	18"	1	1	R2OPF36S0J-()	1,283.	1,755.	1,983.	2,674.
	42"	14"	18"	1	1	R2OPF42S0J-()	1,374.	1,883.	2,124.	2,868.
	48"	14"	18"	1	1	R2OPF48S0J-()	1,424.	1,957.	2,204.	2,978.
	60"	14"	18"	2	2	R2OPF60S0J-()	1,655.	2,264.	2,553.	3,448.
	72"	14"	18"	2	2	R2OPF72S0J-()	1,956.	2,679.	3,017.	4,071.
	84"	14"	18"	2	2	R2OPF84S0J-()	2,186.	2,991.	3,371.	4,554.
	96"	14"	18"	2	2	R2OPF96S0J-()	2,331.	3,192.	3,602.	4,859.



Note: Overheads with flip doors come with J-pull options only.

Panel-hung shelves	30"	13"	9"			R2OPS30S0NN-()	338.	727.	820.	1,105.
	36"	13"	9"			R2OPS36S0NN-()	366.	755.	852.	1,148.
	42"	13"	9"			R2OPS42S0NN-()	397.	781.	883.	1,192.
	48"	13"	9"			R2OPS48S0NN-()	422.	809.	909.	1,227.
	54"	13"	9"			R2OPS54S0NN-()	452.	869.	977.	1,319.
	60"	13"	9"			R2OPS60S0NN-()	484.	933.	1,053.	1,421.
	66"	13"	9"			R2OPS66S0NN-()	511.	993.	1,122.	1,512.
	72"	13"	9"			R2OPS72S0NN-()	540.	1,059.	1,191.	1,605.
	78"	13"	9"			R2OPS78S0NN-()	570.	1,146.	1,292.	1,742.
	84"	13"	9"			R2OPS84S0NN-()	597.	1,235.	1,394.	1,879.
	90"	13"	9"			R2OPS90S0NN-()	627.	1,321.	1,491.	2,014.
	96"	13"	9"			R2OPS96S0NN-()	636.	1,392.	1,572.	2,123.



Order Code	Specification Information	Application Notes
Example: R2OPH60S0DLL	<i>To order please specify pattern number including:</i>	Woodgrain Laminate is not available on any flip door units.
R2 Reff Generation 2	1. Configuration option (<i>embedded in pattern no.</i>)	Overheads with flip doors, come with J-pull option only.
O Overhead	<i>H = Hinged door</i>	Product on this page Excluding J-pull option , will accept wood grain laminate, where laminate is currently an option.
P Panel hung	<i>O = Open</i>	Panel hung overheads come with no backs.
H Hinge door	<i>F = Flip door</i>	
60 60" wide	2. Storage option (<i>embedded in pattern no.</i>)	
S Standard height, 19"h	<i>S0 = 19"h x 14"d open/15"d hinged door</i>	
0 15" deep	<i>T0 = 23"h x 14"d open/15"d hinged door</i>	
D D-pull	3. Finish, case	
L Lock hole drilled	4. Pull option	
L Laminate finish	D = Metal D-pull for hinged door only	
Dimensions are nominal.	J = Routed pull	
	C = Nickel finish C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish	
	S-pull for hinged door only (stainless steel finish only)	
	5. Pull Finish;	
	Painted or Plated	
	6. Lock option	
	L = Lock hole drilled	
	N = No lock drilling	
	7. Lock Finish	
	B=Black	
	S=Silver	

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 337.

***Keying instructions must accompany all cabinet orders.**

Refer to page 356 for keying instructions.


Random keys are factory installed.

Order overheads with a KnollKey order form.


Overhead, 26 1/2 planning Workwalls

Reff Profiles Vol. One

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
72"h workwall overhead cabinet (open)	60"	15"	19"	4	1.8	ROWO60S0(-)(X)(X)	\$2,408.	\$2,616.	\$3,008.	\$4,061.
	60"	15"	23"	4	1.8	ROWO60T0(-)(X)(X)	2,615.	2,841.	3,266.	4,409.
	60"	20"	19"	4	1.8	ROWO60S1(-)(X)(X)	2,589.	2,814.	3,232.	4,361.
	60"	20"	23"	4	1.8	ROWO60T1(-)(X)(X)	2,797.	3,036.	3,489.	4,705.
	72"	15"	19"		2.1	ROWO72S0(-)(X)(X)	3,096.	3,364.	3,857.	5,205.
	72"	15"	23"		2.1	ROWO72T0(-)(X)(X)	3,514.	3,815.	4,368.	5,897.
	72"	20"	19"		2.1	ROWO72S1(-)(X)(X)	3,325.	3,608.	4,134.	5,580.
	72"	20"	23"		2.1	ROWO72T1(-)(X)(X)	3,875.	4,201.	4,803.	6,482.
	90"	15"	19"		2.6	ROWO90S0(-)(X)(X)	3,411.	3,713.	4,283.	5,779.
	90"	15"	23"		2.6	ROWO90T0(-)(X)(X)	3,944.	4,287.	4,923.	6,648.
	90"	20"	19"		2.6	ROWO90S1(-)(X)(X)	3,789.	4,123.	4,745.	6,406.
	90"	20"	23"		2.6	ROWO90T1(-)(X)(X)	4,188.	4,555.	5,228.	7,058.
	96"	15"	19"		2.8	ROWO96S0(-)(X)(X)	3,494.	3,810.	4,397.	5,936.
	96"	15"	23"		2.8	ROWO96T0(-)(X)(X)	4,024.	4,381.	5,041.	6,806.
	96"	20"	19"		2.8	ROWO96S1(-)(X)(X)	3,878.	4,220.	4,861.	6,566.
	96"	20"	23"		2.8	ROWO96T1(-)(X)(X)	4,277.	4,646.	5,341.	7,210.



72"h workwall overhead cabinet (hinged door)	60"	15"	19"	4	1.8	ROWH60S0(-)(X)(X)	3,108.	3,370.	3,858.	5,208.
	60"	15"	23"	4	1.8	ROWH60T0(-)(X)(X)	3,369.	3,652.	4,180.	5,641.
	60"	20"	19"	4	1.8	ROWH60S1(-)(X)(X)	3,336.	3,616.	4,138.	5,587.
	60"	20"	23"	4	1.8	ROWH60T1(-)(X)(X)	3,601.	3,899.	4,454.	6,014.
	72"	15"	19"	4	2.1	ROWH72S0(-)(X)(X)	3,982.	4,314.	4,932.	6,657.
	72"	15"	23"	4	2.1	ROWH72T0(-)(X)(X)	4,509.	4,881.	5,566.	7,517.
	72"	20"	19"	4	2.1	ROWH72S1(-)(X)(X)	4,268.	4,622.	5,275.	7,120.
	72"	20"	23"	4	2.1	ROWH72T1(-)(X)(X)	4,956.	5,363.	6,110.	8,251.
	90"	15"	19"	6	2.6	ROWH90S0(-)(X)(X)	4,421.	4,805.	5,513.	7,439.
	90"	15"	23"	6	2.6	ROWH90T0(-)(X)(X)	5,087.	5,517.	6,317.	8,525.
	90"	20"	19"	6	2.6	ROWH90S1(-)(X)(X)	4,900.	5,317.	6,088.	8,218.
	90"	20"	23"	6	2.6	ROWH90T1(-)(X)(X)	5,400.	5,851.	6,692.	9,036.
	96"	15"	19"	6	2.8	ROWH96S0(-)(X)(X)	4,543.	4,937.	5,674.	7,658.
	96"	15"	23"	6	2.8	ROWH96T0(-)(X)(X)	5,208.	5,653.	6,477.	8,744.
	96"	20"	19"	6	2.8	ROWH96S1(-)(X)(X)	5,022.	5,449.	6,250.	8,439.
	96"	20"	23"	6	2.8	ROWH96T1(-)(X)(X)	5,518.	5,984.	6,852.	9,250.



60"w and 72"w units have four hinged doors, two lock cores required.
90"w and 96"w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff Profiles	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Product on this page excluding J-pull and any vertical surface over 48", option and any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.
0 15" deep	3. Finish	
L Laminate finish	4. Pull option for hinged door only.	
(W250) Fabric finish Regency	5. Pull finish when applicable	
	6. Lock option	
	7. Lock finish	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.	

Y = Yardage required


Overhead, 26 1/2 planning Shoulders

Reff Profiles Vol. One

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	–	15"	19"	RWEA7220(L/R)-()	\$449.	\$481.	\$541.	\$731.
	–	15"	23"	RWEB7220(L/R)-()	449.	481.	541.	731.
	–	20"	19"	RWEC7220(L/R)-()	449.	481.	541.	731.
	–	20"	23"	RWED7220(L/R)-()	449.	481.	541.	731.




Workwall support endpanels for 72"H x 24"D workwall cabinets	–	15"	19"	RWEA7224(L/R)-()	488.	526.	592.	800.
	–	15"	23"	RWEB7224(L/R)-()	488.	526.	592.	800.
	–	20"	19"	RWEC7224(L/R)-()	488.	526.	592.	800.
	–	20"	23"	RWED7224(L/R)-()	488.	526.	592.	800.




Order Code	Specification Information	Application Notes
Example: RWEA7220	<i>To order please specify pattern number including:</i> 1. Shoulder finish: Wood or Laminate	Shipped knocked-down.
R Reff Profiles		Open cabinets require no locks.
W Workwall		Tasklights not included.
EA Shoulder		Tackboard included, fabric railroaded.
72 72" high		Locks are not factory installed.
20 20" deep		If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
114 Shoulder finish		Product on this page will accept woodgrain laminate where laminate is currently an option.

Overhead, 26 1/2 planning
Overdesk Unit
Use with 1 1/4" worksurfaces
Hinge door, Open and Flip door


description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	ROAH60T0(-)(-)(-)(-)	\$3,042.	\$3,969.	\$4,550.	\$6,143.
	60"	20"	44 1/4"	1.7	2	4	ROAH60T1(-)(-)(-)(-)	3,219.	4,199.	4,800.	6,479.
	72"	15"	44 1/4"	2.0	2	4	ROAH72T0(-)(-)(-)(-)	3,854.	5,022.	5,742.	7,754.
	72"	20"	44 1/4"	2.0	2	4	ROAH72T1(-)(-)(-)(-)	4,067.	5,300.	6,055.	8,174.
	90"	15"	44 1/4"	2.5	3	6	ROAH90T0(-)(-)(-)(-)	4,285.	5,589.	6,419.	8,664.
	90"	20"	44 1/4"	2.5	3	6	ROAH90T1(-)(-)(-)(-)	4,532.	5,914.	6,782.	9,157.
	96"	15"	44 1/4"	2.7	3	6	ROAH96T0(-)(-)(-)(-)	4,463.	5,831.	6,700.	9,046.
	96"	20"	44 1/4"	2.7	3	6	ROAH96T1(-)(-)(-)(-)	4,726.	6,170.	7,079.	9,558.



For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			ROAO60T0(-)(-)(-)(-)	2,011.	2,633.	3,043.	4,108.
	60"	20"	44 1/4"	1.7			ROAO60T1(-)(-)(-)(-)	2,136.	2,792.	3,221.	4,349.
	72"	15"	44 1/4"	2.0			ROAO72T0(-)(-)(-)(-)	2,567.	3,352.	3,861.	5,213.
	72"	20"	44 1/4"	2.0			ROAO72T1(-)(-)(-)(-)	2,717.	3,550.	4,083.	5,513.
	90"	15"	44 1/4"	2.5			ROAO90T0(-)(-)(-)(-)	2,808.	3,682.	4,271.	5,765.
	90"	20"	44 1/4"	2.5			ROAO90T1(-)(-)(-)(-)	2,979.	3,909.	4,516.	6,098.
	96"	15"	44 1/4"	2.7			ROAO96T0(-)(-)(-)(-)	2,914.	3,826.	4,439.	5,989.
	96"	20"	44 1/4"	2.7			ROAO96T1(-)(-)(-)(-)	3,093.	4,064.	4,703.	6,347.



For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	ROAF60S0(-)(-)(-)(-)	2,603.	3,688.	4,229.	5,709.
	60"	20"	44 1/4"	1.7	2	2	ROAF60S1(-)(-)(-)(-)	2,755.	3,905.	4,472.	6,041.
	72"	15"	44 1/4"	2.0	2	2	ROAF72S0(-)(-)(-)(-)	3,090.	4,675.	5,351.	7,224.
	72"	20"	44 1/4"	2.0	2	2	ROAF72S1(-)(-)(-)(-)	3,265.	4,937.	5,646.	7,623.
	84"	15"	44 1/4"	2.5	2	2	ROAF84S0(-)(-)(-)(-)	4,004.	5,328.	6,109.	8,246.
	84"	20"	44 1/4"	2.5	2	2	ROAF84S1(-)(-)(-)(-)	4,234.	5,635.	6,458.	8,714.
	96"	15"	44 1/4"	2.7	2	2	ROAF96S0(-)(-)(-)(-)	4,100.	5,473.	6,296.	8,500.
	96"	20"	44 1/4"	2.7	2	2	ROAF96S1(-)(-)(-)(-)	4,344.	5,798.	6,661.	8,991.




Order Code	Specification Information	Application Notes
Example: ROAF60S0(-)(-)(-)(-)	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff Profiles	1. <i>Configuration option</i>	6. Pull finish where applicable
O Overhead	O = Open	7. <i>Lock option</i>
A For 1 1/4" top mounting	H = Hinged door	L = Lockhole drilled
F Flip door	F = Flip door	N = No lock drilling
60 60" wide	2. <i>Width</i>	8. <i>Lock finish:</i>
S Standard height	3. <i>Storage option</i>	B=Black
0 15" deep	S0 = 19"h x 15"d	S=Matte Silver
114 Finish	S1 = 19"h x 20"d	9. Fabric for tackboard
J Pull Option	T0 = 23"h x 15"d	10. Cord escape option
111 Pull Finish	T1 = 23"h x 20"d	
L Locks Option	4. <i>Finish</i>	Product on this page will accept Woodgrain Laminate where laminate is an option. For more information on grain direction on vertical surfaces, please see page 5.
B Lock Finish	5. <i>Pull option for hinged door only</i>	*After specifying product code, provide keying instructions.
(W250) Tackboard Fabric	D = Metal D-pull (for hinged doors only)	Overdesk unit will achieve 72" nominal height when used with correct top.
BF Cord escape, back feed	J = Routed pull	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	

Y = Yardage required

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

*Overdesk Unit**Use with 1 1/4" worksurfaces**Modesty Panels for L and U Configuration*

description	w	h	th	pattern no.	L	V1	V2	V3
Half Height Modesty, 26 1/2"h 	36"	17"	1"	RBR36H(H/V)()	\$338.	\$500.	\$565.	\$775.
	42"	17"	1"	RBR42H(H/V)()	367.	545.	617.	846.
	48"	17"	1"	RBR48H(H/V)()	416.	615.	700.	955.
	54"	17"	1"	RBR54H(H/V)()	438.	648.	733.	1,002.
	60"	17"	1"	RBR60H(H/V)()	455.	668.	759.	1,033.
	66"	17"	1"	RBR66H()	474.	698.	796.	1,089.
	72"	17"	1"	RBR72H()	525.	775.	877.	1,195.
Full Height Modesty, 26 1/2"h 	36"	26"	1"	RBR36M(H/V)()	368.	530.	597.	804.
	42"	26"	1"	RBR42M(H/V)()	397.	575.	648.	874.
	48"	26"	1"	RBR48M(H/V)()	447.	647.	730.	985.
	54"	26"	1"	RBR54M(H/V)()	467.	679.	765.	1,032.
	60"	26"	1"	RBR60M(H/V)()	486.	699.	789.	1,063.
	66"	26"	1"	RBR66M()	505.	731.	826.	1,120.
	72"	26"	1"	RBR72M()	556.	805.	907.	1,225.

Order Code

Example: RBR36H(H/V)	
R	Reff Profiles
B	Bridge
R	Return
36	36" wide
H/M	H=Half Height Modesty F=Full Height Modesty Placement for 28 3/8"
H	Horizontal Grain direction in wood grain laminate
()	Finish

Ordering Information

To order please specify pattern number including:

1. Grain Direction: H/V
H = Horizontal
V = Vertical
Only applies to Wood Grain laminate Modesties
2. Modesty Finish:
L, V1, V2, V3
Only applies to Wood Grain laminate Modesties

Products on this page will accept wood grain laminate, where laminate is currently an option.


Modesties 60" wide or less, in wood grain laminate, are available in both horizontal and vertical grain direction.

For vertical surfaces greater than 60" wide, the grain direction is only horizontal.


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.



L-shaped / Double: Spanning 2 worksurfaces




U-shaped / Triple: Spanning 3 worksurfaces



*Workwall units**Rectilinear worksurfaces - 1 1/4" thick*

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$729.	\$739.	\$847.	\$1,144.
	60"	24"	RSWWA602()	784.	792.	914.	1,233.
	72"	20"	RSWWA721()	794.	803.	922.	1,244.
	72"	24"	RSWWA722()	849.	861.	986.	1,332.
	90"	20"	RSWWA901()	919.	930.	1,072.	1,447.
	90"	24"	RSWWA902()	975.	986.	1,137.	1,535.
	96"	20"	RSWWA961()	1,044.	1,056.	1,214.	1,640.
	96"	24"	RSWWA962()	1,100.	1,115.	1,280.	1,729.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	n/a	847.	977.	1,319.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	n/a	913.	1,051.	1,420.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	n/a	922.	1,062.	1,434.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	n/a	987.	1,137.	1,535.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	n/a	1,072.	1,233.	1,664.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	n/a	1,136.	1,308.	1,764.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	n/a	1,214.	1,400.	1,888.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	n/a	1,280.	1,474.	1,989.

Order Code	Specification Information	Application Notes	Hardware included.
Example: RSWWA60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.	
R Reff Profiles	1. Top finish Wood or laminate		
S Straight top	2. Edge finish Laminate		
WW Workwall top	(Edge option are available on Laminate tops only.)		
A 1 1/4" thick			
60 60" wide			
1 20" deep			
114 Laminate finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	No grommets available.	
114 Edge finish			


description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead (24 LED[92]s)	17"	2"	1/2"	RL4L17	\$571.
	Use with 36" and wider overhead (48 LED[92]s)	31"	2"	1/2"	RL4L31	952.
	Use with 48" and wider overhead (72 LED[92]s)	44"	2"	1/2"	RL4L44	1,241.
	Use with 66" and wider overhead (96 LED[92]s)	58"	2"	1/2"	RL4L58	1,558.

Order Code	Specification Information	Application Notes
LED Task Light	LED Task Lights: Includes LED's, power supply with 9-12' cord and mounting hardware. Housings are clear anodized aluminum with white color end-caps.	Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.
Example: RL4L17		
RL4 Task Light		
L LED		
17 Width		

Transaction tops for use with 42" H panel heights

Reff Profiles Vol. One

description	w	d	t	pattern no.	L	M/V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24()-()	\$391.	\$397.	\$457.	\$617.
	30"	15"	1 1/4"	RTTA30()-()	428.	431.	501.	675.
	36"	15"	1 1/4"	RTTA36()-()	466.	473.	541.	735.
	42"	15"	1 1/4"	RTTA42()-()	503.	509.	585.	788.
	48"	15"	1 1/4"	RTTA48()-()	536.	549.	628.	849.
	54"	15"	1 1/4"	RTTA54()-()	575.	584.	670.	904.
	60"	15"	1 1/4"	RTTA60()-()	612.	620.	714.	965.
	66"	15"	1 1/4"	RTTA66()-()	649.	656.	754.	1,019.
	72"	15"	1 1/4"	RTTA72()-()	683.	695.	798.	1,077.
	78"	15"	1 1/4"	RTTA78()-()	723.	736.	846.	1,142.
	84"	15"	1 1/4"	RTTA84()-()	768.	781.	896.	1,211.
	90"	15"	1 1/4"	RTTA90()-()	813.	827.	951.	1,283.
	96"	15"	1 1/4"	RTTA96()-()	861.	878.	1,006.	1,361.



Left side



Right side



Straight



Order Code	Specification Information	Application Notes
Example: RTTA24 () ()	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42"h panel or overall panel height achieved from 34"h base panel plus 8"h stacking module. Transaction tops ship with necessary bracketry included.
R Reff Profiles	1. <i>Width</i>	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the tops. This can be done in the field or through Custom Product Development.
TT Trasaction top	2. <i>Type:</i>	No grommets included.
24 24" wide	L = Left side Mitre	Tops may be used to span more than one consecutive panel.
L Type, left side Mitre	R = Right side Mitre	
2 V2 finish	S = Straight	
006B Finish	3. <i>Finish type:</i>	
() Edge finish (L)	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Finish</i> = Laminate or Veneer	
	5. <i>Edge finish:</i> Laminate	
	(Edge options are available on laminate transaction tops only.)	

Transaction tops

Brackets for Alternative Material

Reff Profiles Vol. One

description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$68.
	* Each panel need 2 brackets * Available in all core paints			
Foam Tape			RAMTT	27.
Transaction Top Bracket			RAMTC24()()	49.
Cover			RAMTC30()()	54.
			RAMTC36()()	57.
			RAMTC42()()	61.
			RAMTC48()()	64.
			RAMTC54()()	68.
			RAMTC60()()	72.
			RAMTC66()()	76.
			RAMTC72()()	78.
Transaction Top Bracket			RAMTCH24()()	68.
Cover Hilo			RAMTCH30()()	72.
			RAMTCH36()()	76.
			RAMTCH42()()	79.
			RAMTCH48()()	82.
			RAMTCH54()()	87.
			RAMTCH60()()	91.
			RAMTCH66()()	94.
			RAMTCH72()()	96.

Order Code	Specification Information	Application Notes
Example: RAMTC	<i>To order please specify pattern number including:</i>	Spline piece included in the right “R” hand pattern number.
R Reff Profiles		
A Alternative	1. End treatment option	Installation instructions available on Knoll Exchange.
M Material	2. Finish type: Core paint finishes	
T Transaction Top		
C Cover		
24 Width		
L/R/M Left/Right/Mitered		

When a solid material is installed the “RAMTB” is required.


When a translucent material is installed ie. glass the “RAMTB” is also required in addition to the covers. The covers are intended to conceal the bracketry.

Gallery desk surrounds

1 1/4" worksurface

Reff Profiles Vol. One

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,549.	\$1,918.	\$1,918.	\$2,067.	\$2,166.	\$2,792.	\$2,923.
	68"	25"	42"	RGAF682-()	1,602.	1,988.	1,988.	2,141.	2,243.	2,888.	3,029.
	74"	25"	42"	RGAF742-()	1,661.	2,064.	2,064.	2,223.	2,325.	3,000.	3,136.
	80"	25"	42"	RGAF802-()	1,722.	2,130.	2,130.	2,293.	2,406.	3,095.	3,248.
	86"	25"	42"	RGAF862-()	1,775.	2,204.	2,204.	2,367.	2,485.	3,194.	3,356.
	92"	25"	42"	RGAF922-()	1,833.	2,276.	2,276.	2,442.	2,568.	3,297.	3,462.
	98"	25"	42"	RGAF982-()	1,893.	2,346.	2,346.	2,521.	2,650.	3,402.	3,575.
	62"	31"	42"	RGAF623-()	1,646.	2,042.	2,042.	2,193.	2,302.	2,961.	3,108.
	68"	31"	42"	RGAF683-()	1,708.	2,124.	2,124.	2,281.	2,395.	3,079.	3,232.
	74"	31"	42"	RGAF743-()	1,774.	2,203.	2,203.	2,367.	2,483.	3,194.	3,353.
	80"	31"	42"	RGAF803-()	1,838.	2,276.	2,276.	2,449.	2,572.	3,308.	3,471.
	86"	31"	42"	RGAF863-()	1,904.	2,362.	2,362.	2,537.	2,663.	3,425.	3,598.
	92"	31"	42"	RGAF923-()	1,968.	2,443.	2,443.	2,619.	2,753.	3,536.	3,715.
	98"	31"	42"	RGAF983-()	2,032.	2,521.	2,521.	2,710.	2,840.	3,658.	3,836.




If shelf is not ordered and no drillings are required, you must order through specials.

Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	RGS60-()	375.	0.	464.	0.	526.	0.	710.
	66"	12"	1"	RGS66-()	388.	0.	482.	0.	541.	0.	735.
	72"	12"	1"	RGS72-()	400.	0.	496.	0.	560.	0.	755.
	78"	12"	1"	RGS78-()	414.	0.	512.	0.	578.	0.	781.
	84"	12"	1"	RGS84-()	422.	0.	528.	0.	594.	0.	801.
	90"	12"	1"	RGS90-()	436.	0.	540.	0.	610.	0.	822.
	96"	12"	1"	RGS96-()	448.	0.	553.	0.	625.	0.	846.



Bridge top assembly	42"	21"	42"	RGAB421-()	883.	1,094.	1,094.	1,158.	1,232.	1,563.	1,662.
	48"	21"	42"	RGAB481-()	946.	1,170.	1,170.	1,235.	1,318.	1,668.	1,779.
	54"	21"	42"	RGAB541-()	1,006.	1,245.	1,245.	1,320.	1,405.	1,782.	1,898.
	60"	21"	42"	RGAB601-()	1,067.	1,321.	1,321.	1,405.	1,496.	1,898.	2,017.
	66"	21"	42"	RGAB661-()	1,130.	1,403.	1,403.	1,483.	1,580.	2,004.	2,131.
	72"	21"	42"	RGAB721-()	1,190.	1,475.	1,475.	1,567.	1,662.	2,117.	2,244.
	78"	21"	42"	RGAB781-()	1,247.	1,551.	1,551.	1,651.	1,748.	2,229.	2,362.
	84"	21"	42"	RGAB841-()	1,309.	1,623.	1,623.	1,724.	1,831.	2,325.	2,472.
	90"	21"	42"	RGAB901-()	1,367.	1,696.	1,696.	1,807.	1,914.	2,437.	2,584.
	96"	21"	42"	RGAB961-()	1,423.	1,767.	1,767.	1,879.	1,995.	2,538.	2,692.



Order Code	Specification Information	Application Notes
Example: RGAF622NLL	To order please specify pattern number including:	Product on this page Excluding any vertical surface over 60" wide , will accept woodgrain laminate where laminate is currently an option.
R Reff Profiles	1. Grommet option	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
G Gallery surround	2. Grommet finish	Hardware included.
A 1 1/4" top thickness	3. Finish, top	Shipped knocked-down.
F Freestanding	4. Finish, edge (Edge options are available on laminate tops only.)	
62 62" wide	5. Finish, components	
2 25" deep		
F Grommet option		
111 Grommet finish		
114 Finish, Top		
124 Top Edge finish (L)		
114 Finish, Components		

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.

Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431-()	\$1,080.	\$1,340.	\$1,340.	\$1,434.	\$1,508.	\$1,934.	\$2,035.
		49"	42"	RGAR491-()	1,133.	1,409.	1,409.	1,508.	1,589.	2,035.	2,144.
		55"	42"	RGAR551-()	1,192.	1,476.	1,476.	1,582.	1,663.	2,136.	2,246.
		61"	42"	RGAR611-()	1,245.	1,545.	1,545.	1,653.	1,745.	2,231.	2,355.
		67"	42"	RGAR671-()	1,302.	1,618.	1,618.	1,730.	1,825.	2,334.	2,462.
		73"	42"	RGAR731-()	1,357.	1,684.	1,684.	1,804.	1,897.	2,433.	2,561.
		79"	42"	RGAR791-()	1,411.	1,749.	1,749.	1,878.	1,980.	2,536.	2,674.
		85"	42"	RGAR851-()	1,469.	1,822.	1,822.	1,948.	2,055.	2,628.	2,772.
		91"	42"	RGAR911-()	1,524.	1,894.	1,894.	2,025.	2,144.	2,735.	2,895.
		97"	42"	RGAR971-()	1,584.	1,961.	1,961.	2,096.	2,208.	2,829.	2,984.
	25"	43"	42"	RGAR432-()	1,186.	1,469.	1,469.	1,576.	1,656.	2,126.	2,235.
		49"	42"	RGAR492-()	1,237.	1,536.	1,536.	1,648.	1,731.	2,224.	2,337.
		55"	42"	RGAR552-()	1,295.	1,605.	1,605.	1,716.	1,812.	2,320.	2,446.
		61"	42"	RGAR612-()	1,351.	1,675.	1,675.	1,788.	1,887.	2,414.	2,545.
		67"	42"	RGAR672-()	1,406.	1,743.	1,743.	1,866.	1,964.	2,519.	2,653.
		73"	42"	RGAR732-()	1,463.	1,813.	1,813.	1,942.	2,045.	2,619.	2,763.
		79"	42"	RGAR792-()	1,515.	1,877.	1,877.	2,009.	2,122.	2,710.	2,863.
		85"	42"	RGAR852-()	1,570.	1,952.	1,952.	2,085.	2,201.	2,815.	2,968.
		91"	42"	RGAR912-()	1,629.	2,022.	2,022.	2,156.	2,279.	2,911.	3,077.
		97"	42"	RGAR972-()	1,688.	2,093.	2,093.	2,232.	2,359.	3,013.	3,184.
	31"	43"	42"	RGAR433-()	1,260.	1,561.	1,561.	1,669.	1,759.	2,253.	2,375.
		49"	42"	RGAR493-()	1,312.	1,626.	1,626.	1,743.	1,835.	2,353.	2,479.
		55"	42"	RGAR553-()	1,367.	1,696.	1,696.	1,810.	1,914.	2,442.	2,584.
		61"	42"	RGAR613-()	1,420.	1,765.	1,765.	1,879.	1,992.	2,538.	2,689.
		67"	42"	RGAR673-()	1,475.	1,834.	1,834.	1,953.	2,067.	2,638.	2,792.
		73"	42"	RGAR733-()	1,531.	1,902.	1,902.	2,026.	2,141.	2,736.	2,888.
		79"	42"	RGAR793-()	1,588.	1,966.	1,966.	2,096.	2,222.	2,829.	2,999.
		85"	42"	RGAR853-()	1,641.	2,038.	2,038.	2,172.	2,297.	2,931.	3,101.
		91"	42"	RGAR913-()	1,697.	2,106.	2,106.	2,242.	2,369.	3,026.	3,199.
		97"	42"	RGAR973-()	1,752.	2,170.	2,170.	2,314.	2,449.	3,126.	3,308.

Order Code	Specification Information	Application Notes
Example: RGAR431NLL	<i>To order please specify pattern number including:</i>	Product on this page Excluding any vertical surface over 60" wide , will accept woodgrain laminate where laminate is currently an option.
R Reff Profiles	1. Grommet option N=No grommet F=Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
G Gallery surround	2. Grommet finish	Hardware included.
A 1 1/4" top thickness	3. Top Finish Wood or Laminate	All requests for special grommet locations must be approved through custom product development.
R Right hand return	4. Edge Finish (available on laminate tops only)	M (mixed finish) includes laminate worksurface, wood edge and wood surround.
43 43" wide	5. Component Finish Wood or Laminate	Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page
1 21" deep		
F Grommet option, Flush		
111 Grommet finish		
114 Top Finish		
124 Edge Finish		
114 Component Finish		

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

Reff Profiles Vol. One

Gallery desk surrounds


description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431-()	\$1,080.	\$1,340.	\$1,340.	\$1,434.	\$1,508.	\$1,934.	\$2,035.
		49"	42"	RGAL491-()	1,133.	1,409.	1,409.	1,508.	1,589.	2,035.	2,144.
		55"	42"	RGAL551-()	1,192.	1,476.	1,476.	1,582.	1,663.	2,136.	2,246.
		61"	42"	RGAL611-()	1,245.	1,545.	1,545.	1,653.	1,745.	2,231.	2,355.
		67"	42"	RGAL671-()	1,302.	1,618.	1,618.	1,730.	1,825.	2,334.	2,462.
		73"	42"	RGAL731-()	1,357.	1,684.	1,684.	1,804.	1,897.	2,433.	2,561.
		79"	42"	RGAL791-()	1,411.	1,749.	1,749.	1,878.	1,980.	2,536.	2,674.
		85"	42"	RGAL851-()	1,469.	1,822.	1,822.	1,948.	2,055.	2,628.	2,772.
		91"	42"	RGAL911-()	1,524.	1,894.	1,894.	2,025.	2,144.	2,735.	2,895.
		97"	42"	RGAL971-()	1,584.	1,961.	1,961.	2,096.	2,208.	2,829.	2,984.
	25"	43"	42"	RGAL432-()	1,186.	1,469.	1,469.	1,576.	1,656.	2,126.	2,235.
		49"	42"	RGAL492-()	1,237.	1,536.	1,536.	1,648.	1,731.	2,224.	2,337.
		55"	42"	RGAL552-()	1,295.	1,605.	1,605.	1,716.	1,812.	2,320.	2,446.
		61"	42"	RGAL612-()	1,351.	1,675.	1,675.	1,788.	1,887.	2,414.	2,545.
		67"	42"	RGAL672-()	1,406.	1,743.	1,743.	1,866.	1,964.	2,519.	2,653.
		73"	42"	RGAL732-()	1,463.	1,813.	1,813.	1,942.	2,045.	2,619.	2,763.
		79"	42"	RGAL792-()	1,515.	1,877.	1,877.	2,009.	2,122.	2,710.	2,863.
		85"	42"	RGAL852-()	1,570.	1,952.	1,952.	2,085.	2,201.	2,815.	2,968.
		91"	42"	RGAL912-()	1,629.	2,022.	2,022.	2,156.	2,279.	2,911.	3,077.
		97"	42"	RGAL972-()	1,688.	2,093.	2,093.	2,232.	2,359.	3,013.	3,184.
	31"	43"	42"	RGAL433-()	1,260.	1,561.	1,561.	1,669.	1,759.	2,253.	2,375.
		49"	42"	RGAL493-()	1,312.	1,626.	1,626.	1,743.	1,835.	2,353.	2,479.
		55"	42"	RGAL553-()	1,367.	1,696.	1,696.	1,810.	1,914.	2,442.	2,584.
		61"	42"	RGAL613-()	1,420.	1,765.	1,765.	1,879.	1,992.	2,538.	2,689.
		67"	42"	RGAL673-()	1,475.	1,834.	1,834.	1,953.	2,067.	2,638.	2,792.
		73"	42"	RGAL733-()	1,531.	1,902.	1,902.	2,026.	2,141.	2,736.	2,888.
		79"	42"	RGAL793-()	1,588.	1,966.	1,966.	2,096.	2,222.	2,829.	2,999.
		85"	42"	RGAL853-()	1,641.	2,038.	2,038.	2,172.	2,297.	2,931.	3,101.
		91"	42"	RGAL913-()	1,697.	2,106.	2,106.	2,242.	2,369.	3,026.	3,199.
		97"	42"	RGAL973-()	1,752.	2,170.	2,170.	2,314.	2,449.	3,126.	3,308.

Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	Product on this page Excluding any vertical surface over 60" wide , will accept woodgrain laminate where laminate is currently an option.
R Reff Profiles	1. Grommet option N=No grommet F=Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
G Gallery surround	2. Grommet finish	Hardware included.
A 1 1/4" top thickness	3. Top Finish Wood or Laminate	All requests for special grommet locations must be approved through custom product development.
L Left hand return	4. Edge Finish (available on laminate tops only)	M (mixed finish) includes laminate worksurface, wood edge and wood surround.
43 43" wide	5. Component Finish Wood or Laminate	Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
1 21" deep		
F Grommet option, Flush		
111 Grommet finish		
114 Top Finish		
124 Edge Finish		
114 Component Finish		

Classic Desks

With Full Recessed Modesty

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	V1	V2	V3
 Classic Desk Full Modesty Recessed 26 1/2"	30"	60"	26 1/2"	RCDFMR60301 () ()	\$1,874.	\$3,217.	\$3,626.	\$4,600.
	36"	60"	26 1/2"	RCDFMR60361 () ()	1,983.	3,404.	3,838.	4,868.
	30"	72"	26 1/2"	RCDFMR72301 () ()	1,966.	3,374.	3,805.	4,828.
	36"	72"	26 1/2"	RCDFMR72361 () ()	2,082.	3,573.	4,028.	5,109.
	30"	84"	26 1/2"	RCDFMR84301 () ()	2,053.	3,523.	3,972.	5,040.
	36"	84"	26 1/2"	RCDFMR84361 () ()	2,173.	3,732.	4,207.	5,337.
	30"	96"	26 1/2"	RCDFMR96301 () ()	2,133.	3,664.	4,129.	5,235.
	36"	96"	26 1/2"	RCDFMR96361 () ()	2,262.	3,880.	4,376.	5,550.

Order Code	Specification Information
Example: RCDFMR60301	<i>To order please specify pattern number including:</i>
R Reff Profiles	1. Grommet Option
CD Classic Desk	F=Flush or Standard Corner location
FMR Full Modesty Recessed	N=No Grommet
60 Width	R=Recessed Grommet
30 Depth	2. Grommet Finish:
1 26 1/2" high, 2 = 28 3/8" high	Painted or Plated
() Grommet Option	3. Finish: L,V1,V2,V3
() Grommet Finish	
() Finish	

Classic Desks ship knocked down, with all hardware.

Worksurface is 1 1/2" thick.
End panels are 2" thick.

Grommets are located 20" in from the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26 1/2" high desk will only work with 26 1/2" high lower storage.

28 3/8" high desk will only work with 28 3/8" high lower storage.

30" deep desk with recessed modesty will accept 19" and 23" deep pedestals.

36" deep desk with recessed modesty will accept 19", 23" and 29" deep pedestals.


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 60" wide**, will accept wood grain laminate, where laminate is currently an option.

Classic Desks

With Half Recessed Modesty

Reff Profiles Vol. One

description	d	w	h	y	pattern number	L	V1	V2	V3
 Classic Desk Half Modesty Recessed 26 1/2"	30"	60"	26 1/2"	1.8	RCDHMR60301() () ()	\$1,817.	\$3,120.	\$3,514.	\$4,459.
	36"	60"	26 1/2"	1.8	RCDHMR60361() () ()	1,924.	3,307.	3,728.	4,728.
	30"	72"	26 1/2"	2.1	RCDHMR72301() () ()	1,894.	3,252.	3,665.	4,648.
	36"	72"	26 1/2"	2.1	RCDHMR72361() () ()	2,009.	3,449.	3,887.	4,931.
	30"	84"	26 1/2"	2.6	RCDHMR84301() () ()	1,970.	3,380.	3,815.	4,836.
	36"	84"	26 1/2"	2.6	RCDHMR84361() () ()	2,091.	3,589.	4,047.	5,134.
	30"	96"	26 1/2"	2.8	RCDHMR96301() () ()	2,036.	3,495.	3,940.	4,997.
	36"	96"	26 1/2"	2.8	RCDHMR96361() () ()	2,164.	3,715.	4,186.	5,310.

Classic Desks

Order Code	Specification Information	Application Notes
Example: RCDHMR60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
R Reff Profiles	1. Grommet Option	Worksurface is 1 1/2" thick.
CD Classic Desk	F=Flush or Standard Corner location	End panels are 2" thick.
HMR Half Modesty Recessed	N=No Grommet	Grommets are located 20" in from the sides and 3.5" in from the back.
60 Width	R=Recessed Grommet	Grommets ship separately in a kit.
30 Depth	2. Grommet Finish:	Lower storage sold separately.
1 26 1/2" high, 2 = 28 3/8" high	Painted or Plated	26 1/2" high desk will only work with 26 1/2" high lower storage.
() Grommet Option	3. Finish: L,V1,V2,V3	28 3/8" high desk will only work with 28 3/8" high lower storage.
() Grommet Finish		Classic desks with half recessed modesty, accepts <u>NO</u> lower storage.
() Finish		


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 60" wide**, will accept wood grain laminate, where laminate is currently an option.

Classic Desks

With Quarter Recessed Modesty

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	V1	V2	V3
 Classic Desk Quarter Modesty Recessed 26 1/2"	30"	60"	26 1/2"	RCDQMR60301 () ()	\$1,736.	\$2,979.	\$3,359.	\$4,260.
	36"	60"	26 1/2"	RCDQMR60361 () ()	1,844.	3,168.	3,570.	4,528.
	30"	72"	26 1/2"	RCDQMR72301 () ()	1,800.	3,093.	3,487.	4,423.
	36"	72"	26 1/2"	RCDQMR72361 () ()	1,917.	3,290.	3,710.	4,705.
	30"	84"	26 1/2"	RCDQMR84301 () ()	1,864.	3,199.	3,609.	4,575.
	36"	84"	26 1/2"	RCDQMR84361 () ()	1,985.	3,408.	3,842.	4,872.
	30"	96"	26 1/2"	RCDQMR96301 () ()	1,918.	3,293.	3,713.	4,710.
	36"	96"	26 1/2"	RCDQMR96361 () ()	2,048.	3,512.	3,961.	5,024.

Order Code	Specification Information	Application Notes
Example: RCDQMR60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
R Reff Profiles	1. Grommet Option	Worksurface is 1 1/2" thick.
CD Classic Desk	F=Flush or Standard Corner location	End panels are 2" thick.
QMR Quarter Modesty Recessed	N=No Grommet	Grommets are located 20" in from the sides and 3.5" in from the back.
60 Width	R=Recessed Grommet	Grommets ship separately in a kit.
30 Depth	2. Grommet Finish:	Lower storage sold separately.
1 26 1/2" high, 2 = 28 3/8" high	Painted or Plated	26 1/2" high desk will only work with 26 1/2" high lower storage.
() Grommet Option	3. Finish: L,V1,V2,V3	28 3/8" high desk will only work with 28 3/8" high lower storage.
() Grommet Finish		Classic desks with quarter recessed modesty accepts <u>NO</u> lower storage.
() Finish		


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 60" wide**, will accept wood grain laminate, where laminate is currently an option.

Classic Desks

With Full Flush Modesty

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	V1	V2	V3
 Classic Desk Full Modesty Flush 26 1/2"	30"	60"	26 1/2"	RCDFMF60301 () ()	\$1,874.	\$3,217.	\$3,626.	\$4,600.
	36"	60"	26 1/2"	RCDFMF60361 () ()	1,874.	3,217.	3,626.	4,600.
	30"	72"	26 1/2"	RCDFMF72301 () ()	1,966.	3,374.	3,805.	4,828.
	36"	72"	26 1/2"	RCDFMF72361 () ()	1,966.	3,374.	3,805.	4,828.
	30"	84"	26 1/2"	RCDFMF84301 () ()	2,053.	3,523.	3,972.	5,040.
	36"	84"	26 1/2"	RCDFMF84361 () ()	2,053.	3,523.	3,972.	5,040.
	30"	96"	26 1/2"	RCDFMF96301 () ()	2,133.	3,664.	4,129.	5,235.
	36"	96"	26 1/2"	RCDFMF96361 () ()	2,133.	3,664.	4,129.	5,235.

Classic Desks

Order Code	Specification Information	Application Notes
Example: RCDFMF60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
R Reff Profiles	1. Grommet Option	Worksurface is 1 1/2" thick.
CD Classic Desk	F=Flush or Standard Corner location	End panels are 2" thick.
FMF Full Modesty Flush	N=No Grommet	Grommets are located 20" in from the sides and 3.5" in from the back.
60 Width	R=Recessed Grommet	Grommets ship separately in a kit.
30 Depth	2. Grommet Finish:	Lower storage sold separately.
1 26 1/2" high, 2 = 28 3/8" high	Painted or Plated	26 1/2" high desk will only work with 26 1/2" high lower storage.
() Grommet Option	3. Finish: L,V1,V2,V3	28 3/8" high desk will only work with 28 3/8" high lower storage.
() Grommet Finish		30" deep desk with flush modesty can accept up to 29" deep pedestals.
() Finish		36" deep desk with flush modesty can accept up to 29" deep pedestals.


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 60" wide**, will accept wood grain laminate, where laminate is currently an option.


Single pedestal desks
27³/₄" high overall
V1 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal bow front desk with short modesty and false pedestal	60"	30"	RBSP6030J(A,B) ()1() () () () ()	\$4,179.	\$4,476.	\$4,440.	\$4,739.
	72"	30"	RBSP7230J(A,B) ()1() () () () ()	4,322.	4,651.	4,586.	4,913.
	84"	30"	RBSP8430J(A,B) ()1() () () () ()	4,550.	4,909.	4,809.	5,172.
	96"	30"	RBSP9630J(A,B) ()1() () () () ()	4,758.	5,159.	5,016.	5,420.



Single pedestal cantilevered desk, 30"d	60"	30"	RDSP6030J(A,B) ()1() () () () ()	3,193.	3,654.	3,374.	3,836.
	72"	30"	RDSP7230J(A,B) ()1() () () () ()	3,320.	3,842.	3,502.	4,021.
	84"	30"	RDSP8430J(A,B) ()1() () () () ()	3,484.	4,056.	3,667.	4,235.
	96"	30"	RDSP9630J(A,B) ()1() () () () ()	3,627.	4,249.	3,806.	4,429.



Single pedestal cantilevered desk, 36"d	60"	36"	RDSP6036J(A,B) ()1() () () () ()	3,389.	3,876.	3,650.	4,135.
	72"	36"	RDSP7236J(A,B) ()1() () () () ()	3,544.	4,114.	3,806.	4,378.
	84"	36"	RDSP8436J(A,B) ()1() () () () ()	3,700.	4,369.	3,962.	4,630.
	96"	36"	RDSP9636J(A,B) ()1() () () () ()	3,845.	4,619.	4,102.	4,877.




Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	7. Pull Finish: Painted or plated
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	8. Lock option: L = Locks are always drilled for lock
60 60" wide	3. Grommet finish: Painted or plated	9. Lock finish B = Black S = Matte Silver
30 30" deep	4. Veneer Finish	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.
J Box/box/file	5. Interior option: M = Metal W = Wood	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
A 1 1/4" regular edge top	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	30"D rectilinear desk pedestals are 24"D including modesty panel. 36"D rectilinear desk pedestals are 30"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal. Bowed front desk pedestals are 30"D with finished backs. All desks are non-handed. All hardware included.
R Recessed grommet option		
111 Grommet finish		
506B Finish		
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		


Single pedestal desks
27³/₄" high overall
V2 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal bow front desk with short modesty and false pedestal	60"	30"	RBSP6030J(A,B) ()2() () () () ()	\$4,504.	\$4,828.	\$4,785.	\$5,107.
	72"	30"	RBSP7230J(A,B) ()2() () () () ()	4,661.	5,016.	4,944.	5,296.
	84"	30"	RBSP8430J(A,B) ()2() () () () ()	4,904.	5,291.	5,185.	5,572.
	96"	30"	RBSP9630J(A,B) ()2() () () () ()	5,126.	5,561.	5,406.	5,844.



Single pedestal cantilevered desk, 30"d	60"	30"	RDSP6030J(A,B) ()2() () () () ()	3,441.	3,939.	3,640.	4,134.
	72"	30"	RDSP7230J(A,B) ()2() () () () ()	3,579.	4,140.	3,775.	4,335.
	84"	30"	RDSP8430J(A,B) ()2() () () () ()	3,751.	4,373.	3,950.	4,565.
	96"	30"	RDSP9630J(A,B) ()2() () () () ()	3,906.	4,578.	4,099.	4,775.



Single pedestal cantilevered desk, 36"d	60"	36"	RDSP6036J(A,B) ()2() () () () ()	3,651.	4,178.	3,934.	4,459.
	72"	36"	RDSP7236J(A,B) ()2() () () () ()	3,820.	4,434.	4,099.	4,716.
	84"	36"	RDSP8436J(A,B) ()2() () () () ()	3,989.	4,710.	4,270.	4,989.
	96"	36"	RDSP9636J(A,B) ()2() () () () ()	4,142.	4,978.	4,424.	5,258.




Preconfigured Reff
Desking

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	7. Pull Finish: Painted or plated
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	8. Lock option: L = Locks are always drilled for lock
60 60" wide	3. Grommet finish: Painted or plated	9. Lock finish B = Black S = Matte Silver
30 30" deep	4. Veneer Finish	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.
J Box/box/file	5. Interior option: M = Metal W = Wood	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
A 1 1/4" regular edge top	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	30"D rectilinear desk pedestals are 24"D including modesty panel. 36"D rectilinear desk pedestals are 30"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal. Bowed front desk pedestals are 30"D with finished backs. All desks are non-handed. All hardware included. These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
R Recessed grommet option		
111 Grommet finish		
647B Finish		
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		


Single pedestal desks
27³/₄" high overall
V3 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal bow front desk with short modesty and false pedestal	60"	30"	RBSP6030J(A,B) ()3() () () () ()	\$5,488.	\$5,879.	\$5,830.	\$6,223.
	72"	30"	RBSP7230J(A,B) ()3() () () () ()	5,677.	6,109.	6,019.	6,452.
	84"	30"	RBSP8430J(A,B) ()3() () () () ()	5,974.	6,447.	6,316.	6,790.
	96"	30"	RBSP9630J(A,B) ()3() () () () ()	6,246.	6,776.	6,588.	7,121.



Single pedestal cantilevered desk, 30"d	60"	30"	RDSP6030J(A,B) ()3() () () () ()	4,191.	4,797.	4,430.	5,035.
	72"	30"	RDSP7230J(A,B) ()3() () () () ()	4,358.	5,042.	4,598.	5,279.
	84"	30"	RDSP8430J(A,B) ()3() () () () ()	4,571.	5,325.	4,809.	5,562.
	96"	30"	RDSP9630J(A,B) ()3() () () () ()	4,759.	5,577.	4,996.	5,818.



Single pedestal cantilevered desk, 36"d	60"	36"	RDSP6036J(A,B) ()3() () () () ()	4,447.	5,088.	4,791.	5,431.
	72"	36"	RDSP7236J(A,B) ()3() () () () ()	4,653.	5,402.	4,996.	5,747.
	84"	36"	RDSP8436J(A,B) ()3() () () () ()	4,860.	5,737.	5,203.	6,078.
	96"	36"	RDSP9636J(A,B) ()3() () () () ()	5,044.	6,063.	5,388.	6,407.



Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B)	<i>To order, please specify pattern number including:</i>	7. Pull Finish: Painted or plated
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	8. Lock option: L = Locks are always drilled for lock
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	9. Lock finish B = Black S = Matte Silver
60 60" wide	3. Grommet finish: Painted or plated	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.
30 30" deep	4. Veneer Finish	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
J Box/box/file	5. Interior option: M = Metal W = Wood	
A 1 1/4" regular edge top	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	30"D rectilinear desk pedestals are 24"D including modesty panel. 36"D rectilinear desk pedestals are 30"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal. Bowed front desk pedestals are 30"D with finished backs. All desks are non-handed. All hardware included.
R Recessed grommet option		
111 Grommet finish		
020B Finish		
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		


Double pedestal desks

27³/₄" high overall


V1 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B)()1() () () () ()	\$4,877.	\$5,177.	\$5,416.	\$5,714.
	72"	30"	RBDP7230JK(A,B)()1() () () () ()	5,020.	5,351.	5,557.	5,886.
	84"	30"	RBDP8430JK(A,B)()1() () () () ()	5,247.	5,606.	5,783.	6,144.
	96"	30"	RBDP9630JK(A,B)()1() () () () ()	5,453.	5,857.	5,992.	6,393.



Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B)()1() () () () ()	4,122.	4,584.	4,521.	4,980.
	72"	30"	RDDP7230JK(A,B)()1() () () () ()	4,253.	4,768.	4,647.	5,170.
	84"	30"	RDDP8430JK(A,B)()1() () () () ()	4,411.	4,984.	4,809.	5,379.
	96"	30"	RDDP9630JK(A,B)()1() () () () ()	4,554.	5,178.	4,951.	5,576.



Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B)()1() () () () ()	4,382.	4,870.	4,382.	5,406.
	72"	36"	RDDP7236JK(A,B)()1() () () () ()	4,536.	5,107.	5,074.	5,644.
	84"	36"	RDDP8436JK(A,B)()1() () () () ()	4,694.	5,360.	5,231.	5,899.
	96"	36"	RDDP9636JK(A,B)()1() () () () ()	4,834.	5,608.	5,372.	6,147.



Preconfigured Reff
Desking

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	7. Pull Finish: Painted or plated
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	8. Lock option: L = Locks are always drilled for lock
60 60" wide	3. Grommet finish: Painted or plated	9. Lock finish B = Black S = Matte Silver
30 30" deep	4. Veneer Finish	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.
J Box/box/file	5. Interior option: M = Metal W = Wood	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
A 1 1/4" regular edge top	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	30"D rectilinear desk pedestals are 24"D including modesty panel. 36"D rectilinear desk pedestals are 30"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal. Bowed front desk pedestals are 30"D with finished backs. All desks are non-handed. All hardware included.
R Recessed grommet option		
111 Grommet finish		
506B Finish		
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		


Double pedestal desks

Reff Profiles Vol. One


27³/₄" high overall

V2 finish options


description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B)()2() () () ()	\$5,258.	\$5,580.	\$5,838.	\$6,157.
	72"	30"	RBDP7230JK(A,B)()2() () () ()	5,412.	5,767.	5,989.	6,345.
	84"	30"	RBDP8430JK(A,B)()2() () () ()	5,656.	6,044.	6,234.	6,623.
	96"	30"	RBDP9630JK(A,B)()2() () () ()	5,878.	6,316.	6,458.	6,893.



Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B)()2() () () ()	4,442.	4,941.	4,871.	5,367.
	72"	30"	RDDP7230JK(A,B)()2() () () ()	4,582.	5,140.	5,010.	5,570.
	84"	30"	RDDP8430JK(A,B)()2() () () ()	4,754.	5,370.	5,185.	5,799.
	96"	30"	RDDP9630JK(A,B)()2() () () ()	4,908.	5,581.	5,336.	6,010.



Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B)()2() () () ()	4,725.	5,248.	5,302.	5,828.
	72"	36"	RDDP7236JK(A,B)()2() () () ()	4,890.	5,507.	5,470.	6,086.
	84"	36"	RDDP8436JK(A,B)()2() () () ()	5,061.	5,777.	5,638.	6,359.
	96"	36"	RDDP9636JK(A,B)()2() () () ()	5,211.	6,046.	5,792.	6,625.



Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B)	<i>To order, please specify pattern number including:</i>	7. Pull Finish: Painted or plated
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	8. Lock option: L = Locks are always drilled for lock
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	9. Lock finish B = Black S = Matte Silver
60 60" wide	3. Grommet finish: Painted or plated	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.
30 30" deep	4. Veneer Finish	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
J Box/box/file	5. Interior option: M = Metal W = Wood	
A 1 1/4" regular edge top	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	30"D rectilinear desk pedestals are 24"D including modesty panel.
R Recessed grommet option		36"D rectilinear desk pedestals are 30"D including modesty panel.
111 Grommet finish		Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
647B Finish		Bowed front desk pedestals are 30"D with finished backs.
W Wood interior option		All desks are non-handed.
J Pull option		All hardware included.
111 Pull finish		
L Lock option		
B Lock finish		


Double pedestal desks

27³/₄" high overall


V3 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B)()3() () () ()	\$6,407.	\$6,800.	\$7,116.	\$7,501.
	72"	30"	RBDP7230JK(A,B)()3() () () ()	6,596.	7,028.	7,299.	7,735.
	84"	30"	RBDP8430JK(A,B)()3() () () ()	6,893.	7,363.	7,597.	8,071.
	96"	30"	RBDP9630JK(A,B)()3() () () ()	7,163.	7,694.	7,870.	8,400.



Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B)()3() () () ()	5,413.	6,016.	5,936.	6,539.
	72"	30"	RDDP7230JK(A,B)()3() () () ()	5,582.	6,264.	6,104.	6,787.
	84"	30"	RDDP8430JK(A,B)()3() () () ()	5,793.	6,544.	6,316.	7,067.
	96"	30"	RDDP9630JK(A,B)()3() () () ()	5,978.	6,801.	6,503.	7,323.



Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B)()3() () () ()	5,755.	6,393.	6,458.	7,099.
	72"	36"	RDDP7236JK(A,B)()3() () () ()	5,958.	6,708.	6,663.	7,415.
	84"	36"	RDDP8436JK(A,B)()3() () () ()	6,165.	7,041.	6,869.	7,748.
	96"	36"	RDDP9636JK(A,B)()3() () () ()	6,350.	7,367.	7,057.	8,075.






Preconfigured Reff
Desking

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	7. Pull Finish: Painted or plated
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	8. Lock option: L = Locks are always drilled for lock
60 60" wide	3. Grommet finish: Painted or plated	9. Lock finish B = Black S = Matte Silver
30 30" deep	4. Veneer Finish	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.
J Box/box/file	5. Interior option: M = Metal W = Wood	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
A 1 1/4" regular edge top	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	30"D rectilinear desk pedestals are 24"D including modesty panel. 36"D rectilinear desk pedestals are 30"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal. Bowed front desk pedestals are 30"D with finished backs. All desks are non-handed. All hardware included.
R Recessed grommet option		
111 Grommet finish		
020B Finish		
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

Desk returns
27³/₄" high overall
V1 finish options




Reff Profiles Vol. One

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
	36"	24"	RREP3624(A,B)()1() ()			\$1,419.	\$1,785.
	42"	24"	RREP4224(A,B)()1() ()			1,480.	1,894.
	48"	24"	RREP4824(A,B)()1() ()			1,580.	2,024.
	54"	24"	RREP5424(A,B)()1() ()			1,649.	2,098.
	60"	24"	RREP6024(A,B)()1() ()			1,714.	2,165.
	36"	30"	RREP3630(A,B)()1() ()			1,508.	1,914.
	42"	30"	RREP4230(A,B)()1() ()			1,572.	2,010.
	48"	30"	RREP4830(A,B)()1() ()			1,679.	2,125.
	54"	30"	RREP5430(A,B)()1() ()			1,757.	2,197.
	60"	30"	RREP6030(A,B)()1() ()			1,807.	2,265.
	36"	24"	RRSP3624K(A,B)()1() () () ()	2,347.	2,716.	2,566.	2,931.
	42"	24"	RRSP4224K(A,B)()1() () () ()	2,406.	2,822.	2,625.	3,037.
	48"	24"	RRSP4824K(A,B)()1() () () ()	2,509.	2,955.	2,723.	3,170.
	54"	24"	RRSP5424K(A,B)()1() () () ()	2,577.	3,026.	2,792.	3,242.
	60"	24"	RRSP6024K(A,B)()1() () () ()	2,642.	3,093.	2,858.	3,311.
	36"	30"	RRSP3630K(A,B)()1() () () ()	2,497.	2,907.	2,775.	3,183.
	42"	30"	RRSP4230K(A,B)()1() () () ()	2,566.	3,005.	2,839.	3,277.
	48"	30"	RRSP4830K(A,B)()1() () () ()	2,672.	3,117.	2,946.	3,395.
	54"	30"	RRSP5430K(A,B)()1() () () ()	2,750.	3,191.	3,025.	3,465.
	60"	30"	RRSP6030K(A,B)()1() () () ()	2,800.	3,256.	3,075.	3,534.

Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RR Reff Pedestal Return	7. Pull Finish: Painted or plated	
SP Single Pedestal	8. Lock option: L = Locks are always drilled for lock	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
36 36" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4"	All desks are non-handed.
24 24" deep	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	All hardware included.
K File/file	3. Grommet finish: Painted or plated	
A 1 1/4" regular edge top	4. Veneer Finish	
R Recessed grommet option	5. Interior option: M = Metal W = Wood	
111 Grommet finish	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	
506B Finish	9. Lock finish B = Black S = Matte Silver	
W Wood interior option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.	
J Pull option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	
111 Pull finish		
L Lock option		
B Lock finish		

Desk returns
27³/₄" high overall
V2 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
 End panel return	36"	24"	RREP3624(A,B)()2() ()			\$1,532.	\$1,925.
	42"	24"	RREP4224(A,B)()2() ()			1,595.	2,042.
	48"	24"	RREP4824(A,B)()2() ()			1,704.	2,182.
	54"	24"	RREP5424(A,B)()2() ()			1,778.	2,263.
	60"	24"	RREP6024(A,B)()2() ()			1,847.	2,336.
	36"	30"	RREP3630(A,B)()2() ()			1,627.	2,063.
	42"	30"	RREP4230(A,B)()2() ()			1,697.	2,168.
	48"	30"	RREP4830(A,B)()2() ()			1,813.	2,292.
	54"	30"	RREP5430(A,B)()2() ()			1,897.	2,369.
	60"	30"	RREP6030(A,B)()2() ()			1,947.	2,441.
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B)()2() () () ()	2,532.	2,929.	2,767.	3,163.
	42"	24"	RRSP4224K(A,B)()2() () () ()	2,597.	3,043.	2,833.	3,275.
	48"	24"	RRSP4824K(A,B)()2() () () ()	2,707.	3,184.	2,939.	3,419.
	54"	24"	RRSP5424K(A,B)()2() () () ()	2,778.	3,263.	3,013.	3,497.
	60"	24"	RRSP6024K(A,B)()2() () () ()	2,846.	3,335.	3,082.	3,570.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B)()2() () () ()	2,693.	3,135.	2,993.	3,432.
	42"	30"	RRSP4230K(A,B)()2() () () ()	2,767.	3,239.	3,062.	3,534.
	48"	30"	RRSP4830K(A,B)()2() () () ()	2,880.	3,361.	3,178.	3,659.
	54"	30"	RRSP5430K(A,B)()2() () () ()	2,966.	3,440.	3,262.	3,739.
	60"	30"	RRSP6030K(A,B)()2() () () ()	3,017.	3,510.	3,315.	3,809.

Preconfigured Ref
Deskings




Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RR Reff Pedestal Return	7. Pull Finish: Painted or plated	
SP Single Pedestal	8. Lock option: L = Locks are always drilled for lock	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
36 36" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4"	All desks are non-handed.
24 24" deep	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	All hardware included.
K File/file	3. Grommet finish: Painted or plated	
A 1 1/4" regular edge top	4. Veneer Finish	
R Recessed grommet option	5. Interior option: M = Metal W = Wood	
111 Grommet finish	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	
647B Finish	9. Lock finish B = Black S = Matte Silver	
W Wood interior option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.	
J Pull option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	
111 Pull finish		
L Lock option		
B Lock finish		

Desk returns

Reff Profiles Vol. One

27³/₄" high overall

V3 finish options


description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
 End panel return	36"	24"	RREP3624(A,B)()3() ()			\$1,867.	\$2,349.
	42"	24"	RREP4224(A,B)()3() ()			1,946.	2,488.
	48"	24"	RREP4824(A,B)()3() ()			2,081.	2,659.
	54"	24"	RREP5424(A,B)()3() ()			2,169.	2,760.
	60"	24"	RREP6024(A,B)()3() ()			2,254.	2,848.
	36"	30"	RREP3630(A,B)()3() ()			1,984.	2,518.
	42"	30"	RREP4230(A,B)()3() ()			2,069.	2,645.
	48"	30"	RREP4830(A,B)()3() ()			2,208.	2,795.
	54"	30"	RREP5430(A,B)()3() ()			2,311.	2,890.
	60"	30"	RREP6030(A,B)()3() ()			2,375.	2,977.
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B)()3() () () ()	3,088.	3,571.	3,372.	3,856.
	42"	24"	RRSP4224K(A,B)()3() () () ()	3,167.	3,711.	3,453.	3,996.
	48"	24"	RRSP4824K(A,B)()3() () () ()	3,299.	3,884.	3,584.	4,166.
	54"	24"	RRSP5424K(A,B)()3() () () ()	3,389.	3,982.	3,676.	4,266.
	60"	24"	RRSP6024K(A,B)()3() () () ()	3,473.	4,070.	3,758.	4,356.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B)()3() () () ()	3,286.	3,824.	3,649.	4,185.
	42"	30"	RRSP4230K(A,B)()3() () () ()	3,372.	3,950.	3,735.	4,310.
	48"	30"	RRSP4830K(A,B)()3() () () ()	3,513.	4,099.	3,875.	4,463.
	54"	30"	RRSP5430K(A,B)()3() () () ()	3,618.	4,195.	3,979.	4,560.
	60"	30"	RRSP6030K(A,B)()3() () () ()	3,681.	4,281.	4,042.	4,646.

Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B) RR Reff Pedestal Return SP Single Pedestal 36 36" wide 24 24" deep K File/file A 1 1/4" regular edge top R Recessed grommet option 111 Grommet finish 020B Finish W Wood interior option J Pull option 111 Pull finish L Lock option B Lock finish	<i>To order, please specify pattern number including:</i> - Top thickness option: A = 1 1/4" B = 1 3/4" - Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed - Finish type: 3 = V3 - Interior option: M = Metal W = Wood - Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set) - Lock option: L = Locks are always drilled for lock - Veneer finish - Pull Finish: Painted or plated - Grommet finish: Painted or plated	<i>For end panel returns, please specify pattern number including:</i> - Top thickness option: A = 1 1/4" B = 1 3/4" - Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed - Finish type: 3 = V3 - Grommet finish: Painted or plated Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions. Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface. 30"D rectilinear desk pedestals are 24"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal. All desks are non-handed. All hardware included.


Single pedestal credenzas
27³/₄" high overall
V1 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal credenza	60"	24"	RCSP6024K(A,B) ()1()()()()	\$3,034.	\$3,489.	\$3,254.	\$3,703.
	72"	24"	RCSP7224K(A,B) ()1()()()()	3,186.	3,676.	3,402.	3,893.
	84"	24"	RCSP8424K(A,B) ()1()()()()	3,339.	3,891.	3,558.	4,108.
	96"	24"	RCSP9624K(A,B) ()1()()()()	3,479.	4,086.	3,694.	4,304.



Single lateral file credenza (30" wide lateral file)	60"	24"	RCS3L6024K(A,B) ()1()()()()	3,199.	3,653.	3,697.	4,150.
	72"	24"	RCS3L7224K(A,B) ()1()()()()	3,352.	3,842.	3,848.	4,339.
	84"	24"	RCS3L8424K(A,B) ()1()()()()	3,506.	4,056.	4,002.	4,554.
	96"	24"	RCS3L9624K(A,B) ()1()()()()	3,642.	4,250.	4,141.	4,747.



Single lateral file credenza (36" wide lateral file)	60"	24"	RCS6L6024K(A,B) ()1()()()()	3,292.	3,745.	4,154.	4,605.
	72"	24"	RCS6L7224K(A,B) ()1()()()()	3,442.	3,933.	4,305.	4,797.
	84"	24"	RCS6L8424K(A,B) ()1()()()()	3,599.	4,149.	4,460.	5,010.
	96"	24"	RCS6L9624K(A,B) ()1()()()()	3,734.	4,344.	4,599.	5,203.



Preconfigured Reff
Desking


Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	7. Pull Finish: Painted or plated	
SP Single pedestal	8. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
60 60" wide	9. Lock finish B = Black S = Matte Silver	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
24 24" deep	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
K File/file		
A 1 1/4" regular edge top		
R Recessed grommet option		
111 Grommet finish		
506B Finish		
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file


Single pedestal credenzas
27³/₄" high overall
V2 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal credenza	60"	24"	RCSP6024K(A,B) ()2() () () () ()	\$3,273.	\$3,761.	\$3,507.	\$3,996.
	72"	24"	RCSP7224K(A,B) ()2() () () () ()	3,436.	3,964.	3,669.	4,198.
	84"	24"	RCSP8424K(A,B) ()2() () () () ()	3,603.	4,195.	3,838.	4,430.
	96"	24"	RCSP9624K(A,B) ()2() () () () ()	3,750.	4,406.	3,984.	4,639.



Single lateral file credenza (30" wide lateral file)	60"	24"	RCS3L6024K(A,B) ()2() () () () ()	3,451.	3,939.	3,988.	4,475.
	72"	24"	RCS3L7224K(A,B) ()2() () () () ()	3,613.	4,142.	4,147.	4,678.
	84"	24"	RCS3L8424K(A,B) ()2() () () () ()	3,780.	4,375.	4,316.	4,909.
	96"	24"	RCS3L9624K(A,B) ()2() () () () ()	3,928.	4,584.	4,466.	5,120.



Single lateral file credenza (36" wide lateral file)	60"	24"	RCS6L6024K(A,B) ()2() () () () ()	3,548.	4,040.	4,479.	4,966.
	72"	24"	RCS6L7224K(A,B) ()2() () () () ()	3,711.	4,239.	4,642.	5,170.
	84"	24"	RCS6L8424K(A,B) ()2() () () () ()	3,880.	4,472.	4,809.	5,401.
	96"	24"	RCS6L9624K(A,B) ()2() () () () ()	4,027.	4,682.	4,958.	5,612.



Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	7. Pull Finish: Painted or plated	
SP Single pedestal	8. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
60 60" wide	9. Lock finish B = Black S = Matte Silver	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
24 24" deep		
K File/file		
A 1 1/4" regular edge top		
R Recessed grommet option		
111 Grommet finish		
647B Finish		
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

- To order, please specify pattern number including:*
- Top thickness option:
A = 1 1/4"
B = 1 3/4"
 - Grommet options:
F = Flush or standard corner location
N = No Grommet
R = Recessed
 - Grommet Finish: Painted or plated
 - Veneer Finish
 - Interior option:
M = Metal
W = Wood
 - Pull option:
B = No Pull, No Drilling
Customer's Own Pull
C = C-pull (Nickel finish only)
D = D-pull (PT, PZ only)
F = Bar pull (1 pull per door set)
H = Outline Pull
J = J (routed) pull
R = Cylinder Pull
S = S-pull (Stainless steel finish only)
T = Tab Pull (1 pull per door set)

- Pull Finish: Painted or plated
 - Lock option:
L = Locks are always drilled for lock
 - Lock finish
B = Black
S = Matte Silver
- Random locks are factory installed.
Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.

30"D rectilinear desk pedestals are 24"D including modesty panel.

Credenzas with lateral files or pedestals are non handed.


Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Single pedestal credenzas
27³/₄" high overall
V3 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal credenza	60"	24"	RCSP6024K(A,B) ()3() () () () ()	\$3,992.	\$4,588.	\$4,277.	\$4,872.
	72"	24"	RCSP7224K(A,B) ()3() () () () ()	4,189.	4,835.	4,476.	5,120.
	84"	24"	RCSP8424K(A,B) ()3() () () () ()	4,393.	5,118.	4,680.	5,402.
	96"	24"	RCSP9624K(A,B) ()3() () () () ()	4,575.	5,372.	4,860.	5,658.



Single lateral file credenza (30" wide lateral file)	60"	24"	RCS3L6024K(A,B) ()3() () () () ()	4,210.	4,803.	4,865.	5,459.
	72"	24"	RCS3L7224K(A,B) ()3() () () () ()	4,405.	5,052.	5,059.	5,706.
	84"	24"	RCS3L8424K(A,B) ()3() () () () ()	4,609.	5,336.	5,263.	5,987.
	96"	24"	RCS3L9624K(A,B) ()3() () () () ()	4,791.	5,590.	5,447.	6,245.



Single lateral file credenza (36" wide lateral file)	60"	24"	RCS6L6024K(A,B) ()3() () () () ()	4,328.	4,924.	5,464.	6,058.
	72"	24"	RCS6L7224K(A,B) ()3() () () () ()	4,526.	5,173.	5,661.	6,306.
	84"	24"	RCS6L8424K(A,B) ()3() () () () ()	4,730.	5,455.	5,866.	6,586.
	96"	24"	RCS6L9624K(A,B) ()3() () () () ()	4,913.	5,710.	6,048.	6,844.




Preconfigured Reff
Desking

Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	7. Pull Finish: Painted or plated	
SP Single pedestal	8. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
60 60" wide	9. Lock finish B = Black S = Matte Silver	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
24 24" deep	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 356 for keying instructions.	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
K File/file		
A 1 1/4" regular edge top		
R Recessed grommet option		
111 Grommet finish		
020B Finish		
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Bridge assemblies
27³/₄" high overall
V1 finish options


Reff Profiles Vol. One

description	w	d	pattern no.	A	B
 Bridge assembly	36"	24"	RBR3624(A,B,W)()1() ()	\$1,017.	\$1,383.
	42"	24"	RBR4224(A,B,W)()1() ()	1,076.	1,491.
	48"	24"	RBR4824(A,B,W)()1() ()	1,178.	1,622.
	36"	30"	RBR3630(A,B,W)()1() ()	1,084.	1,491.
	42"	30"	RBR4230(A,B,W)()1() ()	1,146.	1,585.
	48"	30"	RBR4830(A,B,W)()1() ()	1,254.	1,701.

Order Code	Specification Information	Application Notes
Example: RBR4830 (A,B)	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed.
RBR Reff Bridge Assembly		All hardware included.
48 48" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Shipped with full height modesty.
30 30" deep		
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
F Flush grommet option		
111 Grommet Finish	3. Grommet finish: Painted or plated	
506B Finish	4. Finish	

Bridge assemblies
27³/₄" high overall
V2 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	A	B
 Bridge assembly	36"	24"	RBR3624(A,B,W)()2() ()	\$1,097.	\$1,490.
	42"	24"	RBR4224(A,B,W)()2() ()	1,162.	1,607.
	48"	24"	RBR4824(A,B,W)()2() ()	1,269.	1,747.
	36"	30"	RBR3630(A,B,W)()2() ()	1,169.	1,607.
	42"	30"	RBR4230(A,B,W)()2() ()	1,237.	1,709.
	48"	30"	RBR4830(A,B,W)()2() ()	1,352.	1,834.

Preconfigured Reff
Deskling

Order Code	Specification Information	Application Notes
Example: RBR4830 (A,B)	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed.
RBR Reff Bridge Assembly		All hardware included.
48 48" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Shipped with full height modesty.
30 30" deep	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
A 1 1/4" regular edge top	3. Grommet finish: Painted or plated	
F Flush grommet option	4. Finish	
111 Grommet Finish		
647B Finish		

Bridge assemblies
27³/₄" high overall
V3 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	A	B
 Bridge assembly	36"	24"	RBR3624(A,B,W)()3() ()	\$1,337.	\$1,820.
	42"	24"	RBR4224(A,B,W)()3() ()	1,417.	1,961.
	48"	24"	RBR4824(A,B,W)()3() ()	1,550.	2,130.
	36"	30"	RBR3630(A,B,W)()3() ()	1,424.	1,961.
	42"	30"	RBR4230(A,B,W)()3() ()	1,509.	2,086.
	48"	30"	RBR4830(A,B,W)()3() ()	1,651.	2,238.

Order Code	Specification Information	Application Notes
Example: RBR4830 (A,B)	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed.
RBR Reff Bridge Assembly		All hardware included.
48 48" wide	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Shipped with full height modesty.
30 30" deep		
A 1 1/4" regular edge top	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
F Flush grommet option		
111 Grommet Finish	3. Grommet finish: Painted or plated	
020B Finish	4. Finish	


Double pedestal credenzas

27³/₄" high overall


V1 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double pedestal credenza (16" wide FF peds)	60"	24"	RCDP6024K(A,B) ()1()()()()	\$3,966.	\$4,416.	\$4,397.	\$4,849.
	72"	24"	RCDP7224K(A,B) ()1()()()()	4,111.	4,603.	4,081.	5,042.
	84"	24"	RCDP8424K(A,B) ()1()()()()	4,269.	4,819.	4,703.	5,253.
	96"	24"	RCDP9624K(A,B) ()1()()()()	4,406.	5,013.	4,841.	5,447.




Double lateral credenza (30" wide laterals)	60"	24"	RCD3L6024K(A,B) ()1()()()()	4,292.	4,746.	5,289.	5,739.
	84"	24"	RCD3L8424K(A,B) ()1()()()()	4,600.	5,149.	5,592.	6,143.
	96"	24"	RCD3L9624K(A,B) ()1()()()()	4,739.	5,341.	5,731.	6,336.



96" w shown; 60" w has no knee space

Double lateral credenza (36" wide laterals)	72"	24"	RCD6L7224K(A,B) ()1()()()()	4,629.	5,119.	6,351.	6,838.
	96"	24"	RCD6L9624K(A,B) ()1()()()()	4,920.	5,526.	6,645.	7,247.



96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	7. Pull Finish: Painted or plated	Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	8. Lock option: L = Locks are always drilled for lock	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	9. Lock finish B = Black S = Matte Silver	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	1. Top thickness option: A = 1 1/4" B = 1 3/4"	
K File/file	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
A 1 1/4" regular edge top	3. Grommet finish: Painted or plated	
R Recessed grommet option	4. Veneer Finish	
111 Grommet finish	5. Interior option: M = Metal W = Wood	
506B Finish	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file


Double pedestal credenzas

27³/₄" high overall


V2 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double pedestal credenza (16" wide FF peds)	60"	24"	RCDP6024K(A,B) ()2() () () () ()	\$4,277.	\$4,762.	\$4,742.	\$5,229.
	72"	24"	RCDP7224K(A,B) ()2() () () () ()	4,434.	4,964.	4,904.	5,435.
	84"	24"	RCDP8424K(A,B) ()2() () () () ()	4,603.	5,198.	5,072.	5,664.
	96"	24"	RCDP9624K(A,B) ()2() () () () ()	4,751.	5,403.	5,222.	5,873.




Double lateral credenza (30" wide laterals)	60"	24"	RCD3L6024K(A,B) ()2() () () () ()	4,630.	5,119.	5,702.	6,192.
	84"	24"	RCD3L8424K(A,B) ()2() () () () ()	4,959.	5,556.	6,033.	6,625.
	96"	24"	RCD3L9624K(A,B) ()2() () () () ()	5,109.	5,760.	6,182.	6,833.



96" w shown; 60" w has no knee space

Double lateral credenza (36" wide laterals)	72"	24"	RCD6L7224K(A,B) ()2() () () () ()	4,989.	5,519.	6,852.	7,380.
	96"	24"	RCD6L9624K(A,B) ()2() () () () ()	5,307.	5,961.	7,165.	7,818.



96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	7. Pull Finish: Painted or plated	Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	8. Lock option: L = Locks are always drilled for lock	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	9. Lock finish B = Black S = Matte Silver	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	1. Top thickness option: A = 1 1/4" B = 1 3/4"	
K File/file	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
A 1 1/4" regular edge top	3. Grommet finish: Painted or plated	
R Recessed grommet option	4. Veneer Finish	
111 Grommet finish	5. Interior option: M = Metal W = Wood	
647B Finish	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file


Double pedestal credenzas

27³/₄" high overall


V3 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double pedestal credenza (16" wide FF peds)	60"	24"	RCDP6024K(A,B) ()3() () () () ()	\$5,215.	\$5,807.	\$5,783.	\$6,380.
	72"	24"	RCDP7224K(A,B) ()3() () () () ()	5,409.	6,054.	5,981.	6,626.
	84"	24"	RCDP8424K(A,B) ()3() () () () ()	5,615.	6,339.	6,184.	6,907.
	96"	24"	RCDP9624K(A,B) ()3() () () () ()	5,795.	6,591.	6,367.	7,163.




Double lateral credenza (30" wide laterals)	60"	24"	RCD3L6024K(A,B) ()3() () () () ()	5,649.	6,243.	6,957.	7,552.
	84"	24"	RCD3L8424K(A,B) ()3() () () () ()	6,049.	6,774.	7,356.	8,079.
	96"	24"	RCD3L9624K(A,B) ()3() () () () ()	6,230.	7,024.	7,539.	8,334.



96" w shown; 60" w has no knee space

Double lateral credenza (36" wide laterals)	72"	24"	RCD6L7224K(A,B) ()3() () () () ()	6,085.	6,730.	8,353.	8,997.
	96"	24"	RCD6L9624K(A,B) ()3() () () () ()	6,469.	7,269.	8,739.	9,533.



96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	7. Pull Finish: Painted or plated	Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	8. Lock option: L = Locks are always drilled for lock	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	9. Lock finish B = Black S = Matte Silver	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	1. Top thickness option: A = 1 1/4" B = 1 3/4"	
K File/file	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	
A 1 1/4" regular edge top	3. Grommet finish: Painted or plated	
R Recessed grommet option	4. Veneer Finish	
111 Grommet finish	5. Interior option: M = Metal W = Wood	
020B Finish	6. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	
W Wood interior option		
J Pull option		
111 Pull finish		
L Lock option		
B Lock finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

J-Wire Troughs are available in two types, Wall Mount & Under Mount. Wall mount J-wire troughs may be attached to both architectural walls and fixed modesty panels. Under mount J-wire troughs may be attached directly under worksurfaces.

Both types are available in 6" increments, in lengths ranging from 24" to 72". Troughs are 3" high by 3" deep. They are constructed of 18-gauge cold rolled steel. Wall mount is available in black. Under mount is available in all Reff Profiles core paint finishes.

Application notes:

Wires may run along the length of the trough and may exit at the trough ends or over the open front of the trough at any point. Under mount troughs also have a 1 1/2" diameter, U-shaped mouse hole for wire entry/exit.

Wall mount J-wire troughs are attached to a vertical surface such as a full modesty panel, suspended modesty panel, or architectural wall. Refer to Figure 1 and 2.

Fasteners are not included with wall mount J-wire troughs. Attachment fasteners should be selected with consideration given to the vertical surface's material type and thickness. Care should be taken so that screws will not protrude through or damage the visitor side of a modesty panel.







Figure 1: Partial Height Modesty Applications

Figure 2: Wire Trough Wall Mounted Applications

Under mount J-wire troughs have two tabs at the top that allow them to be attached to the underside of a worksurface. Wood screws are included with under mount J-wire troughs.

Under mount J-wire troughs are designed to work with worksurfaces specified with flush, recessed, edge or no grommets. When edge grommets are specified, the trough is attached

with the opening towards the wall which will enable the ability to run wires anywhere along the opening in the worksurface while still allowing the ability to run wires through the grommet of the wire manager. Refer to Figure 5.

Under mount J-wire troughs may be specified when a desk screen (i.e. Antenna) is to be used as a modesty panel. Refer to Figure 6.

The width of the J-wire trough should be specified so that the trough spans and falls beneath grommet locations, but does not interfere with leg or pedestal positions. (i.e: A 72" w double letter-wide pedestal desk with flush grommets would be get a 36" trough.) Refer to Figure 3 and 4.

Wire troughs may not be used to stiffen a worksurface.




Figure 3: Peninsula




Figure 4: Top with Desktop Grommet




Figure 5: Top with Edge Grommet




Figure 6: Desk Screen

The wire manager for credenza may be specified for use with a 1" or 1 ½" thick credenza top with edge grommet. Wires, transformers, or personal accessory chargers may then be pushed off the worksurface, but will not drop all the way to the floor.


The wire manager for credenza top is 24" wide, 1" high and 1 ¼" deep, and will fit any standard width credenza top with edge grommet. It is constructed of 24-gauge cold rolled steel and is available in black.

Application notes:


The wire manager for credenza is intended to be mounted to the inside edge of the edge grommet. Wires may run along the length of the trough, exiting at the trough ends between the trough and the un-notched portion of the worksurface top.

Note: There will be a visible black lip (approx. ⅛" wide) at the edge of the worksurface where the wire manager is mounted.


For installation, wood screws and double sided tape are included with the wire manager.



Application of Wire Manager for Credenza Top



Wire Manager Dimensions



Wire Manager

Power and Data Outlets

Power and Data Outlets are available in a variety of configurations for use with worksurfaces, peninsulas and tables.

The electrical accessories make power and data taps more accessible to the end user.

All Power and Data Accessories are ordered separately from the furniture elements which they support.

These accessories are offered in a variety of configurations consisting of simplex receptacles, double USB charging ports and blank spaces which may be used to field install data outlets. The Power and Data Outlets are available in 4 configurations. See **Figure 1** below for available configurations.

Power and Data Accessories come in the following applications:

- Electrical component for Peninsula Power Center
- Table Power Center
- Table Undermount
- Table Drop-In
- Clamp-on
- Offset Clamp-on

See **Figure 3** for available configuration options for each of these Power and Data Accessories.

General Notes

Simplex outlets and USB charging ports are wired together and on the same circuit. All units have a 15 Amp overall rating. Each outlet of the duplex USB charging port can deliver up to 2.1 Amps, sufficient to charge most tablets and smart phones. All units are available with choice of 72" or 120" long cordset or 72" long hardwire cord.

The 412 units with cordset come with an OCP (Over Current Protection) plug head which is larger than standard. See **Figure 2** for dimension. All other cordset units come with a standard 3 prong plug head.

The 72" long hardwire cord is 9/16" diameter flexible metal conduit with pigtails for direct connection to building power. For hardwire option information, refer to Handwired Electrical Components.

Connection option selected must comply with local and/or national electrical code.

Cordset power and data outlets are certified to UL 962A, Furniture Power Distribution Units.

All power and data outlets are available in three color options: black body with black bracket (B/B), white body with white bracket (W/W) or white body with silver bracket (W/S). The cord sets match the body color.

Power and Data Outlets come with a series of Tech Adapters used in the data port(s) to connect a variety of communications jacks offered by third party vendors including RJ45, Cat 5, Cat 6, HDMI, and VGA as well as certain speaker and cable jacks. The communications jack or connectors are not available through Knoll and must be coordinated and provided by a communications equipment supplier.

Refer to Tech Adapter Master List posted on Knoll.com with associated Desktop Outlet installation instructions.

All power and Data Desktop Outlets are shipped with installation instructions included.

Refer to **Figure 17** for Cabling Diagram.



202		2 Power + 2 Data
210		2 Power + 1 Duplex USB
311		3 Power + 1 Duplex USB + 1 Data
412		4 Power + 1 Duplex USB + 2 Data

Figure 1: Electrical Outlet Configurations

 Power (simplex receptacle)

 Data (blank opening)

 Duplex USB (for charging)




Figure 2: Over Current Protection Plug Head

Electrical Components for:	Configurations			
	202	210	311	412
Table Power Center	✓	✓	✓	
Table Undermount	✓	✓	✓	✓
Tables - Drop-in	✓	✓	✓	✓
Clamp-on	✓	✓	✓	✓
Offset Clamp-on	✓	✓	✓	✓

Figure 3: Application Options

Electrical Component for Tables – Power Center

This electrical component (**Figure 4**) mounts to the underside of a worksurface and is used when a Table with 2x4 Legs or a Table with 4x4 Legs is specified with a power center grommet option. This unit presents the face of the electrical receptacles and data outlet(s) to the user at a convenient 45 degree angle for ease of plug insertion and is available in 3 configurations.

Refer to **Figure 3** for available configurations for this unit.

Wire Bracket Kits are available (ordered separately) to support and conceal excess cables and transformer blocks.

The Electrical Component for Tables – Power Center mounts adjacent to the power center cut-out (**Figure 5**) and is retained to the worksurface using a single bracket and associated hardware included with the unit for one power center. When a table is specified with several power centers, the equivalent number of electrical components will be required.

A Flexible Vertical Wire Manager is available (ordered separately) to route the power cable to a floor monument. Refer to Accessories - Wire Management.

Refer to Reff Profiles Desktop Electrical Components Installation Instructions available on Knoll Exchange.




Figure 4: Electrical Component for Tables – Power Center (311 shown)




Figure 5: Image from below the table showing the electrical unit adjacent the grommet opening

Electrical Component for Tables – Undermount

The electrical component (**Figure 6**) field mounts to the underside of a worksurface at the peripheral edge to provide convenient access to power and data outlets (**Figure 7**). It comes in 4 configurations. See **Figure 3** for available configurations.

Optional cable clips are provided with the unit to route the power cable under the worksurface.

A Flexible Vertical Wire Manager is available (ordered separately) to route the power cable to a floor monument.

Refer to Reff Profiles Desktop Electrical Components Installation Instructions available on Knoll Exchange.




Figure 6: Electrical Component for Tables – Undermount (202 shown)




Figure 7: Image from below the table showing the electrical component at the peripheral edge

Electrical Component for Tables - Drop-in

The Drop-in Electrical Outlet for Tables works in conjunction with Tables with 4x4 Legs and Tables with 2x4 Legs to bring electrical receptacles and data outlets directly to the worksurface and flush to the worksurface.

This Drop-in Electrical Outlet (**Figure 8**) is offered with 4 possible configurations. Refer to **Figure 3** for available configurations.

The cut-out is provided when specified with a Table with 2 x 4 legs or a Table with 4 x 4 legs. **Figure 9**

Cut-out sizes for each unit are as follows:

- 202 - $2\frac{3}{16}" \times 7\frac{3}{8}"$
- 210 - $2\frac{3}{16}" \times 6"$
- 311 - $2\frac{3}{16}" \times 8\frac{1}{2}"$
- 412 - $2\frac{3}{16}" \times 11\frac{3}{8}"$

Drop-in Electrical Outlets are field installed into the available cut-out.

To use this product in other applications, special tops must be ordered with the required cut-out to suit.

This component may be utilized on worksurfaces up to $1\frac{1}{2}"$ thick.

Refer to Reff Profiles Desktop Electrical Components Installation Instructions available on Knoll Exchange.




Figure 8: Electrical Component for Tables - Drop-in (412 shown)




Figure 9: Electrical Component for Tables - Drop-in

Clamp-on Electrical Component

The Clamp-on Electrical Outlet brings electrical and data receptacles to worksurface height without needing to field install grommets.

See **Figure 10**. The Clamp-on Electrical Outlet is available in 4 configurations. Refer to **Figure 3** for available configurations.

This component may be utilized on any worksurface, up to 1 1/2" thick where power and data access is desired. See

Figure 11 for clearance dimensions.

Space for power cable clearance must be considered. For cordset option, allow at least 3/8" between the edge of the mounting surface and any adjacent components (other worksurfaces, wall panels, tackboards, etc.) for power cable clearance. For Hardwired option, refer to Hardwired Electrical Components Planning section.




Figure 10: Clamp on Electrical Component (210 shown)




Figure 11: Clamp on Electrical Component Side

Offset Clamp-on Electrical Component

The Offset Clamp-on Electrical Component (Figure 12) has the same function as the Clamp-on Electrical Component but may be used where components such as task panels or taskboards are mounted above the worksurface immediately adjacent to the Clamp-on unit. See Figure 13 for clearance dimension.




Figure 12: Offset Clamp-on Electrical Component (210 shown)




Figure 14: Installed View




Figure 13: Offset Clamp-on Electrical Component Side

Power and Communication Outlets Hardwired Electrical Components

All Desktop Power and Communication Outlets are available with a hardwire option.

Check with your local electrical authority to verify compliance with local electrical code.

The hardwire option includes a 72" long cord contained in a 9/16" diameter silver colored flexible metal conduit with pigtails for direct connection to building power.

The hardwired option will require a qualified electrician to install.

All hardwire units are certified to UL111, Multi-Outlet Assemblies.

Each electrical component is equipped with a strain relief collar at the joint between the cable and the component housing. This strain relief is rigid and comes in 3 profiles (not user selected). The strain relief profile has been selected to provide the best power cord orientation for the application.

The strain relief color matches the body of the electrical unit.





Figure 15


Application: Table PC

Strain Relief: 90°/60°




Application: Table Undermount

Strain Relief: Straight




Application: Table Drop-in

Strain Relief: 90°



Application: Clamp-on

Strain Relief: 90°



Application: Offset Clamp-on

Strain Relief: 90°/60°




Figure 16




Figure 17
Cabling Diagram

Power Center Grommet

The Power Center Grommet trims the opening in the table top that allows access into the stand-off for power center. It includes an attached, hinged lid. Refer to figure 15.

Power Center Grommets are 8" wide x 5" deep and are available in all core painted and plated finishes for 28 ³/₈" high planning.

The Power Center Grommet is included when specified with a table with 4x4 legs or a table with 2x4 legs.

To utilize the Power Center Grommet, special tops must be ordered with the required cut out pre-drilled to suit.

Grommets

Desktop Grommets are included with certain worksurfaces when specified. Desktop grommets may be ordered separately, if desired, for field installation.

To use this product in non-standard applications, special tops must be ordered with the required cut-out pre-drilled to suit.

The Desktop Grommet includes a grommet sleeve and lid. The grommet sleeve is 2" deep x 3" wide with a ¹/₈" flange all round which sits ¹/₁₆" above the finished worksurface. The outside to outside dimension of the flange is 2 ¹/₄" deep and 3 ¹/₄" wide. The grommet lid sits inside the sleeve and is flush with the top of the sleeve. Refer to figure 16.

Desktop Grommets are available in all core painted and plated finishes for 28 ³/₈" high planning.

Application notes:

Desktop Grommets are available for use in 1", 1 ¹/₄" and 1 ¹/₂" thick worksurfaces. Care should be taken to specify the grommet appropriate for the worksurface's thickness.




Figure 15: Power Center Grommet





Figure 16: Grommet

description	type	w	d	h	pattern no.	list
Power Center Grommet (Electrical component not included)		8"	5"	1 1/2"	RPCG()	\$182.
						
Desktop Grommet 	For 1 1/2" thick top			1 1/2"	RDTGA()	40.
	For 1 1/4" thick top			1 1/4"	RDTGB()	40.
	For 1" thick top			1"	RDTGC()	40.




Order Code	Specification Information	Application Notes
Example: RPCG	<i>To order please specify pattern number including;</i> For Grommets; 1. Grommet Finish: Painted or plated options	
R Reff Profiles		
PC Power Center		
G Grommet		
() Finish		

Accessories

Power and Communications

Table Power Center (PC) Outlet

Reff Profiles Vol. One

description	type	pattern no.	list
Electrical Outlet for Table PC 202, 2 power + 0 dual USB + 2 data 	12" linkable	RDOTP202L(BB/WW/WS)	\$582.
	120" cordset	RDOTP202120(BB/WW/WS)	542.
	72" cordset	RDOTP20272(BB/WW/WS)	497.
	72" hardwire	RDOTP202H(BB/WW/WS)	622.
Electrical Outlet for Table PC 210, 2 power + 1 dual USB + 0 data 	12" linkable	RDOTP210L(BB/WW/WS)	665.
	120" cordset	RDOTP210120(BB/WW/WS)	642.
	72" cordset	RDOTP21072(BB/WW/WS)	623.
	72" hardwire	RDOTP210H(BB/WW/WS)	689.
Electrical Outlet for Table PC 311, 3 power + 1 dual USB + 1 data 	12" linkable	RDOTP311L(BB/WW/WS)	710.
	120" cordset	RDOTP311120(BB/WW/WS)	673.
	72" cordset	RDOTP31172(BB/WW/WS)	655.
	72" hardwire	RDOTP311H(BB/WW/WS)	747.




Order Code	Specification Information	Application Notes
Example: RDOTP21072 ()	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll.com.
R Reff Profiles	1. Color option, (housing / bracket):	Refer to planning guide pages for complete description.
DO Desktop Outlet	BB = Black/Black	USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.
TP Table Power Center	WW= White/White	Simplex receptacles and USB charging ports are wired together and on the same circuit.
210 2 Power, 1 USB, 0 Data	WS= White/Silver	Units with data ports come with tech adapters. Connectors are not included and are available from third party suppliers.
72 72" cordset, 120 = 120" cord		Refer to "Power and Communications Outlet" installation instructions.
H = 72" Hardwire		Jumpers and infeed cables are required for linkable outlets and are ordered separately.
L = 12" Linkable		
() Color option		

Accessories

Power and Communications

Table Drop-in Outlet

Reff Profiles Vol. One

description	type	pattern no.	list
 Electrical Outlet for Table Drop-in 202, 2 power + 0 dual USB + 2 data	12" linkable	RDOTD202L(BB/WW/WS)	\$572.
	120" cordset	RDOTD202120(BB/WW/WS)	537.
	72" cordset	RDOTD20272(BB/WW/WS)	515.
	72" hardwire	RDOTD202H(BB/WW/WS)	608.
 Electrical Outlet for Table Drop-in 210, 2 power + 1 dual USB + 0 data	12" linkable	RDOTD210L(BB/WW/WS)	665.
	120" cordset	RDOTD210120(BB/WW/WS)	642.
	72" cordset	RDOTD21072(BB/WW/WS)	623.
	72" hardwire	RDOTD210H(BB/WW/WS)	689.
 Electrical Outlet for Table Drop-in 311, 3 power + 1 dual USB + 1 data	12" linkable	RDOTD311L(BB/WW/WS)	792.
	120" cordset	RDOTD311120(BB/WW/WS)	755.
	72" cordset	RDOTD31172(BB/WW/WS)	733.
	72" hardwire	RDOTD311H(BB/WW/WS)	827.
 Electrical Outlet for Table Drop-in 412, 4 power + 1 dual USB + 2 data	12" linkable	RDOTD412L(BB/WW/WS)	826.
	120" cordset	RDOTD412120(BB/WW/WS)	789.
	72" cordset	RDOTD41272(BB/WW/WS)	770.
	72" hardwire	RDOTD412H(BB/WW/WS)	862.

Accessories and Client
Samples




Order Code	Specification Information	Application Notes
Example: RDOTP21072 ()	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll.com.
R Reff Profiles	1. Color option, (housing / bracket):	Refer to planning guide pages for complete description.
DO Desktop Outlet	BB = Black/Black	USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.
TP Table Power Center	WW= White/White	Simplex receptacles and USB charging ports are wired together and on the same circuit.
210 2 Power, 1 USB, 0 Data	WS= White/Silver	Units with data ports come with tech adapters. Connectors are not included and are available from third party suppliers.
72 72" cordset, 120 = 120" cord		Refer to "Power and Communications Outlet" installation instructions.
H = 72" Hardwire		Jumpers and infeed cables are required for linkable outlets and are ordered separately.
L = 12" Linkable		
() Color option		

Accessories

Power and Communications

Table Undermount Outlet

Reff Profiles Vol. One

description	type	pattern no.	list
Electrical Outlet for Table Undermount 202, 2 power + 0 dual USB + 2 data 	12" linkable	RDOTU202L(BB/WW/WS)	\$582.
	120" cordset	RDOTU202120(BB/WW/WS)	542.
	72" cordset	RDOTU20272(BB/WW/WS)	497.
	72" hardwire	RDOTU202H(BB/WW/WS)	622.
Electrical Outlet for Table Undermount 210, 2 power + 1 dual USB + 0 data 	12" linkable	RDOTU210L(BB/WW/WS)	596.
	120" cordset	RDOTU210120(BB/WW/WS)	619.
	72" cordset	RDOTU21072(BB/WW/WS)	576.
	72" hardwire	RDOTU210H(BB/WW/WS)	643.
Electrical Outlet for Table Undermount 311, 3 power + 1 dual USB + 1 data 	12" linkable	RDOTU311L(BB/WW/WS)	754.
	120" cordset	RDOTU311120(BB/WW/WS)	717.
	72" cordset	RDOTU31172(BB/WW/WS)	698.
	72" hardwire	RDOTU311H(BB/WW/WS)	789.
Electrical Outlet for Table Undermount 412, 4 power + 1 dual USB + 2 data 	12" linkable	RDOTU412L(BB/WW/WS)	833.
	120" cordset	RDOTU412120(BB/WW/WS)	797.
	72" cordset	RDOTU41272(BB/WW/WS)	777.
	72" hardwire	RDOTU412H(BB/WW/WS)	870.





Order Code	Specification Information	Application Notes
Example: RDOTU21072 (B/W)	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll.com.
R Reff Profiles	1. Color option, (housing / bracket):	Units with data ports come with tech adapters. Connectors are not included and are available from third party suppliers.
DO Desktop Outlet	BB = Black/Black	Refer to "Power and Communications Outlet"
TU Table Undermount	WW= White/White	installation instructions.
210 2 Power, 1 USB, 0 Data	WS= White/Silver	Jumpers and infeed cables are required for linkable outlets and are ordered separately.
72 72" cordset, 120 = 120" cord		
H = 72" Hardwire		
L = 12" Linkable		
() Color option		

Accessories

Power and Communications

Clamp-on

Reff Profiles Vol. One

description	type	pattern no.	list
 Clamp-on Electrical Outlet 202, 2 power + 0 dual USB + 2 data	72" cordset	RDOCL20272(BB/WW/WS)	\$515.
	120" cordset	RDOCL202120(BB/WW/WS)	537.
	12" linkable	RDOCL202L(BB/WW/WS)	572.
	72" hardwire	RDOCL202H(BB/WW/WS)	608.
 Clamp-on Electrical Outlet 210, 2 power + 1 dual USB + 0 data	72" cordset	RDOCL21072(BB/WW/WS)	622.
	120" cordset	RDOCL210120(BB/WW/WS)	640.
	12" linkable	RDOCL210L(BB/WW/WS)	663.
	72" hardwire	RDOCL210H(BB/WW/WS)	687.
 Clamp-on Electrical Outlet 311, 3 power + 1 dual USB + 1 data	72" cordset	RDOCL31172(BB/WW/WS)	686.
	120" cordset	RDOCL311120(BB/WW/WS)	706.
	12" linkable	RDOCL311L(BB/WW/WS)	743.
	72" hardwire	RDOCL311H(BB/WW/WS)	778.
 Clamp-on Electrical Outlet 412, 4 power + 1 dual USB + 2 data	72" cordset	RDOCL41272(BB/WW/WS)	770.
	120" cordset	RDOCL412120(BB/WW/WS)	787.
	12" linkable	RDOCL412L(BB/WW/WS)	826.
	72" hardwire	RDOCL412H(BB/WW/WS)	862.



Order Code	Specification Information	Application Notes
Example: RDOCL210 ()	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll.com.
R Reff Profiles	1. Color option, (housing / bracket):	Units with data ports come with tech adapters. Connectors are not included and are available from third party suppliers.
DO Desktop Outlet	BB = Black/Black	Refer to "Power and Communications Outlet"
CL Clamp-on	WW= White/White	installation instructions.
210 2 Power, 1 USB, 0 Data	WS= White/Silver	Jumpers and infeed cables are required for linkable outlets and are ordered separately.
72 72" cordset, 120 = 120" cord		
H = 72" Hardwire		
L = 12" Linkable		
() Color option		

Accessories

Power and Communications

Linkable Power Outlets

Reff Profiles Vol. One

description	type	w	d	pattern no.	list
 Infeeds	infeed cable, 60" cord	79.5"	3"	RDOI60	\$475.
	infeed cable, 120" cord	139.5"	3"	RDOI120	494.
 Jumers	jumper cabler, 36"	36"	2"	RDOJ36	102.
	jumper cabler, 42"	42"	2"	RDOJ42	105.
	jumper cabler, 48"	48"	2"	RDOJ48	107.
	jumper cabler, 54"	54"	2"	RDOJ54	109.
	jumper cabler, 60"	60"	2"	RDOJ60	111.
	jumper cabler, 66"	66"	2"	RDOJ66	113.
	jumper cabler, 72"	72"	2"	RDOJ72	115.
	jumper cabler, 78"	78"	2"	RDOJ78	120.
	jumper cabler, 84"	84"	2"	RDOJ84	123.
	jumper cabler, 90"	90"	2"	RDOJ90	128.
	jumper cabler, 96"	96"	2"	RDOJ96	131.
	jumper cabler, 102"	102"	2"	RDOJ102	135.
	jumper cabler, 108"	108"	2"	RDOJ108	138.
	jumper cabler, 114"	114"	2"	RDOJ114	141.
	jumper cabler, 120"	120"	2"	RDOJ120	145.
	jumper cabler, 126"	126"	2"	RDOJ126	149.
	jumper cabler, 132"	132"	2"	RDOJ132	153.
	jumper cabler, 6"	6"	2"	RDOJ06	88.
	jumper cabler, 12"	12"	2"	RDOJ12	92.
	jumper cabler, 18"	18"	2"	RDOJ18	94.
	jumper cabler, 24"	24"	2"	RDOJ24	96.
	jumper cabler, 30"	30"	2"	RDOJ30	99.

Order Code	Specification Information	Application Notes
Example: RDOI60	<i>To order please specify pattern number including:</i> 1. Pattern number:	Infeed Cables and Jumpers on this page are for use with Linkable Desktop Electrical outlets.
R Reff Profiles		
DO Desktop Outlet		
I Infeed cable		
60 60" long		

Accessories

wire management

Reff Profiles Vol. One

description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	RWMWT24	\$50.
	30"	4 1/2"	5 3/4"	RWMWT30	57.
	36"	4 1/2"	5 3/4"	RWMWT36	62.
	Available black only				

 Hinged vertical wire	24"	1"	3/8"	RWMV24 ()	41.
Ships with overdesk unit. Specify paint finish.					

 Multi-purpose manager*	24"	2 1/2"	1 1/4"	RWMMP24	45.
	30"	2 1/2"	1 1/4"	RWMMP30	50.
	36"	2 1/2"	1 1/4"	RWMMP36	51.
	Available black only				

 Panel-hung vertical wire	24"	—	—	RWMVP24	41.
not available in finish codes: 112,116,117,611, 612, 613					

 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	48.
	30"	1 1/2"	3/4"	RWMVH30	53.
	36"	1 1/2"	3/4"	RWMVH36	57.
	Available black only				

Power bar, 7-Outlets with right-angle plugs		R2WMPB	172.
	This Power Bar has a 7ft power cord. Black only.		

Replacement hardware	Panel to endpanel bracket				RBPE(L/R)()	23.
	Top to endpanel disk				RBDD	5.
	Top to workwall endpanel disk				RBDW	5.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available galvanized only					

Order Code	Specification Information	Application Notes
Example: RWMWT24	<i>To order please specify:</i> 1. Pattern number 2. Finish: painted finishes, where applicable	Specify color for hinged vertical wire management only from paint finish list. Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.
R Reff Profiles		
WM Wire Manager		
W Wall and Modesty mount		
T Top Mount		
24 Width		

Accessories

wire management

Reff Profiles Vol. One

description	w	d	h	pattern no.	list price
-------------	---	---	---	-------------	------------

Flexible Vertical Wire Manager with Functional height range; for 26 1/2" and 28 3/8"H



*translucent with metallic silver base (613)

RWMVF

\$150.

* Tree wire manager package of 10
2 shipped per panel


2"

RBWM

11.

used in Beltway

J-Wire Trough
Wall Mount



24"

RJBW24()

74.

30"

RJBW30()

77.

36"

RJBW36()

84.

42"

RJBW42()

98.

48"

RJBW48()

104.

54"

RJBW54()

107.

60"

RJBW60()

108.

66"

RJBW66()

121.


72"

RJBW72()

123.

*Installation Instruction Sheet: 6TP00078

J-Wire Trough
Under Mount



24"

RJBU24()

91.

30"

RJBU30()

93.

36"

RJBU36()

100.

42"

RJBU42()

116.

48"

RJBU48()

124.

54"

RJBU54()

126.

60"

RJBU60()

129.

66"

RJBU66()

143.

72"

RJBU72()

145.

*Installation Instruction Sheet: 6TP00079

*Available in painted colors.

Order Code	Specification Information	Application Notes
Example: RWMWT24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list.
R Reff Profiles	1. Pattern number	
WM Wire Manager	2. Finish: painted finishes, where applicable	
W Wall and Modesty mount		
T Top Mount		
24 Width		

Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.

Accessories

wire management

Reff Profiles Vol. One


description	w	d	h	pattern no.	list price
-------------	---	---	---	-------------	------------

Wire manager for credenza top

24"

RWMT24

\$148.



Cable Basket Kits Under Mounted

15"

12"

1"

RWMT1512U

60.

27"

12"

1"

RWMT2712U

107.


39"

12"

1"

RWMT3912U

130.



*All hardware included

*Baskets and hardware are painted med. grey (115)

Cable Basket Kits Rail Mounted

15"

12"

1"

RWMT1512R

301.

27"

12"

1"

RWMT2712R

357.


39"

12"

1"

RWMT3912R

550.



*All hardware included

*Baskets and hardware are painted med. grey (115)

Not for use on 30" deep Meeting Tables with 4x4 legs.

Cable clip for column legs

3"

RCC30()

26.

4"

RCC40()

30.



*2 clips per kit

Order Code

Example: **RWMT24**

R Reff Profiles

WM Wire Manager

W Wall and Modesty mount

T Top Mount

24 Width

Specification Information

To order please specify:

1. Pattern number

2. Finish: painted finishes, where applicable

Application Notes


Specify color for hinged vertical wire management only from paint finish list.

Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.

Accessories

Panel Hung and Wall Hung Components

Reff Profiles Vol. One


description	y	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)					RPHCHH	\$40.
Panel-hung coat hook (panel top)					RPHCHT	40.
Not intended to work with (AA) Aluminum top trim or Frameless Glass add-up.						
Panel-hung tackboard	0.9		30"	24"	RPHTB3024	337.
Note: Fabric railroaded	1.3		42"	24"	RPHTB4224	412.
All standard grades of fabric						
						
Panel-hung, Magnetic whiteboard with Pencil tray			30"	24"	RPHWBM3024	840.
			42"	24"	RPHWBM4224	1,247.
Wall-hung tackboard	0.9		30"	24"	RWHTB3024	370.
Note: Fabric railroaded Velcro supplied	1.1		36"	24"	RWHTB3624	412.
	1.3		42"	24"	RWHTB4224	452.
	1.5		48"	24"	RWHTB4824	491.
for use with 26 1/2" h support planning module						
						
Wall-hung tackboard for desk height (28 3/8" h) planning	0.9		30"	26"	RWHDHTB3026	391.
Note: Fabric railroaded Velcro supplied	1.1		36"	26"	RWHDHTB3626	432.
	1.3		42"	26"	RWHDHTB4226	478.
	1.5		48"	26"	RWHDHTB4826	517.
for use with 28 3/8" h support planning module						
						
Task Panel flat tray			14"		RTSF14	192.
			28"		RTSF28	228.
						

Order Code	Specification Information	Application Notes
Example: RWHTB3024	<i>To order please specify pattern number including:</i>	See Reff Planning Guide for more information.
R Reff Profiles	1. Finish: Fabric	Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.
WH Wall Hung		Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.
TB Tack Board		
30 Width		
24 Height		

Accessories

Panel Hung and Wall Hung Components

description	y	type	w	h	pattern no.	list price
Task Panel shelf			14"		RTST14	\$192.




Order Code	Specification Information	Application Notes
Example: RWHTB3024	<i>To order please specify pattern number including:</i>	See Reff Planning Guide for more information.
R Reff Profiles	1. Finish: Fabric	Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.
WH Wall Hung		Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.
TB Tack Board		
30 Width		
24 Height		

Accessories for Pedestals

Reff Profiles Vol. One


description	type	w	h	pattern no.	list
Pencil tray, wood (ordered separately)		12"	—	RPAPT	\$112.

Pencil tray, plastic	black	13 1/4"	—	RPETRAY3N	43.
	clear	13 1/4"	—	RPETRAY3C	50.



These pencil trays work with all pedestals with metal interior, including Mobile pedestals.

Pencil tray adapter				RPETAD	97.
---------------------	--	--	--	---------------	-----



Box drawer dividers, wood box drawers (Acrylic)		16"	—	RPADSS	61.
---	--	-----	---	---------------	-----

File bars, wood file drawers (replacement)		16"	—	RPAHFB16	34.
		30"	—	RPAHFB30	65.
		36"	—	RPAHFB36	100.

File bars, metal file drawers (replacement)		16"	—	RPAHFM162 *	25.
		30"	—	RPAHFM30	34.
		36"	—	RPAHFM36	34.


Sold as individuals

Counter weight (for file/file configuration pedestals when used in freestanding applications) Pack of three (3)		—	—	RCOUNTWT3	256.
--	--	---	---	------------------	------

Counterweights are 10" wide x 14.5" high x 0.25" thick

Reff Profiles Spacer kit for Pencil drawer				RPADKIT	40.
--	--	--	--	----------------	-----


Box drawer divider		12"	2"	RFBDD	306.
--------------------	--	-----	----	--------------	------



Order Code	Specification Information	Application Notes
Example: RDHMBD		
R	Reff Profiles	The dividers come in black paint only. Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.
DH	Desk height	
M	Metal	
B	Box	
D	Divider	

Accessories for cabinets

Reff Profiles Vol. One

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$88.
	29"	17"		RCABT2917						146.
Cabinet coat rod 	16" cabinets			RCACR16						88.
	30" cabinets			RCACR30						117.
	36" cabinets			RCACR36						132.
	Half of 30" cabinets			RCACR30H						85.
	Half of 36" cabinets			RCACR36H						94.
CRT turntable 	31" diameter			RKT31						656.
Wall rails (paint options only) 	—	—	17 ⁵ / ₈ "	RWHRB-()						49.
	—	—	18 ¹ / ₄ "	RWHRC-()						49.
	—	—	21 ¹ / ₁₆ "	RWHRD-()						52.
	—	—	22"	RWHRE-()						52.
	—	—	59 ¹ / ₂ "	RWHRF-()						117.
	—	—	67"	RWHRG-()						117.
	—	—	8 ⁷ / ₈ "	RWHRA-()						46.
Plate divider 				RPD11						27.
				RPD14						27.
	RPD11 to be used with 15" D open cabinet/bookcase with metal shelves. RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.									
Utility Hook 				RAUH						24.
Pencil drawer used under worktop 	16"	17"	1"	RPAD-()		361.	642.	642.	832.	

Order Code	Specification Information	Application Notes
Example: RCABT1417	To order please specify pattern number including: 1. Finish, where applicable	See Reff Planning Guide for more information. Pencil drawer includes slides. Note: The spacer kit (RPADKIT) is required to mount pencil drawer (RPAD) to a table with an open frame leg.
R Reff Profiles		
CA Cabinet		
BT Boot tray		
14 Width		
17 Depth		

Accessories for cabinets

Reff Profiles Vol. One

description	w	d	pattern no.	Metal	L	V1	V2	V3
Cabinet shelves, (replacement)	12"	20"	RCAS1220-()	n/a	\$164.	\$172.	\$205.	\$276.
	12"	24"	RCAS1224-()	n/a	185.	207.	235.	314.
	16"	20"	RCAS1620-()	90.	166.	182.	207.	278.
	16"	24"	RCAS1624-()	99.	184.	207.	236.	317.
Wood shelf	19"	20"	RCAS1920-()	94.	168.	184.	210.	282.
	19"	24"	RCAS1924-()	104.	190.	212.	240.	322.
	30"	15"	RCAS3015-()	110.	215.	241.	271.	365.
	30"	20"	RCAS3020-()	107.	184.	207.	236.	317.
	30"	24"	RCAS3024-()	118.	215.	241.	271.	365.
	36"	15"	RCAS3615-()	121.	231.	252.	280.	378.
	36"	20"	RCAS3620-()	121.	198.	219.	247.	334.
Metal shelf	36"	24"	RCAS3624-()	127.	233.	259.	288.	390.

Order Code	Specification Information	Application Notes
Example: RCABT1417	<i>To order cabinet shelf, please specify pattern number including:</i>	See Reff Planning Guide for more information.
R Reff Profiles	1. Finish type: M = Metal	
CA Cabinet	1 = V1	
BT Boot tray	2 = V2	
14 Width	3 = V3	
17 Depth	2. Shelf finish: L, V1, V2, V3 or Metal	
	Metal shelves are available in all core paint finishes.	

Accessories

Fascias for Hutches

Metal


Reff Profiles Vol. One

description	w	pattern no.	P1	P2	P3
 Metal Fascia	60"	ROHMTF160 ()	\$180.	\$198.	\$208.
	66"	ROHMTF166 ()	190.	210.	219.
	72"	ROHMTF172 ()	193.	213.	224.
	78"	ROHMTF178 ()	196.	215.	227.
	84"	ROHMTF184 ()	198.	217.	229.
	90"	ROHMTF190 ()	201.	220.	232.
	96"	ROHMTF196 ()	203.	224.	235.

Order Code	Specification Information	Application Notes
Example: ROHMTF160	<i>To order please specify pattern number including:</i> 1. Fascia Finish: Anodized and painted options	For single and double high Hutches. Wood or Metal options.
R Reff Profiles		
O Overhead		
H Hutch		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
60 60"		
() Fascia finish		

Accessories
Fascias for Hutches
Wood

Reff Profiles Vol. One

description	w	pattern no.	V1	V2	V3
Wood Fascia	60"	ROHWTF160 ()	\$457.	\$484.	\$604.
	66"	ROHWTF166 ()	460.	487.	609.
	72"	ROHWTF172 ()	462.	491.	613.
	78"	ROHWTF178 ()	465.	494.	618.
	84"	ROHWTF184 ()	467.	497.	624.
	90"	ROHWTF190 ()	470.	501.	628.
	96"	ROHWTF196 ()	642.	670.	836.

Order Code	Specification Information	Application Notes
Example: ROHWTF160	<i>To order please specify pattern number including:</i>	For single and double high Hutches.
R Reff Profiles	1. Trim Finish: Wood or Laminate	Wood or Metal options.
O Overhead		
H Hutch		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
60 60"		
() Trim Finish		

Accessories

presentation samples

Worksurfaces

Reff Profiles Vol. One

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price	WG
Presentation wood sample, 16" x 16"	16"	16"	–	RSAMP1616-() ()	\$158.	\$227.	\$290.	\$337.		
	Optional edge details available									
Presentation stackable/tiled mini panel (for demonstrations)	24"	–	34"	R3SMP () ()					1,304.	
	Specify trim profile, base height, base type and applicable finishes									
Presentation monolithic mini panel	4"H base			RR3MP4 ()					713.	
	6"H base			RR3MP6 ()					764.	
	Specify trim profile and applicable finishes									
Presentation worksurface cutaway sample	12"	12"	1 1/4"	RTOP2 ()	131.	200.	266.	313.		
Sample, cascade edge worksurface	12"	12"		RCE1R1212G	147.					172.
										
Rangeboard	27"	12"	1 1/4"	RRBRD3612 ()					357.	
	These Rangeboards are available in the following finishes only; Birch, Figured Sycamore, Maple, Pippy Oak & Rustic Walnut									






Accessories and Client
Samples

Order Code	Specification Information	Specification Information	Specification Information
Example: RWHRA ()	<i>To order please specify pattern number including:</i>	See Reff Planning Guide for more information.	Specify edge detail if applicable for presentation wood samples.
R Reff Profiles	1. Finish, where applicable	Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)	Product on this page will accept woodgrain laminate where laminate is currently an option. The wall rails will accept <u>two sets</u> of brackets for panel hung components.
WH Wall Hung		Specify board finish in laminate, techwood, conventional or laminate with a wood edge.	
R Rails			
A Height			
() Paint options only			

Accessories

presentation pull samples

Reff Profiles Vol. One

description	type	w	d	pattern no.	L	V1	V2	V3
Presentation drawer front with pull samples	Grommet pull	8"	8"	RPULLSMPG()	\$172.	\$217.	\$236.	\$273.
								
	Bar pull	8"	8"	RPULLSMPF()	172.	217.	236.	273.
								
	Outline pull	8"	8"	RPULLSMPH()	172.	217.	236.	273.
								
	Cylinder pull	8"	8"	RPULLSMPR()	172.	217.	236.	273.
								
	Tab pull	8"	8"	RPULLSMPT()	172.	217.	236.	273.
								

Order Code

Example:	RPULLSMPG()
R	Reff Profiles
PULL	Pull
SM	Sample
PG	Pull Grommet

Specification Information

To order please specify pattern number including:





1. Drawer Front finish:
Wood or Laminate
2. Pull Finish:
Painted or plated

Product on this page will accept wood grain laminate, where laminate is currently an option.

Accessories

presentation pull samples

Reff Profiles Vol. One

description	type	w	d	pattern no.	L	V1	V2	V3
Presentation drawer front with pull samples	J-pull	8"	8"	RPULLSMPJ()	\$172.	\$217.	\$236.	\$273.
								
	C-pull	8"	8"	RPULLSMPC()	172.	217.	236.	273.
								
	S-pull	8"	8"	RPULLSMPS()	172.	217.	236.	273.
								
	D-pull	8"	8"	RPULLSMPD()	172.	217.	236.	273.
								




Accessories and Client
Samples

Order Code	Specification Information
Example: RPULLSMPG()	
R Reff Profiles	<i>To order please specify pattern number including:</i>
PULL Pull	1. Drawer Front finish: Wood or Laminate
SM Sample	2. Pull Finish: Painted or plated
PG Pull Grommet	Product on this page will accept wood grain laminate, where laminate is currently an option.

Accessories

Sliding Rails

Reff Profiles Vol. One

description	width	pattern no.	list price
Sliding rail for open shelves 	30"	RSDR30	\$64.
	36"	RSDR36	64.
	42"	RSDR42	64.
	48"	RSDR48	64.
	54"	RSDR54	64.
	60"	RSDR60	100.
	66"	RSDR66	100.
	72"	RSDR72	100.
	78"	RSDR78	100.
	84"	RSDR84	112.
	90"	RSDR90	112.
	96"	RSDR96	112.
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	64.
	36"	ROHDR36	64.
	42"	ROHDR42	64.
	48"	ROHDR48	64.
	60"	ROHDR60	112.
	72"	ROHDR72	112.
	90"	ROHDR90	152.
	96"	ROHDR96	152.
Sliding rail for flip door overhead cabinets 	30"	RFDR30	64.
	36"	RFDR36	64.
	42"	RFDR42	64.
	48"	RFDR48	64.
	60"	RFDR60	112.
	72"	RFDR72	112.
	84"	RFDR84	112.
	96"	RFDR96	112.
Sliding rail divider 		R5ZNN (3 dividers)	27.

Order Code	Specification Information	Application Notes
Example: RSDR30	<i>To order please specify pattern number.</i>	Match cabinet width to rail width. Parts come in black only. These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.
R Reff Profiles		
SDR Sliding rail for open shelves		
30 For 30" shelf		
		Sliding rails to be used with 26 1/2" planning overheads and hutches only.

Tackboards
H1 23 1/8" high
Wall hung, fabric

Reff Profiles Vol. One

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard, wall hung 	30"	1.0	RWHDHTB30H1()	\$303.	\$332.	\$362.	\$392.	\$398.	\$403.	\$409.	\$449.	\$487.
	36"	1.1	RWHDHTB36H1()	321.	355.	388.	421.	427.	434.	441.	483.	526.
	42"	1.3	RWHDHTB42H1()	354.	393.	431.	471.	479.	485.	493.	544.	594.
	48"	1.5	RWHDHTB48H1()	386.	430.	474.	519.	528.	537.	546.	604.	661.
	54"	1.6	RWHDHTB54H1()	405.	453.	503.	550.	559.	569.	578.	641.	700.
	60"	1.8	RWHDHTB60H1()	437.	490.	545.	598.	610.	621.	631.	700.	768.
	66"	1.9	RWHDHTB66H1()	459.	516.	571.	628.	641.	650.	663.	735.	808.
	72"	2.1	RWHDHTB72H1()	490.	555.	616.	679.	691.	703.	715.	796.	876.
	78"	2.3	RWHDHTB78H1()	521.	591.	658.	728.	742.	754.	768.	856.	942.
	84"	2.5	RWHDHTB84H1()	555.	628.	702.	777.	792.	808.	822.	917.	1,011.
	90"	2.6	RWHDHTB90H1()	573.	650.	729.	805.	821.	838.	854.	953.	1,049.
	96"	2.8	RWHDHTB96H1()	606.	688.	774.	857.	873.	888.	907.	1,012.	1,117.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H1()	To order please specify pattern number including: 1. Finish: Fabric	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface. All fabric to be applied rail roaded as current tackboards.
R Reff Profiles		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H1 23 1/8" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H2 29³/₄" high
Wall hung, fabric

Reff Profiles Vol. One

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung 	30"	1.0	RWHDHTB30H2()	\$319.	\$348.	\$378.	\$404.	\$411.	\$418.	\$423.	\$462.	\$503.
	36"	1.1	RWHDHTB36H2()	344.	376.	405.	439.	446.	451.	459.	503.	542.
	42"	1.3	RWHDHTB42H2()	379.	417.	452.	490.	499.	507.	514.	564.	614.
	48"	1.5	RWHDHTB48H2()	414.	457.	501.	541.	553.	560.	569.	626.	684.
	54"	1.6	RWHDHTB54H2()	437.	483.	528.	575.	585.	594.	603.	665.	727.
	60"	1.8	RWHDHTB60H2()	472.	524.	575.	627.	639.	648.	659.	729.	796.
	66"	1.9	RWHDHTB66H2()	496.	551.	604.	659.	672.	682.	695.	766.	837.
	72"	2.1	RWHDHTB72H2()	530.	592.	650.	711.	726.	737.	750.	828.	908.
	78"	2.3	RWHDHTB78H2()	565.	632.	698.	764.	780.	791.	805.	892.	980.
	84"	2.5	RWHDHTB84H2()	599.	673.	744.	817.	830.	846.	861.	956.	1,049.
	90"	2.6	RWHDHTB90H2()	625.	700.	774.	849.	864.	880.	897.	993.	1,091.
	96"	2.8	RWHDHTB96H2()	659.	741.	820.	902.	917.	935.	953.	1,056.	1,161.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H2()	To order please specify pattern number including: 1. Finish: Fabric	H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets. All fabric to be applied rail rooded as current tackboards.
R Reff Profiles		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H2 29 ³ / ₄ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H3 37⁷/₈" high
Wall hung, fabric

Reff Profiles Vol. One

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung 	30"	1.0	RWHDHTB30H3()	\$337.	\$364.	\$394.	\$423.	\$428.	\$435.	\$441.	\$480.	\$518.
	36"	1.1	RWHDHTB36H3()	363.	396.	426.	459.	466.	472.	479.	521.	563.
	42"	1.3	RWHDHTB42H3()	401.	439.	476.	514.	521.	528.	537.	588.	638.
	48"	1.5	RWHDHTB48H3()	441.	483.	526.	569.	578.	588.	596.	653.	710.
	54"	1.6	RWHDHTB54H3()	468.	514.	559.	604.	615.	625.	634.	696.	755.
	60"	1.8	RWHDHTB60H3()	507.	558.	610.	660.	672.	683.	695.	763.	828.
	66"	1.9	RWHDHTB66H3()	531.	588.	642.	697.	708.	718.	731.	801.	873.
	72"	2.1	RWHDHTB72H3()	571.	632.	691.	731.	743.	754.	767.	869.	947.
	78"	2.3	RWHDHTB78H3()	610.	677.	742.	809.	822.	835.	850.	935.	1,021.
	84"	2.5	RWHDHTB84H3()	648.	719.	792.	864.	879.	895.	909.	1,001.	1,096.
	90"	2.6	RWHDHTB90H3()	676.	750.	823.	899.	914.	929.	946.	1,042.	1,139.
	96"	2.8	RWHDHTB96H3()	713.	793.	874.	955.	970.	989.	1,004.	1,109.	1,213.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H3()	To order please specify pattern number including: 1. Finish: Fabric	H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick desk height worksurface. All fabric to be applied rail rooded as current tackboards.
R Reff Profiles		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H3 37 ⁷ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H4 44 1/2" high
Wall hung, fabric

Reff Profiles Vol. One

description	w	y	pattern no.	grade	15	20	30	35	40	45	50	55
				10								
Tackboard , wall hung 	30"	1.0	RWHDHTB30H4()	\$350.	\$380.	\$408.	\$437.	\$444.	\$449.	\$454.	\$493.	\$533.
	36"	1.1	RWHDHTB36H4()	381.	412.	444.	475.	482.	487.	496.	537.	578.
	42"	1.3	RWHDHTB42H4()	422.	459.	497.	533.	541.	550.	558.	607.	656.
	48"	1.5	RWHDHTB48H4()	462.	506.	550.	592.	600.	610.	620.	677.	733.
	54"	1.6	RWHDHTB54H4()	492.	539.	585.	631.	641.	649.	659.	719.	781.
	60"	1.8	RWHDHTB60H4()	533.	585.	638.	687.	699.	710.	722.	789.	856.
	66"	1.9	RWHDHTB66H4()	563.	618.	673.	728.	740.	750.	762.	832.	905.
	72"	2.1	RWHDHTB72H4()	604.	666.	726.	786.	798.	811.	823.	903.	981.
	78"	2.3	RWHDHTB78H4()	646.	711.	780.	844.	858.	872.	885.	970.	1,056.
	84"	2.5	RWHDHTB84H4()	686.	757.	829.	903.	917.	931.	947.	1,040.	1,133.
	90"	2.6	RWHDHTB90H4()	715.	791.	867.	941.	957.	973.	989.	1,086.	1,180.
	96"	2.8	RWHDHTB96H4()	756.	838.	917.	997.	1,016.	1,033.	1,049.	1,154.	1,257.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H4()	To order please specify pattern number including: 1. Finish: Fabric	H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for 3/4" height cabinet. All fabric to be applied rail rooded as current tackboards.
R Reff Profiles		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H4 44 1/2" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H5 42⁵/₈" high
Wall hung, fabric

Reff Profiles Vol. One

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung 	30"	1.0	RWHDHTB30H5()	\$347.	\$376.	\$403.	\$433.	\$439.	\$446.	\$451.	\$490.	\$528.
	36"	1.1	RWHDHTB36H5()	378.	406.	440.	471.	478.	483.	490.	533.	575.
	42"	1.3	RWHDHTB42H5()	417.	452.	490.	527.	536.	542.	553.	600.	650.
	48"	1.5	RWHDHTB48H5()	457.	501.	542.	586.	595.	603.	613.	671.	728.
	54"	1.6	RWHDHTB54H5()	485.	531.	577.	624.	633.	643.	651.	712.	773.
	60"	1.8	RWHDHTB60H5()	525.	577.	628.	681.	691.	702.	712.	782.	849.
	66"	1.9	RWHDHTB66H5()	556.	610.	663.	716.	730.	742.	753.	824.	896.
	72"	2.1	RWHDHTB72H5()	595.	656.	714.	776.	789.	800.	815.	893.	970.
	78"	2.3	RWHDHTB78H5()	636.	701.	767.	832.	847.	860.	874.	961.	1,046.
	84"	2.5	RWHDHTB84H5()	677.	747.	820.	892.	907.	921.	936.	1,030.	1,123.
	90"	2.6	RWHDHTB90H5()	705.	781.	855.	928.	945.	960.	976.	1,073.	1,168.
	96"	2.8	RWHDHTB96H5()	746.	825.	907.	987.	1,001.	1,021.	1,037.	1,140.	1,245.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H5()	To order please specify pattern number including: 1. Finish: Fabric	H5 Height = Top of Single high overhead to top of 1 1/2" thick desk height worksurface. All fabric to be applied rail rooded as current tackboards.
R Reff Profiles		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H5 42 ⁵ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".

Bracket and frame paint finish codes with suffix "T" indicate textured.


Construction

Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.


Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.

Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.


Built-in 1 1/4" wire drop



Screen always at back





For applications with work surface 26 1/2" off the floor



For applications with work surface 28 3/8" off the floor

Desk Screens
Fabric
For 42" High Horizon

Reff Profiles Vol. One



description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon 	24"	1 1/4"	20"	YPSB2024F	\$718.	\$754.	\$792.	\$827.	\$861.
	27"	1 1/4"	20"	YPSB2027F	740.	775.	811.	849.	885.
	30"	1 1/4"	20"	YPSB2030F	759.	798.	836.	874.	911.
	36"	1 1/4"	20"	YPSB2036F	846.	886.	930.	972.	1,013.
	42"	1 1/4"	20"	YPSB2042F	878.	922.	964.	1,010.	1,055.
	48"	1 1/4"	20"	YPSB2048F	904.	951.	997.	1,039.	1,085.
	54"	1 1/4"	20"	YPSB2054F	972.	1,019.	1,067.	1,118.	1,165.
	60"	1 1/4"	20"	YPSB2060F	1,030.	1,083.	1,135.	1,187.	1,237.
	66"	1 1/4"	20"	YPSB2066FRR	1,078.	1,133.	1,187.	1,239.	1,292.
	72"	1 1/4"	20"	YPSB2072FRR	1,111.	1,166.	1,224.	1,277.	1,334.
Fabric Screens with Half Modesty For Desks, 42" High Horizon 	24"	1 1/4"	32"	YPSB3224F	833.	874.	916.	957.	1,000.
	27"	1 1/4"	32"	YPSB3227F	891.	936.	980.	1,026.	1,068.
	30"	1 1/4"	32"	YPSB3230F	919.	963.	1,010.	1,057.	1,103.
	36"	1 1/4"	32"	YPSB3236F	1,037.	1,089.	1,141.	1,193.	1,243.
	42"	1 1/4"	32"	YPSB3242F	1,098.	1,152.	1,206.	1,264.	1,317.
	48"	1 1/4"	32"	YPSB3248F	1,105.	1,160.	1,216.	1,272.	1,325.
	54"	1 1/4"	32"	YPSB3254F	1,196.	1,257.	1,317.	1,376.	1,437.
	60"	1 1/4"	32"	YPSB3260F	1,296.	1,363.	1,427.	1,492.	1,557.
	66"	1 1/4"	32"	YPSB3266FRR	1,476.	1,552.	1,625.	1,698.	1,772.
	72"	1 1/4"	32"	YPSB3272FRR	1,557.	1,635.	1,713.	1,791.	1,866.

Accessories and Client
Samples

Ordering Information	Order Code	Included With	Options
Desk Screens 1. Pattern Number 2. Inside Fabric Finish 3. Outside Fabric Finish 4. Frame Paint Finish 5. Bracket Paint Finish	Desk Screens <i>Example:</i> YPSB2048F, W1077, 118T, 118T YPSB Desk Screen 20 Height 48 Width F Fabric W1077 Elements W1077 Elements 118T Bright White Paint 118T Bright White Paint	Desk Screens Brackets Hardware	Desk Screens The price of screens specified with a combination of fabrics is the higher of the two fabric grades. (RR) Fabric is applied railroaded

Desk Screens
Fabric
For 49" High Horizon

Reff Profiles Vol. One

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon 	24"	1 1/4"	26"	YPSB2624F	\$785.	\$824.	\$863.	\$903.	\$940.
	27"	1 1/4"	26"	YPSB2627F	818.	857.	901.	939.	981.
	30"	1 1/4"	26"	YPSB2630F	839.	881.	922.	963.	1,007.
	36"	1 1/4"	26"	YPSB2636F	937.	983.	1,031.	1,079.	1,126.
	42"	1 1/4"	26"	YPSB2642F	983.	1,032.	1,083.	1,133.	1,183.
	48"	1 1/4"	26"	YPSB2648F	1,058.	1,111.	1,163.	1,217.	1,271.
	54"	1 1/4"	26"	YPSB2654F	1,132.	1,189.	1,242.	1,299.	1,359.
	60"	1 1/4"	26"	YPSB2660F	1,179.	1,236.	1,295.	1,356.	1,414.
	66"	1 1/4"	26"	YPSB2666FRR	1,231.	1,291.	1,356.	1,416.	1,476.
	72"	1 1/4"	26"	YPSB2672FRR	1,284.	1,347.	1,414.	1,476.	1,540.
Fabric Screens with Half Modesty For Desks, 49" High Horizon 	24"	1 1/4"	38"	YPSB3824F	899.	944.	988.	1,031.	1,078.
	27"	1 1/4"	38"	YPSB3827F	963.	1,012.	1,061.	1,110.	1,158.
	30"	1 1/4"	38"	YPSB3830F	990.	1,039.	1,090.	1,139.	1,190.
	36"	1 1/4"	38"	YPSB3836F	1,132.	1,189.	1,242.	1,299.	1,359.
	42"	1 1/4"	38"	YPSB3842F	1,196.	1,257.	1,317.	1,376.	1,437.
	48"	1 1/4"	38"	YPSB3848F	1,290.	1,358.	1,420.	1,483.	1,549.
	54"	1 1/4"	38"	YPSB3854F	1,359.	1,425.	1,493.	1,560.	1,628.
	60"	1 1/4"	38"	YPSB3860F	1,429.	1,503.	1,574.	1,645.	1,716.
	66"	1 1/4"	38"	YPSB3866FRR	1,601.	1,682.	1,765.	1,845.	1,924.
	72"	1 1/4"	38"	YPSB3872FRR	1,690.	1,776.	1,858.	1,943.	2,030.

Ordering Information	Order Code	Included With	Options
Desk Screens 1. Pattern Number 2. Inside Fabric Finish 3. Outside Fabric Finish 4. Frame Paint Finish 5. Bracket Paint Finish	Desk Screens <i>Example:</i> YPSB2648F, W1077, 118T, 118T YPSB Desk Screen 26 Height 48 Width F Fabric W1077 Elements W1077 Elements 118T Bright White Paint 118T Bright White Paint	Desk Screens Brackets Hardware	Desk Screens The price of screens specified with a combination of fabrics is the higher of the two fabric grades. (RR) Fabric is applied railroaded



Desk Screens

Laminate, Markerboard or Veneer

For 42" High Horizon

Reff Profiles Vol. One

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon	24"	3/4"	20"	YPSB2024()	\$294.	\$508.	\$564.	\$649.	\$844.
	27"	3/4"	20"	YPSB2027()	299.	513.	574.	662.	858.
	30"	3/4"	20"	YPSB2030()	301.	515.	587.	674.	880.
	36"	3/4"	20"	YPSB2036()	340.	653.	614.	706.	919.
	42"	3/4"	20"	YPSB2042()	346.	658.	660.	758.	983.
	48"	3/4"	20"	YPSB2048()	447.	1,054.	691.	794.	1,028.
	54"	3/4"	20"	YPSB2054()	455.	1,060.	714.	822.	1,067.
	60"	3/4"	20"	YPSB2060()	460.	1,066.	773.	887.	1,157.
	66"	3/4"	20"	YPSB2066()	470.	1,075.	806.	929.	1,205.
	72"	3/4"	20"	YPSB2072()	476.	1,082.	834.	958.	1,242.
Screens with Half Modesty For Desks, 42" High Horizon	24"	3/4"	32"	YPSB3224()	329.	779.	656.	751.	979.
	27"	3/4"	32"	YPSB3227()	338.	785.	681.	786.	1,023.
	30"	3/4"	32"	YPSB3230()	383.	792.	705.	808.	1,054.
	36"	3/4"	32"	YPSB3236()	450.	1,057.	745.	855.	1,114.
	42"	3/4"	32"	YPSB3242()	460.	1,066.	817.	938.	1,223.
	48"	3/4"	32"	YPSB3248()	487.	1,850.	855.	983.	1,281.
	54"	3/4"	32"	YPSB3254()	496.	1,858.	904.	1,039.	1,354.
	60"	3/4"	32"	YPSB3260()	674.	1,865.	1,000.	1,146.	1,492.
	66"	3/4"	32"	YPSB3266()	691.	1,877.	1,049.	1,202.	1,563.
	72"	3/4"	32"	YPSB3272()	699.	1,890.	1,085.	1,245.	1,624.



Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2048V, 006B, 118T	Brackets	Finish Options:
2. Surface Finish	YPSB Desk Screen	Hardware	(L)= Laminate
3. Bracket Paint Finish	20 Height		(LM)= Markerboard
	48 Width		(V)= Veneer
	V Veneer		
	006B Maple		
	118T Bright White Paint		

Desk Screens

Laminate, Markerboard or Veneer

For 49" High Horizon

Reff Profiles Vol. One

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon	24"	3/4"	26"	YPSB2624()	\$320.	\$771.	\$625.	\$719.	\$935.
	27"	3/4"	26"	YPSB2627()	325.	777.	641.	738.	959.
	30"	3/4"	26"	YPSB2630()	333.	780.	667.	769.	1,001.
	36"	3/4"	26"	YPSB2636()	341.	792.	701.	805.	1,051.
	42"	3/4"	26"	YPSB2642()	390.	800.	761.	874.	1,135.
	48"	3/4"	26"	YPSB2648()	427.	1,835.	801.	922.	1,197.
	54"	3/4"	26"	YPSB2654()	435.	1,845.	836.	958.	1,244.
	60"	3/4"	26"	YPSB2660()	458.	1,851.	929.	1,067.	1,386.
	66"	3/4"	26"	YPSB2666()	469.	1,860.	961.	1,106.	1,438.
	72"	3/4"	26"	YPSB2672()	602.	1,866.	997.	1,144.	1,487.
Screens with Half Modesty For Desks, 49" High Horizon	24"	3/4"	38"	YPSB3824()	381.	792.	699.	803.	1,046.
	27"	3/4"	38"	YPSB3827()	388.	797.	722.	833.	1,080.
	30"	3/4"	38"	YPSB3830()	392.	802.	746.	856.	1,115.
	36"	3/4"	38"	YPSB3836()	463.	1,067.	803.	923.	1,201.
	42"	3/4"	38"	YPSB3842()	479.	1,082.	883.	1,015.	1,321.
	48"	3/4"	38"	YPSB3848()	594.	1,862.	931.	1,070.	1,391.
	54"	3/4"	38"	YPSB3854()	609.	1,875.	987.	1,135.	1,475.
	60"	3/4"	38"	YPSB3860()	699.	1,890.	1,114.	1,280.	1,665.
	66"	3/4"	38"	YPSB3866()	711.	1,903.	1,168.	1,344.	1,748.
	72"	3/4"	38"	YPSB3872()	723.	1,915.	1,219.	1,400.	1,819.

Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2648V, 006B, 118T	Brackets	Finish Options:
2. Surface Finish	YPSB Desk Screen	Hardware	(L)= Laminate
3. Bracket Paint Finish	26 Height		(LM)= Markerboard
	48 Width		(V)= Veneer
	V Veneer		
	006B Maple		
	118T Bright White Paint		


description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30" and 36"	30"	10"	RDTC3010()	\$965.	\$1,232.	\$1,387.	\$1,803.
	36"	10"	RDTC3610()	1,091.	1,241.	1,401.	1,819.



Desk Top Cubbies 60" and 72"	60"	10"	RDTC6010()	1,186.	1,511.	1,703.	2,215.
	72"	10"	RDTC7210()	1,209.	1,543.	1,738.	2,260.



Desk Top Cubbies Open	60"	10"	RDTCO6010()	1,309.	1,671.	1,882.	2,447.
	72"	10"	RDTCO7210()	1,329.	1,692.	1,908.	2,480.



Wall Mounted Cubbies 30" and 36"	30"	10"	RRMC3010()	1,058.	1,349.	1,521.	1,978.
	36"	10"	RRMC3610()	1,069.	1,361.	1,535.	1,995.



Wall Mounted Cubbies 60" and 72"	60"	10"	RRMC6010()	1,217.	1,552.	1,752.	2,277.
	72"	10"	RRMC7210()	1,243.	1,585.	1,787.	2,324.




Under Mounted Cubbies 30" and 36"	30"	10"	RUMC3010()	1,024.	1,305.	1,473.	1,914.
	36"	10"	RUMC3610()	1,036.	1,320.	1,489.	1,936.



Order Code	Specification Information	Application Notes
Example: RDTC3010() ()	<i>To order please specify pattern number including:</i> 1. Finish: Laminate or wood	Installation instruction sheets available on Knoll Exchange. For Wall Mounted cubbies, please refer to reference number 6TP00086. For Under Mounted cubbies, please refer to reference number 6TP00087.
R Reff Profiles		
DT Desk Top		
C Cubby		
30 Width		
10 Depth		
006B Finish		

Product on this page **Excluding any vertical surface over 60" wide**, will accept wood grain laminate, where laminate is currently an option.

description	w	d	pattern no.	L	V1	V2	V3
Under Mounted Cubbies 60" and 72"	60"	10"	RUMC6010()	\$1,163.	\$1,480.	\$1,670.	\$2,172.
	72"	10"	RUMC7210()	1,192.	1,518.	1,712.	2,226.



Order Code	Specification Information	Application Notes
Example: RDTC3010() ()	<i>To order please specify pattern number including:</i> 1. Finish: Laminate or wood	Installation instruction sheets available on Knoll Exchange. For Wall Mounted cubbies, please refer to reference number 6TP00086. For Under Mounted cubbies, please refer to reference number 6TP00087.
R Reff Profiles		
DT Desk Top		
C Cubby		
30 Width		
10 Depth		
006B Finish		

Product on this page **Excluding any vertical surface over 60" wide**, will accept wood grain laminate, where laminate is currently an option.

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16" Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	210	R2APT6430	80	R2HL3479ES(A/B/C/E)	111	R2OPH96T0()	257
ASBC24 (L/R)	210	R2APT6436	80	R2HL3479(F/T)CS	112	R2OP030S0()	257
AWM1 S36	220	R2APT6442	80	R2HL4249ES(A/B/C/E)	111	R2OP036S0()	257
AWM1 S42	220	R2APT6448	80	R2HL4249ETS(A/B/C/E)	112	R2OP042S0()	257
AWM1 S48	220	R2APT7918	81	R2HL4249(F)CS	112	R2OP048S0()	257
AWM1 S60	220	R2APT7920	81	R2HL4264ES(A/B/C/E)	111	R2OP060S0()	257
AWM1 S66	220	R2APT7924	81	R2HL4264ETS(A/B/C/E)	112	R2OP060T0()	257
AWM1 S72	220	R2APT7930	81	R2HL4264(F/T)CS	112	R2OP072S0()	257
AWM1 S78	220	R2APT7936	81	R2HL4279ES(A/B/C/E)	111	R2OP072T0()	257
AWM1 S84	220	R2APT7942	81	R2HL4279ETS(A/B/C/E)	112	R2OP090S0()	257
R113B	212	R2APT7948	81	R2HL4279(F/T)CS	112	R2OP090T0()	257
R234PKIT	120	R2ATPK34	81	R2HL4964ES(A/B/C/E)	111	R2OP096S0()	257
R2AETK34	82	R2ATPK42	81	R2HL4964(F)CS	112	R2OP096T0()	257
R2AETK42	82	R2ATPK49	81	R2HL4979ES(A/B/C/E)	111	R2OPS30S0NN	258
R2AETK49	82	R2ATPK64	81	R2HL4979(F/T)CS	112	R2OPS36S0NN	258
R2AETK64	82	R2ATPK79	81	R2HL6479ES(A/B/C/E)	111	R2OPS42S0NN	258
R2AETK79	82	R2B0TWA34 18	48	R2HL6479(F)CS	112	R2OPS48S0NN	258
R2AHBW18	81	R2B0TWA34 20	48	R2L42C(F/T)(F/T)-(4/6)	114	R2OPS54S0NN	258
R2AHBW20	81	R2B0TWA34 24	48	R2L49C(F/T)(F/T)-(4/6)	114	R2OPS60S0NN	258
R2AHBW24	81	R2B0TWA34 30	48	R2L64C(F/T)(F/T)-(4/6)	114	R2OPS66S0NN	258
R2AHBW30	81	R2B0TWA34 36	48	R2L79C(F/T)(F/T)-(4/6)	114	R2OPS72S0NN	258
R2AHBW36	81	R2B0TWA34 42	48	R2OMF30S0()	256	R2OPS78S0NN	258
R2AHBW42	81	R2B0TWA34 48	48	R2OMF36S0()	256	R2OPS84S0NN	258
R2AHBW48	81	R2B0TWB34 30	48	R2OMF42S0()	256	R2OPS90S0NN	258
R2AHSR18	81	R2B0TWB34 36	48	R2OMF48S0()	256	R2OPS96S0NN	258
R2AHSR20	81	R2B0TWB34 42	48	R2OMF60S0()	256	R2S42C(F/T)(F/T)-(4/6)	115
R2AHSR24	81	R2B0TWB34 48	48	R2OMF72S0()	256	R2S49C(F/T)(F/T)-(4/6)	115
R2AHSR30	81	R2B0TWC34 18	48	R2OMH30S0()	256	R2S64C(F/T)(F/T)-(4/6)	115
R2AHSR36	81	R2B0TWC34 20	48	R2OMH36S0()	256	R2S79C(F/T)(F/T)-(4/6)	115
R2AHSR42	81	R2B0TWC34 24	48	R2OMH42S0()	256	R2SWS0008	116
R2AHSR48	81	R2B0TWC34 30	48	R2OMH48S0()	256	R2SWS0015	116
R2AK	120	R2B0TWC34 36	48	R2OMH54S0()	256	R2SWS0034	116
R2ALPK34	81	R2B0TWC34 42	48	R2OMH60S0()	256	R2SWS0042	116
R2ALPK42	81	R2B0TWC34 48	48	R2OMH72S0()	256	R2SWS0049	116
R2ALPK49	81	R2CCG	120	R2OMH78S0()	256	R2SWS0064	116
R2ALPK64	81	R2DLS7936	119	R2OMH84S0()	256	R2SWS0079	116
R2ALPK79	81	R2DLS7942	119	R2OMH90S0()	256	R2T42C(F/T)-(4/6)	114
R2APT3418	80	R2DRS7936	118	R2OMH96S0()	256	R2T49C(F/T)-(4/6)	114
R2APT3420	80	R2DRS7942	118	R2OMO30S0()	256	R2T64C(F/T)-(4/6)	114
R2APT3424	80	R2ES34(A/B/C/E)(4/6)(E/N)	111	R2OMO36S0()	256	R2T79C(F/T)-(4/6)	114
R2APT3430	80	R2ES42(A/B/C/E)(4/6)(E/N)	111	R2OMO42S0()	256	R2TRDL48301	191
R2APT3436	80	R2ES49(A/B/C/E)(4/6)(E/N)	111	R2OMO48S0()	256	R2TRDL60301	191
R2APT3442	80	R2ES64(A/B/C/E)(4/6)(E/N)	111	R2OMO60S0()	256	R2TRDL72301	191
R2APT3448	80	R2ES79(A/B/C/E)(4/6)(E/N)	111	R2OMO72S0()	256	R2TRDL72361	191
R2APT4218	80	R2HK0008	113	R2OPF30S0J	258	R2TRDRL48301	192
R2APT4220	80	R2HK0015	113	R2OPF36S0J	258	R2TRDRL60301	192
R2APT4224	80	R2HK0034	113	R2OPF42S0J	258	R2TRDRL72301	192
R2APT4230	80	R2HK0042	113	R2OPF48S0J	258	R2TRDRL72361	192
R2APT4236	80	R2HK0049	113	R2OPF60S0J	258	R2TRDS48301	193
R2APT4242	80	R2HK0064	113	R2OPF72S0J	258	R2TRDS60301	193
R2APT4248	80	R2HK0079	113	R2OPF84S0J	258	R2TRDS72301	193
R2APT4918	80	R2HKB042	113	R2OPF96S0J	258	R2TRDS72361	193
R2APT4920	80	R2HKB049	113	R2OPH30S0()	257	R2TSDL42421	191
R2APT4924	80	R2HKB064	113	R2OPH36S0()	257	R2TSDL48481	191
R2APT4930	80	R2HKB079	113	R2OPH60S0()	257	R2TSDL42421	192
R2APT4936	80	R2HL3442ES(A/B/C/E)	111	R2OPH60T0()	257	R2TSDRL48481	192
R2APT4942	80	R2HL3442(F)CS	112	R2OPH72S0()	257	R2TSDS42421	193
R2APT4948	80	R2HL3449ES(A/B/C/E)	111	R2OPH72T0()	257	R2TSDS48481	193
R2APT6418	80	R2HL3449(F)CS	112	R2OPH90S0()	257	R2WMPB	311
R2APT6420	80	R2HL3464ES(A/B/C/E)	111	R2OPH90T0()	257	R2X42C	114
R2APT6424	80	R2HL3464(F/T)CS	112	R2OPH96S0()	257	R2X49C	114

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R2X64C	114	R3B0PF13442	15	R3B0PF249 48	30	R3B0PF379 36	45
R2X79C	114	R3B0PF13448	15	R3B0PF249 60	30	R3B0PF379 42	45
R3120Y34	110	R3B0PF142 18	22	R3B0PF249 66	30	R3B0PF379 48	45
R3120Y42	110	R3B0PF142 20	22	R3B0PF249 72	30	R3B0PF379 60	45
R3120Y49	110	R3B0PF142 24	22	R3B0PF264 18	37	R3B0PF379 66	45
R3120Y64	110	R3B0PF142 30	22	R3B0PF264 20	37	R3B0PF379 72	45
R3120Y79	110	R3B0PF142 36	22	R3B0PF264 24	37	R3B0PFF3418	13
R3135V34F	109	R3B0PF142 42	22	R3B0PF264 30	37	R3B0PFF3420	13
R3135V34T	109	R3B0PF142 48	22	R3B0PF264 36	37	R3B0PFF3424	13
R3135V42F	109	R3B0PF142 60	22	R3B0PF264 42	37	R3B0PFF3430	13
R3135V42T	109	R3B0PF142 66	22	R3B0PF264 48	37	R3B0PFF3436	13
R3135V49F	109	R3B0PF142 72	22	R3B0PF264 60	37	R3B0PFF3442	13
R3135V49T	109	R3B0PF149 18	29	R3B0PF264 66	37	R3B0PFF3448	13
R3135V64F	109	R3B0PF149 20	29	R3B0PF264 72	37	R3B0PFF42 18	19
R3135V64T	109	R3B0PF149 24	29	R3B0PF279 18	44	R3B0PFF42 20	19
R3135V79F	109	R3B0PF149 30	29	R3B0PF279 20	44	R3B0PFF42 24	19
R3135V79T	109	R3B0PF149 36	29	R3B0PF279 24	44	R3B0PFF42 30	19
R334PKIT	120	R3B0PF149 42	29	R3B0PF279 30	44	R3B0PFF42 36	19
R3AK	120	R3B0PF149 48	29	R3B0PF279 36	44	R3B0PFF42 42	19
R3AUAC10	106	R3B0PF149 60	29	R3B0PF279 42	44	R3B0PFF42 48	19
R3B0PAA42 18	19	R3B0PF149 66	29	R3B0PF279 48	44	R3B0PFF42 60	19
R3B0PAA42 20	19	R3B0PF149 72	29	R3B0PF279 60	44	R3B0PFF42 66	19
R3B0PAA42 24	19	R3B0PF164 18	36	R3B0PF279 66	44	R3B0PFF42 72	19
R3B0PAA42 30	19	R3B0PF164 20	36	R3B0PF279 72	44	R3B0PFF49 18	26
R3B0PAA42 36	19	R3B0PF164 24	36	R3B0PF334 18	17	R3B0PFF49 20	26
R3B0PAA42 42	19	R3B0PF164 30	36	R3B0PF334 20	17	R3B0PFF49 24	26
R3B0PAA42 48	19	R3B0PF164 36	36	R3B0PF334 24	17	R3B0PFF49 30	26
R3B0PAA42 60	19	R3B0PF164 42	36	R3B0PF334 30	17	R3B0PFF49 36	26
R3B0PAA42 66	19	R3B0PF164 48	36	R3B0PF334 36	17	R3B0PFF49 42	26
R3B0PAA42 72	19	R3B0PF164 60	36	R3B0PF334 42	17	R3B0PFF49 48	26
R3B0PAA49 18	26	R3B0PF164 66	36	R3B0PF334 48	17	R3B0PFF49 60	26
R3B0PAA49 20	26	R3B0PF164 72	36	R3B0PF342 18	24	R3B0PFF49 66	26
R3B0PAA49 24	26	R3B0PF179 18	43	R3B0PF342 20	24	R3B0PFF49 72	26
R3B0PAA49 30	26	R3B0PF179 20	43	R3B0PF342 24	24	R3B0PFF64 18	33
R3B0PAA49 36	26	R3B0PF179 24	43	R3B0PF342 30	24	R3B0PFF64 20	33
R3B0PAA49 42	26	R3B0PF179 30	43	R3B0PF342 36	24	R3B0PFF64 24	33
R3B0PAA49 48	26	R3B0PF179 36	43	R3B0PF342 42	24	R3B0PFF64 30	33
R3B0PAA49 60	26	R3B0PF179 42	43	R3B0PF342 48	24	R3B0PFF64 36	33
R3B0PAA49 66	26	R3B0PF179 48	43	R3B0PF342 60	24	R3B0PFF64 42	33
R3B0PAA49 72	26	R3B0PF179 60	43	R3B0PF342 66	24	R3B0PFF64 48	33
R3B0PAA64 18	33	R3B0PF179 66	43	R3B0PF342 72	24	R3B0PFF64 60	33
R3B0PAA64 20	33	R3B0PF179 72	43	R3B0PF349 18	31	R3B0PFF64 66	33
R3B0PAA64 24	33	R3B0PF234 18	16	R3B0PF349 20	31	R3B0PFF64 72	33
R3B0PAA64 30	33	R3B0PF234 20	16	R3B0PF349 24	31	R3B0PFF79 18	40
R3B0PAA64 36	33	R3B0PF234 24	16	R3B0PF349 30	31	R3B0PFF79 20	40
R3B0PAA64 42	33	R3B0PF234 30	16	R3B0PF349 36	31	R3B0PFF79 24	40
R3B0PAA64 48	33	R3B0PF234 36	16	R3B0PF349 42	31	R3B0PFF79 30	40
R3B0PAA64 60	33	R3B0PF234 42	16	R3B0PF349 48	31	R3B0PFF79 36	40
R3B0PAA64 66	33	R3B0PF234 48	16	R3B0PF349 60	31	R3B0PFF79 42	40
R3B0PAA64 72	33	R3B0PF242 18	23	R3B0PF349 66	31	R3B0PFF79 48	40
R3B0PAA79 18	40	R3B0PF242 20	23	R3B0PF349 72	31	R3B0PFF79 60	40
R3B0PAA79 20	40	R3B0PF242 24	23	R3B0PF364 18	38	R3B0PFF79 66	40
R3B0PAA79 24	40	R3B0PF242 30	23	R3B0PF364 20	38	R3B0PFF79 72	40
R3B0PAA79 30	40	R3B0PF242 36	23	R3B0PF364 24	38	R3B0PFL3418	14
R3B0PAA79 36	40	R3B0PF242 42	23	R3B0PF364 30	38	R3B0PFL3420	14
R3B0PAA79 42	40	R3B0PF242 48	23	R3B0PF364 36	38	R3B0PFL3424	14
R3B0PAA79 48	40	R3B0PF242 60	23	R3B0PF364 42	38	R3B0PFL3430	14
R3B0PAA79 60	40	R3B0PF242 66	23	R3B0PF364 48	38	R3B0PFL3436	14
R3B0PAA79 66	40	R3B0PF242 72	23	R3B0PF364 60	38	R3B0PFL3442	14
R3B0PAA79 72	40	R3B0PF249 18	30	R3B0PF364 66	38	R3B0PFL3448	14
R3B0PFL3418	15	R3B0PF249 20	30	R3B0PF364 72	38	R3B0PFL42 18	21
R3B0PFL3420	15	R3B0PF249 24	30	R3B0PF379 18	45	R3B0PFL42 20	21
R3B0PFL3424	15	R3B0PF249 30	30	R3B0PF379 20	45	R3B0PFL42 24	21
R3B0PFL3430	15	R3B0PF249 36	30	R3B0PF379 24	45	R3B0PFL42 30	21
R3B0PFL3436	15	R3B0PF249 42	30	R3B0PF379 30	45	R3B0PFL42 36	21

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPFL42 42	21	R3B0PLL6430	39	R3B0TF149 48	62	R3B0TF349 20	64
R3BOPFL42 48	21	R3B0PLL6436	39	R3B0TF164 18	69	R3B0TF349 24	64
R3BOPFL42 60	21	R3B0PLL6442	39	R3B0TF164 20	69	R3B0TF349 30	64
R3BOPFL42 66	21	R3B0PLL6448	39	R3B0TF164 24	69	R3B0TF349 36	64
R3BOPFL42 72	21	R3B0PLL6460	39	R3B0TF164 30	69	R3B0TF349 42	64
R3BOPFL49 18	28	R3B0PLL6466	39	R3B0TF164 36	69	R3B0TF349 48	64
R3BOPFL49 20	28	R3B0PLL6472	39	R3B0TF164 42	69	R3B0TF364 18	71
R3BOPFL49 24	28	R3B0PLL7918	46	R3B0TF164 48	69	R3B0TF364 20	71
R3BOPFL49 30	28	R3B0PLL7920	46	R3B0TF179 18	76	R3B0TF364 24	71
R3BOPFL49 36	28	R3B0PLL7924	46	R3B0TF179 20	76	R3B0TF364 30	71
R3BOPFL49 42	28	R3B0PLL7930	46	R3B0TF179 24	76	R3B0TF364 36	71
R3BOPFL49 48	28	R3B0PLL7936	46	R3B0TF179 30	76	R3B0TF364 42	71
R3BOPFL49 60	28	R3B0PLL7942	46	R3B0TF179 36	76	R3B0TF364 48	71
R3BOPFL49 66	28	R3B0PLL7948	46	R3B0TF179 42	76	R3B0TF379 18	78
R3BOPFL49 72	28	R3B0PLL7960	46	R3B0TF179 48	76	R3B0TF379 20	78
R3BOPFL64 18	35	R3B0PLL7966	46	R3B0TF234 18	50	R3B0TF379 24	78
R3BOPFL64 20	35	R3B0PLL7972	46	R3B0TF234 20	50	R3B0TF379 30	78
R3BOPFL64 24	35	R3B0TAA42 18	52	R3B0TF234 24	50	R3B0TF379 36	78
R3BOPFL64 30	35	R3B0TAA42 20	52	R3B0TF234 30	50	R3B0TF379 42	78
R3BOPFL64 36	35	R3B0TAA42 24	52	R3B0TF234 36	50	R3B0TF379 48	78
R3BOPFL64 42	35	R3B0TAA42 30	52	R3B0TF234 42	50	R3B0TF34 18	47
R3BOPFL64 48	35	R3B0TAA42 36	52	R3B0TF234 48	50	R3B0TF34 20	47
R3BOPFL64 60	35	R3B0TAA42 42	52	R3B0TF242 18	56	R3B0TF34 24	47
R3BOPFL64 66	35	R3B0TAA42 48	52	R3B0TF242 20	56	R3B0TF34 30	47
R3BOPFL64 72	35	R3B0TAA49 18	59	R3B0TF242 24	56	R3B0TF34 36	47
R3BOPFL79 18	42	R3B0TAA49 20	59	R3B0TF242 30	56	R3B0TF34 42	47
R3BOPFL79 20	42	R3B0TAA49 24	59	R3B0TF242 36	56	R3B0TF34 48	47
R3BOPFL79 24	42	R3B0TAA49 30	59	R3B0TF242 42	56	R3B0TF42 18	52
R3BOPFL79 30	42	R3B0TAA49 36	59	R3B0TF242 48	56	R3B0TF42 20	52
R3BOPFL79 36	42	R3B0TAA49 42	59	R3B0TF249 18	63	R3B0TF42 24	52
R3BOPFL79 42	42	R3B0TAA49 48	59	R3B0TF249 20	63	R3B0TF42 30	52
R3BOPFL79 48	42	R3B0TAA64 18	66	R3B0TF249 24	63	R3B0TF42 36	52
R3BOPFL79 60	42	R3B0TAA64 20	66	R3B0TF249 30	63	R3B0TF42 42	52
R3BOPFL79 66	42	R3B0TAA64 24	66	R3B0TF249 36	63	R3B0TF42 48	52
R3BOPFL79 72	42	R3B0TAA64 30	66	R3B0TF249 42	63	R3B0TF49 18	59
R3B0PLL3418	18	R3B0TAA64 36	66	R3B0TF249 48	63	R3B0TF49 20	59
R3B0PLL3420	18	R3B0TAA64 42	66	R3B0TF264 18	70	R3B0TF49 24	59
R3B0PLL3424	18	R3B0TAA64 48	66	R3B0TF264 20	70	R3B0TF49 30	59
R3B0PLL3430	18	R3B0TAA79 18	73	R3B0TF264 24	70	R3B0TF49 36	59
R3B0PLL3436	18	R3B0TAA79 20	73	R3B0TF264 30	70	R3B0TF49 42	59
R3B0PLL3442	18	R3B0TAA79 24	73	R3B0TF264 36	70	R3B0TF49 48	59
R3B0PLL3448	18	R3B0TAA79 30	73	R3B0TF264 42	70	R3B0TF64 18	66
R3B0PLL4218	25	R3B0TAA79 36	73	R3B0TF264 48	70	R3B0TF64 20	66
R3B0PLL4220	25	R3B0TAA79 42	73	R3B0TF279 18	77	R3B0TF64 24	66
R3B0PLL4224	25	R3B0TAA79 48	73	R3B0TF279 20	77	R3B0TF64 30	66
R3B0PLL4230	25	R3B0TF134 18	49	R3B0TF279 24	77	R3B0TF64 36	66
R3B0PLL4236	25	R3B0TF134 20	49	R3B0TF279 30	77	R3B0TF64 42	66
R3B0PLL4242	25	R3B0TF134 24	49	R3B0TF279 36	77	R3B0TF64 48	66
R3B0PLL4248	25	R3B0TF134 30	49	R3B0TF279 42	77	R3B0TF79 18	73
R3B0PLL4260	25	R3B0TF134 36	49	R3B0TF279 48	77	R3B0TF79 20	73
R3B0PLL4266	25	R3B0TF134 42	49	R3B0TF334 18	50	R3B0TF79 24	73
R3B0PLL4272	25	R3B0TF134 48	49	R3B0TF334 20	50	R3B0TF79 30	73
R3B0PLL4918	32	R3B0TF142 18	55	R3B0TF334 24	50	R3B0TF79 36	73
R3B0PLL4920	32	R3B0TF142 20	55	R3B0TF334 30	50	R3B0TF79 42	73
R3B0PLL4924	32	R3B0TF142 24	55	R3B0TF334 36	50	R3B0TF79 48	73
R3B0PLL4930	32	R3B0TF142 30	55	R3B0TF334 42	50	R3B0TFL34 18	49
R3B0PLL4936	32	R3B0TF142 36	55	R3B0TF334 48	50	R3B0TFL34 20	49
R3B0PLL4942	32	R3B0TF142 42	55	R3B0TF342 18	57	R3B0TFL34 24	49
R3B0PLL4948	32	R3B0TF142 48	55	R3B0TF342 20	57	R3B0TFL34 30	49
R3B0PLL4960	32	R3B0TF149 18	62	R3B0TF342 24	57	R3B0TFL34 36	49
R3B0PLL4966	32	R3B0TF149 20	62	R3B0TF342 30	57	R3B0TFL34 42	49
R3B0PLL4972	32	R3B0TF149 24	62	R3B0TF342 36	57	R3B0TFL34 48	49
R3B0PLL6418	39	R3B0TF149 30	62	R3B0TF342 42	57	R3B0TFL42 18	54
R3B0PLL6420	39	R3B0TF149 36	62	R3B0TF342 48	57	R3B0TFL42 20	54
R3B0PLL6424	39	R3B0TF149 42	62	R3B0TF349 18	64	R3B0TFL42 24	54

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B0TFL42 30	54	R3B1PF142 42	22	R3B1PF2A49 30	94	R3B1PFF64 36	34
R3B0TFL42 36	54	R3B1PF142 48	22	R3B1PF2A49 36	94	R3B1PFF64 42	34
R3B0TFL42 42	54	R3B1PF149 18	29	R3B1PF2A49 42	94	R3B1PFF64 48	34
R3B0TFL42 48	54	R3B1PF149 20	29	R3B1PF2A49 48	94	R3B1PFF79 18	41
R3B0TFL49 18	61	R3B1PF149 24	29	R3B1PF2B49 30	94	R3B1PFF79 20	41
R3B0TFL49 20	61	R3B1PF149 30	29	R3B1PF2B49 36	94	R3B1PFF79 24	41
R3B0TFL49 24	61	R3B1PF149 36	29	R3B1PF2B49 42	94	R3B1PFF79 30	41
R3B0TFL49 30	61	R3B1PF149 42	29	R3B1PF2B49 48	94	R3B1PFF79 36	41
R3B0TFL49 36	61	R3B1PF149 48	29	R3B1PF342 18	24	R3B1PFF79 42	41
R3B0TFL49 42	61	R3B1PF164 18	36	R3B1PF342 20	24	R3B1PFF79 48	41
R3B0TFL49 48	61	R3B1PF164 20	36	R3B1PF342 24	24	R3B1PFFA49 18	85
R3B0TFL64 18	68	R3B1PF164 24	36	R3B1PF342 30	24	R3B1PFFA49 20	85
R3B0TFL64 20	68	R3B1PF164 30	36	R3B1PF342 36	24	R3B1PFFA49 24	85
R3B0TFL64 24	68	R3B1PF164 36	36	R3B1PF342 42	24	R3B1PFFA49 30	85
R3B0TFL64 30	68	R3B1PF164 42	36	R3B1PF342 48	24	R3B1PFFA49 36	85
R3B0TFL64 36	68	R3B1PF164 48	36	R3B1PF349 18	31	R3B1PFFA49 42	85
R3B0TFL64 42	68	R3B1PF179 18	43	R3B1PF349 20	31	R3B1PFFA49 48	85
R3B0TFL64 48	68	R3B1PF179 20	43	R3B1PF349 24	31	R3B1PFFB49 30	85
R3B0TFL79 18	75	R3B1PF179 24	43	R3B1PF349 30	31	R3B1PFFB49 36	85
R3B0TFL79 20	75	R3B1PF179 30	43	R3B1PF349 36	31	R3B1PFFB49 42	85
R3B0TFL79 24	75	R3B1PF179 36	43	R3B1PF349 42	31	R3B1PFFB49 48	85
R3B0TFL79 30	75	R3B1PF179 42	43	R3B1PF349 48	31	R3B1PFL42 18	21
R3B0TFL79 36	75	R3B1PF179 48	43	R3B1PF364 18	38	R3B1PFL42 20	21
R3B0TFL79 42	75	R3B1PF1A49 18	91	R3B1PF364 20	38	R3B1PFL42 24	21
R3B0TFL79 48	75	R3B1PF1A49 20	91	R3B1PF364 24	38	R3B1PFL42 30	21
R3B0TLL3418	51	R3B1PF1A49 24	91	R3B1PF364 30	38	R3B1PFL42 36	21
R3B0TLL3420	51	R3B1PF1A49 30	91	R3B1PF364 36	38	R3B1PFL42 42	21
R3B0TLL3424	51	R3B1PF1A49 36	91	R3B1PF364 42	38	R3B1PFL42 48	21
R3B0TLL3430	51	R3B1PF1A49 42	91	R3B1PF364 48	38	R3B1PFL49 18	28
R3B0TLL3436	51	R3B1PF1A49 48	91	R3B1PF379 18	45	R3B1PFL49 20	28
R3B0TLL3442	51	R3B1PF1B49 30	91	R3B1PF379 20	45	R3B1PFL49 24	28
R3B0TLL3448	51	R3B1PF1B49 36	91	R3B1PF379 24	45	R3B1PFL49 30	28
R3B0TLL4218	58	R3B1PF1B49 42	91	R3B1PF379 30	45	R3B1PFL49 36	28
R3B0TLL4220	58	R3B1PF1B49 48	91	R3B1PF379 36	45	R3B1PFL49 42	28
R3B0TLL4224	58	R3B1PF242 18	23	R3B1PF379 42	45	R3B1PFL49 48	28
R3B0TLL4230	58	R3B1PF242 20	23	R3B1PF379 48	45	R3B1PFL64 18	35
R3B0TLL4236	58	R3B1PF242 24	23	R3B1PF3A49 18	96	R3B1PFL64 20	35
R3B0TLL4242	58	R3B1PF242 30	23	R3B1PF3A49 20	96	R3B1PFL64 24	35
R3B0TLL4248	58	R3B1PF242 36	23	R3B1PF3A49 24	96	R3B1PFL64 30	35
R3B0TLL4918	65	R3B1PF242 42	23	R3B1PF3A49 30	96	R3B1PFL64 36	35
R3B0TLL4920	65	R3B1PF242 48	23	R3B1PF3A49 36	96	R3B1PFL64 42	35
R3B0TLL4924	65	R3B1PF249 18	30	R3B1PF3A49 42	96	R3B1PFL64 48	35
R3B0TLL4930	65	R3B1PF249 20	30	R3B1PF3A49 48	96	R3B1PFL79 18	42
R3B0TLL4936	65	R3B1PF249 24	30	R3B1PF3B49 30	96	R3B1PFL79 20	42
R3B0TLL4942	65	R3B1PF249 30	30	R3B1PF3B49 36	96	R3B1PFL79 24	42
R3B0TLL4948	65	R3B1PF249 36	30	R3B1PF3B49 42	96	R3B1PFL79 30	42
R3B0TLL6418	72	R3B1PF249 42	30	R3B1PF3B49 48	96	R3B1PFL79 36	42
R3B0TLL6420	72	R3B1PF249 48	30	R3B1PFF42 18	20	R3B1PFL79 42	42
R3B0TLL6424	72	R3B1PF264 18	37	R3B1PFF42 20	20	R3B1PFL79 48	42
R3B0TLL6430	72	R3B1PF264 20	37	R3B1PFF42 24	20	R3B1PFLA49 18	88
R3B0TLL6436	72	R3B1PF264 24	37	R3B1PFF42 30	20	R3B1PFLA49 20	88
R3B0TLL6442	72	R3B1PF264 30	37	R3B1PFF42 36	20	R3B1PFLA49 24	88
R3B0TLL6448	72	R3B1PF264 36	37	R3B1PFF42 42	20	R3B1PFLA49 30	88
R3B0TLL7918	79	R3B1PF264 42	37	R3B1PFF42 48	20	R3B1PFLA49 36	88
R3B0TLL7920	79	R3B1PF264 48	37	R3B1PFF49 18	27	R3B1PFLA49 42	88
R3B0TLL7924	79	R3B1PF279 18	44	R3B1PFF49 20	27	R3B1PFLA49 48	88
R3B0TLL7930	79	R3B1PF279 20	44	R3B1PFF49 24	27	R3B1PFLB49 30	88
R3B0TLL7936	79	R3B1PF279 24	44	R3B1PFF49 30	27	R3B1PFLB49 36	88
R3B0TLL7942	79	R3B1PF279 30	44	R3B1PFF49 36	27	R3B1PFLB49 42	88
R3B0TLL7948	79	R3B1PF279 36	44	R3B1PFF49 42	27	R3B1PFLB49 48	88
R3B1PF142 18	22	R3B1PF279 42	44	R3B1PFF49 48	27	R3BITF142 18	55
R3B1PF142 20	22	R3B1PF279 48	44	R3B1PFF64 18	34	R3BITF142 20	55
R3B1PF142 24	22	R3B1PF2A49 18	94	R3B1PFF64 20	34	R3BITF142 24	55
R3B1PF142 30	22	R3B1PF2A49 20	94	R3B1PFF64 24	34	R3BITF142 30	55
R3B1PF142 36	22	R3B1PF2A49 24	94	R3B1PFF64 30	34	R3BITF142 36	55

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1TF142 42	55	R3B1TF2A49 30	92	R3B1TFF64 36	67	R3B2PFF42 42	20
R3B1TF142 48	55	R3B1TF2A49 36	92	R3B1TFF64 42	67	R3B2PFF42 48	20
R3B1TF149 18	62	R3B1TF2A49 42	92	R3B1TFF64 48	67	R3B2PFF49 18	27
R3B1TF149 20	62	R3B1TF2A49 48	92	R3B1TFF79 18	74	R3B2PFF49 20	27
R3B1TF149 24	62	R3B1TF2B49 30	93	R3B1TFF79 20	74	R3B2PFF49 24	27
R3B1TF149 30	62	R3B1TF2B49 36	93	R3B1TFF79 24	74	R3B2PFF49 30	27
R3B1TF149 36	62	R3B1TF2B49 42	93	R3B1TFF79 30	74	R3B2PFF49 36	27
R3B1TF149 42	62	R3B1TF2B49 48	93	R3B1TFF79 36	74	R3B2PFF49 42	27
R3B1TF149 48	62	R3B1TF342 18	57	R3B1TFF79 42	74	R3B2PFF49 48	27
R3B1TF164 18	69	R3B1TF342 20	57	R3B1TFF79 48	74	R3B2PFF64 18	34
R3B1TF164 20	69	R3B1TF342 24	57	R3B1TFFA49 18	83	R3B2PFF64 20	34
R3B1TF164 24	69	R3B1TF342 30	57	R3B1TFFA49 20	83	R3B2PFF64 24	34
R3B1TF164 30	69	R3B1TF342 36	57	R3B1TFFA49 24	83	R3B2PFF64 30	34
R3B1TF164 36	69	R3B1TF342 42	57	R3B1TFFA49 30	83	R3B2PFF64 36	34
R3B1TF164 42	69	R3B1TF342 48	57	R3B1TFFA49 36	83	R3B2PFF64 42	34
R3B1TF164 48	69	R3B1TF349 18	64	R3B1TFFA49 42	83	R3B2PFF64 48	34
R3B1TF179 18	76	R3B1TF349 20	64	R3B1TFFA49 48	83	R3B2PFF79 18	41
R3B1TF179 20	76	R3B1TF349 24	64	R3B1TFFB49 30	84	R3B2PFF79 20	41
R3B1TF179 24	76	R3B1TF349 30	64	R3B1TFFB49 36	84	R3B2PFF79 24	41
R3B1TF179 30	76	R3B1TF349 36	64	R3B1TFFB49 42	84	R3B2PFF79 30	41
R3B1TF179 36	76	R3B1TF349 42	64	R3B1TFFB49 48	84	R3B2PFF79 36	41
R3B1TF179 42	76	R3B1TF349 48	64	R3B1TFL42 18	54	R3B2PFF79 42	41
R3B1TF179 48	76	R3B1TF364 18	71	R3B1TFL42 20	54	R3B2PFF79 48	41
R3B1TF1A49 18	89	R3B1TF364 20	71	R3B1TFL42 24	54	R3B2PFFA49 18	98
R3B1TF1A49 20	89	R3B1TF364 24	71	R3B1TFL42 30	54	R3B2PFFA49 20	98
R3B1TF1A49 24	89	R3B1TF364 30	71	R3B1TFL42 36	54	R3B2PFFA49 24	98
R3B1TF1A49 30	89	R3B1TF364 36	71	R3B1TFL42 42	54	R3B2PFFA49 30	98
R3B1TF1A49 36	89	R3B1TF364 42	71	R3B1TFL42 48	54	R3B2PFFA49 36	98
R3B1TF1A49 42	89	R3B1TF364 48	71	R3B1TFL49 18	61	R3B2PFFA49 42	98
R3B1TF1A49 48	89	R3B1TF379 18	78	R3B1TFL49 20	61	R3B2PFFA49 48	98
R3B1TF1B49 30	90	R3B1TF379 20	78	R3B1TFL49 24	61	R3B2PFFB49 30	98
R3B1TF1B49 36	90	R3B1TF379 24	78	R3B1TFL49 30	61	R3B2PFFB49 36	98
R3B1TF1B49 42	90	R3B1TF379 30	78	R3B1TFL49 36	61	R3B2PFFB49 42	98
R3B1TF1B49 48	90	R3B1TF379 36	78	R3B1TFL49 42	61	R3B2PFFB49 48	98
R3B1TF242 18	56	R3B1TF379 42	78	R3B1TFL49 48	61	R3B2TFF42 18	53
R3B1TF242 20	56	R3B1TF379 48	78	R3B1TFL64 18	68	R3B2TFF42 20	53
R3B1TF242 24	56	R3B1TF3A49 18	95	R3B1TFL64 20	68	R3B2TFF42 24	53
R3B1TF242 30	56	R3B1TF3A49 20	95	R3B1TFL64 24	68	R3B2TFF42 30	53
R3B1TF242 36	56	R3B1TF3A49 24	95	R3B1TFL64 30	68	R3B2TFF42 36	53
R3B1TF242 42	56	R3B1TF3A49 30	95	R3B1TFL64 36	68	R3B2TFF42 42	53
R3B1TF242 48	56	R3B1TF3A49 36	95	R3B1TFL64 42	68	R3B2TFF42 48	53
R3B1TF249 18	63	R3B1TF3A49 42	95	R3B1TFL64 48	68	R3B2TFF49 18	60
R3B1TF249 20	63	R3B1TF3A49 48	95	R3B1TFL79 18	75	R3B2TFF49 20	60
R3B1TF249 24	63	R3B1TF3B49 30	95	R3B1TFL79 20	75	R3B2TFF49 24	60
R3B1TF249 30	63	R3B1TF3B49 36	95	R3B1TFL79 24	75	R3B2TFF49 30	60
R3B1TF249 36	63	R3B1TF3B49 42	95	R3B1TFL79 30	75	R3B2TFF49 36	60
R3B1TF249 42	63	R3B1TF3B49 48	95	R3B1TFL79 36	75	R3B2TFF49 42	60
R3B1TF249 48	63	R3B1TFF42 18	53	R3B1TFL79 42	75	R3B2TFF49 48	60
R3B1TF264 18	70	R3B1TFF42 20	53	R3B1TFL79 48	75	R3B2TFF64 18	67
R3B1TF264 20	70	R3B1TFF42 24	53	R3B1TFLA49 18	86	R3B2TFF64 20	67
R3B1TF264 24	70	R3B1TFF42 30	53	R3B1TFLA49 20	86	R3B2TFF64 24	67
R3B1TF264 30	70	R3B1TFF42 36	53	R3B1TFLA49 24	86	R3B2TFF64 30	67
R3B1TF264 36	70	R3B1TFF42 42	53	R3B1TFLA49 30	86	R3B2TFF64 36	67
R3B1TF264 42	70	R3B1TFF42 48	53	R3B1TFLA49 36	86	R3B2TFF64 42	67
R3B1TF264 48	70	R3B1TFF49 18	60	R3B1TFLA49 42	86	R3B2TFF64 48	67
R3B1TF279 18	77	R3B1TFF49 20	60	R3B1TFLA49 48	86	R3B2TFF79 18	74
R3B1TF279 20	77	R3B1TFF49 24	60	R3B1TFLB49 30	87	R3B2TFF79 20	74
R3B1TF279 24	77	R3B1TFF49 30	60	R3B1TFLB49 36	87	R3B2TFF79 24	74
R3B1TF279 30	77	R3B1TFF49 36	60	R3B1TFLB49 42	87	R3B2TFF79 30	74
R3B1TF279 36	77	R3B1TFF49 42	60	R3B1TFLB49 48	87	R3B2TFF79 36	74
R3B1TF279 42	77	R3B1TFF49 48	60	R3B2PFF42 18	20	R3B2TFF79 42	74
R3B1TF279 48	77	R3B1TFF64 18	67	R3B2PFF42 20	20	R3B2TFF79 48	74
R3B1TF2A49 18	92	R3B1TFF64 20	67	R3B2PFF42 24	20	R3B2TFFA49 18	97
R3B1TF2A49 20	92	R3B1TFF64 24	67	R3B2PFF42 30	20	R3B2TFFA49 20	97
R3B1TF2A49 24	92	R3B1TFF64 30	67	R3B2PFF42 36	20	R3B2TFFA49 24	97

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B2TFFA49 30	97	R3FTCF321 42	125	R3FTCS108(F/T)(F/T)	128	R3SF10836	102
R3B2TFFA49 36	97	R3FTCF321 48	125	R3FTCS120(F/T)(F/T)	128	R3SF10842	102
R3B2TFFA49 42	97	R3FTCF325 18	126	R3FTCS21	128	R3SF10848	102
R3B2TFFA49 48	97	R3FTCF325 20	126	R3FTCS25	128	R3SF11518	103
R3B2TFFB49 30	97	R3FTCF325 24	126	R3FTCS37	128	R3SF11520	103
R3B2TFFB49 36	97	R3FTCF325 30	126	R3FTCSM (Pair) for G3 only	129	R3SF11524	103
R3B2TFFB49 42	97	R3FTCF325 36	126	R3FTCT104(F/T)	128	R3SF11530	103
R3B2TFFB49 48	97	R3FTCF325 42	126	R3FTCT108(F/T)	128	R3SF11536	103
R3CRTT60	101	R3FTCF325 48	126	R3FTCT120(F/T)	128	R3SF11542	103
R3CRTT72	101	R3FTCF337 18	127	R3FTCT21	128	R3SF11548	103
R3CRTT84	101	R3FTCF337 20	127	R3FTCT25	128	R3SF20818	102
R3CRTT96	101	R3FTCF337 24	127	R3FTCT37	128	R3SF20820	102
R3FTCE104(F/T)(F/T)(F/T)	128	R3FTCF337 30	127	R3FTCX104	128	R3SF20824	102
R3FTCE108(F/T)(F/T)(F/T)	128	R3FTCF337 36	127	R3FTCX108	128	R3SF20830	102
R3FTCE120(F/T)(F/T)(F/T)	128	R3FTCF337 42	127	R3FTCX120	128	R3SF20836	102
R3FTCE21	128	R3FTCF337 48	127	R3FTCX21	128	R3SF20842	102
R3FTCE25	128	R3FTCFF2118	121	R3FTCX25	128	R3SF20848	102
R3FTCE37	128	R3FTCFF2120	121	R3FTCX37	128	R3SF21518	103
R3FTCF12118	124	R3FTCFF2124	121	R3GAU0818	105	R3SF21520	103
R3FTCF12120	124	R3FTCFF2130	121	R3GAU0820	105	R3SF21524	103
R3FTCF12124	124	R3FTCFF2136	121	R3GAU0824	105	R3SF21530	103
R3FTCF12130	124	R3FTCFF2142	121	R3GAU0830	105	R3SF21536	103
R3FTCF12136	124	R3FTCFF2148	121	R3GAU0836	105	R3SF21542	103
R3FTCF12142	124	R3FTCFF2518	122	R3GAU0842	105	R3SF21548	103
R3FTCF12148	124	R3FTCFF2520	122	R3GAU0848	105	R3SF30818	102
R3FTCF12518	125	R3FTCFF2524	122	R3GAU1518	105	R3SF30820	102
R3FTCF12520	125	R3FTCFF2530	122	R3GAU1520	105	R3SF30824	102
R3FTCF12524	125	R3FTCFF2536	122	R3GAU1524	105	R3SF30830	102
R3FTCF12530	125	R3FTCFF2542	122	R3GAU1530	105	R3SF30836	102
R3FTCF12536	125	R3FTCFF2548	122	R3GAU1536	105	R3SF30842	102
R3FTCF12542	125	R3FTCFF3718	123	R3GAU1542	105	R3SF30848	102
R3FTCF12548	125	R3FTCFF3720	123	R3GAU1548	105	R3SF315 18	104
R3FTCF13718	127	R3FTCFF3724	123	R3GAUHL0818	105	R3SF315 20	104
R3FTCF13720	127	R3FTCFF3730	123	R3GAUHL0820	105	R3SF315 24	104
R3FTCF13724	127	R3FTCFF3736	123	R3GAUHL0824	105	R3SF315 30	104
R3FTCF13730	127	R3FTCFF3742	123	R3GAUHL0830	105	R3SF315 36	104
R3FTCF13736	127	R3FTCFF3748	123	R3GAUHL0836	105	R3SF315 42	104
R3FTCF13742	127	R3FTCFL2118	124	R3GAUHL0842	105	R3SF315 48	104
R3FTCF13748	127	R3FTCFL2120	124	R3GAUHL0848	105	R3SFF08 18	99
R3FTCF22118	124	R3FTCFL2124	124	R3GAUHL1518	105	R3SFF08 20	99
R3FTCF22120	124	R3FTCFL2130	124	R3GAUHL1520	105	R3SFF08 24	99
R3FTCF22124	124	R3FTCFL2136	124	R3GAUHL1524	105	R3SFF08 30	99
R3FTCF22130	124	R3FTCFL2142	124	R3GAUHL1530	105	R3SFF08 36	99
R3FTCF22136	124	R3FTCFL2148	124	R3GAUHL1536	105	R3SFF08 42	99
R3FTCF22142	124	R3FTCFL2518	125	R3GAUHL1542	105	R3SFF08 48	99
R3FTCF22148	124	R3FTCFL2520	125	R3GAUHL1548	105	R3SFF15 18	99
R3FTCF22518	126	R3FTCFL2524	125	R3L08TT	107	R3SFF15 20	99
R3FTCF22520	126	R3FTCFL2530	125	R3L15TT	107	R3SFF15 24	99
R3FTCF22524	126	R3FTCFL2536	125	R3L34(F/T)(F/T)	107	R3SFF15 30	99
R3FTCF22530	126	R3FTCFL2542	125	R3L42(B)(F/T)(F/T)	107	R3SFF15 36	99
R3FTCF22536	126	R3FTCFL2548	125	R3L49(B)(F/T)(F/T)	107	R3SFF15 42	99
R3FTCF22542	126	R3FTCFL3718	127	R3L64(B)(F/T)(F/T)	107	R3SFF15 48	99
R3FTCF22548	126	R3FTCFL3720	127	R3L79(B)(F/T)(F/T)	107	R3SFL0818	102
R3FTCF23718	127	R3FTCFL3724	127	R3R2SLV	108, 120	R3SFL0820	102
R3FTCF23720	127	R3FTCFL3730	127	R3S08TT	108	R3SFL0824	102
R3FTCF23724	127	R3FTCFL3736	127	R3S15TT	108	R3SFL0830	102
R3FTCF23730	127	R3FTCFL3742	127	R3S34(F/T)(F/T)	108	R3SFL0836	102
R3FTCF23736	127	R3FTCFL3748	127	R3S42(B)(F/T)(F/T)	108	R3SFL0842	102
R3FTCF23742	127	R3FTCL104(F/T)(F/T)	128	R3S49(B)(F/T)(F/T)	108	R3SFL0848	102
R3FTCF23748	127	R3FTCL108(F/T)(F/T)	128	R3S64(B)(F/T)(F/T)	108	R3SFL1518	103
R3FTCF321 18	125	R3FTCL120(F/T)(F/T)	128	R3S79(B)(F/T)(F/T)	108	R3SFL1520	103
R3FTCF321 20	125	R3FTCL21	128	R3SF10818	102	R3SFL1524	103
R3FTCF321 24	125	R3FTCL25	128	R3SF10820	102	R3SFL1530	103
R3FTCF321 30	125	R3FTCL37	128	R3SF10824	102	R3SFL1536	103
R3FTCF321 36	125	R3FTCS104(F/T)(F/T)	128	R3SF10830	102	R3SFL1542	103

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3SFL1548	103	RB4242	213	RC432B	233, 235	RC712C(L/R)	249, 252
R3SKIT	106	RB4248	213	RC432C	233, 235	RC712D(L/R)	252
R3SLL0818	103	RB42(M/H)(F/R)(H/V)	213	RC432D	236	RC712G(L/R)	247, 251
R3SLL0820	103	RB4836	213	RC432F	234, 237	RC712P(L/R)	248, 251
R3SLL0824	103	RB4842	213	RC433B	233, 235	RC713C(L/R)	249, 252
R3SLL0830	103	RB4848	213	RC433C	233, 235	RC713D(L/R)	252
R3SLL0836	103	RB48(M/H)(F/R)(H/V)	213	RC433D	236	RC713G(L/R)	247, 251
R3SLL0842	103	RB52MR	178	RC433F	234, 237	RC713P(L/R)	248, 251
R3SLL0848	103	RB54(M/H)(F/R)(H/V)	213	RC461B	233, 235	RC723M(L/R)	254, 255
R3SLL1518	104	RB60(M/H)(F/R)(H/V)	213	RC462B	233, 235	RC723N(L/R)	254, 255
R3SLL1520	104	RB64MR	178	RC462C	233, 235	RC732B	246, 250
R3SLL1524	104	RB66(M/H)(F/R)	213	RC462D	236	RC732C	249, 252
R3SLL1530	104	RB72(M/H)(F/R)	213	RC462F	234, 237	RC732D	252
R3SLL1536	104	RB78(M/H)(F/R)	213	RC463B	233, 235	RC732E(L/R)	249, 252
R3SLL1542	104	RB84(M/H)(F/R)	213	RC463C	233, 235	RC732F	247, 251
R3SLL1548	104	RB90(M/H)(F/R)	213	RC463D	236	RC732G	247, 251
R3SMP	321	RB96(M/H)(F/R)	213	RC463F	234, 237	RC732H	246, 250
R3SPABPT	116	RBC18 (L/R)	210	RC612C(L/R)	240, 243	RC732I	253
R3SPABTD	116	RBC24 (L/R)	210	RC612D(L/R)	244	RC732P	248, 251
R3SPABTT	116	RBCC	211	RC612G(L/R)	239, 242	RC733B	246, 250
R3SPABTW	116	RBCCP (Pair)	211	RC612P(L/R)	239, 242	RC733C	249, 252
R3T08T	107	RBD	311	RC613C(L/R)	240, 243	RC733D	252
R3T15T	107	RBDP6030J(K,A,B)	277, 278, 279	RC613D(L/R)	244	RC733E(L/R)	249, 252
R3T34(F/T)	107	RBDP7230J(K,A,B)	277, 278, 279	RC613G(L/R)	239, 242	RC733F	247, 251
R3T42(B)(F/T)	107	RBDP8430J(K,A,B)	277, 278, 279	RC613P(L/R)	239, 242	RC733G	247, 251
R3T49(B)(F/T)	107	RBDP9630J(K,A,B)	277, 278, 279	RC623M(L/R)	254, 255	RC733H	246, 250
R3T64(B)(F/T)	107	RBDW	311	RC623N(L/R)	254, 255	RC733I	253
R3T79(B)(F/T)	107	RBF (Pair)	211	RC631B	238, 241	RC733P	248, 251
R3X08	108	RBPE(L/R)	311	RC632B	238, 241	RC762B	246, 250
R3X15	108	RBPP (L/R)	211	RC632C	240, 243	RC762C	249, 252
R3X34	108	RBPR (Pair)	212	RC632D	244	RC762D	252
R3X42(B)	108	RBPS (L/R)	212	RC632E(L/R)	240, 243	RC762E(L/R)	249, 252
R3X49(B)	108	RBR3624(A,B,W)	286, 287, 288	RC632F	239, 242	RC762F	247, 251
R3X64(B)	108	RBR3630(A,B,W)	286, 287, 288	RC632G	239, 242	RC762G	247, 251
R3X79(B)	108	RBR36H(H/V)	262	RC632H	238, 241	RC762H	246, 250
R5ZNNE (3 dividers)	324	RBR36M(H/V)	262	RC632I	245	RC762I	253
RAMTB	266	RBR4224(A,B,W)	286, 287, 288	RC632P	239, 242	RC762P	248, 251
RAMTC24	266	RBR4230(A,B,W)	286, 287, 288	RC633B	238, 241	RC763B	246, 250
RAMTC30	266	RBR42H(H/V)	262	RC633C	240, 243	RC763C	249, 252
RAMTC36	266	RBR42M(H/V)	262	RC633D	244	RC763D	252
RAMTC42	266	RBR4824(A,B,W)	286, 287, 288	RC633E(L/R)	240, 243	RC763E(L/R)	249, 252
RAMTC48	266	RBR4830(A,B,W)	286, 287, 288	RC633F	239, 242	RC763F	247, 251
RAMTC54	266	RBR48H(H/V)	262	RC633G	239, 242	RC763G	247, 251
RAMTC60	266	RBR48M(H/V)	262	RC633H	238, 241	RC763H	246, 250
RAMTC66	266	RBR54H(H/V)	262	RC633I	245	RC763I	253
RAMTC72	266	RBR54M(H/V)	262	RC633P	239, 242	RC763P	248, 251
RAMTCH24	266	RBR60H(H/V)	262	RC661B	238, 241	RCA1021	187
RAMTCH30	266	RBR60M(H/V)	262	RC662B	238, 241	RCA1022	187
RAMTCH36	266	RBR66H	262	RC662C	240, 243	RCA1081	187
RAMTCH42	266	RBR66M	262	RC662D	244	RCA1082	187
RAMTCH48	266	RBR72H	262	RC662E(L/R)	240, 243	RCA363611	155
RAMTCH54	266	RBR72M	262	RC662F	239, 242	RCA363612	156
RAMTCH60	266	RBSP6030J(A,B)	274, 275, 276	RC662G	239, 242	RCA363621	155
RAMTCH66	266	RBSP7230J(A,B)	274, 275, 276	RC662H	238, 241	RCA363622	156
RAMTCH72	266	RBSP8430J(A,B)	274, 275, 276	RC662I	245	RCA364211	155
RAMTT	266	RBSP9630J(A,B)	274, 275, 276	RC662P	239, 242	RCA364212	156
RAUH	317	RBWC24	212	RC663B	238, 241	RCA364221	155
RB24(M/H)(F/R)(H/V)	213	RBWC30	212	RC663C	240, 243	RCA364222	156
RB30(M/H)(F/R)(H/V)	213	RBWM	312	RC663D	244	RCA364811	155
RB3636	213	RBZ (A/B) (Pair)	211	RC663E(L/R)	240, 243	RCA364812	156
RB3642	213	RC412C(L/R)	233, 235	RC663F	239, 242	RCA364821	155
RB3648	213	RC413C(L/R)	233, 235	RC663G	239, 242	RCA364822	156
RB36(M/H)(F/R)(H/V)	213	RC423M(L/R)	254, 255	RC663H	238, 241	RCA423611	155
RB40MR	178	RC423N(L/R)	254, 255	RC663I	245	RCA423612	156
RB4236	213	RC431B	233, 235	RC663P	239, 242	RCA423621	155

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCA423622	156	RCA(A/B/C/D/E/F/G)F484221	173	RCD781	188	RCE1L4848SDN	182
RCA424211	155	RCA(A/B/C/D/E/F/G)F484222	173	RCD782	188	RCE1L4848SSN	182
RCA424212	156	RCA(A/B/C/D/E/F/G)F484811	172	RCD841	188	RCE1L4860DSN	183
RCA424221	155	RCA(A/B/C/D/E/F/G)F484812	172	RCD842	188	RCE1L4860SDN	183
RCA424222	156	RCA(A/B/C/D/E/F/G)F484821	173	RCD901	188	RCE1L4860SSN	183
RCA424811	155	RCA(A/B/C/D/E/F/G)F484822	173	RCD902	188	RCE1L4866DSN	183
RCA424812	156	RCABT1417	317	RCD961	188	RCE1L4866SDN	183
RCA424821	155	RCABT2917	317	RCD962	188	RCE1L4866SSN	183
RCA424822	156	RCACR16	317	RCDFMF60301	273	RCE1L4872DSN	183
RCA483611	155	RCACR30	317	RCDFMF60361	273	RCE1L4872SDN	183
RCA483612	156	RCACR30H	317	RCDFMF72301	273	RCE1L4872SSN	183
RCA483621	155	RCACR36	317	RCDFMF72361	273	RCE1L4878SSN	183
RCA483622	156	RCACR36H	317	RCDFMF84301	273	RCE1L4884SSN	183
RCA484211	155	RCAS1220	318	RCDFMF84361	273	RCE1L6042SSN	183
RCA484212	156	RCAS1224	318	RCDFMF96301	273	RCE1L6048DSN	183
RCA484221	155	RCAS1620	318	RCDFMF96361	273	RCE1L6048SDN	183
RCA484222	156	RCAS1624	318	RCDFMR60301	270	RCE1L6048SSN	183
RCA484811	155	RCAS1920	318	RCDFMR60361	270	RCE1L6642SSN	183
RCA484812	156	RCAS1924	318	RCDFMR72301	270	RCE1L6648DSN	183
RCA484821	155	RCAS3015	318	RCDFMR72361	270	RCE1L6648SDN	183
RCA484822	156	RCAS3020	318	RCDFMR84301	270	RCE1L6648SSN	183
RCA601	187	RCAS3024	318	RCDFMR84361	270	RCE1L7242SSN	183
RCA602	187	RCAS3615	318	RCDFMR96301	270	RCE1L7248DSN	183
RCA661	187	RCAS3620	318	RCDFMR96361	270	RCE1L7248SDN	183
RCA662	187	RCAS3624	318	RCDHMR60301	271	RCE1L7248SSN	183
RCA721	187	RCB20T	215	RCDHMR60361	271	RCE1L7842SSN	183
RCA722	187	RCB24T	215	RCDHMR72301	271	RCE1L7848SSN	183
RCA781	187	RCB24X	218	RCDHMR72361	271	RCE1L8448SSN	183
RCA782	187	RCB28X	218	RCDHMR84301	271	RCE1R1212G	321
RCA841	187	RCB30T	215	RCDHMR84361	271	RCE1R2424N	181
RCA842	187	RCB36X	218	RCDHMR96301	271	RCE1R2430N	181
RCA901	187	RCB40T	215	RCDHMR96361	271	RCE1R3024N	181
RCA902	187	RCC30	313	RCDP6024K(A,B)	289, 290, 291	RCE1R3030N	181
RCA961	187	RCC40	313	RCDP7224K(A,B)	289, 290, 291	RCE1R3624N	181
RCA962	187	RCCDLA23672	157	RCDP8424K(A,B)	289, 290, 291	RCE1R3630N	181
RCA(A/B/C/D/E/F/G)F363611	172	RCCDLA23678	157	RCDP9624K(A,B)	289, 290, 291	RCE1R4224N	181
RCA(A/B/C/D/E/F/G)F363612	172	RCCDLA23684	157	RCDQMR60301	272	RCE1R4230N	181
RCA(A/B/C/D/E/F/G)F363621	173	RCCDLA23696	157	RCDQMR60361	272	RCE1R4824N	181
RCA(A/B/C/D/E/F/G)F363622	173	RCCDLA33672	157	RCDQMR72301	272	RCE1R4830N	181
RCA(A/B/C/D/E/F/G)F364211	172	RCCDLA33678	157	RCDQMR72361	272	RCE1R5424N	181
RCA(A/B/C/D/E/F/G)F364212	172	RCCDLA33684	157	RCDQMR84301	272	RCE1R5430N	181
RCA(A/B/C/D/E/F/G)F364221	173	RCCDLA33696	157	RCDQMR84361	272	RCE1R6024N	181
RCA(A/B/C/D/E/F/G)F364222	173	RCCDLA33696	157	RCDQMR96301	272	RCE1R6030N	181
RCA(A/B/C/D/E/F/G)F364811	172	RCCDLA33696	157	RCDQMR96361	272	RCE1R6624N	181
RCA(A/B/C/D/E/F/G)F364812	172	RCCDLA33696	157	RCE1021	186	RCE1R6630N	181
RCA(A/B/C/D/E/F/G)F364821	173	RCCDLA33696	157	RCE1022	186	RCE1R7224N	181
RCA(A/B/C/D/E/F/G)F364822	173	RCCDLA33696	157	RCE1081	186	RCE1R7230N	181
RCA(A/B/C/D/E/F/G)F423611	172	RCCDLA33696	157	RCE1082	186	RCE1R7824N	181
RCA(A/B/C/D/E/F/G)F423612	172	RCCDLA33696	157	RCE1CR24L	184	RCE1R7830N	181
RCA(A/B/C/D/E/F/G)F423621	173	RCCDLA33696	157	RCE1CR24N	184	RCE1R8424N	181
RCA(A/B/C/D/E/F/G)F423622	173	RCD1021	188	RCE1CR24R	184	RCE1R8430N	181
RCA(A/B/C/D/E/F/G)F424211	172	RCD1022	188	RCE1H4818	184	RCE1R9024N	181
RCA(A/B/C/D/E/F/G)F424212	172	RCD1081	188	RCE1H4818P	184	RCE1R9030N	181
RCA(A/B/C/D/E/F/G)F424221	173	RCD1082	188	RCE1H6024	184	RCE1R9624N	181
RCA(A/B/C/D/E/F/G)F424222	173	RCD3L6024K(A,B)	289, 290, 291	RCE1H6024P	184	RCE1R9630N	181
RCA(A/B/C/D/E/F/G)F424811	172	RCD3L8424K(A,B)	289, 290, 291	RCE1L3636SSN	182	RCE1W362430N	185
RCA(A/B/C/D/E/F/G)F424812	172	RCD3L9624K(A,B)	289, 290, 291	RCE1L4242DSN	182	RCE1W363024N	185
RCA(A/B/C/D/E/F/G)F424821	173	RCD601	188	RCE1L4242SDN	182	RCE1W422430N	185
RCA(A/B/C/D/E/F/G)F424822	173	RCD602	188	RCE1L4242SSN	182	RCE1W423024N	185
RCA(A/B/C/D/E/F/G)F483611	172	RCD661	188	RCE1L4260SSN	183	RCE1W482430N	185
RCA(A/B/C/D/E/F/G)F483612	172	RCD662	188	RCE1L4266SSN	183	RCE1W483024N	185
RCA(A/B/C/D/E/F/G)F483621	173	RCD6L7224K(A,B)	289, 290, 291	RCE1L4272SSN	183	RCE1W722430N	185
RCA(A/B/C/D/E/F/G)F483622	173	RCD6L9624K(A,B)	289, 290, 291	RCE1L4278SSN	183	RCE1W723024N	185
RCA(A/B/C/D/E/F/G)F484211	172	RCD721	188	RCE1L4848DDN	182	RCE301	186
RCA(A/B/C/D/E/F/G)F484212	172	RCD722	188	RCE1L4848DSN	182	RCE302	186

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCE361	186	RCTRLE361	206	RDOJ60	310	RDTGA	305
RCE362	186	RCTRLE363	208	RDOJ66	310	RDTGB	305
RCE601	186	RCTRLE421	206	RDOJ72	310	RDTGC	305
RCE602	186	RCTRLE423	208	RDOJ78	310	RE12F	214
RCE661	186	RCTRWE361	207	RDOJ84	310	RE15F	214
RCE662	186	RCTRWE363	209	RDOJ90	310	RE19F	214
RCE721	186	RCTRWE421	207	RDOJ96	310	RE23F	214
RCE722	186	RCTRWE423	209	RDOTD202120(BB/W/W/WS)	307	RE29F	214
RCE781	186	RCTSLE361	206	RDOTD20272(BB/W/W/WS)	307	RE30	214
RCE782	186	RCTSLE363	208	RDOTD202H(BB/W/W/WS)	307	RE36	214
RCE841	186	RCTSLE421	206	RDOTD202L(BB/W/W/WS)	307	REBA6030	161
RCE842	186	RCTSLE423	208	RDOTD210120(BB/W/W/WS)	307	REBA7242	161
RCE901	186	RCTSWE361	207	RDOTD21072(BB/W/W/WS)	307	REBA7848	161
RCE902	186	RCTSWE363	209	RDOTD210H(BB/W/W/WS)	307	REBA(A/B/C/D/E/F/G)A6030	178
RCE961	186	RCTSWE421	207	RDOTD210L(BB/W/W/WS)	307	REBA(A/B/C/D/E/F/G)A7242	178
RCE962	186	RCTSWE423	209	RDOTD311120(BB/W/W/WS)	307	REBA(A/B/C/D/E/F/G)A7848	178
RCEAL223660	158	RCTTLE30481	206	RDOTD31172(BB/W/W/WS)	307	REBH24	178
RCEAL223672	158	RCTTLE30483	208	RDOTD311H(BB/W/W/WS)	307	REBH30	178
RCEAL224260	158	RCTTLE36541	206	RDOTD311L(BB/W/W/WS)	307	RFBDD	316
RCEAL224272	158	RCTTLE36543	208	RDOTD412120(BB/W/W/WS)	307	RFDR30	324
RCEAL224872	158	RCTTWE30481	207	RDOTD41272(BB/W/W/WS)	307	RFDR36	324
RCEAL224884	158	RCTTWE30483	209	RDOTD412H(BB/W/W/WS)	307	RFDR42	324
RCEAL224896	158	RCTTWE36541	207	RDOTD412L(BB/W/W/WS)	307	RFDR48	324
RCEAR223660	158	RCTTWE36543	209	RDOTP202120(BB/W/W/WS)	306	RFDR60	324
RCEAR223672	158	RDDP6030JK(A,B)	277, 278, 279	RDOTP20272(BB/W/W/WS)	306	RFDR72	324
RCEAR224260	158	RDDP6036JK(A,B)	277, 278, 279	RDOTP202H(BB/W/W/WS)	306	RFDR84	324
RCEAR224272	158	RDDP7230JK(A,B)	277, 278, 279	RDOTP202L(BB/W/W/WS)	306	RFDR96	324
RCEAR224872	158	RDDP7236JK(A,B)	277, 278, 279	RDOTP210120(BB/W/W/WS)	306	RFTCC108	129
RCEAR224884	158	RDDP8430JK(A,B)	277, 278, 279	RDOTP21072(BB/W/W/WS)	306	RFTCCCLIPS	129
RCEAR224896	158	RDDP8436JK(A,B)	277, 278, 279	RDOTP210H(BB/W/W/WS)	306	RFTCDR (Pair)	129
RCEEG1021	187	RDDP9630JK(A,B)	277, 278, 279	RDOTP210L(BB/W/W/WS)	306	RFTCG1 (Pair)	129
RCEEG1022	187	RDDP9636JK(A,B)	277, 278, 279	RDOTP311120(BB/W/W/WS)	306	RFTCSM (Pair) for G2 only	129
RCEEG1081	187	RDOCL202120(BB/W/W/WS)	309	RDOTP31172(BB/W/W/WS)	306	RFTCSpace	129
RCEEG1082	187	RDOCL20272(BB/W/W/WS)	309	RDOTP311H(BB/W/W/WS)	306	RFTCWA2118	121
RCEEG601	187	RDOCL202H(BB/W/W/WS)	309	RDOTP311L(BB/W/W/WS)	306	RFTCWA2120	121
RCEEG602	187	RDOCL202L(BB/W/W/WS)	309	RDOTU202120(BB/W/W/WS)	308	RFTCWA2124	121
RCEEG661	187	RDOCL210120(BB/W/W/WS)	309	RDOTU20272(BB/W/W/WS)	308	RFTCWA2130	121
RCEEG662	187	RDOCL21072(BB/W/W/WS)	309	RDOTU202H(BB/W/W/WS)	308	RFTCWA2136	121
RCEEG721	187	RDOCL210H(BB/W/W/WS)	309	RDOTU202L(BB/W/W/WS)	308	RFTCWA2142	121
RCEEG722	187	RDOCL210L(BB/W/W/WS)	309	RDOTU210120(BB/W/W/WS)	308	RFTCWA2148	121
RCEEG781	187	RDOCL311120(BB/W/W/WS)	309	RDOTU21072(BB/W/W/WS)	308	RFTCWA2518	122
RCEEG782	187	RDOCL31172(BB/W/W/WS)	309	RDOTU210H(BB/W/W/WS)	308	RFTCWA2520	122
RCEEG841	187	RDOCL311H(BB/W/W/WS)	309	RDOTU210L(BB/W/W/WS)	308	RFTCWA2524	122
RCEEG842	187	RDOCL311L(BB/W/W/WS)	309	RDOTU311120(BB/W/W/WS)	308	RFTCWA2530	122
RCEEG901	187	RDOCL412120(BB/W/W/WS)	309	RDOTU31172(BB/W/W/WS)	308	RFTCWA2536	122
RCEEG902	187	RDOCL41272(BB/W/W/WS)	309	RDOTU311H(BB/W/W/WS)	308	RFTCWA2542	122
RCEEG961	187	RDOCL412H(BB/W/W/WS)	309	RDOTU311L(BB/W/W/WS)	308	RFTCWA2548	122
RCEEG962	187	RDOCL412L(BB/W/W/WS)	309	RDOTU412120(BB/W/W/WS)	308	RFTCWA3718	123
RCOUNTWT3	231, 232, 316	RDOH120	310	RDOTU41272(BB/W/W/WS)	308	RFTCWA3720	123
RCP41-(F/L/1/2/3)*	115	RDOI60	310	RDOTU412H(BB/W/W/WS)	308	RFTCWA3724	123
RCP56-(F/L/1/2/3)*	115	RDOJ06	310	RDOTU412L(BB/W/W/WS)	308	RFTCWA3730	123
RCP71-(F/L/1/2/3)*	115	RDOJ102	310	RDSP6030J(A,B)	274, 275, 276	RFTCWA3736	123
RCP78-(F/L/1/2/3)*	115	RDOJ108	310	RDSP6036J(A,B)	274, 275, 276	RFTCWA3742	123
RCS3L6024K(A,B)	283, 284, 285	RDOJ114	310	RDSP7230J(A,B)	274, 275, 276	RFTCWA3748	123
RCS3L7224K(A,B)	283, 284, 285	RDOJ12	310	RDSP7236J(A,B)	274, 275, 276	RFTCWB2130	121
RCS3L8424K(A,B)	283, 284, 285	RDOJ120	310	RDSP8430J(A,B)	274, 275, 276	RFTCWB2136	121
RCS3L9624K(A,B)	283, 284, 285	RDOJ126	310	RDSP8436J(A,B)	274, 275, 276	RFTCWB2142	121
RCS6L6024K(A,B)	283, 284, 285	RDOJ132	310	RDSP9630J(A,B)	274, 275, 276	RFTCWB2148	121
RCS6L7224K(A,B)	283, 284, 285	RDOJ18	310	RDSP9636J(A,B)	274, 275, 276	RFTCWB2530	122
RCS6L8424K(A,B)	283, 284, 285	RDOJ24	310	RDTC3010	335	RFTCWB2536	122
RCS6L9624K(A,B)	283, 284, 285	RDOJ30	310	RDTC3610	335	RFTCWB2542	122
RCSF6024K(A,B)	283, 284, 285	RDOJ36	310	RDTC6010	335	RFTCWB2548	122
RCSF7224K(A,B)	283, 284, 285	RDOJ42	310	RDTC7210	335	RFTCWB3730	123
RCSF8424K(A,B)	283, 284, 285	RDOJ48	310	RDTC06010	335	RFTCWB3736	123
RCSF9624K(A,B)	283, 284, 285	RDOJ54	310	RDTC07210	335	RFTCWB3742	123

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RFTCWB3748	123	RGAR551	268	RKA 363612	151	RMDA4230	159
RFTCWS21S	129	RGAR552	268	RKA 363621	151	RMDA4236	159
RFTCWS25S	129	RGAR553	268	RKA 363622	150	RMDA4830	159
RFTCWS37S	129	RGAR611	268	RKA 364211	150	RMDA4836	159
RFTCWT (Pair)	129	RGAR612	268	RKA 364212	151	RMDA5025	159
RGAB421	267	RGAR613	268	RKA 364221	151	RMDA5430	159
RGAB481	267	RGAR671	268	RKA 364222	150	RMDA5436	159
RGAB541	267	RGAR672	268	RKA 364811	150	RMDA6030	159
RGAB601	267	RGAR673	268	RKA 364812	151	RMDA6036	159
RGAB661	267	RGAR731	268	RKA 364821	151	RMDA6630	159
RGAB721	267	RGAR732	268	RKA 364822	150	RMDA6636	159
RGAB781	267	RGAR733	268	RKA 423611	150	RMDA7230	159
RGAB841	267	RGAR791	268	RKA 423612	151	RMDA7236	159
RGAB901	267	RGAR792	268	RKA 423621	151	RMDA7830	159
RGAB961	267	RGAR793	268	RKA 423622	150	RMDA7836	159
RGAF622	267	RGAR851	268	RKA 424211	150	RMDA8430	159
RGAF623	267	RGAR852	268	RKA 424212	151	RMDA8436	159
RGAF682	267	RGAR853	268	RKA 424221	151	RMDA9030	159
RGAF683	267	RGAR911	268	RKA 424222	150	RMDA9036	159
RGAF742	267	RGAR912	268	RKA 424811	150	RMDA9630	159
RGAF743	267	RGAR913	268	RKA 424812	151	RMDA9636	159
RGAF802	267	RGAR971	268	RKA 424821	151	RMDA(A/B/C/D/E/F/G)F4221	176
RGAF803	267	RGAR972	268	RKA 424822	150	RMDA(A/B/C/D/E/F/G)F4230	176
RGAF862	267	RGAR973	268	RKA 483611	150	RMDA(A/B/C/D/E/F/G)F4236	176
RGAF863	267	RGS60	267	RKA 483612	151	RMDA(A/B/C/D/E/F/G)F4830	176
RGAF922	267	RGS66	267	RKA 483621	151	RMDA(A/B/C/D/E/F/G)F4836	176
RGAF923	267	RGS72	267	RKA 483622	150	RMDA(A/B/C/D/E/F/G)F5025	176
RGAF982	267	RGS78	267	RKA 484211	150	RMDA(A/B/C/D/E/F/G)F5430	176
RGAF983	267	RGS84	267	RKA 484212	151	RMDA(A/B/C/D/E/F/G)F5436	176
RGAL431	269	RGS90	267	RKA 484221	151	RMDA(A/B/C/D/E/F/G)F6030	176
RGAL432	269	RGS96	267	RKA 484222	150	RMDA(A/B/C/D/E/F/G)F6036	176
RGAL433	269	RHSC15	120	RKA 484811	150	RMDA(A/B/C/D/E/F/G)F6630	176
RGAL491	269	RHSC250	120	RKA 484812	151	RMDA(A/B/C/D/E/F/G)F6636	176
RGAL492	269	RHSC70	120	RKA 484821	151	RMDA(A/B/C/D/E/F/G)F7230	176
RGAL493	269	RIPI201	190	RKA 484822	150	RMDA(A/B/C/D/E/F/G)F7236	176
RGAL551	269	RIPI241	190	RKT31	317	RMDA(A/B/C/D/E/F/G)F7830	176
RGAL552	269	RIPI301	190	RL4L17	264	RMDA(A/B/C/D/E/F/G)F7836	176
RGAL553	269	RIPI361	190	RL4L31	264	RMDA(A/B/C/D/E/F/G)F8430	176
RGAL611	269	RIPO201	190	RL4L44	264	RMDA(A/B/C/D/E/F/G)F8436	176
RGAL612	269	RIPO241	190	RL4L58	264	RMDA(A/B/C/D/E/F/G)F9030	176
RGAL613	269	RIPO301	190	RM111J	231, 232	RMDA(A/B/C/D/E/F/G)F9036	176
RGAL671	269	RIPO361	190	RM112J	231, 232	RMDA(A/B/C/D/E/F/G)F9630	176
RGAL672	269	RIPOG201	190	RM212J	231, 232	RMDA(A/B/C/D/E/F/G)F9636	176
RGAL673	269	RIPOG241	190	RM212K	231, 232	RMPA4230	160
RGAL731	269	RIPOG301	190	RM9A4230	160	RMPA4836	160
RGAL732	269	RIPOG361	190	RM9A4836	160	RMPA8430	161
RGAL733	269	RJBU24	312	RM9A8430	160	RMPA9630	161
RGAL791	269	RJBU30	312	RM9A9630	160	RMPA(A/B/C/D/E/F/G)F4230	177
RGAL792	269	RJBU36	312	RM9A(A/B/C/D/E/F/G)F4230	177	RMPA(A/B/C/D/E/F/G)F4836	177
RGAL793	269	RJBU42	312	RM9A(A/B/C/D/E/F/G)F4836	177	RMPA(A/B/C/D/E/F/G)F8430	177
RGAL851	269	RJBU48	312	RM9A(A/B/C/D/E/F/G)F8430	177	RMPA(A/B/C/D/E/F/G)F9630	177
RGAL852	269	RJBU54	312	RM9A(A/B/C/D/E/F/G)F9630	177	RMSCB	210
RGAL853	269	RJBU60	312	RMB(A)7230	162	ROAF60S0()	261
RGAL911	269	RJBU66	312	RMB(A)7236	162	ROAF60S1()	261
RGAL912	269	RJBU72	312	RMB(A)8430	162	ROAF72S0()	261
RGAL913	269	RJBW24	312	RMB(A)8436	162	ROAF72S1()	261
RGAL971	269	RJBW30	312	RMB(A)9630	162	ROAF84S0()	261
RGAL972	269	RJBW36	312	RMB(A)9636	162	ROAF84S1()	261
RGAL973	269	RJBW42	312	RMBA(A/B/C/D/E/F/G)A7230	178	ROAF96S0()	261
RGAR431	268	RJBW48	312	RMBA(A/B/C/D/E/F/G)A7236	178	ROAF96S1()	261
RGAR432	268	RJBW54	312	RMBA(A/B/C/D/E/F/G)A8430	178	ROAH60T0()	261
RGAR433	268	RJBW60	312	RMBA(A/B/C/D/E/F/G)A8436	178	ROAH60T1()	261
RGAR491	268	RJBW66	312	RMBA(A/B/C/D/E/F/G)A9630	178	ROAH72T0()	261
RGAR492	268	RJBW72	312	RMBA(A/B/C/D/E/F/G)A9636	178	ROAH72T1()	261
RGAR493	268	RKA 363611	150	RMDA4221	159	ROAH90T0()	261

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROAH90T1()	261	RP211J	221, 224	RPB262K	222, 225	RR3-3PF	139
ROAH96T0()	261	RP211K	221, 224	RPB262L	228, 230	RR3-BNC	139
ROAH96T1()	261	RP211L(L/R)	227, 229	RPB262M	228, 230	RR3-C3C	139
ROAO60T0()	261	RP211M	227, 229	RPCG	305	RR3-C5C	139
ROAO60T1()	261	RP212J	221, 224	RPD11	317	RR3-C6C	139
ROAO72T0()	261	RP212K	221, 224	RPD14	317	RR3CHI241	136
ROAO72T1()	261	RP212L(L/R)	227, 229	RPETAD	316	RR3CHI242	136
ROAO90T0()	261	RP212M	227, 229	RPETRAY3C	316	RR3CHI301	136
ROAO90T1()	261	RP213J	221, 224	RPETRAY3N	316	RR3CHI302	136
ROAO96T0()	261	RP213K	221, 224	RPHCHH	314	RR3CHI361	136
ROAO96T1()	261	RP213L(L/R)	227, 229	RPHCHT	314	RR3CHI362	136
ROHDR30	324	RP213M	227, 229	RPHL3442(F/T)	116	RR3CHI421	136
ROHDR36	324	RP221J	223, 226	RPHL3449(F/T)	116	RR3CHI422	136
ROHDR42	324	RP221K	223, 226	RPHL3464(F/T)	116	RR3CHI481	136
ROHDR48	324	RP222J	223, 226	RPHL3479(F/T)	116	RR3CHI482	136
ROHDR60	324	RP222K	223, 226	RPHL4249(F/T)	116	RR3-DA	131, 134
ROHDR72	324	RP223J	223, 226	RPHL4249S	116	RR3-DAC	131, 134
ROHDR90	324	RP223K	223, 226	RPHL4264(F/T)	116	RR3-DATSHD	131, 134
ROHDR96	324	RP231K	221, 224	RPHL4264S	116	RR3-DB	131, 134
ROHMTF160	319	RP231L	227, 229	RPHL4279(F/T)	116	RR3-DBC	131, 134
ROHMTF166	319	RP231M	227, 229	RPHL4279S	116	RR3-DC	134
ROHMTF172	319	RP232K	221, 224	RPHL4964(F/T)	116	RR3-DCC	134
ROHMTF178	319	RP232L	227, 229	RPHL4964S	116	RR3-DICON	139
ROHMTF184	319	RP232M	227, 229	RPHL4979(F/T)	116	RR3-DX	131, 134
ROHMTF190	319	RP261K	221, 224	RPHL4979S	116	RR3-DXC	131, 134
ROHMTF196	319	RP261L	227, 229	RPHL6479(F/T)	116	RR3-DXO	131, 134
ROHWTF160	320	RP261M	227, 229	RPHL6479S	116	RR3-DY	131, 134
ROHWTF166	320	RP262K	221, 224	RPHTB3024	314	RR3-DYC	131, 134
ROHWTF172	320	RP262L	227, 229	RPHTB4224	314	RR3-DYO	131, 134
ROHWTF178	320	RP262M	227, 229	RPHWBM3024	314	RR3-DZ	134
ROHWTF184	320	RPAB16	232	RPHWBM4224	314	RR3-DZC	134
ROHWTF190	320	RPAB19	232	RPL1	216	RR3-DZO	134
ROHWTF196	320	RPAB30	232	RPOFL260201	217	RR3-E24	130
ROWH60S0()	259	RPAB36	232	RPOFL260241	217	RR3-E24RF	130
ROWH60S1()	259	RPAD	317	RPOFL260301	217	RR3-E24S	137
ROWH60T0()	259	RPADKIT	316	RPOFL260361	217	RR3-E30NS	130
ROWH60T1()	259	RPADSS	316	RPOFL266201	217	RR3-E30S	137
ROWH72S0()	259	RPAHFB16	316	RPOFL266241	217	RR3-E36NS	130
ROWH72S1()	259	RPAHFB30	316	RPOFL266301	217	RR3-E36S	137
ROWH72T0()	259	RPAHFB36	316	RPOFL266361	217	RR3-E42NS	130
ROWH72T1()	259	RPAHFM162	316	RPOFL272201	217	RR3-E42S	137
ROWH90S0()	259	RPAHFM30	316	RPOFL272241	217	RR3-E48NS	130
ROWH90S1()	259	RPAHFM36	316	RPOFL272301	217	RR3-E48S	137
ROWH90T0()	259	RPAPT	316	RPOFL272361	217	RR3-E60-4	130
ROWH90T1()	259	RPB211J	222, 225	RPOFL278201	217	RR3-E60-4RF	130
ROWH96S0()	259	RPB211K	222, 225	RPOFL278241	217	RR3-E66-4	130
ROWH96S1()	259	RPB211L(L/R)	228, 230	RPOFL278301	217	RR3-E66-4RF	130
ROWH96T0()	259	RPB211M	228, 230	RPOFL278361	217	RR3-E72-4	130
ROWH96T1()	259	RPB212J	222, 225	RPOFL284201	217	RR3-E72-4RF	130
ROWO60S0()	259	RPB212K	222, 225	RPOFL284241	217	RR3-EBBCL	138
ROWO60S1()	259	RPB212L(L/R)	228, 230	RPOFL284301	217	RR3-EBBCS	138
ROWO60T0()	259	RPB212M	228, 230	RPOFL284361	217	RR3EBVC50	141
ROWO60T1()	259	RPB213J	222, 225	RPRL1	216	RR3EBVC62	141
ROWO72S0()	259	RPB213K	222, 225	RPS1	216	RR3EBVC64	141
ROWO72S1()	259	RPB213L(L/R)	228, 230	RPULLSMPD	323	RR3EBVC76	141
ROWO72T0()	259	RPB213M	228, 230	RPULLSMPD	323	RR3EBVC78	141
ROWO72T1()	259	RPB231K	222, 225	RPULLSMPF	322	RR3EBVC90	141
ROWO90S0()	259	RPB231L	228, 230	RPULLSMPG	322	RR3-EJ18	132
ROWO90S1()	259	RPB231M	228, 230	RPULLSMPH	322	RR3-EJ18P	132
ROWO90T0()	259	RPB232K	222, 225	RPULLSMPJ	323	RR3-EJ20	132
ROWO90T1()	259	RPB232L	228, 230	RPULLSMPR	322	RR3-EJ20P	132
ROWO96S0()	259	RPB232M	228, 230	RPULLSMPS	323	RR3-EJ24	132
ROWO96S1()	259	RPB261K	222, 225	RPULLSMPT	322	RR3-EJ24P	132
ROWO96T0()	259	RPB261L	228, 230	RPWFL26	216	RR3-EJ30	132
ROWO96T1()	259	RPB261M	228, 230	RR3-2PF	139	RR3-EJ30P	132

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-EJ36	132	RR3TBVC50	142	RR3VDZC	141	RREP6024(A,B)	280, 281, 282
RR3-EJ36P	132	RR3TBVC62	142	RR3VDZO	141	RREP6030(A,B)	280, 281, 282
RR3-EJ42	132	RR3TBVC64	142	RR3VPBK	141	RRMC3010	335
RR3-EJ42P	132	RR3TBVC76	142	RAA12036	163	RRMC3610	335
RR3-EJ48	132, 138	RR3TBVC78	142	RAA12042	163	RRMC6010	335
RR3-EJ48P	132	RR3TBVC90	142	RAA12048	163	RRMC7210	335
RR3-EJ54P	132	RR3-TJ18	135	RAA14442	163	RROF10	120
RR3-EJ60P	132, 138	RR3-TJ18P	135	RAA14448	163	RROF4	120
RR3-EJ66P	132, 138	RR3-TJ20	135	RAA16842	163	RRSP3624K(A,B)	280, 281, 282
RR3-EJ72P	132, 138	RR3-TJ20P	135	RAA16848	163	RRSP3630K(A,B)	280, 281, 282
RR3-EJ78P	132	RR3-TJ24	135	RAA19242	163	RRSP4224K(A,B)	280, 281, 282
RR3-EJ84P	132	RR3-TJ24P	135	RAA19248	163	RRSP4230K(A,B)	280, 281, 282
RR3-EJ90P	132	RR3-TJ30	135	RAA3636	163	RRSP4824K(A,B)	280, 281, 282
RR3-EJ96P	132	RR3-TJ30P	135	RAA4242	163	RRSP4830K(A,B)	280, 281, 282
RR3-EPC24M	130	RR3-TJ36	135	RAA4848	163	RRSP5424K(A,B)	280, 281, 282
RR3-EPCM	130	RR3-TJ36P	135	RAA6060	163	RRSP5430K(A,B)	280, 281, 282
RR3-EPCP24M	130	RR3-TJ42	135	RAA7230	163	RRSP6024K(A,B)	280, 281, 282
RR3-EPCPM	130	RR3-TJ42P	135	RAA7236	163	RRSP6030K(A,B)	280, 281, 282
RR3-EPCPSM	130	RR3-TJ48	135	RAA7272	163	RSA241	147
RR3-EPCSM	130	RR3TJ48	138	RAA8430	163	RSA242	147
RR3-EPI	132	RR3-TJ48P	135	RAA8436	163	RSA243	148
RR3-EPNY1	132	RR3-TJ54P	135	RAA8442	163	RSA301	147
RR3-EPNY2	132	RR3-TJ60P	135	RAA9630	163	RSA302	147
RR3-EPVR	115, 132	RR3TJ60P	138	RAA9636	163	RSA303	148
RR3EVJ	142	RR3-TJ66P	135	RAA9642	163	RSA361	147
RR3EVJ110	142	RR3TJ66P	138	RAA9648	163	RSA362	147
RR3EVJ82	142	RR3-TJ72P	135	RAA(A/B/C/D/E/F/G)12036-(1/2/3)	180	RSA363	148
RR3EVJ96	142	RR3TJ72P	138	RAA(A/B/C/D/E/F/G)12042-(1/2/3)	180	RSA421	147
RR3-FB	139	RR3-TJ78P	135	RAA(A/B/C/D/E/F/G)12048-(1/2/3)	180	RSA422	147
RR3FDP	141	RR3-TJ84P	135	RAA(A/B/C/D/E/F/G)14442-(1/2/3)	180	RSA423	148
RR3-FE	139	RR3-TJ90P	135	RAA(A/B/C/D/E/F/G)14448-(1/2/3)	180	RSA481	147
RR3-FOSC	139	RR3-TJ96P	135	RAA(A/B/C/D/E/F/G)16842-(1/2/3)	180	RSA482	147
RR3-FOST	139	RR3-TPC24M	133	RAA(A/B/C/D/E/F/G)16848-(1/2/3)	180	RSA483	148
RR3-FV	139	RR3-TPCM	133	RAA(A/B/C/D/E/F/G)19242-(1/2/3)	180	RSA541	147
RR3-LTPC	138	RR3-TPCP24M	133	RAA(A/B/C/D/E/F/G)19248-(1/2/3)	180	RSA542	147
RR3-LTPC24	138	RR3-TPCPM	133	RAA(A/B/C/D/E/F/G)3636-(1/2/3)	180	RSA543	148
RR3-LTPCP	138	RR3-TPCPSM	133	RAA(A/B/C/D/E/F/G)4242-(1/2/3)	180	RSA601	147
RR3-MICON	139	RR3-TPCSM	133	RAA(A/B/C/D/E/F/G)4848-(1/2/3)	180	RSA602	147
RR3MP4	321	RR3-TPI	135	RAA(A/B/C/D/E/F/G)6060-(1/2/3)	180	RSA603	148
RR3MP6	321	RR3-TPNY1	135	RAA(A/B/C/D/E/F/G)7230-(1/2/3)	180	RSA604	148
RR3PICON	139	RR3-TPNY2	135	RAA(A/B/C/D/E/F/G)7236-(1/2/3)	180	RSA661	147
RR3-REPI	132	RR3-TPVR	115, 135	RAA(A/B/C/D/E/F/G)7272-(1/2/3)	180	RSA662	147
RR3-RTPI	135	RR3TVJ	142	RAA(A/B/C/D/E/F/G)8430-(1/2/3)	180	RSA663	148
RR3-SP-(A, B, C, X, Y, Z)	135	RR3TVJ110	142	RAA(A/B/C/D/E/F/G)8436-(1/2/3)	180	RSA664	148
RR3-SP-(A,B,X,Y)	132	RR3TVJ82	142	RAA(A/B/C/D/E/F/G)8442-(1/2/3)	180	RSA721	147
RR3-ST	139	RR3TVJ96	142	RAA(A/B/C/D/E/F/G)9630-(1/2/3)	180	RSA722	147
RR3-T24	133	RR3-USBA	131	RAA(A/B/C/D/E/F/G)9636-(1/2/3)	180	RSA723	148
RR3-T24RF	133	RR3-USBB	131	RAA(A/B/C/D/E/F/G)9642-(1/2/3)	180	RSA724	148
RR3-T24S	137	RR3-USBC	131	RRBRD3612	321	RSA781	147
RR3-T30NS	133	RR3-USBX	131	RRD3FTCPPL(L/R)7936	118	RSA782	147
RR3-T30S	137	RR3-USBY	131	RRD3FTCPPL(L/R)7942	118	RSA783	148
RR3-T36NS	133	RR3-USBZ	131	RRD3PPL(L/R)7936	118	RSA841	147
RR3-T36S	137	RR3VDA	141	RRD3PPL(L/R)7942	118	RSA842	147
RR3-T42NS	133	RR3VDAC	141	RRDPPL(L/R)6436	118	RSA843	148
RR3-T42S	137	RR3VDB	141	RRDPPL(L/R)6442	118	RSA901	147
RR3-T48NS	133	RR3VDBC	141	RRDTH	118	RSA902	147
RR3-T48S	137	RR3VDC	141	RRDTH(L/R)	118	RSA903	148
RR3-T60-4	133	RR3VDCC	141	RREP3624(A,B)	280, 281, 282	RSA961	147
RR3-T60-4RF	133	RR3VDX	141	RREP3630(A,B)	280, 281, 282	RSA962	147
RR3-T66-4	133	RR3VDXC	141	RREP4224(A,B)	280, 281, 282	RSA963	148
RR3-T66-4RF	133	RR3VDXO	141	RREP4230(A,B)	280, 281, 282	RSA(A/B/C/D/E/F/G)A241	168
RR3-T72-4	133	RR3VDY	141	RREP4824(A,B)	280, 281, 282	RSA(A/B/C/D/E/F/G)A242	168
RR3-T72-4RF	133	RR3VDYC	141	RREP4830(A,B)	280, 281, 282	RSA(A/B/C/D/E/F/G)A243	169
RR3-TBBCL	138	RR3VDYO	141	RREP5424(A,B)	280, 281, 282	RSA(A/B/C/D/E/F/G)A301	168
RR3-TBBCS	138	RR3VDZ	141	RREP5430(A,B)	280, 281, 282	RSA(A/B/C/D/E/F/G)A302	168

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA(A/B/C/D/E/F/G)A303	169	RSA(A/B/C/D/E/F/G)F601	166	RSC254	215	RSTRLE363	203
RSA(A/B/C/D/E/F/G)A361	168	RSA(A/B/C/D/E/F/G)F602	166	RSC3	215	RSTRLE421	200
RSA(A/B/C/D/E/F/G)A362	168	RSA(A/B/C/D/E/F/G)F603	167	RSC304	215	RSTRLE423	203
RSA(A/B/C/D/E/F/G)A363	169	RSA(A/B/C/D/E/F/G)F604	167	RSCC4	215	RSTRSE361	202
RSA(A/B/C/D/E/F/G)A421	168	RSA(A/B/C/D/E/F/G)F661	166	RSCL4	215	RSTRSE363	205
RSA(A/B/C/D/E/F/G)A422	168	RSA(A/B/C/D/E/F/G)F662	166	RSD1427	219	RSTRSE421	202
RSA(A/B/C/D/E/F/G)A423	169	RSA(A/B/C/D/E/F/G)F663	167	RSD1827	219	RSTRSE423	205
RSA(A/B/C/D/E/F/G)A481	168	RSA(A/B/C/D/E/F/G)F664	167	RSD2027	219	RSTRWE361	201
RSA(A/B/C/D/E/F/G)A482	168	RSA(A/B/C/D/E/F/G)F721	166	RSD2427	219	RSTRWE363	204
RSA(A/B/C/D/E/F/G)A483	169	RSA(A/B/C/D/E/F/G)F722	166	RSD3027	219	RSTRWE421	201
RSA(A/B/C/D/E/F/G)A541	168	RSA(A/B/C/D/E/F/G)F723	167	RSD3627	219	RSTRWE423	204
RSA(A/B/C/D/E/F/G)A542	168	RSA(A/B/C/D/E/F/G)F724	167	RSDR30	324	RSTSLE361	200
RSA(A/B/C/D/E/F/G)A543	169	RSA(A/B/C/D/E/F/G)F781	166	RSDR36	324	RSTSLE363	203
RSA(A/B/C/D/E/F/G)A601	168	RSA(A/B/C/D/E/F/G)F782	166	RSDR42	324	RSTSLE421	200
RSA(A/B/C/D/E/F/G)A602	168	RSA(A/B/C/D/E/F/G)F783	167	RSDR48	324	RSTSLE423	203
RSA(A/B/C/D/E/F/G)A603	169	RSA(A/B/C/D/E/F/G)F841	166	RSDR54	324	RSTSSE361	202
RSA(A/B/C/D/E/F/G)A604	169	RSA(A/B/C/D/E/F/G)F842	166	RSDR60	324	RSTSSE363	205
RSA(A/B/C/D/E/F/G)A661	168	RSA(A/B/C/D/E/F/G)F843	167	RSDR66	324	RSTSSE421	202
RSA(A/B/C/D/E/F/G)A662	168	RSA(A/B/C/D/E/F/G)F901	166	RSDR72	324	RSTSSE423	205
RSA(A/B/C/D/E/F/G)A663	169	RSA(A/B/C/D/E/F/G)F902	166	RSDR78	324	RSTSWE361	201
RSA(A/B/C/D/E/F/G)A664	169	RSA(A/B/C/D/E/F/G)F903	167	RSDR84	324	RSTSWE363	204
RSA(A/B/C/D/E/F/G)A721	168	RSA(A/B/C/D/E/F/G)F961	166	RSDR90	324	RSTSWE421	201
RSA(A/B/C/D/E/F/G)A722	168	RSA(A/B/C/D/E/F/G)F962	166	RSDR96	324	RSTSWE423	204
RSA(A/B/C/D/E/F/G)A723	169	RSA(A/B/C/D/E/F/G)F963	167	RSE1(L/R)	214	RSTTLE30481	200
RSA(A/B/C/D/E/F/G)A724	169	RSA(A/B/C/D/E/F/G)L241	170	RSE2(L/R)	214	RSTTLE30483	203
RSA(A/B/C/D/E/F/G)A781	168	RSA(A/B/C/D/E/F/G)L242	170	RSE3(L/R)	214	RSTTLE36541	200
RSA(A/B/C/D/E/F/G)A782	168	RSA(A/B/C/D/E/F/G)L301	170	RSE4(L/R)	214	RSTTLE36543	203
RSA(A/B/C/D/E/F/G)A783	169	RSA(A/B/C/D/E/F/G)L302	170	RSE5(L/R)	214	RSTTSE30481	202
RSA(A/B/C/D/E/F/G)A841	168	RSA(A/B/C/D/E/F/G)L361	170	RSE6(L/R)	214	RSTTSE30483	205
RSA(A/B/C/D/E/F/G)A842	168	RSA(A/B/C/D/E/F/G)L362	170	RSHA2027	219	RSTTSE36541	202
RSA(A/B/C/D/E/F/G)A843	169	RSA(A/B/C/D/E/F/G)L421	170	RSHA2427	219	RSTTSE36543	205
RSA(A/B/C/D/E/F/G)A901	168	RSA(A/B/C/D/E/F/G)L422	170	RSHA3027	219	RSTTWE30481	201
RSA(A/B/C/D/E/F/G)A902	168	RSA(A/B/C/D/E/F/G)L481	170	RSHA3627	219	RSTTWE30483	204
RSA(A/B/C/D/E/F/G)A903	169	RSA(A/B/C/D/E/F/G)L482	170	RSL12	219	RSTTWE36541	201
RSA(A/B/C/D/E/F/G)A961	168	RSA(A/B/C/D/E/F/G)R241	171	RSL15	219	RSTTWE36543	204
RSA(A/B/C/D/E/F/G)A962	168	RSA(A/B/C/D/E/F/G)R242	171	RSL20	219	RSWA15 18	100
RSA(A/B/C/D/E/F/G)A963	169	RSA(A/B/C/D/E/F/G)R301	171	RSL24	219	RSWA15 20	100
RSA(A/B/C/D/E/F/G)B241	170	RSA(A/B/C/D/E/F/G)R302	171	RSL30	219	RSWA15 24	100
RSA(A/B/C/D/E/F/G)B242	170	RSA(A/B/C/D/E/F/G)R361	171	RSL36	219	RSWA15 30	100
RSA(A/B/C/D/E/F/G)B301	170	RSA(A/B/C/D/E/F/G)R362	171	RSL42	219	RSWA15 36	100
RSA(A/B/C/D/E/F/G)B302	170	RSA(A/B/C/D/E/F/G)R421	171	RSL48	219	RSWA15 42	100
RSA(A/B/C/D/E/F/G)B361	170	RSA(A/B/C/D/E/F/G)R422	171	RSNTT18(A/B/C/E)	111	RSWA15 48	100
RSA(A/B/C/D/E/F/G)B362	170	RSA(A/B/C/D/E/F/G)R481	171	RSNTT20(A/B/C/E)	111	RSWAD1560	101
RSA(A/B/C/D/E/F/G)B421	170	RSA(A/B/C/D/E/F/G)R482	171	RSNTT24(A/B/C/E)	111	RSWAD1572	101
RSA(A/B/C/D/E/F/G)B422	170	RSAMP1616	321	RSNTT30(A/B/C/E)	111	RSWAD1584	101
RSA(A/B/C/D/E/F/G)B481	170	RSAR361(H/V)	149	RSNTT33(A/B/C/E) (66" wide panels one only)	111	RSWAD1596	101
RSA(A/B/C/D/E/F/G)B482	170	RSAR362(H/V)	149	RSNTT36(A/B/C/E)	111	RSWAD2260	101
RSA(A/B/C/D/E/F/G)F241	166	RSAR421(H/V)	149	RSNTT42(A/B/C/E)	111	RSWAD2272	101
RSA(A/B/C/D/E/F/G)F242	166	RSAR422(H/V)	149	RSNTT48(A/B/C/E)	111	RSWAD2284	101
RSA(A/B/C/D/E/F/G)F243	167	RSAR481(H/V)	149	RSPABPD	116	RSWAD2296	101
RSA(A/B/C/D/E/F/G)F301	166	RSAR482(H/V)	149	RSPABPP	116	RSWB15 30	100
RSA(A/B/C/D/E/F/G)F302	166	RSAR541(H/V)	149	RSPABPT	116	RSWB15 36	100
RSA(A/B/C/D/E/F/G)F303	167	RSAR542(H/V)	149	RSPABPW	116	RSWB15 42	100
RSA(A/B/C/D/E/F/G)F361	166	RSAR601(H/V)	149	RSPABTD	116	RSWB15 48	100
RSA(A/B/C/D/E/F/G)F362	166	RSAR602(H/V)	149	RSPABTT	117	RSWC30 18	100
RSA(A/B/C/D/E/F/G)F363	167	RSAR661(H/V)	149	RSPABTW	117	RSWC30 20	100
RSA(A/B/C/D/E/F/G)F421	166	RSAR662(H/V)	149	RSPABWD	117	RSWC30 24	100
RSA(A/B/C/D/E/F/G)F422	166	RSAR721(H/V)	149	RSPABWW	117	RSWC30 30	100
RSA(A/B/C/D/E/F/G)F423	167	RSAR722(H/V)	149	RST1	219	RSWC30 36	100
RSA(A/B/C/D/E/F/G)F481	166	RSBWH20	211	RST2	219	RSWC30 42	100
RSA(A/B/C/D/E/F/G)F482	166	RSBWH24	211	RST3	219	RSWC30 48	100
RSA(A/B/C/D/E/F/G)F483	167	RSBWH30	211	RST4	219	RSWWA601	263
RSA(A/B/C/D/E/F/G)F541	166	RSBWH36	211	RST5	219	RSWWA602	263
RSA(A/B/C/D/E/F/G)F542	166	RSBWH42	211	RST6	219	RSWWA721	263
RSA(A/B/C/D/E/F/G)F543	167	RSBWH48	211	RSTRLE361	200	RSWWA722	263

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSWWA901	263	RTM284481H	195	RTTA66()	265	RWEA3626	154
RSWWA902	263	RTM290361H	194	RTTA72()	265	RWEA3631	154
RSWWA961	263	RTM290421H	194	RTTA78()	265	RWEA3662	154
RSWWA962	263	RTM290481H	195	RTTA84()	265	RWEA4213	154
RSWWA(A/B/C/D/E/F/G)601	263	RTM296361H	194	RTTA90()	265	RWEA4226	154
RSWWA(A/B/C/D/E/F/G)602	263	RTM296421H	194	RTTA96()	265	RWEA4231	154
RSWWA(A/B/C/D/E/F/G)721	263	RTM296481H	195	RTTDC72361	198	RWEA4262	154
RSWWA(A/B/C/D/E/F/G)722	263	RTM472361H	196	RTTDC84421	198	RWEA4813	154
RSWWA(A/B/C/D/E/F/G)901	263	RTM472421H	196	RTTDC96481	198	RWEA4826	154
RSWWA(A/B/C/D/E/F/G)902	263	RTM472481H	197	RUMC3010	335	RWEA4831	154
RSWWA(A/B/C/D/E/F/G)961	263	RTM478361H	196	RUMC3610	335	RWEA4862	154
RSWWA(A/B/C/D/E/F/G)962	263	RTM478421H	196	RUMC6010	336	RWEA7220(L/R)	260
RTA12036	164	RTM478481H	197	RUMC7210	336	RWEA7224(L/R)	260
RTA12042	164	RTM484361H	196	RUTB	212	RWEA(A/B/C/D/E/F/G)F3613	175
RTA12048	164	RTM484421H	196	RWA3623	152	RWEA(A/B/C/D/E/F/G)F3626	175
RTA14442	164	RTM484481H	197	RWA3632	153	RWEA(A/B/C/D/E/F/G)F3631	174
RTA14448	164	RTM490361H	196	RWA4212	153	RWEA(A/B/C/D/E/F/G)F3662	175
RTA16842	164	RTM490421H	196	RWA4221	152	RWEA(A/B/C/D/E/F/G)F4213	175
RTA16848	164	RTM490481H	197	RWA4223	152	RWEA(A/B/C/D/E/F/G)F4226	175
RTA19242	164	RTM496361H	196	RWA4232	153	RWEA(A/B/C/D/E/F/G)F4231	174
RTA19248	164	RTM496421H	196	RWA4812	153	RWEA(A/B/C/D/E/F/G)F4262	175
RTA3636	164	RTM496481H	197	RWA4821	152	RWEA(A/B/C/D/E/F/G)F4813	175
RTA4242	164	RTNDC363	199	RWA4823	152	RWEA(A/B/C/D/E/F/G)F4826	175
RTA4848	164	RTNDC421	198	RWA4832	153	RWEA(A/B/C/D/E/F/G)F4831	174
RTA6060	164	RTNDC423	199	RWA5412	153	RWEA(A/B/C/D/E/F/G)F4862	175
RTA7230	164	RTNDC481	198	RWA5421	152	RWEB7220(L/R)	260
RTA7236	164	RTNDC483	199	RWA5423	152	RWEB7224(L/R)	260
RTA7272	164	RTOP2	321	RWA5432	153	RWEC7220(L/R)	260
RTA8430	164	RTRDC48303	199	RWA6012	153	RWEC7224(L/R)	260
RTA8436	164	RTRDC60303	199	RWA6021	152	RWED7220(L/R)	260
RTA8442	164	RTRDC72303	199	RWA6023	152	RWED7224(L/R)	260
RTA9630	164	RTRDC72361	198	RWA6032	153	RWHDHTB3026	314
RTA9636	164	RTRDC72363	199	RWA6612	153	RWHDHTB30H1	325
RTA9642	164	RTRDC84421	198	RWA6621	152	RWHDHTB30H2	326
RTA9648	164	RTRDC96481	198	RWA6623	152	RWHDHTB30H3	327
RTA(A/B/C/D/E/F/G)12036-(1/2/3)	179	RTRDOF60241	189	RWA6632	153	RWHDHTB30H4	328
RTA(A/B/C/D/E/F/G)12042-(1/2/3)	179	RTRDOF60301	189	RWA7212	153	RWHDHTB30H5	329
RTA(A/B/C/D/E/F/G)12048-(1/2/3)	179	RTRDOF60361	189	RWA7221	152	RWHDHTB3626	314
RTA(A/B/C/D/E/F/G)14442-(1/2/3)	179	RTRDOF66241	189	RWA7223	152	RWHDHTB36H1	325
RTA(A/B/C/D/E/F/G)14448-(1/2/3)	179	RTRDOF66301	189	RWA7232	153	RWHDHTB36H2	326
RTA(A/B/C/D/E/F/G)16842-(1/2/3)	179	RTRDOF66361	189	RWA(A/B/C/D/E/F/G)F4212	174	RWHDHTB36H3	327
RTA(A/B/C/D/E/F/G)16848-(1/2/3)	179	RTRDOF72241	189	RWA(A/B/C/D/E/F/G)F4221	174	RWHDHTB36H4	328
RTA(A/B/C/D/E/F/G)19242-(1/2/3)	179	RTRDOF72301	189	RWA(A/B/C/D/E/F/G)F4223	174	RWHDHTB36H5	329
RTA(A/B/C/D/E/F/G)19248-(1/2/3)	179	RTRDOF72361	189	RWA(A/B/C/D/E/F/G)F4232	174	RWHDHTB4226	314
RTA(A/B/C/D/E/F/G)3636-(1/2/3)	179	RTRDOF78241	189	RWA(A/B/C/D/E/F/G)F4812	174	RWHDHTB42H1	325
RTA(A/B/C/D/E/F/G)4242-(1/2/3)	179	RTRDOF78301	189	RWA(A/B/C/D/E/F/G)F4821	174	RWHDHTB42H2	326
RTA(A/B/C/D/E/F/G)4848-(1/2/3)	179	RTRDOF78361	189	RWA(A/B/C/D/E/F/G)F4823	174	RWHDHTB42H3	327
RTA(A/B/C/D/E/F/G)6060-(1/2/3)	179	RTRDOF84241	189	RWA(A/B/C/D/E/F/G)F4832	174	RWHDHTB42H4	328
RTA(A/B/C/D/E/F/G)7230-(1/2/3)	179	RTRDOF84301	189	RWA(A/B/C/D/E/F/G)F5412	174	RWHDHTB42H5	329
RTA(A/B/C/D/E/F/G)7236-(1/2/3)	179	RTRDOF84361	189	RWA(A/B/C/D/E/F/G)F5421	174	RWHDHTB4826	314
RTA(A/B/C/D/E/F/G)7272-(1/2/3)	179	RTSDC361	198	RWA(A/B/C/D/E/F/G)F5423	174	RWHDHTB48H1	325
RTA(A/B/C/D/E/F/G)8430-(1/2/3)	179	RTSDC421	198	RWA(A/B/C/D/E/F/G)F5432	174	RWHDHTB48H2	326
RTA(A/B/C/D/E/F/G)8436-(1/2/3)	179	RTSDC42423	199	RWA(A/B/C/D/E/F/G)F6012	174	RWHDHTB48H3	327
RTA(A/B/C/D/E/F/G)8442-(1/2/3)	179	RTSDC481	198	RWA(A/B/C/D/E/F/G)F6021	174	RWHDHTB48H4	328
RTA(A/B/C/D/E/F/G)9630-(1/2/3)	179	RTSDC48483	199	RWA(A/B/C/D/E/F/G)F6023	174	RWHDHTB48H5	329
RTA(A/B/C/D/E/F/G)9636-(1/2/3)	179	RTSF14	314	RWA(A/B/C/D/E/F/G)F6032	174	RWHDHTB54H1	325
RTA(A/B/C/D/E/F/G)9642-(1/2/3)	179	RTSF28	314	RWA(A/B/C/D/E/F/G)F6612	174	RWHDHTB54H2	326
RTM272361H	194	RTST14	315	RWA(A/B/C/D/E/F/G)F6621	174	RWHDHTB54H3	327
RTM272421H	194	RTTA24()	265	RWA(A/B/C/D/E/F/G)F6623	174	RWHDHTB54H4	328
RTM272481H	195	RTTA30()	265	RWA(A/B/C/D/E/F/G)F6632	174	RWHDHTB54H5	329
RTM278361H	194	RTTA36()	265	RWA(A/B/C/D/E/F/G)F7212	174	RWHDHTB60H1	325
RTM278421H	194	RTTA42()	265	RWA(A/B/C/D/E/F/G)F7221	174	RWHDHTB60H2	326
RTM278481H	195	RTTA48()	265	RWA(A/B/C/D/E/F/G)F7223	174	RWHDHTB60H3	327
RTM284361H	194	RTTA54()	265	RWA(A/B/C/D/E/F/G)F7232	174	RWHDHTB60H4	328
RTM284421H	194	RTTA60()	265	RWEA3613	154	RWHDHTB60H5	329

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RWHDHTB66H1	325	YPSB2030F	331	YPSB3848	334
RWHDHTB66H2	326	YPSB2036	333	YPSB3848F	332
RWHDHTB66H3	327	YPSB2036F	331	YPSB3854	334
RWHDHTB66H4	328	YPSB2042	333	YPSB3854F	332
RWHDHTB66H5	329	YPSB2042F	331	YPSB3860	334
RWHDHTB72H1	325	YPSB2048	333	YPSB3860F	332
RWHDHTB72H2	326	YPSB2048F	331	YPSB3866	334
RWHDHTB72H3	327	YPSB2054	333	YPSB3866FRR	332
RWHDHTB72H4	328	YPSB2054F	331	YPSB3872	334
RWHDHTB72H5	329	YPSB2060	333	YPSB3872FRR	332
RWHDHTB78H1	325	YPSB2060F	331		
RWHDHTB78H2	326	YPSB2066	333		
RWHDHTB78H3	327	YPSB2066FRR	331		
RWHDHTB78H4	328	YPSB2072	333		
RWHDHTB78H5	329	YPSB2072FRR	331		
RWHDHTB84H1	325	YPSB2624	334		
RWHDHTB84H2	326	YPSB2624F	332		
RWHDHTB84H3	327	YPSB2627	334		
RWHDHTB84H4	328	YPSB2627F	332		
RWHDHTB84H5	329	YPSB2630	334		
RWHDHTB90H1	325	YPSB2630F	332		
RWHDHTB90H2	326	YPSB2636	334		
RWHDHTB90H3	327	YPSB2636F	332		
RWHDHTB90H4	328	YPSB2642	334		
RWHDHTB90H5	329	YPSB2642F	332		
RWHDHTB96H1	325	YPSB2648	334		
RWHDHTB96H2	326	YPSB2648F	332		
RWHDHTB96H3	327	YPSB2654	334		
RWHDHTB96H4	328	YPSB2654F	332		
RWHDHTB96H5	329	YPSB2660	334		
RWHRA	317	YPSB2660F	332		
RWHRB	317	YPSB2666	334		
RWHRC	317	YPSB2666FRR	332		
RWHRD	317	YPSB2672	334		
RWHRE	317	YPSB2672FRR	332		
RWHRF	317	YPSB3224	333		
RWHRG	317	YPSB3224F	331		
RWHTB3024	314	YPSB3227	333		
RWHTB3624	314	YPSB3227F	331		
RWHTB4224	314	YPSB3230	333		
RWHTB4824	314	YPSB3230F	331		
RWMCT24	313	YPSB3236	333		
RWMMP24	311	YPSB3236F	331		
RWMMP30	311	YPSB3242	333		
RWMMP36	311	YPSB3242F	331		
RWMT1512R	313	YPSB3248	333		
RWMT1512U	313	YPSB3248F	331		
RWMT2712R	313	YPSB3254	333		
RWMT2712U	313	YPSB3254F	331		
RWMT3912R	313	YPSB3260	333		
RWMT3912U	313	YPSB3260F	331		
RWMV24	311	YPSB3266	333		
RWMVF	312	YPSB3266FRR	331		
RWMVH24	311	YPSB3272	333		
RWMVH30	311	YPSB3272FRR	331		
RWMVH36	311	YPSB3824	334		
RWMVP24	311	YPSB3824F	332		
RWMWT24	311	YPSB3827	334		
RWMWT30	311	YPSB3827F	332		
RWMWT36	311	YPSB3830	334		
YPSB2024	333	YPSB3830F	332		
YPSB2024F	331	YPSB3836	334		
YPSB2027	333	YPSB3836F	332		
YPSB2027F	331	YPSB3842	334		
YPSB2030	333	YPSB3842F	332		

Selling Policy

	This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.
Freight Prepaid	Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.
Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below. Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair). Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts. <i>Product and Period of Warranty</i> <i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Rockwell Unscripted, Series 2 Storage, Template, Quoin and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, digital locks, upholstery, textiles and leathers, special or custom products, see below)</i> <i>12 Years: Chadwick, Generation by Knoll, k. task, Life, Moment, MultiGeneration by Knoll, Ollo, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i> <i>10 Years: Anchor Storage except digital locks, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Rockwell Unscripted, Quoin wood components, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, k. lounge structural components, KnollStudio Pixel and Propeller, Tone bases and k.screens.</i> <i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, Currents handcrank, KnollStudio, Rockwell Unscripted wire bases, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU holders and all universal storage drawers and Power Collection, k. bench (except changes in finish, see below) and k. stand bases (except changes in finish, see below).</i> <i>3 Years: Rockwell Unscripted upholstery (except textiles and leather), Office Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, KnollExtra Pop Up Screens.</i> <i>2 Years: Anchor Storage digital locks, Quoin digital locks, all other KnollExtra product and KnollTextiles Ultrasuede.</i> <i>1 Year: Light ballasts, bulbs and power supply, seating upholstered arm pads and soft arm pads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric. Rockwell Unscripted fabric and accessories, Spinneybeck leathers, and KnollTextiles upholstery except Ultrasuede.</i> This warranty does not apply to: • Damage caused by a carrier other than the Seller. • Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products). • COM or other third party materials applied to Products. • Products not installed by or under the auspices of a Knoll Dealer. • Dramatic temperature variations or exposure to unusual conditions. • Changes in surface finishes, including colorfastness due to aging or exposure to light. • Except as specifically noted above, textiles and upholstery supplied by KnollTextiles and Spinneybeck FilzFelt (consult current price lists for applicable warranties). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE. The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. The foregoing indemnity does not apply to the following: • Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."

