

AutoStrada

Price List
March 2020



Knoll

Introduction	Knoll and Sustainable Design	4
	AutoStrada Basics	5
	AutoStrada Materials and Details	6
	AutoStrada Finishes	7
	AutoStrada Fabric Options	10
	AutoStrada Paint and Laminate Finishes Matrix	11
Applied Wall	Introduction	12
	Planning the applied wall system	13
	Specifying the applied wall system	14
	Applied wall frames	15
	Horizontal channels	16
	Wall trim and corners	21
	Wall covers	23
	Display shelves	37
	Glass shelves	38
	Bookshelves	39
	Open overhead cabinets	40
	Sliding door overhead cabinets with glass doors	41
	Sliding door overhead cabinets with laminate or veneer doors	42
	Hinged door overhead cabinets	43
	Overhead storage mounting kits	44
	Power and wire management	45
	Accessories	47
Spine	Service Wall frames	48
	Wall crown and base trim covers	49
	Structural base cover kits	52
	Access covers	54
	Spine ends and connectors	59
	End Starters	65
	Panel system starters and T-ends	68
	Power components, spine	74
	Add up glass panels, for spine	78
	Gallery Screens	79
	Glass Gallery Screens	80
Panels	Tiled/Monolithic - mono side only with base raceway	81
	Mono/Mono - exterior hard side no raceway	87
	Tiled/Monolithic - both sides with base raceway	91
	Tiled one side/Slatwall combo other	97
	Slatwall/Fabric combo both sides - both sides with base raceway	101
	Frameless glass add-ups for panels	102
	Glass Gallery Screens	104
	Posts, panels	105
	Trim, panels	117
	Power distribution components for one side raceway panels	121
	Power distribution components	122
	AutoStrada Ported Panel Components	129

Medians	42" Medians with binder depth top shelf	132
	42" Medians with binder depth top shelf cont'd	133
	42" Medians with legal depth top shelf	134
	42" Medians with legal depth top shelf cont'd	135
	42" Medians with double end gable	136
	42" Medians with double end gable cont'd	137
	42" Median storage, binder depth	138
	42" Median storage, legal depth	139
	49" Medians with binder depth top shelf	140
	49" Medians with binder depth top shelf cont'd	141
	49" Medians with legal depth top shelf	142
	49" Medians with legal depth top shelf cont'd	143
	49" Medians with double end gable	144
	49" Medians with double end gable cont'd	145
	49" Median storage, binder depth	146
	49" Median storage, legal depth	147
Bridges	42" Bridge units	148
	49" Bridge units	149
	Top shelves for bridges	150
	Window kits for bridges	152
Cabinets	Storage Anchored Cabinets, w/BBF and FF configurations	153
	Storage Anchored Cabinets, with hinged door configurations	155
	Storage Anchored Cabinets, w/ Wardrobe and BBF	157
	Storage Anchored Cabinets, w/ Wardrobe and FF	158
	Storage Anchored Cabinets w/front and back access	159
	Storage Anchored Cabinets, front access	165
	Storage Anchored brackets	168
	Storage anchored cabinet trim	169
	Freestanding Cabinets for private office	170
	Freestanding Cabinets for open plan use with metal case pedestals	174
Lower Storage	Metal case	175
	Wood or laminate case	180
	Box shelf	189
Overhead Storage	Overhead storage, wood cases	190
	Task Lights for Overhead Storage	209
	Task Lights	210
Worksurfaces	Credenza Top Glass Divider	211
	Flush, user edge tapered	212
	Cord drop, user edge tapered	215
	Rectilinear, user and approach edges tapered	218
	Wedge, user and approach edges tapered	220
	Planning guide	221
	Peninsulas	222
	Tables	228
	Open Frame Legs Infill Options	231
	Table desks	232
	Transaction tops	234
	Transaction Top Brackets	236
Support Components	Spine-based support	237
	Panel hung worksurface support	238
	Worksurface support	239
	Stiffeners	245
Accessories	Tackboard sections for medians and bridges	246
	Slatwall sections for medians and bridges	247
	Wall hung tackboards	248
	Worksurface stand-offs and cabinet feet	249
Elevations	Side Elevation	252

Crinion Open Table	Introduction	254
	Specifications	255
	Crinion Open Table Finishes	256
	Worksurfaces with center hinged power access	257
	Worksurfaces with edge grommet	258
	Worksurfaces with cord drop	259
	End counters	260
	Extended end counters	261
	File tops	263
	Complete base assemblies fixed height 24" D dual	264
	Complete base assemblies fixed height 24" D single sided	265
	Complete base assemblies fixed height 30" D dual	266
	Complete base assemblies fixed height 30" D single sided	267
	Complete base assemblies adjustable height 30" D dual	268
	Complete base assemblies adjustable height 30" D single sided	269
	Complete base assemblies fixed height 36" D dual	270
	Complete base assemblies fixed height 36" D single sided	271
	Complete base assemblies adjustable height 36" D dual	272
	Complete base assemblies adjustable height 36" D single sided	273
	Top channels	274
	Beams for single sided or dual tables	275
	Beams for dual tables	276
	Beams for single sided tables	277
	End legs, intermediate leg sets for dual tables	278
	End legs, intermediate leg sets for single sided tables	280
	End panels for dual tables and single sided tables, painted	281
	End panels for dual tables and single sided tables, laminate and veneer	282
	Beam trusses	283
	Worksurface support	284
	Modular Raceway	286
	Hardwire Raceway	292
	Cable tray and cable clips	293
	Beam mounted cable trays and cable baskets	294
	Center screens	295
	Shelves, adapters and buttresses for slatwall screens	297
	Side screens	298
	Return screens	300
	Dual end screens	302
	Single sided end screen	304
	Frameless glass Add up	306
	Network privacy screens	307
Wall Mounting of Knoll Products		308
Alpha-Numeric Index		310
Selling Policy		327
KnollKey Lock Program		329
General Ordering Information		330

Knoll and Sustainable Design

Each year Knoll sets key initiatives in the journey to sustainability. Focused on our impact to people and planet, Knoll reports material health product attributes and sets operational targets to reduce greenhouse gas emissions, waste generation and water use (in our North American facilities.)

Material transparency is a core Knoll sustainable design value, enabling us to optimize the design and performance of our products. Our material health program utilizes independent third-party certifications that provide an impartial and trustworthy foundation for industry-wide transparency. Certification by respected third parties ensures that all manufacturers are held to the same high standards. Knoll certifications include: Forest Stewardship Council (FSC®), Intertek's Clean Air Program, Business and Institutional Furniture Manufacturer's Association (BIFMA) LEVEL® certification, International Living Future Institute's (ILFI) Declare labelling and Certified Environmental Product Declarations. In addition, Knoll is aligned with the U.S. Green Building Council and can help organizations achieve credits for Leadership in Energy and Environmental Design (LEED®), WELL and the Living Building Challenge (LBC) building certifications.

In our manufacturing operations, we focus on efficiency and impact. Knoll Office and Knoll Europe manufacturing locations are ISO 14001:2015 certified. Knoll sets objectives and targets to reduce energy, water and waste. These initiatives are part of a long-term strategy to further reduce energy consumption and lower our carbon footprint.

We also believe in helping our customers find viable options when decommissioning furniture or other related assets. ANEW's Full Circle Program, in partnership with Knoll, allows customers to leverage buy-back and re-sale programs as well as explore options for repurposing or recycling that mitigate landfill impact through energy-from-waste conversion.

For more information about Knoll and sustainable design, visit www.knoll.com/environment.

Introduction

With a commitment to innovation and modern aesthetics, Knoll sets the standard for the environment in which people work. AutoStrada is one of the most comprehensive office concepts to be developed by Knoll. Evolving workplace needs are met with innovative design, from private offices to collaborative spaces for team interaction.

AutoStrada addresses any office combination with a consistent aesthetic of high quality materials and carefully detailed design. Whether an office requires a high-performance open plan system, refined architectural case goods, progressive private office furniture, or a collaborative “big table” concept, AutoStrada provides a solution.

AutoStrada is a planning approach that combines furniture and interior architecture for both open plan and private offices spaces.

AutoStrada is a premium, one-source design.

AutoStrada is the definition of the most advanced technology management capabilities.

AutoStrada is modern. It is absolute design with a strong, basic design premise.

The Planning Models

Four AutoStrada planning models offer one set of continuous, intelligent, solutions-oriented capabilities.

Four ways AutoStrada redefines space:

- Spine-based planning
- Storage-anchored planning
- Collaborative table-based planning
- Architectural office planning

Any one environment could include solutions provided by any mix or all of the four planning models. Diverse planning models meet cross-cultural workplace environments everywhere.

AS1 AutoStrada spine based planning

AutoStrada spine based planning provides wall-like architectural order to office interiors and offers high performance technological support. The spine supports continuous off-module attachment of work surfaces, storage components, KnollExtra accessories, and perpendicular panels to define workstations. The spine also manages and distributes power and communications throughout clusters of workstations, enabling convenient outlets at desk height and unobstructed access to cabling.

Spines can be built to any one foot increment of length and can be freestanding with outriggers to support cantilevered work surfaces and overhead storage. Spines may also be integrated with attached panels or screens for support and enclosure. T-ends enable the spine to extend to absorb the dimensional gain of attached panels.

Spine covers include veneer, laminate, dry-erase marker, tackable fabric, integral shelves, slat wall and integral cable tray surfaces. Spines are available in three horizons--39”H, 48”H and 64”H--and may be fitted with frameless glass add ups for additional privacy above any of four crown profiles.

AS2 AutoStrada storage anchored planning

AutoStrada storage anchored planning redefines the open office architecture with aesthetic and functional alternatives to conventional panel-based systems. Storage anchored planning begins with the anchor cabinet to which either AutoStrada panels or wood or laminate surrounds are attached to create individual or shared work areas. Storage anchored planning combines the performance of systems furniture with elegant details more like custom millwork.

AutoStrada panels feature a laminate or veneer tiled grid to the floor, with aluminum reveals between tiles on the exterior, and fabric or fabric and slat wall surfaces on the inside of the workstation. Interior base raceway distributes power and communications throughout a cluster with outlets only on the inside of the panels. AutoStrada panel heights enable seated access (42”H), seated privacy (49”H) or standing privacy (64”H). Frameless glass add ups can be added to panels for additional privacy. Connectors support work surfaces, overhead storage or shelves and KnollExtra paper management and technology support tools.

AutoStrada surrounds, in veneer or laminate surface, are ideal for raised floor environments and a visual alternative to panels. Median surrounds or median storage form the backbone to which bridges and anchor cabinets are attached. Medians include a back panel, one or two end gables, a counter surface and a work surface or shelves. Bridges include a back panel and work surface. AutoStrada surrounds typically describe workstation boundaries at a 49” horizon.

AS3 AutoStrada wall based planning

AutoStrada wall based planning integrates freestanding and wall supported storage, desks and tables to build distinctive workspaces in private offices and walled collaborative areas.

AutoStrada Applied Walls add systems performance to built walls, enabling various surface materials and off module support for shelves, overheads and work surfaces. Applied wall is either 69”H or 84”H, in any 6” increment of width. Horizontal channels contain interchangeable inserts like veneer, marker surface, fabric, glass, slat wall or recessed covers, and accept brackets for a variety of accessories at any point. Wall frames transfer most of the supported load directly to the floor.

AutoStrada overheads and tackboards can also be directly attached to most built walls. Freestanding AutoStrada cabinets for private offices are available in 70” and 84” horizons.

AS4 AutoStrada collaborative planning

AutoStrada collaborative planning is based on the Crinion Open Table, which creates open shared workspaces for groups from two to ten or more at a continuous work surface “bench”. Designed to support teams of people Crinion Open Table is ideal for trading rooms, libraries and conference rooms.

Crinion Open Table offers a unique alternative to traditional workstations, with continuous cantilevered work surfaces, unobstructed knee space, convenient, capable power and communications distribution, and optional desktop privacy screens. An extremely strong structure supports work surfaces up to 36”d each side and virtually unlimited in length.

Crinion Open Table may be complemented with AutoStrada metal or wood storage, or Calibre files and cabinets as parallel file banks or as returns.

Materials

AutoStrada offers a range of exceptional materials and finishes, including premium grade hardwood veneers, Techwood, laminate, clear anodized aluminum, and architectural glass.

Veneers are all hand selected to best showcase the beauty of natural grain. Every effort is made to ensure that Knoll veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are not considered to be defects. The natural process of color change in real wood products is part of the beauty and unique character of the material. Knoll expects wood to patina over time.

Techwood is a genuine wood veneer which has been enhanced by technology to provide color and grain consistency.

High recycled content aluminum is used in the manufacture of aluminum components.

High-pressure laminate surface materials have been selected for their durability and low maintenance.

FSC (Forest Stewardship Council) certified materials are available by request.

Construction details

All AutoStrada worksurfaces are 1 1/4" thick and are a 3 ply solid construction. Worksurfaces are available in rectilinear and wedge shapes. The distinctive 3/8" tapered edge can be specified on just the user side or also on the approach side. Worksurfaces can be specified "full depth" with or without grommets, or with a 3/8" cord drop along the back with a centered edge grommet.

Worksurfaces appear to "float" 1" above lower storage components. Pedestals and legs can support a worksurface height of 28 1/4"H (typically in open plan) or 29 5/8" (in private offices). The higher worksurface height requires wood pedestals equipped with cabinet feet.

Pedestals and overhead storage are available in either metal or wood case. Wood pedestals have full extension file drawer slides with bottom-loadable steel floor and 3/4 extension slides all wood construction box drawers.

Wood or laminate case cabinets with hinged doors and adjustable shelves require doors to be removed to adjust shelving; alternatively a special request 170° hinge package is available to retrofit cabinets in the field.

Metal pedestals are durable steel construction with painted, laminate or veneer drawer fronts.

Metal pedestals feature full width protruding aluminum pull. Metal pedestals have all full extension personal, data and file drawer slides.

Wood cases incorporate 3 ply construction and components are finished on all sides. Core material is 45lb density particleboard. Wood drawers feature dovetail joinery details. File drawers have steel floor and are bottom loadable. Wood drawers feature full width anodized aluminum recessed or protruding pull. File drawers include file bars to support letter or legal suspended filing in either direction.

Freestanding private office cabinets are supported by cylindrical extruded aluminum feet which match an optional worksurface standoff detail.

Spine, panels, legs and metal storage offer 1" or greater levelling capacity. Wood storage has 1/2" levelling.

Cable management

AutoStrada incorporates discreet and concealed wire management as well as four or six circuit power distribution in all four planning models, supporting low to very high technology requirements. Storage anchored surrounds, designed for raised floor environments, are the only planning type that does not have power distribution capability.

Leg design

AutoStrada support legs are a refined shape in clear anodized aluminum finish. Legs feature either lockable casters or a unique glide sleeve that allows leveling without exposed glide threads. A pair of straight legs or one 9" wide leg can support one end of a worksurface when the other end is spine-supported, panel-supported or joined to a perpendicular worksurface with AT2TB brackets. If distance between support spans over 48", additional support is required.

Two pairs of straight legs may also be specified to create a freestanding table in combination with an AutoStrada worksurface not to exceed 72" x 30" with a corresponding stiffener.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets 30" wide and over with drawers have an interlock anti-tip feature to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts where applicable are routed to receive the lock itself. Keying instructions for key alike must accompany all orders and are field installed. Products are shipped from the factory with random locks or lock plugs for key-alike orders.

Representative Dimensions

All dimensions in this price list are nominal and for representative purposes only. For specific build dimensions please consult specification planning tools or contact your Customer Service representative.

Line drawings in this price list are strictly for quick product identification.

Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code	V1 TECHWOOD	Code	V2 PREMIUM TECHWOOD	Code	V3 PREMIUM VENEER
638	Blond Maple	647	White Pine	039	Pippy Oak *
628	Dark Mahogany	640	Ebony	044	Figured Sycamore
639	Light Cherry	642	Grigio		
641	Black Oak				
506	Maple		V2 NATURAL VENEER		
509	Cherry	020	Natural Oak		
512	Medium Walnut	038	Rustic Walnut *		
513	Medium Teak	017	Light Walnut		
514	Espresso	002	Bronze Cherry		
637	Natural	006	Maple		
644	Light Walnut	021	Peacock Green Walnut		
645	Dove Grey	022	Old English Walnut		
		037	Birch		

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
B	Medium Gloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

Edge Options for Veneers

WOOD	Complementary Wood
SYN	Complementary Synthetic
WPLY	Wood Ply Edge *
SPLY	Synthetic Ply Edge *

* Ply Edge available on Birch (037) worksurfaces.

***Note:**

-Synthetic Edge option is available on worksurfaces, only.

-Finishes with * are available on worksurfaces only.

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

Laminate Finishes

Core Laminate

Surface / Edge

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey *
122	Brushed Sand *
123	Brushed Grey *
128	Fog
129	Micro Sand *
*121, 122, 123, 129 Not available with matching edge option, and only available on worksurfaces.	

LW Marker Board - Available for panels, Task panels and sliding display boards.

Note: All core Laminate worksurfaces are available with matching and non matching edges.

ie; A worksurface in 118, can have 139 edge finish.

Wood Grain Laminates

Surface / Edge

124	Medium Chery
125	Natural Maple
126	Natural Cherry
127	Walnut
139	Light Ash
140	Warm Ash
141	Whitened Ash
142	Grey Ash
143	Classic Oak
144	Graphite Pear
145	Zebra
147	Silverwood
148	Smokewood
149	Barnwood

Wood Grain Laminates are NOT available on the following components:

- Storage with J Pull option
- Administrative and Reception products
- Panel post covers, post caps, top trims, end trims and screen doors

Additional Edge Options for Laminate worksurfaces (only):

WPLY Ply Edge Wood (V1 Pricing)

SPLY Ply Edge - Synthetic (L Pricing)

Impact Resistant Laminate

Core & Wood Grain Laminates

Surface / Edge

911	Jet Black
914	Folkstone Grey
917	Soft Grey
918	Bright White
919	Pumice
924	Medium Cherry
925	Natural Maple
926	Natural Cherry
927	Walnut
928	Fog

Note: The Rules of Wood Grain Laminates, applies to the Impact Resistant Laminates. 25% Upcharge applies to the laminate pricing for the Impact Resistant Laminates.

Note: Pedestals and Cabinets with metal interior, when specified in "Wood Grain Laminate" or "Veneer", the shelves are painted black.

Important Note:


Laminate wood grain direction depends on the width of the product.

For any vertical surface, ie; modesty panels, overheads and hutches, **up to 60"** wide, the laminate wood grain direction will be **vertical**. For any vertical surface **greater than 60"** wide, the laminate wood grain direction is **horizontal**.

up to 60" (vertical)



60" greater (horizontal)



Mixed Finishes: For Laminate worksurfaces with Laminate or Veneer Edge Options, specify mixed finish worksurfaces using separate top finish & edge finish.

For Example:

Top finish: 114 Folkstone Grey Laminate

Edge finish: 115 Medium Grey Laminate, or Y882 Dove Grey Techwood

Paint**P1**

111 Jet Black
112 Brown
113 Dark Grey
114 Folkstone Grey
115 Medium Grey
116 Sandstone
117 Soft Grey
118 Bright White

P2

611 Beige Mist Metallic
612 Medium Metallic Grey

P3

613 Silver

Anodized

AA Anodized Aluminum

Plated

PT Brushed Pewter

G1**Glass**

TEMP Clear Tempered

G2**Architectural Glass**

GL6 Block Matrix
GL13 Powder

G3**Back Painted Glass 4mm**

GL11 Back Painted Black
GL14 Folkstone Grey
GL15 Back Painted Medium Grey
GL17 Back Painted Soft Grey
GL18 Back Painted White

Colored Glass

GL25 Bronze
GL35 Grey

Forbo

851 Biscuit
852 Sky Blue
853 Stone
854 Cinnamon
855 Heather Blue

Fabric Options*Grade 10*

Annex (W1360) ●
 Beacon (W1597)
 Broadcloth II (W1619)
 Circuit (W1754)
 Growth Spurt (W692)
 Messa (W2061)
 Pivot (W1926)
 Skylark (W1718)
 Symbolic Detail (W693)
 Tailor made II (W1610)
 Twister (W1923)
 Versatility (W432)

Grade 20

Circle Line (W1146)
 Criss Cross (W305)
 Delite (K2026)
 Edo (W2111)
 Infinite (K2263)
 Logic (W1318)
 Nematic II (W1620)
 Photon II (W1695)
 Reflect (W884) ø

Grade 30

Match Point (W1145)
 Micro (W465) *
 Relay (W1020) ▲
 Synth (K1693)

Grade 40

Crossroad (K2085)
 Helios (W2089)

Grade 45

Monarch (K1149)

Grade 50

Presto (K1000) ●

Grade 55

Crossroad (K2085)
 Knoll Felt (K1207)
 Knoll Hopsack (K1206)
 Ransom (K1298) ●

**with backing only*

▲ Monolithic panels, and tackboards only

● Add ups only

ø May not be available in all colors.

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing. Customer's Own Material is subject to an application testing fee of \$750 per fabric and a \$2500 fee for UL testing. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

Fabric Options For Cushions

▲ = Cal 133 Pre-approved

A

Alignment (K349) ▲
 Basket Draft (W249)
 Beacon (W1597)
 Bocce (K1255) ▲
 Chance (K1552)
 Common Ground (K448) ▲
 Delite (K20265)
 Distri (K872)
 Hourglass (K1523)
 Mariner (K642)
 Monarch (K1149) ▲
 Prep (K1076) ▲
 Presto (K1000) ▲
 Reflect (W884)
 Soliloquy (K1458)
 Sonnet (K1460) ▲
 Stacks (K528)
 Trophy (K1709) ▲

B

Abacus (K715) ▲
 Bank Shot (K134) ▲
 Belize (K1165)
 Bistro (K1775)
 Boundary (K1828)
 Cameo (K1443)
 Chroma (K345) ▲
 Chronicle (K1525) ▲
 Close Knit (K201)
 Ferry (K1697)
 Forza (K5848)
 Framework (K1447) ▲
 Holbrook (K19286)

B cont.

Journey (K18064)
 Keaton (K15963)
 Gala II (K1520) ▲
 Grande (K180)
 Grandview (K1463)
 Knoll Felt (K1207) ▲
 Knoll Hopsack (K1206) ▲
 Ludlow (K19985)
 Lyric (K698)
 Night Life (K181)
 Nonchalant CR (HC198)
 Paradigm (K1101)
 Petal Pusher (K19682)
 Pogo (K1100) ▲
 Pop (K782)
 Prairie (K1925)
 Prim (K1884)
 Radiance (K19215)
 Ransom (K1298) ▲
 Ricochet (K498) ▲
 Roam (K1657)
 Rush Hour (K18244)
 Soiree (K16162)
 Spark (K1075) ▲
 Spotlight (K772)
 Spree (K16006)
 Sutton (K1750) ▲
 Synth (K16933)
 Tabloid (K20223)
 Utmost (K1325)
 Venue (K1558)
 Westwood (K19495)
 Versa (K16983)
 Vinyl (K24221)

B cont.

Zephyr (K724)
 Zipline (K1448) ▲

C

Atlas (K1236)
 Axiom (K16507)
 Baxter (K1557)
 Biota (K1297) ▲
 Cairo (K20345)
 Charm (K1049)
 Circa (K1054)
 Classic Boucle (K162) ▲
 Cricket (HC1279)
 Dahlia CR (HC1660)
 Durand (K1885)
 Earthwork (K1238) ▲
 Echo (K1019)
 Enmesh (K1092) ▲
 Entourage (K1389)
 Fibra (K1105)
 Fox Trot CR (HC777)
 Greenwich (K1753)
 Highline CR (HC1064)
 Hudson (K1765)
 Hula Hoop (K753)
 Kora CR (HC1010)
 Lagos (K20282)
 Legend CR (W432)
 Lore CR (HC1123)
 Magnolia (K19998)
 Milestone (K1886)
 Moto CR (HC1002)

C cont.

Noble (K1556)
 Palisade (W4322)
 Panache CR (HC1047)
 Parasol (HC1257)
 Pony Up (K1323) ▲
 Quark (K781)
 Regard CR (HC1063)
 Rio (K1164)
 Roundtrip (K1430) ▲
 Sahara (HC1269)
 Sandpiper CR (HC1258)
 Sequin CR (HC1009)
 Sinclair (K1555)
 Smart (K1268)
 Spot On (K1324)
 Star Struck (K1048)
 Stepping Stones (K346)
 Swing (K479)
 Tight Rope (K1798)
 Tilden (K17793)
 Tower Grid (K1887)
 Transition (K816)
 Treble CR (HC1062)
 Vibe (K1029)
 Zari CR (HC1008)

D

Cavalier (K217)
 Compass CR (HC1183)
 Coterie (K15643)
 Eclat Weave (K1104)
 Harrison (K1084)
 Hologram (K500)
 Ikat Stripe (K17015)
 Masquerade (K806)

D cont.

Menagerie (K1322)
 Obi (K1175)
 Origins (K17003)
 Satellite (K503)
 Thoery (K16563)
 Zoom (K113)

E

Cross Stitch (K1026) ▲
 Highland (K20104)
 Ikat Square (K17034)
 Kampala (K20324)
 Katazome (K1459)
 Kimono (K1174)
 Marquee (K1608)
 Meroe (K20431)
 Sherman (K1789)
 Tryst (K1522)
 Whip (K1386)

F

Atelier (K16072)
 Biscayne (K1771)
 Century (K1051)
 Coco (K1024)
 Cornaro (K1320)
 Cuddle Cloth (K231)
 Glider (K1717)
 Groove Line (K488)
 Icon (K1028)
 Intrigue (K1551)
 Jubilee (K1445)
 Kinship (K1465) ▲
 Liberty (K1883)

F cont.

Mod Plaid (K1630)
 Rivington (K1080)
 Soon (K1787)
 Topography (K1052)
 Totem (K1561)

G

Djenne (K20294)
 Gibson (K1086)
 Haze (K109)
 Kinabalu (K1800)
 Kingston (K18265)
 Rattan (K138)
 Serendipity (K1528)
 Spencer (K11068)
 Striae Stripe (K18274)
 Turner (K18202)
 Ultrasuede® (K1021) ▲
 Utrillo (K1807)

H

Arno (K128) ▲
 Haiku (K1479)

I

Aswan (K20461)
 Cato (KH80019)
 Dynamic (K1617)

		All standard Paint Finishes	AA or all paints except Silver	Laminate Horizontal Surfaces	Laminate Vertical Surfaces	Anodized Aluminum Only
AS1 Spine Based		standard crown covers	spine base trim covers	worksurfaces	structural base covers	
		structural base covers	slat wall covers	tables	access covers	
		outlet covers	integral shelves		fronts for metal pedestals	
		spine connectors	flat crown covers			
		metal pedestals and fronts	flat crown covers		box shelves	
			straight legs			
			wide legs			
AS2 Storage Anchored			pulls			
		slat wall, panel	panel top trim	worksurfaces	all laminate pedestals	top trim wider than 96"
		panel raceway covers	panel reveals		anchor cabinets	
			storage reveals		medians	
			pulls		bridges	
AS3 Applied Wall & private office components					tiles, panels	
					all laminate overheads	
		wall covers	horizontal channels up to 96"	worksurfaces	wall covers	horizontal channels wider than 96"
		coat hook	slat wall covers	tables	freestanding storage	
		picture hook	recess covers	applied wall shelves	wall hung overheads	
		bookends	end trim			
			cable tray			
AS4 Crinion Open Table			marker tray			
			display shelf			
			shelf platforms			
		end legs	hinged access	worksurfaces, tapered edge and post formed		beams
		intermediate legs	top channel up to 96"			top channel longer than 96"
		cantilevers	screen frames			

Finish code	Finish name	Paint grade	All standard Paint Finishes	AA or all paints except Silver	Laminate Horizontal Surfaces	Laminate Vertical Surfaces	Anodized Aluminum Only
611	Beige Mist Metallic	P2	•	•			
118	Bright White	P1	•	•	•	•	
112	Brown	P1	•	•			
123	Brushed Grey				▲		
122	Brushed Sand				▲		
113	Dark Grey	P1	•	•			
128	Fog				•	•	
114	Folkstone Grey	P1	•	•	•	•	
111	Jet Black	P1	•	•	•	•	
115	Medium Grey	P1	•	•			
612	Medium Metallic Grey	P2	•	•			
121	Micro Grey				▲		
129	Micro Sand				▲		
119	Pumice				•	•	
116	Sandstone	P1	•	•			
613	Silver	P3	•				
117	Soft Grey	P1	•	•	•	•	
812	Easy Grey*						
813	Trim Grey*						
AA	Anodized Aluminum			•			•
LW	Markerboard White **						

Notes:

▲ All laminates have matching edge bands except:
 123 Brushed Grey has 128 Fog edge
 122 Brushed Sand has 119 Pumice edge
 121 Micro Grey has 114 Folkstone grey edge
 129 Micro Sand has 119 Pumice edge

* Easy Grey and Trim grey integral colors only available for
 Compact crown covers
 Spine end connector top caps


** Markerboard white is available only on AS1 spine access covers, AS3 Applied Wall covers and AS4 screens.

Introduction

AutoStrada Applied Wall System is designed for systems performance in built wall environments. Applied Wall enables a variety of interchangeable wall surface materials, continuous support for worksurfaces, shelves and overhead storage, power distribution and integrated wire management. Applied Wall System supports AutoStrada components in private offices and collaborative work spaces, while transmitting much of the weight load directly to the floor.

Applied Wall System includes:

- wall mount frames which stand on leveling glides and are secured to built walls
- horizontal channels that are attached to the frames
- covers that insert between the channels
- shelves and overhead storage components that can be engaged anywhere along the channels
- cable tray, worksurface support brackets and accessories



Frames

Wall mount frames are available in 69" and 84" horizons, 36" or 48" wide. Frames are steel weldments that include two or three horizontal rails through which frames are bolted to the vertical structure of the built wall. Adjacent frames can be leveled and shims enable each frame to be made plumb. At each side are vertical frame members with leveling glides. Between the side frame members are one or two intermediate studs that extend from approximately 24" above the floor to the top of the frame.

Channels

Channels are painted or natural anodized aluminum extrusions that hold covers and feature a continuous curved slot into which components and brackets are inserted. Channels are attached to the frames at each side member and stud with a bracket above and below. Channels do not need to align with frame widths and can extend up to 6" beyond the side of a frame.

Top channels, 36"-144" in width in 6" increments, attach only at the top of the frame and finish off the top of the assembly. Intermediate channels, 24"-144" in 6" increments of width, attach typically every 15" below the top channel, but may also be set at 7 1/2" or 22 1/2" increments to accommodate specific purpose covers such as slat wall or markerboards. Bottom channels, 36"-144" in 6" increments of width, attach only at the base of a wall frame to support covers below worksurface height (between 1 1/2" and 24" above the floor). If no covers are planned below 24" no bottom channel is required but intermediate bottom trim cover and vertical frame covers are recommended to enclose the structural frame.

Covers


Wall covers are designed to insert between channels and may be interchanged without removing channels. Covers are optional and not required behind overhead storage cabinets or below worksurface height, for example. The scope of wall covers includes:

- 7 1/2"H recess covers for surface-mounted plugmold and voice/data outlets, normally mounted just below worksurface height, with optional cable trays
 - 7 1/2"H slat wall covers to support KnollExtra accessories
 - 15" and 22 1/2"H tackable linoleum covers
 - 7 1/2", 15", 22 1/2" and 30"H veneer, laminate, paint, fabric, tackable fabric covers
 - 7 1/2", 15", 22 1/2", 30", 45" H marker.
- All covers are available from 24"-96" in 6" increments of width except laminate and marker, 24"-72".


Components

- 5 1/2" deep display shelves in painted or clear anodized aluminum, 24"-72" wide in 6" increments
- 9" deep, 1/2" thick glass shelves and 12" deep plastic laminate or wood veneer bookshelves, 24"-72" wide, designed to align with the bottom of an adjacent cabinet,
- 9" deep glass and 12" deep plastic or veneer bookshelves to align with the top of an adjacent cabinet,
- open overhead storage units in plastic laminate or wood veneer, 18"-96" wide
- overhead storage units with solid or glass sliding doors, 42"-96" wide in 6" increments
- fully enclosed overhead storage units with hinged doors, 18"-96" wide,
- task lights and fascias for wood overhead storage,
- grommets for wall covers, surface mounted plugmold raceway and cable trays,
- support brackets for the back or end of a worksurface, and
- accessories such as coat hook, picture hook, marker tray, notepad, and horizontal/vertical wire manager clips.






Other cover sets



display wall with marker surface



84 inch frames



How to specify Applied Wall

1. Plan frames to support the height and width of the intended overall wall system. Frames can be installed side-by-side or as much as 12" apart to provide adequate structure for horizontal channels up to 6" wider than the frame on each side. For example, a 10' length of channels and wall covers can be supported by three 36" wide frames or by two 48" wide frames.
2. Specify horizontal channels at each level required for covers and overhead storage or shelves. A top channel is always required and intermediate channels may be attached to the frame at any 7 1/2" increment above 24", 31 1/2", 39", 46 1/2", 54", 61 1/2", or 69" above the floor.
3. Typically intermediate channels are planned at 24", 39" and 54" to support 15"h covers. An additional channel at 31 1/2" will enable 7 1/2"h covers above and below worksurface height for slat wall and power/wire management. Horizontal channels can be planned the full width of the wall or may be segmented to allow taller covers such as a markerboard in specific locations. Alternatively intermediate channels may be planned at 24" and 46 1/2" on a 69"H frame to support all 22 1/2" H covers.
4. Specify bottom channel to support 22 1/2"H covers between floor and 24". Specify intermediate bottom trim and vertical frame covers if leaving the frame open below 24".
5. Specify end trim if end of wall is visible and specify corner connectors, if any.

6. Specify functional covers such as recess cover, the mounting location for surface mounted power distribution and voice/data outlets, and slat wall covers. Also specify tackable or marker surface covers. Then fill in the wall with decorative covers such as wood veneer, plastic laminate, non-tackable fabric, or backpainted glass. If planning a bookshelf the cover below the shelf cannot be glass. Covers are not required behind overhead storage cabinets.
7. Specify overhead storage: display shelves at 31 1/2" or 39", lower bookshelves at 54" and upper bookshelves at 69" to align with adjacent overhead storage cabinets. Specify open, partially open or fully enclosed overhead storage in veneer or laminate surface. Overhead storage cabinets usually hang from a channel at 69" and bear against a channel at 54" above the floor.
8. Specify power and cable trays. Power is distributed by a surface mounted plugmold raceway with ten simplex outlets, available in three configurations: one- circuit three-wire, two-circuit four wire, or two-circuit six wire. A 24" wide plugmold with eight simplex outlets is also available. Raceways are always hardwired to the building power supply by an electrical contractor. Contractor will punch a hole through the recess cover behind the plugmold to connect from the wall to the plugmold. Recess cover also accommodates voice/data outlets and cable grommets are available to line a punched hole.
9. Specify worksurface supports. Worksurface support brackets can be attached to the channel at 24" above the floor or may be attached within a cable tray at the same level.
10. Add accessories.

Customer's Responsibility:**Attachment of AutoStrada Applied Wall System to built walls**




It is the responsibility of the customer and their structural engineer/architect to verify that the permanent built wall (studs, blocks, solid masonry, or other) to which the Applied Wall System is intended to be attached is designed to support the load bearing standards set forth below. It is also the responsibility of the customer and their structural engineer/architect to specify the fasteners and method for attaching the frames to the built wall and confirm that the installers have followed these specifications. For local standards and additional requirements such as seismic the customer should consult local building and safety codes.

Design loads:

69"H Applied wall: 240#/foot of width. Assume four 60 lb. vertical loads spaced evenly between 24" and 69" above the floor, with the load centered 11" from the built wall.
 84"H Applied wall: 300#/foot of width. Assume five 60 lb. vertical loads spaced evenly between 24" and 84" above the floor, with the load centered 11" from the built wall.

Warning/Disclaimer

Knoll is not responsible for the attachment method of the Applied Wall System product, which is the responsibility of the customer and its structural engineer/architect. Knoll is not responsible for the cost of preparing an existing wall nor the additional cost for a new wall to make them appropriate for the installation of the Applied Wall System product. Failure to properly attach the Applied Wall System to a wall capable of supporting the loads listed above can lead to property damage and/or personal injury.

description	h	w	d	pattern number	black
 69"H frames	69"	36"	1 1/4"	AAWS F6936	\$620.
	69"	48"	1 1/4"	AAWS F6948	770.
 84"H frames	84"	36"	1 1/4"	AAWS F8436	695.
	84"	48"	1 1/4"	AAWS F8448	846.
 22 1/2" add on frames	22 1/2"	36"	1 1/4"	AAWS F2236	337.
	22 1/2"	48"	1 1/4"	AAWS F2248	393.
 30" add on frames	30"	36"	1 1/4"	AAWS F3036	370.
	30"	48"	1 1/4"	AAWS F3048	412.

Order Code

Example:	AAWS F6936
A	AutoStrada
AWS	Applied wall system
F	Wall frame
69	Height
36	Width

Specification Information

Applied wall frames are painted black

Application Notes

Wall frames attach to built walls to provide level, vertical structure for complete applied wall system assemblies. Wall frames include two leveling glides, studs on 14" centers, and horizontal beams.

Add on frames add 22 1/2" or 30" of height to 69" or 84" frames (or other add on frames). Add on frames include stacking hardware.

Knoll does not supply or recommend specific hardware to fasten frame to built wall.

Horizontal channels

Top channels

AutoStrada

description	h	w	d	pattern number	painted	aluminum
Top channel	1"	102"	1"	AAWS TC 102 ()	n/a	\$211.
	1"	108"	1"	AAWS TC 108 ()	n/a	225.
	1"	114"	1"	AAWS TC 114 ()	n/a	233.
	1"	120"	1"	AAWS TC 120 ()	n/a	239.
	1"	126"	1"	AAWS TC 126 ()	n/a	246.
	1"	132"	1"	AAWS TC 132 ()	n/a	267.
	1"	138"	1"	AAWS TC 138 ()	n/a	274.
	1"	144"	1"	AAWS TC 144 ()	n/a	279.
	1"	36"	1"	AAWS TC 036 ()	84.	84.
	1"	42"	1"	AAWS TC 042 ()	97.	97.
	1"	48"	1"	AAWS TC 048 ()	111.	111.
	1"	54"	1"	AAWS TC 054 ()	135.	135.
	1"	60"	1"	AAWS TC 060 ()	141.	141.
	1"	66"	1"	AAWS TC 066 ()	148.	148.
	1"	72"	1"	AAWS TC 072 ()	153.	153.
	1"	78"	1"	AAWS TC 078 ()	170.	170.
	1"	84"	1"	AAWS TC 084 ()	183.	183.
	1"	90"	1"	AAWS TC 090 ()	196.	196.
	1"	96"	1"	AAWS TC 096 ()	206.	206.

Order Code	Specification Information	Application Notes
Example: AAWS TC 036 AA	AA- Anodized Aluminum.	Top channel attaches only at the top of wall frames to provide continuous slot for component support and retention for top of wall covers. Top channel encloses top of frames to within 1/4" of the built wall for cord passage.
A AutoStrada	All standard painted finishes except 613 Silver also available for channels up to 96" wide.	Specify top channel in length to match overall length of applied wall covers, or in shorter segments. Top channel can extend past wall frame up to 6" on each end.
AWS Applied wall system		
TC Top channel		
036 Width		
AA Finish		

Horizontal channels

Top Up channels

AutoStrada

Applied Wall

description	h	w	d	pattern number	painted	aluminum
Top Up channel	1"	102"	1"	AAWS TU 102 ()	n/a	\$639.
	1"	108"	1"	AAWS TU 108 ()	n/a	639.
	1"	114"	1"	AAWS TU 114 ()	n/a	639.
	1"	120"	1"	AAWS TU 120 ()	n/a	639.
	1"	126"	1"	AAWS TU 126 ()	n/a	656.
	1"	132"	1"	AAWS TU 132 ()	n/a	656.
	1"	138"	1"	AAWS TU 138 ()	n/a	656.
	1"	144"	1"	AAWS TU 144 ()	n/a	656.
	1"	36"	1"	AAWS TU 036 ()	204.	204.
	1"	42"	1"	AAWS TU 042 ()	237.	237.
	1"	48"	1"	AAWS TU 048 ()	269.	269.
	1"	54"	1"	AAWS TU 054 ()	323.	323.
	1"	60"	1"	AAWS TU 060 ()	337.	337.
	1"	66"	1"	AAWS TU 066 ()	352.	352.
	1"	72"	1"	AAWS TU 072 ()	363.	363.
	1"	78"	1"	AAWS TU 078 ()	375.	375.
	1"	84"	1"	AAWS TU 084 ()	609.	609.
	1"	90"	1"	AAWS TU 090 ()	609.	609.
	1"	96"	1"	AAWS TU 096 ()	609.	609.

Order Code	Specification Information	Application Notes
Example: AAWS TU 073 AA	AA- Anodized Aluminum.	Top Up channels are an alternative to top channels at the top of wall frames or add on frames.
A AutoStrada	All standard painted finishes except Silver also available for channels up to 96" wide.	Top Up channel enables covers to be mounted above the applied wall. Specify ceiling channel separately to retain top of covers mounted above frames.
AWS Applied wall system		Top Up channel provides continuous slot for component support, retains top of covers on frame and bottom of covers mounted above frame.
TU Top Up channel		Top Up channel encloses top of frames to within 1/4" of the built wall for cord passage.
072 Width		Specify Top Up channel in length to match overall length of applied wall covers, or in shorter segments. Top Up channel can extend past wall frame up to 6" on each end.
AA Finish		

Horizontal channels

Ceiling channels

AutoStrada

description	h	w	d	pattern number	painted	aluminum
Ceiling channel	1"	102"	1"	AAWS CC 102 ()	n/a	\$500.
	1"	108"	1"	AAWS CC 108 ()	n/a	500.
	1"	114"	1"	AAWS CC 114 ()	n/a	500.
	1"	120"	1"	AAWS CC 120 ()	n/a	500.
	1"	126"	1"	AAWS CC 126 ()	n/a	528.
	1"	132"	1"	AAWS CC 132 ()	n/a	528.
	1"	138"	1"	AAWS CC 138 ()	n/a	528.
	1"	144"	1"	AAWS CC 144 ()	n/a	528.
	1"	36"	1"	AAWS CC 036 ()	170.	170.
	1"	42"	1"	AAWS CC 042 ()	189.	189.
	1"	48"	1"	AAWS CC 048 ()	210.	210.
	1"	54"	1"	AAWS CC 054 ()	229.	229.
	1"	60"	1"	AAWS CC 060 ()	251.	251.
	1"	66"	1"	AAWS CC 066 ()	269.	269.
	1"	72"	1"	AAWS CC 072 ()	290.	290.
	1"	78"	1"	AAWS CC 078 ()	323.	323.
	1"	84"	1"	AAWS CC 084 ()	473.	473.
	1"	90"	1"	AAWS CC 090 ()	473.	473.
	1"	96"	1"	AAWS CC 096 ()	473.	473.

Order Code	Specification Information	Application Notes	
Example: AAWS CC 036 AA	AA- Anodized Aluminum.	Ceiling channels are fastened directly to the building wall to retain the top of covers up to 30"H mounted above wall frames with Top Up channel. Ceiling channels do not accept brackets for applied wall storage, shelves or accessories. Specify ceiling channels in lengths to match overall width of covers mounted above frames or in shorter segments.	Knoll does not supply or recommend specific hardware for fastening ceiling channel to building wall.
A AutoStrada	All standard painted finishes except Silver also available for channels up to 96" wide.		
AWS Applied wall system			
CC Ceiling channel			
036 Width			
AA Finish			

Horizontal channels

Intermediate channels

AutoStrada

Applied Wall

description	h	w	d	pattern number	painted	aluminum
Intermediate channel 	1"	102"	1"	AAWS IC 102 ()	n/a	\$211.
	1"	108"	1"	AAWS IC 108 ()	n/a	216.
	1"	114"	1"	AAWS IC 114 ()	n/a	225.
	1"	120"	1"	AAWS IC 120 ()	n/a	239.
	1"	126"	1"	AAWS IC 126 ()	n/a	254.
	1"	132"	1"	AAWS IC 132 ()	n/a	267.
	1"	138"	1"	AAWS IC 138 ()	n/a	274.
	1"	144"	1"	AAWS IC 144 ()	n/a	279.
	1"	24"	1"	AAWS IC 024 ()	71.	71.
	1"	30"	1"	AAWS IC 030 ()	79.	79.
	1"	36"	1"	AAWS IC 036 ()	84.	84.
	1"	42"	1"	AAWS IC 042 ()	97.	97.
	1"	48"	1"	AAWS IC 048 ()	104.	104.
	1"	54"	1"	AAWS IC 054 ()	125.	125.
	1"	60"	1"	AAWS IC 060 ()	135.	135.
	1"	66"	1"	AAWS IC 066 ()	141.	141.
	1"	72"	1"	AAWS IC 072 ()	148.	148.
	1"	78"	1"	AAWS IC 078 ()	165.	165.
	1"	84"	1"	AAWS IC 084 ()	189.	189.
	1"	90"	1"	AAWS IC 090 ()	196.	196.
	1"	96"	1"	AAWS IC 096 ()	206.	206.

Order Code

Example:	AAWS IC 024 AA
A	AutoStrada
AWS	Applied wall system
IC	Intermediate channel
024	Width
AA	Finish

Specification Information

AA- Anodized Aluminum or any painted finish except 613 silver. Painted finish is not available on channels wider than 96".

Application Notes

Intermediate channels attach to wall frames to provide continuous slot for component support and retention for top and bottom of wall covers. Horizontal channels attach to wall frames at predetermined mounting locations depending on what height covers and overhead storage are planned on wall surface: 24", 31 1/2", 39", 46 1/2", 54", 61 1/2", 69" above the floor.

Specify channels in length to match overall length of applied wall covers, or in shorter segments. Intermediate channels can extend past wall frame up to 6" on each end. Channels include mounting hardware to attach to wall frame studs.

Horizontal channels

Bottom channels

AutoStrada

description	h	w	d	pattern number	painted	aluminum
Bottom channel 	1"	102"	1"	AAWS BC 102 ()	n/a	\$165.
	1"	108"	1"	AAWS BC 108 ()	n/a	170.
	1"	114"	1"	AAWS BC 114 ()	n/a	175.
	1"	120"	1"	AAWS BC 120 ()	n/a	183.
	1"	126"	1"	AAWS BC 126 ()	n/a	189.
	1"	132"	1"	AAWS BC 132 ()	n/a	196.
	1"	138"	1"	AAWS BC 138 ()	n/a	206.
	1"	138"	1"	AAWS BC 144 ()	n/a	211.
	1"	36"	1"	AAWS BC 036 ()	71.	71.
	1"	42"	1"	AAWS BC 042 ()	79.	79.
	1"	48"	1"	AAWS BC 048 ()	84.	84.
	1"	54"	1"	AAWS BC 054 ()	97.	97.
	1"	60"	1"	AAWS BC 060 ()	104.	104.
	1"	66"	1"	AAWS BC 066 ()	111.	111.
	1"	72"	1"	AAWS BC 072 ()	119.	119.
	1"	78"	1"	AAWS BC 078 ()	125.	125.
	1"	84"	1"	AAWS BC 084 ()	141.	141.
	1"	90"	1"	AAWS BC 090 ()	148.	148.
	1"	96"	1"	AAWS BC 096 ()	153.	153.

Order Code

Example:	AAWS BC 036 AA
A	AutoStrada
AWS	Applied wall system
BC	Bottom channel
036	Width
AA	Finish

Specification Information

AA - Anodized Aluminum or any painted finish except 613 Silver.

Painted finish is not available on channels wider than 96".

Application Notes

Bottom channels attach to bottom of wall frames to retain bottom of wall covers planned below 24". Specify channels in length to match overall length of applied wall covers, or in shorter segments. Bottom channels can extend past wall frame up to 6" on each end.

Includes hardware.

Bottom channel is not required if no covers are planned below intermediate channel mounted at 24" above floor. Specify intermediate bottom trim and vertical frame covers to cover exposed studs at bottom of each wall frame.

Wall trim and corners

End trims, intermediate trim

AutoStrada

Applied Wall

description	type	h	w	d	pattern no.		
	69"H frame	69"	1/8"	2 1/4"	AAWS ET 69 ()		\$125.
	84"H frame	84"	1/8"	2 1/4"	AAWS ET 84 ()		170.
	69"H + 22" add on	91 1/2"	1/8"	2 1/4"	AAWS ET 91 ()		195.
	69"H + 30" add on	99"	1/8"	2 1/4"	AAWS ET 99 ()		210.
	84"H + 22" add on	106 1/2"	1/8"	2 1/4"	AAWS ET 106 ()		237.
	84"H + 30" add on	114"	1/8"	2 1/4"	AAWS ET 114 ()		251.
	Field Modifiable	144"	1/8"	2 1/4"	AAWS ET 144 ()		290.
	84"H frame, open base	84"	1/8"	2 1/4"	AAWS ETO 84 ()		119.
	69"H frame, open base	69"	1/8"	2 1/4"	AAWS ETO 69 ()		97.
Intermediate trim cover		1 1/8"	144"	3/4"	AAWS IBT ()		123.
Vertical frame covers (pair)		21"	2 1/2"	2"	AAWS VFC ()		55.

Order Code	Specification Information	Application
Example: AAWS ET 69 AA		
A AutoStrada	Intermediate bottom trim and Vertical frame covers are available in Easy Grey (812) or any standard painted finish except 613 Silver.	Wall end trim encloses exposed end of applied wall frame and add on frames. If no wall covers are planned below 24" datum specify corresponding wall end trims for open base: 48"h for 69" h frames or 63"h for 84"h frames.
AWS Applied wall system	All end trim inside and outside covers are available in AA anodized aluminum or any standard paint finish except 613 Silver.	If no covers are planned below 24" datum specify optional intermediate bottom trim, which may be cut on site to overall width of applied wall, and one pair of vertical frame covers to cover exposed studs of each wall frame.
ET End trim	All standard painted finishes except silver are also available for all end trims up to 91"H.	
69 Width		
AA Finish		

Wall trim and corners

Inside and outside corners

AutoStrada

description	type	h	w	d	pattern no.	aluminum
Inside corner	69"H frame	69"	2 1/4"	2 1/4"	AAWSIL69 ()	\$170.
	84"H frame	84"	2 1/4"	2 1/4"	AAWSIL84 ()	216.
	69"H + 22 1/2" add on	91 1/2"	2 1/4"	2 1/4"	AAWSIL91 ()	297.
	69"H + 30" add on	99"	2 1/4"	2 1/4"	AAWSIL99 ()	297.
	84"H + 22 1/2" add on	106 1/2"	2 1/4"	2 1/4"	AAWSIL106 ()	297.
	84"H + 30" add on	114"	2 1/4"	2 1/4"	AAWSIL114 ()	297.
	Field Modifiable	144"	2 1/4"	2 1/4"	AAWSIL144 ()	297.
Inside corner for frames open below 24"	69"H frame, open base	48"	2 1/4"	2 1/4"	AAWSILO69 ()	135.
	84"H frame, open base	63"	2 1/4"	2 1/4"	AAWSILO84 ()	165.
Outside corner	69"H frame	69"	2 1/4"	2 1/4"	AAWSOL69 ()	267.
	84"H frame	84"	2 1/4"	2 1/4"	AAWSOL84 ()	337.
	69"H + 22 1/2"H add on	91 1/2"	2 1/4"	2 1/4"	AAWSOL91 ()	505.
	69"H + 30"H add on	99"	2 1/4"	2 1/4"	AAWSOL99 ()	505.
	84"H + 22 1/2"H add on	106 1/2"	2 1/4"	2 1/4"	AAWSOL106 ()	505.
	84"H + 30"H add on	114"	2 1/4"	2 1/4"	AAWSOL114 ()	505.
	Field modifiable	144"	2 1/4"	2 1/4"	AAWSOL144 ()	505.
Outside corner for frames open below 24"	69"H frame, open base	48"	2 1/4"	2 1/4"	AAWSOLO69 ()	196.
	84"H frame, open base	63"	2 1/4"	2 1/4"	AAWSOLO84 ()	246.

Order Code	Specification Information	Application Notes
Example: AAWS IL 69 AA	AA - Anodized Aluminum.	Inside corners and outside corners align and enclose the 90° junction of two wall frames or wall frames plus add on frames.
A AutoStrada	All standard painted finishes except silver are also available for all end trims up to 91"H.	Frames must match in height.
AWS Applied wall system		Inside and outside corners require 2 1/4" square planning footprint.
IL Inside corner		
69 Width		
AA Finish		

Wall covers

Recess surface

AutoStrada

Applied Wall


description	h	w	d	pattern no.	painted or easy grey	painted or aluminum
Recess cover	7 1/2"	24"	3/4"	AAWS C0724 R ()		\$97.
	7 1/2"	30"	3/4"	AAWS C0730 R ()		111.
	7 1/2"	36"	3/4"	AAWS C0736 R ()		125.
	7 1/2"	42"	3/4"	AAWS C0742 R ()		141.
	7 1/2"	48"	3/4"	AAWS C0748 R ()		151.
	7 1/2"	54"	3/4"	AAWS C0754 R ()		176.
	7 1/2"	60"	3/4"	AAWS C0760 R ()		189.
	7 1/2"	66"	3/4"	AAWS C0766 R ()		204.
	7 1/2"	72"	3/4"	AAWS C0772 R ()		214.
	7 1/2"	78"	3/4"	AAWS C0778 R ()		227.
	7 1/2"	84"	3/4"	AAWS C0784 R ()		240.
	7 1/2"	90"	3/4"	AAWS C0790 R ()		266.
	7 1/2"	96"	3/4"	AAWS C0796 R ()		277.
Recess end trim (pair)	6 1/2"	1/2"	3/4"	AAWS RET ()	38.	
						

Order Code	Specification Information	Application	
Example: AAWS C0724 R AA			
A AutoStrada	Recess covers are available in AA anodized aluminum or any standard painted finish except 613 Silver. Recess end trim is 812 Easy Grey or any standard painted finish except 613 Silver.	Recess covers provide mounting location for continuous, surface-mounted plugmold strip or voice/data outlets. Recess covers are typically mounted below or just above desk height (24"-35 1/2" above floor).	Recess cover should be at least 6" wider than 60" plugmold or 24" plugstrip to be mounted.
AWS Applied wall system			
C Cover			
07 Height			
24 Width			
R Recess cover		Recess covers insert between intermediate channels and are secured in position with screws.	Recess end trim encloses the ends of a recess cover where it meets any other cover type.
AA Finish		Recess covers are extruded, clear anodized aluminum surface.	Recess end trim kit includes one left hand and one right hand trim. Recess end trim is not required where recess cover meets wall end trim, corner connector or another recess cover.

Wall covers

Slatwall surface

AutoStrada

description	h	w	d	pattern no.	painted or aluminum
Slatwall cover	7 1/2"	24"	1/2"	AAWS C0724 S ()	\$111.
	7 1/2"	30"	1/2"	AAWS C0730 S ()	125.
	7 1/2"	36"	1/2"	AAWS C0736 S ()	141.
	7 1/2"	42"	1/2"	AAWS C0742 S ()	153.
	7 1/2"	48"	1/2"	AAWS C0748 S ()	170.
	7 1/2"	54"	1/2"	AAWS C0754 S ()	196.
	7 1/2"	60"	1/2"	AAWS C0760 S ()	211.
	7 1/2"	66"	1/2"	AAWS C0766 S ()	225.
	7 1/2"	72"	1/2"	AAWS C0772 S ()	239.
	7 1/2"	78"	1/2"	AAWS C0778 S ()	254.
	7 1/2"	84"	1/2"	AAWS C0784 S ()	267.
	7 1/2"	90"	1/2"	AAWS C0790 S ()	294.
	7 1/2"	96"	1/2"	AAWS C0796 S ()	310.




Order Code	Specification Information	Application	
Example: AAWS C0724 S AA	AA - Anodized Aluminum only.	Slatwall covers provide four continuous, horizontal slots to accept a variety of KnollExtra paper management accessories and flat screen monitor arms. Slatwall covers are typically installed just above desk height (31 1/2 - 39" above floor).	Slatwall covers will support flat panel monitor arms with varying weight limitations based on mounting and application. Please refer to the KnollExtra price list for comprehensive mounting and weight limitation information by application.
A AutoStrada	Slatwall covers are available in AA anodized aluminum or any standard painted finish except 613 Silver.	Slatwall covers insert between intermediate channels and are secured in position with screws. Slatwall covers are extruded, clear anodized aluminum surface.	
AWS Applied wall system			
C Cover			
07 Height			
24 Width			
S Slatwall cover			
AA Finish			

Wall covers

Marker surface

AutoStrada

Applied Wall

description	h	w	d	pattern no.	list
Marker cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 M ()	\$84.
	7 1/2"	30"	1/2"	AAWS C0730 M ()	92.
	7 1/2"	36"	1/2"	AAWS C0736 M ()	98.
	7 1/2"	42"	1/2"	AAWS C0742 M ()	106.
	7 1/2"	48"	1/2"	AAWS C0748 M ()	111.
	7 1/2"	54"	1/2"	AAWS C0754 M ()	118.
	7 1/2"	60"	1/2"	AAWS C0760 M ()	123.
	7 1/2"	66"	1/2"	AAWS C0766 M ()	130.
	7 1/2"	72"	1/2"	AAWS C0772 M ()	138.
Marker cover, 15"H 	15"	24"	1/2"	AAWS C1524 M ()	109.
	15"	30"	1/2"	AAWS C1530 M ()	122.
	15"	36"	1/2"	AAWS C1536 M ()	135.
	15"	42"	1/2"	AAWS C1542 M ()	145.
	15"	48"	1/2"	AAWS C1548 M ()	161.
	15"	54"	1/2"	AAWS C1554 M ()	174.
	15"	60"	1/2"	AAWS C1560 M ()	185.
	15"	66"	1/2"	AAWS C1566 M ()	196.
	15"	72"	1/2"	AAWS C1572 M ()	208.
Marker cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 M ()	138.
	22 1/2"	30"	1/2"	AAWS C2230 M ()	152.
	22 1/2"	36"	1/2"	AAWS C2236 M ()	179.
	22 1/2"	42"	1/2"	AAWS C2242 M ()	195.
	22 1/2"	48"	1/2"	AAWS C2248 M ()	212.
	22 1/2"	54"	1/2"	AAWS C2254 M ()	228.
	22 1/2"	60"	1/2"	AAWS C2260 M ()	266.
	22 1/2"	66"	1/2"	AAWS C2266 M ()	273.
	22 1/2"	72"	1/2"	AAWS C2272 M ()	277.
Marker cover, 30"H 	30"	24"	1/2"	AAWS C3024 M ()	161.
	30"	30"	1/2"	AAWS C3030 M ()	185.
	30"	36"	1/2"	AAWS C3036 M ()	212.
	30"	42"	1/2"	AAWS C3042 M ()	235.
	30"	48"	1/2"	AAWS C3048 M ()	257.
	30"	54"	1/2"	AAWS C3054 M ()	282.
	30"	60"	1/2"	AAWS C3060 M ()	308.
	30"	66"	1/2"	AAWS C3066 M ()	327.
	30"	72"	1/2"	AAWS C3072 M ()	351.

Order Code

Example:	AAWS C0724 M LW
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
M	Marker cover
LW	Finish

Specification Information

LW - Markerboard surface

Application


Markerboard cover is a white, dry-erase surface that fits flush with adjacent wall covers. Marker covers insert between channels set at the corresponding height differences.

Wall covers

Marker surface

AutoStrada

description	h	w	d	pattern no.	list
Marker cover, 45"H	45"	24"	1/2"	AAWS C4524 M ()	\$213.
	45"	30"	1/2"	AAWS C4530 M ()	245.
	45"	36"	1/2"	AAWS C4536 M ()	297.
	45"	42"	1/2"	AAWS C4542 M ()	328.
	45"	48"	1/2"	AAWS C4548 M ()	361.
	45"	54"	1/2"	AAWS C4554 M ()	398.
	45"	60"	1/2"	AAWS C4560 M ()	426.
	45"	66"	1/2"	AAWS C4566 M ()	460.
	45"	72"	1/2"	AAWS C4572 M ()	495.





Order Code	Specification Information	Application
Example: AAWS C0724 M LW	LW - Markerboard surface	Markerboard cover is a white, dry-erase surface that fits flush with adjacent wall covers.
A AutoStrada		Marker covers insert between channels set at the corresponding height differences.
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
M Marker cover		
LW Finish		

Wall covers

Tackable linoleum

AutoStrada

Applied Wall

description	h	w	d	pattern no.	list
Linoleum cover, 15"H 	15"	24"	1/2"	AAWS C1524 L ()	\$179.
	15"	30"	1/2"	AAWS C1530 L ()	213.
	15"	36"	1/2"	AAWS C1536 L ()	256.
	15"	42"	1/2"	AAWS C1542 L ()	289.
	15"	48"	1/2"	AAWS C1548 L ()	329.
	15"	54"	1/2"	AAWS C1554 L ()	370.
	15"	60"	1/2"	AAWS C1560 L ()	413.
	15"	66"	1/2"	AAWS C1566 L ()	448.
	15"	72"	1/2"	AAWS C1572 L ()	490.
	15"	78"	1/2"	AAWS C1578 L ()	531.
	15"	84"	1/2"	AAWS C1584 L ()	572.
	15"	90"	1/2"	AAWS C1590 L ()	605.
	15"	96"	1/2"	AAWS C1596 L ()	647.
Linoleum cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 L ()	249.
	22 1/2"	30"	1/2"	AAWS C2230 L ()	301.
	22 1/2"	36"	1/2"	AAWS C2236 L ()	358.
	22 1/2"	42"	1/2"	AAWS C2242 L ()	413.
	22 1/2"	48"	1/2"	AAWS C2248 L ()	475.
	22 1/2"	54"	1/2"	AAWS C2254 L ()	537.
	22 1/2"	60"	1/2"	AAWS C2260 L ()	600.
	22 1/2"	66"	1/2"	AAWS C2266 L ()	647.
	22 1/2"	72"	1/2"	AAWS C2272 L ()	710.
	22 1/2"	78"	1/2"	AAWS C2278 L ()	764.
	22 1/2"	84"	1/2"	AAWS C2284 L ()	825.
	22 1/2"	90"	1/2"	AAWS C2290 L ()	881.
	22 1/2"	96"	1/2"	AAWS C2296 L ()	949.

Order Code	Specification Information	Application
Example: AAWS C0724 L 851	851 Forbo #2186	Linoleum covers insert between horizontal channels to provide tackable, non-upholstered surface. Linoleum covers are tackable with 1/2" pushpins.
A AutoStrada	852 Forbo #2162	
AWS Applied wall system	853 Forbo #2182	
C Cover	854 Forbo #2166	
07 Height	855 Forbo #2204	
24 Width	856 Forbo #2202	Linoleum surface is firm enough to permit open shelf brackets to bear against face of cover.
L Tackable linoleum		
851 Finish		

Wall covers

Tackable upholstered

AutoStrada

description	h	w	d	pattern no.	Grade								
					10	15	20	30	35	40	45	50	55
Tackable upholstered cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 A ()	\$95.	\$97.	\$99.	\$107.	\$109.	\$114.	\$117.	\$123.	\$132.
	7 1/2"	30"	1/2"	AAWS C0730 A ()	102.	106.	108.	116.	118.	120.	122.	132.	139.
	7 1/2"	36"	1/2"	AAWS C0736 A ()	109.	114.	117.	121.	123.	125.	130.	139.	145.
	7 1/2"	42"	1/2"	AAWS C0742 A ()	125.	130.	132.	134.	137.	140.	141.	145.	151.
	7 1/2"	48"	1/2"	AAWS C0748 A ()	143.	145.	147.	148.	150.	152.	155.	160.	166.
	7 1/2"	54"	1/2"	AAWS C0754 A ()	156.	160.	163.	165.	166.	169.	170.	174.	179.
	7 1/2"	60"	1/2"	AAWS C0760 A ()	173.	174.	175.	177.	179.	184.	185.	189.	194.
	7 1/2"	66"	1/2"	AAWS C0766 A ()	186.	189.	190.	192.	194.	196.	201.	204.	209.
	7 1/2"	72"	1/2"	AAWS C0772 A ()	202.	204.	207.	208.	209.	212.	213.	216.	223.
Tackable upholstered cover, 15"H 	15"	24"	1/2"	AAWS C1524 A ()	144.	145.	147.	148.	150.	152.	155.	156.	168.
	15"	30"	1/2"	AAWS C1530 A ()	171.	173.	174.	175.	177.	181.	184.	185.	194.
	15"	36"	1/2"	AAWS C1536 A ()	197.	201.	202.	204.	207.	209.	211.	212.	221.
	15"	42"	1/2"	AAWS C1542 A ()	226.	227.	228.	231.	233.	237.	238.	239.	251.
	15"	48"	1/2"	AAWS C1548 A ()	255.	256.	257.	259.	260.	265.	266.	267.	276.
	15"	54"	1/2"	AAWS C1554 A ()	279.	281.	282.	286.	287.	291.	293.	294.	302.
	15"	60"	1/2"	AAWS C1560 A ()	309.	312.	313.	316.	317.	320.	321.	323.	330.
	15"	66"	1/2"	AAWS C1566 A ()	337.	338.	341.	343.	344.	349.	350.	352.	359.
	15"	72"	1/2"	AAWS C1572 A ()	363.	364.	365.	366.	368.	372.	373.	377.	390.



Order Code	Specification Information	Application
Example: AAWS C0724 A 288-6	See finish page for Knoll textile selections.	Tackable upholstered covers insert between horizontal channels to provide tackable, fabric surface. Covers are tackable with 1/2" pushpins. Fabric is railroaded. Open shelves cannot be positioned immediately above tackable fabric covers. Tackable core is not firm enough to permit open shelf brackets to bear against face of cover.
A AutoStrada		
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
A Tackable upholstered		
288-6 Fabric		

Wall covers

Tackable upholstered

AutoStrada

Applied Wall


description	h	w	d	pattern no.	Grade 10	15	20	30	35	40	45	50	55
Tackable upholstered cover, 22 1/2"H	22 1/2"	24"	1/2"	AAWS C2224 A ()	\$204.	\$209.	\$212.	\$215.	\$221.	\$226.	\$231.	\$239.	\$255.
	22 1/2"	30"	1/2"	AAWS C2230 A ()	247.	253.	257.	260.	265.	269.	274.	282.	297.
	22 1/2"	36"	1/2"	AAWS C2236 A ()	289.	294.	298.	301.	309.	315.	318.	326.	341.
	22 1/2"	42"	1/2"	AAWS C2242 A ()	331.	337.	344.	349.	352.	357.	360.	368.	383.
	22 1/2"	48"	1/2"	AAWS C2248 A ()	373.	380.	384.	392.	398.	402.	405.	413.	426.
	22 1/2"	54"	1/2"	AAWS C2254 A ()	419.	423.	431.	435.	438.	444.	448.	457.	470.
	22 1/2"	60"	1/2"	AAWS C2260 A ()	462.	468.	473.	476.	483.	487.	492.	500.	512.
	22 1/2"	66"	1/2"	AAWS C2266 A ()	505.	510.	516.	521.	527.	531.	534.	543.	557.
	22 1/2"	72"	1/2"	AAWS C2272 A ()	549.	554.	558.	563.	570.	573.	578.	586.	601.
Tackable upholstered cover, 30"H	30"	24"	1/2"	AAWS C3024 A ()	368.	373.	377.	382.	392.	398.	403.	407.	431.
	30"	30"	1/2"	AAWS C3030 A ()	446.	453.	455.	459.	464.	470.	476.	483.	503.
	30"	36"	1/2"	AAWS C3036 A ()	525.	529.	531.	534.	540.	545.	551.	557.	580.
	30"	42"	1/2"	AAWS C3042 A ()	597.	603.	605.	611.	617.	622.	626.	632.	657.
	30"	48"	1/2"	AAWS C3048 A ()	675.	678.	680.	685.	692.	699.	706.	710.	730.
	30"	54"	1/2"	AAWS C3054 A ()	752.	756.	758.	762.	767.	771.	779.	784.	806.
	30"	60"	1/2"	AAWS C3060 A ()	824.	827.	831.	837.	843.	848.	855.	859.	882.
	30"	66"	1/2"	AAWS C3066 A ()	899.	905.	907.	914.	920.	925.	933.	937.	960.
	30"	72"	1/2"	AAWS C3072 A ()	975.	980.	983.	987.	993.	1,001.	1,008.	1,011.	1,035.

Order Code	Specification Information	Application
Example: AAWS C0724 A 288-6	See finish page for Knoll textile selections.	Tackable upholstered covers insert between horizontal channels to provide tackable, fabric surface. Covers are tackable with 1/2" pushpins.
A AutoStrada		Fabric is railroaded.
AWS Applied wall system		Open shelves cannot be positioned immediately above tackable fabric covers. Tackable core is not firm enough to permit open shelf brackets to bear against face of cover.
C Cover		
07 Height		
24 Width		
A Tackable upholstered		
288-6 Fabric		

Wall covers

Non-tackable upholstered

AutoStrada

description	h	w	d	pattern no.	Grade								
					10	15	20	30	35	40	45	50	55
Non-tackable upholstered cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 F ()	\$95.	\$97.	\$99.	\$107.	\$109.	\$114.	\$117.	\$123.	\$132.
	7 1/2"	30"	1/2"	AAWS C0730 F ()	102.	106.	108.	116.	118.	120.	122.	132.	139.
	7 1/2"	36"	1/2"	AAWS C0736 F ()	109.	114.	117.	121.	123.	125.	130.	139.	145.
	7 1/2"	42"	1/2"	AAWS C0742 F ()	118.	120.	122.	127.	132.	135.	138.	145.	151.
	7 1/2"	48"	1/2"	AAWS C0748 F ()	123.	125.	130.	137.	139.	141.	144.	151.	160.
	7 1/2"	54"	1/2"	AAWS C0754 F ()	132.	135.	138.	143.	145.	148.	150.	160.	167.
	7 1/2"	60"	1/2"	AAWS C0760 F ()	139.	141.	144.	149.	151.	153.	156.	167.	173.
	7 1/2"	66"	1/2"	AAWS C0766 F ()	145.	148.	150.	155.	160.	163.	166.	173.	179.
	7 1/2"	72"	1/2"	AAWS C0772 F ()	151.	153.	156.	165.	167.	169.	171.	179.	186.
	7 1/2"	78"	1/2"	AAWS C0778 F ()	160.	163.	166.	170.	173.	175.	177.	186.	193.
	7 1/2"	84"	1/2"	AAWS C0784 F ()	167.	169.	171.	176.	179.	183.	185.	193.	201.
	7 1/2"	90"	1/2"	AAWS C0790 F ()	173.	175.	177.	184.	186.	189.	192.	201.	208.
	7 1/2"	96"	1/2"	AAWS C0796 F ()	179.	183.	185.	190.	193.	195.	197.	208.	213.
Non-tackable upholstered cover, 15"H 	15"	24"	1/2"	AAWS C1524 F ()	120.	123.	125.	137.	139.	141.	145.	148.	153.
	15"	30"	1/2"	AAWS C1530 F ()	135.	139.	141.	149.	151.	153.	160.	163.	169.
	15"	36"	1/2"	AAWS C1536 F ()	148.	151.	153.	165.	167.	169.	173.	175.	183.
	15"	42"	1/2"	AAWS C1542 F ()	163.	167.	169.	176.	179.	183.	186.	189.	195.
	15"	48"	1/2"	AAWS C1548 F ()	175.	179.	183.	190.	193.	195.	201.	204.	210.
	15"	54"	1/2"	AAWS C1554 F ()	189.	193.	195.	206.	208.	210.	213.	215.	223.
	15"	60"	1/2"	AAWS C1560 F ()	204.	208.	210.	216.	219.	223.	227.	229.	237.
	15"	66"	1/2"	AAWS C1566 F ()	215.	219.	223.	231.	235.	237.	242.	245.	253.
	15"	72"	1/2"	AAWS C1572 F ()	229.	235.	237.	246.	249.	253.	256.	258.	265.
	15"	78"	1/2"	AAWS C1578 F ()	245.	249.	253.	259.	261.	265.	268.	271.	277.
	15"	84"	1/2"	AAWS C1584 F ()	258.	261.	265.	273.	275.	277.	281.	285.	291.
	15"	90"	1/2"	AAWS C1590 F ()	271.	275.	277.	286.	289.	291.	296.	298.	305.
	15"	96"	1/2"	AAWS C1596 F ()	285.	289.	291.	299.	301.	305.	312.	315.	320.



Order Code	Specification Information	Application
Example: AAWS C0724 F 288-6	See finish page for Knoll textile selections.	Non-tackable upholstered covers insert between horizontal channels to provide fabric surface. Fabric is railroaded. Wood core is firm enough to permit open shelf brackets to bear against face of cover.
A AutoStrada		
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
F Non-tackable upholstered		
288-6 Fabric		

Wall covers

Non-tackable upholstered

AutoStrada

Applied Wall


description	h	w	d	pattern no.	Grade	10	15	20	30	35	40	45	50	55
Non-tackable upholstered cover, 22 1/2"H	22 1/2"	24"	1/2"	AAWS C2224 F ()	\$165.	\$170.	\$174.	\$186.	\$193.	\$201.	\$208.	\$219.	\$242.	
	22 1/2"	30"	1/2"	AAWS C2230 F ()	179.	189.	193.	207.	212.	218.	226.	239.	260.	
	22 1/2"	36"	1/2"	AAWS C2236 F ()	197.	209.	212.	225.	231.	238.	246.	259.	278.	
	22 1/2"	42"	1/2"	AAWS C2242 F ()	216.	227.	231.	245.	253.	258.	265.	277.	298.	
	22 1/2"	48"	1/2"	AAWS C2248 F ()	237.	247.	253.	263.	269.	276.	282.	297.	319.	
	22 1/2"	54"	1/2"	AAWS C2254 F ()	257.	266.	269.	281.	289.	296.	301.	318.	337.	
	22 1/2"	60"	1/2"	AAWS C2260 F ()	275.	285.	289.	300.	309.	317.	322.	335.	357.	
	22 1/2"	66"	1/2"	AAWS C2266 F ()	294.	302.	309.	321.	327.	333.	343.	355.	373.	
	22 1/2"	72"	1/2"	AAWS C2272 F ()	316.	323.	327.	341.	349.	354.	360.	372.	398.	
	22 1/2"	78"	1/2"	AAWS C2278 F ()	331.	344.	349.	359.	364.	371.	379.	396.	414.	
	22 1/2"	84"	1/2"	AAWS C2284 F ()	353.	361.	364.	377.	384.	395.	402.	413.	435.	
	22 1/2"	90"	1/2"	AAWS C2290 F ()	370.	380.	384.	401.	406.	412.	418.	434.	454.	
22 1/2"	96"	1/2"	AAWS C2296 F ()	393.	403.	406.	417.	423.	433.	438.	453.	473.		
Non-tackable upholstered cover, 30"H	30"	24"	1/2"	AAWS C3024 F ()	186.	195.	201.	213.	227.	235.	242.	249.	268.	
	30"	30"	1/2"	AAWS C3030 F ()	211.	219.	225.	238.	254.	259.	266.	273.	293.	
	30"	36"	1/2"	AAWS C3036 F ()	236.	246.	251.	263.	276.	282.	290.	297.	319.	
	30"	42"	1/2"	AAWS C3042 F ()	260.	269.	274.	287.	300.	309.	317.	322.	344.	
	30"	48"	1/2"	AAWS C3048 F ()	285.	294.	298.	315.	326.	331.	341.	349.	365.	
	30"	54"	3/4"	AAWS C3054 F ()	312.	320.	323.	337.	352.	358.	363.	370.	395.	
	30"	60"	1/2"	AAWS C3060 F ()	333.	345.	350.	361.	373.	382.	392.	400.	417.	
	30"	66"	1/2"	AAWS C3066 F ()	359.	366.	371.	390.	403.	408.	414.	420.	443.	
	30"	72"	1/2"	AAWS C3072 F ()	383.	396.	401.	412.	424.	434.	441.	446.	466.	
	30"	78"	1/2"	AAWS C3078 F ()	410.	418.	422.	437.	452.	457.	463.	470.	494.	
	30"	84"	1/2"	AAWS C3084 F ()	435.	444.	448.	461.	475.	483.	490.	497.	516.	
	30"	90"	1/2"	AAWS C3090 F ()	459.	468.	473.	487.	500.	505.	512.	521.	540.	
	30"	96"	1/2"	AAWS C3096 F ()	484.	495.	498.	510.	527.	532.	538.	544.	566.	

Order Code	Specification Information	Application
Example: AAWS C0724 F 288-6	See finish page for Knoll textile selections.	Non-tackable upholstered covers insert between horizontal channels to provide fabric surface.
A AutoStrada		Fabric is railroaded.
AWS Applied wall system		Wood core is firm enough to permit open shelf brackets to bear against face of cover.
C Cover		
07 Height		
24 Width		
F Non-tackable upholstered		
288-6 Fabric		

Wall covers

Laminate or Veneer surface



AutoStrada

description	h	w	d	pattern no.	L	V1	V2	V3
Laminate or Veneer cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 ()	\$79.	\$184.	\$214.	\$282.
	7 1/2"	30"	1/2"	AAWS C0730 ()	86.	193.	218.	295.
	7 1/2"	36"	1/2"	AAWS C0736 ()	89.	196.	221.	320.
	7 1/2"	42"	1/2"	AAWS C0742 ()	95.	204.	231.	349.
	7 1/2"	48"	1/2"	AAWS C0748 ()	99.	209.	238.	369.
	7 1/2"	54"	1/2"	AAWS C0754 ()	105.	217.	247.	397.
	7 1/2"	60"	1/2"	AAWS C0760 ()	111.	222.	257.	423.
	7 1/2"	66"	1/2"	AAWS C0766 ()	116.	225.	263.	444.
	7 1/2"	72"	1/2"	AAWS C0772 ()	120.	229.	271.	470.
	7 1/2"	78"	1/2"	AAWS C0778 ()	n/a	236.	278.	496.
	7 1/2"	84"	1/2"	AAWS C0784 ()	n/a	243.	287.	519.
	7 1/2"	90"	1/2"	AAWS C0790 ()	n/a	249.	297.	544.
	7 1/2"	96"	1/2"	AAWS C0796 ()	n/a	254.	302.	569.
Laminate or Veneer cover, 15"H 	15"	24"	1/2"	AAWS C1524 ()	97.	208.	237.	364.
	15"	30"	1/2"	AAWS C1530 ()	107.	219.	255.	416.
	15"	36"	1/2"	AAWS C1536 ()	118.	227.	268.	462.
	15"	42"	1/2"	AAWS C1542 ()	129.	238.	285.	512.
	15"	48"	1/2"	AAWS C1548 ()	140.	252.	302.	564.
	15"	54"	1/2"	AAWS C1554 ()	150.	268.	327.	610.
	15"	60"	1/2"	AAWS C1560 ()	161.	277.	338.	660.
	15"	66"	1/2"	AAWS C1566 ()	171.	287.	354.	709.
	15"	72"	1/2"	AAWS C1572 ()	179.	296.	366.	753.
	15"	78"	1/2"	AAWS C1578 ()	n/a	309.	384.	801.
	15"	84"	1/2"	AAWS C1584 ()	n/a	317.	403.	846.
	15"	90"	1/2"	AAWS C1590 ()	n/a	330.	417.	898.
	15"	96"	1/2"	AAWS C1596 ()	n/a	339.	434.	946.

Order Code	Specification Information	Application
Example: AAWS C0724 118	See finish page for laminate and veneer finish codes. Product on this page will accept wood grain laminate where laminate is currently an option.	Veneer or laminate covers insert between horizontal channels. Techwood and natural veneer grain direction is horizontal.
A AutoStrada		
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
118 Finish		

Wall covers

Laminate or Veneer surface



description	h	w	d	pattern no.	L	V1	V2	V3
Laminate or Veneer cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 ()	\$120.	\$231.	\$273.	\$467.
	22 1/2"	30"	1/2"	AAWS C2230 ()	135.	248.	291.	524.
	22 1/2"	36"	1/2"	AAWS C2236 ()	156.	274.	327.	616.
	22 1/2"	42"	1/2"	AAWS C2242 ()	171.	287.	352.	690.
	22 1/2"	48"	1/2"	AAWS C2248 ()	183.	302.	372.	756.
	22 1/2"	54"	1/2"	AAWS C2254 ()	194.	316.	400.	826.
	22 1/2"	60"	1/2"	AAWS C2260 ()	227.	335.	422.	904.
	22 1/2"	66"	1/2"	AAWS C2266 ()	231.	349.	444.	968.
	22 1/2"	72"	1/2"	AAWS C2272 ()	236.	364.	466.	1,037.
	22 1/2"	78"	1/2"	AAWS C2278 ()	n/a	377.	492.	1,109.
	22 1/2"	84"	1/2"	AAWS C2284 ()	n/a	394.	512.	1,182.
	22 1/2"	90"	1/2"	AAWS C2290 ()	n/a	413.	537.	1,255.
	22 1/2"	96"	1/2"	AAWS C2296 ()	n/a	427.	560.	1,322.
Laminate or Veneer cover, 30"H 	30"	24"	1/2"	AAWS C3024 ()	140.	252.	302.	565.
	30"	30"	1/2"	AAWS C3030 ()	160.	277.	337.	660.
	30"	36"	1/2"	AAWS C3036 ()	184.	302.	372.	757.
	30"	42"	1/2"	AAWS C3042 ()	202.	320.	406.	853.
	30"	48"	1/2"	AAWS C3048 ()	217.	341.	436.	945.
	30"	54"	1/2"	AAWS C3054 ()	242.	370.	473.	1,044.
	30"	60"	1/2"	AAWS C3060 ()	258.	387.	503.	1,141.
	30"	66"	1/2"	AAWS C3066 ()	274.	413.	534.	1,231.
	30"	72"	1/2"	AAWS C3072 ()	293.	431.	565.	1,282.
	30"	78"	1/2"	AAWS C3078 ()	n/a	447.	596.	1,418.
	30"	84"	1/2"	AAWS C3084 ()	n/a	471.	625.	1,509.
	30"	90"	1/2"	AAWS C3090 ()	n/a	490.	659.	1,603.
	30"	96"	1/2"	AAWS C3096 ()	n/a	510.	686.	1,697.

Order Code	Specification Information	Application
Example: AAWS C0724 118		
A AutoStrada	See finish page for laminate and veneer finish codes.	Veneer or laminate covers insert between horizontal channels.
AWS Applied wall system	Product on this page will accept wood grain laminate where laminate is currently an option.	Techwood and natural veneer grain direction is horizontal.
C Cover		
07 Height		
24 Width		
118 Finish		

Wall covers

Painted surface

AutoStrada

description	h	w	d	pattern no.	paint
Painted cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 P ()	\$148.
	7 1/2"	30"	1/2"	AAWS C0730 P ()	149.
	7 1/2"	36"	1/2"	AAWS C0736 P ()	150.
	7 1/2"	42"	1/2"	AAWS C0742 P ()	186.
	7 1/2"	48"	1/2"	AAWS C0748 P ()	189.
	7 1/2"	54"	1/2"	AAWS C0754 P ()	190.
	7 1/2"	60"	1/2"	AAWS C0760 P ()	226.
	7 1/2"	66"	1/2"	AAWS C0766 P ()	228.
	7 1/2"	72"	1/2"	AAWS C0772 P ()	229.
	7 1/2"	78"	1/2"	AAWS C0778 P ()	233.
	7 1/2"	84"	1/2"	AAWS C0784 P ()	269.
	7 1/2"	90"	1/2"	AAWS C0790 P ()	273.
	7 1/2"	96"	1/2"	AAWS C0796 P ()	274.
Painted cover, 15"H 	15"	24"	1/2"	AAWS C1524 P ()	156.
	15"	30"	1/2"	AAWS C1530 P ()	163.
	15"	36"	1/2"	AAWS C1536 P ()	167.
	15"	42"	1/2"	AAWS C1542 P ()	206.
	15"	48"	1/2"	AAWS C1548 P ()	209.
	15"	54"	1/2"	AAWS C1554 P ()	211.
	15"	60"	1/2"	AAWS C1560 P ()	251.
	15"	66"	1/2"	AAWS C1566 P ()	255.
	15"	72"	1/2"	AAWS C1572 P ()	258.
	15"	78"	1/2"	AAWS C1578 P ()	261.
	15"	84"	1/2"	AAWS C1584 P ()	300.
	15"	90"	1/2"	AAWS C1590 P ()	305.
	15"	96"	1/2"	AAWS C1596 P ()	312.

Order Code

Example:	AAWS C0724 P 118
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
P	Painted surface
118	Finish

Specification Information

See finish page for painted finish codes.

Application



Painted wood covers insert between horizontal channels.
Painted covers are powder coat or wet spray on medium density fiberboard.

Wall covers

Painted surface

AutoStrada

Applied Wall

description	h	w	d	pattern no.	paint
Painted cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 P ()	\$167.
	22 1/2"	30"	1/2"	AAWS C2230 P ()	173.
	22 1/2"	36"	1/2"	AAWS C2236 P ()	177.
	22 1/2"	42"	1/2"	AAWS C2242 P ()	216.
	22 1/2"	48"	1/2"	AAWS C2248 P ()	223.
	22 1/2"	54"	1/2"	AAWS C2254 P ()	229.
	22 1/2"	60"	1/2"	AAWS C2260 P ()	269.
	22 1/2"	66"	1/2"	AAWS C2266 P ()	275.
	22 1/2"	72"	1/2"	AAWS C2272 P ()	281.
	22 1/2"	78"	1/2"	AAWS C2278 P ()	287.
	22 1/2"	84"	1/2"	AAWS C2284 P ()	329.
	22 1/2"	90"	1/2"	AAWS C2290 P ()	335.
	22 1/2"	96"	1/2"	AAWS C2296 P ()	343.
Painted cover, 30"H 	30"	24"	1/2"	AAWS C3024 P ()	174.
	30"	30"	1/2"	AAWS C3030 P ()	183.
	30"	36"	1/2"	AAWS C3036 P ()	190.
	30"	42"	1/2"	AAWS C3042 P ()	233.
	30"	48"	1/2"	AAWS C3048 P ()	239.
	30"	54"	1/2"	AAWS C3054 P ()	249.
	30"	60"	1/2"	AAWS C3060 P ()	290.
	30"	66"	1/2"	AAWS C3066 P ()	298.
	30"	72"	1/2"	AAWS C3072 P ()	305.
	30"	78"	1/2"	AAWS C3078 P ()	316.
	30"	84"	1/2"	AAWS C3084 P ()	359.
	30"	90"	1/2"	AAWS C3090 P ()	364.
	30"	96"	1/2"	AAWS C3096 P ()	372.

Order Code

Example:	AAWS C0724 P 118
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
P	Painted surface
118	Finish

Specification Information

See finish page for painted finish codes.


Application

Painted wood covers insert between horizontal channels.
Painted covers are powder coat or wet spray on medium density fiberboard.

Wall covers

Backpainted glass surface

AutoStrada

description	h	w	pattern no.	881	882
Backpainted glass, 15"H 	15"	24"	AAWS C1524 G ()	\$329.	\$402.
	15"	30"	AAWS C1530 G ()	384.	455.
	15"	36"	AAWS C1536 G ()	442.	508.
	15"	42"	AAWS C1542 G ()	497.	565.
	15"	48"	AAWS C1548 G ()	550.	620.
	15"	54"	AAWS C1554 G ()	605.	676.
	15"	60"	AAWS C1560 G ()	663.	729.
	15"	66"	AAWS C1566 G ()	716.	784.
	15"	72"	AAWS C1572 G ()	770.	839.
Backpainted glass, 22 1/2"H 	22 1/2"	24"	AAWS C2224 G ()	435.	526.
	22 1/2"	30"	AAWS C2230 G ()	516.	600.
	22 1/2"	36"	AAWS C2236 G ()	591.	676.
	22 1/2"	42"	AAWS C2242 G ()	676.	759.
	22 1/2"	48"	AAWS C2248 G ()	753.	854.
	22 1/2"	54"	AAWS C2254 G ()	825.	949.
	22 1/2"	60"	AAWS C2260 G ()	909.	1,046.
	22 1/2"	66"	AAWS C2266 G ()	984.	1,142.
	22 1/2"	72"	AAWS C2272 G ()	1,059.	1,240.

Order Code	Specification Information	Application
Example: AAWS C1524 G 881	Backpainted glass is 4mm thick.	Backpainted glass covers insert between horizontal channels to provide nearly opaque glass surface. Glass covers may be used as dry-erase marker surface.
A AutoStrada	Specify glass surface:	
AWS Applied wall system	881 sea glass white	
C Cover	882 star white	
15 Height	Sea glass has natural glass tint. Star glass has low lead content for pure white appearance.	Bookshelves cannot be mounted in channel directly above glass cover.
24 Width		
G Backpainted glass		
881 Finish		

description	h	w	d	pattern no.	painted or aluminum
Display shelf	1"	24"	5 1/2"	AAWS DS2405 ()	\$249.
	1"	30"	5 1/2"	AAWS DS3005 ()	261.
	1"	36"	5 1/2"	AAWS DS3605 ()	281.
	1"	42"	5 1/2"	AAWS DS4205 ()	312.
	1"	48"	5 1/2"	AAWS DS4805 ()	329.
	1"	54"	5 1/2"	AAWS DS5405 ()	358.
	1"	6"	5 1/2"	AAWS DS0605 ()	95.
	1"	60"	5 1/2"	AAWS DS6005 ()	370.
	1"	66"	5 1/2"	AAWS DS6605 ()	384.
	1"	72"	5 1/2"	AAWS DS7205 ()	402.

Order Code	Specification Information	Application
Example: AAWS DS2405 AA		
A AutoStrada	AA - Anodized Aluminum or any standard painted finish except 613 Silver.	Display shelf is natural anodized aluminum extrusion with integral bracket detail that engages into horizontal channel at any point.
AWS Applied wall system		Display shelves are typically mounted in channels at 31 1/2" or 39" above the floor. Display shelf can be mounted in channel between glass covers.
DS Display shelf		
24 Width		
05 Depth		
AA Finish		

description	h	w	d	pattern no.	list	glass
Powder glass lower shelf 	1 1/2"	24"	9"	AAWS LS2409 G () ()		\$579.
	1 1/2"	30"	9"	AAWS LS3009 G () ()		620.
	1 1/2"	36"	9"	AAWS LS3609 G () ()		671.
	1 1/2"	42"	9"	AAWS LS4209 G () ()		722.
	1 1/2"	48"	9"	AAWS LS4809 G () ()		778.
	1 1/2"	54"	9"	AAWS LS5409 G () ()		839.
	1 1/2"	60"	9"	AAWS LS6009 G () ()		894.
	1 1/2"	66"	9"	AAWS LS6609 G () ()		959.
	1 1/2"	72"	9"	AAWS LS7209 G () ()		1,020.
Powder glass upper shelf 	1 1/2"	24"	9"	AAWS US2409 G () ()		579.
	1 1/2"	30"	9"	AAWS US3009 G () ()		620.
	1 1/2"	36"	9"	AAWS US3609 G () ()		671.
	1 1/2"	42"	9"	AAWS US4209 G () ()		722.
	1 1/2"	48"	9"	AAWS US4809 G () ()		778.
	1 1/2"	54"	9"	AAWS US5409 G () ()		839.
	1 1/2"	60"	9"	AAWS US6009 G () ()		894.
	1 1/2"	66"	9"	AAWS US6609 G () ()		959.
	1 1/2"	72"	9"	AAWS US7209 G () ()		1,020.
Book ends (pair)	7"	5"	7"	AAWS BE ()	77.	

Order Code	Specification Information	Application
Example: AAWS LS2409 G GL13 AA	GL13 - Powder glass only.	Glass shelves are supported by a 5 1/2" deep aluminum platform with integral bracket detail that engages into horizontal channel at any point.
A AutoStrada	Glass platform is available in AA anodized aluminum or any standard painted finish except Silver.	Book ends rest on glass shelf at any point to contain books or binders.
AWS Applied wall system		
LS Shelf		
24 Width		
09 Depth		
G Glass		
GL13 Glass finish		
AA Support finish		

Bookshelves

laminate and veneer

AutoStrada

Applied Wall


description	h	w	d	pattern no.	list	L	V1	V2	V3
Laminate or veneer lower shelf 	1 1/2"	24"	12"	AAWS LS2412 () ()		\$255.	\$356.	\$393.	\$516.
	1 1/2"	30"	12"	AAWS LS3012 () ()		279.	389.	434.	568.
	1 1/2"	36"	12"	AAWS LS3612 () ()		309.	428.	474.	621.
	1 1/2"	42"	12"	AAWS LS4212 () ()		334.	467.	513.	676.
	1 1/2"	48"	12"	AAWS LS4812 () ()		359.	504.	555.	733.
	1 1/2"	54"	12"	AAWS LS5412 () ()		442.	614.	679.	894.
	1 1/2"	60"	12"	AAWS LS6012 () ()		413.	578.	636.	840.
	1 1/2"	66"	12"	AAWS LS6612 () ()		442.	614.	679.	894.
	1 1/2"	72"	12"	AAWS LS7212 () ()		469.	650.	719.	947.
Laminate or veneer upper shelf 	1 1/2"	24"	12"	AAWS US2412 () ()		255.	356.	393.	516.
	1 1/2"	30"	12"	AAWS US3012 () ()		279.	389.	434.	568.
	1 1/2"	36"	12"	AAWS US3612 () ()		309.	428.	474.	621.
	1 1/2"	42"	12"	AAWS US4212 () ()		334.	467.	513.	676.
	1 1/2"	48"	12"	AAWS US4812 () ()		359.	504.	555.	733.
	1 1/2"	54"	12"	AAWS US5412 () ()		442.	614.	679.	894.
	1 1/2"	60"	12"	AAWS US6012 () ()		413.	578.	636.	840.
	1 1/2"	66"	12"	AAWS US6612 () ()		442.	614.	679.	894.
	1 1/2"	72"	12"	AAWS US7212 () ()		469.	650.	719.	947.
Book ends (pair)	7"	5"	7"	AAWS BE ()	77.				

Order Code	Specification Information	Application	
Example: AAWS LS2412 118 AA			
A Autostrada	Shelf platform is available in AA anodized aluminum or any standard painted finish except 613 Silver.	Laminate and veneer bookshelves are supported by a 5 1/2" deep aluminum platform with integral bracket detail that engages into horizontal channel at any point.	Book ends rest on bookshelf at any point to contain books or binders.
AWS Applied wall system			
LS Shelf	Bookends are available in any standard painted finish.	Specify lower shelf for most applications to align with bottom of adjacent overhead storage cabinet.	
24 Width		Specify upper shelf only to align with top of adjacent overhead storage cabinet.	
12 Depth	See finish page for laminate and veneer finish codes.	Shelf bracket bears against surface of cover below so it cannot be positioned above glass or tackable fabric covers.	
118 Shelf finish	Product on this page will accept wood grain laminate where laminate is currently an option.		
AA Support finish			

Open overhead cabinets

Laminate or wood veneer

AutoStrada

description	h	w	d	pattern no.	L	V1	V2	V3
Open overhead, binder depth  96" w shown	15"	18"	14 1/4"	AAWS OBO 18 () ()	\$1,745.	\$1,939.	\$2,151.	\$2,795.
	15"	24"	14 1/4"	AAWS OBO 24 () ()	1,792.	1,990.	2,204.	2,863.
	15"	30"	14 1/4"	AAWS OBO 30 () ()	1,843.	2,043.	2,258.	2,936.
	15"	36"	14 1/4"	AAWS OBO 36 () ()	1,893.	2,097.	2,316.	3,009.
	15"	42"	14 1/4"	AAWS OBO 42 () ()	1,940.	2,148.	2,376.	3,090.
	15"	48"	14 1/4"	AAWS OBO 48 () ()	1,993.	2,205.	2,441.	3,174.
	15"	54"	14 1/4"	AAWS OBO 54 () ()	2,097.	2,317.	2,568.	3,337.
	15"	60"	14 1/4"	AAWS OBO 60 () ()	2,202.	2,431.	2,694.	3,504.
	15"	66"	14 1/4"	AAWS OBO 66 () ()	2,262.	2,507.	2,768.	3,600.
	15"	72"	14 1/4"	AAWS OBO 72 () ()	2,326.	2,580.	2,844.	3,699.
	15"	78"	14 1/4"	AAWS OBO 78 () ()	2,439.	2,707.	2,987.	3,884.
	15"	84"	14 1/4"	AAWS OBO 84 () ()	2,512.	2,787.	3,077.	4,001.
	15"	90"	14 1/4"	AAWS OBO 90 () ()	2,588.	2,873.	3,172.	4,120.
	15"	96"	14 1/4"	AAWS OBO 96 () ()	2,664.	2,957.	3,267.	4,584.
Open overhead, legal depth	15"	18"	17 1/4"	AAWS OGO 18 () ()	1,886.	2,097.	2,317.	3,017.
	15"	24"	17 1/4"	AAWS OGO 24 () ()	1,936.	2,153.	2,377.	3,093.
	15"	30"	17 1/4"	AAWS OGO 30 () ()	1,990.	2,206.	2,440.	3,173.
	15"	36"	17 1/4"	AAWS OGO 36 () ()	2,043.	2,266.	2,500.	3,253.
	15"	42"	17 1/4"	AAWS OGO 42 () ()	2,096.	2,317.	2,567.	3,337.
	15"	48"	17 1/4"	AAWS OGO 48 () ()	2,153.	2,381.	2,634.	3,427.
	15"	54"	17 1/4"	AAWS OGO 54 () ()	2,264.	2,504.	2,774.	3,605.
	15"	60"	17 1/4"	AAWS OGO 60 () ()	2,379.	2,630.	2,912.	3,782.
	15"	66"	17 1/4"	AAWS OGO 66 () ()	2,441.	2,707.	2,991.	3,890.
	15"	72"	17 1/4"	AAWS OGO 72 () ()	2,508.	2,785.	3,074.	3,996.
	15"	78"	17 1/4"	AAWS OGO 78 () ()	2,636.	2,924.	3,230.	4,196.
	15"	84"	17 1/4"	AAWS OGO 84 () ()	2,713.	3,009.	3,324.	4,322.
	15"	90"	17 1/4"	AAWS OGO 90 () ()	2,796.	3,099.	3,425.	4,449.
	15"	96"	17 1/4"	AAWS OGO 96 () ()	2,880.	3,195.	3,528.	4,584.


Order Code	Specification Information	Application
Example: AAWS OBO 18 118 115	See finish page for laminate and veneer finish codes.	Open overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point.
A AutoStrada	Product on this page will accept wood grain laminate where laminate is currently an option.	Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet.
AWS Applied wall system	Top trim may be specified in AA anodized aluminum or any standard painted finish except Silver.	Overhead cabinets normally mount between 54" and 69" above the floor.
OBO Open overhead cabinet		
18 Width		
118 Laminate or veneer		
115 Trim finish	Mounting extrusions and anti dislodgement brackets match the AA trim or are black paint with any painted finish trim.	Open overhead cabinets are binder height.

Sliding door overhead cabinets with glass doors

Laminate or wood veneer

AutoStrada

Applied Wall


description	h	w	d	pattern no.	L	V1	V2	V3
Open/Sliding door(s) glass, binder depth  96" w shown	15"	42"	15 1/4"	AAWS OBR 42 () () ()	\$3,606.	\$4,030.	\$4,862.	\$5,833.
	15"	48"	15 1/4"	AAWS OBR 48 () () ()	3,717.	4,161.	5,011.	6,017.
	15"	54"	15 1/4"	AAWS OBR 54 () () ()	3,827.	4,295.	5,158.	6,192.
	15"	60"	15 1/4"	AAWS OBR 60 () () ()	3,940.	4,430.	5,307.	6,369.
	15"	66"	15 1/4"	AAWS OBR 66 () () ()	4,047.	4,562.	5,457.	6,550.
	15"	72"	15 1/4"	AAWS OBR 72 () () ()	4,157.	4,694.	5,604.	6,729.
	15"	78"	15 1/4"	AAWS OBR 78 () () ()	4,368.	4,929.	5,887.	7,065.
	15"	84"	15 1/4"	AAWS OBR 84 () () ()	4,497.	5,077.	6,065.	7,275.
	15"	90"	15 1/4"	AAWS OBR 90 () () ()	4,632.	5,227.	6,246.	7,496.
	15"	96"	15 1/4"	AAWS OBR 96 () () ()	4,774.	5,385.	6,433.	7,722.
Open/Sliding door(s) glass, legal depth	15"	42"	18 1/4"	AAWS OGR 42 () () ()	3,892.	4,355.	5,248.	6,294.
	15"	48"	18 1/4"	AAWS OGR 48 () () ()	4,009.	4,498.	5,409.	6,489.
	15"	54"	18 1/4"	AAWS OGR 54 () () ()	4,131.	4,983.	5,572.	6,684.
	15"	60"	18 1/4"	AAWS OGR 60 () () ()	4,249.	4,785.	5,733.	6,880.
	15"	66"	18 1/4"	AAWS OGR 66 () () ()	4,373.	4,927.	5,893.	7,070.
	15"	72"	18 1/4"	AAWS OGR 72 () () ()	4,491.	5,066.	6,056.	7,268.
	15"	78"	18 1/4"	AAWS OGR 78 () () ()	4,716.	5,322.	6,359.	7,631.
	15"	84"	18 1/4"	AAWS OGR 84 () () ()	4,859.	5,483.	6,550.	7,860.
	15"	90"	18 1/4"	AAWS OGR 90 () () ()	5,002.	5,646.	6,745.	8,099.
	15"	96"	18 1/4"	AAWS OGR 96 () () ()	5,153.	5,815.	6,950.	8,338.

Order Code	Specification Information	Application	Application
Example: AAWS OBR 42 () () ()	To order please specify pattern number including:	See finish page for laminate, veneer and glass finish codes.	Sliding door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anit-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor.
A AutoStrada	1. Pull option: AR = AutoStrada Radius pull AB = AutoStrada Bar pull	Product on this page will accept wood grain laminate where laminate is currently an option.	
AWS Applied wall system	2. Case Finish: Laminate, V1, V2, V3	Trim finish is AA anodized aluminum or any standard painted finish except 613 Silver.	
OBR Sliding glass door binder depth overhead	3. Glass Finish: TEMP - Clear, tempered GL16 - Block Matrix GL13 - Powder	Mounting extrusion and anti dislodgement brackets match the AA trim or are black paint with any painted finish trim.	Overhead cabinets are binder height.
42 Width	4. Finish, Glass sliding door frame: Anodized aluminum or painted finish options listed on page 7, excluding silver.		No locks.
AR Radius Pull			
118 Case finish			
GL13 Glass finish			
AA Trim finish			

Sliding door overhead cabinets with laminate or veneer doors

Laminate or wood veneer

AutoStrada

description	h	w	d	pattern no.	L	V1	V2	V3
Open/Sliding door(s) laminate or veneer, binder depth  96" w shown	15"	42"	15 1/4"	AAWS OBS 42 () ()	\$3,020.	\$3,393.	\$4,144.	\$5,389.
	15"	48"	15 1/4"	AAWS OBS 48 () ()	3,114.	3,505.	4,272.	5,553.
	15"	54"	15 1/4"	AAWS OBS 54 () ()	3,208.	3,614.	4,400.	5,720.
	15"	60"	15 1/4"	AAWS OBS 60 () ()	3,297.	3,723.	4,527.	5,885.
	15"	66"	15 1/4"	AAWS OBS 66 () ()	3,395.	3,833.	4,654.	6,050.
	15"	72"	15 1/4"	AAWS OBS 72 () ()	3,486.	3,944.	4,782.	6,216.
	15"	78"	15 1/4"	AAWS OBS 78 () ()	3,660.	4,143.	5,021.	6,529.
	15"	84"	15 1/4"	AAWS OBS 84 () ()	3,768.	4,266.	5,175.	6,724.
	15"	90"	15 1/4"	AAWS OBS 90 () ()	3,883.	4,396.	5,327.	6,924.
	15"	96"	15 1/4"	AAWS OBS 96 () ()	3,997.	4,527.	5,486.	7,135.
Open/Sliding door(s) laminate or veneer, legal depth	15"	42"	18 1/4"	AAWS OGS 42 () ()	3,263.	3,658.	4,489.	5,817.
	15"	48"	18 1/4"	AAWS OGS 48 () ()	3,366.	3,780.	4,620.	5,997.
	15"	54"	18 1/4"	AAWS OGS 54 () ()	3,464.	3,902.	4,754.	6,176.
	15"	60"	18 1/4"	AAWS OGS 60 () ()	3,563.	4,022.	4,888.	6,354.
	15"	66"	18 1/4"	AAWS OGS 66 () ()	3,666.	4,143.	5,025.	6,535.
	15"	72"	18 1/4"	AAWS OGS 72 () ()	3,763.	4,258.	5,168.	6,714.
	15"	78"	18 1/4"	AAWS OGS 78 () ()	3,953.	4,472.	5,424.	7,051.
	15"	84"	18 1/4"	AAWS OGS 84 () ()	4,070.	4,610.	5,586.	7,260.
	15"	90"	18 1/4"	AAWS OGS 90 () ()	4,193.	4,746.	5,753.	7,481.
	15"	96"	18 1/4"	AAWS OGS 96 () ()	4,319.	4,889.	5,927.	7,704.


Order Code	Specification Information	Application	Application
Example: AAWS OBS 42 () ()	To order please specify pattern number including:	See finish page for laminate and veneer finish codes.	Sliding door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet.
A AutoStrada	1. Pull option: AR = AutoStrada Radius pull AB = AutoStrada Bar pull	Product on this page will accept wood grain laminate where laminate is currently an option.	Overhead cabinets normally mount between 54" and 69" above the floor. Sliding door overheads are not available with locks.
AWS Applied wall system	2. Case Finish: Laminate, V1, V2, V3	Trim finish is AA anodized aluminum or any standard painted finish except 613 Silver.	Overhead cabinets are binder height.
OBS Sliding solid door binder depth overhead	3. Glass Finish: TEMP - Clear, tempered GL16 - Block Matrix GL13 - Powder	Mounting extrusion and anti dislodgement bracket match the AA trim or are black paint with any painted finish trim.	No locks.
42 Width	4. Finish, Glass sliding door frame: Anodized aluminum or painted finish options listed on page 7, excluding silver.		
AR Radius Pull			
118 Finish			
AA Trim finish			

Hinged door overhead cabinets

Laminate or wood veneer

AutoStrada

Applied Wall


description	h	w	d	#drs/locks	pattern no.	L	V1	V2	V3
Hinged door overhead binder depth  96" w shown	15"	18"	15 1/4"	1/1	AAWS OBD 18L () ()	\$2,399.	\$2,657.	\$2,931.	\$3,813.
	15"	18"	15 1/4"	1/1	AAWS OBD 18R () ()	2,399.	2,657.	2,931.	3,813.
	15"	24"	15 1/4"	2/1	AAWS OBD 24 () ()	2,536.	2,807.	3,096.	4,031.
	15"	30"	15 1/4"	2/1	AAWS OBD 30 () ()	2,680.	2,967.	3,278.	4,264.
	15"	36"	15 1/4"	2/1	AAWS OBD 36 () ()	2,833.	3,137.	3,470.	4,512.
	15"	42"	15 1/4"	3/2	AAWS OBD 42 () ()	2,853.	3,165.	3,495.	4,541.
	15"	48"	15 1/4"	3/2	AAWS OBD 48 () ()	2,909.	3,217.	3,565.	4,632.
	15"	54"	15 1/4"	3/2	AAWS OBD 54 () ()	3,061.	3,386.	3,750.	4,873.
	15"	60"	15 1/4"	4/2	AAWS OBD 60 () ()	3,207.	3,547.	3,925.	5,102.
	15"	66"	15 1/4"	4/2	AAWS OBD 66 () ()	3,299.	3,657.	4,043.	5,259.
	15"	72"	15 1/4"	4/2	AAWS OBD 72 () ()	3,390.	3,755.	4,153.	5,396.
	15"	78"	15 1/4"	5/3	AAWS OBD 78 () ()	3,563.	3,953.	4,362.	5,673.
	15"	84"	15 1/4"	5/3	AAWS OBD 84 () ()	3,669.	4,072.	4,494.	5,843.
	15"	90"	15 1/4"	6/3	AAWS OBD 90 () ()	3,776.	4,193.	4,629.	6,020.
	15"	96"	15 1/4"	6/3	AAWS OBD 96 () ()	3,893.	4,320.	4,768.	6,199.
Hinged door overhead legal depth	15"	18"	18 1/4"	1/1	AAWS OGD 18L () ()	2,591.	2,868.	3,164.	4,115.
	15"	18"	18 1/4"	1/1	AAWS OGD 18R () ()	2,591.	2,868.	3,164.	4,115.
	15"	24"	18 1/4"	2/1	AAWS OGD 24 () ()	2,737.	3,031.	3,348.	4,353.
	15"	30"	18 1/4"	2/1	AAWS OGD 30 () ()	2,893.	3,204.	3,542.	4,604.
	15"	36"	18 1/4"	2/1	AAWS OGD 36 () ()	3,060.	3,387.	3,749.	4,870.
	15"	42"	18 1/4"	3/2	AAWS OGD 42 () ()	3,083.	3,429.	3,775.	4,906.
	15"	48"	18 1/4"	3/2	AAWS OGD 48 () ()	3,142.	3,473.	3,847.	5,005.
	15"	54"	18 1/4"	3/2	AAWS OGD 54 () ()	3,309.	3,656.	4,045.	5,264.
	15"	60"	18 1/4"	4/2	AAWS OGD 60 () ()	3,462.	3,831.	4,240.	5,510.
	15"	66"	18 1/4"	4/2	AAWS OGD 66 () ()	3,565.	3,952.	4,369.	5,678.
	15"	72"	18 1/4"	4/2	AAWS OGD 72 () ()	3,663.	4,053.	4,486.	5,830.
	15"	78"	18 1/4"	5/3	AAWS OGD 78 () ()	3,850.	4,269.	4,710.	6,127.
	15"	84"	18 1/4"	5/3	AAWS OGD 84 () ()	3,964.	4,397.	4,853.	6,309.
	15"	90"	18 1/4"	6/3	AAWS OGD 90 () ()	4,082.	4,529.	5,002.	6,497.
	15"	96"	18 1/4"	6/3	AAWS OGD 96 () ()	4,204.	4,665.	5,149.	6,695.

Order Code	Specification Information	Application
Example: AAWS OBD 24 L 118 AA	See finish page for laminate and veneer finish codes.	Hinged door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor.
A AutoStrada	Product on this page will accept wood grain laminate where laminate is currently an option.	Overhead cabinets are binder height.
AWS Applied wall system	Trim finish is AA anodized aluminum or any standard painted finish except 613 Silver.	
OBD Hinged door binder depth overhead		
24 Width		
L Lock		
118 Case & matching door finish	Mounting extrusion and anti dislodgement brackets match the AA trim or are black paint with any painted finish trim.	
AA Trim finish		

Overhead storage mounting kits

Adapters for Reuter and wall-attached wood overheads

AutoStrada

description	type	w	pattern no.	painting	black or AA
 Adapter kit for wood overhead storage	18"	16 1/2"	AAWS WOMK 18 ()		\$104.
	24"	22 1/2"	AAWS WOMK 24 ()		109.
	30"	28 1/2"	AAWS WOMK 30 ()		114.
	36"	34 1/2"	AAWS WOMK 36 ()		122.
	42"	40 1/2"	AAWS WOMK 42 ()		131.
	48"	46 1/2"	AAWS WOMK 48 ()		137.
	54"	52 1/2"	AAWS WOMK 54 ()		142.
	60"	58 1/2"	AAWS WOMK 60 ()		148.
	66"	64 1/2"	AAWS WOMK 66 ()		153.
	72"	70 1/2"	AAWS WOMK 72 ()		173.
	78"	76 1/2"	AAWS WOMK 78 ()		184.
	84"	82 1/2"	AAWS WOMK 84 ()		191.
	90"	88 1/2"	AAWS WOMK 90 ()		197.
	96"	94 1/2"	AAWS WOMK 96 ()		205.

Order Code	Specification Information	Application
Example: AAWS WOMK 18 AA	Adapter kits for wood overheads are available in AA anodized aluminum or 111 black only.	Adapter kit for wood overhead storage converts AutoStrada wall-attached single-high overhead cabinets to mount on the applied wall system.
A AutoStrada		
AWS Applied wall system		
WOMK Wall mount bracket kit		
18 Width		
AA Finish		

Power and wire management

Cable trays and worksurface supports

AutoStrada

Applied Wall




description	application	h	w	d	pattern no.	list	painting or aluminum
Cable tray 		2 1/4"	24"	1 3/4"	AAWS CT24 ()		\$82.
		2 1/4"	30"	1 3/4"	AAWS CT30 ()		88.
		2 1/4"	36"	1 3/4"	AAWS CT36 ()		102.
		2 1/4"	42"	1 3/4"	AAWS CT42 ()		116.
		2 1/4"	48"	1 3/4"	AAWS CT48 ()		132.
		2 1/4"	54"	1 3/4"	AAWS CT54 ()		150.
		2 1/4"	60"	1 3/4"	AAWS CT60 ()		160.
		2 1/4"	66"	1 3/4"	AAWS CT66 ()		166.
		2 1/4"	72"	1 3/4"	AAWS CT72 ()		171.
End support bracket 	28 3/8"H worksurface	3"	2"		AAWS BE27 ()	138.	
	29 5/8"H worksurface	4"	2"		AAWS BE28 ()	138.	

Order Code	Specification Information	Application
Example: AAWS CT24 AA		
A AutoStrada	Cable trays are available in AA - Anodized Aluminum or any standard painted finish except 613 Silver.	Cable trays mount anywhere along any intermediate channel, and are typically installed below worksurface height in the channel 24" above the floor.
AAWS Applied Wall System		End support brackets also directly engage into intermediate channel at 24" above floor to support back edge or one end of worksurface.
CT Cable tray	End support brackets are available in all standard paint finishes.	When combined with recess cover above cable tray is effectively expanded from 1 3/4" to 2 1/2" deep.
24 Width		End support brackets include a flat base plate to engage into a slot in the base of the cable tray.
AA Finish		



Power and wire management

Surface mounted plugmold raceway

AutoStrada

description	h	w	d	pattern no.	aluminum
Plugmold, single circuit (3 wire, grey outlets) 	1 1/2"	60"	1 1/8"	AAWS RPM1 05 ()	\$475.
Plugmold, two circuits (4 wire, grey outlets shared neutral and ground) 	1 1/2"	60"	1 1/8"	AAWS RPM2 05 ()	593.
Plugmold, isolated (6 wire, gray + orange outlets independent neutral and ground) 	1 1/2"	60"	1 1/8"	AAWS RPM2I 05 ()	593.
Plugstrip, two circuits (4 wire, grey + orange outlets shared neutral and ground) 	1 1/2"	28"	1 1/8"	AAWS RPM2 02 ()	290.

Order Code	Specification Information	Application	
Example: AAWS RPM1 05 AA			
A AutoStrada	AA - Aluminum only available finish.	Plugmold is surface mounted raceway for one or two circuits. Plugmold includes ten simplex outlets, anodized aluminum covers and end caps. Plugmold may be linked or trimmed to length on site. Plugstrip includes eight simplex outlets. Plugstrip mounts to 30" or wider recess cover.	Power supply must be made by an electrical contractor, including hardwire connection from junction box in building to back side of plugmold raceway. Typically contractor punches a hole for connection through a recess cover positioned just above a junction box in the building wall.
AWS Applied Wall System	Plugmold is 60" wide with outlets every 6" (ten simplex outlets total).		
RPM1 Plugmold raceway, one circuit	Plugstrip is 28" wide with outlets every 3" (eight outlets total).		
05 width			
AA Finish, Aluminum			

description	h	w	d	pattern no.	list	painted or aluminum	paint	black or AA only
Marker tray 	3/4"	24"	2 1/2"	AAWS MT24 ()		\$74.		
	3/4"	30"	2 1/2"	AAWS MT30 ()		80.		
	3/4"	36"	2 1/2"	AAWS MT36 ()		85.		
	3/4"	42"	2 1/2"	AAWS MT42 ()		91.		
	3/4"	48"	2 1/2"	AAWS MT48 ()		97.		
	3/4"	54"	2 1/2"	AAWS MT54 ()		123.		
	3/4"	60"	2 1/2"	AAWS MT60 ()		133.		
	3/4"	66"	2 1/2"	AAWS MT66 ()		140.		
	3/4"	72"	2 1/2"	AAWS MT72 ()		146.		
Easel pad holder 	2"	28"	1 1/8"	AAWS EASEL ()				112.
Picture hook 	1"	1 1/4"	1"	AAWS PH ()			25.	
Coat hook 	2"	2 1/2"	1 1/2"	AAWS CH ()			25.	
Cable grommet (10/pk) 	1 1/4"		1 1/4"	AAWS CG	11.			

Order Code

Example:	AAWS MT24 AA
A	AutoStrada
AWS	Applied wall system
MT	Marker tray
24	Width
AA	Finish

Specification Information

- Markertray is available in AA anodized aluminum or any standard painted finish except 613 Silver.
- Easel pad holder is available in AA anodized aluminum or 111 black only.
- Picture hook and Coat hook are available in all standard painted finishes.
- Wire manager clips are easy grey plastic.
- Cable grommets are black plastic.

Application Notes

Applied wall system accessories include integral bracket detail that engages into top or intermediate channels at any point.

Easel pad holder includes three studs to hang standard 27"x34" easel pads on inside and outside face of bracket.



Wire manager clips may be used for horizontal or vertical wire management of lamp cords on the face of the applied wall.

Cable grommet is 1 1/4" diameter trim ring for 1" diameter hole which may be punched in recess covers to route data/communications cables from inside of applied wall to the surface.



Service Wall frames

Standard and compact crown




AutoStrada

description	type	w	d	h	pattern number	black	list
	39"H	48"	5"	43"	APF1 3948	\$688.	
		60"	5"	43"	APF1 3960	790.	
		72"	5"	43"	APF1 3972	978.	
	48"H	48"	5"	52"	APF1 4848	756.	
		60"	5"	52"	APF1 4860	866.	
		72"	5"	52"	APF1 4872	1,080.	
	64"H	48"	5"	68"	APF1 6448	899.	
		60"	5"	68"	APF1 6460	1,029.	
		72"	5"	68"	APF1 6472	1,287.	
	39"H	48"	5"	40"	APFA1 3948	551.	
		60"	5"	40"	APFA1 3960	632.	
		72"	5"	40"	APFA1 3972	779.	
	48"H	48"	5"	49"	APFA1 4848	603.	
		60"	5"	49"	APFA1 4860	691.	
		72"	5"	49"	APFA1 4872	863.	
	64"H	48"	5"	65"	APFA1 6448	719.	
		60"	5"	65"	APFA1 6460	822.	
		72"	5"	65"	APFA1 6472	1,029.	
Acoustical inserts	39"H		2"	34"	APA 39		40.
	48"H		2"	43"	APA 48		47.
	64"H		2"	59"	APA 64		63.

Order Code	Specification Information	Application
Example: APFA1 3948	Wall frame pattern numbers begin with APF (standard crown) and APFA (compact crown) prefixes.	Service Wall frames are the structural component of spine-based planning. Specify frames in any combination of widths to create the overall wall length required.
APF Spine frame		
A compact crown		
1 Generation		
39 Height		
48 Width		
	<i>Specify:</i> <i>Fifth position: height</i> 39 39"H 48 48"H 64 64"H <i>Seventh position: width</i> 48 48"W 60 60"W 72 72"W All Service Wall frames include 3" diameter, 2" levelling glides and one set of connectors to adjacent frame or wall connector. Frames are black painted finish.	Crown is bored to accept stackable add-up panels at 3" increments. Service Wall frames include two levelling feet with 2" travel, 12" from each side edge. Acoustical inserts fit between studs in Service Wall frame to increase control of sound transmission. Inserts are bagged in heights corresponding to wall frame. Specify four inserts for 48"W frame, five for 60"W frame, and six for 72"W frame. Service Walls with acoustical inserts have been tested to STC 33. Inserts do not affect the NRC rating of the wall which is .40. Specify crown covers, raceway covers, structural base covers, and wall covers for each face of Service Wall frame, and specify power components separately.

description	type	w	d	h	pattern number	paint	list	anodized alum
Crown covers (pair)	standard 	48"	5"	4"	APT 48 ()	\$48.		
		60"	5"	4"	APT 60 ()	57.		
		72"	5"	4"	APT 72 ()	64.		
		(specify painted finish)						
	compact crown, integral color 	48"	5"	1"	APTA 48 ()		78.	
		60"	5"	1"	APTA 60 ()		91.	
		72"	5"	1"	APTA 72 ()		156.	
flat, low profile 		120"	5"	1"	APTL 120 ()	n/a		252.
		48"	5"	1"	APTL 48 ()	100.		100.
		60"	5"	1"	APTL 60 ()	125.		125.
		72"	5"	1"	APTL 72 ()	150.		150.
		96"	5"	1"	APTL 96 ()	203.		203.
		(finish default AA, anodized aluminum)						
flat, high profile 		120"	5"	1 1/4"	APTH 120 ()	n/a		252.
		48"	5"	1 1/4"	APTH 48 ()	100.		100.
		60"	5"	1 1/4"	APTH 60 ()	125.		125.
		72"	5"	1 1/4"	APTH 72 ()	150.		150.
		96"	5"	1 1/4"	APTH 96 ()	203.		203.
		(finish default AA, anodized aluminum)						

Order Code	Specification Information	Application
Example: APRA 480 AA		
APRA Base trim	Service Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
48 Width		
0 Outlet openings	Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 7.	Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10.
AA Finish	Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic.	Specify painted finish for standard crown end caps.
	Flat crown covers are available in clear anodized aluminum or painted finish options listed on page 7.	Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and Sloped compact crown end cap.
	Base trim covers begin with APRA- prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page 7.	

description	type	w	d	h	pattern number	paint	list	anodized alum
	no outlets	48"	–	4"	APRA 480 ()	\$170.		\$170.
		60"	–	4"	APRA 600 ()	204.		204.
		72"	–	4"	APRA 720 ()	245.		245.
		24"	2"	–	APT1 C24 ()		10.	
		36"	2"	–	APT1 C36 ()		21.	
		48"	2"	–	APT1 C48 ()		36.	
		60"	2"	–	APT1 C60 ()		40.	
		72"	2"	–	APT1 C72 ()		48.	
	integral color only, plastic							
		24"	2"	–	APTA C24 ()	37.		37.
		36"	2"	–	APTA C36 ()	44.		44.
		48"	2"	–	APTA C48 ()	53.		53.
		60"	2"	–	APTA C60 ()	61.		61.
		72"	2"	–	APTA C72 ()	75.		75.
	default finish AA, anodized aluminum							
	standard (replacement part)	APT ()					5.	
		APTA CC1 ()					17.	
	compact (kit of 10)	APTA CC ()					157.	

Order Code	Specification Information	Application
Example: APRA 480 AA		
APR A Base trim	Service Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
48 Width		
0 Outlet openings	Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 7.	Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10.
AA Finish		
	Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic.	Specify painted finish for standard crown end caps.
	Flat crown covers are available in clear anodized aluminum or painted finish options listed on page 7.	Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and Sloped compact crown end cap.
	Base trim covers begin with APRA- prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page 7.	

description	type	w	d	h	pattern number	paint	list	anodized alum
Crown end cap, metal	flat, low profile				APTL ()	\$46.		
					specify painted finish			
	flat, high profile				APTH ()	\$46.		
					specify painted finish			


Order Code	Specification Information	Application
Example: APRA 480 AA		
APR A Base trim	Service Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
48 Width		
0 Outlet openings		
AA Finish		
	Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 7.	Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10.
	Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic.	
	Flat crown covers are available in clear anodized aluminum or painted finish options listed on page 7.	Specify painted finish for standard crown end caps.
	Base trim covers begin with APRA- prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page 7.	Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and Sloped compact crown end cap.
		Flat crown covers in high profile are designed for 48"h spine to align with attached AutoStrada 49"h panels. In all other applications, specify low profile crown covers.
		Flat crown end caps in corresponding low or high profile are ordered separately as individual units.
		Flat crown end caps are required for all connectors except flat ends.

Structural base cover kits

Painted steel surface (pair)

AutoStrada

description	type	width	depth	height	pattern number	paint
Structural base covers (pair)	painted steel	48"	1"	16"	APCA AZ48S()	\$337.
		60"	1"	16"	APCA AZ60S()	392.
		72"	1"	16"	APCA AZ72S()	463.




Order Code	Specification Information	Application Notes
Example: APCA AZ48S 118		
APCA Autostrada wall cover	Structural base cover kit pattern numbers begin with APCA AZ prefix, then cover width.	Please specify painted finish for structural base covers from paint options listed on page 7.
AZ Attachment zone		
48 Width	Starting at tenth position specify paint finish	Structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
S Steel		
118 Finish		Structural base covers bolt to each side of the wall frame up to 21"H for structure and continuous attachment capability.

Structural base cover kits

Veneer and laminate surface (pair)

AutoStrada

description	type	width	depth	height	pattern number	L	V1	V2	V3
Structural base covers (pair)	anodized aluminum or painted trim	48"	1"	16"	APCA AZ48 () ()	\$957.	\$1,076.	\$1,169.	\$1,551.
		60"	1"	16"	APCA AZ60 () ()	1,056.	1,177.	1,285.	1,755.
		72"	1"	16"	APCA AZ72 () ()	1,097.	1,203.	1,348.	1,910.





Spine

Order Code	Specification Information	Application Notes
Example: APCA AZ48 V312 AA	Structural base cover kit pattern numbers begin with APCA AZ prefix, then cover width.	Structural base covers are required for every Service Wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a Service Wall.
APCA AutoStrada wall cover		
AZ Attachment zone		
48 Width	Starting at ninth position specify laminate, veneer or techwood finish	
V312 Cover finish		
AA Trim finish	Product on this page will accept wood grain laminate where laminate is currently an option.	Structural base covers bolt to each side of the Service Wall frame up to 21"H for structure and continuous attachment capability.
	Laminate and veneer covers have an anodized aluminum or painted trim at the top and bottom of each cover. Painted finish options listed on page 7.	

Access covers

Slatwall, cable tray and outlets covers

AutoStrada

description	height	depth	width	pattern number	list	textured
9"H cable tray covers 	9"	1"	12"	APCA 0912 C ()	\$97.	
		1"	24"	APCA 0924 C ()	116.	
		1"	36"	APCA 0936 C ()	132.	
		1"	48"	APCA 0948 C ()	175.	
		1"	60"	APCA 0960 C ()	223.	
		1"	72"	APCA 0972 C ()	271.	
9"H slatwall covers 	9"	1"	12"	APCA 0912 S ()	84.	
		1"	24"	APCA 0924 S ()	99.	
		1"	36"	APCA 0936 S ()	119.	
		1"	48"	APCA 0948 S ()	151.	
		1"	60"	APCA 0960 S ()	192.	
		1"	72"	APCA 0972 S ()	235.	
Outlets cover 	9"	1"	12"	APCA OC () ()		95.


Order Code	Specification Information	Application Notes
Example: APCA 0948C AA APCA Autostrada wall cover 09 Height 48 Width C Type AA Finish	Cable tray and slatwall covers are aluminum with an anodized or painted finish. Outlets covers are painted plastic with anodized aluminum or painted extrusion on the top and bottom. Please specify painted finish for outlets cover face from paint options listed on page 7.	Cable tray mounts from 21" - 30" only on any Service Wall frame. Adjacent trays form continuous, easily accessible cable management at worksurface or table height. Shorter segments provide local cable management below outlet modules. Covers may span across a straight Service Wall frame connection. Bottom half of cable tray cover permits cables to be managed on surface of studs with one cable holder (55 CAT5 cables) or two clips (28 cables). Slatwall supports KnollExtra task lights, monitor arms, paper trays, file holders and other accessories. Slatwall covers will support flat panel monitor arms with varying weight limitations based on mounting and application. Please refer to the KnollExtra price list for comprehensive mounting and weight limitation information by application. Locate outlets covers on Service Wall frames before specifying other Service Wall covers. Outlets cover mounts between 21" and 30" (below standard desk height), 30" - 39" (above desk height) or 39" - 48" on Service Wall frame. Outlets cover is 12" wide, and mounts anywhere on Service Wall frame between 21" and 48" above the floor. Outlets cover corresponds to power components (specified separately) mounted on Service Wall frame. Outlets covers have four openings for power or PDC outlets. Specify outlet fillers for unused outlet openings in cover.

Access covers


Hardwire outlets and covers

AutoStrada

description	height	depth	width	pattern number	list
Hardwire outlets cover	9"	1"	12"	APCA HOC () ()	\$92.



Hardwire outlet box, desk height				AR1 HOB	280.
				AR1 HOB2	369.





Spine

Order Code	Specification Information	Application Notes
Example: APCA HOC 613 AA		
APCA	AutoStrada wall cover	For hardwire power applications (required in City of Chicago) specify hardwire outlets cover and hardwire outlets box, instead of standard outlets covers and modular power components. Do not specify cable tray covers at same level as hardwire power. Hardwire outlets cover mounts between 21" and 30" (below standard desk height) or 30" - 39" (above desk height) on Service Wall frame. Outlets covers have four openings for power or PDC outlets. Specify outlet fillers for unused outlet openings in cover.
H	Hardwire	
OC	Outlets cover	
613	Cover Finish	
AA	Trim Finish	
	Hardwire outlets covers are painted steel with anodized aluminum or painted extrusion top and bottom. Please specify painted finish for outlets cover face from paint options listed on page 7. Painted finish option for hardwire outlets cover trim listed on page 7.	Hardwire outlet box accepts two Decora-style duplex outlets, and includes mounting brackets for one face of Service Wall between 21" and 48"H. Two quad hardwire outlet box accepts four duplex outlets on one face. Outlet boxes include openings to permit continuous lay-in wiring with Wiremold® raceway. Electrical contractor supplies infeed cable, Wiremold 2400®, and duplex outlets. Outlet boxes can be planned back to back, with distribution on one side of Service Wall. NOTE: Currents cable tray access covers and all AutoStrada access covers cannot be used in the same 9"H zone as the Wiremold raceway as the Wiremold will not fit behind the covers.

Access covers

Integral shelf

AutoStrada

description	height	width of shelf	pattern number	list	L	V1	V2	V3
Integral shelf covers 	9"	21"	APSA 0921 () ()		\$734.	\$807.	\$825.	\$858.
		24"	APSA 0924 () ()		734.	807.	825.	858.
		33"	APSA 0933 () ()		833.	909.	926.	978.
		36"	APSA 0936 () ()		833.	909.	926.	978.
		45"	APSA 0945 () ()		891.	974.	996.	1,067.
		48"	APSA 0948 () ()		891.	974.	996.	1,067.
		57"	APSA 0957 () ()		986.	1,072.	1,096.	1,182.
		60"	APSA 0960 () ()		986.	1,072.	1,096.	1,182.
		69"	APSA 0969 () ()		1,062.	1,151.	1,178.	1,279.
		72"	APSA 0972 () ()		1,062.	1,151.	1,178.	1,279.
	16"	21"	APSA 1621 () ()		752.	823.	842.	912.
		24"	APSA 1624 () ()		752.	823.	842.	912.
		33"	APSA 1633 () ()		844.	923.	950.	1,052.
		36"	APSA 1636 () ()		844.	923.	950.	1,052.
		45"	APSA 1645 () ()		918.	1,000.	1,030.	1,166.
		48"	APSA 1648 () ()		918.	1,000.	1,030.	1,166.
		57"	APSA 1657 () ()		1,017.	1,104.	1,140.	1,310.
		60"	APSA 1660 () ()		1,017.	1,104.	1,140.	1,310.
		69"	APSA 1669 () ()		1,094.	1,183.	1,226.	1,427.
		72"	APSA 1672 () ()		1,094.	1,183.	1,226.	1,427.
Integral shelves 		21"	ADS 0821 ()	431.				
		24"	ADS 0824 ()	431.				
		33"	ADS 0833 ()	494.				
		36"	ADS 0836 ()	494.				
		45"	ADS 0845 ()	544.				
		48"	ADS 0848 ()	544.				
		57"	ADS 0857 ()	611.				
		60"	ADS 0860 ()	611.				
		69"	ADS 0869 ()	664.				
		72"	ADS 0872 ()	664.				

Order Code	Specification Information	Application Notes	
Example: APSA 0948 118 AA			
APSA	Autostrada integral shelf cover	Service Wall covers enclose frames between 21"H and the top crown. Covers may be specified in any combination of widths corresponding to the total Service Wall length. Covers may span across a straight Service Wall frame connection. The integral shelf cover features a full width 8" deep display shelf crafted in anodized or painted aluminum. The cover is also available with a shelf that is 3" less wide than full module to accomodate a panel connected to the Service Wall.	Integral shelves may be added to any laminate, marker or veneer spine cover. Holes for fasteners must be drilled through bottom extrusion and cover on site.
09	Height		
48	Width		
118	Cover Ffinish		
AA	Shelf and Trim Finish		

Access covers

Laminate, marker and veneer

AutoStrada

description	height	width	pattern number	L	V1	V2	V3
Access covers 	9"	12"	APCA 0912 () ()	\$343.	\$403.	\$420.	\$454.
		24"	APCA 0924 () ()	363.	424.	443.	517.
		36"	APCA 0936 () ()	402.	461.	489.	591.
		48"	APCA 0948 () ()	417.	478.	511.	643.
		60"	APCA 0960 () ()	449.	511.	555.	717.
		72"	APCA 0972 () ()	470.	537.	580.	774.
	16"	12"	APCA 1612 () ()	349.	412.	435.	504.
		24"	APCA 1624 () ()	379.	439.	470.	599.
		36"	APCA 1636 () ()	420.	481.	525.	700.
		48"	APCA 1648 () ()	443.	503.	557.	789.
		60"	APCA 1660 () ()	490.	549.	612.	898.
		72"	APCA 1672 () ()	517.	576.	650.	989.
	18"	12"	APCA 1812 () ()	355.	413.	436.	515.
		24"	APCA 1824 () ()	386.	442.	479.	623.
		36"	APCA 1836 () ()	425.	485.	533.	736.
		48"	APCA 1848 () ()	456.	516.	572.	832.
		60"	APCA 1860 () ()	499.	558.	624.	949.
		72"	APCA 1872 () ()	529.	595.	671.	1,054.
	27"	12"	APCA 2712 () ()	366.	431.	457.	581.
		24"	APCA 2724 () ()	405.	469.	516.	726.
		36"	APCA 2736 () ()	463.	528.	592.	893.
		48"	APCA 2748 () ()	498.	560.	635.	1,023.
		60"	APCA 2760 () ()	554.	615.	709.	1,190.
		72"	APCA 2772 () ()	592.	653.	759.	1,332.


Spine

Order Code	Specification Information	Application Notes
Example: APCA 0948 V312 AA		
APCA Autostrada wall cover	Please specify laminate, V1, V2 or V3 finish for access covers from finish options listed on page 7.	Service Wall covers enclose frames between 21"H and the top crown. Covers may be specified in any combination of widths corresponding to the total Service Wall length. Covers may span across a straight Service Wall frame connection.
09 Height	Product on this page will accept wood grain laminate where laminate is currently an option.	
48 Width	Specify finish code: LW for markerboard surface.	
V312 Cover Finish	Painted finish option for trim listed on page 7.	For active surfaces with access to cables and power/data/communications outlets, specify 9" and 16"H segmented covers as described in Specification Information.
AA Trim Finish		

Access covers

Tackable upholstered

AutoStrada

description	height	depth	width	pattern number	10	15	20	30	35	40	45	50	55
Access covers 	9"	1"	12"	APCA 0912 A () ()	\$144.	\$146.	\$147.	\$151.	\$156.	\$161.	\$167.	\$175.	\$184.
		1"	24"	APCA 0924 A () ()	176.	179.	180.	184.	186.	192.	193.	201.	216.
		1"	36"	APCA 0936 A () ()	193.	197.	201.	207.	209.	215.	216.	221.	232.
		1"	48"	APCA 0948 A () ()	219.	224.	225.	227.	232.	235.	236.	246.	258.
		1"	60"	APCA 0960 A () ()	235.	238.	245.	249.	253.	258.	263.	265.	277.
		1"	72"	APCA 0972 A () ()	n/a	264.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	16"	1"	12"	APCA 1612 A () ()	153.	160.	163.	175.	181.	185.	192.	204.	227.
		1"	24"	APCA 1624 A () ()	197.	207.	208.	219.	227.	233.	236.	252.	277.
		1"	36"	APCA 1636 A () ()	221.	227.	231.	238.	252.	258.	264.	274.	301.
		1"	48"	APCA 1648 A () ()	247.	254.	256.	267.	276.	281.	286.	299.	327.
		1"	60"	APCA 1660 A () ()	271.	276.	277.	289.	298.	309.	312.	322.	349.
		1"	72"	APCA 1672 A () ()	n/a	299.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	18"	1"	12"	APCA 1812 A () ()	173.	177.	180.	191.	197.	208.	213.	224.	252.
		1"	24"	APCA 1824 A () ()	202.	208.	213.	224.	231.	236.	245.	254.	280.
		1"	36"	APCA 1836 A () ()	225.	231.	233.	246.	254.	264.	266.	276.	306.
		1"	48"	APCA 1848 A () ()	275.	278.	281.	296.	302.	313.	314.	327.	357.
		1"	60"	APCA 1860 A () ()	275.	278.	281.	296.	302.	313.	314.	327.	357.
		1"	72"	APCA 1872 A () ()	n/a	306.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	27"	1"	12"	APCA 2712 A () ()	192.	203.	208.	225.	235.	249.	254.	273.	313.
		1"	24"	APCA 2724 A () ()	226.	235.	245.	258.	273.	281.	286.	306.	347.
		1"	36"	APCA 2736 A () ()	253.	265.	271.	281.	298.	312.	314.	331.	374.
		1"	48"	APCA 2748 A () ()	280.	293.	299.	314.	327.	337.	343.	362.	403.
		1"	60"	APCA 2760 A () ()	311.	321.	324.	340.	356.	364.	371.	387.	427.
		1"	72"	APCA 2772 A () ()	n/a	343.	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Order Code	Specification Information	Application Notes	
Example: APCA 0948A W210 AA			
APCA	Autostrada wall cover		
09	Height		
48	Width		
A	Surface type		
W210	Fabric		
AA	Trim Finish		
	For active face of 39"H Service Wall frame, specify two 9"H covers. For passive face (along corridor or wall) specify one 18" cover.	Tackable upholstered Service Wall covers enclose Service Wall frames between 21" and the top crown. Covers incorporate a tackable, acoustical core in the same outward profile as other upholstered covers.Specify widths corresponding to Service Wall frame width, or in any 12" increment to accommodate 12"W outlets covers or slatwall covers. Covers may span across a straight Service Wall frame connection.For active surfaces with access to cables and power/data/communications outlets, specify 9" and 16"H segmented covers as described in Specification Information.	For passive Service Wall surfaces (corridors or conference areas) specify 18"H or 27"H covers in place of two or three 9"H covers.
	For active face of 48"H Service Wall frame, specify three 9"H covers or one 9"H and one 18"H cover. For passive face, specify 27"H cover.		18"H covers may also be specified above 9"H covers including outlets covers below desk height on 48" or 64"H Service Walls.
	For active face of 64"H Service Wall frame, specify three 9"H covers and one 16"H cover or one 9"H, one 18"H, and one 16"H cover. For passive face, specify one 27" and one 16"H cover.		Service Wall with upholstered tackable covers has been tested to NRC .40 and STC 22.
	For full fabric surface between 5" and 21", order upholstered attachment zone cover.		When ordering 60" or wider covers, please check width of fabric specified. In which cases fabric will need to be applied railroaded. Contact CPD.
	Surface type:		
	A tackable upholstered		

Spine ends and connectors

Flat ends

AutoStrada

description	type	h	d	pattern no.	painted
Flat end	standard crown 	39"	5"	AX1A F39 () ()	\$149.
		48"	5"	AX1A F48 () ()	170.
		64"	5"	AX1A F64 () ()	189.
	compact crown 	39"	5"	AX1A C39 ()	149.
		48"	5"	AX1A C48 ()	170.
		64"	5"	AX1A C64 ()	189.
	low profile flat crown 	39"	5"	AX1A EL39 ()	149.
		48"	5"	AX1A EL48 ()	170.
		64"	5"	AX1A EL64 ()	187.
	high profile flat crown 	39"	5"	AX1A EH39 ()	149.
		48"	5"	AX1A EH48 ()	170.
		64"	5"	AX1A EH64 ()	187.

Spine

Order Code	Specification Information	Application Notes
Example: AX1A C48 118	For flat ends specify:	Flat end finishes end of corresponding height Service Wall when end of Service Wall is supported by outriggers or perpendicular screens or panels. Flat ends include end cover for compact crown or standard crown, as specified.
AX1A AutoStrada connector	<i>Starting seventh position:</i> painted finish for outside trim cover and raceway cover	
C Type	<i>Starting eleventh position:</i> painted finish for crown end cap	
48 Height	Please specify painted finishes from paint finish options listed on page 7.	High-low straight connectors join Service Wall of different heights in a straight line.
118 vertical cover finish		Straight connector is replacement hardware kit to join Service Wall frames of the same height end to end. Kit includes four barrel-shape connectors and hardware.

Spine ends and connectors

Corner, T, X, V and Y connections

AutoStrada

description	type	h	w	d	pattern number	list
90° connector	X connector	39"	7"	7"	AX1A X39 ()	\$484.
		48"	7"	7"	AX1A X48 ()	528.
		64"	7"	7"	AX1A X64 ()	582.
	L connector	39"	6"	6"	AX1A L39 ()()	484.
		48"	6"	6"	AX1A L48 ()()	582.
		64"	6"	6"	AX1A L64 ()()	680.
	T connector	39"	6"	7"	AX1A T39 ()()	484.
		48"	6"	7"	AX1A T48 ()()	582.
		64"	6"	7"	AX1A T64 ()()	680.
120° connector	V connector	39"	5 1/2"	5 1/2"	AX1A V39 ()()	484.
		48"	5 1/2"	5 1/2"	AX1A V48 ()()	582.
		64"	5 1/2"	5 1/2"	AX1A V64 ()()	680.
	Y connector	39"	6 1/2"	5 1/2"	AX1A Y39 ()()	484.
		48"	6 1/2"	5 1/2"	AX1A Y48 ()()	582.
		64"	6 1/2"	5 1/2"	AX1A Y64 ()()	680.

Order Code	Specification Information	Application Notes
Example: AX1A L48 118	For L, T, V and Y connectors specify:	L, T, and X connectors join Service Wall frames at 90° angles and include vertical trim covers, top cap and standard crown end caps, and one spare set of straight connectors.
AX1A AutoStrada connector	<i>Seventh position:</i> painted finish for vertical trim cover and raceway cover	V and Y connectors join Service Wall frames at 120° angles and include vertical trim covers, topcap and standard crown end caps.
L Type	<i>Eighth position, and X connectors:</i> painted finish for top cap and standard crown end caps	When ordering connectors for the Service Wall with compact crown, specify crown end caps separately.
48 Height		
118 vertical cover finish	Please specify painted finish as applicable from paint options listed on page 7.	

Spine ends and connectors

Outriggers and spine starters

AutoStrada

description	type	h	w	d	pattern number	list
 Outrigger	deep	21"	3"	15"	AA1ORD()	\$231.
	standard	21"	3"	8"	AA1OR()	168.
Service Wall starter	39"	39"		2"	AX1 SWS39 ()	150.
	48"	48"		2"	AX1 SWS48 ()	168.
	64"	64"		2"	AX1 SWS64 ()	193.
Straight connector kit (replacement)		—	—	—	AX1 S	32.
High low straight connector for spine with standard crown only	48 - 39"	48"		5"	AX1 HLS4839 ()()	266.
	64 - 39"	64"		5"	AX1 HLS6439 ()()	450.
	64 - 48"	64"		5"	AX1 HLS6448 ()()	303.

Spine

Order Code	Specification Information	Application Notes
Example: AA1 ORD 118	Please specify painted finish as applicable from finish options listed on page 7.	Outrigger connects to structural base cover at any point. Outriggers (or perpendicular systems panels) are required every 8' and adjacent to flat end for adequate support. Specify deep outriggers when cantilevering 24"D worksurfaces without adjacent perpendicular systems panels or spine wall connectors.
AA1 Accessory		
ORD Outrigger deep		
118 Finish		
		Service Wall starter connects Service Wall to building wall.

Spine end connectors for AutoStrada and Reff panels and Gallery screens

description	application	h	w	d	pattern no.	list
Spine end connector	34" panel or 39" screen/39"h spine	39"	5"	1/2"	AX1SEA3939 () () ()	\$320.
	34"-42" panel or 39"-49" screen/48"h spine	48"	5"	1/2"	AX1SEA4848 () () ()	335.
	34"-49" panel or screen/64"h spine	64"	5"	1/2"	AX1SEA4964 () () ()	400.
	42" panel/39"h spine + 1 1/4" crown	42"	5"	1/2"	AX1SEA4239 () ()	320.
	42" panel/39"h spine + 4" crown	43"	5"	1/2"	AX1SEA4339 C () ()	320.
	49" panel /39"h spine	49"	5"	1/2"	AX1SEA4939 () ()	335.
	49" panel or screen/48"h spine + 1 1/4" crown	49"	5"	1/2"	AX1SEA4948 () ()	353.
	49" panel or screen/48"h spine + 4" crown	52"	5"	1/2"	AX1SEA5248 C () ()	335.
	64" panel/39"h spine	64"	5"	1/2"	AX1SEA6439 () ()	400.
	64" panel/48"h spine	64"	5"	1/2"	AX1SEA6448 () ()	400.
	64" panel/64"h spine + 1 1/4" crown	65"	5"	1/2"	AX1SEA6464 () ()	400.
	64" panel/64"h spine + 4" crown	68"	5"	1/2"	AX1SEA6864 C () ()	400.
	79" panel/48"h spine	79"	5"	1/2"	AX1SEA7948 () ()	610.
	79" panel/64"h spine	79"	5"	1/2"	AX1SEA7964 () ()	583.

Order Code	Specification Information	Application Notes
Example: AX1 SEA 4239 613 613 812		
AX1 Spine connector	For spine end connectors when panels are lower than spine specify crown type and finish for crown end cap.	Spine end connectors are complete end cover and trim for an AutoStrada or Currents spine. Side edges of spine end connectors accept end starters for AutoStrada or Reff panels or Gallery screens.
SEA Type		When attached panel is between the nominal height of the spine and the top of the Currents 4"h crown, spine end connector must cover the entire height of the spine with crown.
42 Panel height	1. Crown type: C=Currents standard 4"h L=low profile flat 1"h H=high profile flat 1 1/4"h F=compact 1"h	Spine end connectors include painted outside cover with flat top cap and inside cover (where applicable) over the end of the spine.
39 Spine height		
613 Painted finish		
613 Trim finish		
812 Top trim finish		
	2. All crown end caps are available in all painted finishes.	Inside base trim for Currents raceway is recommended to finish inside when combined with standard Currents recessed base raceway covers. Base trim is not required with AutoStrada spine base covers.
	For all spine end connectors specify vertical cover and top trim finish.	
	3. Vertical cover finish: All standard paint finishes	
	4. Top trim for vertical cover: 812=Easy Grey 813=Trim Grey And all standard paint finishes	
	End connectors on this page begin 1/2" above floor.	

Spine end connectors for Dividends Horizon panels and screens

description	application	h	w	d	pattern no.	list
Spine end connector	36"h panel/39"h spine	39"	5"	1/2"	AX1SED3939 () () ()	\$320.
	36"h-42"h panel/ 48"h spine	48"	5"	1/2"	AX1SED4848 () () ()	335.
	36"h-64"h panel/ 64"h spine	64"	5"	1/2"	AX1SED6464 () () ()	400.
	42"h panel/ 39"h spine + 1" crown	42"	5"	1/2"	AX1SED4239 () ()	320.
	42"h panel/ 39"h spine + 4" crown	43"	5"	1/2"	AX1SED4339C () ()	320.
	50"h panel/ 39"h spine	50"	5"	1/2"	AX1SED5039 () ()	335.
	50"h panel/ 48"h spine + 1" crown	50"	5"	1/2"	AX1SED5048 () ()	353.
	50"h panel/ 48"h spine + 4" crown	52"	5"	1/2"	AX1SED5248C () ()	335.
	57"h panel/ 39"h spine	57"	5"	1/2"	AX1SED5739 () ()	385.
	57"h panel/ 48"h spine	57"	5"	1/2"	AX1SED5748 () ()	385.
	64"h panel/ 39"h spine	64"	5"	1/2"	AX1SED6439 () ()	400.
	64"h panel/ 48"h spine	64"	5"	1/2"	AX1SED6448 () ()	400.
	78"h panel/ 48"h spine	78"	5"	1/2"	AX1SED7848 () ()	610.
	78"h panel/ 64"h spine	78"	5"	1/2"	AX1SED7864 () ()	583.

Order Code	Specification Information	Application Notes
Example: AX1 SED 6448 613 812		
AX1 Spine connector	For spine end connectors with panel lower than spine specify crown type and finish for crown end cap.	Spine end connectors are complete end cover and trim for an AutoStrada or Currents spine. Side edges of spine end connectors accept end starters for Dividends Horizon panels and screens.
SED Type	1. Crown type: C=Currents standard 4"h L=low profile flat 1"h H=high profile flat 1 1/4"h F=compact 1"h	In most cases spine end connectors match the height of the attached Dividends Horizon panel/screen. When attached panel/screen is lower than the spine, the spine end connector is as high as the nominal height of the spine and the crown requires an end cap.
64 Panel height	2. All crown end caps are available in all painted finishes.	Specify low profile flat metal crown covers to align with a 50"h Dividends Horizon panel/screen.
48 Spine height	For all spine end connectors specify vertical cover and top trim finish:	When attached panel/screen is between the nominal height of the spine and the top of the Currents 4"h crown, spine end connector must cover the entire height of the spine with crown.
613 Vertical cover finish	3. Vertical cover finish: All standard paint finishes	Spine end connectors include painted aluminum outside cover with flat top cap and inside cover (where applicable) over the end of the spine.
812 Top cap finish	4. Top cap for vertical cover: 812=Easy Grey 813=Trim Grey And all standard painted finishes	Inside base trim for Currents raceway is recommended to finish inside when combined with standard Currents recessed base raceway covers. Base trim is not required with AutoStrada spine base covers.

End connectors on this page begin 1/2" above floor.

3 1/2" spine extender kit for use with ceiling infeed or panels

description	application	h	w	d	pattern no.	list
Spine extender kit for use with Currents Spine	39"h spine	39"	5"	4"	AX1SX39 C (L/C/P)() ()	\$641.
	48"h spine	48"	5"	4"	AX1SX48 C (L/C/P)() ()	663.
	64"h spine	64"	5"	4"	AX1SX64 C (L/C/P)() ()	783.
Spine extender kit for use with AutoStrada Spine	39"h spine	39"	5"	4"	AX1SX39 A (L/C/P)() ()	802.
	48"h spine	48"	5"	4"	AX1SX48 A (L/C/P)() ()	822.
	64"h spine	64"	5"	4"	AX1SX64 A (L/C/P)() ()	953.

Order Code	Specification Information	Application Notes
Example: AX1 SX 48 AL 613 613	For all 3 1/2" spine extenders specify spine base type:	Spine extenders include brackets, side and top trim covers between the end of a spine and any spine end connector to add 3 1/2" to the length of a spine.
AX1 Spine connector	A AutoStrada	Spine end connector must be specified separately to finish off face of spine extender.
SX Type	C Currents	
48 Spine height	Then specify crown end type.	Spine extender dimension matches that of the Currents 3 1/2"x 5" ceiling infeed panel which may be added between nominal spine height and ceiling for connection to building power, data and communications supply.
A Spine type	L=Flat low/high profile metal crown end cap	
L Crown end type	C=Standard and compact sloped end cap	This extension can also make up for the dimensional gain of one Dividends Horizon panel or screen in the middle of a cluster of workstations.
613 Top cap finish	P=Power Pole	
613 Cover finish	Then specify finish for vertical trim covers, all standard painted finishes.	In most cases the spine end connector matches the height of the attached Dividends Horizon panel or screen, but the extending area is only as high as the nominal height of the spine (bottom of crown) so the crown always requires an end cap.
613 Base trim finish	Then specify base cover finish. AutoStrada spine base covers are clear anodized aluminum (AA) or painted finish excluding silver. Currents spine raceway covers are available in any painted finish only.	
	Then specify top cap finish (if applicable).	When attached panel or screen is lower than the spine, the spine end connector should be the same height as the nominal height of the spine.

To attach AutoStrada or Reff panels to spine end connector

description	application	h	w	d	pattern no.	00	02	04
End starters for AutoStrada or Reff panels	34"h panel	34"	1"	1/2" - 4 1/2"	AX1AES34 () () () ()	\$519.	\$519.	\$567.
	42"h panel	42"	1"	1/2" - 4 1/2"	AX1AES42 () () () ()	653.	653.	714.
	49"h panel	49"	1"	1/2" - 4 1/2"	AX1AES49 () () () ()	674.	674.	738.
	64"h panel	64"	1"	1/2" - 4 1/2"	AX1AES64 () () () ()	817.	817.	895.
	79"h panel	79"	1"	1/2" - 4 1/2"	AX1AES79 () () () ()	1,247.	1,247.	1,405.

Order Code	Specification Information	Application Notes
Example: AX1 AES49 02 24 E 812 AA	For spine end starters specify:	End starters connect a panel to either side of a spine end connector of the same height or taller. End starters include hookstrip and top cap. Specify first adjacent panel top cap width and type.
AX1	1.Configuration 00=Inset flush 02=Offset one panel 04=Offset two panels	For a cluster of two workstations (one intermediate panel) specify one end starter offset two panel thicknesses (04 suffix).
A	2.Adjoining panel width (18, 20, 24, 30, 36, 42, 48)	For a cluster of three workstations (two intermediate panels) specify two end starters offset two panel thicknesses (04).
ES	3.Trim profile A=Flat B=Square C=Bullnose E=AutoStrada	For a cluster of four workstations (three intermediate panels) extend the spine 12" and specify two inset end starters (00 suffix).
49	4.Vertical cover finish All standard paint finishes	End starters on this page start 1/2" above the floor.
02	5.Top trim AutoStrada: AA Clear anodized aluminum and all core paint finishes except silver.	
24	Reff: All core paint finishes	
E		
812		
AA		

To attach Gallery screens to spine end connector

description	application	height	width	depth	pattern no.	00	01	02
End starters for Gallery screens	39"h or 49"h screen	39"	1"	1/2" - 3"	AX1GES39 ()()	\$237.	\$195.	\$195.
	49"h screen	48"	1"	1/2" - 3"	AX1GES48 ()()	268.	204.	221.

Order Code	Specification Information	Application Notes
Example: AX1GES 48 02 613	For spine end starters specify:	End starters connect a 1" thick Gallery screen to either side of spine end connector of the same height or taller.
AX1 Spine connector	1.Configuration	
G Thin screens	00=Flush	
ES End starter	01=Offset one panel	
48 Panel height	02=Offset two panels	End starters are available in three configurations: flush with end of spine or offset one or two screen thicknesses beyond end of spine.
02 Offset	2.Finish:	
613 Painted finish	All standard paint finishes	Offset end starters compensate for the dimensional gain of Gallery screens attached to the spine.
	End starters on this page start 1/2" above the floor.	

End Starters

To attach Dividends Horizon panels and screens to spine end connector

description	application	h	w	d	pattern no.	list
End starters for Dividends Horizon panels and screens	36"h panel, flush, left end of Service Wall	36"	1"	3"	AX1DHES3600L(5)()	\$253.
	36"h panel, flush, right end of Service Wall	36"	1"	3"	AX1DHES3600R(5)()	253.
	36"h panel, offset 1 panel thickness, left end of Service Wall	36"	1"	3"	AX1DHES3603L(5)()	253.
	36"h panel, offset 1 panel thickness, right end of Service Wall	36"	1"	3"	AX1DHES3603R(5)()	253.
	42"h panel, flush, left end of Service Wall	42"	1"	3"	AX1DHES4200L(5)()	253.
	42"h panel, flush, right end of Service Wall	42"	1"	3"	AX1DHES4200R(5)()	253.
	42"h panel, offset 1 panel thickness, left end of Service Wall	42"	1"	3"	AX1DHES4203L(5)()	253.
	42"h panel, offset 1 panel thickness, right end of Service Wall	42"	1"	3"	AX1DHES4203R(5)()	253.
	50"h panel, flush, left end of Service Wall	50"	1"	3"	AX1DHES5000L(5)()	253.
	50"h panel, flush, right end of Service Wall	50"	1"	3"	AX1DHES5000R(5)()	253.
	50"h panel, offset 1 panel thickness, left end of Service Wall	50"	1"	3"	AX1DHES5003L(5)()	253.
	50"h panel, offset 1 panel thickness, right end of Service Wall	50"	1"	3"	AX1DHES5003R(5)()	253.
	57"h panel, flush, left end of Service Wall	57"	1"	3"	AX1DHES5700L(5)()	253.
	57"h panel, flush, right end of Service Wall	57"	1"	3"	AX1DHES5700R(5)()	253.
	57"h panel, offset 1 panel thickness, left end of Service Wall	57"	1"	3"	AX1DHES5703L(5)()	253.
	57"h panel, offset 1 panel thickness, right end of Service Wall	57"	1"	3"	AX1DHES5703R(5)()	253.
	64"h panel, flush, left end of Service Wall	64"	1"	3"	AX1DHES6400L(5)()	253.
	64"h panel, flush, right end of Service Wall	64"	1"	3"	AX1DHES6400R(5)()	253.
	64"h panel, offset 1 panel thickness, left end of Service Wall	64"	1"	3"	AX1DHES6403L(5)()	253.
	64"h panel, offset 1 panel thickness, right end of Service Wall	64"	1"	3"	AX1DHES6403R(5)()	253.


Order Code	Specification Information	Application Notes
Example: AX1 DHES 36 00 L (5)		
AX1 Spine connector	1.Offset 00=Flush 03=Offset 1 panel thickness	End starters connect a Dividends Horizon panel or screen to either side of a same height or taller spine end connector. End starters for Dividends Horizon panels and screens include specified end top cap.
DH Dividends Horizon		
ES End starter	2.Top cap type 5=Metal flat	End starters may be positioned in either of two configurations: flush with end of spine or offset one panel thickness beyond end of spine. For full access to entire width of spine surface, position end starters offset one panel thickness.
36 Panel height		
00 Offset	3.Paint finish All standard paint finishes	For a single workstation (0 intermediate panels), specify 2 spine end connectors and 2 end starters positioned offset by 1 panel thickness. For a cluster of 2 workstations (1 intermediate panel), specify 1 panel starter, 2 spine end connectors, 1 spine extender, and 2 end starters positioned offset by 1 panel thickness. For a cluster of 3 workstations, (2 intermediate panels), extend the spine another 12", specify 2 panel starters, 2 spine end connectors, and 2 end starters positioned flush. For a cluster of 4 workstations (3 intermediate panels), extend the spine 12" and specify 3 panel starters, 2 spine end connectors, and 2 end starters (1 end starter flush and the other offset by 1 panel thickness). For a cluster of 5 workstations (4 intermediate panels) extend the spine by 12" and specify 4 panel starters, 2 spine end connectors, and 2 end starters positioned offset by 1 panel thickness.
5 Top cap type		
613 Painted finish		

Panel system starters and T-ends

AutoStrada and Reff panel starters and T-ends

AutoStrada

description	type	pattern number	list	extension, 0 or 1 1/8	extension, 3 1/2
	34"H (includes AA1RTC bracket)	AA1RPS34 () () ()	\$171.		
	42"H (includes AA1RTC bracket)	AA1RPS42 () () ()	299.		
	49"H (includes AA1RTC bracket)	AA1RPS49 () () ()	307.		
	64"H (includes AA1RTC bracket)	AA1RPS64 () () ()	326.		
	79"H (includes AA1RTC bracket)	AA1RPS79 () () ()	338.		

	42" panel to 39" spine frame	AX1 R34239 () ()		1,225.	1,352.
	49" panel to 39" spine frame	AX1 R34939 () ()		1,237.	1,364.
	49" panel to 48" spine frame	AX1 R34948 () ()		1,161.	1,281.
	64" panel to 39" spine frame	AX1 R36439 () ()		1,369.	1,492.
	64" panel to 48" spine frame	AX1 R36448 () ()		1,288.	1,413.
	64" panel to 64" spine frame	AX1 R36464 () ()		1,288.	1,413.
	79" panel to 39" spine frame	AX1 R37939 () ()		1,380.	1,505.
	79" panel to 48" spine frame	AX1 R37948 () ()		1,298.	1,420.
	79" panel to 64" spine frame	AX1 R37964 () ()		1,257.	1,380.

T-end frame for AutoStrada panel without base raceway	42" panel to 39" spine frame	AX1 A34239 () ()		1,217.	1,343.
	49" panel to 39" spine frame	AX1 A34939 () ()		1,231.	1,357.
	49" panel to 48" spine frame	AX1 A34948 () ()		1,154.	1,274.
	64" panel to 39" spine frame	AX1 A36439 () ()		1,361.	1,483.


Order Code	Specification Information	Application Notes
Example: AA1-RPS6448EAA613	For T-end specify extension at end of spine, then paint finish. Extension at end of spine:	Panel starters attach perpendicular AutoStrada panels to Service Wall. Panel starter includes clamp bracket to structural base cover, top clip, and vertical extrusion corresponding to AutoStrada panel height.
AA1 Accessory	0 0" extension - This option does not require, Top Cap / End Crown finish.	T-end encloses the end of a Service Wall and connects to perpendicular AutoStrada panels on one or both sides.
R Reff/AutoStrada	1 1 1/8" extension	Specify AutoStrada end connector to finish side edge without a connected wall.
PS Panel starter	3 3 1/2" extensions	Specify T-end with 0", 1 1/8", or 3 1/2" of extension to accommodate the "creep" of panels between workstations on each side of Service Wall.
64 Panel height	<i>Specify following for panel starter:</i>	
48 Adjoining panel width	1. Adjoining panel width (panel starter includes extended panel top trim for panel attached to starter)	
E Trim profile	2. Top trim profile of adjoining panel E = Extruded aluminum top trim	
AA Trim finish	3. Top trim finish Anodized aluminum or painted finish	
613 Paint finish	4. Painted finish for panel starter	
	Please specify painted finish for panel starters and inside covers of T-end from paint finish options listed on page 7.	
		Specify two 0" T-ends for a single workstation on each side (no intermediate panels). Specify two 1 1/8" T-ends for one intermediate panel, one 1 1/8" and one 3 1/2" for two panels, and two 3 1/2" for three intermediate panels. T-ends with 3 1/2" extension have removable inside covers and accept ceiling infed panel. Finish options for AA1RTC() top clip: 118 White 111 Black 613 Silver To complete T - end solution, must specify frame, crown end cap, raceway extender and cover set.

Panel system starters and T-ends

AutoStrada and Reff panel starters and T-ends

AutoStrada


description	type	pattern number	list	extension, 0 or 1 1/8	extension, 3 1/2
T-end frame for AutoStrada panel without base raceway	64" panel to 48" spine frame	AX1 A36448() ()		\$1,282.	\$1,405.
	64" panel to 64" spine frame	AX1 A36464() ()		1,288.	1,413.
Top clip (replacement part)		AA1RTC()	122.		



Spine

Order Code	Specification Information	Application Notes
Example: AA1-RPS6448EAA613	For T-end specify extension at end of spine, then paint finish. Extension at end of spine:	Panel starters attach perpendicular AutoStrada panels to Service Wall. Panel starter includes clamp bracket to structural base cover, top clip, and vertical extrusion corresponding to AutoStrada panel height.
AA1 Accessory		
R Reff/AutoStrada		
PS Panel starter	0 0" extension - This option does not require, Top Cap / End Crown finish.	T-end encloses the end of a Service Wall and connects to perpendicular AutoStrada panels on one or both sides.
64 Panel height	1 1 1/8" extension	Specify AutoStrada end connector to finish side edge without a connected wall.
48 Adjoining panel width	3 3 1/2" extensions	Specify T-end with 0", 1 1/8", or 3 1/2" of extension to accommodate the "creep" of panels between workstations on each side of Service Wall.
E Trim profile	<i>Specify following for panel starter:</i>	
AA Trim finish	1. Adjoining panel width (panel starter includes extended panel top trim for panel attached to starter)	
613 Paint finish	2. Top trim profile of adjoining panel E = Extruded aluminum top trim	
	3. Top trim finish Anodized aluminum or painted finish	
	4. Painted finish for panel starter	
	Please specify painted finish for panel starters and inside covers of T-end from paint finish options listed on page 7.	
		Specify two 0" T-ends for a single workstation on each side (no intermediate panels). Specify two 1 1/8" T-ends for one intermediate panel, one 1 1/8" and one 3 1/2" for two panels, and two 3 1/2" for three intermediate panels. T-ends with 3 1/2" extension have removable inside covers and accept ceiling infeed panel. Finish options for AA1RTC() top clip: 118 White 111 Black 613 Silver To complete T - end solution, must specify frame, crown end cap, raceway extender and cover set.

T-end fabric and wood cover sets (AutoStrada or Reff panels)

description	type	height	pattern number	list
 Monolithic cover set	Fabric	42"	R3B0P0F4207	\$189.
		49"	R3B0P0F4907	214.
		64"	R3B0P0F6407	251.
		79"	R3B0P0F7907	289.
	L/V1/V2/V3	42"	R3B0P0H4207	193.
		49"	R3B0P0H4907	219.
		64"	R3B0P0H6407	258.
		79"	R3B0P0H7907	294.
 Tiled cover set	Fabric	42"	R3B0T0F4207	189.
		49"	R3B0T0F4907	214.
		64"	R3B0T0F6407	251.
		79"	R3B0T0F7907	289.
	L/V1/V2/V3	42"	R3B0T0H4207	193.
		49"	R3B0T0H4907	219.
		64"	R3B0T0H6407	258.
		79"	R3B0T0H7907	294.
 Tiled cover set, no base raceway	L/V1/V2/V3	42"	R3R0T0H4207	223.
		49"	R3R0T0H4907	253.
		64"	R3R0T0H6407	296.

Order Code	Specification Information	Application Notes
Example: R3B0P0F4207 E 4	See Reff System for full selection of painted finishes, fabrics and wood veneers for T-end cover sets.	Specify covers in monolithic or tiled sets to complete T-end frames for AutoStrada or Reff panel.
R3B Generation 3		Please see page 7 for list of applicable finishes.
OP0F Monolithic		
42 Panel height	<i>Specify:</i>	Monolithic cover sets include a raceway cover and a single snap-in panel above.
07 Width	1. Top trim profile	Tiled sets include raceway cover and segmented tiles corresponding to adjacent AutoStrada or Reff tiled panels.
E Top trim profile	2. Panel finishes	
4 4" base height	3. Top trim finish	AutoStrada or Reff tiled module horizontal reveals are at nominal 19", 34", 49" and 64" above the floor and do not align with service wall cover reveals.
W359- Fabric	4. Base finish	
AA Trim finish	<i>Top trim profile:</i>	
111 Outside base finish	E Extruded Aluminum	
111 Inside base finish	<i>Base height:</i>	
	4 4" base height	

Panel system starters and T-ends

Gallery screen starters

AutoStrada

description	h	w	d	pattern no.	list
Gallery screen starter	21"	3"	1"	AA1GPS ()	\$172.
Screen-to-worksurface bracket				AG1B	42.

Spine

Order Code	Specification Information	Application Notes
Example: AA1 GPS 613		
AA1 Accessory	For intermediate gallery screen starters specify any standard painted finish.	Gallery screen starter attaches thin screen to structural base cover of AutoStrada spine or Currents service wall. Specify Gallery screen to have through holes for starter bracket.
G For thin screens		
PS Panel starter	Screen to worksurface bracket is black painted finish.	
613 Painted finish		Screen-to-worksurface bracket is required to stabilize Gallery screens by connecting to adjacent worksurface. Specify one bracket for each screen.

Panel system starters and T-ends

Dividends Horizon panel and screen starters

AutoStrada

description	application	h	w	d	pattern no.	list
Service Wall starters for Dividends Horizon panels and screens	36" high Dividends Horizon Panel or Screen	36"	1"	3"	AA1DHPS36(5)()	\$416.
	42" high Dividends Horizon Panel or Screen	42"	1"	3"	AA1DHPS42(5)()	416.
	50" high Dividends Horizon Panel or Screen	50"	1"	3"	AA1DHPS50(5)()	416.
	57" high Dividends Horizon Panel or Screen	57"	1"	3"	AA1DHPS57(5)()	416.
	64" high Dividends Horizon Panel or Screen	64"	1"	3"	AA1DHPS64(5)()	416.
Top clip for Dividends Horizon panels and screens to lower Service Wall	Top clip for Dividends Horizon Panel/Screen to Service Wall				AA1DHTC()	108.

Order Code	Specification Information	Application Notes
Example: AA1 DHPS 36 (5)	1.Top cap type 5=Metal flat	Panel/screen starter includes a clamp bracket that attaches to the structural base cover of the Service Wall to start a Dividends panel/screen run perpendicular to the face of the Service Wall anywhere other than at the end of the Service Wall.
AA1 Accessory		
DH Dividends Horizon	2.Paint finish	Top clip, which secures top edge of panel to underside of Service Wall crown, is required in addition to panel starter for stability of 57" or higher panels or 50"H panels with cantilevered shelves overhead storage.
PS Panel starter	All standard paint finishes	
36 Panel height		
5 Top cap type		
613 Painted finish		

Panel system starters and T-ends

Universal panel starter and T-end

AutoStrada

description	width	depth	height	pattern number	paint
 Universal T-end adapter	2-6"	7"	39"	AA1UA39()	\$106.
	2-6"	7"	48"	AA1UA48()	129.
	2-6"	7"	64"	AA1UA64()	141.
 Universal panel starters	3"	1"	39"	AA1UPS39()	239.
	3"	1"	48"	AA1UPS48()	256.
	3"	1"	64"	AA1UPS64()	274.
 Universal top clip				AA2 UTC ()	103.


Spine

Order Code	Specification Information	Application Notes
Example: AA1 UPS48 111	Please specify painted finish for universal end and panel starters from paint finish options listed on page 7.	Universal adapters and starters integrate other panel systems with the Service Wall. Vertical surface accepts architectural wall starter of most other systems.
AA1 Accessory		
UPS Panel starter		
48 Panel height		
111 Finish		Panel starter includes clamp bracket to structural base cover on Service Wall.
		Top clip gives added stability to attached panels of the same height or higher than the Service Wall.

Power components, spine

2+2 power components

AutoStrada

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Desk height outlet module	21-48"H	5"	–	6"	AR1 EOM			\$218.
								
Central switch	21-48"H				AR1-ELS-B			608.
Duplex outlet	Circuit A				AR1 DA	52.		
	Circuit B				AR1 DB	52.		
	Circuit X				AR1 DX	52.	58.	
	Circuit Y				AR1 DY	52.	58.	
Power infeeds, modular	Ceiling infeed	145"			AR1 EPIC			314.
	Desk height power	85"			AR1 EPI5			251.
Hardwire base infeeds (NYC)	One connector				AR1 EPH1			417.
	Two connectors				AR1 EPH2			627.
Transitional connectors for or Reff	60"	109"			AR1 ET5			334.
	96"	133"			AR1 ET8			371.
	12"	61"			AR1 ET1			231.
	36"	85"			AR1 ET3			291.

Order Code

Example: AR1 EOM	
AR1	Power component
E	2+2
OM	Outlet module

Application Notes

Autostrada power components distribute four 20-amp circuits at desk height: two convenience circuits and two protected circuits, with separate grounds and heavy duty #10 neutrals. Power may be distributed point-to-point between outlet modules at or below desk height. Outlet modules accept two duplex outlets on each face and four jumper cables to connect to other modules or infeed power. Modular desk-height outlet module mounts between frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W Service Wall frame bay can accept two outlet housings (up to four duplex outlets on each side) side by side. Central switch controls three outlets inside Service Wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of wall.	Switches cannot be positioned back-to-back in combination with an outlet module. Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3). Outlet modules accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply. Desk height power infeed connects from floor box to outlets module in Service Wall. Infeed includes 85" conduit with a 6" pigtail. Ceiling infeed connects from ceiling mounted box to desk height outlet module. Specify ceiling infeed panel separately.	Hardwire base infeed is approved for installations in the City of New York. Infeed includes junction box for base raceway and connector to outlet module. Jumper cables join power from outlet module to outlet module. Application dimension is distance between modules. Transitional connectors connect power from Service Wall to powered or Reff panels attached to the Service Wall. Application dimension suggests distance from outlet to panel. Transitional connectors have watertight conduit between modular ends. Do not specify transitional connectors in City of New York installations.
--	--	---

Power components, spine

2+2 power components

AutoStrada

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Jumper cable	12"	37"			AR1 EJ1			\$126.
	120"	145"			AR1 EJ10			333.
	144"	169"			AR1 EJ12			371.
	24"	49"			AR1 EJ2			166.
	36"	61"			AR1 EJ3			190.
	48"	73"			AR1 EJ4			205.
	60"	85"			AR1 EJ5			231.
	72"	97"			AR1 EJ6			251.
	96"	121"			AR1 EJ8			291.

Spine

Order Code

Example:	AR1 EOM
AR1	Power component
E	2+2
OM	Outlet module


Application Notes

Autostrada power components distribute four 20-amp circuits at desk height: two convenience circuits and two protected circuits, with separate grounds and heavy duty #10 neutrals. Power may be distributed point-to-point between outlet modules at or below desk height. Outlet modules accept two duplex outlets on each face and four jumper cables to connect to other modules or infeed power. Modular desk-height outlet module mounts between frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W Service Wall frame bay can accept two outlet housings (up to four duplex outlets on each side) side by side. Central switch controls three outlets inside Service Wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of wall.	Switches cannot be positioned back-to-back in combination with an outlet module. Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3). Outlet modules accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply. Desk height power infeed connects from floor box to outlets module in Service Wall. Infeed includes 85" conduit with a 6" pigtail. Ceiling infeed connects from ceiling mounted box to desk height outlet module. Specify ceiling infeed panel separately.	Hardwire base infeed is approved for installations in the City of New York. Infeed includes junction box for base raceway and connector to outlet module. Jumper cables join power from outlet module to outlet module. Application dimension is distance between modules. Transitional connectors connect power from Service Wall to powered or Reff panels attached to the Service Wall. Application dimension suggests distance from outlet to panel. Transitional connectors have watertight conduit between modular ends. Do not specify transitional connectors in City of New York installations.
--	--	---

Power components, spine

3+3 power components

AutoStrada

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Desk-height outlet module	21"-48"H	6"	1"	9"	AR1 TOM			\$251.
								
Central switch	21-48"H				AR1-ELS-B			608.
Duplex outlet	Circuit A				AR1 DA	52.		
	Circuit B				AR1 DB	52.		
	Circuit C				AR1 DC	52.		
	Circuit X				AR1 DX	52.	58.	
	Circuit Y				AR1 DY	52.	58.	
	Circuit Z				AR1 DZ	52.	58.	
Power infeeds	Ceiling infeed	145"			AR1 TPIC			357.
	Desk height power	85"			AR1 TPI5			291.
Hardwire base infeeds (NYC)	One connector				AR1 TPH1			461.
	Two connectors				AR1 TPH2			714.
Jumper cable	120"				AR1 TJ10			371.
	96"	121"			AR1 TJ8			333.
	144" wall	169"			AR1 TJ12			416.
	12"	37"			AR1 TJ1			143.
	24"	49"			AR1 TJ2			190.
	36"	61"			AR1 TJ3			231.
	48"	73"			AR1 TJ4			251.
	60"	85"			AR1 TJ5			273.
	72"	97"			AR1 TJ6			291.
Transitional connectors for or Reff	60"	109"			AR1 TT5			371.
	96"	133"			AR1 TT8			417.
	12"	61"			AR1 TT1			273.
	36"	85"			AR1 TT3			334.

Order Code

Example:	AR1 TOM
AR1	Power component
T	3+3
OM	Outlet module

Application Notes

AutoStrada power components distribute six 20-amp circuits at desk height or wall base: three convenience circuits and three protected circuits, with separate grounds and heavy-duty #10 neutrals.

Service Wall power may be distributed point-to-point between outlet modules at desk height or in the base raceway. Outlet modules and power rails accept two duplex outlets on each face and four connector/jumper cables.

Modular desk-height outlet module mounts between Service Wall frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W frame bay can accept two outlet housings (up to four duplex outlets on each side.)

Central switch controls three outlets inside Service Wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of Service Wall.

Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).

Outlet modules and power rails accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.

Power components, spine other hardware

AutoStrada

description	width	depth	height	pattern number	no finish	paint
High capacity cable holders (10)	1"	3/4"	2 1/2"	AR1 HCC H10	\$44.	



Cable clips for wall studs (100)	1/4"	1/2"	1 1/2"	AR1 PCC 100	105.	
----------------------------------	------	------	--------	--------------------	------	--






Ceiling infeed panel for stabilizer end cabinet or T-end with 3 1/2" extension	5"	48"	APX CIP4 ()	639.
	5"	72"	APX CIP6 ()	747.
	5"	96"	APX CIP8 ()	854.



Spine

Order Code	Specification Information	Application Notes
Example: AR1 PCC 100	Cable clips and cable managers are black plastic.	Specify cable clips, approximately 50 per Service Wall frame to support and manage cables on the face of studs in the Service Wall frame.
AR1 Raceway	Cable holders are light grey plastic.	Each clip manages up to 14 Category 5 or fiber optic cables; four clips attach between 21"-30", 30"-39", 39"-48"; six between 48"-64"H. Only two clips fit behind a cable tray cover at the 21"-30" height.
PCC Cable clip	Please specify painted finish for ceiling infeed panel from paint finish options listed on page 7.	Specify high capacity cable holders approximately 20 per Service Wall frame to support and manage larger bundles of cables. Each holds up to 55 Cat 5 cables; two holders attach to studs at each 9" level; three holders at the 16" level of a 64"H wall. Only one holder fits behind a cable tray cover at the 21"-30" height (upside down).
100 Size/Quantity		Raceway cable managers are U-shape cable supports that snap into the underside of the Service Wall frame. Plan one per foot foot to contain data cables or power jumpers in the base raceway. Ceiling infeed panel attaches to end of Service Wall adjacent to Currents, or Reff T-end panel with 3 1/2" extension. Center channel, 2" x 2 1/2", accommodates one or two power infeed cables. Each side channel is 1 1/2" x 3 1/2" lay-in cable raceway, for continuous lay-in cabling from ceiling to Service Wall surface. Specify ceiling infeed separately.

description	type	width	depth	height	pattern number	clear tempered	powder
Add up panels	frameless glass, 8"h 	24"	1/2"	8"	AUA1 0824 G () ()	\$315.	\$384.
		36"	1/2"	8"	AUA1 0836 G () ()	358.	515.
		48"	1/2"	8"	AUA1 0848 G () ()	463.	642.
		60"	1/2"	8"	AUA1 0860 G () ()	570.	827.
		72"	1/2"	8"	AUA1 0872 G () ()	642.	999.
	frameless glass, 12"h 	24"	1/2"	12"	AUA1 1224 G () ()	377.	433.
		36"	1/2"	12"	AUA1 1236 G () ()	534.	612.
		48"	1/2"	12"	AUA1 1248 G () ()	680.	786.
		60"	1/2"	12"	AUA1 1260 G () ()	831.	961.
		72"	1/2"	12"	AUA1 1272 G () ()	984.	1,131.
	frameless glass, 15"h 	24"	1/2"	15"	AUA1 1524 G () ()	384.	675.
		36"	1/2"	15"	AUA1 1536 G () ()	534.	749.
		48"	1/2"	15"	AUA1 1548 G () ()	684.	1,075.
		60"	1/2"	15"	AUA1 1560 G () ()	841.	1,213.
		72"	1/2"	15"	AUA1 1572 G () ()	990.	1,419.

Order Code	Specification Information	Application Notes
Example: AUA1 1248 G TEMP AA	<i>Add up type:</i>	Add-up panels add acoustical privacy and light control above any height Service Wall.
AUA1 Autostrada add up panel	G Glass	
12 Height	Glass add-ups are available with the following glass options:	Anodized aluminum or painted base frame inserts in center of any Service Wall crown and is secured by bolts within crown.
48 Width	TEMP Clear tempered	
G Type	GL13 Powder	
TEMP Glass Finish	Specify wide add-up panels for use on long Service Wall and Fence runs.	Frameless glass add-ups can be positioned at any 3" increment in standard or compact crown with any cover type.
AA Trim Finish		Any height add up can be used on any height AutoStrada or Currents Service Wall or Fence.
		8"h Add ups are designed primarily for use on 39"h spine with 1"h crown to create a 48"h horizon. 12"h Add ups are designed for use on 48"h spine for a 61" horizon with 1"h crown or a 64" horizon with 4"h crown. 15"h Add ups are designed primarily for use on 48"h spine with 1"h crown for a 64" horizon.

description	application	h	w	d	pattern no.	L	V1	V2	V3
Gallery screens	39" high	39"	20"	1"	AG1B3920 () ()	\$389.	\$505.	\$623.	\$1,025.
	39" high	39"	24"	1"	AG1B3924 () ()	436.	550.	696.	1,188.
	39" high	39"	30"	1"	AG1B3930 () ()	485.	596.	767.	1,370.
	39" high	39"	36"	1"	AG1B3936 () ()	533.	643.	838.	1,553.
	39" high	39"	42"	1"	AG1B3942 () ()	582.	688.	910.	1,736.
	39" high	39"	48"	1"	AG1B3948 () ()	629.	734.	981.	1,917.
	39" high	39"	54"	1"	AG1B3954 () ()	678.	782.	1,055.	2,100.
	39" high	39"	60"	1"	AG1B3960 () ()	726.	825.	1,126.	2,282.
	39" high	39"	66"	1"	AG1B3966 () ()	774.	872.	1,199.	2,462.
	39" high	39"	72"	1"	AG1B3972 () ()	823.	918.	1,271.	2,647.
	39" high	39"	78"	1"	AG1B3978 () ()	870.	964.	1,341.	2,827.
	39" high	39"	84"	1"	AG1B3984 () ()	922.	1,010.	1,415.	3,009.
	39" high	39"	90"	1"	AG1B3990 () ()	969.	1,056.	1,487.	3,194.
	39" high	39"	96"	1"	AG1B3996 () ()	1,016.	1,103.	1,557.	3,375.
	49" high	49"	20"	1"	AG1B4920 () ()	504.	611.	768.	1,262.
	49" high	49"	24"	1"	AG1B4924 () ()	552.	656.	852.	1,425.
	49" high	49"	30"	1"	AG1B4930 () ()	602.	705.	935.	1,647.
	49" high	49"	36"	1"	AG1B4936 () ()	651.	750.	1,016.	1,870.
	49" high	49"	42"	1"	AG1B4942 () ()	699.	796.	1,100.	2,094.
	49" high	49"	48"	1"	AG1B4948 () ()	748.	841.	1,183.	2,313.
	49" high	49"	54"	1"	AG1B4954 () ()	796.	889.	1,266.	2,537.
	49" high	49"	60"	1"	AG1B4960 () ()	844.	931.	1,348.	2,762.
	49" high	49"	66"	1"	AG1B4966 () ()	891.	980.	1,430.	2,981.
	49" high	49"	72"	1"	AG1B4972 () ()	941.	1,024.	1,513.	3,206.
	49" high	49"	78"	1"	AG1B4978 () ()	987.	1,072.	1,597.	3,427.
	49" high	49"	84"	1"	AG1B4984 () ()	1,038.	1,117.	1,681.	3,652.
	49" high	49"	90"	1"	AG1B4990 () ()	1,087.	1,164.	1,763.	3,873.
	49" high	49"	96"	1"	AG1B4996 () ()	1,134.	1,211.	1,848.	4,093.

Order Code	Specification Information	Application Notes	
Example: AG1 B 4948L N 115	For Gallery screens specify:	Gallery screens attach to AutoStrada or Currents Service Wall and adjacent worksurfaces to define workspaces. Gallery screens are 1" thick, solid wood core, self-edged in laminate, Techwood or natural veneer. 39"H screens correspond in height to 39"H Service Wall (underside of any crown). 49"H screens correspond in height to 49"H Anchor cabinet and to 48"H Service Wall with compact or flat crown.	Other end of 39"H screen is always "N", no attachment. Other end of 49"H screen can have provisions for attachment to 49"H Anchor cabinet or no attachment.
AG1	Gallery screen		
B	Back screen		
49	Height		
48	Width		
L	End starter		
N	No attachment		
115	Finish		
	1.Planning application, L=Screen at left end of Service Wall (from inside face of screen) R=Screen at right end of Service Wall S=Intermediate screen attached to face of Service Wall		
	2.Then specify other end application: A=Attach to anchor cabinet (49"H screen only) N=No attachment		
	3.Then specify finish, all standard laminates for vertical applications, all standard Techwoods and natural veneers.	Gallery screens are specified by application: inserts for end starter (attach to left or right end of Service Wall) or through holes for screen starter (intermediate screen attachment to face of Service Wall) on one end. Inserts enable either 39"H or 48"H end starter to attach to inside face of 49"H screens.	Gallery screens must be stabilized by screen-to-worksurface bracket or attachment to Anchor cabinet.
	Gallery screens include black leveling glides with 1" range. Starting point for screens is 1/2" above floor.		


description	application	pattern no.	AA	P1	P2	P3	G1	G2	G3
Panel attachment kit for glass gallery screen	for 42"h panel attachment	A1GGPC4234(L/R)()	\$859.	\$730.	\$730.	\$773.			
	for 46"h panel attachment	A1GGPC4934(L/R)()	859.	730.	730.	773.			
Spine attachment kit for glass gallery screen	mid span/ off modular	A1GGSPSC30(L/R)()	896.	761.	761.	804.			
	spine end starter	A1GGSE30(L/R)() ()	870.	741.	741.	785.			
Glass, for panel based	for 42"h x 60"w	A1PGG4260()					1,036.	1,562.	2,104.
	for 42"h x 72"w	A1PGG4272()					1,188.	1,813.	2,512.
	for 49"h x 60"w	A1PGG4960()					1,173.	1,797.	2,443.
	for 49"h x 72"w	A1PGG4972()					1,347.	2,092.	2,867.
Glass, for spine based	for 48"h x 60"w	A1SGG4860()					1,141.	1,737.	2,357.
	for 48"h x 72"w	A1SGG4872()					1,308.	2,021.	2,767.

Order Code	Specification Information	Application Notes
Example: A1GGPC4234		
A AutoStrada	1.L/R- Left or right hand connection	Glass Gallery Screen Panel
1 Generation 1	If left hand, worksurface on right	attachment kit includes finished
GG Gallery screen, glass	side of glass	connection to panel post and end
PC Panel post connector	If right hand, worksurface on left	capture for glass.
42 42"h panel attachment	side of glass	
(includes Hi/low trim)		Glass Gallery Screen Spine
34 34" high nominal	2.Finish divider capture	attachment kit includes finished
(L/R) Left or right hand	AA and all core paint options except	connection to spine and end capture
connection	613	for glass.
() Finish divider, capture	<i>Glass Finish</i>	
	G1=Clear Temp glass	Glass to align top of panel insert,
	G2=Architectural	below top trim for panel base.
	G3=Color	
		Glass to align top of Service Wall
		cover, below crown or at horizontal
		channel at nominal 48" high if 64"
		Service Wall.

Tiled/Monolithic - mono side only with base raceway
Tiled one side - Laminate/Monolithic side - fabric

AutoStrada

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Tiled laminate one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AFL3418 (X)(X)(X)(X)(X)	\$798.	\$812.	\$849.	\$901.	\$935.	\$996.	\$1,026.
		24"	R3R1AFL3424 (X)(X)(X)(X)(X)	849.	867.	906.	953.	990.	1,050.	1,083.
		30"	R3R1AFL3430 (X)(X)(X)(X)(X)	914.	929.	970.	1,015.	1,051.	1,114.	1,147.
		36"	R3R1AFL3436 (X)(X)(X)(X)(X)	972.	985.	1,026.	1,073.	1,108.	1,170.	1,199.
		42"	R3R1AFL3442 (X)(X)(X)(X)(X)	1,117.	1,133.	1,171.	1,220.	1,255.	1,315.	1,346.
		48"	R3R1AFL3448 (X)(X)(X)(X)(X)	1,155.	1,171.	1,211.	1,258.	1,293.	1,355.	1,385.
	42"	18"	R3R1AFL4218 (X)(X)(X)(X)(X)	886.	910.	960.	1,026.	1,069.	1,143.	1,187.
		24"	R3R1AFL4224 (X)(X)(X)(X)(X)	946.	972.	1,024.	1,088.	1,132.	1,201.	1,248.
		30"	R3R1AFL4230 (X)(X)(X)(X)(X)	1,014.	1,040.	1,090.	1,156.	1,198.	1,272.	1,318.
		36"	R3R1AFL4236 (X)(X)(X)(X)(X)	1,079.	1,105.	1,156.	1,223.	1,266.	1,335.	1,383.
		42"	R3R1AFL4242 (X)(X)(X)(X)(X)	1,214.	1,239.	1,289.	1,356.	1,400.	1,472.	1,516.
		48"	R3R1AFL4248 (X)(X)(X)(X)(X)	1,282.	1,309.	1,358.	1,423.	1,469.	1,537.	1,586.
	49"	18"	R3R1AFL4918 (X)(X)(X)(X)(X)	984.	1,008.	1,069.	1,141.	1,192.	1,282.	1,327.
		24"	R3R1AFL4924 (X)(X)(X)(X)(X)	1,051.	1,074.	1,136.	1,205.	1,261.	1,348.	1,398.
		30"	R3R1AFL4930 (X)(X)(X)(X)(X)	1,134.	1,156.	1,216.	1,288.	1,341.	1,432.	1,477.
		36"	R3R1AFL4936 (X)(X)(X)(X)(X)	1,199.	1,227.	1,286.	1,357.	1,411.	1,497.	1,545.
		42"	R3R1AFL4942 (X)(X)(X)(X)(X)	1,353.	1,377.	1,436.	1,509.	1,560.	1,650.	1,698.
		48"	R3R1AFL4948 (X)(X)(X)(X)(X)	1,428.	1,449.	1,512.	1,584.	1,637.	1,727.	1,771.
	64"	18"	R3R1AFL6418 (X)(X)(X)(X)(X)	1,126.	1,158.	1,239.	1,332.	1,409.	1,523.	1,587.
		24"	R3R1AFL6424 (X)(X)(X)(X)(X)	1,201.	1,237.	1,315.	1,411.	1,481.	1,597.	1,665.
		30"	R3R1AFL6430 (X)(X)(X)(X)(X)	1,294.	1,327.	1,410.	1,504.	1,573.	1,693.	1,757.
		36"	R3R1AFL6436 (X)(X)(X)(X)(X)	1,374.	1,410.	1,487.	1,583.	1,652.	1,770.	1,834.
		42"	R3R1AFL6442 (X)(X)(X)(X)(X)	1,565.	1,596.	1,679.	1,770.	1,843.	1,960.	2,025.
		48"	R3R1AFL6448 (X)(X)(X)(X)(X)	1,645.	1,679.	1,757.	1,850.	1,925.	2,041.	2,104.



both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles; 42"h 3 tiles/ top tile 7"h


Order Code	Specification Information	Application Notes
Example: R3R1AFL3418EAA4K 613W359-118N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Tiled side includes panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
L Laminate, tiled side	5. Base raceway height <i>4 = 4"h, default</i>	Panels are not for use with medians, storage medians or bridges.
34 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
E Extruded Aluminum top trim	8. Fabric selection	
AA Top Trim anodized aluminum finish	9. Finish, L = Laminate <i>LW = Marker board</i>	Product on this page will accept marker board and wood grain laminate where laminate is currently an option.
4 4" high base raceway	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable)</i> <i>N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
118 Finish, Bright White		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - mono side only with base raceway

Tiled one side - V1 Techwood/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Tiled V1 techwood one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AF13418 () () () () () ()	\$819.	\$836.	\$876.	\$926.	\$960.	\$1,017.	\$1,053.
		24"	R3R1AF13424 () () () () () ()	881.	896.	938.	984.	1,017.	1,082.	1,113.
		30"	R3R1AF13430 () () () () () ()	942.	959.	1,000.	1,046.	1,083.	1,145.	1,177.
		36"	R3R1AF13436 () () () () () ()	1,000.	1,014.	1,054.	1,103.	1,137.	1,199.	1,233.
		42"	R3R1AF13442 () () () () () ()	1,156.	1,168.	1,209.	1,257.	1,292.	1,355.	1,385.
		48"	R3R1AF13448 () () () () () ()	1,190.	1,206.	1,248.	1,295.	1,332.	1,391.	1,425.
	42"	18"	R3R1AF14218 () () () () () ()	910.	935.	986.	1,051.	1,095.	1,168.	1,214.
		24"	R3R1AF14224 () () () () () ()	977.	1,002.	1,051.	1,117.	1,161.	1,235.	1,281.
		30"	R3R1AF14230 () () () () () ()	1,048.	1,074.	1,125.	1,190.	1,235.	1,303.	1,350.
		36"	R3R1AF14236 () () () () () ()	1,113.	1,138.	1,188.	1,253.	1,298.	1,368.	1,416.
		42"	R3R1AF14242 () () () () () ()	1,253.	1,281.	1,331.	1,400.	1,443.	1,512.	1,559.
		48"	R3R1AF14248 () () () () () ()	1,317.	1,342.	1,394.	1,458.	1,503.	1,577.	1,620.
	49"	18"	R3R1AF14918 () () () () () ()	1,011.	1,036.	1,096.	1,168.	1,223.	1,310.	1,361.
		24"	R3R1AF14924 () () () () () ()	1,083.	1,106.	1,164.	1,239.	1,290.	1,384.	1,431.
		30"	R3R1AF14930 () () () () () ()	1,163.	1,188.	1,250.	1,324.	1,376.	1,464.	1,511.
		36"	R3R1AF14936 () () () () () ()	1,238.	1,259.	1,324.	1,391.	1,448.	1,536.	1,584.
		42"	R3R1AF14942 () () () () () ()	1,400.	1,423.	1,481.	1,551.	1,607.	1,698.	1,746.
		48"	R3R1AF14948 () () () () () ()	1,474.	1,497.	1,556.	1,631.	1,684.	1,773.	1,823.
	64"	18"	R3R1AF16418 () () () () () ()	1,162.	1,195.	1,275.	1,370.	1,446.	1,562.	1,628.
		24"	R3R1AF16424 () () () () () ()	1,241.	1,274.	1,350.	1,449.	1,523.	1,644.	1,704.
		30"	R3R1AF16430 () () () () () ()	1,335.	1,366.	1,448.	1,544.	1,613.	1,737.	1,801.
		36"	R3R1AF16436 () () () () () ()	1,413.	1,448.	1,527.	1,624.	1,697.	1,817.	1,882.
		42"	R3R1AF16442 () () () () () ()	1,611.	1,645.	1,724.	1,822.	1,894.	2,012.	2,076.
		48"	R3R1AF16448 () () () () () ()	1,697.	1,727.	1,807.	1,904.	1,977.	2,097.	2,163.



both sides 64x48 shown, 49" h with three
tiles; 34" h with two tiles; 42" h 3 tiles/ top
tile 7" h


Order Code	Specification Information	Application Notes
Example: R3R1AF13418EAA4K 613W359-Y319N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Tiled side includes panel reveals between V1 inserts. Aluminum vertical hookstrip cover ordered separately.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
1 V1 Techwood, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	
34 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
E Extruded Aluminum top trim	8. Fabric selection	
AA Top Trim anodized aluminum finish	9. Finish, V1 Techwood	
4 4" high base raceway	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable)</i> <i>N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
Y319 Finish, Cherry		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - mono side only with base raceway

Tiled one side - V2 Natural/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V2 natural one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AF23418 (X)(X)(X)(X)(X)	\$837.	\$856.	\$895.	\$942.	\$980.	\$1,037.	\$1,069.
		24"	R3R1AF23424 (X)(X)(X)(X)(X)	897.	916.	957.	1,004.	1,037.	1,098.	1,132.
		30"	R3R1AF23430 (X)(X)(X)(X)(X)	960.	978.	1,015.	1,065.	1,100.	1,161.	1,192.
		36"	R3R1AF23436 (X)(X)(X)(X)(X)	1,016.	1,035.	1,076.	1,124.	1,159.	1,218.	1,251.
		42"	R3R1AF23442 (X)(X)(X)(X)(X)	1,176.	1,188.	1,231.	1,276.	1,310.	1,374.	1,408.
		48"	R3R1AF23448 (X)(X)(X)(X)(X)	1,215.	1,233.	1,271.	1,320.	1,356.	1,414.	1,448.
	42"	18"	R3R1AF24218 (X)(X)(X)(X)(X)	929.	953.	1,004.	1,069.	1,114.	1,185.	1,234.
		24"	R3R1AF24224 (X)(X)(X)(X)(X)	996.	1,019.	1,073.	1,138.	1,182.	1,252.	1,299.
		30"	R3R1AF24230 (X)(X)(X)(X)(X)	1,066.	1,093.	1,145.	1,210.	1,252.	1,327.	1,370.
		36"	R3R1AF24236 (X)(X)(X)(X)(X)	1,138.	1,163.	1,214.	1,281.	1,326.	1,398.	1,445.
		42"	R3R1AF24242 (X)(X)(X)(X)(X)	1,278.	1,301.	1,355.	1,419.	1,464.	1,536.	1,582.
		48"	R3R1AF24248 (X)(X)(X)(X)(X)	1,344.	1,368.	1,422.	1,489.	1,531.	1,602.	1,650.
	49"	18"	R3R1AF24918 (X)(X)(X)(X)(X)	1,035.	1,058.	1,117.	1,189.	1,244.	1,335.	1,384.
		24"	R3R1AF24924 (X)(X)(X)(X)(X)	1,103.	1,128.	1,188.	1,259.	1,315.	1,406.	1,453.
		30"	R3R1AF24930 (X)(X)(X)(X)(X)	1,190.	1,215.	1,276.	1,348.	1,405.	1,492.	1,539.
		36"	R3R1AF24936 (X)(X)(X)(X)(X)	1,261.	1,287.	1,346.	1,422.	1,474.	1,562.	1,611.
		42"	R3R1AF24942 (X)(X)(X)(X)(X)	1,423.	1,447.	1,506.	1,578.	1,633.	1,723.	1,769.
		48"	R3R1AF24948 (X)(X)(X)(X)(X)	1,502.	1,526.	1,584.	1,659.	1,709.	1,803.	1,849.
	64"	18"	R3R1AF26418 (X)(X)(X)(X)(X)	1,187.	1,218.	1,299.	1,398.	1,469.	1,586.	1,652.
		24"	R3R1AF26424 (X)(X)(X)(X)(X)	1,265.	1,298.	1,377.	1,474.	1,547.	1,664.	1,729.
		30"	R3R1AF26430 (X)(X)(X)(X)(X)	1,360.	1,391.	1,472.	1,569.	1,638.	1,760.	1,824.
		36"	R3R1AF26436 (X)(X)(X)(X)(X)	1,447.	1,476.	1,556.	1,653.	1,725.	1,847.	1,909.
		42"	R3R1AF26442 (X)(X)(X)(X)(X)	1,647.	1,680.	1,759.	1,852.	1,927.	2,046.	2,112.
		48"	R3R1AF26448 (X)(X)(X)(X)(X)	1,727.	1,760.	1,841.	1,936.	2,009.	2,129.	2,193.



both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles; 42" h 3 tiles/ top tile 7" h

Order Code	Specification Information	Application Notes
Example: R3R1AF23418EAA4K613W359-V316N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	
R1	Base raceway monolithic side only	
A	Tiled one side, Monolithic other	Tiled side includes panel reveals between V2 inserts. Aluminum vertical hookstrip cover ordered separately.
F	Fabric, monolithic side	
2	V2 Natural, tiled side	Panels are not for use with medians, storage medians or bridges.
34	34" high	
18	18" wide	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
E	Extruded Aluminum top trim	
AA	Top Trim anodized aluminum finish	Panels on this page will accept standard Reff System stacking window modules.
4	4" high base raceway	
K	Knock-outs in base raceway	
613	Finish, base raceway	
W359-	Finish, fabric	
V316	Finish, Maple	
N	Not milled for ported components	


- Height
- Width
- Extruded Aluminum Top Trim
E - default
- Finish, Aluminum trim (top trim and tile dividers/reveals)
Anodized aluminum or painted finish options listed on page 11 excluding silver.
- Base raceway height
4 = 4" h, default
- Knock-out option
K = with knock-outs
N = no knock-outs
- Base raceway finish
painted or plated finish options only
- Fabric selection
- Finish, V2 Natural
- Milled for ported components
M = milled for (\$20 list upcharge applicable)
N = not milled for

See page 7 for finish options applicable.

Tiled/Monolithic - mono side only with base raceway
Tiled one side - V3 Exotic/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Tiled V3 exotic one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AF33418 (X)(X)(X)(X)(X)	\$1,114.	\$1,134.	\$1,187.	\$1,251.	\$1,298.	\$1,376.	\$1,414.
		24"	R3R1AF33424 (X)(X)(X)(X)(X)	1,190.	1,212.	1,266.	1,329.	1,376.	1,453.	1,494.
		30"	R3R1AF33430 (X)(X)(X)(X)(X)	1,274.	1,292.	1,345.	1,410.	1,456.	1,534.	1,577.
		36"	R3R1AF33436 (X)(X)(X)(X)(X)	1,348.	1,368.	1,423.	1,482.	1,530.	1,610.	1,652.
		42"	R3R1AF33442 (X)(X)(X)(X)(X)	1,549.	1,570.	1,620.	1,684.	1,731.	1,808.	1,850.
		48"	R3R1AF33448 (X)(X)(X)(X)(X)	1,602.	1,626.	1,680.	1,739.	1,785.	1,865.	1,906.
	42"	18"	R3R1AF34218 (X)(X)(X)(X)(X)	1,266.	1,292.	1,343.	1,410.	1,453.	1,526.	1,575.
		24"	R3R1AF34224 (X)(X)(X)(X)(X)	1,357.	1,383.	1,434.	1,500.	1,541.	1,614.	1,661.
		30"	R3R1AF34230 (X)(X)(X)(X)(X)	1,454.	1,481.	1,531.	1,596.	1,642.	1,712.	1,761.
		36"	R3R1AF34236 (X)(X)(X)(X)(X)	1,550.	1,578.	1,628.	1,695.	1,738.	1,809.	1,854.
		42"	R3R1AF34242 (X)(X)(X)(X)(X)	1,739.	1,764.	1,813.	1,882.	1,926.	1,996.	2,043.
		48"	R3R1AF34248 (X)(X)(X)(X)(X)	1,829.	1,854.	1,907.	1,974.	2,015.	2,091.	2,135.
	49"	18"	R3R1AF34918 (X)(X)(X)(X)(X)	1,379.	1,411.	1,490.	1,582.	1,653.	1,769.	1,832.
		24"	R3R1AF34924 (X)(X)(X)(X)(X)	1,470.	1,502.	1,581.	1,674.	1,745.	1,862.	1,926.
		30"	R3R1AF34930 (X)(X)(X)(X)(X)	1,584.	1,615.	1,696.	1,786.	1,857.	1,977.	2,039.
		36"	R3R1AF34936 (X)(X)(X)(X)(X)	1,680.	1,705.	1,785.	1,880.	1,950.	2,066.	2,130.
		42"	R3R1AF34942 (X)(X)(X)(X)(X)	1,883.	1,913.	1,992.	2,083.	2,156.	2,273.	2,337.
		48"	R3R1AF34948 (X)(X)(X)(X)(X)	1,989.	2,018.	2,095.	2,191.	2,260.	2,375.	2,439.
	64"	18"	R3R1AF36418 (X)(X)(X)(X)(X)	1,588.	1,632.	1,737.	1,859.	1,952.	2,112.	2,193.
		24"	R3R1AF36424 (X)(X)(X)(X)(X)	1,694.	1,731.	1,838.	1,961.	2,054.	2,213.	2,296.
		30"	R3R1AF36430 (X)(X)(X)(X)(X)	1,813.	1,853.	1,956.	2,083.	2,179.	2,337.	2,419.
		36"	R3R1AF36436 (X)(X)(X)(X)(X)	1,927.	1,967.	2,072.	2,197.	2,290.	2,447.	2,531.
		42"	R3R1AF36442 (X)(X)(X)(X)(X)	2,186.	2,227.	2,334.	2,457.	2,550.	2,706.	2,791.
		48"	R3R1AF36448 (X)(X)(X)(X)(X)	2,295.	2,337.	2,439.	2,562.	2,658.	2,813.	2,897.



both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles; 42" h 3 tiles/ top tile 7" h


Order Code	Specification Information	Application Notes
Example: R3R1AF33418EAA4K613W359-V515N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	
R1	Base raceway monolithic side only	
A	Tiled one side, Monolithic other	Tiled side includes panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately.
F	Fabric, monolithic side	
3	V3 Exotic, tiled side	Panels are not for use with medians, storage medians or bridges.
34	34" high	
18	18" wide	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
E	Extruded Aluminum top trim	
AA	Top Trim anodized aluminum finish	Panels on this page will accept standard Reff System stacking window modules.
4	4" high base raceway	
K	Knock-outs in base raceway	
613	Finish, base raceway	
W359-	Finish, fabric	
V515	Finish, Quartered Clear Figured Sycamore	
N	Not milled for ported components	

- To order please specify pattern number including:*
- Height
 - Width
 - Extruded Aluminum Top Trim
E - default
 - Finish, Aluminum trim (top trim and tile dividers/reveals)
Anodized aluminum or painted finish options listed on page 11 excluding silver.
 - Base raceway height
4 = 4" h, default
 - Knock-out option
K = with knock-outs
N = no knock-outs
 - Base raceway finish
painted or plated finish options only
 - Fabric selection
 - Finish, V3 Exotic
 - Milled for ported components
M = milled for (\$20 list upcharge applicable)
N = not milled for

See page 7 for finish options applicable.

Tiled/Monolithic - mono side only with base raceway
Tiled one side - Laminate / Laminate
 34" and 42"h

description	h	w	pattern no.	L
Tiled/Monolithic - tiled side no raceway	34"	18"	R3R1ALL3418 () () () () () ()	\$708.
Laminate outside/Laminate inside		24"	R3R1ALL3424 () () () () () ()	770.
		30"	R3R1ALL3430 () () () () () ()	861.
		36"	R3R1ALL3436 () () () () () ()	931.
		42"	R3R1ALL3442 () () () () () ()	959.
		48"	R3R1ALL3448 () () () () () ()	1,006.
	42"	18"	R3R1ALL4218 () () () () () ()	748.
		24"	R3R1ALL4224 () () () () () ()	813.
		30"	R3R1ALL4230 () () () () () ()	912.
		36"	R3R1ALL4236 () () () () () ()	984.
		42"	R3R1ALL4242 () () () () () ()	1,083.
		48"	R3R1ALL4248 () () () () () ()	1,213.




both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles; 42"h 3 tiles/ top tile 7"h

Order Code	Specification Information	Application Notes
Example: R3R1ALL4218EAA4K613W359-118N	<i>To order please specify pattern number including:</i>	Laminate finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Monolithic	3. Extruded Aluminum Top Trim <i>E - default</i>	Aluminum vertical hookstrip cover ordered separately.
L Laminate, interior side	4. Finish, Aluminum top trim <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
L Laminate, exterior side	5. Base raceway height <i>4 = 4"h, default</i>	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
AA Top Trim anodized aluminum finish	8. Finish, L = Laminate	
4 4" high base raceway	LW = Marker board	These panels will accept all core laminates; including marker board and wood grain laminate.
K Knock-outs in base raceway	9. Finish, L = Laminate	
613 Finish, base raceway	LW = Marker board	
118 Finish, Bright White	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable)</i>	
118 Finish, Bright White	<i>N = not milled for</i>	
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - mono side only with base raceway
Tiled one side - Laminate / Laminate
49" and 64"h

description	h	w	pattern no.	L
Tiled/Monolithic - tiled side no raceway	49"	18"	R3R1ALL4918 () () () () () ()	\$888.
Laminate outside/Laminate inside		24"	R3R1ALL4924 () () () () () ()	968.
		30"	R3R1ALL4930 () () () () () ()	1,082.
		36"	R3R1ALL4936 () () () () () ()	1,170.
		42"	R3R1ALL4942 () () () () () ()	1,286.
		48"	R3R1ALL4948 () () () () () ()	1,440.
	64"	18"	R3R1ALL6418 () () () () () ()	986.
		24"	R3R1ALL6424 () () () () () ()	1,075.
		30"	R3R1ALL6430 () () () () () ()	1,204.
		36"	R3R1ALL6436 () () () () () ()	1,301.
		42"	R3R1ALL6442 () () () () () ()	1,432.
		48"	R3R1ALL6448 () () () () () ()	1,602.



both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles; 42"h 3 tiles/ top tile 7"h


Order Code	Specification Information	Application Notes
Example: R3R1ALL4218EAA4K613W359-118N	<i>To order please specify pattern number including:</i>	Laminate finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Monolithic	3. Extruded Aluminum Top Trim <i>E - default</i>	Aluminum vertical hookstrip cover ordered separately.
L Laminate, interior side	4. Finish, Aluminum top trim <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
L Laminate, exterior side	5. Base raceway height <i>4 = 4"h, default</i>	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
AA Top Trim anodized aluminum finish	8. Finish, L = Laminate	
4 4" high base raceway	<i>LW = Marker board</i>	These panels will accept all core laminates; including marker board and wood grain laminate.
K Knock-outs in base raceway	9. Finish, L = Laminate	
613 Finish, base raceway	<i>LW = Marker board</i>	
118 Finish, Bright White	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable)</i>	
118 Finish, Bright White	<i>N = not milled for</i>	
N Not milled for ported components	See page 7 for finish options applicable.	

Mono/Mono - exterior hard side no raceway

Laminate outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Monolithic laminate exterior no raceway, interior fabric with raceway	42"	18"	R3R1PFL4218 () () () () () ()	\$558.	\$571.	\$595.	\$646.	\$684.	\$728.	\$759.
		24"	R3R1PFL4224 () () () () () ()	567.	578.	603.	653.	691.	736.	768.
		30"	R3R1PFL4230 () () () () () ()	680.	690.	717.	767.	804.	848.	885.
		36"	R3R1PFL4236 () () () () () ()	736.	747.	771.	823.	861.	906.	938.
		42"	R3R1PFL4242 () () () () () ()	827.	837.	861.	916.	953.	1,001.	1,031.
		48"	R3R1PFL4248 () () () () () ()	900.	910.	935.	986.	1,028.	1,072.	1,105.
		49"	R3R1PFL4918 () () () () () ()	617.	636.	664.	726.	767.	818.	854.
	49"	24"	R3R1PFL4924 () () () () () ()	678.	693.	722.	784.	827.	881.	916.
		30"	R3R1PFL4930 () () () () () ()	767.	784.	810.	876.	917.	971.	1,006.
		36"	R3R1PFL4936 () () () () () ()	828.	843.	875.	935.	978.	1,032.	1,067.
		42"	R3R1PFL4942 () () () () () ()	914.	929.	959.	1,022.	1,065.	1,119.	1,154.
		48"	R3R1PFL4948 () () () () () ()	1,029.	1,044.	1,074.	1,141.	1,181.	1,237.	1,272.



both sides 49x48 shown

Panels


Order Code	Specification Information	Application Notes
Example: R3R1PFL4218EAA4K613W359-118N	<i>To order please specify pattern number including:</i>	Interior fabric side with base raceway, exterior monolithic laminate finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
P Monolithic	3. Extruded Aluminum Top Trim <i>E - default</i>	Aluminum vertical hookstrip cover ordered separately.
F Fabric, interior side	4. Finish, Aluminum top trim <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
L Laminate, exterior side	5. Base raceway height <i>4 = 4" h, default</i>	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
AA Top Trim anodized aluminum finish	8. Fabric selection	
4 4" high base raceway	9. Finish, L = Laminate <i>LW = Marker board</i>	Product on this page will accept marker board and wood grain laminate where laminate is currently an option.
K Knock-outs in base raceway	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable)</i>	
613 Finish, base raceway	<i>N = not milled for</i>	
W359- Finish, fabric		
118 Finish, Bright White		
N Not milled for ported components	See page 7 for finish options applicable.	

Mono/Mono - exterior hard side no raceway

V1 Techwood outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Monolithic V1 techwood exterior no raceway, interior fabric with raceway	42"	18"	R3R1PF14218 () () () () () ()	\$663.	\$679.	\$706.	\$762.	\$810.	\$861.	\$898.
		24"	R3R1PF14224 () () () () () ()	670.	685.	713.	770.	816.	867.	904.
		30"	R3R1PF14230 () () () () () ()	807.	819.	849.	910.	957.	1,008.	1,044.
		36"	R3R1PF14236 () () () () () ()	875.	888.	918.	977.	1,020.	1,075.	1,113.
		42"	R3R1PF14242 () () () () () ()	983.	996.	1,028.	1,085.	1,133.	1,185.	1,223.
		48"	R3R1PF14248 () () () () () ()	1,069.	1,082.	1,113.	1,171.	1,220.	1,271.	1,309.
	49"	18"	R3R1PF14918 () () () () () ()	737.	755.	789.	859.	909.	969.	1,010.
		24"	R3R1PF14924 () () () () () ()	805.	825.	857.	930.	979.	1,040.	1,082.
		30"	R3R1PF14930 () () () () () ()	918.	936.	969.	1,043.	1,092.	1,155.	1,195.
		36"	R3R1PF14936 () () () () () ()	982.	1,003.	1,036.	1,107.	1,158.	1,218.	1,260.
		42"	R3R1PF14942 () () () () () ()	1,087.	1,106.	1,142.	1,214.	1,262.	1,327.	1,366.
		48"	R3R1PF14948 () () () () () ()	1,223.	1,242.	1,278.	1,349.	1,402.	1,464.	1,506.



both sides 49x48 shown


Order Code	Specification Information	Application Notes
Example: R3R1PF14218EAA4K 613W359-Y319N	<i>To order please specify pattern number including:</i>	Interior fabric side with base raceway, exterior monolithic V1 insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	
R1	Base raceway monolithic side only	Aluminum vertical hookstrip cover ordered separately.
P	Monolithic, both sides	
F	Fabric, inside	Panels are not for use with medians, storage medians or bridges.
1	V1 Techwood, outside	
42	42" high	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
18	18" wide	
E	Extruded Aluminum top trim	Panels on this page will accept standard Reff System stacking window modules.
AA	Top Trim anodized aluminum finish	
4	4" high base raceway	
K	Knock-outs in base raceway	
613	Finish, base raceway	
W359-	Finish, fabric	
Y319	Finish, Cherry	
N	Not milled for ported components	

1. Height
2. Width
3. Extruded Aluminum Top Trim
E - default
4. Finish, Aluminum top trim
Anodized aluminum or painted finish options listed on page 11 excluding silver.
5. Base raceway height
4 = 4"h, default
6. Knock-out option
K = with knock-outs
N = no knock-outs
7. Base raceway finish
painted or plated finish options only
8. Fabric selection
9. Finish, V1 Techwood
10. Milled for ported components
M = milled for (\$20 list upcharge applicable)
N = not milled for

See page 7 for finish options applicable.

Mono/Mono - exterior hard side no raceway
V2 Natural veneer outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Monolithic V2 natural veneer exterior no raceway, interior fabric with raceway 	42"	18"	R3R1PF24218 (X)(X)(X)(X)(X)	\$678.	\$690.	\$719.	\$774.	\$824.	\$875.	\$912.
		24"	R3R1PF24224 (X)(X)(X)(X)(X)	686.	698.	728.	785.	833.	885.	921.
		30"	R3R1PF24230 (X)(X)(X)(X)(X)	825.	836.	866.	927.	974.	1,022.	1,061.
		36"	R3R1PF24236 (X)(X)(X)(X)(X)	891.	903.	935.	993.	1,040.	1,092.	1,128.
		42"	R3R1PF24242 (X)(X)(X)(X)(X)	1,004.	1,014.	1,046.	1,105.	1,155.	1,203.	1,242.
		48"	R3R1PF24248 (X)(X)(X)(X)(X)	1,093.	1,105.	1,137.	1,197.	1,244.	1,295.	1,334.
	49"	18"	R3R1PF24918 (X)(X)(X)(X)(X)	751.	768.	803.	875.	923.	983.	1,024.
		24"	R3R1PF24924 (X)(X)(X)(X)(X)	819.	838.	872.	945.	995.	1,054.	1,096.
		30"	R3R1PF24930 (X)(X)(X)(X)(X)	931.	950.	984.	1,056.	1,105.	1,166.	1,209.
		36"	R3R1PF24936 (X)(X)(X)(X)(X)	1,003.	1,019.	1,054.	1,127.	1,178.	1,239.	1,282.
		42"	R3R1PF24942 (X)(X)(X)(X)(X)	1,107.	1,127.	1,162.	1,237.	1,285.	1,345.	1,389.
		48"	R3R1PF24948 (X)(X)(X)(X)(X)	1,250.	1,268.	1,302.	1,377.	1,428.	1,491.	1,533.

both sides 49x48 shown

Order Code	Specification Information	Application Notes
Example: R3R1PF24218EAA4K613W359-V316N	<i>To order please specify pattern number including:</i>	Interior fabric side with base raceway, exterior monolithic V2 finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	
R1	Base raceway monolithic side only	
P	Monolithic	Aluminum vertical hookstrip cover ordered separately.
F	Fabric, monolithic interior	Panels are not for use with medians, storage medians or bridges.
2	V2 Natural, monolithic exterior	
42	42" high	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
18	18" wide	
E	Extruded Aluminum top trim	Panels on this page will accept standard Reff System stacking window modules.
AA	Top Trim anodized aluminum finish	
4	4" high base raceway	
K	Knock-outs in base raceway	
613	Finish, base raceway	
W359-	Finish, fabric	
V316	Finish, Maple	
N	Not milled for ported components	

1. Height
2. Width
3. Extruded Aluminum Top Trim
E - default
4. Finish, Aluminum top trim
Anodized aluminum or painted finish options listed on page 11 excluding silver.
5. Base raceway height
4 = 4"h, default
6. Knock-out option
K = with knock-outs
N = no knock-outs
7. Base raceway finish
painted or plated finish options only
8. Fabric selection
9. Finish, V2 Natural
10. Milled for ported components
M = milled for (\$20 list upcharge applicable)
N = not milled for


See page 7 for finish options applicable.

Mono/Mono - exterior hard side no raceway

V3 Exotic veneer outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Monolithic V3 exotic veneer exterior no raceway, interior fabric with raceway	42"	18"	R3R1PF34218 () () () () () ()	\$914.	\$927.	\$954.	\$1,012.	\$1,059.	\$1,108.	\$1,149.
	24"		R3R1PF34224 () () () () () ()	928.	939.	969.	1,025.	1,074.	1,125.	1,161.
	30"		R3R1PF34230 () () () () () ()	1,115.	1,128.	1,159.	1,216.	1,262.	1,315.	1,350.
	36"		R3R1PF34236 () () () () () ()	1,206.	1,220.	1,251.	1,308.	1,357.	1,409.	1,447.
	42"		R3R1PF34242 () () () () () ()	1,363.	1,376.	1,408.	1,466.	1,512.	1,563.	1,601.
	48"		R3R1PF34248 () () () () () ()	1,489.	1,502.	1,533.	1,590.	1,639.	1,691.	1,728.
	49"	18"	R3R1PF34918 () () () () () ()	1,011.	1,032.	1,063.	1,136.	1,184.	1,246.	1,288.
	24"		R3R1PF34924 () () () () () ()	1,107.	1,128.	1,161.	1,235.	1,284.	1,344.	1,386.
	30"		R3R1PF34930 () () () () () ()	1,260.	1,282.	1,315.	1,387.	1,436.	1,498.	1,539.
	36"		R3R1PF34936 () () () () () ()	1,360.	1,378.	1,412.	1,487.	1,535.	1,596.	1,639.
	42"		R3R1PF34942 () () () () () ()	1,507.	1,526.	1,559.	1,634.	1,684.	1,745.	1,786.
	48"		R3R1PF34948 () () () () () ()	1,699.	1,720.	1,756.	1,827.	1,877.	1,939.	1,983.




both sides 49x48 shown

Order Code	Specification Information	Application Notes
Example: R3R1PF34218EAA4K 613W359-V515N	<i>To order please specify pattern number including:</i>	Interior fabric side with base raceway, exterior monolithic V3 finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
P Monolithic	3. Extruded Aluminum Top Trim	
F Fabric, interior side	<i>E - default</i>	Aluminum vertical hookstrip cover ordered separately.
3 V3 Exotic, exterior side	4. Finish, Aluminum top trim	
42 42" high	<i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
18 18" wide	5. Base raceway height	
E Extruded Aluminum top trim	<i>4 = 4"h, default</i>	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
AA Top Trim anodized aluminum finish	6. Knock-out option	
4 4" high base raceway	<i>K = with knock-outs</i>	Panels on this page will accept standard Reff System stacking window modules.
K Knock-outs in base raceway	<i>N = no knock-outs</i>	
613 Finish, base raceway	7. Base raceway finish	
W359- Finish, fabric	<i>painted or plated finish options only</i>	
V515 Finish, Quartered Clear Figured Sycamore	8. Fabric selection	
N Not milled for ported components	9. Finish, V3 Exotic	
	10. Milled for ported components	
	<i>M = milled for (\$20 list upcharge applicable)</i>	
	<i>N = not milled for</i>	
	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway
Tiled one side - Laminate/Monolithic side - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled laminate one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	R3R2AFL3418 (X)(X)(X)(X)(X)	\$798.	\$812.	\$849.	\$901.	\$935.	\$996.	\$1,026.
		24"	R3R2AFL3424 (X)(X)(X)(X)(X)	849.	867.	906.	953.	990.	1,050.	1,083.
		30"	R3R2AFL3430 (X)(X)(X)(X)(X)	914.	929.	970.	1,015.	1,051.	1,114.	1,147.
		36"	R3R2AFL3436 (X)(X)(X)(X)(X)	972.	985.	1,026.	1,073.	1,108.	1,170.	1,199.
		42"	R3R2AFL3442 (X)(X)(X)(X)(X)	1,117.	1,133.	1,171.	1,220.	1,255.	1,315.	1,346.
		48"	R3R2AFL3448 (X)(X)(X)(X)(X)	1,155.	1,171.	1,211.	1,258.	1,293.	1,355.	1,385.
	49"	18"	R3R2AFL4918 (X)(X)(X)(X)(X)	984.	1,008.	1,069.	1,141.	1,192.	1,282.	1,327.
		24"	R3R2AFL4924 (X)(X)(X)(X)(X)	1,051.	1,074.	1,136.	1,205.	1,261.	1,348.	1,398.
		30"	R3R2AFL4930 (X)(X)(X)(X)(X)	1,134.	1,156.	1,216.	1,288.	1,341.	1,432.	1,477.
		36"	R3R2AFL4936 (X)(X)(X)(X)(X)	1,199.	1,227.	1,286.	1,357.	1,411.	1,497.	1,545.
		42"	R3R2AFL4942 (X)(X)(X)(X)(X)	1,353.	1,377.	1,436.	1,509.	1,560.	1,650.	1,698.
		48"	R3R2AFL4948 (X)(X)(X)(X)(X)	1,428.	1,449.	1,512.	1,584.	1,637.	1,727.	1,771.
	64"	18"	R3R2AFL6418 (X)(X)(X)(X)(X)	1,126.	1,158.	1,239.	1,332.	1,409.	1,523.	1,587.
		24"	R3R2AFL6424 (X)(X)(X)(X)(X)	1,201.	1,237.	1,315.	1,411.	1,481.	1,597.	1,665.
		30"	R3R2AFL6430 (X)(X)(X)(X)(X)	1,294.	1,327.	1,410.	1,504.	1,573.	1,693.	1,757.
		36"	R3R2AFL6436 (X)(X)(X)(X)(X)	1,374.	1,410.	1,487.	1,583.	1,652.	1,770.	1,834.
		42"	R3R2AFL6442 (X)(X)(X)(X)(X)	1,565.	1,596.	1,679.	1,770.	1,843.	1,960.	2,025.
		48"	R3R2AFL6448 (X)(X)(X)(X)(X)	1,645.	1,679.	1,757.	1,850.	1,925.	2,041.	2,104.



both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles


Panels

Order Code	Specification Information	Application Notes
Example: R3R2AFL3418EAA4K 613W359-118N	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
L Laminate, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Panels on this page will accept standard Reff System stacking window modules.
34 34" high	6. Knock-out option <i>K = with knock-outs N = no knock-outs</i>	Product on this page will accept marker board and wood grain laminate where laminate is currently an option.
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	
E Extruded Aluminum top trim	8. Fabric selection	
AA Top Trim anodized aluminum finish	9. Finish, L= Laminate LW = Marker board	
4 4" high base raceway	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable) N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
118 Finish, laminate tile side		
N Not milled for ported components		

See page 7 for finish options applicable.

Tiled/Monolithic - both sides with base raceway
Tiled one side - V1 Techwood/Monolithic - fabric

AutoStrada


description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
 both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles	34"	18"	R3R2AF13418 () () () () () ()	\$819.	\$836.	\$876.	\$926.	\$960.	\$1,017.	\$1,053.
		24"	R3R2AF13424 () () () () () ()	881.	896.	938.	984.	1,017.	1,082.	1,113.
		30"	R3R2AF13430 () () () () () ()	942.	959.	1,000.	1,046.	1,083.	1,145.	1,177.
		36"	R3R2AF13436 () () () () () ()	1,000.	1,014.	1,054.	1,103.	1,137.	1,199.	1,233.
		42"	R3R2AF13442 () () () () () ()	1,156.	1,168.	1,209.	1,257.	1,292.	1,355.	1,385.
		48"	R3R2AF13448 () () () () () ()	1,190.	1,206.	1,248.	1,295.	1,332.	1,391.	1,425.
	49"	18"	R3R2AF14918 () () () () () ()	1,011.	1,036.	1,096.	1,168.	1,223.	1,310.	1,361.
		24"	R3R2AF14924 () () () () () ()	1,083.	1,106.	1,164.	1,239.	1,290.	1,384.	1,431.
		30"	R3R2AF14930 () () () () () ()	1,163.	1,188.	1,250.	1,324.	1,376.	1,464.	1,511.
		36"	R3R2AF14936 () () () () () ()	1,238.	1,259.	1,324.	1,391.	1,448.	1,536.	1,584.
		42"	R3R2AF14942 () () () () () ()	1,400.	1,423.	1,481.	1,551.	1,607.	1,698.	1,746.
		48"	R3R2AF14948 () () () () () ()	1,474.	1,497.	1,556.	1,631.	1,684.	1,773.	1,823.
	64"	18"	R3R2AF16418 () () () () () ()	1,162.	1,195.	1,275.	1,370.	1,446.	1,562.	1,628.
		24"	R3R2AF16424 () () () () () ()	1,241.	1,274.	1,350.	1,449.	1,523.	1,644.	1,704.
		30"	R3R2AF16430 () () () () () ()	1,335.	1,366.	1,448.	1,544.	1,613.	1,737.	1,801.
		36"	R3R2AF16436 () () () () () ()	1,413.	1,448.	1,527.	1,624.	1,697.	1,817.	1,882.
		42"	R3R2AF16442 () () () () () ()	1,611.	1,645.	1,724.	1,822.	1,894.	2,012.	2,076.
		48"	R3R2AF16448 () () () () () ()	1,697.	1,727.	1,807.	1,904.	1,977.	2,097.	2,163.

Order Code	Specification Information	Application Notes
Example: R3R2AF13418EAA4K613W359-Y319N	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V1 inserts. Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
1 V1 Techwood, tiled side	5. Base raceway height <i>4 = 4"h, default</i>	
34 34" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
AA Top Trim anodized aluminum finish	8. Fabric selection	
4 4" high base raceway	9. Finish, V1 Techwood	
K Knock-outs in base raceway	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable)</i>	
613 Finish, base raceway	<i>N = not milled for</i>	
W359- Finish, fabric		
Y319 Finish, Cherry		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway
Tiled one side - V2 Natural/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V2 natural one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	R3R2AF23418 (X)(X)(X)(X)(X)(X)	\$837.	\$856.	\$895.	\$942.	\$980.	\$1,037.	\$1,069.
		24"	R3R2AF23424 (X)(X)(X)(X)(X)(X)	897.	916.	957.	1,004.	1,037.	1,098.	1,132.
		30"	R3R2AF23430 (X)(X)(X)(X)(X)(X)	960.	978.	1,015.	1,065.	1,100.	1,161.	1,192.
		36"	R3R2AF23436 (X)(X)(X)(X)(X)(X)	1,016.	1,035.	1,076.	1,124.	1,159.	1,218.	1,251.
		42"	R3R2AF23442 (X)(X)(X)(X)(X)(X)	1,176.	1,188.	1,231.	1,276.	1,310.	1,374.	1,408.
		48"	R3R2AF23448 (X)(X)(X)(X)(X)(X)	1,215.	1,233.	1,271.	1,320.	1,356.	1,414.	1,448.
	49"	18"	R3R2AF24918 (X)(X)(X)(X)(X)(X)	1,035.	1,058.	1,117.	1,189.	1,244.	1,335.	1,384.
		24"	R3R2AF24924 (X)(X)(X)(X)(X)(X)	1,103.	1,128.	1,188.	1,259.	1,315.	1,406.	1,453.
		30"	R3R2AF24930 (X)(X)(X)(X)(X)(X)	1,190.	1,215.	1,276.	1,348.	1,405.	1,492.	1,539.
		36"	R3R2AF24936 (X)(X)(X)(X)(X)(X)	1,261.	1,287.	1,346.	1,422.	1,474.	1,562.	1,611.
		42"	R3R2AF24942 (X)(X)(X)(X)(X)(X)	1,423.	1,447.	1,506.	1,578.	1,633.	1,723.	1,769.
		48"	R3R2AF24948 (X)(X)(X)(X)(X)(X)	1,502.	1,526.	1,584.	1,659.	1,709.	1,803.	1,849.
	64"	18"	R3R2AF26418 (X)(X)(X)(X)(X)(X)	1,187.	1,218.	1,299.	1,398.	1,469.	1,586.	1,652.
		24"	R3R2AF26424 (X)(X)(X)(X)(X)(X)	1,265.	1,298.	1,377.	1,474.	1,547.	1,664.	1,729.
		30"	R3R2AF26430 (X)(X)(X)(X)(X)(X)	1,360.	1,391.	1,472.	1,569.	1,638.	1,760.	1,824.
		36"	R3R2AF26436 (X)(X)(X)(X)(X)(X)	1,447.	1,476.	1,556.	1,653.	1,725.	1,847.	1,909.
		42"	R3R2AF26442 (X)(X)(X)(X)(X)(X)	1,647.	1,680.	1,759.	1,852.	1,927.	2,046.	2,112.
		48"	R3R2AF26448 (X)(X)(X)(X)(X)(X)	1,727.	1,760.	1,841.	1,936.	2,009.	2,129.	2,193.



both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles


Panels

Order Code	Specification Information	Application Notes
Example: R3R2AF23418EAA4K613W359-V316N	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V2 inserts. Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
2 V2 Natural, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	
34 34" high	6. Knock-out option <i>K = with knock-outs N = no knock-outs</i>	Panels on this page will accept standard Reff System stacking window modules.
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	
E Extruded Aluminum top trim	8. Fabric selection	
AA Top Trim anodized aluminum finish	9. Finish, V2 Natural	
4 4" high base raceway	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable) N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
V316 Finish, Maple		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway
Tiled one side - V3 Exotic/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V3 exotic one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	R3R2AF33418 (X)(X)(X)(X)(X)	\$1,114.	\$1,134.	\$1,187.	\$1,251.	\$1,298.	\$1,376.	\$1,414.
		24"	R3R2AF33424 (X)(X)(X)(X)(X)	1,190.	1,212.	1,266.	1,329.	1,376.	1,453.	1,494.
		30"	R3R2AF33430 (X)(X)(X)(X)(X)	1,274.	1,292.	1,345.	1,410.	1,456.	1,534.	1,577.
		36"	R3R2AF33436 (X)(X)(X)(X)(X)	1,348.	1,368.	1,423.	1,482.	1,530.	1,610.	1,652.
		42"	R3R2AF33442 (X)(X)(X)(X)(X)	1,549.	1,570.	1,620.	1,684.	1,731.	1,808.	1,850.
		48"	R3R2AF33448 (X)(X)(X)(X)(X)	1,602.	1,626.	1,680.	1,739.	1,785.	1,865.	1,906.
	49"	18"	R3R2AF34918 (X)(X)(X)(X)(X)	1,379.	1,411.	1,490.	1,582.	1,653.	1,769.	1,832.
		24"	R3R2AF34924 (X)(X)(X)(X)(X)	1,470.	1,502.	1,581.	1,674.	1,745.	1,862.	1,926.
		30"	R3R2AF34930 (X)(X)(X)(X)(X)	1,584.	1,615.	1,696.	1,786.	1,857.	1,977.	2,039.
		36"	R3R2AF34936 (X)(X)(X)(X)(X)	1,680.	1,705.	1,785.	1,880.	1,950.	2,066.	2,130.
		42"	R3R2AF34942 (X)(X)(X)(X)(X)	1,883.	1,913.	1,992.	2,083.	2,156.	2,273.	2,337.
		48"	R3R2AF34948 (X)(X)(X)(X)(X)	1,989.	2,018.	2,095.	2,191.	2,260.	2,375.	2,439.
	64"	18"	R3R2AF36418 (X)(X)(X)(X)(X)	1,588.	1,632.	1,737.	1,859.	1,952.	2,112.	2,193.
		24"	R3R2AF36424 (X)(X)(X)(X)(X)	1,694.	1,731.	1,838.	1,961.	2,054.	2,213.	2,296.
		30"	R3R2AF36430 (X)(X)(X)(X)(X)	1,813.	1,853.	1,956.	2,083.	2,179.	2,337.	2,419.
		36"	R3R2AF36436 (X)(X)(X)(X)(X)	1,927.	1,967.	2,072.	2,197.	2,290.	2,447.	2,531.
		42"	R3R2AF36442 (X)(X)(X)(X)(X)	2,186.	2,227.	2,334.	2,457.	2,550.	2,706.	2,791.
		48"	R3R2AF36448 (X)(X)(X)(X)(X)	2,295.	2,337.	2,439.	2,562.	2,658.	2,813.	2,897.



boths sides 64x48 shown, 49"h with three tiles; 34"h with two tiles


Order Code	Specification Information	Application Notes
Example: R3R2AF33418EAA4K613W359-V515N	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
3 V3 Exotic, tiled side	5. Base raceway height <i>4 = 4"h, default</i>	Panels on this page will accept standard Reff System stacking window modules.
34 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	
E Extruded Aluminum top trim	8. Fabric selection	
AA Top Trim anodized aluminum finish	9. Finish, V3 Exotic	
4 4" high base raceway	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable)</i> <i>N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
V515 Finish, Quartered Clear Figured Sycamore		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway

Tiled one side - Laminate/Laminate

34" and 42"h

description	h	w	pattern no.	L
Tiled/Monolithic - both sides with base raceway	34"	18"	R3R2ALL3418 () () () () () ()	\$867.
Laminate outside/Laminate inside		24"	R3R2ALL3424 () () () () () ()	945.
		30"	R3R2ALL3430 () () () () () ()	1,056.
		36"	R3R2ALL3436 () () () () () ()	1,145.
		42"	R3R2ALL3442 () () () () () ()	1,178.
		48"	R3R2ALL3448 () () () () () ()	1,212.
	42"	18"	R3R2ALL4218 () () () () () ()	1,045.
		24"	R3R2ALL4224 () () () () () ()	1,141.
		30"	R3R2ALL4230 () () () () () ()	1,275.
		36"	R3R2ALL4236 () () () () () ()	1,378.
		42"	R3R2ALL4242 () () () () () ()	1,418.
		48"	R3R2ALL4248 () () () () () ()	1,464.




both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles

Order Code	Specification Information	Application Notes
Example: R3R2ALL3418EAA4K613W359-V515N	<i>To order please specify pattern number including:</i>	Panels are not for use with medians, storage medians or bridges.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	
L Laminate	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels on this page will accept standard Reff System stacking window modules.
L Laminate		
34 34" high	5. Base raceway height <i>4 = 4"h, default</i>	These panels will accept all core laminate; including marker board and wood grain laminates.
18 18" wide	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	
AA Top Trim anodized aluminum finish	8. Finish, L = Laminate LW = Marker board	
4 4" high base raceway	9. Finish, L = Laminate LW = Marker board	
K Knock-outs in base raceway	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable)</i> <i>N = not milled for</i>	
613 Finish, base raceway		
118 Finish, Laminate		
118 Finish, Laminate		
N Not milled for ported components		
	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway
Tiled one side - Laminate/Laminate
49" and 64"h

AutoStrada

description	h	w	pattern no.	L
Tiled/Monolithic - both sides with base raceway	49"	18"	R3R2ALL4918 (X)(X)(X)(X)(X)	\$1,091.
Laminate outside/Laminate inside		24"	R3R2ALL4924 (X)(X)(X)(X)(X)	1,190.
		30"	R3R2ALL4930 (X)(X)(X)(X)(X)	1,331.
		36"	R3R2ALL4936 (X)(X)(X)(X)(X)	1,439.
		42"	R3R2ALL4942 (X)(X)(X)(X)(X)	1,482.
		48"	R3R2ALL4948 (X)(X)(X)(X)(X)	1,526.
	64"	18"	R3R2ALL6418 (X)(X)(X)(X)(X)	1,358.
		24"	R3R2ALL6424 (X)(X)(X)(X)(X)	1,479.
		30"	R3R2ALL6430 (X)(X)(X)(X)(X)	1,658.
		36"	R3R2ALL6436 (X)(X)(X)(X)(X)	1,789.
		42"	R3R2ALL6442 (X)(X)(X)(X)(X)	1,843.
		48"	R3R2ALL6448 (X)(X)(X)(X)(X)	1,918.




both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles

Order Code	Specification Information	Application Notes
Example: R3R2ALL3418EAA4K613W359-V515N	<i>To order please specify pattern number including:</i>	Panels are not for use with medians, storage medians or bridges.
R3 AutoStrada w/generation 3 frame	1. Height	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
R2 Base raceway both sides	2. Width	Panels on this page will accept standard Reff System stacking window modules.
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	These panels will accept all core laminate; including marker board and wood grain laminates.
L Laminate	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	See page 7 for finish options applicable.
L Laminate	5. Base raceway height <i>4 = 4"h, default</i>	
34 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	
E Extruded Aluminum top trim	8. Finish, L = Laminate LW = Marker board	
AA Top Trim anodized aluminum finish	9. Finish, L = Laminate LW = Marker board	
4 4" high base raceway	10. Milled for ported components <i>M = milled for (\$20 list upcharge applicable)</i> <i>N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
118 Finish, Laminate		
118 Finish, Laminate		
N Not milled for ported components		

Tiled one side - Laminate/Slatwall and Fabric other side

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Tiled laminate one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CXL4218 () () () () () () ()	\$1,193.	\$1,211.	\$1,253.	\$1,315.	\$1,353.	\$1,415.	\$1,449.
	42"	24"	R3R1CXL4224 () () () () () () ()	1,321.	1,336.	1,381.	1,440.	1,479.	1,541.	1,581.
	42"	30"	R3R1CXL4230 () () () () () () ()	1,445.	1,466.	1,508.	1,565.	1,603.	1,668.	1,705.
	42"	36"	R3R1CXL4236 () () () () () () ()	1,573.	1,590.	1,634.	1,693.	1,731.	1,794.	1,832.
	42"	42"	R3R1CXL4242 () () () () () () ()	1,700.	1,719.	1,760.	1,820.	1,861.	1,924.	1,957.
	42"	48"	R3R1CXL4248 () () () () () () ()	1,829.	1,846.	1,887.	1,949.	1,988.	2,052.	2,085.
	49"	18"	R3R1CXL4918 () () () () () () ()	1,368.	1,390.	1,440.	1,502.	1,548.	1,626.	1,666.
	49"	24"	R3R1CXL4924 () () () () () () ()	1,515.	1,535.	1,587.	1,647.	1,694.	1,770.	1,813.
	49"	30"	R3R1CXL4930 () () () () () () ()	1,664.	1,682.	1,734.	1,794.	1,841.	1,919.	1,958.
	49"	36"	R3R1CXL4936 () () () () () () ()	1,809.	1,831.	1,882.	1,944.	1,989.	2,069.	2,109.
	42"	42"	R3R1CXL4942 () () () () () () ()	1,956.	1,977.	2,027.	2,091.	2,135.	2,212.	2,254.
	42"	48"	R3R1CXL4948 () () () () () () ()	2,104.	2,125.	2,177.	2,240.	2,284.	2,363.	2,403.
	64"	18"	R3R1CXL6418 () () () () () () ()	1,514.	1,540.	1,611.	1,691.	1,754.	1,854.	1,910.
	64"	24"	R3R1CXL6424 () () () () () () ()	1,712.	1,739.	1,808.	1,890.	1,953.	2,054.	2,111.
	64"	30"	R3R1CXL6430 () () () () () () ()	1,910.	1,937.	2,007.	2,086.	2,151.	2,251.	2,307.
	64"	36"	R3R1CXL6436 () () () () () () ()	2,111.	2,135.	2,204.	2,286.	2,348.	2,450.	2,507.
	64"	42"	R3R1CXL6442 () () () () () () ()	2,307.	2,334.	2,403.	2,484.	2,546.	2,650.	2,705.
	64"	48"	R3R1CXL6448 () () () () () () ()	2,507.	2,532.	2,601.	2,684.	2,746.	2,849.	2,905.




both sides 64x48 shown, 42" & 49"h do not
have insert above slatwall section

Order Code	Specification Information	Application Notes
Example: R3R1CXL4218EAA4K613W359-118AA	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	Panels with slatwall one or both sides do not accommodate ported power or data modules
R1 Base raceway slatwall combo side only	2. Width	42" and 49"h panels on this page will not accept frameless glass add-ups.
C Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim <i>E - default</i>	Slatwall stiffener bracket recommended when installing multiple Wishbone monitor arms. See page 101.
X Fabric/Slatwall combo side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Product on this page will accept marker board and wood grain laminate where laminate is currently an option.
L Laminate, tiled side	5. Base raceway height <i>4 = 4"h, default</i>	
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	
AA Top Trim anodized aluminum finish	8. Fabric selection	
4 4" high base raceway	9. Finish, L = Laminate	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
K Knock-outs in base raceway	LW = Marker board	
613 Finish, base raceway	10. Finish, Slatwall <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	Panels on this page will accept standard Reff System stacking window modules.
W359- Finish, Fabric (combo side)		
118 Finish, Bright white (tiled side)	See page 7 for finish options applicable.	
AA Finish, Slatwall		

Tiled one side - V1 Techwood/Slatwall and Fabric other side

description	h	w	pattern no.	Grade	10	15	20	30	35	40	45
Tiled V1 techwood one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CX14218 (X)(X)(X)(X)(X)(X)	\$1,699.	\$1,718.	\$1,760.	\$1,822.	\$1,859.	\$1,926.	\$1,958.	
		24"	R3R1CX14224 (X)(X)(X)(X)(X)(X)	1,831.	1,848.	1,893.	1,951.	1,992.	2,054.	2,093.	
		30"	R3R1CX14230 (X)(X)(X)(X)(X)(X)	1,961.	1,979.	2,023.	2,082.	2,124.	2,186.	2,223.	
		36"	R3R1CX14236 (X)(X)(X)(X)(X)(X)	2,094.	2,112.	2,155.	2,214.	2,254.	2,315.	2,352.	
		42"	R3R1CX14242 (X)(X)(X)(X)(X)(X)	2,225.	2,244.	2,286.	2,345.	2,387.	2,450.	2,485.	
		48"	R3R1CX14248 (X)(X)(X)(X)(X)(X)	2,351.	2,368.	2,414.	2,474.	2,513.	2,576.	2,611.	
	49"	18"	R3R1CX14918 (X)(X)(X)(X)(X)(X)	1,877.	1,901.	1,950.	2,012.	2,056.	2,136.	2,179.	
		24"	R3R1CX14924 (X)(X)(X)(X)(X)(X)	2,029.	2,050.	2,100.	2,165.	2,212.	2,288.	2,331.	
		30"	R3R1CX14930 (X)(X)(X)(X)(X)(X)	2,182.	2,201.	2,254.	2,314.	2,364.	2,441.	2,483.	
		36"	R3R1CX14936 (X)(X)(X)(X)(X)(X)	2,336.	2,352.	2,408.	2,468.	2,514.	2,591.	2,633.	
		42"	R3R1CX14942 (X)(X)(X)(X)(X)(X)	2,485.	2,508.	2,557.	2,622.	2,667.	2,745.	2,785.	
		48"	R3R1CX14948 (X)(X)(X)(X)(X)(X)	2,640.	2,660.	2,711.	2,774.	2,820.	2,898.	2,940.	
	64"	18"	R3R1CX16418 (X)(X)(X)(X)(X)(X)	2,151.	2,179.	2,247.	2,331.	2,391.	2,495.	2,550.	
		24"	R3R1CX16424 (X)(X)(X)(X)(X)(X)	2,364.	2,390.	2,459.	2,542.	2,605.	2,709.	2,763.	
		30"	R3R1CX16430 (X)(X)(X)(X)(X)(X)	2,574.	2,601.	2,672.	2,754.	2,816.	2,921.	2,977.	
		36"	R3R1CX16436 (X)(X)(X)(X)(X)(X)	2,787.	2,814.	2,884.	2,965.	3,029.	3,134.	3,189.	
		42"	R3R1CX16442 (X)(X)(X)(X)(X)(X)	3,001.	3,028.	3,096.	3,180.	3,240.	3,345.	3,401.	
		48"	R3R1CX16448 (X)(X)(X)(X)(X)(X)	3,212.	3,238.	3,310.	3,390.	3,455.	3,555.	3,609.	



both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section

Order Code	Specification Information	Application Notes
Example: R3R1CX14218EAA4K613W359-Y319AA	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V1 inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	Panels with slatwall one or both sides do not accommodate ported power or data modules
R1	Base raceway slatwall combo side only	42" and 49"h panels on this page will not accept frameless glass add-ups.
C	Tiled one side, Slatwall combo other	Slatwall stiffener bracket recommended when installing multiple Wishbone monitor arms. See page 101.
X	Fabric/Slatwall combo side	
1	V1 Techwood, tiled side	Slatwall/fabric side combination: Slatwall above worksurface is nominally 15"h for 42" high panels, and 22 1/2" h for both 49" and 64"high panels. Fabric insert begins at just below worksurface height to the base raceway. (64"high panels also have a fabric insert above the slatwall section).
42	42" high	
18	18" wide	
E	Extruded Aluminum top trim	
AA	Top Trim anodized aluminum finish	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
4	4" high base raceway	
K	Knock-outs in base raceway	Panels on this page will accept standard Reff System stacking window modules.
613	Finish, base raceway	
W359-	Finish, Fabric (combo side)	
Y319	Finish, Cherry (tiled side)	
AA	Finish, Slatwall	


To order please specify pattern number including:

1. Height
2. Width
3. Extruded Aluminum Top Trim
E - default
4. Finish, Aluminum trim (top trim and tile dividers/reveals)
Anodized aluminum or painted finish options listed on page 11 excluding silver.
5. Base raceway height
4 = 4"h, default
6. Knock-out option
K = with knock-outs
N = no knock-outs
7. Base raceway finish
painted or plated finish options only
8. Fabric selection
9. Finish, V1 Techwood
10. Finish, Slatwall
Anodized aluminum or painted finish options listed on page 11 excluding silver

See page 7 for finish options applicable.

Tiled one side - V2 Natural/Slatwall and Fabric other side

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V2 natural one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CX24218 () () () () () () ()	\$1,768.	\$1,785.	\$1,829.	\$1,890.	\$1,931.	\$1,993.	\$2,029.
		24"	R3R1CX24224 () () () () () () ()	1,917.	1,935.	1,978.	2,039.	2,077.	2,140.	2,179.
		30"	R3R1CX24230 () () () () () () ()	2,065.	2,082.	2,126.	2,186.	2,226.	2,290.	2,327.
		36"	R3R1CX24236 () () () () () () ()	2,214.	2,230.	2,274.	2,337.	2,374.	2,439.	2,475.
		42"	R3R1CX24242 () () () () () () ()	2,364.	2,382.	2,423.	2,484.	2,525.	2,588.	2,624.
		48"	R3R1CX24248 () () () () () () ()	2,512.	2,528.	2,571.	2,632.	2,672.	2,736.	2,773.
	49"	18"	R3R1CX24918 () () () () () () ()	1,955.	1,978.	2,029.	2,093.	2,138.	2,216.	2,256.
		24"	R3R1CX24924 () () () () () () ()	2,130.	2,151.	2,201.	2,265.	2,309.	2,389.	2,429.
		30"	R3R1CX24930 () () () () () () ()	2,302.	2,324.	2,374.	2,437.	2,484.	2,560.	2,601.
		36"	R3R1CX24936 () () () () () () ()	2,476.	2,496.	2,546.	2,610.	2,658.	2,736.	2,778.
		42"	R3R1CX24942 () () () () () () ()	2,650.	2,670.	2,718.	2,784.	2,831.	2,907.	2,951.
		48"	R3R1CX24948 () () () () () () ()	2,822.	2,843.	2,897.	2,958.	3,004.	3,084.	3,125.
	64"	18"	R3R1CX26418 () () () () () () ()	2,256.	2,286.	2,352.	2,437.	2,499.	2,601.	2,658.
		24"	R3R1CX26424 () () () () () () ()	2,496.	2,526.	2,592.	2,679.	2,741.	2,842.	2,898.
		30"	R3R1CX26430 () () () () () () ()	2,737.	2,764.	2,835.	2,918.	2,981.	3,084.	3,138.
		36"	R3R1CX26436 () () () () () () ()	2,979.	3,004.	3,073.	3,157.	3,218.	3,323.	3,379.
		42"	R3R1CX26442 () () () () () () ()	3,217.	3,245.	3,313.	3,398.	3,459.	3,562.	3,621.
		48"	R3R1CX26448 () () () () () () ()	3,458.	3,485.	3,552.	3,637.	3,699.	3,801.	3,859.




both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section

Order Code	Specification Information	Application Notes
Example: R3R1CX24218EAA4K 613W359-V316AA	To order please specify pattern number including:	Tiled side includes panel reveals between V2 inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	Panels with slatwall one or both sides do not accommodate ported power or data modules
R1 Base raceway slatwall combo side only	2. Width	42" and 49"h panels on this page will not accept frameless glass add-ups.
C Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim E - default	Slatwall stiffener bracket recommended when installing multiple Wishbone monitor arms. See page 101.
X Fabric/Slatwall combo side	4. Finish, Aluminum trim (top trim and tile dividers/reveals)	
2 V2 Natural, tiled side	Anodized aluminum or painted finish options listed on page 11 excluding silver.	
42 42" high	5. Base raceway height 4 = 4"h, default	
18 18" wide	6. Knock-out option K = with knock-outs N = no knock-outs	
E Extruded Aluminum top trim	7. Base raceway finish painted or plated finish options only	
AA Top Trim anodized aluminum finish	8. Fabric selection	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
4 4" high base raceway	9. Finish, V2 Natural	
K Knock-outs in base raceway	10. Finish, Slatwall	Panels on this page will accept standard Reff System stacking window modules.
613 Finish, base raceway	Anodized aluminum or painted finish options listed on page 11 excluding silver	
W359- Finish, Fabric (combo side)		
V316 Finish, Maple (tiled side)	See page 7 for finish options applicable.	
AA Finish, Slatwall		

Tiled one side - V3 Exotic/Slatwall and Fabric other side

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Tiled V3 exotic one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CX34218 () () () () () () ()	\$2,331.	\$2,351.	\$2,409.	\$2,486.	\$2,538.	\$2,623.	\$2,668.
		24"	R3R1CX34224 () () () () () () ()	2,523.	2,543.	2,599.	2,680.	2,732.	2,813.	2,861.
		30"	R3R1CX34230 () () () () () () ()	2,713.	2,737.	2,795.	2,873.	2,924.	3,006.	3,056.
		36"	R3R1CX34236 () () () () () () ()	2,907.	2,933.	2,987.	3,064.	3,115.	3,199.	3,247.
		42"	R3R1CX34242 () () () () () () ()	3,104.	3,125.	3,180.	3,259.	3,311.	3,396.	3,440.
		48"	R3R1CX34248 () () () () () () ()	3,295.	3,315.	3,375.	3,453.	3,505.	3,586.	3,635.
	49"	18"	R3R1CX34918 () () () () () () ()	2,579.	2,606.	2,673.	2,753.	2,814.	2,917.	2,967.
		24"	R3R1CX34924 () () () () () () ()	2,802.	2,831.	2,898.	2,979.	3,040.	3,140.	3,193.
		30"	R3R1CX34930 () () () () () () ()	3,028.	3,056.	3,124.	3,200.	3,264.	3,362.	3,421.
		36"	R3R1CX34936 () () () () () () ()	3,254.	3,281.	3,348.	3,430.	3,488.	3,592.	3,645.
		42"	R3R1CX34942 () () () () () () ()	3,480.	3,506.	3,574.	3,654.	3,715.	3,814.	3,871.
		48"	R3R1CX34948 () () () () () () ()	3,708.	3,730.	3,799.	3,882.	3,943.	4,043.	4,096.
	64"	18"	R3R1CX36418 () () () () () () ()	2,982.	3,017.	3,107.	3,215.	3,295.	3,430.	3,503.
		24"	R3R1CX36424 () () () () () () ()	3,293.	3,327.	3,422.	3,527.	3,606.	3,742.	3,813.
		30"	R3R1CX36430 () () () () () () ()	3,605.	3,641.	3,729.	3,840.	3,921.	4,052.	4,125.
		36"	R3R1CX36436 () () () () () () ()	3,919.	3,953.	4,043.	4,151.	4,232.	4,363.	4,440.
		42"	R3R1CX36442 () () () () () () ()	4,228.	4,267.	4,356.	4,464.	4,545.	4,681.	4,752.
		48"	R3R1CX36448 () () () () () () ()	4,542.	4,578.	4,666.	4,775.	4,856.	4,992.	5,061.



both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section


Order Code	Specification Information	Application Notes	
Example: R3R1CX34218EAA4K613W359-V515AA	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.	Panels with slatwall one or both sides do not accommodate ported power or data modules. 42" and 49"h panels on this page will not accept frameless glass add-ups. Slatwall stiffener bracket recommended when installing multiple Wishbone monitor arms. See page 101.
R3	AutoStrada w/generation 3 frame		
R1	Base raceway slatwall combo side only		
C	Tiled one side, Slatwall combo other		
X	Fabric/Slatwall combo side		
3	V3 Exotic, tiled side		
42	42" high		
18	18" wide		
E	Extruded Aluminum top trim		
AA	Top Trim anodized aluminum finish		
4	4" high base raceway		
K	Knock-outs in base raceway		
613	Finish, base raceway		
W359-	Finish, Fabric (combo side)		
V515	Finish, Quartered Clear Figured Sycamore (tiled side)		
AA	Finish, Slatwall		

</

See page 7 for finish options applicable.

Slatwall/Fabric combo both sides - both sides with base raceway


AutoStrada

description	h	w	pattern no.	Grade	10	15	20	30	35	40	45	list	
Slatwall/Fabric both sides (base raceway both sides)  <i>both sides 64x48 shown, 42"h and 49"h do not have inserts above slatwall sections</i>	42"	18"	R3R2SXX4218	() () () () () () ()	\$1,345.	\$1,379.	\$1,465.	\$1,586.	\$1,666.	\$1,794.	\$1,867.		
	24"	R3R2SXX4224	() () () () () () ()	1,470.	1,506.	1,590.	1,709.	1,789.	1,919.	1,992.			
	30"	R3R2SXX4230	() () () () () () ()	1,595.	1,631.	1,715.	1,834.	1,915.	2,043.	2,115.			
	36"	R3R2SXX4236	() () () () () () ()	1,720.	1,755.	1,841.	1,958.	2,041.	2,167.	2,242.			
	42"	R3R2SXX4242	() () () () () () ()	1,843.	1,877.	1,962.	2,083.	2,165.	2,291.	2,365.			
	48"	R3R2SXX4248	() () () () () () ()	1,972.	2,007.	2,093.	2,213.	2,291.	2,421.	2,492.			
	49"	18"	R3R2SXX4918	() () () () () () ()	1,661.	1,701.	1,806.	1,932.	2,024.	2,180.	2,262.		
	24"	R3R2SXX4924	() () () () () () ()	1,817.	1,854.	1,958.	2,083.	2,179.	2,336.	2,417.			
	30"	R3R2SXX4930	() () () () () () ()	1,968.	2,010.	2,114.	2,240.	2,334.	2,486.	2,570.			
	36"	R3R2SXX4936	() () () () () () ()	2,124.	2,165.	2,267.	2,391.	2,485.	2,641.	2,723.			
	42"	R3R2SXX4942	() () () () () () ()	2,276.	2,315.	2,422.	2,544.	2,640.	2,795.	2,879.			
	48"	R3R2SXX4948	() () () () () () ()	2,429.	2,472.	2,574.	2,700.	2,793.	2,947.	3,031.			
	64"	18"	R3R2SXX6418	() () () () () () ()	1,704.	1,762.	1,902.	2,065.	2,191.	2,398.	2,510.		
	24"	R3R2SXX6424	() () () () () () ()	1,867.	1,924.	2,058.	2,226.	2,350.	2,557.	2,668.			
	30"	R3R2SXX6430	() () () () () () ()	2,027.	2,082.	2,220.	2,388.	2,512.	2,715.	2,829.			
	36"	R3R2SXX6436	() () () () () () ()	2,187.	2,245.	2,385.	2,545.	2,672.	2,880.	2,988.			
	42"	R3R2SXX6442	() () () () () () ()	2,348.	2,403.	2,542.	2,709.	2,833.	3,040.	3,150.			
	48"	R3R2SXX6448	() () () () () () ()	2,510.	2,562.	2,701.	2,867.	2,990.	3,198.	3,310.			
	Slatwall Stiffener Bracket	42"	ASWRB42										399.
		49"	ASWRB49										503.
		64"	ASWRB64										532.
		79"	ASWRB79										561.

Panels


Order Code	Specification Information	Application Notes	
Example: R3R2SXX4218EAA4K613W359-W359-AA	<i>To order please specify pattern number including:</i>	Slatwall/fabric combination: Slatwall above worksurface is nominally 15”h for 42” high panels; and 22 ½”h for both 49” and 64” high panels. Fabric insert begins just below worksurface height to base raceway. (64” high panels also have a fabric insert above the slatwall section.)	Panels with slatwall one or both sides do not accommodate ported power or data modules. 42” and 49”h panels on this page will not accept frameless glass add-ups.
R3	AutoStrada w/generation 3 frame		
R2	Base raceway both sides		
S	Slatwall/Fabric combo both sides		
X	Fabric/Slatwall combo side 1		
X	Fabric/Slatwall combo side 2		
42	42” high		
18	18” wide		
E	Extruded Aluminum top trim		
AA	Top Trim anodized aluminum finish		
4	4” high base raceway		
K	Knock-outs in base raceway		
613	Finish, base raceway		
W359-	Finish, Fabric (side 1)		
W359-	Finish, Fabric (side 2)		
AA	Finish, Slatwall		

</

description	w	d	pattern no.	G1	G2/G3	list
Frameless glass add-up 8"h, for panels	18"		R3GAU0818 () ()	\$328.	\$410.	
	20"		R3GAU0820 () ()	350.	443.	
	24"		R3GAU0824 () ()	370.	481.	
	30"		R3GAU0830 () ()	411.	545.	
	36"		R3GAU0836 () ()	452.	611.	
	42"		R3GAU0842 () ()	520.	709.	
	48"		R3GAU0848 () ()	538.	755.	
Frameless glass add-up 12"h, for panels	18"		R3GAU1218 () ()	358.	491.	
	20"		R3GAU1220 () ()	391.	539.	
	24"		R3GAU1224 () ()	412.	589.	
	30"		R3GAU1230 () ()	462.	683.	
	36"		R3GAU1236 () ()	513.	773.	
	42"		R3GAU1242 () ()	593.	898.	
	48"		R3GAU1248 () ()	622.	974.	
 Frameless glass add-up 15"h, for panels	18"		R3GAU1518 () ()	370.	522.	
	20"		R3GAU1520 () ()	402.	579.	
	24"		R3GAU1524 () ()	432.	633.	
	30"		R3GAU1530 () ()	483.	737.	
	36"		R3GAU1536 () ()	537.	838.	
	42"		R3GAU1542 () ()	621.	977.	
	48"		R3GAU1548 () ()	657.	1,058.	
Frameless glass add-up 8"h, for panels for hi/lo condition no post involved	18"		R3GAUHL0818 () ()	328.	410.	
	20"		R3GAUHL0820 () ()	350.	443.	
	24"		R3GAUHL0824 () ()	370.	481.	
	30"		R3GAUHL0830 () ()	411.	545.	
	36"		R3GAUHL0836 () ()	452.	611.	
	42"		R3GAUHL0842 () ()	520.	709.	
	48"		R3GAUHL0848 () ()	538.	755.	

Order Code	Specification Information	Application Notes
Example: R3GAU0818GL13AA	<i>To order please specify pattern number including:</i>	Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.
R3 AutoStrada w/generation 3 frame	1. Height	<i>To order please specify pattern number including configuration condition:</i>
GAU Glass add-up	08 = 42"h panel with add-up will align with top of 49"h panel	Finish: Anodized aluminum or painted finish options as listed on page 7 excluding silver.
08 height	12 = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal)	Note: Spacer kits are for use with fabric or veneer stacking modules ONLY. Not for use with stacking windows.
18 width	15 = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	Installation instruction sheets for the Spacer kit, available on Knoll Exchange. Refer to reference number 6TR16H0.
GL13 glass finish, powder	2. Width	
AA finish, capture/trim	3. Glass Finish	
	<i>TEMP = clear tempered glass</i>	
	<i>GL13 = powder</i>	
	<i>GL25 = Bronze</i>	
	<i>GL35 = Grey</i>	
	4. Finish, capture/trim	
	<i>Anodized aluminum or painted finish options listed on page 7 excluding silver</i>	

description	w	d	pattern no.	G1	G2/G3	list
Frameless glass add-up 12"h, for panels for hi/lo condition no post involved	18"		R3GAUHL1218 () ()	\$358.	\$491.	
	20"		R3GAUHL1220 () ()	391.	539.	
	24"		R3GAUHL1224 () ()	412.	589.	
	30"		R3GAUHL1230 () ()	462.	683.	
	36"		R3GAUHL1236 () ()	513.	773.	
	42"		R3GAUHL1242 () ()	593.	898.	
	48"		R3GAUHL1248 () ()	622.	974.	
Frameless glass add-up 15"h, for panels for hi/lo condition no post involved	18"		R3GAUHL1518 () ()	370.	522.	
	20"		R3GAUHL1520 () ()	402.	579.	
	24"		R3GAUHL1524 () ()	432.	633.	
	30"		R3GAUHL1530 () ()	483.	737.	
	36"		R3GAUHL1536 () ()	537.	838.	
	42"		R3GAUHL1542 () ()	621.	977.	
	48"		R3GAUHL1548 () ()	657.	1,058.	
Attachment Kit, to install frameless glass to 15"h or 8"h stacking module			R3SKIT			62.
	Spacer Kit includes 2 spacers and 2 washers.					
Add-up Alignment Clip, pack of 10			R3AUAC10			35.
	Alignment clips recommended to ensure glass alignment of add-up modules in side by side applications					



Order Code	Specification Information	Application Notes
Example: R3GAU0818GL13AA	<i>To order please specify pattern number including:</i>	<i>To order please specify pattern number including configuration condition:</i>
R3 AutoStrada w/generation 3 frame	1. Height	Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.
GAU Glass add-up	08 = 42"h panel with add-up will align with top of 49"h panel	Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation.
08 height	12 = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal)	Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up.
18 width	15 = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.
GL13 glass finish, powder	2. Width	
AA finish, capture/trim	3. Glass Finish	
	<i>TEMP = clear tempered glass</i>	
	<i>GL13 = powder</i>	
	<i>GL25 = Bronze</i>	
	<i>GL35 = Grey</i>	
	4. Finish, capture/trim	
	<i>Anodized aluminum or painted finish options listed on page 7 excluding silver</i>	

Finish: Anodized aluminum or painted finish options as listed on page 7excluding silver.

Note: Spacer kits are for use with fabric or veneer stacking modules ONLY. Not for use with stacking windows.

Installation instruction sheets for the Spacer kit, available on Knoll Exchange. Refer to reference number 6TR16H0.


description	application	pattern no.	AA	P1	P2	P3	G1	G2	G3
Panel attachment kit for glass gallery screen	for 42"h panel attachment	A1GGPC4234(L/R)()	\$859.	\$730.	\$730.	\$773.			
	for 46"h panel attachment	A1GGPC4934(L/R)()	859.	730.	730.	773.			
Spine attachment kit for glass gallery screen	mid span/ off modular	A1GGSPSC30(L/R)()	896.	761.	761.	804.			
	spine end starter	A1GGSE30(L/R)() ()	870.	741.	741.	785.			
Glass, for panel based	for 42"h x 60"w	A1PGG4260()					1,036.	1,562.	2,104.
	for 42"h x 72"w	A1PGG4272()					1,188.	1,813.	2,512.
	for 49"h x 60"w	A1PGG4960()					1,173.	1,797.	2,443.
	for 49"h x 72"w	A1PGG4972()					1,347.	2,092.	2,867.
Glass, for spine based	for 48"h x 60"w	A1SGG4860()					1,141.	1,737.	2,357.
	for 48"h x 72"w	A1SGG4872()					1,308.	2,021.	2,767.

Order Code	Specification Information	Application Notes
Example: A1GGPC4234		
A AutoStrada	1.L/R- Left or right hand connection If left hand, worksurface on right side of glass If right hand, worksurface on left side of glass	Glass Gallery Screen Panel attachment kit includes finished connection to panel post and end capture for glass.
1 Generation 1		
GG Gallery screen, glass		Glass Gallery Screen Spine attachment kit includes finished connection to spine and end capture for glass.
PC Panel post connector		
42 42"h panel attachment (includes Hi/low trim)	2.Finish divider capture AA and all core paint options except 613	
34 34" high nominal		
(L/R) Left or right hand connection	<i>Glass Finish</i> G1=Clear Temp glass G2=Architectural G3=Color	Glass to align top of panel insert, below top trim for panel base.
() Finish divider, capture		Glass to align top of spine cover, below crown or at horizontal channel at nominal 48" high if 64" spine.

Posts, panels

T post

AutoStrada

description	h	pattern no.	list
 T post, tiled laminate (no base plate)	34"	R3R0TTL34 () () ()	\$279.
	42"	R3R0TTL42 () () ()	308.
	49"	R3R0TTL49 () () ()	348.
	64"	R3R0TTL64 () () ()	384.
T post, tiled V1 techwood (no base plate)	34"	R3R0TT134 () () ()	294.
	42"	R3R0TT142 () () ()	322.
	49"	R3R0TT149 () () ()	365.
	64"	R3R0TT164 () () ()	404.
T post, tiled V2 natural (no base plate)	34"	R3R0TT234 () () ()	323.
	42"	R3R0TT242 () () ()	354.
	49"	R3R0TT249 () () ()	398.
	64"	R3R0TT264 () () ()	442.
T post, tiled V3 exotic (no base plate)	34"	R3R0TT334 () () ()	424.
	42"	R3R0TT342 () () ()	463.
	49"	R3R0TT349 () () ()	524.
	64"	R3R0TT364 () () ()	579.
T post, monolithic V1 techwood (no base plate)	42"	R3R0TP142 () () ()	322.
	49"	R3R0TP149 () () ()	365.

Panels

Order Code	Specification Information	Application Notes	
Example: R3R0TTL34E2AA118	<i>To order please specify pattern number including:</i>	5. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	Aluminum vertical hookstrip cover ordered separately.
R3	AutoStrada w/generation 3 post		
R0	No base raceway exposed		* Painted to match laminate.
T	T post		
T	Tiled		
L	Laminate match		
34	34" high		
E	Extruded aluminum top cap		
2	Regular T cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		
	1. Surface <i>L = Painted to match laminate</i> <i>V1 = V1 Techwood</i> <i>V2 = V2 Natural</i> <i>V3 = V3 Exotic</i>	6. Finish, Tiles <i>Laminate *, V1, V2 or V3 finish</i>	
	2. Height	See page 7 for finish options applicable.	
	3. Extruded aluminum top cap <i>E = default</i>		
	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>		

Posts, panels

T post

AutoStrada


description	h	pattern no.	list
T post, monolithic V2 natural (no base plate)	42"	R3R0TP242 () () ()	\$354.
	49"	R3R0TP249 () () ()	398.
T post, monolithic laminate (no base plate)	42"	R3R0TPL42 () () ()	308.
	49"	R3R0TPL49 () () ()	348.
T post, monolithic V3 exotic (no base plate)	42"	R3R0TP342 () () ()	463.
	49"	R3R0TP349 () () ()	524.

Order Code	Specification Information	Application Notes	
Example: R3R0TTL34E2AA118	<i>To order please specify pattern number including:</i>	5. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 post	1. Surface <i>L = Painted to match laminate</i>	6. Finish, Tiles <i>Laminate *, V1, V2 or V3 finish</i>	* Painted to match laminate.
R0 No base raceway exposed	<i>V1 = V1 Techwood</i>		
T T post	<i>V2 = V2 Natural</i>		
T Tiled	<i>V3 = V3 Exotic</i>		
L Laminate match	2. Height	See page 7 for finish options applicable.	
34 34" high	3. Extruded aluminum top cap <i>E = default</i>		
E Extruded aluminum top cap	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>		
2 Regular T cap configuration	<i>2 = Regular T, finished one side</i>		
AA Finish, top cap and reveal	<i>3 = Regular X, no sides finished</i>		
118 Finish, tiles	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>		
	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>		

Posts, panels

L post, no base plates

AutoStrada

description	h	pattern no.	list
 L post, tiled (to match) laminate (no base plate)	34"	R3R0LTL34 () () () ()	\$232.
	42"	R3R0LTL42 () () () ()	348.
	49"	R3R0LTL49 () () () ()	384.
	64"	R3R0LTL64 () () () ()	428.
	Tiled laminate both sides		
L post, tiled V1 techwood (no base plate)	34"	R3R0LT134 () () () ()	246.
	42"	R3R0LT142 () () () ()	365.
	49"	R3R0LT149 () () () ()	404.
	64"	R3R0LT164 () () () ()	447.
	Tiled V1 both sides		
L post, tiled V2 natural (no base plate)	34"	R3R0LT234 () () () ()	268.
	42"	R3R0LT242 () () () ()	398.
	49"	R3R0LT249 () () () ()	442.
	64"	R3R0LT264 () () () ()	492.
	Tiled V2 both sides		
L post, tiled V3 exotic (no base plate)	34"	R3R0LT334 () () () ()	347.
	42"	R3R0LT342 () () () ()	524.
	49"	R3R0LT349 () () () ()	579.
	64"	R3R0LT364 () () () ()	639.
	Tiled V3 both sides		
L post, monolithic (to match) laminate (no base plate)	42"	R3R0LPL42 () () () ()	348.
	49"	R3R0LPL49 () () () ()	384.

Order Code	Specification Information	Application Notes	
Example: R3R0LTL34E1AA118	<i>To order please specify pattern number including:</i>	5. Post cover configuration	Aluminum vertical hookstrip cover ordered separately. * Painted to match laminate.
R3 AutoStrada w/generation 3 post	1. Finish type tiles <i>L = Painted to match laminate</i> <i>V1 = V1 Techwood</i> <i>V2 = V2 Natural</i> <i>V3 = V3 Exotic</i>	1 = 1 piece (same finish both sides) 2 = 2 piece (same or different finish per side)	
R0 No base raceway exposed	2. Height	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	
L L post	3. Extruded aluminum top cap <i>E = default</i>	7. Finish, Side 1 <i>Laminate *, V1, V2 or V3 finish</i>	
T Tiled (both faces)	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	8. Finish, Side 2 (side 2 finish applicable only when 2 piece post cover configuration selected) <i>Laminate *, V1, V2, or V3 finish</i>	
L Laminate match			
34 34" high			
E Extruded aluminum top cap			
1 Regular L cap configuration			
AA Finish, top cap and reveal			
118 Finish, tiles		See page 7 for finish options applicable.	

Posts, panels

L post, no base plates

AutoStrada

description	h	pattern no.	list
L post, monolithic V1 techwood (no base plate)	42"	R3R0LP142 () () () () ()	\$365.
	49"	R3R0LP149 () () () () ()	404.
L post, monolithic V2 natural (no base plate)	42"	R3R0LP242 () () () () ()	398.
	49"	R3R0LP249 () () () () ()	442.
L post, monolithic V3 exotic (no base plate)	42"	R3R0LP342 () () () () ()	524.
	49"	R3R0LP349 () () () () ()	579.

Order Code	Specification Information	Application Notes	
Example: R3R0LTL34E1AA118	<i>To order please specify pattern number including:</i>		
R3 AutoStrada w/generation 3 post	1. Finish type tiles <i>L = Painted to match laminate</i>	5. Post cover configuration 1 = 1 piece (same finish both sides)	Aluminum vertical hookstrip cover ordered separately. * Painted to match laminate.
R0 No base raceway exposed	<i>V1 = V1 Techwood</i>	2 = 2 piece (same or different finish per side)	
L L post	<i>V2 = V2 Natural</i>	6. Finish, Aluminum trim (top cap and reveals)	
T Tiled (both faces)	<i>V3 = V3 Exotic</i>	<i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	
L Laminate match	2. Height		
34 34" high	3. Extruded aluminum top cap <i>E = default</i>	7. Finish, Side 1 <i>Laminate *, V1, V2 or V3 finish</i>	
E Extruded aluminum top cap	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>	8. Finish, Side 2 (side 2 finish applicable only when 2 piece post cover configuration selected) <i>Laminate *, V1, V2, or V3 finish</i>	
1 Regular L cap configuration	<i>2 = Regular T, finished one side</i>		
AA Finish, top cap and reveal	<i>3 = Regular X, no sides finished</i>		
118 Finish, tiles	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>		
	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>		

See page 7 for finish options applicable.

Posts, panels

L post, one face only w/base plate

AutoStrada

description	h	pattern no.	list
L post, tiled laminate left face w/o base, fabric/mono right face w/base	34"	R3R1LALL34 () () () () ()	\$232.
	42"	R3R1LALL42 () () () () ()	348.
	49"	R3R1LALL49 () () () () ()	384.
	64"	R3R1LALL64 () () () () ()	428.

Laminate side 1, fabric side 2

L post, tiled laminate right face w/o base, fabric/mono left face w/base	34"	R3R1LARL34 () () () () ()	232.
	42"	R3R1LARL42 () () () () ()	348.
	49"	R3R1LARL49 () () () () ()	384.
	64"	R3R1LARL64 () () () () ()	428.

Fabric side 1, laminate side 2

L post, tiled V1 techwood left face w/o base, fabric/mono right face w/base	34"	R3R1LAL134 () () () () ()	246.
	42"	R3R1LAL142 () () () () ()	365.
	49"	R3R1LAL149 () () () () ()	404.
	64"	R3R1LAL164 () () () () ()	447.

V1 side 1, fabric side 2

L post, tiled V1 techwood right face w/o base, fabric/mono left face w/base	34"	R3R1LAR134 () () () () ()	246.
	42"	R3R1LAR142 () () () () ()	365.
	49"	R3R1LAR149 () () () () ()	404.
	64"	R3R1LAR164 () () () () ()	447.

Fabric side 1, V1 side 2

Order Code	Specification Information	Application Notes
Example: R3R1LALL34E1AA4N 613118W359-	<i>To order please specify pattern number including:</i>	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>
R3 AutoStrada w/generation 3 post	1. Tiled side <i>L = Tiled left face, monolithic right face</i>	7. Base height <i>4 = 4"h, default</i>
R1 Base raceway, mono side	<i>R = Tiled right face, monolithic left face</i>	8. Base infeed - applicable for face with base plate only <i>N = None</i>
L L post	2. Finish type tiled side <i>L = Painted to match laminate</i>	<i>F = Base infeed fabric face side</i>
A Tiled one side/Mono other	<i>V1 = V1 Techwood</i>	9. Finish, base raceway
L Left face tiled	<i>V2 = V2 Natural</i>	10. Finish, Side 1 <i>If side 1 tiled specify laminate *, V1, V2 or V3 finish;</i>
L Laminate match	<i>V3 = V3 Exotic</i>	<i>If side 1 monolithic specify fabric</i>
34 34" high	3. Height	11. Finish, Side 2 <i>If side 2 tiled specify laminate *, V1, V2 or V3 finish;</i>
E Extruded aluminum top cap	4. Extruded aluminum top cap <i>E = default</i>	<i>If side 2 monolithic specify fabric</i>
1 Regular L cap configuration	5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>	
AA Finish, top cap and reveal	<i>2 = Regular T, finished one side</i>	
4 4" high base	<i>3 = Regular X, no sides finished</i>	
N No base infeed	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>	
613 Finish, base plate	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	
118 Finish, tiles		
W359- Finish, fabric (mono side)		

Posts, panels

L post, one face only w/base plate

AutoStrada

description	h	pattern no.	list
L post, tiled V2 natural left face w/o base, fabric/mono right face w/base	34"	R3R1LAL234 () () () () ()	\$268.
	42"	R3R1LAL242 () () () () ()	398.
	49"	R3R1LAL249 () () () () ()	442.
	64"	R3R1LAL264 () () () () ()	492.

V2 side 1, fabric side 2

L post, tiled V2 natural right face w/o base, fabric/mono left face w/base	34"	R3R1LAR234 () () () () ()	268.
	42"	R3R1LAR242 () () () () ()	398.
	49"	R3R1LAR249 () () () () ()	442.
	64"	R3R1LAR264 () () () () ()	492.

Fabric side 1, V2 side 2



L post, tiled V3 exotic left face w/o base, fabric/mono right face w/base	34"	R3R1LAL334 () () () () ()	347.
	42"	R3R1LAL342 () () () () ()	524.
	49"	R3R1LAL349 () () () () ()	579.
	64"	R3R1LAL364 () () () () ()	639.

V3 side 1, fabric side 2


L post, tiled V3 exotic right face w/o base, fabric/mono left face w/base	34"	R3R1LAR334 () () () () ()	347.
	42"	R3R1LAR342 () () () () ()	524.
	49"	R3R1LAR349 () () () () ()	579.
	64"	R3R1LAR364 () () () () ()	639.

Fabric side 1, V3 side 2



Order Code	Specification Information	Application Notes
Example: R3R1LALL34E1AA4N 613118W359-	<i>To order please specify pattern number including:</i>	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>
R3 AutoStrada w/generation 3 post	1. Tiled side <i>L = Tiled left face, monolithic right face</i>	7. Base height <i>4 = 4"h, default</i>
R1 Base raceway, mono side	<i>R = Tiled right face, monolithic left face</i>	8. Base infeed - applicable for face with base plate only <i>N = None</i>
L L post	2. Finish type tiled side <i>L = Painted to match laminate</i>	<i>F = Base infeed fabric face side</i>
A Tiled one side/Mono other	<i>V1 = V1 Techwood</i>	9. Finish, base raceway
L Left face tiled	<i>V2 = V2 Natural</i>	10. Finish, Side 1 <i>If side 1 tiled specify laminate *, V1, V2 or V3 finish;</i>
L Laminate match	<i>V3 = V3 Exotic</i>	<i>If side 1 monolithic specify fabric</i>
34 34" high	3. Height	11. Finish, Side 2 <i>If side 2 tiled specify laminate *, V1, V2 or V3 finish;</i>
E Extruded aluminum top cap	4. Extruded aluminum top cap <i>E = default</i>	<i>If side 2 monolithic specify fabric</i>
1 Regular L cap configuration	5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>	
AA Finish, top cap and reveal	<i>2 = Regular T, finished one side</i>	
4 4" high base	<i>3 = Regular X, no sides finished</i>	
N No base infeed	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>	
613 Finish, base plate	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	
118 Finish, tiles		
W359- Finish, fabric (mono side)		

Posts, panels x and straight posts

description	h	pattern no.	list
 Straight post, tiled laminate face w/o base, fabric/mono face w/base	34"	R3R1SAL34 () () () () ()	\$232.
	42"	R3R1SAL42 () () () () ()	348.
	49"	R3R1SAL49 () () () () ()	384.
	64"	R3R1SAL64 () () () () ()	428.
Straight post, tiled V1 techwood face w/o base, fabric/mono face w/base	34"	R3R1SA134 () () () () ()	246.
	42"	R3R1SA142 () () () () ()	365.
	49"	R3R1SA149 () () () () ()	404.
	64"	R3R1SA164 () () () () ()	447.
Straight post, tiled V2 natural face w/o base, fabric/mono face w/base	34"	R3R1SA234 () () () () ()	268.
	42"	R3R1SA242 () () () () ()	398.
	49"	R3R1SA249 () () () () ()	442.
	64"	R3R1SA264 () () () () ()	492.
 X post, universal aluminum top cap	34"	R3X34E ()	263.
	42"	R3X42E ()	283.
	49"	R3X49E ()	305.
	64"	R3X64E ()	341.

Order Code	Order Code	Specification Information
Example: R3X34E3AA R3 AutoStrada w/generation 3 Post X X post 34 34" high E Extruded aluminum top cap 3 Regular X cap configuration	Example: R3R1SAL34E1AA4 N613118W359- R3 AutoStrada w/generation 3 Post R1 Base raceway, fabric mono side S Straight post A Tiled one face/mono other L Tiled face, Laminate match 34 34" high E Extruded aluminum top cap 1 Reg L cap config AA Finish, aluminum top cap & reveal 4 4" high base N No base infeed 613 Finish, base raceway 118 Finish, tiled side W359- Finish, mono side	To order please specify pattern number including: 1. Post type <i>X = X post</i> <i>S = Straight post</i> 2. Tiled surface type (applicable straight posts only, embedded in pattern number) <i>L = Painted to match laminate</i> <i>1 = V1 Techwood</i> <i>2 = V2 Natural</i> <i>3 = V3 Exotic</i> 3. Height 4. Extruded aluminum top cap <i>E = default</i> 5. Top Cap Configuration <i>1 = Regular L, finished 2</i> <i>adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction</i> <i>change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2</i> <i>opposite sides</i> 6. Finish, Aluminum top cap and reveals <i>Anodized aluminum or painted</i> <i>finish options listed on page</i> <i>11 excluding silver</i> 7. Base height <i>4 = 4" h, default</i> 8. Base infeed (applicable straight posts only) <i>N = None</i> <i>F = Base infeed fabric face side</i> 9. Finish, base raceway (applicable straight posts only) 10. Finish, Tiled side <i>Laminate *, V1, V2 or V3 finish</i> 11. Finish, mono side <i>Fabric selection</i> See page 7 for finish options applicable. Aluminum vertical hookstrip cover ordered separately. * Painted to match laminate.

Posts, panels x and straight posts

AutoStrada

description	h	pattern no.	list
Straight post, tiled V3 exotic face w/o base, fabric/mono face w/base	34"	R3R1SA334 () () () () ()	\$347.
	42"	R3R1SA342 () () () () ()	524.
	49"	R3R1SA349 () () () () ()	579.
	64"	R3R1SA364 () () () () ()	639.
Straight post, monolithic (to match) laminate (no base plate)	42"	R3R0SPL42 () () ()	348.
	49"	R3R0SPL49 () () ()	384.
Straight post, monolithic V1 techwood (no base plate)	42"	R3R0SP142 () () ()	365.
	49"	R3R0SP149 () () ()	404.
Straight post, monolithic V2 natural (no base plate)	42"	R3R0SP242 () () ()	398.
	49"	R3R0SP249 () () ()	442.
Straight post, monolithic V3 exotic (no base plate)	42"	R3R0SP342 () () ()	524.
	49"	R3R0SP349 () () ()	579.

Order Code	Order Code	Specification Information	
Example: R3X34E3AA	Example: R3R1SAL34E1AA4 N613118W359-	<i>To order please specify pattern number including:</i>	
R3 AutoStrada w/generation 3 Post	R3 AutoStrada w/generation 3 Post	1. Post type <i>X = X post</i> <i>S = Straight post</i>	6. Finish, Aluminum top cap and reveals <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>
X X post	R1 Bace raceway, fabric mono side	2. Tiled surface type (applicable straight posts only, embedded in pattern number) <i>L = Painted to match laminate</i> <i>1 = V1 Techwood</i> <i>2 = V2 Natural</i> <i>3 = V3 Exotic</i>	7. Base height <i>4 = 4"h, default</i>
34 34" high	S Straight post	3. Height	8. Base infeed (applicable straight posts only) <i>N = None</i> <i>F = Base infeed fabric face side</i>
E Extruded aluminum top cap	A Tiled one face/mono other	4. Extruded aluminum top cap <i>E = default</i>	9. Finish, base raceway (applicable straight posts only)
3 Regular X cap configuration	L Tiled face, Laminate match	5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	10. Finish, Tiled side <i>Laminate *, V1, V2 or V3 finish</i>
	34 34" high		11. Finish, mono side <i>Fabric selection</i>
	E Extruded aluminum top cap		See page 7 for finish options applicable.
	1 Reg L cap config		Aluminum vertical hookstrip cover ordered separately.
	AA Finish, aluminum top cap & reveal		* Painted to match laminate.
	4 4" high base		
	N No base infeed		
	613 Finish, base raceway		
	118 Finish, tiled side		
	W359- Finish, mono side		

Posts, panels

120° post, tiled

AutoStrada

description	h	pattern no.	list
120° post, tiled (to match) laminate (no base plate)	34"	R3R0120VTL34 () () () ()	\$782.
	42"	R3R0120VTL42 () () () ()	890.
	49"	R3R0120VTL49 () () () ()	917.
	64"	R3R0120VTL64 () () () ()	1,089.
	Tiled laminate both sides		
120° post, tiled V1 techwood (no base plate)	34"	R3R0120VT134 () () () ()	797.
	42"	R3R0120VT142 () () () ()	903.
	49"	R3R0120VT149 () () () ()	931.
	64"	R3R0120VT164 () () () ()	1,100.
	Tiled V1 both sides		
120° post, tiled V2 techwood (no base plate)	34"	R3R0120VT234 () () () ()	816.
	42"	R3R0120VT242 () () () ()	923.
	49"	R3R0120VT249 () () () ()	953.
	64"	R3R0120VT264 () () () ()	1,122.
	Tiled V2 both sides		
120° post, tiled V3 techwood (no base plate)	34"	R3R0120VT334 () () () ()	856.
	42"	R3R0120VT342 () () () ()	964.
	49"	R3R0120VT349 () () () ()	994.
	64"	R3R0120VT364 () () () ()	1,162.
	Tiled V3 both sides		

Order Code	Specification Information	Application Notes	
Example: R3R0120VTL34E1AA118	<i>To order please specify pattern number including:</i>		
R3	AutoStrada w/generation 3 post	5. Post cover configuration 1 = 1 piece	Aluminum vertical hookstrip cover ordered separately. * Painted to match laminate.
R0	No base raceway exposed	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	
120V	V post	7. Finish, <i>Laminate *, V1, V2, V3 finish or Fabric</i>	See page 7 for finish options applicable.
T	Tiled (both faces)		
L	Laminate match		
34	34" high		
E	Extruded aluminum top cap		
1	Regular L cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		

Posts, panels

120° post, monolithic

AutoStrada

description	h	pattern no.	list
120° post, monolithic (to match) laminate (no base plate)	34"	R3R0120VPL34 ()()()()	\$708.
	42"	R3R0120VPL42 ()()()()	743.
	49"	R3R0120VPL49 ()()()()	771.
	64"	R3R0120VPL64 ()()()()	867.
Monolithic laminate both sides			
120° post, monolithic V1 techwood (no base plate)	34"	R3R0120VP134 ()()()()	720.
	42"	R3R0120VP142 ()()()()	755.
	49"	R3R0120VP149 ()()()()	784.
	64"	R3R0120VP164 ()()()()	879.
Monolithic V1 both sides			
120° post, monolithic V2 techwood (no base plate)	34"	R3R0120VP234 ()()()()	743.
	42"	R3R0120VP242 ()()()()	774.
	49"	R3R0120VP249 ()()()()	804.
	64"	R3R0120VP264 ()()()()	902.
Monolithic V2 both sides			
120° post, monolithic V3 techwood (no base plate)	34"	R3R0120VP334 ()()()()	782.
	42"	R3R0120VP342 ()()()()	816.
	49"	R3R0120VP349 ()()()()	844.
	64"	R3R0120VP364 ()()()()	941.
Monolithic V3 both sides			

Order Code	Specification Information	Application Notes	
Example: R3R0135VT34E1AA118	<i>To order please specify pattern number including:</i>		
R3	AutoStrada w/generation 3 post	5. Post cover configuration 1 = 1 piece	Aluminum vertical hookstrip cover ordered separately.
R0	No base raceway exposed	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	* Painted to match laminate.
135V	V post	7. Finish, <i>Laminate *, V1, V2, V3 finish or Fabric</i>	
T	Tiled (both faces)	See page 7 for finish options applicable.	
L	Laminate match		
34	34" high		
E	Extruded aluminum top cap		
1	Regular L cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		

Posts, panels

135° post, tiled

AutoStrada

description	h	pattern no.	list
135° post, tiled (to match) laminate (no base plate)	34"	R3R0135VTL34 () () () ()	\$730.
	42"	R3R0135VTL42 () () () ()	784.
	49"	R3R0135VTL49 () () () ()	833.
	64"	R3R0135VTL64 () () () ()	962.
	Tiled laminate both sides		
135° post, tiled V1 techwood (no base plate)	34"	R3R0135VT134 () () () ()	744.
	42"	R3R0135VT142 () () () ()	799.
	49"	R3R0135VT149 () () () ()	846.
	64"	R3R0135VT164 () () () ()	973.
	Tiled V1 both sides		
135° post, tiled V2 techwood (no base plate)	34"	R3R0135VT234 () () () ()	761.
	42"	R3R0135VT242 () () () ()	818.
	49"	R3R0135VT249 () () () ()	867.
	64"	R3R0135VT264 () () () ()	995.
	Tiled V2 both sides		
135° post, tiled V3 techwood (no base plate)	34"	R3R0135VT334 () () () ()	803.
	42"	R3R0135VT342 () () () ()	860.
	49"	R3R0135VT349 () () () ()	907.
	64"	R3R0135VT364 () () () ()	1,035.
	Tiled V3 both sides		

Order Code	Specification Information	Application Notes	
Example: R3R0135VTL34E1AA118	<i>To order please specify pattern number including:</i>		
R3	AutoStrada w/generation 3 post	5. Post cover configuration 1 = 1 piece	Aluminum vertical hookstrip cover ordered separately. * Painted to match laminate.
R0	No base raceway exposed	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	
135V	V post	7. Finish, <i>Laminate *, V1, V2, V3 finish or Fabric</i>	See page 7 for finish options applicable.
T	Tiled (both faces)		
L	Laminate match		
34	34" high		
E	Extruded aluminum top cap		
1	Regular L cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		

Posts, panels

135° post, monolithic

AutoStrada

description	h	pattern no.	list
135° post, monolithic (to match)	34"	R3R0135VPL34 ()()()()	\$827.
laminate (no base plate)	42"	R3R0135VPL42 ()()()()	1,017.
	49"	R3R0135VPL49 ()()()()	1,031.
	64"	R3R0135VPL64 ()()()()	1,255.
Monolithic laminate both sides			
135° post, monolithic V1 techwood	34"	R3R0135VP134 ()()()()	841.
(no base plate)	42"	R3R0135VP142 ()()()()	1,032.
	49"	R3R0135VP149 ()()()()	1,042.
	64"	R3R0135VP164 ()()()()	1,269.
Monolithic V1 both sides			
135° post, monolithic V2 techwood	34"	R3R0135VP234 ()()()()	862.
(no base plate)	42"	R3R0135VP242 ()()()()	1,052.
	49"	R3R0135VP249 ()()()()	1,063.
	64"	R3R0135VP264 ()()()()	1,288.
Monolithic V2 both sides			
135° post, monolithic V3 techwood	34"	R3R0135VP334 ()()()()	902.
(no base plate)	42"	R3R0135VP342 ()()()()	1,091.
	49"	R3R0135VP349 ()()()()	1,101.
	64"	R3R0135VP364 ()()()()	1,329.
Monolithic V3 both sides			

Order Code	Specification Information	Application Notes	
Example: R3R0135VT34E1AA118	<i>To order please specify pattern number including:</i>	5. Post cover configuration 1 = 1 piece	Aluminum vertical hookstrip cover ordered separately.
R3	AutoStrada w/generation 3 post	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	* Painted to match laminate.
R0	No base raceway exposed	7. Finish, <i>Laminate *, V1, V2, V3 finish or Fabric</i>	
135V	V post	See page 7 for finish options applicable.	
T	Tiled (both faces)		
L	Laminate match		
34	34" high		
E	Extruded aluminum top cap		
1	Regular L cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		

description	h	w	pattern no.	AA or paint
Aluminum hookstrip cover with 4" or 6" base raceway	33.5"		R2AHCN34 ()	\$83.
	41.5"		R2AHCN42 ()	101.
	48.5"		R2AHCN49 ()	117.
	63.5"		R2AHCN64 ()	155.
	78.5"		R2AHCN79 ()	197.
Aluminum hookstrip cover condition including stacking modules with 4"h base raceway.	30"		R2AHCR34 ()	84.
	38"		R2AHCR42 ()	102.
	45"		R2AHCR49 ()	120.
	60"		R2AHCR64 ()	159.
	75"		R2AHCR79 ()	201.
Alum horizontal reveal for between base panel and stacking window module		18"	R2AHWR18 ()	49.
		20"	R2AHWR20 ()	49.
		24"	R2AHWR24 ()	53.
		30"	R2AHWR30 ()	55.
		36"	R2AHWR36 ()	59.
		42"	R2AHWR42 ()	61.
		48"	R2AHWR48 ()	68.
Alum horizontal reveal for between two stacking window modules or between stacking and window modules or between two stacking modules		18"	R2AHBW18 ()	49.
		20"	R2AHBW20 ()	49.
		24"	R2AHBW24 ()	53.
		30"	R2AHBW30 ()	55.
		36"	R2AHBW36 ()	59.
		42"	R2AHBW42 ()	61.
		48"	R2AHBW48 ()	68.
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)		18"	R2AHSR18 ()	49.
		20"	R2AHSR20 ()	49.
		24"	R2AHSR24 ()	53.
		30"	R2AHSR30 ()	55.
		36"	R2AHSR36 ()	59.
		42"	R2AHSR42 ()	61.
		48"	R2AHSR48 ()	68.

Order Code	Specification Information	Application Notes
Example: R2AHCN34 AA	<i>To order please specify pattern number including:</i> 1. Height or 2. Width 3. Finish <i>Anodized aluminum or painted finish options listed on page 7 excluding silver</i>	Aluminum hookstrip covers best suited for hard side (laminare, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. When and where aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 AutoStrada/Reff		
A Aluminum		
HC Hookstrip cover		
N No exposed raceway		
34 for 34"h		
AA Finish, anodized aluminum		

Trim, panels end trim and post trim


AutoStrada

description	height	to height	width	pattern no.	list
Aluminum end trim (full height), w/hookstrip 	34"			A1FHETE34 ()	\$170.
	42"			A1FHETE42 ()	197.
	49"			A1FHETE49 ()	225.
	64"			A1FHETE64 ()	253.

Aluminum end trim for Hi/Lo w/hookstrip (no post involved) 	34"	42"		A1HLETE3442 ()	148.
	34"	49"		A1HLETE3449 ()	150.
	34"	64"		A1HLETE3464 ()	155.
	42"	49"		A1HLETE4249 ()	148.
	42"	64"		A1HLETE4264 ()	150.
	49"	64"		A1HLETE4964 ()	155.

Post cover trim for Hi/Lo (post involved) 	34"	42"		A1HLPTE3442 ()	40.
	34"	49"		A1HLPTE3449 ()	58.
	34"	64"		A1HLPTE3464 (F/T)() ()	116.
	42"	49"		A1HLPTE4249 ()	40.
	42"	64"		A1HLPTE4264 (F/T)() ()	98.
	49"	64"		A1HLPTE4964 ()	58.

Finish options fabric, V1, V2, V3 or painted to match laminate only, not available in AA anodized aluminum.



Alum Top Trim for Hi/Lo condition, no post involved 		18"		AHLTTE18 ()	29.
		20"		AHLTTE20 ()	33.
		24"		AHLTTE24 ()	36.
		30"		AHLTTE30 ()	42.
		36"		AHLTTE36 ()	56.
		42"		AHLTTE42 ()	57.
		48"		AHLTTE48 ()	76.

Order Code	Specification Information	Application Notes	
Example: A1HLETE3442AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Hi/Lo Condition <i>ETE = End trim, no post w/hookstrip, height changes does not involve a post</i>	3. If (T) for tiled cover set, specify tile divider finish B - Black reveal E - painted silver to match AA extruded aluminum panel reveal or painted finish options list on page 7	Aluminum end trim (full height), with hookstrip does not have base plate detail.
1 Generation 1	<i>PTE = Post end trim, height change involves post</i>	4. Finish <i>If end trim: Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	Post cover trim for hi/lo conditions are available in choice of fabric, V1, V2, V3 or painted to match laminate finishes only.
HL Hi/Lo	2. Hi/Lo Height <i>3442 = 34" h to 42" h</i> <i>3449 = 34" h to 49" h</i> <i>3464 = 34" h to 64" h *</i> <i>4249 = 42" h to 49" h</i> <i>4264 = 42" h to 64" h *</i> <i>4964 = 49" h to 64" h</i>	<i>If post cover trim: () fabric, V1,V2,V3 or painted to match laminate</i>	
ET End Trim			
E Extruded Aluminum Profile			
3442 34" h to 42" h			
AA Finish, anodized aluminum			
	*Applicable for post cover trim: Specify (F) for full monolithic cover or (T) for tiled cover set.		See page 7 for finish options applicable.

*Applicable for post cover trim:
Specify (F) for full monolithic cover or (T) for tiled cover set.

Trim, panels full length top trim

AutoStrada

description	width	pattern no.	paint	AA
Continuous run top trim 	102"	A1CRTT102 ()	n/a	\$187.
	108"	A1CRTT108 ()	n/a	187.
	114"	A1CRTT114 ()	n/a	187.
	120"	A1CRTT120 ()	n/a	187.
	126"	A1CRTT126 ()	n/a	197.
	132"	A1CRTT132 ()	n/a	197.
	138"	A1CRTT138 ()	n/a	206.
	144"	A1CRTT144 ()	n/a	206.
	60"	A1CRTT60 ()	105.	105.
	66"	A1CRTT66 ()	105.	105.
	72"	A1CRTT72 ()	114.	114.
	78"	A1CRTT78 ()	114.	114.
	84"	A1CRTT84 ()	130.	130.
	90"	A1CRTT90 ()	174.	174.
	96"	A1CRTT96 ()	174.	174.
Continuous run top trim for Hi/Lo conditions 	102"	A1CHLTT102 ()	n/a	187.
	108"	A1CHLTT108 ()	n/a	187.
	114"	A1CHLTT114 ()	n/a	187.
	120"	A1CHLTT120 ()	n/a	187.
	126"	A1CHLTT126 ()	n/a	197.
	132"	A1CHLTT132 ()	n/a	197.
	138"	A1CHLTT138 ()	n/a	206.
	144"	A1CHLTT144 ()	n/a	206.
	60"	A1CHLTT60 ()	105.	105.
	66"	A1CHLTT66 ()	105.	105.
	72"	A1CHLTT72 ()	114.	114.
	78"	A1CHLTT78 ()	114.	114.
	84"	A1CHLTT84 ()	130.	130.
	90"	A1CHLTT90 ()	174.	174.
	96"	A1CHLTT96 ()	174.	174.


Panels

Order Code	Specification Information	Application Notes
Example: A1CRTT60AA	<i>To order please specify pattern number including:</i>	Continuous run top trim for spanning multiple panels with one piece of trim. Continuous run top trim ships with "W" clips which secures trim to panel frame.
A AutoStrada	1. Width	
1 Generation 1	2. Finish, where applicable	
CR Continuous Run	<i>Up to and including 96" w AA anodized aluminum or painted finish options listed on page 7 excluding silver</i>	
TT Top Trim		
60 60" wide		
AA Finish, anodized aluminum	Only available in AA-anodized aluminum over 96" w	

Trim, panels


panel trim and install aids

AutoStrada


description	type	h	pattern no.	list
Hookstrip cover strips, black flexible PVC	15 pcs/pack	79"	RHSC15	\$0.
	70 pcs/pack	79"	RHSC70	0.
	250 pcs/pack	79"	RHSC250	0.
	cut to size to fit during installation recommended use interior of station or where aluminum vertical reveals not installed			
 Panel alignment kits	panel-to-panel		RSPABPP	7.
	window-to-panel		RSPABPW	7.
	window-to-window		RSPABWW	7.
	stacking module-to-panel		R3SPABPT	7.
	stacking module-to-stacking module		R3SPABTT	7.
	window-to-stacking module		R3SPABTW	7.
 Panel leveling plates	10 pcs/pack		APLP10	49.
	25 pcs/pack		APLP25	112.
Carpet grippers	10 pcs/pack		R2CG	26.

Order Code	Specification Information	Application Notes
Example: APLP10	<i>To order please specify pattern number including:</i>	Panel leveling plates are for installation aid only. The plate fits on top of the hookstrip connecting two panels and spans the joint between the panels. Simply drop the plate in the cavity between the two panels, tighten top wedges as you would normally during installation. The dimension and shape will force panel alignment. Remove the plate and proceed onto the next connection.
A AutoStrada	1. Pack quantity required	Panel alignment kits are required for stacking modules and long panel runs. Panel alignment kits are required at the highest point of each panel and stacking module connection. They are recommended when panels are supporting overhead storage. One alignment bracket required for every two panels. Please refer to Reff planning guide, page 45 for additional information.
P Panel		
L Leveling		
P Plates		
10 Pack of 10		

description	type	h	w	d	pattern no.	list
Power rail for panel with one side only base raceway (8 wire)	24" panel	2"	6"	2"	RR3-E24S	\$170.
	30" panel	2"	12"	2"	RR3-E30S	197.
	36" panel	2"	18"	2"	RR3-E36S	214.
	42" panel	2"	24"	2"	RR3-E42S	232.
	48" panel	2"	30"	2"	RR3-E48S	238.




Power rail for panel with one side only base raceway (10 wire)	24" panel	2"	6"	2"	RR3-T24S	205.
	30" panel	2"	12"	2"	RR3-T30S	223.
	36" panel	2"	18"	2"	RR3-T36S	238.
	42" panel	2"	24"	2"	RR3-T42S	259.
	48" panel	2"	30"	2"	RR3-T48S	265.



Order Code	Specification Information	Application Notes
Example: RR3-T24S		
RR3	Reff panel frame raceway	Power rails on this page are for use with panels with one side raceway only.
T	Ten wire, 3+3	Power connections and duplexes as required to be specified from following pages for 8 or 10 wire as required for panels with either one sided base raceway or both sides with base raceway.
24	for 24" w panel	
S	Single sided raceway	
	Power rail for 24" wide panel accepts one duplex outlet or one power infed. Power rails for 30" to 48" wide panels accept two outlets.	

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-E24	\$163.
	30" panel	12"	2"	2"	RR3-E30NS	179.
	36" panel	18"	2"	2"	RR3-E36NS	197.
	42" panel	24"	2"	2"	RR3-E42NS	205.
	48" panel	30"	2"	2"	RR3-E48NS	214.
	60" panel	42"	2"	2"	RR3-E60-4	325.
	66" panel	48"	2"	2"	RR3-E66-4	343.
	72" panel	54"	2"	2"	RR3-E72-4	366.

	Straight	16 1/2"	2"	2"	RR3-EPC24M	94.
		18 1/2"	2"	2"	RR3-EPCSM	94.
		20 1/4"	2"	2"	RR3-EPCM	94.

Use **RR3-EPC24M** for straight 24" to 24" wide panel.

Use **RR3-EPCSM** for straight 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-EPCM** for all other straight power connection configurations.

Through post	19"	2"	2"	RR3-EPCP24M	94.
	21"	2"	2"	RR3-EPCPSM	94.
	22 3/4"	2"	2"	RR3-EPCPM	94.

Use **RR3-EPCP24M** for through post 24" to 24" wide panels.

Use **RR3-EPCPSM** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-EPCPM** for all other through post power connection configurations.

	24" panel	6"	2"	2"	RR3-E24RF	163.
	60" panel	42"	2"	2"	RR3-E60-4RF	325.
	66" panel	48"	2"	2"	RR3-E66-4RF	343.
	72" panel	54"	2"	2"	RR3-E72-4RF	366.




Order Code	Specification Information	Application Notes
Example: RR3-E-24		
RR3 Reff Profiles raceway	Reff Profiles 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff Profiles panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.	Power rails are the primary power distribution component of the Reff Profiles 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.
E Eight wire 2+2		
24 for 24" panel	Order "RF" codes for use with panels manufactured before June 1996. This electrical component will come with data shields.	Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection. *Power connectors must be specified according to the panel widths in the specified orientation. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.
		Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price
	Circuit A				RR3-DA	\$45.
	Circuit A, with controlled symbol				RR3-DAC	45.
	Circuit B				RR3-DB	45.
	Circuit B, with controlled symbol				RR3-DBC	45.
	Circuit X				RR3-DX	45.
	Circuit X, with controlled symbol				RR3-DXC	45.
	Circuit Y				RR3-DY	45.
	Circuit Y, with controlled symbol				RR3-DYC	45.
	Circuit X				RR3-DXO	50.
	Circuit Y				RR3-DYO	50.
	Circuit A, black	4 1/2"	1"	1 1/2"	RR3-USBA	201.
	Circuit B, black	4 1/2"	1"	1 1/2"	RR3-USBB	199.
	Circuit C, black	4 1/2"	1"	1 1/2"	RR3-USBC	199.
	Circuit X, black	4 1/2"	1"	1 1/2"	RR3-USBX	199.
	Circuit Y, black	4 1/2"	1"	1 1/2"	RR3-USBY	199.
	Circuit Z, black	4 1/2"	1"	1 1/2"	RR3-USBZ	199.
Data Shield	1 pair				RR3-DATSHD	32.
Attaches to power rail, sits under duplex						

Order Code	Specification Information	Application Notes	
Example: RR3-E-24	Reff Profiles 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff Profiles panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting. Specify the suffix “RF” after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff Profiles 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24” wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30” to 48” panels accept two outlets (or one outlet and one infeed) on each side. 60”, 66” and 72”W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.	
RR3 Reff Profiles raceway			Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection. *Power connectors must be specified according to the panel widths in the specified orientation. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.
E Eight wire 2+2			
24 for 24” panel			


Power distribution components
 2+2 Base Raceway
*four circuit, eight-wire raceway for panels
 jumpers and infeed*

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-EJ18	\$117.
	20" panel	40"	2"	2"	RR3-EJ20	117.
	24" panel	44"	2"	2"	RR3-EJ24	128.
	30" panel	50"	2"	2"	RR3-EJ30	136.
	36" panel	56"	2"	2"	RR3-EJ36	147.
	42" panel	62"	2"	2"	RR3-EJ42	155.
	48" panel	68"	2"	2"	RR3-EJ48	163.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	170.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	179.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	188.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	197.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	205.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	214.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	223.
	96" panel run	118 1/2"	2"	2"	RR3-EJ96P	232.
 Extended jumper (through one post)	18" + post	40 1/2"	2"	2"	RR3-EJ18P	117.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	117.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	128.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	136.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	147.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	155.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	163.
 Power infeeds	Ceiling power cable infeed. Eight-wire				RR3-EPVR	362.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	238.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	356.
	Panel base end feed				RR3-REPI	283.
	Panel base side infeed				RR3-EPI	283.
	Surge suppressors				RR3-SP-(A,B,X,Y)	205.

Order Code	Specification Information	Application Notes
Example: RR3-EPVR		
RR3 Reff Profiles raceway	Reff Profiles 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground. For use in Canada, all circuits are CGA rated 15 amp capacity. <i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H. Beltway panels can use jumpers at the panel base in a straight run or around a corner.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post. Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection
E Eight wire 2+2		
P power infeed		
VR for vertical raceway		into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately. Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. RR3-EPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-EPNY1 includes only one power connector. Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-T24	\$188.
	30" panel	12"	2"	2"	RR3-T30NS	205.
	36" panel	18"	2"	2"	RR3-T36NS	223.
	42" panel	24"	2"	2"	RR3-T42NS	238.
	48" panel	30"	2"	2"	RR3-T48NS	247.
	60" panel	42"	2"	2"	RR3-T60-4	386.
	66" panel	48"	2"	2"	RR3-T66-4	400.
	72" panel	54"	2"	2"	RR3-T72-4	428.

	Straight	16 1/2"	2"	2"	RR3-TPC24M	117.
		18 1/2"	2"	2"	RR3-TPCSM	117.
		20 1/4"	2"	2"	RR3-TPCM	117.

Use **RR3-TPC24** for through post 24" to 24" wide panels.

Use **RR3-TPCS** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-TPC** for all other through post power connection configurations.

Through post	19"	2"	2"	RR3-TPCP24M	117.
	21"	2"	2"	RR3-TPCPSM	117.
	22 3/4"	2"	2"	RR3-TPCPM	117.

Use **RR3-TPCP24** for through post 24" to 24" wide panels.

Use **RR3-TPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.

Use **RR3-TPCP** for all other through post power connection configurations.

	24" panel	6"	2"	2"	RR3-T24RF	188.
	60" panel	42"	2"	2"	RR3-T60-4RF	386.
	66" panel	48"	2"	2"	RR3-T66-4RF	400.
	72" panel	54"	2"	2"	RR3-T72-4RF	428.

Order Code

Example:	RR3-T-24
RR3	Reff Profiles Raceway
T	Ten wire 3+3
24	for 24" panel

Specification Information

Reff Profiles 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff Profiles panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Order "RF" codes for use with panels manufactured before June 1996. This electrical component will come with data shields.

Application Notes

Power rails are the primary power distribution component of the Reff Profiles 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.

*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price
Duplex outlets, black 	Circuit A				RR3-DA	\$45.
	Circuit A, with controlled symbol				RR3-DAC	45.
	Circuit B				RR3-DB	45.
	Circuit B, with controlled symbol				RR3-DBC	45.
	Circuit C				RR3-DC	45.
	Circuit C, with controlled symbol				RR3-DCC	45.
	Circuit X				RR3-DX	45.
	Circuit X, with controlled symbol				RR3-DXC	45.
	Circuit Y				RR3-DY	45.
	Circuit Y, with controlled symbol				RR3-DYC	45.
	Circuit Z				RR3-DZ	45.
	Circuit Z, with controlled symbol				RR3-DZC	45.
Duplex outlets, orange 	Circuit X				RR3-DXO	50.
	Circuit Y				RR3-DYO	50.
	Circuit Z				RR3-DZO	50.
Data Shield	1 pair				RR3-DATSHD	32.

Order Code	Specification Information	Application Notes
Example: RR3-T-24		
RR3 Reff Profiles raceway		
T Ten wire 3+3		
24 for 24" panel		
	Reff Profiles 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff Profiles panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. A, B, X, Y outlets are identical to eight wire, 2+2 components. Duplex outlet circuits are designated by white letters on black background. In Canada, circuits carry a 15 amp load rating. <i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff Profiles 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side. *Power connectors must be specified according to the panel widths in the specified orientation. Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-TJ18	\$136.
	20" panel	40"	2"	2"	RR3-TJ20	136.
	24" panel	44"	2"	2"	RR3-TJ24	147.
	30" panel	50"	2"	2"	RR3-TJ30	155.
	36" panel	56"	2"	2"	RR3-TJ36	163.
	42" panel	62"	2"	2"	RR3-TJ42	179.
	48" panel	68"	2"	2"	RR3-TJ48	197.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	205.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	214.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	223.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	232.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	238.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	259.
	90" panel run	112 1/2"	2"	2"	RR3-TJ90P	265.
	96" panel run	118 1/2"	2"	2"	RR3-TJ96P	272.
 Extended jumper	18" + post	40 1/2"	2"	2"	RR3-TJ18P	136.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	136.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	147.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	155.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	163.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	179.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	197.
 Power infeeds	Ceiling power cable infeed. Ten-wire				RR3-TPVR	437.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	272.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	393.
	Panel base end feed				RR3-RTPI	325.
	Panel base side infeed				RR3-TPI	325.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	205.

* Select which circuit needs protecting and order the specified surge processor.



** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. In Canada, circuits carry a 15 amp load rating. Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post. Cable sizes are nominal. Use the "type" column to specify the required cable for your panel. Beltway panels can use jumpers at the panel base in a straight run or around a corner.


Power distribution components

Hardwire box

AutoStrada

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$253.
	30" panel	RR3CHI301	295.
	36" panel	RR3CHI361	317.
	42" panel	RR3CHI421	320.
	48" panel	RR3CHI481	344.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	263.
	30" panel	RR3CHI302	314.
	36" panel	RR3CHI362	323.
	42" panel	RR3CHI422	327.
	48" panel	RR3CHI482	364.

Order Code	Specification Information	Application Notes
Example: RR3CHI241	Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.	Certified electrician to install. Reff Profiles Hardwire Box Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.
RR3 Reff/AutoStrada raceway G3		
CHI Chicago Hardwire Box		
24 For 24" wide panel		
1 One sided raceway		





Ported Panel Components

Reff and AutoStrada ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff and AutoStrada panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.




Vertical power port bracket kit and duplex.

AutoStrada Ported Panel Components


port, vertical duplex and panel jumpers

AutoStrada


description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$63.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	100.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	34.
	Vertical Duplex A (8/10 wire applications) with controlled symbol	RR3VDAC	34.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	34.
	Vertical Duplex B (8/10 wire applications) with controlled symbol	RR3VDBC	34.
	Vertical Duplex C (10 wire applications)	RR3VDC	34.
	Vertical Duplex C (8/10 wire applications) with controlled symbol	RR3VDCC	34.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	34.
	Vertical Duplex X (8/10 wire applications) with controlled symbol	RR3VDXC	34.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	34.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	34.
	Vertical Duplex Y (8/10 wire applications) with controlled symbol	RR3VDYC	34.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	34.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	34.
	Vertical Duplex Z (8/10 wire applications) with controlled symbol	RR3VDZC	34.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	34.



Same Panel Jumper, 8w	30" Same Panel Jumper 50" 8w	RR3EBVC50	170.
	30" Same Panel Jumper 64" 8w	RR3EBVC64	185.
	30" Same Panel Jumper 78" 8w	RR3EBVC78	202.
	36" + Same Panel Jumper 62" 8w	RR3EBVC62	184.
	36" + Same Panel Jumper 76" 8w	RR3EBVC76	201.
	36" + Same Panel Jumper 90" 8w	RR3EBVC90	218.



Order Code	Specification Information	Application Note
Example: RR3FDP	For data and communications specify product listed on page 0.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h 36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h
RR3 Reff Profiles		
F Floating		
DP Data Port		
		If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff Profiles 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.


AutoStrada Ported Panel Components

port, vertical duplex and panel jumpers

AutoStrada


description	type	pattern no.	list price
Same Panel Jumper, 10w	30" Same Panel Jumper 50" 10w	RR3TBVC50	\$196.
	30" Same Panel Jumper 64" 10w	RR3TBVC64	214.
	30" Same Panel Jumper 78" 10w	RR3TBVC78	234.
	36" + Same Panel Jumper 62" 10w	RR3TBVC62	209.
	36" + Same Panel Jumper 76" 10w	RR3TBVC76	230.
	36" + Same Panel Jumper 90" 10w	RR3TBVC90	247.

Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	268.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	231.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	250.



Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	235.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	205.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	222.

Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	171.
	Internal Panel Jumper 8 w	RR3EVJ	160.




Panels


Order Code	Specification Information		
Example: RR3FDP	For data and communications specify product listed on page 0.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h 36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff Profiles 0" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.
RR3 Reff Profiles			
F Floating			
DP Data Port			

42" Medians with binder depth top shelf


AutoStrada

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27"h to underside	left hand	42"	42"	26 1/2"	AMB42L424 () () () () ()	\$1,789.	\$2,340.	\$2,589.	\$3,363.
		42"	48"	26 1/2"	AMB42L484 () () () () ()	1,861.	2,436.	2,693.	3,501.
		42"	54"	26 1/2"	AMB42L544 () () () () ()	1,934.	2,532.	2,800.	3,636.
		42"	60"	26 1/2"	AMB42L604 () () () () ()	2,007.	2,626.	2,906.	3,776.
		42"	66"	26 1/2"	AMB42L664 () () () () ()	2,081.	2,724.	3,012.	3,915.
		42"	72"	26 1/2"	AMB42L724 () () () () ()	2,154.	2,817.	3,115.	4,049.
		42"	78"	26 1/2"	AMB42L784 () () () () ()	2,226.	2,916.	3,220.	4,187.
		42"	84"	26 1/2"	AMB42L844 () () () () ()	2,297.	3,007.	3,329.	4,325.
		42"	90"	26 1/2"	AMB42L904 () () () () ()	2,374.	3,102.	3,434.	4,464.
		42"	96"	26 1/2"	AMB42L964 () () () () ()	2,443.	3,200.	3,539.	4,603.
	right hand	42"	42"	26 1/2"	AMB42R424 () () () () ()	1,789.	2,340.	2,589.	3,363.
		42"	48"	26 1/2"	AMB42R484 () () () () ()	1,861.	2,436.	2,693.	3,501.
		42"	54"	26 1/2"	AMB42R544 () () () () ()	1,934.	2,532.	2,800.	3,636.
		42"	60"	26 1/2"	AMB42R604 () () () () ()	2,007.	2,626.	2,906.	3,776.
		42"	66"	26 1/2"	AMB42R664 () () () () ()	2,081.	2,724.	3,012.	3,915.
		42"	72"	26 1/2"	AMB42R724 () () () () ()	2,154.	2,817.	3,115.	4,049.
		42"	78"	26 1/2"	AMB42R784 () () () () ()	2,226.	2,916.	3,220.	4,187.
		42"	84"	26 1/2"	AMB42R844 () () () () ()	2,297.	3,007.	3,329.	4,325.
		42"	90"	26 1/2"	AMB42R904 () () () () ()	2,374.	3,102.	3,434.	4,464.
		42"	96"	26 1/2"	AMB42R964 () () () () ()	2,443.	3,200.	3,539.	4,603.


Order Code	Specification Information	Application Notes
Example: AMB42L424GFEV316 V316613AA	To order please specify pattern number including:	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 149, specify no drill if configuration does not include bridge unit.
A AutoStrada	1. Hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
B Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>
42 42" high	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>
L Left hand	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48".
4 26.5" d		*42"h to top of gable; with aluminum trim and top shelf 43.2"h.
G Grommet		*Width noted is interior nominal dimension, overall footprint additional 1" nominal.
F Face drill gable		See page 7 for finish options applicable.
E End drill gable		Product on this page will accept wood grain laminate where laminate is currently an option.
V316 Finish, surround, top shelf & worksurface edge		
V316 Finish, worksurface		
() Edge finish (L)		
613 Finish, grommet		
AA Trim, anodized aluminum		

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27" h to underside	left hand	42"	42"	32 1/2"	AMB42L425 () () () () ()	\$1,893.	\$2,452.	\$2,712.	\$3,525.
		42"	48"	32 1/2"	AMB42L485 () () () () ()	1,962.	2,548.	2,817.	3,658.
		42"	54"	32 1/2"	AMB42L545 () () () () ()	2,036.	2,641.	2,919.	3,798.
		42"	60"	32 1/2"	AMB42L605 () () () () ()	2,106.	2,733.	3,025.	3,931.
		42"	66"	32 1/2"	AMB42L665 () () () () ()	2,179.	2,828.	3,128.	4,068.
		42"	72"	32 1/2"	AMB42L725 () () () () ()	2,256.	2,921.	3,235.	4,199.
		42"	78"	32 1/2"	AMB42L785 () () () () ()	2,328.	3,016.	3,340.	4,338.
		42"	84"	32 1/2"	AMB42L845 () () () () ()	2,399.	3,110.	3,439.	4,473.
		42"	90"	32 1/2"	AMB42L905 () () () () ()	2,472.	3,204.	3,545.	4,608.
		42"	96"	32 1/2"	AMB42L965 () () () () ()	2,544.	3,296.	3,650.	4,744.
	right hand	42"	42"	32 1/2"	AMB42R425 () () () () ()	1,893.	2,452.	2,712.	3,525.
		42"	48"	32 1/2"	AMB42R485 () () () () ()	1,962.	2,548.	2,817.	3,658.
		42"	54"	32 1/2"	AMB42R545 () () () () ()	2,036.	2,641.	2,919.	3,798.
		42"	60"	32 1/2"	AMB42R605 () () () () ()	2,106.	2,733.	3,025.	3,931.
		42"	66"	32 1/2"	AMB42R665 () () () () ()	2,179.	2,828.	3,128.	4,068.
		42"	72"	32 1/2"	AMB42R725 () () () () ()	2,256.	2,921.	3,235.	4,199.
		42"	78"	32 1/2"	AMB42R785 () () () () ()	2,328.	3,016.	3,340.	4,338.
		42"	84"	32 1/2"	AMB42R845 () () () () ()	2,399.	3,110.	3,439.	4,473.
		42"	90"	32 1/2"	AMB42R905 () () () () ()	2,472.	3,204.	3,545.	4,608.
		42"	96"	32 1/2"	AMB42R965 () () () () ()	2,544.	3,296.	3,650.	4,744.

Order Code	Specification Information	Application Notes
Example: AMB42L425GFEV316 V316613AA	To order please specify pattern number including:	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 149, specify no drill if configuration does not include bridge unit.
A AutoStrada	1. Hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
B Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>
42 42" high	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>
L Left hand	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48".
5 32.5" d		*42"h to top of gable; with aluminum trim and top shelf 43.2"h.
G Grommet		*Width noted is interior nominal dimension, overall footprint additional 1" nominal.
F Face drill gable		See page 7 for finish options applicable.
E End drill gable		Product on this page will accept wood grain laminate where laminate is currently an option.
V316 Finish, surround, top shelf & worksurface edge		
V316 Finish, worksurface		
() Edge finish (L)		
613 Finish, grommet		
AA Trim, anodized aluminum		

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <i>left hand shown, worksurface height fixed 27"h to underside</i>	left hand	42"	42"	26 1/2"	AMG42L424 () () () () ()	\$1,826.	\$2,387.	\$2,640.	\$3,431.
		42"	48"	26 1/2"	AMG42L484 () () () () ()	1,901.	2,483.	2,748.	3,570.
		42"	54"	26 1/2"	AMG42L544 () () () () ()	1,975.	2,583.	2,855.	3,713.
		42"	60"	26 1/2"	AMG42L604 () () () () ()	2,049.	2,676.	2,963.	3,855.
		42"	66"	26 1/2"	AMG42L664 () () () () ()	2,122.	2,775.	3,072.	3,991.
		42"	72"	26 1/2"	AMG42L724 () () () () ()	2,196.	2,876.	3,178.	4,133.
		42"	78"	26 1/2"	AMG42L784 () () () () ()	2,271.	2,972.	3,288.	4,274.
		42"	84"	26 1/2"	AMG42L844 () () () () ()	2,346.	3,068.	3,393.	4,411.
		42"	90"	26 1/2"	AMG42L904 () () () () ()	2,419.	3,166.	3,502.	4,551.
		42"	96"	26 1/2"	AMG42L964 () () () () ()	2,495.	3,263.	3,610.	4,694.
	right hand	42"	42"	26 1/2"	AMG42R424 () () () () ()	1,826.	2,387.	2,640.	3,431.
		42"	48"	26 1/2"	AMG42R484 () () () () ()	1,901.	2,483.	2,748.	3,570.
		42"	54"	26 1/2"	AMG42R544 () () () () ()	1,975.	2,583.	2,855.	3,713.
		42"	60"	26 1/2"	AMG42R604 () () () () ()	2,049.	2,676.	2,963.	3,855.
		42"	66"	26 1/2"	AMG42R664 () () () () ()	2,122.	2,775.	3,072.	3,991.
		42"	72"	26 1/2"	AMG42R724 () () () () ()	2,196.	2,876.	3,178.	4,133.
		42"	78"	26 1/2"	AMG42R784 () () () () ()	2,271.	2,972.	3,288.	4,274.
		42"	84"	26 1/2"	AMG42R844 () () () () ()	2,346.	3,068.	3,393.	4,411.
		42"	90"	26 1/2"	AMG42R904 () () () () ()	2,419.	3,166.	3,502.	4,551.
		42"	96"	26 1/2"	AMG42R964 () () () () ()	2,495.	3,263.	3,610.	4,694.

Order Code	Specification Information	Application Notes
Example: AMG42L424GFEV316 V316613AA	<i>To order please specify pattern number including:</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>
M Median	2. Width <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>
G Legal depth top shelf	3. Depth	10. Finish, Grommet(s) <i>specify painted or plated finish</i>
42 42" high	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
L Left hand	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	Order worksurface stiffener for unsupported spans exceeding 48". <i>*42" h to top of gable; with aluminum trim and top shelf 43.2" h.</i> <i>*Width noted is interior nominal dimension, overall footprint additional 1" nominal.</i>
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	See page 7 for finish options applicable.
4 26.5" d		
G Grommet		
F Face drill gable		
E End drill gable		
V316 Finish, surround, top shelf & worksurface edge		
V316 Finish, worksurface		
() Edge finish (L)		
613 Finish, grommet		
AA Trim, anodized aluminum		


description	type	h*	w*	d	pattern no	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <i>left hand shown, worksurface height fixed 27"h to underside</i>	left hand	42"	42"	32 1/2"	AMG42L425 () () () () ()	\$1,931.	\$2,502.	\$2,767.	\$3,595.
		42"	48"	32 1/2"	AMG42L485 () () () () ()	2,003.	2,598.	2,872.	3,732.
		42"	54"	32 1/2"	AMG42L545 () () () () ()	2,079.	2,695.	2,978.	3,870.
		42"	60"	32 1/2"	AMG42L605 () () () () ()	2,151.	2,787.	3,083.	4,011.
		42"	66"	32 1/2"	AMG42L665 () () () () ()	2,225.	2,886.	3,191.	4,146.
		42"	72"	32 1/2"	AMG42L725 () () () () ()	2,297.	2,980.	3,296.	4,284.
		42"	78"	32 1/2"	AMG42L785 () () () () ()	2,374.	3,075.	3,402.	4,426.
		42"	84"	32 1/2"	AMG42L845 () () () () ()	2,445.	3,170.	3,508.	4,562.
		42"	90"	32 1/2"	AMG42L905 () () () () ()	2,522.	3,267.	3,617.	4,699.
		42"	96"	32 1/2"	AMG42L965 () () () () ()	2,594.	3,366.	3,720.	4,841.
	right hand	42"	42"	32 1/2"	AMG42R425 () () () () ()	1,931.	2,502.	2,767.	3,595.
		42"	48"	32 1/2"	AMG42R485 () () () () ()	2,003.	2,598.	2,872.	3,732.
		42"	54"	32 1/2"	AMG42R545 () () () () ()	2,079.	2,695.	2,978.	3,870.
		42"	60"	32 1/2"	AMG42R605 () () () () ()	2,151.	2,787.	3,083.	4,011.
		42"	66"	32 1/2"	AMG42R665 () () () () ()	2,225.	2,886.	3,191.	4,146.
		42"	72"	32 1/2"	AMG42R725 () () () () ()	2,297.	2,980.	3,296.	4,284.
		42"	78"	32 1/2"	AMG42R785 () () () () ()	2,374.	3,075.	3,402.	4,426.
		42"	84"	32 1/2"	AMG42R845 () () () () ()	2,445.	3,170.	3,508.	4,562.
		42"	90"	32 1/2"	AMG42R905 () () () () ()	2,522.	3,267.	3,617.	4,699.
		42"	96"	32 1/2"	AMG42R965 () () () () ()	2,594.	3,366.	3,720.	4,841.

Order Code	Specification Information	Application Notes
Example: AMG42L425GFEV316 V316613AA	To order please specify pattern number including:	
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>
G Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>
42 42" high	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>
L Left hand	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48". <i>*42" h to top of gable; with aluminum trim and top shelf 43.2" h.</i> <i>*Width noted is interior nominal dimension, overall footprint additional 1" nominal.</i>
5 32.5" d		
G Grommet		
F Face drill gable		
E End drill gable		
V316 Finish, surround, top shelf & worksurface edge		Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 149, specify no drill if configuration does not include bridge unit.
V316 Finish, worksurface		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
() Edge finish (L)		Product on this page shipped knocked-down.
613 Finish, grommet		
AA Trim, anodized aluminum		

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.


description	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable 42"h x 26.5"d with binder depth top shelf	42"	60"	26.5"	AMB42E604 () () () () ()	\$2,469.	\$3,275.	\$3,636.	\$4,732.
	42"	66"	26.5"	AMB42E664 () () () () ()	2,542.	3,373.	3,745.	4,869.
	42"	72"	26.5"	AMB42E724 () () () () ()	2,609.	3,471.	3,852.	5,005.
	42"	78"	26.5"	AMB42E784 () () () () ()	2,687.	3,566.	3,957.	5,142.
	42"	84"	26.5"	AMB42E844 () () () () ()	2,760.	3,660.	4,062.	5,280.
	42"	90"	26.5"	AMB42E904 () () () () ()	2,833.	3,755.	4,171.	5,418.
	42"	96"	26.5"	AMB42E964 () () () () ()	2,906.	3,850.	4,275.	5,556.



Medians with double end gable 42"h x 32.5"d with binder depth top shelf	42"	60"	32.5"	AMB42E605 () () () () ()	2,598.	3,423.	3,815.	4,956.
	42"	66"	32.5"	AMB42E665 () () () () ()	2,668.	3,515.	3,919.	5,093.
	42"	72"	32.5"	AMB42E725 () () () () ()	2,742.	3,608.	4,023.	5,230.
	42"	78"	32.5"	AMB42E785 () () () () ()	2,812.	3,703.	4,129.	5,367.
	42"	84"	32.5"	AMB42E845 () () () () ()	2,888.	3,798.	4,229.	5,499.
	42"	90"	32.5"	AMB42E905 () () () () ()	2,958.	3,893.	4,335.	5,635.
	42"	96"	32.5"	AMB42E965 () () () () ()	3,031.	3,985.	4,439.	5,773.



Order Code	Specification Information	Application Notes
Example: AMB42E604GFNEBV316 V316613AA	<i>To order please specify pattern number including:</i>	
A	AutoStrada	
M	Median	
B	Binder depth top shelf	
42	42" high	
E	End gables, both sides	
60	60" wide	
4	26.5" d	
G	Grommet	
FN	Face drill gable, none	
EB	End drill gable, both	
V316	Finish, surround, top shelf & worksurface edge	
V316	Finish, worksurface	
()	Edge finish (L)	
613	Finish, grommet	
AA	Trim, anodized aluminum	
	1. Width	6. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
	2. Depth <i>4 = 26.5" d nominal 5 = 32.5" d nominal</i>	7. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
	3. Grommet option <i>G = Grommet(s) N = No grommet(s)</i>	8. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7</i>
	4. Face drill option <i>FL = face drill left gable for ganging FR = face drill right gable for ganging FN = face drill none</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>
	5. End drill option <i>EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill(for freestanding applications)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
		Order worksurface stiffener for unsupported spans exceeding 48". *42"h to top of gable; with aluminum trim and top shelf 43.2"h. *Width noted is interior nominal dimension, overall footprint additional 2" nominal.
		See page 7 for finish options applicable.
		Product on this page will accept wood grain laminate where laminate is currently an option.

description	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable 42"h x 26.5"d with legal depth top shelf	42"	60"	26.5"	AMG42E604 () () () () ()	\$2,510.	\$3,327.	\$3,697.	\$4,804.
	42"	66"	26.5"	AMG42E664 () () () () ()	2,583.	3,427.	3,806.	4,948.
	42"	72"	26.5"	AMG42E724 () () () () ()	2,655.	3,525.	3,914.	5,086.
	42"	78"	26.5"	AMG42E784 () () () () ()	2,732.	3,620.	4,017.	5,226.
	42"	84"	26.5"	AMG42E844 () () () () ()	2,806.	3,718.	4,129.	5,369.
	42"	90"	26.5"	AMG42E904 () () () () ()	2,881.	3,815.	4,235.	5,506.
	42"	96"	26.5"	AMG42E964 () () () () ()	2,955.	3,914.	4,345.	5,651.





Medians with double end gable 42"h x 32.5"d with legal depth top shelf	42"	60"	32.5"	AMG42E605 () () () () ()	2,639.	3,477.	3,873.	5,037.
	42"	66"	32.5"	AMG42E665 () () () () ()	2,711.	3,572.	3,981.	5,174.
	42"	72"	32.5"	AMG42E725 () () () () ()	2,787.	3,667.	4,087.	5,314.
	42"	78"	32.5"	AMG42E785 () () () () ()	2,860.	3,766.	4,194.	5,453.
	42"	84"	32.5"	AMG42E845 () () () () ()	2,935.	3,861.	4,301.	5,589.
	42"	90"	32.5"	AMG42E905 () () () () ()	3,009.	3,955.	4,408.	5,729.
	42"	96"	32.5"	AMG42E965 () () () () ()	3,081.	4,050.	4,512.	5,865.

Order Code	Specification Information	Application Notes
Example: AMB42E604GFNEBV316 V316613AA	<i>To order please specify pattern number including:</i>	
A AutoStrada	1. Width	Median with double end gables to be specified for single work station or end of run unit without storage anchored cabinet terminating work space. Optional end drill gable option is for attachment to bridge units on page 149, specify no drill if configuration does not include bridge unit.
M Median	2. Depth 4 = 26.5" d nominal 5 = 32.5" d nominal	
B Binder depth top shelf	3. Grommet option G = Grommet(s) N = No grommet(s)	
42 42" high	4. Face drill option FL = face drill left gable for ganging FR = face drill right gable for ganging FN = face drill none	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
E End gables, both sides	5. End drill option EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only)	
60 60" wide		
4 26.5" d		Product on this page shipped knocked-down.
G Grommet		
FN Face drill gable, none		
EB End drill gable, both		Product on this page will accept wood grain laminate where laminate is currently an option.
V316 Finish, surround, top shelf & worksurface edge		
V316 Finish, worksurface		
() Edge finish (L)		
613 Finish, grommet		
AA Trim, anodized aluminum		


description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 center gable only in units 54" w and over	binder depth	42"	42"	14"	ASM42WB42 () () ()	\$2,054.	\$2,694.	\$2,973.	\$3,867.
		42"	48"	14"	ASM42WB48 () () ()	2,139.	2,801.	3,096.	4,025.
		42"	54"	14"	ASM42WB54 () () ()	2,340.	3,317.	3,833.	4,982.
		42"	60"	14"	ASM42WB60 () () ()	2,429.	3,440.	3,980.	5,169.
		42"	66"	14"	ASM42WB66 () () ()	2,518.	3,567.	4,125.	5,363.
		42"	72"	14"	ASM42WB72 () () ()	2,604.	3,691.	4,267.	5,548.
		42"	78"	14"	ASM42WB78 () () ()	2,692.	3,815.	4,413.	5,739.
		42"	84"	14"	ASM42WB84 () () ()	2,783.	3,940.	4,559.	5,924.
		42"	90"	14"	ASM42WB90 () () ()	2,871.	4,065.	4,702.	6,115.
		42"	96"	14"	ASM42WB96 () () ()	2,958.	4,187.	4,848.	6,304.
 center gable only in units 54" w and over	binder depth	42"	42"	14"	ASM42MB42 () () ()	2,835.	3,605.	3,524.	4,228.
		42"	48"	14"	ASM42MB48 () () ()	2,951.	3,753.	3,668.	4,403.
		42"	54"	14"	ASM42MB54 () () ()	3,225.	4,104.	4,540.	5,452.
		42"	60"	14"	ASM42MB60 () () ()	3,347.	4,258.	4,713.	5,653.
		42"	66"	14"	ASM42MB66 () () ()	3,468.	4,412.	4,881.	5,862.
		42"	72"	14"	ASM42MB72 () () ()	3,589.	4,572.	5,056.	6,068.
		42"	78"	14"	ASM42MB78 () () ()	3,712.	4,722.	5,229.	6,274.
		42"	84"	14"	ASM42MB84 () () ()	3,836.	4,877.	5,400.	6,481.
		42"	90"	14"	ASM42MB90 () () ()	3,954.	5,034.	5,570.	6,685.
		42"	96"	14"	ASM42MB96 () () ()	4,077.	5,187.	5,742.	6,891.

Order Code	Specification Information	Application Notes	
Example: ASM42WB42FNELV316AA	To order please specify pattern number including:	5. End drill option <i>EL = end drill left gable to attach to bridge</i> <i>ER = end drill right gable to attach to bridge</i> <i>EB = end drill both gables to attach to bridges (applicable 84" w, 90" w and 96" w only)</i> <i>EN = no drill(for freestandingapplications)</i>	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 149 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).
A AutoStrada	1. Wood or Metal shelves <i>Embedded in pattern number</i> <i>W = wood shelves</i> <i>M = metal shelves (Two piece extruded assembly)</i> <i>Note: shelf at worksurface height always wood</i>	6. Finish <i>Laminate, V1, V2 or V3 finish</i>	Center shelf fixed at 27" h to underside to align with bridge worksurface height and always same material as case (wood or laminate).
SM Storage Median	2. Depth <i>Embedded in pattern number</i> <i>B = Binder depth</i> <i>G = Legal depth</i>	7. Finish, metal shelves <i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	Bridge units include hardware kit with washers to accommodate connection of 1" thick fixed storage median shelf to 1 1/4" thick bridge worksurface.
42 42" high	3. Width	8. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	Product on this page shipped knocked-down.
W Wood shelves	4. Face drill option <i>FL = face drill left gable for ganging</i> <i>FR = face drill right gable for ganging</i> <i>FB = face drill both gables for ganging</i> <i>FN = face drill none</i>	*42" h to top of gables, with aluminum trim and top shelf 43.2" h. Inside width above, overall footprint additional 2" nominal.	
B Binder depth		See page 7 for finish options applicable.	
42 42" wide			
FN Face drill gable, no			
EL End drill left gable			
V316 Finish, Maple			
AA Trim, anodized aluminum			


Product on this page will accept wood grain laminate where laminate is currently an option.

description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 <i>center gable only in units 54"w and over</i>	legal depth	42"	42"	17"	ASM42WG42 () () ()	\$2,162.	\$2,827.	\$3,124.	\$4,062.
		42"	48"	17"	ASM42WG48 () () ()	2,246.	2,943.	3,252.	4,228.
		42"	54"	17"	ASM42WG54 () () ()	2,459.	3,480.	4,026.	5,233.
		42"	60"	17"	ASM42WG60 () () ()	2,550.	3,611.	4,178.	5,432.
		42"	66"	17"	ASM42WG66 () () ()	2,643.	3,744.	4,330.	5,628.
		42"	72"	17"	ASM42WG72 () () ()	2,736.	3,872.	4,482.	5,826.
		42"	78"	17"	ASM42WG78 () () ()	2,829.	4,009.	4,636.	6,025.
		42"	84"	17"	ASM42WG84 () () ()	2,919.	4,138.	4,787.	6,221.
		42"	90"	17"	ASM42WG90 () () ()	3,014.	4,269.	4,938.	6,421.
		42"	96"	17"	ASM42WG96 () () ()	3,105.	4,398.	5,090.	6,622.
 <i>center gable only in units 54"w and over</i>	legal depth	42"	42"	17"	ASM42MG42 () () ()	2,978.	3,785.	3,700.	4,439.
		42"	48"	17"	ASM42MG48 () () ()	3,098.	3,944.	3,852.	4,623.
		42"	54"	17"	ASM42MG54 () () ()	3,387.	4,307.	4,768.	5,720.
		42"	60"	17"	ASM42MG60 () () ()	3,516.	4,472.	4,950.	5,938.
		42"	66"	17"	ASM42MG66 () () ()	3,642.	4,634.	5,129.	6,156.
		42"	72"	17"	ASM42MG72 () () ()	3,772.	4,795.	5,309.	6,371.
		42"	78"	17"	ASM42MG78 () () ()	3,897.	4,959.	5,489.	6,587.
		42"	84"	17"	ASM42MG84 () () ()	4,027.	5,123.	5,670.	6,803.
		42"	90"	17"	ASM42MG90 () () ()	4,152.	5,283.	5,849.	7,017.
		42"	96"	17"	ASM42MG96 () () ()	4,283.	5,446.	6,030.	7,238.


Order Code	Specification Information	Application Notes	
Example: ASM42WG42FNELV316AA	To order please specify pattern number including:		
A AutoStrada	1. Wood or Metal shelves Embedded in pattern number W = wood shelves M = metal shelves(Two piece extruded assembly) Note: shelf at worksurface height always wood	5. End drill option EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill (for freestanding applications)	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 149 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).
SM Storage Median	2. Depth Embedded in pattern number B = Binder depth G = Legal depth	6. Finish Laminate, V1, V2 or V3 finish	Center shelf fixed at 27"h to underside to align with bridge worksurface height and always same material as case (wood or laminate).
42 42" high	3. Width	7. Finish, metal shelves AA - Anodized aluminum or painted finish option from page 7 excluding silver	Bridge units include hardware kit with washers to accomodate connection of 1" thick fixed storage median shelf to 1 1/4" thick bridge worksurface.
W Wood shelves	4. Face drill option FL = face drill left gable for ganging FR = face drill right gable for ganging FB = face drill both gables for ganging FN = face drill none	8. Finish, Aluminum trim AA - Anodized aluminum or painted finish option from page 7 excluding silver	Products on this page shipped knocked-down.
G Legal depth		See page 7 for finish options applicable.	
42 42" wide		*42"h to top of gables, with aluminum trim and top shelf 43.2"h. Inside width above, overall footprint additional 2" nominal.	
FN Face drill gable, no		See page 7 for finish options applicable.	
EL End drill left gable			
V316 Finish, Maple			
AA Trim, anodized aluminum			
		Product on this page will accept wood grain laminate where laminate is currently an option.	

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <i>left hand shown, work surface height fixed 27"h to underside</i>	left hand	49"	42"	26 1/2"	AMBL424 () () () () ()	\$1,880.	\$2,462.	\$2,723.	\$3,541.
		49"	48"	26 1/2"	AMBL484 () () () () ()	1,959.	2,562.	2,834.	3,686.
		49"	54"	26 1/2"	AMBL544 () () () () ()	2,035.	2,665.	2,947.	3,828.
		49"	60"	26 1/2"	AMBL604 () () () () ()	2,113.	2,763.	3,059.	3,977.
		49"	66"	26 1/2"	AMBL664 () () () () ()	2,188.	2,867.	3,169.	4,122.
		49"	72"	26 1/2"	AMBL724 () () () () ()	2,268.	2,962.	3,281.	4,263.
		49"	78"	26 1/2"	AMBL784 () () () () ()	2,343.	3,066.	3,390.	4,408.
		49"	84"	26 1/2"	AMBL844 () () () () ()	2,419.	3,168.	3,502.	4,552.
		49"	90"	26 1/2"	AMBL904 () () () () ()	2,499.	3,267.	3,614.	4,699.
		49"	96"	26 1/2"	AMBL964 () () () () ()	2,571.	3,368.	3,722.	4,846.
right hand		49"	42"	26 1/2"	AMBR424 () () () () ()	1,880.	2,462.	2,723.	3,541.
		49"	48"	26 1/2"	AMBR484 () () () () ()	1,959.	2,562.	2,834.	3,686.
		49"	54"	26 1/2"	AMBR544 () () () () ()	2,035.	2,665.	2,947.	3,828.
		49"	60"	26 1/2"	AMBR604 () () () () ()	2,113.	2,763.	3,059.	3,977.
		49"	66"	26 1/2"	AMBR664 () () () () ()	2,188.	2,867.	3,169.	4,122.
		49"	72"	26 1/2"	AMBR724 () () () () ()	2,268.	2,962.	3,281.	4,263.
		49"	78"	26 1/2"	AMBR784 () () () () ()	2,343.	3,066.	3,390.	4,408.
		49"	84"	26 1/2"	AMBR844 () () () () ()	2,419.	3,168.	3,502.	4,552.
		49"	90"	26 1/2"	AMBR904 () () () () ()	2,499.	3,267.	3,614.	4,699.
		49"	96"	26 1/2"	AMBR964 () () () () ()	2,571.	3,368.	3,722.	4,846.

Order Code	Specification Information	Application Notes
Example: AMBL424GFEV316 V316613AA	<i>To order please specify pattern number including:</i>	
A	AutoStrada	
M	Median	
B	Binder depth top shelf	
L	Left hand	
42	42" wide	
4	26.5" d	
G	Grommet	
F	Face drill gable	
E	End drill gable	
V316	Finish, surround, top shelf	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
V316	Finish, worksurface	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
()	Edge finish (L)	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>
613	Finish, grommet	10. Finish, Grommet(s) <i>specify painted or plated finish</i>
AA	Trim, anodized aluminum	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
		Order worksurface stiffener for unsupported spans exceeding 48".
		*49"h to top of gable; with aluminum trim and top shelf 50.2"h.
		*Width noted is interior nominal dimension, overall footprint additional 1" nominal.
		See page 7 for finish options applicable.
		Product on this page will accept wood grain laminate where laminate is currently an option.
		Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 149, specify no drill if configuration does not include bridge unit.
		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
		Worksurfaces are available with synthetic edge options.
		Products on this page shipped knocked-down.



left hand shown, worksurface height fixed
27" h to underside


description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <i>left hand shown, worksurface height fixed 27"h to underside</i>	left hand	49"	42"	32 1/2"	AMBL425 () () () () ()	\$1,992.	\$2,580.	\$2,855.	\$3,712.
		49"	48"	32 1/2"	AMBL485 () () () () ()	2,067.	2,679.	2,963.	3,855.
		49"	54"	32 1/2"	AMBL545 () () () () ()	2,143.	2,778.	3,074.	3,993.
		49"	60"	32 1/2"	AMBL605 () () () () ()	2,221.	2,877.	3,185.	4,137.
		49"	66"	32 1/2"	AMBL665 () () () () ()	2,295.	2,978.	3,293.	4,278.
		49"	72"	32 1/2"	AMBL725 () () () () ()	2,372.	3,074.	3,402.	4,426.
		49"	78"	32 1/2"	AMBL785 () () () () ()	2,447.	3,175.	3,512.	4,564.
		49"	84"	32 1/2"	AMBL845 () () () () ()	2,526.	3,273.	3,621.	4,706.
		49"	90"	32 1/2"	AMBL905 () () () () ()	2,600.	3,373.	3,730.	4,852.
		49"	96"	32 1/2"	AMBL965 () () () () ()	2,678.	3,471.	3,843.	4,994.
right hand		49"	42"	32 1/2"	AMBR425 () () () () ()	1,992.	2,580.	2,855.	3,712.
		49"	48"	32 1/2"	AMBR485 () () () () ()	2,067.	2,679.	2,963.	3,855.
		49"	54"	32 1/2"	AMBR545 () () () () ()	2,143.	2,778.	3,074.	3,993.
		49"	60"	32 1/2"	AMBR605 () () () () ()	2,221.	2,877.	3,185.	4,137.
		49"	66"	32 1/2"	AMBR665 () () () () ()	2,295.	2,978.	3,293.	4,278.
		49"	72"	32 1/2"	AMBR725 () () () () ()	2,372.	3,074.	3,402.	4,426.
		49"	78"	32 1/2"	AMBR785 () () () () ()	2,447.	3,175.	3,512.	4,564.
		49"	84"	32 1/2"	AMBR845 () () () () ()	2,526.	3,273.	3,621.	4,706.
		49"	90"	32 1/2"	AMBR905 () () () () ()	2,600.	3,373.	3,730.	4,852.
		49"	96"	32 1/2"	AMBR965 () () () () ()	2,678.	3,471.	3,843.	4,994.

Order Code		Specification Information	Application Notes
Example:	AMBR425GFEV316 V316613AA	<i>To order please specify pattern number including:</i>	
A	AutoStrada	1. Hand <i>L = Left hand R = Right hand</i>	
M	Median	2. Width	
B	Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal 5 = 32.5" d nominal</i>	
R	Right hand	4. Grommet option <i>G = Grommet(s) N = No grommet(s)</i>	
42	42" wide	5. Face drill option <i>F = face drill for attachment to next unit N = no drill, last unit in run</i>	
5	32.5" d	6. End drill option <i>E = end drill gable to attach to bridge N = no drill</i>	
G	Grommet	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	
F	Face drill gable	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
E	End drill gable	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7</i>	
V316	Finish, surround, top shelf	10. Finish, Grommet(s) <i>specify painted or plated finish</i>	
V316	Finish, worksurface	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
()	Edge finish (L)	Order worksurface stiffener for unsupported spans exceeding 48".	
613	Finish, grommet	*49"h to top of gable; with aluminum trim and top shelf 50.2"h.	
AA	Trim, anodized aluminum		


*Width noted is interior nominal dimension, overall footprint additional 1" nominal.

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.


description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27"h to underside	left hand	49"	42"	26 1/2"	AMGL424 () () () () ()	\$1,920.	\$2,512.	\$2,779.	\$3,611.
		49"	48"	26 1/2"	AMGL484 () () () () ()	1,999.	2,615.	2,891.	3,760.
		49"	54"	26 1/2"	AMGL544 () () () () ()	2,079.	2,718.	3,003.	3,906.
		49"	60"	26 1/2"	AMGL604 () () () () ()	2,155.	2,819.	3,121.	4,057.
		49"	66"	26 1/2"	AMGL664 () () () () ()	2,234.	2,923.	3,233.	4,201.
		49"	72"	26 1/2"	AMGL724 () () () () ()	2,312.	3,027.	3,346.	4,350.
		49"	78"	26 1/2"	AMGL784 () () () () ()	2,389.	3,128.	3,459.	4,498.
		49"	84"	26 1/2"	AMGL844 () () () () ()	2,471.	3,229.	3,571.	4,645.
		49"	90"	26 1/2"	AMGL904 () () () () ()	2,547.	3,329.	3,687.	4,791.
		49"	96"	26 1/2"	AMGL964 () () () () ()	2,627.	3,434.	3,800.	4,941.
	right hand	49"	42"	26 1/2"	AMGR424 () () () () ()	1,920.	2,512.	2,779.	3,611.
		49"	48"	26 1/2"	AMGR484 () () () () ()	1,999.	2,615.	2,891.	3,760.
		49"	54"	26 1/2"	AMGR544 () () () () ()	2,079.	2,718.	3,003.	3,906.
		49"	60"	26 1/2"	AMGR604 () () () () ()	2,155.	2,819.	3,121.	4,057.
		49"	66"	26 1/2"	AMGR664 () () () () ()	2,234.	2,923.	3,233.	4,201.
		49"	72"	26 1/2"	AMGR724 () () () () ()	2,312.	3,027.	3,346.	4,350.
		49"	78"	26 1/2"	AMGR784 () () () () ()	2,389.	3,128.	3,459.	4,498.
		49"	84"	26 1/2"	AMGR844 () () () () ()	2,471.	3,229.	3,571.	4,645.
		49"	90"	26 1/2"	AMGR904 () () () () ()	2,547.	3,329.	3,687.	4,791.
		49"	96"	26 1/2"	AMGR964 () () () () ()	2,627.	3,434.	3,800.	4,941.

Order Code	Specification Information	Application Notes	
Example: AMGL424GFEV316 V316613AA	To order please specify pattern number including:		
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 149, specify no drill if configuration does not include bridge unit.
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>	
G Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
L Left hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>	
42 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
4 26.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48". <i>*49"h to top of gable; with aluminum trim and top shelf 50.2"h.</i>	
G Grommet		 <i>*Width noted is interior nominal dimension, overall footprint additional 1" nominal.</i>	
F Face drill gable		See page 7 for finish options applicable.	
E End drill gable		Product on this page will accept wood grain laminate where laminate is currently an option.	
V316 Finish, surround, top shelf			
V316 Finish, worksurface			Worksurfaces are available with synthetic edge options.
() Edge finish (L)			Product on this page shipped knocked-down.
613 Finish, grommet			
AA Trim, anodized aluminum			

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27"h to underside	left hand	49"	42"	32 1/2"	AMGL425 () () () () ()	\$2,032.	\$2,636.	\$2,912.	\$3,782.
		49"	48"	32 1/2"	AMGL485 () () () () ()	2,106.	2,733.	3,023.	3,929.
		49"	54"	32 1/2"	AMGL545 () () () () ()	2,185.	2,834.	3,133.	4,074.
		49"	60"	32 1/2"	AMGL605 () () () () ()	2,266.	2,936.	3,245.	4,223.
		49"	66"	32 1/2"	AMGL665 () () () () ()	2,342.	3,036.	3,358.	4,367.
		49"	72"	32 1/2"	AMGL725 () () () () ()	2,419.	3,136.	3,468.	4,510.
		49"	78"	32 1/2"	AMGL785 () () () () ()	2,499.	3,239.	3,584.	4,656.
		49"	84"	32 1/2"	AMGL845 () () () () ()	2,573.	3,338.	3,694.	4,802.
		49"	90"	32 1/2"	AMGL905 () () () () ()	2,652.	3,437.	3,808.	4,948.
		49"	96"	32 1/2"	AMGL965 () () () () ()	2,729.	3,542.	3,919.	5,094.
	right hand	49"	42"	32 1/2"	AMGR425 () () () () ()	2,032.	2,636.	2,912.	3,782.
		49"	48"	32 1/2"	AMGR485 () () () () ()	2,106.	2,733.	3,023.	3,929.
		49"	54"	32 1/2"	AMGR545 () () () () ()	2,185.	2,834.	3,133.	4,074.
		49"	60"	32 1/2"	AMGR605 () () () () ()	2,266.	2,936.	3,245.	4,223.
		49"	66"	32 1/2"	AMGR665 () () () () ()	2,342.	3,036.	3,358.	4,367.
		49"	72"	32 1/2"	AMGR725 () () () () ()	2,419.	3,136.	3,468.	4,510.
		49"	78"	32 1/2"	AMGR785 () () () () ()	2,499.	3,239.	3,584.	4,656.
		49"	84"	32 1/2"	AMGR845 () () () () ()	2,573.	3,338.	3,694.	4,802.
		49"	90"	32 1/2"	AMGR905 () () () () ()	2,652.	3,437.	3,808.	4,948.
		49"	96"	32 1/2"	AMGR965 () () () () ()	2,729.	3,542.	3,919.	5,094.

Order Code	Specification Information	Application Notes
Example: AMGR425GFEV316 V316613AA	To order please specify pattern number including:	
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>
G Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>
R Right hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>
42 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
5 32.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48". <i>*49"h to top of gable; with aluminum trim and top shelf 50.2"h.</i> <i>*Width noted is interior nominal dimension, overall footprint additional 1" nominal.</i>
G Grommet		
F Face drill gable		
E End drill gable		
V316 Finish, surround, top shelf		Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 149, specify no drill if configuration does not include bridge unit.
V316 Finish, worksurface		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
() Edge finish (L)		Worksurfaces are available with synthetic edge options.
613 Finish, grommet		Product on this page shipped knocked-down.
AA Trim, anodized aluminum		
		See page 7 for finish options applicable.
		Product on this page will accept wood grain laminate where laminate is currently an option.


description	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable 49"h x 26.5"d with binder depth top shelf	49"	60"	26.5"	AMBE604 () () () () ()	\$2,598.	\$3,449.	\$3,828.	\$4,979.
	49"	66"	26.5"	AMBE664 () () () () ()	2,675.	3,548.	3,941.	5,125.
	49"	72"	26.5"	AMBE724 () () () () ()	2,750.	3,652.	4,052.	5,269.
	49"	78"	26.5"	AMBE784 () () () () ()	2,829.	3,751.	4,166.	5,413.
	49"	84"	26.5"	AMBE844 () () () () ()	2,904.	3,852.	4,275.	5,558.
	49"	90"	26.5"	AMBE904 () () () () ()	2,981.	3,953.	4,388.	5,705.
	49"	96"	26.5"	AMBE964 () () () () ()	3,059.	4,051.	4,499.	5,847.



Medians with double end gable 49"h x 32.5"d with binder depth top shelf	49"	60"	32.5"	AMBE605 () () () () ()	2,735.	3,603.	4,013.	5,219.
	49"	66"	32.5"	AMBE665 () () () () ()	2,809.	3,701.	4,127.	5,363.
	49"	72"	32.5"	AMBE725 () () () () ()	2,888.	3,798.	4,235.	5,503.
	49"	78"	32.5"	AMBE785 () () () () ()	2,960.	3,898.	4,346.	5,649.
	49"	84"	32.5"	AMBE845 () () () () ()	3,040.	3,998.	4,451.	5,790.
	49"	90"	32.5"	AMBE905 () () () () ()	3,113.	4,097.	4,563.	5,931.
	49"	96"	32.5"	AMBE965 () () () () ()	3,191.	4,194.	4,674.	6,078.



Order Code	Specification Information	Application Notes	
Example: AMBE604GFNEBV316 V316613AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Width	6. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	Median with double end gables to be specified for single work station or end of run unit without storage anchored cabinet terminating work space. Optional end drill gable option is for attachment to bridge units on page 149, specify no drill if configuration does not include bridge unit.
M Median	2. Depth <i>4 = 26.5" d nominal 5 = 32.5" d nominal</i>	7. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
B Binder depth top shelf	3. Grommet option <i>G = Grommet(s) N = No grommet(s)</i>	8. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7</i>	
E End gables, both sides	4. Face drill option <i>FL = face drill left gable for ganging FR = face drill right gable for ganging FN = face drill none</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
60 60" wide	5. End drill option <i>EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill(for freestanding applications)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
4 26.5" d		Order worksurface stiffener for unsupported spans exceeding 48".	Worksurfaces are available with synthetic edge options.
G Grommet		<i>*49"h to top of gable; with aluminum trim and top shelf 50.2"h.</i>	
FN Face drill gable, none		<i>*Width noted is interior nominal dimension, overall footprint additional 2" nominal.</i>	Product on this page shipped knocked-down.
EB End drill gable, both		See page 7 for finish options applicable.	
V316 Finish, surround, top shelf		Product on this page will accept wood grain laminate where laminate is currently an option.	
V316 Finish, worksurface			
() Edge finish (L)			
613 Finish, grommet			
AA Trim, anodized aluminum			

description	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable 49"h x 26.5"d with legal depth top shelf	49"	60"	26.5"	AMGE604 () () () () ()	\$2,640.	\$3,505.	\$3,891.	\$5,059.
	49"	66"	26.5"	AMGE664 () () () () ()	2,718.	3,606.	4,005.	5,208.
	49"	72"	26.5"	AMGE724 () () () () ()	2,797.	3,711.	4,120.	5,354.
	49"	78"	26.5"	AMGE784 () () () () ()	2,877.	3,814.	4,230.	5,500.
	49"	84"	26.5"	AMGE844 () () () () ()	2,954.	3,914.	4,346.	5,651.
	49"	90"	26.5"	AMGE904 () () () () ()	3,031.	4,016.	4,457.	5,798.
	49"	96"	26.5"	AMGE964 () () () () ()	3,108.	4,118.	4,570.	5,947.





Medians with double end gable 49"h x 32.5"d with legal depth top shelf	49"	60"	32.5"	AMGE605 () () () () ()	2,779.	3,660.	4,078.	5,301.
	49"	66"	32.5"	AMGE665 () () () () ()	2,857.	3,760.	4,190.	5,446.
	49"	72"	32.5"	AMGE725 () () () () ()	2,932.	3,861.	4,303.	5,591.
	49"	78"	32.5"	AMGE785 () () () () ()	3,011.	3,964.	4,414.	5,739.
	49"	84"	32.5"	AMGE845 () () () () ()	3,090.	4,062.	4,528.	5,887.
	49"	90"	32.5"	AMGE905 () () () () ()	3,167.	4,162.	4,640.	6,029.
	49"	96"	32.5"	AMGE965 () () () () ()	3,243.	4,264.	4,750.	6,176.

Order Code	Specification Information	Application Notes
Example: AMBE604GFNEBV316 V316613AA	<i>To order please specify pattern number including:</i>	
A AutoStrada	1. Width	
M Median	2. Depth 4 = 26.5" d nominal 5 = 32.5" d nominal	
B Binder depth top shelf	3. Grommet option G = Grommet(s) N = No grommet(s)	
E End gables, both sides	4. Face drill option FL = face drill left gable for ganging FR = face drill right gable for ganging FN = face drill none	
60 60" wide	5. End drill option EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill (for freestanding applications)	
4 26.5" d		
G Grommet	6. Finish, surround, top shelf Laminate, V1, V2 or V3 finish	Median with double end gables to be specified for single work station or end of run unit without storage anchored cabinet terminating work space. Optional end drill gable option is for attachment to bridge units on page 149, specify no drill if configuration does not include bridge unit.
FN Face drill gable, none	7. Finish, worksurface Laminate, V1, V2 or V3 finish	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
EB End drill gable, both	8. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7	Worksurfaces are available with synthetic edge options.
V316 Finish, surround, top shelf	9. Finish, Grommet(s) specify painted or plated finish	
V316 Finish, worksurface	10. Finish, Aluminum trim AA - Anodized aluminum or painted finish option from page 7 excluding silver	Product on this page shipped knocked-down.
() Edge finish (L)	Order worksurface stiffener for unsupported spans exceeding 48".	
613 Finish, grommet	*49"h to top of gable; with aluminum trim and top shelf 50.2"h.	
AA Trim, anodized aluminum	*Width noted is interior nominal dimension, overall footprint additional 2" nominal.	
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	


description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 center gable only in units 54"w and over	binder depth	49"	42"	14"	ASMWB42 () () ()	\$2,165.	\$2,833.	\$3,130.	\$4,072.
		49"	48"	14"	ASMWB48 () () ()	2,255.	2,947.	3,258.	4,237.
		49"	54"	14"	ASMWB54 () () ()	2,464.	3,489.	4,035.	5,246.
		49"	60"	14"	ASMWB60 () () ()	2,557.	3,620.	4,188.	5,442.
		49"	66"	14"	ASMWB66 () () ()	2,648.	3,753.	4,343.	5,646.
		49"	72"	14"	ASMWB72 () () ()	2,742.	3,884.	4,494.	5,841.
		49"	78"	14"	ASMWB78 () () ()	2,835.	4,016.	4,647.	6,041.
		49"	84"	14"	ASMWB84 () () ()	2,927.	4,145.	4,799.	6,236.
		49"	90"	14"	ASMWB90 () () ()	3,022.	4,281.	4,952.	6,439.
		49"	96"	14"	ASMWB96 () () ()	3,113.	4,408.	5,105.	6,636.
 center gable only in units 54"w and over	binder depth	49"	42"	14"	ASMMB42 () () ()	2,922.	3,715.	3,633.	4,360.
		49"	48"	14"	ASMMB48 () () ()	3,044.	3,867.	3,778.	4,537.
		49"	54"	14"	ASMMB54 () () ()	3,325.	4,230.	4,682.	5,621.
		49"	60"	14"	ASMMB60 () () ()	3,450.	4,392.	4,862.	5,826.
		49"	66"	14"	ASMMB66 () () ()	3,575.	4,549.	5,034.	6,043.
		49"	72"	14"	ASMMB72 () () ()	3,701.	4,712.	5,214.	6,258.
		49"	78"	14"	ASMMB78 () () ()	3,826.	4,869.	5,391.	6,467.
		49"	84"	14"	ASMMB84 () () ()	3,952.	5,031.	5,566.	6,680.
		49"	90"	14"	ASMMB90 () () ()	4,078.	5,186.	5,742.	6,890.
		49"	96"	14"	ASMMB96 () () ()	4,201.	5,350.	5,919.	7,104.

Order Code	Specification Information	Application Notes
Example: ASMWB42FNELV316AA	To order please specify pattern number including:	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 149 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).
A AutoStrada	1. Wood or Metal shelves Embedded in pattern number W = wood shelves M = metal shelves (Two piece extruded assembly) Note: shelf at worksurface height always wood	5. End drill option EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill (for freestanding applications)
SM Storage Median	2. Depth Embedded in pattern number B = Binder depth G = Legal depth	6. Finish Laminate, V1, V2 or V3 finish
W Wood shelves	3. Width	7. Finish, metal shelves
B Binder depth	4. Face drill option FL = face drill left gable for ganging FR = face drill right gable for ganging FB = face drill both gables for ganging FN = face drill none	8. Finish, Aluminum trim AA - Anodized aluminum or painted finish option from page 7 excluding silver
42 42" wide		See page 7 for finish options applicable.
FN Face drill gable, no		*49"h to top of gables, with aluminum trim and top shelf 50.2"h. Inside width above, overall footprint additional 2" nominal.
EL End drill left gable		See page 7 for finish options applicable.
V316 Finish, Maple		Product on this page will accept wood grain laminate where laminate is currently an option.
AA Trim, anodized aluminum		Bridge units include hardware kit with washers to accommodate connection of 1" thick fixed storage median shelf to 1 1/4" thick bridge worksurface.
		Product on this page shipped knocked-down.

description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 center gable only in units 54"w and over	legal depth	49"	42"	17"	ASMWG42 () () ()	\$2,273.	\$2,977.	\$3,288.	\$4,275.
		49"	48"	17"	ASMWG48 () () ()	2,365.	3,095.	3,422.	4,449.
		49"	54"	17"	ASMWG54 () () ()	2,589.	3,662.	4,238.	5,508.
		49"	60"	17"	ASMWG60 () () ()	2,685.	3,800.	4,398.	5,717.
		49"	66"	17"	ASMWG66 () () ()	2,783.	3,940.	4,558.	5,924.
		49"	72"	17"	ASMWG72 () () ()	2,881.	4,079.	4,719.	6,132.
		49"	78"	17"	ASMWG78 () () ()	2,978.	4,219.	4,879.	6,342.
		49"	84"	17"	ASMWG84 () () ()	3,072.	4,355.	5,037.	6,549.
		49"	90"	17"	ASMWG90 () () ()	3,170.	4,495.	5,198.	6,758.
		49"	96"	17"	ASMWG96 () () ()	3,270.	4,629.	5,362.	6,969.
 center gable only in units 54"w and over	legal depth	49"	42"	17"	ASMMG42 () () ()	3,068.	3,902.	3,815.	4,579.
		49"	48"	17"	ASMMG48 () () ()	3,193.	4,062.	3,967.	4,766.
		49"	54"	17"	ASMMG54 () () ()	3,490.	4,439.	4,916.	5,898.
		49"	60"	17"	ASMMG60 () () ()	3,625.	4,611.	5,104.	6,122.
		49"	66"	17"	ASMMG66 () () ()	3,757.	4,780.	5,289.	6,344.
		49"	72"	17"	ASMMG72 () () ()	3,888.	4,942.	5,473.	6,568.
		49"	78"	17"	ASMMG78 () () ()	4,020.	5,114.	5,658.	6,790.
		49"	84"	17"	ASMMG84 () () ()	4,149.	5,279.	5,845.	7,015.
		49"	90"	17"	ASMMG90 () () ()	4,283.	5,447.	6,030.	7,236.
		49"	96"	17"	ASMMG96 () () ()	4,412.	5,615.	6,217.	7,460.


Order Code	Specification Information	Application Notes
Example: ASMWG42FNELV316AA	To order please specify pattern number including:	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 149 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).
A AutoStrada	1. Wood or Metal shelves Embedded in pattern number W = wood shelves M = metal shelves (Two piece extruded assembly) Note: shelf at worksurface height always wood	5. End drill option EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill (for freestanding applications)
SM Storage Median	2. Depth Embedded in pattern number B = Binder depth G = Legal depth	6. Finish Laminate, V1, V2 or V3 finish
W Wood shelves	3. Width	7. Finish, metal shelves
G Legal depth	4. Face drill option FL = face drill left gable for ganging FR = face drill right gable for ganging FB = face drill both gables for ganging FN = face drill none	8. Finish, Aluminum trim AA - Anodized aluminum or painted finish option from page 7 excluding silver
42 42" wide		See page 7 for finish options applicable.
FN Face drill gable, no		*49"h to top of gables, with aluminum trim and top shelf 50.2"h. Inside width above, overall footprint additional 2" nominal.
EL End drill left gable		See page 7 for finish options applicable.
V316 Finish, Maple		Product on this page will accept wood grain laminate where laminate is currently an option.
AA Trim, anodized aluminum		

description	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Bridge assembly, 42"h includes worksurface	42"	42"	26 1/2"	AOB4242 () () () ()	\$1,187.	\$1,553.	\$1,718.	\$2,232.
	42"	48"	26 1/2"	AOB4248 () () () ()	1,234.	1,614.	1,785.	2,322.
	42"	54"	26 1/2"	AOB4254 () () () ()	1,286.	1,677.	1,859.	2,413.
	42"	60"	26 1/2"	AOB4260 () () () ()	1,331.	1,741.	1,926.	2,504.
	42"	66"	26 1/2"	AOB4266 () () () ()	1,379.	1,804.	1,997.	2,594.
	42"	72"	26 1/2"	AOB4272 () () () ()	1,429.	1,866.	2,067.	2,688.
	42"	78"	26 1/2"	AOB4278 () () () ()	1,476.	1,933.	2,134.	2,779.




worksurface height fixed 27"h to underside

Order Code	Specification Information	Application Notes
Example: AOB4242GDV316V316613	<i>To order please specify pattern number including:</i>	Overall depth is 26.5" nominal
A AutoStrada	1. Width	Product on this page shipped knocked-down.
OB Open Bridge	2. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	Bridge units attach one side to gable end of medians or storage medians, and other end to 26.5" deep storage anchored cabinets. Attachment method is universal, bridge units are not handed.
42 42" high	3. Drill for top shelf option <i>Note: not applicable for window bridges</i> <i>D = drill for top shelf attachment</i> <i>N = no drill for top shelf attachment</i>	Mixed finish options must only be combination of laminate surface with V1 or V2 or V3 back and edge.
42 42" wide	4. Finish, back <i>Laminate, V1, V2 or V3 finish</i>	Worksurfaces are available with synthetic edge options.
G Grommet	5. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	Optional top shelf for bridge assembly specified separately, refer to page 150. Be sure to specify drill for top shelf if required.
D Drill for top shelf attachment	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
V316 Finish, back panel	7. Finish, Grommet(s) <i>specify painted or plated finish</i>	
V316 Finish, worksurface		
() Edge finish (L)		
613 Finish, grommet		
	Order worksurface stiffener for unsupported spans exceeding 48".	
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	

description	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 Bridge assembly, 49"h includes work surface	49"	42"	26 1/2"	AOBS42 () () ()	\$1,246.	\$1,635.	\$1,807.	\$2,350.
	49"	48"	26 1/2"	AOBS48 () () ()	1,299.	1,698.	1,880.	2,448.
	49"	54"	26 1/2"	AOBS54 () () ()	1,349.	1,764.	1,954.	2,543.
	49"	60"	26 1/2"	AOBS60 () () ()	1,400.	1,834.	2,028.	2,634.
	49"	66"	26 1/2"	AOBS66 () () ()	1,452.	1,902.	2,102.	2,730.
	49"	72"	26 1/2"	AOBS72 () () ()	1,503.	1,967.	2,175.	2,829.
	49"	78"	26 1/2"	AOBS78 () () ()	1,553.	2,032.	2,245.	2,924.


work surface height fixed 27"h to underside

 Bridge assembly, includes work surface	28"	42"	26 1/2"	AWBS42 () () ()	1,169.	1,529.	1,687.	2,195.
	28"	48"	26 1/2"	AWBS48 () () ()	1,214.	1,588.	1,759.	2,285.
	28"	54"	26 1/2"	AWBS54 () () ()	1,261.	1,653.	1,828.	2,374.
	28"	60"	26 1/2"	AWBS60 () () ()	1,308.	1,716.	1,894.	2,462.
	28"	66"	26 1/2"	AWBS66 () () ()	1,356.	1,778.	1,962.	2,550.
	28"	72"	26 1/2"	AWBS72 () () ()	1,406.	1,838.	2,033.	2,645.
	28"	78"	26 1/2"	AWBS78 () () ()	1,452.	1,902.	2,102.	2,730.
	28"	84"	26 1/2"	AWBS84 () () ()	1,499.	1,964.	2,171.	2,821.
	28"	90"	26 1/2"	AWBS90 () () ()	1,547.	2,024.	2,239.	2,912.
	28"	96"	26 1/2"	AWBS96 () () ()	1,593.	2,086.	2,308.	2,999.

work surface height fixed 27"h to underside

Specify with window bridge kits to achieve 49"h


Order Code	Specification Information	Application Notes
Example: AOBS42GDV316V316613	To order please specify pattern number including:	Overall depth is 26.5" nominal
A AutoStrada	1. Width	Product on this page shipped knocked-down.
OB Open Bridge	2. Grommet option	
S Single	<i>G = Grommet(s)</i>	
42 42" wide	<i>N = No grommet(s)</i>	
G Grommet	3. Drill for top shelf option	Bridge units attach one side to gable end of medians or storage medians, and other end to 26.5" deep storage anchored cabinets. Attachment method is universal, bridge units are not handed.
D Drill for top shelf attachment	<i>Note: not applicable for window bridges</i>	
V316 Finish, back panel	<i>D = drill for top shelf attachment</i>	Mixed finish options must only be combination of laminate surface with V1 or V2 or V3 back and edge.
V316 Finish, work surface	<i>N = no drill for top shelf attachment</i>	Window kit and window trim kit for window bridge assembly specified separately, refer to page 152.
() Edge finish (L)	4. Finish, back	Worksurfaces are available with synthetic edge options.
613 Finish, grommet	<i>Laminate, V1, V2 or V3 finish</i>	Optional top shelf for bridge assembly specified separately, refer to page 150. Be sure to specify drill for top shelf if required.
	5. Finish, work surface	
	<i>Laminate, V1, V2 or V3 finish</i>	
	6. Finish, Edge:	
	<i>*For L surfaces, all core laminate colors are optional</i>	
	<i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
	7. Finish, Grommet(s)	
	<i>specify painted or plated finish</i>	
	Order work surface stiffener for unsupported spans exceeding 48".	
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	

description	thickness	w	d	pattern no.	L	V1	V2	V3
Top shelf for bridge assy to median w/26.5" gable & binder depth top 	1 1/4"	54 7/16"	14"	ATSBA42 () ()	\$352.	\$465.	\$511.	\$669.
	1 1/4"	60 7/16"	14"	ATSBA48 () ()	363.	480.	531.	691.
	1 1/4"	66 7/16"	14"	ATSBA54 () ()	376.	499.	552.	720.
	1 1/4"	72 7/16"	14"	ATSBA60 () ()	396.	519.	573.	746.
	1 1/4"	78 7/16"	14"	ATSBA66 () ()	408.	538.	593.	774.
	1 1/4"	84 7/16"	14"	ATSBA72 () ()	421.	561.	614.	801.
	1 1/4"	90 7/16"	14"	ATSBA78 () ()	436.	574.	636.	827.
Top shelf for bridge assy to median w/26.5" gable & legal depth top	1 1/4"	51 7/16"	14"	ATSB42 () ()	352.	465.	511.	669.
	1 1/4"	57 7/16"	14"	ATSB48 () ()	363.	480.	531.	691.
	1 1/4"	63 7/16"	14"	ATSB54 () ()	376.	499.	552.	720.
	1 1/4"	69 7/16"	14"	ATSB60 () ()	396.	519.	573.	746.
	1 1/4"	75 7/16"	14"	ATSB66 () ()	408.	538.	593.	774.
	1 1/4"	81 7/16"	14"	ATSB72 () ()	421.	561.	614.	801.
	1 1/4"	87 7/16"	14"	ATSB78 () ()	436.	574.	636.	827.
Top shelf for bridge assy to median w/32.5" gable & binder depth top	1 1/4"	60 7/16"	14"	ATSBC42 () ()	433.	573.	635.	822.
	1 1/4"	66 7/16"	14"	ATSBC48 () ()	452.	595.	660.	856.
	1 1/4"	72 7/16"	14"	ATSBC54 () ()	469.	618.	688.	888.
	1 1/4"	78 7/16"	14"	ATSBC60 () ()	490.	643.	713.	927.
	1 1/4"	84 7/16"	14"	ATSBC66 () ()	505.	666.	736.	961.
	1 1/4"	90 7/16"	14"	ATSBC72 () ()	522.	690.	762.	993.
	1 1/4"	96 7/16"	14"	ATSBC78 () ()	541.	715.	789.	1,026.
Top shelf for bridge assy to median w/32.5" gable & legal depth top	1 1/4"	57 7/16"	14"	ATSD42 () ()	433.	573.	635.	822.
	1 1/4"	63 7/16"	14"	ATSD48 () ()	452.	595.	660.	856.
	1 1/4"	69 7/16"	14"	ATSD54 () ()	469.	618.	688.	888.
	1 1/4"	75 7/16"	14"	ATSD60 () ()	490.	643.	713.	927.
	1 1/4"	81 7/16"	14"	ATSD66 () ()	505.	666.	736.	961.
	1 1/4"	87 7/16"	14"	ATSD72 () ()	522.	690.	762.	993.
	1 1/4"	93 7/16"	14"	ATSD78 () ()	541.	715.	789.	1,026.
Top shelf for bridge assy to storage median	1 1/4"	42"	14"	ATSBE42 () ()	352.	465.	511.	669.
	1 1/4"	48"	14"	ATSBE48 () ()	363.	480.	531.	691.
	1 1/4"	54"	14"	ATSBE54 () ()	376.	499.	552.	720.


Order Code	Specification Information	Application Notes
Example: ATSBA42V316AA	<i>To order please specify pattern number including:</i>	See page 7 for finish options applicable.
A AutoStrada	1. Bridge to Median condition <i>A = to 26.5" d median w/binder depth top shelf</i> <i>B = to 26.5" d median w/legal depth top shelf</i> <i>C = to 32.5" d median w/binder depth top shelf</i> <i>D = to 32.5" d median w/legal depth top shelf</i> <i>E = to storage median binder or legal depth</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
TS Top Shelf	2. Width <i>specify same as corresponding bridge assembly</i>	Top shelf extends width of bridge assembly plus exposed portion of the median gable where the median gable extends beyond median's top shelf.
B Bridge	3. Finish, Shelf <i>Laminate, V1, V2 or V3 finish</i>	Top shelf assembly includes aluminum trim to install between bridge assembly and underside of top shelf; and aligns with aluminum trim detail of median or storage median.
A for bridge to median condition A	4. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
42 42" wide plus condition A		
V316 Finish, Maple		
AA Trim, anodized aluminum		

description	thickness	w	d	pattern no.	L	V1	V2	V3
Top shelf for bridge assy to storage median	1 1/4"	60"	14"	ATSBE60 () ()	\$396.	\$519.	\$573.	\$746.
	1 1/4"	66"	14"	ATSBE66 () ()	408.	538.	593.	774.
	1 1/4"	72"	14"	ATSBE72 () ()	421.	561.	614.	801.
	1 1/4"	78"	14"	ATSBE78 () ()	436.	574.	636.	827.

Order Code	Specification Information	Application Notes
Example: ATSBA42V316AA	<i>To order please specify pattern number including:</i>	See page 7 for finish options applicable.
A AutoStrada	1. Bridge to Median condition <i>A = to 26.5" d median w/binder depth top shelf</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
TS Top Shelf	<i>B = to 26.5" d median w/legal depth top shelf</i>	Top shelf extends width of bridge assembly plus exposed portion of the median gable where the median gable extends beyond median's top shelf.
B Bridge	<i>C = to 32.5" d median w/binder depth top shelf</i>	
A for bridge to median condition A	<i>D = to 32.5" d median w/legal depth top shelf</i>	Top shelf assembly includes aluminum trim to install between bridge assembly and underside of top shelf; and aligns with aluminum trim detail of median or storage median.
42 42" wide plus condition A	<i>E = to storage median binder or legal depth</i>	
V316 Finish, Maple	2. Width <i>specify same as corresponding bridge assembly</i>	
AA Trim, anodized aluminum	3. Finish, Shelf <i>Laminate, V1, V2 or V3 finish</i>	
	4. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	

description	h	w	pattern no.	clear	architectural	list
 Window Bridge Kit	21"	42"	AWBK42 () () ()	\$900.	\$1,084.	
	21"	48"	AWBK48 () () ()	973.	1,167.	
	21"	54"	AWBK54 () () ()	1,043.	1,252.	
	21"	60"	AWBK60 () () ()	1,113.	1,336.	
	21"	66"	AWBK66 () () ()	1,182.	1,418.	
	21"	72"	AWBK72 () () ()	1,255.	1,504.	
	21"	78"	AWBK78 () () ()	1,321.	1,589.	
	21"	84"	AWBK84 () () ()	1,393.	1,672.	
	21"	90"	AWBK90 () () ()	1,464.	1,759.	
	21"	96"	AWBK96 () () ()	1,533.	1,842.	
Median gable top trim for window to median w/26.5" gable & binder depth top		12"	AMGTTA ()			122.
 Median gable top trim for window to median w/26.5" gable & legal depth top		9"	AMGTTB ()			102.
		18"	AMGTTC ()			150.
Median gable top trim for window to median w/32.5" gable & binder depth top		15"	AMGTTD ()			135.

Order Code	Specification Information	Application Notes
Example: AWBK42EAAGL13AA	<i>To order please specify pattern number including:</i>	Window bridge kits are for use with window bridge assemblies on page 149.
A AutoStrada	Window bridge kit:	
W Window	1. Width	
BK Bridge kit	<i>Note: Be sure to specify window bridge kit to correspond with width of window bridge assembly</i>	Be sure to include median gable top trim when attaching window bridge assembly and window bridge kit to medians for the appropriate condition of median gable and top shelf. The median gable top trim is an aluminum extrusion which finishes the exposed portion of the median gable and continues a consistent aluminum trim detail from one unit to the next.
42 42" wide	2. Extruded Aluminum Top Trim profile	
E Extruded Aluminum Top Trim	<i>E = default</i>	
AA Finish, window frame	3. Finish, window frame	
GL13 Finish, glass	<i>Paint or Anodized Aluminum</i>	
AA Finish, aluminum top trim	4. Finish, glass	
	<i>TEMP - Clear, tempered</i>	
	<i>GL6 - Block Matrix</i>	
	<i>GL13 - Powder</i>	
	5. Finish, Aluminum top trim	
	<i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, BBF front, open interior side 	left	42"	19"	24"	ACAL4224 ()()()	\$3,640.	\$5,689.	\$5,798.	\$7,536.
		42"	19"	26.5"	ACAL4226 ()()()	3,782.	5,851.	5,998.	7,798.
		42"	19"	30"	ACAL4230 ()()()	3,922.	6,013.	6,195.	8,056.
		42"	19"	32.5"	ACAL4232 ()()()	4,060.	6,178.	6,396.	8,314.
		49"	19"	24"	ACAL4924 ()()()()	3,716.	5,805.	5,916.	7,691.
		49"	19"	26.5"	ACAL4926 ()()()()	3,858.	5,971.	6,122.	7,958.
		49"	19"	30"	ACAL4930 ()()()()	3,999.	6,137.	6,321.	8,220.
		49"	19"	32.5"	ACAL4932 ()()()()	4,143.	6,302.	6,526.	8,483.
left hand shown, shelf aligns with worksurface at 28 1/4" overall, or 27"h to underside	right	42"	19"	24"	ACAR4224 ()()()()	3,640.	5,689.	5,798.	7,536.
		42"	19"	26.5"	ACAR4226 ()()()()	3,782.	5,851.	5,998.	7,798.
		42"	19"	30"	ACAR4230 ()()()()	3,922.	6,013.	6,195.	8,056.
		42"	19"	32.5"	ACAR4232 ()()()()	4,060.	6,178.	6,396.	8,314.
		49"	19"	24"	ACAR4924 ()()()()()	3,716.	5,805.	5,916.	7,691.
		49"	19"	26.5"	ACAR4926 ()()()()()	3,858.	5,971.	6,122.	7,958.
		49"	19"	30"	ACAR4930 ()()()()()	3,999.	6,137.	6,321.	8,220.
		49"	19"	32.5"	ACAR4932 ()()()()()	4,143.	6,302.	6,526.	8,483.

Order Code

Specification Information

Application Notes

Example: **ACAL4924NEDWV316AA**

A	AutoStrada
C	Cabinet
A	BBF front, Open interior side
L	Left Hand
49	49" high
24	24" deep
N	No Shelf
E	Extruded Aluminum Pull
D	Drilled to anchor
W	Wood interior
V316	Finish, Maple
AA	Finish, trim & pull, anodized aluminum

To order please specify pattern number including:

- Hand
L = User's Left
R = User's Right
- Height
- Depth
24 = 24" deep
26 = 26.5" deep
30 = 30" deep
32 = 32.5" deep
- Shelf option for open interior side
42"h do not have shelf options
49"h have shelf option
64"h do not have "no" shelf option, shelf included
N = No shelf
S = Shelf to match case *
M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)
- Pull
E = extruded aluminum pull
P = extruded aluminum protruding pull
- Drill option,
applicable only for 24" and 30" deep units
D = drilled to anchor to panel or median
F = no drill, freestanding
- Interior
W = wood drawer interior
M = metal drawer interior, deduct \$100 list
- Finish
Laminate, V1, V2 or V3 finish
- Finish, Aluminum trim (trim, M shelf option & pull)
AA - Anodized aluminum or painted finish option from page 7 excluding silver

*Upcharge applicable as follows for ACA(L/R)49 and ACB(L/R)49 cabinets:
Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case;
Option M upcharge under AA or paint for aluminum metal shelf

depth	L	V1
24"	\$ 112	232
26.5"	\$117	238
30"	\$122	249
32.5"	\$128	254
depth	V2	V3
24"	\$255	325
26.5"	\$263	336
30"	\$275	353
32.5"	\$283	363
depth	AA or paint	
24"	\$321	
26.5"	\$342	
30"	\$372	
32.5"	\$393	

42"h - 42"h to below trim, 43.2"h overall
49"h - 49"h to below trim, 50.2"h overall

Product on this page will accept wood grain laminate where laminate is currently an option.

When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.

When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 168.

24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed.

Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.


Cabinets drilled for locks, keying instructions must accompany order.

See page 7 for finish options applicable.

Pencil trays not included in pedestals with metal interior.

One pencil tray is included in pedestals with wood interior.


3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF front, open interior side 	left	42"	19"	24"	ACBL4224 () () () ()	\$3,123.	\$4,911.	\$5,118.	\$6,652.
		42"	19"	26.5"	ACBL4226 () () () ()	3,239.	5,052.	5,291.	6,880.
		42"	19"	30"	ACBL4230 () () () ()	3,358.	5,190.	5,468.	7,106.
		42"	19"	32.5"	ACBL4232 () () () ()	3,482.	5,335.	5,644.	7,337.
		49"	19"	24"	ACBL4924 () () () ()	3,185.	5,013.	5,222.	6,788.
		49"	19"	26.5"	ACBL4926 () () () ()	3,306.	5,153.	5,402.	7,018.
		49"	19"	30"	ACBL4930 () () () ()	3,429.	5,298.	5,583.	7,252.
		49"	19"	32.5"	ACBL4932 () () () ()	3,552.	5,440.	5,758.	7,487.
<i>left hand shown, shelf aligns with worksurface at 28 1/2" h overall, or 27" h to underside</i>	right	42"	19"	24"	ACBR4224 () () () ()	3,123.	4,911.	5,118.	6,652.
		42"	19"	26.5"	ACBR4226 () () () ()	3,239.	5,052.	5,291.	6,880.
		42"	19"	30"	ACBR4230 () () () ()	3,358.	5,190.	5,468.	7,106.
		42"	19"	32.5"	ACBR4232 () () () ()	3,482.	5,335.	5,644.	7,337.
		49"	19"	24"	ACBR4924 () () () ()	3,185.	5,013.	5,222.	6,788.
		49"	19"	26.5"	ACBR4926 () () () ()	3,306.	5,153.	5,402.	7,018.
		49"	19"	30"	ACBR4930 () () () ()	3,429.	5,298.	5,583.	7,252.
		49"	19"	32.5"	ACBR4932 () () () ()	3,552.	5,440.	5,758.	7,487.

Order Code	Specification Information	Application Notes	
Example: ACAL4924NEDWV316AA	<i>To order please specify pattern number including:</i>	*Upcharge applicable as follows for ACA(L/R)49 and ACB(L/R)49 cabinets: <i>Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; Option M upcharge under AA or paint for aluminum metal shelf</i>	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 168.
A	AutoStrada		
C	Cabinet		
A	BBF front, Open interior side		
L	Left Hand		
49	49" high	depth L V1 24" \$ 112 232 26.5" \$117 238 30" \$122 249 32.5" \$128 254	
24	24" deep	depth V2 V3 24" \$255 325 26.5" \$263 336 30" \$275 353 32.5" \$283 363	
N	No Shelf	depth AA or paint 24" \$321 26.5" \$342 30" \$372 32.5" \$393	24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed.
E	Extruded Aluminum Pull	42" h - 42" h to below trim, 43.2" h overall 49" h - 49" h to below trim, 50.2" h overall	Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.
D	Drilled to anchor	Product on this page will accept wood grain laminate where laminate is currently an option.	Cabinets drilled for locks, keying instructions must accompany order.
W	Wood interior	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	See page 7 for finish options applicable.
V316	Finish, Maple		Pencil trays not included in pedestals with metal interior.
AA	Finish, trim & pull, anodized aluminum		One pencil tray is included in pedestals with wood interior.
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.			

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, Hinged Door front, open interior side	left	42"	19"	24"	ACCL4224 () () () ()	\$2,600.	\$4,094.	\$4,265.	\$5,541.
		42"	19"	26.5"	ACCL4226 () () () ()	2,701.	4,207.	4,408.	5,736.
		42"	19"	30"	ACCL4230 () () () ()	2,800.	4,327.	4,558.	5,924.
		42"	19"	32.5"	ACCL4232 () () () ()	2,901.	4,444.	4,703.	6,114.
		49"	19"	24"	ACCL4924 () () () ()	2,654.	4,178.	4,354.	5,653.
		49"	19"	26.5"	ACCL4926 () () () ()	2,755.	4,293.	4,501.	5,852.
		49"	19"	30"	ACCL4930 () () () ()	2,856.	4,415.	4,652.	6,045.
		49"	19"	32.5"	ACCL4932 () () () ()	2,958.	4,535.	4,797.	6,236.
	right	42"	19"	24"	ACCR4224 () () () ()	2,600.	4,094.	4,265.	5,541.
		42"	19"	26.5"	ACCR4226 () () () ()	2,701.	4,207.	4,408.	5,736.
		42"	19"	30"	ACCR4230 () () () ()	2,800.	4,327.	4,558.	5,924.
		42"	19"	32.5"	ACCR4232 () () () ()	2,901.	4,444.	4,703.	6,114.
		49"	19"	24"	ACCR4924 () () () ()	2,654.	4,178.	4,354.	5,653.
		49"	19"	26.5"	ACCR4926 () () () ()	2,755.	4,293.	4,501.	5,852.
		49"	19"	30"	ACCR4930 () () () ()	2,856.	4,415.	4,652.	6,045.
		49"	19"	32.5"	ACCR4932 () () () ()	2,958.	4,535.	4,797.	6,236.




left hand shown, shelf aligns with
worksurface at 28 1/4" h overall, or 27" h to
underside

Order Code	Specification Information	Application Notes
Example: ACCL4924NEDV316AA	To order please specify pattern number including:	*Upcharge applicable as follows for ACC(L/R)49 units on this page: For option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; option M upcharge under AA or paint for aluminum metal shelf
A AutoStrada	1. Hand L = User's Left R = User's Right	
C Cabinet	2. Height	
C HD front, Open interior side	3. Depth 24 = 24" deep 30 = 30" deep 26 = 26.5" deep 32 = 32.5" deep	depth L V1 24" \$ 112 232 26.5" \$ 117 238 30" \$ 122 249 32.5" \$ 128 254
L Left Hand	4. Shelf option for open interior side 42" h do not have shelf options 49" h have shelf option 64" h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$255 325 26.5" \$263 336 30" \$275 353 32.5" \$283 363
E Extruded Aluminum Pull	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	depth AA or paint 24" \$321 26.5" \$342 30" \$372 32.5" \$393
D Drilled to anchor	6. Drill option applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	42" h - 42" h to below trim, 43.2" h overall 49" h - 49" h to below trim, 50.2" h overall Product on this page will accept wood grain laminate where laminate is currently an option.
V316 Finish, Maple	7. Finish Laminate, V1, V2 or V3 finish	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
AA Finish, trim & pull, anodized aluminum	8. Finish, Aluminum trim (trim M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed. Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected. Cabinets drilled for locks, keying instructions must accompany order. See page 7 for finish options applicable.

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, Hinged Door front, open side	left	49"	19"	24"	ACDL4924 () () () ()	\$2,997.	\$4,719.	\$4,916.	\$6,391.
		49"	19"	26.5"	ACDL4926 () () () ()	3,110.	4,853.	5,087.	6,609.
		49"	19"	30"	ACDL4930 () () () ()	3,229.	4,990.	5,255.	6,830.
		49"	19"	32.5"	ACDL4932 () () () ()	3,344.	5,123.	5,420.	7,050.
	right	49"	19"	24"	ACDR4924 () () () ()	2,997.	4,719.	4,916.	6,391.
		49"	19"	26.5"	ACDR4926 () () () ()	3,110.	4,853.	5,087.	6,609.
		49"	19"	30"	ACDR4930 () () () ()	3,229.	4,990.	5,255.	6,830.
		49"	19"	32.5"	ACDR4932 () () () ()	3,344.	5,123.	5,420.	7,050.



left hand shown, shelf aligns with
worksurface at 28 1/4" h overall, or 27" h to
underside

Order Code	Specification Information	Application Notes
Example: ACCL4924NEDV316AA	To order please specify pattern number including:	*Upcharge applicable as follows for ACC(L/R)49 units on this page: For option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; option M upcharge under AA or paint for aluminum metal shelf
A AutoStrada	1. Hand L = User's Left R = User's Right	
C Cabinet	2. Height	
C HD front, Open interior side	3. Depth 24 = 24" deep 30 = 30" deep 26 = 26.5" deep 32 = 32.5" deep	depth L V1 24" \$ 112 232 26.5" \$ 117 238 30" \$ 122 249 32.5" \$ 128 254
L Left Hand	4. Shelf option for open interior side 42" h do not have shelf options 49" h have shelf option 64" h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$255 325 26.5" \$263 336 30" \$275 353 32.5" \$283 363
E Extruded Aluminum Pull	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	depth AA or paint 24" \$321 26.5" \$342 30" \$372 32.5" \$393
D Drilled to anchor	6. Drill option applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	42" h - 42" h to below trim, 43.2" h overall 49" h - 49" h to below trim, 50.2" h overall Product on this page will accept wood grain laminate where laminate is currently an option.
V316 Finish, Maple	7. Finish Laminate, V1, V2 or V3 finish	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
AA Finish, trim & pull, anodized aluminum	8. Finish, Aluminum trim (trim M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 168. 24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed. Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected. Cabinets drilled for locks, keying instructions must accompany order. See page 7 for finish options applicable.


3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, wardrobe and BBF front, open interior side 	42"	24"	24"	ACWJ(L/R)4224() () () ()	\$4,670.	\$7,371.	\$7,379.	\$9,595.
	42"	24"	26.5"	ACWJ(L/R)4226() () () ()	4,844.	7,584.	7,632.	9,929.
	42"	24"	30"	ACWJ(L/R)4230() () () ()	5,030.	7,793.	7,882.	10,261.
	42"	24"	32.5"	ACWJ(L/R)4232() () () ()	5,205.	8,006.	8,141.	10,585.
	49"	24"	24"	ACWJ(L/R)4924() () () ()	4,752.	7,505.	7,517.	9,772.
	49"	24"	26.5"	ACWJ(L/R)4926() () () ()	4,935.	7,720.	7,775.	10,115.
	49"	24"	30"	ACWJ(L/R)4930() () () ()	5,121.	7,937.	8,027.	10,448.
	49"	24"	32.5"	ACWJ(L/R)4932() () () ()	5,298.	8,153.	8,289.	10,781.
	64"	24"	24"	ACWJ(L/R)6424() () () ()	4,841.	7,639.	7,731.	10,101.
	64"	24"	26.5"	ACWJ(L/R)6426() () () ()	5,030.	7,855.	7,998.	10,455.
	64"	24"	30"	ACWJ(L/R)6430() () () ()	5,215.	8,076.	8,259.	10,801.
	64"	24"	32.5"	ACWJ(L/R)6432() () () ()	5,399.	8,293.	8,525.	11,144.

64"h left hand shown, shelf aligns with worksurface at 28 1/4" overall, or 27"h to underside

Order Code	Specification Information	Application Notes
Example: ACWJL4924NEDWV316AA	To order please specify pattern number including:	*Upcharge applicable as follows 49"h and 64"h only: Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case
A AutoStrada	1. Hand L = User's Left R = User's Right	depth L V1 24" \$112 232
C Cabinet	2. Height	26.5" \$117 238
WJ Wardrobe/ BBF Front, Side Open	3. Depth 24 = 24" deep 26 = 26.5" deep 30 = 30" deep 32 = 32.5" deep	30" \$122 249 32.5" \$128 254
L Left Hand	4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$255 325 26.5" \$263 336 30" \$275 353 32.5" \$283 363
49 49" high		49" and 64"h: Option M upcharge under AA or paint for aluminum metal shelf
24 24" deep		depth AA or paint 24" \$321
N No Shelf		26.5" \$342
E Extruded Aluminum Pull		30" \$372
D Drilled to anchor		32.5" \$393
W Wood interior	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	Product on this page will accept wood grain laminate where laminate is currently an option.
V316 Finish, Maple	6. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	Specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring median or bridge units of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
AA Finish, trim & pull, anodized aluminum	7. Interior W = wood drawer interior M = metal drawer interior, deduct \$100 list	Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.
	8. Finish Laminate, V1, V2 or V3 finish	Cabinets drilled for locks, keying instructions must accompany order.
	9. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	See page 7 for finish options applicable.

3rd and 4th digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	h	w	d	pattern no.	L	V1	V2	V3
 64"h left hand shown, shelf aligns with worksurface at 28 1/4" overall, or 27"h to underside	42"	24"	24"	ACWK(L/R)4224() () () ()	\$4,148.	\$6,592.	\$6,699.	\$8,712.
	42"	24"	26.5"	ACWK(L/R)4226() () () ()	4,306.	6,781.	6,928.	9,014.
	42"	24"	30"	ACWK(L/R)4230() () () ()	4,468.	6,974.	7,160.	9,309.
	42"	24"	32.5"	ACWK(L/R)4232() () () ()	4,625.	7,161.	7,386.	9,606.
	49"	24"	24"	ACWK(L/R)4924() () () () ()	4,233.	6,731.	6,838.	8,885.
	49"	24"	26.5"	ACWK(L/R)4926() () () () ()	4,394.	6,924.	7,070.	9,194.
	49"	24"	30"	ACWK(L/R)4930() () () () ()	4,558.	7,115.	7,304.	9,497.
	49"	24"	32.5"	ACWK(L/R)4932() () () () ()	4,720.	7,307.	7,536.	9,805.
	64"	24"	24"	ACWK(L/R)6424() () () () ()	4,323.	6,860.	7,050.	9,218.
	64"	24"	26.5"	ACWK(L/R)6426() () () () ()	4,486.	7,057.	7,291.	9,537.
	64"	24"	30"	ACWK(L/R)6430() () () () ()	4,654.	7,252.	7,532.	9,851.
	64"	24"	32.5"	ACWK(L/R)6432() () () () ()	4,821.	7,448.	7,774.	10,166.

Order Code	Specification Information	Application Notes
Example: ACWKL4924NEDWV316AA	To order please specify pattern number including:	*Upcharge applicable as follows 49"h and 64"h only: Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case
A AutoStrada	1. Hand L = User's Left R = User's Right	depth L V1 24" \$112 232
C Cabinet	2. Height	26.5" \$117 238
WK Wardrobe/FF front, side open	3. Depth 24 = 24" deep 26 = 26.5" deep 30 = 30" deep 32 = 32.5" deep	30" \$122 249 32.5" \$128 254
L Left Hand	4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$255 325 26.5" \$263 336 30" \$275 353 32.5" \$283 363
49 49" high		49" and 64"h: Option M upcharge under AA or paint for aluminum metal shelf
24 24" deep		depth AA or paint 24" \$321
N No Shelf		26.5" \$342
E Extruded Aluminum Pull		30" \$372
D Drilled to anchor		32.5" \$393
W Wood interior		Specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring median or bridge units of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
V316 Finish, Maple		Product on this page will accept wood grain laminate where laminate is currently an option.
AA Finish, trim & pull, anodized aluminum		
	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	
	6. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	
	7. Interior W = wood drawer interior M = metal drawer interior, deduct \$100 list	
	8. Finish Laminate, V1, V2 or V3 finish	
	9. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	

3rd and 4th digit in pattern number indicates storage configuration, see individual pattern groups above for description.


When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 168.

24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed.

Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.

Cabinets drilled for locks, keying instructions must accompany order.


See page 7 for finish options applicable.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF lower front, open interior back 	49"h left	49"	24"	19"	ACEL4924 () () () ()	\$3,270.	\$5,143.	\$5,263.	\$6,844.
		49"	26.5"	19"	ACEL4926 () () () ()	3,396.	5,289.	5,445.	7,079.
		49"	30"	19"	ACEL4930 () () () ()	3,522.	5,437.	5,626.	7,311.
		49"	32.5"	19"	ACEL4932 () () () ()	3,642.	5,585.	5,804.	7,546.
	49"h right	49"	24"	19"	ACER4924 () () () ()	3,270.	5,143.	5,263.	6,844.
		49"	26.5"	19"	ACER4926 () () () ()	3,396.	5,289.	5,445.	7,079.
		49"	30"	19"	ACER4930 () () () ()	3,522.	5,437.	5,626.	7,311.
		49"	32.5"	19"	ACER4932 () () () ()	3,642.	5,585.	5,804.	7,546.
	64"h left	64"	24"	19"	ACEL6424 () () () ()	3,596.	5,656.	5,791.	7,527.
		64"	26.5"	19"	ACEL6426 () () () ()	3,733.	5,819.	5,989.	7,784.
		64"	30"	19"	ACEL6430 () () () ()	3,871.	5,978.	6,186.	8,044.
		64"	32.5"	19"	ACEL6432 () () () ()	4,007.	6,141.	6,386.	8,303.
	64"h right	64"	24"	19"	ACER6424 () () () ()	3,596.	5,656.	5,791.	7,527.
		64"	26.5"	19"	ACER6426 () () () ()	3,733.	5,819.	5,989.	7,784.

left hand shown, shelf aligns with work surface at 28 1/4" h overall, or 27" h to underside


Order Code	Specification Information	Application Notes																																													
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.																																													
A AutoStrada																																															
C Cabinet																																															
E File/File lower front, Interior back open shelf		Product on this page will accept wood grain laminate where laminate is currently an option.																																													
L Left Hand																																															
49 49" high																																															
24 24" deep																																															
S w/shelf to match cabinet case																																															
E Extruded Aluminum Pull																																															
W Wood interior																																															
V316 Finish, Maple																																															
AA Finish, trim & pull, anodized aluminum																																															
	3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description. 1. Hand L = User's Left R = User's Right 2. Height 49 = 49" h (for use with medians, bridges or panels, 49" h to below trim, 50.2" h overall) 64 = 64" h (for use with panels 64" h to below trim, 65.2" h overall) 3. Depth 24 = 24" deep (use with 26.5" d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5" d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels) 4. Shelf option for open interior side 42" h do not have shelf options 49" h have shelf option 64" h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable) 5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull 6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior M = metal drawer interior, deduct \$100 list 7. Finish Laminate, V1, V2 or V3 finish 8. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required. 64" h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49" h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49" h and 64" h cabinets. <table> <tr> <td>depth</td><td>L</td><td>V1</td></tr> <tr> <td>24"</td><td>\$112</td><td>232</td></tr> <tr> <td>26.5"</td><td>\$117</td><td>238</td></tr> <tr> <td>30"</td><td>\$122</td><td>249</td></tr> <tr> <td>32.5"</td><td>\$128</td><td>254</td></tr> <tr> <td>depth</td><td>V2</td><td>V3</td></tr> <tr> <td>24"</td><td>\$255</td><td>325</td></tr> <tr> <td>26.5"</td><td>\$263</td><td>336</td></tr> <tr> <td>30"</td><td>\$275</td><td>353</td></tr> <tr> <td>32.5"</td><td>\$283</td><td>363</td></tr> <tr> <td>depth</td><td>AA or paint</td><td></td></tr> <tr> <td>24"</td><td>\$321</td><td></td></tr> <tr> <td>26.5"</td><td>\$342</td><td></td></tr> <tr> <td>30"</td><td>\$372</td><td></td></tr> <tr> <td>32.5"</td><td>\$393</td><td></td></tr> </table>	depth	L	V1	24"	\$112	232	26.5"	\$117	238	30"	\$122	249	32.5"	\$128	254	depth	V2	V3	24"	\$255	325	26.5"	\$263	336	30"	\$275	353	32.5"	\$283	363	depth	AA or paint		24"	\$321		26.5"	\$342		30"	\$372		32.5"	\$393		When planning with medians and bridges (single station or clusters of stations) specify 49" h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinets with front and back access not to be used in freestanding applications. Cabinet to panel attachment brackets required, see page 168. Cabinets include angle bracket to side support work surfaces. Cabinets drilled for locks, keying instructions must accompany order. File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
depth	L	V1																																													
24"	\$112	232																																													
26.5"	\$117	238																																													
30"	\$122	249																																													
32.5"	\$128	254																																													
depth	V2	V3																																													
24"	\$255	325																																													
26.5"	\$263	336																																													
30"	\$275	353																																													
32.5"	\$283	363																																													
depth	AA or paint																																														
24"	\$321																																														
26.5"	\$342																																														
30"	\$372																																														
32.5"	\$393																																														

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF lower front, open interior back	64"h right	64"	30"	19"	ACER6430 (X)(X)(X)(X)	\$3,871.	\$5,978.	\$6,186.	\$8,044.
		64"	32.5"	19"	ACER6432 (X)(X)(X)(X)	4,007.	6,141.	6,386.	8,303.



left hand shown, shelf aligns with
worksurface at 28 1/4"h overall, or 27"h to
underside

Order Code	Specification Information	Application Notes																																													
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.																																													
A AutoStrada																																															
C Cabinet																																															
E File/File lower front, Interior back open shelf		Product on this page will accept wood grain laminate where laminate is currently an option.																																													
L Left Hand																																															
49 49" high																																															
24 24" deep																																															
S w/shelf to match cabinet case																																															
E Extruded Aluminum Pull																																															
W Wood interior																																															
V316 Finish, Maple																																															
AA Finish, trim & pull, anodized aluminum																																															
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.	1. Hand L = User's Left R = User's Right 2. Height 49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall) 64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall) 3. Depth 24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels) 4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable) 5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull 6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior M = metal drawer interior, deduct \$100 list 7. Finish Laminate, V1, V2 or V3 finish 8. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required. 64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets. <table> <tr> <td>depth</td><td>L</td><td>V1</td></tr> <tr> <td>24"</td><td>\$ 112</td><td>232</td></tr> <tr> <td>26.5"</td><td>\$117</td><td>238</td></tr> <tr> <td>30"</td><td>\$122</td><td>249</td></tr> <tr> <td>32.5"</td><td>\$128</td><td>254</td></tr> <tr> <td>depth</td><td>V2</td><td>V3</td></tr> <tr> <td>24"</td><td>\$255</td><td>325</td></tr> <tr> <td>26.5"</td><td>\$263</td><td>336</td></tr> <tr> <td>30"</td><td>\$275</td><td>353</td></tr> <tr> <td>32.5"</td><td>\$283</td><td>363</td></tr> <tr> <td>depth</td><td>AA or paint</td><td></td></tr> <tr> <td>24"</td><td>\$321</td><td></td></tr> <tr> <td>26.5"</td><td>\$342</td><td></td></tr> <tr> <td>30"</td><td>\$372</td><td></td></tr> <tr> <td>32.5"</td><td>\$393</td><td></td></tr> </table>	depth	L	V1	24"	\$ 112	232	26.5"	\$117	238	30"	\$122	249	32.5"	\$128	254	depth	V2	V3	24"	\$255	325	26.5"	\$263	336	30"	\$275	353	32.5"	\$283	363	depth	AA or paint		24"	\$321		26.5"	\$342		30"	\$372		32.5"	\$393		When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinets with front and back access not to be used in freestanding applications. Cabinet to panel attachment brackets required, see page 168. Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order. File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
depth	L	V1																																													
24"	\$ 112	232																																													
26.5"	\$117	238																																													
30"	\$122	249																																													
32.5"	\$128	254																																													
depth	V2	V3																																													
24"	\$255	325																																													
26.5"	\$263	336																																													
30"	\$275	353																																													
32.5"	\$283	363																																													
depth	AA or paint																																														
24"	\$321																																														
26.5"	\$342																																														
30"	\$372																																														
32.5"	\$393																																														

description	hand	h	w	d	pattern no.	L	V1	V2	V3
 left hand shown, shelf aligns with work surface at 28 1/4" h overall, or 27" h to underside	49"h left	49"	24"	19"	ACFL4924() () ()	\$2,895.	\$4,464.	\$4,742.	\$6,166.
		49"	26.5"	19"	ACFL4926() () ()	3,004.	4,589.	4,907.	6,377.
		49"	30"	19"	ACFL4930() () ()	3,113.	4,716.	5,069.	6,587.
		49"	32.5"	19"	ACFL4932() () ()	3,226.	4,847.	5,233.	6,800.
	49"h right	49"	24"	19"	ACFR4924() () ()	2,895.	4,464.	4,742.	6,166.
		49"	26.5"	19"	ACFR4926() () ()	3,004.	4,589.	4,907.	6,377.
		49"	30"	19"	ACFR4930() () ()	3,113.	4,716.	5,069.	6,587.
		49"	32.5"	19"	ACFR4932() () ()	3,226.	4,847.	5,233.	6,800.
	64"h left	64"	24"	19"	ACFL6424() () ()	3,183.	4,910.	5,215.	6,778.
		64"	26.5"	19"	ACFL6426() () ()	3,303.	5,047.	5,395.	7,014.
		64"	30"	19"	ACFL6430() () ()	3,427.	5,190.	5,571.	7,248.
		64"	32.5"	19"	ACFL6432() () ()	3,546.	5,330.	5,756.	7,478.
	64"h right	64"	24"	19"	ACFR6424() () ()	3,183.	4,910.	5,215.	6,778.
		64"	26.5"	19"	ACFR6426() () ()	3,303.	5,047.	5,395.	7,014.

Order Code

Example:	ACEL4924SEWV316AA
A	AutoStrada
C	Cabinet
E	File/File lower front, Interior back open shelf
L	Left Hand
49	49" high
24	24" deep
S	w/shelf to match cabinet case
E	Extruded Aluminum Pull
W	Wood interior
V316	Finish, Maple
AA	Finish, trim & pull, anodized aluminum

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

Specification Information

To order please specify pattern number including:

- Hand
L = User's Left
R = User's Right
- Height
49 = 49" h (for use with medians, bridges or panels, 49" h to below trim, 50.2" h overall)
64 = 64" h (for use with panels 64" h to below trim, 65.2" h overall)
- Depth
24 = 24" deep (use with 26.5" d unit for side by side cabinet application with panels)
30 = 30" deep (use with 32.5" d unit for side by side cabinet application with panels)
26 = 26.5" deep (use with medians, bridges & panels)
32 = 32.5" deep (use with medians, bridges & panels)
- Shelf option for open interior side
42" h do not have shelf options
49" h have shelf option
64" h do not have "no" shelf option, shelf included
N = No shelf
S = Shelf to match case *
M = Two piece extruded aluminum metal shelf assembly *
(*upcharge applicable)
- Pull
E = extruded aluminum pull
P = extruded aluminum protruding pull

- Drawer Interior
applicable ACE(L/R) and ACI(L/R) only
W = wood interior
M = metal drawer interior, deduct \$100 list
- Finish
Laminate, V1, V2 or V3 finish
- Finish, Aluminum trim (trim, M shelf option & pull)
AA - Anodized aluminum or painted finish option from page 7 excluding silver

Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.

64" h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49" h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49" h and 64" h cabinets.

depth	L	V1
24"	\$ 112	232
26.5"	\$117	238
30"	\$122	249
32.5"	\$128	254
depth	V2	V3
24"	\$255	325
26.5"	\$263	336
30"	\$275	353
32.5"	\$283	363
depth	AA or paint	
24"	\$321	
26.5"	\$342	
30"	\$372	
32.5"	\$393	

Application Notes

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

When planning with medians and bridges (single station or clusters of stations) specify 49" h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.

When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.


Cabinets with front and back access not to be used in freestanding applications.

Cabinet to panel attachment brackets required, see page 168.

Cabinets include angle bracket to side support work surfaces. Cabinets drilled for locks, keying instructions must accompany order.

File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, HD lower front, open interior back	64"h right	64"	30"	19"	ACFR6430 () () ()	\$3,427.	\$5,190.	\$5,571.	\$7,248.
		64"	32.5"	19"	ACFR6432 () () ()	3,546.	5,330.	5,756.	7,478.



left hand shown, shelf aligns with
work surface at 28 1/4" h overall, or 27" h to
underside

Order Code	Specification Information	Application Notes																																													
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.																																													
A AutoStrada																																															
C Cabinet																																															
E File/File lower front, Interior back open shelf		Product on this page will accept wood grain laminate where laminate is currently an option.																																													
L Left Hand																																															
49 49" high																																															
24 24" deep																																															
S w/shelf to match cabinet case																																															
E Extruded Aluminum Pull																																															
W Wood interior																																															
V316 Finish, Maple																																															
AA Finish, trim & pull, anodized aluminum																																															
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.	1. Hand L = User's Left R = User's Right 2. Height 49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall) 64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall) 3. Depth 24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels) 4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable) 5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull 6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior M = metal drawer interior, deduct \$100 list 7. Finish Laminate, V1, V2 or V3 finish 8. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required. 64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets. <table> <tr> <td>depth</td><td>L</td><td>V1</td></tr> <tr> <td>24"</td><td>\$ 112</td><td>232</td></tr> <tr> <td>26.5"</td><td>\$117</td><td>238</td></tr> <tr> <td>30"</td><td>\$122</td><td>249</td></tr> <tr> <td>32.5"</td><td>\$128</td><td>254</td></tr> <tr> <td>depth</td><td>V2</td><td>V3</td></tr> <tr> <td>24"</td><td>\$255</td><td>325</td></tr> <tr> <td>26.5"</td><td>\$263</td><td>336</td></tr> <tr> <td>30"</td><td>\$275</td><td>353</td></tr> <tr> <td>32.5"</td><td>\$283</td><td>363</td></tr> <tr> <td>depth</td><td>AA or paint</td><td></td></tr> <tr> <td>24"</td><td>\$321</td><td></td></tr> <tr> <td>26.5"</td><td>\$342</td><td></td></tr> <tr> <td>30"</td><td>\$372</td><td></td></tr> <tr> <td>32.5"</td><td>\$393</td><td></td></tr> </table>	depth	L	V1	24"	\$ 112	232	26.5"	\$117	238	30"	\$122	249	32.5"	\$128	254	depth	V2	V3	24"	\$255	325	26.5"	\$263	336	30"	\$275	353	32.5"	\$283	363	depth	AA or paint		24"	\$321		26.5"	\$342		30"	\$372		32.5"	\$393		When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinets with front and back access not to be used in freestanding applications. Cabinet to panel attachment brackets required, see page 168. Cabinets include angle bracket to side support work surfaces. Cabinets drilled for locks, keying instructions must accompany order. File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
depth	L	V1																																													
24"	\$ 112	232																																													
26.5"	\$117	238																																													
30"	\$122	249																																													
32.5"	\$128	254																																													
depth	V2	V3																																													
24"	\$255	325																																													
26.5"	\$263	336																																													
30"	\$275	353																																													
32.5"	\$283	363																																													
depth	AA or paint																																														
24"	\$321																																														
26.5"	\$342																																														
30"	\$372																																														
32.5"	\$393																																														

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 49"h Personal wardrobe and storage	left	49"	30"	19"	ACIL4930() () ()	\$4,650.	\$7,216.	\$7,370.	\$9,517.
		49"	32.5"	19"	ACIL4932() () ()	4,912.	7,536.	7,747.	10,016.
	right	49"	30"	19"	ACIR4930() () ()	4,650.	7,216.	7,370.	9,517.
		49"	32.5"	19"	ACIR4932() () ()	4,912.	7,536.	7,747.	10,016.



left hand shown, attach perpendicular to panel at back right side

Left hand = wardrobe on left front side

Right hand = wardrobe on right front side

wardrobe includes coat rod


supports worksurface on back side at 28 1/4" overall or 27"h to underside of worksurface

49"h I style cabinets do not have shelf above box drawer on back side access

File drawers (front side) do not accommodate side to side legal filing

Order Code	Specification Information	Application Notes																																													
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.																																													
A AutoStrada																																															
C Cabinet																																															
E File/File lower front, Interior back open shelf		Product on this page will accept wood grain laminate where laminate is currently an option.																																													
L Left Hand																																															
49 49" high																																															
24 24" deep																																															
S w/shelf to match cabinet case																																															
E Extruded Aluminum Pull																																															
W Wood interior																																															
V316 Finish, Maple																																															
AA Finish, trim & pull, anodized aluminum																																															
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.	1. Hand L = User's Left R = User's Right 2. Height 49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall) 64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall) 3. Depth 24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels) 4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable) 5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull 6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior M = metal drawer interior, deduct \$100 list 7. Finish Laminate, V1, V2 or V3 finish 8. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required. 64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets. <table> <tr> <td>depth</td><td>L</td><td>V1</td></tr> <tr> <td>24"</td><td>\$ 112</td><td>232</td></tr> <tr> <td>26.5"</td><td>\$117</td><td>238</td></tr> <tr> <td>30"</td><td>\$122</td><td>249</td></tr> <tr> <td>32.5"</td><td>\$128</td><td>254</td></tr> <tr> <td>depth</td><td>V2</td><td>V3</td></tr> <tr> <td>24"</td><td>\$255</td><td>325</td></tr> <tr> <td>26.5"</td><td>\$263</td><td>336</td></tr> <tr> <td>30"</td><td>\$275</td><td>353</td></tr> <tr> <td>32.5"</td><td>\$283</td><td>363</td></tr> <tr> <td>depth</td><td>AA or paint</td><td></td></tr> <tr> <td>24"</td><td>\$321</td><td></td></tr> <tr> <td>26.5"</td><td>\$342</td><td></td></tr> <tr> <td>30"</td><td>\$372</td><td></td></tr> <tr> <td>32.5"</td><td>\$393</td><td></td></tr> </table>	depth	L	V1	24"	\$ 112	232	26.5"	\$117	238	30"	\$122	249	32.5"	\$128	254	depth	V2	V3	24"	\$255	325	26.5"	\$263	336	30"	\$275	353	32.5"	\$283	363	depth	AA or paint		24"	\$321		26.5"	\$342		30"	\$372		32.5"	\$393		When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinets with front and back access not to be used in freestanding applications. Cabinet to panel attachment brackets required, see page 168. Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order. File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
depth	L	V1																																													
24"	\$ 112	232																																													
26.5"	\$117	238																																													
30"	\$122	249																																													
32.5"	\$128	254																																													
depth	V2	V3																																													
24"	\$255	325																																													
26.5"	\$263	336																																													
30"	\$275	353																																													
32.5"	\$283	363																																													
depth	AA or paint																																														
24"	\$321																																														
26.5"	\$342																																														
30"	\$372																																														
32.5"	\$393																																														

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 64"h Personal wardrobe and storage	left	64"	30"	19"	ACIL6430 () () () ()	\$4,667.	\$7,272.	\$7,487.	\$9,732.
		64"	32.5"	19"	ACIL6432 () () () ()	5,011.	7,678.	7,983.	10,376.
	right	64"	30"	19"	ACIR6430 () () () ()	4,667.	7,272.	7,487.	9,732.
		64"	32.5"	19"	ACIR6432 () () () ()	5,011.	7,678.	7,983.	10,376.



left hand shown, attach perpendicular to panel at back right side

Left hand = wardrobe on left front side

Right hand = wardrobe on right front side


supports worksurface on back side at 28 1/4" overall, 27"h to underside of worksurface

wardrobe includes coat rod


File drawers (front side) do not accommodate side to side legal filing

Order Code	Specification Information	Application Notes																																													
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.																																													
A AutoStrada																																															
C Cabinet																																															
E File/File lower front, Interior back open shelf		Product on this page will accept wood grain laminate where laminate is currently an option.																																													
L Left Hand																																															
49 49" high																																															
24 24" deep																																															
S w/shelf to match cabinet case																																															
E Extruded Aluminum Pull																																															
W Wood interior																																															
V316 Finish, Maple																																															
AA Finish, trim & pull, anodized aluminum																																															
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.	1. Hand L = User's Left R = User's Right 2. Height 49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall) 64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall) 3. Depth 24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels) 4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable) 5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull 6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior M = metal drawer interior, deduct \$100 list 7. Finish Laminate, V1, V2 or V3 finish 8. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required. 64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets. <table> <tr> <td>depth</td><td>L</td><td>V1</td></tr> <tr> <td>24"</td><td>\$ 112</td><td>232</td></tr> <tr> <td>26.5"</td><td>\$117</td><td>238</td></tr> <tr> <td>30"</td><td>\$122</td><td>249</td></tr> <tr> <td>32.5"</td><td>\$128</td><td>254</td></tr> <tr> <td>depth</td><td>V2</td><td>V3</td></tr> <tr> <td>24"</td><td>\$255</td><td>325</td></tr> <tr> <td>26.5"</td><td>\$263</td><td>336</td></tr> <tr> <td>30"</td><td>\$275</td><td>353</td></tr> <tr> <td>32.5"</td><td>\$283</td><td>363</td></tr> <tr> <td>depth</td><td>AA or paint</td><td></td></tr> <tr> <td>24"</td><td>\$321</td><td></td></tr> <tr> <td>26.5"</td><td>\$342</td><td></td></tr> <tr> <td>30"</td><td>\$372</td><td></td></tr> <tr> <td>32.5"</td><td>\$393</td><td></td></tr> </table>	depth	L	V1	24"	\$ 112	232	26.5"	\$117	238	30"	\$122	249	32.5"	\$128	254	depth	V2	V3	24"	\$255	325	26.5"	\$263	336	30"	\$275	353	32.5"	\$283	363	depth	AA or paint		24"	\$321		26.5"	\$342		30"	\$372		32.5"	\$393		When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinets with front and back access not to be used in freestanding applications. Cabinet to panel attachment brackets required, see page 168. Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order. File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
depth	L	V1																																													
24"	\$ 112	232																																													
26.5"	\$117	238																																													
30"	\$122	249																																													
32.5"	\$128	254																																													
depth	V2	V3																																													
24"	\$255	325																																													
26.5"	\$263	336																																													
30"	\$275	353																																													
32.5"	\$283	363																																													
depth	AA or paint																																														
24"	\$321																																														
26.5"	\$342																																														
30"	\$372																																														
32.5"	\$393																																														

</



Storage anchored cabinet, FFF and HD above (64"h)	left	64"	24"	19"	ACGL6424() () () ()	3,892.	5,993.	6,099.	7,930.
		64"	26.5"	19"	ACGL6426() () () ()	3,960.	6,083.	6,256.	8,133.
		64"	30"	19"	ACGL6430() () () ()	4,028.	6,170.	6,413.	8,334.
		64"	32.5"	19"	ACGL6432() () () ()	4,093.	6,259.	6,571.	8,538.
	right	64"	24"	19"	ACGR6424() () () ()	3,892.	5,993.	6,099.	7,930.
		64"	26.5"	19"	ACGR6426() () () ()	3,960.	6,083.	6,256.	8,133.
		64"	30"	19"	ACGR6430() () () ()	4,028.	6,170.	6,413.	8,334.
		64"	32.5"	19"	ACGR6432() () () ()	4,093.	6,259.	6,571.	8,538.




64"h includes adjustable shelf behind hinged doors, doors must be removed to adjust shelf


Order Code	Specification Information	Application Notes
Example: ACGL4924EDWV316AA	To order please specify pattern number including:	
A AutoStrada	1. Hand (applicable for personal wardrobe & storage units only) L = wardrobe on left R = wardrobe on right	6. Interior option W = wood drawer interior M = metal drawer interior, deduct \$200 list
C Cabinet	2. Height 49 = 49" h (where applicable, 49" h to below trim, 50.2" h overall) 64 = 64" h (64" h to below trim, 65.2" h overall)	7. Finish Laminate, V1, V2 or V3 finish
G File drawers w/Hinged doors above	3. Depth 24 = 24" deep (use with one 26.5" d for side by side or freestanding) 30 = 30" deep (use with one 32.5" d for side by side or freestanding) 26 = 26.5" deep (use with panels) 32 = 32.5" deep (use with panels)	8. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum two piece assembly)
L Left Hand	4. Pull (where applicable) E = Extruded aluminum pull P = Extruded aluminum protruding pull	9. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver
49 49" high	5. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel F = no drill, freestanding	Hinged doors above feature touch latches and do not lock.
24 24" deep		File drawers are drilled for locks, keying instructions must accompany order.
E Extruded Aluminum Pull		Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet except when drill option "F" for freestanding selected.
D Drilled to anchor		
W Wood interior		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.		

Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.
Product on this page will accept wood grain laminate where laminate is currently an option.
When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.
Cabinet to panel attachment brackets required, see page 168

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 49"h bookcase w/metal shelves 	left	49"	24"	19"	ACHL4924M () () ()	\$2,312.	\$3,491.	\$3,626.	\$4,355.
		49"	26.5"	19"	ACHL4926M () () ()	2,410.	3,634.	3,777.	4,530.
		49"	30"	19"	ACHL4930M () () ()	2,503.	3,776.	3,923.	4,710.
		49"	32.5"	19"	ACHL4932M () () ()	2,597.	3,920.	4,070.	4,888.
	right	49"	24"	19"	ACHR4924M () () ()	2,312.	3,491.	3,626.	4,355.
		49"	26.5"	19"	ACHR4926M () () ()	2,410.	3,634.	3,777.	4,530.
		49"	30"	19"	ACHR4930M () () ()	2,503.	3,776.	3,923.	4,710.
		49"	32.5"	19"	ACHR4932M () () ()	2,597.	3,920.	4,070.	4,888.

left hand shown


Storage anchored cabinet, 64"h bookcase w/metal shelves 	left	64"	24"	19"	ACHL6424M () () ()	2,431.	3,672.	3,809.	4,570.
		64"	26.5"	19"	ACHL6426M () () ()	2,531.	3,817.	3,962.	4,754.
		64"	30"	19"	ACHL6430M () () ()	2,629.	3,965.	4,118.	4,941.
		64"	32.5"	19"	ACHL6432M () () ()	2,729.	4,115.	4,275.	5,129.
	right	64"	24"	19"	ACHR6424M () () ()	2,431.	3,672.	3,809.	4,570.
		64"	26.5"	19"	ACHR6426M () () ()	2,531.	3,817.	3,962.	4,754.
		64"	30"	19"	ACHR6430M () () ()	2,629.	3,965.	4,118.	4,941.
		64"	32.5"	19"	ACHR6432M () () ()	2,729.	4,115.	4,275.	5,129.

left hand shown

Order Code	Specification Information	Application Notes
Example: ACGL4924EDWV316AA	To order please specify pattern number including:	Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.
A AutoStrada C Cabinet G File drawers w/Hinged doors above L Left Hand 49 49" high 24 24" deep E Extruded Aluminum Pull D Drilled to anchor W Wood interior V316 Finish, Maple AA Finish, trim & pull, anodized aluminum	1. Hand <i>(applicable for personal wardrobe & storage units only)</i> <i>L = wardrobe on left</i> <i>R = wardrobe on right</i> 2. Height <i>49 = 49"h (where applicable, 49"h to below trim, 50.2"h overall)</i> <i>64 = 64"h (64"h to below trim, 65.2"h overall)</i> 3. Depth <i>24 = 24" deep (use with one 26.5"d for side by side or freestanding)</i> <i>30 = 30" deep (use with one 32.5"d for side by side or freestanding)</i> <i>26 = 26.5" deep (use with panels)</i> <i>32 = 32.5" deep (use with panels)</i> 4. Pull (where applicable) <i>E = Extruded aluminum pull</i> <i>P = Extruded aluminum protruding pull</i> 5. Drill option, applicable only for 24" and 30" deep units <i>D = drilled to anchor to panel</i> <i>F = no drill, freestanding</i>	
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.		6. Interior option <i>W = wood drawer interior</i> <i>M = metal drawer interior, deduct \$200 list</i> 7. Finish <i>Laminate, V1, V2 or V3 finish</i> 8. Finish, Metal Shelves (if applicable) <i>(paint finish or anodized aluminum two piece assembly)</i> 9. Finish, Aluminum trim (trim & pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i> Hinged doors above feature touch latches and do not lock. File drawers are drilled for locks, keying instructions must accompany order. Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet except when drill option "F" for freestanding selected.
		Product on this page will accept wood grain laminate where laminate is currently an option. When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 30" d deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinet to panel attachment brackets required, see page 168

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 49"h bookcase w/shelves  left hand shown	left	49"	24"	19"	ACHL4924W () ()	\$2,758.	\$4,377.	\$4,499.	\$5,852.
		49"	26.5"	19"	ACHL4926W () ()	2,808.	4,460.	4,579.	5,957.
		49"	30"	19"	ACHL4930W () ()	2,873.	4,559.	4,686.	6,090.
		49"	32.5"	19"	ACHL4932W () ()	2,915.	4,629.	4,753.	6,181.
	right	49"	24"	19"	ACHR4924W () ()	2,758.	4,377.	4,499.	5,852.
		49"	26.5"	19"	ACHR4926W () ()	2,808.	4,460.	4,579.	5,957.
		49"	30"	19"	ACHR4930W () ()	2,873.	4,559.	4,686.	6,090.
		49"	32.5"	19"	ACHR4932W () ()	2,915.	4,629.	4,753.	6,181.
shelves same as case finish									

left hand shown

Storage anchored cabinet, 64"h bookcase w/shelves 	left	64"	24"	19"	ACHL6424W () ()	3,043.	4,831.	4,965.	6,453.
		64"	26.5"	19"	ACHL6426W () ()	3,099.	4,927.	5,061.	6,576.
		64"	30"	19"	ACHL6430W () ()	3,177.	5,049.	5,183.	6,744.
		64"	32.5"	19"	ACHL6432W () ()	3,232.	5,135.	5,276.	6,857.
	right	64"	24"	19"	ACHR6424W () ()	3,043.	4,831.	4,965.	6,453.
		64"	26.5"	19"	ACHR6426W () ()	3,099.	4,927.	5,061.	6,576.
		64"	30"	19"	ACHR6430W () ()	3,177.	5,049.	5,183.	6,744.
		64"	32.5"	19"	ACHR6432W () ()	3,232.	5,135.	5,276.	6,857.
left hand shown									
shelves same as case finish									

left hand shown

Order Code	Specification Information	Application Notes
Example: ACGL4924EDWV316AA	To order please specify pattern number including:	Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.
A AutoStrada	6. Interior option W = wood drawer interior M = metal drawer interior, deduct \$200 list	
C Cabinet	7. Finish Laminate, V1, V2 or V3 finish	Product on this page will accept wood grain laminate where laminate is currently an option.
G File drawers w/Hinged doors above	8. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum two piece assembly)	
L Left Hand	9. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 30" d deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.
49 49" high	Hinged doors above feature touch latches and do not lock.	
24 24" deep	File drawers are drilled for locks, keying instructions must accompany order.	Cabinet to panel attachment brackets required, see page 168
E Extruded Aluminum Pull	Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet except when drill option "F" for freestanding selected.	
D Drilled to anchor		
W Wood interior		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

1. Hand
(applicable for personal wardrobe & storage units only)
L = wardrobe on left
R = wardrobe on right
2. Height
49 = 49"h (where applicable, 49"h to below trim, 50.2"h overall)
64 = 64"h (64"h to below trim, 65.2"h overall)
3. Depth
24 = 24" deep (use with one 26.5"d for side by side or freestanding)
30 = 30" deep (use with one 32.5"d for side by side or freestanding)
26 = 26.5" deep (use with panels)
32 = 32.5" deep (use with panels)
4. Pull (where applicable)
E = Extruded aluminum pull
P = Extruded aluminum protruding pull
5. Drill option, applicable only for 24" and 30" deep units
D = drilled to anchor to panel
F = no drill, freestanding

6. Interior option
W = wood drawer interior
M = metal drawer interior, deduct \$200 list
7. Finish
Laminate, V1, V2 or V3 finish
8. Finish, Metal Shelves (if applicable)
(paint finish or anodized aluminum two piece assembly)
9. Finish, Aluminum trim (trim & pull)
AA - Anodized aluminum or painted finish option from page 7 excluding silver


Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.

Product on this page will accept wood grain laminate where laminate is currently an option.

When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 30" d deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.

Cabinet to panel attachment brackets required, see page 168

description	type	pattern no.	49" h	64" h	list
Bracket kit, cabinet to panel attachment top and bottom connection for single cabinet attachment to panel run		A3CPBS () ()	\$154.	\$163.	



kit includes hookstrip connector (not shown)

Bracket kit, cabinet to panel attachment top and bottom connection for use with two cabinets side by side or back to back attached perpendicular to panel run	left	A3CPBDL () ()	278.	291.
	right	A3CPBDR () ()	278.	291.

Note - one of the two cabinets should be 2.5" wider or deeper (width or depth dimension depending on style of cabinet) than the other



Left hand shown, (kit includes hookstrip
connector not shown)


Order Code	Specification Information	Application Notes
Example: A3CPBS4	To order please specify pattern number including:	Bracket kits for use when attaching storage anchored cabinets to panels; kit includes top and bottom bracket as shown and ships with hookstrip connector. Please be sure to specify height to correspond with cabinet and panel height. When one cabinet perpendicular to panel run, use S bracket; when two cabinets are side by side and perpendicular to panel run, use D bracket.
A3 AutoStrada, generation3	1. Hand (if applicable) <i>L = left hand attachment</i> <i>R = right hand attachment</i>	Brackets are NOT to be used with Reff stacking modules. Only use for cabinet to panel attachment (panel and cabinet at same height) or with cabinet to panel plus window modules (overall at same height).
CPB Cabinet to Panel bracket	2. Hookstrip connector height <i>2 = for 42" h cabinet to panel connection</i> <i>4 = for 49" h cabinet to panel connection</i> <i>6 = for 64" h cabinet to panel connection</i>	Painted finish 613 used when AA trim finish specified.
S Single	3. Finish <i>Painted finish options only from page 7</i>	
4 With 49" h hookstrip connector		
() Finish		

description	type	d	pattern no.	list
Worksurface to cabinet trim		24"	AWTCT24 ()	\$116.
		30"	AWTCT30 ()	130.
Slatwall end trim, use w/SA "D" cabinets	2 pc trim kit		ATSCD19 ()	151.
Note: for use with ACD style storage anchored cabinets when slatwall adjacent to cabinet				




Order Code	Specification Information	Application Notes
Example: AWTCT24AA	<i>To order please specify pattern number including:</i>	Aluminum spacer optional to fill 1/8" gap at worksurface and storage anchored cabinet connection in AS-2 storage anchored panel based planning. Trim piece installed at worksurface level and rests on side support bracket to cabinet.
A	AutoStrada	
W	Worksurface	
TC	to Cabinet	
T	Trim	
24	24" d worksurface	
AA	Finish, anodized aluminum	



description	type	h	w	d	pattern no.	L	V1	V2	V3
File drawers (2) with open wood shelves above		70"	30"	24"	ACJ722WE () ()	\$3,898.	\$5,959.	\$6,253.	\$8,126.
		70"	36"	24"	ACJ723WE () ()	4,013.	6,137.	6,440.	8,371.



File drawers (3) with open wood shelves above		84"	30"	24"	ACJ822WE () ()	4,561.	6,970.	7,313.	9,510.
		84"	36"	24"	ACJ823WE () ()	4,697.	7,179.	7,533.	9,795.



Order Code	Specification Information	Application Notes	
Example: ACKL722WEV316AAAA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Hand <i>(applicable for units with wardrobes only)</i> <i>L = wardrobe on left</i> <i>R = wardrobe on right</i>	6. Finish <i>Laminate, V1, V2 or V3 finish</i>	Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 180. Specify 70" h cabinets for use with single high overhead storage and 84" h cabinets for use with double high overhead storage.
C Cabinet	2. Height <i>7 = 70" h</i> <i>8 = 84" h</i>	7. Finish, Metal Shelves <i>(if applicable)</i> <i>(paint finish or anodized aluminum three piece assembly)</i>	
K Wardrobe/Open bookcase	3. Width <i>2 = 30" wide</i> <i>3 = 36" wide</i>	8. Finish, Aluminum trim (trim & if pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
L Left Hand	4. Interior & shelf <i>W = wood drawer interior and wood shelves</i> <i>M = wood drawer interior and metal shelves</i>	9. Finish, cabinet feet <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers dilled for locks, keying instructions must accompany order. Coat rod included in wardrobes.
7 70" high	5. Extruded aluminum pull <i>E = extruded aluminum pull (default)</i>	See page 7 for finish options applicable.	
2 24" deep		Product on this page will accept wood grain laminate where laminate is currently an option.	
2 30" wide			
W Wood interior			
E Extruded Aluminum Pull			
V316 Finish, Maple			
AA Finish, trim & pull, anodized aluminum			
AA Finish, cabinet feet, anodized alum			

description	type	h	w	d	pattern no.	L	V1	V2	V3
	metal shelves	70"	30"	24"	ACL722M () () ()	\$3,347.	\$4,825.	\$4,759.	\$6,185.
		70"	36"	24"	ACL723M () () ()	3,539.	5,081.	5,009.	6,514.
		84"	30"	24"	ACL822M () () ()	3,726.	5,335.	5,259.	6,841.
		84"	36"	24"	ACL823M () () ()	3,917.	5,591.	5,514.	7,168.
	wood shelves	70"	30"	24"	ACL722W () () ()	2,680.	3,885.	4,198.	5,455.
		70"	36"	24"	ACL723W () () ()	2,831.	4,088.	4,449.	5,781.
		84"	30"	24"	ACL822W () () ()	2,982.	4,291.	4,699.	6,109.
		84"	36"	24"	ACL823W () () ()	3,136.	4,496.	4,947.	6,433.
	left hand	70"	30"	24"	ACKL722WE () () ()	3,624.	5,536.	5,809.	7,552.
		70"	36"	24"	ACKL723WE () () ()	3,804.	5,811.	6,099.	7,930.
		84"	30"	24"	ACKL822WE () () ()	3,804.	5,811.	6,099.	7,930.
		84"	36"	24"	ACKL823WE () () ()	3,934.	6,011.	6,311.	8,201.
	<i>left hand = wardrobe on left side facing cabinet (1/3rd of width)</i>								
	right hand	70"	30"	24"	ACKR722WE () () ()	3,624.	5,536.	5,809.	7,552.
		70"	36"	24"	ACKR723WE () () ()	3,804.	5,811.	6,099.	7,930.
		84"	30"	24"	ACKR822WE () () ()	3,804.	5,811.	6,099.	7,930.
		84"	36"	24"	ACKR823WE () () ()	3,934.	6,011.	6,311.	8,201.
	<i>right hand = wardrobe on right side facing cabinet (1/3rd of width)</i>								

left hand shown


Order Code	Specification Information	Application Notes
Example: ACKL722WEV316AAAA	<i>To order please specify pattern number including:</i>	
A AutoStrada	1. Hand <i>(applicable for units with wardrobes only)</i> <i>L = wardrobe on left</i> <i>R = wardrobe on right</i>	6. Finish <i>Laminate, V1, V2 or V3 finish</i>
C Cabinet	2. Height <i>7 = 70" h</i> <i>8 = 84" h</i>	7. Finish, Metal Shelves (if applicable) <i>(paint finish or anodized aluminum three piece assembly)</i>
K Wardrobe/Open bookcase	3. Width <i>2 = 30" wide</i> <i>3 = 36" wide</i>	8. Finish, Aluminum trim (trim & if pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
L Left Hand	4. Interior & shelf <i>W = wood drawer interior and wood shelves</i> <i>M = wood drawer interior and metal shelves</i>	9. Finish, cabinet feet <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
7 70" high	5. Extruded aluminum pull <i>E = extruded aluminum pull (default)</i>	See page 7 for finish options applicable.
2 24" deep		Product on this page will accept wood grain laminate where laminate is currently an option.
2 30" wide		
W Wood interior		
E Extruded Aluminum Pull		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		
AA Finish, cabinet feet, anodized alum		

Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 180. Specify 70" h cabinets for use with single high overhead storage and 84" h cabinets for use with double high overhead storage.

Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers dilled for locks, keying instructions must accompany order.


Coat rod included in wardrobes.

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wardrobe w/sliding door open bookcase w/wood shelves	left hand	70"	30"	24"	ACMWL722 () () ()	\$3,848.	\$5,810.	\$6,034.	\$7,845.
		70"	36"	24"	ACMWL723 () () ()	4,040.	6,098.	6,336.	8,238.
		84"	30"	24"	ACMWL822 () () ()	4,161.	6,251.	6,545.	8,507.
		84"	36"	24"	ACMWL823 () () ()	4,360.	6,527.	6,870.	8,931.
	right hand	70"	30"	24"	ACMWR722 () () ()	3,848.	5,810.	6,034.	7,845.
		70"	36"	24"	ACMWR723 () () ()	4,040.	6,098.	6,336.	8,238.
		84"	30"	24"	ACMWR822 () () ()	4,161.	6,251.	6,545.	8,507.
		84"	36"	24"	ACMWR823 () () ()	4,360.	6,527.	6,870.	8,931.



left hand shown

Wardrobe w/sliding door open bookcase w/metal shelves	left hand	70"	30"	24"	ACMML722 () () ()	4,106.	6,122.	6,315.	8,125.
		70"	36"	24"	ACMML723 () () ()	4,329.	6,448.	6,652.	8,553.
		84"	30"	24"	ACMML822 () () ()	4,481.	6,639.	6,895.	8,858.
		84"	36"	24"	ACMML823 () () ()	4,712.	6,954.	7,256.	9,317.
	right hand	70"	30"	24"	ACMMR722 () () ()	4,106.	6,122.	6,315.	8,125.
		70"	36"	24"	ACMMR723 () () ()	4,329.	6,448.	6,652.	8,553.
		84"	30"	24"	ACMMR822 () () ()	4,481.	6,639.	6,895.	8,858.
		84"	36"	24"	ACMMR823 () () ()	4,712.	6,954.	7,256.	9,317.



left hand shown


Order Code	Specification Information	Application Notes
Example: ACKL722WEV316AAAA	To order please specify pattern number including:	
A AutoStrada	1. Hand (applicable for units with wardrobes only) <i>L</i> = wardrobe on left <i>R</i> = wardrobe on right	6. Finish <i>Laminate, V1, V2 or V3 finish</i>
C Cabinet	2. Height <i>7</i> = 70" h <i>8</i> = 84" h	7. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum three piece assembly)
K Wardrobe/Open bookcase	3. Width <i>2</i> = 30" wide <i>3</i> = 36" wide	8. Finish, Aluminum trim (trim & if pull) <i>AA</i> - Anodized aluminum or painted finish option from page 7 excluding silver
L Left Hand	4. Interior & shelf <i>W</i> = wood drawer interior and wood shelves <i>M</i> = wood drawer interior and metal shelves	9. Finish, cabinet feet <i>AA</i> - Anodized aluminum or painted finish option from page 7 excluding silver
7 70" high	5. Extruded aluminum pull <i>E</i> = extruded aluminum pull (default)	See page 7 for finish options applicable.
2 24" deep		Product on this page will accept wood grain laminate where laminate is currently an option.
2 30" wide		
W Wood interior		
E Extruded Aluminum Pull		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		
AA Finish, cabinet feet, anodized alum		

Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 180. Specify 70" h cabinets for use with single high overhead storage and 84" h cabinets for use with double high overhead storage.

Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers dilled for locks, keying instructions must accompany order.

Coat rod included in wardrobes.

description	type	h	w	d	pattern no.	L	V1	V2	V3
Full wardrobe		70"	30"	24"	ACW722() ()	\$3,606.	\$5,621.	\$5,791.	\$7,530.
		70"	36"	24"	ACW723() ()	3,788.	5,904.	6,081.	7,901.
		84"	30"	24"	ACW822() ()	3,788.	5,904.	6,081.	7,901.
		84"	36"	24"	ACW823() ()	3,917.	6,103.	6,290.	8,178.




Touch latch only, no pulls/no lock.
Coat rod is included in the 84"h cabinets only..

Order Code	Specification Information	Application Notes
Example: ACKL722WEV316AAAA	<i>To order please specify pattern number including:</i>	
A AutoStrada		
C Cabinet		
K Wardrobe/Open bookcase		
L Left Hand		
7 70" high		
2 24" deep		
2 30" wide		
W Wood interior		
E Extruded Aluminum Pull		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		
AA Finish, cabinet feet, anodized alum		
	1. Hand (applicable for units with wardrobes only) <i>L = wardrobe on left</i> <i>R = wardrobe on right</i> 2. Height <i>7 = 70" h</i> <i>8 = 84" h</i> 3. Width <i>2 = 30" wide</i> <i>3 = 36" wide</i> 4. Interior & shelf <i>W = wood drawer interior and wood shelves</i> <i>M = wood drawer interior and metal shelves</i> 5. Extruded aluminum pull <i>E = extruded aluminum pull (default)</i> 6. Finish <i>Laminate, V1, V2 or V3 finish</i> 7. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum three piece assembly) 8. Finish, Aluminum trim (trim & if pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i> 9. Finish, cabinet feet <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 180. Specify 70"h cabinets for use with single high overhead storage and 84"h cabinets for use with double high overhead storage. Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers dilled for locks, keying instructions must accompany order. Coat rod included in wardrobes.
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	


Freestanding Cabinets for open plan use with metal case pedestals

AutoStrada

description	h	w	d	pattern no.	lam. case P1/P2/P3 front	lam. case lam front	lam. case V1 front	lam. case V2 front	lam. case V3 front	ven. case V1 front	ven. case V2 front	ven. case V3 front
Freestanding cabinet, 48"h	48"	24"	24"	AAV1 4824 S2D1F () () () ()	\$3,490.	\$3,389.	\$3,779.	\$3,884.	\$4,574.	\$4,691.	\$5,136.	\$6,952.
	48"	30"	24"	AAV1 4830 S2D1F () () () ()	3,656.	3,543.	3,927.	4,062.	4,860.	4,821.	5,374.	7,539.



Freestanding cabinet, 64"h	64"	24"	24"	AAV1 6424 S2D2F () () () ()	3,779.	3,653.	4,089.	4,144.	5,043.	5,319.	5,768.	7,980.
	64"	30"	24"	AAV1 6430 S2D2F () () () ()	3,989.	3,840.	4,269.	4,363.	5,406.	5,431.	6,099.	8,714.



Order Code	Specification Information		Application Notes
Example: AAV1 4824 S2D1F L 118 P 613 AA	<i>To order please specify pattern number including:</i>		Freestanding cabinets for open plan are designed to match drawer fronts of AutoStrada metal pedestals in heights and thickness. Doors have 48"H cabinets have 2 doors over 1 file.
AAV1	Freestanding cabinet	L Lock	64"H cabinets have 2 doors over 2 files.
48	Height	N No lock	
24	Width	Case finish (laminate or veneer only)	
S	Depth	Front type	
2D	Two door	L Laminate	Files are full extension steel drawers that accept suspended legal file folders side to side. File bars are included to also support suspended letter or A4 side to side or front to back. File drawers are not bottom loadable.
1F	One file	P Paint	
L	With lock	V Veneer	
118	Case finish	Front finish code	
P	Front type	Pull finish (AA only)	Cabinets are laminate case and top with painted, laminate or veneer fronts, or all veneer case and fronts.
613	Front finish		
AA	Pull finish		

Metal case
Pedestals
Floorstanding

AutoStrada

description	type	width	depth	height	pattern number	P1/P2 front	P3 front	L front	V1 front	V2 front	V3 front
 Floorstanding pedestal	personal/data/file	15"	17"	27"	ASFS1PDF18 () () ()	\$1,477.	\$1,548.	\$1,428.	\$1,910.	\$1,968.	\$2,135.
		15"	23"	27"	ASFS1PDF24 () () ()	1,598.	1,678.	1,563.	1,992.	2,049.	2,226.
	file/file	15"	17"	27"	ASFS1FF18 () () ()	1,260.	1,325.	1,259.	1,660.	1,752.	1,923.
		15"	23"	27"	ASFS1FF24 () () ()	1,368.	1,436.	1,372.	1,734.	1,832.	2,008.


Order Code	Specification Information	Application Notes
Example: ASFS1 FF18 111 P 114 AA	All pedestals include front lock with KnollKey lock system. Personal drawer is 4"h. Data drawer is 7"h. File drawers are 11"h. Deep file drawers include file support for letter (width) or legal (depth) suspended file folders. All drawers have full extension, ball bearing drawer slides. <i>Please specify painted finish for case or fronts from paint finish options; front finish also optional from laminate, V1, V2 or V3 finish options listed on page 7.</i> Pulls are available in anodized aluminum or painted finish options listed on page 7 excluding silver.	Floorstanding pedestals include levelling glides and closed top with 1" spacer to support one end of a worksurface at 27"h to underside of worksurface. 18"d pedestals fit under any worksurface with standard stiffener. Deep floorstanding pedestals fit under worksurfaces with worksurface stiffener 18" less than nominal width. The metal case pedestals come with a 1"h board spacer that installs between the case and the worksurface it is supporting. The tops of the pedestals are drilled to accept the attachment screws. Pedestals may not be used in freestanding applications.
ASFS1		
FF		
18		
111		
P		
114		
AA		

Metal case

Pedestals

Mobile

AutoStrada

description	type	width	depth	height	pattern number	P1/P2 front	P3 front	L front	V1 front	V2 front	V3 front	
	Mobile pedestal	Standard - data/file	15"	17"	22"	ASMS1 DF18 () () ()	\$1,246.	\$1,305.	\$1,259.	\$1,680.	\$1,793.	\$1,868.
		Deep - data/file	15"	23"	22"	ASMS1 DF24 () () ()	1,407.	1,481.	1,420.	1,927.	2,048.	2,125.
		Standard - personal/data/file	15"	17"	26 1/2"	ASMS1 PDF18 () () ()	1,451.	1,527.	1,420.	1,912.	1,968.	2,127.
		Deep - personal/data/file	15"	23"	26 1/2"	ASMS1 PDF24 () () ()	1,614.	1,697.	1,582.	2,170.	2,228.	2,410.
		Standard - file/file	15"	17"	26 1/2"	ASMS1 FF18 () () ()	1,313.	1,379.	1,314.	1,761.	1,854.	1,868.
		Deep - file/file	15"	23"	26 1/2"	ASMS1 FF24 () () ()	1,479.	1,550.	1,484.	1,927.	2,025.	2,206.
Mobile pedestal, open top	Standard - data/file	15"	17"	22"	ASMS1 DFO18 () () ()	1,176.	1,238.	1,187.	1,634.	1,750.	1,818.	
		Deep - data/file	15"	23"	22"	ASMS1 DFO24 () () ()	1,327.	1,392.	1,332.	1,869.	1,987.	2,067.


Order Code	Specification Information	Application Notes
Example: ASMS1 FF18 111 P 114 AA		
ASMS1 Autostrada mobile pedestal	All pedestals include front lock with KnollKey lock system. Personal drawer is 4"H. Data drawer is 7"H. File drawers are 11"H. Deep file drawers include file support for letter (width) or legal (depth) suspended file folders. All drawers have full extension, ball bearing drawer slides.	Mobile pedestals are independent storage components with locking casters and pull. Standard mobile pedestals roll under worksurfaces set at 28" or higher. Deep mobile pedestals with two files or personal/data/file will not fit under stiffener of universal worksurface or desk set at 29" or lower. Specify data/file mobile pedestal under worksurfaces adjusted lower than 28"H.
FF Configuration		
18 Depth		
111 Finish for case		
P Finish type for fronts		
114 Finish for fronts	Please specify painted finish for case or fronts from paint finish options: front finish also optional from laminate, V1, V2 or V3 finish options listed on page 7.	
AA Finish for pulls		

Pulls are available in anodized aluminum or painted finish options listed on page 7 excluding silver.

Metal case
Pedestals
Accessories
cushion - fabric

AutoStrada

description	type	width	depth	pattern number	A	com B	C	D	E	F	G	H	I
Cushion	Deep	15"	23"	AS1 DPAD ()	\$287.	\$321.	\$377.	\$394.	\$433.	\$470.	\$520.	\$574.	\$594.
	Standard	15"	17"	AS1 SPAD ()	233.	268.	306.	321.	343.	377.	411.	470.	485.




Order Code	Specification Information	Application Notes
Example: AS1 SPAD		
AS1 Pedestal	There is a \$94 upcharge on CAL133 backing on the cushion.	Pedestal cushions are for use on open top mobile pedestals.
S Depth	Consult the Currents price list for fabric information and grades	For Customers Own Material (COM) applications, specify .75 yards of fabric for 17 inch deep mobile pedestal seat cushions, and .90 yards for 23 inch deep seat cushion.
PAD Cushion		

Metal case
Pedestals
Accessories
cushion - leather

AutoStrada

description	type	width	depth	pattern number	COL U	V	W	X	Y
Cushion	Deep	15"	23"	AS1 DPAD ()	\$574.	\$684.	\$842.	\$882.	\$931.
	Standard	15"	17"	AS1 SPAD ()	449.	538.	663.	684.	718.




Order Code	Specification Information	Application Notes
Example: AS1 SPAD		
AS1 Pedestal	There is a \$123 upcharge for perforated leather.	Pedestal cushions are for use on open top mobile pedestals.
S Depth	Consult the Currents price list for leather information and grades.	For Customers Own Leather (COL) applications, specify 11.5 sq. feet of leather for 17 inch deep mobile pedestal seat cushions, and 14.5 sq. feet for 23 inch deep seat cushion.
PAD Cushion		

Metal case
Pedestals
Accessories
various

AutoStrada

description	type	width	depth	height	pattern number	list
Pencil tray adapter	Use with 19" (Legal width) peds				RPETAD	\$97.





Includes metal adapter tray and plastic pencil tray

Order Code	Specification Information	Application Notes
Example: AS2 PT		
AS2 Pedestal	Pencil tray is molded plastic and is available in black or clear. Black: N Clear: C	Pencil tray sets in top of personal or data drawer. Moveable dividers organize pencils, pens, and paper clips in separate compartments.
PT Pencil tray	Replacement worksurface stiffeners are black painted steel. Bumper kit is trim grey plastic.	Drawer divider mounts in slots in bottom of personal or data drawer. U-shaped divider supports two rows of four CDs with titles visible in data drawer. File support spans width of file drawer to support side-to-side letter or legal width suspended files.

Wood or laminate case
Pedestals, wood drawer interiors

AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3
	19" deep	26"	16"	19"	AFPB10(E/P)(W)() ()	\$1,761.	\$2,307.	\$2,392.	\$3,040.
		26"	19"	19"	AFPB11(E/P)(W)() ()	1,761.	2,307.	2,392.	3,040.
	23" deep	26"	16"	23"	AFPB20(E/P)(W)() ()	1,935.	2,533.	2,628.	3,339.
		26"	19"	23"	AFPB21(E/P)(W)() ()	1,935.	2,533.	2,628.	3,339.
	29" deep	26"	16"	29"	AFPB30(E/P)(W)() ()	2,225.	2,910.	3,017.	3,837.
		26"	19"	29"	AFPB31(E/P)(W)() ()	2,225.	2,910.	3,017.	3,837.
	19" deep	26"	16"	19"	AFPF10(E/P)(W)() ()	1,641.	2,142.	2,225.	2,834.
		26"	19"	19"	AFPF11(E/P)(W)() ()	1,641.	2,142.	2,225.	2,834.
		26"	30"	19"	AFPF12(E/P)(W)() ()	2,119.	2,766.	2,861.	3,650.
		26"	36"	19"	AFPF13(E/P)(W)() ()	2,590.	3,393.	3,518.	4,479.
		26"	42"	19"	AFPF14(E/P)(W)() () *	3,177.	4,160.	4,321.	5,509.
	23" deep	26"	16"	23"	AFPF20(E/P)(W)() ()	1,885.	2,465.	2,559.	3,258.
		26"	19"	23"	AFPF21(E/P)(W)() ()	1,885.	2,465.	2,559.	3,258.
		26"	30"	23"	AFPF22(E/P)(W)() ()	2,429.	3,177.	3,296.	4,195.
		26"	36"	23"	AFPF23(E/P)(W)() ()	2,981.	3,901.	4,047.	5,157.
		26"	42"	23"	AFPF24(E/P)(W)() () *	3,654.	4,784.	4,971.	6,336.
	29" deep	26"	16"	29"	AFPF30(E/P)(W)() ()	2,169.	2,836.	2,941.	3,746.
		26"	19"	29"	AFPF31(E/P)(W)() ()	2,169.	2,836.	2,941.	3,746.

Order Code	Specification Information	Application Notes	
Example: AFPB21EWV316AA	To order please specify pattern number including:		
A AutoStrada	1. Pedestal type (embedded in pattern number) <i>F = Floor standing</i> <i>M = Mobile</i>	5. Pull <i>E = extruded aluminum pull</i> <i>P = extruded aluminum protruding pull</i>	Actual depth nominal plus 3/8", finished back adds 1/2" (see page 185 for backs). Mobile pedestal includes finished back. All pedestals on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anit-tip spacer) are specified separately from page 249.
F Floor standing	2. Pedestal configuration <i>B = BBF (floorstanding) or BF (mobile)</i> <i>F = File/File</i>	6. Interior <i>W = wood drawer interior</i>	
P Pedestal	3. Depth (nominal) <i>1 = 19" deep</i> <i>2 = 23" deep</i> <i>3 = 29" deep *</i> (*available only in 16" or 19" widths)	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	
B Box/Box/File configuration	4. Width <i>0 = 16" wide (nominal)</i> <i>1 = 19" wide (nominal)</i> <i>2 = 30" wide (nominal)</i> <i>3 = 36" wide (nominal)</i> <i>4 = 42" wide (nominal)</i>	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
2 23" deep (nominal)		See page 7 for finish options applicable.	19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side. File drawers are bottom loadable for 30" and 36" only. * 42" are not bottom loadable. *Note: BBF and FF Pedestals, may require counter weights (3 per pedestal - ordered separately) when used in a freestanding application. Note: 42" wide pedestals, require 4 counter weights.
1 19" wide (nominal)		Product on this page will accept wood grain laminate where laminate is currently an option.	
E Extruded aluminum pull		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 5/8" (see page 249).	
W Wood interior		Primary finished top required in freestanding applications, ordered separately when item stands alone.	
V316 Finish, Maple		Wood pencil tray included with BBF pedestals.	
AA Finish, pull (anodized aluminum)			
			Pedestals drilled for locks, keying instructions must accompany order.

Wood or laminate case

Pedestals, wood drawer interiors

AutoStrada



description	type	h	w	d	pattern no.	L	V1	V2	V3
Counterweight (for file/file configurations when used in single use freestanding applications) Pack of three (3)					RCOUNTWT3	\$261.			
Mobile ped, BF 	19" deep	21 3/4"	16"	19"	AMPB10(E/P)(W)() ()	2,381.	3,111.	3,229.	4,113.
		21 3/4"	19"	19"	AMPB11(E/P)(W)() ()	2,381.	3,111.	3,229.	4,113.
	23" deep	21 3/4"	16"	23"	AMPB20(E/P)(W)() ()	2,738.	3,574.	3,715.	4,732.
		21 3/4"	19"	23"	AMPB21(E/P)(W)() ()	2,738.	3,574.	3,715.	4,732.

Order Code	Specification Information	Application Notes	
Example: AFPB21EWV316AA	To order please specify pattern number including:		
A AutoStrada	1. Pedestal type (embedded in pattern number) <i>F = Floor standing</i> <i>M = Mobile</i>	5. Pull <i>E = extruded aluminum pull</i> <i>P = extruded aluminum protruding pull</i>	Actual depth nominal plus 3/8", finished back adds 1/2" (see page 185 for backs). Mobile pedestal includes finished back. All pedestals on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anit-tip spacer) are specified separately from page 249.
F Floor standing	2. Pedestal configuration <i>B = BBF (floorstanding) or BF (mobile)</i> <i>F = File/File</i>	6. Interior <i>W = wood drawer interior</i>	
P Pedestal	3. Depth (nominal) <i>1 = 19" deep</i> <i>2 = 23" deep</i> <i>3 = 29" deep *</i> (*available only in 16" or 19" widths)	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	
B Box/Box/File configuration	4. Width <i>0 = 16" wide (nominal)</i> <i>1 = 19" wide (nominal)</i> <i>2 = 30" wide (nominal)</i> <i>3 = 36" wide (nominal)</i> <i>4 = 42" wide (nominal)</i>	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
2 23" deep (nominal)		See page 7 for finish options applicable.	19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side.
1 19" wide (nominal)		Product on this page will accept wood grain laminate where laminate is currently an option.	
E Extruded aluminum pull		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 5/8" (see page 249).	
W Wood interior		Primary finished top required in freestanding applications, ordered separately when item stands alone.	
V316 Finish, Maple		Wood pencil tray included with BBF pedestals.	File drawers are bottom loadable for 30" and 36" only. * 42" are not bottom loadable. *Note: BBF and FF Pedestals, may require counter weights (3 per pedestal - ordered separately) when used in a freestanding application. Note: 42" wide pedestals, require 4 counter weights. Pedestals drilled for locks, keying instructions must accompany order.
AA Finish, pull (anodized aluminum)			

Wood or laminate case

Pedestals, metal drawer interiors


AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3	
	19" deep	26"	16"	19"	AFPB10(E/P)(M)() ()	\$1,598.	\$2,103.	\$2,204.	\$2,851.	
		26"	19"	19"	AFPB11(E/P)(M)() ()	1,598.	2,103.	2,204.	2,851.	
	23" deep	26"	16"	23"	AFPB20(E/P)(M)() ()	1,768.	2,330.	2,437.	3,146.	
		26"	19"	23"	AFPB21(E/P)(M)() ()	1,768.	2,330.	2,437.	3,146.	
	29" deep	26"	16"	29"	AFPB30(E/P)(M)() ()	2,052.	2,699.	2,820.	3,634.	
		26"	19"	29"	AFPB31(E/P)(M)() ()	2,052.	2,699.	2,820.	3,634.	
		19" deep	26"	16"	19"	AFPF10(E/P)(M)() ()	1,476.	1,941.	2,036.	2,643.
			26"	19"	19"	AFPF11(E/P)(M)() ()	1,476.	1,941.	2,036.	2,643.
26"			30"	19"	AFPF12(E/P)(M)() ()	1,804.	2,377.	2,508.	3,290.	
26"			36"	19"	AFPF13(E/P)(M)() ()	2,268.	2,998.	3,155.	4,113.	
23" deep		26"	16"	23"	AFPF20(E/P)(M)() ()	1,719.	2,260.	2,369.	3,065.	
		26"	19"	23"	AFPF21(E/P)(M)() ()	1,719.	2,260.	2,369.	3,065.	
		26"	30"	23"	AFPF22(E/P)(M)() ()	2,112.	2,784.	2,936.	3,834.	
		26"	36"	23"	AFPF23(E/P)(M)() ()	2,657.	3,500.	3,680.	4,781.	
29" deep		26"	16"	29"	AFPF30(E/P)(M)() ()	1,998.	2,624.	2,745.	3,546.	
		26"	19"	29"	AFPF31(E/P)(M)() ()	1,998.	2,624.	2,745.	3,546.	
Counterweight (for file/file configurations when used in single use freestanding applications)					RCOUNTWT3	261.				
Pack of three (3)										

Order Code	Specification Information	Application Notes	
Example: AFPB21EMV316AA	To order please specify pattern number including:		
A AutoStrada	1. Pedestal type (embedded in pattern number) <i>F = Floor standing</i> <i>M = Mobile</i>	5. Pull <i>E = extruded aluminum pull</i> <i>P = extruded aluminum protruding pull</i>	Actual depth nominal plus 3/8", finished back adds 1/2" (see page 185 for backs). Mobile pedestal includes finished back. All pedestals on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anit-tip spacer) are specified separately from page 249.
F Floor standing	2. Pedestal configuration <i>B = BBF (floorstanding) or BF (mobile)</i> <i>F = File/File</i>	6. Interior <i>M = metal drawer interior</i>	
P Pedestal	3. Depth (nominal) <i>1 = 19" deep</i> <i>2 = 23" deep</i> <i>3 = 29" deep *</i> (*available only in 16" or 19" widths)	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side.
B Box/Box/File configuration	4. Width <i>0 = 16" wide (nominal)</i> <i>1 = 19" wide (nominal)</i> <i>2 = 30" wide (nominal)</i> <i>3 = 36" wide (nominal)</i>	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
2 23" deep (nominal)		See page 7 for finish options applicable.	File drawers are bottom loadable for 30" and 36" only. 42" are not bottom loadable.
1 19" wide (nominal)		Product on this page will accept wood grain laminate where laminate is currently an option.	
E Extruded aluminum pull		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 5/8" (see page 249).	*Note: BBF and FF Pedestals, may require counter weights (3 per pedestal - ordered separately) when used in a freestanding application. Pedestals drilled for locks, keying instructions must accompany order.
M Metal interior		Primary finished top required in freestanding applications, ordered separately when item stands alone.	
V316 Finish, Maple		Pencil tray to be ordered separately see page 179.	
AA Finish, pull (anodized aluminum)			

Wood or laminate case
Pedestals, metal drawer interiors

AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3
	19" deep	21 3/4"	16"	19"	AMPB10(E/P)(M)() ()	\$2,244.	\$2,943.	\$3,072.	\$3,950.
		21 3/4"	19"	19"	AMPB11(E/P)(M)() ()	2,244.	2,943.	3,072.	3,950.
	23" deep	21 3/4"	16"	23"	AMPB20(E/P)(M)() ()	2,598.	3,404.	3,552.	4,559.
		21 3/4"	19"	23"	AMPB21(E/P)(M)() ()	2,598.	3,404.	3,552.	4,559.


Order Code	Specification Information	Application Notes	
Example: AFPB21EMV316AA	To order please specify pattern number including:		
A AutoStrada	1. Pedestal type (embedded in pattern number) <i>F</i> = Floor standing <i>M</i> = Mobile	5. Pull <i>E</i> = extruded aluminum pull <i>P</i> = extruded aluminum protruding pull	Actual depth nominal plus 3/8", finished back adds 1/2" (see page 185 for backs). Mobile pedestal includes finished back. All pedestals on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anit-tip spacer) are specified separately from page 249.
F Floor standing	2. Pedestal configuration <i>B</i> = <i>BBF</i> (floorstanding) or <i>BF</i> (mobile) <i>F</i> = File/File	6. Interior <i>M</i> = metal drawer interior	
P Pedestal	3. Depth (nominal) <i>1</i> = 19" deep <i>2</i> = 23" deep <i>3</i> = 29" deep * (*available only in 16" or 19" widths)	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	
B Box/Box/File configuration	4. Width <i>0</i> = 16" wide (nominal) <i>1</i> = 19" wide (nominal) <i>2</i> = 30" wide (nominal) <i>3</i> = 36" wide (nominal)	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
2 23" deep (nominal)		See page 7 for finish options applicable.	19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side.
1 19" wide (nominal)		Product on this page will accept wood grain laminate where laminate is currently an option.	
E Extruded aluminum pull		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 3/8" (see page 249).	
M Metal interior		Primary finished top required in freestanding applications, ordered separately when item stands alone.	
V316 Finish, Maple		Pencil tray to be ordered separately see page 179.	File drawers are bottom loadable for 30" and 36" only. 42" are not bottom loadable.
AA Finish, pull (anodized aluminum)			

*Note: BBF and FF Pedestals, may require counter weights (3 per pedestal - ordered separately) when used in a freestanding application. Pedestals drilled for locks, keying instructions must accompany order.

Wood or laminate case

Lower storage

AutoStrada



description	type	h	w	d	pattern no.	L	V1	V2	V3
 36" w shown	19" deep	26"	16"	19"	AFPHL10(E/P)(L/N)(W)() ()	\$1,124.	\$1,437.	\$1,526.	\$1,944.
		26"	16"	19"	AFPHR10(E/P)(L/N)(W)() ()	1,124.	1,437.	1,526.	1,944.
		26"	19"	19"	AFPHL11(E/P)(L/N)(W)() ()	1,124.	1,437.	1,526.	1,944.
		26"	19"	19"	AFPHR11(E/P)(L/N)(W)() ()	1,124.	1,437.	1,526.	1,944.
		26"	30"	19"	AFPH12(E/P)(L/N)(W)() ()	1,337.	1,708.	1,806.	2,305.
		26"	36"	19"	AFPH13(E/P)(L/N)(W)() ()	1,664.	2,134.	2,263.	2,881.
		26"	42"	19"	AFPH14(E/P)(L/N)(W)() ()	2,084.	2,657.	2,823.	3,603.
	23" deep	26"	16"	23"	AFPHL20(E/P)(L/N)(W)() ()	1,293.	1,657.	1,756.	2,235.
		26"	16"	23"	AFPHR20(E/P)(L/N)(W)() ()	1,293.	1,657.	1,756.	2,235.
		26"	19"	23"	AFPHL21(E/P)(L/N)(W)() ()	1,293.	1,657.	1,756.	2,235.
		26"	19"	23"	AFPHR21(E/P)(L/N)(W)() ()	1,293.	1,657.	1,756.	2,235.
		26"	30"	23"	AFPH22(E/P)(L/N)(W)() ()	1,531.	1,966.	2,081.	2,651.
		26"	36"	23"	AFPH23(E/P)(L/N)(W)() ()	1,916.	2,454.	2,598.	3,313.
		26"	42"	23"	AFPH24(E/P)(L/N)(W)() ()	2,395.	3,061.	3,247.	4,138.

Order Code	Specification Information	Application Notes
Example: AFPHL21ELWV316AA	To order please specify pattern number including:	Units on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anti-tip spacer) are specified separately from page 249.
A AutoStrada	1. Hand (applicable 16" and 19" wide units) <i>L = hinges on left</i> <i>R = hinges on right</i>	5. Lock option <i>L = drilled for locks</i> <i>N = not drilled for locks</i>
F Floor standing	2. Depth <i>1 = 20" deep</i> <i>2 = 24" deep</i>	6. Interior <i>W = wood interior (only)</i>
P Pedestal	3. Width <i>0 = 16" wide</i> <i>1 = 19" wide</i> <i>2 = 30" wide</i> <i>3 = 36" wide</i> <i>4 = 42" wide</i>	7. Finish <i>Laminate, V1, V2 or V3 finish</i>
H Hinged door/open shelf above	4. Pull <i>E = Extruded aluminum pull</i> <i>P = Extruded aluminum protruding pull</i>	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>
L Left hand		Optional lock drilled to be specified. If drilled for locks selected, keying instructions must accompany order.
2 24" deep		See page 7 for finish options applicable.
1 19" wide		Product on this page will accept wood grain laminate where laminate is currently an option.
E Extruded aluminum pull		
L Drilled for lock		
W Wood interior		
V316 Finish, Maple		
AA Finish, pull (anodized aluminum)		

Note: Optional cabinet feet are recommended when units used in free-standing applications to achieve overall desk height of 29⁵/₈" (see page 249).

Wood or laminate case
Finished backs for lower storage

AutoStrada

description	h	w	thickness	pattern no.	L	V1	V2	V3
	25 1/2"	16"	1/2"	AFB16 ()	\$148.	\$176.	\$191.	\$252.
	25 1/2"	19"	1/2"	AFB19 ()	148.	176.	191.	252.
	25 1/2"	30"	1/2"	AFB30 ()	294.	352.	379.	492.
	25 1/2"	36"	1/2"	AFB36 ()	350.	419.	453.	585.
	25 1/2"	42"	1/2"	AFB42 ()	484.	623.	676.	879.
	25 1/2"	60"	1/2"	AFB60 ()	587.	763.	822.	1,069.
	25 1/2"	72"	1/2"	AFB72 ()	677.	875.	947.	1,230.
	25 1/2"	84"	1/2"	AFB84 ()	762.	992.	1,068.	1,389.
	25 1/2"	90"	1/2"	AFB90 ()	809.	1,048.	1,128.	1,469.
	25 1/2"	96"	1/2"	AFB96 ()	832.	1,073.	1,158.	1,506.
Pedestal filler strip	25 1/2"	5"	1/2"	AWCPFS ()	113.	175.	166.	174.
Pedestal filler for 3/4 planning	20 3/4"	6"	1/2"	AWCPFS19()	104.	160.	153.	164.
	20 3/4"	16"	1/2"	APBF16	148.	176.	191.	252.
	20 3/4"	19"	1/2"	APBF19	148.	176.	191.	252.
	20 3/4"	30"	1/2"	APBF30	294.	352.	379.	492.
	20 3/4"	36"	1/2"	APBF36	350.	419.	453.	585.

Order Code

Example: AFB19V316	
A	AutoStrada
FB	Finished back
19	19" wide
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

- Width
16 = for 16" wide units
19 = for 19" wide units
30 = for 30" wide units
36 = for 36" wide units
42 = for 42" wide units
60 = for two 30" w side by side
72 = for two 36" w side by side
84 = for two 42" w side by side
90 = for three 30" w side by side
96 = for two 30" w & one 36" w side by side
- Finish
Laminate, V1, V2 or V3 finish

Application Notes

Finished backs are used with lower storage in free-standing applications where the back is exposed. Backs are 1/2" thick. Finished backs also recommended for "ganging" units together when creating build-to-spec credenza units.

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Pedestal filler strip used in lieu of finished back when full back not exposed to finish gap to wall.

Wood or laminate case
Pedestals, Open Access
Wood drawer interior

description	w	d	h	pattern no.	L	V1	V2	V3
 Pedestal, Open Access	30"	19"	20 3/4"	AFPA12()	\$1,209.	\$1,545.	\$1,634.	\$2,163.
	36"	19"	20 3/4"	AFPA13()	1,437.	1,840.	1,952.	2,580.
	30"	23"	20 3/4"	AFPA22()	1,505.	1,933.	2,050.	2,710.
	36"	23"	20 3/4"	AFPA23()	1,798.	2,300.	2,436.	3,225.
 Pedestal, Hinge doors	30"	19"	20 3/4"	AFPHD12(E/P)W()()	1,456.	1,841.	1,928.	2,424.
	36"	19"	20 3/4"	AFPHD13(E/P)W()()	1,786.	2,267.	2,386.	3,001.
	30"	23"	20 3/4"	AFPHD22(E/P)W()()	1,652.	2,099.	2,204.	2,772.
	36"	23"	20 3/4"	AFPHD23(E/P)W()()	2,038.	2,587.	2,721.	3,432.
 Pedestal, (desk height planning) box/file configuration	16"	19"	20 3/4"	AFPR10(E/P)W()()	1,883.	2,395.	2,516.	3,161.
	19"	19"	20 3/4"	AFPR11(E/P)W()()	1,883.	2,395.	2,516.	3,161.
	30"	19"	20 3/4"	AFPR12(E/P)W()()	2,346.	2,986.	3,140.	3,959.
	36"	19"	20 3/4"	AFPR13(E/P)W()()	2,710.	3,461.	3,641.	4,600.
	16"	23"	20 3/4"	AFPR20(E/P)W()()	2,056.	2,618.	2,751.	3,460.
	19"	23"	20 3/4"	AFPR21(E/P)W()()	2,056.	2,618.	2,751.	3,460.
	30"	23"	20 3/4"	AFPR22(E/P)W()()	2,346.	2,986.	3,140.	3,959.
	36"	23"	20 3/4"	AFPR23(E/P)W()()	3,101.	3,959.	4,172.	5,276.

Order Code

Example:	AFPA12()
A	AutoStrada
F	Floor Standing
P	Pedestal
A	Open Access Configuration
1	19" deep
2	30" wide
316	Finish

Specification Information

To order please specify pattern number including:

1. Pedestal type (embedded in pattern number)
 A = Open access
 HD = Hinge doors
 R = Box File
2. Depth (nominal)
 1 = 19" deep
 2 = 23" deep
3. Width (nominal)
 2 = 30" wide
 3 = 36" wide
4. Finish:
 Laminate, V1, V2 or V3

Application Notes

Product on this page will accept wood grain laminate where laminate is currently an option.

Primary finished top required in freestanding applications, ordered separately when item stands alone.

The open access pedestals are available with Wood interior only.

Wood or laminate case
Pedestals, Open Access
Metal drawer interior

AutoStrada



description	w	d	h	pattern no.	L	V1	V2	V3
Pedestal, (desk height planning) box/file configuration 	16"	19"	20 ³ / ₄ "	AFPR10(E/P)M() ()	\$1,720.	\$2,196.	\$2,327.	\$2,970.
	19"	19"	20 ³ / ₄ "	AFPR11(E/P)M() ()	1,720.	2,196.	2,327.	2,970.
	30"	19"	20 ³ / ₄ "	AFPR12(E/P)M() ()	2,172.	2,780.	2,944.	3,756.
	36"	19"	20 ³ / ₄ "	AFPR13(E/P)M() ()	2,388.	3,071.	3,278.	4,234.
	16"	23"	20 ³ / ₄ "	AFPR20(E/P)M() ()	1,888.	2,417.	2,561.	3,268.
	19"	23"	20 ³ / ₄ "	AFPR21(E/P)M() ()	1,888.	2,417.	2,561.	3,268.
	30"	23"	20 ³ / ₄ "	AFPR22(E/P)M() ()	2,172.	2,780.	2,944.	3,756.
	36"	23"	20 ³ / ₄ "	AFPR23(E/P)M() ()	2,776.	3,568.	3,804.	4,900.

Order Code	Specification Information	Application Notes	
Example: AFPA10(E/P)()W()	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Pedestal type (embedded in pattern number) A = Open access HD = Hinge doors R = Box File	5. Interior Option: W = Wood M = Metal	Product on this page will accept wood grain laminate where laminate is currently an option.
F Floor Standing	2. Depth (nominal) 1 = 19" deep 2 = 23" deep	6. Pedestal Finish: Laminate, V1, V2 or V3	
P Pedestal	3. Width (nominal) 0 = 16" wide 1 = 19" wide 2 = 30" wide 3 = 36" wide	7. Pull finish: Anodized aluminum or painted finish options, listed on page 10 excluding silver.	Primary finished top required in freestanding applications, ordered separately when item stands alone.
R Box / File Configuration	4. Pull E = Extruded P = Extruded aluminum	See page 8 for finish options.	The open access pedestals are available with Wood interior only.
1 19" deep			
0 16" wide			
E Extruded pull option			
M Metal interior			
V316 Pedestal finish			
AA Pull Finish			

Wood or laminate case
Pedestals, Equipment style, 22³/₄" high
Wood drawer interiors

description	type	h	w	d	pattern no.	L	V1	V2	V3
	19" deep	20 ³ / ₄ "	30"	19"	AFPE12(L/R)(E/P)()W()	\$2,651.	\$4,170.	\$4,245.	\$4,965.
		20 ³ / ₄ "	36"	19"	AFPE13(L/R)(E/P)()W()	2,715.	4,256.	4,334.	5,112.
	23" deep	20 ³ / ₄ "	30"	23"	AFPE22(L/R)(E/P)()W()	2,700.	4,246.	4,314.	5,121.
		20 ³ / ₄ "	36"	23"	AFPE23(L/R)(E/P)()W()	2,762.	4,323.	4,424.	5,267.

Order Code	Specification Information	Application Notes
Example: AFPE12(L/R)(E/P)()W()	<i>To order please specify pattern number including:</i>	
A AutoStrada		
F Floor standing		
P Pedestal	1. Pedestal type (<i>embedded in pattern number</i>)	
E Equipment	E = Equipment pedestal	
1 19" deep	2. Depth (nominal)	
2 30" wide	1 = 19" deep	
L Left hand	2 = 23" deep	
E Pull option	3. Width (nominal)	
AA Pull finish	2 = 30" wide	
W Wood interior	3 = 36" wide	
V316 Finish, Maple	4. Hand	
	L = Left hand	
	R = Right hand	
	5. Pull Option	
	E = Extruded	
	P = Extruded Aluminum	
	6. Pull finish	
	Anodized aluminum or painted	
	finish options listed on page	
	10 excluding silver	
	7. Interior	
	W = Wood interior	
	8. Finish:	
	Wood or Laminate	
	<i>See page 7 for finish options applicable</i>	
		Product on this page will accept wood grain laminate where laminate is currently an option.
		Primary finished top required in freestanding applications, ordered separately when item stands alone.
		The equipment pedestals are available with Wood interior only.

description	w	d	h	pattern no.	L	V1	V2	V3	list
Box shelf, freestanding 	36"	15"	21"	ASBF1 36() ()	\$1,223.	\$2,028.	\$2,155.	\$2,620.	
	42"	15"	21"	ASBF1 42() ()	1,265.	2,078.	2,203.	2,729.	
	48"	15"	21"	ASBF1 48() ()	1,307.	2,129.	2,250.	2,841.	
Box shelf, spine support 	36"	15"	21"	ASBS1 36() () ()	1,223.	2,028.	2,155.	2,620.	
	42"	15"	21"	ASBS1 42() () ()	1,265.	2,078.	2,203.	2,729.	
	48"	15"	21"	ASBS1 48() () ()	1,307.	2,129.	2,250.	2,841.	
Box top	36"	15"		ASBT1 36()					259.
	42"	15"		ASBT1 42()					277.
	48"	15"		ASBT1 48()					293.


Order Code	Specification Information	Application Notes
Example: ASBF1 48 114 AA	<i>To order please specify pattern number including:</i>	Box shelf
AS AutoStrada storage	Box shelf freestanding	1. Finish, surface TEMP Clear tempered glass
B Box shelf	1. Finish, Case Laminate, V1, V2 or V3	Product on this page will accept wood grain laminate where laminate is currently an option.
F1 freestanding	2. Finish, Legs Clear anodized aluminum or painted finish option	Freestanding box shelf includes four clear anodized aluminum or painted legs with leveling glides.
48 width	Box shelf spine support	Spine support version includes two legs and two brackets that clamp on to the structural base cover of AutoStrada spine or Currents service wall.
114 case finish	1. Finish, Case Laminate, V1, V2 or V3	Box shelf also serves as spine support in place of outrigger. Fixed height end support bracket can be attached behind spine-attached Box shelf.
AA leg finish	2. Finish, Legs Clear anodized aluminum or painted finish options listed on page 11 excluding silver.	Optional Box top is 1/4" clear tempered glass.
	3. Finish, Bracket All standard paint finishes	
	Painted finish options listed on page 7 excluding silver.	

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

open

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
Stack-on Overhead, Open	binder depth	2	15"	42"	14 1/4"	ASOBO42 () ()	\$2,132.	\$2,313.	\$2,559.	\$3,325.
		2	15"	48"	14 1/4"	ASOBO48 () ()	2,208.	2,399.	2,650.	3,445.
		2	15"	54"	14 1/4"	ASOBO54 () ()	2,235.	2,423.	2,682.	3,486.
		2	15"	60"	14 1/4"	ASOBO60 () ()	2,259.	2,453.	2,713.	3,528.
		2	15"	66"	14 1/4"	ASOBO66 () ()	2,513.	2,728.	3,017.	3,923.
		2	15"	72"	14 1/4"	ASOBO72 () ()	2,770.	3,002.	3,321.	4,317.
		3	15"	78"	14 1/4"	ASOBO78 () ()	2,859.	3,103.	3,430.	4,463.
		3	15"	84"	14 1/4"	ASOBO84 () ()	2,955.	3,204.	3,544.	4,606.
		3	15"	90"	14 1/4"	ASOBO90 () ()	3,045.	3,303.	3,653.	4,750.
		3	15"	96"	14 1/4"	ASOBO96 () ()	3,153.	3,427.	3,786.	4,921.
	legal depth	2	15"	42"	17 1/4"	ASOGO42 () ()	2,303.	2,494.	2,768.	3,594.
		2	15"	48"	17 1/4"	ASOGO48 () ()	2,386.	2,588.	2,861.	3,722.
		2	15"	54"	17 1/4"	ASOGO54 () ()	2,411.	2,620.	2,898.	3,768.
		2	15"	60"	17 1/4"	ASOGO60 () ()	2,439.	2,647.	2,928.	3,810.
		2	15"	66"	17 1/4"	ASOGO66 () ()	2,712.	2,946.	3,259.	4,235.
		2	15"	72"	17 1/4"	ASOGO72 () ()	2,986.	3,240.	3,586.	4,659.
		3	15"	78"	17 1/4"	ASOGO78 () ()	3,087.	3,350.	3,707.	4,821.
		3	15"	84"	17 1/4"	ASOGO84 () ()	3,188.	3,459.	3,825.	4,975.
		3	15"	90"	17 1/4"	ASOGO90 () ()	3,287.	3,568.	3,944.	5,130.
		3	15"	96"	17 1/4"	ASOGO96 () ()	3,405.	3,700.	4,089.	5,319.




96" w shown

Order Code	Specification Information	Application Notes
Example: ASOBO42V316AA	<i>To order please specify pattern number including:</i>	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
A AutoStrada	1. Depth	Stack-on overheads correspond to interior width of medians and median storage.
S Stack-on	<i>B = Binder depth</i>	
O Overhead	<i>G = Legal depth</i>	
B Binder depth	2. Width	
O Open	3. Finish	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
42 42" wide	<i>Laminate, V1, V2 or V3</i>	
V316 Finish, Maple	4. Finish, support feet	A certified building contractor should be consulted.
AA Finish, Support feet	<i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Please refer to wall mounting information on page 308 .
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

hinged door

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	3/2	15"	42"	15 1/4"	ASOBD42 () ()	\$2,365.	\$2,567.	\$2,841.	\$3,691.
		3/2	15"	48"	15 1/4"	ASOBD48 () ()	2,451.	2,662.	2,941.	3,825.
		3/2	15"	54"	15 1/4"	ASOBD54 () ()	2,478.	2,693.	2,978.	3,870.
		4/2	15"	60"	15 1/4"	ASOBD60 () ()	2,506.	2,725.	3,011.	3,913.
		4/2	15"	66"	15 1/4"	ASOBD66 () ()	2,788.	3,025.	3,348.	4,352.
		4/2	15"	72"	15 1/4"	ASOBD72 () ()	3,073.	3,340.	3,694.	4,803.
		5/3	15"	78"	15 1/4"	ASOBD78 () ()	3,174.	3,444.	3,810.	4,954.
		5/3	15"	84"	15 1/4"	ASOBD84 () ()	3,278.	3,555.	3,931.	5,112.
		6/3	15"	90"	15 1/4"	ASOBD90 () ()	3,384.	3,671.	4,057.	5,275.
		6/3	15"	96"	15 1/4"	ASOBD96 () ()	3,501.	3,804.	4,211.	5,471.
	legal depth	3/2	15"	42"	18 1/4"	ASOGD42 () ()	2,554.	2,773.	3,068.	3,989.
		3/2	15"	48"	18 1/4"	ASOGD48 () ()	2,646.	2,878.	3,176.	4,133.
		3/2	15"	54"	18 1/4"	ASOGD54 () ()	2,676.	2,909.	3,213.	4,180.
		4/2	15"	60"	18 1/4"	ASOGD60 () ()	2,708.	2,942.	3,252.	4,226.
		4/2	15"	66"	18 1/4"	ASOGD66 () ()	3,012.	3,270.	3,617.	4,703.
		4/2	15"	72"	18 1/4"	ASOGD72 () ()	3,318.	3,607.	3,989.	5,189.
		5/3	15"	78"	18 1/4"	ASOGD78 () ()	3,430.	3,717.	4,113.	5,349.
		5/3	15"	84"	18 1/4"	ASOGD84 () ()	3,536.	3,840.	4,245.	5,522.
		6/3	15"	90"	18 1/4"	ASOGD90 () ()	3,654.	3,964.	4,383.	5,698.
		6/3	15"	96"	18 1/4"	ASOGD96 () ()	3,784.	4,109.	4,545.	5,908.

Order Code

Example: **ASOBD42LV316AA**

A	AutoStrada
S	Stack-on
O	Overhead
B	Binder depth
D	Hinged Door
42	42" wide
L	Locking
V316	Finish, Maple
AA	Finish, support feet

Specification Information

To order please specify pattern number including:

- Depth
B = Binder depth
G = Legal depth
- Width
- Lock option
L = Lock hole drilled
N = Not drilled for locks
- Finish
Laminate, V1, V2 or V3
- Finish, support feet
Anodized aluminum or painted
finish options listed on page 11 excluding silver.

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Application Notes

Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.

Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.

Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.


Stack-on overheads correspond to interior width of medians and median storage.

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 308.

Overhead storage, wood cases
Stack-on Overheads (for use with Medians)
open / hinged door / open

description	type	locks	h	w	d	pattern no.	L	V1	V2	V3
Stack-on Overhead, Open/Wood hinged doors/Open 	binder depth	1	15"	60"	15 1/4"	ASOBT60 () ()	\$2,368.	\$2,575.	\$2,848.	\$3,702.
		1	15"	66"	15 1/4"	ASOBT66 () ()	2,638.	2,862.	3,169.	4,118.
		1	15"	72"	15 1/4"	ASOBT72 () ()	2,906.	3,151.	3,486.	4,534.
		1	15"	78"	15 1/4"	ASOBT78 () ()	3,002.	3,258.	3,604.	4,685.
		1	15"	84"	15 1/4"	ASOBT84 () ()	3,100.	3,363.	3,720.	4,835.
		1	15"	90"	15 1/4"	ASOBT90 () ()	3,196.	3,468.	3,837.	4,985.
		1	15"	96"	15 1/4"	ASOBT96 () ()	3,312.	3,600.	3,976.	5,166.
	legal depth	1	15"	60"	18 1/4"	ASOGT60 () ()	2,561.	2,781.	3,075.	4,003.
		1	15"	66"	18 1/4"	ASOGT66 () ()	2,849.	3,091.	3,420.	4,447.
		1	15"	72"	18 1/4"	ASOGT72 () ()	3,138.	3,402.	3,768.	4,896.
		1	15"	78"	18 1/4"	ASOGT78 () ()	3,241.	3,520.	3,891.	5,062.
		1	15"	84"	18 1/4"	ASOGT84 () ()	3,348.	3,635.	4,022.	5,223.
		1	15"	90"	18 1/4"	ASOGT90 () ()	3,451.	3,746.	4,141.	5,387.
		1	15"	96"	18 1/4"	ASOGT96 () ()	3,575.	3,885.	4,295.	5,581.


96" w shown

Order Code	Specification Information	Application Notes
Example: ASOBT60LV316AA	<i>To order please specify pattern number including:</i>	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
S Stack-on	2. Width	Stack-on overheads correspond to interior width of medians and median storage.
O Overhead	3. Lock option <i>L = Lock hole drilled</i> <i>N = Not drilled for locks</i>	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>	A certified building contractor should be consulted.
T Open/Hinged Door/Open	5. Finish, support feet <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Please refer to wall mounting information on page 308.
60 60" wide	See page 7 for finish options applicable.	
L Locking	Product on this page will accept wood grain laminate where laminate is currently an option.	
V316 Finish, Maple		
AA Finish, support feet		

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

with sliding wood door(s)

description	type	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	15"	42"	15 1/4"	ASOBS42 () ()	\$3,195.	\$3,537.	\$4,300.	\$5,588.
		15"	48"	15 1/4"	ASOBS48 () ()	3,311.	3,669.	4,455.	5,790.
		15"	54"	15 1/4"	ASOBS54 () ()	3,348.	3,711.	4,505.	5,859.
		15"	60"	15 1/4"	ASOBS60 () ()	3,385.	3,750.	4,557.	5,928.
		15"	66"	15 1/4"	ASOBS66 () ()	3,770.	4,170.	5,069.	6,588.
		15"	72"	15 1/4"	ASOBS72 () ()	4,152.	4,590.	5,581.	7,252.
		15"	78"	15 1/4"	ASOBS78 () ()	4,287.	4,746.	5,765.	7,494.
		15"	84"	15 1/4"	ASOBS84 () ()	4,428.	4,900.	5,954.	7,736.
		15"	90"	15 1/4"	ASOBS90 () ()	4,564.	5,058.	6,137.	7,979.
		15"	96"	15 1/4"	ASOBS96 () ()	4,729.	5,241.	6,360.	8,269.
	legal depth	15"	42"	18 1/4"	ASOGS42 () ()	3,450.	3,822.	4,645.	6,038.
		15"	48"	18 1/4"	ASOGS48 () ()	3,575.	3,963.	4,809.	6,252.
		15"	54"	18 1/4"	ASOGS54 () ()	3,617.	4,009.	4,866.	6,323.
		15"	60"	18 1/4"	ASOGS60 () ()	3,655.	4,050.	4,923.	6,400.
		15"	66"	18 1/4"	ASOGS66 () ()	4,070.	4,503.	5,475.	7,117.
		15"	72"	18 1/4"	ASOGS72 () ()	4,480.	4,960.	6,026.	7,832.
		15"	78"	18 1/4"	ASOGS78 () ()	4,629.	5,125.	6,228.	8,092.
		15"	84"	18 1/4"	ASOGS84 () ()	4,781.	5,297.	6,426.	8,356.
		15"	90"	18 1/4"	ASOGS90 () ()	4,931.	5,459.	6,630.	8,614.
		15"	96"	18 1/4"	ASOGS96 () ()	5,110.	5,660.	6,868.	8,929.

Order Code	Specification Information	Application Notes
Example: ASOBS42V316AA	<i>To order please specify pattern number including:</i>	Sliding doors are not available with locks.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
S Stack-on	2. Sliding door material <i>S = wood, same as case</i> <i>R = glass</i>	
O Overhead	3. Width	
B Binder depth	4. Pull option: AR = AutoStrada Radius pull AB = AutoStrada Bar pull	Sliding door pulls included, not visible on image. When AA finish specified pull is complimentary painted match to AA, pull not anodized.
S Open/Sliding (wood) Door	5. Finish <i>Laminate, V1, V2 or V3</i>	
42 42" wide	6. Finish, support feet and pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
AR Radius pull option		
V316 Finish, Maple		
AA Finish, support feet		

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Stack-on overheads correspond to interior width of medians and median storage.

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.


A certified building contractor should be consulted.

Please refer to wall mounting information on page 308.

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

with sliding glass door(s)

description	type	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	15"	42"	15 1/4"	ASOBR42 () () () ()	\$3,814.	\$4,209.	\$5,041.	\$6,557.
		15"	48"	15 1/4"	ASOBR48 () () () ()	3,950.	4,362.	5,223.	6,790.
		15"	54"	15 1/4"	ASOBR54 () () () ()	3,997.	4,412.	5,285.	6,868.
		15"	60"	15 1/4"	ASOBR60 () () () ()	4,044.	4,463.	5,345.	6,948.
		15"	66"	15 1/4"	ASOBR66 () () () ()	4,498.	4,964.	5,944.	7,727.
		15"	72"	15 1/4"	ASOBR72 () () () ()	4,954.	5,460.	6,544.	8,507.
		15"	78"	15 1/4"	ASOBR78 () () () ()	5,119.	5,649.	6,760.	8,790.
		15"	84"	15 1/4"	ASOBR84 () () () ()	5,286.	5,830.	6,981.	9,073.
		15"	90"	15 1/4"	ASOBR90 () () () ()	5,446.	6,014.	7,198.	9,358.
		15"	96"	15 1/4"	ASOBR96 () () () ()	5,647.	6,235.	7,459.	9,698.
	legal depth	15"	42"	18 1/4"	ASOGR42 () () () ()	4,116.	4,544.	5,445.	7,078.
		15"	48"	18 1/4"	ASOGR48 () () () ()	4,267.	4,715.	5,637.	7,331.
		15"	54"	18 1/4"	ASOGR54 () () () ()	4,318.	4,765.	5,706.	7,420.
		15"	60"	18 1/4"	ASOGR60 () () () ()	4,362.	4,821.	5,773.	7,506.
		15"	66"	18 1/4"	ASOGR66 () () () ()	4,858.	5,359.	6,419.	8,344.
		15"	72"	18 1/4"	ASOGR72 () () () ()	5,348.	5,901.	7,067.	9,185.
		15"	78"	18 1/4"	ASOGR78 () () () ()	5,528.	6,097.	7,302.	9,491.
		15"	84"	18 1/4"	ASOGR84 () () () ()	5,706.	6,298.	7,538.	9,800.
		15"	90"	18 1/4"	ASOGR90 () () () ()	5,885.	6,495.	7,775.	10,106.
		15"	96"	18 1/4"	ASOGR96 () () () ()	6,097.	6,733.	8,054.	10,470.

Order Code	Specification Information	Application Notes
Example: ASOBR42V316GL6AA	<i>To order please specify pattern number including:</i>	Sliding doors are not available with locks.
AA		Stack-on overheads correspond to interior width of medians and median storage.
A	AutoStrada	
S	Stack-on	
O	Overhead	
B	Binder depth	
R	Open/Sliding (glass) Door	
42	42" wide	
AR	Radius pull option	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
V316	Finish, Maple	Sliding door pulls included, not visible on image. When AA finish specified pull is complimentary painted match, pull not anodized.
GL6	Glass, Block Matrix	
AA	Frame, anodized aluminum	See page 7 for finish options applicable.
AA	Finish, support feet	Product on this page will accept wood grain laminate where laminate is currently an option.
	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	
	2. Sliding door material <i>S = wood, same as case</i> <i>R = glass</i>	
	3. Width	
	4. Pull option: AR = AutoStrada Radius pull AB = AutoStrada Bar pull	
	5. Finish <i>Laminate, V1, V2 or V3</i>	
	6. Finish, Glass sliding door <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i> <i>GL11, GL14, GL15, GL17, GL18</i>	
	7. Finish, Glass sliding door frame and pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
	8. Finish, support feet <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	


Overhead storage, wood cases

Panel hung overheads

open

AutoStrada

Overhead Storage

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	2	15"	42"	14 1/4"	A2PHOBO42 ()	\$2,132.	\$2,313.	\$2,559.	\$3,325.
		2	15"	48"	14 1/4"	A2PHOBO48 ()	2,208.	2,399.	2,650.	3,445.
		2	15"	54"	14 1/4"	A2PHOBO54 ()	2,235.	2,423.	2,682.	3,486.
		2	15"	60"	14 1/4"	A2PHOBO60 ()	2,259.	2,453.	2,713.	3,528.
		2	15"	66"	14 1/4"	A2PHOBO66 ()	2,513.	2,728.	3,017.	3,923.
		2	15"	72"	14 1/4"	A2PHOBO72 ()	2,770.	3,002.	3,321.	4,317.
		3	15"	78"	14 1/4"	A2PHOBO78 ()	2,859.	3,103.	3,430.	4,463.
		3	15"	84"	14 1/4"	A2PHOBO84 ()	2,955.	3,204.	3,544.	4,606.
		3	15"	90"	14 1/4"	A2PHOBO90 ()	3,045.	3,303.	3,653.	4,750.
		3	15"	96"	14 1/4"	A2PHOBO96 ()	3,153.	3,427.	3,786.	4,921.
		2	15"	42"	17 1/4"	A2PHOGO42 ()	2,303.	2,494.	2,768.	3,594.
		2	15"	48"	17 1/4"	A2PHOGO48 ()	2,386.	2,588.	2,861.	3,722.
		2	15"	54"	17 1/4"	A2PHOGO54 ()	2,411.	2,620.	2,898.	3,768.
		2	15"	60"	17 1/4"	A2PHOGO60 ()	2,439.	2,647.	2,928.	3,810.
		2	15"	66"	17 1/4"	A2PHOGO66 ()	2,712.	2,946.	3,259.	4,235.
		2	15"	72"	17 1/4"	A2PHOGO72 ()	2,986.	3,240.	3,586.	4,659.
		3	15"	78"	17 1/4"	A2PHOGO78 ()	3,087.	3,350.	3,707.	4,821.
		3	15"	84"	17 1/4"	A2PHOGO84 ()	3,188.	3,459.	3,825.	4,975.
		3	15"	90"	17 1/4"	A2PHOGO90 ()	3,287.	3,568.	3,944.	5,130.
		3	15"	96"	17 1/4"	A2PHOGO96 ()	3,405.	3,700.	4,089.	5,319.

Order Code

Example: **APHOBO42V316**

A	AutoStrada
PH	Panel hung
O	Overhead
B	Binder depth
O	Open
42	42" wide
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

1. Depth
B = Binder depth
G = Legal depth
2. Width
3. Finish
Laminate, V1, V2 or V3

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Application Notes


Panel hung overhead storage units include hardware to hang unit on panels.

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 308.

Panel hung overheads
hinged door

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	3/2	15"	42"	15 1/4"	A2PHOBD42 () ()	\$2,365.	\$2,567.	\$2,841.	\$3,691.
		3/2	15"	48"	15 1/4"	A2PHOBD48 () ()	2,451.	2,662.	2,941.	3,825.
		3/2	15"	54"	15 1/4"	A2PHOBD54 () ()	2,478.	2,693.	2,978.	3,870.
		4/2	15"	60"	15 1/4"	A2PHOBD60 () ()	2,506.	2,725.	3,011.	3,913.
		4/2	15"	66"	15 1/4"	A2PHOBD66 () ()	2,788.	3,025.	3,348.	4,352.
		4/2	15"	72"	15 1/4"	A2PHOBD72 () ()	3,073.	3,340.	3,694.	4,803.
		5/3	15"	78"	15 1/4"	A2PHOBD78 () ()	3,174.	3,444.	3,810.	4,954.
		5/3	15"	84"	15 1/4"	A2PHOBD84 () ()	3,278.	3,555.	3,931.	5,112.
		6/3	15"	90"	15 1/4"	A2PHOBD90 () ()	3,384.	3,671.	4,057.	5,275.
		6/3	15"	96"	15 1/4"	A2PHOBD96 () ()	3,501.	3,804.	4,211.	5,471.
	legal depth	3/2	15"	42"	18 1/4"	A2PHOGD42 () ()	2,554.	2,773.	3,068.	3,989.
		3/2	15"	48"	18 1/4"	A2PHOGD48 () ()	2,646.	2,878.	3,176.	4,133.
		3/2	15"	54"	18 1/4"	A2PHOGD54 () ()	2,676.	2,909.	3,213.	4,180.
		4/2	15"	60"	18 1/4"	A2PHOGD60 () ()	2,708.	2,942.	3,252.	4,226.
		4/2	15"	66"	18 1/4"	A2PHOGD66 () ()	3,012.	3,270.	3,617.	4,703.
		4/2	15"	72"	18 1/4"	A2PHOGD72 () ()	3,318.	3,607.	3,989.	5,189.
		5/3	15"	78"	18 1/4"	A2PHOGD78 () ()	3,430.	3,717.	4,113.	5,349.
		5/3	15"	84"	18 1/4"	A2PHOGD84 () ()	3,536.	3,840.	4,245.	5,522.
		6/3	15"	90"	18 1/4"	A2PHOGD90 () ()	3,654.	3,964.	4,383.	5,698.
		6/3	15"	96"	18 1/4"	A2PHOGD96 () ()	3,784.	4,109.	4,545.	5,908.

Order Code

Example:	APHOBD42LV316
A	AutoStrada
PH	Panel hung
O	Overhead
B	Binder depth
D	Hinged Door
42	42" wide
L	Locking
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

1. Depth
B = Binder depth
G = Legal depth
2. Width
3. Lock option
L = Lock hole drilled
N = Not drilled for locks
4. Finish
Laminate, V1, V2 or V3

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Application Notes

Panel hung overhead storage units include hardware to hang unit on panels.

Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.

Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.


A certified building contractor should be consulted.

Please refer to wall mounting information on page 308.

Overhead storage, wood cases

Panel hung overheads

open / hinged door / open

description	type	locks	h	w	d	pattern no.	L	V1	V2	V3
Panel hung Overhead, Open/Wood hinged doors/Open  96" w shown	binder depth	1	15"	60"	15 1/4"	A2PHOBT60 () ()	\$2,368.	\$2,575.	\$2,848.	\$3,702.
		1	15"	66"	15 1/4"	A2PHOBT66 () ()	2,638.	2,862.	3,169.	4,118.
		1	15"	72"	15 1/4"	A2PHOBT72 () ()	2,906.	3,151.	3,486.	4,534.
		1	15"	78"	15 1/4"	A2PHOBT78 () ()	3,002.	3,258.	3,604.	4,685.
		1	15"	84"	15 1/4"	A2PHOBT84 () ()	3,100.	3,363.	3,720.	4,835.
		1	15"	90"	15 1/4"	A2PHOBT90 () ()	3,196.	3,468.	3,837.	4,985.
		1	15"	96"	15 1/4"	A2PHOBT96 () ()	3,312.	3,600.	3,976.	5,166.
	legal depth	1	15"	60"	18 1/4"	A2PHOGT60 () ()	2,561.	2,781.	3,075.	4,003.
		1	15"	66"	18 1/4"	A2PHOGT66 () ()	2,849.	3,091.	3,420.	4,447.
		1	15"	72"	18 1/4"	A2PHOGT72 () ()	3,138.	3,402.	3,768.	4,896.
		1	15"	78"	18 1/4"	A2PHOGT78 () ()	3,241.	3,520.	3,891.	5,062.
		1	15"	84"	18 1/4"	A2PHOGT84 () ()	3,348.	3,635.	4,022.	5,223.
		1	15"	90"	18 1/4"	A2PHOGT90 () ()	3,451.	3,746.	4,141.	5,387.
		1	15"	96"	18 1/4"	A2PHOGT96 () ()	3,575.	3,885.	4,295.	5,581.

Order Code

Example:	APHOBT60LV316
A	AutoStrada
PH	Panel hung
O	Overhead
B	Binder depth
T	Open/Hinged Door/Open
60	60" wide
L	Locking
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

1. Depth
B = Binder depth
G = Legal depth
2. Width
3. Lock option
L = Lock hole drilled
N = Not drilled for locks
4. Finish
Laminate, V1, V2 or V3

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Application Notes

Panel hung overhead storage units include hardware to hang unit on panels.

Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available

Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.


NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 308.

Overhead storage, wood cases

*Panel hung overheads
with sliding wood door(s)*


description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	1/1	15"	42"	15 1/4"	APHOBS42 () ()	\$3,195.	\$3,537.	\$4,300.	\$5,588.
		1/1	15"	48"	15 1/4"	APHOBS48 () ()	3,311.	3,669.	4,455.	5,790.
		1/1	15"	54"	15 1/4"	APHOBS54 () ()	3,348.	3,711.	4,505.	5,859.
		2/2	15"	60"	15 1/4"	APHOBS60 () ()	3,385.	3,750.	4,557.	5,928.
		2/2	15"	66"	15 1/4"	APHOBS66 () ()	3,770.	4,170.	5,069.	6,588.
		2/2	15"	72"	15 1/4"	APHOBS72 () ()	4,152.	4,590.	5,581.	7,252.
		2/2	15"	78"	15 1/4"	APHOBS78 () ()	4,287.	4,746.	5,765.	7,494.
		2/2	15"	84"	15 1/4"	APHOBS84 () ()	4,428.	4,900.	5,954.	7,736.
		2/2	15"	90"	15 1/4"	APHOBS90 () ()	4,564.	5,058.	6,137.	7,979.
		2/2	15"	96"	15 1/4"	APHOBS96 () ()	4,729.	5,241.	6,360.	8,269.
	legal depth	1/1	15"	42"	18 1/4"	APHOGS42 () ()	3,450.	3,822.	4,645.	6,038.
		1/1	15"	48"	18 1/4"	APHOGS48 () ()	3,575.	3,963.	4,809.	6,252.
		1/1	15"	54"	18 1/4"	APHOGS54 () ()	3,617.	4,009.	4,866.	6,323.
		2/2	15"	60"	18 1/4"	APHOGS60 () ()	3,655.	4,050.	4,923.	6,400.
		2/2	15"	66"	18 1/4"	APHOGS66 () ()	4,070.	4,503.	5,475.	7,117.
		2/2	15"	72"	18 1/4"	APHOGS72 () ()	4,480.	4,960.	6,026.	7,832.
		2/2	15"	78"	18 1/4"	APHOGS78 () ()	4,629.	5,125.	6,228.	8,092.
		2/2	15"	84"	18 1/4"	APHOGS84 () ()	4,781.	5,297.	6,426.	8,356.
		2/2	15"	90"	18 1/4"	APHOGS90 () ()	4,931.	5,459.	6,630.	8,614.
		2/2	15"	96"	18 1/4"	APHOGS96 () ()	5,110.	5,660.	6,868.	8,929.

Order Code	Specification Information	Application Notes
Example: APHOBS42V316	<i>To order please specify pattern number including:</i>	Sliding doors are not available with locks.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Panel hung overhead storage units include hardware to hang unit on panels.
PH Panel hung	<i>G = Legal depth</i>	
O Overhead	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image.
B Binder depth	3. Width	
S Open/Sliding (wood) Door	4. Pull option: AR = AutoStrada Radius pull AB = AutoStrada Bar pull	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 308 .
42 42" wide	5. Finish <i>Laminate, V1, V2 or V3</i>	
AR Radius pull option	6. <i>Finish, pull</i> <i>AA-complimentary painted match to anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
V316 Finish, Maple		
118 Pull Finish		
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	

Overhead storage, wood cases

Panel hung overheads

with sliding glass door(s)

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	1/1	15"	42"	15 1/4"	APHOBR42 () () ()	\$3,814.	\$4,209.	\$5,041.	\$6,557.
		1/1	15"	48"	15 1/4"	APHOBR48 () () ()	3,950.	4,362.	5,223.	6,790.
		1/1	15"	54"	15 1/4"	APHOBR54 () () ()	3,997.	4,412.	5,285.	6,868.
		2/2	15"	60"	15 1/4"	APHOBR60 () () ()	4,044.	4,463.	5,345.	6,948.
		2/2	15"	66"	15 1/4"	APHOBR66 () () ()	4,498.	4,964.	5,944.	7,727.
		2/2	15"	72"	15 1/4"	APHOBR72 () () ()	4,954.	5,460.	6,544.	8,507.
		2/2	15"	78"	15 1/4"	APHOBR78 () () ()	5,119.	5,649.	6,760.	8,790.
		2/2	15"	84"	15 1/4"	APHOBR84 () () ()	5,286.	5,830.	6,981.	9,073.
		2/2	15"	90"	15 1/4"	APHOBR90 () () ()	5,446.	6,014.	7,198.	9,358.
		2/2	15"	96"	15 1/4"	APHOBR96 () () ()	5,647.	6,235.	7,459.	9,698.
	legal depth	1/1	15"	42"	18 1/4"	APHOGR42 () () ()	4,116.	4,544.	5,445.	7,078.
		1/1	15"	48"	18 1/4"	APHOGR48 () () ()	4,267.	4,715.	5,637.	7,331.
		1/1	15"	54"	18 1/4"	APHOGR54 () () ()	4,318.	4,765.	5,706.	7,420.
		2/2	15"	60"	18 1/4"	APHOGR60 () () ()	4,362.	4,821.	5,773.	7,506.
		2/2	15"	66"	18 1/4"	APHOGR66 () () ()	4,858.	5,359.	6,419.	8,344.
		2/2	15"	72"	18 1/4"	APHOGR72 () () ()	5,348.	5,901.	7,067.	9,185.
		2/2	15"	78"	18 1/4"	APHOGR78 () () ()	5,528.	6,097.	7,302.	9,491.
		2/2	15"	84"	18 1/4"	APHOGR84 () () ()	5,706.	6,298.	7,538.	9,800.
		2/2	15"	90"	18 1/4"	APHOGR90 () () ()	5,885.	6,495.	7,775.	10,106.
		2/2	15"	96"	18 1/4"	APHOGR96 () () ()	6,097.	6,733.	8,054.	10,470.

Order Code	Specification Information	Application Notes
Example: APHOBR42V316GL6AA	To order please specify pattern number including:	Sliding doors are not available with locks.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Panel hung overhead storage units include hardware to hang unit on panels.
PH Panel hung	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image. When AA finish specified pull is complimentary painted match, pull is not anodized.
O Overhead	3. Width	See page 7 for finish options applicable.
B Binder depth	4. Pull option: AR = AutoStrada Radius pull AB = AutoStrada Bar pull	Product on this page will accept wood grain laminate where laminate is currently an option.
R Open/Sliding (glass) Door	5. Finish <i>Laminate, V1, V2 or V3</i>	
42 42" wide	6. Finish, Glass sliding door <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i> <i>GL11, GL14, GL15, GL17, GL18</i>	
AR Radius pull option	7. Finish, Glass sliding door frame and pull <i>Anodized aluminum or painted finish options listed on page Textcluding silver.</i>	
V316 Finish, Maple		
GL6 Glass, Block Matrix		
AA Frame, anodized aluminum		

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 308 .

Overhead storage, wood cases

Shared open overhead mounting options

AutoStrada


description	type	h	pattern no.	paint
Mounting brackets for 64" h horizon on 48" h Service Wall or for 55" h horizon on 39" h Service Wall and 39" h Fence	For 24" w - 48" w overhead		AUOMBCC2 ()	\$122.
	For 54" w - 72" w overhead		AUOMBCC3 ()	160.
Mounting brackets for AutoStrada panels	For 24" w - 48" w overhead		AUOMBAP2 ()	78.
	For 54" w - 72" w overhead		AUOMBAP3 ()	117.
Stanchion upmount brackets for 49" h horizon on 28" h Fence or for 48" h horizon on 27" h Fence	For 24" w - 48" w overhead	6 1/2"	AUOMBSS62 ()	168.
	For 54" w - 72" w overhead	6 1/2"	AUOMBSS63 ()	223.
Stanchion upmount brackets for 49" h horizon on 27" h Fence	For 24" w - 48" w overhead	7 1/2"	AUOMBSS72 ()	173.
	For 54" w - 72" w overhead	7 1/2"	AUOMBSS73 ()	231.
Stanchion upmount brackets for 64" h horizon on 39" h Service Wall and 39" h Fence	For 24" w - 48" w overhead	9 1/2"	AUOMBSS92 ()	180.
	For 54" w - 72" w overhead	9 1/2"	AUOMBSS93 ()	244.

Order Code	Specification Information	Application Notes
Example: AUO MB CC 2 118	Specify painted finish.	Shared open overhead mounting brackets for the Service Wall are designed for use on the compact crown only.
A AutoStrada	6 1/2" h stanchions are for use on 28" h Fence for 49" h horizon or on 27" h Fence for 48" h horizon.	
U Upmounted		
O Overhead		
MB Mounting brackets	7 1/2" h stanchions are for use on 27" h Fence for 49" h horizon.	
CC Compact Crown		
2 Quantity of brackets	9 1/2" h stanchions are for use on 39" h Service Wall and 39" h Fence for 64" h horizon.	
118 Finish	Mounting brackets for 24" w - 48" w upmounted overheads come in a pair.	
	Mounting brackets for 54" w - 72" w upmounted overheads come in a quantity of 3.	
	9 1/2" h stanchions can only be used on 39" h Fence when Fence is supported by attached perpendicular panels or screens.	

Overhead storage, wood cases

Wall-attached overheads for private office

open, single high

description	type	h	w	d	pattern no.	L	V1	V2	V3
 <i>96" w shown</i>	binder height & depth	15"	30"	14 1/4"	A2WHOB SO30 () ()	\$2,044.	\$2,223.	\$2,459.	\$3,194.
		15"	36"	14 1/4"	A2WHOB SO36 () ()	2,097.	2,280.	2,522.	3,275.
		15"	42"	14 1/4"	A2WHOB SO42 () ()	2,153.	2,335.	2,587.	3,361.
		15"	48"	14 1/4"	A2WHOB SO48 () ()	2,211.	2,400.	2,653.	3,450.
		15"	54"	14 1/4"	A2WHOB SO54 () ()	2,324.	2,524.	2,797.	3,631.
		15"	60"	14 1/4"	A2WHOB SO60 () ()	2,442.	2,647.	2,931.	3,812.
		15"	66"	14 1/4"	A2WHOB SO66 () ()	2,512.	2,728.	3,014.	3,920.
		15"	72"	14 1/4"	A2WHOB SO72 () ()	2,576.	2,805.	3,096.	4,027.
		15"	78"	14 1/4"	A2WHOB SO78 () ()	2,706.	2,947.	3,252.	4,226.
		15"	84"	14 1/4"	A2WHOB SO84 () ()	2,788.	3,033.	3,348.	4,354.
		15"	90"	14 1/4"	A2WHOB SO90 () ()	2,872.	3,128.	3,448.	4,482.
		15"	96"	14 1/4"	A2WHOB SO96 () ()	2,958.	3,217.	3,555.	4,986.
<i>Units up to 36" w have one section, units 42" w up to 72" wide have two sections, over 72" w have three sections</i>									
	binder height & legal depth	15"	30"	17 1/4"	A2WHOG SO30 () ()	2,208.	2,401.	2,652.	3,449.
15"		36"	17 1/4"	A2WHOG SO36 () ()	2,267.	2,463.	2,723.	3,536.	
15"		42"	17 1/4"	A2WHOG SO42 () ()	2,323.	2,524.	2,795.	3,631.	
15"		48"	17 1/4"	A2WHOG SO48 () ()	2,388.	2,594.	2,869.	3,726.	
15"		54"	17 1/4"	A2WHOG SO54 () ()	2,513.	2,726.	3,017.	3,923.	
15"		60"	17 1/4"	A2WHOG SO60 () ()	2,638.	2,860.	3,165.	4,116.	
15"		66"	17 1/4"	A2WHOG SO66 () ()	2,709.	2,947.	3,257.	4,232.	
15"		72"	17 1/4"	A2WHOG SO72 () ()	2,785.	3,028.	3,344.	4,349.	
15"		78"	17 1/4"	A2WHOG SO78 () ()	2,924.	3,180.	3,513.	4,564.	
15"		84"	17 1/4"	A2WHOG SO84 () ()	3,012.	3,279.	3,617.	4,703.	
15"		90"	17 1/4"	A2WHOG SO90 () ()	3,103.	3,375.	3,724.	4,844.	
15"		96"	17 1/4"	A2WHOG SO96 () ()	3,195.	3,476.	3,838.	4,986.	
<i>Units up to 36" w have one section, units 42" w up to 72" w have two sections, over 72" wide have three sections</i>									

Order Code	Specification Information	Application Notes
Example: AWHOB SO30V316AA	<i>To order please specify pattern number including:</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.
WH Wall hung	3. Finish <i>Laminate, V1, V2 or V3</i>	
O Overhead	4. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
B Binder depth		
S Single high		
O Open		
30 30" wide		
V316 Finish, Maple		
AA Finish, Aluminum trim		
See page 7 for finish options applicable.		
Product on this page will accept wood grain laminate where laminate is currently an option.		

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.


Please refer to wall mounting information on page 308 .

Overhead storage, wood cases

Wall-attached overheads for private office

hinged door, single high

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Hinged doors (wood) single high	binder height and depth	2/1	15"	30"	15 1/4"	A2WHOBSD30 () ()	\$2,977.	\$3,229.	\$3,569.	\$4,641.
		2/1	15"	36"	15 1/4"	A2WHOBSD36 () ()	3,142.	3,416.	3,775.	4,908.
		3/2	15"	42"	15 1/4"	A2WHOBSD42 () ()	3,166.	3,441.	3,802.	4,943.
		3/2	15"	48"	15 1/4"	A2WHOBSD48 () ()	3,230.	3,504.	3,878.	5,040.
		3/2	15"	54"	15 1/4"	A2WHOBSD54 () ()	3,394.	3,686.	4,080.	5,301.
		4/2	15"	60"	15 1/4"	A2WHOBSD60 () ()	3,557.	3,859.	4,267.	5,552.
		4/2	15"	66"	15 1/4"	A2WHOBSD66 () ()	3,662.	3,980.	4,400.	5,723.
		4/2	15"	72"	15 1/4"	A2WHOBSD72 () ()	3,763.	4,086.	4,518.	5,873.
		5/3	15"	78"	15 1/4"	A2WHOBSD78 () ()	3,953.	4,300.	4,747.	6,171.
		5/3	15"	84"	15 1/4"	A2WHOBSD84 () ()	4,072.	4,432.	4,889.	6,358.
		6/3	15"	90"	15 1/4"	A2WHOBSD90 () ()	4,193.	4,562.	5,036.	6,550.
		6/3	15"	96"	15 1/4"	A2WHOBSD96 () ()	4,320.	4,699.	5,189.	6,742.
	binder height and legal depth	2/1	15"	30"	18 1/4"	A2WHOGSD30 () ()	3,212.	3,486.	3,856.	5,011.
		2/1	15"	36"	18 1/4"	A2WHOGSD36 () ()	3,393.	3,690.	4,079.	5,299.
		3/2	15"	42"	18 1/4"	A2WHOGSD42 () ()	3,417.	3,714.	4,107.	5,340.
		3/2	15"	48"	18 1/4"	A2WHOGSD48 () ()	3,486.	3,780.	4,188.	5,445.
		3/2	15"	54"	18 1/4"	A2WHOGSD54 () ()	3,668.	3,977.	4,405.	5,727.
		4/2	15"	60"	18 1/4"	A2WHOGSD60 () ()	3,841.	4,169.	4,611.	5,994.
		4/2	15"	66"	18 1/4"	A2WHOGSD66 () ()	3,955.	4,299.	4,751.	6,178.
		4/2	15"	72"	18 1/4"	A2WHOGSD72 () ()	4,066.	4,412.	4,881.	6,345.
		5/3	15"	78"	18 1/4"	A2WHOGSD78 () ()	4,268.	4,645.	5,126.	6,665.
		5/3	15"	84"	18 1/4"	A2WHOGSD84 () ()	4,397.	4,786.	5,278.	6,865.
		6/3	15"	90"	18 1/4"	A2WHOGSD90 () ()	4,530.	4,928.	5,440.	7,071.
		6/3	15"	96"	18 1/4"	A2WHOGSD96 () ()	4,661.	5,078.	5,604.	7,283.




96" w shown

Order Code	Specification Information	Application Notes
Example: AWHOBSD30LV316AA	<i>To order please specify pattern number including:</i>	Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.
WH Wall hung	2. Width	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	3. Lock <i>L = lock hole drilled</i> <i>N = not drilled for locks</i>	A certified building contractor should be consulted.
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>	Please refer to wall mounting information on page 308.
S Single high	5. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
D Hinged doors, wood	See page 7 for finish options applicable.	
30 30" wide	Product on this page will accept wood grain laminate where laminate is currently an option.	
L Lock holes drilled		
V316 Finish, Maple		
AA Finish, Aluminum trim		

Overhead storage, wood cases

Wall-attached overheads for private office

open / hinged door / open, single high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Hinged doors (wood) single high	binder height & depth	15"	60"	15 1/4"	A2WHOBST60 () ()	\$2,563.	\$2,781.	\$3,075.	\$4,004.
		15"	66"	15 1/4"	A2WHOBST66 () ()	2,637.	2,862.	3,165.	4,113.
		15"	72"	15 1/4"	A2WHOBST72 () ()	2,706.	2,947.	3,252.	4,226.
		15"	78"	15 1/4"	A2WHOBST78 () ()	2,841.	3,092.	3,416.	4,439.
		15"	84"	15 1/4"	A2WHOBST84 () ()	2,927.	3,183.	3,516.	4,571.
		15"	90"	15 1/4"	A2WHOBST90 () ()	3,015.	3,282.	3,620.	4,708.
		15"	96"	15 1/4"	A2WHOBST96 () ()	3,107.	3,381.	3,730.	4,851.
 96" w shown	binder height & legal depth	15"	60"	18 1/4"	A2WHOGST60 () ()	2,771.	3,003.	3,322.	4,319.
		15"	66"	18 1/4"	A2WHOGST66 () ()	2,847.	3,091.	3,418.	4,444.
		15"	72"	18 1/4"	A2WHOGST72 () ()	2,924.	3,180.	3,513.	4,564.
		15"	78"	18 1/4"	A2WHOGST78 () ()	3,071.	3,340.	3,683.	4,793.
		15"	84"	18 1/4"	A2WHOGST84 () ()	3,162.	3,441.	3,799.	4,935.
		15"	90"	18 1/4"	A2WHOGST90 () ()	3,259.	3,544.	3,912.	5,083.
		15"	96"	18 1/4"	A2WHOGST96 () ()	3,354.	3,652.	4,030.	5,237.

Order Code	Specification Information	Application Notes	
Example: AWHOBST60LV316AA	<i>To order please specify pattern number including:</i>	Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70"h floor standing cabinet not including aluminum and wood top trim.	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8"h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Hinged doors extend slightly beyond case constrution to allow for easy finger pull access along the bottom. No pulls available.	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
WH Wall hung	2. Width		A certified building contractor should be consulted.
O Overhead	3. Lock <i>L = lock hole drilled</i> <i>N = not drilled for locks</i>	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.	Please refer to wall mounting information on page308.
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>		
S Single high	5. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>		
T Open/Hinged doors/Open			
60 60" wide			
L Lock holes drilled			
V316 Finish, Maple			
AA Finish, Aluminum trim			



See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Overhead storage, wood cases

Wall-attached overheads for private office

with sliding door(s), single high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Sliding door(s) wood single high  96" w shown	binder height and depth	15"	60"	15 1/4"	AWHOBSS60 () () ()	\$3,660.	\$4,050.	\$4,927.	\$6,405.
		15"	66"	15 1/4"	AWHOBSS66 () () ()	3,765.	4,170.	5,064.	6,581.
		15"	72"	15 1/4"	AWHOBSS72 () () ()	3,868.	4,295.	5,202.	6,763.
		15"	78"	15 1/4"	AWHOBSS78 () () ()	4,061.	4,507.	5,466.	7,101.
		15"	84"	15 1/4"	AWHOBSS84 () () ()	4,180.	4,642.	5,626.	7,316.
		15"	90"	15 1/4"	AWHOBSS90 () () ()	4,309.	4,784.	5,795.	7,536.
		15"	96"	15 1/4"	AWHOBSS96 () () ()	4,436.	4,925.	5,969.	7,762.
	binder height and legal depth	15"	60"	18 1/4"	AWHOGSS60 () () ()	3,953.	4,379.	5,321.	6,915.
		15"	66"	18 1/4"	AWHOGSS66 () () ()	4,068.	4,507.	5,469.	7,109.
		15"	72"	18 1/4"	AWHOGSS72 () () ()	4,175.	4,636.	5,621.	7,303.
		15"	78"	18 1/4"	AWHOGSS78 () () ()	4,386.	4,868.	5,899.	7,669.
		15"	84"	18 1/4"	AWHOGSS84 () () ()	4,515.	5,015.	6,075.	7,900.
		15"	90"	18 1/4"	AWHOGSS90 () () ()	4,653.	5,164.	6,256.	8,138.
		15"	96"	18 1/4"	AWHOGSS96 () () ()	4,793.	5,318.	6,450.	8,380.
Wall hung overhead Open/Sliding door(s) glass single high  96" w shown	binder height and depth	15"	60"	15 1/4"	AWHOBSR60 () () ()	4,368.	4,821.	5,774.	6,932.
		15"	66"	15 1/4"	AWHOBSR66 () () ()	4,493.	4,964.	5,941.	7,125.
		15"	72"	15 1/4"	AWHOBSR72 () () ()	4,613.	5,107.	6,101.	7,321.
		15"	78"	15 1/4"	AWHOBSR78 () () ()	4,846.	5,364.	6,407.	7,689.
		15"	84"	15 1/4"	AWHOBSR84 () () ()	4,989.	5,526.	6,599.	7,917.
		15"	90"	15 1/4"	AWHOBSR90 () () ()	5,141.	5,688.	6,795.	8,156.
		15"	96"	15 1/4"	AWHOBSR96 () () ()	5,296.	5,859.	6,998.	8,400.
	binder height and legal depth	15"	60"	18 1/4"	AWHOGSR60 () () ()	4,717.	5,206.	6,238.	7,485.
		15"	66"	18 1/4"	AWHOGSR66 () () ()	4,852.	5,359.	6,412.	7,698.
		15"	72"	18 1/4"	AWHOGSR72 () () ()	4,981.	5,513.	6,588.	7,908.
		15"	78"	18 1/4"	AWHOGSR78 () () ()	5,232.	5,795.	6,918.	8,302.
		15"	84"	18 1/4"	AWHOGSR84 () () ()	5,388.	5,967.	7,125.	8,549.
		15"	90"	18 1/4"	AWHOGSR90 () () ()	5,552.	6,141.	7,341.	8,808.
		15"	96"	18 1/4"	AWHOGSR96 () () ()	5,719.	6,329.	7,558.	9,071.

Order Code	Specification Information	Application Notes
Example: AWHOBSS60V316AA	<i>To order please specify pattern number including:</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	
WH Wall hung	2. Sliding door material <i>S = wood, same as case</i> <i>R = glass</i>	Sliding doors are not available with locks. When AA finish specified pull is complimentary painted match, pull is not anodized.
O Overhead	3. Width	
B Binder depth	4. Pull options for Glass doors (as applicable) AR=AutoStrada Radius pull AB=AutoStrada Bar pull	See page 7 for finish options applicable.
S Single high	5. Finish <i>Laminate, V1, V2 or V3</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
S Open/Sliding door(s)/wood	6. Finish, Glass sliding door (as applicable) <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i> <i>GL11, GL14, GL15, GL17, GL18</i>	
60 60" wide	7. Finish, Glass sliding door frame and pull (as applicable) <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
AR Radius pull option		
V316 Finish, Maple		
AA Finish, Aluminum trim		

Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.

Sliding door pulls included, not visible on image.

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.


Please refer to wall mounting information on page 308.

Overhead storage, wood cases

Wall-attached overheads for private office

open, double high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead open, double high	binder height & depth	29"	30"	14 1/4"	A2WHOBDO30 () ()	\$2,758.	\$3,002.	\$3,317.	\$4,313.
		29"	36"	14 1/4"	A2WHOBDO36 () ()	2,833.	3,080.	3,402.	4,427.
		29"	42"	14 1/4"	A2WHOBDO42 () ()	2,906.	3,156.	3,491.	4,539.
		29"	48"	14 1/4"	A2WHOBDO48 () ()	2,983.	3,239.	3,586.	4,658.
		29"	54"	14 1/4"	A2WHOBDO54 () ()	3,140.	3,403.	3,773.	4,905.
		29"	60"	14 1/4"	A2WHOBDO60 () ()	3,297.	3,573.	3,955.	5,145.
		29"	66"	14 1/4"	A2WHOBDO66 () ()	3,386.	3,678.	4,069.	5,289.
		29"	72"	14 1/4"	A2WHOBDO72 () ()	3,481.	3,788.	4,180.	5,436.
		29"	78"	14 1/4"	A2WHOBDO78 () ()	3,654.	3,976.	4,391.	5,706.
		29"	84"	14 1/4"	A2WHOBDO84 () ()	3,765.	4,096.	4,521.	5,880.
		29"	90"	14 1/4"	A2WHOBDO90 () ()	3,873.	4,218.	4,655.	6,055.
		29"	96"	14 1/4"	A2WHOBDO96 () ()	3,992.	4,347.	4,799.	6,735.
		units up to 36"w have one section, 42"w up to 72"w have two sections, over 72"w have three sections							
	binder height & legal depth	29"	30"	17 1/4"	A2WHOGDO30 () ()	2,980.	3,240.	3,584.	4,656.
		29"	36"	17 1/4"	A2WHOGDO36 () ()	3,061.	3,324.	3,676.	4,775.
		29"	42"	17 1/4"	A2WHOGDO42 () ()	3,138.	3,405.	3,772.	4,904.
		29"	48"	17 1/4"	A2WHOGDO48 () ()	3,224.	3,497.	3,871.	5,033.
		29"	54"	17 1/4"	A2WHOGDO54 () ()	3,389.	3,677.	4,074.	5,293.
		29"	60"	17 1/4"	A2WHOGDO60 () ()	3,560.	3,859.	4,277.	5,556.
		29"	66"	17 1/4"	A2WHOGDO66 () ()	3,658.	3,975.	4,395.	5,710.
		29"	72"	17 1/4"	A2WHOGDO72 () ()	3,760.	4,093.	4,515.	5,870.
		29"	78"	17 1/4"	A2WHOGDO78 () ()	3,946.	4,297.	4,740.	6,164.
		29"	84"	17 1/4"	A2WHOGDO84 () ()	4,068.	4,424.	4,884.	6,350.
		29"	90"	17 1/4"	A2WHOGDO90 () ()	4,188.	4,557.	5,030.	6,539.
		29"	96"	17 1/4"	A2WHOGDO96 () ()	4,313.	4,695.	5,182.	6,735.
		units up to 36"w have one section, 42"w up to 72"w have two sections, over 72"w have three sections							



96"w shown

Order Code	Specification Information	Application Notes
Example: AWHOBDO30V316AA	To order please specify pattern number including:	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.
A AutoStrada	1. Depth B = Binder depth G = Legal depth	
WH Wall hung	2. Width	
O Overhead	3. Finish Laminate, V1, V2 or V3	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84"h floor standing cabinet not including aluminum and wood top trim.
B Binder depth	4. Finish, aluminum trim Anodized aluminum or painted finish options listed on page 7 excluding silver.	
D Double high		
O Open		
30 30" wide		
V316 Finish, Maple		
AA Finish, Aluminum trim		

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 308 .

See page 7 for finish options applicable.


Product on this page will accept wood grain laminate where laminate is currently an option.

Overhead storage, wood cases

Wall-attached overheads for private office

hinged door, double high

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Hinged doors (wood) double high	binder height and depth	2/1	29"	30"	15 1/4"	A2WHOBDD30 () ()	\$4,013.	\$4,359.	\$4,820.	\$6,264.
		2/1	29"	36"	15 1/4"	A2WHOBDD36 () ()	4,243.	4,608.	5,097.	6,626.
		3/2	29"	42"	15 1/4"	A2WHOBDD42 () ()	4,275.	4,643.	5,135.	6,674.
		3/2	29"	48"	15 1/4"	A2WHOBDD48 () ()	4,356.	4,730.	5,234.	6,807.
		3/2	29"	54"	15 1/4"	A2WHOBDD54 () ()	4,584.	4,973.	5,505.	7,159.
		4/2	29"	60"	15 1/4"	A2WHOBDD60 () ()	4,802.	5,212.	5,765.	7,494.
		4/2	29"	66"	15 1/4"	A2WHOBDD66 () ()	4,944.	5,373.	5,942.	7,722.
		4/2	29"	72"	15 1/4"	A2WHOBDD72 () ()	5,080.	5,514.	6,101.	7,931.
		5/3	29"	78"	15 1/4"	A2WHOBDD78 () ()	5,337.	5,805.	6,410.	8,330.
		5/3	29"	84"	15 1/4"	A2WHOBDD84 () ()	5,494.	5,979.	6,605.	8,582.
		6/3	29"	90"	15 1/4"	A2WHOBDD90 () ()	5,660.	6,159.	6,800.	8,839.
		6/3	29"	96"	15 1/4"	A2WHOBDD96 () ()	5,833.	6,345.	7,001.	9,106.
	binder height and legal depth	2/1	29"	30"	18 1/4"	A2WHOGDD30 () ()	4,335.	4,705.	5,202.	6,763.
		2/1	29"	36"	18 1/4"	A2WHOGDD36 () ()	4,580.	4,975.	5,503.	7,154.
		3/2	29"	42"	18 1/4"	A2WHOGDD42 () ()	4,614.	5,016.	5,543.	7,206.
		3/2	29"	48"	18 1/4"	A2WHOGDD48 () ()	4,707.	5,108.	5,654.	7,352.
		3/2	29"	54"	18 1/4"	A2WHOGDD54 () ()	4,951.	5,372.	5,946.	7,729.
		4/2	29"	60"	18 1/4"	A2WHOGDD60 () ()	5,185.	5,631.	6,224.	8,090.
		4/2	29"	66"	18 1/4"	A2WHOGDD66 () ()	5,342.	5,803.	6,418.	8,339.
		4/2	29"	72"	18 1/4"	A2WHOGDD72 () ()	5,484.	5,957.	6,587.	8,563.
		5/3	29"	78"	18 1/4"	A2WHOGDD78 () ()	5,759.	6,270.	6,922.	9,001.
		5/3	29"	84"	18 1/4"	A2WHOGDD84 () ()	5,936.	6,461.	7,128.	9,270.
		6/3	29"	90"	18 1/4"	A2WHOGDD90 () ()	6,112.	6,653.	7,343.	9,546.
		6/3	29"	96"	18 1/4"	A2WHOGDD96 () ()	6,298.	6,850.	7,562.	9,833.



96" w shown


Order Code	Specification Information	Application Notes
Example: AWHOBDD30LV316AA	<i>To order please specify pattern number including:</i>	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84" h floor standing cabinet not including aluminum and wood top trim.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.
WH Wall hung	<i>G = Legal depth</i>	
O Overhead	2. Width	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
B Binder depth	3. Lock	
D Double high	<i>L = lock hole drilled</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 7/8" h. Bottom piece attached to wall.
D Hinged doors, wood	<i>N = not drilled for locks</i>	
30 30" wide	4. Finish <i>Laminate, V1, V2 or V3</i>	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
L Lock holes drilled	5. Finish, aluminum trim	
V316 Finish, Maple	<i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	A certified building contractor should be consulted.
AA Finish, Aluminum trim		
	See page 7 for finish options applicable.	Please refer to wall mounting information on page 308 .
	Product on this page will accept wood grain laminate where laminate is currently an option.	

Overhead storage, wood cases

Wall-attached overheads for private office

open / hinged door / open, double high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Hinged doors (wood) double high	binder height & depth	29"	60"	15 1/4"	A2WHOB DT60 () ()	\$3,462.	\$3,755.	\$4,154.	\$5,401.
		29"	66"	15 1/4"	A2WHOB DT66 () ()	3,560.	3,864.	4,270.	5,555.
		29"	72"	15 1/4"	A2WHOB DT72 () ()	3,654.	3,976.	4,391.	5,706.
		29"	78"	15 1/4"	A2WHOB DT78 () ()	3,838.	4,177.	4,608.	5,990.
		29"	84"	15 1/4"	A2WHOB DT84 () ()	3,951.	4,300.	4,747.	6,171.
		29"	90"	15 1/4"	A2WHOB DT90 () ()	4,072.	4,432.	4,889.	6,358.
		29"	96"	15 1/4"	A2WHOB DT96 () ()	4,192.	4,562.	5,036.	6,550.
	binder height & legal depth	29"	60"	18 1/4"	A2WHOG DT60 () ()	3,737.	4,052.	4,490.	5,835.
		29"	66"	18 1/4"	A2WHOG DT66 () ()	3,841.	4,177.	4,613.	5,999.
		29"	72"	18 1/4"	A2WHOG DT72 () ()	3,946.	4,297.	4,740.	6,164.
		29"	78"	18 1/4"	A2WHOG DT78 () ()	4,143.	4,512.	4,978.	6,472.
		29"	84"	18 1/4"	A2WHOG DT84 () ()	4,268.	4,645.	5,126.	6,665.
		29"	90"	18 1/4"	A2WHOG DT90 () ()	4,397.	4,786.	5,278.	6,865.
		29"	96"	18 1/4"	A2WHOG DT96 () ()	4,530.	4,928.	5,440.	7,071.



Order Code	Specification Information	Application Notes
Example: AWHOB DT60 LV316 AA	<i>To order please specify pattern number including:</i>	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84"h floor standing cabinet not including aluminum and wood top trim.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.
WH Wall hung	2. Width	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	3. Lock <i>L = lock hole drilled</i> <i>N = not drilled for locks</i>	A certified building contractor should be consulted.
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>	Please refer to wall mounting information on page 308.
D Double high	5. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
T Open/Hinged doors/Open		
60 60" wide		
L Lock holes drilled		
V316 Finish, Maple		
AA Finish, Aluminum trim		

See page 7 for finish options applicable.



Product on this page will accept wood grain laminate where laminate is currently an option.

Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

Overhead storage, wood cases

Wall-attached overheads for private office

with sliding door(s), double high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Sliding door(s) wood double high  96" w shown	binder height and depth	29"	60"	15 1/4"	AWHOBDS60 () () ()	\$4,941.	\$5,472.	\$6,649.	\$8,643.
		29"	66"	15 1/4"	AWHOBDS66 () () ()	5,081.	5,632.	6,836.	8,888.
		29"	72"	15 1/4"	AWHOBDS72 () () ()	5,220.	5,797.	7,022.	9,129.
		29"	78"	15 1/4"	AWHOBDS78 () () ()	5,481.	6,085.	7,374.	9,589.
		29"	84"	15 1/4"	AWHOBDS84 () () ()	5,647.	6,267.	7,596.	9,876.
		29"	90"	15 1/4"	AWHOBDS90 () () ()	5,815.	6,454.	7,824.	10,172.
		29"	96"	15 1/4"	AWHOBDS96 () () ()	5,988.	6,649.	8,056.	10,479.
	binder height and legal depth	29"	60"	18 1/4"	AWHOGDS60 () () ()	5,339.	5,907.	7,181.	9,333.
		29"	66"	18 1/4"	AWHOGDS66 () () ()	5,486.	6,084.	7,386.	9,598.
		29"	72"	18 1/4"	AWHOGDS72 () () ()	5,639.	6,259.	7,583.	9,865.
		29"	78"	18 1/4"	AWHOGDS78 () () ()	5,920.	6,571.	7,964.	10,354.
		29"	84"	18 1/4"	AWHOGDS84 () () ()	6,098.	6,766.	8,206.	10,666.
		29"	90"	18 1/4"	AWHOGDS90 () () ()	6,281.	6,973.	8,450.	10,986.
		29"	96"	18 1/4"	AWHOGDS96 () () ()	6,468.	7,182.	8,702.	11,316.
Wall hung overhead Open/Sliding door(s) glass double high  96" w shown	binder height and depth	29"	60"	15 1/4"	AWHOBDR60 () () ()	5,899.	6,504.	7,795.	9,357.
		29"	66"	15 1/4"	AWHOBDR66 () () ()	6,065.	6,700.	8,018.	9,620.
		29"	72"	15 1/4"	AWHOBDR72 () () ()	6,230.	6,893.	8,236.	9,882.
		29"	78"	15 1/4"	AWHOBDR78 () () ()	6,544.	7,237.	8,647.	10,379.
		29"	84"	15 1/4"	AWHOBDR84 () () ()	6,740.	7,453.	8,907.	10,690.
		29"	90"	15 1/4"	AWHOBDR90 () () ()	6,941.	7,681.	9,176.	11,010.
		29"	96"	15 1/4"	AWHOBDR96 () () ()	7,146.	7,909.	9,449.	11,343.
	binder height and legal depth	29"	60"	18 1/4"	AWHOGDR60 () () ()	6,369.	7,027.	8,421.	10,105.
		29"	66"	18 1/4"	AWHOGDR66 () () ()	6,550.	7,235.	8,657.	10,390.
		29"	72"	18 1/4"	AWHOGDR72 () () ()	6,727.	7,446.	8,896.	10,675.
		29"	78"	18 1/4"	AWHOGDR78 () () ()	7,064.	7,816.	9,340.	11,208.
		29"	84"	18 1/4"	AWHOGDR84 () () ()	7,278.	8,051.	9,620.	11,545.
		29"	90"	18 1/4"	AWHOGDR90 () () ()	7,494.	8,292.	9,906.	11,893.
		29"	96"	18 1/4"	AWHOGDR96 () () ()	7,720.	8,541.	10,207.	12,246.

Order Code	Specification Information	Application Notes
Example: AWHOBDS60V316AA	<i>To order please specify pattern number including:</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Sliding doors are not available with locks. When AA finish specified pull is complimentary painted match, pull is not anodized.
WH Wall hung	2. Sliding door material <i>S = wood, same as case</i> <i>R = glass</i>	See page 7 for finish options applicable.
O Overhead	3. Width	Product on this page will accept wood grain laminate where laminate is currently an option.
B Binder depth	4. Pull options for Glass doors (as applicable) <i>AR = AutoStrada Radius pull</i> <i>AB = AutoStrada Bar pull</i>	
D Double high	5. Finish <i>Laminate, V1, V2 or V3</i>	
S Open/Sliding door(s)/wood	6. Finish, Glass sliding door (as applicable) <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i> <i>GL11, GL14, GL15, GL17, GL18</i>	
60 60" wide	7. Finish, Glass sliding door frame and pull (as applicable) <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
AR Radius pull option		
V316 Finish, Maple		
AA Finish, Aluminum trim		


Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84" h floor standing cabinet not including aluminum and wood top trim.

Sliding door pulls included, not visible on image.

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 308.

description	type	w	d	h	pattern no.	list
 LED Task Light	Use with 24" and wider overhead (24 LED[92]s)	17"	2"	1/2"	RL4L17	\$571.
	Use with 36" and wider overhead (48 LED[92]s)	31"	2"	1/2"	RL4L31	952.
	Use with 48" and wider overhead (72 LED[92]s)	44"	2"	1/2"	RL4L44	1,241.
	Use with 66" and wider overhead (96 LED[92]s)	58"	2"	1/2"	RL4L58	1,558.


Order Code	Specification Information	Application Notes
LED Task Light	LED Task Lights: Includes LED's, power supply with 9-12' cord and mounting hardware. Housings are clear anodized aluminum with white color end-caps.	Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.
Example: RL4L17		
RL4 Task Light		
L LED		
17 Width		

Task Lights


for wood and laminate overhead storage

AutoStrada

description	type	w	d	h	pattern no.	list
LED Task Light	Use with 48" and wider overhead (72 LED's)	44"	2"	1/2"	AL4L44	\$1,246.
	Use with 66" and wider overhead (96 LED's)	58"	2"	1/2"	AL4L58	1,565.
	Use with 24" and wider overhead (24 LED's)	17"	2"	1/2"	AL4L17	573.
	Use with 36" and wider overhead (48 LED's)	31"	2"	1/2"	AL4L31	957.



Order Code	Specification Information	Application Notes
Example: AL4L17	LED Task Lights: Includes LED's, power supply with 9-12' cord and mounting hardware. Housings are clear anodized aluminum with white color end-caps.	Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.
AL4 Task Light		
L LED		
17 Width		

description	h	w	d	pattern no.	L	V1/M	V2	V3
 Glass credenza top divider	15"	60	40	A1GCTDK60141(L/V/M)() () ()	\$2,885.	\$3,558.	\$3,486.	\$4,183.
	15"	60"	48"	A1GCTDK60142(L/V/M)() () ()	2,955.	3,638.	3,585.	4,303.
	15"	72"	40"	A1GCTDK72141(L/V/M)() () ()	3,135.	3,833.	3,771.	4,522.
	15"	72"	48"	A1GCTDK72142(L/V/M)() () ()	3,217.	3,926.	3,886.	4,662.
	15"	90"	40"	A1GCTDK90141(L/V/M)() () ()	3,420.	4,149.	4,103.	4,926.
	15"	90"	48"	A1GCTDK90142(L/V/M)() () ()	3,527.	4,272.	4,247.	5,099.
	15"	96"	40"	A1GCTDK96141(L/V/M)() () ()	3,501.	4,238.	4,196.	5,036.
	15"	96"	48"	A1GCTDK96142(L/V/M)() () ()	3,611.	4,362.	4,352.	5,223.

1=use with nominal 19" deep storage.

2=use with nominal 23" deep storage.

Order Code	Specifications	Application Notes
Example: A1GCTDK60141L	<i>To order please specify pattern number including:</i>	Credenza top glass divider kit to include glass divider, pair of worksurfaces under one product code per size.
A AutoStrada	1. Surface type <i>L = Laminated</i>	Worksurfaces are dedicated to kit and to be notched for securing divider capture.
1 Generation 1	<i>M = Mixed, Laminated surface/V1, V2 or V3 edge</i>	Grommets not optional in worksurface.
G Glass	<i>V = V1, V2 or V3</i>	Hardware included.
CT Credenza top	2. Finish, Surface <i>Laminated, V1, V2 or V3 finish</i>	Assembly required.
DK Divider kit	3. Finish, Edge <i>Must be same as surface finish</i>	Standoff / subtop only available in 111.
60 60" wide	4. Finish, Glass <i>TEMP = clear tempered glass</i>	
141 Nominal glass height	<i>GL13 = powder</i>	
L Laminated	<i>GL25 = bronze</i>	
V316 Finish, primary worksurface	<i>GL35 = grey</i>	
111 Subtop spacer	5. Finish, capture/ divider <i>Anodized aluminum or painted finish options, listed on page 7 excluding 613 Silver.</i>	
TEMP Finish, glass		
AA Finish, divider capture		


Applications to be restricted for use with common depth of storage either 19" deep or 23" deep on both sides. Will not offer 19" deep on one side and 23" deep on other side.

Upcharges

width	GL13	GL25/GL35
60"	\$137	\$405
72"	\$160	\$482
90"	\$196	\$599
96"	\$211	\$640

Flush, user edge tapered Rectilinear, 20" and 24" deep


AutoStrada

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front edge tapered 	20"	18"	AW1T1RF1820 () () () ()	\$433.	\$549.	\$602.	\$632.	\$824.
		20"	AW1T1RF2020 () () () ()	448.	562.	616.	650.	846.
		24"	AW1T1RF2420 () () () ()	462.	575.	632.	665.	865.
		30"	AW1T1RF3020 () () () ()	498.	635.	694.	733.	952.
		36"	AW1T1RF3620 () () () ()	502.	666.	730.	776.	1,008.
		42"	AW1T1RF4220 () () () ()	515.	697.	765.	812.	1,053.
		48"	AW1T1RF4820 () () () ()	528.	725.	795.	839.	1,092.
		54"	AW1T1RF5420 () () () ()	543.	755.	828.	880.	1,145.
		60"	AW1T1RF6020 () () () ()	575.	817.	896.	946.	1,229.
		66"	AW1T1RF6620 () () () ()	617.	841.	923.	978.	1,271.
		72"	AW1T1RF7220 () () () ()	623.	884.	969.	1,025.	1,330.
		78"	AW1T1RF7820 () () () ()	642.	895.	981.	1,040.	1,349.
		84"	AW1T1RF8420 () () () ()	679.	950.	1,043.	1,105.	1,440.
		90"	AW1T1RF9020 () () () ()	694.	993.	1,090.	1,152.	1,497.
		96"	AW1T1RF9620 () () () ()	742.	1,032.	1,128.	1,193.	1,553.
	24"	18"	AW1T1RF1824 () () () ()	463.	579.	635.	669.	872.
		20"	AW1T1RF2024 () () () ()	481.	590.	649.	685.	891.
		24"	AW1T1RF2424 () () () ()	492.	603.	663.	706.	915.
		30"	AW1T1RF3024 () () () ()	513.	685.	752.	795.	1,033.
		36"	AW1T1RF3624 () () () ()	529.	713.	782.	826.	1,076.
		42"	AW1T1RF4224 () () () ()	547.	734.	806.	852.	1,108.
		48"	AW1T1RF4824 () () () ()	606.	789.	864.	912.	1,187.
		54"	AW1T1RF5424 () () () ()	611.	841.	923.	978.	1,271.
		60"	AW1T1RF6024 () () () ()	642.	901.	987.	1,045.	1,357.
		66"	AW1T1RF6624 () () () ()	695.	935.	1,025.	1,078.	1,404.
		72"	AW1T1RF7224 () () () ()	715.	973.	1,067.	1,131.	1,471.
		78"	AW1T1RF7824 () () () ()	736.	1,017.	1,116.	1,187.	1,542.
		84"	AW1T1RF8424 () () () ()	768.	1,063.	1,164.	1,229.	1,600.
		90"	AW1T1RF9024 () () () ()	820.	1,106.	1,213.	1,288.	1,673.
		96"	AW1T1RF9624 () () () ()	838.	1,149.	1,261.	1,340.	1,739.

Order Code	Specification Information	Application Notes
Example: AW1T1RF1820MG118 V316613	<i>To order please specify pattern number including:</i>	7. Finish, Grommet(s) <i>specify painted or plated finish</i>
A AutoStrada	1. Width	See page 7 for finish options applicable.
W Worksurface	2. Depth	Product on this page will accept wood grain laminate where laminate is currently an option.
1 Generation 1	3. Surface type <i>L = Laminate</i> <i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i> <i>V = V1, V2 or V3</i>	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
T1 Tapered one side, user	4. Grommet option <i>N = No grommets</i> <i>G = Grommet(s), flush</i> <i>R = Grommet(s), recessed</i> <i>EG = Edge Grommet (for worksurfaces 30" wide or greater)</i>	When grommets specified up to 48" w tops have one grommet, over 48" w tops have two grommets.
R Rectilinear	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	Edge grommets are available on worksurfaces 30" wide or greater. The upcharge for Edge Grommet is \$190.
F Full depth, flush	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
18 18" wide		
20 20" deep		
M Surface type, Mixed		
G Grommet		
118 Finish surface, Bright white		
() Finish edge, (L)		
613 Finish, grommet		

Flush, user edge tapered Rectilinear, 30" and 36" deep

AutoStrada


description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front edge tapered 	30"	18"	AW1T1RF1830 () () () ()	\$473.	\$624.	\$685.	\$730.	\$946.
		20"	AW1T1RF2030 () () () ()	480.	643.	706.	748.	968.
		24"	AW1T1RF2430 () () () ()	490.	656.	721.	764.	998.
		30"	AW1T1RF3030 () () () ()	515.	744.	816.	860.	1,118.
		36"	AW1T1RF3630 () () () ()	533.	802.	880.	925.	1,205.
		42"	AW1T1RF4230 () () () ()	560.	827.	908.	962.	1,251.
		48"	AW1T1RF4830 () () () ()	621.	887.	972.	1,032.	1,344.
		54"	AW1T1RF5430 () () () ()	637.	958.	1,051.	1,113.	1,448.
		60"	AW1T1RF6030 () () () ()	677.	994.	1,091.	1,153.	1,498.
		66"	AW1T1RF6630 () () () ()	728.	1,016.	1,115.	1,180.	1,535.
		72"	AW1T1RF7230 () () () ()	751.	1,044.	1,145.	1,211.	1,574.
		78"	AW1T1RF7830 () () () ()	778.	1,090.	1,196.	1,269.	1,647.
		84"	AW1T1RF8430 () () () ()	809.	1,134.	1,244.	1,320.	1,718.
		90"	AW1T1RF9030 () () () ()	879.	1,184.	1,299.	1,383.	1,794.
		96"	AW1T1RF9630 () () () ()	881.	1,229.	1,347.	1,431.	1,855.
	36"	18"	AW1T1RF1836 () () () ()	483.	677.	742.	790.	1,028.
		20"	AW1T1RF2036 () () () ()	489.	696.	764.	814.	1,056.
		24"	AW1T1RF2436 () () () ()	510.	713.	782.	828.	1,079.
		30"	AW1T1RF3036 () () () ()	531.	805.	884.	931.	1,213.
		36"	AW1T1RF3636 () () () ()	565.	896.	982.	1,034.	1,346.
		42"	AW1T1RF4236 () () () ()	608.	938.	1,029.	1,092.	1,418.
		48"	AW1T1RF4836 () () () ()	671.	1,003.	1,097.	1,167.	1,518.
		54"	AW1T1RF5436 () () () ()	692.	1,101.	1,206.	1,266.	1,646.
		60"	AW1T1RF6036 () () () ()	698.	1,105.	1,211.	1,274.	1,655.
		66"	AW1T1RF6636 () () () ()	774.	1,109.	1,217.	1,294.	1,680.
		72"	AW1T1RF7236 () () () ()	800.	1,141.	1,252.	1,325.	1,724.
		78"	AW1T1RF7836 () () () ()	838.	1,166.	1,278.	1,360.	1,767.
		84"	AW1T1RF8436 () () () ()	868.	1,213.	1,329.	1,415.	1,842.
		90"	AW1T1RF9036 () () () ()	939.	1,271.	1,395.	1,479.	1,924.
		96"	AW1T1RF9636 () () () ()	965.	1,313.	1,440.	1,525.	1,980.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: AW1T1RF1830MG118 V316613	To order please specify pattern number including:	7. Finish, Grommet(s) specify painted or plated finish
A AutoStrada	1. Width	See page 7 for finish options applicable.
W Worksurface	2. Depth	Product on this page will accept wood grain laminate where laminate is currently an option.
1 Generation 1	3. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
T1 Tapered 1 side, user	4. Grommet option N = No grommets G = Grommet(s), flush R = Grommet(s), recessed GR = Edge Grommet (for worksurfaces 30" wide or greater)	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
R Rectilinear	5. Finish, Surface Laminate, V1, V2 or V3 finish	Edge grommets are available on worksurfaces 30" wide or greater. The upcharge for Edge Grommet is \$190.
F Full depth, flush	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7	
18 18" wide		
30 30" deep		
M Surface type, Mixed		
G Grommet		
118 Finish surface, Bright white		
() Edge finish (L)		
613 Finish, grommet		

Flush, user edge tapered Wedge

AutoStrada

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
 Wedge, (full depth) front edge tapered	24"	48"	30"	AW1T1WF4823 () () () ()	\$718.	\$887.	\$972.	\$1,032.	\$1,344.
	24"	60"	30"	AW1T1WF6023 () () () ()	761.	994.	1,091.	1,153.	1,498.
	24"	72"	36"	AW1T1WF7226 () () () ()	941.	1,117.	1,225.	1,293.	1,678.
	30"	48"	24"	AW1T1WF4832 () () () ()	718.	887.	972.	1,032.	1,344.
	30"	60"	24"	AW1T1WF6032 () () () ()	761.	994.	1,091.	1,153.	1,498.
	36"	72"	24"	AW1T1WF7262 () () () ()	941.	1,117.	1,225.	1,293.	1,678.
Presentation wood sample (with tapered edge detail)	16"	16"	16"	ASAMP1616 ()	138.	207.	228.	278.	329.

Order Code	Specification Information	Application Notes
Example: AW1T1WF4823MG118 V316613	<i>To order please specify pattern number including:</i>	Hardware to attach to vertical support to be specified separately.
A AutoStrada	1. Width	1 1/4" tops require additional support when distance spans over 48".
W Worksurface	2. Depth 23 = 24" deep left, 30" deep right 32 = 30" deep left, 24" deep right 26 = 24" deep left, 36" deep right 62 = 36" deep left, 24" deep right	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
1 Generation 1	3. Surface type <i>L = Laminate</i> <i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i> <i>V = V1, V2 or V3</i>	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
T1 Tapered 1 side, user	4. Grommet option <i>N = No grommets</i> <i>G = Grommet(s), flush</i> <i>R = Grommet(s), recessed</i>	
W Wedge	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
F Full depth, flush	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
48 48" wide	7. Finish, Grommet(s) <i>specify painted or plated finish</i>	
2 24" deep, left	See page 7 for finish options applicable.	
3 30" deep, right	Product on this page will accept wood grain laminate where laminate is currently an option.	
M Surface type, Mixed		
G Grommet		
118 Finish surface, Bright white		
() Edge finish (L)		
613 Finish, grommet		

Cord drop, user edge tapered

Rectilinear

AutoStrada

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front edge tapered	20"	18"	AW1T1RU1820 () () ()	\$445.	\$549.	\$602.	\$632.	\$824.
		20"	AW1T1RU2020 () () ()	448.	562.	616.	650.	846.
		24"	AW1T1RU2420 () () ()	462.	575.	632.	665.	865.
		30"	AW1T1RU3020 () () ()	516.	635.	694.	733.	952.
		36"	AW1T1RU3620 () () ()	521.	666.	730.	776.	1,008.
		42"	AW1T1RU4220 () () ()	527.	697.	765.	812.	1,053.
		48"	AW1T1RU4820 () () ()	542.	725.	795.	839.	1,092.
		54"	AW1T1RU5420 () () ()	560.	755.	828.	880.	1,145.
		60"	AW1T1RU6020 () () ()	589.	817.	896.	946.	1,229.
		66"	AW1T1RU6620 () () ()	629.	841.	923.	978.	1,271.
		72"	AW1T1RU7220 () () ()	634.	884.	969.	1,025.	1,330.
		78"	AW1T1RU7820 () () ()	657.	895.	981.	1,040.	1,349.
		84"	AW1T1RU8420 () () ()	691.	950.	1,043.	1,105.	1,440.
		90"	AW1T1RU9020 () () ()	707.	993.	1,090.	1,152.	1,497.
		96"	AW1T1RU9620 () () ()	755.	1,032.	1,128.	1,193.	1,553.
	24"	18"	AW1T1RU1824 () () ()	476.	579.	635.	669.	872.
		20"	AW1T1RU2024 () () ()	482.	590.	649.	685.	891.
		24"	AW1T1RU2424 () () ()	485.	603.	663.	706.	915.
		30"	AW1T1RU3024 () () ()	489.	685.	752.	795.	1,033.
		36"	AW1T1RU3624 () () ()	498.	713.	782.	826.	1,076.
		42"	AW1T1RU4224 () () ()	518.	734.	806.	852.	1,108.
		48"	AW1T1RU4824 () () ()	533.	789.	864.	912.	1,187.
		54"	AW1T1RU5424 () () ()	627.	841.	923.	978.	1,271.
		60"	AW1T1RU6024 () () ()	690.	901.	987.	1,045.	1,357.
		66"	AW1T1RU6624 () () ()	710.	935.	1,025.	1,078.	1,404.
		72"	AW1T1RU7224 () () ()	728.	973.	1,067.	1,131.	1,471.
		78"	AW1T1RU7824 () () ()	752.	1,017.	1,116.	1,187.	1,542.
		84"	AW1T1RU8424 () () ()	782.	1,063.	1,164.	1,229.	1,600.
		90"	AW1T1RU9024 () () ()	831.	1,106.	1,213.	1,288.	1,673.
		96"	AW1T1RU9624 () () ()	853.	1,149.	1,261.	1,340.	1,739.


Order Code	Specification Information	Application Notes
Example: AW1T1RC1820M118 V316 812	<i>To order please specify pattern number including:</i>	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	Hardware to attach to vertical support to be specified separately.
W Worksurface	2. Depth	
1 Generation 1	3. Surface type	1 1/4" tops require additional support when distance spans over 48".
T1 Tapered 1 side, user	<i>L = Laminate</i>	
R Rectilinear	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
U Cord drop	<i>V = V1, V2 or V3</i>	
18 18" wide	4. Finish, Surface	Product on this page will accept wood grain laminate where laminate is currently an option.
20 20" deep	<i>Laminate, V1, V2 or V3 finish</i>	
M Surface type, Mixed	5. Finish, Edge:	
118 Finish surface, Bright white	<i>*For L surfaces, all core laminate colors are optional</i>	
() Edge finish (L)	<i>*For M surfaces, the options are V1, V2 or V3, see page 7.</i>	
812 Finish grommet, Easy grey	6. Finish, Grommet	
	111 Jet black	
	812 Easy grey	

Worksurfaces

Cord drop, user edge tapered

Rectilinear

AutoStrada

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front edge tapered 	30"	18"	AW1T1RU1830 () () ()	\$484.	\$624.	\$685.	\$730.	\$946.
		20"	AW1T1RU2030 () () ()	492.	643.	706.	748.	968.
		24"	AW1T1RU2430 () () ()	509.	656.	721.	764.	998.
		30"	AW1T1RU3030 () () ()	527.	744.	816.	860.	1,118.
		36"	AW1T1RU3630 () () ()	547.	802.	880.	925.	1,205.
		42"	AW1T1RU4230 () () ()	572.	827.	908.	962.	1,251.
		48"	AW1T1RU4830 () () ()	633.	887.	972.	1,032.	1,344.
		54"	AW1T1RU5430 () () ()	649.	958.	1,051.	1,113.	1,448.
		60"	AW1T1RU6030 () () ()	723.	994.	1,091.	1,153.	1,498.
		66"	AW1T1RU6630 () () ()	741.	1,016.	1,115.	1,180.	1,535.
		72"	AW1T1RU7230 () () ()	763.	1,044.	1,145.	1,211.	1,574.
		78"	AW1T1RU7830 () () ()	788.	1,090.	1,196.	1,269.	1,647.
		84"	AW1T1RU8430 () () ()	820.	1,134.	1,244.	1,320.	1,718.
		90"	AW1T1RU9030 () () ()	895.	1,184.	1,299.	1,383.	1,794.
		96"	AW1T1RU9630 () () ()	897.	1,229.	1,347.	1,431.	1,855.

Order Code	Specification Information	Application Notes
Example: AW1T1RC1820M118 V316 812	<i>To order please specify pattern number including:</i>	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	Hardware to attach to vertical support to be specified separately.
W Worksurface	2. Depth	
1 Generation 1	3. Surface type	1 1/4" tops require additional support when distance spans over 48".
T1 Tapered 1 side, user	<i>L = Laminate</i>	
R Rectilinear	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
U Cord drop	<i>V = V1, V2 or V3</i>	
18 18" wide	4. Finish, Surface	Product on this page will accept wood grain laminate where laminate is currently an option.
20 20" deep	<i>Laminate, V1, V2 or V3 finish</i>	
M Surface type, Mixed	5. Finish, Edge:	
118 Finish surface, Bright white	<i>*For L surfaces, all core laminate colors are optional</i>	
() Edge finish (L)	<i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
812 Finish grommet, Easy grey	6. Finish, Grommet	
	111 Jet black	
	812 Easy grey	

Cord drop, user edge tapered

Wedge


AutoStrada

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Wedge, (cord drop) front edge tapered	24"	48"	30"	AW1T1WU4823 () () ()	\$723.	\$887.	\$972.	\$1,032.	\$1,344.
	24"	60"	30"	AW1T1WU6023 () () ()	764.	994.	1,091.	1,153.	1,498.
	24"	72"	36"	AW1T1WU7226 () () ()	950.	1,117.	1,225.	1,293.	1,678.
	30"	48"	24"	AW1T1WU4832 () () ()	723.	887.	972.	1,032.	1,344.
	30"	60"	24"	AW1T1WU6032 () () ()	764.	994.	1,091.	1,153.	1,498.
	36"	72"	24"	AW1T1WU7262 () () ()	950.	1,117.	1,225.	1,293.	1,678.




Worksurfaces

Order Code	Specification Information	Application Notes
Example: AW1T1WU4823M118 V316 812	<i>To order please specify pattern number including:</i>	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	Hardware to attach to vertical support to be specified separately.
W Worksurface	2. Depth	1 1/4" tops require additional support when distance spans over 48".
1 Generation 1	23 = 24" deep left, 30" deep right	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
T1 Tapered 1 side, user	32 = 30" deep left, 24" deep right	
W Wedge	26 = 24" deep left, 36" deep right	
U Cord drop	62 = 36" deep left, 24" deep right	
48 48" wide	3. Surface type	
2 24" deep, left	L = Laminate	
3 30" deep, right	M = Mixed, Laminate surface/V1, V2 or V3 edge	
M Surface type, Mixed	V = V1, V2 or V3	
118 Finish surface, Bright white	4. Finish, Surface Laminate, V1, V2 or V3 finish	
() Edge finish (L)	5. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7	
812 Finish grommet, Easy grey	6. Finish, Grommet 111 Jet black 812 Easy grey	
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	



description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front & back edge tapered 	30"	30"	AW1T2R3030 () () () ()	\$588.	\$906.	\$994.	\$1,025.	\$1,286.
		36"	AW1T2R3630 () () () ()	606.	960.	1,053.	1,090.	1,367.
		42"	AW1T2R4230 () () () ()	630.	993.	1,090.	1,129.	1,416.
		48"	AW1T2R4830 () () () ()	658.	1,050.	1,153.	1,195.	1,507.
		54"	AW1T2R5430 () () () ()	747.	1,122.	1,232.	1,282.	1,612.
		60"	AW1T2R6030 () () () ()	771.	1,156.	1,267.	1,319.	1,663.
		66"	AW1T2R6630 () () () ()	794.	1,178.	1,294.	1,347.	1,700.
		72"	AW1T2R7230 () () () ()	818.	1,204.	1,322.	1,374.	1,735.
		78"	AW1T2R7830 () () () ()	849.	1,254.	1,374.	1,436.	1,814.
		84"	AW1T2R8430 () () () ()	873.	1,298.	1,425.	1,482.	1,882.
		90"	AW1T2R9030 () () () ()	938.	1,347.	1,478.	1,547.	1,959.
		96"	AW1T2R9630 () () () ()	964.	1,393.	1,526.	1,593.	2,020.
	36"	30"	AW1T2R3036 () () () ()	607.	966.	1,058.	1,097.	1,376.
		36"	AW1T2R3636 () () () ()	633.	1,059.	1,162.	1,197.	1,509.
		42"	AW1T2R4236 () () () ()	660.	1,103.	1,209.	1,255.	1,584.
		48"	AW1T2R4836 () () () ()	694.	1,162.	1,276.	1,331.	1,685.
		54"	AW1T2R5436 () () () ()	786.	1,268.	1,393.	1,433.	1,812.
		60"	AW1T2R6036 () () () ()	815.	1,263.	1,384.	1,441.	1,818.
		66"	AW1T2R6636 () () () ()	860.	1,274.	1,398.	1,454.	1,845.
		72"	AW1T2R7236 () () () ()	869.	1,304.	1,431.	1,493.	1,889.
		78"	AW1T2R7836 () () () ()	907.	1,332.	1,463.	1,525.	1,934.
		84"	AW1T2R8436 () () () ()	930.	1,376.	1,510.	1,582.	2,007.
		90"	AW1T2R9036 () () () ()	999.	1,434.	1,574.	1,643.	2,086.
		96"	AW1T2R9636 () () () ()	1,028.	1,477.	1,622.	1,688.	2,144.

Order Code	Specification Information	Application Notes
Example: AW1T2R3030MG118 V316613	<i>To order please specify pattern number including:</i>	7. Finish, Grommet(s) <i>specify painted or plated finish</i>
A AutoStrada	1. Width	See page 7 for finish options
W Worksurface	2. Depth	applicable.
1 Generation 1	3. Surface type <i>L = Laminate</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
T2 Tapered 2 sides, user & approach	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	
R Rectilinear	<i>V = V1, V2 or V3</i>	
30 30" wide	4. Grommet option <i>N = No grommets</i>	
30 30" deep	<i>G = Grommet(s), flush</i>	
M Surface type, Mixed	<i>R = Grommet(s), recessed</i>	
G Grommet	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
118 Finish surface, Bright white	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i>	
() Edge finish (L)	<i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
613 Finish, grommet		

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front & back edge tapered	42"	30"	AW1T2R3042 () () () ()	\$632.	\$1,047.	\$1,150.	\$1,187.	\$1,542.
		36"	AW1T2R3642 () () () ()	660.	1,188.	1,303.	1,343.	1,740.
		42"	AW1T2R4242 () () () ()	691.	1,239.	1,359.	1,420.	1,850.
		48"	AW1T2R4842 () () () ()	726.	1,311.	1,439.	1,509.	1,962.
		54"	AW1T2R5442 () () () ()	822.	1,352.	1,483.	1,549.	2,013.
		60"	AW1T2R6042 () () () ()	854.	1,394.	1,528.	1,589.	2,066.
		66"	AW1T2R6642 () () () ()	882.	1,403.	1,538.	1,601.	2,081.
		72"	AW1T2R7242 () () () ()	914.	1,407.	1,542.	1,613.	2,095.
		78"	AW1T2R7842 () () () ()	973.	1,427.	1,565.	1,634.	2,122.
		84"	AW1T2R8442 () () () ()	983.	1,473.	1,616.	1,694.	2,205.
		90"	AW1T2R9042 () () () ()	1,056.	1,538.	1,685.	1,766.	2,296.
		96"	AW1T2R9642 () () () ()	1,090.	1,578.	1,731.	1,802.	2,345.



Order Code	Specification Information	Application Notes
Example: AW1T2R3030MG118 V316613	<i>To order please specify pattern number including:</i>	7. Finish, Grommet(s) <i>specify painted or plated finish</i>
A AutoStrada	1. Width	Hardware to attach to vertical support to be specified separately.
W Worksurface	2. Depth	See page 7 for finish options applicable.
1 Generation 1	3. Surface type <i>L = Laminate</i>	1 1/4" tops require additional support when distance spans over 48".
T2 Tapered 2 sides, user & approach	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
R Rectilinear	<i>V = V1, V2 or V3</i>	
30 30" wide	4. Grommet option <i>N = No grommets</i>	
30 30" deep	<i>G = Grommet(s), flush</i>	
M Surface type, Mixed	<i>R = Grommet(s), recessed</i>	
G Grommet	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
118 Finish surface, Bright white	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i>	
() Edge finish (L)	<i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
613 Finish, grommet		

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Wedge, front and back edge tapered 	24"	48"	30"	AW1T2W4823 () () () ()	\$774.	\$1,050.	\$1,153.	\$1,195.	\$1,507.
		60"	30"	AW1T2W6023 () () () ()	856.	1,156.	1,267.	1,319.	1,663.
		72"	36"	AW1T2W7226 () () () ()	999.	1,281.	1,405.	1,453.	1,842.
	30"	48"	24"	AW1T2W4832 () () () ()	774.	1,050.	1,153.	1,195.	1,507.
		60"	24"	AW1T2W6032 () () () ()	856.	1,156.	1,267.	1,319.	1,663.
	36"	72"	24"	AW1T2W7262 () () () ()	999.	1,281.	1,405.	1,453.	1,842.
	Double wedge, front and back edge tapered 	48"	36"	AW1T2DW4826 () () () ()	809.	1,162.	1,276.	1,331.	1,685.
		60"	36"	AW1T2DW6026 () () () ()	901.	1,263.	1,384.	1,441.	1,818.
		72"	36"	AW1T2DW7226 () () () ()	999.	1,332.	1,463.	1,525.	1,934.





Order Code	Specification Information	Application Notes
Example: AW1T2W4823MG118 V316613	<i>To order please specify pattern number including:</i>	Hardware to attach to vertical support to be specified separately.
A AutoStrada	1. Width	*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7
W Worksurface	2. Depth 23 = 24" deep left, 30" deep right 32 = 30" deep left, 24" deep right 26 = 24" deep left, 36" deep right 62 = 36" deep left, 24" deep right	
1 Generation 1	3. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3	7. Finish, Grommet(s) specify painted or plated finish
T2 Tapered 2 sides, user & approach	4. Grommet option N = No grommets G = Grommet(s), flush R = Grommet(s), recessed	See page 7 for finish options applicable. Product on this page will accept wood grain laminate where laminate is currently an option.
W Wedge	5. Finish, Surface Laminate, V1, V2 or V3 finish	Important: Please note placement of grommet(s) when specified assumes user edge is wedge side. If application requires user side to be straight edge and wedge edge as approach side, then specify no grommets. When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
48 48" wide		
2 24" deep, left		
3 30" deep, right		
M Surface type, Mixed		
G Grommet		
118 Finish surface, Bright white		
() Edge finish (L)		
613 Finish, grommet		

The Simple Stand-Off kit is supplied with a simple stand-off, stand-off mount, round cable grommet and connection hardware. When specified, the peninsula top is pre-drilled to accept the 2 x 3 grommet. Refer to Reff Profiles Planning Guideline for Accessories. The Simple Stand-Off is field installed to the peninsula top and lower storage. Refer to 6TP00505 for Power Center Stand-Off installation instructions.

Power center and 2 x 3 grommets are offered in two plated finishes; Polished Chrome (PD) and Satin Nickel (PU) and all core paint finishes.

Stand-Off's are offered in all Reff Profiles core paint finishes.

Rectilinear Tops
Right Hand Shown

Simple Stand-Off	Power Center
Simple Stand-Off  N	
 S	Power Center  P Leg
 E	
 SE	 PE

Peninsulas

with straight legs and simple stand-off

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off	30"	28 ³ / ₈ "	60"	27"	A2PRT2S1ST(L/R)6030 () () () () ()	\$1,389.	\$1,799.	\$1,901.	\$1,936.	\$2,281.
		28 ³ / ₈ "	66"	27"	A2PRT2S1ST(L/R)6630 () () () () ()	1,433.	1,822.	1,925.	1,966.	2,317.
		28 ³ / ₈ "	72"	27"	A2PRT2S1ST(L/R)7230 () () () () ()	1,436.	1,848.	1,953.	1,992.	2,353.
		28 ³ / ₈ "	78"	27"	A2PRT2S1ST(L/R)7830 () () () () ()	1,466.	1,895.	2,006.	2,053.	2,431.
		28 ³ / ₈ "	84"	27"	A2PRT2S1ST(L/R)8430 () () () () ()	1,490.	1,940.	2,054.	2,098.	2,499.
		28 ³ / ₈ "	90"	27"	A2PRT2S1ST(L/R)9030 () () () () ()	1,555.	1,990.	2,106.	2,164.	2,576.
		28 ³ / ₈ "	96"	27"	A2PRT2S1ST(L/R)9630 () () () () ()	1,581.	2,033.	2,155.	2,210.	2,638.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	A2PRT2S2ST(L/R)6030 () () () () ()	1,389.	1,799.	1,901.	1,936.	2,281.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	A2PRT2S2ST(L/R)6630 () () () () ()	1,433.	1,822.	1,925.	1,966.	2,317.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	A2PRT2S2ST(L/R)7230 () () () () ()	1,436.	1,848.	1,953.	1,992.	2,353.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	A2PRT2S2ST(L/R)7830 () () () () ()	1,466.	1,895.	2,006.	2,053.	2,431.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	A2PRT2S2ST(L/R)8430 () () () () ()	1,490.	1,940.	2,054.	2,098.	2,499.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	A2PRT2S2ST(L/R)9030 () () () () ()	1,555.	1,990.	2,106.	2,164.	2,576.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	A2PRT2S2ST(L/R)9630 () () () () ()	1,581.	2,033.	2,155.	2,210.	2,638.
	36"	28 ³ / ₈ "	60"	27"	A2PRT2S1ST(L/R)6036 () () () () ()	1,432.	1,906.	2,015.	2,058.	2,435.
		28 ³ / ₈ "	66"	27"	A2PRT2S1ST(L/R)6636 () () () () ()	1,477.	1,916.	2,027.	2,072.	2,462.
		28 ³ / ₈ "	72"	27"	A2PRT2S1ST(L/R)7236 () () () () ()	1,488.	1,947.	2,060.	2,112.	2,507.
		28 ³ / ₈ "	78"	27"	A2PRT2S1ST(L/R)7836 () () () () ()	1,525.	1,974.	2,091.	2,142.	2,552.
		28 ³ / ₈ "	84"	27"	A2PRT2S1ST(L/R)8436 () () () () ()	1,548.	2,018.	2,138.	2,200.	2,623.
		28 ³ / ₈ "	90"	27"	A2PRT2S1ST(L/R)9036 () () () () ()	1,615.	2,076.	2,200.	2,262.	2,704.
		28 ³ / ₈ "	96"	27"	A2PRT2S1ST(L/R)9636 () () () () ()	1,646.	2,120.	2,248.	2,306.	2,763.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	A2PRT2S2ST(L/R)6036 () () () () ()	1,432.	1,906.	2,015.	2,058.	2,435.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	A2PRT2S2ST(L/R)6636 () () () () ()	1,477.	1,916.	2,027.	2,072.	2,462.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	A2PRT2S2ST(L/R)7236 () () () () ()	1,488.	1,947.	2,060.	2,112.	2,507.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	A2PRT2S2ST(L/R)7836 () () () () ()	1,525.	1,974.	2,091.	2,142.	2,552.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	A2PRT2S2ST(L/R)8436 () () () () ()	1,548.	2,018.	2,138.	2,200.	2,623.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	A2PRT2S2ST(L/R)9036 () () () () ()	1,615.	2,076.	2,200.	2,262.	2,704.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	A2PRT2S2ST(L/R)9636 () () () () ()	1,646.	2,120.	2,248.	2,306.	2,763.

Order Code	Specification Information	Application Notes
Example: A2PRT2S1ST(L/R)6030	<i>To order please specify pattern number including:</i>	7. Finish, Leg
A2 AutoStrada		Anodized aluminum or painted finish option, excluding silver.
PR Peninsula Rectilinear	1. Leg height S1 = 27" high S2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
T2 Tapered 2 sides; user and approach	2. Hand L = Left hand R = Right hand	See page 7 for finish options applicable.
S1 27" h Straight leg	3. Grommet option N = No grommet S = Stand-off E = Stand-off, end location	Product on this page will accept wood grain laminate where laminate is currently an option.
ST Simple stand-off	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
L Left hand	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
60 Width	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7	Wire chase sold separately.
30 Depth		
E Grommet option		
111 Grommet finish		
V316 Finish, Top		
() Finish, Edge (L)		
111 Finish, Leg		
111 Finish, Stand-off		

Peninsulas

AutoStrada

with straight legs and simple stand-off with power center

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off with power center	30"	28 3/8"	60"	27"	A2PRT2S1PC(L/R)6030() () () () ()	\$1,427.	\$1,838.	\$1,941.	\$1,974.	\$2,318.
		28 3/8"	66"	27"	A2PRT2S1PC(L/R)6630() () () () ()	1,470.	1,861.	1,966.	2,002.	2,355.
		28 3/8"	72"	27"	A2PRT2S1PC(L/R)7230() () () () ()	1,472.	1,887.	1,994.	2,030.	2,389.
		28 3/8"	78"	27"	A2PRT2S1PC(L/R)7830() () () () ()	1,504.	1,934.	2,045.	2,091.	2,468.
		28 3/8"	84"	27"	A2PRT2S1PC(L/R)8430() () () () ()	1,528.	1,978.	2,094.	2,136.	2,536.
		28 3/8"	90"	27"	A2PRT2S1PC(L/R)9030() () () () ()	1,593.	2,028.	2,147.	2,202.	2,615.
		28 3/8"	96"	27"	A2PRT2S1PC(L/R)9630() () () () ()	1,617.	2,074.	2,195.	2,248.	2,674.
		29 5/8"	60"	28 3/8"	A2PRT2S2PC(L/R)6030() () () () ()	1,427.	1,838.	1,941.	1,974.	2,318.
		29 5/8"	66"	28 3/8"	A2PRT2S2PC(L/R)6630() () () () ()	1,470.	1,861.	1,966.	2,002.	2,355.
		29 5/8"	72"	28 3/8"	A2PRT2S2PC(L/R)7230() () () () ()	1,472.	1,887.	1,994.	2,030.	2,389.
		29 5/8"	78"	28 3/8"	A2PRT2S2PC(L/R)7830() () () () ()	1,504.	1,934.	2,045.	2,091.	2,468.
		29 5/8"	84"	28 3/8"	A2PRT2S2PC(L/R)8430() () () () ()	1,528.	1,978.	2,094.	2,136.	2,536.
		29 5/8"	90"	28 3/8"	A2PRT2S2PC(L/R)9030() () () () ()	1,593.	2,028.	2,147.	2,202.	2,615.
		29 5/8"	96"	28 3/8"	A2PRT2S2PC(L/R)9630() () () () ()	1,617.	2,074.	2,195.	2,248.	2,674.
	36"	28 3/8"	60"	27"	A2PRT2S1PC(L/R)6036() () () () ()	1,469.	1,945.	2,055.	2,095.	2,473.
		28 3/8"	66"	27"	A2PRT2S1PC(L/R)6636() () () () ()	1,514.	1,956.	2,067.	2,111.	2,500.
		28 3/8"	72"	27"	A2PRT2S1PC(L/R)7236() () () () ()	1,525.	1,987.	2,101.	2,148.	2,545.
		28 3/8"	78"	27"	A2PRT2S1PC(L/R)7836() () () () ()	1,561.	2,014.	2,129.	2,179.	2,589.
		28 3/8"	84"	27"	A2PRT2S1PC(L/R)8436() () () () ()	1,586.	2,057.	2,177.	2,237.	2,661.
		28 3/8"	90"	27"	A2PRT2S1PC(L/R)9036() () () () ()	1,653.	2,115.	2,240.	2,300.	2,742.
		28 3/8"	96"	27"	A2PRT2S1PC(L/R)9636() () () () ()	1,684.	2,159.	2,287.	2,343.	2,800.
		29 5/8"	60"	28 3/8"	A2PRT2S2PC(L/R)6036() () () () ()	1,469.	1,945.	2,055.	2,095.	2,473.
		29 5/8"	66"	28 3/8"	A2PRT2S2PC(L/R)6636() () () () ()	1,514.	1,956.	2,067.	2,111.	2,500.
		29 5/8"	72"	28 3/8"	A2PRT2S2PC(L/R)7236() () () () ()	1,525.	1,987.	2,101.	2,148.	2,545.
		29 5/8"	78"	28 3/8"	A2PRT2S2PC(L/R)7836() () () () ()	1,561.	2,014.	2,129.	2,179.	2,589.
		29 5/8"	84"	28 3/8"	A2PRT2S2PC(L/R)8436() () () () ()	1,586.	2,057.	2,177.	2,237.	2,661.
		29 5/8"	90"	28 3/8"	A2PRT2S2PC(L/R)9036() () () () ()	1,653.	2,115.	2,240.	2,300.	2,742.
		29 5/8"	96"	28 3/8"	A2PRT2S2PC(L/R)9636() () () () ()	1,684.	2,159.	2,287.	2,343.	2,800.

Order Code	Specification Information	Application Notes
Example: A2PRT2S1PC(L/R)6030	To order please specify pattern number including:	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A2 AutoStrada	1. Leg height S1 = 27" high S2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page 7 for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option P = Power Center PE = Power center grommet	Product on this page will accept wood grain laminate where laminate is currently an option.
S1 27" h Straight leg	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
PC Power center	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
L Left hand	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7	Wire chase sold separately.
60 Width		
30 Depth		
P Grommet option		
111 Grommet finish		
V316 Finish, Top		
() Edge finish (L)		
111 Finish, Leg		
111 Finish, Stand-off		

Worksurfaces

Peninsulas

with L- legs and simple stand-off

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with L-legs and simple stand-off	30"	28 ³ / ₈ "	60"	27"	A2PRT2L1ST(L/R)6030 () () () () ()	\$1,739.	\$2,163.	\$2,273.	\$2,286.	\$2,631.
		28 ³ / ₈ "	66"	27"	A2PRT2L1ST(L/R)6630 () () () () ()	1,783.	2,185.	2,300.	2,315.	2,668.
		28 ³ / ₈ "	72"	27"	A2PRT2L1ST(L/R)7230 () () () () ()	1,786.	2,211.	2,327.	2,343.	2,703.
		28 ³ / ₈ "	78"	27"	A2PRT2L1ST(L/R)7830 () () () () ()	1,817.	2,260.	2,377.	2,405.	2,781.
		28 ³ / ₈ "	84"	27"	A2PRT2L1ST(L/R)8430 () () () () ()	1,840.	2,305.	2,427.	2,450.	2,850.
		28 ³ / ₈ "	90"	27"	A2PRT2L1ST(L/R)9030 () () () () ()	1,905.	2,354.	2,480.	2,515.	2,926.
		28 ³ / ₈ "	96"	27"	A2PRT2L1ST(L/R)9630 () () () () ()	1,931.	2,399.	2,527.	2,560.	2,988.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	A2PRT2L2ST(L/R)6030 () () () () ()	1,739.	2,163.	2,273.	2,286.	2,631.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	A2PRT2L2ST(L/R)6630 () () () () ()	1,783.	2,185.	2,300.	2,315.	2,668.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	A2PRT2L2ST(L/R)7230 () () () () ()	1,786.	2,211.	2,327.	2,343.	2,703.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	A2PRT2L2ST(L/R)7830 () () () () ()	1,817.	2,260.	2,377.	2,405.	2,781.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	A2PRT2L2ST(L/R)8430 () () () () ()	1,840.	2,305.	2,427.	2,450.	2,850.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	A2PRT2L2ST(L/R)9030 () () () () ()	1,905.	2,354.	2,480.	2,515.	2,926.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	A2PRT2L2ST(L/R)9630 () () () () ()	1,931.	2,399.	2,527.	2,560.	2,988.
	36"	28 ³ / ₈ "	60"	27"	A2PRT2L1ST(L/R)6036 () () () () ()	1,782.	2,270.	2,388.	2,409.	2,786.
		28 ³ / ₈ "	66"	27"	A2PRT2L1ST(L/R)6636 () () () () ()	1,828.	2,280.	2,402.	2,422.	2,813.
		28 ³ / ₈ "	72"	27"	A2PRT2L1ST(L/R)7236 () () () () ()	1,838.	2,311.	2,432.	2,461.	2,857.
		28 ³ / ₈ "	78"	27"	A2PRT2L1ST(L/R)7836 () () () () ()	1,875.	2,339.	2,463.	2,493.	2,900.
		28 ³ / ₈ "	84"	27"	A2PRT2L1ST(L/R)8436 () () () () ()	1,898.	2,382.	2,512.	2,550.	2,975.
		28 ³ / ₈ "	90"	27"	A2PRT2L1ST(L/R)9036 () () () () ()	1,967.	2,441.	2,571.	2,610.	3,054.
		28 ³ / ₈ "	96"	27"	A2PRT2L1ST(L/R)9636 () () () () ()	1,995.	2,483.	2,622.	2,657.	3,112.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	A2PRT2L1ST(L/R)6036 () () () () ()	1,782.	2,270.	2,388.	2,409.	2,786.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	A2PRT2L2ST(L/R)6636 () () () () ()	1,828.	2,280.	2,402.	2,422.	2,813.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	A2PRT2L2ST(L/R)7236 () () () () ()	1,838.	2,311.	2,432.	2,461.	2,857.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	A2PRT2L2ST(L/R)7836 () () () () ()	1,875.	2,339.	2,463.	2,493.	2,900.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	A2PRT2L2ST(L/R)8436 () () () () ()	1,898.	2,382.	2,512.	2,550.	2,975.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	A2PRT2L2ST(L/R)9036 () () () () ()	1,967.	2,441.	2,571.	2,610.	3,054.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	A2PRT2L2ST(L/R)9636 () () () () ()	1,995.	2,483.	2,622.	2,657.	3,112.

Order Code	Specification Information	Application Notes
Example: A2PRT2L1ST(L/R)6030	<i>To order please specify pattern number including:</i>	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
A2 AutoStrada	1. Leg height L1 = 27" high L2 = 28 3/8" high	
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	Peninsula worksurfaces with power center do not come with Electrical Components.
T2 Tapered 2 sides; user and approach	3. Grommet option N = No grommet S = Stand-off E = Stand-off, end location	See Ref Profiles Accessories for electrical components.
L1 27" h L-leg	Note: SD, SDR and SDL are only factory cut out, no grommet option is necessary.	Peninsulas can be specified to overall surface height of: 28 ³ / ₈ " : specify 27" leg. 29 ³ / ₈ " : specify 28" leg.
ST Simple stand-off	4. Finish, Grommet Painted or plated	
L Left hand	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
60 Width	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	Wire chase sold separately.
30 Depth		
E Grommet option		
111 Grommet finish		
V316 Finish, Top		
() Edge finish (L)		
111 Finish, Leg		
111 Finish, Stand-off		

Peninsulas

with L- legs and simple stand-off with power center

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with L-legs and simple stand-off with power center	30"	28 ³ / ₈ "	60"	27"	A2PRT2L1PC(L/R)6030 () () () () ()	\$1,777.	\$2,202.	\$2,314.	\$2,323.	\$2,669.
		28 ³ / ₈ "	66"	27"	A2PRT2L1PC(L/R)6630 () () () () ()	1,822.	2,224.	2,338.	2,353.	2,706.
		28 ³ / ₈ "	72"	27"	A2PRT2L1PC(L/R)7230 () () () () ()	1,824.	2,250.	2,368.	2,380.	2,741.
		28 ³ / ₈ "	78"	27"	A2PRT2L1PC(L/R)7830 () () () () ()	1,852.	2,300.	2,417.	2,441.	2,818.
		28 ³ / ₈ "	84"	27"	A2PRT2L1PC(L/R)8430 () () () () ()	1,877.	2,344.	2,466.	2,486.	2,886.
		28 ³ / ₈ "	90"	27"	A2PRT2L1PC(L/R)9030 () () () () ()	1,943.	2,393.	2,520.	2,553.	2,963.
		28 ³ / ₈ "	96"	27"	A2PRT2L1PC(L/R)9630 () () () () ()	1,969.	2,439.	2,567.	2,598.	3,026.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	A2PRT2L2PC(L/R)6030 () () () () ()	1,777.	2,202.	2,314.	2,323.	2,669.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	A2PRT2L2PC(L/R)6630 () () () () ()	1,822.	2,224.	2,338.	2,353.	2,706.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	A2PRT2L2PC(L/R)7230 () () () () ()	1,824.	2,250.	2,368.	2,380.	2,741.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	A2PRT2L2PC(L/R)7830 () () () () ()	1,852.	2,300.	2,417.	2,441.	2,818.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	A2PRT2L2PC(L/R)8430 () () () () ()	1,877.	2,344.	2,466.	2,486.	2,886.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	A2PRT2L2PC(L/R)9030 () () () () ()	1,943.	2,393.	2,520.	2,553.	2,963.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	A2PRT2L2PC(L/R)9630 () () () () ()	1,969.	2,439.	2,567.	2,598.	3,026.
	36"	28 ³ / ₈ "	60"	27"	A2PRT2L1PC(L/R)6036 () () () () ()	1,820.	2,308.	2,428.	2,447.	2,821.
		28 ³ / ₈ "	66"	27"	A2PRT2L1PC(L/R)6636 () () () () ()	1,865.	2,318.	2,441.	2,460.	2,851.
		28 ³ / ₈ "	72"	27"	A2PRT2L1PC(L/R)7236 () () () () ()	1,875.	2,351.	2,474.	2,499.	2,895.
		28 ³ / ₈ "	78"	27"	A2PRT2L1PC(L/R)7836 () () () () ()	1,913.	2,378.	2,502.	2,529.	2,939.
		28 ³ / ₈ "	84"	27"	A2PRT2L1PC(L/R)8436 () () () () ()	1,936.	2,421.	2,552.	2,588.	3,011.
		28 ³ / ₈ "	90"	27"	A2PRT2L1PC(L/R)9036 () () () () ()	2,003.	2,479.	2,611.	2,648.	3,092.
		28 ³ / ₈ "	96"	27"	A2PRT2L1PC(L/R)9636 () () () () ()	2,033.	2,523.	2,662.	2,694.	3,149.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	A2PRT2L2PC(L/R)6036 () () () () ()	1,820.	2,308.	2,428.	2,447.	2,821.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	A2PRT2L2PC(L/R)6636 () () () () ()	1,865.	2,318.	2,441.	2,460.	2,851.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	A2PRT2L2PC(L/R)7236 () () () () ()	1,875.	2,351.	2,474.	2,499.	2,895.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	A2PRT2L2PC(L/R)7836 () () () () ()	1,913.	2,378.	2,502.	2,529.	2,939.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	A2PRT2L2PC(L/R)8436 () () () () ()	1,936.	2,421.	2,552.	2,588.	3,011.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	A2PRT2L2PC(L/R)9036 () () () () ()	2,003.	2,479.	2,611.	2,648.	3,092.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	A2PRT2L2PC(L/R)9636 () () () () ()	2,033.	2,523.	2,662.	2,694.	3,149.

Order Code	Specification Information	Application Notes
Example: A2PRT2L1PC(L/R)6030	<i>To order please specify pattern number including:</i>	7. Finish, Leg
A2 AutoStrada		Anodized aluminum or painted finish option, excluding silver.
PR Peninsula Rectilinear	1. Leg height L1 = 27" high L2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
T2 Tapered 2 sides; user and approach	2. Hand L = Left hand R = Right hand	See page 7 for finish options applicable.
L1 27" h L-leg	3. Grommet option P = Power Center PE = Power center grommet	Product on this page will accept wood grain laminate where laminate is currently an option.
PC Power center	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
L Left hand	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
60 Width	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	Wire chase sold separately.
30 Depth		
P Grommet option		
111 Grommet finish		
V316 Finish, Top		
() Edge finish (L)		
111 Finish, Leg		
111 Finish, Stand-off		

Worksurfaces

AutoStrada

Technical drawing of a rectangular plate. The plate has two circular holes, one near each long end. At the opposite end from the holes, there is a U-shaped cutout. The drawing is a perspective view showing the top and side surfaces.

226

Peninsulas

with Open frame legs and simple stand-off with power center

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with open frame legs and simple stand-off with power c	30"	28 3/8"	60"	27"	A2PRT2O1PC(L/R)6030() () () () ()	\$1,689.	\$2,112.	\$2,221.	\$2,237.	\$2,582.
		28 3/8"	66"	27"	A2PRT2O1PC(L/R)6630() () () () ()	1,734.	2,134.	2,246.	2,266.	2,619.
		28 3/8"	72"	27"	A2PRT2O1PC(L/R)7230() () () () ()	1,737.	2,161.	2,273.	2,293.	2,654.
		28 3/8"	78"	27"	A2PRT2O1PC(L/R)7830() () () () ()	1,767.	2,208.	2,326.	2,354.	2,733.
		28 3/8"	84"	27"	A2PRT2O1PC(L/R)8430() () () () ()	1,791.	2,252.	2,374.	2,400.	2,800.
		28 3/8"	90"	27"	A2PRT2O1PC(L/R)9030() () () () ()	1,855.	2,303.	2,427.	2,464.	2,878.
		28 3/8"	96"	27"	A2PRT2O1PC(L/R)9630() () () () ()	1,882.	2,347.	2,475.	2,512.	2,939.
		29 3/8"	60"	28 3/8"	A2PRT2O2PC(L/R)6030() () () () ()	1,689.	2,112.	2,221.	2,237.	2,582.
		29 3/8"	66"	28 3/8"	A2PRT2O2PC(L/R)6630() () () () ()	1,734.	2,134.	2,246.	2,266.	2,619.
		29 3/8"	72"	28 3/8"	A2PRT2O2PC(L/R)7230() () () () ()	1,737.	2,161.	2,273.	2,293.	2,654.
		29 3/8"	78"	28 3/8"	A2PRT2O2PC(L/R)7830() () () () ()	1,767.	2,208.	2,326.	2,354.	2,733.
		29 3/8"	84"	28 3/8"	A2PRT2O2PC(L/R)8430() () () () ()	1,791.	2,252.	2,374.	2,400.	2,800.
		29 3/8"	90"	28 3/8"	A2PRT2O2PC(L/R)9030() () () () ()	1,855.	2,303.	2,427.	2,464.	2,878.
		29 3/8"	96"	28 3/8"	A2PRT2O2PC(L/R)9630() () () () ()	1,882.	2,347.	2,475.	2,512.	2,939.
	36"	28 3/8"	60"	27"	A2PRT2O1PC(L/R)6036() () () () ()	1,733.	2,219.	2,335.	2,358.	2,736.
		28 3/8"	66"	27"	A2PRT2O1PC(L/R)6636() () () () ()	1,778.	2,229.	2,349.	2,373.	2,764.
		28 3/8"	72"	27"	A2PRT2O1PC(L/R)7236() () () () ()	1,789.	2,260.	2,380.	2,412.	2,808.
		28 3/8"	78"	27"	A2PRT2O1PC(L/R)7836() () () () ()	1,826.	2,287.	2,411.	2,444.	2,852.
		28 3/8"	84"	27"	A2PRT2O1PC(L/R)8436() () () () ()	1,848.	2,331.	2,458.	2,500.	2,924.
		28 3/8"	90"	27"	A2PRT2O1PC(L/R)9036() () () () ()	1,916.	2,389.	2,520.	2,562.	3,004.
		28 3/8"	96"	27"	A2PRT2O1PC(L/R)9636() () () () ()	1,947.	2,434.	2,568.	2,606.	3,063.
		29 3/8"	60"	28 3/8"	A2PRT2O2PC(L/R)6036() () () () ()	1,733.	2,219.	2,335.	2,358.	2,736.
		29 3/8"	66"	28 3/8"	A2PRT2O2PC(L/R)6636() () () () ()	1,778.	2,229.	2,349.	2,373.	2,764.
		29 3/8"	72"	28 3/8"	A2PRT2O2PC(L/R)7236() () () () ()	1,789.	2,260.	2,380.	2,412.	2,808.
		29 3/8"	78"	28 3/8"	A2PRT2O2PC(L/R)7836() () () () ()	1,826.	2,287.	2,411.	2,444.	2,852.
		29 3/8"	84"	28 3/8"	A2PRT2O2PC(L/R)8436() () () () ()	1,848.	2,331.	2,458.	2,500.	2,924.
		29 3/8"	90"	28 3/8"	A2PRT2O2PC(L/R)9036() () () () ()	1,916.	2,389.	2,520.	2,562.	3,004.
		29 3/8"	96"	28 3/8"	A2PRT2O2PC(L/R)9636() () () () ()	1,947.	2,434.	2,568.	2,606.	3,063.



Order Code	Specification Information	Application Notes
Example: A2PRT2O1PC(L/R)6030	To order please specify pattern number including:	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A2 AutoStrada	1. Leg height O1 = 27" high O2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page 7 for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option P = Power Center PE = Power center grommet	Product on this page will accept wood grain laminate where laminate is currently an option.
O1 27" h Open frame leg	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
PC Power center	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
L Left hand	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	Wire chase sold separately.
60 Width		
30 Depth		
P Grommet option		
111 Grommet finish		
V316 Finish, Top		
() Edge finish (L)		
111 Finish, Leg		
111 Finish, Stand-off		

Worksurfaces

Tables



with straight legs

AutoStrada

description	h	w	d	dia.	pattern no.	L	M	V1	V2	V3
Square table, tapered 4 sides 	28 1/4"	42"	42"		ATA1T44242 () () () ()	\$1,973.	\$2,274.	\$2,445.	\$2,342.	\$2,711.
	28 1/4"	48"	48"		ATA1T44848 () () () ()	2,134.	2,329.	2,504.	2,417.	2,881.
Rectangular table, tapered 4 sides 	28 1/4"	48"	30"		ATA1T44830 () () () ()	2,014.	2,255.	2,423.	2,307.	2,629.
	28 1/4"	60"	30"		ATA1T46030 () () () ()	2,122.	2,379.	2,557.	2,451.	2,838.
	28 1/4"	72"	30"		ATA1T47230 () () () ()	2,228.	2,424.	2,608.	2,507.	2,960.
	28 1/4"	72"	36"		ATA1T47236 () () () ()	2,281.	2,465.	2,652.	2,566.	3,095.
Round table, tapered edge 	28 1/4"		36"		ATA1R36 () () () ()	2,044.	2,440.	2,372.	2,300.	2,608.
	28 1/4"		42"		ATA1R42 () () () ()	2,140.	2,483.	2,427.	2,368.	2,772.
	28 1/4"		48"		ATA1R48 () () () ()	2,315.	2,543.	2,495.	2,450.	2,957.

Order Code	Specification Information	Application Notes	
Example: ATA1T44242V27C V316AA	<i>To order please specify pattern number including:</i>	7. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	AutoStrada tables include four straight legs with glides or casters.
A	AutoStrada	8. Finish, Leg <i>Anodized aluminum finish or painted finish option excluding silver.</i>	Tables can be specified to surface height of: 28 ³ / ₈ " : specify 27" leg. 29 ⁵ / ₈ " : specify 28" leg. 31 ¹ / ₂ " : specify 30" leg.
TA	Table	See page 7 for finish options applicable.	
1	Generation 1	Product on this page will accept wood grain laminate where laminate is currently an option.	
T4	Tapered edge 4 sides	Grommets are not optional for tables.	
42	42" wide	Stiffener included with rectangular tables 60"w and over.	
42	42" deep		
V	Surface type, veneer		
27	27" leg height		
C	Caster		
V316	Finish top, Maple		
()	Edge finish (L)		
AA	Finish, leg		



Tables with L-legs

description	h	w	d	dia.	leg height	pattern no.	L	M	V1	V2	V3
Square table, tapered 4 sides with L-legs 	28 ³ / ₈ "	42"	42"		27"	ATAT4LL424227(L/M/V)() () ()	\$2,859.	\$3,306.	\$3,554.	\$3,403.	\$3,915.
	28 ³ / ₈ "	48"	48"		27"	ATAT4LL484827(L/M/V)() () ()	2,879.	3,324.	3,574.	3,426.	3,938.
	29 ⁵ / ₈ "	42"	42"		28 ³ / ₈ "	ATAT4LL424228(L/M/V)() () ()	2,864.	3,312.	3,561.	3,411.	3,925.
	29 ⁵ / ₈ "	48"	48"		28 ³ / ₈ "	ATAT4LL484828(L/M/V)() () ()	2,914.	3,365.	3,617.	3,467.	3,988.
Round table, tapered edge with L-legs 	28 ³ / ₈ "		36"	27"		ATARLL3627(L/M/V)() () ()	2,785.	3,216.	3,459.	3,314.	3,810.
	28 ³ / ₈ "		42"	27"		ATARLL4227(L/M/V)() () ()	2,791.	3,228.	3,469.	3,323.	3,822.
	28 ³ / ₈ "		48"	27"		ATARLL4827(L/M/V)() () ()	2,807.	3,242.	3,487.	3,342.	3,844.
	29 ⁵ / ₈ "		36"	28 ³ / ₈ "		ATARLL3628(L/M/V)() () ()	2,832.	3,271.	3,516.	3,368.	3,875.
	29 ⁵ / ₈ "		42"	28 ³ / ₈ "		ATARLL4228(L/M/V)() () ()	2,839.	3,280.	3,528.	3,380.	3,886.
	29 ⁵ / ₈ "		48"	28 ³ / ₈ "		ATARLL4828(L/M/V)() () ()	2,855.	3,296.	3,544.	3,397.	3,906.
Rectangular table desk, tapered 4 sides with L-legs 	28 ³ / ₈ "	48"	30"		27"	ATDT4LL483027(L/M/V)() () ()	2,611.	3,017.	3,245.	3,109.	3,576.
	28 ³ / ₈ "	60"	30"		27"	ATDT4LL603027(L/M/V)() () ()	2,660.	3,070.	3,303.	3,167.	3,639.
	28 ³ / ₈ "	72"	30"		27"	ATDT4LL723027(L/M/V)() () ()	2,681.	3,100.	3,333.	3,193.	3,672.
	28 ³ / ₈ "	72"	36"		27"	ATDT4LL723627(L/M/V)() () ()	2,706.	3,127.	3,361.	3,222.	3,704.
	29 ⁵ / ₈ "	48"	30"		28 ³ / ₈ "	ATDT4LL483028(L/M/V)() () ()	2,715.	3,140.	3,378.	3,236.	3,719.
	29 ⁵ / ₈ "	60"	30"		28 ³ / ₈ "	ATDT4LL603028(L/M/V)() () ()	2,788.	3,224.	3,465.	3,319.	3,819.
	29 ⁵ / ₈ "	72"	30"		28 ³ / ₈ "	ATDT4LL723028(L/M/V)() () ()	2,847.	3,289.	3,539.	3,389.	3,899.
	29 ⁵ / ₈ "	72"	36"		28 ³ / ₈ "	ATDT4LL723628(L/M/V)() () ()	2,894.	3,345.	3,596.	3,446.	3,961.

Order Code	Specification Information	Application Notes
Example: ATAT4LL424227 V316AA	<i>To order please specify pattern number including:</i>	AutoStrada table desks include four L-legs with glides.
A AutoStrada	1. Width	Tables can be specified to overall surface height of:
TA Table	2. Depth	28 ³ / ₈ " : specify 27" leg.
T4 Top tapered 4 sides	3. Leg height (<i>to underside of surface</i>)	29 ⁵ / ₈ " : specify 28" leg.
LL L-Leg	27 = 27"h	
42 42" wide	28 = 28 ³ / ₈ "h	
42 42" deep	4. Surface type	
27 Leg height	L = Laminate	
V Surface type, veneer	M = Mixed, Laminate surface/V1, V2 or V3 edge	
V316 Finish top, Maple	V = V1, V2 or V3	
() Edge finish (L)	5. Finish, Surface	See page 7 for finish options applicable.
AA Finish, leg	Laminate, Mixed, V1, V2 or V3 finish	Product on this page will accept wood grain laminate where laminate is currently an option.
	6. Finish, Edge:	Grommets are not optional for tables.
	*For L surfaces, all core laminate colors are optional	Worksurface stiffener included with rectangular table desks 60"w and over.
	*For M surfaces, the options are V1, V2 or V3 see page 7.	
	7. Finish, Edge (if applicable)	
	<i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
	8. Finish, Leg	
	<i>Anodized aluminum finish or painted finish option excluding silver.</i>	

Tables with Open Frame legs

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular Table, tapered 2 sides with Open Frame legs, 27" high 	30"	28 ³ / ₈ "	60"	27"	ATRT2DOF60301() ()	\$2,187.	\$2,628.	\$2,750.	\$2,735.	\$3,299.
		28 ³ / ₈ "	66"	27"	ATRT2DOF66301() ()	2,237.	2,679.	2,804.	2,790.	3,367.
		28 ³ / ₈ "	72"	27"	ATRT2DOF72301() ()	2,265.	2,709.	2,836.	2,820.	3,404.
		28 ³ / ₈ "	78"	27"	ATRT2DOF78301() ()	2,309.	2,772.	2,903.	2,896.	3,500.
		28 ³ / ₈ "	84"	27"	ATRT2DOF84301() ()	2,335.	2,819.	2,955.	2,945.	3,572.
		28 ³ / ₈ "	90"	27"	ATRT2DOF90301() ()	2,405.	2,872.	3,009.	3,012.	3,652.
		28 ³ / ₈ "	96"	27"	ATRT2DOF96301() ()	2,431.	2,919.	3,060.	3,061.	3,716.
	36"	28 ³ / ₈ "	60"	27"	ATRT2DOF60361() ()	2,230.	2,735.	2,867.	2,856.	3,234.
		28 ³ / ₈ "	66"	27"	ATRT2DOF66361() ()	2,303.	2,775.	2,906.	2,897.	3,288.
		28 ³ / ₈ "	72"	27"	ATRT2DOF72361() ()	2,316.	2,809.	2,943.	2,940.	3,337.
		28 ³ / ₈ "	78"	27"	ATRT2DOF78361() ()	2,369.	2,851.	2,988.	2,986.	3,394.
		28 ³ / ₈ "	84"	27"	ATRT2DOF84361() ()	2,394.	2,898.	3,038.	3,044.	3,469.
		28 ³ / ₈ "	90"	27"	ATRT2DOF90361() ()	2,463.	2,958.	3,102.	3,108.	3,553.
		28 ³ / ₈ "	96"	27"	ATRT2DOF96361() ()	2,497.	3,005.	3,153.	3,156.	3,613.
Rectangular Table, tapered 2 sides with Open Frame legs, 28 ³ / ₈ " high 	30"	29 ⁵ / ₈ "	60"	28 ³ / ₈ "	ATRT2DOF60302() ()	2,187.	2,628.	2,750.	2,735.	3,299.
		29 ⁵ / ₈ "	66"	28 ³ / ₈ "	ATRT2DOF66302() ()	2,237.	2,679.	2,804.	2,790.	3,367.
		29 ⁵ / ₈ "	72"	28 ³ / ₈ "	ATRT2DOF72302() ()	2,265.	2,709.	2,836.	2,820.	3,404.
		29 ⁵ / ₈ "	78"	28 ³ / ₈ "	ATRT2DOF78302() ()	2,309.	2,772.	2,903.	2,896.	3,500.
		29 ⁵ / ₈ "	84"	28 ³ / ₈ "	ATRT2DOF84302() ()	2,335.	2,819.	2,955.	2,945.	3,572.
		29 ⁵ / ₈ "	90"	28 ³ / ₈ "	ATRT2DOF90302() ()	2,405.	2,872.	3,009.	3,012.	3,652.
		29 ⁵ / ₈ "	96"	28 ³ / ₈ "	ATRT2DOF96302() ()	2,431.	2,919.	3,060.	3,061.	3,716.
	36"	29 ⁵ / ₈ "	60"	28 ³ / ₈ "	ATRT2DOF60362() ()	2,230.	2,735.	2,867.	2,856.	3,234.
		29 ⁵ / ₈ "	66"	28 ³ / ₈ "	ATRT2DOF66362() ()	2,303.	2,775.	2,906.	2,897.	3,288.
		29 ⁵ / ₈ "	72"	28 ³ / ₈ "	ATRT2DOF72362() ()	2,316.	2,809.	2,943.	2,940.	3,337.
		29 ⁵ / ₈ "	78"	28 ³ / ₈ "	ATRT2DOF78362() ()	2,369.	2,851.	2,988.	2,986.	3,394.
		29 ⁵ / ₈ "	84"	28 ³ / ₈ "	ATRT2DOF84362() ()	2,394.	2,898.	3,038.	3,044.	3,469.
		29 ⁵ / ₈ "	90"	28 ³ / ₈ "	ATRT2DOF90362() ()	2,463.	2,958.	3,102.	3,108.	3,553.
		29 ⁵ / ₈ "	96"	28 ³ / ₈ "	ATRT2DOF96362() ()	2,497.	3,005.	3,153.	3,156.	3,613.

Order Code	Specification Information
Example: ATRT2DOF60301() ()	To order please specify pattern number including:
A AutoStrada	4. Finish: Leg Anodized aluminum finish or painted finish option excluding silver.
TR Table Rectangular	See page 7 for finish options applicable.
T2 Tapered 2 sides, User & approach	Product on this page will accept wood grain laminate where laminate is currently an option.
D 1 1/4" thick top	Grommets are not optional for tables.
OF Open Frame leg	The tables on this page, will come with appropriate stiffener support. Modesty & wire chase sold separately.
60 Width	For infill options please refer to page 231
30 Depth	Assembly required. Ships knock down.
1 27" height leg 2 = 28 ³ / ₈ " height leg	
V316 Finish, top	
() Edge finish (L)	
111 Finish, leg	

Open Frame Legs Infill Options for Tables and Peninsulas

AutoStrada




description	d	h	leg height	pattern no.	L	V1	V2	V3
Inside Infill Options for Open Frame leg for 27" h leg 	30"	24"	27"	AIPI301()	\$396.	\$513.	\$588.	\$749.
	30"	26"	28 ³ / ₈ "	AIPI302()	396.	513.	588.	749.
	36"	24"	27"	AIPI361()	420.	544.	625.	793.
	36"	26"	28 ³ / ₈ "	AIPI362()	420.	544.	625.	793.
Outside Infill Options for Open Frame leg 	30"	25"	27"	AIPO301()	398.	517.	591.	753.
	30"	27"	28 ³ / ₈ "	AIPO302()	398.	517.	591.	753.
	36"	25"	27"	AIPO361()	422.	545.	627.	795.
	36"	27"	28 ³ / ₈ "	AIPO362()	422.	545.	627.	795.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: AIPI301()	<i>To order please specify pattern number including:</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
A AutoStrada	1. Leg height 1 = 27" h 2 = 28 ³ / ₈ " h	Both inside and outside infill panels are required and must be ordered separately.
IP Infill Panel	2. Infill finish: <i>Laminate, V1, V2 or V3</i>	Infills fill entire opening of the open frame leg.
I Inside, O = Outside		Infills connect to each other. Can be removed without any damage to the frame leg.
20 Depth		Please refer to installation instructions.
1 27" height leg 2 = 28 ³ / ₈ " height leg		
() Finish		

Table desks with L-legs

AutoStrada


description	h	w	d	leg height	pattern no.	L	M	V1	V2	V3
	28 ³ / ₈ "	48"	30"	27"	ATDT1LFM483027(L/M/V)() () () ()	\$3,216.	\$3,716.	\$3,994.	\$3,828.	\$4,403.
	28 ³ / ₈ "	60"	30"	27"	ATDT1LFM603027(L/M/V)() () () ()	3,264.	3,772.	4,056.	3,885.	4,467.
	28 ³ / ₈ "	72"	30"	27"	ATDT1LFM723027(L/M/V)() () () ()	3,302.	3,817.	4,104.	3,930.	4,520.
	28 ³ / ₈ "	72"	36"	27"	ATDT1LFM723627(L/M/V)() () () ()	3,324.	3,843.	4,131.	3,959.	4,550.
	29 ⁵ / ₈ "	48"	30"	28 ³ / ₈ "	ATDT1LFM483028(L/M/V)() () () ()	3,392.	3,918.	4,213.	4,034.	4,641.
	29 ⁵ / ₈ "	60"	30"	28 ³ / ₈ "	ATDT1LFM603028(L/M/V)() () () ()	3,396.	3,924.	4,218.	4,043.	4,649.
	29 ⁵ / ₈ "	72"	30"	28 ³ / ₈ "	ATDT1LFM723028(L/M/V)() () () ()	3,408.	3,938.	4,235.	4,057.	4,666.
	29 ⁵ / ₈ "	72"	36"	28 ³ / ₈ "	ATDT1LFM723628(L/M/V)() () () ()	3,444.	3,977.	4,278.	4,098.	4,715.
	28 ³ / ₈ "	48"	30"	27"	ATDT1LPM483027(L/M/V)() () () ()	3,084.	3,565.	3,831.	3,672.	4,220.
	28 ³ / ₈ "	60"	30"	27"	ATDT1LPM603027(L/M/V)() () () ()	3,091.	3,570.	3,841.	3,678.	4,230.
	28 ³ / ₈ "	72"	30"	27"	ATDT1LPM723027(L/M/V)() () () ()	3,103.	3,584.	3,854.	3,693.	4,247.
	28 ³ / ₈ "	72"	36"	27"	ATDT1LPM723627(L/M/V)() () () ()	3,138.	3,626.	3,900.	3,735.	4,296.
	29 ⁵ / ₈ "	48"	30"	28 ³ / ₈ "	ATDT1LPM483028(L/M/V)() () () ()	3,212.	3,714.	3,992.	3,825.	4,401.
	29 ⁵ / ₈ "	60"	30"	28 ³ / ₈ "	ATDT1LPM603028(L/M/V)() () () ()	3,219.	3,719.	4,001.	3,833.	4,408.
	29 ⁵ / ₈ "	72"	30"	28 ³ / ₈ "	ATDT1LPM723028(L/M/V)() () () ()	3,233.	3,733.	4,014.	3,848.	4,426.
	29 ⁵ / ₈ "	72"	36"	28 ³ / ₈ "	ATDT1LPM723628(L/M/V)() () () ()	3,267.	3,775.	4,058.	3,888.	4,474.
	28 ³ / ₈ "	48"	30"	27"	ATDT1LFS483027(L/M/V)() () () ()	3,982.	4,604.	4,949.	4,743.	5,452.
	28 ³ / ₈ "	60"	30"	27"	ATDT1LFS603027(L/M/V)() () () ()	4,036.	4,663.	5,013.	4,804.	5,525.
	28 ³ / ₈ "	72"	30"	27"	ATDT1LFS723027(L/M/V)() () () ()	4,082.	4,718.	5,075.	4,860.	5,590.
	28 ³ / ₈ "	72"	36"	27"	ATDT1LFS723627(L/M/V)() () () ()	4,116.	4,759.	5,117.	4,902.	5,636.
	29 ⁵ / ₈ "	48"	30"	28 ³ / ₈ "	ATDT1LFS483028(L/M/V)() () () ()	4,101.	4,737.	5,093.	4,880.	5,614.
	29 ⁵ / ₈ "	60"	30"	28 ³ / ₈ "	ATDT1LFS603028(L/M/V)() () () ()	4,153.	4,799.	5,160.	4,942.	5,688.
	29 ⁵ / ₈ "	72"	30"	28 ³ / ₈ "	ATDT1LFS723028(L/M/V)() () () ()	4,202.	4,856.	5,221.	4,999.	5,752.
	29 ⁵ / ₈ "	72"	36"	28 ³ / ₈ "	ATDT1LFS723628(L/M/V)() () () ()	4,235.	4,894.	5,262.	5,041.	5,800.

Order Code	Specification Information	Application Notes
Example: ATDT1LPS483027VG V316AA111	<i>To order please specify pattern number including:</i>	AutoStrada tables include four L-legs with glides and full or partial height modesty (and optional end panels).
A AutoStrada	1. Full or partial modesty (and end panels when applicable)	
TD Table desk	2. Width	Tables can be specified to overall surface height of: 28 ³ / ₈ " : specify 27" leg. 29 ⁵ / ₈ " : specify 28" leg.
T1 Top tapered 1 side (user only)	3. Depth	
L L-Leg	4. Leg height (<i>to underside of surface</i>) 27 = 27"h 28 = 28 ³ / ₈ "h	Partial height option for 27" leg is nominally 13" and 14"h nominally with 28 ³ / ₈ "h legs; and may be mounted flush to underside of worksurface or with 1" gap below worksurface.
FM Full front modesty	5. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3	
48 48" wide	6. Grommet G=Grommet N=No Grommet	See page 7 for finish options applicable.
30 30" deep	7. Finish, Surface Laminate, Mixed, V1, V2 or V3 finish	
27 Leg height	8. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	Laminate finish options for modesty panels on this page are as follows: 111 = Jet Black 114 = Folkstone grey 115 = Medium Grey 117 = Soft grey 118 = Bright white 119 = Pumice 128 = Fog
V Surface type, veneer	9. Finish, Support <i>Must be same as surface type. Laminate and Mix surfaces can only have Laminate support.</i>	
G Grommet	10. Finish, Grommet	Product on this page will accept wood grain laminate where laminate is currently an option. Worksurface stiffener included with rectangular tables 60"w and over.
V316 Finish top, Maple	11. Finish, Leg <i>Anodized aluminum finish or painted finish option excluding silver.</i>	
() Edge finish (L)		
AA Finish, leg		
111 Grommet finish		

Table desks with L-legs

AutoStrada


description	h	w	d	leg height	pattern no.	L	M	V1	V2	V3
Rectangular table desk with L-legs and partial front and side modesties	28 ³ / ₈ "	48"	30"	27"	ATDT1LPS483027(L/M/V)() () ()	\$3,781.	\$4,369.	\$4,697.	\$4,500.	\$5,174.
	28 ³ / ₈ "	60"	30"	27"	ATDT1LPS603027(L/M/V)() () ()	3,833.	4,431.	4,765.	4,563.	5,250.
	28 ³ / ₈ "	72"	30"	27"	ATDT1LPS723027(L/M/V)() () ()	3,882.	4,482.	4,823.	4,621.	5,312.
	28 ³ / ₈ "	72"	36"	27"	ATDT1LPS723627(L/M/V)() () ()	3,917.	4,523.	4,866.	4,661.	5,361.
	29 ⁵ / ₈ "	48"	30"	28 ³ / ₈ "	ATDT1LPS483028(L/M/V)() () ()	3,899.	4,505.	4,842.	4,641.	5,335.
	29 ⁵ / ₈ "	60"	30"	28 ³ / ₈ "	ATDT1LPS603028(L/M/V)() () ()	3,953.	4,565.	4,909.	4,703.	5,409.
	29 ⁵ / ₈ "	72"	30"	28 ³ / ₈ "	ATDT1LPS723028(L/M/V)() () ()	3,998.	4,619.	4,968.	4,758.	5,474.
	29 ⁵ / ₈ "	72"	36"	28 ³ / ₈ "	ATDT1LPS723628(L/M/V)() () ()	4,032.	4,661.	5,011.	4,802.	5,523.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: ATDT1LPS483027VG V316AA111	<i>To order please specify pattern number including:</i>	
A AutoStrada	1. Full or partial modesty (and end panels when applicable)	AutoStrada tables include four L-legs with glides and full or partial height modesty (and optional end panels).
TD Table desk	2. Width	
T1 Top tapered 1 side (user only)	3. Depth	Tables can be specified to overall surface height of: 28 ³ / ₈ " : specify 27" leg. 29 ⁵ / ₈ " : specify 28" leg.
L L-Leg	4. Leg height (<i>to underside of surface</i>) 27 = 27"h 28 = 28 ³ / ₈ "h	
FM Full front modesty	5. Surface type L = Laminated M = Mixed, Laminated surface/V1, V2 or V3 edge V = V1, V2 or V3	Partial height option for 27" leg is nominally 13" and 14"h nominally with 28 ³ / ₈ "h legs; and may be mounted flush to underside of worksurface or with 1" gap below worksurface.
48 48" wide	6. Grommet G=Grommet N=No Grommet	
30 30" deep	7. Finish, Surface Laminated, Mixed, V1, V2 or V3 finish	See page 7 for finish options applicable. Laminated finish options for modesty panels on this page are as follows: 111 = Jet Black 114 = Folkstone grey 115 = Medium Grey 117 = Soft grey 118 = Bright white 119 = Pumice 128 = Fog
27 Leg height	8. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	
V Surface type, veneer	9. Finish, Support <i>Must be same as surface type. Laminated and Mix surfaces can only have Laminated support.</i>	Product on this page will accept wood grain laminate where laminate is currently an option. Worksurface stiffener included with rectangular tables 60"w and over.
G Grommet	10. Finish, Grommet	
V316 Finish top, Maple	11. Finish, Leg <i>Anodized aluminum finish or painted finish option excluding silver.</i>	
() Edge finish (L)		
AA Finish, leg		
111 Grommet finish		

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction Top 1 1/4" Thick, Straight	24"	15"	1 1/4"	ATTA24S()	\$832.	\$876.	\$916.	\$886.	\$1,125.
	30"	15"	1 1/4"	ATTA30S()	848.	898.	939.	902.	1,143.
	36"	15"	1 1/4"	ATTA36S()	863.	909.	950.	917.	1,156.
	42"	15"	1 1/4"	ATTA42S()	875.	923.	962.	929.	1,168.
	48"	15"	1 1/4"	ATTA48S()	894.	941.	985.	946.	1,187.
	54"	15"	1 1/4"	ATTA54S()	912.	961.	1,004.	965.	1,205.
	60"	15"	1 1/4"	ATTA60S()	929.	980.	1,023.	984.	1,220.
	66"	15"	1 1/4"	ATTA66S()	947.	1,000.	1,044.	1,004.	1,236.
	72"	15"	1 1/4"	ATTA72S()	962.	1,013.	1,057.	1,055.	1,435.
	78"	15"	1 1/4"	ATTA78S()	981.	1,034.	1,078.	1,077.	1,465.
	84"	15"	1 1/4"	ATTA84S()	1,001.	1,053.	1,100.	1,097.	1,493.
	90"	15"	1 1/4"	ATTA90S()	1,020.	1,075.	1,121.	1,120.	1,523.
	96"	15"	1 1/4"	ATTA96S()	1,041.	1,096.	1,146.	1,142.	1,553.




Straight



Transaction Top 1 1/4" Thick, mitered left Left Side	24"	15"	1 1/4"	ATTA24L()	1,098.	1,157.	1,209.	1,163.	1,437.
	30"	15"	1 1/4"	ATTA30L()	1,118.	1,177.	1,229.	1,183.	1,456.
	36"	15"	1 1/4"	ATTA36L()	1,131.	1,189.	1,240.	1,195.	1,468.
	42"	15"	1 1/4"	ATTA42L()	1,143.	1,201.	1,256.	1,209.	1,481.
	48"	15"	1 1/4"	ATTA48L()	1,160.	1,220.	1,275.	1,227.	1,500.
	54"	15"	1 1/4"	ATTA54L()	1,180.	1,238.	1,294.	1,245.	1,518.
	60"	15"	1 1/4"	ATTA60L()	1,197.	1,259.	1,315.	1,262.	1,534.
	66"	15"	1 1/4"	ATTA66L()	1,216.	1,277.	1,332.	1,284.	1,548.
	72"	15"	1 1/4"	ATTA72L()	1,231.	1,292.	1,349.	1,334.	1,747.
	78"	15"	1 1/4"	ATTA78L()	1,256.	1,318.	1,377.	1,361.	1,782.
	84"	15"	1 1/4"	ATTA84L()	1,281.	1,343.	1,404.	1,387.	1,818.
	90"	15"	1 1/4"	ATTA90L()	1,306.	1,370.	1,433.	1,414.	1,854.
	99"	15"	1 1/4"	ATTA96L()	1,332.	1,399.	1,462.	1,444.	1,891.

Order Code	Specification Information	Application Notes
Example: ATTA24S1	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42"h panel or overall panel height achieved from 34"h base panel plus 8"h stacking module. Transaction tops ship with necessary bracketry included.
A AutoStrada	1. End treatment type	Applicable finishes are listed on page 7.
TT Transaction top	2. Finish type	
A 1 1/4" thick	3. Finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
24 24" wide	<i>1. End treatment options:</i>	
S Straight end treatment	S = Straight	No grommets included.
1 V1 finish	L = Left side mitre	
V316 Maple	R = Right side mitre	Tops may be used to span more than one consecutive panel.
	<i>2. Finish type:</i>	
	L = Laminate	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	3. Transaction top finish: Laminate or wood	
	4. Transaction edge finish: For Lam. surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7.	

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction Top	24"	15"	1 1/4"	ATTA24R()	\$1,098.	\$1,157.	\$1,209.	\$1,163.	\$1,437.
1 1/4" Thick, mitered right	30"	15"	1 1/4"	ATTA30R()	1,118.	1,177.	1,229.	1,183.	1,456.
Right Side	36"	15"	1 1/4"	ATTA36R()	1,131.	1,189.	1,240.	1,195.	1,468.
	42"	15"	1 1/4"	ATTA42R()	1,143.	1,201.	1,256.	1,209.	1,481.
	48"	15"	1 1/4"	ATTA48R()	1,160.	1,220.	1,275.	1,227.	1,500.
	54"	15"	1 1/4"	ATTA54R()	1,180.	1,238.	1,294.	1,245.	1,518.
	60"	15"	1 1/4"	ATTA60R()	1,197.	1,259.	1,315.	1,262.	1,534.
	66"	15"	1 1/4"	ATTA66R()	1,216.	1,277.	1,332.	1,284.	1,548.
	72"	15"	1 1/4"	ATTA72R()	1,231.	1,292.	1,349.	1,334.	1,747.
	78"	15"	1 1/4"	ATTA78R()	1,256.	1,318.	1,377.	1,361.	1,782.
	84"	15"	1 1/4"	ATTA84R()	1,281.	1,343.	1,404.	1,387.	1,818.
	90"	15"	1 1/4"	ATTA90R()	1,306.	1,370.	1,433.	1,414.	1,854.
	96"	15"	1 1/4"	ATTA96R()	1,332.	1,399.	1,462.	1,444.	1,891.

Order Code	Specification Information	Application Notes
Example: ATTA24S1	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42"h panel or overall panel height achieved from 34"h base panel plus 8"h stacking module. Transaction tops ship with necessary bracketry included.
A AutoStrada	1. End treatment type	Applicable finishes are listed on page 7.
TT Transaction top	2. Finish type	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Finish	
24 24" wide	<i>1. End treatment options:</i>	No grommets included.
S Straight end treatment	S = Straight	Tops may be used to span more than one consecutive panel.
1 V1 finish	L = Left side mitre	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.
V316 Maple	R = Right side mitre	
	<i>2. Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Transaction top finish:</i>	
	Laminate or wood	
	<i>4. Transaction edge finish: For Lam. surfaces, all core laminate colors are optional</i>	
	*For M surfaces, the options are V1, V2 or V3, see page 7.	

Transaction Top Brackets for Alternative Material

AutoStrada

description	w	h	pattern no.	list
Attachment Bracketry			AAMTB	\$67.
Foam Tape			AAMTT	27.
Transaction Top Bracket			AAMTC24()()	48.
Cover			AAMTC30()()	51.
			AAMTC36()()	56.
			AAMTC42()()	60.
			AAMTC48()()	63.
			AAMTC54()()	67.
			AAMTC60()()	70.
			AAMTC66()()	76.
			AAMTC72()()	78.
Transaction Top Bracket			AAMTCH24()()	67.
Cover Hilo			AAMTCH30()()	70.
			AAMTCH36()()	76.
			AAMTCH42()()	79.
			AAMTCH48()()	82.
			AAMTCH54()()	85.
			AAMTCH60()()	88.
			AAMTCH66()()	92.
			AAMTCH72()()	95.

Order Code



Example: AAMTC	
A	Reff
A	Alternative
M	Material
T	Transaction Top
C	Cover
24	Width
S/L/R/M	Straight/Left/Right/Mitered
()	Finish

Application Information

To order please specify pattern number including:


- End treatment options
L = Left side miter
R = Right side miter
M = Mitered both sides
- Finish:
Core paint finishes

Transaction top Brackets are available in core paint finishes.


description	type	width	depth	height	pattern no.	painting	list
Adjustable cantilever bracket (up to 24"D)		3"	20"	23-33"	AB1 AC24 ()	\$259.	
Maximum of 24" deep worksurfaces may be cantilevered from Spine.							
							
Adjustable end support bracket			6"	23-33"	AB2 AE ()	208.	
							
Compact fixed height end support bracket	for 28"h worksurface		6"	27"	AB2 FE27 ()	176.	
	for 29 5/8"h worksurface		6"	28"	AB2 FE28 ()	176.	
							
Adjustable cantilever bridging bracket		3"	20"	23-33"	AB1-ABC24()	336.	
Maximum of 24" deep worksurfaces may be cantilevered from Spine.							
spacers (20 per pack) use with spine worksurface support brackets					AA1 BS		16.

Order Code	Specification Information	Application Notes
Example: AB1 AC24118		
AB1 Bracket	Please specify painted finish from paint options listed on page 7.	Adjustable height cantilever and bridging cantilever brackets support underside of worksurface in 1" increments from 23" to 33"H (24" to 34" top height).
AC Type	Specify worksurface cantilever and end support brackets to attach worksurfaces to spine walls.	Adjustable bridging cantilever supports adjacent 48"W straight or corner worksurfaces.
24 Depth	Specify two cantilever brackets to support any 24"D worksurface up to 84" wide, or one back edge of corner worksurface. Specify three cantilever brackets to support any 24"D worksurface greater than 84" wide. Specify two end support brackets to support one end of straight, conference, or arc-shape surface.	End support brackets adjust 23"-33"H (24" to 34" top height). Fixed height brackets support worksurface at 28"H and 29 5/8"H.
118 Finish		Cannot exceed maximum of 24" deep worksurfaces cantilevered from Spine.

description	d	pattern no.	P1	P2	P3
Cantilever bracket, panel hung	18"	ASBC18 (L/R) ()	\$121.	\$129.	\$133.
	24"	ASBC24 (L/R) ()	133.	143.	149.
18" for 20" and 24" deep tops 24" for 30" and 36" deep tops specify paint finish					




Side hung support bracket, pair	RBCCP ()	50.	56.	58.
specify paint finish				



top to top brackets (pair) for use when top to top condition is without tapered edges	6" x 1"	RBF	5.
--	---------	------------	----



Top to top bracket for use with tapered edge worksurface conditions (‘tapered to tapered’ or ‘tapered to straight’)	4" x 7"	AT2TB (pair)	130.
---	---------	---------------------	------



Order Code	Specification Information	Application Notes
Example: RBC18L111	<i>To order please specify pattern number including:</i>	<i>Flat edge to flat edge:</i>
R from Reff	1. Left or right hand where applicable	RBF top to top brackets are for end to end worksurface connection, no tapered edges.
B Bracket	2. Paint finish where applicable	
C Cantilever	<i>Specify painted finish from paint options listed on page 7.</i>	A cantilever bracket should be used to join two adjacent straight worksurfaces along with pair of RBF top to top brackets. RBF brackets install between screw ports on cantilever bracket to underside of worksurface.
18 18" deep		
L Left hand		
111 Finish, Jet black		

Tapered edges:
AT2TB top to top brackets are for connection of worksurfaces at right angle, with one or both edges tapered.

A cantilever bracket should be used to join two worksurfaces along with pair of AT2TB top to top brackets. Install one AT2TB bracket behind cantilever and one in front of cantilever.




Midspan suport required every 48" for all worksurfaces.

Side hung support brackets provide primary connection of a worksurface to a panel, not recommended for midspan support.

Worksurface support

Straight legs, wide legs and L-legs

AutoStrada


description	type	height	pattern number	list
 Straight leg (pair)	Fixed height	27"	AB1AS27 ()	\$515.
		28 ³ / ₈ "	AB1AS28 ()	543.
		30 ¹ / ₈ "	AB1AS30 ()	560.
 Straight leg with casters (pair)	Fixed height	27"	AB1ASC27 ()	515.
		28 ³ / ₈ "	AB1ASC28 ()	543.
		30 ¹ / ₈ "	AB1ASC30 ()	560.
 Wide leg	Fixed height	27"	AB1AW27 ()	478.
		28 ³ / ₈ "	AB1AW28 ()	506.
 L-legs (pair)	Fixed height	26 ¹ / ₂ "	APTLL26 ()	916.
		27"	APTLL27 ()	938.
		28 ³ / ₈ "	APTLL28 ()	954.
 Wide Flange Leg (Single)	Fixed height	27"	AWFL27 ()	815.
		28 ³ / ₈ "	AWFL28 ()	815.

Support Components

Order Code	Specification Information	Application Notes
Example: AB1AS28 AA		
A AutoStrada leg	AutoStrada straight legs, wide legs and L-Legs are available in anodized aluminum or painted finish option listed on page 7 excluding silver.	A pair of straight legs or a pair of L-legs or one wide leg can support one end of the worksurface when the other end is spine-supported, panel-supported or joined to a perpendicular worksurface with AT2TB bracket. If distance between support spans over 48", additional support is required.
S Straight		
28 Height		
AA Finish		
	To order specify pattern number including height	27" from floor to underside of worksurface (28 ³ / ₈ " desk height)
	1. Specify finish	28 ³ / ₈ " from floor to underside of worksurface (29 ³ / ₄ " desk height)
		30 ¹ / ₈ " from floor to underside of worksurface (31 ¹ / ₂ " desk height)
		AutoStrada wide legs are only available on glides, 27" or 28 ³ / ₈ " to underside of worksurface.
		AutoStrada L-legs are available in three heights, glide only (no caster option) 26 ¹ / ₂ "h, 27"h and 28 ³ / ₈ "h.
		Two pairs of straight legs or L-legs may also be specified to create a freestanding table in combination with an AutoStrada worksurface not to exceed 72" x 36" with a corresponding worksurface stiffener.
		Wide Flange legs are for use with Peninsula applications only.
		AutoStrada straight legs are available in three heights with or without casters:

Worksurface support Open frame Leg sets



AutoStrada

description	h	w	d	pattern no.	list
Open frame legs, Set of One, For Peninsulas 	28 ³ / ₈ "		30"	AOFL1302()	\$844.
			36"	AOFL1362()	844.
	27"		30"	AOFL1301()	844.
			36"	AOFL1361()	844.
Open frame legs, Set of Two, For Tables 	27"	60"	30"	AOFL260301()	1,763.
		60"	36"	AOFL260361()	1,763.
		66"	30"	AOFL266301()	1,797.
		66"	36"	AOFL266361()	1,797.
		72"	30"	AOFL272301()	1,799.
		72"	36"	AOFL272361()	1,799.
		78"	30"	AOFL278301()	1,815.
		78"	36"	AOFL278361()	1,815.
		84"	30"	AOFL284301()	1,823.
		84"	36"	AOFL284361()	1,823.
		90"	30"	AOFL290301()	1,825.
		90"	36"	AOFL290361()	1,825.
		96"	30"	AOFL296301()	1,827.
		96"	36"	AOFL296361()	1,827.
	28 ³ / ₈ "	60"	30"	AOFL260302()	1,763.
		60"	36"	AOFL260362()	1,763.
		66"	30"	AOFL266302()	1,797.
		66"	36"	AOFL266362()	1,797.
		72"	30"	AOFL272302()	1,799.
		72"	36"	AOFL272362()	1,799.
		78"	30"	AOFL278302()	1,815.
		78"	36"	AOFL278362()	1,815.
		84"	30"	AOFL284302()	1,823.
		84"	36"	AOFL284362()	1,823.
		90"	30"	AOFL290302()	1,825.
		90"	36"	AOFL290362()	1,825.
		96"	30"	AOFL296302()	1,827.
		96"	36"	AOFL296362()	1,827.

Order Code	Specification Information	Application Notes
Example: AOFL1301()	<i>To order please specify pattern number including:</i>	Open Frame Legs included glides with 1 1/4" height adjustability with 1" height adjustability.
A AutoStrada	1. Leg height: 1 = 27"h 2 = 28 ³ / ₈ "h	Open Frame Legs are not intended or able to be used adjacent to full height - 28 ³ / ₈ "h desk height storage.
OFL Open Frame Leg	2. Leg finish: <i>Anodized aluminum or painted finish option, excluding silver.</i>	Note: These legs are intended to be used with Knoll worksurfaces, only.
1 Set of one (for Peninsula) 2= Set of two for tables	See page 7 for finish options applicable.	Installation instruction sheets available on Knoll.com+.
20 Depth		For Peninsulas, refer to part number 6TP00440.
1 27", 2 = 28 ³ / ₈ "h		For Tables; refer to part number 6TP00441.
() Leg Finish (all core paint, AA)		

Worksurface support T and L bases

AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3
	right hand	28 ³ / ₈ "	24"		ALBR24 ()	\$644.	\$672.	\$772.	\$918.
		28 ³ / ₈ "	30"		ALBR30 ()	744.	779.	899.	1,073.
		28 ³ / ₈ "	36"		ALBR36 ()	844.	894.	1,022.	1,219.
	left hand	28 ³ / ₈ "	24"		ALBL24 ()	644.	672.	772.	918.
		28 ³ / ₈ "	30"		ALBL30 ()	744.	779.	899.	1,073.
		28 ³ / ₈ "	36"		ALBL36 ()	844.	894.	1,022.	1,219.
	<i>left hand shown</i>								
T Base for tapered 1 edge tops		28 ³ / ₈ "	18"	12"	ATBT120 ()	589.	624.	725.	867.
		28 ³ / ₈ "	22"	12"	ATBT124 ()	629.	672.	772.	918.
		28 ³ / ₈ "	28"	12"	ATBT130 ()	744.	779.	899.	1,073.
		28 ³ / ₈ "	34"	12"	ATBT136 ()	844.	894.	1,022.	1,219.
T Base for tapered 2 edge tops		28 ³ / ₈ "	20"	12"	ATBT224 ()	629.	672.	772.	918.
		28 ³ / ₈ "	26"	12"	ATBT230 ()	744.	779.	899.	1,073.
		28 ³ / ₈ "	32"	12"	ATBT236 ()	844.	894.	1,022.	1,219.
		28 ³ / ₈ "	38"	12"	ATBT242 ()	1,044.	1,098.	1,265.	1,509.

Support Components

Order Code

Example: ATB24V316	
A	Autostrada
TB	T-base
24	24"w x 12"d
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

1. Hand (applicable for L bases only)
L = left hand
R = right hand
2. Width
3. Finish
Laminate, V1, V2 or V3 finish

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.


Application Notes

T and L bases are 28³/₈"h to underside of worksurface. If used with wood case pedestals or lower storage as support, must specify cabinet feet (see page 249) for pedestals/lower storage to achieve required height.

Worksurface support

Modesty panels

AutoStrada

description	h	w	pattern no.	L	V1	V2	V3
Half height suspended modesty 	12"	33 1/2"	AHHSM36 ()	\$408.	\$512.	\$546.	\$694.
	12"	39 1/2"	AHHSM42 ()	421.	524.	561.	716.
	12"	45 1/2"	AHHSM48 ()	431.	534.	573.	732.
	12"	51 1/2"	AHHSM54 ()	446.	542.	589.	750.
	12"	57 1/2"	AHHSM60 ()	456.	555.	606.	771.
	12"	63 1/2"	AHHSM66 ()	467.	565.	618.	790.
	12"	69 1/2"	AHHSM72 ()	480.	574.	635.	806.
	12"	75 1/2"	AHHSM78 ()	494.	585.	649.	827.
	12"	81 1/2"	AHHSM84 ()	505.	595.	664.	848.
	12"	87 1/2"	AHHSM90 ()	516.	607.	680.	866.
	12"	93 1/2"	AHHSM96 ()	527.	618.	696.	884.


Order Code	Specification Information	Application Notes
Example: AHHSM30V316	<i>To order please specify pattern number including:</i>	To be used for free-standing private office applications.
A AutoStrada	1. Finish	Half height suspended modesty intended for optional use with work surfaces when creating configurations including a peninsula top supported at one end by a pair of legs (legs on page 239) or "freestanding" table desk by set of legs and would install just behind the legs by angle bracket that ships with modesty. Attachment hardware included.
HH Half height	<i>Laminate, V1, V2 or V3 finish</i>	
S Suspended	See page 7 for finish options applicable.	
M Modesty	Product on this page will accept wood grain laminate where laminate is currently an option.	
30 for 30"w work surface		If installing below worksurface with grommets, be sure to specify recessed grommet location.
V316 Finish, Maple		

Worksurface support


Modesty

Hinged

28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
 Hinged Modesty for End panel and Storage Unit	72" wide assembly - 16" storage	1"	72"	25"	ADHMH7210()	\$982.	\$1,223.	\$1,287.	\$1,545.
	72" wide assembly - 19" storage	1"	72"	25"	ADHMH7220()	973.	1,218.	1,275.	1,531.
	72" wide assembly - 30" storage	1"	72"	25"	ADHMH7230()	783.	1,017.	1,071.	1,287.
	72" wide assembly - 36" storage	1"	72"	25"	ADHMH7240()	771.	1,004.	1,051.	1,261.
	78" wide assembly - 16" storage	1"	78"	25"	ADHMH7810()	1,001.	1,237.	1,305.	1,567.
	78" wide assembly - 19" storage	1"	78"	25"	ADHMH7820()	986.	1,232.	1,296.	1,553.
	78" wide assembly - 30" storage	1"	78"	25"	ADHMH7830()	796.	1,036.	1,090.	1,307.
	78" wide assembly - 36" storage	1"	78"	25"	ADHMH7840()	783.	1,017.	1,071.	1,287.
	84" wide assembly - 16" storage	1"	84"	25"	ADHMH8410()	1,019.	1,259.	1,331.	1,598.
	84" wide assembly - 19" storage	1"	84"	25"	ADHMH8420()	1,006.	1,241.	1,321.	1,588.
	84" wide assembly - 30" storage	1"	84"	25"	ADHMH8430()	975.	1,218.	1,278.	1,534.
	84" wide assembly - 36" storage	1"	84"	25"	ADHMH8440()	796.	1,036.	1,090.	1,307.
	90" wide assembly - 16" storage	1"	90"	25"	ADHMH9010()	1,030.	1,269.	1,352.	1,621.
	90" wide assembly - 19" storage	1"	90"	25"	ADHMH9020()	1,023.	1,264.	1,342.	1,610.
	90" wide assembly - 30" storage	1"	90"	25"	ADHMH9030()	988.	1,233.	1,297.	1,556.
	90" wide assembly - 36" storage	1"	90"	25"	ADHMH9040()	975.	1,218.	1,278.	1,534.
	96" wide assembly - 16" storage	1"	96"	25"	ADHMH9610()	1,044.	1,285.	1,368.	1,644.
	96" wide assembly - 19" storage	1"	96"	25"	ADHMH9620()	1,035.	1,275.	1,360.	1,632.
	96" wide assembly - 30" storage	1"	96"	25"	ADHMH9630()	1,007.	1,244.	1,326.	1,591.
	96" wide assembly - 36" storage	1"	96"	25"	ADHMH9640()	988.	1,233.	1,297.	1,556.

Back side shown

 Hinged Modesty for Between Two Storage Elements	72" wide assembly - 16"/16" storage	1"	72"	25"	ADHMH7211()	783.	1,017.	1,069.	1,286.
	72" wide assembly - 19"/19" storage	1"	72"	25"	ADHMH7212()	777.	1,009.	1,058.	1,271.
	72" wide assembly - 16"/19" storage	1"	72"	25"	ADHMH7222()	771.	1,004.	1,051.	1,261.
	78" wide assembly - 16"/16" storage	1"	78"	25"	ADHMH7811()	796.	1,036.	1,090.	1,307.
	78" wide assembly - 16"/19" storage	1"	78"	25"	ADHMH7812()	789.	1,030.	1,082.	1,297.
	78" wide assembly - 16"/30" storage	1"	78"	25"	ADHMH7813()	762.	1,000.	1,036.	1,244.
	78" wide assembly - 19"/19" storage	1"	78"	25"	ADHMH7822()	783.	1,017.	1,069.	1,286.
	78" wide assembly - 19"/30" storage	1"	78"	25"	ADHMH7823()	757.	992.	1,022.	1,224.
	84" wide assembly - 16"/16" storage	1"	84"	25"	ADHMH8411()	975.	1,218.	1,278.	1,534.
	84" wide assembly - 16"/19" storage	1"	84"	25"	ADHMH8412()	968.	1,213.	1,267.	1,521.
	84" wide assembly - 16"/36" storage	1"	84"	25"	ADHMH8413()	779.	1,010.	1,062.	1,274.
	84" wide assembly - 16"/30" storage	1"	84"	25"	ADHMH8414()	762.	1,000.	1,036.	1,244.
	84" wide assembly - 19"/19" storage	1"	84"	25"	ADHMH8422()	796.	1,036.	1,090.	1,307.
	84" wide assembly - 19"/30" storage	1"	84"	25"	ADHMH8423()	771.	1,004.	1,053.	1,264.
	84" wide assembly - 19"/36" storage	1"	84"	25"	ADHMH8424()	757.	992.	1,022.	1,224.
	90" wide assembly - 16"/16" storage	1"	90"	25"	ADHMH9011()	988.	1,233.	1,297.	1,556.
	90" wide assembly - 16"/19" storage	1"	90"	25"	ADHMH9012()	982.	1,224.	1,288.	1,546.
	90" wide assembly - 16"/36" storage	1"	90"	25"	ADHMH9013()	790.	1,031.	1,083.	1,299.
	90" wide assembly - 16"/30" storage	1"	90"	25"	ADHMH9014()	779.	1,010.	1,062.	1,274.

Back side shown

Order Code	Specification Information	Application Notes
Example: ADHMH7222	To order please specify pattern number including:	Modesty may prohibit the adjacent drawer from opening.
A AutoStrada	1. <i>Finish Type</i> L, V1, V2, V3	Recommended that when using a modesty the adjacent ped is an open configuration.
DH Desk height	2. <i>Finish</i> V316	Hardware shipped with modesty to attach to worksurface.
M Modesty		J-Extrusion Wire Trough sold separately.
H Hinged		
72 Width		
22 19"/19" storage		
V2 Finish type		
V316 Light Maple		


Modesty End panel and storage unit.
10= 16" storage
20= 19" storage
30= 30" storage
40= 36" storage
Modesty between two storage units.
11= 16"/16" storage
12= 16"/19" storage
13= 16"/30" storage
14= 16"/36" storage
22= 19"/19" storage
23= 19"/30" storage
24= 19"/36" storage
33= 30"/30" storage
34= 36"/36" storage

Worksurface support


Modesty

Hinged



28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
 Back side shown	90" wide assembly - 19"/19" storage	1"	90"	25"	ADHMH9022()	\$975.	\$1,218.	\$1,278.	\$1,534.
	90" wide assembly - 19"/30" storage	1"	90"	25"	ADHMH9023()	784.	1,019.	1,071.	1,287.
	90" wide assembly - 19"/36" storage	1"	90"	25"	ADHMH9024()	771.	1,004.	1,053.	1,264.
	90" wide assembly - 30"/30" storage	1"	90"	25"	ADHMH9033()	758.	993.	1,024.	1,230.
	96" wide assembly - 16"/16" storage	1"	96"	25"	ADHMH9611()	1,007.	1,242.	1,322.	1,590.
	96" wide assembly - 16"/19" storage	1"	96"	25"	ADHMH9612()	1,002.	1,238.	1,306.	1,569.
	96" wide assembly - 16"/30" storage	1"	96"	25"	ADHMH9613()	970.	1,214.	1,268.	1,523.
	96" wide assembly - 16"/36" storage	1"	96"	25"	ADHMH9614()	790.	1,031.	1,083.	1,299.
	96" wide assembly - 19"/19" storage	1"	96"	25"	ADHMH9622()	988.	1,233.	1,297.	1,556.
	96" wide assembly - 19"/30" storage	1"	96"	25"	ADHMH9623()	796.	1,038.	1,092.	1,308.
	96" wide assembly - 19"/36" storage	1"	96"	25"	ADHMH9624()	784.	1,019.	1,071.	1,287.
	96" wide assembly - 30"/30" storage	1"	96"	25"	ADHMH9633()	773.	1,006.	1,054.	1,265.
	96" wide assembly - 36"/36" storage	1"	96"	25"	ADHMH9634()	758.	993.	1,024.	1,230.



Order Code	Specification Information	Application Notes
Example: ADHMH7222	<i>To order please specify pattern number including:</i>	Modesty may prohibit the adjacent drawer from opening.
A AutoStrada	1. <i>Finish Type</i>	Modesty End panel and storage unit.
DH Desk height	L, V1, V2, V3	Recommended that when using a modesty the adjacent ped is an open configuration.
M Modesty	2. <i>Finish</i>	Hardware shipped with modesty to attach to worksurface.
H Hinged	V316	J-Extrusion Wire Trough sold separately.
72 Width		Modesty between two storage units.
22 19"/19" storage		11= 16"/16" storage
V2 Finish type		12= 16"/19" storage
V316 Light Maple		13= 16"/30" storage
		14= 16"/36" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage
		34= 36"/36" storage

description	type	width	depth	height	pattern number	list
Stiffener for worksurface, full depths 	36"	20"	1 1/2"	1"	AWM1 S36	\$76.
	42"	26"	1 1/2"	1"	AWM1 S42	81.
	48"	32"	1 1/2"	1"	AWM1 S48	83.
	60"	44"	1 1/2"	1"	AWM1 S60	85.
	66"	50"	1 1/2"	1"	AWM1 S66	89.
	72"	56"	1 1/2"	1"	AWM1 S72	93.
	78"	62"	1 1/2"	1"	AWM1 S78	98.
	84"	68"	1 1/2"	1"	AWM1 S84	100.

Order Code	Specification Information	Application Notes
Example: AWM1 S36 AWM1 Stiffener S Straight 36 Application	Stiffeners are black painted finish.	AutoStrada worksurfaces require stiffeners when the span between structural supports exceeds 60". Stiffener also serves as horizontal cable manager. Stiffener corresponds in width to straight or corner worksurface back edge. Specify 12" less wide stiffener to mount adjacent to floor standing pedestal. For 90" application span, use AWM1-S84 stiffener.

description	h	w	y	pattern no.	list
Tackboard for 49"h Median 	21"	26 1/2"	0.7	ATBM26 ()	\$174.
	21"	32 1/2"	1.0	ATBM32 ()	212.
	21"	42"	1.3	ATBM42 ()	279.
	21"	48"	1.5	ATBM48 ()	319.
	21"	54"	1.6	ATBM54 ()	358.
	21"	60"	1.8	ATBM60 ()	399.
	21"	66"	2.0	ATBM66 ()	439.
	21"	72"	2.2	ATBM72 ()	480.
	21"	78"	2.3	ATBM78 ()	519.
	21"	84"	2.5	ATBM84 ()	558.
	21"	90"	2.6	ATBM90 ()	597.
	21"	96"	2.8	ATBM96 ()	638.
Tackboard for 49"h Bridge 	21"	42"	1.3	ATBB42 ()	279.
	21"	48"	1.5	ATBB48 ()	319.
	21"	54"	1.6	ATBB54 ()	358.
	21"	60"	1.8	ATBB60 ()	399.
	21"	66"	2.0	ATBB66 ()	439.
	21"	72"	2.2	ATBB72 ()	480.
	21"	78"	2.3	ATBB78 ()	519.
14"h Tackboard for use with 42"h medians or bridges	14"	26 1/2"	0.7	ATB1426 ()	169.
	14"	32 1/2"	1.0	ATB1432 ()	206.
	14"	42"	1.3	ATB1442 ()	271.
	14"	48"	1.5	ATB1448 ()	310.
	14"	54"	1.6	ATB1454 ()	349.
	14"	60"	1.8	ATB1460 ()	389.
	14"	66"	2.0	ATB1466 ()	428.
	14"	72"	2.2	ATB1472 ()	466.
	14"	78"	2.3	ATB1478 ()	503.
	14"	84"	2.5	ATB1484 ()	543.
	14"	90"	2.6	ATB1490 ()	581.
	14"	96"	2.8	ATB1496 ()	621.



Order Code	Specification Information	Application Notes
Example: ATBM26W359-	<i>To order please specify pattern number including:</i>	Velcro included to attach tackboard to median or bridge as required.
A AutoStrada	1. For median or bridge	Fabric orientation is applied "railroaded".
TB Tackboard	<i>M = for medians</i>	
M for median	<i>B = for bridges</i>	Fabric choices listed on page 10.
26 for 26.5"d gable	2. Width	
W359- Fabric selection	<i>26 = for 26.5 d median gable</i>	
	<i>32 = for 32.5 d median gable</i>	
	<i>All others specify to match width of corresponding median or bridge</i>	
	3. Fabric selection	

description	h	w	pattern no.	AA or paint
Slatwall for Median 	19"	26 1/2"	ASWM26 ()	\$276.
	19"	32 1/2"	ASWM32 ()	345.
	19"	42"	ASWM42 ()	411.
	19"	48"	ASWM48 ()	462.
	19"	54"	ASWM54 ()	515.
	19"	60"	ASWM60 ()	565.
	19"	66"	ASWM66 ()	614.
	19"	72"	ASWM72 ()	664.
	19"	78"	ASWM78 ()	713.
	19"	84"	ASWM84 ()	749.
	19"	90"	ASWM90 ()	784.
	19"	96"	ASWM96 ()	819.
Slatwall for Bridge 	19"	42"	ASWB42 ()	411.
	19"	48"	ASWB48 ()	462.
	19"	54"	ASWB54 ()	515.
	19"	60"	ASWB60 ()	565.
	19"	66"	ASWB66 ()	614.
	19"	72"	ASWB72 ()	664.
	19"	78"	ASWB78 ()	713.

Order Code	Specification Information	Application Notes
Example: ASWM26AA	<i>To order please specify pattern number including:</i>	Slatwall attaches to median or bridge assembly with brackets (supplied with slatwall) which are then screwed onto modesty of median or bridge assembly. Modesties are not predrilled for attachment, field drill required during installation.
A AutoStrada	1. For median or bridge <i>M = for medians B = for bridges</i>	
SW Slatwall	2. Width <i>26 = for 26.5 d median gable 32 = for 32.5 d median gable All others specify to match width of corresponding median or bridge</i>	
M for median	3. Finish <i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	
26 for 26.5" d gable		
AA Finish, anodized aluminum		

Wall hung tackboards 24" and 30" high

AutoStrada






description	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Wall hung tackboards, 24" high	30"	1	AWHTB3024 ()	\$309.	\$338.	\$369.	\$400.	\$405.	\$411.	\$417.	\$458.	\$497.
	36"	1.1	AWHTB3624 ()	328.	362.	396.	429.	436.	442.	449.	492.	537.
	42"	1.3	AWHTB4224 ()	361.	401.	439.	480.	488.	495.	503.	554.	606.
	48"	1.5	AWHTB4824 ()	394.	438.	483.	529.	539.	547.	557.	615.	674.
	54"	1.6	AWHTB5424 ()	413.	462.	512.	561.	570.	580.	589.	653.	714.
	60"	1.8	AWHTB6024 ()	445.	500.	555.	610.	622.	633.	644.	714.	783.
	66"	1.9	AWHTB6624 ()	468.	526.	582.	641.	653.	663.	676.	750.	823.
	72"	2.1	AWHTB7224 ()	500.	566.	628.	692.	705.	717.	729.	812.	893.
	78"	2.3	AWHTB7824 ()	531.	603.	671.	742.	756.	769.	783.	872.	961.
	84"	2.5	AWHTB8424 ()	566.	641.	716.	792.	807.	823.	838.	933.	1,031.
	90"	2.6	AWHTB9024 ()	584.	663.	743.	821.	837.	855.	870.	970.	1,069.
	96"	2.8	AWHTB9624 ()	617.	701.	789.	874.	890.	905.	925.	1,032.	1,138.
Wall hung tackboards, 30" high	30"	1	AWHTB3030 ()	326.	355.	385.	412.	419.	426.	432.	462.	501.
	36"	1.1	AWHTB3630 ()	351.	383.	413.	447.	455.	460.	468.	501.	543.
	42"	1.3	AWHTB4230 ()	386.	425.	461.	500.	508.	517.	524.	565.	613.
	48"	1.5	AWHTB4830 ()	422.	466.	510.	551.	564.	571.	580.	626.	684.
	54"	1.6	AWHTB5430 ()	445.	492.	539.	586.	596.	606.	614.	664.	725.
	60"	1.8	AWHTB6030 ()	481.	534.	586.	639.	651.	660.	672.	727.	796.
	66"	1.9	AWHTB6630 ()	506.	562.	615.	672.	685.	695.	709.	765.	836.
	72"	2.1	AWHTB7230 ()	541.	604.	663.	725.	740.	752.	764.	830.	906.
	78"	2.3	AWHTB7830 ()	576.	645.	712.	779.	795.	806.	821.	891.	978.
	84"	2.5	AWHTB8430 ()	611.	686.	758.	833.	846.	862.	878.	954.	1,048.
	90"	2.6	AWHTB9030 ()	637.	714.	789.	865.	881.	897.	915.	992.	1,090.
	96"	2.8	AWHTB9630 ()	672.	755.	836.	920.	935.	953.	971.	1,056.	1,159.

Order Code	Specification Information	Application Notes
Example: AWHTB3024 ()	<i>To order please specify pattern number including:</i>	Fabric orientation is applied railroaded.
A AutoStrada	1. Fabric selection	Velcro supplied for attaching to wall.
WH Wall hung	24" high Nominal = 23.8"h Actual	Fabric choices listed on page 10.
TB Tackboard	30" high Nominal = 29.9"h Actual	
30 Wide		
24 Height		
W359- Fabric selection		

Vertical channel is routed in the center of the tackboard to accept T5 light cord.

Note: Y = Fabric requirements.

Note: The 24" high tackboards work with 24" high pedestals. The 30" high tackboards work with 21 3/4" high pedestals.

description	height	width	dia.	pattern no.	list
Worksurface stand-off (pair) 	1"		1 3/4"	AWSO ()	\$37.
AutoStrada Stand-Off 	5"	12"	2 1/4"	AST()	125.
AutoStrada Power Center Stand-Off 	5"	10"	6"	A2PCST()	161.
Cabinet feet (pair) 	1 7/8"		1 3/4"	ACF1 ()	186.
Worksurface stand-off (pair), for "ganging" 	1"		1 3/4"	AWSOG ()	37.
Cabinet feet (pair) for "ganging" 	1 7/8"		1 3/4"	ACFG1 ()	186.

Order Code	Specification Information	Application Notes
Example: AWSOAA		
A AutoStrada	To order please specify pattern number including:	Worksurface stand-offs are for use primarily in the private office between work surfaces and wood case pedestals or lower storage. Worksurface stand-offs may also be installed in place of anti-tip wood spacer between work surfaces and wood case pedestals or lower storage in storage anchored planning. Anti-tip wood spacer and stand-offs are both 1"h.
WSO Work surface stand-off	1. Finish	When "ganging" units together to create "build-to-spec" credenzas, one pair of work surface stand-offs and one pair of cabinet feet are required to span side-by-side units. For instance, if creating a credenza with 3 lower storage units, specify 4 pairs of stand-offs and 4 pairs of cabinet feet.
AA Finish, anodized aluminum	<i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	Cabinet feet should not be used in spine-based or storage anchored planning models. Use only with wood case pedestals and laterals to achieve overall worksurface height of 29 3/8" (or 28 3/8" to underside of worksurface). Spine based and Storage Anchored planning model components are engineered at 27" from floor to underside of worksurface.
		If you are planning to create an open knee space credenza with one storage unit on either end of the credenza, you would require 2 pairs of work surface stand-offs and 2 pairs of cabinet feet for each lower storage unit.
		To install cabinet feet, first remove leveller from pedestal or lower storage, then reinstall with feet.


description	height	width	dia.	pattern no.	list
Cabinet metal cap leveler (12/pk)				ACMCL	\$21.




Order Code	Specification Information	Application Notes
Example: AWSOAA	To order please specify pattern number including: 1. Finish <i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	Worksurface stand-offs are for use primarily in the private office between work surfaces and wood case pedestals or lower storage. Worksurface stand-offs may also be installed in place of anti-tip wood spacer between worksurfaces and wood case pedestals or lower storage in storage anchored planning. Anti-tip wood spacer and stand-offs are both 1”h. Cabinet feet are for use with lower storage units in private office planning to achieve overall worksurface height of 29⁵/₈”. Note: Free-standing cabinets on page 170 include cabinet feet. If you are planning to create an open knee space credenza with one storage unit on either end of the credenza, you would require 2 pairs of work surface stand-offs and 2 pairs of cabinet feet for each lower storage unit.
A AutoStrada		
WSO Work surface stand-off		
AA Finish, anodized aluminum		
		When “ganging” units together to create “build-to-spec” credenzas, one pair of worksurface stand-offs and one pair of cabinet feet are required to span side-by-side units. For instance, if creating a credenza with 3 lower storage units, specify 4 pairs of stand-offs and 4 pairs of cabinet feet. Cabinet feet should not be used in spine-based or storage anchored planning models. Use only with wood case pedestals and laterals to achieve overall worksurface height of 29⁵/₈” (or 28³/₈” to underside of worksurface). Spine based and Storage Anchored planning model components are engineered at 27” from floor to underside of worksurface. To install cabinet feet, first remove leveller from pedestal or lower storage, then reinstall with feet.

This page intentionally left blank


252





MEDIANS AND STACK-ON OVERHEADS



DETAIL B
OVERHEAD w/ HINGED DOOR



DETAIL C
OVERHEAD w/ SLIDING DOOR



FLOOR-STANDING CABINETS

This Order Guide provides basic planning, specifications and pricing information for Crinion Open Tables.

Refer to KnollExtra price list for compatible accessories such as flat screen monitor supports, task lights, paper management accessories, keyboard and storage drawers.

Refer to Calibre, Reff or Currents price lists for shared and individual storage options. Additional information can be found at www.knoll.com.

Crinion Open Table is the straightforward alternative for open, collaborative work environments. The table accommodates a group of four to eight or more at a continuous work surface.

Crinion Open Table typically consists of deep worksurfaces end-to-end and back-to-back, cantilever supported by parallel beams between end legs. The beams form a technology corridor for flat screen monitor supports, outlets and power/data distribution. Also available is a single-sided configuration, with a single main beam and a smaller back beam, and a single beam configuration for tables with shallower (24" deep) worksurface.

The center of dual tables or back of single-sided tables features a top channel which supports privacy screens above the table and modular power distribution below the worksurface.

Crinion Open Table is appropriate for libraries and education environments, laboratories, finance and trading desks, teaming areas and design offices.

Crinion Open Table is unique in offering individual height-adjustability and extraordinarily deep worksurfaces. Overall dual table depth is 48", 60" or 72".


The table structure is strong enough to span 16 feet between end legs or intermediate supports to build tables of any length.

The continuous worksurfaces and clear kneespace enable varying numbers of workers to sit on each side. Storage is typically separated from the table in parallel, shared file-and-storage islands, perpendicular files and filetops as returns or mobile pedestals.

Crinion is distinguished by a minimalist, modern design, and details like square or tapered edge worksurfaces, plastic laminate, Techwood or natural veneers, and aluminum fittings.

Crinion Open Table simplifies the planning and specifications of an open office, and it can make a dramatic visual and functional statement of collaboration.

The quality and classic design of Crinion work well in virtually any interior.



Crinion Open Tables are comprised of worksurfaces, table base assemblies, power components and screens.

Worksurfaces

Individual worksurfaces are available in four standard widths (48", 60", 72", 96") and three depths (nominal 24", 30", 36"), which may be combined to form single-sided or dual-sided groups of two to ten or more positions.

Worksurface edge options

Worksurfaces are 1 1/4" thick, with three front edge options: Tapered edge, laminate, veneer or mixed.

Square edge, veneer

Postformed edge, laminate only

Power and accessory options

Worksurfaces may be specified with hinged power access door and continuous 1/2" cord drop, or edge grommet and continuous cord drop, or just cord drop.

Hinged power access door is 24"W and 5"D, centered on worksurface width. Door hinges toward user for continuity between access opening and cord drop.

Any worksurface (except end counters) accepts clamp on KnollExtra accessories such as flat screen monitor arm or task light.

Other worksurface types

End counters have front edge detail on side edges as well and are designed to extend dual tables 24" or 30" beyond the endleg. End counters also include 3" wide center grommet. Extended end counters are 36"D surfaces with center grommet or hinged power access door. Base of the table must be extended 12" under the back of each extended end counter (although top channels should be specified only as wide as the worksurfaces on each side of the table).

All end counters must be supported by end counter cantilevers and endlegs for end counters.

Worksurface heights

Fixed height cantilevers support worksurfaces at 28 1/2"H, with 27" clear below the top (except directly below cantilevers).

Adjustable height cantilevers enable worksurfaces to be independently set at 27", 27 3/4", 28 1/2", 29 1/4", or 30"H.

Open Table base assemblies

Complete base assemblies simplify specifications for most common configurations of dual or single-sided open tables. Base assemblies include top channels and end caps, beams, end legs and intermediate legs (where required), trusses and top channel supports, cantilever brackets (specify fixed or adjustable height) and midspan supports. Specify worksurfaces, screens, power components, cable trays and accessories separately.

Complete base assemblies are available for the following typical tables, combinations of 60" or 72" worksurfaces.

Single-sided or dual, 24"D, 30"D, or 36"D, with continuous beam span between end legs

10' W two/four positions 60"W

12' W two/four positions 72"W

15' W three/six positions 60"W

Single sided or dual 24"D, 30"D, or 36"D, with intermediate leg

18' W three/six positions 72"W

20' W four/eight positions 60"W

24' W four/eight positions 72"W

25' W five/ten positions 60"W

Open Table base components

Base assemblies may also be specified by individual components to create configurations other than those listed above, or to create tables with end counters or frameless glass add ups.

In addition to worksurfaces Open tables require top channel, starter beams for spans up to 15', extension beams for additional spans of 4' to 15', intermediate legs every 16' or less, two end legs, trusses at every worksurface junction and at each end leg. Adjustable tables require two cantilevers per worksurface (or three for 96"W). Fixed height tables may be supported by a fixed height cantilever at each end, shared cantilevers at each worksurface joint, and a midspan support bracket at the center of each worksurface greater than 48" wide. For 96"W worksurfaces the midspan support should be a 24"D cantilever. Power components, cable trays and screens are optional.

Power distribution

Optional modular raceway distributes 2+2 four circuit or 3+3 six circuit configuration from a single point of supply. Bundles of cables can be managed from the floor in a cable infeed shroud located at any intermediate leg. Raceway provides power outlets and data/communications outlet openings on one or both sides, accessed through hinged access doors in worksurfaces or from under table. Specify 30" raceway for two duplex outlets each side or 42" raceway for four duplex outlets each side. Duplex outlets, power infeed and jumpers between raceways must be specified separately.

Specify compact power module for outlets under extended end counters.

Privacy screens

There are four screen options for Crinion Open Table.

The standard screens are 14"H (42" horizon) or 21"H (49" horizon) in acrylic, slat wall or combination surfaces. Center screens include mounting hardware to attach to the standard top channel. Center screens are available full width, 48", 60" or 72", or shorter by 1" to leave space at either end of the table for a dual end screen. Side screens attach to the front and back of a worksurface at any point other than at a hinged access door. Mounting brackets are specified separately to correspond to each worksurface edge detail. Dual end screens span across the end of a table (or above an end counter) from worksurface front edges.

Frameless glass add ups are available in 12" height only, 48", 60", and 72"W. Add ups can only mount to a top channel for frameless glass add ups, which may be at the center of a dual table or back of a single-sided table specified by components.

Original Crinion privacy screens are 12"H or 19"H (41" or 48" horizons) and mount to a standard top channel only.

Network fabric screens (15"H or 22"H) can also be mounted to the standard top channel with Crinion Open Table mast kit.

Accessories and storage

All Crinion worksurfaces accept clamp base KnollExtra flat screen monitor arms and task lights at any point except behind the hinged power access door. Worksurfaces also accept suspended accessories like adjustable keyboard supports, BackPack center file or keyboard drawers, or CPU holders. Beam location under most tables prevents pedestals deeper than 20" underneath. However 36"D tops can be planned on 30"D table bases to create additional kneespace depth and room for 24"D pedestals.

Crinion Open Table file tops are available for 27"H Calibre files positioned perpendicular to the table to act as returns. Tapered front and back edges assure consistent detail with tapered worksurface edges. File tops are also available for pairs of files and back to back files.

Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code	V1 TECHWOOD	Code	V2 PREMIUM TECHWOOD	Code	V3 PREMIUM VENEER
638	Blond Maple	647	White Pine	039	Pippy Oak *
628	Dark Mahogany	640	Ebony	044	Figured Sycamore
639	Light Cherry	642	Grigio		
641	Black Oak				
506	Maple		V2 NATURAL VENEER		
509	Cherry	020	Natural Oak		
512	Medium Walnut	038	Rustic Walnut *		
513	Medium Teak	017	Light Walnut		
514	Espresso	002	Bronze Cherry		
637	Natural	006	Maple		
644	Light Walnut	021	Peacock Green Walnut		
645	Dove Grey	022	Old English Walnut		
		037	Birch		

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
B	MediumGloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

Edge Options for Veneers

WOOD	Complementary Wood
SYN	Complementary Synthetic
WPLY	Wood Ply Edge *
SPLY	Synthetic Ply Edge *




* Ply Edge available on Birch (037) worksurfaces.

*Note:

-Synthetic Edge option is available on worksurfaces, only.




-Finishes with * are available on worksurfaces only.

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com




description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	XTTK4824A (L/M/1/2/3) () ()	\$1,029.	\$1,206.	\$1,206.	\$1,324.	\$1,568.
	24"	60"	22"	1 1/4"	XTTK6024A (L/M/1/2/3) () ()	1,067.	1,322.	1,322.	1,458.	1,738.
	24"	72"	22"	1 1/4"	XTTK7224A (L/M/1/2/3) () ()	1,140.	1,395.	1,395.	1,549.	1,854.
	24"	96"	22"	1 1/4"	XTTK9624A (L/M/1/2/3) () ()	1,275.	1,578.	1,578.	1,760.	2,123.
	30"	48"	28"	1 1/4"	XTTK4830A (L/M/1/2/3) () ()	1,046.	1,307.	1,307.	1,448.	1,720.
	30"	60"	28"	1 1/4"	XTTK6030A (L/M/1/2/3) () ()	1,101.	1,416.	1,416.	1,572.	1,877.
	30"	72"	28"	1 1/4"	XTTK7230A (L/M/1/2/3) () ()	1,180.	1,466.	1,466.	1,629.	1,951.
	30"	96"	28"	1 1/4"	XTTK9630A (L/M/1/2/3) () ()	1,322.	1,662.	1,662.	1,853.	2,238.
	36"	48"	34"	1 1/4"	XTTK4836A (L/M/1/2/3) () ()	1,095.	1,426.	1,426.	1,588.	1,899.
	36"	60"	34"	1 1/4"	XTTK6036A (L/M/1/2/3) () ()	1,130.	1,529.	1,529.	1,696.	2,035.
	36"	72"	34"	1 1/4"	XTTK7236A (L/M/1/2/3) () ()	1,233.	1,546.	1,546.	1,713.	2,058.
	36"	96"	34"	1 1/4"	XTTK9636A (L/M/1/2/3) () ()	1,406.	1,749.	1,749.	1,951.	2,364.
Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	XTTS4824A (1/2/3) () ()	n/a	n/a	982.	1,083.	1,189.
	24"	60"	22"	1 1/4"	XTTS6024A (1/2/3) () ()	n/a	n/a	1,030.	1,133.	1,254.
	24"	72"	22"	1 1/4"	XTTS7224A (1/2/3) () ()	n/a	n/a	1,083.	1,182.	1,320.
	24"	96"	22"	1 1/4"	XTTS9624A (1/2/3) () ()	n/a	n/a	1,166.	1,267.	1,434.
	30"	48"	28"	1 1/4"	XTTS4830A (1/2/3) () ()	n/a	n/a	1,133.	1,234.	1,369.
	30"	60"	28"	1 1/4"	XTTS6030A (1/2/3) () ()	n/a	n/a	1,166.	1,277.	1,435.
	30"	72"	28"	1 1/4"	XTTS7230A (1/2/3) () ()	n/a	n/a	1,201.	1,321.	1,566.
	30"	96"	28"	1 1/4"	XTTS9630A (1/2/3) () ()	n/a	n/a	1,267.	1,403.	1,782.
	36"	48"	34"	1 1/4"	XTTS4836A (1/2/3) () ()	n/a	n/a	1,234.	1,361.	1,535.
	36"	60"	34"	1 1/4"	XTTS6036A (1/2/3) () ()	n/a	n/a	1,286.	1,412.	1,574.
	36"	72"	34"	1 1/4"	XTTS7236A (1/2/3) () ()	n/a	n/a	1,335.	1,491.	1,723.
	36"	96"	34"	1 1/4"	XTTS9636A (1/2/3) () ()	n/a	n/a	1,436.	1,639.	1,994.
Worksurface, postformed plastic 	24"	48"	22"	1 1/4"	XTPP4824A (L) () ()	749.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTPP6024A (L) () ()	856.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTPP7224A (L) () ()	940.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTPP9624A (L) () ()	1,031.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTPP4830A (L) () ()	782.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTPP6030A (L) () ()	898.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTPP7230A (L) () ()	991.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTPP9630A (L) () ()	1,099.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTPP4836A (L) () ()	827.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTPP6036A (L) () ()	991.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTPP7236A (L) () ()	1,072.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTPP9636A (L) () ()	1,192.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTPP6030AL 118 118		
XT Crinion Open Table	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately.
T Worksurface		48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
P Postformed plastic	1. Specify finish group: L - Laminate M - Laminate/veneer edge 1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Power access door is 24" wide, 5" deep, centered at back edge of worksurface.
60 Width		Continuous 1/2" wire drop accommodates clamp-on flat screen monitor arm or most power cords plugs.
30 Depth		Actual worksurface depth is 22.35", 28.35" or 34.35".
A With center hinged power access	2. Specify worksurface finish.	
L Finish Type	3. Specify Edge finish: (option on tapered edge laminate worksurfaces only)	Worksurfaces with hinged power access enable access to suspended modular raceway.
118 Work Surface finish	4. Specify hinged access cover finish.	
() Edge Finish		
118 Access door finish		




AA anodized aluminum and all P1,P2 and P3 paint finishes are available except 613 Silver.

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	XTTK4824U (L/M/1/2/3) () ()	\$692.	\$867.	\$867.	\$987.	\$1,237.
	24"	60"	22"	1 1/4"	XTTK6024U (L/M/1/2/3) () ()	733.	984.	984.	1,124.	1,408.
	24"	72"	22"	1 1/4"	XTTK7224U (L/M/1/2/3) () ()	804.	1,059.	1,059.	1,213.	1,526.
	24"	96"	22"	1 1/4"	XTTK9624U (L/M/1/2/3) () ()	938.	1,241.	1,241.	1,426.	1,792.
	30"	48"	28"	1 1/4"	XTTK4830U (L/M/1/2/3) () ()	708.	973.	973.	1,109.	1,392.
	30"	60"	28"	1 1/4"	XTTK6030U (L/M/1/2/3) () ()	765.	1,080.	1,080.	1,234.	1,549.
	30"	72"	28"	1 1/4"	XTTK7230U (L/M/1/2/3) () ()	845.	1,132.	1,132.	1,292.	1,621.
	30"	96"	28"	1 1/4"	XTTK9630U (L/M/1/2/3) () ()	984.	1,327.	1,327.	1,516.	1,908.
	36"	48"	34"	1 1/4"	XTTK4836U (L/M/1/2/3) () ()	759.	1,089.	1,089.	1,251.	1,571.
	36"	60"	34"	1 1/4"	XTTK6036U (L/M/1/2/3) () ()	792.	1,192.	1,192.	1,360.	1,705.
	36"	72"	34"	1 1/4"	XTTK7236U (L/M/1/2/3) () ()	897.	1,209.	1,209.	1,378.	1,731.
	36"	96"	34"	1 1/4"	XTTK9636U (L/M/1/2/3) () ()	1,069.	1,413.	1,413.	1,615.	2,032.
Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	XTTS4824U (1/2/3) () ()	n/a	n/a	646.	747.	861.
	24"	60"	22"	1 1/4"	XTTS6024U (1/2/3) () ()	n/a	n/a	693.	796.	924.
	24"	72"	22"	1 1/4"	XTTS7224U (1/2/3) () ()	n/a	n/a	747.	846.	991.
	24"	96"	22"	1 1/4"	XTTS9624U (1/2/3) () ()	n/a	n/a	831.	932.	1,106.
	30"	48"	28"	1 1/4"	XTTS4830U (1/2/3) () ()	n/a	n/a	796.	898.	1,040.
	30"	60"	28"	1 1/4"	XTTS6030U (1/2/3) () ()	n/a	n/a	831.	939.	1,107.
	30"	72"	28"	1 1/4"	XTTS7230U (1/2/3) () ()	n/a	n/a	863.	983.	1,236.
	30"	96"	28"	1 1/4"	XTTS9630U (1/2/3) () ()	n/a	n/a	932.	1,066.	1,454.
	36"	48"	34"	1 1/4"	XTTS4836U (1/2/3) () ()	n/a	n/a	898.	1,024.	1,206.
	36"	60"	34"	1 1/4"	XTTS6036U (1/2/3) () ()	n/a	n/a	947.	1,076.	1,245.
	36"	72"	34"	1 1/4"	XTTS7236U (1/2/3) () ()	n/a	n/a	999.	1,154.	1,393.
	36"	96"	34"	1 1/4"	XTTS9636U (1/2/3) () ()	n/a	n/a	1,100.	1,302.	1,666.
Worksurface, postformed plastic 	24"	48"	22"	1 1/4"	XTTP4824B (L) () ()	412.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTTP6024B (L) () ()	521.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTTP7224B (L) () ()	605.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTTP9624B (L) () ()	694.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTTP4830B (L) () ()	445.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTTP6030B (L) () ()	561.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTTP7230B (L) () ()	654.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTTP9630B (L) () ()	763.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTTP4836B (L) () ()	488.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTTP6036B (L) () ()	654.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTTP7236B (L) () ()	736.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTTP9636B (L) () ()	854.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTTP6030BL 118 812	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately.
XT Crinion Open Table		48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
T Worksurface		
P Postformed plastic		
60 Width	1. Specify finish group: L - Laminate M - Laminate/veneer edge	
30 Depth	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	
B With edge grommet	2. Specify work surface finish.	
L Finish type	3. Specify Edge finish: (option on tapered edge <u>laminate</u> worksurfaces only)	Edge grommet accommodates most power cord plugs up to 1" deep.
118 Worksurface finish	4. Specify grommet color: 812 - Easy grey 111 - Black	
() Edge finish		
812 Grommet finish		



description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	XTTK4824C (L/M/1/2/3) ()	\$641.	\$817.	\$817.	\$936.	\$1,188.
	24"	60"	22"	1 1/4"	XTTK6024C (L/M/1/2/3) ()	679.	933.	933.	1,069.	1,358.
	24"	72"	22"	1 1/4"	XTTK7224C (L/M/1/2/3) ()	753.	1,007.	1,007.	1,161.	1,474.
	24"	96"	22"	1 1/4"	XTTK9624C (L/M/1/2/3) ()	887.	1,189.	1,189.	1,373.	1,743.
	30"	48"	28"	1 1/4"	XTTK4830C (L/M/1/2/3) ()	656.	919.	919.	1,058.	1,342.
	30"	60"	28"	1 1/4"	XTTK6030C (L/M/1/2/3) ()	713.	1,029.	1,029.	1,182.	1,499.
	30"	72"	28"	1 1/4"	XTTK7230C (L/M/1/2/3) ()	793.	1,079.	1,079.	1,239.	1,572.
	30"	96"	28"	1 1/4"	XTTK9630C (L/M/1/2/3) ()	933.	1,275.	1,275.	1,464.	1,857.
	36"	48"	34"	1 1/4"	XTTK4836C (L/M/1/2/3) ()	707.	1,037.	1,037.	1,199.	1,519.
	36"	60"	34"	1 1/4"	XTTK6036C (L/M/1/2/3) ()	740.	1,139.	1,139.	1,306.	1,656.
	36"	72"	34"	1 1/4"	XTTK7236C (L/M/1/2/3) ()	845.	1,158.	1,158.	1,326.	1,681.
	36"	96"	34"	1 1/4"	XTTK9636C (L/M/1/2/3) ()	1,017.	1,362.	1,362.	1,562.	1,983.
Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	XTTS4824C (1/2/3) ()	n/a	n/a	594.	694.	812.
	24"	60"	22"	1 1/4"	XTTS6024C (1/2/3) ()	n/a	n/a	642.	743.	875.
	24"	72"	22"	1 1/4"	XTTS7224C (1/2/3) ()	n/a	n/a	694.	795.	941.
	24"	96"	22"	1 1/4"	XTTS9624C (1/2/3) ()	n/a	n/a	777.	880.	1,055.
	30"	48"	28"	1 1/4"	XTTS4830C (1/2/3) ()	n/a	n/a	743.	846.	989.
	30"	60"	28"	1 1/4"	XTTS6030C (1/2/3) ()	n/a	n/a	777.	888.	1,057.
	30"	72"	28"	1 1/4"	XTTS7230C (1/2/3) ()	n/a	n/a	812.	932.	1,187.
	30"	96"	28"	1 1/4"	XTTS9630C (1/2/3) ()	n/a	n/a	880.	1,012.	1,402.
	36"	48"	34"	1 1/4"	XTTS4836C (1/2/3) ()	n/a	n/a	846.	973.	1,156.
	36"	60"	34"	1 1/4"	XTTS6036C (1/2/3) ()	n/a	n/a	897.	1,024.	1,195.
	36"	72"	34"	1 1/4"	XTTS7236C (1/2/3) ()	n/a	n/a	946.	1,101.	1,345.
	36"	96"	34"	1 1/4"	XTTS9636C (1/2/3) ()	n/a	n/a	1,049.	1,251.	1,615.
Worksurface, postformed plastic 	24"	48"	22"	1 1/4"	XTPP4824C (L) ()	360.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTPP6024C (L) ()	468.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTPP7224C (L) ()	552.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTPP9624C (L) ()	643.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTPP4830C (L) ()	394.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTPP6030C (L) ()	510.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTPP7230C (L) ()	604.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTPP9630C (L) ()	711.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTPP4836C (L) ()	439.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTPP6036C (L) ()	604.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTPP7236C (L) ()	683.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTPP9636C (L) ()	803.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTPP6030CL 118	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately.
XT Crinion Open Table	1. Specify worksurface finishes:	48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
T Worksurface	L - Laminate	
P Postformed plastic	M- Laminate/veneer edge	
60 Width	1 - Veneer group 1	
30 Depth	2 - Veneer group 2	
C With cord drop	3 - Veneer group 3	
L Finish type	2. Specify Edge finish:	Continuous 1/2" cord drop accommodates clamp-on flat screen monitor arm or most power cords.
118 Worksurface finish	(option on tapered edge laminate worksurfaces only)	
() Edge finish		

description	nominal depth	w	l	h	pattern number	L	M	V1	V2	V3
End counter, tapered edge 	24"	48"	24"	1 1/4"	XTTK4824E (L/M/1/2/3) ()	\$898.	\$1,157.	\$1,157.	\$1,275.	\$1,516.
	24"	60"	24"	1 1/4"	XTTK6024E (L/M/1/2/3) ()	1,063.	1,272.	1,272.	1,411.	1,688.
	24"	72"	24"	1 1/4"	XTTK7224E (L/M/1/2/3) ()	1,103.	1,342.	1,342.	1,500.	1,804.
	30"	48"	30"	1 1/4"	XTTK4830E (L/M/1/2/3) ()	1,005.	1,257.	1,257.	1,399.	1,672.
	30"	60"	30"	1 1/4"	XTTK6030E (L/M/1/2/3) ()	1,094.	1,366.	1,366.	1,520.	1,829.
	30"	72"	30"	1 1/4"	XTTK7230E (L/M/1/2/3) ()	1,142.	1,416.	1,416.	1,577.	1,903.
End counter, veneer square edge 	24"	48"	24"	1 1/4"	XTTS4824E (1/2/3) ()	n/a	n/a	594.	694.	812.
	24"	60"	24"	1 1/4"	XTTS6024E (1/2/3) ()	n/a	n/a	642.	743.	875.
	24"	72"	24"	1 1/4"	XTTS7224E (1/2/3) ()	n/a	n/a	694.	795.	941.
	30"	48"	30"	1 1/4"	XTTS4830E (1/2/3) ()	n/a	n/a	743.	846.	989.
	30"	60"	30"	1 1/4"	XTTS6030E (1/2/3) ()	n/a	n/a	777.	888.	1,057.
	30"	72"	30"	1 1/4"	XTTS7230E (1/2/3) ()	n/a	n/a	812.	932.	1,187.
End counter for postformed plastic 	24"	48"	24"	1 1/4"	XTTP4824E (L) ()	670.	n/a	n/a	n/a	n/a
	24"	60"	24"	1 1/4"	XTTP6024E (L) ()	795.	n/a	n/a	n/a	n/a
	24"	72"	24"	1 1/4"	XTTP7224E (L) ()	896.	n/a	n/a	n/a	n/a
	30"	48"	30"	1 1/4"	XTTP4830E (L) ()	752.	n/a	n/a	n/a	n/a
	30"	60"	30"	1 1/4"	XTTP6030E (L) ()	896.	n/a	n/a	n/a	n/a
	30"	72"	30"	1 1/4"	XTTP7230E (L) ()	1,069.	n/a	n/a	n/a	n/a

* Note


Order Code	Specifications	Application Notes
Example: XTTP6024EL 118	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
XT Crinion Open Table		Specify added length of 24" or 30" beyond end leg for end counters.
T Worksurface		
P Postformed plastic		
60 Width		
24 Length		
E End counter		
L Finish Type		
118 Worksurface finish		
() Edge finish		
	1. Specify worksurface finishes: L - Laminate M - Laminate/veneer edge 1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.
	2. Specify Edge finish: (option on tapered edge laminate worksurfaces only)	End counters may not be used with end panel kits.
		* Note - End counters for postformed plastic are not available in these finishes: 121 Micro grey 129 Micro sand 122 Brushed sand 123 Brushed grey

description	nominal depth	w	l	h	pattern no.	L	M	V1	V2	V3
Extended end counter, tapered edge with hinged power access	36"	48"	36"	1 1/4"	XTTK4836D (L/M/1/2/3) () ()	\$1,491.	\$1,731.	\$1,731.	\$1,887.	\$2,180.
	36"	60"	36"	1 1/4"	XTTK6036D (L/M/1/2/3) () ()	1,530.	1,805.	1,805.	1,965.	2,282.
	36"	72"	36"	1 1/4"	XTTK7236D (L/M/1/2/3) () ()	1,642.	1,943.	1,943.	2,113.	2,464.
										
Extended end counter, tapered edge with grommet	36"	48"	36"	1 1/4"	XTTK4836E (L/M/1/2/3) () ()	1,103.	1,342.	1,342.	1,500.	1,804.
	36"	60"	36"	1 1/4"	XTTK6036E (L/M/1/2/3) () ()	1,142.	1,416.	1,416.	1,577.	1,903.
	36"	72"	36"	1 1/4"	XTTK7236E (L/M/1/2/3) () ()	1,254.	1,555.	1,555.	1,727.	2,086.
Extended end counter, veneer square edge with hinged power access	36"	48"	36"	1 1/4"	XTTS4836D (1/2/3) () ()	n/a	n/a	1,048.	1,143.	1,274.
	36"	60"	36"	1 1/4"	XTTS6036D (1/2/3) () ()	n/a	n/a	1,200.	1,319.	1,565.
	36"	72"	36"	1 1/4"	XTTS7236D (1/2/3) () ()	n/a	n/a	1,319.	1,445.	1,740.
										
Extended end counter, veneer square edge with grommet	36"	48"	36"	1 1/4"	XTTS4836E (1/2/3) () ()	n/a	n/a	660.	756.	896.
	36"	60"	36"	1 1/4"	XTTS6036E (1/2/3) () ()	n/a	n/a	812.	932.	1,187.
	36"	72"	36"	1 1/4"	XTTS7236E (1/2/3) () ()	n/a	n/a	932.	1,055.	1,361.

Order Code	Specifications	Application Notes	
Example: XTTP6036DL 118 AA	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).	Each extended end counter requires base assembly 12" longer than worksurfaces on each side.
XT Crinion Open Table			
T Worksurface			
P Postformed plastic			
60 Width	- Specify finish group: L - Laminate M- Laminate/veneer edge 1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3 - Specify worksurface finish. - Specify Edge finish: (option on tapered edge <u>laminate</u> worksurfaces only) - Specify hinged access cover finish.	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.	* Note - End counters for postformed plastic are not available in these finishes: 121 Micro grey 129 Micro sand 122 Brushed sand 123 Brushed grey
36 Length			
D End counter,center hinged power access			
L Finish Type			
118 Worksurface finish	Hinged access covers are available in AA anodized aluminum and all standard paint finishes except 613 Silver.	End counters may not be used with end panel kits.	
() Edge finish			
AA Access door finish			

description	nominal depth	w	l	h	pattern no.	L	M	V1	V2	V3
Extended end counter, postformed plastic with hinged power access	36"	48"	36"	1 1/4"	XTP4836D (L) () ()	\$1,284.	n/a	n/a	n/a	n/a
	36"	60"	36"	1 1/4"	XTP6036D (L) () ()	1,457.	n/a	n/a	n/a	n/a
	36"	72"	36"	1 1/4"	XTP7236D (L) () ()	1,586.	n/a	n/a	n/a	n/a




* Note



Extended end counter, postformed plastic with grommet	36"	48"	36"	1 1/4"	XTP4836E (L) () ()	896.	n/a	n/a	n/a	n/a
	36"	60"	36"	1 1/4"	XTP6036E (L) () ()	1,069.	n/a	n/a	n/a	n/a
	36"	72"	36"	1 1/4"	XTP7236E (L) () ()	1,197.	n/a	n/a	n/a	n/a

* Note




Order Code	Specifications	Application Notes
Example: XTP6036DL 118 AA	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
XT Crinion Open Table		
T Worksurface		
P Postformed plastic		
60 Width	- Specify finish group: L - Laminate M - Laminate/veneer edge 1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3 - Specify worksurface finish. - Specify Edge finish: (option on tapered edge <u>laminate</u> worksurfaces only) - Specify hinged access cover finish.	Each extended end counter requires base assembly 12" longer than worksurfaces on each side. * Note - End counters for postformed plastic are not available in these finishes: 121 Micro grey 129 Micro sand 122 Brushed sand 123 Brushed grey
36 Length		
D End counter,center hinged power access		
L Finish Type		
118 Worksurface finish	Hinged access covers are available in AA anodized aluminum and all standard paint finishes except 613 Silver.	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables. End counters may not be used with end panel kits.
() Edge finish		
AA Access door finish		

description	w	d	h	pattern number	L	M	V1	V2	V3
File top, tapered edge 	30"	18"	1 1/4"	XTTK3018F (L/M/1/2/3) ()	\$468.	\$795.	\$795.	\$833.	\$1,172.
	30"	36"	1 1/4"	XTTK3036F (L/M/1/2/3) ()	642.	1,004.	1,004.	1,126.	1,378.
	36"	18"	1 1/4"	XTTK3618F (L/M/1/2/3) ()	486.	812.	812.	839.	1,250.
	36"	36"	1 1/4"	XTTK3636F (L/M/1/2/3) ()	670.	1,099.	1,099.	1,231.	1,513.
	42"	18"	1 1/4"	XTTK4218F (L/M/1/2/3) ()	504.	833.	833.	853.	1,326.
	42"	36"	1 1/4"	XTTK4236F (L/M/1/2/3) ()	699.	1,140.	1,140.	1,289.	1,587.
	60"	18"	1 1/4"	XTTK6018F (L/M/1/2/3) ()	795.	1,227.	1,227.	1,352.	1,649.
	60"	36"	1 1/4"	XTTK6036F (L/M/1/2/3) ()	860.	1,306.	1,306.	1,475.	1,821.
	72"	18"	1 1/4"	XTTK7218F (L/M/1/2/3) ()	837.	1,269.	1,269.	1,421.	1,736.
	72"	36"	1 1/4"	XTTK7236F (L/M/1/2/3) ()	919.	1,327.	1,327.	1,494.	1,843.
	84"	18"	1 1/4"	XTTK8418F (L/M/1/2/3) ()	903.	1,352.	1,352.	1,521.	1,815.
	84"	36"	1 1/4"	XTTK8436F (L/M/1/2/3) ()	982.	1,424.	1,424.	1,621.	2,009.
File top, veneer square edge 	30"	18"	1 1/4"	XTTS3018F (1/2/3) ()	n/a	n/a	349.	381.	618.
	36"	18"	1 1/4"	XTTS3618F (1/2/3) ()	n/a	n/a	357.	389.	666.
	42"	18"	1 1/4"	XTTS4218F (1/2/3) ()	n/a	n/a	364.	398.	719.
File top, postformed plastic 	30"	18"	1 1/4"	XTPP3018F (L) ()	318.	n/a	n/a	n/a	n/a
	36"	18"	1 1/4"	XTPP3618F (L) ()	335.	n/a	n/a	n/a	n/a
	42"	18"	1 1/4"	XTPP4218F (L) ()	352.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTPP4218FL 118		
XT Crinion Open Table	File tops are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. Tapered edge file tops are tapered front and back edges only.	File tops correspond to 30", 36" or 42"W lateral files. File tops on 2 high Calibre files positioned perpendicular to the Crinion Open Table serve as a worksurface return.
T Worksurface		
P Postformed		
42 Width	1. Specify worksurface finishes:	
18 Depth	L - Laminate	
F File top	M - Laminate/veneer edge	
L Finish type	1 - Veneer group 1	
118 Worksurface	2 - Veneer group 2	
() Edge finish	3 - Veneer group 3	
	2. Specify Edge finish:	
	(option on tapered edge laminate worksurfaces only)	

Complete base assemblies fixed height 24" D dual



AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' dual	120"	44"	28½"	XTB1 BAS 24D10CF () ()	\$12,017.	\$12,334.
	12' dual	144"	44"	28½"	XTB1 BAS 24D12CF () ()	12,518.	12,839.
	15' dual	180"	44"	28½"	XTB1 BAS 24D15CF () ()	14,488.	14,817.
 Base assembly, segmented	10' + 5' dual	180"	44"	28½"	XTB1 BAS 24D15SF () ()	15,541.	15,875.
 Base assembly, with intermediate leg	10' + 10' dual	240"	44"	28½"	XTB1 BAS 24D20SF () ()	18,743.	19,085.
	12' + 12' dual	288"	44"	28½"	XTB1 BAS 24D24SF () ()	19,749.	20,094.
	12' + 6' dual	216"	44"	28½"	XTB1 BAS 24D18SF () ()	17,148.	17,480.
	15' + 10' dual	300"	44"	28½"	XTB1 BAS 24D25SF () ()	21,215.	21,570.

Order Code	Specifications	Application Notes
Example: XTB1BAS24D10CF 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x24"D worksurfaces 12': four 72"x24"D worksurfaces 15': six 60"x24"D worksurfaces 18': six 72"x24"D worksurfaces 20': eight 60"x24"D worksurfaces 24': eight 72"x24"D worksurfaces 25': ten 60"x24"D worksurfaces
B1 Base components		
BAS Assembly		
24 Depth		
D Dual		
10 Width		
C Continuous		
F Fixed height		
613 Base finish		
AA Top channel finish		

Complete base assemblies fixed height 24" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	24"	28 1/2"	XTB1 BAS 24S10CF () ()	\$10,812.	\$11,120.
	12' single sided	144"	24"	28 1/2"	XTB1 BAS 24S12CF () ()	11,315.	11,620.
	15' single sided	180"	24"	28 1/2"	XTB1 BAS 24S15CF () ()	12,836.	13,148.
 Base assembly, segmented	10' + 5' single sided	180"	24"	28 1/2"	XTB1 BAS 24S15SF () ()	13,890.	14,202.
 Base assembly, with intermediate leg	10' + 10' single sided	240"	24"	28 1/2"	XTB1 BAS 24S20SF () ()	16,643.	16,960.
	12' + 12' single sided	288"	24"	28 1/2"	XTB1 BAS 24S24SF () ()	17,648.	17,968.
	12' + 6' single sided	216"	24"	28 1/2"	XTB1 BAS 24S18SF () ()	15,495.	15,808.
	15' + 10' single sided	300"	24"	28 1/2"	XTB1 BAS 24S25SF () ()	18,665.	18,989.

Order Code	Specifications	Application Notes
Example: XTB1BAS24S10CF 613 118	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x24"D worksurfaces 12': two 72"x24"D worksurfaces 15': three 60"x24"D worksurfaces 18': three 72"x24"D worksurfaces 20': four 60"x24"D worksurfaces 24': four 72"x24"D worksurfaces 25': five 60"x24"D worksurfaces
B1 Base components		
BAS Assembly		
24 Depth		
S Single		
10 Width		
C Continuous		
F Fixed height		
613 Base finish		
118 Top channel finish		


1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.


Complete base assemblies fixed height 30" D dual

AutoStrada


description	nominal	w	d	h	pattern number	P1/P2	P3
Base assembly, continuous	10' dual	120"	54"	28½"	XTB1 BAS 30D10CF () ()	\$14,300.	\$14,705.
	12' dual	144"	54"	28½"	XTB1 BAS 30D12CF () ()	14,883.	15,286.
	15' dual	180"	54"	28½"	XTB1 BAS 30D15CF () ()	17,325.	17,774.



Base assembly, segmented	10' + 5' dual	180"	54"	28½"	XTB1 BAS 30D15SF () ()	18,785.	19,234.
--------------------------	---------------	------	-----	------	---------------------------------	---------	---------





Base assembly, with intermediate leg	10' + 10' dual	240"	54"	28½"	XTB1 BAS 30D20SF () ()	23,207.	23,763.
	12' + 12' dual	288"	54"	28½"	XTB1 BAS 30D24CF () ()	24,377.	24,929.
	12' + 6' dual	216"	54"	28½"	XTB1 BAS 30D18SF () ()	20,813.	21,330.
	15' + 10' dual	300"	54"	28½"	XTB1 BAS 30D25CF () ()	26,233.	26,828.



Order Code	Specifications	Application Notes
Example: XTB1BAS30D18SF 613 111	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x30"D worksurfaces 12': four 72"x30"D worksurfaces 15': six 60"x30"D worksurfaces 18': six 72"x30"D worksurfaces 20': eight 60"x30"D worksurfaces 24': eight 72"x30"D worksurfaces 25': ten 60"x30"D worksurfaces
B1 Base components		
BAS Assembly		
30 Depth		
D Dual		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
111 Top channel finish		

Complete base assemblies fixed height 30" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S10CF () ()	\$12,587.	\$12,937.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S12CF () ()	13,169.	13,518.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15CF () ()	14,984.	15,353.
 Base assembly, segmented	10' + 5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15SF () ()	14,010.	14,379.
 Base assembly, with intermediate leg	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S20SF () ()	17,298.	17,691.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S24SF () ()	20,902.	21,294.
	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S18SF () ()	15,211.	15,580.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S25SF () ()	22,131.	22,544.




Order Code	Specifications	Application Notes
Example: XTB1BAS30S15CF 613 115	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x30"D worksurfaces 12': two 72"x30"D worksurfaces 15': three 60"x30"D worksurfaces 18': three 72"x30"D worksurfaces 20': four 60"x30"D worksurfaces 24': four 72"x30"D worksurfaces 25': five 60"x30"D worksurfaces
B1 Base components		
BAS Assembly		
30 Depth		
S Single		
15 Width		
C Continuous		
F Fixed height		
613 Base finish		
115 Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies adjustable height 30" D dual




AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' dual	120"	54"	28½"	XTB1 BAS 30D10CA () ()	\$14,510.	\$14,932.
	12' dual	144"	54"	28½"	XTB1 BAS 30D12CA () ()	15,096.	15,516.
	15' dual	180"	54"	28½"	XTB1 BAS 30D15CA () ()	17,935.	18,421.
 Base assembly, segmented	10' + 5' dual	180"	54"	28½"	XTB1 BAS 30D15SA () ()	19,395.	19,883.
 Base assembly, with intermediate leg	10' + 10' dual	240"	54"	28½"	XTB1 BAS 30D20SA () ()	24,215.	24,833.
	12' + 12' dual	288"	54"	28½"	XTB1 BAS 30D24CA () ()	25,386.	26,001.
	12' + 6' dual	216"	54"	28½"	XTB1 BAS 30D18SA () ()	21,424.	21,978.
	15' + 10' dual	300"	54"	28½"	XTB1 BAS 30D25CA () ()	27,639.	28,322.

Order Code	Specifications	Application Notes
Example: XTB1BAS30D18SA 613 118	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to:
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	10': four 60"x30"D worksurfaces
BAS Assembly	2. Specify top channel finish.	12': four 72"x30"D worksurfaces
30 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	15': six 60"x30"D worksurfaces
D Dual	Beams are anodized aluminum only.	18': six 72"x30"D worksurfaces
18 Width		20': eight 60"x30"D worksurfaces
S Segmented		24': eight 72"x30"D worksurfaces
A Adjustable height		25': ten 60"x30"D worksurfaces
613 Base finish		
118 Top channel finish		

Complete base assemblies adjustable height 30" D single sided




AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S10CA () ()	\$12,726.	\$13,081.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S12CA () ()	13,309.	13,664.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15CA () ()	15,338.	15,726.
 Base assembly, segmented	10' +5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15SA () ()	14,365.	14,755.
 Base assembly, with intermediate leg	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S20SA () ()	17,870.	18,292.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S24SA () ()	21,473.	21,895.
	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S18SA () ()	15,890.	16,279.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S25SA () ()	22,917.	23,371.

Order Code	Specifications	Application Notes
Example: XTB1BAS30S18SA 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': two 60"x30"D worksurfaces 12': two 72"x30"D worksurfaces 15': three 60"x30"D worksurfaces 18': three 72"x30"D worksurfaces 20': four 60"x30"D worksurfaces 24': four 72"x30"D worksurfaces 25': five 60"x30"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	No table on this page has beams longer than 15'.
BAS Assembly	2. Specify top channel finish.	
30 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
S Single	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
AA Top channel finish		

Complete base assemblies fixed height 36" D dual




AutoStrada

description	nominal	w	h	d	pattern number	P1/P2	P3
	10' dual	120"	28 1/2"	54"	XTB1 BAS 36D10CF () ()	\$14,493.	\$14,900.
	12' dual	144"	28 1/2"	54"	XTB1 BAS 36D12CF () ()	15,079.	15,482.
	15' dual	180"	28 1/2"	54"	XTB1 BAS 36D15CF () ()	17,582.	18,032.
	10' + 5' dual	180"	28 1/2"	54"	XTB1 BAS 36D15SF () ()	19,045.	19,493.
	10' + 10' dual	240"	28 1/2"	54"	XTB1 BAS 36D20SF () ()	23,532.	24,086.
	12' + 12' dual	288"	28 1/2"	54"	XTB1 BAS 36D24CF () ()	24,697.	25,251.
	12' + 6' dual	216"	28 1/2"	54"	XTB1 BAS 36D18SF () ()	21,075.	21,585.
	15' + 10' dual	300"	28 1/2"	54"	XTB1 BAS 36D25CF () ()	26,620.	27,217.

Order Code	Specifications	Application Notes
Example: XTB1BAS36D18SF 613 111	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x36"D worksurfaces 12': four 72"x36"D worksurfaces 15': six 60"x36"D worksurfaces 18': six 72"x36"D worksurfaces 20': eight 60"x36"D worksurfaces 24': eight 72"x36"D worksurfaces 25': ten 60"x36"D worksurfaces
B1 Base components		
BAS Assembly		
36 Depth		
D Dual		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
111 Top channel finish		

Complete base assemblies fixed height 36" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S10CF () ()	\$12,783.	\$13,129.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S12CF () ()	13,363.	13,713.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15CF () ()	15,244.	15,611.
 Base assembly, segmented	10' + 5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15SF () ()	14,268.	14,640.
 Base assembly, with intermediate leg	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S20SF () ()	17,624.	18,016.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S24SF () ()	21,228.	21,620.
	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S18SF () ()	15,795.	16,165.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S25SF () ()	22,519.	22,934.




Order Code	Specifications	Application Notes
Example: XTB1BAS36S18SF 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x36"D worksurfaces 12': two 72"x36"D worksurfaces 15': three 60"x36"D worksurfaces 18': three 72"x36"D worksurfaces 20': four 60"x36"D worksurfaces 24': four 72"x36"D worksurfaces 25': five 60"x36"D worksurfaces
B1 Base components		
BAS Assembly		
36 Depth		
S Single		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
AA Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies adjustable height 36" D dual




AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' dual	120"	54"	28 1/2"	XTB1 BAS 36D10CA () ()	\$14,705.	\$15,125.
	12' dual	144"	54"	28 1/2"	XTB1 BAS 36D12CA () ()	15,286.	15,711.
	15' dual	180"	54"	28 1/2"	XTB1 BAS 36D15CA () ()	18,195.	18,682.
 Base assembly, segmented	10' + 5' dual	180"	54"	28 1/2"	XTB1 BAS 36D15SA () ()	19,656.	20,140.
 Base assembly, with intermediate leg	10' + 10' dual	240"	54"	28 1/2"	XTB1 BAS 36D20SA () ()	24,541.	25,157.
	12' + 12' dual	288"	54"	28 1/2"	XTB1 BAS 36D24CA () ()	25,709.	26,325.
	12' + 6' dual	216"	54"	28 1/2"	XTB1 BAS 36D18SA () ()	21,684.	22,236.
	15' + 10' dual	300"	54"	28 1/2"	XTB1 BAS 36D25CA () ()	28,028.	28,712.


Order Code	Specifications	Application Notes
Example: XTB1BAS36D18SA 613 115	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': four 60"x36"D worksurfaces 12': four 72"x36"D worksurfaces 15': six 60"x36"D worksurfaces 18': six 72"x36"D worksurfaces 20': eight 60"x36"D worksurfaces 24': eight 72"x36"D worksurfaces 25': ten 60"x36"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	
BAS Assembly	2. Specify top channel finish.	No table on this page has beams longer than 15'.
36 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
D Dual	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
115 Top channel finish		

Complete base assemblies adjustable height 36" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S10CA () ()	\$12,918.	\$13,278.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S12CA () ()	13,504.	13,861.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15CA () ()	15,599.	15,988.
 Base assembly, segmented	10' + 5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15SA () ()	14,625.	15,015.
 Base assembly, with intermediate leg	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S20SA () ()	18,195.	18,615.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S24SA () ()	21,798.	22,220.
	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S18SA () ()	16,149.	16,540.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S25SA () ()	23,308.	23,763.

Order Code	Specifications	Application Notes
Example: XTB1BAS36S18SA 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': two 60"x36"D worksurfaces 12': two 72"x36"D worksurfaces 15': three 60"x36"D worksurfaces 18': three 72"x36"D worksurfaces 20': four 60"x36"D worksurfaces 24': four 72"x36"D worksurfaces 25': five 60"x36"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	No table on this page has beams longer than 15'.
BAS Assembly	2. Specify top channel finish.	
36 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
S Single	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
AA Top channel finish		

description	nominal	w	d	h	pattern number	list price
 Top channel	10'	120"	2 1/2"	2"	XTC1 120 AA	\$552.
	12'	144"	2 1/2"	2"	XTC1 144 AA	650.
	4'	48"	2 1/2"	2"	XTC1 48 ()	217.
	5'	60"	2 1/2"	2"	XTC1 60 ()	278.
	6'	72"	2 1/2"	2"	XTC1 72 ()	324.
	8'	96"	2 1/2"	2"	XTC1 96 ()	441.
Top channel end cap			2 1/2"	2"	XTC1 END ()	50.
						
 Top channel for frameless glass addups	10'	120"	2 1/2"	2"	XTCA1 120 AA	733.
	12'	144"	2 1/2"	2"	XTCA1 144 AA	908.
	4'	48"	2 1/2"	2"	XTCA1 48 ()	324.
	5'	60"	2 1/2"	2"	XTCA1 60 ()	392.
	6'	72"	2 1/2"	2"	XTCA1 72 ()	460.
	8'	96"	2 1/2"	2"	XTCA1 96 ()	602.
 Top channel filler		48"			XTCF 48 ()	42.
		60"			XTCF 60 ()	56.
		72"			XTCF 72 ()	56.

Order Code

Example:	XTC1120AA
XT	Crinion open table
C1	Top channel
120	Width
AA	Finish

Specifications

Top channels are extruded aluminum with natural anodized finish AA or any standard painted finish except 613 Silver.

Top channel end caps are die cast aluminum AA or any standard painted finish except 613 Silver.

Top channel filler is 812 Easy Grey or 111 Black.

Application Notes

Crinion Open Table top channel supports privacy screens and suspended raceway components at any point. Top channel is required at the center of dual tables.



Top channels and end caps are included in complete base assemblies.

Top channels correspond in width to one or two worksurface widths.

Beams for single sided or dual tables

24" D

AutoStrada


description	nominal	w	d	h	pattern number	list price
 Starter beam set for 24" D	10'	112"	3"	8"	XTB1TB10C	\$2,355.
	12'	136"	3"	8"	XTB1TB12C	2,758.
	15'	172"	3"	8"	XTB1TB15C	3,405.
	5'	52"	3"	8"	XTB1TB5C	1,461.
	6'	64"	3"	8"	XTB1TB6C	1,621.
	8'	88"	3"	8"	XTB1TB8C	1,948.
 Extension beam set for 24" D tables	10'	120"	3"	8"	XTB1TB10E	3,004.
	12'	144"	3"	8"	XTB1TB12E	3,405.
	15'	180"	3"	8"	XTB1TB15E	4,057.
	4'	48"	3"	8"	XTB1TB4E	1,948.
	5'	60"	3"	8"	XTB1TB5E	2,108.
	6'	72"	3"	8"	XTB1TB6E	2,272.
	8'	96"	3"	8"	XTB1TB8E	2,596.


Order Code	Specifications	Application Notes
Example: XTB1TB15C		
XT Crinion Open Table	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets can be used with either dual or single sided tables. Table bases require one starter beam and extension beam adding up to the length as the sum of the worksurface widths on one side. Extension beam sets are specified only to add on to starter sets or other extension beams.
B1 Base components		
TB Dual beam set		
15 Width		
C Starter		
		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

Beams for dual tables

30" and 36" D

AutoStrada

description	nominal	w		h	pattern number	list price
Starter beam set for dual table 30" or 36" (pair of beams) 	10'	112"	3"	8"	XTB1DB10C	\$3,246.
	12'	136"	3"	8"	XTB1DB12C	3,732.
	15'	172"	3"	8"	XTB1DB15C	4,383.
	5'	52"	3"	8"	XTB1DB5C	1,948.
	6'	64"	3"	8"	XTB1DB6C	2,108.
	8'	88"	3"	8"	XTB1DB8C	2,758.


Extension beam set for dual table 30" or 36" (pair of beams) 	10'	120"	3"	8"	XTB1DB10E	3,896.
	12'	144"	3"	8"	XTB1DB12E	4,383.
	15'	180"	3"	8"	XTB1DB15E	5,033.
	4'	48"	3"	8"	XTB1DB4E	2,596.
	5'	60"	3"	8"	XTB1DB5E	2,596.
	6'	72"	3"	8"	XTB1DB6E	2,758.
	8'	96"	3"	8"	XTB1DB8E	3,405.

Order Code	Specifications	Application Notes
Example: XTB1DB15C		
XT Crinion Open Table	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Dual tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.
B1 Base components	Beam sets are starter or extension.	
DB Dual beam set	Extension beam sets are specified only to add on to starter sets or other extension beams.	
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.


Beams for single sided tables 30" and 36" D

AutoStrada

description	nominal	w	d	h	pattern number	list price
Starter beam set for single sided table 30" or 36" (main and back beam)	10'	112"		8"	XTB1SB10C	\$2,758.
	12'	136"		8"	XTB1SB12C	3,246.
	15'	172"		8"	XTB1SB15C	3,732.
	5'	52"		8"	XTB1SB5C	1,704.
	6'	64"		8"	XTB1SB6C	1,785.
	8'	88"		8"	XTB1SB8C	2,355.




Extension beam set for single sided table 30" or 36" (main and back beam)	10'	120"		8"	XTB1SB10E	3,405.
	12'	144"		8"	XTB1SB12E	3,896.
	15'	180"		8"	XTB1SB15E	4,383.
	4'	48"		8"	XTB1SB4E	2,272.
	5'	60"		8"	XTB1SB5E	2,355.
	6'	72"		8"	XTB1SB6E	2,436.
	8'	96"		8"	XTB1SB8E	3,004.




Order Code	Specifications	Application Notes
Example: XTB1DB15C		
XT Crinion Open Table	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Single sided tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.
B1 Base components	Beam sets are starter or extension.	
DB Dual beam set	Extension beam sets are specified only to add on to starter sets or other extension beams.	
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.


description	application	w	d	h	pattern number	P1/P2	P3
End leg for dual tables (pair of legs for 36" D worksurface)	24" D worksurface	4"	44"	24"	XTB1EDD24 ()	\$5,874.	\$6,168.
	30" D worksurface	4"	54"	24"	XTB1EDD30 ()	5,874.	6,168.
	36" D worksurface	4"	54"	24"	XTB1EDD36 ()	5,874.	6,168.




Intermediate leg for dual table (pair of legs for 30" and 36" D)	24" D worksurfaces	4"	2 3/4"	16"	XTB2LDD24 ()	705.	705.
	30" & 36" D worksurfaces	4"	2 3/4"	16"	XTB2LDD ()	775.	775.



Shroud for intermediate leg infeed kit	24" D or single sided	3 3/4"	2 1/2"	15"	XTB1 SLIK ()	222.	232.
	30" D	11"	4"	15"	XTB1 SLIK30 ()	280.	293.
	36" D	23"	4"	15"	XTB1 SLIK36 ()	327.	347.




End leg for end counters both ends (pair of legs for 36" D worksurface)	48" W end counter	4"	44"	24"	XTB1XDD24 ()	6,280.	6,575.
	60" W end counter	4"	54"	24"	XTB1XDD30 ()	6,280.	6,575.
	72" W end counter	4"	54"	24"	XTB1XDD36 ()	6,280.	6,575.




Order Code	Specifications	Application Notes	
Example: XTB1EDD30 118			
XT	Crinion Open Table	Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.	Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.
B1	Base components		
E	End leg		
D	Dual		
D	Desk height		
30	Depth of tops	Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters.	Shroud for 24"d intermediate leg is U-shaped cover that attaches to side of intermediate leg for 24"d or any single sided intermediate leg.
118	Finish	Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.	End legs for 24"D worksurfaces and end legs for 48"W end counters have only one end plate for attaching a single centered beam for 24"D tables. End legs for 30"D and 36"D worksurfaces and end legs for 60"W and 72"W end counters have two end plates for attaching two beams for 30"D and 36"D tables.

description	application	w	d	h	pattern number	P1/P2	P3
End leg for end counters one end only (pair of legs for 36"D worksurface)	48" W end counter	4"	44"	24"	XTB1YDD24 ()	\$6,080.	\$6,370.
	60" W end counter	4"	54"	24"	XTB1YDD30 ()	6,080.	6,370.
	72" W end counter	4"	54"	24"	XTB1YDD36 ()	6,080.	6,370.



Order Code	Specifications	Application Notes
Example: XTB1EDD30 118	Specify paint finish code after pattern number.	Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table. Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters. Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.
XT Crinion Open Table		
B1 Base components		
E End leg		
D Dual		
D Desk height		
30 Depth of tops		
118 Finish		Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access. Shroud for 24"D intermediate leg is U-shaped cover that attaches to side of intermediate leg for 24"D or any single sided intermediate leg. End legs for 24"D worksurfaces and end legs for 48"W end counters have only one end plate for attaching a single centered beam for 24"D tables. End legs for 30"D and 36"D worksurfaces and end legs for 60"W and 72"W end counters have two end plates for attaching two beams for 30"D and 36"D tables.

description	application	width	depth	height	pattern number	P1/P2	P3
End leg for single sided tables (pair of legs)	24" D worksurface	4"	24"	24"	XTB1ESD24 ()	\$5,874.	\$6,168.
	30" D worksurface	4"	28 ³ / ₄ "	24"	XTB1ESD30 ()	5,874.	6,168.
	36" D worksurface	4"	28 ³ / ₄ "	24"	XTB1ESD36 ()	5,874.	6,168.




Intermediate leg for single sided table	24" D worksurfaces	4"	2 ³ / ₄ "	16"	XTB2LSD24 ()	634.	634.
	30" & 36" D worksurfaces	4"	2 ³ / ₄ "	16"	XTB2LSD ()	775.	775.




Order Code	Specifications	Application Notes
Example: XTB1ESD30 118	Specify paint finish code after pattern number.	Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table. Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilvers for end counters. Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.
XT Crinion Open Table		
B1 Base components		
E End leg		
S Single		
D Desk height		
30 Depth of tops		
118 Finish		

Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.


description	application	width	depth	height	pattern no.	P1/P2/P3
End panels for dual tables (pair of end panels)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP2DD24P() ()	\$3,101.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP2DD30P() ()	4,368.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP2DD36P() ()	4,650.




End panels for dual tables (single end panel)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP1DD24P() ()	1,550.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP1DD30P() ()	2,183.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP1DD36P() ()	2,324.



End panels for single sided tables (pair of end panels)	24" D worksurface	1 1/4"	25 3/16"	25 1/2"	XTB1EP2SD24P() ()	2,748.
	30" D worksurface	1 1/4"	30 3/16"	25 1/2"	XTB1EP2SD30P() ()	3,944.
	36" D worksurface	1 1/4"	36 3/16"	25 1/2"	XTB1EP2SD36P() ()	4,086.



End panels for single sided tables (single end panel)	24" D worksurface, Left	1 1/4"	25 3/16"	25 1/2"	XTB1EP1LD24P() ()	1,373.
	24" D worksurface, Right	1 1/4"	25 3/16"	25 1/2"	XTB1EP1RD24P() ()	1,373.
	30" D worksurface, Left	1 1/4"	30 3/16"	25 1/2"	XTB1EP1LD30P() ()	1,973.
	30" D worksurface, Right	1 1/4"	30 3/16"	25 1/2"	XTB1EP1RD30P() ()	1,973.
	36" D worksurface, Left	1 1/4"	36 3/16"	25 1/2"	XTB1EP1LD36P() ()	2,042.
	36" D worksurface, Right	1 1/4"	36 3/16"	25 1/2"	XTB1EP1RD36P() ()	2,042.




LH Shown
RH Opposite

Order Code	Specification	Application Notes
Example: XTB1EP2DD 24P118	Specify paint finish for brackets, then specify paint finish for end panel.	End panels may be specified as an alternative to End legs to support each end of beams.
XT Crinion Open Table		
B1 Base components		End panel kits include end panel, connecting hardware and support legs.
EP2 End panel		
D Dual		End panel kits are not compatible with end counters.
D Desk Height		
24 Depth of tops		
P Finish		
118 Finish		
118 Finish		


End panels for dual tables and single sided tables, laminate and veneer

AutoStrada


description	application	w	d	h	pattern no.	L	V1	V2	V3
End panels for dual tables (pair of end panels)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP2DD24() ()	\$3,241.	\$3,380.	\$4,086.	\$4,122.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP2DD30() ()	4,506.	4,790.	5,496.	5,635.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP2DD36() ()	4,790.	4,932.	5,775.	5,910.




End panel for dual tables (single end panel)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP1DD24() ()	1,619.	1,691.	2,042.	2,061.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP1DD30() ()	2,254.	2,395.	2,748.	2,817.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP1DD36() ()	2,395.	2,464.	2,888.	2,957.



End panels for single sided tables (pair of end panels)	24" D worksurface	1 1/4"	25 3/16"	25 1/2"	XTB1EP2SD24() ()	2,888.	3,101.	3,524.	3,573.
	30" D worksurface	1 1/4"	30 3/16"	25 1/2"	XTB1EP2SD30() ()	4,086.	4,368.	4,790.	4,948.
	36" D worksurface	1 1/4"	36 3/16"	25 1/2"	XTB1EP2SD36() ()	4,225.	4,506.	5,072.	5,221.




End panel for single sided tables (single end panel)	24" D worksurface, Left	1 1/4"	25 3/16"	25 1/2"	XTB1EP1LD24() ()	1,446.	1,550.	1,759.	1,787.
	24" D worksurface, Right	1 1/4"	25 3/16"	25 1/2"	XTB1EP1RD24() ()	1,446.	1,550.	1,759.	1,787.
	30" D worksurface, Left	1 1/4"	30 3/16"	25 1/2"	XTB1EP1LD30() ()	2,042.	2,183.	2,395.	2,473.
	30" D worksurface, Right	1 1/4"	30 3/16"	25 1/2"	XTB1EP1RD30() ()	2,042.	2,183.	2,395.	2,473.
	36" D worksurface, Left	1 1/4"	36 3/16"	25 1/2"	XTB1EP1LD36() ()	2,114.	2,254.	2,536.	2,611.
	36" D worksurface, Right	1 1/4"	36 3/16"	25 1/2"	XTB1EP1RD36() ()	2,114.	2,254.	2,536.	2,611.




LH Shown
RH Opposite

Order Code	Specifications	Application Notes
Example: XTB1EP2DD 24118 118		
XT Crinion Open Table	Specify paint finish for brackets, then specify laminate or veneer finish for end panel.	End panels may be specified as an alternative to End legs to support each end of beams.
B1 Base components		
EP2 End panel	Brushed and woodgrain laminates are not available on 70" wide end panels for use on 36"D dual sided tables.	End panel kits include end panel, connecting hardware and support legs.
D Dual		End panel kits are not compatible with end counters.
D Desk Height		
24 Depth of tops		
118 Finish		
118 Finish		


description	application	w	d	h	pattern number	P1/P2/P3
Beam truss for dual tables	30" D worksurface	3"	11"	10"	XTB1XD30 ()	\$715.
	36" D worksurface	3"	23"	10"	XTB1XD36 ()	780.




Top channel support	24" D worksurface				XTB1T24 ()	257.
---------------------	-------------------	--	--	--	--------------------	------




Beam truss for single sided tables	30" D worksurface	3"			XTB1XS30 ()	715.
	36" D worksurface	3"			XTB1XS36 ()	780.



Beam truss for dual tables no top channel support	30" D worksurface	3"	11"	8"	XTB1XD30N ()	553.
	36" D worksurface	3"	23"	8"	XTB1XD36N ()	635.







Beam truss for single sided tables no top channel support	30" D worksurface	3"			XTB1XS30N ()	553.
	36" D worksurface	3"			XTB1XS36N ()	635.



Order Code	Specifications	Application Notes
Example: XTB1XD30 613	Beam trusses are available in all standard painted finishes.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. After selecting beams and leg kits, specify trusses between beams.
XT Crinion Open Table		
B1 Base components		
XD Beam truss for dual table		
30 Depth		
613 Finish		Specify beam trusses adjacent to each end leg and at each worksurface junction.
		For 24"D tables specify top channel support instead of truss.
		Beam trusses with no top channel support must be specified in combination with intermediate legs planned other than at worksurface junctions (as for cable infeed shrouds).

Worksurface support cantilever and mid span support




AutoStrada

description	w	d	h	pattern number	P1/P2	P3
Cantilever, fixed height 30" or 36" D 	3"	24"	9"	XTB1FC ()	\$294.	\$308.
Cantilever, fixed height 24" D 	3"	19"	9"	XTB1FC24 ()	294.	308.
Cantilever, adjustable height 30" or 36" D 	3"	24"	9" - 12"	XTB1AC ()	324.	341.
Cantilever, adjustable height 24" D 	3"	24"	9" - 12"	XTB1AC24 ()	324.	341.
Mid span support 	2	2	8	XTB1MB ()	139.	147.

Order Code	Specifications	Application Notes
Example: XTB1FC 118	Specify paint finish code after pattern number.	Cantilever brackets are required to support each end of worksurfaces.
XT Crinion Open Table		
B1 Base components	48"worksurfaces: shared cantilevers each end or two adjustable per worksurface.	Brackets can be positioned at ends of worksurface, or inset at legs or floorstanding pedestal locations.
FC Fixed height cantilever	60" and 72" worksurfaces: shared cantilevers each end plus mid span support or two adjustable cantilevers inset 8".	Fixed height cantilevers can be shared between adjacent worksurfaces. Mid span support bracket must be specified for worksurface spans exceeding 4'.
118 Finish	96"worksurfaces: shared cantilevers at ends plus one in center or three adjustable cantilevers.	Fixed height cantilever supports worksurface at 28 1/2" H. Adjustable cantilevers enable worksurfaces to be set at 27", 27 3/4", 28 1/2", 29 1/4" or 30" H.

Worksurface support linking plate and cantilever for end counters

AutoStrada





description	w	d	h	pattern no.	P1/P2	P3
Cantilever for end counters, fixed height	3"	19"	9"	XTB1FCEND ()	\$294.	\$308.
						
Cantilever for end counters, adjustable height	3"	19"	9" - 12"	XTB1ACEND ()	324.	341.
						
Worksurface linking plate	XTB1LP					41.
						

Order Code	Specification	Application Notes
Example: XTB1FCEND 613	Specify paint finish code after pattern number.	Cantilever brackets are required to support each end of worksurface. Brackets attach to inserts on the outside face of end legs for end counters. Fixed height cantilever supports for end counter at 28 1/2" H. Adjustable cantilevers for end counter enables end counter to be set at 28 1/2", 29 1/4" or 30" H. A linking plate is recommended to join adjacent worksurfaces that are independently supported at the same height. Specify two linking plates at the junction of two worksurfaces, or four total for each end counter to two worksurfaces. A linking plate is not required where adjacent tops are supported by a shared fixed height cantilever bracket, as with complete fixed height base assemblies. Linking plates are recommended for complete adjustable height base assemblies in which tops are set at the same height.
XT Crinion Open Table		
B1 Base components		
FC Fixed height cantilever		
END for end counter		
613 Finish		

Modular Raceway

2 + 2 eight-wire Raceway with covers

AutoStrada

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1E30D ()	\$385.
						
Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1E424D ()	552.
						
Flat end cover					XTR1FE ()	34.
Extended end cover					XTR1EE ()	34.
Single sided raceway two power + two data outlets one side		4"	30"	2"	XTR1E30S ()	385.
						
Single sided raceway four power + two data outlets one side		4"	42"	2"	XTR1E424S ()	552.
						

Order Code	Specifications	Applications notes
Example: XTR1E424D 613		
XT Crinion Open Table	Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
E Eight wire system	Specify paint finish code after pattern number.	
42 Width		
4 Extra outlets		Each raceway requires four or eight duplex outlets, on any of four circuits.
D Dual Raceway	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
613 Finish		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.

To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.

Flat end covers enclose the end of a raceway at the end of a table.




Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.

Specify outlet fillers separately for unused outlet openings.

Modular Raceway

2 + 2 eight-wire Raceway components

AutoStrada

description	type	h	w	d	pattern number	list price
Modular infeed					XTR1EPI	\$286.
						
NYC infeed kit					XTR1EPH	652.
						
Jumper			18"		XTR1EJ18	131.
			30"		XTR1EJ30	150.
			42"		XTR1EJ42	172.
						
Duplex outlet	Circuit A				XTR1DA	48.
	Circuit A, with controlled symbol				XTR1DAC	48.
	Circuit B				XTR1DB	48.
	Circuit B, with controlled symbol				XTR1DBC	48.
	Circuit X, orange				XTR1DXO	55.
	Circuit Y, orange				XTR1DYO	55.
						
Outlet filler	Set of 10				XTR1OF	41.
PDC module extension kit	Set of 10				XTR1PDCX	167.
Compact Power Module					XTR1ECPM ()	706.
						





Order Code	Specifications	Application Notes
Example: XTR1EJ18		
XT Crinion Open Table	Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
E Eight wire		
J Jumper		
18 Width		
		Each raceway requires four or eight duplex outlets, on any of four circuits.
		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.

Crinion Open Table

Modular Raceway

3 + 3 ten-wire Raceway with covers

AutoStrada




description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1T30D ()	\$402.
						
Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1T424D ()	569.
						
Flat end cover					XTR1FE ()	34.
Extended end cover					XTR1EE ()	34.
Single sided raceway two power + two data outlets one side		4"	30"	2"	XTR1T30S ()	402.
						
Single sided raceway four power + two data outlets one side		4"	42"	2"	XTR1T424S ()	569.
						

Order Code	Specifications	Application Notes
Example: XTR1T424D 613		
XT Crinion Open Table	Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
T Ten wire system	Specify paint finish code after pattern number.	
42 Width		Each raceway requires four or eight duplex outlets, on any of six circuits.
4 Extra outlets	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
D Dual Raceway		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.
613 Finish		To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.
		Flat end covers enclose the end of a raceway at the end of a table.
		Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.
		Specify outlet fillers separately for unused outlet openings.

Modular Raceway

3 + 3 ten-wire Raceway components

AutoStrada

description	type	h	w	d	pattern number	list pricing
Modular infeed					XTR1TPI	\$321.
						
NYC infeed kit					XTR1TPH	652.
						
Jumper			18"		XTR1TJ18	150.
			30"		XTR1TJ30	172.
			42"		XTR1TJ42	198.
Duplex outlet	Circuit A				XTR1DA	48.
	Circuit A, with controlled symbol				XTR1DAC	48.
	Circuit B				XTR1DB	48.
	Circuit B, with controlled symbol				XTR1DBC	48.
	Circuit C				XTR1DC	48.
	Circuit C, with controlled symbol				XTR1DCC	48.
	Circuit X, orange				XTR1DXO	55.
	Circuit Y, orange				XTR1DYO	55.
	Circuit Z, orange				XTR1DZO	55.
Outlet filler	Set of 10				XTR1OF	41.
PDC module extension kit	Set of 10				XTR1PDCX	167.
Compact Power Module					XTR1TCPM ()	727.
						

Order Code	Specifications	Application Notes
Example: XTR1TJ18		
XT Crinion Open Table	Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
T Ten wire		
J Jumper		Each raceway requires four or eight duplex outlets, on any of six circuits.
18 Width		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.


Crinion Open Table

Modular Raceway


4-4-2 ten-wire Raceway with covers

AutoStrada


description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1X30D ()	\$426.




Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1X424D ()	599.
---	--	----	-----	----	----------------------	------



Single sided raceway two power + two data outlets one side		4"	30"	2"	XTR1X30S ()	426.
---	--	----	-----	----	---------------------	------



Single sided raceway four power + two data outlets one side		4"	42"	2"	XTR1X424S ()	599.
--	--	----	-----	----	----------------------	------






Order Code	Specifications	Application Notes
Example: XTR1X424D 613		
XT Crinion Open Table	Ten wire 4-4-2 has four circuits each with a separate neutral, plus a ground wire for circuit 1 and 2 and another ground for circuit 3 and 4.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
X Ten wire 4-4-2	Specify paint finish code after pattern number.	Each raceway requires four or eight duplex outlets, on any of six circuits.
42 Width	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
4 Extra outlets		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.
D Dual Raceway		To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.
613 Finish		Flat end covers enclose the end of a raceway at the end of a table. Extended end covers enclose the end of a raceway at the end of a table where power infeed is located. Specify outlet fillers separately for unused outlet openings.

Modular Raceway

4-4-2 ten-wire Raceway components

AutoStrada



description	type	h	w	d	pattern number	list price
Modular infeed					XTR1XPI	\$337.
						
NYC infeed kit					XTR1XPH	685.
						
Jumper			18"		XTR1XJ18	156.
			30"		XTR1XJ30	182.
			42"		XTR1XJ42	205.
						
Duplex outlet	Circuit 1				XTR1D1	51.
	Circuit 1, with controlled symbol				XTR1D1C	51.
	Circuit 2				XTR1D2	51.
	Circuit 2, with controlled symbol				XTR1D2C	51.
	Circuit 3				XTR1D3	51.
	Circuit 3, with controlled symbol				XTR1D3C	51.
	Circuit 4				XTR1D4	51.
	Circuit 4, with controlled symbol				XTR1D4C	51.
						
Compact Power Module					XTR1XCPM ()	727.
						

Order Code	Specifications	Application Notes
Example: XTR1XJ18		
XT Crinion Open Table	Ten wire 4-4-2 has four circuits each with a separate neutral, plus a ground wire for circuit 1 and 2 and another ground for circuit 3 and 4.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
X Ten wire 4-4-2		
J Jumper	All duplex outlets are black.	Each raceway requires four or eight duplex outlets, on any of six circuits.
18 Width		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.


Crinion Open Table

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1H30D ()	\$826.
Flat end cover					XTR1FE ()	34.
Extended end cover					XTR1EE ()	34.
Outlet filler	Set of 10				XTR1OF	41.

Order Code	Specifications	Application Notes
Example: XTR1H30D 613		
XT Crinion Open Table	Specify paint finish code after pattern number.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
H Hard wire system	Hardwired raceway components are designed for use in City of Chicago installations.	
30 Width		
D Dual Raceway		
613 Finish	Covers have two openings for data/com outlet modules (Decora-size, by others).	Dual raceways are code-approved boxed with openings for two or four duplex outlets on each face, plus two additional openings for data/communications faceplates on each face. A continuous horizontal metal septum divides power wires and connections from data and communications cables. Each raceway requires Decora-type architectural power outlets, internal wiring and connecting cables, supplied by electrical contractor.
		Flat end covers enclose the raceway at the end of a table. Extended end covers provide an opening on the underside to permit cables to enter the raceway.
		Specify outlet filler plates for unused outlet openings. Specify PDC extenders to create space behind data/com for cable distribution inside dual raceway.

description	table size	w	d	pattern number	list price
 Cable trays, leg position, pair	5', 30"D	53"	1"	XTCT6030LD ()	\$350.
	5', 36"D	53"	4"	XTCT6036LD ()	476.
	6', 30"D	65"	1"	XTCT7230LD ()	378.
	6', 36"D	65"	4"	XTCT7236LD ()	551.
 Cable trays, full width, pair	5', 30"D	60"	1"	XTCT6030D ()	350.
	5', 36"D	60"	4"	XTCT6036D ()	476.
	6', 30"D	72"	1"	XTCT7230D ()	378.
	6', 36"D	72"	4"	XTCT7236D ()	551.
 Data tray kit		42"		XTDT42 ()	244.
 Data + excess cable tray kit		42"		XTDTX42 ()	406.
Truss cable clips, set of 25				XTR1TCC25	18.
Beam cable clips, set of 50				XTR1BCC50	324.
Random attachment kit, set of 10				XTB1RAK	111.


Order Code	Specifications	Applications notes
Example: XTCT7230D 613	Cable trays and Data tray kits are available in all standard paint finishes.	Cable trays are optional kits to manage cables on each side of dual table bases. Specify cable trays for leg position at each end of the table. Specify cable trays, full width for other positions. Data tray kit provides 3" wide horizontal open cable tray directly below either 30" or 42"W raceway module (at center of 60" or 72" desks). Data + excess tray kit provides two open trays below either raceway module, one 3"W and one 5"W.
XT Crinion Open Table		
CT Cable tray		
72 Width		
30 Depth		
D Dual table		
613 Finish		Truss cable clips manage cables between raceway. Specify 2 clips per truss (one set of 10 for each five trusses). Beam cable clips manage cables along the inside faces of each beam set. Random attachment kit is a set of ten M8 slot nuts for attaching various products to the Crinion Open Table beams or top channel. Specify appropriate M8 screws separately.

description	application	w	d	h	pattern no.	list
	24"D tables	18"	2"	3/4"	XTBT18 ()	\$109.
	24"D tables	24"	2"	3/4"	XTBT24 ()	126.
	24"D tables	36"	2"	3/4"	XTBT36 ()	135.
	24"D tables	48"	2"	3/4"	XTBT48 ()	148.
	24"D tables	60"	2"	3/4"	XTBT60 ()	159.
		120"	8"	1"	XTWB120	605.
Cable basket hangers	From truss 30/36D only				XTWTX ()	96.
						
	From truss at infeed shroud				XTWTBSLIK ()	294.
						
	From main beam, 24D only				XTWTB ()	96.
						
	From top channel, 30/36D only				XTWTC ()	127.


Order Code	Specifications	Application Notes
Example: XTBT36 118		
XT Crinion Open Table	Beam mounted cable trays are available in any standard painted finish.	Beam mounted cable trays may be inserted in slots on either face of Crinion Open Table main beams. On 24"D dual or single sided tables beam mounted cable trays are the only option for cable management other than the shallow channel on top of the beam or a cable basket. On 30"D and 36"D tables beam mounted trays may complement other cable tray options. Beam mounted cable trays must be segmented to fit between cantilever and midspan support brackets. For 48"W worksurfaces with shared cantilevers specify 36"W trays. For 60"W worksurfaces with shared cantilevers and midspan supports specify 24"W trays adjacent to end legs specify 18"W trays. For 72"W worksurfaces with shared cantilevers and midspan supports specify 24"W trays.
BT Beam mounted cable tray	Cable basket is zinc metal finish only.	
36 Width	Basket hangers can be specified in any standard painted finish.	
118 Paint finish		
		For 96"W worksurfaces specify 36"W trays between supports. Specify 48"W trays for additional cable management between trusses on the inside face of beams on dual 30"D and 36"D tables with 60" worksurfaces. Specify 60"W trays on the inside face of beams on dual 30"D and 36"D tables with 72"W worksurfaces. Cable basket is suspended below the center of dual tables instead of or in addition to cable trays. Cable basket offers the most flexibility for managing large bundles of cables and for entering or exiting the tray at any point. Cable basket ships in 10' lengths and is cut to size in field. Specify cable basket hangers separately. Each hanger can suspend one end of a tray or two adjacent trays. Hanger from trusses is for 30" or 36"D dual or single sided tables. Hanger from main beam is for 24"D dual tables only. Hangers from top channel are for 30" or 36"D dual tables only.

Center screens


Acrylic, slatwall, combination, marker or veneer surface

description	appl.	w	d	h	pattern no.	Opal acrylic	Trans. acrylic / Marker	slatwall	Comb. acrylic / slatwall	V1	V2	V3
Center screen to 43" H 	48"	48"	1 1/4"	14"	XTCS1 4814 () ()	\$1,176.	\$1,217.	\$1,869.	n/a	\$1,621.	\$1,780.	\$2,030.
	60"	60"	1 1/4"	14"	XTCS1 6014 () ()	1,544.	1,617.	2,029.	n/a	1,754.	1,937.	2,266.
	72"	72"	1 1/4"	14"	XTCS1 7214 () ()	1,621.	1,699.	2,192.	n/a	1,844.	2,055.	2,453.


acrylic shown

Center screen to 43" H adjacent to end screen 	48"	47"	1 1/4"	14"	XTCS1 4714 () ()	1,176.	1,217.	1,869.	n/a	1,621.	1,780.	2,030.
	60"	59"	1 1/4"	14"	XTCS1 5914 () ()	1,544.	1,617.	2,029.	n/a	1,754.	1,937.	2,266.
	72"	71"	1 1/4"	14"	XTCS1 7114 () ()	1,621.	1,699.	2,192.	n/a	1,844.	2,055.	2,453.

acrylic shown

Center screen to 50" H 	48"	48"	1 1/4"	21"	XTCS1 4821 () ()	1,379.	1,442.	2,192.	2,029.	1,781.	1,982.	2,363.
	60"	60"	1 1/4"	21"	XTCS1 6021 () ()	1,785.	1,901.	2,436.	2,355.	1,914.	2,159.	2,641.
	72"	72"	1 1/4"	21"	XTCS1 7221 () ()	1,869.	1,981.	2,681.	2,518.	1,983.	2,269.	2,860.

slatwall shown

Center screen to 50" H adjacent to end screen 	48"	47"	1 1/4"	21"	XTCS1 4721 () ()	1,379.	1,442.	2,192.	2,029.	1,781.	1,982.	2,363.
	60"	59"	1 1/4"	21"	XTCS1 5921 () ()	1,785.	1,901.	2,436.	2,355.	1,914.	2,159.	2,641.
	72"	71"	1 1/4"	21"	XTCS1 7121 () ()	1,869.	1,981.	2,681.	2,518.	1,983.	2,269.	2,860.


combination shown


Order Code	Specifications	Application Notes	
Example: XTCS16014A O 111			
XT	Crinion Open Table		
CS1	Center screen		
60	Width		
14	Height		
A	Surface		
O	Opal		
111	Frame finish		
	Acrylic surface is AO opal or AT translucent.	Center screens mount to continuous channel at center of tables. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Horizons are maintained regardless of worksurface height.	Center screens adjacent to end screens allow space for dual or single sided end screens.
	For Marker surface both sides specify suffix M.		Slatwall screens require buttresses to support Knoll Extra flat screen monitor arm. Specify one buttress per monitor arm, up to four buttresses per screen.
	For Slatwall screens specify slatwall and frame finish.	Combination screens include 14" high slatwall with acrylic above.	
	For combination acrylic/slatwall screens specify suffixes CO (opal) or CT (translucent), slatwall and frame finish.	Center screens include mounting hardware for standard top channel only.	Slatwall screens will support flat panel monitor arms with varying weight limitations based on mounting and application. Please refer to the KnollExtra price list for comprehensive mounting and weight limitation information by application.
	Slatwall surface is available in (AA) or any standard painted finish except 613 Silver.		Veneer grain direction is horizontal.
	For veneer surface specify suffix V and finish code from list on Crinion Open Table.		Marker surface has wood core.
	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.		


Center screens


Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	10	15	20	30	35	40	45
Center screen to 43" H 	48"	48"	1 1/4"	14"	XTCS1 4814F () ()	\$1,242.	\$1,264.	\$1,273.	\$1,299.	\$1,319.	\$1,319.	\$1,364.
	60"	60"	1 1/4"	14"	XTCS1 6014F () ()	1,359.	1,386.	1,390.	1,424.	1,451.	1,451.	1,507.
	72"	72"	1 1/4"	14"	XTCS1 7214F () ()	1,388.	1,426.	1,430.	1,471.	1,504.	1,504.	1,568.

Center screen to 43" H adjacent to end screen 	48"	47"	1 1/4"	14"	XTCS1 4714F () ()	1,231.	1,254.	1,258.	1,285.	1,305.	1,305.	1,350.
	60"	59"	1 1/4"	14"	XTCS1 5914F () ()	1,359.	1,386.	1,390.	1,424.	1,451.	1,451.	1,507.
	72"	71"	1 1/4"	14"	XTCS1 7114F () ()	1,388.	1,426.	1,430.	1,471.	1,504.	1,504.	1,568.

Center screen to 50" H 	48"	48"	1 1/4"	21"	XTCS1 4821F () ()	1,318.	1,339.	1,346.	1,371.	1,390.	1,390.	1,433.
	60"	60"	1 1/4"	21"	XTCS1 6021F () ()	1,468.	1,503.	1,507.	1,537.	1,562.	1,562.	1,619.
	72"	72"	1 1/4"	21"	XTCS1 7221F () ()	1,484.	1,521.	1,528.	1,566.	1,599.	1,599.	1,663.

Center screen to 50" H adjacent to end screen 	48"	47"	1 1/4"	21"	XTCS1 4721F () ()	1,318.	1,339.	1,346.	1,371.	1,390.	1,390.	1,433.
	60"	59"	1 1/4"	21"	XTCS1 5921F () ()	1,468.	1,503.	1,507.	1,537.	1,562.	1,562.	1,619.
	72"	71"	1 1/4"	21"	XTCS1 7121F () ()	1,484.	1,521.	1,528.	1,566.	1,599.	1,599.	1,663.

Order Code	Specifications	Application Notes
Example: XTCS16014F20 (W2801) AA	1. Select fabric surface, side 1 finish code from list on page 11 .	Fabric center screens mount to continuous channel at center of tables. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Horizons are maintained regardless of worksurface height.
XT Crinion Open Table	2. Select fabric surface, side 2 finish code from list on page 11 .	
CS1 Center screen	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Center screens include mounting hardware for standard top channel only.
60 Width	Fabric is railroaded.	
14 Height		
F Surface		
W2801 Fabric - Side 1		
W2801 Fabric - Side 2		
AA Frame finish		



description	application	w	d	h	pattern no.	list	AA/paint	L	V1	V2	V3
Display shelf 5"D aluminum only 	48" slatwall	45"	5"	1"	XT1DS4505 ()		\$360.				
	60" slatwall	57"	5"	1"	XT1DS5705 ()		403.				
	72" slatwall	69"	5"	1"	XT1DS6905 ()		439.				
Open shelf 9"D laminate or veneer only 	48" slatwall	45"	9"	1"	XT1LS4509 ()()			403.	528.	607.	797.
	60" slatwall	57"	9"	1"	XT1LS5709 ()()			463.	606.	694.	918.
	72" slatwall	69"	9"	1"	XT1LS6909 ()()			526.	683.	784.	1,033.
Slatwall adapters for applied wall accessories 		24"			XT1SA24 ()	38.					
		30"			XT1SA30 ()	44.					
		36"			XT1SA36 ()	53.					
		42"			XT1SA42 ()	58.					
		48"			XT1SA48 ()	65.					
		54"			XT1SA54 ()	76.					
		60"			XT1SA60 ()	83.					
		66"			XT1SA66 ()	89.					
		72"			XT1SA72 ()	96.					
Buttress for slatwall screen					XTCS1 SBA ()	324.					
											

Order Code	Specifications	Application Notes
Example: XT1LS5709 118 AA		
XT1 Crinion Open Table	Display shelves are anodized aluminum (AA) or any standard painted finish except silver.	Open shelves and display shelves for slatwall are designed for use on Crinion Open Table center screens with slatwall inserts.
LS Open shelf		
57 Width	For open shelves specify any standard laminate or veneer finish, then platform finish.	Shelves include adapter that snaps into horizontal channels in slatwall, approximately every 2" vertically.
09 Depth	Shelf platform may be AA or any standard paint finish except silver.	Shelf width fits either full width center screens or screens adjacent to end screens.
118 Shelf finish		
AA Platform finish	Slatwall adapters are integral color 812 Easy grey or 111 Black only.	
		Slatwall adapters enable other Applied Wall System shelves and accessories to be mounted to Crinion Open Table slatwall.
		Adapter will also fit other Knoll system slatwalls, such as AutoStrada spine or panels, but use of shelves in these applications may not comply with ANSI/BIFMA safety standards for anti-dislodgment.

Side screens

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Side screen to 43" H	24" D worksurface	22"	1 1/4"	14"	XTSS1 2414 () () ()	\$852.	\$877.	\$1,285.	\$1,378.	\$1,478.
		30" D worksurface	28"	1 1/4"	14"	XTSS1 3014 () () ()	895.	925.	1,326.	1,430.	1,571.
		36" D worksurface	34"	1 1/4"	14"	XTSS1 3614 () () ()	974.	1,011.	1,361.	1,479.	1,657.
	acrylic shown										
	Side screen to 50" H	24" D worksurface	22"	1 1/4"	21"	XTSS1 2421 () () ()	974.	1,011.	1,374.	1,491.	1,649.
		30" D worksurface	28"	1 1/4"	21"	XTSS1 3021 () () ()	1,015.	1,061.	1,418.	1,554.	1,764.
		36" D worksurface	34"	1 1/4"	21"	XTSS1 3621 () () ()	1,094.	1,147.	1,458.	1,615.	1,880.
	acrylic shown										
Side screen brackets (pair)	postformed edge					XTSM1P ()	341.				
	squared edge					XTSM1S ()	242.				
	tapered edge					XTSM1K ()	242.				

Order Code	Specifications	Application Notes
Example: XTSS13014A O AA		
XT Crinion Open Table	1. Specify surface <i>A</i> = Acrylic <i>V</i> = Veneer <i>M</i> = Marker	Side screens clamp to front and back edge of worksurface at any point (except at hinged access door). Specify side screen brackets separately. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align in height with center screens when worksurfaces are set at 28 3/8" H.
SS1 Side screen	2. For Acrylic surface specify <i>O</i> = Opal <i>T</i> = Translucent	
30 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.	
14 Height	Specify veneer finish code from list on table finishes page in beginning of price list.	Veneer grain direction is horizontal.
A Surface	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	
O Opal	Brackets are available in all paint finishes	
AA Frame finish		

Side screens

Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	24" D worksurface	22"	1 1/4"	14"	XTSS1 2414F ()()		\$968.	\$979.	\$981.	\$996.	\$1,006.	\$1,006.	\$1,027.
	30" D worksurface	28"	1 1/4"	14"	XTSS1 3014F ()()		996.	1,011.	1,015.	1,031.	1,045.	1,045.	1,069.
	36" D worksurface	34"	1 1/4"	14"	XTSS1 3614F ()()		1,025.	1,045.	1,066.	1,080.	1,080.	1,080.	1,116.
	24" D worksurface	22"	1 1/4"	21"	XTSS1 2421F ()()		1,010.	1,023.	1,024.	1,038.	1,049.	1,049.	1,069.
	30" D worksurface	28"	1 1/4"	21"	XTSS1 3021F ()()		1,054.	1,067.	1,069.	1,088.	1,100.	1,100.	1,130.
	36" D worksurface	34"	1 1/4"	21"	XTSS1 3621F ()()		1,073.	1,092.	1,094.	1,116.	1,131.	1,131.	1,163.
Side screen brackets (pair)	postformed edge	XTSM1P ()				341.							
	squared edge	XTSM1S ()				242.							
	tapered edge	XTSM1K ()				242.							

Order Code	Specifications	Application Notes	
Example: XTSS13014F20 (W2801) 115	1. Tackable fabric surface is suffix F.	Side screens clamp to front and back edge of worksurface at any point (except at hinged access door). Specify side screen brackets separately. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align in height with center screens when worksurfaces are set at 28 ³ / ₈ " H.	
XT Crinion Open Table	2. Select fabric surface finish code from list on page Crinion Open Table.		
SS1 Side screen	3. Specify frame finish.		
30 Width	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.		
14 Height			
F Surface	Fabric is railroaded.		
20 Fabric grade			
W2801 Fabric	Brackets are available in all paint finishes.		
115 Frame finish			

Return screens

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Return screen to 43" H	54"	52"	1 1/4"	14"	XTRS1 5414 () () ()	\$1,421.	\$1,498.	\$1,548.	\$1,709.	\$1,991.
		60"	58"	1 1/4"	14"	XTRS1 6014 () () ()	1,421.	1,498.	1,566.	1,746.	2,064.
		66"	64"	1 1/4"	14"	XTRS1 6614 () () ()	1,421.	1,498.	1,601.	1,789.	2,149.
		72"	70"	1 1/4"	14"	XTRS1 7214 () () ()	1,421.	1,498.	1,620.	1,826.	2,221.
		78"	76"	1 1/4"	14"	XTRS1 7814 () () ()	1,584.	1,657.	1,919.	2,094.	2,520.
	Return screen to 50" H	54"	52"	1 1/4"	21"	XTRS1 5421 () () ()	1,662.	1,780.	1,697.	1,913.	2,333.
		60"	58"	1 1/4"	21"	XTRS1 6021 () () ()	1,662.	1,780.	1,728.	1,967.	2,439.
		66"	64"	1 1/4"	21"	XTRS1 6621 () () ()	1,662.	1,780.	1,754.	2,013.	2,540.
		72"	70"	1 1/4"	21"	XTRS1 7221 () () ()	1,662.	1,780.	1,784.	2,063.	2,642.
		78"	76"	1 1/4"	21"	XTRS1 7821 () () ()	1,869.	1,981.	2,092.	2,345.	2,968.
Side screen brackets (pair)	postformed edge					XTSM1P ()	341.				
	squared edge					XTSM1S ()	242.				

Order Code	Specifications	Application Notes
Example: XTRS16014A O 118		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Return screens span the depth of Crinion Open Table worksurfaces and the width of a 30", 36" or 42" worksurface planned as perpendicular return. Specify 14" H screens for 42" horizon. Specify 21" H screens for a 49" horizon. Returns (file tops or AutoStrada worksurfaces) must be at the same height as worksurface.
RS1 Return screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i>	
60 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer. Specify veneer finish code from list on table finishes page in beginning of price list.	
14 Height	3. Specify frame finish.	Specify side brackets separately.
A Acrylic		Veneer grain direction is horizontal.
O Opal		
118 Frame finish	Frame is clear anodized aluminum (AA) or any standard paint finish except 613 Silver. Brackets are available in all paint finishes.	

Return screens

Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	Return screen to 43" H	54"	52"	1 1/4"	14"	XTRS1 5414F () ()	\$1,180.	\$1,209.	\$1,217.	\$1,243.	\$1,264.	\$1,264.	\$1,319.
		60"	58"	1 1/4"	14"	XTRS1 6014F () ()	1,191.	1,221.	1,227.	1,258.	1,285.	1,285.	1,339.
		66"	64"	1 1/4"	14"	XTRS1 6614F () ()	1,216.	1,245.	1,253.	1,290.	1,318.	1,318.	1,378.
		72"	70"	1 1/4"	14"	XTRS1 7214F () ()	1,222.	1,257.	1,263.	1,306.	1,332.	1,332.	1,404.
		78"	76"	1 1/4"	14"	XTRS1 7814F () ()	1,406.	1,446.	1,454.	1,497.	1,526.	1,526.	1,599.
	Return screen to 50" H	54"	52"	1 1/4"	21"	XTRS1 5421F () ()	1,157.	1,180.	1,187.	1,219.	1,241.	1,241.	1,292.
		60"	58"	1 1/4"	21"	XTRS1 6021F () ()	1,199.	1,230.	1,233.	1,269.	1,293.	1,293.	1,348.
		66"	64"	1 1/4"	21"	XTRS1 6621F () ()	1,206.	1,239.	1,244.	1,282.	1,308.	1,308.	1,371.
		72"	70"	1 1/4"	21"	XTRS1 7221F () ()	1,216.	1,248.	1,257.	1,296.	1,328.	1,328.	1,393.
		78"	76"	1 1/4"	21"	XTRS1 7821F () ()	1,431.	1,471.	1,479.	1,523.	1,555.	1,555.	1,629.
Side screen brackets (pair)	postformed edge					XTSM1P ()	341.						
	squared edge					XTSM1S ()	242.						

Order Code	Specifications	Application Notes
Example: XTRS16014F20 (W2801) 611	1. Tackable fabric surface is suffix F.	Fabric return screens span the depth of Crinion Open Table worksurfaces and the width of a 30", 36" or 42" worksurface planned as perpendicular return. Specify 14" H screens for 43" horizon. Specify 21" H screens for a 50" horizon. Returns must be at the same height as worksurface.
XT Crinion Open Table	2. Select fabric surface finish code from list on page Crinion Open Table.	
RS1 Return screen	3. Specify frame finish.	
60 Width	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Specify mounting brackets separately.
14 Height	Fabric is railroded.	
F Surface	Brackets are available in all paint finishes.	
20 Fabric grade		
W2801 Fabric		
611 Frame finish		

Dual end screens

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Dual end screens to 43" H	24" D dual	48"	1 1/4"	14"	XTES1 4814 () ()	\$1,057.	\$1,093.	\$1,484.	\$1,639.	\$1,897.
		30" D dual	60"	1 1/4"	14"	XTES1 6014 () ()	1,379.	1,457.	1,616.	1,801.	2,130.
		36" D dual	72"	1 1/4"	14"	XTES1 7214 () ()	1,421.	1,498.	1,705.	1,915.	2,316.
	acrylic shown										
	Dual end screens to 50" H	24" D dual	48"	1 1/4"	21"	XTES1 4821 () ()	1,257.	1,319.	1,641.	1,844.	2,228.
		30" D dual	60"	1 1/4"	21"	XTES1 6021 () ()	1,621.	1,738.	1,778.	2,019.	2,507.
		36" D dual	72"	1 1/4"	21"	XTES1 7221 () ()	1,662.	1,929.	1,847.	2,129.	2,725.
	acrylic shown										
Replacement mast Kit	acrylic center screen					XTSM1C ()	138.				
	slatwall center screen					XTSM1SLAT ()	364.				
End screen brackets (pair)	tapered edge worksurface					XTSM1KK ()	242.				
Side screen brackets (pair)	postformed edge					XTSM1P ()	341.				
	squared edge					XTSM1S ()	242.				

Order Code	Specifications	Application Notes
Example: XTES16014A O AA		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Dual end screens clamp to front edge of worksurface on either side of table. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
ES1 End screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i> Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer. Specify veneer finish code from list on table finishes page in beginning of price list.	
60 Width	3. Specify frame finish.	
14 Height		Specify end screen brackets separately for each sceen.
A Surface		Veneer grain direction is horizontal.
O Opal		
AA Frame finish		
	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	
	Brackets are available in all paint finishes.	
	Replacement mast kit for acrylic center screen is 812 Easy Grey or 111 Black.	

Dual end screens

Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	24" D dual	48"	1 1/4"	14"	XTES1 4814F () ()	\$1,088.	\$1,114.	\$1,119.	\$1,145.	\$1,164.	\$1,164.	\$1,211.	
	30" D dual	60"	1 1/4"	14"	XTES1 6014F () ()	1,191.	1,221.	1,227.	1,258.	1,285.	1,285.	1,339.	
	36" D dual	72"	1 1/4"	14"	XTES1 7214F () ()	1,222.	1,257.	1,263.	1,305.	1,332.	1,332.	1,404.	
	24" D dual	48"	1 1/4"	21"	XTES1 4821F () ()	1,175.	1,200.	1,206.	1,232.	1,253.	1,253.	1,299.	
	30" D dual	60"	1 1/4"	21"	XTES1 6021F () ()	1,278.	1,307.	1,315.	1,347.	1,372.	1,372.	1,428.	
	36" D dual	72"	1 1/4"	21"	XTES1 7221F () ()	1,294.	1,330.	1,335.	1,376.	1,407.	1,407.	1,471.	
Replacement mast Kit	acrylic center screen	XTSM1C ()				138.							
	slatwall center screen	XTSM1SLAT ()				364.							
End screen brackets (pair)	tapered edge worksurface	XTSM1KK ()				242.							
Side screen brackets (pair)	postformed edge	XTSM1P ()				341.							
	squared edge	XTSM1S ()				242.							

Order Code	Specifications	Application Notes
Example: XTES16014F20 (W2801) 112	1. Tackable fabric surface is suffix F.	Dual end screens clamp to front edge of worksurface on either side of table. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
XT Crinion Open Table	2. Select fabric surface finish code from list on page Crinion Open Table.	
ES1 End screen	3. Specify frame finish.	
60 Width	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Specify end screen brackets separately for each screen.
14 Height	Fabric is railroded.	
F Surface	Brackets are available in all paint finishes.	
20 Fabric grade	Replacement mast kit is 812 Easy Grey or 111 Black.	
W2801 Fabric		
112 Frame finish		

Single sided end screen

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Single sided end screens to 43" H	24" D Single sided	24 1/2"	1 1/4"	14"	XTES1 2414 () ()	\$852.	\$877.	\$1,285.	\$1,378.	\$1,478.
		30" D Single sided	30 1/2"	1 1/4"	14"	XTES1 3014 () ()	895.	925.	1,326.	1,430.	1,571.
		36" D Single sided	36 1/2"	1 1/4"	14"	XTES1 3614 () ()	974.	1,011.	1,361.	1,479.	1,657.
	acrylic shown										
	Single sided end sceen to 50" H	24" D single sided	24 1/2"	1 1/4"	21"	XTES1 2421 () ()	974.	1,011.	1,374.	1,491.	1,649.
		30" D single sided	30 1/2"	1 1/4"	21"	XTES1 3021 () ()	1,015.	1,061.	1,418.	1,554.	1,764.
		36" D single sided	36 1/2"	1 1/4"	21"	XTES1 3621 () ()	1,094.	1,147.	1,458.	1,615.	1,880.
	acrylic shown										
Single sided end screen brackets (set)	postformed edge					XTSM1PC ()	244.				
	square edge					XTSM1SC ()	181.				
	tapered edge					XTSM1KC ()	181.				

Order Code	Specifications	Application Notes
Example: XTES13614A O 114		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
ES1 End screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i>	
36 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.	
14 Height	Specify veneer finish code from list on table finishes page in beginning of price list.	Specify end screen brackets separately for each sceen.
A Surface		Veneer grain direction is horizontal.
O Opal		
114 Frame finish	3. Specify frame finish. Frame is clear anodized aluminum or any standard paint finish except 613 Silver. Brackets are available in all paint finishes.	

Single sided end screen

Tackable fabric surface

AutoStrada

description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	Single sided end screens to 43" H	24" D Single sided	24 1/2"	1 1/4"	14"	XTES1 2414F () ()	\$968.	\$979.	\$981.	\$996.	\$1,006.	\$1,006.	\$1,027.
		30" D Single sided	30 1/2"	1 1/4"	14"	XTES1 3014F () ()	996.	1,011.	1,015.	1,031.	1,045.	1,045.	1,069.
		36" D Single sided	36 1/2"	1 1/4"	14"	XTES1 3614F () ()	1,025.	1,045.	1,066.	1,080.	1,080.	1,080.	1,116.
	Single sided end sceen to 50" H	24" D single sided	24 1/2"	1 1/4"	21"	XTES1 2421F () ()	1,010.	1,023.	1,024.	1,038.	1,049.	1,049.	1,069.
		30" D single sided	30 1/2"	1 1/4"	21"	XTES1 3021F () ()	1,054.	1,067.	1,069.	1,088.	1,100.	1,100.	1,130.
		36" D single sided	36 1/2"	1 1/4"	21"	XTES1 3621F () ()	1,073.	1,092.	1,094.	1,116.	1,131.	1,131.	1,163.
Single sided end screen brackets (set)	postformed edge				XTSM1PC ()	244.							
	square edge				XTSM1SC ()	181.							
	tapered edge				XTSM1KC ()	181.							

Order Code

Example: **XTES13614F20**
(W2801) 111

XT	Crinion Open Table
ES1	End screen
36	Width
14	Height
F	Surface
20	Fabric grade
W2801	Fabric
111	Frame finish

Specifications

1. Tackable fabric surface is suffix F.
 2. Select fabric surface finish code from list on table finishes page in beginning of price list.
 3. Specify frame finish.
- Frame is clear anodized aluminum or any paint finish except 613 Silver.
- Fabric is railroaded.
- Brackets are available in all paint finishes.

Application Notes


Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.

Specify end screen brackets separately for each screen.

Frameless glass Add up for *Crinion Open Table*

AutoStrada

description	w	d	h	pattern number	clear tempered	powder
Frameless glass Add ups	48"	1/2"	12"	XAUA 1248G () ()	\$723.	\$752.
	60"	1/2"	12"	XAUA 1260G () ()	885.	921.
	72"	1/2"	12"	XAUA 1272G () ()	1,047.	1,087.



Order Code	Specifications	Application Notes	
Example: XAUA 1248G TEMP AA	<i>Add up type:</i>	Frameless glass addups for Crinion Open Table match those available for the AutoStrada spine.	Base extrusion is clear anodized aluminum or any standard painted finish except Silver.
X Crinion Open Table	G Glass		
AUA Frameless addup screen	Glass add-ups are available with the following glass options: TEMP Clear tempered GL13 Powder	Tempered glass in clear or powered finish is 1/2" thick. Base frame is secured with bolts to top channel for frameless glass addups.	
48 Width			
12 Height			
G Glass		Frameless addups cannot be mounted to standard top channel included with base assemblies.	
TEMP Finish	Specify base finish: AA anodized aluminum and all standard painted finishes except 613 Silver.		
AA Base finish			

Network privacy screens

mounting kit for Crinion Open Table

AutoStrada

description	w	d	h	pattern number	list price
Fabric screen mounting kit				XTPS1MZKIT	\$166.



Order Code	Specifications	Applications notes
Example: XTPS1MZKIT		
XT	Crinion Open Table	Crinion Open Tables are designed to accept Network privacy screens with fabric screen mounting kit. Screens are tackable fabric, $\frac{3}{4}$" thick, in widths corresponding to Crinion worksurfaces 48", 60" or 72" wide. Specify screens MZ1-B4815F, MZ1B6015F or MZ1B7215F. Specify one mounting kit for each screen. Fabric screen mounting kits include two uprights that fasten to the top channel at any point. Uprights slide into internal channels in screens. Fabric screens do not align in height with acrylic privacy screens.
PS1	Privacy Screen	
MZ	Fabric	
KIT	Kit	

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16" Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
A1CHLTT102	119	A1PGG4972	80, 104	A2PRT2L1PC(L/R)6636	225	A2PRT201PC(L/R)8436	227
A1CHLTT108	119	A1SGG4860	80, 104	A2PRT2L1PC(L/R)7230	225	A2PRT201PC(L/R)9030	227
A1CHLTT114	119	A1SGG4872	80, 104	A2PRT2L1PC(L/R)7236	225	A2PRT201PC(L/R)9036	227
A1CHLTT120	119	A2PCST	249	A2PRT2L1PC(L/R)7830	225	A2PRT201PC(L/R)9630	227
A1CHLTT126	119	A2PHOBD42	196	A2PRT2L1PC(L/R)7836	225	A2PRT201PC(L/R)9636	227
A1CHLTT132	119	A2PHOBD48	196	A2PRT2L1PC(L/R)8430	225	A2PRT201ST(L/R)6030	226
A1CHLTT138	119	A2PHOBD54	196	A2PRT2L1PC(L/R)8436	225	A2PRT201ST(L/R)6036	226
A1CHLTT144	119	A2PHOBD60	196	A2PRT2L1PC(L/R)9030	225	A2PRT201ST(L/R)6630	226
A1CHLTT60	119	A2PHOBD66	196	A2PRT2L1PC(L/R)9036	225	A2PRT201ST(L/R)6636	226
A1CHLTT66	119	A2PHOBD72	196	A2PRT2L1PC(L/R)9630	225	A2PRT201ST(L/R)7230	226
A1CHLTT72	119	A2PHOBD78	196	A2PRT2L1PC(L/R)9636	225	A2PRT201ST(L/R)7236	226
A1CHLTT78	119	A2PHOBD84	196	A2PRT2L1ST(L/R)6030	224	A2PRT201ST(L/R)7830	226
A1CHLTT84	119	A2PHOBD90	196	A2PRT2L1ST(L/R)6036	224	A2PRT201ST(L/R)7836	226
A1CHLTT90	119	A2PHOBD96	196	A2PRT2L1ST(L/R)6630	224	A2PRT201ST(L/R)8430	226
A1CHLTT96	119	A2PHOBO42	195	A2PRT2L1ST(L/R)6636	224	A2PRT201ST(L/R)8436	226
A1CRTT102	119	A2PHOBO48	195	A2PRT2L1ST(L/R)7230	224	A2PRT201ST(L/R)9030	226
A1CRTT108	119	A2PHOBO54	195	A2PRT2L1ST(L/R)7236	224	A2PRT201ST(L/R)9036	226
A1CRTT114	119	A2PHOBO60	195	A2PRT2L1ST(L/R)7830	224	A2PRT201ST(L/R)9630	226
A1CRTT120	119	A2PHOBO66	195	A2PRT2L1ST(L/R)7836	224	A2PRT201ST(L/R)9636	226
A1CRTT126	119	A2PHOBO72	195	A2PRT2L1ST(L/R)8430	224	A2PRT202PC(L/R)6030	227
A1CRTT132	119	A2PHOBO78	195	A2PRT2L1ST(L/R)8436	224	A2PRT202PC(L/R)6036	227
A1CRTT138	119	A2PHOBO84	195	A2PRT2L1ST(L/R)9030	224	A2PRT202PC(L/R)6630	227
A1CRTT144	119	A2PHOBO90	195	A2PRT2L1ST(L/R)9036	224	A2PRT202PC(L/R)6636	227
A1CRTT60	119	A2PHOBO96	195	A2PRT2L1ST(L/R)9630	224	A2PRT202PC(L/R)7230	227
A1CRTT66	119	A2PHOBT60	197	A2PRT2L1ST(L/R)9636	224	A2PRT202PC(L/R)7236	227
A1CRTT72	119	A2PHOBT66	197	A2PRT2L2PC(L/R)6030	225	A2PRT202PC(L/R)7830	227
A1CRTT78	119	A2PHOBT72	197	A2PRT2L2PC(L/R)6036	225	A2PRT202PC(L/R)7836	227
A1CRTT84	119	A2PHOBT78	197	A2PRT2L2PC(L/R)6630	225	A2PRT202PC(L/R)8430	227
A1CRTT90	119	A2PHOBT84	197	A2PRT2L2PC(L/R)6636	225	A2PRT202PC(L/R)8436	227
A1CRTT96	119	A2PHOBT90	197	A2PRT2L2PC(L/R)7230	225	A2PRT202PC(L/R)9030	227
A1FHETE34	118	A2PHOBT96	197	A2PRT2L2PC(L/R)7236	225	A2PRT202PC(L/R)9036	227
A1FHETE42	118	A2PHOGD42	196	A2PRT2L2PC(L/R)7830	225	A2PRT202PC(L/R)9630	227
A1FHETE49	118	A2PHOGD48	196	A2PRT2L2PC(L/R)7836	225	A2PRT202PC(L/R)9636	227
A1FHETE64	118	A2PHOGD54	196	A2PRT2L2PC(L/R)8430	225	A2PRT202ST(L/R)6030	226
A1GCTDK60141(L/V/M)	211	A2PHOGD60	196	A2PRT2L2PC(L/R)8436	225	A2PRT202ST(L/R)6036	226
A1GCTDK60142(L/V/M)	211	A2PHOGD66	196	A2PRT2L2PC(L/R)9030	225	A2PRT202ST(L/R)6630	226
A1GCTDK72141(L/V/M)	211	A2PHOGD72	196	A2PRT2L2PC(L/R)9036	225	A2PRT202ST(L/R)6636	226
A1GCTDK72142(L/V/M)	211	A2PHOGD78	196	A2PRT2L2PC(L/R)9630	225	A2PRT202ST(L/R)7230	226
A1GCTDK90141(L/V/M)	211	A2PHOGD84	196	A2PRT2L2PC(L/R)9636	225	A2PRT202ST(L/R)7236	226
A1GCTDK90142(L/V/M)	211	A2PHOGD90	196	A2PRT2L2ST(L/R)6030	224	A2PRT202ST(L/R)7830	226
A1GCTDK96141(L/V/M)	211	A2PHOGD96	196	A2PRT2L2ST(L/R)6630	224	A2PRT202ST(L/R)7836	226
A1GCTDK96142(L/V/M)	211	A2PHOGO42	195	A2PRT2L2ST(L/R)6636	224	A2PRT202ST(L/R)8430	226
A1GGPC4234(L/R)	80, 104	A2PHOGO48	195	A2PRT2L2ST(L/R)7230	224	A2PRT202ST(L/R)8436	226
A1GGPC4934(L/R)	80, 104	A2PHOGO54	195	A2PRT2L2ST(L/R)7236	224	A2PRT202ST(L/R)9030	226
A1GGSE30(L/R)	80, 104	A2PHOGO60	195	A2PRT2L2ST(L/R)7830	224	A2PRT202ST(L/R)9036	226
A1GSPSC30(L/R)	80, 104	A2PHOGO66	195	A2PRT2L2ST(L/R)7836	224	A2PRT202ST(L/R)9630	226
A1HLETE3442	118	A2PHOGO72	195	A2PRT2L2ST(L/R)8430	224	A2PRT202ST(L/R)9636	226
A1HLETE3449	118	A2PHOGO78	195	A2PRT2L2ST(L/R)8436	224	A2PRT2S1PC(L/R)6030	223
A1HLETE3464	118	A2PHOGO84	195	A2PRT2L2ST(L/R)9030	224	A2PRT2S1PC(L/R)6036	223
A1HLETE4249	118	A2PHOGO90	195	A2PRT2L2ST(L/R)9036	224	A2PRT2S1PC(L/R)6630	223
A1HLETE4264	118	A2PHOGO96	195	A2PRT2L2ST(L/R)9630	224	A2PRT2S1PC(L/R)6636	223
A1HLETE4964	118	A2PHOGT60	197	A2PRT2L2ST(L/R)9636	224	A2PRT2S1PC(L/R)7230	223
A1HLPTE3442	118	A2PHOGT66	197	A2PRT201PC(L/R)6030	227	A2PRT2S1PC(L/R)7236	223
A1HLPTE3449	118	A2PHOGT72	197	A2PRT201PC(L/R)6036	227	A2PRT2S1PC(L/R)7830	223
A1HLPTE3464 (F/T)	118	A2PHOGT78	197	A2PRT201PC(L/R)6630	227	A2PRT2S1PC(L/R)7836	223
A1HLPTE4249	118	A2PHOGT84	197	A2PRT201PC(L/R)6636	227	A2PRT2S1PC(L/R)8430	223
A1HLPTE4264 (F/T)	118	A2PHOGT90	197	A2PRT201PC(L/R)7230	227	A2PRT2S1PC(L/R)8436	223
A1HLPTE4964	118	A2PHOGT96	197	A2PRT201PC(L/R)7236	227	A2PRT2S1PC(L/R)9030	223
A1PGG4260	80, 104	A2PRT2L1PC(L/R)6030	225	A2PRT201PC(L/R)7830	227	A2PRT2S1PC(L/R)9036	223
A1PGG4272	80, 104	A2PRT2L1PC(L/R)6036	225	A2PRT201PC(L/R)7836	227	A2PRT2S1PC(L/R)9630	223
A1PGG4960	80, 104	A2PRT2L1PC(L/R)6630	225	A2PRT201PC(L/R)8430	227	A2PRT2S1PC(L/R)9636	223

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
A2PRT2S1ST(L/R)6030	222	A2WHOBDO96	205	A2WHOGDT72	207	AAMTC36	236
A2PRT2S1ST(L/R)6036	222	A2WHOBBDT60	207	A2WHOGDT78	207	AAMTC42	236
A2PRT2S1ST(L/R)6630	222	A2WHOBBDT66	207	A2WHOGDT84	207	AAMTC48	236
A2PRT2S1ST(L/R)6636	222	A2WHOBBDT72	207	A2WHOGDT90	207	AAMTC54	236
A2PRT2S1ST(L/R)7230	222	A2WHOBBDT78	207	A2WHOGDT96	207	AAMTC60	236
A2PRT2S1ST(L/R)7236	222	A2WHOBBDT84	207	A2WHOGSD30	202	AAMTC66	236
A2PRT2S1ST(L/R)7830	222	A2WHOBBDT90	207	A2WHOGSD36	202	AAMTC72	236
A2PRT2S1ST(L/R)7836	222	A2WHOBBDT96	207	A2WHOGSD42	202	AAMTCH24	236
A2PRT2S1ST(L/R)8430	222	A2WHOBSD30	202	A2WHOGSD48	202	AAMTCH30	236
A2PRT2S1ST(L/R)8436	222	A2WHOBSD36	202	A2WHOGSD54	202	AAMTCH36	236
A2PRT2S1ST(L/R)9030	222	A2WHOBSD42	202	A2WHOGSD60	202	AAMTCH42	236
A2PRT2S1ST(L/R)9036	222	A2WHOBSD48	202	A2WHOGSD66	202	AAMTCH48	236
A2PRT2S1ST(L/R)9630	222	A2WHOBSD54	202	A2WHOGSD72	202	AAMTCH54	236
A2PRT2S1ST(L/R)9636	222	A2WHOBSD60	202	A2WHOGSD78	202	AAMTCH60	236
A2PRT2S2PC(L/R)6030	223	A2WHOBSD66	202	A2WHOGSD84	202	AAMTCH66	236
A2PRT2S2PC(L/R)6036	223	A2WHOBSD72	202	A2WHOGSD90	202	AAMTCH72	236
A2PRT2S2PC(L/R)6630	223	A2WHOBSD78	202	A2WHOGSD96	202	AAMTT	236
A2PRT2S2PC(L/R)6636	223	A2WHOBSD84	202	A2WHOGSO30	201	AAV1 4824 S2D1F	174
A2PRT2S2PC(L/R)7230	223	A2WHOBSD90	202	A2WHOGSO36	201	AAV1 4830 S2D1F	174
A2PRT2S2PC(L/R)7236	223	A2WHOBSD96	202	A2WHOGSO42	201	AAV1 6424 S2D2F	174
A2PRT2S2PC(L/R)7830	223	A2WHOBSD030	201	A2WHOGSO48	201	AAV1 6430 S2D2F	174
A2PRT2S2PC(L/R)7836	223	A2WHOBSD036	201	A2WHOGSO54	201	AAWS BC 036	20
A2PRT2S2PC(L/R)8430	223	A2WHOBSD042	201	A2WHOGSO60	201	AAWS BC 042	20
A2PRT2S2PC(L/R)8436	223	A2WHOBSD048	201	A2WHOGSO66	201	AAWS BC 048	20
A2PRT2S2PC(L/R)9030	223	A2WHOBSD054	201	A2WHOGSO72	201	AAWS BC 054	20
A2PRT2S2PC(L/R)9036	223	A2WHOBSD060	201	A2WHOGSO78	201	AAWS BC 060	20
A2PRT2S2PC(L/R)9630	223	A2WHOBSD066	201	A2WHOGSO84	201	AAWS BC 066	20
A2PRT2S2PC(L/R)9636	223	A2WHOBSD072	201	A2WHOGSO90	201	AAWS BC 072	20
A2PRT2S2ST(L/R)6030	222	A2WHOBSD078	201	A2WHOGSO96	201	AAWS BC 078	20
A2PRT2S2ST(L/R)6036	222	A2WHOBSD084	201	A2WHOGST60	203	AAWS BC 084	20
A2PRT2S2ST(L/R)6630	222	A2WHOBSD090	201	A2WHOGST66	203	AAWS BC 090	20
A2PRT2S2ST(L/R)6636	222	A2WHOBSD096	201	A2WHOGST72	203	AAWS BC 096	20
A2PRT2S2ST(L/R)7230	222	A2WHOBST60	203	A2WHOGST78	203	AAWS BC 102	20
A2PRT2S2ST(L/R)7236	222	A2WHOBST66	203	A2WHOGST84	203	AAWS BC 108	20
A2PRT2S2ST(L/R)7830	222	A2WHOBST72	203	A2WHOGST90	203	AAWS BC 114	20
A2PRT2S2ST(L/R)7836	222	A2WHOBST78	203	A2WHOGST96	203	AAWS BC 120	20
A2PRT2S2ST(L/R)8430	222	A2WHOBST84	203	A3CPBDL	168	AAWS BC 126	20
A2PRT2S2ST(L/R)8436	222	A2WHOBST90	203	A3CPBDR	168	AAWS BC 132	20
A2PRT2S2ST(L/R)9030	222	A2WHOBST96	203	A3CPBS	168	AAWS BC 138	20
A2PRT2S2ST(L/R)9036	222	A2WHOGDD30	206	AA1 BS	237	AAWS BC 144	20
A2PRT2S2ST(L/R)9630	222	A2WHOGDD36	206	AA1DHP36(5)	72	AAWS BE	38, 39
A2PRT2S2ST(L/R)9636	222	A2WHOGDD42	206	AA1DHP42(5)	72	AAWS BE27	45
A2WHOBDD30	206	A2WHOGDD48	206	AA1DHP50(5)	72	AAWS BE28	45
A2WHOBDD36	206	A2WHOGDD54	206	AA1DHP57(5)	72	AAWS C0724	32
A2WHOBDD42	206	A2WHOGDD60	206	AA1DHP64(5)	72	AAWS C0724 A	28
A2WHOBDD48	206	A2WHOGDD66	206	AA1DHTC	72	AAWS C0724 F	30
A2WHOBDD54	206	A2WHOGDD72	206	AA1GPS	71	AAWS C0724 M	25
A2WHOBDD60	206	A2WHOGDD78	206	AA1OR	61	AAWS C0724 P	34
A2WHOBDD66	206	A2WHOGDD84	206	AA1ORD	61	AAWS C0724 R	23
A2WHOBDD72	206	A2WHOGDD90	206	AA1RPS34	68	AAWS C0724 S	24
A2WHOBDD78	206	A2WHOGDD96	206	AA1RPS42	68	AAWS C0730	32
A2WHOBDD84	206	A2WHOGDO30	205	AA1RPS49	68	AAWS C0730 A	28
A2WHOBDD90	206	A2WHOGDO36	205	AA1RPS64	68	AAWS C0730 F	30
A2WHOBDD96	206	A2WHOGDO42	205	AA1RPS79	68	AAWS C0730 M	25
A2WHOBDO30	205	A2WHOGDO48	205	AA1RTC	69	AAWS C0730 P	34
A2WHOBDO36	205	A2WHOGDO54	205	AA1UA39	73	AAWS C0730 R	23
A2WHOBDO42	205	A2WHOGDO60	205	AA1UA48	73	AAWS C0730 S	24
A2WHOBDO48	205	A2WHOGDO66	205	AA1UA64	73	AAWS C0736	32
A2WHOBDO54	205	A2WHOGDO72	205	AA1UPS39	73	AAWS C0736 A	28
A2WHOBDO60	205	A2WHOGDO78	205	AA1UPS48	73	AAWS C0736 F	30
A2WHOBDO66	205	A2WHOGDO84	205	AA1UPS64	73	AAWS C0736 M	25
A2WHOBDO72	205	A2WHOGDO90	205	AA2 UTC	73	AAWS C0736 P	34
A2WHOBDO78	205	A2WHOGDO96	205	AAMTB	236	AAWS C0736 R	23
A2WHOBDO84	205	A2WHOGDT60	207	AAMTC24	236	AAWS C0736 S	24
A2WHOBDO90	205	A2WHOGDT66	207	AAMTC30	236	AAWS C0742	32

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AAWS C0742 A	28	AAWS C1524 L	27	AAWS C1584 L	27	AAWS C2266 P	35
AAWS C0742 F	30	AAWS C1524 M	25	AAWS C1584 P	34	AAWS C2272	33
AAWS C0742 M	25	AAWS C1524 P	34	AAWS C1590	32	AAWS C2272 A	29
AAWS C0742 P	34	AAWS C1530	32	AAWS C1590 F	30	AAWS C2272 F	31
AAWS C0742 R	23	AAWS C1530 A	28	AAWS C1590 L	27	AAWS C2272 G	36
AAWS C0742 S	24	AAWS C1530 F	30	AAWS C1590 P	34	AAWS C2272 L	27
AAWS C0748	32	AAWS C1530 G	36	AAWS C1596	32	AAWS C2272 M	25
AAWS C0748 A	28	AAWS C1530 L	27	AAWS C1596 F	30	AAWS C2272 P	35
AAWS C0748 F	30	AAWS C1530 M	25	AAWS C1596 L	27	AAWS C2278	33
AAWS C0748 M	25	AAWS C1530 P	34	AAWS C1596 P	34	AAWS C2278 F	31
AAWS C0748 P	34	AAWS C1536	32	AAWS C2224	33	AAWS C2278 L	27
AAWS C0748 R	23	AAWS C1536 A	28	AAWS C2224 A	29	AAWS C2278 P	35
AAWS C0748 S	24	AAWS C1536 F	30	AAWS C2224 F	31	AAWS C2284	33
AAWS C0754	32	AAWS C1536 G	36	AAWS C2224 G	36	AAWS C2284 F	31
AAWS C0754 A	28	AAWS C1536 L	27	AAWS C2224 L	27	AAWS C2284 L	27
AAWS C0754 F	30	AAWS C1536 M	25	AAWS C2224 M	25	AAWS C2284 P	35
AAWS C0754 M	25	AAWS C1536 P	34	AAWS C2224 P	35	AAWS C2290	33
AAWS C0754 P	34	AAWS C1542	32	AAWS C2230	33	AAWS C2290 F	31
AAWS C0754 R	23	AAWS C1542 A	28	AAWS C2230 A	29	AAWS C2290 L	27
AAWS C0754 S	24	AAWS C1542 F	30	AAWS C2230 F	31	AAWS C2290 P	35
AAWS C0760	32	AAWS C1542 G	36	AAWS C2230 G	36	AAWS C2296	33
AAWS C0760 A	28	AAWS C1542 L	27	AAWS C2230 L	27	AAWS C2296 F	31
AAWS C0760 F	30	AAWS C1542 M	25	AAWS C2230 M	25	AAWS C2296 L	27
AAWS C0760 M	25	AAWS C1542 P	34	AAWS C2230 P	35	AAWS C2296 P	35
AAWS C0760 P	34	AAWS C1548	32	AAWS C2236	33	AAWS C3024	33
AAWS C0760 R	23	AAWS C1548 A	28	AAWS C2236 A	29	AAWS C3024 A	29
AAWS C0760 S	24	AAWS C1548 F	30	AAWS C2236 F	31	AAWS C3024 F	31
AAWS C0766	32	AAWS C1548 G	36	AAWS C2236 G	36	AAWS C3024 M	25
AAWS C0766 A	28	AAWS C1548 L	27	AAWS C2236 L	27	AAWS C3024 P	35
AAWS C0766 F	30	AAWS C1548 M	25	AAWS C2236 M	25	AAWS C3030	33
AAWS C0766 M	25	AAWS C1548 P	34	AAWS C2236 P	35	AAWS C3030 A	29
AAWS C0766 P	34	AAWS C1554	32	AAWS C2242	33	AAWS C3030 F	31
AAWS C0766 R	23	AAWS C1554 A	28	AAWS C2242 A	29	AAWS C3030 M	25
AAWS C0766 S	24	AAWS C1554 F	30	AAWS C2242 F	31	AAWS C3030 P	35
AAWS C0772	32	AAWS C1554 G	36	AAWS C2242 G	36	AAWS C3036	33
AAWS C0772 A	28	AAWS C1554 L	27	AAWS C2242 L	27	AAWS C3036 A	29
AAWS C0772 F	30	AAWS C1554 M	25	AAWS C2242 M	25	AAWS C3036 F	31
AAWS C0772 M	25	AAWS C1554 P	34	AAWS C2242 P	35	AAWS C3036 M	25
AAWS C0772 P	34	AAWS C1560	32	AAWS C2248	33	AAWS C3036 P	35
AAWS C0772 R	23	AAWS C1560 A	28	AAWS C2248 A	29	AAWS C3042	33
AAWS C0772 S	24	AAWS C1560 F	30	AAWS C2248 F	31	AAWS C3042 A	29
AAWS C0778	32	AAWS C1560 G	36	AAWS C2248 G	36	AAWS C3042 F	31
AAWS C0778 F	30	AAWS C1560 L	27	AAWS C2248 L	27	AAWS C3042 M	25
AAWS C0778 P	34	AAWS C1560 M	25	AAWS C2248 M	25	AAWS C3042 P	35
AAWS C0778 R	23	AAWS C1560 P	34	AAWS C2248 P	35	AAWS C3048	33
AAWS C0778 S	24	AAWS C1566	32	AAWS C2254	33	AAWS C3048 A	29
AAWS C0784	32	AAWS C1566 A	28	AAWS C2254 A	29	AAWS C3048 F	31
AAWS C0784 F	30	AAWS C1566 F	30	AAWS C2254 F	31	AAWS C3048 M	25
AAWS C0784 P	34	AAWS C1566 G	36	AAWS C2254 G	36	AAWS C3048 P	35
AAWS C0784 R	23	AAWS C1566 L	27	AAWS C2254 L	27	AAWS C3054	33
AAWS C0784 S	24	AAWS C1566 M	25	AAWS C2254 M	25	AAWS C3054 A	29
AAWS C0790	32	AAWS C1566 P	34	AAWS C2254 P	35	AAWS C3054 F	31
AAWS C0790 F	30	AAWS C1572	32	AAWS C2260	33	AAWS C3054 M	25
AAWS C0790 P	34	AAWS C1572 A	28	AAWS C2260 A	29	AAWS C3054 P	35
AAWS C0790 R	23	AAWS C1572 F	30	AAWS C2260 F	31	AAWS C3060	33
AAWS C0790 S	24	AAWS C1572 G	36	AAWS C2260 G	36	AAWS C3060 A	29
AAWS C0796	32	AAWS C1572 L	27	AAWS C2260 L	27	AAWS C3060 F	31
AAWS C0796 F	30	AAWS C1572 M	25	AAWS C2260 M	25	AAWS C3060 M	25
AAWS C0796 P	34	AAWS C1572 P	34	AAWS C2260 P	35	AAWS C3060 P	35
AAWS C0796 R	23	AAWS C1578	32	AAWS C2266	33	AAWS C3066	33
AAWS C0796 S	24	AAWS C1578 F	30	AAWS C2266 A	29	AAWS C3066 A	29
AAWS C1524	32	AAWS C1578 L	27	AAWS C2266 F	31	AAWS C3066 F	31
AAWS C1524 A	28	AAWS C1578 P	34	AAWS C2266 G	36	AAWS C3066 M	25
AAWS C1524 F	30	AAWS C1584	32	AAWS C2266 L	27	AAWS C3066 P	35
AAWS C1524 G	36	AAWS C1584 F	30	AAWS C2266 M	25	AAWS C3072	33

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AAWS C3072 A	29	AAWS EASEL	47	AAWS MT66	47	AAWS OGD 96	43
AAWS C3072 F	31	AAWS ET 106	21	AAWS MT72	47	AAWS OGO 18	40
AAWS C3072 M	25	AAWS ET 114	21	AAWS OBD 18L	43	AAWS OGO 24	40
AAWS C3072 P	35	AAWS ET 144	21	AAWS OBD 18R	43	AAWS OGO 30	40
AAWS C3078	33	AAWS ET 69	21	AAWS OBD 24	43	AAWS OGO 36	40
AAWS C3078 F	31	AAWS ET 84	21	AAWS OBD 30	43	AAWS OGO 42	40
AAWS C3078 P	35	AAWS ET 91	21	AAWS OBD 36	43	AAWS OGO 48	40
AAWS C3084	33	AAWS ET 99	21	AAWS OBD 42	43	AAWS OGO 54	40
AAWS C3084 F	31	AAWS ETO 69	21	AAWS OBD 48	43	AAWS OGO 60	40
AAWS C3084 P	35	AAWS ETO 84	21	AAWS OBD 54	43	AAWS OGO 66	40
AAWS C3090	33	AAWS F2236	15	AAWS OBD 60	43	AAWS OGO 72	40
AAWS C3090 F	31	AAWS F2248	15	AAWS OBD 66	43	AAWS OGO 78	40
AAWS C3090 P	35	AAWS F3036	15	AAWS OBD 72	43	AAWS OGO 84	40
AAWS C3096	33	AAWS F3048	15	AAWS OBD 78	43	AAWS OGO 90	40
AAWS C3096 F	31	AAWS F6936	15	AAWS OBD 84	43	AAWS OGO 96	40
AAWS C3096 P	35	AAWS F6948	15	AAWS OBD 90	43	AAWS OGR 42	41
AAWS C4524 M	26	AAWS F8436	15	AAWS OBD 96	43	AAWS OGR 48	41
AAWS C4530 M	26	AAWS F8448	15	AAWS OBO 18	40	AAWS OGR 54	41
AAWS C4536 M	26	AAWS IBT	21	AAWS OBO 24	40	AAWS OGR 60	41
AAWS C4542 M	26	AAWS IC 024	19	AAWS OBO 30	40	AAWS OGR 66	41
AAWS C4548 M	26	AAWS IC 030	19	AAWS OBO 36	40	AAWS OGR 72	41
AAWS C4554 M	26	AAWS IC 036	19	AAWS OBO 42	40	AAWS OGR 78	41
AAWS C4560 M	26	AAWS IC 042	19	AAWS OBO 48	40	AAWS OGR 84	41
AAWS C4566 M	26	AAWS IC 048	19	AAWS OBO 54	40	AAWS OGR 90	41
AAWS C4572 M	26	AAWS IC 054	19	AAWS OBO 60	40	AAWS OGR 96	41
AAWS CC 036	18	AAWS IC 060	19	AAWS OBO 66	40	AAWS OGS 42	42
AAWS CC 042	18	AAWS IC 066	19	AAWS OBO 72	40	AAWS OGS 48	42
AAWS CC 048	18	AAWS IC 072	19	AAWS OBO 78	40	AAWS OGS 54	42
AAWS CC 054	18	AAWS IC 078	19	AAWS OBO 84	40	AAWS OGS 60	42
AAWS CC 060	18	AAWS IC 084	19	AAWS OBO 90	40	AAWS OGS 66	42
AAWS CC 066	18	AAWS IC 090	19	AAWS OBO 96	40	AAWS OGS 72	42
AAWS CC 072	18	AAWS IC 096	19	AAWS OBR 42	41	AAWS OGS 78	42
AAWS CC 078	18	AAWS IC 102	19	AAWS OBR 48	41	AAWS OGS 84	42
AAWS CC 084	18	AAWS IC 108	19	AAWS OBR 54	41	AAWS OGS 90	42
AAWS CC 090	18	AAWS IC 114	19	AAWS OBR 60	41	AAWS OGS 96	42
AAWS CC 096	18	AAWS IC 120	19	AAWS OBR 66	41	AAWS PH	47
AAWS CC 102	18	AAWS IC 126	19	AAWS OBR 72	41	AAWS RET	23
AAWS CC 108	18	AAWS IC 132	19	AAWS OBR 78	41	AAWS RPM1 05	46
AAWS CC 114	18	AAWS IC 138	19	AAWS OBR 84	41	AAWS RPM2 02	46
AAWS CC 120	18	AAWS IC 144	19	AAWS OBR 90	41	AAWS RPM2 05	46
AAWS CC 126	18	AAWS LS2409 G	38	AAWS OBR 96	41	AAWS RPM2I 05	46
AAWS CC 132	18	AAWS LS2412	39	AAWS OBS 42	42	AAWS TC 036	16
AAWS CC 138	18	AAWS LS3009 G	38	AAWS OBS 48	42	AAWS TC 042	16
AAWS CC 144	18	AAWS LS3012	39	AAWS OBS 54	42	AAWS TC 048	16
AAWS CG	47	AAWS LS3609 G	38	AAWS OBS 60	42	AAWS TC 054	16
AAWS CH	47	AAWS LS3612	39	AAWS OBS 66	42	AAWS TC 060	16
AAWS CT24	45	AAWS LS4209 G	38	AAWS OBS 72	42	AAWS TC 066	16
AAWS CT30	45	AAWS LS4212	39	AAWS OBS 78	42	AAWS TC 072	16
AAWS CT36	45	AAWS LS4809 G	38	AAWS OBS 84	42	AAWS TC 078	16
AAWS CT42	45	AAWS LS4812	39	AAWS OBS 90	42	AAWS TC 084	16
AAWS CT48	45	AAWS LS5409 G	38	AAWS OBS 96	42	AAWS TC 090	16
AAWS CT54	45	AAWS LS5412	39	AAWS OGD 18L	43	AAWS TC 096	16
AAWS CT60	45	AAWS LS6009 G	38	AAWS OGD 18R	43	AAWS TC 102	16
AAWS CT66	45	AAWS LS6012	39	AAWS OGD 24	43	AAWS TC 108	16
AAWS CT72	45	AAWS LS6609 G	38	AAWS OGD 30	43	AAWS TC 114	16
AAWS DS0605	37	AAWS LS6612	39	AAWS OGD 36	43	AAWS TC 120	16
AAWS DS2405	37	AAWS LS7209 G	38	AAWS OGD 42	43	AAWS TC 126	16
AAWS DS3005	37	AAWS LS7212	39	AAWS OGD 48	43	AAWS TC 132	16
AAWS DS3605	37	AAWS MT24	47	AAWS OGD 54	43	AAWS TC 138	16
AAWS DS4205	37	AAWS MT30	47	AAWS OGD 60	43	AAWS TC 144	16
AAWS DS4805	37	AAWS MT36	47	AAWS OGD 66	43	AAWS TU 036	17
AAWS DS5405	37	AAWS MT42	47	AAWS OGD 72	43	AAWS TU 042	17
AAWS DS6005	37	AAWS MT48	47	AAWS OGD 78	43	AAWS TU 048	17
AAWS DS6605	37	AAWS MT54	47	AAWS OGD 84	43	AAWS TU 054	17
AAWS DS7205	37	AAWS MT60	47	AAWS OGD 90	43	AAWS TU 060	17

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AAWS TU 066	17	AB1 AC24	237	ACDR4924	156	ACHL6426W	167
AAWS TU 072	17	AB1-ABC24	237	ACDR4926	156	ACHL6430M	166
AAWS TU 078	17	AB1AS27	239	ACDR4930	156	ACHL6430W	167
AAWS TU 084	17	AB1AS28	239	ACDR4932	156	ACHL6432M	166
AAWS TU 090	17	AB1AS30	239	ACEL4924	159	ACHL6432W	167
AAWS TU 096	17	AB1ASC27	239	ACEL4926	159	ACHR4924M	166
AAWS TU 102	17	AB1ASC28	239	ACEL4930	159	ACHR4924W	167
AAWS TU 108	17	AB1ASC30	239	ACEL4932	159	ACHR4926M	166
AAWS TU 114	17	AB1AW27	239	ACEL6424	159	ACHR4926W	167
AAWS TU 120	17	AB1AW28	239	ACEL6426	159	ACHR4930M	166
AAWS TU 126	17	AB2 AE	237	ACEL6430	159	ACHR4930W	167
AAWS TU 132	17	AB2 FE27	237	ACEL6432	159	ACHR4932M	166
AAWS TU 138	17	AB2 FE28	237	ACER4924	159	ACHR4932W	167
AAWS TU 144	17	ACAL4224	153	ACER4926	159	ACHR6424M	166
AAWS US2409 G	38	ACAL4226	153	ACER4930	159	ACHR6424W	167
AAWS US2412	39	ACAL4230	153	ACER4932	159	ACHR6426M	166
AAWS US3009 G	38	ACAL4232	153	ACER6424	159	ACHR6426W	167
AAWS US3012	39	ACAL4924	153	ACER6426	159	ACHR6430M	166
AAWS US3609 G	38	ACAL4926	153	ACER6430	160	ACHR6430W	167
AAWS US3612	39	ACAL4930	153	ACER6432	160	ACHR6432M	166
AAWS US4209 G	38	ACAL4932	153	ACF1	249	ACHR6432W	167
AAWS US4212	39	ACAR4224	153	ACFG1	249	ACIL4930	163
AAWS US4809 G	38	ACAR4226	153	ACFL4924	161	ACIL4932	163
AAWS US4812	39	ACAR4230	153	ACFL4926	161	ACIL6430	164
AAWS US5409 G	38	ACAR4232	153	ACFL4930	161	ACIL6432	164
AAWS US5412	39	ACAR4924	153	ACFL4932	161	ACIR4930	163
AAWS US6009 G	38	ACAR4926	153	ACFL6424	161	ACIR4932	163
AAWS US6012	39	ACAR4930	153	ACFL6426	161	ACIR6430	164
AAWS US6609 G	38	ACAR4932	153	ACFL6430	161	ACIR6432	164
AAWS US6612	39	ACBL4224	154	ACFL6432	161	ACJ722WE	170
AAWS US7209 G	38	ACBL4226	154	ACFR4924	161	ACJ723WE	170
AAWS US7212	39	ACBL4230	154	ACFR4926	161	ACJ822WE	170
AAWS VFC	21	ACBL4232	154	ACFR4930	161	ACJ823WE	170
AAWS WOMK 18	44	ACBL4924	154	ACFR4932	161	ACKL722WE	171
AAWS WOMK 24	44	ACBL4926	154	ACFR6424	161	ACKL723WE	171
AAWS WOMK 30	44	ACBL4930	154	ACFR6426	161	ACKL822WE	171
AAWS WOMK 36	44	ACBL4932	154	ACFR6430	162	ACKL823WE	171
AAWS WOMK 42	44	ACBR4224	154	ACFR6432	162	ACKR722WE	171
AAWS WOMK 48	44	ACBR4226	154	ACGL4924	165	ACKR723WE	171
AAWS WOMK 54	44	ACBR4230	154	ACGL4926	165	ACKR822WE	171
AAWS WOMK 60	44	ACBR4232	154	ACGL4930	165	ACKR823WE	171
AAWS WOMK 66	44	ACBR4924	154	ACGL4932	165	ACL722M	171
AAWS WOMK 72	44	ACBR4926	154	ACGL6424	165	ACL722W	171
AAWS WOMK 78	44	ACBR4930	154	ACGL6426	165	ACL723M	171
AAWS WOMK 84	44	ACBR4932	154	ACGL6430	165	ACL723W	171
AAWS WOMK 90	44	ACCL4224	155	ACGL6432	165	ACL822M	171
AAWS WOMK 96	44	ACCL4226	155	ACGR4924	165	ACL822W	171
AAWSIL106	22	ACCL4230	155	ACGR4926	165	ACL823M	171
AAWSIL114	22	ACCL4232	155	ACGR4930	165	ACL823W	171
AAWSIL144	22	ACCL4924	155	ACGR4932	165	ACMCL	250
AAWSIL69	22	ACCL4926	155	ACGR6424	165	ACMML722	172
AAWSIL84	22	ACCL4930	155	ACGR6426	165	ACMML723	172
AAWSIL91	22	ACCL4932	155	ACGR6430	165	ACMML822	172
AAWSIL99	22	ACCR4224	155	ACGR6432	165	ACMML823	172
AAWSILO69	22	ACCR4226	155	ACHL4924M	166	ACMMR722	172
AAWSILO84	22	ACCR4230	155	ACHL4924W	167	ACMMR723	172
AAWSOL106	22	ACCR4232	155	ACHL4926M	166	ACMMR822	172
AAWSOL114	22	ACCR4924	155	ACHL4926W	167	ACMMR823	172
AAWSOL144	22	ACCR4926	155	ACHL4930M	166	ACMWL722	172
AAWSOL69	22	ACCR4930	155	ACHL4930W	167	ACMWL723	172
AAWSOL84	22	ACCR4932	155	ACHL4932M	166	ACMWL822	172
AAWSOL91	22	ACDL4924	156	ACHL4932W	167	ACMWL823	172
AAWSOL99	22	ACDL4926	156	ACHL6424M	166	ACMWR722	172
AAWSOLO69	22	ACDL4930	156	ACHL6424W	167	ACMWR723	172
AAWSOLO84	22	ACDL4932	156	ACHL6426M	166	ACMWR822	172

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ACMWR823	172	ADHMH9030	243	AFPF20(E/P)(M)	182	AG1B4936	79
ACW722	173	ADHMH9033	244	AFPF20(E/P)(W)	180	AG1B4942	79
ACW723	173	ADHMH9040	243	AFPF21(E/P)(M)	182	AG1B4948	79
ACW822	173	ADHMH9610	243	AFPF21(E/P)(W)	180	AG1B4954	79
ACW823	173	ADHMH9611	244	AFPF22(E/P)(M)	182	AG1B4960	79
ACWJ(L/R)4224	157	ADHMH9612	244	AFPF22(E/P)(W)	180	AG1B4966	79
ACWJ(L/R)4226	157	ADHMH9613	244	AFPF23(E/P)(M)	182	AG1B4972	79
ACWJ(L/R)4230	157	ADHMH9614	244	AFPF23(E/P)(W)	180	AG1B4978	79
ACWJ(L/R)4232	157	ADHMH9620	243	AFPF24(E/P)(W)	180	AG1B4984	79
ACWJ(L/R)4924	157	ADHMH9622	244	AFPF30(E/P)(M)	182	AG1B4990	79
ACWJ(L/R)4926	157	ADHMH9623	244	AFPF30(E/P)(W)	180	AG1B4996	79
ACWJ(L/R)4930	157	ADHMH9624	244	AFPF31(E/P)(M)	182	AHHS36	242
ACWJ(L/R)4932	157	ADHMH9630	243	AFPF31(E/P)(W)	180	AHHS42	242
ACWJ(L/R)6424	157	ADHMH9633	244	AFPH12(E/P)(L/N)(W)	184	AHHS48	242
ACWJ(L/R)6426	157	ADHMH9634	244	AFPH13(E/P)(L/N)(W)	184	AHHS54	242
ACWJ(L/R)6430	157	ADHMH9640	243	AFPH14(E/P)(L/N)(W)	184	AHHS60	242
ACWJ(L/R)6432	157	ADS 0821	56	AFPH22(E/P)(L/N)(W)	184	AHHS66	242
ACWK(L/R)4224	158	ADS 0824	56	AFPH23(E/P)(L/N)(W)	184	AHHS72	242
ACWK(L/R)4226	158	ADS 0833	56	AFPH24(E/P)(L/N)(W)	184	AHHS78	242
ACWK(L/R)4230	158	ADS 0836	56	AFPHD12(E/P)W	186	AHHS84	242
ACWK(L/R)4232	158	ADS 0845	56	AFPHD13(E/P)W	186	AHHS90	242
ACWK(L/R)4924	158	ADS 0848	56	AFPHD22(E/P)W	186	AHHS96	242
ACWK(L/R)4926	158	ADS 0857	56	AFPHD23(E/P)W	186	AHLS18	118
ACWK(L/R)4930	158	ADS 0860	56	AFPHL10(E/P)(L/N)(W)	184	AHLS20	118
ACWK(L/R)4932	158	ADS 0869	56	AFPHL11(E/P)(L/N)(W)	184	AHLS24	118
ACWK(L/R)6424	158	ADS 0872	56	AFPHL20(E/P)(L/N)(W)	184	AHLS30	118
ACWK(L/R)6426	158	AFB16	185	AFPHL21(E/P)(L/N)(W)	184	AHLS36	118
ACWK(L/R)6430	158	AFB19	185	AFPHR10(E/P)(L/N)(W)	184	AHLS42	118
ACWK(L/R)6432	158	AFB30	185	AFPHR11(E/P)(L/N)(W)	184	AHLS48	118
ADHMH7210	243	AFB36	185	AFPHR20(E/P)(L/N)(W)	184	API301	231
ADHMH7211	243	AFB42	185	AFPHR21(E/P)(L/N)(W)	184	API302	231
ADHMH7212	243	AFB60	185	AFPR10(E/P)M	187	API361	231
ADHMH7220	243	AFB72	185	AFPR10(E/P)W	186	API362	231
ADHMH7222	243	AFB84	185	AFPR11(E/P)M	187	API301	231
ADHMH7230	243	AFB90	185	AFPR11(E/P)W	186	API302	231
ADHMH7240	243	AFB96	185	AFPR12(E/P)M	187	API361	231
ADHMH7810	243	AFPA12	186	AFPR12(E/P)W	186	API362	231
ADHMH7811	243	AFPA13	186	AFPR13(E/P)M	187	AL4L17	210
ADHMH7812	243	AFPA22	186	AFPR13(E/P)W	186	AL4L31	210
ADHMH7813	243	AFPA23	186	AFPR20(E/P)M	187	AL4L44	210
ADHMH7820	243	AFPB10(E/P)(M)	182	AFPR20(E/P)W	186	AL4L58	210
ADHMH7822	243	AFPB10(E/P)(W)	180	AFPR21(E/P)M	187	ALBL24	241
ADHMH7823	243	AFPB11(E/P)(M)	182	AFPR21(E/P)W	186	ALBL30	241
ADHMH7830	243	AFPB11(E/P)(W)	180	AFPR22(E/P)M	187	ALBL36	241
ADHMH7840	243	AFPB20(E/P)(M)	182	AFPR22(E/P)W	186	ALBR24	241
ADHMH8410	243	AFPB20(E/P)(W)	180	AFPR23(E/P)M	187	ALBR30	241
ADHMH8411	243	AFPB21(E/P)(M)	182	AFPR23(E/P)W	186	ALBR36	241
ADHMH8412	243	AFPB21(E/P)(W)	180	AG1B	71	AMB42E604	136
ADHMH8413	243	AFPB30(E/P)(M)	182	AG1B3920	79	AMB42E605	136
ADHMH8414	243	AFPB30(E/P)(W)	180	AG1B3924	79	AMB42E664	136
ADHMH8420	243	AFPB31(E/P)(M)	182	AG1B3930	79	AMB42E665	136
ADHMH8422	243	AFPB31(E/P)(W)	180	AG1B3936	79	AMB42E724	136
ADHMH8423	243	AFPE12(L/R)(E/P)	188	AG1B3942	79	AMB42E725	136
ADHMH8424	243	AFPE13(L/R)(E/P)	188	AG1B3948	79	AMB42E784	136
ADHMH8430	243	AFPE22(L/R)(E/P)	188	AG1B3954	79	AMB42E785	136
ADHMH8440	243	AFPE23(L/R)(E/P)	188	AG1B3960	79	AMB42E844	136
ADHMH9010	243	AFPF10(E/P)(M)	182	AG1B3966	79	AMB42E845	136
ADHMH9011	243	AFPF10(E/P)(W)	180	AG1B3972	79	AMB42E904	136
ADHMH9012	243	AFPF11(E/P)(M)	182	AG1B3978	79	AMB42E905	136
ADHMH9013	243	AFPF11(E/P)(W)	180	AG1B3984	79	AMB42E964	136
ADHMH9014	243	AFPF12(E/P)(M)	182	AG1B3990	79	AMB42E965	136
ADHMH9020	243	AFPF12(E/P)(W)	180	AG1B3996	79	AMB42L424	132
ADHMH9022	244	AFPF13(E/P)(M)	182	AG1B4920	79	AMB42L425	133
ADHMH9023	244	AFPF13(E/P)(W)	180	AG1B4924	79	AMB42L484	132
ADHMH9024	244	AFPF14(E/P)(W)	180	AG1B4930	79	AMB42L485	133

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AMB42L544	132	AMBL845	141	AMC42R604	134	AMGR905	143
AMB42L545	133	AMBL904	140	AMC42R605	135	AMGR964	142
AMB42L604	132	AMBL905	141	AMC42R664	134	AMGR965	143
AMB42L605	133	AMBL964	140	AMC42R665	135	AMGTTA	152
AMB42L664	132	AMBL965	141	AMC42R724	134	AMGTTB	152
AMB42L665	133	AMBR424	140	AMC42R725	135	AMGTTC	152
AMB42L724	132	AMBR425	141	AMC42R784	134	AMGTTD	152
AMB42L725	133	AMBR484	140	AMC42R785	135	AMPB10(E/P)(M)	183
AMB42L784	132	AMBR485	141	AMC42R844	134	AMPB10(E/P)(W)	181
AMB42L785	133	AMBR544	140	AMC42R845	135	AMPB11(E/P)(M)	183
AMB42L844	132	AMBR545	141	AMC42R904	134	AMPB11(E/P)(W)	181
AMB42L845	133	AMBR604	140	AMC42R905	135	AMPB20(E/P)(M)	183
AMB42L904	132	AMBR605	141	AMC42R964	134	AMPB20(E/P)(W)	181
AMB42L905	133	AMBR664	140	AMC42R965	135	AMPB21(E/P)(M)	183
AMB42L964	132	AMBR665	141	AMCE604	145	AMPB21(E/P)(W)	181
AMB42L965	133	AMBR724	140	AMCE605	145	AOB4242	148
AMB42R424	132	AMBR725	141	AMCE664	145	AOB4248	148
AMB42R425	133	AMBR784	140	AMCE665	145	AOB4254	148
AMB42R484	132	AMBR785	141	AMCE724	145	AOB4260	148
AMB42R485	133	AMBR844	140	AMCE725	145	AOB4266	148
AMB42R544	132	AMBR845	141	AMCE784	145	AOB4272	148
AMB42R545	133	AMBR904	140	AMCE785	145	AOB4278	148
AMB42R604	132	AMBR905	141	AMCE844	145	AOBS42	149
AMB42R605	133	AMBR964	140	AMCE845	145	AOBS48	149
AMB42R664	132	AMBR965	141	AMCE904	145	AOBS54	149
AMB42R665	133	AMC42E604	137	AMCE905	145	AOBS60	149
AMB42R724	132	AMC42E605	137	AMCE964	145	AOBS66	149
AMB42R725	133	AMC42E664	137	AMCE965	145	AOBS72	149
AMB42R784	132	AMC42E665	137	AMGL424	142	AOBS78	149
AMB42R785	133	AMC42E724	137	AMGL425	143	AOFL1301	240
AMB42R844	132	AMC42E725	137	AMGL484	142	AOFL1302	240
AMB42R845	133	AMC42E784	137	AMGL485	143	AOFL1361	240
AMB42R904	132	AMC42E785	137	AMGL544	142	AOFL1362	240
AMB42R905	133	AMC42E844	137	AMGL545	143	AOFL260301	240
AMB42R964	132	AMC42E845	137	AMGL604	142	AOFL260302	240
AMB42R965	133	AMC42E904	137	AMGL605	143	AOFL260361	240
AMBE604	144	AMC42E905	137	AMGL664	142	AOFL260362	240
AMBE605	144	AMC42E964	137	AMGL665	143	AOFL266301	240
AMBE664	144	AMC42E965	137	AMGL724	142	AOFL266302	240
AMBE665	144	AMC42L424	134	AMGL725	143	AOFL266361	240
AMBE724	144	AMC42L425	135	AMGL784	142	AOFL266362	240
AMBE725	144	AMC42L484	134	AMGL785	143	AOFL272301	240
AMBE784	144	AMC42L485	135	AMGL844	142	AOFL272302	240
AMBE785	144	AMC42L544	134	AMGL845	143	AOFL272361	240
AMBE844	144	AMC42L545	135	AMGL904	142	AOFL272362	240
AMBE845	144	AMC42L604	134	AMGL905	143	AOFL278301	240
AMBE904	144	AMC42L605	135	AMGL964	142	AOFL278302	240
AMBE905	144	AMC42L664	134	AMGL965	143	AOFL278361	240
AMBE964	144	AMC42L665	135	AMGR424	142	AOFL278362	240
AMBE965	144	AMC42L724	134	AMGR425	143	AOFL284301	240
AMBL424	140	AMC42L725	135	AMGR484	142	AOFL284302	240
AMBL425	141	AMC42L784	134	AMGR485	143	AOFL284361	240
AMBL484	140	AMC42L785	135	AMGR544	142	AOFL284362	240
AMBL485	141	AMC42L844	134	AMGR545	143	AOFL290301	240
AMBL544	140	AMC42L845	135	AMGR604	142	AOFL290302	240
AMBL545	141	AMC42L904	134	AMGR605	143	AOFL290361	240
AMBL604	140	AMC42L905	135	AMGR664	142	AOFL290362	240
AMBL605	141	AMC42L964	134	AMGR665	143	AOFL296301	240
AMBL664	140	AMC42L965	135	AMGR724	142	AOFL296302	240
AMBL665	141	AMC42R424	134	AMGR725	143	AOFL296361	240
AMBL724	140	AMC42R425	135	AMGR784	142	AOFL296362	240
AMBL725	141	AMC42R484	134	AMGR785	143	APA 39	48
AMBL784	140	AMC42R485	135	AMGR844	142	APA 48	48
AMBL785	141	AMC42R544	134	AMGR845	143	APA 64	48
AMBL844	140	AMC42R545	135	AMGR904	142	APBF16	185

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
APBF19	185	APCA AZ60	53	APLP25	120	AR1 DY	74, 76
APBF30	185	APCA AZ60S	52	APRA 480	50	AR1 DZ	76
APBF36	185	APCA AZ72	53	APRA 600	50	AR1 EJ1	75
APCA 0912	57	APCA AZ72S	52	APRA 720	50	AR1 EJ10	75
APCA 0912 A	58	APCA HOC	55	APSA 0921	56	AR1 EJ12	75
APCA 0912 C	54	APCA OC	54	APSA 0924	56	AR1 EJ2	75
APCA 0912 S	54	APF1 3948	48	APSA 0933	56	AR1 EJ3	75
APCA 0924	57	APF1 3960	48	APSA 0936	56	AR1 EJ4	75
APCA 0924 A	58	APF1 3972	48	APSA 0945	56	AR1 EJ5	75
APCA 0924 C	54	APF1 4848	48	APSA 0948	56	AR1 EJ6	75
APCA 0924 S	54	APF1 4860	48	APSA 0957	56	AR1 EJ8	75
APCA 0936	57	APF1 4872	48	APSA 0960	56	AR1 EOM	74
APCA 0936 A	58	APF1 6448	48	APSA 0969	56	AR1 EPH1	74
APCA 0936 C	54	APF1 6460	48	APSA 0972	56	AR1 EPH2	74
APCA 0936 S	54	APF1 6472	48	APSA 1621	56	AR1 EP15	74
APCA 0948	57	APFA1 3948	48	APSA 1624	56	AR1 EPIC	74
APCA 0948 A	58	APFA1 3960	48	APSA 1633	56	AR1 ET1	74
APCA 0948 C	54	APFA1 3972	48	APSA 1636	56	AR1 ET3	74
APCA 0948 S	54	APFA1 4848	48	APSA 1645	56	AR1 ET5	74
APCA 0960	57	APFA1 4860	48	APSA 1648	56	AR1 ET8	74
APCA 0960 A	58	APFA1 4872	48	APSA 1657	56	AR1 HCC H10	77
APCA 0960 C	54	APFA1 6448	48	APSA 1660	56	AR1 HOB	55
APCA 0960 S	54	APFA1 6460	48	APSA 1669	56	AR1 HOB2	55
APCA 0972	57	APFA1 6472	48	APSA 1672	56	AR1 PCC 100	77
APCA 0972 A	58	APHOBR42	199	APT	50	AR1 TJ1	76
APCA 0972 C	54	APHOBR48	199	APT 48	49	AR1 TJ10	76
APCA 0972 S	54	APHOBR54	199	APT 60	49	AR1 TJ12	76
APCA 1612	57	APHOBR60	199	APT 72	49	AR1 TJ2	76
APCA 1612 A	58	APHOBR66	199	APT1 C24	50	AR1 TJ3	76
APCA 1624	57	APHOBR72	199	APT1 C36	50	AR1 TJ4	76
APCA 1624 A	58	APHOBR78	199	APT1 C48	50	AR1 TJ5	76
APCA 1636	57	APHOBR84	199	APT1 C60	50	AR1 TJ6	76
APCA 1636 A	58	APHOBR90	199	APT1 C72	50	AR1 TJ8	76
APCA 1648	57	APHOBR96	199	APTA 48	49	AR1 TOM	76
APCA 1648 A	58	APHOBS42	198	APTA 60	49	AR1 TPH1	76
APCA 1660	57	APHOBS48	198	APTA 72	49	AR1 TPH2	76
APCA 1660 A	58	APHOBS54	198	APTA C24	50	AR1 TP15	76
APCA 1672	57	APHOBS60	198	APTA C36	50	AR1 TPIC	76
APCA 1672 A	58	APHOBS66	198	APTA C48	50	AR1 TT1	76
APCA 1812	57	APHOBS72	198	APTA C60	50	AR1 TT3	76
APCA 1812 A	58	APHOBS78	198	APTA C72	50	AR1 TT5	76
APCA 1824	57	APHOBS84	198	APTA CC	50	AR1 TT8	76
APCA 1824 A	58	APHOBS90	198	APTA CC1	50	AR1-ELS-B	74, 76
APCA 1836	57	APHOBS96	198	APTH	51	AS1 DPAD	177, 178
APCA 1836 A	58	APHOGR42	199	APTH 120	49	AS1 SPAD	177, 178
APCA 1848	57	APHOGR48	199	APTH 48	49	ASAMP1616	214
APCA 1848 A	58	APHOGR54	199	APTH 60	49	ASBC18 (L/R)	238
APCA 1860	57	APHOGR60	199	APTH 72	49	ASBC24 (L/R)	238
APCA 1860 A	58	APHOGR66	199	APTH 96	49	ASBF1 36	189
APCA 1872	57	APHOGR72	199	APTL	51	ASBF1 42	189
APCA 1872 A	58	APHOGR78	199	APTL 120	49	ASBF1 48	189
APCA 2712	57	APHOGR84	199	APTL 48	49	ASBS1 36	189
APCA 2712 A	58	APHOGR90	199	APTL 60	49	ASBS1 42	189
APCA 2724	57	APHOGR96	199	APTL 72	49	ASBS1 48	189
APCA 2724 A	58	APHOGS42	198	APTL 96	49	ASBT1 36	189
APCA 2736	57	APHOGS48	198	APTLL26	239	ASBT1 42	189
APCA 2736 A	58	APHOGS54	198	APTLL27	239	ASBT1 48	189
APCA 2748	57	APHOGS60	198	APTLL28	239	ASFS1FF18	175
APCA 2748 A	58	APHOGS66	198	APX CIP4	77	ASFS1FF24	175
APCA 2760	57	APHOGS72	198	APX CIP6	77	ASFS1PDF18	175
APCA 2760 A	58	APHOGS78	198	APX CIP8	77	ASFS1PDF24	175
APCA 2772	57	APHOGS84	198	AR1 DA	74, 76	ASM42MB42	138
APCA 2772 A	58	APHOGS90	198	AR1 DB	74, 76	ASM42MB48	138
APCA AZ48	53	APHOGS96	198	AR1 DC	76	ASM42MB54	138
APCA AZ48S	52	APLP10	120	AR1 DX	74, 76	ASM42MB60	138

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASM42MB66	138	ASMWB48	146	ASOBT96	192	ASWM84	247
ASM42MB72	138	ASMWB54	146	ASOGD42	191	ASWM90	247
ASM42MB78	138	ASMWB60	146	ASOGD48	191	ASWM96	247
ASM42MB84	138	ASMWB66	146	ASOGD54	191	ASWRB42	101
ASM42MB90	138	ASMWB72	146	ASOGD60	191	ASWRB49	101
ASM42MB96	138	ASMWB78	146	ASOGD66	191	ASWRB64	101
ASM42MG42	139	ASMWB84	146	ASOGD72	191	ASWRB79	101
ASM42MG48	139	ASMWB90	146	ASOGD78	191	AT2TB (pair)	238
ASM42MG54	139	ASMWB96	146	ASOGD84	191	ATA1R36	228
ASM42MG60	139	ASMWG42	147	ASOGD90	191	ATA1R42	228
ASM42MG66	139	ASMWG48	147	ASOGD96	191	ATA1R48	228
ASM42MG72	139	ASMWG54	147	ASOGO42	190	ATA1T44242	228
ASM42MG78	139	ASMWG60	147	ASOGO48	190	ATA1T44830	228
ASM42MG84	139	ASMWG66	147	ASOGO54	190	ATA1T44848	228
ASM42MG90	139	ASMWG72	147	ASOGO60	190	ATA1T46030	228
ASM42MG96	139	ASMWG78	147	ASOGO66	190	ATA1T47230	228
ASM42WB42	138	ASMWG84	147	ASOGO72	190	ATA1T47236	228
ASM42WB48	138	ASMWG90	147	ASOGO78	190	ATARLL3627(L/M/V)	229
ASM42WB54	138	ASMWG96	147	ASOGO84	190	ATARLL3628(L/M/V)	229
ASM42WB60	138	ASOBD42	191	ASOGO90	190	ATARLL4227(L/M/V)	229
ASM42WB66	138	ASOBD48	191	ASOGO96	190	ATARLL4228(L/M/V)	229
ASM42WB72	138	ASOBD54	191	ASOGR42	194	ATARLL4827(L/M/V)	229
ASM42WB78	138	ASOBD60	191	ASOGR48	194	ATARLL4828(L/M/V)	229
ASM42WB84	138	ASOBD66	191	ASOGR54	194	ATAT4LL424227(L/M/V)	229
ASM42WB90	138	ASOBD72	191	ASOGR60	194	ATAT4LL424228(L/M/V)	229
ASM42WB96	138	ASOBD78	191	ASOGR66	194	ATAT4LL484827(L/M/V)	229
ASM42WC42	139	ASOBD84	191	ASOGR72	194	ATAT4LL484828(L/M/V)	229
ASM42WC48	139	ASOBD90	191	ASOGR78	194	ATB1426	246
ASM42WC54	139	ASOBD96	191	ASOGR84	194	ATB1432	246
ASM42WC60	139	ASOBO42	190	ASOGR90	194	ATB1442	246
ASM42WC66	139	ASOBO48	190	ASOGR96	194	ATB1448	246
ASM42WC72	139	ASOBO54	190	ASOGS42	193	ATB1454	246
ASM42WC78	139	ASOBO60	190	ASOGS48	193	ATB1460	246
ASM42WC84	139	ASOBO66	190	ASOGS54	193	ATB1466	246
ASM42WC90	139	ASOBO72	190	ASOGS60	193	ATB1472	246
ASM42WC96	139	ASOBO78	190	ASOGS66	193	ATB1478	246
ASMMB42	146	ASOBO84	190	ASOGS72	193	ATB1484	246
ASMMB48	146	ASOBO90	190	ASOGS78	193	ATB1490	246
ASMMB54	146	ASOBO96	190	ASOGS84	193	ATB1496	246
ASMMB60	146	ASOBR42	194	ASOGS90	193	ATBB42	246
ASMMB66	146	ASOBR48	194	ASOGS96	193	ATBB48	246
ASMMB72	146	ASOBR54	194	ASOGT60	192	ATBB54	246
ASMMB78	146	ASOBR60	194	ASOGT66	192	ATBB60	246
ASMMB84	146	ASOBR66	194	ASOGT72	192	ATBB66	246
ASMMB90	146	ASOBR72	194	ASOGT78	192	ATBB72	246
ASMMB96	146	ASOBR78	194	ASOGT84	192	ATBB78	246
ASMMC42	147	ASOBR84	194	ASOGT90	192	ATBM26	246
ASMMC48	147	ASOBR90	194	ASOGT96	192	ATBM32	246
ASMMC54	147	ASOBR96	194	AST	249	ATBM42	246
ASMMC60	147	ASOBS42	193	ASWB42	247	ATBM48	246
ASMMC66	147	ASOBS48	193	ASWB48	247	ATBM54	246
ASMMC72	147	ASOBS54	193	ASWB54	247	ATBM60	246
ASMMC78	147	ASOBS60	193	ASWB60	247	ATBM66	246
ASMMC84	147	ASOBS66	193	ASWB66	247	ATBM72	246
ASMMC90	147	ASOBS72	193	ASWB72	247	ATBM78	246
ASMMC96	147	ASOBS78	193	ASWB78	247	ATBM84	246
ASMS1 DF18	176	ASOBS84	193	ASWM26	247	ATBM90	246
ASMS1 DF24	176	ASOBS90	193	ASWM32	247	ATBM96	246
ASMS1 DF018	176	ASOBS96	193	ASWM42	247	ATBT120	241
ASMS1 DF024	176	ASOBT60	192	ASWM48	247	ATBT124	241
ASMS1 FF18	176	ASOBT66	192	ASWM54	247	ATBT130	241
ASMS1 FF24	176	ASOBT72	192	ASWM60	247	ATBT136	241
ASMS1 PDF18	176	ASOBT78	192	ASWM66	247	ATBT224	241
ASMS1 PDF24	176	ASOBT84	192	ASWM72	247	ATBT230	241
ASMWB42	146	ASOBT90	192	ASWM78	247	ATBT236	241

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ATBT242	241	ATRT2DOF96301	230	ATTA72R	235	AW1TIRF4830	213
ATDT1LFM483027(L/M/V)	232	ATRT2DOF96302	230	ATTA72S	234	AW1TIRF4836	213
ATDT1LFM483028(L/M/V)	232	ATRT2DOF96361	230	ATTA78L	234	AW1TIRF5420	212
ATDT1LFM603027(L/M/V)	232	ATRT2DOF96362	230	ATTA78R	235	AW1TIRF5424	212
ATDT1LFM603028(L/M/V)	232	ATSBA42	150	ATTA78S	234	AW1TIRF5430	213
ATDT1LFM723027(L/M/V)	232	ATSBA48	150	ATTA84L	234	AW1TIRF5436	213
ATDT1LFM723028(L/M/V)	232	ATSBA54	150	ATTA84R	235	AW1TIRF6020	212
ATDT1LFM723627(L/M/V)	232	ATSBA60	150	ATTA84S	234	AW1TIRF6024	212
ATDT1LFM723628(L/M/V)	232	ATSBA66	150	ATTA90L	234	AW1TIRF6030	213
ATDT1LFS483027(L/M/V)	232	ATSBA72	150	ATTA90R	235	AW1TIRF6036	213
ATDT1LFS483028(L/M/V)	232	ATSBA78	150	ATTA90S	234	AW1TIRF6620	212
ATDT1LFS603027(L/M/V)	232	ATSBBA42	150	ATTA96L	234	AW1TIRF6624	212
ATDT1LFS603028(L/M/V)	232	ATSBBA48	150	ATTA96R	235	AW1TIRF6630	213
ATDT1LFS723027(L/M/V)	232	ATSBBA54	150	ATTA96S	234	AW1TIRF6636	213
ATDT1LFS723028(L/M/V)	232	ATSBBA60	150	AUA1 0824 G	78	AW1TIRF7220	212
ATDT1LFS723627(L/M/V)	232	ATSBBA66	150	AUA1 0836 G	78	AW1TIRF7224	212
ATDT1LFS723628(L/M/V)	232	ATSBBA72	150	AUA1 0848 G	78	AW1TIRF7230	213
ATDT1LPM483027(L/M/V)	232	ATSBBA78	150	AUA1 0860 G	78	AW1TIRF7236	213
ATDT1LPM483028(L/M/V)	232	ATSBBA42	150	AUA1 0872 G	78	AW1TIRF7820	212
ATDT1LPM603027(L/M/V)	232	ATSBBA48	150	AUA1 1224 G	78	AW1TIRF7824	212
ATDT1LPM603028(L/M/V)	232	ATSBBA54	150	AUA1 1236 G	78	AW1TIRF7830	213
ATDT1LPM723027(L/M/V)	232	ATSBBA60	150	AUA1 1248 G	78	AW1TIRF7836	213
ATDT1LPM723028(L/M/V)	232	ATSBBA66	150	AUA1 1260 G	78	AW1TIRF8420	212
ATDT1LPM723627(L/M/V)	232	ATSBBA72	150	AUA1 1272 G	78	AW1TIRF8424	212
ATDT1LPM723628(L/M/V)	232	ATSBBA78	150	AUA1 1524 G	78	AW1TIRF8430	213
ATDT1LPS483027(L/M/V)	233	ATSBBA42	150	AUA1 1536 G	78	AW1TIRF8436	213
ATDT1LPS483028(L/M/V)	233	ATSBBA48	150	AUA1 1548 G	78	AW1TIRF9020	212
ATDT1LPS603027(L/M/V)	233	ATSBBA54	150	AUA1 1560 G	78	AW1TIRF9024	212
ATDT1LPS603028(L/M/V)	233	ATSBBA60	150	AUA1 1572 G	78	AW1TIRF9030	213
ATDT1LPS723027(L/M/V)	233	ATSBBA66	150	AUOMBAP2	200	AW1TIRF9036	213
ATDT1LPS723028(L/M/V)	233	ATSBBA72	150	AUOMBAP3	200	AW1TIRF9620	212
ATDT1LPS723627(L/M/V)	233	ATSBBA78	150	AUOMBCC2	200	AW1TIRF9624	212
ATDT1LPS723628(L/M/V)	233	ATSBBA42	150	AUOMBCC3	200	AW1TIRF9630	213
ATDT4LL483027(L/M/V)	229	ATSBBA48	150	AUOMBSS62	200	AW1TIRF9636	213
ATDT4LL483028(L/M/V)	229	ATSBBA54	150	AUOMBSS63	200	AW1TIRU1820	215
ATDT4LL603027(L/M/V)	229	ATSBBA60	151	AUOMBSS72	200	AW1TIRU1824	215
ATDT4LL603028(L/M/V)	229	ATSBBA66	151	AUOMBSS73	200	AW1TIRU1830	216
ATDT4LL723027(L/M/V)	229	ATSBBA72	151	AUOMBSS92	200	AW1TIRU2020	215
ATDT4LL723028(L/M/V)	229	ATSBBA78	151	AUOMBSS93	200	AW1TIRU2024	215
ATDT4LL723627(L/M/V)	229	ATSCD19	169	AW1TIRF1820	212	AW1TIRU2030	216
ATDT4LL723628(L/M/V)	229	ATTA24L	234	AW1TIRF1824	212	AW1TIRU2420	215
ATRT2DOF60301	230	ATTA24R	235	AW1TIRF1830	213	AW1TIRU2424	215
ATRT2DOF60302	230	ATTA24S	234	AW1TIRF1836	213	AW1TIRU2430	216
ATRT2DOF60361	230	ATTA30L	234	AW1TIRF2020	212	AW1TIRU3020	215
ATRT2DOF60362	230	ATTA30R	235	AW1TIRF2024	212	AW1TIRU3024	215
ATRT2DOF66301	230	ATTA30S	234	AW1TIRF2030	213	AW1TIRU3030	216
ATRT2DOF66302	230	ATTA36L	234	AW1TIRF2036	213	AW1TIRU3620	215
ATRT2DOF66361	230	ATTA36R	235	AW1TIRF2420	212	AW1TIRU3624	215
ATRT2DOF66362	230	ATTA36S	234	AW1TIRF2424	212	AW1TIRU3630	216
ATRT2DOF72301	230	ATTA42L	234	AW1TIRF2430	213	AW1TIRU4220	215
ATRT2DOF72302	230	ATTA42R	235	AW1TIRF2436	213	AW1TIRU4224	215
ATRT2DOF72361	230	ATTA42S	234	AW1TIRF3020	212	AW1TIRU4230	216
ATRT2DOF72362	230	ATTA48L	234	AW1TIRF3024	212	AW1TIRU4820	215
ATRT2DOF78301	230	ATTA48R	235	AW1TIRF3030	213	AW1TIRU4824	215
ATRT2DOF78302	230	ATTA48S	234	AW1TIRF3036	213	AW1TIRU4830	216
ATRT2DOF78361	230	ATTA54L	234	AW1TIRF3620	212	AW1TIRU5420	215
ATRT2DOF78362	230	ATTA54R	235	AW1TIRF3624	212	AW1TIRU5424	215
ATRT2DOF84301	230	ATTA54S	234	AW1TIRF3630	213	AW1TIRU5430	216
ATRT2DOF84302	230	ATTA60L	234	AW1TIRF3636	213	AW1TIRU6020	215
ATRT2DOF84361	230	ATTA60R	235	AW1TIRF4220	212	AW1TIRU6024	215
ATRT2DOF84362	230	ATTA60S	234	AW1TIRF4224	212	AW1TIRU6030	216
ATRT2DOF90301	230	ATTA66L	234	AW1TIRF4230	213	AW1TIRU6620	215
ATRT2DOF90302	230	ATTA66R	235	AW1TIRF4236	213	AW1TIRU6624	215
ATRT2DOF90361	230	ATTA66S	234	AW1TIRF4820	212	AW1TIRU6630	216
ATRT2DOF90362	230	ATTA72L	234	AW1TIRF4824	212	AW1TIRU7220	215

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AW1T1RU7224	215	AW1T2W4823	220	AWHOGDS60	208	AX1 HLS6448	61
AW1T1RU7230	216	AW1T2W4832	220	AWHOGDS66	208	AX1 R34239	68
AW1T1RU7820	215	AW1T2W6023	220	AWHOGDS72	208	AX1 R34939	68
AW1T1RU7824	215	AW1T2W6032	220	AWHOGDS78	208	AX1 R34948	68
AW1T1RU7830	216	AW1T2W7226	220	AWHOGDS84	208	AX1 R36439	68
AW1T1RU8420	215	AW1T2W7262	220	AWHOGDS90	208	AX1 R36448	68
AW1T1RU8424	215	AWBK42	152	AWHOGDS96	208	AX1 R36464	68
AW1T1RU8430	216	AWBK48	152	AWHOGSR60	204	AX1 R37939	68
AW1T1RU9020	215	AWBK54	152	AWHOGSR66	204	AX1 R37948	68
AW1T1RU9024	215	AWBK60	152	AWHOGSR72	204	AX1 R37964	68
AW1T1RU9030	216	AWBK66	152	AWHOGSR78	204	AX1 S	61
AW1T1RU9620	215	AWBK72	152	AWHOGSR84	204	AX1 SWS39	61
AW1T1RU9624	215	AWBK78	152	AWHOGSR90	204	AX1 SWS48	61
AW1T1RU9630	216	AWBK84	152	AWHOGSR96	204	AX1 SWS64	61
AW1T1WF4823	214	AWBK90	152	AWHOGSS60	204	AX1A C39	59
AW1T1WF4832	214	AWBK96	152	AWHOGSS66	204	AX1A C48	59
AW1T1WF6023	214	AWBS42	149	AWHOGSS72	204	AX1A C64	59
AW1T1WF6032	214	AWBS48	149	AWHOGSS78	204	AX1A EH39	59
AW1T1WF7226	214	AWBS54	149	AWHOGSS84	204	AX1A EH48	59
AW1T1WF7262	214	AWBS60	149	AWHOGSS90	204	AX1A EH64	59
AW1T1WU4823	217	AWBS66	149	AWHOGSS96	204	AX1A EL39	59
AW1T1WU4832	217	AWBS72	149	AWHTB3024	248	AX1A EL48	59
AW1T1WU6023	217	AWBS78	149	AWHTB3030	248	AX1A EL64	59
AW1T1WU6032	217	AWBS84	149	AWHTB3624	248	AX1A F39	59
AW1T1WU7226	217	AWBS90	149	AWHTB3630	248	AX1A F48	59
AW1T1WU7262	217	AWBS96	149	AWHTB4224	248	AX1A F64	59
AW1T2DW4826	220	AWCPFS	185	AWHTB4230	248	AX1A L39	60
AW1T2DW6026	220	AWCPFS19	185	AWHTB4824	248	AX1A L48	60
AW1T2DW7226	220	AWFL27	239	AWHTB4830	248	AX1A L64	60
AW1T2R3030	218	AWFL28	239	AWHTB5424	248	AX1A T39	60
AW1T2R3036	218	AWHOBDR60	208	AWHTB5430	248	AX1A T48	60
AW1T2R3042	219	AWHOBDR66	208	AWHTB6024	248	AX1A T64	60
AW1T2R3630	218	AWHOBDR72	208	AWHTB6030	248	AX1A V39	60
AW1T2R3636	218	AWHOBDR78	208	AWHTB6624	248	AX1A V48	60
AW1T2R3642	219	AWHOBDR84	208	AWHTB6630	248	AX1A V64	60
AW1T2R4230	218	AWHOBDR90	208	AWHTB7224	248	AX1A X39	60
AW1T2R4236	218	AWHOBDR96	208	AWHTB7230	248	AX1A X48	60
AW1T2R4242	219	AWHOBDS60	208	AWHTB7824	248	AX1A X64	60
AW1T2R4830	218	AWHOBDS66	208	AWHTB7830	248	AX1A Y39	60
AW1T2R4836	218	AWHOBDS72	208	AWHTB8424	248	AX1A Y48	60
AW1T2R4842	219	AWHOBDS78	208	AWHTB8430	248	AX1A Y64	60
AW1T2R5430	218	AWHOBDS84	208	AWHTB9024	248	AX1AES34	65
AW1T2R5436	218	AWHOBDS90	208	AWHTB9030	248	AX1AES42	65
AW1T2R5442	219	AWHOBDS96	208	AWHTB9624	248	AX1AES49	65
AW1T2R6030	218	AWHOBDR60	204	AWHTB9630	248	AX1AES64	65
AW1T2R6036	218	AWHOBDR66	204	AWM1 S36	245	AX1AES79	65
AW1T2R6042	219	AWHOBDR72	204	AWM1 S42	245	AX1DHES3600L(5)	67
AW1T2R6630	218	AWHOBDR78	204	AWM1 S48	245	AX1DHES3600R(5)	67
AW1T2R6636	218	AWHOBDR84	204	AWM1 S60	245	AX1DHES3603L(5)	67
AW1T2R6642	219	AWHOBDR90	204	AWM1 S66	245	AX1DHES3603R(5)	67
AW1T2R7230	218	AWHOBDR96	204	AWM1 S72	245	AX1DHES4200L(5)	67
AW1T2R7236	218	AWHOBSS60	204	AWM1 S78	245	AX1DHES4200R(5)	67
AW1T2R7242	219	AWHOBSS66	204	AWM1 S84	245	AX1DHES4203L(5)	67
AW1T2R7830	218	AWHOBSS72	204	AWSO	249	AX1DHES4203R(5)	67
AW1T2R7836	218	AWHOBSS78	204	AWSOG	249	AX1DHES5000L(5)	67
AW1T2R7842	219	AWHOBSS84	204	AWTCT24	169	AX1DHES5000R(5)	67
AW1T2R8430	218	AWHOBSS90	204	AWTCT30	169	AX1DHES5003L(5)	67
AW1T2R8436	218	AWHOBSS96	204	AX1 A34239	68	AX1DHES5003R(5)	67
AW1T2R8442	219	AWHOGDR60	208	AX1 A34939	68	AX1DHES5700L(5)	67
AW1T2R9030	218	AWHOGDR66	208	AX1 A34948	68	AX1DHES5700R(5)	67
AW1T2R9036	218	AWHOGDR72	208	AX1 A36439	68	AX1DHES5703L(5)	67
AW1T2R9042	219	AWHOGDR78	208	AX1 A36448	69	AX1DHES5703R(5)	67
AW1T2R9630	218	AWHOGDR84	208	AX1 A36464	69	AX1DHES6400L(5)	67
AW1T2R9636	218	AWHOGDR90	208	AX1 HLS4839	61	AX1DHES6400R(5)	67
AW1T2R9642	219	AWHOGDR96	208	AX1 HLS6439	61	AX1DHES6403L(5)	67

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AX1DHES6403R(5)	67	R2AHWR36	117	R3R0120VP149	114	R3R0LP249	108
AX1GES39	66	R2AHWR42	117	R3R0120VP164	114	R3R0LP342	108
AX1GES48	66	R2AHWR48	117	R3R0120VP234	114	R3R0LP349	108
AX1SEA3939	62	R2CG	120	R3R0120VP242	114	R3R0LPL42	107
AX1SEA4239	62	R3AUAC10	103	R3R0120VP249	114	R3R0LPL49	107
AX1SEA4339 C	62	R3B0P0F4207	70	R3R0120VP264	114	R3R0LT134	107
AX1SEA4848	62	R3B0P0F4907	70	R3R0120VP334	114	R3R0LT142	107
AX1SEA4939	62	R3B0P0F6407	70	R3R0120VP342	114	R3R0LT149	107
AX1SEA4948	62	R3B0P0F7907	70	R3R0120VP349	114	R3R0LT164	107
AX1SEA4964	62	R3B0P0H4207	70	R3R0120VP364	114	R3R0LT234	107
AX1SEA5248 C	62	R3B0P0H4907	70	R3R0120VPL34	114	R3R0LT242	107
AX1SEA6439	62	R3B0P0H6407	70	R3R0120VPL42	114	R3R0LT249	107
AX1SEA6448	62	R3B0P0H7907	70	R3R0120VPL49	114	R3R0LT264	107
AX1SEA6464	62	R3B0T0F4207	70	R3R0120VPL64	114	R3R0LT334	107
AX1SEA6864 C	62	R3B0T0F4907	70	R3R0120VT134	113	R3R0LT342	107
AX1SEA7948	62	R3B0T0F6407	70	R3R0120VT142	113	R3R0LT349	107
AX1SEA7964	62	R3B0T0F7907	70	R3R0120VT149	113	R3R0LT364	107
AX1SED3939	63	R3B0T0H4207	70	R3R0120VT164	113	R3R0LTL34	107
AX1SED4239	63	R3B0T0H4907	70	R3R0120VT234	113	R3R0LTL42	107
AX1SED4339C	63	R3B0T0H6407	70	R3R0120VT242	113	R3R0LTL49	107
AX1SED4848	63	R3B0T0H7907	70	R3R0120VT249	113	R3R0LTL64	107
AX1SED5039	63	R3GAU0818	102	R3R0120VT264	113	R3R0SP142	112
AX1SED5048	63	R3GAU0820	102	R3R0120VT334	113	R3R0SP149	112
AX1SED5248C	63	R3GAU0824	102	R3R0120VT342	113	R3R0SP242	112
AX1SED5739	63	R3GAU0830	102	R3R0120VT349	113	R3R0SP249	112
AX1SED5748	63	R3GAU0836	102	R3R0120VT364	113	R3R0SP342	112
AX1SED6439	63	R3GAU0842	102	R3R0120VTL34	113	R3R0SP349	112
AX1SED6448	63	R3GAU0848	102	R3R0120VTL42	113	R3R0SPL42	112
AX1SED6464	63	R3GAU1218	102	R3R0120VTL49	113	R3R0SPL49	112
AX1SED7848	63	R3GAU1220	102	R3R0120VTL64	113	R3R0TOH4207	70
AX1SED7864	63	R3GAU1224	102	R3R0135VP134	116	R3R0TOH4907	70
AX1SX39 A (L/C/P)	64	R3GAU1230	102	R3R0135VP142	116	R3R0TOH6407	70
AX1SX39 C (L/C/P)	64	R3GAU1236	102	R3R0135VP149	116	R3R0TP142	105
AX1SX48 A (L/C/P)	64	R3GAU1242	102	R3R0135VP164	116	R3R0TP149	105
AX1SX48 C (L/C/P)	64	R3GAU1248	102	R3R0135VP234	116	R3R0TP242	106
AX1SX64 A (L/C/P)	64	R3GAU1518	102	R3R0135VP242	116	R3R0TP249	106
AX1SX64 C (L/C/P)	64	R3GAU1520	102	R3R0135VP249	116	R3R0TP342	106
R2AHBW18	117	R3GAU1524	102	R3R0135VP264	116	R3R0TP349	106
R2AHBW20	117	R3GAU1530	102	R3R0135VP334	116	R3R0TPL42	106
R2AHBW24	117	R3GAU1536	102	R3R0135VP342	116	R3R0TPL49	106
R2AHBW30	117	R3GAU1542	102	R3R0135VP349	116	R3R0TT134	105
R2AHBW36	117	R3GAU1548	102	R3R0135VP364	116	R3R0TT142	105
R2AHBW42	117	R3GAUHL0818	102	R3R0135VPL34	116	R3R0TT149	105
R2AHBW48	117	R3GAUHL0820	102	R3R0135VPL42	116	R3R0TT164	105
R2AHCN34	117	R3GAUHL0824	102	R3R0135VPL49	116	R3R0TT234	105
R2AHCN42	117	R3GAUHL0830	102	R3R0135VPL64	116	R3R0TT242	105
R2AHCN49	117	R3GAUHL0836	102	R3R0135VT134	115	R3R0TT249	105
R2AHCN64	117	R3GAUHL0842	102	R3R0135VT142	115	R3R0TT264	105
R2AHCN79	117	R3GAUHL0848	102	R3R0135VT149	115	R3R0TT334	105
R2AHCR34	117	R3GAUHL1218	103	R3R0135VT164	115	R3R0TT342	105
R2AHCR42	117	R3GAUHL1220	103	R3R0135VT234	115	R3R0TT349	105
R2AHCR49	117	R3GAUHL1224	103	R3R0135VT242	115	R3R0TT364	105
R2AHCR64	117	R3GAUHL1230	103	R3R0135VT249	115	R3R0TTL34	105
R2AHCR79	117	R3GAUHL1236	103	R3R0135VT264	115	R3R0TTL42	105
R2AHSR18	117	R3GAUHL1242	103	R3R0135VT334	115	R3R0TTL49	105
R2AHSR20	117	R3GAUHL1248	103	R3R0135VT342	115	R3R0TTL64	105
R2AHSR24	117	R3GAUHL1518	103	R3R0135VT349	115	R3R1AF13418	82
R2AHSR30	117	R3GAUHL1520	103	R3R0135VT364	115	R3R1AF13424	82
R2AHSR36	117	R3GAUHL1524	103	R3R0135VTL34	115	R3R1AF13430	82
R2AHSR42	117	R3GAUHL1530	103	R3R0135VTL42	115	R3R1AF13436	82
R2AHSR48	117	R3GAUHL1536	103	R3R0135VTL49	115	R3R1AF13442	82
R2AHWR18	117	R3GAUHL1542	103	R3R0135VTL64	115	R3R1AF13448	82
R2AHWR20	117	R3GAUHL1548	103	R3R0LP142	108	R3R1AF14218	82
R2AHWR24	117	R3R0120VP134	114	R3R0LP149	108	R3R1AF14224	82
R2AHWR30	117	R3R0120VP142	114	R3R0LP242	108	R3R1AF14230	82

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3R1AF14236	82	R3R1AFL3430	81	R3R1CX24224	99	R3R1LALL34	109
R3R1AF14242	82	R3R1AFL3436	81	R3R1CX24230	99	R3R1LALL42	109
R3R1AF14248	82	R3R1AFL3442	81	R3R1CX24236	99	R3R1LALL49	109
R3R1AF14918	82	R3R1AFL3448	81	R3R1CX24242	99	R3R1LALL64	109
R3R1AF14924	82	R3R1AFL4218	81	R3R1CX24248	99	R3R1LAR134	109
R3R1AF14930	82	R3R1AFL4224	81	R3R1CX24918	99	R3R1LAR142	109
R3R1AF14936	82	R3R1AFL4230	81	R3R1CX24924	99	R3R1LAR149	109
R3R1AF14942	82	R3R1AFL4236	81	R3R1CX24930	99	R3R1LAR164	109
R3R1AF14948	82	R3R1AFL4242	81	R3R1CX24936	99	R3R1LAR234	110
R3R1AF16418	82	R3R1AFL4248	81	R3R1CX24942	99	R3R1LAR242	110
R3R1AF16424	82	R3R1AFL4918	81	R3R1CX24948	99	R3R1LAR249	110
R3R1AF16430	82	R3R1AFL4924	81	R3R1CX26418	99	R3R1LAR264	110
R3R1AF16436	82	R3R1AFL4930	81	R3R1CX26424	99	R3R1LAR334	110
R3R1AF16442	82	R3R1AFL4936	81	R3R1CX26430	99	R3R1LAR342	110
R3R1AF16448	82	R3R1AFL4942	81	R3R1CX26436	99	R3R1LAR349	110
R3R1AF23418	83	R3R1AFL4948	81	R3R1CX26442	99	R3R1LAR364	110
R3R1AF23424	83	R3R1AFL6418	81	R3R1CX26448	99	R3R1LARL34	109
R3R1AF23430	83	R3R1AFL6424	81	R3R1CX34218	100	R3R1LARI42	109
R3R1AF23436	83	R3R1AFL6430	81	R3R1CX34224	100	R3R1LARI49	109
R3R1AF23442	83	R3R1AFL6436	81	R3R1CX34230	100	R3R1LARL64	109
R3R1AF23448	83	R3R1AFL6442	81	R3R1CX34236	100	R3R1PFI4218	88
R3R1AF24218	83	R3R1AFL6448	81	R3R1CX34242	100	R3R1PFI4224	88
R3R1AF24224	83	R3R1ALL3418	85	R3R1CX34248	100	R3R1PFI4230	88
R3R1AF24230	83	R3R1ALL3424	85	R3R1CX34918	100	R3R1PFI4236	88
R3R1AF24236	83	R3R1ALL3430	85	R3R1CX34924	100	R3R1PFI4242	88
R3R1AF24242	83	R3R1ALL3436	85	R3R1CX34930	100	R3R1PFI4248	88
R3R1AF24248	83	R3R1ALL3442	85	R3R1CX34936	100	R3R1PFI4918	88
R3R1AF24918	83	R3R1ALL3448	85	R3R1CX34942	100	R3R1PFI4924	88
R3R1AF24924	83	R3R1ALL4218	85	R3R1CX34948	100	R3R1PFI4930	88
R3R1AF24930	83	R3R1ALL4224	85	R3R1CX36418	100	R3R1PFI4936	88
R3R1AF24936	83	R3R1ALL4230	85	R3R1CX36424	100	R3R1PFI4942	88
R3R1AF24942	83	R3R1ALL4236	85	R3R1CX36430	100	R3R1PFI4948	88
R3R1AF24948	83	R3R1ALL4242	85	R3R1CX36436	100	R3R1PFI4948	88
R3R1AF26418	83	R3R1ALL4248	85	R3R1CX36442	100	R3R1PFI4948	88
R3R1AF26424	83	R3R1ALL4918	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF26430	83	R3R1ALL4924	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF26436	83	R3R1ALL4930	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF26442	83	R3R1ALL4936	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF26448	83	R3R1ALL4942	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF33418	84	R3R1ALL4948	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF33424	84	R3R1ALL6418	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF33430	84	R3R1ALL6424	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF33436	84	R3R1ALL6430	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF33442	84	R3R1ALL6436	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF33448	84	R3R1ALL6442	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34218	84	R3R1ALL6448	86	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34224	84	R3R1CX14218	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34230	84	R3R1CX14224	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34236	84	R3R1CX14230	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34242	84	R3R1CX14236	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34248	84	R3R1CX14242	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34918	84	R3R1CX14248	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34924	84	R3R1CX14918	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34930	84	R3R1CX14924	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34936	84	R3R1CX14930	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34942	84	R3R1CX14936	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF34948	84	R3R1CX14942	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF36418	84	R3R1CX14948	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF36424	84	R3R1CX16418	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF36430	84	R3R1CX16424	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF36436	84	R3R1CX16430	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF36442	84	R3R1CX16436	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AF36448	84	R3R1CX16442	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AFL3418	81	R3R1CX16448	98	R3R1CX36448	100	R3R1PFI4948	88
R3R1AFL3424	81	R3R1CX24218	99	R3R1CX36448	100	R3R1PFI4948	88

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3R1PFL4936	87	R3R2AF34942	94	R3R2SXX6436	101	RR3EBVC50	130
R3R1PFL4942	87	R3R2AF34948	94	R3R2SXX6442	101	RR3EBVC62	130
R3R1PFL4948	87	R3R2AF36418	94	R3R2SXX6448	101	RR3EBVC64	130
R3R1SA134	111	R3R2AF36424	94	R3SKIT	103	RR3EBVC76	130
R3R1SA142	111	R3R2AF36430	94	R3SPABPT	120	RR3EBVC78	130
R3R1SA149	111	R3R2AF36436	94	R3SPABTT	120	RR3EBVC90	130
R3R1SA164	111	R3R2AF36442	94	R3SPABTW	120	RR3-EJ18	124
R3R1SA234	111	R3R2AF36448	94	R3X34E	111	RR3-EJ18P	124
R3R1SA242	111	R3R2AFL3418	91	R3X42E	111	RR3-EJ20	124
R3R1SA249	111	R3R2AFL3424	91	R3X49E	111	RR3-EJ20P	124
R3R1SA264	111	R3R2AFL3430	91	R3X64E	111	RR3-EJ24	124
R3R1SA334	112	R3R2AFL3436	91	RBCCP	238	RR3-EJ24P	124
R3R1SA342	112	R3R2AFL3442	91	RBF	238	RR3-EJ30	124
R3R1SA349	112	R3R2AFL3448	91	RCOUNTWT3	181, 182	RR3-EJ30P	124
R3R1SA364	112	R3R2AFL4918	91	RHSC15	120	RR3-EJ36	124
R3R1SAL34	111	R3R2AFL4924	91	RHSC250	120	RR3-EJ36P	124
R3R1SAL42	111	R3R2AFL4930	91	RHSC70	120	RR3-EJ42	124
R3R1SAL49	111	R3R2AFL4936	91	RL4L17	209	RR3-EJ42P	124
R3R1SAL64	111	R3R2AFL4942	91	RL4L31	209	RR3-EJ48	124
R3R2AF13418	92	R3R2AFL4948	91	RL4L44	209	RR3-EJ48P	124
R3R2AF13424	92	R3R2AFL6418	91	RL4L58	209	RR3-EJ54P	124
R3R2AF13430	92	R3R2AFL6424	91	RPETAD	179	RR3-EJ60P	124
R3R2AF13436	92	R3R2AFL6430	91	RR3CHI241	128	RR3-EJ66P	124
R3R2AF13442	92	R3R2AFL6436	91	RR3CHI242	128	RR3-EJ72P	124
R3R2AF13448	92	R3R2AFL6442	91	RR3CHI301	128	RR3-EJ78P	124
R3R2AF14918	92	R3R2AFL6448	91	RR3CHI302	128	RR3-EJ84P	124
R3R2AF14924	92	R3R2ALL3418	95	RR3CHI361	128	RR3-EJ90P	124
R3R2AF14930	92	R3R2ALL3424	95	RR3CHI362	128	RR3-EJ96P	124
R3R2AF14936	92	R3R2ALL3430	95	RR3CHI421	128	RR3-EPC24M	122
R3R2AF14942	92	R3R2ALL3436	95	RR3CHI422	128	RR3-EPCM	122
R3R2AF14948	92	R3R2ALL3442	95	RR3CHI481	128	RR3-EPCP24M	122
R3R2AF16418	92	R3R2ALL3448	95	RR3CHI482	128	RR3-EPCPM	122
R3R2AF16424	92	R3R2ALL4218	95	RR3-DA	123, 126	RR3-EPCPSM	122
R3R2AF16430	92	R3R2ALL4224	95	RR3-DAC	123, 126	RR3-EPCSM	122
R3R2AF16436	92	R3R2ALL4230	95	RR3-DATSHD	123, 126	RR3-EPI	124
R3R2AF16442	92	R3R2ALL4236	95	RR3-DB	123, 126	RR3-EPNY1	124
R3R2AF16448	92	R3R2ALL4242	95	RR3-DBC	123, 126	RR3-EPNY2	124
R3R2AF23418	93	R3R2ALL4248	95	RR3-DC	126	RR3-EPVR	124
R3R2AF23424	93	R3R2ALL4918	96	RR3-DCC	126	RR3EVJ	131
R3R2AF23430	93	R3R2ALL4924	96	RR3-DX	123, 126	RR3EVJ110	131
R3R2AF23436	93	R3R2ALL4930	96	RR3-DXC	123, 126	RR3EVJ82	131
R3R2AF23442	93	R3R2ALL4936	96	RR3-DXO	123, 126	RR3EVJ96	131
R3R2AF23448	93	R3R2ALL4942	96	RR3-DY	123, 126	RR3FDP	130
R3R2AF24918	93	R3R2ALL4948	96	RR3-DYC	123, 126	RR3-REPI	124
R3R2AF24924	93	R3R2ALL6418	96	RR3-DYO	123, 126	RR3-RTPI	127
R3R2AF24930	93	R3R2ALL6424	96	RR3-DZ	126	RR3-SP-(A, B, C, X, Y, Z)	127
R3R2AF24936	93	R3R2ALL6430	96	RR3-DZC	126	RR3-SP-(A,B,X,Y)	124
R3R2AF24942	93	R3R2ALL6436	96	RR3-DZO	126	RR3-T24	125
R3R2AF24948	93	R3R2ALL6442	96	RR3-E24	122	RR3-T24RF	125
R3R2AF26418	93	R3R2ALL6448	96	RR3-E24RF	122	RR3-T24S	121
R3R2AF26424	93	R3R2SXX4218	101	RR3-E24S	121	RR3-T30NS	125
R3R2AF26430	93	R3R2SXX4224	101	RR3-E30NS	122	RR3-T30S	121
R3R2AF26436	93	R3R2SXX4230	101	RR3-E30S	121	RR3-T36NS	125
R3R2AF26442	93	R3R2SXX4236	101	RR3-E36NS	122	RR3-T36S	121
R3R2AF26448	93	R3R2SXX4242	101	RR3-E36S	121	RR3-T42NS	125
R3R2AF33418	94	R3R2SXX4248	101	RR3-E42NS	122	RR3-T42S	121
R3R2AF33424	94	R3R2SXX4918	101	RR3-E42S	121	RR3-T48NS	125
R3R2AF33430	94	R3R2SXX4924	101	RR3-E48NS	122	RR3-T48S	121
R3R2AF33436	94	R3R2SXX4930	101	RR3-E48S	121	RR3-T60-4	125
R3R2AF33442	94	R3R2SXX4936	101	RR3-E60-4	122	RR3-T60-4RF	125
R3R2AF33448	94	R3R2SXX4942	101	RR3-E60-4RF	122	RR3-T66-4	125
R3R2AF34918	94	R3R2SXX4948	101	RR3-E66-4	122	RR3-T66-4RF	125
R3R2AF34924	94	R3R2SXX6418	101	RR3-E66-4RF	122	RR3-T72-4	125
R3R2AF34930	94	R3R2SXX6424	101	RR3-E72-4	122	RR3-T72-4RF	125
R3R2AF34936	94	R3R2SXX6430	101	RR3-E72-4RF	122	RR3TBVC50	131

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3TBVC62	131	RSPABWW	120	XTB1 BAS 30S25SA	269	XTB1EP1LD30P	281
RR3TBVC64	131	XAU A 1248G	306	XTB1 BAS 30S25SF	267	XTB1EP1LD36	282
RR3TBVC76	131	XAU A 1260G	306	XTB1 BAS 36D10CA	272	XTB1EP1LD36P	281
RR3TBVC78	131	XAU A 1272G	306	XTB1 BAS 36D10CF	270	XTB1EP1RD24	282
RR3TBVC90	131	XT1DS4505	297	XTB1 BAS 36D12CA	272	XTB1EP1RD24P	281
RR3-TJ18	127	XT1DS5705	297	XTB1 BAS 36D12CF	270	XTB1EP1RD30	282
RR3-TJ18P	127	XT1DS6905	297	XTB1 BAS 36D15CA	272	XTB1EP1RD30P	281
RR3-TJ20	127	XT1LS4509	297	XTB1 BAS 36D15CF	270	XTB1EP1RD36	282
RR3-TJ20P	127	XT1LS5709	297	XTB1 BAS 36D15SA	272	XTB1EP1RD36P	281
RR3-TJ24	127	XT1LS6909	297	XTB1 BAS 36D15SF	270	XTB1EP2DD24	282
RR3-TJ24P	127	XT1SA24	297	XTB1 BAS 36D18SA	272	XTB1EP2DD24P	281
RR3-TJ30	127	XT1SA30	297	XTB1 BAS 36D18SF	270	XTB1EP2DD30	282
RR3-TJ30P	127	XT1SA36	297	XTB1 BAS 36D20SA	272	XTB1EP2DD30P	281
RR3-TJ36	127	XT1SA42	297	XTB1 BAS 36D20SF	270	XTB1EP2DD36	282
RR3-TJ36P	127	XT1SA48	297	XTB1 BAS 36D24CA	272	XTB1EP2DD36P	281
RR3-TJ42	127	XT1SA54	297	XTB1 BAS 36D24CF	270	XTB1EP2SD24	282
RR3-TJ42P	127	XT1SA60	297	XTB1 BAS 36D25CA	272	XTB1EP2SD24P	281
RR3-TJ48	127	XT1SA66	297	XTB1 BAS 36D25CF	270	XTB1EP2SD30	282
RR3-TJ48P	127	XT1SA72	297	XTB1 BAS 36S10CA	273	XTB1EP2SD30P	281
RR3-TJ54P	127	XTB1 BAS 24D10CF	264	XTB1 BAS 36S10CF	271	XTB1EP2SD36	282
RR3-TJ60P	127	XTB1 BAS 24D12CF	264	XTB1 BAS 36S12CA	273	XTB1EP2SD36P	281
RR3-TJ66P	127	XTB1 BAS 24D15CF	264	XTB1 BAS 36S12CF	271	XTB1ESD24	280
RR3-TJ72P	127	XTB1 BAS 24D15SF	264	XTB1 BAS 36S15CA	273	XTB1ESD30	280
RR3-TJ78P	127	XTB1 BAS 24D18SF	264	XTB1 BAS 36S15CF	271	XTB1ESD36	280
RR3-TJ84P	127	XTB1 BAS 24D20SF	264	XTB1 BAS 36S15SA	273	XTB1FC	284
RR3-TJ90P	127	XTB1 BAS 24D24SF	264	XTB1 BAS 36S15SF	271	XTB1FC24	284
RR3-TJ96P	127	XTB1 BAS 24D25SF	264	XTB1 BAS 36S18SA	273	XTB1FCEND	285
RR3-TPC24M	125	XTB1 BAS 24S10CF	265	XTB1 BAS 36S18SF	271	XTB1LP	285
RR3-TPCM	125	XTB1 BAS 24S12CF	265	XTB1 BAS 36S20SA	273	XTB1MB	284
RR3-TPCP24M	125	XTB1 BAS 24S15CF	265	XTB1 BAS 36S20SF	271	XTB1RAK	293
RR3-TPCPM	125	XTB1 BAS 24S15SF	265	XTB1 BAS 36S24SA	273	XTB1SB10C	277
RR3-TPCPSM	125	XTB1 BAS 24S18SF	265	XTB1 BAS 36S24SF	271	XTB1SB10E	277
RR3-TPCSM	125	XTB1 BAS 24S20SF	265	XTB1 BAS 36S25SA	273	XTB1SB12C	277
RR3-TPI	127	XTB1 BAS 24S24SF	265	XTB1 BAS 36S25SF	271	XTB1SB12E	277
RR3-TPNY1	127	XTB1 BAS 24S25SF	265	XTB1 SLIK	278	XTB1SB15C	277
RR3-TPNY2	127	XTB1 BAS 30D10CA	268	XTB1 SLIK30	278	XTB1SB15E	277
RR3-TPVR	127	XTB1 BAS 30D10CF	266	XTB1 SLIK36	278	XTB1SB4E	277
RR3TVJ	131	XTB1 BAS 30D12CA	268	XTB1AC	284	XTB1SB5C	277
RR3TVJ110	131	XTB1 BAS 30D12CF	266	XTB1AC24	284	XTB1SB5E	277
RR3TVJ82	131	XTB1 BAS 30D15CA	268	XTB1ACEND	285	XTB1SB6C	277
RR3TVJ96	131	XTB1 BAS 30D15CF	266	XTB1DB10C	276	XTB1SB6E	277
RR3-USBA	123	XTB1 BAS 30D15SA	268	XTB1DB10E	276	XTB1SB8C	277
RR3-USBB	123	XTB1 BAS 30D15SF	266	XTB1DB12C	276	XTB1SB8E	277
RR3-USBC	123	XTB1 BAS 30D18SA	268	XTB1DB12E	276	XTB1T24	283
RR3-USBX	123	XTB1 BAS 30D18SF	266	XTB1DB15C	276	XTB1TB10C	275
RR3-USBY	123	XTB1 BAS 30D20SA	268	XTB1DB15E	276	XTB1TB10E	275
RR3-USBZ	123	XTB1 BAS 30D20SF	266	XTB1DB4E	276	XTB1TB12C	275
RR3VDA	130	XTB1 BAS 30D24CA	268	XTB1DB5C	276	XTB1TB12E	275
RR3VDAC	130	XTB1 BAS 30D24CF	266	XTB1DB5E	276	XTB1TB15C	275
RR3VDB	130	XTB1 BAS 30D25CA	268	XTB1DB6C	276	XTB1TB15E	275
RR3VDBC	130	XTB1 BAS 30D25CF	266	XTB1DB6E	276	XTB1TB4E	275
RR3VDC	130	XTB1 BAS 30S10CA	269	XTB1DB8C	276	XTB1TB5C	275
RR3VDCC	130	XTB1 BAS 30S10CF	267	XTB1DB8E	276	XTB1TB5E	275
RR3VDX	130	XTB1 BAS 30S12CA	269	XTB1EDD24	278	XTB1TB6C	275
RR3VDXC	130	XTB1 BAS 30S12CF	267	XTB1EDD30	278	XTB1TB6E	275
RR3VDXO	130	XTB1 BAS 30S15CA	269	XTB1EDD36	278	XTB1TB8C	275
RR3VDY	130	XTB1 BAS 30S15CF	267	XTB1EP1DD24	282	XTB1TB8E	275
RR3VDYC	130	XTB1 BAS 30S15SA	269	XTB1EP1DD24P	281	XTB1XD30	283
RR3VDYO	130	XTB1 BAS 30S15SF	267	XTB1EP1DD30	282	XTB1XD30N	283
RR3VDZ	130	XTB1 BAS 30S18SA	269	XTB1EP1DD30P	281	XTB1XD36	283
RR3VDZC	130	XTB1 BAS 30S18SF	267	XTB1EP1DD36	282	XTB1XD36N	283
RR3VDZO	130	XTB1 BAS 30S20SA	269	XTB1EP1DD36P	281	XTB1XDD24	278
RR3VPBK	130	XTB1 BAS 30S20SF	267	XTB1EP1LD24	282	XTB1XDD30	278
RSPABPP	120	XTB1 BAS 30S24SA	269	XTB1EP1LD24P	281	XTB1XDD36	278
RSPABPW	120	XTB1 BAS 30S24SF	267	XTB1EP1LD30	282	XTB1XS30	283

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
XTB1XS30N	283	XTDTX42	293	XTR1TJ18	289	XTTK4824U (L/M/1/2/3)	258
XTB1XS36	283	XTES1 2414	304	XTR1TJ30	289	XTTK4830A (L/M/1/2/3)	257
XTB1XS36N	283	XTES1 2414F	305	XTR1TJ42	289	XTTK4830C (L/M/1/2/3)	259
XTB1YDD24	279	XTES1 2421	304	XTR1TPH	289	XTTK4830E (L/M/1/2/3)	260
XTB1YDD30	279	XTES1 2421F	305	XTR1TPI	289	XTTK4830U (L/M/1/2/3)	258
XTB1YDD36	279	XTES1 3014	304	XTR1X30D	290	XTTK4836A (L/M/1/2/3)	257
XTB2LDD	278	XTES1 3014F	305	XTR1X30S	290	XTTK4836C (L/M/1/2/3)	259
XTB2LDD24	278	XTES1 3021	304	XTR1X424D	290	XTTK4836D (L/M/1/2/3)	261
XTB2LSD	280	XTES1 3021F	305	XTR1X424S	290	XTTK4836E (L/M/1/2/3)	261
XTB2LSD24	280	XTES1 3614	304	XTR1XCPM	291	XTTK4836U (L/M/1/2/3)	258
XTBT18	294	XTES1 3614F	305	XTR1XJ18	291	XTTK6018F (L/M/1/2/3)	263
XTBT24	294	XTES1 3621	304	XTR1XJ30	291	XTTK6024A (L/M/1/2/3)	257
XTBT36	294	XTES1 3621F	305	XTR1XJ42	291	XTTK6024C (L/M/1/2/3)	259
XTBT48	294	XTES1 4814	302	XTR1XPH	291	XTTK6024E (L/M/1/2/3)	260
XTBT60	294	XTES1 4814F	303	XTR1XPI	291	XTTK6024U (L/M/1/2/3)	258
XTC1 120 AA	274	XTES1 4821	302	XTR51 5414	300	XTTK6030A (L/M/1/2/3)	257
XTC1 144 AA	274	XTES1 4821F	303	XTR51 5414F	301	XTTK6030C (L/M/1/2/3)	259
XTC1 48	274	XTES1 6014	302	XTR51 5421	300	XTTK6030E (L/M/1/2/3)	260
XTC1 60	274	XTES1 6014F	303	XTR51 5421F	301	XTTK6030U (L/M/1/2/3)	258
XTC1 72	274	XTES1 6021	302	XTR51 6014	300	XTTK6036A (L/M/1/2/3)	257
XTC1 96	274	XTES1 6021F	303	XTR51 6014F	301	XTTK6036C (L/M/1/2/3)	259
XTC1 END	274	XTES1 7214	302	XTR51 6021	300	XTTK6036D (L/M/1/2/3)	261
XTCA1 120 AA	274	XTES1 7214F	303	XTR51 6021F	301	XTTK6036E (L/M/1/2/3)	261
XTCA1 144 AA	274	XTES1 7221	302	XTR51 6614	300	XTTK6036F (L/M/1/2/3)	263
XTCA1 48	274	XTES1 7221F	303	XTR51 6614F	301	XTTK6036U (L/M/1/2/3)	258
XTCA1 60	274	XTPS1MZKIT	307	XTR51 6621	300	XTTK7218F (L/M/1/2/3)	263
XTCA1 72	274	XTR1BCC50	293	XTR51 6621F	301	XTTK7224A (L/M/1/2/3)	257
XTCA1 96	274	XTR1D1	291	XTR51 7214	300	XTTK7224C (L/M/1/2/3)	259
XTCF 48	274	XTR1D1C	291	XTR51 7214F	301	XTTK7224E (L/M/1/2/3)	260
XTCF 60	274	XTR1D2	291	XTR51 7221	300	XTTK7224U (L/M/1/2/3)	258
XTCF 72	274	XTR1D2C	291	XTR51 7221F	301	XTTK7230A (L/M/1/2/3)	257
XTCS1 4714	295	XTR1D3	291	XTR51 7814	300	XTTK7230C (L/M/1/2/3)	259
XTCS1 4714F	296	XTR1D3C	291	XTR51 7814F	301	XTTK7230E (L/M/1/2/3)	260
XTCS1 4721	295	XTR1D4	291	XTR51 7821	300	XTTK7230U (L/M/1/2/3)	258
XTCS1 4721F	296	XTR1D4C	291	XTR51 7821F	301	XTTK7236A (L/M/1/2/3)	257
XTCS1 4814	295	XTR1DA	287, 289	XTSM1C	302, 303	XTTK7236C (L/M/1/2/3)	259
XTCS1 4814F	296	XTR1DAC	287, 289	XTSM1K	298, 299	XTTK7236D (L/M/1/2/3)	261
XTCS1 4821	295	XTR1DB	287, 289	XTSM1KC	304, 305	XTTK7236E (L/M/1/2/3)	261
XTCS1 4821F	296	XTR1DBC	287, 289	XTSM1KK	302, 303	XTTK7236F (L/M/1/2/3)	263
XTCS1 5914	295	XTR1DC	289	XTSM1P	298, 299, 300, 301, 302, 303	XTTK7236U (L/M/1/2/3)	258
XTCS1 5914F	296	XTR1DCC	289	XTSM1PC	304, 305	XTTK8418F (L/M/1/2/3)	263
XTCS1 5921	295	XTR1DXO	287, 289	XTSM1S	298, 299, 300, 301, 302, 303	XTTK8436F (L/M/1/2/3)	263
XTCS1 5921F	296	XTR1DYO	287, 289	XTSM1SC	304, 305	XTTK9624A (L/M/1/2/3)	257
XTCS1 6014	295	XTR1DZO	289	XTSM1SLAT	302, 303	XTTK9624C (L/M/1/2/3)	259
XTCS1 6014F	296	XTR1E30D	286	XTSS1 2414	298	XTTK9624U (L/M/1/2/3)	258
XTCS1 6021	295	XTR1E30S	286	XTSS1 2414F	299	XTTK9630A (L/M/1/2/3)	257
XTCS1 6021F	296	XTR1E424D	286	XTSS1 2421	298	XTTK9630C (L/M/1/2/3)	259
XTCS1 7114	295	XTR1E424S	286	XTSS1 2421F	299	XTTK9630U (L/M/1/2/3)	258
XTCS1 7114F	296	XTR1ECPM	287	XTSS1 3014	298	XTTK9636A (L/M/1/2/3)	257
XTCS1 7121	295	XTR1EE	286, 288, 292	XTSS1 3014F	299	XTTK9636C (L/M/1/2/3)	259
XTCS1 7121F	296	XTR1EJ18	287	XTSS1 3021	298	XTTK9636U (L/M/1/2/3)	258
XTCS1 7214	295	XTR1EJ30	287	XTSS1 3021F	299	XTPP3018F (L)	263
XTCS1 7214F	296	XTR1EJ42	287	XTSS1 3614	298	XTPP3618F (L)	263
XTCS1 7221	295	XTR1EPH	287	XTSS1 3614F	299	XTPP4218F (L)	263
XTCS1 7221F	296	XTR1EPI	287	XTSS1 3621	298	XTPP4824A (L)	257
XTCS1 SBA	297	XTR1FE	286, 288, 292	XTSS1 3621F	299	XTPP4824B (L)	258
XTCT6030D	293	XTR1H30D	292	XTTK3018F (L/M/1/2/3)	263	XTPP4824C (L)	259
XTCT6030LD	293	XTR1OF	287, 289, 292	XTTK3036F (L/M/1/2/3)	263	XTPP4824E (L)	260
XTCT6036D	293	XTR1PDCX	287, 289	XTTK3618F (L/M/1/2/3)	263	XTPP4830A (L)	257
XTCT6036LD	293	XTR1T30D	288	XTTK3636F (L/M/1/2/3)	263	XTPP4830B (L)	258
XTCT7230D	293	XTR1T30S	288	XTTK4218F (L/M/1/2/3)	263	XTPP4830C (L)	259
XTCT7230LD	293	XTR1T424D	288	XTTK4236F (L/M/1/2/3)	263	XTPP4830E (L)	260
XTCT7236D	293	XTR1T424S	288	XTTK4824A (L/M/1/2/3)	257	XTPP4836A (L)	257
XTCT7236LD	293	XTR1TCC25	293	XTTK4824C (L/M/1/2/3)	259	XTPP4836B (L)	258
XTDT42	293	XTR1TCPM	289	XTTK4824E (L/M/1/2/3)	260	XTPP4836C (L)	259

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
XHTTP4836D (L)	262	XTTS6036U (1/2/3)	258
XHTTP4836E (L)	262	XTTS7224A (1/2/3)	257
XHTTP6024A (L)	257	XTTS7224C (1/2/3)	259
XHTTP6024B (L)	258	XTTS7224E (1/2/3)	260
XHTTP6024C (L)	259	XTTS7224U (1/2/3)	258
XHTTP6024E (L)	260	XTTS7230A (1/2/3)	257
XHTTP6030A (L)	257	XTTS7230C (1/2/3)	259
XHTTP6030B (L)	258	XTTS7230E (1/2/3)	260
XHTTP6030C (L)	259	XTTS7230U (1/2/3)	258
XHTTP6030E (L)	260	XTTS7236A (1/2/3)	257
XHTTP6036A (L)	257	XTTS7236C (1/2/3)	259
XHTTP6036B (L)	258	XTTS7236D (1/2/3)	261
XHTTP6036C (L)	259	XTTS7236E (1/2/3)	261
XHTTP6036D (L)	262	XTTS7236U (1/2/3)	258
XHTTP6036E (L)	262	XTTS9624A (1/2/3)	257
XHTTP7224A (L)	257	XTTS9624C (1/2/3)	259
XHTTP7224B (L)	258	XTTS9624U (1/2/3)	258
XHTTP7224C (L)	259	XTTS9630A (1/2/3)	257
XHTTP7224E (L)	260	XTTS9630C (1/2/3)	259
XHTTP7230A (L)	257	XTTS9630U (1/2/3)	258
XHTTP7230B (L)	258	XTTS9636A (1/2/3)	257
XHTTP7230C (L)	259	XTTS9636C (1/2/3)	259
XHTTP7230E (L)	260	XTTS9636U (1/2/3)	258
XHTTP7236A (L)	257	XTWB120	294
XHTTP7236B (L)	258	XTWTB	294
XHTTP7236C (L)	259	XTWTBSLIK	294
XHTTP7236D (L)	262	XTWTC	294
XHTTP7236E (L)	262	XTWTX	294
XHTTP9624A (L)	257		
XHTTP9624B (L)	258		
XHTTP9624C (L)	259		
XHTTP9630A (L)	257		
XHTTP9630B (L)	258		
XHTTP9630C (L)	259		
XHTTP9636A (L)	257		
XHTTP9636B (L)	258		
XHTTP9636C (L)	259		
XTTS3018F (1/2/3)	263		
XTTS3618F (1/2/3)	263		
XTTS4218F (1/2/3)	263		
XTTS4824A (1/2/3)	257		
XTTS4824C (1/2/3)	259		
XTTS4824E (1/2/3)	260		
XTTS4824U (1/2/3)	258		
XTTS4830A (1/2/3)	257		
XTTS4830C (1/2/3)	259		
XTTS4830E (1/2/3)	260		
XTTS4830U (1/2/3)	258		
XTTS4836A (1/2/3)	257		
XTTS4836C (1/2/3)	259		
XTTS4836D (1/2/3)	261		
XTTS4836E (1/2/3)	261		
XTTS4836U (1/2/3)	258		
XTTS6024A (1/2/3)	257		
XTTS6024C (1/2/3)	259		
XTTS6024E (1/2/3)	260		
XTTS6024U (1/2/3)	258		
XTTS6030A (1/2/3)	257		
XTTS6030C (1/2/3)	259		
XTTS6030E (1/2/3)	260		
XTTS6030U (1/2/3)	258		
XTTS6036A (1/2/3)	257		
XTTS6036C (1/2/3)	259		
XTTS6036D (1/2/3)	261		
XTTS6036E (1/2/3)	261		

Selling Policy

	This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.
Freight Prepaid	Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.
Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below. Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair). Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts. <i>Product and Period of Warranty</i> <i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Rockwell Unscripted, Series 2 Storage, Template, Quoin and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, digital locks, upholstery, textiles and leathers, special or custom products, see below)</i> <i>12 Years: Chadwick, Generation by Knoll, k. task, Life, Moment, MultiGeneration by Knoll, Ollo, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i> <i>10 Years: Anchor Storage except digital locks, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Rockwell Unscripted, Quoin wood components, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, k. lounge structural components, KnollStudio Pixel and Propeller, Tone bases and k.screens.</i> <i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, Currents handcrank, KnollStudio, Rockwell Unscripted wire bases, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU holders and all universal storage drawers and Power Collection, k. bench (except changes in finish, see below) and k. stand bases (except changes in finish, see below).</i> <i>3 Years: Rockwell Unscripted upholstery (except textiles and leather), Office Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, KnollExtra Pop Up Screens.</i> <i>2 Years: Anchor Storage digital locks, Quoin digital locks, all other KnollExtra product and KnollTextiles Ultrasuede.</i> <i>1 Year: Light ballasts, bulbs and power supply, seating upholstered arm pads and soft arm pads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric. Rockwell Unscripted fabric and accessories, Spinneybeck leathers, and KnollTextiles upholstery except Ultrasuede.</i> This warranty does not apply to: • Damage caused by a carrier other than the Seller. • Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products). • COM or other third party materials applied to Products. • Products not installed by or under the auspices of a Knoll Dealer. • Dramatic temperature variations or exposure to unusual conditions. • Changes in surface finishes, including colorfastness due to aging or exposure to light. • Except as specifically noted above, textiles and upholstery supplied by KnollTextiles and Spinneybeck FilzFelt (consult current price lists for applicable warranties). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE. The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. The foregoing indemnity does not apply to the following: • Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."