

Anchor

Price List
March 2020



Knoll

Introduction	Knoll and Sustainable Design	2
	Finish Options	3
	KnollTextiles and Spinneybeck Leather Approvals	4
	KnollTextiles and Spinneybeck for Cushions	5
	Grain Direction Planning Guide	6
	Mixed Laminate Finishes	7
Raised Storage	Raised Storage Specifications	9
	Foot Kits	10
Credenzas	Credenza Specifications	11
	Credenzas	16
	Credenza Cushions	44
Pedestals	Pedestal Specifications	45
	Pedestal Planning & Stability Guidelines	48
	Pedestals	49
	Pedestal Shelves and Accessories	72
	Pedestal Tops	74
	Counterweight Kits	76
Stackers	Stacker Specifications	77
	Credenza Stackers	78
	Worksurface Stackers	81
Overhead Storage	Overhead Storage Specification	93
	Overhead Storage	94
	Overhead Shelves	95
Slide Out Towers	Slide Out Tower Specifications	96
	Slide Out Towers	97
	Slide Out Tower Shelves and Accessories	101
	Slide Out Tower Tops	103
Towers	Tower Specifications	104
	Towers	106
	Tower Shelves	121
	Tower Accessories	122
	Tower Front Panel	123
Workstation Lockers	Workstation Locker Specification	125
	Workstation Lockers	126
	Workstation Lockers for use with Feet	129
	Counterweight Kits	132
	Workstation Locker Shelves	133
Lockers	Locker Specifications	134
	Locker Interior Planning	135
	Lockers	137
	Locker Tops	142
	Locker Shelves	143
	Locker Accessories	144
Keyless Locking	Digital Keypad and RFID Lock Specifications	145
	Keyless Locking Accessories	148
Electrical Components	Electrical System Specifications	149
	Electrical Planning Guidelines	153
	Electrical Components	155
Wall Mounting of Knoll Products		160
Alpha-Numeric Index		162
Selling Policy		167
KnollKey Lock Program		169
General Ordering Information		170

Knoll and Sustainable Design

Each year Knoll sets key initiatives in the journey to sustainability. Focused on our impact to people and planet, Knoll reports material health product attributes and sets operational targets to reduce greenhouse gas emissions, waste generation and water use (in our North American facilities.)

Material transparency is a core Knoll sustainable design value, enabling us to optimize the design and performance of our products. Our material health program utilizes independent third-party certifications that provide an impartial and trustworthy foundation for industry-wide transparency. Certification by respected third parties ensures that all manufacturers are held to the same high standards. Knoll certifications include: Forest Stewardship Council (FSC®), Intertek's Clean Air Program, Business and Institutional Furniture Manufacturer's Association (BIFMA) LEVEL® certification, International Living Future Institute's (ILFI) Declare labelling and Certified Environmental Product Declarations. In addition, Knoll is aligned with the U.S. Green Building Council and can help organizations achieve credits for Leadership in Energy and Environmental Design (LEED®), WELL and the Living Building Challenge (LBC) building certifications.

In our manufacturing operations, we focus on efficiency and impact. Knoll Office and Knoll Europe manufacturing locations are ISO 14001:2015 certified. Knoll sets objectives and targets to reduce energy, water and waste. These initiatives are part of a long-term strategy to further reduce energy consumption and lower our carbon footprint.

We also believe in helping our customers find viable options when decommissioning furniture or other related assets. ANEW's Full Circle Program, in partnership with Knoll, allows customers to leverage buy-back and re-sale programs as well as explore options for repurposing or recycling that mitigate landfill impact through energy-from-waste conversion.

For more information about Knoll and sustainable design, visit www.knoll.com/environment.

KNOLL CORE LAMINATES

Matching edge band unless noted otherwise

L1 - Solid Colors

114*	Folkstone Grey
117*	Soft Grey
118*	Bright White
119*	Pumice

L2 - Solid Colors

111*	Jet Black
115*	Medium Grey
128*	Fog

L2 - Patterned

121	Micro Grey <i>with 114 Folkstone grey edge band</i>
122	Brushed Sand <i>with 119 Pumice edge band</i>
123	Brushed Grey <i>with 128 Fog edge band</i>
129	Micro Sand <i>with 119 Pumice edge band</i>

L2 - Wood Grain

124*	Medium Cherry
125*	Natural Maple
126*	Natural Cherry
127*	Walnut
139*	Light Ash
140*	Warm Ash
141*	Whitened Ash
142*	Grey Ash
143*	Classic Oak
144*	Graphite Pear
145	Zebra
147*	Silverwood
148*	Smokewood
149*	Barnwood

*denotes melamine finish

PULL FINISHES

Knoll Core Paints

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey
118	Bright White
120	Black Brown
611	Beige Mist Metallic
612	Medium Grey Metallic
613	Silver

Accent Paints

130	Dark Red
131	Slate Blue
132	Olive Green
133	Canary Yellow
134	Knoll Red

Anodized Finishes

AA	Anodized Aluminum
AN	Anodized Nickel

Anodized pulls have grooved underside.

FOOT FINISHES

Paint

111T	Jet Black Textured
114T	Folkstone Grey Textured
115T	Medium Grey Textured
118T	Bright White Textured
613T	Silver Textured

LOCK FINISHES

Standard Lock

B	Black
C	Chrome

Digital Keypad and RFID Lock, all units

NO	Brushed Nickel
----	----------------

Digital Keypad on Credenzas, Doublewide Pedestals also available in

B	Black
---	-------

PET FINISHES

Nomad

6150	Gull
6151	Smoke
6152	Powder
6153	Sage
6154	Goldmound

Knoll Textiles Options for Pedestal and Credenza Cushions**Grade A**

- C P** Alignment (K349)
- P** Beacon (W1597)
- C P** Bocce (K1255) ♣
- C P** Chance (K1552)
- C P** Common Ground (K448) ♣
- C P** Commuter Cloth (K1778) ♣
- C P** Cross Tech (K2279)
- C P** Crossroad (K2085)
- C P** Delite (K2026) ♣
- C P** Dristi (K872) Ⓢ
- P** Heavy Metal (W539)
- C P** Hourglass (K1523)
- C P** Infinite (K2263)
- C P** Mariner (K642)
- C P** Monarch (K1149) ♣
- P** Oh La La (K2201)
- C P** Overature (K2169) ♣
- C P** Prep (K1076) ♣
- C P** Presto (K1000) ♣
- C P** Reflect (W884)
- C P** Soliloquy (K1458)
- C P** Sonnet (K1460) ♣
- C P** Trophy (K1709) ♣
- C P** Uni-form (K2125)

Grade B

- C P** Abacus (K715) ♣
- C P** Attire (K2340)
- C P** Belize (K1165)
- P** Bistro (K1775) ♣
- C P** Block Party (WC2335) Ⓢ
- C P** Boundary (K1828) ♣
- C P** Brigadoon (K2167) Ⓢ
- C P** Calypso (K2127)
- C P** Cameo (K1443)
- C P** Chroma (K345) ♣
- C P** Chronicle (K1525) ♣
- C P** Day Tripper (K2248)
- C P** Diva (K2051) ♣
- C P** Dottie (K2259)
- C P** Ferry (K1697)
- P** Forza (K584) Ⓢ
- C P** Gala II (K1520) ♣
- C P** Grande (K180)
- C P** Grandview (K1463)
- C P** Helios (K2089) ♣
- C P** Holbrook (K1928) ♣
- C P** Instinct (K2258)
- C P** Journey (K1806) ♣
- C P** Keaton (K1596)
- C P** Knoll Felt (K1207) ♣
- C P** Knoll Hopsack (K1206) ♣
- C P** Little Devil (K2112)
- C P** Ludlow (K1998) ♣

- C P** Lyric (K698)
- C P** Melody (K2067) Ⓢ
- C P** Night Life (K181)
- P** Petal Pusher (K1968) Ⓢ
- C P** Pogo (K1100)
- P** Prairie (K1925) Ⓢ
- C P** Prim (K1884) ♣
- C P** Radiance (K1921)
- C P** Ransom (K1298) ♣
- C P** Roam (K1657)
- C P** Rush Hour (K1824)
- C P** Soiree (K1616) ♣
- C P** Spark (K1075) ♣
- C P** Spree (K1600) ♣
- C P** Stripemania (K2225)
- P** Summit (K2020) ♣
- C P** Sutton (K1750) ♣
- P** Synth (K1693) ♣
- C P** Tabloid (K2022) ♣
- C P** Tinge (K2068) Ⓢ
- C P** Venue (K1558)
- C P** Vibe II (K2154) Ⓢ
- P** Vinyl (K242) Ⓢ
- C P** Westwood (K1949) ♣
- C P** Wild Thing (K2240)
- C P** Yeni (K2082) ♣

Grade C

- C P** Atlas (K1236)
- P** Axiom (K1650) Ⓢ
- C P** Baxter (K1557)
- C P** Cairo (K2034) ♣
- C P** Chameleon (K2372)
- C P** Charm (K1049)
- C P** Circa (K1054)
- C P** Classic Boucle (K162) ♣
- P** Color Field (K2226)
- C P** Dahlia CR (HC1660)
- P** Dune (K2047) ♣
- C P** Durand (K1885)
- C P** Earthwork (K1238) ♣
- C P** Entwine (K2355)
- C P** Essence (K2059) ♣
- C P** Fibra (K1105)
- P** Groovy (K2242)
- C P** Greenwich (K1753)
- C P** Hudson (K1765)
- C** Hula Hoop (K753)
- P** Kaya CR (K2122)
- C P** Kora CR (HC1010)
- C P** Lagos (K2028) ♣
- P** Legend CR (HC1124)
- C P** Lore CR (HC1123)
- C P** Magnolia (K1999) ♣
- C P** Milestone (K1886)
- C P** Noble (K1556)
- C P** On Point (K2293)

- C P** Palisade (K2030)
- C P** Panache CR (HC1047)
- C P** Patchwork (K2292)
- C P** Pullman (K2124)
- C P** Quark (K781)
- C P** Sahara (HC1269)
- P** Sashiko (K2121)
- C P** Sequin CR (HC1009)
- C P** Sinclair (K1555)
- C P** Smart (K1268) Ⓢ
- C P** Stepping Stones (K346)
- C P** Swing (K479)
- C P** Tight Rope (K1798) Ⓢ
- C P** Tilden (K1779) Ⓢ
- C P** Tower Grid (K1887)
- C P** Treble CR (HC1062)
- P** Utmost II (K2358)
- C P** Wit (K2050) ♣
- P** Zen Wave (K2078)

Grade D

- C P** Chain Link (K2192)
- C P** Code (K2251)
- P** Coterie (K1564)
- C P** Eclet Weave (K1104)
- C P** Hologram (K500)
- P** Island (K2053)
- P** Kabuki (K2084)
- C P** Masquerade (K806)
- C P** Menagerie (K1322)
- P** Origins (K1700)
- C P** Plaidtastic (K2238)
- C P** Retreat (K2367)
- P** Theory (K1656) Ⓢ
- P** Woodland (K2049) ♣
- C P** Zoom (K113)

Grade E

- C P** Aegean (K2074) ♣
- C P** Cleo (K2168)
- C P** Highland (K2010)
- C P** Kampala (K2032)
- C P** Katazome (K1459)
- C P** Kimono (K1174)
- C P** Marquee (K1608)
- C P** Meroe (K2043) ♣
- P** Midpoint (K2123) ♣
- P** Nature Walk (K2081) ♣
- C P** Premier (K2294)
- C P** Rebel (K2261)
- C P** Seurat (K2151)
- P** Sherman (K1789) ♣
- C P** Tryst (K1522)
- C P** Vatera (K2071) ♣
- C P** Vice Versa (K2361)
- C P** Whip (K1386)

Grade F

- C P** Atelier (K1607)
- C P** Biscayne (K1771)
- C P** Century (K1051)
- C P** Double Agent (K2199) Ⓢ
- C P** Glider (K1717)
- C P** Icon (K1028)
- C P** Imprint (K2333)
- C P** In Stitches (K2190)
- C P** It's Complicated (K2252) Ⓢ
- C P** Liberty (K1888) ♣
- C P** Mod Plaid (K1630)
- C P** Rivington (K1080)
- C P** Sideline (K2210)
- C P** Soon (K1787)
- C P** Swank (K2221)
- C P** Topography (K1052)
- C P** Totem (K1561)

Grade G

- C P** All Star (K2208)
- C P** Alter Ego (K2140)
- C** Andissa (K2083)
- P** Arber (K1711)
- C P** Arrondissement (K2200)
- C P** Color Collage (K2349)
- C P** Dapper (K2338)
- C P** Djenne (K2029)
- C P** Fancy Twill (K2348)
- C P** Gibson (K1086)
- C P** Haze (K109)
- C P** Kingston (K1826) ♣
- C P** Melange (K1882) ♣
- C P** Modern Tweed (K2155)
- C P** Serendipity (K1528)
- P** Spencer (K1106)
- C P** Striae Stripe (K1827)
- C P** Ultrasuede (K1021) ♣
- C P** Utrillo (K1807)

Grade H

- P** Arno (K128) ♣
- C P** Catwalk (K2156)
- P** Chiseled (K2249)
- P** Firefly (K2021)
- C P** Stretch Appeal (K2188)
- C P** Twist Tie (K2264)
- P** World Piece (K12208)

Grade I

- C P** Aswan (K2046) ♣
- P** Cato (K800)
- C P** Dynamic (K1617)
- C P** Floressence
- P** North Island (K1159)
- P** Prince Hair (K2237)
- C P** Stripe IT (K2368)

C = approved for use on credenza cushion

Ⓢ Fire Retardants Chemicals

P = approved for use on mobile pedestal cushion

♣ = CAL 133 Pre-approved

Spinneybeck Leather Options for Cushions**Grade U****P** Volo**Grade V****P** Andes**P** Espana**P** Maremma**P** Velluto Pelle**Grade W****P** Alaska**P** Amazon**P** Arizona**P** Derby**P** Sabrina**Grade X****P** Ducale**P** Ducale Velours**Grade Y****P** Cervo**P** Copenhagen**P** Cordovan**P** Distressed**P** Marissa**P** Prima**P** Riva**P** Saddle**P** Salon**P** = approved for use on mobile pedestal cushion

♠ = CAL 133 Pre-approved

Tackboard Panel Textile Options**Grade 10**

Annex (W1360) *

Beacon (W1597) *

Broadcloth II (W1619)

Circuit (W1754) *

Element (W1077)

Growth Spurt (W692)

Skylark (W1718)

Symbolic Details (W693)

Tailor Made II (W1610)

Versatility (W432)

Grade 20

Circle Line (W1146)

Criss Cross (W305)

Labyrinth(W352)

Logic (W1318)

Nematic II (W1620)

Photon II (W1695)

Reflect (W884)

Grade 30

Micro (W465)

Relay (W1020)

Grade 40

Crossroad (K2085)

Grade 50


Presto (K1000)

Grade 55


Ransom (K1298)

* Select Colorways Approved


Credenza




Doublewide Pedestal




Mobile Pedestal




Floorstanding Pedestal




Side Access Stacker




Front Access Stacker




Side Access Tower



Front Access Tower




Locker




Anchor storage components may be specified with a maximum of two laminates per unit.
Laminate mixing options are shown below and are all available at L2 prices.

- Laminate A (L1) + Laminate B (L1) = L2 price
- Laminate A (L1) + Laminate B (L2) *or vice-versa* = L2 price
- Laminate A (L2) + Laminate B (L2) = L2 price




Credenzas


Preconfigured including the top




Case: A
Top: B
Price: L2



Case: A
Front: A
Top: B
Price: L2




Case: A
Front: B
Top: A
Price: L2




Case: A
Front: B
Top: B
Price: L2

Mobile Pedestals


Preconfigured including the top




Case: A
Top: B
Price: L2



Case: A
Front: A
Top: B
Price: L2




Case: A
Front: B
Top: A
Price: L2




Case: A
Front: B
Top: B
Price: L2

Doublewide and Floorstanding Pedestals

Preconfigured excluding a top or work surface




Case: A
Front: B
Price: L2



Case: A
Front: B
Price: L2


Anchor storage components may be specified with a maximum of two laminates per unit.
Laminate mixing options are shown below and are all available at L2 prices.

- Laminate A (L1) + Laminate B (L1) = L2 price
- Laminate A (L1) + Laminate B (L2) *or vice-versa* = L2 price
- Laminate A (L2) + Laminate B (L2) = L2 price



Work Surface Stackers


Preconfigured including the top




Case: A
Top: B
Price: L2

Towers


Preconfigured including the top




Case: A
Top: B
Price: L2



Case: A
Front: A
Top: B
Price: L2




Case: A
Front: B
Top: A
Price: L2



Case: A
Front: B
Top: B
Price: L2

Lockers

Preconfigured excluding the top



Case: A
Front: B
Price: L2

Anchor Raised Storage

Anchor Raised Storage is a collection of storage elements designed to be specified with a raised foot option.

Feet are nominally 3" high with black leveling glide. Foot kits are specified separately as kits and installed on-site.

Feet are not retrofittable onto existing Anchor units. Feet are available only for products as stated in the application notes on the pricing pages and within this section.


Application

Anchor Raised Storage units may be used freestanding or ganged to panels or adjacent storage units as noted within applicable pricing sections.


When used freestanding, counterweights may be required. Refer to applicable counterweight specification information for details.

Anchor Raised Storage components of uniformed depth may be ganged to one another via T-Feet. Components of differing depths may not utilize shared T-Feet for ganging.

When ganging two units together, (4) Corner Feet will be replaced by (2) T-Feet spanning the seam between the units.



Individual Units, 8 Corner Feet



Ganged Units, 4 Corner Feet + 2 T-Feet

Corner Feet are available in a 4-piece kit or as 40-piece bulk kits. T-Feet are available in a 2-piece kit or as 20-piece bulk kits. Hardware is included to attach to storage unit.

Credenzas

To specify Anchor Raised Credenzas, utilize standard credenza pattern numbers (WC22 . .). Credenzas include pre-installed leveling glides to be removed on-site when utilizing foot kits.

Feet are additive to the height of a standard credenza. Overall height of a credenza raised on Anchor Feet is 25" high.

Individual units 18"-42" wide require (4) Corner Feet per unit. Credenzas 48"-84" wide require (4) Corner Feet and (2) T-Feet for additional support.

Workstation Lockers

Workstation Lockers for use with Feet (WLWF . .) do not include pre-installed leveling glides. Applicable foot kits must be specified for use.

Foot kits may not be used with (WLW . .) or (WL . .) pattern numbers.

Noted elevation heights of Workstation Lockers for Use with Feet include height of 3" feet. Case height of Workstation Lockers for Use with Feet is 3" less than Workstation Lockers with standard leveling glides to accommodate height of foot.

Towers

Noted elevation heights of Towers for Use with Feet include height of 3" feet. Case height and upper drawer height are modified to maintain overall alignment with Dividends Horizons panel and worksurface heights to accommodate height of foot.

Pedestals

Pedestals for Use with Feet (WPF . .) do not include pre-installed leveling glides. Applicable foot kits must be specified for use.

Foot Kits may not be used with (WP . .) pattern numbers.

Noted elevation height of Pedestals include height of 3" feet. Case height of Pedestals for use with Feet is 3" less than Pedestals with standard leveling glides to accommodate height of foot.

Anchor Electrical

Anchor 4-circuit electrical components may run only beneath storage units raised on Anchor Foot Kits.

Refer to Electrical System Specifications for details.

description	description	pattern number	P
Foot Kit, Corner	Corner foot kit, 4 pieces	WAFC04P	\$118.
	Corner foot kit, bulk, 40 pieces	WAFC40P	1,105.
Foot Kit, T	T foot kit, 2 pieces	WAFT02P	79.
	T foot kit, bulk, 20 pieces	WAFT20P	716.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Foot Kit, Corner, Kit of 4	Foot kits are specified separately as kits and installed on site. Kits include hardware for attaching feet to the storage unit.	Feet are nominally 3" high and include a black leveling glide. Feet are additive to the height of the standard credenza bringing the overall finished height of the credenza on feet to 25" high (nominal). Pedstals and workstation lockers for use with Feet feature a shorter case to compensate for height of feet maintaining overall elevation height as noted.
2. <i>Finish</i> See Finish Options page	Example: WAFC04P		
	W Anchor Storage	Individual units require 4 corner feet. Individual units 60" and wider additionally require 2 T-feet for support. When ganging two units side-by-side, units must be of uniformed depth. Two ganged units require a total of 4 corner feet plus 2 T-feet at the seam. Two additional T-feet are required for support on any unit 60" and wider.	Foot kids are not retrofittable onto existing Anchor units. Foot kits are only compatible with Anchor Credenzas, Workstation Lockers for use with feet and Pedestals for Use with Feet.
	AF Accessory, Foot		
	C Corner		
	04 Kit of 4		
	P Painted		

Anchor Credenzas

Credenzas are 22" high wood construction cabinets sized to fit below and support one end of a desk top or be used as freestanding units. Credenzas feature one or two midpanels providing a unique combination of closed and open storage.

Credenzas are available in 9 widths with a variety of configurations.

Available Sizes (nominal)

Height: 22"


Widths: 18", 24", 30", 36", 42", 48", 60", 72", 84"

Depths: 16", 20"


Credenzas ship assembled including the top.

Credenzas may be used as freestanding units or provide support for a perpendicular worksurface when specified with a spacer bracket or support adapter.


Counterweight must be specified for certain credenzas when used in freestanding applications. Refer to *Credenza Counterweight Kits* specification matrix for details.



Freestanding unit



Credenza used as support for a perpendicular work surface



Credenzas used as supports in a benching application

Construction

- Credenzas are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on credenza bottom and midpanels, 3/4" on credenza back, sides, interior shelves and drawer fronts.
- Material thickness: 1 3/16" (nominal) on credenza tops
- Box and File drawer suspension: Full extension, ball bearing slides
- Units include interlock to prevent more than one drawer (aligned vertically) opening at a time.
- Leveling glides: 3/16" diameter steel stem with 1/16" of height adjustment. Units up to 42" wide include 4 glides; units 48" and wider include 6 glides.
- Longer glides are included to provide an additional 1/16" of height adjustment; 2 per credenza.

Internal Drawer Dimensions ***Box drawer**


- Internal height: 3 3/4" (5 1/8" clearance)
- Internal width: 14 3/4", 20 3/4", 26 3/4", 32 3/4", 38 3/4"
- Internal depth: 16 1/4" (20D), 12 3/4" (16D)

File drawer

- Internal height: 9 3/4" (11 3/4" clearance)
- Internal width: 14 3/4", 20 3/4", 26 3/4", 32 3/4", 38 3/4"
- Internal depth: 16 1/4" (20D), 12 3/4" (16D)

Internal Clearances – Open sections *

- Internal height A: 6 1/2"
- Internal height B: 11 15/16"
- Internal width by nominal configuration size:
18" w configuration = 16 1/2" w
24" w configuration = 22 1/2" w
30" w configuration = 28 1/2" w
36" w configuration = 34 1/2" w
42" w configuration = 40 1/2" w
- Internal depth: 18 1/4" (20D), 13 3/8" (16D)



*Actual dimensions to the nearest 1/16th of an inch.


Filing

Credenza file drawers within 20" deep units provide standard side-to-side letter or legal filing and front-to-back letter filing. Credenza file drawers within 16" deep units accommodate side-to-side letter filing only, front-to-back file bars may be specified separately.


Locks

Anchor Credenzas may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.


Standard lock placement is the upper right hand corner of the bottom file drawer. Center of lock is 1 9/16" from top edge, 1 1/2" from side. Dual-tab lock design allows one shared lock core per box/file configuration.



Single drawer, single-tab lock core



Two drawers share dual-tab lock core



Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.



Keyless lock options with manual bolt are available for select sizes and configurations. Refer to *Digital Keypad and RFID Lock Specifications* for details.

Pulls

Finger Pull, 10" long; centered horizontally on drawers.

Top drawer: mounted 3/4" from bottom of drawer

Bottom drawer: mounted 3/4" from top of drawer



Credenza Specifications

Credenza Counterweight Kits

Counterweight Applications

Open units with shelf do not require counterweight. In freestanding application, select units with Open/File or Box/File components require counterweight as noted in the chart below. If units are connected to a panel, supporting a worksurface or ganged back-to-back with another unit, no counterweight is required. When required, counterweights are specified separately and field-installed.

Pattern Numbers	Standard Leveling Glides	Raised on Feet
WC221816FL	must be ganged for stability	(1) WCWKIT03
WC2218FL	must be ganged for stability	(1) WCWKIT03
WC221816BL	must be ganged for stability	(1) WCWKIT03
WC2218BL	must be ganged for stability	(1) WCWKIT03
WC222416FL	(1) WCWKIT05	(1) WCWKIT04
WC2224FL	(1) WCWKIT05	(1) WCWKIT04
WC222416BL	(1) WCWKIT06	(1) WCWKIT05
WC2224BL	(1) WCWKIT06	(1) WCWKIT05
WC223016FL	(1) WCWKIT04	(1) WCWKIT03
WC2230FL	(1) WCWKIT06	(1) WCWKIT03
WC223016BL	(1) WCWKIT05	(1) WCWKIT03
WC2230BL	(1) WCWKIT06	(1) WCWKIT03
WC223016F18012L	(1) WCWKIT01	(1) WCWKIT01
WC2230F18012L	(1) WCWKIT01	(1) WCWKIT01
WC223016012F18L	(1) WCWKIT01	(1) WCWKIT01
WC2230012F18L	(1) WCWKIT01	(1) WCWKIT01
WC223016B18012L	(1) WCWKIT01	(1) WCWKIT01
WC2230B18012L	(1) WCWKIT01	(1) WCWKIT01
WC223016012B18L	(1) WCWKIT01	(1) WCWKIT01
WC2230012B18L	(1) WCWKIT01	(1) WCWKIT01
WC223616FL	(1) WCWKIT05	(1) WCWKIT03
WC2236FL	(1) WCWKIT07	(1) WCWKIT03
WC223616BL	(1) WCWKIT07	(1) WCWKIT05
WC2236BL	(1) WCWKIT07	(1) WCWKIT05
WC223616F24012L	(1) WCWKIT02	(1) WCWKIT01
WC2236F24012L	(1) WCWKIT02	(1) WCWKIT01
WC223616012F24L	(1) WCWKIT02	(1) WCWKIT01
WC2236012F24L	(1) WCWKIT02	(1) WCWKIT01
WC223616B24012L	(1) WCWKIT02	(1) WCWKIT01
WC2236B24012L	(1) WCWKIT02	(1) WCWKIT01
WC223616012B24L	(1) WCWKIT02	(1) WCWKIT01
WC2236012B24L	(1) WCWKIT02	(1) WCWKIT01
WC223616F18018L	counterweight not required	counterweight not required
WC2236F18018L	counterweight not required	counterweight not required
WC223616018F18L	counterweight not required	counterweight not required
WC2236018F18L	counterweight not required	counterweight not required
WC223616B18018L	counterweight not required	counterweight not required
WC2236B18018L	counterweight not required	counterweight not required
WC223616018B18L	counterweight not required	counterweight not required
WC2236018B18L	counterweight not required	counterweight not required
WC224216FL	(1) WCWKIT08	(1) WCWKIT05
WC2242FL	(1) WCWKIT07	(1) WCWKIT05
WC224216BL	(1) WCWKIT08	(1) WCWKIT06
WC2242BL	(1) WCWKIT08	(1) WCWKIT06
WC224816F30018L	(1) WCWKIT01	no counterweight required
WC224816018F30L	(1) WCWKIT01	no counterweight required
WC2248F30018L	(1) WCWKIT01	no counterweight required
WC2248018F30L	(1) WCWKIT01	no counterweight required
WC224816B30018L	(1) WCWKIT01	no counterweight required
WC224816018B30L	(1) WCWKIT01	no counterweight required
WC2248B30018L	(1) WCWKIT01	no counterweight required
WC2248018B30L	(1) WCWKIT01	no counterweight required
WC226016F36024L	(1) WCWKIT02	(1) WCWKIT01
WC226016F42018L	(1) WCWKIT03	(1) WCWKIT01
WC226016018F42L	(1) WCWKIT03	(1) WCWKIT01
WC226016024F36L	(1) WCWKIT02	(1) WCWKIT01
WC2260F36024L	(1) WCWKIT02	(1) WCWKIT01
WC2260F42018L	(1) WCWKIT03	(1) WCWKIT01
WC2260018F42L	(1) WCWKIT03	(1) WCWKIT01
WC2260024F36L	(1) WCWKIT02	(1) WCWKIT01
WC226016B30030L	(1) WCWKIT01	no counterweight required
WC226016B36024L	(1) WCWKIT02	(1) WCWKIT01
WC226016B42018L	(1) WCWKIT03	(1) WCWKIT01
WC226016018B42L	(1) WCWKIT03	(1) WCWKIT01
WC226016024B36L	(1) WCWKIT02	(1) WCWKIT01
WC226016030B30L	(1) WCWKIT01	no counterweight required
WC2260B30030L	(1) WCWKIT01	no counterweight required
WC2260B36024L	(1) WCWKIT02	(1) WCWKIT01
WC2260B42018L	(1) WCWKIT03	(1) WCWKIT01
WC2260018B42L	(1) WCWKIT03	(1) WCWKIT01
WC2260024B36L	(1) WCWKIT02	(1) WCWKIT01
WC2260030B30L	(1) WCWKIT01	no counterweight required
WC226016F30F30L	(1) WCWKIT06	(1) WCWKIT04
WC2260F30F30L	(1) WCWKIT06	(1) WCWKIT04

Credenza Specifications

Credenza Counterweight Kits

Anchor Storage

WC226016B30B30L	(1) WCWKIT06.	(1) WCWKIT04
WC2260B30B30L	(1) WCWKIT06.	(1) WCWKIT04
WC227216F42O30L	(1) WCWKIT05.	(1) WCWKIT01
WC227216O30F42L	(1) WCWKIT05.	(1) WCWKIT01
WC2272F42O30L	(1) WCWKIT05.	(1) WCWKIT01
WC2272O30F42L	(1) WCWKIT05.	(1) WCWKIT01
WC227216B36O36L	(1) WCWKIT05.	(1) WCWKIT01
WC227216B42O30L	(1) WCWKIT05.	(1) WCWKIT02
WC227216O30B42L	(1) WCWKIT05.	(1) WCWKIT02
WC227216O36B36L	(1) WCWKIT05.	(1) WCWKIT01
WC2272B36O36L	(1) WCWKIT05.	(1) WCWKIT01
WC2272B42O30L	(1) WCWKIT05.	(1) WCWKIT02
WC2272O30B42L	(1) WCWKIT05.	(1) WCWKIT02
WC2272O36B36L	(1) WCWKIT05.	(1) WCWKIT01
WC227216F36F36L	(2) WCWKIT08.	(2) WCWKIT05
WC2272F36F36L	(2) WCWKIT08.	(2) WCWKIT05
WC227216B36B36L	(2) WCWKIT08.	(2) WCWKIT05
WC2272B36B36L	(2) WCWKIT08.	(2) WCWKIT05
WC228416F30O24F30L	(2) WCWKIT07.	(2) WCWKIT04
WC2284F30O24F30L	(2) WCWKIT07.	(2) WCWKIT04
WC228416B30B30O24L	(1) WCWKIT07.	(1) WCWKIT06
WC228416B30O24B30L	(1) WCWKIT07.	(1) WCWKIT06
WC228416O24B30B30L	(1) WCWKIT07.	(1) WCWKIT06
WC2284B30B30O24L	(2) WCWKIT07.	(2) WCWKIT04
WC2284B30O24B30L	(2) WCWKIT07.	(2) WCWKIT04
WC2284O24B30B30L	(2) WCWKIT07.	(2) WCWKIT04
WC228416F42F42L	(2) WCWKIT10.	(2) WCWKIT06
WC2284F42F42L	(2) WCWKIT10.	(2) WCWKIT06
WC228416B42B42L	(1) WCWKIT09 + (1) WCWKIT10	(2) WCWKIT06
WC2284B42B42L	(1) WCWKIT09 + (1) WCWKIT10	(2) WCWKIT06

Anchor Mobile Credenzas

Mobile credenzas are 25" high overall including 22" high wood construction case with 3" high casters. Credenzas feature one or two midpanels providing a unique combination of open and enclosed storage.

Mobile credenzas are available in 8 widths and 2 depths with a variety of configurations.

Available Sizes

Height: 25"

Widths: 18", 24", 30", 36", 42", 48", 60", 72"

Depths: 16", 20"

Mobile credenzas 48" wide and smaller require four 2-1/2" corner casters with decorative caster plate. Mobile credenzas 60" wide and larger require four 2-1/2" corner casters and one 2-1/2" center caster with decorative caster plate. The front two corner casters are locking.

In addition, mobile credenzas with drawers require one additional 2" caster assembly beneath each file drawer to prevent tipping when drawer is extended.

Appropriate caster kits are included with mobile credenzas (WCM25. .) pattern numbers. Casters are not intended for use with (WC22. .) pattern numbers.

Mobile credenza cases ship assembled including top and decorative caster plates. All casters and counterweight kits are field installed.

Construction

- Credenzas are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1-3/16" (nominal) on credenza bottom and midpanels, 3/4" on credenza back, sides, interior shelves and drawer fronts.
- Material thickness: 1-3/16" (nominal) on credenza tops
- Box and File drawer suspension: Full extension, ball bearing slides
- Units include interlock to prevent more than one drawer (aligned vertically) opening at a time.
- Decorative Caster Plate: Painted cast aluminum, black
- Casters: Single wheel, hard rubber caster, black

Internal Drawer Dimensions*

Box Drawer


- Internal Height: 3-3/4" (5-1/8" clearance)
- Internal Width: 14 3/4", 20 3/4", 26-3/4", 32-3/4", 38-3/4"
- Internal Depth: 16-1/4" (20D), 12-3/4" (16D)

File Drawer

- Internal Height: 9-3/4" (11-3/4" clearance)
- Internal Width: 14 3/4", 20 3/4", 26-3/4", 32-3/4", 38-3/4"
- Internal Depth: 16-1/4" (20D), 12-3/4" (16D)

Internal Clearances- Open sections*

- Internal Height A: 6-1/2"
- Internal Height B: 11-15/16"
- Internal Width by nominal configuration size:
 - 18"w configuration = 16-1/2"w
 - 24"w configuration = 22-1/2"w
 - 30"w configuration = 28-1/2"w
 - 36"w configuration = 34-1/2"w
 - 42"w configuration = 40-1/2"w
- Internal Depth: 18-1/4" (20D), 13-7/8" (16D)



*Actual dimensions to the nearest 1/16th of an inch.


Filing

Credenza file drawers within 20" deep units provide standard side-to-side letter or legal filing and front-to-back letter filing. Credenza file drawers within 16" deep units accommodate side-to-side letter filing only, front-to-back file bars may be specified separately.

Locks

Anchor credenzas may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Standard lock placement is the upper right hand corner of the bottom file drawer. Center of lock is 1-9/16" from top edge, 1-1/2" from side. Dual-tab lock design allows one shared lock core per box/file configuration.



Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference Knoll Key Lock Program.


Keyless lock options with manual bolt are available for select sizes and configurations. Refer to Digital Keypad and RFID Lock Specifications for details.

Pulls

Finger Pull, 10" long; centered horizontally on drawers.

Top drawer: mounted 3/4" from bottom of drawer


Bottom drawer: mounted 3/4" from top of drawer




Credenza Specifications

Credenza Planning & Stability Guidelines


A variety of planning scenarios with the required connection or support brackets are shown below. Single freestanding credenzas may require counterweight kits; refer to pricing pages for specific requirements. Below applications may not be used with credenzas raised on feet.




Credenza supporting a Dividends Horizon desk. Specify a **WACS22P Credenza Spacer** to support one end of the work surface. No counterweight kit required.
*In this application, a credenza with a centered midpanel will require the spacer to be mounted off-center.




Credenzas supporting work surfaces in a Dividends Horizon panel surround. Specify a **WACS22P Credenza Spacer** per credenza. No counterweight kit required.




Credenzas mounted to Dividends Horizon panels. For each credenza, specify both the left and right hand **Dividends Horizon Panel brackets BC1EPDPB** to secure the unit to the panel. No counterweight kit required.



Credenzas supporting work surfaces in a Dividends Horizon panel surround. Specify a **WACS22P Credenza Spacer** for each credenza. No counterweight kit required.
When used as freestanding units (not supporting the work surfaces), units may be ganged back-to-back for stability.



Credenzas supporting Antenna Big Table. Specify **Template/Antenna YBATBT22 Floorstanding Cabinet Desk Support Adapters for Big Table** in place of an end leg. Two YBATBT22 adapters would be required for the configuration shown. Units may be ganged back-to-back and/or side-by-side for additional stability. No counterweight kit required.




Credenzas supporting an Antenna desk. Specify **Template/Antenna YBATE22 (pair) Floorstanding Cabinet Desk Support Adapters** to support one end of the work surface. No counterweight kit required.

Credenzas


Credenzas 18" wide, 16" and 20" deep

Anchor Storage


description	w	h	d	pattern no.	L1	L2
All Open - 18" Wide Credenza	18"	22 ³ / ₁₆ "	15"	WC221816OL	\$604.	\$756.
	18"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2218OL	669.	954.



Open with File - 18" Wide Credenza	18"	22 ³ / ₁₆ "	15"	WC221816FL(N)	1,290.	1,500.
	18"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2218FL(N)	1,340.	1,550.



Box / File - 18" Wide Credenza	18"	22 ³ / ₁₆ "	15"	WC221816BL(N)	1,820.	2,030.
	18"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2218BL(N)	1,950.	2,145.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WC2248O18O30L		Credenzas are preassembled including top.
3. <i>Top Finish</i> See Finish Options page	W Woodcore Storage		
	C Credenza		
	22 22" High	Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
	48 48" Wide		
	O18 Left: Open 18"		
	O30 Right: Open 30"		
	L Laminate case and front	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA finish).	Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White	Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	

Credenzas


Credenzas 24" wide, 16" and 20" deep

Anchor Storage


description	w	h	d	pattern no.	L1	L2
All Open - 24" Wide Credenza	24"	22 ³ / ₁₆ "	15"	WC222416OL	\$707.	\$897.
	24"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2224OL	783.	1,132.



Open with File - 24" Wide Credenza	24"	22 ³ / ₁₆ "	15"	WC222416FL(N)	1,320.	1,552.
	24"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2224FL(N)	1,410.	1,610.



Box / File - 24" Wide Credenza	24"	22 ³ / ₁₆ "	15"	WC222416BL(N)	1,890.	2,085.
	24"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2224BL(N)	2,020.	2,200.






Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page			
3. <i>Top Finish</i> See Finish Options page	Example: WC2248O18O30L	Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.	Credenzas are preassembled including top.
	W Woodcore Storage		
	C Credenza	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA finish).	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
	22 22" High		
	48 48" Wide	Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
	O18 Left: Open 18"		
	O30 Right: Open 30"	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate case and front		
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White		

Credenzas

Credenzas 30" wide, 16" and 20" deep

Anchor Storage



description	w	h	d	pattern no.	L1	L2
All Open - 30" Wide Credenza 	30"	22 ³ / ₁₆ "	15"	WC223016OL	\$809.	\$1,035.
	30"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2230OL	899.	1,308.
Open/File - 30" Wide Credenza 	30"	22 ³ / ₁₆ "	15"	WC223016FL(N)	1,371.	1,611.
	30"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2230FL(N)	1,494.	1,758.
Box/File - 30" Wide Credenza 	30"	22 ³ / ₁₆ "	15"	WC223016BL(N)	1,936.	2,148.
	30"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2230BL(N)	2,112.	2,343.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WC2248O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage C Credenza 22 22" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas are preassembled including top. Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing. Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenzas

Credenzas 30" wide, 16" and 20" deep

Anchor Storage

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	File 18" - Open 12"	30"	22 ³ / ₁₆ "	15"	WC223016F18O12L(N)	\$1,550.	\$1,750.
	File 18" - Open 12"	30"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2230F18O12LN	1,730.	1,930.
	Open 12" - File 18"	30"	22 ³ / ₁₆ "	15"	WC223016O12F18L(N)	1,550.	1,750.
	Open 12" - File 18" (shown)	30"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2230O12F18LN	1,730.	1,930.
	Box/File 18" - Open 12"	30"	22 ³ / ₁₆ "	15"	WC223016B18O12L(N)	2,059.	2,259.
	Box/File 18" - Open 12"	30"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2230B18O12L(N)	2,285.	2,485.
	Open 12" - Box/File 18"	30"	22 ³ / ₁₆ "	15"	WC223016O12B18L(N)	2,059.	2,259.
	Open 12" - Box/File 18" (shown)	30"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2230O12B18L(N)	2,285.	2,485.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WC2248O18O30L		Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage	Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.	Credenzas are preassembled including top.
	C Credenza		Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
	22 22" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
	48 48" Wide		
	O18 Left: Open 18"		
	O30 Right: Open 30"		
	L Laminate case and front		
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White		

Dimensions listed under w h d are actual to the nearest 1/16".

Credenzas



Credenzas 36" wide, 16" and 20" deep

Anchor Storage

description	w	h	d	pattern no.	L1	L2
All Open - 36" Wide Credenza 	36"	22 ³ / ₁₆ "	15"	WC223616OL	\$911.	\$1,174.
	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236OL	1,014.	1,485.
Box/File - 36" Wide Credenza 	36"	22 ³ / ₁₆ "	15"	WC223616BL(N)	2,001.	2,229.
	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236BL(N)	2,182.	2,430.
Open/File - 36" Wide Credenza 	36"	22 ³ / ₁₆ "	15"	WC223616FL(N)	1,487.	1,739.
	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236FL(N)	1,621.	1,897.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WC2248O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage C Credenza 22 22" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas are preassembled including top. Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenzas 36" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	File 18" - Open 18"	36"	22 ³ / ₁₆ "	15"	WC223616F18O18L(N)	\$1,575.	\$1,770.
	Open 18" - File 18"	36"	22 ³ / ₁₆ "	15"	WC223616O18F18L(N)	1,575.	1,770.
	File 24" - Open 12"	36"	22 ³ / ₁₆ "	15"	WC223616F24O12L(N)	1,605.	1,795.
	Open 12" - File 24"	36"	22 ³ / ₁₆ "	15"	WC223616O12F24L(N)	1,605.	1,795.
	File 18" - Open 18"	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236F18O18L(N)	1,749.	1,949.
	Open 18" - File 18" (shown)	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236O18F18L(N)	1,749.	1,949.
	File 24" - Open 12"	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236F24O12L(N)	1,785.	1,980.
	Open 12" - File 24"	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236O12F24L(N)	1,785.	1,980.
	Box/File 18" - Open 18"	36"	22 ³ / ₁₆ "	15"	WC223616B18O18L(N)	2,084.	2,284.
	Open 18" - Box/File 18"	36"	22 ³ / ₁₆ "	15"	WC223616O18B18L(N)	2,084.	2,284.
	Box/File 24" - Open 12"	36"	22 ³ / ₁₆ "	15"	WC223616B24O12L(N)	2,150.	2,340.
	Open 12" - Box/File 24"	36"	22 ³ / ₁₆ "	15"	WC223616O12B24L(N)	2,150.	2,340.
	Box/File 18" - Open 18"	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236B18O18L(N)	2,304.	2,500.
	Open 18" - Box/File 18" (shown)	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236O18B18L(N)	2,304.	2,500.
	Box/File 24" - Open 12"	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236B24O12L(N)	2,340.	2,540.
	Open 12" - Box/File 24"	36"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2236O12B24L(N)	2,340.	2,540.

Order Information

1. Base Pattern Number
2. Case Finish
See Finish Options page
3. Top Finish
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" -
Open 30"

Example: **WC2248O18O30L**

W	Anchor Storage
C	Credenza
22	22" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.

Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19¹/₁₆" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.


Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenzas


Credenzas 42" wide, 16" and 20" deep

Anchor Storage


description	w	h	d	pattern no.	L1	L2
All Open - 42" Wide Credenza	42"	22 ³ / ₁₆ "	15"	WC224216OL	\$1,009.	\$1,308.
	42"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2242OL	1,123.	1,657.



Box/File - 42" Wide Credenza	42"	22 ³ / ₁₆ "	15"	WC224216BL(N)	2,106.	2,364.
	42"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2242BL(N)	2,296.	2,579.






Open/File - 42" Wide Credenza	42"	22 ³ / ₁₆ "	15"	WC224216FL(N)	1,603.	1,891.
	42"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2242FL(N)	1,748.	2,061.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WC2248O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage C Credenza 22 22" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas are preassembled including top. Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing. Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenzas 48" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2	
	Open 18" - Open 30" (shown)	48"	22 ³ / ₁₆ "	15"	WC224816O18O30L	\$1,198.	\$1,478.	
	Open 30" - Open 18"	48"	22 ³ / ₁₆ "	15"	WC224816O30O18L	1,198.	1,478.	
	Open 18" - Open 30" (shown)	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O18O30L	1,416.	1,656.	
	Open 30" - Open 18"	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O30O18L	1,416.	1,656.	
	Open with File - 48" Wide Credenza	File 30" - Open 18" *	48"	22 ³ / ₁₆ "	15"	WC224816F30O18L(N)	1,689.	1,914.
		Open 18" - File 30" *	48"	22 ³ / ₁₆ "	15"	WC224816O18F30L(N)	1,689.	1,914.
		File 30" - Open 18" *	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248F30O18L(N)	1,867.	2,087.
		Open 18" - File 30" *	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O18F30L(N)	1,867.	2,087.
	Open with Box/File - 48" Wide Credenza	Box/File 30" - Open 18"	48"	22 ³ / ₁₆ "	15"	WC224816B30O18L(N)	2,030.	2,255.
		Open 18" - Box/File 30"	48"	22 ³ / ₁₆ "	15"	WC224816O18B30L(N)	2,030.	2,255.
		Box/File 30" - Open 18"	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248B30O18L(N)	2,213.	2,459.
		Open 18" - Box/File 30"	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O18B30L(N)	2,213.	2,459.

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" - Open 30"	
Example:	WC2248O18O30L
W	Anchor Storage
C	Credenza
22	22" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest ¹/₁₆".

Application Notes

Credenzas 20" deep (nominal) have a 19¹/₁₆" deep case. Credenzas with drawer fronts are 20" deep overall.




Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenzas 60" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	Open 18" - Open 42"	60"	22 ³ / ₁₆ "	15"	WC226016O18O42L	\$1,385.	\$1,729.
	Open 24" - Open 36"	60"	22 ³ / ₁₆ "	15"	WC226016O24O36L	1,385.	1,729.
	Open 30" - Open 30"	60"	22 ³ / ₁₆ "	15"	WC226016O30O30L	1,385.	1,729.
	Open 36" - Open 24"	60"	22 ³ / ₁₆ "	15"	WC226016O36O24L	1,385.	1,729.
	Open 42" - Open 18"	60"	22 ³ / ₁₆ "	15"	WC226016O42O18L	1,385.	1,729.
	Open 18" - Open 42" (shown)	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O18O42L	1,629.	1,929.
	Open 24" - Open 36"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O24O36L	1,629.	1,929.
	Open 30" - Open 30"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O30O30L	1,629.	1,929.
	Open 36" - Open 24"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O36O24L	1,629.	1,929.
	Open 42" - Open 18"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O42O18L	1,629.	1,929.
	File 36" - Open 24"	60"	22 ³ / ₁₆ "	15"	WC226016F36O24L(N)	1,909.	2,229.
	File 42" - Open 18" *	60"	22 ³ / ₁₆ "	15"	WC226016F42O18L(N)	1,942.	2,260.
	Open 18" - File 42" *	60"	22 ³ / ₁₆ "	15"	WC226016O18F42L(N)	1,942.	2,260.
	Open 24" - File 36"	60"	22 ³ / ₁₆ "	15"	WC226016O24F36L(N)	1,909.	2,229.
	File 36" - Open 24"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260F36O24L(N)	2,116.	2,430.
	File 42" - Open 18" *	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260F42O18L(N)	2,135.	2,463.
	Open 18" - File 42" *	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O18F42L(N)	2,135.	2,463.
	Open 24" - File 36"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O24F36L(N)	2,116.	2,430.
	Box/File 30" - Open 30"	60"	22 ³ / ₁₆ "	15"	WC226016B30O30L(N)	2,232.	2,497.
	Box/File 36" - Open 24"	60"	22 ³ / ₁₆ "	15"	WC226016B36O24L(N)	2,257.	2,528.
	Box/File 42" - Open 18"	60"	22 ³ / ₁₆ "	15"	WC226016B42O18L(N)	2,276.	2,545.
	Open 18" - Box/File 42"	60"	22 ³ / ₁₆ "	15"	WC226016O18B42L(N)	2,276.	2,545.
	Open 24" - Box/File 36"	60"	22 ³ / ₁₆ "	15"	WC226016O24B36L(N)	2,257.	2,528.
	Open 30" - Box/File 30"	60"	22 ³ / ₁₆ "	15"	WC226016O30B30L(N)	2,232.	2,497.
	Box/File 30" - Open 30"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260B30O30L(N)	2,435.	2,723.

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" - Open 30"	
Example:	WC2248O18O30L
W	Anchor Storage
C	Credenza
22	22" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19¹/₁₆" deep case. Credenzas with drawer fronts are 20" deep overall.




Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenzas 60" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	Box/File 36" - Open 24"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260B36O24L(N)	\$2,461.	\$2,757.
	Box/File 42" - Open 18"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260B42O18L(N)	2,482.	2,775.
	Open 18" - Box/File 42"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O18B42L(N)	2,482.	2,775.
	Open 24" - Box/File 36"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O24B36L(N)	2,461.	2,757.
	Open 30" - Box/File 30"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O30B30L(N)	2,435.	2,723.
	File 30" - File 30"	60"	22 ³ / ₁₆ "	15"	WC226016F30F30L(N)	2,131.	2,501.
	File 30" - File 30"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260F30F30L(N)	2,497.	2,830.
	Box/File 30" - Box/File 30"	60"	22 ³ / ₁₆ "	15"	WC226016B30B30L(N)	2,905.	3,211.
	Box/File 30" - Box/File 30"	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260B30B30L(N)	3,233.	3,526.

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" - Open 30"	
Example:	WC2248O18O30L
W	Anchor Storage
C	Credenza
22	22" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19¹/₁₆" deep case. Credenzas with drawer fronts are 20" deep overall.





Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenzas 72" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
 All Open - 72" Wide Credenza	Open 30" - Open 42"(shown)	72"	22 3/16"	15"	WC227216O30O42L	\$1,582.	\$1,966.
	Open 36" - Open 36"	72"	22 3/16"	15"	WC227216O36O36L	1,582.	1,966.
	Open 42" - Open 30"	72"	22 3/16"	15"	WC227216O42O30L	1,582.	1,966.
	Open 30" - Open 42"(shown)	72"	22 3/16"	19 1/16"	WC2272O30O42L	1,856.	2,187.
	Open 36" - Open 36"	72"	22 3/16"	19 1/16"	WC2272O36O36L	1,856.	2,187.
	Open 42" - Open 30"	72"	22 3/16"	19 1/16"	WC2272O42O30L	1,856.	2,187.
 Open with File - 72" Wide Credenza	File 42" - Open 30" *	72"	22 3/16"	15"	WC227216F42O30L(N)	2,130.	2,497.
	Open 30" - File 42" *	72"	22 3/16"	15"	WC227216O30F42L(N)	2,130.	2,497.
	File 42" - Open 30" *	72"	22 3/16"	19 1/16"	WC2272F42O30L(N)	2,353.	2,723.
	Open 30" - File 42" *	72"	22 3/16"	19 1/16"	WC2272O30F42L(N)	2,353.	2,723.
 Open with Box/File - 72" Wide Credenza	Box/File 36" - Open 36"	72"	22 3/16"	15"	WC227216B36O36L(N)	2,449.	2,765.
	Box/File 42" - Open 30"	72"	22 3/16"	15"	WC227216B42O30L(N)	2,476.	2,793.
	Open 30" - Box/File 42"	72"	22 3/16"	15"	WC227216O30B42L(N)	2,476.	2,793.
	Open 36" - Box/File 36"	72"	22 3/16"	15"	WC227216O36B36L(N)	2,449.	2,765.
	Box/File 36" - Open 36"	72"	22 3/16"	19 1/16"	WC2272B36O36L(N)	2,670.	3,016.
	Box/File 42" - Open 30"	72"	22 3/16"	19 1/16"	WC2272B42O30L(N)	2,700.	3,045.
	Open 30" - Box/File 42"	72"	22 3/16"	19 1/16"	WC2272O30B42L(N)	2,700.	3,045.
	Open 36" - Box/File 36"	72"	22 3/16"	19 1/16"	WC2272O36B36L(N)	2,670.	3,016.
 File, File Credenza	File 36" - File 36"	72"	22 3/16"	15"	WC227216F36F36L(N)	2,353.	2,787.
	File 36" - File 36"	72"	22 3/16"	19 1/16"	WC2272F36F36L(N)	2,755.	3,147.

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" - Open 30"	
Example:	WC2248O18O30L
W	Anchor Storage
C	Credenza
22	22" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.


Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenzas

Credenzas 72" wide, 16" and 20" deep


Anchor Storage


description	configuration left-to-right	w	h	d	pattern no.	L1	L2
Box/File, Box/File Credenza	Box/File 36" - Box/File 36"	72"	22 ³ / ₁₆ "	15"	WC227216B36B36L(N)	\$3,147.	\$3,513.
	Box/File 36" - Box/File 36"	72"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2272B36B36L(N)	3,503.	3,853.





Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WC2248O18O30L		
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
	C Credenza		
	22 22" High		
	48 48" Wide		
	O18 Left: Open 18"		
	O30 Right: Open 30"		
	L Laminate case and front	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Credenzas are preassembled including top.
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White	Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
		Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenzas 84" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	Open 24" - Open 30" - Open 30"	84"	22 3/16"	15"	WC228416O24O30O30L	\$1,856.	\$2,409.
	Open 30" - Open 24" - Open 30"(shown)	84"	22 3/16"	15"	WC228416O30O24O30L	1,856.	2,409.
	Open 30" - Open 30" - Open 24"	84"	22 3/16"	15"	WC228416O30O30O24L	1,856.	2,409.
	Open 24" - Open 30" - Open 30"	84"	22 3/16"	19 1/16"	WC2284O24O30O30L	2,172.	2,668.
	Open 30" - Open 24" - Open 30"(shown)	84"	22 3/16"	19 1/16"	WC2284O30O24O30L	2,172.	2,668.
	Open 30" - Open 30" - Open 24"	84"	22 3/16"	19 1/16"	WC2284O30O30O24L	2,172.	2,668.

	File 30" - Open 24" - File 30"	84"	22 3/16"	15"	WC228416F30O24F30L(N)	2,787.	3,279.
	File 30" - Open 24" - File 30"	84"	22 3/16"	19 1/16"	WC2284F30O24F30L(N)	3,039.	3,575.

	Box/File 30" - Box/File 30" - Open 24"	84"	22 3/16"	15"	WC228416B30B30O24L(N)	3,487.	3,946.
	Box/File 30" - Open 24" - Box/File 30"	84"	22 3/16"	15"	WC228416B30O24B30L(N)	3,374.	3,907.
	Open 24" - Box/File 30" - Box/File 30"	84"	22 3/16"	15"	WC228416O24B30B30L(N)	3,487.	3,946.
	Box/File 30" - Box/File 30" - Open 24"	84"	22 3/16"	19 1/16"	WC2284B30B30O24L(N)	3,802.	4,303.
	Box/File 30" - Open 24" - Box/File 30"	84"	22 3/16"	19 1/16"	WC2284B30O24B30L(N)	3,776.	4,283.
	Open 24" - Box/File 30" - Box/File 30"	84"	22 3/16"	19 1/16"	WC2284O24B30B30L(N)	3,802.	4,303.

	File 42" - File 42"	84"	22 3/16"	15"	WC228416F42F42L(N)	2,782.	3,269.
	File 42" - File 42"	84"	22 3/16"	19 1/16"	WC2284F42F42L(N)	3,033.	3,566.

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" - Open 30"	
Example:	WC2248O18O30L
W	Anchor Storage
C	Credenza
22	22" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.

Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.


Credenzas are preassembled including top.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.


Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenzas 84" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
Box/File, Box/File Credenza	Box/File 42" - Box/File 42"	84"	22 ³ / ₁₆ "	15"	WC228416B42B42L(N)	\$3,452.	\$3,894.
	Box/File 42" - Box/File 42"	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284B42B42L(N)	3,764.	4,246.






Open with Box/File - 84" Wide Credenza	Box/File 30" - Open 30" - Open 24"	84"	22 ³ / ₁₆ "	15"	WC228416B30O30O24L(N)	2,718.	3,190.
	Open 24" - Open 30" - Box/File 30"	84"	22 ³ / ₁₆ "	15"	WC228416O24O30B30L(N)	2,718.	3,190.
	Box/File 30" - Open 30" - Open 24"	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284B30O30O24L(N)	2,977.	3,478.
	Open 24" - Open 30" - Box/File 30"	84"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2284O24O30B30L(N)	2,977.	3,478.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WC2248O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage		Credenzas are preassembled including top.
	C Credenza		Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
	22 22" High		Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
	48 48" Wide		
	O18 Left: Open 18"		
	O30 Right: Open 30"		
	L Laminate case and front		
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White		




Dimensions listed under w h d are actual to the nearest 1/16".

Mobile Credenzas 18" wide, 16" and 20" deep

description	w	h	d	pattern no.	L1	L2
 Open - 18" Wide Mobile Credenza	18"	25"	15"	WCM251816OL	\$916.	\$1,069.
	18"	25"	19 1/16"	WCM2518OL	981.	1,267.
 Open/File - 18" Wide Mobile Credenza	18"	25"	15"	WCM251816FL(N)	1,882.	2,092.
	18"	25"	19 1/16"	WCM2518FL(N)	1,932.	2,142.
 Box/File - 18" Wide Mobile Credenza	18"	25"	15"	WCM251816BL(N)	2,412.	2,622.
	18"	25"	19 1/16"	WCM2518BL(N)	2,542.	2,737.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Mobile Credenzas include applicable caster kit and counterweight kits if required.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page			
3. <i>Top Finish</i> See Finish Options page	Example: WCM2548O18O30L	Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.	Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
	W Woodcore Storage		
	CM Mobile Credenza	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
	25 25" High		
	48 48" Wide	Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
	O18 Left: Open 18"		
	O30 Right: Open 30"	Dimensions listed under w h d are actual to the nearest 1/16".	Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.
	L Laminate case and front		
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White		


Mobile Credenzas 24" wide, 16" and 20" deep

description	w	h	d	pattern no.	L1	L2
Open - 24" Wide Mobile Credenza 	24"	25"	15"	WCM252416OL	\$1,019.	\$1,209.
	24"	25"	19 1/16"	WCM2524OL	1,095.	1,444.
Open/File - 24" Wide Mobile Credenza 	24"	25"	15"	WCM252416FL(N)	1,912.	2,144.
	24"	25"	19 1/16"	WCM2524FL(N)	2,002.	2,202.
Box/File - 24" Wide Mobile Credenza 	24"	25"	15"	WCM252416BL(N)	2,482.	2,677.
	24"	25"	19 1/16"	WCM2524BL(N)	2,612.	2,792.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Mobile Credenzas include applicable caster kit and counterweight kits if required.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WCM2548O18O30L	Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.	Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Woodcore Storage CM Mobile Credenza 25 25" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing. Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
			Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

Mobile Credenzas 30" wide, 16" and 20" deep


description	w	h	d	pattern no.	L1	L2
Open - 30" Wide Mobile Credenza	30"	25"	15"	WCM253016OL	\$1,121.	\$1,347.
	30"	25"	19 1/16"	WCM2530OL	1,211.	1,620.



Open/File - 30" Wide Mobile Credenza	30"	25"	15"	WCM253016FL(N)	1,968.	2,210.
	30"	25"	19 1/16"	WCM2530FL(N)	2,092.	2,356.




Box/File - 30" Wide Mobile Credenza	30"	25"	15"	WCM253016BL(N)	2,664.	2,876.
	30"	25"	19 1/16"	WCM2530BL(N)	2,840.	3,071.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Mobile Credenzas include applicable caster kit and counterweight kits if required.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WCM2548O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage CM Mobile Credenza 25 25" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing. Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

Mobile Credenzas 30" wide, 16" and 20" deep


description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	File 18" - Open 12"	30"	25"	15"	WCM253016F18O12L(N)	\$1,950.	\$2,200.
	Open 12" - File 18"	30"	25"	15"	WCM253016O12F18L(N)	1,950.	2,200.
	File 18" - Open 12"	30"	25"	19 1/16"	WCM2530F18O12L(N)	2,180.	2,380.
	Open 12" - File 18" (shown)	30"	25"	19 1/16"	WCM2530O12F18L(N)	2,180.	2,380.

	Box/File 18" - Open 12"	30"	25"	15"	WCM253016B18O12L(N)	2,614.	2,809.
	Open 12" - Box/File 18"	30"	25"	15"	WCM253016O12B18L(N)	2,614.	2,809.
	Box/File 18" - Open 12"	30"	25"	19 1/16"	WCM2530B18O12L(N)	2,840.	3,040.
	Open 12" - Box/File 18" (shown)	30"	25"	19 1/16"	WCM2530O12B18L(N)	2,840.	3,040.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Mobile Credenzas include applicable caster kit and counterweight kits if required.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page			
3. <i>Top Finish</i> See Finish Options page	Example: WCM2548O18O30L	Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.	Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
	W Anchor Storage		
	CM Mobile Credenza	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
	25 25" High		
	48 48" Wide	Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
	O18 Left: Open 18"		
	O30 Right: Open 30"	Dimensions listed under w h d are actual to the nearest 1/16".	Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.
	L Laminate case and front		
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White		

Mobile Credenzas 36" wide, 16" and 20" deep


description	w	h	d	pattern no.	L1	L2
Open - 36" Wide Mobile Credenza	36"	25"	15"	WCM253616OL	\$1,223.	\$1,486.
	36"	25"	19 1/16"	WCM2536OL	1,326.	1,797.



Open/File - 36" Wide Mobile Credenza	36"	25"	15"	WCM253616FL(N)	2,085.	2,337.
	36"	25"	19 1/16"	WCM2536FL(N)	2,219.	2,495.





Box/File - 36" Wide Mobile Credenza	36"	25"	15"	WCM253616BL(N)	2,782.	3,011.
	36"	25"	19 1/16"	WCM2536BL(N)	2,888.	3,136.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Mobile Credenzas include applicable caster kit and counterweight kits if required.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WCM2548O18O30L		Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
	CM Mobile Credenza		Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
	25 25" High		
	48 48" Wide		
	O18 Left: Open 18"		
	O30 Right: Open 30"		
	L Laminate case and front		
	(118) Case Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
	(118) Top Finish, Bright White	Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.
		Dimensions listed under w h d are actual to the nearest 1/16".	

Mobile Credenzas 36" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
 Open with File - 36" wide Mobile Credenza	File 18" - Open 18"	36"	25"	15"	WCM253616F18O18L(N)	\$1,974.	\$2,217.
	Open 18" - File 18"	36"	25"	15"	WCM253616O18F18L(N)	1,974.	2,217.
	File 24" - Open 12"	36"	25"	15"	WCM253616F24O12L(N)	2,005.	2,245.
	Open 12" - File 24"	36"	25"	15"	WCM253616O12F24L(N)	2,005.	2,245.
	File 18" - Open 18"	36"	25"	19 1/16"	WCM2536F18O18L(N)	2,199.	2,399.
	Open 18" - File 18" (shown)	36"	25"	19 1/16"	WCM2536O18F18L(N)	2,199.	2,399.
	File 24" - Open 12"	36"	25"	19 1/16"	WCM2536F24O12L(N)	2,235.	2,430.
	Open 12" - File 24"	36"	25"	19 1/16"	WCM2536O12F24L(N)	2,235.	2,430.
 Open with Box/File - 36" wide Mobile Credenza	Box/File 18" - Open 18"	36"	25"	15"	WCM253616B18O18L(N)	2,639.	2,859.
	Open 18" - Box/File 18"	36"	25"	15"	WCM253616O18B18L(N)	2,639.	2,859.
	Box/File 24" - Open 12"	36"	25"	15"	WCM253616B24O12L(N)	2,705.	2,915.
	Open 12" - Box/File 24"	36"	25"	15"	WCM253616O12B24L(N)	2,705.	2,915.
	Box/File 18" - Open 18"	36"	25"	19 1/16"	WCM2536B18O18L(N)	2,895.	3,095.
	Box/File 24" - Open 12"	36"	25"	19 1/16"	WCM2536B24O12L(N)	2,895.	3,095.
	Open 12" - Box/File 24"	36"	25"	19 1/16"	WCM2536O12B24L(N)	2,895.	3,095.
	Open 18" - Box/File 18" (shown)	36"	25"	19 1/16"	WCM2536O18B18L(N)	2,895.	3,095.

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" - Open 30"	
Example:	WCM2548O18O30L
W	Anchor Storage
CM	Mobile Credenza
25	25" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. 18" and 24" wide drawer segments are not available with keyless locking.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.


Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).


Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

Mobile Credenzas 42" wide, 16" and 20" deep


description	w	h	d	pattern no.	L1	L2
Open - 42" Wide Mobile Credenza	42"	25"	15"	WCM254216OL	\$1,321.	\$1,620.
	42"	25"	19 1/16"	WCM2542OL	1,435.	1,970.



Open/File - 42" Wide Mobile Credenza	42"	25"	15"	WCM254216FL(N)	2,201.	2,489.
	42"	25"	19 1/16"	WCM2542FL(N)	2,347.	2,660.






Box/File - 42" Wide Mobile Credenza	42"	25"	15"	WCM254216BL(N)	2,931.	3,190.
	42"	25"	19 1/16"	WCM2542BL(N)	3,077.	3,360.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Mobile Credenzas include applicable caster kit and counterweight kits if required.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WCM2548O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage CM Mobile Credenza 25 25" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing. Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

Mobile Credenzas 48" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	Open 18" - Open 30"	48"	25"	15"	WCM254816O18O30L	\$1,510.	\$1,790.
	Open 18" - Open 30" (shown)	48"	25"	19 1/16"	WCM2548O18O30L	1,728.	1,968.
	Open 30" - Open 18"	48"	25"	15"	WCM254816O30O18L	1,510.	1,790.
	Open 30" - Open 18"	48"	25"	19 1/16"	WCM2548O30O18L	1,728.	1,968.
	File 30" - Open 18"	48"	25"	15"	WCM254816F30O18L(N)	2,287.	2,512.
	File 30" - Open 18"	48"	25"	19 1/16"	WCM2548F30O18L(N)	2,465.	2,685.
	Open 18" - File 30"	48"	25"	15"	WCM254816O18F30L(N)	2,287.	2,512.
	Open 18" - File 30" (shown)	48"	25"	19 1/16"	WCM2548O18F30L(N)	2,465.	2,685.
	Box/File 30" - Open 18"	48"	25"	15"	WCM254816B30O18L(N)	2,628.	2,853.
	Box/File 30" - Open 18"	48"	25"	19 1/16"	WCM2548B30O18L(N)	2,811.	3,057.
	Open 18" - Box/File 30"	48"	25"	15"	WCM254816O18B30L(N)	2,628.	2,853.
	Open 18" - Box/File 30" (shown)	48"	25"	19 1/16"	WCM2548O18B30L(N)	2,811.	3,057.

Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" - Open 30"	
Example:	WCM2548O18O30L
W	Anchor Storage
CM	Mobile Credenza
25	25" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.



Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.

Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).



Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

Mobile Credenzas 60" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	Open 18" - Open 42"	60"	25"	15"	WCM256016O18O42L	\$1,905.	\$2,249.
	Open 24" - Open 36"	60"	25"	15"	WCM256016O24O36L	1,905.	2,249.
	Open 30" - Open 30"	60"	25"	15"	WCM256016O30O30L	1,905.	2,249.
	Open 36" - Open 24"	60"	25"	15"	WCM256016O36O24L	1,905.	2,249.
	Open 42" - Open 18"	60"	25"	15"	WCM256016O42O18L	1,905.	2,249.
	Open 18" - Open 42"	60"	25"	19 1/16"	WCM2560O18O42L	2,149.	2,449.
	Open 24" - Open 36"	60"	25"	19 1/16"	WCM2560O24O36L	2,149.	2,449.
	Open 30" - Open 30"	60"	25"	19 1/16"	WCM2560O30O30L	2,149.	2,449.
	Open 36" - Open 24"	60"	25"	19 1/16"	WCM2560O36O24L	2,149.	2,449.
	Open 42" - Open 18"(shown)	60"	25"	19 1/16"	WCM2560O42O18L	2,149.	2,449.
	File 36" - Open 24"	60"	25"	15"	WCM256016F36O24L(N)	2,637.	2,957.
	Open 24" - File 36"	60"	25"	15"	WCM256016O24F36L(N)	2,637.	2,957.
	File 42" - Open 18"	60"	25"	15"	WCM256016F42O18L(N)	2,670.	2,989.
	Open 18" - File 42"	60"	25"	15"	WCM256016O18F42L(N)	2,670.	2,989.
	File 36" - Open 24"	60"	25"	19 1/16"	WCM2560F36O24L(N)	2,844.	3,158.
	Open 24" - File 36"	60"	25"	19 1/16"	WCM2560O24F36L(N)	2,844.	3,158.
	File 42" - Open 18"	60"	25"	19 1/16"	WCM2560F42O18L(N)	2,863.	3,192.
	Open 18" - File 42" (shown)	60"	25"	19 1/16"	WCM2560O18F42L(N)	2,863.	3,192.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Mobile Credenzas include applicable caster kit and counterweight kits if required.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WCM2548O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage CM Mobile Credenza 25 25" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing. Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
			Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.


Mobile Credenzas 60" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	Box/File 30" - Open 30"	60"	25"	15"	WCM256016B30O30L(N)	\$2,960.	\$3,225.
	Open 30" - Box/File 30"	60"	25"	15"	WCM256016O30B30L(N)	2,960.	3,225.
	Box/File 36" - Open 24"	60"	25"	15"	WCM256016B36O24L(N)	2,986.	3,256.
	Open 24" - Box/File 36"	60"	25"	15"	WCM256016O24B36L(N)	2,986.	3,256.
	Box/File 42" - Open 18"	60"	25"	15"	WCM256016B42O18L(N)	3,112.	3,382.
	Open 18" - Box/File 42"	60"	25"	15"	WCM256016O18B42L(N)	3,112.	3,382.
	Box/File 30" - Open 30"	60"	25"	19 1/16"	WCM2560B30O30L(N)	3,163.	3,451.
	Open 30" - Box/File 30"	60"	25"	19 1/16"	WCM2560O30B30L(N)	3,163.	3,451.
	Box/File 36" - Open 24"	60"	25"	19 1/16"	WCM2560B36O24L(N)	3,190.	3,486.
	Open 24" - Box/File 36"	60"	25"	19 1/16"	WCM2560O24B36L(N)	3,190.	3,486.
	Box/File 42" - Open 18"	60"	25"	19 1/16"	WCM2560B42O18L(N)	3,318.	3,612.
	Open 18" - Box/File 42"	60"	25"	19 1/16"	WCM2560O18B42L(N)	3,318.	3,612.
	File 30" - File 30"	60"	25"	15"	WCM256016F30F30L(N)	3,067.	3,437.
	File 30" - File 30" (shown)	60"	25"	19 1/16"	WCM2560F30F30L(N)	3,433.	3,766.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Mobile Credenzas include applicable caster kit and counterweight kits if required.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WCM2548O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage CM Mobile Credenza 25 25" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing. Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
			Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

Mobile Credenzas 60" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
Box/File, Box/File Mobile Credenza	Box/File 30" - Box/File 30"	60"	25"	15"	WCM256016B30B30L(N)	\$4,067.	\$4,373.
	Box/File 30" - Box/File 30" (shown)	60"	25"	19 1/16"	WCM2560B30B30L(N)	4,397.	4,688.

**Order Information**

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" -
Open 30"

Example: **WCM2548O18O30L**

W	Anchor Storage
CM	Mobile Credenza
25	25" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.


Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.


Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.


Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).


Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

Mobile Credenzas 72" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	Open 30" - Open 42"	72"	25"	15"	WCM257216O30O42L	\$2,102.	\$2,487.
	Open 36" - Open 36"	72"	25"	15"	WCM257216O36O36L	2,102.	2,487.
	Open 42" - Open 30"	72"	25"	15"	WCM257216O42O30L	2,102.	2,487.
	Open 36" - Open 36"	72"	25"	19 1/16"	WCM2572O36O36L	2,367.	2,707.
	Open 30" - Open 42" (shown)	72"	25"	19 1/16"	WCM2572O30O42L	2,377.	2,707.
	Open 42" - Open 30"	72"	25"	19 1/16"	WCM2572O42O30L	2,377.	2,707.

	File 42" - Open 30"	72"	25"	15"	WCM257216F42O30L(N)	2,858.	3,225.
	Open 30" - File 42"	72"	25"	15"	WCM257216O30F42L(N)	2,858.	3,225.
	File 42" - Open 30"	72"	25"	19 1/16"	WCM2572F42O30L(N)	3,082.	3,451.
	Open 30" - File 42" (shown)	72"	25"	19 1/16"	WCM2572O30F42L(N)	3,082.	3,451.


	Box/File 36" - Open 36"	72"	25"	15"	WCM257216B36O36L(N)	3,177.	3,494.
	Open 36" - Box/File 36"	72"	25"	15"	WCM257216O36B36L(N)	3,177.	3,494.
	Box/File 42" - Open 30"	72"	25"	15"	WCM257216B42O30L(N)	3,204.	3,494.
	Open 30" - Box/File 42"	72"	25"	15"	WCM257216O30B42L(N)	3,204.	3,521.
	Box/File 36" - Open 36"	72"	25"	19 1/16"	WCM2572B36O36L(N)	3,399.	3,744.
	Open 36" - Box/File 36"	72"	25"	19 1/16"	WCM2572O36B36L(N)	3,399.	3,744.
	Box/File 42" - Open 30"	72"	25"	19 1/16"	WCM2572B42O30L(N)	3,428.	3,773.
	Open 30" - Box/File 42" (shown)	72"	25"	19 1/16"	WCM2572O30B42L(N)	3,428.	3,773.

	File 36" - File 36"	72"	25"	15"	WCM257216F36F36L(N)	3,290.	3,723.
	File 36" - File 36" (shown)	72"	25"	19 1/16"	WCM2572F36F36L(N)	3,692.	4,083.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Mobile Credenzas include applicable caster kit and counterweight kits if required.	Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page			
3. <i>Top Finish</i> See Finish Options page	Example: WCM2548O18O30L	Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
	W Anchor Storage		
	CM Mobile Credenza	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.
	25 25" High		
	48 48" Wide	Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).
	O18 Left: Open 18"		
	O30 Right: Open 30"	Dimensions listed under w h d are actual to the nearest 1/16".	Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.
	L Laminate case and front		
	(118) Case Finish, Bright White		
	(118) Top Finish, Bright White		

Mobile Credenzas 72" wide, 16" and 20" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
Box/File, Box/File Mobile Credenza	Box/File 36" - Box/File 36"	72"	25"	15"	WCM257216B36B36L(N)	\$4,339.	\$4,706.
	Box/File 36" - Box/File 36" (shown)	72"	25"	19 1/16"	WCM2572B36B36L(N)	4,694.	5,044.

**Order Information**

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Credenza , 48" wide, Open 18" -
Open 30"

Example: **WCM2548O18O30L**

W	Anchor Storage
CM	Mobile Credenza
25	25" High
48	48" Wide
O18	Left: Open 18"
O30	Right: Open 30"
L	Laminate case and front
(118)	Case Finish, Bright White
(118)	Top Finish, Bright White

Specification Information

Mobile Credenzas include applicable caster kit and counterweight kits if required.

Add \$40 to the list price per standard key lock. Add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.

Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.

Credenza specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Application Notes

Credenzas 20" deep (nominal) have a 19 1/16" deep case. Credenzas with drawer fronts are 20" deep overall.

Credenzas 16" deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.


Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing.

Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing (WAFB16...).

Credenza cases are preassembled including top and decorative caster plates. Applicable casters and counterweight kits are field installed.

description	type	pattern no.	list	P1	P2	P3
Extended Leveling Glides	Extended Leveling Glides, pack of 100	WAGE100	\$189.			
	Extended Leveling Glides, pack of 20	WAGE20	39.			
Counterweight Kits	Counterweight Kit 01	WCWKIT01	108.			
	Counterweight Kit 02	WCWKIT02	130.			
	Counterweight Kit 03	WCWKIT03	183.			
	Counterweight Kit 04	WCWKIT04	206.			
	Counterweight Kit 05	WCWKIT05	227.			
	Counterweight Kit 06	WCWKIT06	256.			
	Counterweight Kit 07	WCWKIT07	278.			
	Counterweight Kit 08	WCWKIT08	306.			
	Counterweight Kit 09	WCWKIT09	351.			
	Counterweight Kit 10	WCWKIT10	384.			
Front to Back File Bars for 16" deep credenzas	Front to Back File Bars, Kit of 4	WAFB1604	110.			
	Front to Back File Bars, Kit of 12	WAFB1612	286.			
	Front to Back File Bars, Kit of 24	WAFB1624	525.			
Credenza Spacer	Credenza Spacer for Dividends Horizon worksurface	WACS22P	0.	181.	202.	208.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Example: WAGE20 W Anchor A Accessories GE Extended Glide 20 Bulk Pack of 20	<p>Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 12 for detailed requirements.</p> <p>Counterweight kits include hardware to mount the counterweight plates.</p> <p>Counterweight plates are to be mounted to the back panel behind the file drawer(s) inside the credenza.</p>	<p>Extended leveling glides are specified separately when additional leveling capabilities are required or for units overlaying table foot.</p> <p>Extended leveling glides provide a clearance range of 1 1/4" - 2".</p> <p>WAFB16 file bar accessories may be specified to accommodate front-to-back Letter or Legal filing within 16" deep credenzas. Each row of front-to-back filing requires (2) bars.</p> <p>Credenza spacer may be used to support one end of a Dividends Horizon worksurface. Spacer may not be used with credenzas raised on feet.</p>

description	w	d	h	pattern no.	A	B	C	D	E	F	G	H	I
Credenza Cushion Top	30"	18"	1 1/4"	WCCT3018	\$437.	\$474.	\$502.	\$546.	\$556.	\$608.	\$642.	\$697.	\$784.
	36"	18"	1 1/4"	WCCT3618	458.	496.	523.	564.	575.	629.	663.	719.	808.

Order Information	Order Code	Application Notes
1. <i>Base Pattern Number</i>	Example: WCCT3018 ()	Cushions are for use on credenzas only.
2. <i>Fabric</i>	W Anchor	
See Finish Options page	CCT Credenza Cushion Top	Cushions are preassembled with hook and loop tape for mounting to credenza.
	30 30" Wide	
	18 18" Deep	
	() Fabric	For CAL133 backing on the cushion, add \$79 to the list price.
		For Customers Own Material (COM) applications, specify 1.5 yards of fabric for 30" wide cushions and 1.7 yards of fabric for 36" wide cushions.

Pedestal Specifications

Mobile Pedestal Technical Specifications

Anchor Mobile Pedestals

Anchor Mobile Pedestals provide flexible storage solutions with a range of configurations offering varying levels of security and compartmentalization for user organization. Anchor mobile pedestals are freestanding wood construction cabinets with casters.

Anchor mobile pedestals ship assembled including a finished top. Casters are field installed.

Available Sizes (nominal)

Height, Tray Top or Finished Laminate Top: 23-7/8"

Height, with optional Cushion Top installed: 24-7/8"

Widths: 12", 16"

Depth: 20-3/4"

Available Configurations

9 available configurations:

- Open
- Hinged Door (right or left)
- Open/File
- Concealed Shelf/File
- Box/File
- Recessed Box/File
- Slide Out
- File Drawer/Trap Top
- Hinged Door/Tray Top (right or left)

Construction

- Mobile Pedestals are constructed of wood core, laminate and ABS edge banding; cam and dowel construction
- Material thickness: 1-3/16" (nominal) on pedestal bottom and top, 3/4" on pedestal back, sides, interior shelves and drawer fronts
- 16" wide pedestal drawer bodies are metal (excluding slide out pedestal); 12" wide pedestal drawer bodies are wood construction
- Full suspension, ball bearing drawer slides standard for all drawer types including Box, File and Slide Out drawers.
- All mobile pedestals include (4) non-locking hard-wheeled casters. Mobile pedestals with File drawer or Slide Out include additional 5th wheel to be mounted beneath the drawer to provide stability as lower drawer is extended, preventing tip hazard
- Casters provide 2-3/16" clearance beneath mobile pedestal case

Internal Drawer Dimensions, 12" wide

Box Drawer, 12" wide

- Internal Height: 3-1/16"
- Internal Width: 8-5/16"
- Internal Depth: 15-1/8"

File Drawer, 12" wide

- Internal Height: 9-5/16"
- Internal Width: 8-5/16"
- Internal Depth: 15-1/8"

Slide Out Drawer, 12" wide

Drawer Body:

- Internal Height: 3-1/16" (18-9/16" clearance)
- Internal Width: 8"
- Internal Depth: 15-1/8"
- Slatwall Area:
- Width: 16-1/8"
- Height: 15-1/2"

Internal Clearance

Open and Hinged Door, 12" wide

- Internal Height, excluding shelf: 19-5/16"
*Reduced by 2-9/16" within Tray Top version
- Internal Width: 10-1/2"
- Internal Depth: 19-15/16"

Internal Drawer Dimensions, 16" wide

Box Drawer, 16" wide

- Internal Height: 4-5/16" (4-15/16" clearance)
- Internal Width: 12-7/16"
- Internal Depth: 18-1/4"

File Drawer, 16" wide

- Internal Height: 9-1/4" (11-9/16" clearance)
- Internal Width: 12-7/16"
- Internal Depth: 18-1/4"

Slide Out Pedestal, 16" wide

Drawer Body:

- Internal Height: 3-1/16" (18-9/16" clearance)
- Internal Width: 11-1/2"
- Internal Depth: 15-1/8"
- Slatwall Area:
- Width: 16-1/8"
- Internal Depth: 15-1/2"

Internal Clearance

Open and Hinged Door, 16" wide

- Internal Height, excluding shelf: 19-5/16"
*Reduced by 2-9/16" within Tray Top version
- Internal Width: 14"
- Internal Depth: 19-15/16"

Filing and Accessories

Box drawers of 16" wide mobile pedestals may accept Knoll Universal plastic pencil tray (DS2PPT). 16" wide pedestal file drawer allows for front-to-back letter filing. File Support Channel (DS1PFS) required to accommodate side-to-side legal filing (specified separately). 12" wide pedestal file drawer allows for side-to-side letter or legal filing.

Slide Out pedestal configuration includes slatwall mounted within interior to support select slatwall accessories including hook and basket, specified separately.

Tray top mobile pedestals include recessed tray finished with selected case laminate. Optional lay-in liner accessories are available, specified separately. Liners are available in laminated cork or in 5 standard colors of recycled PET. Note: Cork liner is not FSC certified.

Mobile Pedestal Cushion

Mobile pedestals include finished laminate top or may be specified with drilled top to accept pedestal cushion. Cushions are available in a range of KnollTextiles, Spinneybeck leather or upholstered in customer's own material. When specified, cushion adds 1" to overall finished height of the pedestal. Cushions are field installed. Cushions are not intended for use with tray top mobile pedestals.

Locks

All mobile pedestals with door or drawer(s) are available non-locking or locking with cylinder lock and key. When specified as non-locking, lock drilling is omitted. Dual-tab lock design allows one shared lock core on units with 2 drawers. Locks are available in black or chrome finishes.


Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Select configurations including Hinged Door, Slide Out, Concealed Shelf-File and Hinged Door/Tray Top are available with Digital Keypad or RFID keyless lock options with automatic bolt. Digital Keypad and RFID locks are standard with brushed nickel face plate finish and black buttons and RFID reader. Refer to Digital Keypad and RFID Lock Specifications for details.

Pulls

Mobile pedestals include standard Anchor Finger Pull, centered horizontally on all drawers, positioned vertically on all doors. Drawers of 16" wide mobile pedestals include 10" pulls. Drawers of 12" wide mobile pedestals and all mobile pedestals with hinged door include 5" pulls.

Top Drawer: 3/4" from bottom of drawer front
Bottom Drawer: 3/4" from top of drawer front
Full Height Single Drawer Front: 13 1/8" from bottom of drawer front
Doors: 1-1/8" below top edge of door



Pedestal Specifications

Floorstanding Pedestal Technical Specifications

Anchor Storage

Anchor Floorstanding Pedestals

Anchor Floorstanding Pedestals are desk height wood construction cabinets designed to support work surfaces in both panel wrapped and freestanding applications. No cantilevers or other supports are required at the end of the work surface supported by a pedestal. Opposite end of the extended work surface must be supported by support leg or a panel.

Floorstanding pedestals are not intended for freestanding use. Floorstanding pedestals 12" and 16" wide are available in 9 configurations. Select configurations are available for use with Anchor foot kits. When applicable, foot kits are specified separately. Reference pricing pages for full product scope.

Floorstanding Pedestals ship assembled, excluding a finished top.

Available Sizes (nominal)

Height: 28" overall height including work surface (specified separately)
Widths: 12", 16", 24", 30"
Depth: 24"

Available Configurations

Floorstanding pedestals, 12" and 16" wide

- Open
- Full Door (right or left)
- Open/File
- Open/Box File
- Box (File Front) File
- Shelf/Box/File (Single Front)
- Box/Box (File Front) File
- File/File
- Slide Our with Slatwall

Floorstanding Pedestals for Use with Feet, 12" and 16" wide

- Open
- Full Door (right or left)
- Box/File
- Open/File
- Shelf/File (Single Front)
- Shelf/Box/File (Single Front)

Construction

- Floorstanding Pedestals are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: $1\frac{3}{16}$ " (nominal) on pedestal bottom and midpanels (where applicable), $\frac{3}{4}$ " on pedestal back, sides, interior shelves and drawer fronts.
- 16" wide pedestal drawer bodies are metal; 12" wide pedestal drawer bodies are wood construction
- Box and File drawer suspension: Full extension, ball bearing slides
- Leveling glides: $\frac{3}{16}$ " diameter steel stem with $\frac{1}{16}$ " of height adjustment, 4 per pedestal.
- Longer glides are included to provide an additional $\frac{1}{16}$ " of height adjustment; 2 per pedestal.

Internal Drawer Dimensions 16" wide

Box drawer

- Internal height: $4\frac{5}{16}$ " ($4\frac{13}{16}$ " clearance)
- Internal width: $12\frac{7}{16}$ "
- Internal depth: $18\frac{1}{4}$ "


File drawer

- Internal height: $9\frac{1}{4}$ " ($11\frac{5}{16}$ " clearance)
- Internal width: $12\frac{7}{16}$ "
- Internal depth: $18\frac{1}{4}$ "

Internal Clearances *


Pedestal with standard glides

- Internal height A: $4\frac{7}{8}$ "
- Internal height B: $6\frac{1}{2}$ "
- Internal height C: $11\frac{15}{16}$ "
- Internal height D: $12\frac{1}{8}$ "



Pedestal for Use with Feet

- Internal height A: $3\frac{1}{8}$ "
- Internal height B: $4\frac{9}{16}$ "
- Internal height C: $11\frac{15}{16}$ "
- Internal height D: $9\frac{3}{16}$ "



Filing

16" wide pedestal file drawer allows for front-to-back letter filing. File Support Channel for legal filing must be specified separately.

12" wide pedestal file drawer allows for side-to-side letter or legal filing.

Locks

Anchor Floorstanding Pedestals may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Dual-tab lock design allows one shared lock core on units with 2 drawers in vertical alignment.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Keyless lock options with automatic bolt are available on select 12" wide and 16" wide floorstanding pedestals including, FD, F1, F2, CS, SO and RB configurations.



Pulls

Finger Pull, centered horizontally on drawers, positioned vertically on doors.

Top drawer: $\frac{3}{4}$ " from bottom of drawer

Bottom drawer: $\frac{3}{4}$ " from top of drawer

Doors: $1\frac{1}{8}$ " below top edge of door



*Actual dimensions to the nearest $\frac{1}{16}$ th of an inch.

Pedestal Specifications

Doublewide Pedestals

Anchor Doublewide Pedestals

Anchor Doublewide Pedestals are 28" high wood construction cabinets sized to align with desk height (when specified with top) and are designed to be used in a variety of applications.

Doublewide pedestals are available in 5 widths and 5 interior configurations. Select configurations are available for use with Anchor foot kits. When applicable, foot kits are specified separately. Reference pricing pages for full product scope.


Available Sizes (nominal)

Height: 28" (including top)
Widths: 18", 24", 30", 36", 42"
Depth: 16", 20", 24"


Doublewide Pedestals ship assembled excluding the top. **Doublewide pedestal tops must be specified separately.**

Doublewide pedestals may be specified with a full-width individual top, common top spanning two side-by-side units (facing the same or opposite direction) or with an extended top. Opposite end of the extended worksurface must be supported by a perpendicular work surface, support leg or a panel.


Counterweight kit must be specified for certain doublewide pedestals in applications that are not connected to a desk or another unit. Further information is detailed on pricing pages.




Individual top



Common top, units facing same direction



Common top, units facing opposite direction



Extended top connected to a perpendicular surface.

Construction

- Doublewide Pedestals are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: $1\frac{3}{16}$ " (nominal) on pedestal bottom, $\frac{3}{4}$ " on pedestal back, sides, interior shelves and drawer fronts.
- Material thickness: $1\frac{3}{16}$ " (nominal) on pedestal tops (specified separately)
- Box and File drawer suspension: Full extension, ball bearing slides
- Units include interlock to prevent more than one drawer opening at a time.
- Leveling glides: $\frac{3}{16}$ " diameter steel stem with $\frac{1}{16}$ " of height adjustment, 4 per doublewide pedestal.
- Longer glides are included to provide an additional $\frac{1}{16}$ " of height adjustment; 2 per doublewide pedestal.

Internal Drawer Dimensions *

Box drawer

- Internal height: $3\frac{3}{4}$ " ($5\frac{1}{8}$ " clearance)
- Internal width: $14\frac{3}{4}$ ", $20\frac{3}{4}$ ", $26\frac{3}{4}$ ", $32\frac{3}{4}$ ", $38\frac{3}{4}$ "
- Internal depth: $12\frac{13}{16}$ ", $16\frac{1}{4}$ "

File drawer


- Internal height: $9\frac{3}{4}$ " ($11\frac{3}{4}$ " clearance)
- Internal widths: $14\frac{3}{4}$ ", $20\frac{3}{4}$ ", $26\frac{3}{4}$ ", $32\frac{3}{4}$ ", $38\frac{3}{4}$ "
- Internal depths: $12\frac{13}{16}$ ", $16\frac{1}{4}$ "

Internal Clearances *

- Internal wide: $28\frac{1}{2}$ ", $34\frac{1}{2}$ ", $40\frac{1}{2}$ "
- Internal depth: $18\frac{1}{4}$ "


Pedestal with standard glides

- Internal height A: $4\frac{7}{8}$ "
- Internal height B: $6\frac{1}{2}$ "
- Internal height C: $11\frac{15}{16}$ "
- Internal height D: $12\frac{1}{8}$ "



Pedestals for Use with Feet

- Internal height A: $3\frac{7}{8}$ "
- Internal height B: $4\frac{9}{16}$ "
- Internal height C: $11\frac{15}{16}$ "
- Internal height D: $9\frac{3}{16}$ "



* Actual dimensions to the nearest $\frac{1}{16}$ th of an inch.


Filing

File drawers of 30" wide and larger, 20" and 24" deep doublewide provide side-to-side and front-to-back letter and legal filing. File drawers of all 18" wide, 24" wide, and 16" deep doublewides accommodate side-to-side letter filing only. Front-to-back file bars for 16" deep units may be specified separately.


Locks

Anchor Doublewide Pedestals may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.


Standard lock placement is the upper right hand corner of the bottom file drawer. Center of lock is $1\frac{1}{16}$ " from top edge, $1\frac{1}{2}$ " from side. Dual-tab lock design allows one shared lock core per box/file and file/file configuration.



Single drawer, single-tab lock core



Two drawers share dual-tab lock core



Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.



Keyless lock options are available for drawers 30" wide or larger. Refer to *Digital Keypad and RFID Lock Specifications* for details.


Pulls

Finger Pull, 10" long, centered horizontally on drawers


Top drawer: $\frac{3}{4}$ " from bottom of drawer

Bottom drawer: $\frac{3}{4}$ " from top of drawer







Doublewide pedestal with extended top. Specify **Dividends Horizon DB1F24SP flat bracket** for connection to perpendicular work surface.
No counterweight kit required.




Doublewide pedestal with individual top. Specify both the left and right hand **Dividends Horizon Panel brackets BC1EPDPB** to secure the unit to the panel.
No counterweight kit required.




Doublewide pedestals with extended tops. Specify a **Dividends Horizon DB1F24SP flat bracket** where each extended top connects to a perpendicular work surface.
No counterweight kits required.



Common top spanning two doublewide pedestals facing opposite directions.
No counterweight kits required.



Doublewide pedestals each with extended top. Specify a **Dividends Horizon DB1F24SP flat bracket** where each extended top connects to a perpendicular work surface.
No Counterweight kits required.




Doublewide Pedestals facing opposite directions with common top.
No counterweight kits required.

Pedestals


Mobile Pedestals 12" wide

Anchor Storage


description	description	w	h	d	pattern no.	L1	L2
All Open Mobile Pedestal	Open	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412OPL	\$549.	\$659.
	Open, 1 Shelf (shown)	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412O1L	597.	721.




Full Door Mobile Pedestal	Left Hand (shown)	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412FDLHL(N)	700.	826.
	Left Hand, 1 Shelf	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412F1LHL(N)	748.	888.
	Right Hand	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412FDRHL(N)	700.	826.
	Right Hand, 1 Shelf	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412F1RHL(N)	748.	888.




Open/File Mobile Pedestal		12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412OFL(N)	887.	1,019.
---------------------------	--	-----	----------------------------------	----------------------------------	----------------------	------	--------



Shelf/File Mobile Pedestal	Single Front	12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412CSL(N)	904.	1,038.
----------------------------	--------------	-----	----------------------------------	----------------------------------	----------------------	------	--------



Box/File Mobile Pedestal		12"	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2412BFL(N)	994.	1,117.
--------------------------	--	-----	----------------------------------	----------------------------------	----------------------	------	--------



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Mobile Pedestal, 12" Wide	Add \$40 to the list price per standard key lock. Digital Keypad and RFID lock available on FD, F1, CS and SO and DT mobile pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.	Mobile pedestals 22" deep (nominal) have a 20 ³ / ₄ " deep case. Pedestals with drawer fronts or doors are 21 ⁵ / ₈ " deep overall.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WPM2412OFL(L)		
3. <i>Case Finish</i> See Finish Options page	WPM Anchor Mobile Pedestal		
4. <i>Front Finish</i> See Finish Options page	24 24" High		
5. <i>Top Finish</i> See Finish Options page	12 12" Wide	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Mobile pedestals must be specified with a drilled top to accept pedestal cushion (specified separately). Tray Top mobile pedestals are not available with cushion top. Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	12" wide pedestal file drawer allows for side-to-side letter or legal filing. Tray Top mobile pedestals include recessed tray top finished with case laminate.
6. <i>Pull style</i> T = 5" finger pull	OF Open/File		
7. <i>Pull finish</i> B = Black	L Laminate		
8. <i>Lock Finish</i> C = Chrome	(L) Lock option, Locking		
9. <i>Predrilled top for cushion</i> D = Drilled N = Non-drilled	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled top for cushion		


Pedestals

Mobile Pedestals 12" wide


Anchor Storage

description	description	w	h	d	pattern no.	L1	L2
-------------	-------------	---	---	---	-------------	----	----


Recessed Box/File Mobile Pedestal		12"	23 7/8"	20 3/4"	WPM2412CML(N)	\$1,011.	\$1,150.
-----------------------------------	--	-----	---------	---------	----------------------	----------	----------




Slide Out Mobile Pedestal	Slat wall with bin, left hand	12"	23 7/8"	20 3/4"	WPM2412SOLHL(N)	1,176.	1,349.
	Slat wall with bin, right hand (shown)	12"	23 7/8"	20 3/4"	WPM2412SORHL(N)	1,176.	1,349.



Tray Top Mobile Pedestal with Hinged Doors	Left hand (shown)	12"	23 7/8"	20 3/4"	WPM2412DTLHL(N)	808.	933.
	Right hand	12"	23 7/8"	20 3/4"	WPM2412DTRHL(N)	808.	933.



Tray Top Mobile Pedestal with File Drawer		12"	23 7/8"	20 3/4"	WPM2412FTL(N)	929.	1,059.
---	--	-----	---------	---------	----------------------	------	--------




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Mobile Pedestal, 12" Wide	Add \$40 to the list price per standard key lock.	Mobile pedestals 22" deep (nominal) have a 20 3/4" deep case
2. <i>Lock option</i>	Example: WPM2412OFL(L)	Digital Keypad and RFID lock available on FD, F1, CS and SO and DT mobile pedestal configurations.	Pedestals with drawer fronts or doors are 21 5/8" deep overall.
L = Locking	WPM Anchor Mobile Pedestal	Add \$560 to the list price for digital keypad lock, add \$605 for RFID.	12" wide pedestal file drawer allows for side-to-side letter or legal filing.
N = Non-locking	24 24" High	Digital keypad and RFID locks require program and manager key(s), specified separately.	Tray Top mobile pedestals include recessed tray top finished with case laminate.
3. <i>Case Finish</i>	12 12" Wide		
See Finish Options page	OF Open/File		
4. <i>Front Finish</i>	L Laminate		
See Finish Options page	(L) Lock option, Locking		
5. <i>Top Finish</i>	(118) Case Finish	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
See Finish Options page	(118) Front Finish		
6. <i>Pull style</i>	(T) Pull Style		
T = 5" finger pull	(118) Pull Finish		
7. <i>Pull finish</i>	(C) Lock finish, Chrome		
B = Black	(D) Drilled top for cushion		
8. <i>Lock Finish</i>			
C = Chrome			
9. <i>Predrilled top for cushion</i>			
D = Drilled			
N = Non-drilled			

Pedestals


Mobile Pedestals 16" wide

Anchor Storage


description	description	w	h	d	pattern no.	L1	L2
All Open Mobile Pedestal	Open	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416OPL	\$551.	\$773.
	Open, 1 Shelf (shown)	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416O1L	603.	855.




Full Door Mobile Pedestal	Left Hand	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416FDLHL(N)	707.	957.
	Left Hand, 1 Shelf	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416F1LHL(N)	759.	1,040.
	Right Hand (shown)	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416FDRHL(N)	707.	957.
	Right Hand, 1 Shelf	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416F1RHL(N)	759.	1,040.




Open/File Mobile Pedestal		15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416OFL(N)	1,008.	1,316.
---------------------------	--	-----------------------------------	----------------------------------	----------------------------------	----------------------	--------	--------



Shelf/File Mobile Pedestal	Single Front	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416CSL(N)	1,030.	1,341.
----------------------------	--------------	-----------------------------------	----------------------------------	----------------------------------	----------------------	--------	--------



Box/File Mobile Pedestal		15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416BFL(N)	1,155.	1,430.
--------------------------	--	-----------------------------------	----------------------------------	----------------------------------	----------------------	--------	--------



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Mobile Pedestal, 16" Wide	Add \$40 to the list price per standard key lock.	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WPM2416OFL(L)	Digital Keypad and RFID lock available on FD, F1, CS and SO and DT mobile pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID.	Dimensions listed under w h d are actual to the nearest 1/16".
3. <i>Case Finish</i> See Finish Options page	WPM Anchor Mobile Pedestal	Digital keypad and RFID locks require program and manager key(s), specified separately.	Mobile pedestals 22" deep (nominal) have a 20 ³ / ₄ " deep case Pedestals with drawer fronts or doors are 21 ⁷ / ₈ " deep overall.
4. <i>Front Finish</i> See Finish Options page	24 24" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	16" wide pedestal file drawer allows for front-to-back letter filing. For legal filing, specify Series 2 DS1PFS File Support Channel separately.
5. <i>Top Finish</i> See Finish Options page	16 16" Wide	Mobile pedestals must be specified with a drilled top to accept pedestal cushion (specified separately).	Tray Top mobile pedestals include recessed tray top finished with case laminate
6. <i>Pull style</i> T = 10" finger pull	OF Open/File	Tray Top mobile pedestals are not available with cushion top.	
7. <i>Pull finish</i> B = Black	L Laminate		
8. <i>Lock Finish</i> C = Chrome	(L) Lock option, Locking		
9. <i>Predrilled top for cushion</i> D = Drilled N = Non-drilled	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled top for cushion		


Pedestals

Mobile Pedestals 16" wide


Anchor Storage

description	description	w	h	d	pattern no.	L1	L2
-------------	-------------	---	---	---	-------------	----	----


Recessed Box/File Mobile Pedestal		15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416CML(N)	\$1,171.	\$1,324.
-----------------------------------	--	-----------------------------------	----------------------------------	----------------------------------	----------------------	----------	----------




Slide Out Mobile Pedestal	Slat wall with bin, left hand	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416SOLHL(N)	1,270.	1,484.
	Slat wall with bin, right hand (shown)	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416SORHL(N)	1,270.	1,484.



Tray Top Mobile Pedestal with Hinged Doors	Left hand (shown)	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416DTLHL(N)	818.	1,061.
	Right hand	15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416DTRHL(N)	818.	1,061.



Tray Top Mobile Pedestal with File Drawer		15 ⁹ / ₁₆ "	23 ⁷ / ₈ "	20 ³ / ₄ "	WPM2416FTL(N)	1,071.	1,373.
---	--	-----------------------------------	----------------------------------	----------------------------------	----------------------	--------	--------




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Mobile Pedestal, 16" Wide	Add \$40 to the list price per standard key lock.	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WPM2416OFL(L)	Digital Keypad and RFID lock available on FD, F1, CS and SO and DT mobile pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID.	
3. <i>Case Finish</i> See Finish Options page	WPM Anchor Mobile Pedestal	Digital keypad and RFID locks require program and manager key(s), specified separately.	Dimensions listed under w h d are actual to the nearest 1/16".
4. <i>Front Finish</i> See Finish Options page	24 24" High		Mobile pedestals 22" deep (nominal) have a 20 ³ / ₄ " deep case
5. <i>Top Finish</i> See Finish Options page	16 16" Wide		Pedestals with drawer fronts or doors are 21 ⁷ / ₈ " deep overall.
6. <i>Pull style</i> T = 10" finger pull	OF Open/File	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	16" wide pedestal file drawer allows for front-to-back letter filing. For legal filing, specify Series 2 DS1PFS File Support Channel separately.
7. <i>Pull finish</i> B = Black	L Laminate		
8. <i>Lock Finish</i> C = Chrome	(L) Lock option, Locking		
9. <i>Predrilled top for cushion</i> D = Drilled N = Non-drilled	(118) Case Finish	Mobile pedestals must be specified with a drilled top to accept pedestal cushion (specified separately). Tray Top mobile pedestals are not available with cushion top.	Tray Top mobile pedestals include recessed tray top finished with case laminate
	(118) Front Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled top for cushion		

Pedestals


Tray Top Liner

Anchor Storage

description	type	w	d	h	pattern no.	list
PET Liner, for use with Anchor Tray Top Pedestals	Nomad PET Liner, for 12" wide pedestal	10 ⁷ / ₁₆ "	19 ¹ / ₁₆ "	¹ / ₈ "	WPL1224N	\$75.
	Nomad PET Liner, for 16" wide pedestal	14"	19 ¹ / ₁₆ "	¹ / ₈ "	WPL1624N	90.



Cork Liner, for use with Anchor Tray Top Pedestals	Cork Liner, for 12" wide pedestal	10 ⁷ / ₁₆ "	19 ¹ / ₁₆ "	¹ / ₁₆ "	WPL1224C	75.
	Cork Liner, for 16" wide pedestal	14"	19 ¹ / ₁₆ "	¹ / ₁₆ "	WPL1624C	90.



Order Information	Order Code	Specification Information	Application Notes
Tray Top Liner 1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Tray Top Liners <hr/> Example: WPL1224N(6150) <hr/> WPL Anchor Pedestal Liner <hr/> 12 12" <hr/> 24 24" <hr/> N Nomad PET Material <hr/> 6150 Gull <hr/>	For use with Anchor Mobile Tray Top Pedestals. Tray Top Liners are undersized from nominal to appropriately fit within pedestal tray top.	Liner accessories are designed to lay loose in recessed tray of Anchor tray top mobile pedestal for ease of removal or replacement. PET liners are composed of recycled material, 3mm thick. Cork liners are composed of thin profile, laminated cork with stabilizing backer. Cork liners are not FSC certified.


Pedestals

Mobile Pedestal Cushion

Fabric

Anchor Storage

description	type	w	d	h	pattern no.	A	B	C	D	E	F	G	H	I
Pedestal Cushion	For 12" wide Mobile Pedestal	12"	20 ³ / ₄ "	1"	WPMC12	\$264.	\$294.	\$344.	\$360.	\$394.	\$428.	\$477.	\$525.	\$543.
	For 16" wide Mobile Pedestal	15 ⁹ / ₁₆ "	20 ³ / ₄ "	1"	WPMC16	283.	317.	373.	389.	424.	461.	512.	566.	587.



Ordering Information

Seat Cushions

1. Base Pattern Number
2. Fabric Finish

Order Code

Mobile Pedestal Cushions

Example: **WPMC16,K448**

WPM	Anchor Mobile Pedestal
C	Cushion
16	16" Wide
K448	Common Ground

Specification Information

For use on Anchor Mobile Pedestals.

Mobile Pedestals must be specified with "D" drilled top option to attach pedestal cushion.

Application Notes

Pedestal cushion includes hardware to attach to a mobile pedestal (which must be specified with predrilled top option.)

For CAL133 backing on the cushion, add \$80 to the list price.

Use Grade B pricing for COM.

For Customer's Own Material (COM) applications, specify 0.9 yards of fabric per seat cushion.


Pedestals

Mobile Pedestal Cushion

Leather

Anchor Storage

description	type	w	d	h	pattern no.	U	V	W	X	Y
Pedestal Cushion	For 12" wide Mobile Pedestal	12"	20 3/4"	1"	WPMC12	\$525.	\$625.	\$769.	\$805.	\$852.
	For 16" wide Mobile Pedestal	15 7/16"	20 3/4"	1"	WPMC16	566.	674.	829.	868.	918.



Ordering Information

Seat Cushions

1. Base Pattern Number
2. Fabric Finish

Order Code

Mobile Pedestal Cushions

Example: **WPMC16,VO**

WPM	Anchor Mobile Pedestal
C	Cushion
16	16" Wide
VO	Volo

Specification Information

For use on Anchor Mobile Pedestals.

Mobile Pedestals must be specified with "D" drilled top option to attach pedestal cushion.

Application Notes

Pedestal cushion includes hardware to attach to a mobile pedestal (which must be specified with predrilled top option.)


For perforated leather, add \$105 to the list price.


Use Grade U pricing for customer's own leather.

Pedestals


Floorstanding Pedestals 24" deep 12" wide

Anchor Storage


description	pedestal configuration	w	h	d	pattern no.	L1	L2
	Open	12"	27 1/16"	23 1/2"	WP2812OPL	\$561.	\$802.
	Open, 1 Shelf (shown)	12"	27 1/16"	23 1/2"	WP2812O1L	613.	879.
	Open, 2 Shelves	12"	27 1/16"	23 1/2"	WP2812O2L	675.	975.

	Full Door, Left Hand	12"	27 1/16"	23 1/2"	WP2812FDLHL(N)	767.	1,037.
	Full Door, Right Hand (shown)	12"	27 1/16"	23 1/2"	WP2812FDRHL(N)	767.	1,037.
	Full Door, 1 Shelf Left Hand	12"	27 1/16"	23 1/2"	WP2812F1LHL(N)	818.	1,119.
	Full Door, 1 Shelf Right Hand	12"	27 1/16"	23 1/2"	WP2812F1RHL(N)	818.	1,119.
	Full Door, 2 Shelves Left Hand	12"	27 1/16"	23 1/2"	WP2812F2LHL(N)	869.	1,202.
	Full Door, 2 Shelves Right Hand	12"	27 1/16"	23 1/2"	WP2812F2RHL(N)	869.	1,202.


Open/File Pedestal	Open/File	12"	27 1/16"	23 1/2"	WP2812OFL(N)	861.	1,020.
--------------------	-----------	-----	----------	---------	---------------------	------	--------



Open/Box/File Pedestal	Open/Box/File	12"	27 1/16"	23 1/2"	WP2812OBL(N)	978.	1,128.
------------------------	---------------	-----	----------	---------	---------------------	------	--------



Box (File Front)/File Pedestal	Concealed shelf/Box/File	12"	27 1/16"	23 1/2"	WP2812CFL(N)	993.	1,149.
--------------------------------	--------------------------	-----	----------	---------	---------------------	------	--------



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2816OFL(L) WP Anchor Pedestal	Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.	
3. <i>Case Finish</i> See Finish Options page	28 27 1/16" High		
4. <i>Front Finish</i> See Finish Options page	16 16" Wide		
5. <i>Pull style</i> T = 5" finger pull	OF Open/File		
6. <i>Pull finish</i> See Finish Options page	L Laminate		
7. <i>Lock finish</i> B = Black C = Chrome	(L) Lock option, Locking		
	(118) Case Finish	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.
	(118) Front Finish		
	(T) Pull Style		Pedestals complete with top (specified separately) align with desk height.
	(118) Pull Finish	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.
	(C) Lock finish, Chrome		

Dimensions listed under w h d are actual to the nearest 1/16".


Pedestals

Floorstanding Pedestals 24" deep 12" wide


Anchor Storage

description	pedestal configuration	w	h	d	pattern no.	L1	L2
-------------	------------------------	---	---	---	-------------	----	----


Shelf/Box/File Pedestal	Concealed Shelf/Box/File, single front	12"	27 1/16"	23 1/2"	WP2812CSL(N)	\$1,024.	\$1,183.
-------------------------	--	-----	----------	---------	---------------------	----------	----------




Box/Box (File Front)/File Pedestal	Recessed Box/Box/File	12"	27 1/16"	23 1/2"	WP2812CBL(N)	1,067.	1,211.
------------------------------------	-----------------------	-----	----------	---------	---------------------	--------	--------



File/File Pedestal	File/File	12"	27 1/16"	23 1/2"	WP2812FFL(N)	995.	1,137.
--------------------	-----------	-----	----------	---------	---------------------	------	--------



Slide Out Pedestal	Slat wall with bin, left hand	12"	27 1/16"	23 1/2"	WP2812SOLHL(N)	1,171.	1,462.
	Slat wall with bin, right hand (shown)	12"	27 1/16"	23 1/2"	WP2812SORHL(N)	1,171.	1,462.








Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2816OFL(L) WP Anchor Pedestal	Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.	
3. <i>Case Finish</i> See Finish Options page	28 27 1/16" High		
4. <i>Front Finish</i> See Finish Options page	16 16" Wide		
5. <i>Pull style</i> T = 5" finger pull	OF Open/File		
6. <i>Pull finish</i> See Finish Options page	L Laminate		
7. <i>Lock finish</i> B = Black C = Chrome	(L) Lock option, Locking	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.
	(118) Case Finish	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestals complete with top (specified separately) align with desk height.
	(118) Front Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
		Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.
		Dimensions listed under w h d are actual to the nearest 1/16".	

Pedestals

Floorstanding Pedestals 24" deep 16" wide

Anchor Storage

description	pedestal configuration	w	h	d	pattern no.	L1	L2
	Open	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816OPL	\$574.	\$802.
	Open, 1 Shelf (shown)	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816O1L	638.	904.
	Open, 2 Shelves	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816O2L	702.	1,008.
	Full Door, 1 Shelf Left Hand	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816F1LHL(N)	816.	1,126.
	Full Door, 1 Shelf Right Hand	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816F1RHL(N)	816.	1,126.
	Full Door, 2 Shelves Left Hand	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816F2LHL(N)	879.	1,229.
	Full Door, 2 Shelves Right Hand	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816F2RHL(N)	879.	1,229.
	Full Door, Left Hand	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816FDLHL(N)	752.	1,024.
	Full Door, Right Hand (shown)	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816FDRHL(N)	752.	1,024.
Open/File Pedestal	Open/File	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816OFL(N)	897.	1,223.
							
Open/Box/File Pedestal	Open/Box/File	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816OBL(N)	1,045.	1,344.
							
Box (File Front)/File Pedestal	Concealed shelf/Box/File	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816CFL(N)	1,066.	1,376.
							

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2816OFL(L) WP Anchor Pedestal	Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.	
3. <i>Case Finish</i> See Finish Options page	28 27 ¹ / ₁₆ " High		
4. <i>Front Finish</i> See Finish Options page	16 16" Wide		
5. <i>Pull style</i> T = 10" finger pull	OF Open/File		
6. <i>Pull finish</i> See Finish Options page	L Laminate		
7. <i>Lock finish</i> B = Black C = Chrome	(L) Lock option, Locking	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Floorstanding pedestals 24" deep (nominal) have a 23 ¹ / ₂ " deep case to align with a 23 ¹ / ₂ " deep work surface (specified separately). Pedestals with drawer fronts or door are 24 ³ / ₈ " deep overall.
	(118) Case Finish	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestals complete with top (specified separately) align with desk height.
	(118) Front Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Dimensions listed under w h d are actual to the nearest 1/16".


Pedestals

Floorstanding Pedestals 24" deep 16" wide


Anchor Storage

description	pedestal configuration	w	h	d	pattern no.	L1	L2
-------------	------------------------	---	---	---	-------------	----	----


Shelf/Box/File Pedestal	Concealed Shelf/Box/File, single front	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816CSL(N)	\$1,096.	\$1,416.
-------------------------	--	-----------------------------------	-----------------------------------	----------------------------------	---------------------	----------	----------




Box/Box (File Front)/File Pedestal	Recessed Box/Box/File	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816CBL(N)	1,177.	1,457.
------------------------------------	-----------------------	-----------------------------------	-----------------------------------	----------------------------------	---------------------	--------	--------



File/File Pedestal	File/File	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816FFL(N)	1,030.	1,299.
--------------------	-----------	-----------------------------------	-----------------------------------	----------------------------------	---------------------	--------	--------



Slide Out Pedestal	Slat wall with bin, left hand	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816SOLHL(N)	1,223.	1,531.
	Slat wall with bin, right hand (shown)	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WP2816SORHL(N)	1,223.	1,531.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2816OFL(L)	Digital Keypad and RFID lock available on FD, F1, F2, CS and SO pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.	
3. <i>Case Finish</i> See Finish Options page	WP Anchor Pedestal		
4. <i>Front Finish</i> See Finish Options page	28 27 ¹ / ₁₆ " High		
5. <i>Pull style</i> T = 10" finger pull	16 16" Wide		
6. <i>Pull finish</i> See Finish Options page	OF Open/File		
7. <i>Lock finish</i> B = Black C = Chrome	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	Floorstanding pedestals 24" deep (nominal) have a 23 ¹ / ₂ " deep case to align with a 23 ¹ / ₂ " deep work surface (specified separately). Pedestals with drawer fronts or door are 24 ³ / ₈ " deep overall.
	(118) Front Finish		
	(T) Pull Style		Pedestals complete with top (specified separately) align with desk height.
	(118) Pull Finish	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
	(C) Lock finish, Chrome		
		Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Slide out Pedestal features bottom bin with slat wall above. Compatible slat wall accessories are listed in Pedestal Accessories, specified separately.

Dimensions listed under w h d are actual to the nearest 1/16".

Pedestals

Anchor Storage

Floorstanding Pedestals 24" deep for use with feet 12" wide

description	pedestal configuration	w	h	d	pattern no.	L1	L2
All Open Pedestal, 12" wide	Open, 1 shelf	12"	27 1/16"	23 1/2"	WPF2812O1L	\$613.	\$879.
Full Door Pedestal 12" wide	Full Door, Left Hand (shown)	12"	27 1/16"	23 1/2"	WPF2812FDLHL(N)	767.	1,037.
	Full Door, Right Hand	12"	27 1/16"	23 1/2"	WPF2812FDRHL(N)	767.	1,037.
Shelf/file Pedestal, 12" wide	single front	12"	27 1/16"	23 1/2"	WPF2812CSL(N)	993.	1,149.
Open/File Pedestal, 12" wide	Open/File	12"	27 1/16"	23 1/2"	WPF2812OFL(N)	861.	1,020.
Box/File Pedestal, 12" wide	Box/File	12"	27 1/16"	23 1/2"	WPF2812BFL(N)	978.	1,128.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WPF2816OFL(L)	Digital Keypad and RFID lock available on FD, CS and RB pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.	
3. <i>Case Finish</i> See Finish Options page	WPF Anchor Pedestal for use with feet		
4. <i>Front Finish</i> See Finish Options page	28 27 1/16" High		
5. <i>Pull style</i> T = 5" finger pull	12 12" Wide		
6. <i>Pull finish</i> See Finish Options page	OF Open/File		
7. <i>Lock finish</i> B = Black C = Chrome	L Laminate		
	(L) Lock option, Locking	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	
	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
	(118) Pull Finish		
	(C) Lock finish, Chrome		
		Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	


Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

Pedestals

Anchor Storage

Floorstanding Pedestals 24" deep for use with feet 12" wide

description	pedestal configuration	w	h	d	pattern no.	L1	L2
Recessed Box/File Pedestal, 12" wide	Single Front	12"	27 1/16"	23 1/2"	WPF2812RBL(N)	\$1,024.	\$1,183.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WPF2816OFL(L)	Digital Keypad and RFID lock available on FD, CS and RB pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.	
3. <i>Case Finish</i> See Finish Options page	WPF Anchor Pedestal for use with feet		
4. <i>Front Finish</i> See Finish Options page	28 27 1/16" High		
5. <i>Pull style</i> T = 5" finger pull	12 12" Wide		
6. <i>Pull finish</i> See Finish Options page	OF Open/File		
7. <i>Lock finish</i> B = Black C = Chrome	L Laminate		
	(L) Lock option, Locking	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	
	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
	(118) Pull Finish		
	(C) Lock finish, Chrome		
		Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	

Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

Pedestals

Anchor Storage

Floorstanding Pedestals 24" deep for use with feet 16" wide

description	pedestal configuration	w	h	d	pattern no.	L1	L2
All Open Pedestal, 16" wide	Open, 1 Shelf (shown)	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WPF2816O1L	\$638.	\$904.
Full Door Pedestal, 16" wide	Full Door, Left Hand (shown)	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WPF2816FDLHL(N)	752.	1,024.
	Full Door, Right Hand	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WPF2816FDRHL(N)	752.	1,024.
Shelf/file Pedestal, 16" wide	Single Front	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WPF2816CSL(N)	1,066.	1,376.
Open/File Pedestal, 16" wide	Open/File	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WPF2816OFL(N)	897.	1,223.
Box/File Pedestal, 16" wide	Open/Box/File	15 ⁹ / ₁₆ "	27 ¹ / ₁₆ "	23 ¹ / ₂ "	WPF2816BFL(N)	1,045.	1,344.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WPF2816OFL(L)	Digital Keypad and RFID lock available on FD, CS and RB pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.	
3. <i>Case Finish</i> See Finish Options page	WPF Anchor Pedestal for use with feet		
4. <i>Front Finish</i> See Finish Options page	28 27 ¹ / ₁₆ " High		
5. <i>Pull style</i> T = 10" finger pull	16 16" Wide		
6. <i>Pull finish</i> See Finish Options page	OF Open/File		
7. <i>Lock finish</i> B = Black C = Chrome	L Laminate		
	(L) Lock option, Locking	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	
	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
	(118) Pull Finish		
	(C) Lock finish, Chrome		
		Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	


Floorstanding pedestals 24" deep (nominal) have a 23¹/₂" deep case to align with a 23¹/₂" deep work surface (specified separately). Pedestals with drawer fronts or door are 24³/₈" deep overall.

Pedestals complete with top and feet (specified separately) align with desk height.

Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

*Floorstanding Pedestals 24" deep for use with feet
16" wide*

description	pedestal configuration	w	h	d	pattern no.	L1	L2
Recessed Box/File Pedestal, 16" wide	Single Front	15 7/16"	27 1/16"	23 1/2"	WPF2816RBL(N)	\$1,096.	\$1,416.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Pedestal, 16" Wide, Open/File	Add \$40 to the list price per standard key lock.	Floorstanding Pedestals do not include a finished top; they are designed to support one end of a work surface (specified separately) and are not intended for freestanding use.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WPF2816OFL(L)	Digital Keypad and RFID lock available on FD, CS and RB pedestal configurations. Add \$560 to the list price for digital keypad lock, add \$605 for RFID. Digital keypad and RFID locks require program and manager key(s), specified separately.	
3. <i>Case Finish</i> See Finish Options page	WPF Anchor Pedestal for use with feet		
4. <i>Front Finish</i> See Finish Options page	28 27 1/16" High		
5. <i>Pull style</i> T = 10" finger pull	16 16" Wide		Floorstanding pedestals 24" deep (nominal) have a 23 1/2" deep case to align with a 23 1/2" deep work surface (specified separately). Pedestals with drawer fronts or door are 24 3/8" deep overall.
6. <i>Pull finish</i> See Finish Options page	OF Open/File	Add \$40 to the list price per lock. Reference Pedestal Specifications for lock configuration.	
7. <i>Lock finish</i> B = Black C = Chrome	L Laminate	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestals complete with top and feet (specified separately) align with desk height.
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".

Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.


Freestanding Doublewide Pedestals
Open with shelf, 16", 20" and 24" deep

description	configuration left-to-right	w	h	d	pattern no.	L1	L2
	Open, 1 shelf	18"	27 1/16"	15"	WP281816OSL	\$677.	\$864.
		18"	27 1/16"	19 1/16"	WP2818OSL	739.	903.
		18"	27 1/16"	23 1/2"	WP281824OSL	795.	983.
		24"	27 1/16"	15"	WP282416OSL	775.	1,001.
		24"	27 1/16"	19 1/16"	WP2824OSL	845.	1,042.
		24"	27 1/16"	23 1/2"	WP282424OSL	910.	1,139.
	Open, 2 shelves	30"	27 1/16"	15"	WP283016OSL	898.	1,123.
		30"	27 1/16"	19 1/16"	WP2830OSL	1,069.	1,260.
		30"	27 1/16"	23 1/2"	WP283024OSL	1,052.	1,279.
		36"	27 1/16"	15"	WP283616OSL	1,002.	1,254.
		36"	27 1/16"	19 1/16"	WP2836OSL	1,189.	1,403.
		36"	27 1/16"	23 1/2"	WP283624OSL	1,176.	1,428.
		42"	27 1/16"	15"	WP284216OSL	1,062.	1,437.
		42"	27 1/16"	19 1/16"	WP2842OSL	1,264.	1,605.
		42"	27 1/16"	23 1/2"	WP284224OSL	1,246.	1,638.

* Open doublewide pedestals without drawers do not require counterweights for freestanding use.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal, 30" wide, Open / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above. Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.	Pedestal top must be specified separately, see "Pedestal Tops" section.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2830OFL(L)		
3. <i>Case Finish</i> See Finish Options page	WP Anchor Pedestal		Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.
4. <i>Front Finish</i> See Finish Options page	28 28" High		Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.
5. <i>Pull style</i> T = 10" Finger pull	30 30" Wide	Add \$40 to the list price per standard key lock.	Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.
6. <i>Pull finish</i> See Finish Options page	OF Open / File	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestals complete with top (specified separately) align with desk height.
7. <i>Lock finish</i> See Finish Options page	L Laminate case and front (L) Lock option, Locking (118) Case Finish, Bright White (118) Front Finish, Bright White (T) Pull Style, 10" Finger pull (118) Pull Finish, Bright White (C) Lock finish, Chrome	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	


*Freestanding Doublewide Pedestals**Open / File, 16", 20" and 24" deep*

description	w	h	d	counterweight requirements	pattern no.	L1	L2
 Open / File - Doublewide Pedestal	18"*	27 1/16"	15"	WCWKIT01	WP281816OFL(N)	\$1,098.	\$1,305.
	24"*	27 1/16"	15"	WCWKIT01	WP282416OFL(N)	1,219.	1,434.
	30"*	27 1/16"	15"	WCWKIT02	WP283016OFL(N)	1,390.	1,633.
	36"*	27 1/16"	15"	WCWKIT03	WP283616OFL(N)	1,512.	1,787.
	42"*	27 1/16"	15"	WCWKIT04	WP284216OFL(N)	1,709.	2,023.
	18"	27 1/16"	19 1/16"	WCWKIT01	WP2818OFL(N)	1,130.	1,387.
	24"	27 1/16"	19 1/16"	WCWKIT02	WP2824OFL(N)	1,255.	1,527.
	30"	27 1/16"	19 1/16"	WCWKIT03	WP2830OFL(N)	1,522.	1,737.
	36"	27 1/16"	19 1/16"	WCWKIT04	WP2836OFL(N)	1,659.	1,899.
	42"	27 1/16"	19 1/16"	WCWKIT05	WP2842OFL(N)	1,864.	2,141.
	18"	27 1/16"	23 1/2"	NR	WP281824OFL(N)	1,211.	1,424.
	24"	27 1/16"	23 1/2"	NR	WP282424OFL(N)	1,346.	1,567.
	30"	27 1/16"	23 1/2"	NR	WP283024OFL(N)	1,525.	1,774.
	36"	27 1/16"	23 1/2"	NR	WP283624OFL(N)	1,662.	1,944.
	42"	27 1/16"	23 1/2"	NR	WP284224OFL(N)	1,871.	2,195.

NR = Not Required

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal, 30" wide, Open / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above. Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.	Pedestal top must be specified separately, see "Pedestal Tops" section.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2830OFL(L)		
3. <i>Case Finish</i> See Finish Options page	WP Anchor Pedestal		Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.
4. <i>Front Finish</i> See Finish Options page	28 28" High		
5. <i>Pull style</i> T = 10" Finger pull	30 30" Wide		Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.
6. <i>Pull finish</i> See Finish Options page	OF Open / File	Add \$40 to the list price per standard key lock. For units 30" wide and larger, add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.
7. <i>Lock finish</i> See Finish Options page	L Laminate case and front	Keyless locking is not available for 18" or 24" widths.	Pedestals complete with top (specified separately) align with desk height.
	(L) Lock option, Locking		
	(118) Case Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with (*). * Indicates side-to-side Letter filing only.
	(118) Front Finish, Bright White	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals (WAFB16...).
	(T) Pull Style, 10" Finger pull	Dimensions listed under w h d are actual to the nearest 1/16".	
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		


*Freestanding Doublewide Pedestals**Open / Box / File, 16", 20" and 24" deep*

description	w	h	d	counterweight requirements	pattern no.	L1	L2
 Open / Box / File - Doublewide Pedestal	18"*	27 1/16"	15"	WCWKIT01	WP281816OBL(N)	\$1,367.	\$1,557.
	24"*	27 1/16"	15"	WCWKIT01	WP282416OBL(N)	1,530.	1,713.
	30"*	27 1/16"	15"	WCWKIT02	WP283016OBL(N)	1,741.	1,948.
	36"*	27 1/16"	15"	WCWKIT03	WP283616OBL(N)	1,878.	2,118.
	42"*	27 1/16"	15"	WCWKIT04	WP284216OBL(N)	2,059.	2,333.
	18"	27 1/16"	19 1/16"	WCWKIT01	WP2818OBL(N)	1,378.	1,614.
	24"	27 1/16"	19 1/16"	WCWKIT02	WP2824OBL(N)	1,536.	1,787.
	30"	27 1/16"	19 1/16"	WCWKIT03	WP2830OBL(N)	1,848.	2,036.
	36"	27 1/16"	19 1/16"	WCWKIT04	WP2836OBL(N)	1,993.	2,214.
	42"	27 1/16"	19 1/16"	WCWKIT05	WP2842OBL(N)	2,183.	2,434.
	18"	27 1/16"	23 1/2"	NR	WP281824OBL(N)	1,603.	1,789.
	24"	27 1/16"	23 1/2"	NR	WP282424OBL(N)	1,789.	1,981.
	30"	27 1/16"	23 1/2"	NR	WP283024OBL(N)	2,039.	2,257.
	36"	27 1/16"	23 1/2"	NR	WP283624OBL(N)	2,201.	2,458.
	42"	27 1/16"	23 1/2"	NR	WP284224OBL(N)	2,404.	2,700.

NR = Not Required

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal, 30" wide, Open / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above.	Pedestal top must be specified separately, see "Pedestal Tops" section.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2830OFL(L)	Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.	Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.
3. <i>Case Finish</i> See Finish Options page	WP Anchor Pedestal	Add \$40 to the list price per standard key lock. For units 30" wide and larger, add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.
4. <i>Front Finish</i> See Finish Options page	28 28" High		Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.
5. <i>Pull style</i> T = 10" Finger pull	30 30" Wide		Pedestals complete with top (specified separately) align with desk height.
6. <i>Pull finish</i> See Finish Options page	OF Open / File		Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with (*). * Indicates side-to-side Letter filing only.
7. <i>Lock finish</i> See Finish Options page	L Laminate case and front	Keyless locking is not available for 18" or 24" widths.	Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals (WAFB16...).
	(L) Lock option, Locking		
	(118) Case Finish, Bright White		
	(118) Front Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
		Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	


*Freestanding Doublewide Pedestals**Box (File Front) / File, 16", 20" and 24" deep*

description	w	h	d	counterweight requirements	pattern no.	L1	L2
 Box (File Front) / File - Doublewide Pedestal	18"*	27 1/16"	15"	WCWKIT01	WP281816CFL(N)	\$1,394.	\$1,598.
	24"*	27 1/16"	15"	WCWKIT01	WP282416CFL(N)	1,560.	1,758.
	30"*	27 1/16"	15"	WCWKIT02	WP283016CFL(N)	1,776.	1,998.
	36"*	27 1/16"	15"	WCWKIT03	WP283616CFL(N)	1,921.	2,176.
	42"*	27 1/16"	15"	WCWKIT04	WP284216CFL(N)	2,120.	2,397.
	18"	27 1/16"	19 1/16"	WCWKIT01	WP2818CFL(N)	1,407.	1,661.
	24"	27 1/16"	19 1/16"	WCWKIT02	WP2824CFL(N)	1,569.	1,836.
	30"	27 1/16"	19 1/16"	WCWKIT03	WP2830CFL(N)	1,886.	2,090.
	36"	27 1/16"	19 1/16"	WCWKIT04	WP2836CFL(N)	2,039.	2,276.
	42"	27 1/16"	19 1/16"	WCWKIT05	WP2842CFL(N)	2,248.	2,503.
	18"	27 1/16"	23 1/2"	NR	WP281824CFL(N)	1,635.	1,837.
	24"	27 1/16"	23 1/2"	NR	WP282424CFL(N)	1,824.	2,034.
	30"	27 1/16"	23 1/2"	NR	WP283024CFL(N)	2,081.	2,318.
	36"	27 1/16"	23 1/2"	NR	WP283624CFL(N)	2,252.	2,527.
	42"	27 1/16"	23 1/2"	NR	WP284224CFL(N)	2,476.	2,775.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal, 30" wide, Open / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above. Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.	Pedestal top must be specified separately, see "Pedestal Tops" section.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2830OFL(L)		
3. <i>Case Finish</i> See Finish Options page	WP Anchor Pedestal		Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.
4. <i>Front Finish</i> See Finish Options page	28 28" High		
5. <i>Pull style</i> T = 10" Finger pull	30 30" Wide		Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.
6. <i>Pull finish</i> See Finish Options page	OF Open / File	Add \$40 to the list price per standard key lock. For units 30" wide and larger, add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.
7. <i>Lock finish</i> See Finish Options page	L Laminate case and front	Keyless locking is not available for 18" or 24" widths.	Pedestals complete with top (specified separately) align with desk height.
	(L) Lock option, Locking		
	(118) Case Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with (*). * Indicates side-to-side Letter filing only.
	(118) Front Finish, Bright White	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals (WAFB16...).
	(T) Pull Style, 10" Finger pull	Dimensions listed under w h d are actual to the nearest 1/16".	
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		

Freestanding Doublewide Pedestals


File / File, 16", 20" and 24" deep


description	w	h	d	configuration left-to-right	pattern no.	L1	L2
 File / File - Doublewide Pedestal	18"*	27 1/16"	15"	WCWKIT01	WP281816FFL(N)	\$1,324.	\$1,488.
	24"*	27 1/16"	15"	WCWKIT01	WP282416FFL(N)	1,468.	1,639.
	30"*	27 1/16"	15"	WCWKIT02	WP283016FFL(N)	1,685.	1,861.
	36"*	27 1/16"	15"	WCWKIT02	WP283616FFL(N)	1,790.	1,996.
	42"*	27 1/16"	15"	WCWKIT03	WP284216FFL(N)	1,986.	2,218.
	18"	27 1/16"	19 1/16"	NR	WP2818FFL(N)	1,325.	1,529.
	24"	27 1/16"	19 1/16"	WCWKIT01	WP2824FFL(N)	1,475.	1,691.
	30"	27 1/16"	19 1/16"	WCWKIT02	WP2830FFL(N)	1,760.	1,928.
	36"	27 1/16"	19 1/16"	WCWKIT03	WP2836FFL(N)	1,876.	2,071.
	42"	27 1/16"	19 1/16"	WCWKIT04	WP2842FFL(N)	2,065.	2,287.
	18"	27 1/16"	23 1/2"	NR	WP281824FFL(N)	1,413.	1,574.
	24"	27 1/16"	23 1/2"	NR	WP282424FFL(N)	1,572.	1,742.
	30"	27 1/16"	23 1/2"	NR	WP283024FFL(N)	1,763.	1,957.
	36"	27 1/16"	23 1/2"	NR	WP283624FFL(N)	1,875.	2,104.
	42"	27 1/16"	23 1/2"	NR	WP284224FFL(N)	2,057.	2,320.

NR = Not Required

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal, 30" wide, Open / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above.	Pedestal top must be specified separately, see "Pedestal Tops" section.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WP2830OFL(L)	Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.	Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.
3. <i>Case Finish</i> See Finish Options page	WP Anchor Pedestal		
4. <i>Front Finish</i> See Finish Options page	28 28" High		
5. <i>Pull style</i> T = 10" Finger pull	30 30" Wide		
6. <i>Pull finish</i> See Finish Options page	OF Open / File	Add \$40 to the list price per standard key lock. For units 30" wide and larger, add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.
7. <i>Lock finish</i> See Finish Options page	L Laminate case and front		
	(L) Lock option, Locking		
	(118) Case Finish, Bright White		Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.
	(118) Front Finish, Bright White		
	(T) Pull Style, 10" Finger pull	Keyless locking is not available for 18" or 24" widths.	Pedestals complete with top (specified separately) align with desk height.
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with (*). * Indicates side-to-side Letter filing only.
		Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals (WAFB16...).
		Dimensions listed under w h d are actual to the nearest 1/16".	


Doublewide Pedestals for use with feet
Open with shelf, 16", 20" and 24" deep

description	type	w	h	d	pattern no.	L1	L2
<div>All Open - Doublewide Pedestal for use with feet</div> 	Open, 1 shelf	18"	27 1/16"	15"	WPF281816OSL	\$670.	\$855.
		18"	27 1/16"	19 1/16"	WPF2818OSL	732.	894.
		18"	27 1/16"	23 1/2"	WPF281824OSL	787.	974.
		24"	27 1/16"	15"	WPF282416OSL	768.	991.
		24"	27 1/16"	19 1/16"	WPF2824OSL	837.	1,032.
		24"	27 1/16"	23 1/2"	WPF282424OSL	901.	1,128.
		30"	27 1/16"	15"	WPF283016OSL	889.	1,112.
		30"	27 1/16"	19 1/16"	WPF2830OSL	1,058.	1,248.
		30"	27 1/16"	23 1/2"	WPF283024OSL	1,042.	1,267.
		36"	27 1/16"	15"	WPF283616OSL	992.	1,242.
		36"	27 1/16"	19 1/16"	WPF2836OSL	1,178.	1,390.
		36"	27 1/16"	23 1/2"	WPF283624OSL	1,165.	1,414.
		42"	27 1/16"	15"	WPF284216OSL	1,050.	1,423.
		42"	27 1/16"	19 1/16"	WPF2842OSL	1,251.	1,590.
		42"	27 1/16"	23 1/2"	WPF284224OSL	1,234.	1,622.
* Open doublewide pedestals without drawers do not require counterweights for freestanding use.							



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal, 30" wide, Open / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above. Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.	Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WPF2830OSL(L)		
3. <i>Case Finish</i> See Finish Options page	WPF Anchor Pedestal for use with Feet		Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.
4. <i>Front Finish</i> See Finish Options page	28 28" High		
5. <i>Pull style</i> T = 10" Finger pull	30 30" Wide	Add \$40 to the list price per standard key lock.	Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.
6. <i>Pull finish</i> See Finish Options page	OS Open with one Shelf	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestals complete with top and feet (specified separately) align with desk height.
7. <i>Lock finish</i> See Finish Options page	L Laminate case and front		
	(L) Lock option, Locking		
	(118) Case Finish, Bright White	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Pedestal top must be specified separately, see "Pedestal Tops" section.
	(118) Front Finish, Bright White		
	(T) Pull Style, 10" Finger pull	Dimensions listed under w h d are actual to the nearest 1/16".	Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		


*Doublewide Pedestals for use with feet**Open / File, 16", 20" and 24" deep*

description	counterweight requirements	w	h	d	pattern no.	L1	L2
Open / File - Doublewide Pedestal for use with feet 	NR	18"	27 1/16"	23 1/2"	WPF281824OFL(N)	\$1,199.	\$1,410.
	NR	24"	27 1/16"	23 1/2"	WPF282424OFL(N)	1,332.	1,551.
	NR	30"	27 1/16"	23 1/2"	WPF283024OFL(N)	1,510.	1,756.
	NR	36"	27 1/16"	23 1/2"	WPF283624OFL(N)	1,645.	1,925.
	NR	42"	27 1/16"	23 1/2"	WPF284224OFL(N)	1,851.	2,174.
	WCWKIT01	18"	27 1/16"	19 1/16"	WPF2818OFL(N)	1,118.	1,374.
	WCWKIT02	24"	27 1/16"	19 1/16"	WPF2824OFL(N)	1,243.	1,512.
	WCWKIT02	30"	27 1/16"	19 1/16"	WPF2830OFL(N)	1,507.	1,720.
	WCWKIT03	18"*	27 1/16"	15"	WPF281816OFL(N)	1,087.	1,292.
	WCWKIT03	24"*	27 1/16"	15"	WPF282416OFL(N)	1,207.	1,420.
	WCWKIT03	30"*	27 1/16"	15"	WPF283016OFL(N)	1,377.	1,617.
	WCWKIT03	36"	27 1/16"	19 1/16"	WPF2836OFL(N)	1,642.	1,880.
	WCWKIT04	36"*	27 1/16"	15"	WPF283616OFL(N)	1,497.	1,769.
	WCWKIT04	42"	27 1/16"	19 1/16"	WPF2842OFL(N)	1,845.	2,120.
	WCWKIT05	42"*	27 1/16"	15"	WPF284216OFL(N)	1,693.	2,004.

NR = Not Required







Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal, 30" wide, Open / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above.	Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WPF2830OFL(L)	Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.	Pedestals with drawer fronts are 20" deep overall.
3. <i>Case Finish</i> See Finish Options page	WPF Anchor Pedestals for use with Feet	Add \$40 to the list price per standard key lock. For units 30" wide and larger add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.
4. <i>Front Finish</i> See Finish Options page	28 28" High		Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.
5. <i>Pull style</i> T = 10" Finger pull	30 30" Wide		
6. <i>Pull finish</i> See Finish Options page	OF Open / File		
7. <i>Lock finish</i> See Finish Options page	L Laminate case and front		
	(L) Lock option, Locking		
	(118) Case Finish, Bright White		
	(118) Front Finish, Bright White		
	(T) Pull Style, 10" Finger pull	Keyless locking is not available for 18" or 24" widths.	Pedestals complete with top and feet (specified separately) align with desk height.
	(118) Pull Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with (*). * Indicates side-to-side Letter filing only.
	(C) Lock finish, Chrome	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals (WAFB16...).
		Dimensions listed under w h d are actual to the nearest 1/16".	Pedestal top must be specified separately, see "Pedestal Tops" section.
			Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

*Doublewide Pedestals for use with feet**Box (File Front) / File, 16", 20" and 24" deep*


description	counterweight requirements	w	h	d	pattern no.	L1	L2
Box (File Front) / File - Doublewide Pedestal for use with feet 	NR	18"	27 1/16"	23 1/2"	WPF281824CFL(N)	\$1,619.	\$1,819.
	NR	24"	27 1/16"	23 1/2"	WPF282424CFL(N)	1,806.	2,014.
	NR	30"	27 1/16"	23 1/2"	WPF283024CFL(N)	2,059.	2,295.
	NR	36"	27 1/16"	23 1/2"	WPF283624CFL(N)	2,230.	2,502.
	NR	42"	27 1/16"	23 1/2"	WPF284224CFL(N)	2,451.	2,748.
	WCWKIT01	18"	27 1/16"	19 1/16"	WPF2818CFL(N)	1,393.	1,644.
	WCWKIT02	24"	27 1/16"	19 1/16"	WPF2824CFL(N)	1,553.	1,818.
	WCWKIT03	18"*	27 1/16"	15"	WPF281816CFL(N)	1,381.	1,583.
	WCWKIT03	24"*	27 1/16"	15"	WPF282416CFL(N)	1,545.	1,740.
	WCWKIT03	30"*	27 1/16"	15"	WPF283016CFL(N)	1,758.	1,978.
	WCWKIT03	30"	27 1/16"	19 1/16"	WPF2830CFL(N)	1,867.	2,069.
	WCWKIT04	36"*	27 1/16"	15"	WPF283616CFL(N)	1,903.	2,153.
	WCWKIT04	36"	27 1/16"	19 1/16"	WPF2836CFL(N)	2,019.	2,252.
	WCWKIT04	42"	27 1/16"	19 1/16"	WPF2842CFL(N)	2,226.	2,478.
	WCWKIT05	42"*	27 1/16"	15"	WPF284216CFL(N)	2,100.	2,372.

NR = Not Required


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal, 30" wide, Open / File	Doublewide Pedestals with file drawers may require counterweights when used in freestanding applications as indicated above.	Doublewide pedestals 16" deep (nominal) have a 15" deep case. Pedestals with drawer fronts are 16" deep overall.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WPF2830CFL(L)	Counterweight is not required when used to support one end of a worksurface or when ganged to another unit.	Pedestals with drawer fronts are 16" deep overall.
3. <i>Case Finish</i> See Finish Options page	WPF Anchor Pedestal for use with Feet	Add \$40 to the list price per standard key lock. For units 30" wide and larger, add \$474 to the list price per lock for manual digital keypad lock. Add \$560 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Doublewide pedestals 20" deep (nominal) have a 19 1/16" deep case. Pedestals with drawer fronts are 20" deep overall.
4. <i>Front Finish</i> See Finish Options page	28 28" High		Doublewide pedestals 24" deep (nominal) have a 23 1/2" deep case. Pedestals with drawer fronts are 24 3/8" deep overall.
5. <i>Pull style</i> T = 10" Finger pull	30 30" Wide		
6. <i>Pull finish</i> See Finish Options page	CF Box (file front)/File		
7. <i>Lock finish</i> See Finish Options page	L Laminate case and front		
	(L) Lock option, Locking		
	(118) Case Finish, Bright White		
	(118) Front Finish, Bright White		
	(T) Pull Style, 10" Finger pull	Keyless locking is not available for 18" or 24" widths.	Pedestals complete with top and feet (specified separately) align with desk height.
	(118) Pull Finish, Bright White	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Doublewide pedestals with file drawers provide side-to-side and front-to-back Letter and Legal filing unless indicated with (*). * Indicates side-to-side Letter filing only.
	(C) Lock finish, Chrome	Pedestals specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Front-to-back file bar accessory kit may be specified to accommodate Letter or Legal filing within 16" deep doublewide pedestals (WAFB16...).
		Dimensions listed under w h d are actual to the nearest 1/16".	Pedestal top must be specified separately, see "Pedestal Tops" section.
			Anchor foot kit must be specified separately, see "Anchor Foot Kits" section.

description	description	w	d	h	pattern no.	L1	L2	list
	single shelf, for 12" w pedestal	10 1/2"	22 3/4"	3/4"	WPSF1201L	\$109.	\$123.	
	single shelf, for 16" w pedestal	14"	22 3/4"	3/4"	WPSF1601L	129.	147.	
	pack of 4 shelves, for 12" w pedestal	10 1/2"	22 3/4"	3/4"	WPSF1204L	306.	404.	
	pack of 4 shelves, for 16" w pedestal	14"	22 3/4"	3/4"	WPSF1604L	379.	517.	
	single shelf, for 16" w mobile pedestal	16"			WPMSF1601L	110.	130.	
	pack of 4 pack shelves, for 12" w mobile pedestal	12"			WPMSF1204L	340.	395.	
	pack of 4 shelves, for 16" w mobile pedestal	16"			WPMSF1604L	417.	493.	
	single shelf, for 12" w mobile pedestal	12"			WPMSF1201L	92.	104.	
	Large Tray, black	20 3/4"	5 1/2"		WPSOTRL01			68.
	Small Tray, black	14"	5 1/2"		WPSOTRS01			60.
	Hoop for letter-sized hanging files or pencil trays	12 1/4"	5 1/2"		WPSOHP01			72.
	Basket, black	12 1/4"	5 1/2"		WPSOB01			88.
	Basket, black, pack of 5	12 1/4"	5 1/2"		WPSOB05			420.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Full-depth pedestal shelf	Each shelf includes 4 mounding pins.	12" wide pedestal shelves are for use in 12" wide floorstanding pedestals.
	Example: WPSF1201L	Edgebanding preselected to match or coordinate with laminate; see "Finish Options" for further details.	16" wide pedestal shelves are for use in 16" wide floorstanding pedestals and within the "pedestal" portion of combination pedestals; not for use within the "pedestal locker" portion of combination pedestals.
	WP Anchor Pedestal		
	SF Shelf, full-depth		
	12 for 12" wide pedestal	Basket and Hook are compatible with 12" and 16" wide slide out pedestal.	
	01 single shelf		
	L Laminate		
	(118) Finish, Bright White		

description	description	w	d	h	pattern no.	L1	L2	list
	Accessory Hook, black, pack of 40				WPSOH40			\$400.
	Accessory Hook, black, pack of 5				WPSOH05			64.

Large Tray with cut-out, for use with Anchor Slatwall	Large Tray with cut-out for letter-sized hanging	20 3/4"	5 1/2"		WPSOTRC01			72.
---	--	---------	--------	--	------------------	--	--	-----






Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Full-depth pedestal shelf	Each shelf includes 4 mounding pins.	12" wide pedestal shelves are for use in 12" wide floorstanding pedestals.
	Example: WPSF1201L	Edgebanding preselected to match or coordinate with laminate; see "Finish Options" for further details.	16" wide pedestal shelves are for use in 16" wide floorstanding pedestals and within the "pedestal" portion of combination pedestals; not for use within the "pedestal locker" portion of combination pedestals.
	WP Anchor Pedestal	Basket and Hook are compatible with 12" and 16" wide slide out pedestal.	
	SF Shelf, full-depth	PET liner accessory is designed to lay loose in recessed tray of Anchor tray top mobile pedestal.	
	12 for 12" wide pedestal		
	01 single shelf		
	L Laminate		
	(118) Finish, Bright White		

Pedestal Tops

For Freestanding Doublewide Pedestals

Anchor Storage


description	w	d	h	pattern no.	L1	L2
Doublewide Pedestal Tops, 16" deep	18"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT1816L	\$177.	\$209.
	24"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT2416L	197.	233.
	30"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT3016L	218.	258.
	36"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT3616L	244.	290.
	42"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT4216L	279.	336.
	48"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT4816L	309.	374.
	54"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT5416L	335.	399.
	60"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT6016L	362.	434.
	66"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT6616L	388.	467.
	72"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT7216L	412.	493.
	78"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT7816L	439.	527.
	84"	14 ⁷ / ₈ "	1 ¹ / ₈ "	WPT8416L	465.	557.
Doublewide Pedestal Tops, 20" deep	18"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT1820L	177.	209.
	24"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT2420L	197.	233.
	30"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT3020L	218.	258.
	36"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT3620L	244.	290.
	42"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT4220L	279.	336.
	48"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT4820L	309.	374.
	54"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT5420L	335.	399.
	60"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT6020L	362.	434.
	66"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT6620L	388.	467.
	72"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT7220L	412.	493.
	78"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT7820L	439.	527.
	84"	19 ¹ / ₁₆ "	1 ¹ / ₈ "	WPT8420L	465.	557.
Doublewide Pedestal Tops, 24" deep	18"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT1824L	221.	260.
	24"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT2424L	245.	290.
	30"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT3024L	272.	322.
	36"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT3624L	304.	361.
	42"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT4224L	349.	417.
	48"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT4824L	386.	466.
	54"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT5424L	416.	498.
	60"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT6024L	451.	541.
	66"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT6624L	483.	582.
	72"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT7224L	513.	614.
	78"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT7824L	547.	657.
	84"	23 ¹ / ₂ "	1 ¹ / ₈ "	WPT8424L	579.	694.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal Top,	For use with Anchor Doublewide Pedestals only.	Doublewide Pedestal tops for
2. <i>Laminate Finish</i>	30" wide x 19"	Mounting hardware included with Pedestals.	Antenna are designed to match
See Finish Options page			Antenna laminate top thickness and
3. <i>Edge Finish</i>	<i>Example:</i> WPT3020 ()	See Pedestal Specifications for Pedestal Top planning.	edge band details.
See Finish Options page	WPT Anchor Pedestal Top		
	30 30" Wide		
	20 19" deep		
	(118) Laminate Finish, Bright White		
	(118) Edge Finish, Bright White		

Pedestal Tops

For Freestanding Doublewide Pedestals

Anchor Storage

description	w	d	h	pattern no.	L1	L2
Doublewide Pedestal Tops for Antenna 	30"	19 1/16"	1 1/4"	WPTY3020L	\$206.	\$244.
	36"	19 1/16"	1 1/4"	WPTY3620L	231.	274.
	42"	19 1/16"	1 1/4"	WPTY4220L	264.	316.
	48"	19 1/16"	1 1/4"	WPTY4820L	292.	353.
	54"	19 1/16"	1 1/4"	WPTY5420L	315.	377.
	60"	19 1/16"	1 1/4"	WPTY6020L	342.	410.
	66"	19 1/16"	1 1/4"	WPTY6620L	365.	442.
	72"	19 1/16"	1 1/4"	WPTY7220L	389.	464.
	78"	19 1/16"	1 1/4"	WPTY7820L	414.	498.
	84"	19 1/16"	1 1/4"	WPTY8420L	440.	525.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Doublewide Pedestal Top,	For use with Anchor Doublewide Pedestals only.	Doublewide Pedestal tops for Antenna are designed to match Antenna laminate top thickness and edge band details.
2. <i>Laminate Finish</i> See Finish Options page	30" wide x 19"	Mounting hardware included with Pedestals.	
3. <i>Edge Finish</i> See Finish Options page	<i>Example:</i> WPT3020 ()	See Pedestal Specifications for Pedestal Top planning.	
	WPT Anchor Pedestal Top		
	30 30" Wide		
	20 19" deep		
	(118) Laminate Finish, Bright White		
	(118) Edge Finish, Bright White		

Counterweight Kits For Doublewide Pedestals

Anchor Storage

description	type	w	h	pattern no.	list
Counterweight Kits	Counterweight Kit 01			WCWKIT01	\$108.
	Counterweight Kit 02			WCWKIT02	130.
	Counterweight Kit 03			WCWKIT03	183.
	Counterweight Kit 04			WCWKIT04	206.
	Counterweight Kit 05			WCWKIT05	227.
	Counterweight Kit 06			WCWKIT06	256.
	Counterweight Kit 07			WCWKIT07	278.
	Counterweight Kit 08			WCWKIT08	306.
	Counterweight Kit 09			WCWKIT09	351.
	Counterweight Kit 10			WCWKIT10	384.
Front to Back File Bars for 16" deep credenzas	Front to Back File Bars, Kit of 12			WAFB1612	286.
	Front to Back File Bars, Kit of 24			WAFB1624	525.
	Front to Back File Bars, Kit of 4			WAFB1604	110.

Order Information	Order Code	Specification Information	Application Notes
		Counterweight may be required when using doubles wide pedestals in freestanding application. Refer to Pedestal Specifications for details.	Counterweight kits include hardware to mount the counterweight plates.
		When applicable, reference the pedestal pricing pages to identify the appropriate kit.	Counterweight plates are to be mounted to the back panel behind the file drawer(s) inside the pedestal.
			WAFB16 file bar accessories may be specified to accommodate front-to-back Letter or Legal filing within 16" deep doublewide pedestals. Each row of front-to-back filing requires (2) bars.

Anchor Stackers

Anchor offers Worksurface and Credenza Stackers, wood construction cabinets designed to provide privacy and offer open storage above low storage or desk height. Stackers are designed to be installed directly onto a work surface or credenza top and do not include a base.

Stackers ship preassembled including a finished top. Two-sided mounting tape is included.

Elevation Heights

Elevation heights correspond with Dividends Horizon panel heights when installed.

Worksurface Stackers are designed to mount atop standard Dividends Horizon worksurfaces. Anchor Worksurface Stackers may be used atop Anchor Doublewide Pedestals or Anchor Raised Doublewide Pedestals with finished top.

Credenza Stackers are designed to mount atop standard 22" high Anchor Credenzas. Credenza stackers may be mounted atop Anchor Raised Credenzas installed with feet, however, elevation height of stackers will not align with standard Dividends Horizon panel heights in such condition.


Construction

- Worksurface Stackers are constructed of wood core, laminate and ABS edgebanding; cam and dowel construction
- Material thickness: 1-3/16" (nominal) on stacker top, 3/4" on back, sides and interior shelves

Sizes and Applications


Parallel Credenza Stacker

Elevation Heights: 42", 50", 57", 64" (when installed on standard 22" high credenza)
Widths: 30", 36", 42"
Depth: 12"




Side Access Worksurface Stacker

Elevation Heights: 42", 50", 57", 64" (when installed on standard height worksurface)
Widths: 12", 16"
Depths (for use with Dividends Horizon worksurfaces): 20", 24", 30"
Depths (for use with Antenna Workspaces worksurfaces): 24", 27", 30"




Parallel Worksurface Stacker

Elevation Heights: 42", 50", 57", 64" (when installed on standard height worksurface)
Widths: 30", 36", 42"
Depth: 12"



Shelf Positions and Clearances




Credenza Stackers

Internal Height:

A: 5 9/16"
B: 11 15/16"
C: 12"
D: 6 1/2"
E: 13 13/16"
F: 11 1/4"
G: 9 1/16"

Uppermost shelf with 64" elevation height stacker is fixed (non-removeable). All other shelves are removeable.



Worksurface Stackers

Internal Heights:

A: 11 15/16"
B: 6 5/16"
C: 13 15/16"
D: 8 5/16"

Uppermost shelf within 64" elevation height stacker is fixed (non-removeable). All other shelves are removeable.

Inset Back (Tackboard back applications)

Worksurface and credenza stackers may be specified with an inset back for use with tackboard insert (specified separately.) When specified, the back panel of the stacker is inset 1/2" into the unit to accommodate mounting a tackboard on the outside of the stacker.

Tackboards are not intended for use inside stackers with shelves.

Markerboard Back

Worksurface and credenza stackers are available with markerboard back panel. When specified, back panel is finished with two sided white markerboard laminate for use with dry erase markers.

Planning with Height Adjustable Tables

Stackers should not be used on height adjustable tables unless **both** of the following conditions are met:

- Load is offset. No individual leg may be loaded more than the other(s).
- Total weight (including stacker and contents) does not exceed lifting capacity of the table


Credenza Stackers

Parallel Credenza Stackers


12" deep

Anchor Storage


description	height elevation	w	d	h	pattern no.	L1	L2
Parallel Credenza Stacker, 30" Wide, Front Access Open	42" high elevation	30"	12"	19 ³ / ₈ "	WSPCFO4230L	\$507.	\$617.
	50" high elevation	30"	12"	26 ¹ / ₁₆ "	WSPCFO5030L	659.	819.
	57" high elevation	30"	12"	34"	WSPCFO5730L	734.	920.
	64" high elevation	30"	12"	41 ¹ / ₄ "	WSPCFO6430L	875.	1,108.



Parallel Credenza Stacker, 36" Wide, Front Access Open	42" high elevation	36"	12"	19 ³ / ₈ "	WSPCFO4236L	564.	691.
	50" high elevation	36"	12"	26 ¹ / ₁₆ "	WSPCFO5036L	736.	922.
	57" high elevation	36"	12"	34"	WSPCFO5736L	822.	1,034.
	64" high elevation	36"	12"	41 ¹ / ₄ "	WSPCFO6436L	984.	1,250.




Parallel Credenza Stacker, 42" Wide, Front Access Open	42" high elevation	42"	12"	19 ³ / ₈ "	WSPCFO4242L	621.	765.
	50" high elevation	42"	12"	26 ¹ / ₁₆ "	WSPCFO5042L	818.	1,027.
	57" high elevation	42"	12"	34"	WSPCFO5742L	909.	1,147.
	64" high elevation	42"	12"	41 ¹ / ₄ "	WSPCFO6442L	1,091.	1,391.




Order Information	Order Code	Specification Information	Application Notes
		Parallel credenza stackers are designed to mount parallel onto a credenza.	Credenza stackers mount directly to a credenza; mounting kit included.
		Parallel stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "FO" with "FOB".	Elevation height represents the overall nominal height of a stacker when mounted to an Anchor credenza.
		Tackboards are not intended for use with markerboard back.	
		Credenza stacker shelf count: 42" high, 1 shelf, 50" and 57" high include 2 shelves, 64" high includes 3 shelves.	
		Stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	

*Parallel Credenza Stackers, with markerboard back
12" deep*


description	height elevation	w	d	h	pattern no.	L1	L2
Parallel Credenza Stacker with markerboard back, 30" Wide, Front Access Open	42" high elevation	30"	12"	19 ³ / ₈ "	WSPCFOM4230L	\$580.	\$761.
	50" high elevation	30"	12"	26 ¹¹ / ₁₆ "	WSPCFOM5030L	775.	1,030.
	57" high elevation	30"	12"	34"	WSPCFOM5730L	890.	1,170.
	64" high elevation	30"	12"	41 ³ / ₄ "	WSPCFOM6430L	1,068.	1,421.



Parallel Credenza Stacker with markerboard back, 36" Wide, Front Access Open	42" high elevation	36"	12"	19 ³ / ₈ "	WSPCFOM4236L	650.	856.
	50" high elevation	36"	12"	26 ¹¹ / ₁₆ "	WSPCFOM5036L	878.	1,168.
	57" high elevation	36"	12"	34"	WSPCFOM5736L	1,007.	1,325.
	64" high elevation	36"	12"	41 ³ / ₄ "	WSPCFOM6436L	1,216.	1,613.




Parallel Credenza Stacker with markerboard back, 42" Wide, Front Access Open	42" high elevation	42"	12"	19 ³ / ₈ "	WSPCFOM4242L	723.	951.
	50" high elevation	42"	12"	26 ¹¹ / ₁₆ "	WSPCFOM5042L	983.	1,306.
	57" high elevation	42"	12"	34"	WSPCFOM5742L	1,128.	1,480.
	64" high elevation	42"	12"	41 ³ / ₄ "	WSPCFOM6442L	1,364.	1,807.




Order Information	Order Code	Specification Information	Application Notes
		Parallel credenza stackers are designed to mount parallel onto a credenza.	Credenza stackers mount directly to a credenza; mounting kit included.
		Parallel stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "FO" with "FOB".	Elevation height represents the overall nominal height of a stacker when mounted to an Anchor credenza.
		Tackboards are not intended for use with markerboard back.	
		Credenza stacker shelf count: 42" high, 1 shelf, 50" and 57" high include 2 shelves, 64" high includes 3 shelves.	
		Stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	

Tackboards for Parallel Credenza Stackers with inset back


description	height elevation	thick	pattern no.	10	20	30	40	50	55
Tackboard insert for Parallel Credenza Stacker 30" wide with inset back	42" high elevation	1/2"	WSPCT4230	\$184.	\$200.	\$209.	\$216.	\$235.	\$239.
	50" high elevation	1/2"	WSPCT5030	198.	213.	222.	230.	253.	257.
	57" high elevation	1/2"	WSPCT5730	209.	224.	234.	242.	268.	272.
	64" high elevation	1/2"	WSPCT6430	218.	235.	245.	256.	279.	284.



Tackboard insert for Parallel Credenza Stacker 36" wide with inset back	42" high elevation	1/2"	WSPCT4236	204.	218.	228.	237.	259.	265.
	50" high elevation	1/2"	WSPCT5036	219.	237.	248.	257.	282.	286.
	57" high elevation	1/2"	WSPCT5736	241.	262.	274.	284.	310.	315.
	64" high elevation	1/2"	WSPCT6436	257.	277.	290.	301.	328.	333.



Tackboard insert for Parallel Credenza Stacker 42" wide with inset back	42" high elevation	1/2"	WSPCT4242	207.	222.	232.	240.	265.	269.
	50" high elevation	1/2"	WSPCT5042	223.	241.	254.	264.	287.	291.
	57" high elevation	1/2"	WSPCT5742	248.	269.	281.	289.	317.	321.
	64" high elevation	1/2"	WSPCT6442	266.	286.	300.	310.	339.	344.

**Order Information**

1. Base Pattern Number
2. Fabric Finish

Order Code

Specification Information

Tackboards are designed to fit within the inset back of a parallel credenza stacker specified with inset back option.
Tackboards are not compatible for use on stackers with standard back.

Application Notes


Elevation height represents the overall nominal height of a stacker when mounted to an Anchor credenza.

Worksurface Stackers


Side Access 20", 24" and 30" deep 12" and 16" wide

Anchor Storage


description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Side Access, 20" deep, 12" wide	42" high elevation	12"	19 1/2"	13 3/8"	WSWSA421220L	\$393.	\$483.
	50" high elevation	12"	19 1/2"	20 11/16"	WSWSA501220L	475.	565.
	57" high elevation	12"	19 1/2"	28"	WSWSA571220L	543.	653.
	64" high elevation	12"	19 1/2"	35 1/4"	WSWSA641220L	614.	724.




Work Surface Stacker, Side Access Open 24" deep, 12" wide	42" high elevation	12"	23 1/2"	13 3/8"	WSWSA4212L	400.	516.
	50" high elevation	12"	23 1/2"	20 11/16"	WSWSA5012L	481.	634.
	57" high elevation (shown)	12"	23 1/2"	28"	WSWSA5712L	550.	736.
	64" high elevation	12"	23 1/2"	35 1/4"	WSWSA6412L	620.	840.



Work Surface Stacker, Side Access, 30" deep, 12" wide	42" high elevation	12"	29 1/2"	13 3/8"	WSWSA421230L	463.	566.
	50" high elevation	12"	29 1/2"	20 11/16"	WSWSA501230L	558.	664.
	57" high elevation	12"	29 1/2"	28"	WSWSA571230L	640.	766.
	64" high elevation	12"	29 1/2"	35 1/4"	WSWSA641230L	724.	848.



Work Surface Stacker, Side Access Open 24" deep, 16" wide	42" high elevation	15 9/16"	23 1/2"	13 3/8"	WSWSA4216L	467.	614.
	50" high elevation	15 9/16"	23 1/2"	20 11/16"	WSWSA5016L	559.	749.
	57" high elevation (shown)	15 9/16"	23 1/2"	28"	WSWSA5716L	639.	868.
	64" high elevation	15 9/16"	23 1/2"	35 1/4"	WSWSA6416L	721.	986.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB".	Work surface stackers 20", 24" and 30" deep (nominal) have 19 1/16", 23 1/2" and 29 1/2" deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.
2. <i>Case Finish</i> See Finish Options page	elevation, 12W x 23.5D, Full Door, Left Hand		
3. <i>Top Finish</i> See Finish Options page	Example: WSW4212FDLHL	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
	WSW Anchor Work Surface Stacker		
	FD Full Door	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	42 42" High Elevation		
	12 12" Wide		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Worksurface Stackers

Side Access 20", 24" and 30" deep 12" and 16" wide

Anchor Storage

description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Side Access, 30" deep, 16" wide	42" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	13 ³ / ₈ "	WSWSA421630L	\$543.	\$681.
	50" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	20 ¹ / ₁₆ "	WSWSA501630L	651.	793.
	57" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	28"	WSWSA571630L	747.	913.
	64" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	35 ¹ / ₄ "	WSWSA641630L	841.	1,007.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB".	Work surface stackers 20", 24" and 30" deep (nominal) have 19 ¹ / ₁₆ ", 23 ¹ / ₂ " and 29 ¹ / ₂ " deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.
2. <i>Case Finish</i> See Finish Options page	elevation, 12W x 23.5D, Full Door, Left Hand		
3. <i>Top Finish</i> See Finish Options page	Example: WSW4212FDLHL	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
	WSW Anchor Work Surface Stacker		
	FD Full Door	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	42 42" High Elevation		
	12 12" Wide		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Worksurface Stackers


Anchor Storage

*Side Access 20", 24" and 30" deep, with markerboard back
12" and 16" wide*


description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Side Access with markerboard back, 20" deep, 12" wide	42" high elevation	12"	19 1/2"	13 3/8"	WSWSAM421220L	\$406.	\$549.
	50" high elevation	12"	19 1/2"	20 11/16"	WSWSAM501220L	499.	684.
	57" high elevation	12"	19 1/2"	28"	WSWSAM571220L	580.	802.
	64" high elevation	12"	19 1/2"	35 1/4"	WSWSAM641220L	660.	917.



Work Surface Stacker, Side Access with markerboard back, 24" deep, 12" wide	42" high elevation	12"	23 1/2"	13 3/8"	WSWSAM4212L	413.	560.
	42" high elevation	12"	23 1/2"	20 11/16"	WSWSAM5012L	505.	697.
	57" high elevation	12"	23 1/2"	28"	WSWSAM5712L	586.	817.
	64" high elevation	12"	23 1/2"	35 1/4"	WSWSAM6412L	665.	936.



Work Surface Stacker, Side Access with markerboard back, 30" deep, 12" wide	42" high elevation	12"	29 1/2"	13 3/8"	WSWSAM421230L	480.	600.
	50" high elevation	12"	29 1/2"	20 11/16"	WSWSAM501230L	589.	747.
	57" high elevation	12"	29 1/2"	28"	WSWSAM571230L	680.	874.
	64" high elevation	12"	29 1/2"	35 1/4"	WSWSAM641230L	776.	1,003.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB". Tackboards are not intended for use with markerboard back.	Work surface stackers 20", 24" and 30" deep (nominal) have 19 1/16", 23 1/2" and 29 1/2" deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.
2. <i>Case Finish</i> See Finish Options page	elevation, 12W x 23.5D, Full Door, Left Hand		
3. <i>Top Finish</i> See Finish Options page	Example: WSWSAM4212FDLHL		
	WSW Anchor Work Surface Stacker		
	SAM Parallel Credenza Stacker with Markerboard	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
	42 42" High Elevation		
	12 12" Wide	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Worksurface Stackers


Anchor Storage

*Side Access 20", 24" and 30" deep, with markerboard back
12" and 16" wide*

description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Side Access with markerboard back, 24" deep, 16" wide	42" high elevation	15 ⁹ / ₁₆ "	23 ¹ / ₂ "	13 ³ / ₈ "	WSWSAM4216L	\$487.	\$671.
	50" high elevation	15 ⁹ / ₁₆ "	23 ¹ / ₂ "	20 ¹¹ / ₁₆ "	WSWSAM5016L	598.	830.
	57" high elevation	15 ⁹ / ₁₆ "	23 ¹ / ₂ "	28"	WSWSAM5716L	695.	972.
	64" high elevation	15 ⁹ / ₁₆ "	23 ¹ / ₂ "	35 ¹ / ₄ "	WSWSAM6416L	792.	1,110.




Work Surface Stacker, Side Access with markerboard back, 30" deep, 16" wide	42" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	13 ³ / ₈ "	WSWSAM421630L	565.	715.
	50" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	20 ¹¹ / ₁₆ "	WSWSAM501630L	697.	880.
	57" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	28"	WSWSAM571630L	811.	1,028.
	64" high elevation	15 ⁹ / ₁₆ "	29 ¹ / ₂ "	35 ¹ / ₄ "	WSWSAM641630L	925.	1,173.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB". Tackboards are not intended for use with markerboard back.	Work surface stackers 20", 24" and 30" deep (nominal) have 19 ¹ / ₁₆ ", 23 ¹ / ₂ " and 29 ¹ / ₂ " deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.
2. <i>Case Finish</i> See Finish Options page	elevation, 12W x 23.5D, Full Door, Left Hand		
3. <i>Top Finish</i> See Finish Options page	Example: WSWSAM4212FDLHL	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves. Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
	WSW Anchor Work Surface Stacker		
	SAM Parallel Credenza Stacker with Markerboard		
	42 42" High Elevation		
	12 12" Wide		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Tackboards for Side Access Stackers with inset back


description	height elevation	thick	pattern no.	grades					
				10	20	30	40	50	55
Tackboard insert for Side Access Stacker 20" deep with inset back	42" high elevation	1/2"	WSWT4220	\$171.	\$183.	\$193.	\$200.	\$218.	\$220.
	50" high elevation	1/2"	WSWT5020	171.	184.	195.	200.	217.	219.
	57" high elevation	1/2"	WSWT5720	186.	204.	211.	218.	239.	241.
	64" high elevation	1/2"	WSWT6420	197.	211.	220.	229.	250.	255.



Tackboard insert for Side Access Stacker 24" deep with inset back	42" high elevation	1/2"	WSWT4224	173.	185.	196.	202.	220.	223.
	50" high elevation	1/2"	WSWT5024	178.	193.	202.	209.	227.	230.
	57" high elevation	1/2"	WSWT5724	193.	209.	217.	224.	245.	250.
	64" high elevation	1/2"	WSWT6424	204.	218.	228.	237.	259.	265.



Tackboard insert for Side Access Stacker 30" deep with inset back	42" high elevation	1/2"	WSWT4230	175.	187.	198.	205.	222.	227.
	50" high elevation	1/2"	WSWT5030	185.	201.	210.	217.	237.	241.
	57" high elevation	1/2"	WSWT5730	199.	214.	223.	231.	254.	258.
	64" high elevation	1/2"	WSWT6430	210.	226.	235.	244.	269.	273.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>		Tackboards are designed to fit within the inset back of a side access stacker specified with back option. Tackboards are not compatible for use on stackers with a standard back. Tackboard mounting tape included.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
2. <i>Fabric Finish</i>			

Worksurface Stackers


Anchor Storage

*Side Access for Antenna tops 24", 27" and 30" deep
12" wide*


description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Side Access 12" wide for 24" deep Antenna top	42" high elevation	12"	24"		WSWSAY421224L	\$400.	\$516.
	50" high elevation	12"	24"		WSWSAY501224L	481.	634.
	57" high elevation	12"	24"		WSWSAY571224L	550.	736.
	64" high elevation	12"	24"		WSWSAY641224L	620.	840.



Work Surface Stacker, Side Access 12" wide for 27" deep Antenna top	42" high elevation	12"	27"		WSWSAY421227L	452.	552.
	50" high elevation	12"	27"		WSWSAY501227L	544.	647.
	57" high elevation	12"	27"		WSWSAY571227L	625.	747.
	64" high elevation	12"	27"		WSWSAY641227L	706.	844.



Work Surface Stacker, Side Access 12" wide for 30" deep Antenna top	42" high elevation	12"	30"		WSWSAY421230L	463.	566.
	50" high elevation	12"	30"		WSWSAY501230L	558.	664.
	57" high elevation	12"	30"		WSWSAY571230L	640.	766.
	64" high elevation	12"	30"		WSWSAY641230L	724.	848.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SAY" with "SAYB". Tackboards are not intended for use with markerboard back.	Antenna work surface stackers 24", 27" and 30" deep mount directly to an Antenna work surface of matching depth. Not for use with Antenna hinge door tops. Mounting tape included.
2. <i>Case Finish</i> See Finish Options page	elevation, 12W x 23.5D, Full Door, Left Hand		
3. <i>Top Finish</i> See Finish Options page	Example: WSW4212FDLHL	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high include 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
	WSW Anchor Work Surface Stacker		
	FD Full Door	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	42 42" High Elevation		
	12 12" Wide		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Worksurface Stackers


Anchor Storage

*Side Access for Antenna tops 24", 27" and 30" deep, with markerboard back
12" wide*

description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Side Access with markerboard back, 24" deep, 12" wide, for use with Antenna top	42" high elevation	12"	24"		WSWSAYM421224L	\$413.	\$560.
	50" high elevation	12"	24"		WSWSAYM501224L	505.	697.
	57" high elevation	12"	24"		WSWSAYM571224L	586.	817.
	64" high elevation	12"	24"		WSWSAYM641224L	665.	936.



Work Surface Stacker, Side Access with markerboard back, 27" deep, 12" wide, for use with Antenna top	42" high elevation	12"	27"		WSWSAYM421227L	465.	579.
	50" high elevation	12"	27"		WSWSAYM501227L	569.	719.
	57" high elevation	12"	27"		WSWSAYM571227L	660.	841.
	64" high elevation	12"	27"		WSWSAYM641227L	752.	964.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB". Tackboards are not intended for use with markerboard back.	Work surface stackers 20", 24" and 30" deep (nominal) have 19 1/16", 23 1/2" and 29 1/2" deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.
2. <i>Case Finish</i> See Finish Options page	elevation, 12W x 23.5D, Full Door, Left Hand		
3. <i>Top Finish</i> See Finish Options page	Example: WSWSAM4212FDLHL	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.
	WSW Anchor Work Surface Stacker		
	SAM Parallel Credenza Stacker with Markerboard	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	42 42" High Elevation		
	12 12" Wide		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Worksurface Stackers

Anchor Storage

*Side Access for Antenna tops 24", 27" and 30" deep, with markerboard back
12" wide*

description	height elevation	w	d	h	pattern no.	L1	L2
Work Surface Stacker, Side Access with markerboard back, 30" deep, 12" wide, for use with Antenna top	42" high elevation	12"	30"		WSWSAYM421230L	\$480.	\$600.
	50" high elevation	12"	30"		WSWSAYM501230L	589.	747.
	57" high elevation	12"	30"		WSWSAYM571230L	680.	874.
	64" high elevation	12"	30"		WSWSAYM641230L	776.	1,003.



Order Information

1. *Base Pattern Number*
2. *Case Finish*
See Finish Options page
3. *Top Finish*
See Finish Options page

Order Code

Work Surface Stacker 42H elevation, 12W x 23.5D, Full Door, Left Hand

Example: **WSWSAM4212FDLHL**

WSW	Anchor Work Surface Stacker
SAM	Parallel Credenza Stacker with Markerboard
42	42" High Elevation
12	12" Wide
LH	Left hand
L	Laminate
(L)	Lock option, Locking
(118)	Case Finish
(118)	Front Finish
(118)	Top Finish
(T)	Pull Style
(118)	Pull Finish
(C)	Lock finish, Chrome

Specification Information

Side Access stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "SA" with "SAB".
Tackboards are not intended for use with markerboard back.

Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.

Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Application Notes

Work surface stackers 20", 24" and 30" deep (nominal) have 19 1/16", 23 1/2" and 29 1/2" deep cases respectively and mount directly to a work surface of matching depth. Not for use with Antenna tops. Mounting tape included.


Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.

Tackboards for Side Access Antenna Stackers with inset back


description	height elevation	thick	pattern no.	grades 10	20	30	40	50	55
Tackboard insert for Side Access Antenna Stacker 24" deep with inset back	42" high elevation	1/2"	WSWTY4224	\$173.	\$185.	\$196.	\$202.	\$220.	\$223.
	50" high elevation	1/2"	WSWTY5024	178.	193.	202.	209.	227.	230.
	57" high elevation	1/2"	WSWTY5724	193.	209.	217.	224.	245.	250.
	64" high elevation	1/2"	WSWTY6424	204.	218.	228.	237.	259.	265.



Tackboard insert for Side Access Antenna Stacker 27" deep with inset back	42" high elevation	1/2"	WSWTY4227	174.	186.	197.	204.	221.	226.
	50" high elevation	1/2"	WSWTY5027	182.	198.	207.	213.	232.	235.
	57" high elevation	1/2"	WSWTY5727	197.	212.	220.	228.	250.	255.
	64" high elevation	1/2"	WSWTY6427	207.	222.	232.	241.	265.	269.



Tackboard insert for Side Access Antenna Stacker 30" deep with inset back	42" high elevation	1/2"	WSWTY4230	175.	187.	198.	205.	222.	227.
	50" high elevation	1/2"	WSWTY5030	185.	201.	210.	217.	237.	241.
	57" high elevation	1/2"	WSWTY5730	199.	214.	223.	231.	254.	258.
	64" high elevation	1/2"	WSWTY6430	210.	226.	235.	244.	269.	273.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>		Tackboards are designed to fit within the inset back of a side access stacker specified with inset back option. Tackboards are not compatible for use on stackers with a standard back. Antenna stacker tackboards are only compatible with Antenna stackers. Work surface stacker shelf count: 42"high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface. Tackboard mounting tape included.
2. <i>Fabric Finish</i>			


Worksurface Stackers

Parallel worksurface stackers


12" deep

Anchor Storage


description	height elevation	w	d	h	pattern no.	L1	L2
Parallel Work Surface Stacker, 30" Wide, Front Access Open	42" high elevation	30"	12"	13 3/8"	WSPWFO4230L	\$422.	\$530.
	50" high elevation	30"	12"	20 11/16"	WSPWFO5030L	549.	670.
	57" high elevation	30"	12"	28"	WSPWFO5730L	625.	771.
	64" high elevation	30"	12"	35 1/4"	WSPWFO6430L	775.	967.



Parallel Work Surface Stacker, 36" Wide, Front Access Open	42" high elevation	36"	12"	13 3/8"	WSPWFO4236L	425.	507.
	50" high elevation	36"	12"	20 11/16"	WSPWFO5036L	610.	748.
	57" high elevation	36"	12"	28"	WSPWFO5736L	694.	860.
	64" high elevation	36"	12"	35 1/4"	WSPWFO6436L	865.	1,084.



Parallel Work Surface Stacker, 42" Wide, Front Access Open	42" high elevation	42"	12"	13 3/8"	WSPWFO4242L	463.	554.
	50" high elevation	42"	12"	20 11/16"	WSPWFO5042L	670.	825.
	57" high elevation	42"	12"	28"	WSPWFO5742L	762.	947.
	64" high elevation	42"	12"	35 1/4"	WSPWFO6442L	952.	1,202.




Order Information	Order Code	Specification Information	Application Notes
	_____	Parallel work surface stackers are designed to mount parallel onto a work surface.	Work surface stackers mount directly to a work surface; mounting tape include.

	_____	Parallel stackers are available with an inset back for use with a tackboard insert (specified separately). To specify a stacker with inset back, replace "FO" with "FOB".	Elevation height represents the overall nominal height of a stacker when mounted to a standard height work surface.


	_____	Work surface stacker shelf count: 42" high, no shelf, 50" and 57" high include 1 shelf, 64" high includes 2 shelves.	
	_____	Work surface stackers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	

*Parallel Worksurface Stackers, with markerboard back
30", 36" and 42" wide*


description	height elevation	w	d	h	pattern no.	L1	L2
Parallel Worksurface Stacker, Front Access Open with markerboard back, 30"W	42" high elevation	30"	12"	13 3/8"	WSPWFOM4230L	\$450.	\$561.
	50" high elevation	30"	12"	20 11/16"	WSPWFOM5030L	658.	840.
	57" high elevation	30"	12"	28"	WSPWFOM5730L	771.	982.
	64" high elevation	30"	12"	35 1/4"	WSPWFOM6430L	958.	1,242.



Parallel Worksurface Stacker, Front Access Open with markerboard back, 36"W	42" high elevation	36"	12"	13 3/8"	WSPWFOM4236L	504.	626.
	50" high elevation	36"	12"	20 11/16"	WSPWFOM5036L	738.	946.
	57" high elevation	36"	12"	28"	WSPWFOM5736L	869.	1,106.
	60" high elevation	36"	12"	35 1/4"	WSPWFOM6436L	1,086.	1,403.




Parallel Worksurface Stacker, Front Access Open with markerboard back, 42"W	42" high elevation	42"	12"	13 3/8"	WSPWFOM4242L	553.	691.
	50" high elevation	42"	12"	20 11/16"	WSPWFOM5042L	823.	1,051.
	57" high elevation	42"	12"	28"	WSPWFOM5742L	970.	1,226.
	60" high elevation	42"	12"	35 1/4"	WSPWFOM6442L	1,214.	1,563.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Work Surface Stacker 42H	Work surface stacker shelf count:	Work surface stackers 24" deep
2. <i>Case Finish</i>	elevation, 12W x 23.5D, Full Door,	42" high, no shelf, 50" and 57" high	(nominal) have a 23 1/2" deep case;
See Finish Options page	Left Hand	include 1 shelf, 64" high includes 2	24 3/8" overall depth including door.
3. <i>Top Finish</i>		shelves.	
See Finish Options page	Example: WSW4212FDLHL	Add \$40 to the list price per	Work surface stackers mount
	WSW Anchor Work Surface	standard key lock.	directly to a 23 1/2" deep work
	Stacker		surface; mounting tape included.
	FD Full Door	Add \$15 to the list price per pull for	Elevation height represents the
	42 42" High Elevation	Anodized Nickel (AN) or Anodized	overall nominal height of a stacker
	12 12" Wide	Aluminum (AA) finish.	when mounted to a standard height
	LH Left hand	Work surface stackers specified	work surface.
	L Laminate	with mixed laminate finishes are L2	
	(L) Lock option, Locking	pricing. Refer to Mixed Laminate	
	(118) Case Finish	Finishes for further details.	
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Tackboards for Parallel Work Surface Stackers with inset back


description	height elevation	thick	pattern no.	grades 10	20	30	40	50	55
Tackboard insert for Parallel Work Surface Stacker 30" wide with inset back	42" high elevation	1/2"	WSPWT4230	\$175.	\$187.	\$198.	\$205.	\$222.	\$227.
	50" high elevation	1/2"	WSPWT5030	185.	201.	210.	217.	237.	241.
	57" high elevation	1/2"	WSPWT5730	199.	214.	223.	231.	254.	258.
	64" high elevation	1/2"	WSPWT6430	210.	226.	235.	244.	269.	273.



Tackboard insert for Parallel Work Surface Stacker 36" wide with inset back	42" high elevation	1/2"	WSPWT4236	187.	204.	213.	219.	240.	243.
	50" high elevation	1/2"	WSPWT5036	207.	222.	232.	240.	265.	269.
	57" high elevation	1/2"	WSPWT5736	224.	242.	255.	265.	288.	293.
	64" high elevation	1/2"	WSPWT6436	242.	264.	275.	285.	311.	316.



Tackboard insert for Parallel Work Surface Stacker 42" wide with inset back	42" high elevation	1/2"	WSPWT4242	189.	207.	215.	222.	242.	248.
	50" high elevation	1/2"	WSPWT5042	210.	226.	235.	244.	269.	273.
	57" high elevation	1/2"	WSPWT5742	229.	248.	261.	270.	294.	299.
	57" high elevation	1/2"	WSPWT6442	250.	271.	283.	293.	319.	325.



Order Information

1. Base Pattern Number
2. Fabric Finish

Order Code

Specification Information

Tackboards are designed to fit within the inset back of a parallel work surface stacker specified with inset back option.
Tackboards are not compatible for use on stackers with standard back.

Application Notes

Elevation height represents the overall nominal height of a stacker when mounted on a standard height work surface.

Overhead Storage Specification

Technical Specifications

Anchor Overhead Storage

Anchor Overhead Storage units are wood construction cabinets designed to be wall mounted for above desk storage.

Overhead Storage units have a preassembled case. Sliding doors are to be field-installed.

Available Sizes (nominal)


Height: 16"

Widths: 24", 30", 36", 42", 48", 60", 72", 84"


Depth: 15"

Configurations include:


Open



Sliding Door (Left Hand)



Sliding Door (Right Hand)



Construction

- Overhead Storage units are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: $1\frac{3}{16}$ " (nominal) on overhead top and bottom; $\frac{3}{4}$ " on back, sides, interior shelves and door fronts.

Internal Clearances*

- Internal height $13\frac{3}{4}$ "
- Internal width by nominal configuration size:
 - 24" w overall = $22\frac{1}{2}$ " w
 - 30" w overall = $28\frac{1}{2}$ " w
 - 36" w overall = $34\frac{1}{2}$ " w
 - 42" w overall = $40\frac{1}{2}$ " w
 - 48" w overall = (2) $22\frac{1}{16}$ " w sections
 - 60" w overall = (2) $28\frac{1}{16}$ " w sections
 - 72" w overall = (2) $34\frac{1}{16}$ " w sections
- Internal depth clearance:
 - Open units: $13\frac{3}{8}$ "
 - Sliding Door units: $12\frac{1}{4}$ "

**Actual dimensions to the nearest $\frac{1}{16}$ th of an inch*

Locks

Anchor Overhead Storage units with sliding door may be ordered with or without locks. No lock hole is drilled on units specified as nonlocking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Pulls




Finger Pull, 10" long, positioned vertically on doors.

Overhead pulls are field installed.



Overhead Storage

Overhead Storage, Wall Mount

Anchor Storage

description	w	h	d	pattern no.	L1	L2
	24"	16"	14 ³ / ₈ "	WOWOP24L	\$712.	\$896.
	30"	16"	14 ³ / ₈ "	WOWOP30L	807.	1,022.
	36"	16"	14 ³ / ₈ "	WOWOP36L	898.	1,148.
	42"	16"	14 ³ / ₈ "	WOWOP42L	992.	1,276.
	48"	16"	14 ³ / ₈ "	WOWOP48L	1,147.	1,490.
	60"	16"	14 ³ / ₈ "	WOWOP60L	1,369.	1,777.
	72"	16"	14 ³ / ₈ "	WOWOP72L	1,585.	2,059.
	48"	16"	14 ³ / ₈ "	WOWSD48LHL(N)	1,721.	2,148.
	60"	16"	14 ³ / ₈ "	WOWSD60LHL(N)	2,056.	2,563.
	72"	16"	14 ³ / ₈ "	WOWSD72LHL(N)	2,397.	2,988.
	48"	16"	14 ³ / ₈ "	WOWSD48RHL(N)	1,721.	2,148.
	60"	16"	14 ³ / ₈ "	WOWSD60RHL(N)	2,056.	2,563.
	72"	16"	14 ³ / ₈ "	WOWSD72RHL(N)	2,397.	2,988.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Overhead Storage Unit, 48" wide with LH Sliding Door, locking	Add \$40 to the list price per standard key lock.	Overheads have a preassembled case. Sliding door and door pull to be field installed.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WOWOP48L	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Overheads have a 14 ³ / ₈ " deep case. Overheads with a door are 15 ⁵ / ₁₆ " deep overall.
3. <i>Case Finish</i> See Finish Options page	W Woodcore Storage	Overhead specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Wall-mount Overheads ship with 2-piece wall mounting cleat set.
4. <i>Front Finish</i> See Finish Options page	SD Sliding Door	Dimensions listed under w h d are actual to the nearest 1/16".	Knoll does not assume any responsibility for the installation , attachment or the securing of wall hung units to the wall.
5. <i>Top Finish</i> See Finish Options page	48 48" Wide	Overhead units 48" and wider feature a centered midpanel.	A certified building contractor should be consulted. Please refer to wall mounting information section.
6. <i>Pull style</i> T = 10" finger pull	LH Left Hand	Overhead units do not include shelves. Shelves must be specified separately.	Tasklights are not included.
7. <i>Pull finish</i> See Finish Options page	L Laminate case and front		Overheads are not designed to be installed at desk-height or below.
8. <i>Lock Finish</i> B = Black C = Chrome	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

description	description	w	pattern no.	L1	L2
	single shelf for 24" w overhead	22 1/2"	WOWSF2401L	\$118.	\$128.
	single shelf for 30" w overhead	28 1/2"	WOWSF3001L	132.	147.
	single shelf for 36" w overhead	34 1/2"	WOWSF3601L	149.	167.
	single shelf for 42" w overhead	40 1/2"	WOWSF4201L	165.	184.
	pack of 4 shelves for 24"w overhead	22 1/2"	WOWSF2404L	392.	438.
	pack of 4 shelves for 30"w overhead	28 1/2"	WOWSF3004L	443.	504.
	pack of 4 shelves for 36"w overhead	34 1/2"	WOWSF3604L	492.	566.
	pack of 4 shelves for 42"w overhead	40 1/2"	WOWSF4204L	542.	627.
	single shelf for half of 48" w overhead	22 3/4"	WOWSF4801L	118.	128.
	single shelf for half of 60" w overhead	28 3/4"	WOWSF6001L	132.	147.
	single shelf for half of 72" w overhead	34 3/4"	WOWSF7201L	149.	167.
	pack of 4 shelves for half of 48" w overhead	22 3/4"	WOWSF4804L	392.	438.
	pack of 4 shelves for half of 60" w overhead	28 3/4"	WOWSF6004L	443.	504.
	pack of 4 shelves for half of 72" w overhead	34 3/4"	WOWSF7204L	492.	566.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Single Shelf for Overhead Storage Unit, 48" w	Overhead units 48" and wider feature a centered midpanel. Shelves specified for units with a midpanel are sized to fit in one half of the unit. If a shelf is desired in both halves of the unit, two shelves must be specified.	
2. <i>Finish</i>	Example: WOWSF4801L		
	W Woodcore Storage	Dimension listed under w h d are actual to the nearest 1/16".	
	OW Overhead, Wall Mount		
	SF Shelf		
	48 for half of 48" w unit		
	01 Single Shelf		
	L Laminate		
	(118) Finish		

Anchor Slide Out Towers

Anchor Towers are 15" and 18" wide wood construction cabinets offered in 2 heights designed to correspond with Dividends Horizon panel heights. Slide Out Towers are available left or right handed and feature a side access interior offered in two customizable configurations, detailed below.

Available Sizes (nominal)

Height: 42", 50"

Widths: 15", 18"

Depth: 24", 30"

Slide Out Tower Interior Details

All Slide Out Towers include a 7" fixed upper shelf and shallow bin at the bottom. 30" deep towers include a 5 1/4" coat cubby at the back with a dual-prong coat hook. 24" deep towers do not include a coat cubby or coat hook.

- 1) **Adjustable Shelves Interior** additionally includes 2 adjustable shelves; not compatible with slatwall tools. White interior finish.
- 2) **Slatwall Interior** additionally includes slatwall below the fixed shelf, for use with slatwall tools, specified separately. Adjustable shelves may be specified separately. White interior finish with gray slatwall.

Construction

- Towers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on tower top, bottom, and vertical and horizontal midpanels, 3/4" on tower back, sides, all other interior shelves, doors and drawer fronts
- Leveling glides: 5/16" diameter steel stem with 1 1/16" of height adjustment, 4 per tower.


Locks

Anchor Towers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.


Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Pulls


Finger Pull, 10" long, horizontal position.




WTSO421524STLHL(N)




WTSO421524WTLHL(N)




WTSO421530STLHL(N)




WTSO421530WTLHL(N)




WTSO501524STLHL(N)



WTSO501524WTLHL(N)



WTSO501530STLHL(N)






WTSO501530WTLHL(N)

Slide Out Towers

42" High Slide Out Tower

24" and 30" deep

Anchor Storage

description	configuration	w	d	h	pattern no.	L1	L2
 Slide Out Tower, 42" high, 24" deep, includes finished top	15" wide, adjustable shelves, left hand	15"	23 1/2"	41 7/16"	WTSO421524STLHL(N)	\$2,322.	\$2,605.
	15" wide, adjustable shelves, right hand	15"	23 1/2"	41 7/16"	WTSO421524STRHL(N)	2,322.	2,605.
	15" wide, slatwall interior, left hand	15"	23 1/2"	41 7/16"	WTSO421524WTLHL(N)	2,440.	2,723.
	15" wide, slatwall interior, right hand	15"	23 1/2"	41 7/16"	WTSO421524WTRHL(N)	2,440.	2,723.
	18" wide, adjustable shelves, left hand	18"	23 1/2"	41 7/16"	WTSO421824STLHL(N)	2,453.	2,844.
	18" wide, adjustable shelves, right hand	18"	23 1/2"	41 7/16"	WTSO421824STRHL(N)	2,453.	2,844.
	18" wide, slatwall interior, left hand	18"	23 1/2"	41 7/16"	WTSO421824WTLHL(N)	2,566.	2,956.
	18" wide, slatwall interior, right hand	18"	23 1/2"	41 7/16"	WTSO421824WTRHL(N)	2,566.	2,956.
 Slide Out Tower, 42" high, 24" deep, no top	15" wide, adjustable shelves, left hand	15"	23 1/2"	41 7/16"	WTSO421524SNLHL(N)	2,183.	2,448.
	15" wide, adjustable shelves, right hand	15"	23 1/2"	41 7/16"	WTSO421524SNRHL(N)	2,183.	2,448.
	15" wide, slatwall interior, left hand	15"	23 1/2"	41 7/16"	WTSO421524WNLHL(N)	2,300.	2,565.
	15" wide, slatwall interior, right hand	15"	23 1/2"	41 7/16"	WTSO421524WNRHL(N)	2,300.	2,565.
	18" wide, adjustable shelves, left hand	18"	23 1/2"	41 7/16"	WTSO421824SNLHL(N)	2,300.	2,642.
	18" wide, adjustable shelves, right hand	18"	23 1/2"	41 7/16"	WTSO421824SNRHL(N)	2,300.	2,642.
	18" wide, slatwall interior, left hand	18"	23 1/2"	41 7/16"	WTSO421824WNLHL(N)	2,414.	2,754.
	18" wide, slatwall interior, right hand	18"	23 1/2"	41 7/16"	WTSO421824WNRHL(N)	2,414.	2,754.
 Slide Out Tower, 42" high, 30" deep, includes finished top	15" wide, adjustable shelves, left hand	15"	29 1/2"	41 7/16"	WTSO421530STLHL(N)	2,580.	3,246.
	15" wide, adjustable shelves, right hand	15"	29 1/2"	41 7/16"	WTSO421530STRHL(N)	2,580.	3,246.
	15" wide, slatwall interior, left hand	15"	29 1/2"	41 7/16"	WTSO421530WTLHL(N)	2,698.	3,363.
	15" wide, slatwall interior, right hand	15"	29 1/2"	41 7/16"	WTSO421530WTRHL(N)	2,698.	3,363.
	18" wide, adjustable shelves, left hand	18"	29 1/2"	41 7/16"	WTSO421830STLHL(N)	2,709.	3,335.
	18" wide, adjustable shelves, right hand	18"	29 1/2"	41 7/16"	WTSO421830STRHL(N)	2,709.	3,335.
	18" wide, slatwall interior, left hand	18"	29 1/2"	41 7/16"	WTSO421830WTLHL(N)	2,820.	3,448.
	18" wide, slatwall interior, right hand	18"	29 1/2"	41 7/16"	WTSO421830WTRHL(N)	2,820.	3,448.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower, 42" high, 15" wide, 24" deep, Slatwall interior, with finished top, Left hand	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital Locking	Example: WTSO421524WTLHL(L)		
3. <i>Case Finish</i> See Finish Options page	WTSO Anchor Tower, Slide Out	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 per RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately, see specification page for details.	<i>Adjustable shelves</i> interior option does not include slatwall and is not compatible with slatwall tools.
4. <i>Front Finish</i> See Finish Options page	42 42" High		<i>Slatwall Interior</i> option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
5. <i>Top Finish</i> See Finish Options page	15 15" Wide		
6. <i>Pull style</i> T = 10" finger pull	24 24" Deep		
7. <i>Pull finish</i> See Finish Options page	W Slatwall interior		
8. <i>Lock finish</i> B = Black C = Chrome	T Finished top		
	LH Left hand		
	L Laminate	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
			Heights shown indicate the overall height of a tower complete with a top. Anchor Tower heights do not align dimensionally with Locker heights.

Slide Out Towers

42" High Slide Out Tower

24" and 30" deep

Anchor Storage

description	configuration	w	d	h	pattern no.	L1	L2
 Slide Out Tower, 42" high, 30" deep, no top	15" wide, adjustable shelves, left hand	15"	29 1/2"	41 9/16"	WTSO421530SNLHL(N)	\$2,434.	\$3,056.
	15" wide, adjustable shelves, right hand	15"	29 1/2"	41 9/16"	WTSO421530SNRHL(N)	2,434.	3,056.
	15" wide, slatwall interior, left hand	15"	29 1/2"	41 9/16"	WTSO421530WNLHL(N)	2,551.	3,174.
	15" wide, slatwall interior, right hand	15"	29 1/2"	41 9/16"	WTSO421530WNRHL(N)	2,551.	3,174.
	18" wide, adjustable shelves, left hand	18"	29 1/2"	41 9/16"	WTSO421830SNLHL(N)	2,533.	3,089.
	18" wide, adjustable shelves, right hand	18"	29 1/2"	41 9/16"	WTSO421830SNRHL(N)	2,533.	3,089.
	18" wide, slatwall interior, left hand	18"	29 1/2"	41 9/16"	WTSO421830WNLHL(N)	2,644.	3,200.
	18" wide, slatwall interior, right hand	18"	29 1/2"	41 9/16"	WTSO421830WNRHL(N)	2,644.	3,200.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower, 42" high, 15" wide, 24" deep, Slatwall interior, with finished top, Left hand	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital Locking	Example: WTSO421524WTLHL(L)		
3. <i>Case Finish</i> See Finish Options page	WTSO Anchor Tower, Slide Out	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 per RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately, see specification page for details.	<i>Adjustable shelves</i> interior option does not include slatwall and is not compatible with slatwall tools.
4. <i>Front Finish</i> See Finish Options page	42 42" High		<i>Slatwall Interior</i> option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
5. <i>Top Finish</i> See Finish Options page	15 15" Wide		
6. <i>Pull style</i> T = 10" finger pull	24 24" Deep		Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
7. <i>Pull finish</i> See Finish Options page	W Slatwall interior	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Heights shown indicate the overall height of a tower complete with a top. Anchor Tower heights do not align dimensionally with Locker heights.
8. <i>Lock finish</i> B = Black C = Chrome	T Finished top		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome	Dimensions listed under w h d are actual to the nearest 1/16".	


Slide Out Towers


50" High Slide Out Tower

24" and 30" deep

Anchor Storage

description	configuration	w	d	h	pattern no.	L1	L2
 Slide Out Tower, 50" high, 24" deep, includes finished top	15" wide, adjustable shelves, left hand	15"	23 1/2"	48 7/8"	WTSO501524STLHL(N)	\$2,342.	\$2,628.
	15" wide, adjustable shelves, right hand	15"	23 1/2"	48 7/8"	WTSO501524STRHL(N)	2,342.	2,628.
	15" wide, slatwall interior, left hand	15"	23 1/2"	48 7/8"	WTSO501524WTLHL(N)	2,570.	2,819.
	15" wide, slatwall interior, right hand	15"	23 1/2"	48 7/8"	WTSO501524WTRHL(N)	2,570.	2,819.
	18" wide, adjustable shelves, left hand	18"	23 1/2"	48 7/8"	WTSO501824STLHL(N)	2,472.	2,867.
	18" wide, adjustable shelves, right hand	18"	23 1/2"	48 7/8"	WTSO501824STRHL(N)	2,472.	2,867.
	18" wide, slatwall interior, left hand	18"	23 1/2"	48 7/8"	WTSO501824WTLHL(N)	2,698.	3,050.
	18" wide, slatwall interior, right hand	18"	23 1/2"	48 7/8"	WTSO501824WTRHL(N)	2,698.	3,050.

 Slide Out Tower, 50" high, 24" deep, no top	15" wide, adjustable shelves, left hand	15"	23 1/2"	48 7/8"	WTSO501524SNLHL(N)	2,203.	2,470.
	15" wide, adjustable shelves, right hand	15"	23 1/2"	48 7/8"	WTSO501524SNRHL(N)	2,203.	2,470.
	15" wide, slatwall interior, left hand	15"	23 1/2"	48 7/8"	WTSO501524WNLHL(N)	2,431.	2,662.
	15" wide, slatwall interior, right hand	15"	23 1/2"	48 7/8"	WTSO501524WNRHL(N)	2,431.	2,662.
	18" wide, adjustable shelves, left hand	18"	23 1/2"	48 7/8"	WTSO501824SNLHL(N)	2,321.	2,666.
	18" wide, adjustable shelves, right hand	18"	23 1/2"	48 7/8"	WTSO501824SNRHL(N)	2,321.	2,666.
	18" wide, slatwall interior, left hand	18"	23 1/2"	48 7/8"	WTSO501824WNLHL(N)	2,543.	2,848.
	18" wide, slatwall interior, right hand	18"	23 1/2"	48 7/8"	WTSO501824WNRHL(N)	2,543.	2,848.

 Slide Out Tower, 50" high, 30" deep, includes finished top	15" wide, adjustable shelves, left hand	15"	29 1/2"	48 7/8"	WTSO501530STLHL(N)	2,602.	3,273.
	15" wide, adjustable shelves, right hand	15"	29 1/2"	48 7/8"	WTSO501530STRHL(N)	2,602.	3,273.
	15" wide, Slatwall interior, left hand	15"	29 1/2"	48 7/8"	WTSO501530WTLHL(N)	2,832.	3,458.
	15" wide, Slatwall interior, right hand	15"	29 1/2"	48 7/8"	WTSO501530WTRHL(N)	2,832.	3,458.
	18" wide, adjustable shelves, left hand	18"	29 1/2"	48 7/8"	WTSO501830STLHL(N)	2,731.	3,363.
	18" wide, adjustable shelves, right hand	18"	29 1/2"	48 7/8"	WTSO501830STRHL(N)	2,731.	3,363.
	18" wide, slatwall interior, left hand	18"	29 1/2"	48 7/8"	WTSO501830WTLHL(N)	2,955.	3,540.
	18" wide, slatwall interior, right hand	18"	29 1/2"	48 7/8"	WTSO501830WTRHL(N)	2,955.	3,540.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower, 42" high, 15" wide, 24" deep, Slatwall interior, with finished top, Left hand	Towers can be specified with a finished top (factory installed) or no top, for use with a common top (specified separately) when ganged side-by-side to another unit.	Refer to Slide Out Tower Specification page for interior option details.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital Locking	Example: WTSO421524WTLHL(L)		
3. <i>Case Finish</i> See Finish Options page	WTSO Anchor Tower, Slide Out	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 per RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately, see specification page for details.	<i>Adjustable shelves</i> interior option does not include slatwall and is not compatible with slatwall tools.
4. <i>Front Finish</i> See Finish Options page	42 42" High		<i>Slatwall Interior</i> option is compatible with Anchor Slatwall tools, specified separately; not compatible with KnollExtra slatwall tools.
5. <i>Top Finish</i> See Finish Options page	15 15" Wide		
6. <i>Pull style</i> T = 10" finger pull	24 24" Deep		
7. <i>Pull finish</i> See Finish Options page	W Slatwall interior		
8. <i>Lock finish</i> B = Black C = Chrome	T Finished top		
	LH Left hand		
	L Laminate	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door; Towers 29" deep (nominal) have a 29 1/2" deep case; 30 3/8" overall depth include door.
			Heights shown indicate the overall height of a tower complete with a top. Anchor Tower heights do not align dimensionally with Locker heights.

Slide Out Towers







50" High Slide Out Tower

24" and 30" deep

Anchor Storage


description	configuration	w	d	h	pattern no.	L1	L2
 Slide Out Tower, 50" high, 30" deep, no top	15" wide, adjustable shelves, left hand	15"	29 1/2"	48 7/8"	WTSO501530SNLHL(N)	\$2,456.	\$3,085.
	15" wide, adjustable shelves, right hand	15"	29 1/2"	48 7/8"	WTSO501530SNRHL(N)	2,456.	3,085.
	15" wide, slatwall interior, left hand	15"	29 1/2"	48 7/8"	WTSO501530WNLHL(N)	2,686.	3,268.
	15" wide, slatwall interior, right hand	15"	29 1/2"	48 7/8"	WTSO501530WNRHL(N)	2,686.	3,268.
	18" wide, adjustable shelves, left hand	18"	29 1/2"	48 7/8"	WTSO501830SNLHL(N)	2,555.	3,117.
	18" wide, adjustable shelves, right hand	18"	29 1/2"	48 7/8"	WTSO501830SNRHL(N)	2,555.	3,117.
	18" wide, slatwall interior, left hand	18"	29 1/2"	48 7/8"	WTSO501830WNLHL(N)	2,780.	3,292.
	18" wide, slatwall interior, right hand	18"	29 1/2"	48 7/8"	WTSO501830WNRHL(N)	2,780.	3,292.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower, 42" high, 15" wide,	Towers can be specified with a	Refer to Slide Out Tower
2. <i>Lock option</i>	24" deep, Slatwall interior, with	finished top (factory installed) or no	Specification page for interior
L = Locking	finished top, Left hand	top, for use with a common top	option details.
N = Non-locking		(specified separately) when ganged	
D = Digital Locking		side-by-side to another unit.	
3. <i>Case Finish</i>	Example: WTSO421524WTLHL(L)		<i>Adjustable shelves</i> interior option
See Finish Options page	WTSO Anchor Tower, Slide Out	Add \$40 to the list price per	does not include slatwall and is not
4. <i>Front Finish</i>	42 42" High	standard key lock. Add \$560 to the	compatible with slatwall tools.
See Finish Options page	15 15" Wide	list price per digital keypad lock	<i>Slatwall Interior</i> option is
5. <i>Top Finish</i>	24 24" Deep	and \$605 per RFID lock. Digital	compatible with Anchor Slatwall
See Finish Options page	W Slatwall interior	keypad and RFID locks require	tools, specified separately; not
6. <i>Pull style</i>	T Finished top	program and manager key(s),	compatible with KnollExtra slatwall
T = 10" finger pull	LH Left hand	specified separately, see	tools.
7. <i>Pull finish</i>	L Laminate	specification page for details.	
See Finish Options page	(L) Lock option, Locking	Add \$15 to the list price per pull for	Towers 24" deep (nominal) have a
8. <i>Lock finish</i>	(118) Case Finish	Anodized Nickel (AN) or Aluminum	23 1/2" deep case; 24 3/8" overall
B = Black	(118) Front Finish	(AA) finish.	depth including door; Towers 29"
C = Chrome	(118) Top Finish	Towers specified with mixed	deep (nominal) have a 29 1/2" deep
	(T) Pull Style	laminate finishes are L2 pricing.	case; 30 3/8" overall depth include
	(118) Pull Finish	Refer to Mixed Laminate Finishes	door.
	(C) Lock finish, Chrome	for further details.	Heights shown indicate the overall
		Dimensions listed under w h d are	height of a tower complete with a
		actual to the nearest 1/16".	top. Anchor Tower heights do not
			align dimensionally with Locker
			heights.


description	configuration	w	d	pattern no.	list
Adjustable shelves for Slide Out Tower 24" and 30" deep 	single shelf for 15w tower	21 3/4"	11"	WTSOSB1501L	\$239.
	pack of 4 shelves, for 15w tower	21 3/4"	11"	WTSOSB1504L	645.
	single shelf for 18w tower	21 3/4"	14"	WTSOSB1801L	249.
	pack of 4 shelves, for 18w tower	21 3/4"	14"	WTSOSB1804L	687.
Basket for use with Anchor Slatwall 	Basket, black	12 1/4"	5 1/2"	WPSOB01	88.
	Basket, black, pack of 5	12 1/4"	5 1/2"	WPSOB05	420.
Accessory Hook for use with Anchor Slatwall 	Accessory Hook, black, pack of 5			WPSOH05	64.
	Accessory Hook, black, pack of 40			WPSOH40	400.
Large Tray, for use with Anchor Slatwall 	Large Tray, black	20 3/4"	5 1/2"	WPSOTRL01	68.
Small Tray, for use with Anchor Slatwall 	Small Tray, black	14"	5 1/2"	WPSOTRS01	60.
Large Tray with cut-out, for use with Anchor Slatwall 	Large Tray with cut-out for letter-sized hanging	20 3/4"	5 1/2"	WPSOTRC01	72.


Order Information	Order Code	Specification Information	Application Notes
1. Base Pattern Number	Slide Out Tower Shelf Bracket, for 15" wide tower, single shelf, laminate Example: WTSOB1501L WTSO Anchor Tower, Slide Out SB Shelf with bracket 15 for 15" Wide tower 01 single shelf L Laminate	Adjustable shelves are for use in 24" and 30" deep towers. Hoop and Large Tray with cut-out can accommodate hanging letter-sized files or Knoll pencil tray with bottom tabs removed.	

description	configuration	w	d	pattern no.	list
Hoop for use with Anchor Slatwall	Hoop for letter-sized hanging files or pencil trays	12 1/4"	5 1/2"	WPSOHP01	\$72.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Slide Out Tower Shelf Bracket, for 15" wide tower, single shelf, laminate	Adjustable shelves are for use in 24" and 30" deep towers.	
	Example: WTSOB1501L	Hoop and Large Tray with cut-out can accommodate hanging letter-sized files or Knoll pencil tray with bottom tabs removed.	
	WTSO Anchor Tower, Slide Out		
	SB Shelf with bracket		
	15 for 15" Wide tower		
	01 single shelf		
	L Laminate		

description	configuration	w	d	pattern no.	L1	L2
 Common tops for Slide Out Tower, 24" deep	30w for (2) 15w towers, single top	30"	24"	WTSOT302401L	\$416.	\$535.
	30w for (2) 15w towers, pack of 4	30"	24"	WTSOT302404L	1,217.	1,706.
	36w for (2) 18w towers, single top	36"	24"	WTSOT362401L	510.	535.
	36w for (2) 18w towers, pack of 4	36"	24"	WTSOT362404L	1,592.	1,706.

 Common tops for Slide Out Tower, 30" deep	30w for (2) 15w towers, single top	30"	30"	WTSOT303001L	416.	609.
	30w for (2) 15w towers, pack of 4	30"	30"	WTSOT303004L	1,207.	1,987.
	36w for (2) 15w towers, single top	30"	36"	WTSOT363001L	520.	624.
	36w for (2) 15w towers, pack of 4	30"	36"	WTSOT363004L	1,623.	2,049.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Top Finish</i> See Finish Options page	Slide Out Tower Common Top 30" wide, 24" deep, single top, laminate <hr/> Example: WTSOT302401L WTSO Anchor Tower, Slide Out T Common Top 30 30" wide 24 24" deep 01 single top L Laminate (118) Top Finish	Common tops are designed to be used for two same-sized Anchor Slide Out Towers specified without an individual finished top.	Common tops are field installed.


Anchor Towers

Anchor Towers are 24" and 30" wide wood construction cabinets offered in 4 heights designed to correspond with Dividends Horizon panel heights. Towers ship assembled including a finished top.

Available Sizes (nominal)

Height: 42", 50", 57", 64"
Widths: 24", 30"
Depth: 24"

Towers are categorized by the upper configuration (A) and include 2 pedestal options (B) and 1 locker option (C). Towers are available in left or right hand, defined by the location of the locker. (Right hand tower shown below.)



Configuration Options:

A: Upper Configuration


Side Access (open)
Front Access Open
Front Access with Door

B: Pedestal Configuration

Box/Box(file front)/File
File/File


C: Locker Configuration

Full Door



Side Access tower, Front Access Open tower

Front Panel for Side Access Tower



A laminate, markerboard or tackboard front panel may be specified (separately) for Side Access towers. To accept front panel mounting, Side Access tower must be specified with a drilled front.

Construction

- Towers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on tower top, bottom, and vertical and horizontal midpanels, 3/4" on tower back, sides, all other interior shelves, doors and drawer fronts
- Leveling glides: 5/16" diameter steel stem with 1 1/16" of height adjustment, 4 per locker.
- Longer glides are included to provide an additional 1 1/16" of height adjustment; 2 per pedestal.

Locks

Anchor Towers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Pulls

Finger Pull, 10" long, vertical pulls on 42" towers are 8" long.



Pull Position:

Doors: vertical, 1 1/8" below top edge of door.

Drawers: centered horizontally

Top drawer: 3/4" from bottom of drawer

Bottom drawer: 3/4" from top of drawer



Tower doors open from midpanel; hinges are located on the end panels.

Tower Specifications

Tower Shelf Count

Anchor Storage

Tower shelf count					
Tower Interior Component	Configuration	42" high	50" high	57" high	64" high
Locker segment	Full Door	1	1	1	1
Upper segment	Side Access	0	1	1	2
	Front Access	0	1	1	2
	Front Access with Door	0	1	1	2
Pedestal segment	Box/Box(File Front) File	0	0	0	0
	File/File	0	0	0	0

**all shelves are removable unless noted as fixed*


Towers

42" High Side Access Open, Full Door Locker


24" and 30" wide

Anchor Storage


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	41 9/16"	WTSA4224FDFFLHL(N)	\$2,307.	\$2,946.
Left Hand, 42" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDCBLHL(N)	2,332.	2,995.




Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	41 9/16"	WTSA4224FDFFRHL(N)	2,307.	2,946.
Right Hand, 42" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 9/16"	WTSA4224FDCBRHL(N)	2,332.	2,995.



Tower, Side Access Open, Full Door Locker	File/File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDFFLHL(N)	2,501.	3,229.
Left Hand, 42" high, 30" wide	Box/Box (File Front) File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDCBLHL(N)	2,528.	3,277.



Tower, Side Access Open, Full Door Locker	File/File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDFFRHL(N)	2,501.	3,229.
Right Hand, 42" high, 30" wide	Box/Box (File Front) File Pedestal	30"	23 1/2"	41 9/16"	WTSA4230FDCBRHL(N)	2,528.	3,277.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Full Door Locker, 42" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA4224FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
5. <i>Top Finish</i> See Finish Options page	42 42" High		
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		


Towers

50" High Side Access Open, Full Door Locker

24" and 30" wide

Anchor Storage


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTSA5024FDFFLHL(N)	\$2,528.	\$3,278.
Left Hand, 50" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDCBLHL(N)	2,555.	3,327.




Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTSA5024FDFFRHL(N)	2,528.	3,278.
Right Hand, 50" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTSA5024FDCBRHL(N)	2,555.	3,327.



Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	48 7/8"	WTSA5030FDFFLHL(N)	2,740.	3,587.
Left Hand, 50" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDCBLHL(N)	2,765.	3,635.



Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	48 7/8"	WTSA5030FDFFRHL(N)	2,740.	3,587.
Right Hand, 50" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTSA5030FDCBRHL(N)	2,765.	3,635.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Full Door Locker, 50" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA5024FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access		
5. <i>Top Finish</i> See Finish Options page	50 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		


Towers

57" High Side Access Open, Full Door Locker


24" and 30" wide

Anchor Storage


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTSA5724FDFFLHL(N)	\$2,661.	\$3,477.
Left Hand, 57" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDCBLHL(N)	2,831.	3,666.




Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTSA5724FDFFRHL(N)	2,661.	3,477.
Right Hand, 57" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTSA5724FDCBRHL(N)	2,831.	3,666.



Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTSA5730FDFFLHL(N)	2,890.	3,811.
Left Hand, 57" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDCBLHL(N)	3,057.	4,000.



Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTSA5730FDFFRHL(N)	2,890.	3,811.
Right Hand, 57" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTSA5730FDCBRHL(N)	3,057.	4,000.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Full Door Locker, 57" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA5724FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
5. <i>Top Finish</i> See Finish Options page	57 42" High		
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		

Towers


Anchor Storage

64" High Side Access Open, Full Door Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTSA6424FDFFLHL(N)	\$2,865.	\$3,781.
Left Hand, 64" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDCBLHL(N)	2,892.	3,829.




Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTSA6424FDFFRHL(N)	2,865.	3,781.
Right Hand, 64" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTSA6424FDCBRHL(N)	2,892.	3,829.



Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTSA6430FDFFLHL(N)	3,108.	4,137.
Left Hand, 64" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDCBLHL(N)	3,134.	4,185.



Tower, Side Access Open, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTSA6430FDFFRHL(N)	3,108.	4,137.
Right Hand, 64" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTSA6430FDCBRHL(N)	3,134.	4,185.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Side Access Open, Full Door Locker, 64" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTSA6424FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTSA Anchor Tower, Side Access	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
5. <i>Top Finish</i> See Finish Options page	64 42" High		
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
9. <i>Pre-drill for (optional) Front Panel</i> D = Drilled N = Non-drill	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking	A laminate or markerboard front panel may be specified (separately) for side access towers. To accept front panel mounting hardware, side access towers must be specified with "D" for a predrilled front.	
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		
	(D) Drilled for front panel		

Towers

42 High Front Access Open, Full Door Locker

24" and 30" wide

Anchor Storage

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Full Door Locker	File/File Pedestal	24"	23 1/2"	41 9/16"	WTFO4224FDFFLHL(N)	\$2,250.	\$2,839.
Left Hand, 42" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 9/16"	WTFO4224FDCBLHL(N)	2,465.	3,073.




Tower, Front Access Open, Full Door Locker	File/File Pedestal	24"	23 1/2"	41 9/16"	WTFO4224FDFFRHL(N)	2,250.	2,839.
Right Hand, 42" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 9/16"	WTFO4224FDCBRHL(N)	2,465.	3,073.



Tower, Front Access Open, Full Door Locker	File/File Pedestal	30"	23 1/2"	41 9/16"	WTFO4230FDFFLHL(N)	2,446.	3,121.
Left Hand, 42" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 9/16"	WTFO4230FDCBLHL(N)	2,659.	3,357.



Tower, Front Access Open, Full Door Locker	File/File Pedestal	30"	23 1/2"	41 9/16"	WTFO4230FDFFRHL(N)	2,446.	3,121.
Right Hand, 42" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 9/16"	WTFO4230FDCBRHL(N)	2,659.	3,357.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open, Full Door Locker, 42" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFO4224FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFO Anchor Tower, Front Access Open		
5. <i>Top Finish</i> See Finish Options page	42 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File	Dimensions listed under w h d are actual to the nearest 1/16".	
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


Towers

50" High Front Access Open, Full Door Locker


24" and 30" wide

Anchor Storage


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Full Door Locker	File/File Pedestal	24"	23 1/2"	48 7/8"	WTFO5024FDFFLHL(N)	\$2,491.	\$3,191.
Left Hand, 50" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTFO5024FDCBLHL(N)	2,705.	3,427.




Tower, Front Access Open, Full Door Locker	File/File Pedestal	24"	23 1/2"	48 7/8"	WTFO5024FDFFRHL(N)	2,491.	3,191.
Right Hand, 50" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTFO5024FDCBRHL(N)	2,705.	3,427.



Tower, Front Access Open, Full Door Locker	File/File Pedestal	30"	23 1/2"	48 7/8"	WTFO5030FDFFLHL(N)	2,703.	3,500.
Left Hand, 50" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTFO5030FDCBLHL(N)	2,917.	3,736.




Tower, Front Access Open, Full Door Locker	File/File Pedestal	30"	23 1/2"	48 7/8"	WTFO5030FDFFRHL(N)	2,703.	3,500.
Right Hand, 50" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTFO5030FDCBRHL(N)	2,917.	3,736.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open, Full Door Locker, 50" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFO5024FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFO Anchor Tower, Front Access Open		
5. <i>Top Finish</i> See Finish Options page	50 50" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File	Dimensions listed under w h d are actual to the nearest 1/16".	
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

57" High Front Access Open, Full Door Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFO5724FDFFLHL(N)	\$2,643.	\$3,413.
Left Hand, 57" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTFO5724FDCBLHL(N)	2,857.	3,649.




Tower, Front Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFO5724FDFFRHL(N)	2,643.	3,413.
Right Hand, 57" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTFO5724FDCBRHL(N)	2,857.	3,649.



Tower, Front Access Open, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFO5730FDFFLHL(N)	2,871.	3,747.
Left Hand, 57" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTFO5730FDCBLHL(N)	3,086.	3,982.



Tower, Front Access Open, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFO5730FDFFRHL(N)	2,871.	3,747.
Right Hand, 57" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTFO5730FDCBRHL(N)	3,086.	3,982.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open, Full Door Locker, 57" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFO5724FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFO Anchor Tower, Front Access Open	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
5. <i>Top Finish</i> See Finish Options page	57 57" High		
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File	Dimensions listed under w h d are actual to the nearest 1/16".	
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		


Towers

64" High Front Access Open, Full Door Locker


24" and 30" wide

Anchor Storage


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTF06424FDFFLHL(N)	\$2,861.	\$3,735.
Left Hand, 64" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDCBLHL(N)	3,075.	3,968.




Tower, Front Access Open, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTF06424FDFFRHL(N)	2,861.	3,735.
Right Hand, 64" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTF06424FDCBRHL(N)	3,075.	3,968.



Tower, Front Access Open, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTF06430FDFFLHL(N)	3,105.	4,091.
Left Hand, 64" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDCBLHL(N)	3,318.	4,325.



Tower, Front Access Open, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTF06430FDFFRHL(N)	3,105.	4,091.
Right Hand, 64" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTF06430FDCBRHL(N)	3,318.	4,325.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access Open, Full	Refer to Tower Shelf count for	Towers 24" deep (nominal) have a
2. <i>Lock option</i>	Open Door, 64" high, 24" wide, F/F	number of included shelves with	23 1/2" deep case; 24 3/8" overall
L = Locking	pedestal, Left hand	each interior configuration.	depth including door.
N = Non-locking			
3. <i>Case Finish</i>	Example: WTF06424FDFFLHL	Add \$40 to the list price per	Towers with full door include a coat
See Finish Options page	WTFO Anchor Tower, Front	standard key lock.	hook to be field installed.
4. <i>Front Finish</i>	Access Open		
See Finish Options page	64 64" High	Add \$15 to the list price per pull for	Pedestal File drawer allows for
5. <i>Top Finish</i>	24 24" Wide	Anodized Nickel (AN) or Aluminum	front-to-back letter filing. For legal
See Finish Options page	FD Locker configuration,	(AA) finish.	filing, specify a Series 2 DS1PFS
6. <i>Pull style</i>	Full Door	Towers specified with mixed	File Support Channel separately.
T = 10" finger pull	FF Pedestal configuration,	laminates finishes are L2 pricing.	
7. <i>Pull finish</i>	File/File	Refer to Mixed Laminate Finishes	
See Finish Options page	LH Left hand	for further details.	
8. <i>Lock finish</i>	L Laminate	Dimensions listed under w h d are	
B = Black	(L) Lock option, Locking	actual to the nearest 1/16".	
C = Chrome	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers


Anchor Storage

42" High Front Access with Door, Full Door Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	41 9/16"	WTFD4224FDFFLHL(N)	\$2,395.	\$3,005.
Left Hand, 42" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 9/16"	WTFD4224FDCBLHL(N)	2,561.	3,191.




Tower, Front Access with Door, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	41 9/16"	WTFD4224FDFFRHL(N)	2,395.	3,005.
Right Hand, 42" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	41 9/16"	WTFD4224FDCBRHL(N)	2,561.	3,191.



Tower, Front Access with Door, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	41 9/16"	WTFD4230FDFFLHL(N)	2,588.	3,285.
Left Hand, 42" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 9/16"	WTFD4230FDCBLHL(N)	2,754.	3,473.




Tower, Front Access with Door, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	41 9/16"	WTFD4230FDFFRHL(N)	2,588.	3,285.
Right Hand, 42" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	41 9/16"	WTFD4230FDCBRHL(N)	2,754.	3,473.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Full Door Locker, 42" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFD4224FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFD Anchor Tower, Front Access with Door		
5. <i>Top Finish</i> See Finish Options page	42 42" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File	Dimensions listed under w h d are actual to the nearest 1/16".	
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

50" High Front Access with Door, Full Door Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTFD5024FDFFLHL(N)	\$2,659.	\$3,393.
Left Hand, 50" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDCBLHL(N)	2,828.	3,581.




Tower, Front Access with Door, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	48 7/8"	WTFD5024FDFFRHL(N)	2,659.	3,393.
Right Hand, 50" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	48 7/8"	WTFD5024FDCBRHL(N)	2,828.	3,581.



Tower, Front Access with Door, Full Door Locker	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDCBLHL(N)	3,039.	3,890.
Left Hand, 50" high, 30" wide							




Tower, Front Access with Door, Full Door Locker	Box/Box(File Front) File Pedestal	30"	23 1/2"	48 7/8"	WTFD5030FDCBRHL(N)	3,039.	3,890.
Right Hand, 50" high, 30" wide							




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Full Door Locker, 50" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFD5024FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFD Anchor Tower, Front Access with Door		
5. <i>Top Finish</i> See Finish Options page	50 50" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File	Dimensions listed under w h d are actual to the nearest 1/16".	
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

57" High Front Access with Door, Full Door Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Full Door Locker Left Hand, 57" high, 24" wide	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFD5724FDFFLHL(N)	\$2,837.	\$3,650.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDCBLHL(N)	3,006.	3,839.



Tower, Front Access with Door, Full Door Locker Right Hand, 57" high, 24" wide	File/File Pedestal (shown)	24"	23 1/2"	56 3/16"	WTFD5724FDFFRHL(N)	2,837.	3,650.
	Box/Box(File Front) File Pedestal	24"	23 1/2"	56 3/16"	WTFD5724FDCBRHL(N)	3,006.	3,839.




Tower, Front Access with Door, Full Door Locker Left Hand, 57" high, 30" wide	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFD5730FDFFLHL(N)	3,062.	3,982.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDCBLHL(N)	3,231.	4,172.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Full Door Locker, 57" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFD5724FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFD Anchor Tower, Front Access with Door		
5. <i>Top Finish</i> See Finish Options page	57 57" High	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File	Dimensions listed under w h d are actual to the nearest 1/16".	
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

*57" High Front Access with Door, Full Door Locker
24" and 30" wide*

description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Full Door Locker Right Hand, 57" high, 30" wide	File/File Pedestal (shown)	30"	23 1/2"	56 3/16"	WTFD5730FDFFRHL(N)	\$3,062.	\$3,982.
	Box/Box(File Front) File Pedestal	30"	23 1/2"	56 3/16"	WTFD5730FDCBRHL(N)	3,231.	4,172.

**Order Information**

1. *Base Pattern Number*
2. *Lock option*
L = Locking
N = Non-locking
3. *Case Finish*
See Finish Options page
4. *Front Finish*
See Finish Options page
5. *Top Finish*
See Finish Options page
6. *Pull style*
T = 10" finger pull
7. *Pull finish*
See Finish Options page
8. *Lock finish*
B = Black
C = Chrome

Order Code

Tower, Front Access with Door, Full
Door Locker, 57" high, 24" wide,
F/F pedestal, Left hand

Example: **WTFD5724FDFFLHL**

WTFD Anchor Tower, Front
Access with Door

57 57" High

24 24" Wide

FD Locker configuration,
Full Door

FF Pedestal configuration,
File/File

LH Left hand

L Laminate

(L) Lock option, Locking

(118) Case Finish

(118) Front Finish

(118) Top Finish

(T) Pull Style

(118) Pull Finish

(C) Lock finish, Chrome

Specification Information

Refer to Tower Shelf count for
number of included shelves with
each interior configuration.

Add \$40 to the list price per
standard key lock.

Add \$15 to the list price per pull for
Anodized Nickel (AN) or Aluminum
(AA) finish.

Towers specified with mixed
laminate finishes are L2 pricing.
Refer to Mixed Laminate Finishes
for further details.

Dimensions listed under w h d are
actual to the nearest 1/16".

Application Notes

Towers 24" deep (nominal) have a
23 1/2" deep case; 24 3/8" overall
depth including door.

Towers with full door include a coat
hook to be field installed.


Pedestal File drawer allows for
front-to-back letter filing. For legal
filing, specify a Series 2 DS1PFS
File Support Channel separately.

Towers


Anchor Storage

64" High Front Access with Door, Full Door Locker 24" and 30" wide


description	pedestal configuration	w	d	h	pattern no.	L1	L2
Tower, Front Access with Door, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTFD6424FDFFLHL(N)	\$3,075.	\$4,004.
Left Hand, 64" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDCBLHL(N)	3,244.	4,192.




Tower, Front Access with Door, Full Door Locker	File/File Pedestal (shown)	24"	23 1/2"	63 7/16"	WTFD6424FDFFRHL(N)	3,075.	4,004.
Right Hand, 64" high, 24" wide	Box/Box(File Front) File Pedestal	24"	23 1/2"	63 7/16"	WTFD6424FDCBRHL(N)	3,244.	4,192.



Tower, Front Access with Door, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTFD6430FDFFLHL(N)	3,319.	4,359.
Left Hand, 64" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDCBLHL(N)	3,486.	4,549.



Tower, Front Access with Door, Full Door Locker	File/File Pedestal (shown)	30"	23 1/2"	63 7/16"	WTFD6430FDFFRHL(N)	3,319.	4,359.
Right Hand, 64" high, 30" wide	Box/Box(File Front) File Pedestal	30"	23 1/2"	63 7/16"	WTFD6430FDCBRHL(N)	3,486.	4,549.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Full	Refer to Tower Shelf count for	Towers 24" deep (nominal) have a
2. <i>Lock option</i>	Door Locker, 64" high, 24" wide,	number of included shelves with	23 1/2" deep case; 24 3/8" overall
L = Locking	F/F pedestal, Left hand	each interior configuration.	depth including door.
N = Non-locking			
3. <i>Case Finish</i>	Example: WTFD6424FDFFLHL	Add \$40 to the list price per	Towers with full door include a coat
See Finish Options page	WTFD Anchor Tower, Front	standard key lock.	hook to be field installed.
4. <i>Front Finish</i>	Access with Door		
See Finish Options page	64 64" High	Add \$15 to the list price per pull for	Pedestal File drawer allows for
5. <i>Top Finish</i>	24 24" Wide	Anodized Nickel (AN) or Aluminum	front-to-back letter filing. For legal
See Finish Options page	FD Locker configuration,	(AA) finish.	filing, specify a Series 2 DS1PFS
6. <i>Pull style</i>	Full Door	Towers specified with mixed	File Support Channel separately.
T = 10" finger pull	FF Pedestal configuration,	laminate finishes are L2 pricing.	
7. <i>Pull finish</i>	File/File	Refer to Mixed Laminate Finishes	
See Finish Options page	LH Left hand	for further details.	
8. <i>Lock finish</i>	L Laminate	Dimensions listed under w h d are	
B = Black	(L) Lock option, Locking	actual to the nearest 1/16".	
C = Chrome	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers


Anchor Storage

42" High Front and Side Access Towers for use with feet 24" wide

description	orientation	w	d	h	pattern no.	L1	L2
Tower for use with feet, Front Access with Door	Locker Left	24"	23 1/2"	41 1/16"	WTFFD4224FDBFLHL(N)	\$2,395.	\$3,005.
Full Door Locker, Box/File Pedestal, 42" high, 24" wide	Locker Right, shown	24"	23 1/2"	41 1/16"	WTFFD4224FDBFRHL(N)	2,395.	3,005.



Tower for use with feet, Front Access Open	Locker Left	24"	23 1/2"	41 1/16"	WTFFO4224FDBFLHL(N)	2,250.	2,839.
Full Door Locker, Box/File Pedestal 42" high, 24" wide	Locker Right, shown	24"	23 1/2"	41 1/16"	WTFFO4224FDBFRHL(N)	2,250.	2,839.



Tower for use with feet, Side Access Open	Locker Left	24"	23 1/2"	41 1/16"	WTFSA4224FDBFLHL(N)	2,307.	2,946.
Full Door Locker, Box/File Pedestal 42" high, 24" wide	Locker Right, shown	24"	23 1/2"	41 1/16"	WTFSA4224FDBFRHL(N)	2,307.	2,946.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Full Door Locker, 64" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFFD4224FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFFD Anchor Tower for use with feet, Front Access with Door	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
5. <i>Top Finish</i> See Finish Options page	42 64" High		
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Anchor foot kit must be specified separately, see "Anchor Foot Kits" section. Noted elevation heights include height of Anchor foot.
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Dimensions listed under w h d are actual to the nearest 1/16".	
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand		
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

Towers


Anchor Storage

50" High Front and Side Access Towers for use with feet 24" wide

description	orientation	w	d	h	pattern no.	L1	L2
Tower for use with feet, Front Access with Door Full Door Locker, Box/File Pedestal, 50" high, 24" wide	Locker Left	24"	23 1/2"	48 7/8"	WTFFD5024FDBFLHL(N)	\$2,659.	\$3,393.
	Locker Right, shown	24"	23 1/2"	48 7/8"	WTFFD5024FDBFRHL(N)	2,659.	3,393.








Tower for use with feet, Front Access Open Full Door Locker, Box/File Pedestal, 50" high, 24" wide	Locker Left	24"	23 1/2"	48 7/8"	WTFFO5024FDBFLHL(N)	2,491.	3,191.
	Locker Right, shown	24"	23 1/2"	48 7/8"	WTFFO5024FDBFRHL(N)	2,491.	3,191.



Tower for use with feet, Side Access Full Door Locker, Box/File Pedestal, 50" high, 24" wide	Locker Left	24"	23 1/2"	48 7/8"	WTFSA5024FDBFLHL(N)	2,528.	3,278.
	Locker Right, shown	24"	23 1/2"	48 7/8"	WTFSA5024FDBFRHL(N)	2,528.	3,278.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Tower, Front Access with Door, Full Door Locker, 64" high, 24" wide, F/F pedestal, Left hand	Refer to Tower Shelf count for number of included shelves with each interior configuration.	Towers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
2. <i>Lock option</i> L = Locking N = Non-locking			
3. <i>Case Finish</i> See Finish Options page	Example: WTFFD5024FDFFLHL	Add \$40 to the list price per standard key lock.	Towers with full door include a coat hook to be field installed.
4. <i>Front Finish</i> See Finish Options page	WTFFD Anchor Tower, Front Access with Door	Add \$15 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish.	Pedestal File drawer allows for front-to-back letter filing. For legal filing, specify a Series 2 DS1PFS File Support Channel separately.
5. <i>Top Finish</i> See Finish Options page	50 64" High		
6. <i>Pull style</i> T = 10" finger pull	24 24" Wide		
7. <i>Pull finish</i> See Finish Options page	FD Locker configuration, Full Door	Towers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	Anchor foot kit must be specified separately, see "Anchor Foot Kits" section. Noted elevation heights include height of Anchor foot.
8. <i>Lock finish</i> B = Black C = Chrome	FF Pedestal configuration, File/File		
	LH Left hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(L) Lock option, Locking		
	(118) Case Finish		
	(118) Front Finish		
	(118) Top Finish		
	(T) Pull Style		
	(118) Pull Finish		
	(C) Lock finish, Chrome		

description	description	w	d	h	pattern no.	L1	L2
 Full-depth tower locker shelf	single shelf, for 30" w tower	13 1/4"	22 3/4"	3/4"	WTLSF3001L	\$117.	\$133.
	pack of 4 shelves, for 24" w tower	7 1/4"	22 3/4"	3/4"	WTLSF2404L	253.	331.
	pack of 4 shelves, for 30" w tower	13 1/4"	22 3/4"	3/4"	WTLSF3004L	343.	471.
	single shelf, for 24" w tower	7 1/4"	22 3/4"	3/4"	WTLSF2401L	88.	98.
 Full-depth tower locker shelf, work surface thickness	single shelf, for 30" w tower	13 1/4"	22 3/4"	1 1/8"	WTLST3001L	127.	141.
	pack of 4 shelves, for 24" w tower	7 1/4"	22 3/4"	1 1/8"	WTLST2404L	299.	371.
	pack of 4 shelves, for 30" w tower	13 1/4"	22 3/4"	1 1/8"	WTLST3004L	419.	529.
	single shelf, for 24" w tower	7 1/4"	22 3/4"	1 1/8"	WTLST2401L	98.	106.
 Partial-depth tower locker shelf	pack of 4 shelves, for 24" w tower	7 1/4"	11 3/8"	3/4"	WTLSP2404L	163.	201.
	pack of 4 shelves, for 30" w tower	13 1/4"	11 3/8"	3/4"	WTLSP3004L	211.	274.
	single shelf, for 24" w tower	7 1/4"	11 3/8"	3/4"	WTLSP2401L	63.	70.
	single shelf, for 30" w tower	13 1/4"	11 3/8"	3/4"	WTLSP3001L	76.	85.
 Full-depth tower locker shelf with coat rod	single shelf, for 24" w tower	7 1/4"	22 3/4"	3/4"	WTLCRKIT2401L	154.	166.
	single shelf, for 30" w tower	13 1/4"	22 3/4"	3/4"	WTLCRKIT3001L	192.	211.
	pack of 4 shelves, for 24" w tower	7 1/4"	22 3/4"	3/4"	WTLCRKIT2404L	380.	459.
	pack of 4 shelves, for 30" w tower	13 1/4"	22 3/4"	3/4"	WTLCRKIT3004L	486.	612.
 Full-depth Tower Pedestal/Upper Shelf, for 24" or 30" wide tower	single shelf	14"	22 3/4"	3/4"	WPSF1601L	129.	147.
	pack of 4 shelves	14"	22 3/4"	3/4"	WPSF1604L	379.	517.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Full-depth shelf for 24" w tower locker Example: WTLSF2401L WT Anchor Tower LSF Locker Shelf (full depth) 24 for 24" wide tower 01 single shelf L Laminate (118) Finish, Bright White	Each shelf includes 4 mounding pins. Edgebanding preselected to match or coordinate with laminate; see "Finish Options" for further details.	Tower Locker shelves are for use with open or full door lockers within Anchor Towers only; not for use with Anchor Lockers Tower Pedestal/Upper shelves are for use within the pedestal segment of towers and upper segment of Front Access towers. Not for use in upper segment of Side Access towers.

description	description	finish	pattern no.	list
-------------	-------------	--------	-------------	------

Coat Hook, side mount

Anodized Silver

WACH

\$39.



Coat Rod, top mount

For locker in 24" wide tower

Chrome

WTLCRTM24


105.

For locker in 30" wide tower

Chrome

WTLCRTM30

110.



Order Information

Order Code



Specification Information

Application Notes

Coat rods are for use with open or full door lockers within Anchor Towers only; not for use with Anchor Lockers.

Tower Front Panel for Side Access Tower,

Anchor Storage

description	description	pattern no.	L1	L2	List
 Laminate Front Panel	for 42" high side access tower	WTFP42L	\$150.	\$165.	
	for 50" high side access tower	WTFP50L	179.	197.	
	for 57" high side access tower	WTFP57L	209.	231.	
	for 64" high side access tower	WTFP64L	232.	264.	
 Markerboard Front Panel	for 42" high side access tower	WTFP42M			232.
	for 50" high side access tower	WTFP50M			284.
	for 57" high side access tower	WTFP57M			335.
	for 64" high side access tower	WTFP64M			382.

Order Information

1. *Base Pattern Number*
2. *Finish*
See Finish Options page

Order Code

Markerboard front panel for SA Tower	
Example: WTFP57M	
WT	Anchor Tower
FP	Front panel
57	for 57" high side access tower
M	Markerboard laminate

Specification Information


Front panels include mounting bracket to install on side access tower. **Side access towers must be specified with a drilled front to accept front panel mounting hardware.**

Application Notes

Markerboard front panel is finished with 118 Bright White edgebanding.

Tower Front Panel
for Side Access Tower,

Anchor Storage

description		description	pattern no.	grade	10	20	30	40	45	50	55
	Tackboard Front Panel	for 42" high side access tower	WTFP42T		\$309.	\$326.	\$332.	\$338.	\$352.	\$360.	\$375.
		for 50" high side access tower	WTFP50T		317.	335.	339.	347.	361.	368.	383.
		for 57" high side access tower	WTFP57T		326.	343.	347.	354.	368.	375.	391.
		for 64" high side access tower	WTFP64T		333.	349.	354.	361.	375.	382.	397.

Order Information

- 1. Base Pattern Number
 - 2. Finish
- See Finish Options page

Order Code

Tackboard front panel for SA Tower	
Example: WTFP42T	
WT	Anchor Tower
FP	Front panel
42	for 42" high side access tower
T	Tackboard Panel

Specification Information

Front panels include mounting bracket to install on side access tower. **Side access towers must be specified with a drilled front to accept front panel mounting hardware.**

Workstation Locker Specification

Technical Specifications

Anchor Storage

Anchor Workstation Lockers

Anchor Workstation Lockers are 12" wide wood construction cabinets offered in 3 depths and 4 heights designed to correspond with Dividends Horizon panel heights.

Workstation Locker configurations include all open with shelves or enclosed with a door.

Available Sizes (nominal)


Height: 42", 50", 57", 64"

Widths: 12"

Depth: 20", 24", 30"

Workstation Lockers ship assembled including a finished top.

Workstation Lockers may be used in freestanding applications or used to support one end of a worksurface with **WLLB** L-bracket accessory.



Workstation Locker supporting one end of a work surface utilizing L-bracket accessory

Workstation Lockers feature an inlay back design, mimicking the design of Anchor credenzas and pedestals. The end panels extend the full depth of the unit providing a seamless side, intended for applications within a workstation.

Standard Lockers feature an overlay back design, intended for banks outside of the workstation.

Anchor Raised Storage

Workstation Lockers for use with Feet must be specified with applicable Anchor Foot Kit. Foot Kit is not included with cost of locker unit. Feet are nominally 3" high and include a leveling glide. Height of 3" foot is included in overall noted height of Workstation Lockers for use with Feet.

Construction

- Lockers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: $\frac{13}{16}$ " (nominal) on locker bottom, $\frac{3}{4}$ " on locker back, sides, subtop, interior shelves and doors.
- Material thickness: $\frac{13}{16}$ " (nominal) on locker tops (specified separately)
- Leveling glides: $\frac{5}{16}$ " diameter steel stem with $\frac{1}{16}$ " of height adjustment, 4 per locker.


Locks

Anchor Lockers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.

Pulls




Finger Pull, 10" long; vertically positioned $1\frac{1}{8}$ " below top edge of door; exceptions shown below.



Workstation Lockers


Open with Shelves, 20", 24" and 30" deep

Anchor Storage


description	nominal height	h	w	d	pattern no.	L1	L2
 Open with Shelves, 20" deep	42"	41 ⁷ / ₁₆ "	12"	19 ¹ / ₁₆ "	WLW421220OSL	\$963.	\$1,306.
	50"	48 ⁷ / ₈ "	12"	19 ¹ / ₁₆ "	WLW501220OSL	1,035.	1,417.
	57"	56 ³ / ₁₆ "	12"	19 ¹ / ₁₆ "	WLW571220OSL	1,099.	1,515.
	64"	63 ⁷ / ₈ "	12"	19 ¹ / ₁₆ "	WLW641220OSL	1,164.	1,611.
 Open with Shelves, 24" deep	42"	41 ⁷ / ₁₆ "	12"	23 ¹ / ₂ "	WLW421224OSL	1,114.	1,470.
	50"	48 ⁷ / ₈ "	12"	23 ¹ / ₂ "	WLW501224OSL	1,183.	1,599.
	57"	56 ³ / ₁₆ "	12"	23 ¹ / ₂ "	WLW571224OSL	1,228.	1,711.
	64"	63 ⁷ / ₁₆ "	12"	23 ¹ / ₂ "	WLW641224OSL	1,401.	1,824.
 Open with Shelves, 30" deep	42"	41 ⁷ / ₁₆ "	12"	29 ³ / ₈ "	WLW421230OSL	1,232.	1,717.
	50"	48 ⁷ / ₈ "	12"	29 ³ / ₈ "	WLW501230OSL	1,385.	1,872.
	57"	56 ³ / ₁₆ "	12"	29 ³ / ₈ "	WLW571230OSL	1,493.	2,007.
	64"	63 ⁷ / ₁₆ "	12"	29 ³ / ₈ "	WLW641230OSL	1,509.	2,141.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Locker , 12W, 42H, 20D Open with Shelves <hr/> Example: WLW421220OSL <hr/> WLW Anchor Workstation Locker <hr/> 42 42" High <hr/> 12 12" Wide <hr/> OS Open with Shelves <hr/> L Laminate <hr/> (118) Case Finish, Bright White <hr/>	Workstation Locker Includes a finished top. Open Workstation lockers include full depth adjustable shelves. Shelf quantity varies by height as follows: 42"h 2 adjustable shelves 50"h 3 adjustable shelves 57"h 3 adjustable shelves 64"h 4 adjustable shelves Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details. Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish. Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest ¹ / ₁₆ ".	Lockers 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 ¹ / ₂ " deep case; 24 ³ / ₈ " overall depth including door. Lockers 30" deep (nominal) have a 29 ¹ / ₂ " deep case; 29 ³ / ₈ " overall depth including door. Worksurface Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top. Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.

Full Door including coat hook 20", 24" and 30" deep

description	configuration	nominal height	h	w	d	pattern no.	L1	L2
	left hand	42"	41 7/16"	12"	19 1/16"	WLW421220FDLHL(N)	\$1,133.	\$1,519.
	left hand	50"	48 7/8"	12"	19 1/16"	WLW501220FDLHL(N)	1,221.	1,667.
	left hand	57"	56 3/16"	12"	19 1/16"	WLW571220FDLHL(N)	1,297.	1,792.
	left hand	64"	63 7/16"	12"	19 1/16"	WLW641220FDLHL(N)	1,376.	1,921.
	right hand	42"	41 7/16"	12"	19 1/16"	WLW421220FDRHL(N)	1,133.	1,519.
	right hand	50"	48 7/8"	12"	19 1/16"	WLW501220FDRHL(N)	1,221.	1,667.
	right hand	57"	56 3/16"	12"	19 1/16"	WLW571220FDRHL(N)	1,297.	1,792.
	right hand	64"	63 7/16"	12"	19 1/16"	WLW641220FDRHL(N)	1,376.	1,921.


(left hand shown)

	left hand	42"	41 7/16"	12"	23 1/2"	WLW421224FDLHL(N)	1,239.	1,670.
	left hand	50"	48 7/8"	12"	23 1/2"	WLW501224FDLHL(N)	1,338.	1,833.
	left hand	57"	56 3/16"	12"	23 1/2"	WLW571224FDLHL(N)	1,425.	1,998.
	left hand	64"	63 7/16"	12"	23 1/2"	WLW641224FDLHL(N)	1,511.	2,134.
	right hand	42"	41 7/16"	12"	23 1/2"	WLW421224FDRHL(N)	1,239.	1,670.
	right hand	50"	48 7/8"	12"	23 1/2"	WLW501224FDRHL(N)	1,338.	1,833.
	right hand	57"	56 3/16"	12"	23 1/2"	WLW571224FDRHL(N)	1,425.	1,998.
	right hand	64"	63 7/16"	12"	23 1/2"	WLW641224FDRHL(N)	1,511.	2,134.

(left hand shown)

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 12W, 42H, 20D, full door, incl. coat hook, left hand, laminate, locking	Workstation Locker includes a finished top.	Workstation Lockers must be used in freestanding applications.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital keypad lock			
3. <i>Finish</i> See Finish Options page	Example: WLW421220FDLHL(L)	Workstation Lockers with full door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Lockers 30" deep (nominal) have a 29 1/2" deep case; 29 3/8" overall depth including door.
4. <i>Door Finish</i> See Finish Options page	WLW Anchor Workstation Locker		
5. <i>Top Finish</i> See Finish Options page	42 42" High	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Workstation Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.
6. <i>Pull style</i> T = 10" Finger pull	12 12" Wide		
7. <i>Pull finish</i> See Finish Options page	20 20" Deep	Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.
8. <i>Lock finish</i> See Finish Options page	FH Full Door, with Coat Hook		
	LH Left Hand	Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.
	L Laminate		
	(L) Locking	Dimensions listed under w h d are actual to the nearest 1/16".	
	(118) Case Finish, Bright White		
	(118) Door Finish, Bright White		
	(118) Top Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		

Full Door including coat hook 20", 24" and 30" deep

description	configuration	nominal height	h	w	d	pattern no.	L1	L2
 (left hand shown)	left hand	42"	41 ⁹ / ₁₆ "	12"	29 ³ / ₈ "	WLW421230FDLHL(N)	\$1,396.	\$1,955.
	left hand	50"	48 ⁷ / ₈ "	12"	29 ³ / ₈ "	WLW501230FDLHL(N)	1,513.	2,136.
	left hand	57"	56 ³ / ₁₆ "	12"	29 ³ / ₈ "	WLW571230FDLHL(N)	1,614.	2,293.
	left hand	64"	63 ⁷ / ₁₆ "	12"	29 ³ / ₈ "	WLW641230FDLHL(N)	1,715.	2,450.
	right hand	42"	41 ⁹ / ₁₆ "	12"	29 ³ / ₈ "	WLW421230FDRHL(N)	1,396.	1,955.
	right hand	50"	48 ⁷ / ₈ "	12"	29 ³ / ₈ "	WLW501230FDRHL(N)	1,513.	2,136.
	right hand	57"	56 ³ / ₁₆ "	12"	29 ³ / ₈ "	WLW571230FDRHL(N)	1,614.	2,293.
	right hand	64"	63 ⁷ / ₁₆ "	12"	29 ³ / ₈ "	WLW641230FDRHL(N)	1,715.	2,450.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 12W, 42H, 20D, full door, incl. coat hook, left hand, laminate, locking	Workstation Locker includes a finished top.	Workstation Lockers must be used in freestanding applications.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital keypad lock	Example: WLW421220FDLHL(L)	Workstation Lockers with full door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 ¹ / ₂ " deep case; 24 ³ / ₈ " overall depth including door. Lockers 30" deep (nominal) have a 29 ¹ / ₂ " deep case; 29 ³ / ₈ " overall depth including door.
3. <i>Finish</i> See Finish Options page	WLW Anchor Workstation Locker	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Workstation Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.
4. <i>Door Finish</i> See Finish Options page	42 42" High	Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.
5. <i>Top Finish</i> See Finish Options page	12 12" Wide	Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	
6. <i>Pull style</i> T = 10" Finger pull	20 20" Deep	Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
7. <i>Pull finish</i> See Finish Options page	FH Full Door, with Coat Hook	Dimensions listed under w h d are actual to the nearest 1/16".	
8. <i>Lock finish</i> See Finish Options page	LH Left Hand		
	L Laminate		
	(L) Locking		
	(118) Case Finish, Bright White		
	(118) Door Finish, Bright White		
	(118) Top Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		

Workstation Lockers for use with Feet


Open with Shelves, 20", 24" and 30" deep

Anchor Storage


description	nominal height	h	w	d	pattern no.	L1	L2
Open with Shelves, for use with feet, 20" deep	42"	41 ⁹ / ₁₆ "	12"	19 ¹ / ₁₆ "	WLWF421220OSL	\$963.	\$1,306.
	50"	48 ⁷ / ₈ "	12"	19 ¹ / ₁₆ "	WLWF501220OSL	1,035.	1,417.
	57"	56 ³ / ₁₆ "	12"	19 ¹ / ₁₆ "	WLWF571220OSL	1,099.	1,515.
	64"	63 ⁷ / ₁₆ "	12"	19 ¹ / ₁₆ "	WLWF641220OSL	1,164.	1,611.



Open with Shelves, for use with feet, 24" deep	42"	41 ⁹ / ₁₆ "	12"	23 ¹ / ₂ "	WLWF421224OSL	1,114.	1,470.
	50"	48 ⁷ / ₈ "	12"	23 ¹ / ₂ "	WLWF501224OSL	1,183.	1,599.
	57"	56 ³ / ₁₆ "	12"	23 ¹ / ₂ "	WLWF571224OSL	1,228.	1,711.
	64"	63 ⁷ / ₁₆ "	12"	23 ¹ / ₂ "	WLWF641224OSL	1,401.	1,824.



Open with Shelves, for use with feet, 30" deep	42"	41 ⁹ / ₁₆ "	12"	29 ³ / ₈ "	WLWF421230OSL	1,232.	1,717.
	50"	48 ⁷ / ₈ "	12"	29 ³ / ₈ "	WLWF501230OSL	1,385.	1,872.
	57"	56 ³ / ₁₆ "	12"	29 ³ / ₈ "	WLWF571230OSL	1,493.	2,007.
	64"	63 ⁷ / ₁₆ "	12"	29 ³ / ₈ "	WLWF641230OSL	1,509.	2,141.




Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 12W, 42H, 20D Open with Shelves	Workstation Locker Includes a finished top.	Workstation Lockers may be used in freestanding applications.
2. <i>Finish</i>	Example: WLWF421220OSL	Foot Kits not included, must be specified separately and installed on site.	Lockers 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 ¹ / ₂ " deep case; 24 ³ / ₈ " overall depth including door. Lockers 30" deep (nominal) have a 29 ¹ / ₂ " deep case; 29 ³ / ₈ " overall depth including door.
See Finish Options page	WLWF Anchor Workstation Locker for use with feet	Open Workstation lockers include full depth adjustable shelves. Shelf quantity varies by height as follows:	Worksurface Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.
	42 42" High	42"h 2 adjustable shelves	Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.
	12 12" Wide	50"h 3 adjustable shelves	
	20 20" Deep	57"h 3 adjustable shelves	
	OS Open with Shelves	64"h 4 adjustable shelves	
	L Laminate		
	(118) Case Finish, Bright White	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	
		Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details. Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	
		Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest ¹ / ₁₆ ".	

Workstation Lockers for use with Feet

Full Door including coat hook, 20", 24" and 30" deep


Anchor Storage

description	nominal height	h	w	d	pattern no.	L1	L2
Full Height Door, including coat hook, for use with feet, 20" deep	42"	41 7/16"	12"	19 1/16"	WLWF421220FDLHL(N)	\$1,133.	\$1,519.
	42"	41 7/16"	12"	19 1/16"	WLWF421220FDRHL(N)	1,133.	1,519.
	50"	48 7/8"	12"	19 1/16"	WLWF501220FDLHL(N)	1,221.	1,667.
	50"	48 7/8"	12"	19 1/16"	WLWF501220FDRHL(N)	1,221.	1,667.
	57"	56 3/16"	12"	19 1/16"	WLWF571220FDLHL(N)	1,297.	1,792.
	57"	56 3/16"	12"	19 1/16"	WLWF571220FDRHL(N)	1,297.	1,792.
	64"	63 7/16"	12"	19 1/16"	WLWF641220FDLHL(N)	1,376.	1,921.
	64"	63 7/16"	12"	19 1/16"	WLWF641220FDRHL(N)	1,376.	1,921.



(left hand shown)

Full Height Door, including coat hook, for use with feet, 24" deep	42"	41 7/16"	12"	23 1/2"	WLWF421224FDLHL(N)	1,239.	1,670.
	42"	41 7/16"	12"	23 1/2"	WLWF421224FDRHL(N)	1,239.	1,670.
	50"	48 7/8"	12"	23 1/2"	WLWF501224FDLHL(N)	1,338.	1,833.
	50"	48 7/8"	12"	23 1/2"	WLWF501224FDRHL(N)	1,338.	1,833.
	57"	56 3/16"	12"	23 1/2"	WLWF571224FDLHL(N)	1,425.	1,998.
	57"	56 3/16"	12"	23 1/2"	WLWF571224FDRHL(N)	1,425.	1,998.
	64"	63 7/8"	12"	23 1/2"	WLWF641224FDLHL(N)	1,511.	2,134.
	64"	63 7/8"	12"	23 1/2"	WLWF641224FDRHL(N)	1,511.	2,134.



(left hand shown)

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 12W, 42H, 20D full door, incl. coat hook, left hand, laminate, locking	Workstation Locker Includes a finished top.	Workstation Lockers may be used in freestanding applications.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital keypad lock	Example: WLWF421220FDLHL(N)	Foot Kits not include, must be specified separately and installed on site.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Lockers 30" deep (nominal) have a 29 1/2" deep case; 29 3/8" overall depth including door.
3. <i>Finish</i> See Finish Options page	WLWF Anchor Workstation Locker for use with feet	Workstation Lockers with full door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Worksurface Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.
4. <i>Door Finish</i> See Finish Options page	42 42" High	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.
5. <i>Top Finish</i> See Finish Options page	12 12" Wide	Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	
6. <i>Pull style</i> T = 10" Finger pull	20 20" Deep	Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	
7. <i>Pull finish</i> See Finish Options page	FD Full Door, with coat hook	Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> See Finish Options page	LH Left Hand		
	L Laminate		
	(118) Case Finish, Bright White		
	(118) Door Finish, Bright White		
	(118) Top Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		


Dimensions listed under w h d are actual to the nearest 1/16".

Workstation Lockers for use with Feet

Full Door including coat hook, 20", 24" and 30" deep

Anchor Storage

description	nominal height	h	w	d	pattern no.	L1	L2
Full Height Door, including coat hook, for use with feet, 30" deep	42"	41 9/16"	12"	29 3/8"	WLWF421230FDLHL(N)	\$1,396.	\$1,955.
	42"	41 9/16"	12"	29 3/8"	WLWF421230FDRHL(N)	1,396.	1,955.
	50"	48 7/8"	12"	29 3/8"	WLWF501230FDLHL(N)	1,513.	2,136.
	50"	48 7/8"	12"	29 3/8"	WLWF501230FDRHL(N)	1,513.	2,136.
	57"	56 3/16"	12"	29 3/8"	WLWF571230FDLHL(N)	1,614.	2,293.
	57"	56 3/16"	12"	29 3/8"	WLWF571230FDRHL(N)	1,614.	2,293.
	64"	63 7/8"	12"	29 3/8"	WLWF641230FDLHL(N)	1,715.	2,450.
	64"	63 7/8"	12"	29 3/8"	WLWF641230FDRHL(N)	1,715.	2,450.



(left hand shown)

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 12W, 42H, 20D full door, incl. coat hook, left hand, laminate, locking	Workstation Locker Includes a finished top.	Workstation Lockers may be used in freestanding applications.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital keypad lock	Example: WLWF421220FDLHL(N)	Foot Kits not include, must be specified separately and installed on site.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door. Lockers 30" deep (nominal) have a 29 1/2" deep case; 29 3/8" overall depth including door.
3. <i>Finish</i> See Finish Options page	WLWF Anchor Workstation Locker for use with feet	Workstation Lockers with full door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	
4. <i>Door Finish</i> See Finish Options page	42 42" High	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Worksurface Lockers with full door include a dual-prong coat hook, factory-mounted to the underside of the top.
5. <i>Top Finish</i> See Finish Options page	12 12" Wide	Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	Workstation Lockers 64" high x 20" deep require WLCWKIT09 when used in freestanding applications.
6. <i>Pull style</i> T = 10" Finger pull	20 20" Deep	Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	
7. <i>Pull finish</i> See Finish Options page	FD Full Door, with coat hook	Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
8. <i>Lock finish</i> See Finish Options page	LH Left Hand	Dimensions listed under w h d are actual to the nearest 1/16".	
	L Laminate		
	(118) Case Finish, Bright White		
	(118) Door Finish, Bright White		
	(118) Top Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		



Counterweight Kits

for Workstation Lockers with and without Feet

Anchor Storage

description	type	pattern no.	list
Counterweight Kits	Counterweight Kit 09	WLCWKIT09	\$119.

Order Information	Order Code	Specification Information	Application Notes
		Workstation Lockers 64" high x 20" deep require WLCWKIT09 for stability when specified in freestanding applications. All other workstation lockers may be used freestanding without counterweight.	Counterweight kits include hardware to mount the counterweight plates.

description	description	w	d	h	pattern no.	L1	L2
 Full-depth Workstation Locker Shelf	pack of 4 shelves, for 20"d workstation locker	10 $\frac{1}{2}$ "	18 $\frac{3}{8}$ "	$\frac{3}{4}$ "	WLWSF122004L	\$395.	\$470.
	pack of 4 shelves, for 24"d workstation locker	10 $\frac{1}{2}$ "	22 $\frac{3}{4}$ "	$\frac{3}{4}$ "	WLWSF122404L	460.	595.
	pack of 4 shelves, for 30"d workstation locker	10 $\frac{1}{2}$ "	28 $\frac{3}{4}$ "	$\frac{3}{4}$ "	WLWSF123004L	395.	700.
	single shelf, for 20"d workstation locker	10 $\frac{1}{2}$ "	18 $\frac{3}{8}$ "	$\frac{3}{4}$ "	WLWSF122001L	132.	159.
	single shelf, for 24"d workstation locker	10 $\frac{1}{2}$ "	22 $\frac{3}{4}$ "	$\frac{3}{4}$ "	WLWSF122401L	154.	198.
	single shelf, for 30"d workstation locker	10 $\frac{1}{2}$ "	28 $\frac{3}{4}$ "	$\frac{3}{4}$ "	WLWSF123001L	165.	240.
 Partial-depth Workstation Locker Shelf	pack of 4 shelves, for 20"d workstation locker	10 $\frac{1}{2}$ "	9 $\frac{1}{2}$ "	$\frac{3}{4}$ "	WLWSP1204L	340.	395.
	single shelf, for 20"d workstation locker	10 $\frac{1}{2}$ "	9 $\frac{1}{2}$ "	$\frac{3}{4}$ "	WLWSP1201L	115.	135.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Workstation Locker Shelf, 12W Example: WLWSF122001L WLWS Anchor Workstation Locker Shelf F Full Depth 12 12" Wide locker 20 20" Deep locker 01 Single Shelf L Laminate (118) Finish, Bright White	For use with Anchor Workstation Lockers only. May not be used on standard WL Anchor lockers. Edgebanding preselected to match or coordinate with laminate, see "Finish Options" page for further details.	

Anchor Lockers

Anchor Lockers are 12" wide wood construction cabinets offered in 2 depths and 5 heights.

Locker configurations include all open with shelves or enclosed with a door. Multiple door option is available in limited heights. Reference the Statement of Line for full product scope.

Available Sizes (nominal)


Height: 42", 50", 57", 64", 71"
Widths: 12"
Depth: 20", 24"

Lockers ship assembled excluding the top.


Locker tops must be specified separately.

Lockers may be specified with a full-width individual top or specified in banks with a common top spanning up to eight units. They may be installed facing the same or opposite direction. Lockers may also be used to support one end of a work surface utilizing the accessory L-bracket.


Lockers 42" high may be used in freestanding applications without counterweight. Lockers 50", 57" and 64" high must be ganged or specified with counterweight for use in freestanding application. Lockers 71" high may not be used freestanding and must always be ganged for stability.



Lockers with common top (specified separately) spanning up to eight lockers




Locker connected to a workstation, ganged to another Anchor storage unit



Locker supporting one end of a work surface utilizing L-bracket accessory

Construction

- Lockers are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1 3/16" (nominal) on locker bottom, 3/4" on locker back, sides, subtop, interior shelves and doors.
- Material thickness: 1 3/16" (nominal) on locker tops (specified separately)
- Leveling glides: 5/16" diameter steel stem with 1/16" of height adjustment, 4 per locker.



Internal Clearances*

All Open with Shelves

Internal height:

- 42" high: A: 11 15/16", B: 12 1/4"
- 50" high: A: 11 15/16", C: 19 5/16"
- 57" high: A: 11 15/16", D: 13 1/8"
- 64" high: A: 11 15/16", E: 16 5/8"
- 71" high: A: 11 15/16", F: 20 1/8"

Internal width: 10 1/2"

Internal depth: 18 5/16", 22 3/4"

*Actual dimensions to the nearest 1/16th of an inch

Locks


Anchor Lockers may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference KnollKey Lock Program.


Keyless lock options with automatic bolt are available. Refer to *Digital Keypad and RFID Lock Specifications* for detail.

Pulls

Finger Pull, 10" long; vertically positioned 1 1/8" below top edge of door; exceptions shown below.




Standard Pull Position



Pull positions on 71" high lockers standard except the following:

- Full Door: 11 5/8" below top edge of door
- Double Door locker, top door: 1 1/8" above bottom edge of door
- Triple Door locker, top door: 11 1/8" below top edge of door

Locker Shelf Positions



Height	42"	42"	50"	50"	57"	57"	64"	64"	64"	71"	71"	71"	71"
Configuration	Open	Full Door	Open	Full Door	Open	Full Door	Open	Full Door	Double Door	Open	Full Door	Double Door	Triple Door
Number of shelves included standard	2	1	2	1*	3	1*	3	1	0	3	1	0	0
Total shelf positions predrilled	2	2	3	3*	3	3*	3	3	2**	5	5	4***	3**

* Middle shelf position can only accept a partial-depth shelf

** One shelf position per interior section

*** Two shelf positions per interior section

Locker Coat Hook and Coat Rod specifications

Locker with coat hook factory-installed

Sample pattern number: WL5724FHRHL(N)

Locker, Full Door, including coat hook

Includes:

- One full-depth shelf
- Coat hook, factory-installed, see hook location details below

Also shown:

- Two partial-depth shelves **(must be specified separately)**
- Locker top **(must be specified separately)**


This configuration allows for storage shelves at the back of the locker and coat storage at the front of the locker to maximize internal space.

To specify a locker with custom coat hook location:

- Locker (not including a hook) - sample pattern number WL5724FDRHL(N)
- Coat hook (pattern number WACH); field-installed
- Locker top specified separately

To specify a locker with a coat rod:

- Locker (not including a hook) - sample pattern number WL5724FDRHL(N)
- Coat rod (pattern number WLCR); field-installed
- Locker top specified separately



Locker cross-section

Coat hook standard location:

Coat hook is located on the same side panel as the door hinges.

3 1/2" (on center) from front edge of 20" deep locker case

5 5/8" (on center) from front edge of 24" deep locker case

1/2" below inner top (42", 50", 57", 64" high lockers)



1/2" below top shelf location (71" high locker)

Lockers

Open with Shelves

20" and 24" deep

Anchor Storage



description	nominal height	h	w	d	pattern no.	L1	L2
 Open with Shelves, 20" deep	42"	41 1/4"	12"	19 1/16"	WL4220OSL	\$909.	\$1,150.
	50"	48 5/16"	12"	19 1/16"	WL5020OSL	996.	1,264.
	57"	55 15/16"	12"	19 1/16"	WL5720OSL	1,140.	1,460.
	64"	63"	12"	19 1/16"	WL6420OSL	1,214.	1,560.
	71"	70 1/16"	12"	19 1/16"	WL7120OSL	1,285.	1,662.
 Open with Shelves, 24" deep	42"	41 1/4"	12"	23 1/2"	WL4224OSL	1,017.	1,319.
	50"	48 5/16"	12"	23 1/2"	WL5024OSL	1,108.	1,451.
	57"	55 15/16"	12"	23 1/2"	WL5724OSL	1,278.	1,679.
	64"	63"	12"	23 1/2"	WL6424OSL	1,362.	1,799.
	71"	70 1/16"	12"	23 1/2"	WL7124OSL	1,445.	1,918.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i> 2. <i>Finish</i> See Finish Options page	Locker , 12W, 42H, 20D Open with Shelves <hr/> Example: WL4220OSL WL Anchor Locker 42 42" High 20 20" Deep OS Open with Shelves L Laminate (118) Case Finish, Bright White	<p>Locker top must be specified separately, see "Locker Tops" section.</p> <p>Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.</p> <p>Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.</p> <p>Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.</p> <p>Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.</p> <p>Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.</p> <p>Dimensions listed under w h d are actual to the nearest 1/16".</p>	<p>Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information.</p> <p>Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.</p> <p>Heights shown indicate the overall height of a locker complete with a top (specified separately).</p> <p>Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).</p>

Lockers

Full Door including coat hook 20" and 24" deep

Anchor Storage


description	configuration	nominal height	h	w	d	pattern no.	L1	L2
 Locker with Full Height Door, including coat hook, 20" deep (right hand shown)	left hand	42"	41 1/4"	12"	19 1/16"	WL4220FHLHL(N)	\$1,129.	\$1,391.
	left hand	50"	48 5/16"	12"	19 1/16"	WL5020FHLHL(N)	1,234.	1,538.
	left hand	57"	55 15/16"	12"	19 1/16"	WL5720FHLHL(N)	1,326.	1,663.
	left hand	64"	63"	12"	19 1/16"	WL6420FHLHL(N)	1,450.	1,819.
	left hand	71"	70 1/16"	12"	19 1/16"	WL7120FHLHL(N)	1,542.	1,946.
	right hand	42"	41 1/4"	12"	19 1/16"	WL4220FHRHL(N)	1,129.	1,391.
	right hand	50"	48 5/16"	12"	19 1/16"	WL5020FHRHL(N)	1,234.	1,538.
	right hand	57"	55 15/16"	12"	19 1/16"	WL5720FHRHL(N)	1,326.	1,663.
	right hand	64"	63"	12"	19 1/16"	WL6420FHRHL(N)	1,450.	1,819.
	right hand	71"	70 1/16"	12"	19 1/16"	WL7120FHRHL(N)	1,542.	1,946.
 Locker with Full Height Door, including coat hook, 24" deep (right hand shown)	left hand	42"	41 1/4"	12"	23 1/2"	WL4224FHLHL(N)	1,224.	1,522.
	left hand	50"	48 5/16"	12"	23 1/2"	WL5024FHLHL(N)	1,341.	1,687.
	left hand	57"	55 15/16"	12"	23 1/2"	WL5724FHLHL(N)	1,442.	1,824.
	left hand	64"	63"	12"	23 1/2"	WL6424FHLHL(N)	1,579.	1,995.
	left hand	71"	70 1/16"	12"	23 1/2"	WL7124FHLHL(N)	1,679.	2,135.
	right hand	42"	41 1/4"	12"	23 1/2"	WL4224FHRHL(N)	1,224.	1,522.
	right hand	50"	48 5/16"	12"	23 1/2"	WL5024FHRHL(N)	1,341.	1,687.
	right hand	57"	55 15/16"	12"	23 1/2"	WL5724FHRHL(N)	1,442.	1,824.
	right hand	64"	63"	12"	23 1/2"	WL6424FHRHL(N)	1,579.	1,995.
	right hand	71"	70 1/16"	12"	23 1/2"	WL7124FHRHL(N)	1,679.	2,135.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 42H, 20D, full door,	Locker top must be specified separately, see "Locker Tops" section.	Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital keypad lock	incl. coat hook, left hand, laminate, locking		
3. <i>Case Finish</i> See Finish Options page	Example: WL4220FHLHL	Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
4. <i>Door Finish</i> See Finish Options page	WL Anchor Locker		
5. <i>Pull style</i> T = 10" Finger pull	42 42" High	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks. Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	Heights shown indicate the overall height of a locker complete with a top (specified separately).
6. <i>Pull finish</i> See Finish Options page	20 20" Deep		
7. <i>Lock finish</i> See Finish Options page	FH Full Door, with Coat Hook	Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).
	LH Left Hand		
	L Laminate	Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
	(L) Locking		
	(118) Case Finish, Bright White	Dimensions listed under w h d are actual to the nearest 1/16".	
	(118) Door Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		

Lockers

Full Door

20" and 24" deep

description	configuration	nominal height	h	w	d	pattern no.	L1	L2
 (right hand shown)	left hand	42"	41 1/4"	12"	19 1/16"	WL4220FDLHL(N)	\$1,089.	\$1,352.
	left hand	50"	48 3/16"	12"	19 1/16"	WL5020FDLHL(N)	1,195.	1,498.
	left hand	57"	55 13/16"	12"	19 1/16"	WL5720FDLHL(N)	1,286.	1,624.
	left hand	64"	63"	12"	19 1/16"	WL6420FDLHL(N)	1,412.	1,782.
	left hand	71"	70 1/16"	12"	19 1/16"	WL7120FDLHL(N)	1,503.	1,907.
	right hand	42"	41 1/4"	12"	19 1/16"	WL4220FDRHL(N)	1,089.	1,352.
	right hand	50"	48 3/16"	12"	19 1/16"	WL5020FDRHL(N)	1,195.	1,498.
	right hand	57"		12"	19 1/2"	WL5720FDRHL(N)	1,286.	1,624.
	right hand	64"	63"	12"	19 1/16"	WL6420FDRHL(N)	1,412.	1,782.
	right hand	71"	70 1/16"	12"	19 1/16"	WL7120FDRHL(N)	1,503.	1,907.

 (right hand shown)	left hand	42"	41 1/4"	12"	23 1/2"	WL4224FDLHL(N)	1,186.	1,483.
	left hand	50"	48 3/16"	12"	23 1/2"	WL5024FDLHL(N)	1,302.	1,646.
	left hand	57"	55 13/16"	12"	23 1/2"	WL5724FDLHL(N)	1,403.	1,783.
	left hand	64"	63"	12"	23 1/2"	WL6424FDLHL(N)	1,538.	1,955.
	left hand	71"	70 1/16"	12"	23 1/2"	WL7124FDLHL(N)	1,640.	2,096.
	right hand	42"	41 1/4"	12"	23 1/2"	WL4224FDRHL(N)	1,186.	1,483.
	right hand	50"	48 3/16"	12"	23 1/2"	WL5024FDRHL(N)	1,302.	1,646.
	right hand	57"	55 13/16"	12"	23 1/2"	WL5724FDRHL(N)	1,403.	1,783.
	right hand	64"	63"	12"	23 1/2"	WL6424FDRHL(N)	1,538.	1,955.
	right hand	71"	70 1/16"	12"	23 1/2"	WL7124FDRHL(N)	1,640.	2,096.


Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 42H, 20D, full door, left hand, laminate, locking	Locker top must be specified separately, see "Locker Tops" section.	Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information.
2. <i>Lock option</i>	Example: WL4220FDLHLL	Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
L = Locking	WL Anchor Locker	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Heights shown indicate the overall height of a locker complete with a top (specified separately).
N = Non-locking	42 42" High	Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details.
3. <i>Case Finish</i>	20 20" Deep		Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).
See Finish Options page	FD Full Door		
4. <i>Door Finish</i>	LH Left Hand		
See Finish Options page	L Laminate		
5. <i>Pull style</i>	(L) Locking		
T = 10" Finger pull	(118) Case Finish, Bright White		
6. <i>Pull finish</i>	(118) Door Finish, Bright White		
See Finish Options page	(T) Pull Style, 10" Finger pull		
7. <i>Lock finish</i>	(118) Pull Finish, Bright White		
See Finish Options page	(C) Lock finish, Chrome		
		Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	
		Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.	
		Dimensions listed under w h d are actual to the nearest 1/16".	


Lockers


Double Door and Triple Door

20" and 24" deep

Anchor Storage

description	configuration	nominal height	h	w	d	pattern no.	L1	L2
	left hand	64"	63"	12"	19 1/16"	WL6420DDLHL(N)	\$1,461.	\$1,832.
	left hand	71"	70 1/16"	12"	19 1/16"	WL7120DDLHL(N)	1,554.	1,956.
	right hand	64"	63"	12"	19 1/16"	WL6420DDRHL(N)	1,461.	1,832.
	right hand	71"	70 1/16"	12"	19 1/16"	WL7120DDRHL(N)	1,554.	1,956.

	left hand	64"	63"	12"	23 1/2"	WL6424DDLHL(N)	1,588.	1,981.
	left hand	71"	70 1/16"	12"	23 1/2"	WL7124DDLHL(N)	1,691.	2,145.
	right hand	64"	63"	12"	23 1/2"	WL6424DDRHL(N)	1,588.	1,981.
	right hand	71"	70 1/16"	12"	23 1/2"	WL7124DDRHL(N)	1,691.	2,145.

	left hand	71"	70 1/16"	12"	19 1/16"	WL7120TDLHL(N)	1,738.	2,160.
	right hand	71"	70 1/16"	12"	19 1/16"	WL7120TDRHL(N)	1,738.	2,160.

(right hand shown)

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 64H, 12W, 20D, double door, left hand, laminate, locking	Locker top must be specified separately, see "Locker Tops" section.	Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information.
2. <i>Lock option</i> L = Locking N = Non-locking D = Digital keypad lock	Example: WL6420DDLHL	Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
3. <i>Case Finish</i> See Finish Options page	WL Anchor Locker	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
4. <i>Door Finish</i> See Finish Options page	64 64" High	Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	Heights shown indicate the overall height of a locker complete with a top (specified separately).
5. <i>Pull style</i> T = 10" Finger pull	20 20" Deep	Add \$15 to the list price per pull for Anodized Nickel (AN) or Anodized Aluminum (AA) finish.	Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details. Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).
6. <i>Pull finish</i> See Finish Options page	DD Double Door		
7. <i>Lock finish</i> See Finish Options page	LH Left Hand		
	L Laminate		
	(L) Locking		
	(118) Case Finish, Bright White		
	(118) Door Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		

Lockers specified with mixed laminate finishes are L2 pricing. Refer to Mixed Laminate Finishes for further details.

Dimensions listed under w h d are actual to the nearest 1/16".


Lockers

Double Door and Triple Door

20" and 24" deep

Anchor Storage

description	configuration	nominal height	h	w	d	pattern no.	L1	L2
Locker with Triple Door, 24" deep	left hand	71"	70 1/16"	12"	23 1/2"	WL7124TDLHL(N)	\$1,884.	\$2,360.
	right hand	71"	70 1/16"	12"	23 1/2"	WL7124TDRHL(N)	1,884.	2,360.





(right hand shown)

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker , 64H, 12W, 20D, double door, left hand, laminate, locking	Locker top must be specified separately, see "Locker Tops" section.	Lockers must be connected to another unit, a work surface or a panel for stability. Refer to the Locker Planning and Stability Guidelines for further information.
2. <i>Lock option</i> L = Locking N = Non-locking	Example: WL6420DDLHL	Open lockers 42" and 50" high include 2 shelves; 57", 64" and 71" high include 3 shelves. Lockers with full-height door include 1 adjustable shelf. Additional full-depth and half-depth shelves may be ordered separately.	Lockers 20" deep (nominal) have a 19 1/16" deep case; 20" overall depth including door. Lockers 24" deep (nominal) have a 23 1/2" deep case; 24 3/8" overall depth including door.
3. <i>Case Finish</i> See Finish Options page	WL Anchor Locker	Add \$40 to the list price per standard key lock. Add \$560 to the list price per digital keypad lock and \$605 for RFID lock. Lockers with double doors require two locks; lockers with triple doors require three locks.	Lockers including coat hook have a factory-installed coat hook on the end panel. Hook is located on the same side as the door hinges. See Locker Planning for details.
4. <i>Door Finish</i> See Finish Options page	64 64" High	Digital keypad and RFID locks require program and manager key(s), specified separately. See specification page for details.	Additional coat hooks may be specified separately (field installed). On units without a hook, coat hook or coat rod may be specified separately (field installed).
5. <i>Pull style</i> T = 10" Finger pull	20 20" Deep		
6. <i>Pull finish</i> See Finish Options page	DD Double Door		
7. <i>Lock finish</i> See Finish Options page	LH Left Hand		
	L Laminate		
	(L) Locking		
	(118) Case Finish, Bright White		
	(118) Door Finish, Bright White		
	(T) Pull Style, 10" Finger pull		
	(118) Pull Finish, Bright White		
	(C) Lock finish, Chrome		

Locker Tops

For 20" and 24" deep lockers

Anchor Storage

description	application	w	d	h	pattern no.	L1	L2
 Tops for 20" deep lockers	top for 1 locker	12 1/16"	19 1/8"	1 1/8"	WLT1220L	\$105.	\$136.
	common top for 2 lockers	24 1/16"	19 1/8"	1 1/8"	WLT2420L	170.	229.
	common top for 3 lockers	36 1/8"	19 1/8"	1 1/8"	WLT3620L	227.	313.
	common top for 4 lockers	48 1/8"	19 1/8"	1 1/4"	WLT4820L	285.	400.
	common top for 5 lockers	60 3/16"	19 1/8"	1 1/8"	WLT6020L	349.	492.
	common top for 6 lockers	72 1/4"	19 1/8"	1 1/8"	WLT7220L	418.	591.
	common top for 7 lockers	84 1/4"	19 1/8"	1 1/8"	WLT8420L	488.	688.
	common top for 8 lockers	96 3/8"	19 1/8"	1 1/8"	WLT9620L	550.	778.
 Tops for 24" deep lockers	top for 1 locker	12 1/16"	23 1/2"	1 1/8"	WLT1224L	117.	156.
	common top for 2 lockers	24 1/16"	23 1/2"	1 1/8"	WLT2424L	194.	272.
	common top for 3 lockers	36 1/8"	23 1/2"	1 1/8"	WLT3624L	264.	373.
	common top for 4 lockers	48 1/8"	23 1/2"	1 1/8"	WLT4824L	333.	480.
	common top for 5 lockers	60 3/16"	23 1/2"	1 1/8"	WLT6024L	408.	592.
	common top for 6 lockers	72 1/4"	23 1/2"	1 1/8"	WLT7224L	490.	708.
	common top for 7 lockers	84 1/4"	23 1/2"	1 1/8"	WLT8424L	569.	825.
	common top for 8 lockers	96 3/8"	23 1/2"	1 1/8"	WLT9624L	646.	937.
Back-to-Back Tops for 20" deep lockers	top for 1 locker width	12 1/16"	38 1/4"	1 1/8"	WLT1240L	242.	276.
	common top for 2 lockers wide	24 1/16"	38 1/4"	1 1/8"	WLT2440L	374.	437.
	common top for 3 lockers wide	36 1/8"	38 1/4"	1 1/8"	WLT3640L	553.	650.
	common top for 4 lockers wide	48 1/8"	38 1/4"	1 1/8"	WLT4840L	690.	819.
	common top for 5 lockers wide	60 3/16"	38 1/4"	1 1/8"	WLT6040L	834.	996.
	common top for 6 lockers wide	72 1/4"	38 1/4"	1 1/8"	WLT7240L	982.	1,177.
	common top for 7 lockers wide	84 1/4"	38 1/4"	1 1/8"	WLT8440L	1,195.	1,388.
	common top for 8 lockers wide	96 3/8"	38 1/4"	1 1/8"	WLT9640L	1,352.	1,580.
Back-to-Back Tops for 24" deep lockers	top for 1 locker width	12 1/16"	47"	1 1/8"	WLT1248L	271.	310.
	common top for 2 lockers wide	24 1/16"	47"	1 1/8"	WLT2448L	423.	501.
	common top for 3 lockers wide	36 1/8"	47"	1 1/8"	WLT3648L	628.	746.
	common top for 4 lockers wide	48 1/8"	47"	1 1/8"	WLT4848L	786.	943.
	common top for 5 lockers wide	60 3/16"	47"	1 1/8"	WLT6048L	955.	1,152.
	common top for 6 lockers wide	72 1/4"	47"	1 1/8"	WLT7248L	1,129.	1,362.
	common top for 7 lockers wide	84 1/8"	47"	1 1/8"	WLT8448L	1,364.	1,635.
	common top for 8 lockers wide	96 3/8"	47"	1 1/8"	WLT9648L	1,545.	1,858.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Locker Top, 12W x 20D	For use with Anchor Lockers only.	Locker tops are 19" and 23" deep nominal.
2. <i>Laminate Finish</i> See Finish Options page	Example: WLT1220L	Back-to-back tops are designed to be used over lockers of the same depth, positioned back-to-back flush with no gap.	Locker tops include hardware kit to secure to locker.
3. <i>Edge Finish</i> See Finish Options page	WLT Anchor Locker Top		Common locker tops include hardware to gang lockers together. Individual tops do not include ganging hardware.
	12 12" Wide		Common locker top design features a slight overhang on all four sides.
	20 20" Deep		Ganging multiple locker banks together is not allowed. A run of ganged lockers should correspond to common top length with a maximum run of 8 ganged units.
	L Laminate		
	(118) Laminate Finish, Bright White		
	(118) Edge Finish, Bright White		

description	w	d	h	pattern no.	L1	L2
-------------	---	---	---	-------------	----	----

Full-depth shelf for 20" deep locker

10 1/2"


18 3/8"

3/4"

WLSF1220L

\$106.

\$136.



Full-depth shelf for 24" deep locker

10 1/2"


22 3/4"

3/4"

WLSF1224L

118.

149.



Partial-depth shelf for 20" and 24" deep locker

10 1/2"

11 3/8"

3/4"

WLSH1224L

88.

105.

Shelf kit with coat rod
for 24" deep locker


12"

24"

WLCRKIT1224L

187.

211.

Shelf kit with coat rod
for 20" deep locker


12"

19 1/16"

WLCRKIT1220L

178.

197.

**Order Information**

1. *Base Pattern Number*
2. *Finish*
See Finish Options page

Order Code




Locker Shelf, 12W x 20D

Example: **WLSF1220L****WLS** Anchor Locker Shelf**12** 12" Wide locker**20** 20" Deep locker**L** Laminate**(118)** Finish, Bright White**Specification Information**

For use with Anchor Lockers only.
May not be used with WLW or WLWF workstation lockers.

Edgebanding preselected to match
or coordinate with laminate, see
"Finish Options" page for further
details.

Application Notes

description	finish	pattern no.	list
Coat Hook, side mount 	Anodized Silver	WACH	\$39.
Coat Rod, side mount	Chrome	WLCR12	30.
Coat Rod, top mount 	Chrome	WLCRTM12	56.
L-bracket for side-mounted work surface 20" and 24" deep (nominal) 	Black	WLLB	45.


Order Information

Order Code


Specification Information

Application Notes

WLLB L-bracket allows for a work surface to be mounted to the side of a locker (of matching depth).



Digital Keypad lock,
for lockers and
select pedestals



RFID lock, for
lockers and
select pedestals

Application

Anchor lockers, floorstanding pedestals and mobile pedestals with Digital Keypad or RFID lock options support applications where units are shared by multiple users providing a secure storage alternative to a standard key lock. This eliminates the use of a standard key which can easily be misplaced or taken offsite.

The Digital Keypad lock option requires input of a user-selected 4-digit code while the RFID lock operates when the user presents a compatible RFID card to the lock. To operate, the user must press the C or Key button depending on lock type, enter code or present RFID card, then press the Key button again to lock or unlock the unit.

If an RFID credential is lost or a code is forgotten, a Manager Key (specified separately) can be used to bypass the lost or forgotten credential and unlock the unit. In situations where a user is unable to operate the keypad or RFID reader, a User Key (specified separately) can be utilized to override code input or RFID requirement, allowing the lock to comply with ADA requirements.

Each installation site with Digital Keypad or RFID lock requires one Programming Key and at least one Manager Key, specified separately.

All Digital Keypad and RFID locks are shipped in default Shared Use mode. To operate in Share Use mode, the user will select an unused unit, place their items within and follow the locking procedure. Once their items are retrieved, the lock will remain unlocked until it is locked by the next user. Locks may be converted to Assigned Use mode in which the lock remains locked until accessed by assigned user(s).

To convert an RFID lock to Assigned Use mode, an Assigned Use Reset Key must be used. Reset Key expires 6 weeks from date of order.

To convert Digital Keypad lock to Assigned Use mode, follow the sequence listed within the appropriate User Guide.

Specifications and Features

- Brushed Nickel finish
- Vertical body orientation
- Recessed-mount, factory installed
- All metal lock housing
- Automatic (motorized) 1/2" dead bolt
- Powered by 4 premium AA batteries (included)
- Duracell CopperTop or Energizer brand batteries required. Rechargeable batteries are not recommended.
- Shared Use Mode is default, locks may be converted to Assigned Use Mode
- Tamper guard
- Audible and visible usage indicators
- Lock can be bypassed with a Manager Key if code is forgotten, RFID credential is lost or in case of battery failure.
- LED usage indicator prompts the lock's LED to flash when the unit is locked, indicating the locker is in use. The default setting for this feature is ON, however the LED usage indicator can be turned off for Digital Keypad locks at any time by following the procedure listed in the user guide.
- Typical battery life is 3-5 years (based on length of usage). Turning the LED usage indicator feature off extends battery life.

Digital Keypad Lock

- Operated with a user-selected 4-digit code

To specify a locker or pedestal with a Digital Keypad lock, select "D" in the pattern number for the lock option. *Example:* WL5724FDRHL(D) - Locker with full height door 57H x 24D, laminate, **Digital Keypad lock**. When specified, Digital Keypad lock is factory installed. Instructions for programming are included.

RFID Lock

- Operated with a compatible RFID Card or employee badge.
- Knoll RFID locks operate on 13.56 MHz frequency with both iClass (ISO 15693) and Mifare (ISO 14443).

To specify a locker or pedestal with a RFID lock, select "R" in the pattern number for the lock option. *Example:* WL5724FDRHL(R) - Locker with full height door 57H x 24D, laminated, **RFID lock**. When specified, RFID lock is factory installed. Instructions for programming are included.

User Key


- User Keys allow ADA access to Digital Keypad or RFID locks for users unable to operate the keypad or RFID reader.
- User Keys are used by touching key to prongs of the lock to lock and unlock the unit.

Manager Key


- Manager Key is used to bypass a locked unit.
- Manager Keys are registered to locks using the Programming Key.
- Up to (6) Manager Keys may be registered to each lock. This allows the client to design a lock system that suits their management access requirements.
- Additional Manager Key(s) may be registered to a lock without erasing previously registered Manager Keys.
- Provides external power in case of battery failure.

Programming Key

- The Programming Key is a communication device used to initialize locks out of factory default mode and to register Manager Keys to the locks. It is used to transfer, but not store information.
- **Only one Programming Key should be specified per installation site. Multiple Programming Keys cannot be used in conjunction with each other.**
- Add-on or phased orders for Digital Keypad or RFID locks should be initialized and programmed using the original Programming Key.
- Used to turn on/off Digital Keypad lock features such as LED usage indicator and auto unlock.
- Provides external power in case of battery failure.
- If a programming key is lost, a Replacement Programming Key may be ordered but the original Programming Key will become obsolete.



programming key (yellow)



user key (black)



manager key (black)



Digital Keypad lock, manual knob
for credenzas and doublewide pedestals



RFID lock, manual knob
for credenzas and doublewide pedestals

Application

Anchor credenzas and doublewide pedestals with drawers 30" wide and larger are available with Digital Keypad or RFID lock options to support applications where workstations are shared by multiple users providing a secure storage alternative to a standard key lock. This eliminates the use of a standard key which can easily be misplaced or taken off site.

The Digital Keypad lock option requires input of a user-selected 4-digit code while the RFID lock operates when the user presents a compatible RFID card to the lock. To operate, the user must press the C or Key button depending on lock type, enter code or present RFID card, press the Key button again then rotate the knob to lock or unlock the unit.

If an RFID credential is lost or a code is forgotten, a Manager Key (specified separately) can be used to bypass the lost or forgotten credential and unlock the unit. In situations where a user is unable to operate the keypad or RFID reader, a User Key (specified separately) can be utilized to override code input or RFID requirement, allowing the lock to comply with ADA requirements.

Each installation site with Digital Keypad or RFID lock requires one Programming Key and at least one Manager Key, specified separately.

All Digital Keypad and RFID locks are shipped in default Shared Use mode. To operate in Shared Use mode, the user will select an unused unit, place their items within and follow the locking procedure. Once their items are retrieved, the lock will remain unlocked until it is locked by the next user. Locks may be converted to Assigned Use mode in which the lock remains locked until accessed by assigned user(s).

To convert an RFID lock to Assigned Use mode, an Assigned Use Reset Key must be used. Reset Key expires 6 weeks from date of order.

To convert Digital Keypad lock to Assigned Use mode, follow the sequence listed within the appropriate User Guide.

Specifications and Features

- Brushed Nickel finish
- Horizontal body orientation
- Recessed-mount, factory installed
- All metal lock housing
- Manual dead bolt (turn knob)
- Powered by 3 premium AA batteries (included)
- Duracell CopperTop or Energizer brand batteries required. Rechargeable batteries are not recommended.
- Shared Use Mode is default, locks may be converted to Assigned Use Mode
- Tamper guard
- Audible and visible usage indicators
- Lock can be bypassed with a Manager Key if code is forgotten, RFID credential is lost or in case of battery failure.
- LED usage indicator prompts the lock's LED to flash when the unit is locked, indicating the locker is in use. The default setting for this feature is ON, however the LED usage indicator can be turned off for Digital Keypad locks at any time by following the procedure listed in the user guide.
- Typical battery life is 3-5 years (based on length of usage). Turning the LED usage indicator feature off extends battery life.

Digital Keypad Lock

- Operated with a user-selected 4-digit code

To specify a credenza or doublewide pedestal with a Digital Keypad lock, select "D" in the pattern number for the lock option. *Example:* WC2236BL(D) - Credenza, box/file, 22H x 36W, laminate, **Digital Keypad lock**. When specified, Digital Keypad lock is factory installed. Instructions for programming are included.

RFID Lock

- Operated with a compatible RFID Card or employee badge.
- Knoll RFID locks operate on 13.56 MHz frequency with both iClass (ISO 15693) and Mifare (ISO 14443).

To specify a credenza or doublewide pedestal with a RFID lock, select "R" in the pattern number for the lock option. *Example:* WC2236BL(R) - Credenza, box/file, 22H x 36W, laminated, **RFID lock**. When specified, RFID lock is factory installed. Instructions for programming are included.

User Key


- User Keys allow ADA access to Digital Keypad or RFID locks for users unable to operate the keypad or RFID reader.
- User Keys are used by touching key to prongs of the lock to lock and unlock the unit.

Manager Key


- Manager Key is used to bypass a locked unit.
- Manager Keys are registered to locks using the Programming Key.
- Up to (6) Manager Keys may be registered to each lock. This allows the client to design a lock system that suits their management access requirements.
- Additional Manager Key(s) may be registered to a lock without erasing previously registered manager keys.
- Provides external power in case of battery failure.

Programming Key

- The Programming Key is a communication device used to initialize locks out of factory default mode and to register Manager Keys to the locks. It is used to transfer, but not store information.
- **Only one Programming Key should be specified per installation site. Multiple programming keys cannot be used in conjunction with each other.**
- Add-on or phased orders for Digital Keypad or RFID locks should be initialized and programmed using the original Programming Key.
- Used to turn on/off Digital Keypad lock features such as LED usage indicator and auto unlock.
- Provides external power in case of battery failure.
- If a programming key is lost, a Replacement Programming Key may be ordered but the original programming key will become obsolete.



programming key (yellow)



user key (black)



manager key (black)

Digital Keypad and RFID Lock Specifications

Manager key Counts

Calculating the total number of manager keys

The Digital Keypad and RFID lock systems are flexible, allowing the client to choose the number of manager keys required. Solutions may range from simple to complex, depending on client needs. It may be helpful to create a chart to organize and calculate the number of manager keys required, similar to the examples shown below.

Considerations:

- If units will be located on different floors, consider ordering keys that can be registered to bypass all locks as a floor-specific “master key”.
- If units will be located within different zones or areas, consider ordering keys that can be registered to locks within specific zones on each floor.
- If the client would like to create a “master key”, one or more manager keys can be registered to all locks to act as a “master key”.
- Only one Programming Key is required per site regardless of total number of locks or Manager Keys.


Manager key count examples

Sample project is a three story space, each floor is divided into three zones containing a varied number of lockers. Example 1 is a simple lock system showing two manager keys registered to all locks, regardless of floor or zone. Example 2 is a more complex solution showing manager keys registered to locks in a layered approach. At the lowest management level, keys are registered specific to zone, followed by keys that are floor-specific and at the top level, keys are registered to all locks to be used as overall master keys.

The manager key counts shown in the examples are sample numbers; the ratio of manager keys to the number of locks is decided by the client.


Example 1:

Two (2) manager keys registered to all locks throughout the space. No manager keys registered specific to floor or zone.



Example 2:

- Manager keys registered to all locks within each specific zone on each floor. Number of manager keys is decided by client. Once registered, these manager keys may be used to bypass any lock within that zone on that floor, but will not be able to bypass any of the other units.
- One (1) manager key for each floor registered to all locks in all zones on that floor, used as first, second and third floor “master keys”.
- Two (2) manager keys registered to all locks, in all zones on all floors used as “overall master keys”.



description	finish	pattern no.	list
Programming key for digital keypad and RFID lock	yellow	WDKEYP	\$272.
Manager key for digital keypad and RFID lock	black	WDKEYM	193.
User key for digital keypad and RFID lock	black	WDKEYU	88.
Reset Key, Shared Use Mode	yellow	WDKEYR	301.
Reset Key, Assigned Used Mode, Automatic Lock	yellow	WDKEYV	301.
Reset Key, Assigned Used Mode, Manual Lock	yellow	WDKEYH	301.

Order Information	Order Code	Specification Information	Application Notes
		<p>Programming and manager key(s) must be specified for units with digital keypad or RFID locks. See specification page for further details.</p> <p>User key for digital keypad and RFID lock is an optional key available for users who are unable to use a keypad or card reader function, allowing the lock to comply with ADA requirements. User key is not required to use digital keypad or RFID lock system.</p> <p>Reset key is an optional key when restoring lock to factory settings is desired. Using a reset key will erase all programming including programming key, manager key(s) and user credentials if applicable.</p> <p>Reset key is required when converting RFID lock from standard shared use mode to assigned use mode.</p>	<p>WDKEYR is used to reset any digital keypad or RFID lock to shared use mode.</p> <p>Resetting locks in assigned use mode requires specification of key specific to lock type. Specify WDKEYV to reset digital keypad or RFID locks with automatic bolt (lockers, slide out towers, pedestals) to assigned use mode. Specify WDKEYH to reset digital keypad or RFID locks with manual bolt (credenzas, doublewide pedestals) to assigned use mode.</p>

Anchor Raised Storage, Electrical System

Anchor Raised Storage components can be powered by a modular distribution system. From a single point of connection to the building power supply, the Anchor Electrical system can distribute four 20-amp circuits. Two 8-wire systems are available:

- 3 + 1
- 2 + 2

System components include:

- Distribution Harness
- Power Infeed
- Jumper Cable
- Duplex Receptacle
- Distribution Cover
- Desktop Power Module

All components with the exception of the desktop power modules must be specified for appropriate 3+1 or 2+2 system. Components with varying circuitry may not be combined with one another.

All electrical components are field installed.

3 + 1 and 2 + 2 Electrical Systems

Each electrical system is designed for different usage.

The 2+2 electrical system is for areas requiring 2 circuits for standard power usage and 2 circuits for isolated power usage.

The 3+1 electrical system is for areas requiring significant power usage and an isolated circuit.

Distribution Harness

The central component of the system is the distribution harness, which mounts beneath Anchor Raised storage components. The distribution harness accepts snap-in duplex outlets on each face which are concealed by steel distribution covers, specified separately. Each end of the harness has ports for two jumper cables, or a power infeed and a jumper cable. The power infeed connects power from a building junction box, and jumpers connect power from one harness to another, in either direction.

Distribution harnesses are 12" wide, 3" high and 2.5" deep with two duplex outlet location on each face providing access for up to four total duplex outlets per harness. Duplex outlets must be specified separately to access one of the four circuits.

Power Infeed

The infeed includes a modular connector with a 36" or 72" pigtail to connect from a junction box in the floor and distribute power to the first distribution harness within a run. The power infeed may plug into any of the four port positions of the distribution harness.

Each run of electrical components must have only one power infeed.

CAUTION: DO NOT CONNECT POWER UNTIL INSTALLATION IS COMPLETE. CONNECTION TO THE BUILDING POWER SOURCE MUST BE PERFORMED BY A LICENSED ELECTRICIAN.

Refer to local codes for any specific requirements or restrictions.

Jumper Cable

Jumper cables link power between distribution harnesses beneath adjacent Anchor Raised Storage components. Jumper cables are available in various lengths 15" to 96" in length.

Jumper cables feature a black metallic liquid-tight coating which runs the full length of the conduit. Flexible conduit allows jumper cables to bend around corners. Minimum bend radius is 3.5".

Jumper cables include conduit mounting clips for attachment beneath Anchor storage units.

Duplex Receptacles

Duplex outlets are field-installed into distribution harnesses providing access to power. Install up to two duplex receptacles per face for access from either or both sides of the harness.

Duplex receptacles for all circuits can be specified in black with white letters identifying circuits. Outlets for isolated circuits are also available in orange with black letters or black with orange triangle and letters to designate protected circuits.

Distribution Cover

Distribution covers snap onto distribution harness face to provide a clean appearance. One distribution cover per harness is recommended to conceal harness face. If desired, an additional distribution cover may be specified to conceal the rear facing side of the harness. Each distribution cover includes two cutouts to maintain access to duplex outlets. If needed, specify **Dividends Horizon DE2KC10 Knockout Replacement Cover** to fill any unused outlet opening.

Knockout covers are designed to closely mimic the appearance of adjacent power outlets. Knockout covers are black injection molded plastic, available in packages of 10.

Power Capacity

Depending on national and local electrical codes, and the anticipated load of a particular application, typically each circuit can power 8-10 convenience duplex receptacles with normal loads. In heavier load situations, each circuit will power 3-5 duplex receptacles. If each workstation has two convenience duplex receptacles and one protected duplex receptacle, the 8-wire (4-circuit) system can supply a cluster of 6-10 workstations from each infeed. A single infeed may not exceed 52 total duplex receptacles.

2+2 Electrical System

Designed for areas where power usage is significant with sensitive electronic equipment requiring two isolated circuits.

The wiring configuration of the 2+2 electrical system is (see chart):

- Hot "1" (black)
- Hot "2" (red)
- Shared neutral "N1" (white/black) for circuits 1 and 2
- Shared ground "G1" (green) for circuits 1 and 2
- Hot "4" (tan)
- Hot "5" (pink)
- Isolated shared neutral "N2" (white/red) for circuits 4 and 5
- Isolated shared ground "G2" (green/yellow) for circuits 4 and 5

2+2 Duplex Receptacles

- Convenience duplex circuit number 1 (pattern number WE8R1)
- Convenience duplex circuit number 2 (pattern number WE8R2)
- Isolated duplex circuit number 4 (pattern number WE8R4)
- Isolated duplex circuit number 5 (pattern number WE8R5)

3+1 Electrical System

Designed for areas where power usage is significant with sensitive electronic equipment requiring a single isolated circuit.

The wiring configuration of the 3+1 electrical system is (see chart):

- Hot "1" (black)
- Hot "2" (red)
- Hot "3" (blue)
- Shared neutral "N1" (white/black) for circuits 1, 2 and 3
- Shared ground "G1" (green) for circuits 1, 2 and 3
- Hot "4" (pink)
- Isolated shared neutral "N2" (white/red) for circuit 4
- Isolated shared ground "G2" (green/yellow) for circuit 4

3+1 Duplex Receptacles

- Convenience duplex circuit number 1 (pattern number WE8R1)
- Convenience duplex circuit number 2 (pattern number WE8R2)
- Convenience duplex circuit number 3 (pattern number WE8R3)
- Isolated duplex circuit number 4 (pattern number WE8R4)

An optional orange-colored isolated duplex is also available:

- Isolated orange-colored duplex circuit number 4 (pattern number WE8R04)

Electrical System Technical Specifications

Four 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase or 120/208 volt three phase power. System components are 20 amp capacity.


Load should be balanced evenly among power circuits. In accordance with NEC2011 Article 210, the permissible load should not exceed 80% of the circuit ampere rating (16 amps on each 20 amp branch circuit).

Anchor electrical system components are listed under UL183.


Compatibility

Both Anchor power systems use components that appear similar. However, component circuitry is pre-configured preventing each power system from being functionally, fully interchangeable. 3+1 components can be connected to 2+2 wire systems, however only 2+1 will function.

Wiring Diagram (2+2)



Wiring Diagram (3+1)



Electrical System Specifications

Anchor Raised Storage

Anchor - Dividends Horizon Adapter Jumper

Anchor-Dividends Horizon Adapter Jumper

The adapter jumper provides distribution of power from Anchor Raised storage (UL 183) to Dividends Horizon system (UL 1286) from a single Anchor base infeed. The adapter jumper is specifically designed to interface with Dividends Horizon and may not be utilized to transfer power from Anchor to other Knoll systems.

In certain situations, power may be transferred to the Anchor electrical system (UL 183) from a single infeed to the Dividends Horizon system (UL 1286). Such application is only permissible with Dividends Horizon product produced in 2018 or later. Dividends Horizon components produced prior to 2018 may not be retrofitted to power Anchor electrical components. Refer to local authorities to determine compliance with local codes and requirements of this application.

Transferring power from Anchor (UL 183) to Dividends Horizon (UL 1286) then back to Anchor (UL 183) is not permitted under any circumstance. Conversely, transferring power from Dividends Horizon (UL 1286) to Anchor (UL 183) and back to Dividends Horizon (UL 1286) is not permitted.

IMPORTANT: Prior to installing adapter cables, disconnect system power supply from infeed source to prevent potential risk of injury.

While Dividends Horizon duplex receptacles and other electrical components may appear similar to Anchor electrical components, components are not interchangeable between systems.

Application

Wiring configuration of the Anchor electrical system and the Dividends Horizon electrical components must correlate when utilizing the Anchor adapter jumper. For example, a 3+1 system may not be connected to a 2+2 system and vice versa.

The Anchor-Dividends Horizon adapter jumper is not compatible with Dividends Horizon 250v electrical system.

The adapter jumper connects an Anchor Distribution Harness to a Dividends Horizon power module by inserting into terminal block and attaching with two screws. Power may then be distributed throughout the Dividends Horizon system through standard Dividends Horizon power jumpers.

Electrical System Specifications

Anchor Raised Storage

Desktop Power Module

Desktop Power Module

The Anchor desktop power module provides easily accessible outlets and USB charging ports atop Anchor storage units.

Power modules are available with 3-prong plug or hardwire infeed. When specifying power module with 3-prong plug, standard cord or braided fabric covered cord options are available to achieve desired aesthetic. Hardwire power modules are single circuit with 6-foot pigtail for connection directly to building power source.

Hardwire power modules must be installed by a licensed electrician.

Power module includes flush-mount bracket which is installed on-site via two screws. Power modules may be located horizontally in any position along the back edge of any Anchor storage unit. Power modules with standard or braided cordset sit atop surface. Hardwire power modules include 1³/₈" standoff from surface.

Hardwire Power Module:
5⁹/₁₆" wide x 4¹/₄" deep x 3¹/₂;1¹/₄" high (overall)

Standard and Braided Cordset, 3-prong plug:
5⁹/₁₆" wide x 3¹/₂;3³/₈" d x 1⁷/₈" high (overall)

Power module body, bracket and cordset are white. Power modules with standard or braided corded are available with 36" or 72" cord lengths, plastic cable clips are included for basic cable management. Hardwire power module body and bracket are white with black metallic liquid-tight conduit.

Application

Power modules include two simplex outlets and two USB. Power modules may be used in conjunction with Anchor power distribution components or independently.

When used with Anchor power distribution components, the cord drops behind the Anchor storage unit and plugs into rear-facing duplex receptacle installed into distribution harness.

When distribution harness is centered beneath the Anchor Raised Credenza and aligned with the power module location, a 36" cord is adequate. In other situations, including use with Anchor Raised Pedestals and Doublewide pedestals, a 72" cord is recommended. In any application where distribution harness is mounted justified to the front edge of the storage unit, 72" cord must be specified.



Power modules are not intended for use on mobile components including credenzas or pedestals.

Anchor Raised Storage, Electrical

Electrical components are intended for use only with Anchor Raised Storage components. For safety reasons, electrical components may not be mounted beneath mobile credenzas. For system details, refer to *Electrical System Specifications*.

Distribution Harness Mounting Locations

Distribution harness mounting location is determined on-site. Two typical mounting locations are common, **A** centered beneath the storage unit or **B** justified to the front of the unit for easily accessible convenience outlets. When mounting justified to the front, maintaining a 4" set back will allow adequate clearance to conceal plug head beneath the storage case.




Power Distribution via Distribution Harness

Power supply provided by power infeed or jumper cable may connect to any of the four distribution harness ports. Additional jumper cable(s) connect to any of the 1-3 remaining plug ports to further distribute power to subsequent distribution harnesses.




Planning Inline Jumper Cables

To calculate the jumper length required to join harnesses centered beneath Anchor storage units, subtract 12" from the on-center distance between the two harnesses.




To calculate the jumper length required to join harnesses justified to the front of Anchor storage units, subtract 6" from the on-center distance between the two harnesses.



Distribution harnesses planned immediately next to one another can be connected with the 15" jumper. This enables storage units 42" wide and larger to be served by more than four duplex outlets.

Panel Pass-Through


Jumper cables may pass through Dividends Horizon panels through the data knockout location centered horizontally on base raceway covers.



Alternately, panel glides may be extended to allow jumper cables to pass under panel.

Minimum Bend Radius


Jumper cables and infeed conduit require a minimum bend radius of 3.5". 90-degree bends require 4 square inches. Attempting to bend conduit tighter may result in permanent damage to conduit.




Planning Jumper Cables Through Panels

Exact jumper cable length will vary based on specific application.


Example:




A Center justified
(1) 60" wide panel, 84" jumper cable





B Front justified
(1) 60" wide panel, 90" jumper cable






A Center justified
(2) 30" wide panels, 36" jumper cable



B Front justified
(2) 30" wide panels, 66" jumper cable



Power Infeeds, Distribution Harnesses, Distribution Covers

description	type	length	pattern number	list
	2+2	36"	WE8PI836	\$164.
		72"	WE8PI872	233.
	3+1	36"	WE8PIE36	164.
		72"	WE8PIE72	233.
	2+2		WE8DH8D2	203.
	3+1		WE8DHED2	203.
	Distribution Cover, Pack of 10		WE8DC10	396.
	Distribution Cover, Pack of 40		WE8DC40	1,427.
	Distribution Cover, Single		WE8DC01	46.

Order Information1. *Base Pattern Number***Order Code**

Power Infeed,(2+2) Systems, 36"L

Example: **WE8PI836****W** Anchor**E** Electrical**8** 8 Wire**PI** Power Infeed**36** Length**Specification Information****Power Infeed**Modular end with 8-wire whip
Liquid-tight conduit**Distribution Harness**Four modular ports, 2 per end
Provides power for 1-4 duplex
receptacles**Distribution Cover**Black painted steel with two
duplex access cutouts**Included with:****Power Infeed**

Conduit Clips and hardware

Distribution Harness

Attachment Hardware

Electrical Components

Jumper Cables

Anchor Storage







description	type	length	pattern number	list
	2+2	15"	WE8J815	\$119.
		18"	WE8J818	129.
		24"	WE8J824	140.
		30"	WE8J830	152.
		36"	WE8J836	165.
		42"	WE8J842	172.
		48"	WE8J848	189.
		54"	WE8J854	202.
		60"	WE8J860	214.
		66"	WE8J866	227.
		72"	WE8J872	239.
		78"	WE8J878	251.
		84"	WE8J884	265.
		90"	WE8J890	277.
		96"	WE8J896	289.
	3+1	15"	WE8JE15	119.
		18"	WE8JE18	129.
		24"	WE8JE24	140.
		30"	WE8JE30	152.
		36"	WE8JE36	165.
		42"	WE8JE42	177.
		48"	WE8JE48	189.
		54"	WE8JE54	202.
		60"	WE8JE60	214.
		66"	WE8JE66	227.
		72"	WE8JE72	239.
		78"	WE8JE78	251.
		84"	WE8JE84	265.
		90"	WE8JE90	277.
		96"	WE8JE96	289.

Order Information	Order Code	Specification Information	Included with:
1. <i>Base Pattern Number</i>	Jumper Cable, (2+2) Systems, 15"L	Black liquid-tight conduit.	Conduit clips and attachment hardware.
	Example: WE8J815		
	W Anchor		
	E Electrical		
	8 8 Wire		
	J Jumper Cable		
	8 (2+2), E =(3+1)		
	15 Length		

Electrical Components

Receptacles

Anchor Storage

description	type	pattern no.	single	ten pack
 Receptacle, (2+2)	Duplex, circuit 1	WE8R1()	\$28.	\$253.
	Duplex, circuit 2	WE8R2()	28.	253.
	Duplex, circuit 4	WE8R4()	28.	253.
	Duplex, circuit 5	WE8R5()	28.	253.
 Receptacle, (3+1)	Duplex, circuit 1	WE8R1()	28.	253.
	Duplex, circuit 2	WE8R2()	28.	253.
	Duplex, circuit 3	WE8R3()	28.	253.
	Duplex, circuit 4	WE8R4()	28.	253.
 Receptacle, (2+2 with Controlled Symbol)	Duplex, circuit 1	WE8RC1()	28.	253.
	Duplex, circuit 2	WE8RC2()	28.	253.
	Duplex, circuit 4	WE8RC4()	28.	253.
 Receptacle, (3+1 with Controlled Symbol)	Duplex, circuit 1	WE8RC1()	28.	253.
	Duplex, circuit 2	WE8RC2()	28.	253.
	Duplex, circuit 4	WE8RC3()	28.	253.
	Duplex, circuit 4	WE8RC4()	28.	253.
	Duplex, circuit 5	WE8RC5()	28.	253.
 Receptacle, (2+2 Orange Receptacle)	Duplex, circuit 4	WE8RO4()	28.	253.
	Duplex, circuit 5	WE8RO5()	28.	253.
 Receptacle, (3+1 Orange Receptacle)	Duplex, circuit 4	WE8RO4()	28.	253.

Order Information

1. Base Pattern Number

Order Code

Receptacle(2+2) Systems

Example: **WE8R2**

W Anchor

E Electrical

8 8 Wire



R Receptacle

2 Circuit

Electrical Components

Anchor - Dividends Horizon Adapter Jumper

Anchor Storage

description	type	length	pattern no.	list
 Anchor - Dividends Horizon Adapter Jumper Cable (2+2)	2+2	24"	WE8AJ824	\$207.
		30"	WE8AJ830	221.
		36"	WE8AJ836	234.
		42"	WE8AJ842	251.
		48"	WE8AJ848	264.
		54"	WE8AJ854	277.
		60"	WE8AJ860	291.
		66"	WE8AJ866	305.
		72"	WE8AJ872	319.
 Anchor - Dividends Horizon Adapter Jumper Cable (3+1)	3+1	24"	WE8AJE24	207.
		30"	WE8AJE30	221.
		36"	WE8AJE36	234.
		42"	WE8AJE42	251.
		48"	WE8AJE48	264.
		54"	WE8AJE54	277.
		60"	WE8AJE60	291.
		66"	WE8AJE66	305.
		72"	WE8AJE72	319.

Order Information

1. *Base Pattern Number*

Order Code

Adapter Jumper Cable, (2+2)
Systems, 24"L

Example: **WE8AJ824**

W Anchor

E Electrical

8 8 Wire

AJ Adapter Jumper Cable



8 (2+2), **E**=(3+1)

24 Length

Electrical Components

Desktop Power Modules

Anchor Storage

description	type	w	d	h	pattern no.	list
Desktop Power Module USB/electrical includes two USB and two electrical simplexes, 3-prong plug 	Standard cordset	5 ⁹ / ₁₆ "	3 ³ / ₈ "	1 ⁷ / ₈ "	WE8PM2P2UC36	\$560.
		5 ⁹ / ₁₆ "	3 ³ / ₈ "	1 ⁷ / ₈ "	WE8PM2P2UC72	579.
	Braided cordset	5 ⁹ / ₁₆ "	3 ³ / ₈ "	1 ⁷ / ₈ "	WE8PM2P2UB36	601.
		5 ⁹ / ₁₆ "	3 ³ / ₈ "	1 ⁷ / ₈ "	WE8PM2P2UB72	663.
Desktop Power Module USB/electrical includes two USB and two electrical simplexes, hardwire 	Hardwire	5 ⁹ / ₁₆ "	4 ¹ / ₄ "	3 ¹ / ₄ "	WE8PM2P2UH72	638.

Order information	Order Code	Specification Information	Included with:
1. <i>Base Pattern Number</i>	Power Module, Standard Cordset Example: WE82P2UC36 W Anchor E Electrical 8 8 Wire PM Power Module 2P2U 2 Power, 2 USB C Standard Cortset B=Braided Cordset 36 Length	Desktop power modules are single circuit and include 2 simplex outlets and 2 USB charging ports. Module body, mounting bracket and standard cordset are white. Braided cordset includes mesh fabric covering the cordset. Braided mesh fabric is available in white or grey. Hardwire power module body and bracket are white with black liquid-tight conduit.	Mounting Bracket Mounting Hardwire Cable Clips

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
WACH	122, 144	WC224216OL	22	WC2272B36B36L(N)	27	WCM253616B18018L(N)	35
WACS22P	43	WC2242BL(N)	22	WC2272B36O36L(N)	26	WCM253616B24012L(N)	35
WAFB1604	43, 76	WC2242FL(N)	22	WC2272B42030L(N)	26	WCM253616BL(N)	34
WAFB1612	43, 76	WC2242OL	22	WC2272F36F36L(N)	26	WCM253616F18018L(N)	35
WAFB1624	43, 76	WC224816B30018L(N)	23	WC2272F42030L(N)	26	WCM253616F24012L(N)	35
WAFC04P	10	WC224816F30018L(N)	23	WC2272O30B42L(N)	26	WCM253616FL(N)	34
WAFC40P	10	WC224816O18B30L(N)	23	WC2272O30F42L(N)	26	WCM253616O12B24L(N)	35
WAFT02P	10	WC224816O18F30L(N)	23	WC2272O30O42L	26	WCM253616O12F24L(N)	35
WAFT20P	10	WC224816O18O30L	23	WC2272O36B36L(N)	26	WCM253616O18B18L(N)	35
WAGE100	43	WC224816O30O18L	23	WC2272O36O36L	26	WCM253616O18F18L(N)	35
WAGE20	43	WC2248B30O18L(N)	23	WC2272O42030L	26	WCM253616OL	34
WC221816BL(N)	16	WC2248F30O18L(N)	23	WC228416B30B30O24L(N)	28	WCM2536B18O18L(N)	35
WC221816FL(N)	16	WC2248O18B30L(N)	23	WC228416B30O24B30L(N)	28	WCM2536B24O12L(N)	35
WC221816OL	16	WC2248O18F30L(N)	23	WC228416B30O30O24L(N)	29	WCM2536BL(N)	34
WC2218BL(N)	16	WC2248O18O30L	23	WC228416B42B42L(N)	29	WCM2536F18O18L(N)	35
WC2218FL(N)	16	WC2248O30O18L	23	WC228416F30O24F30L(N)	28	WCM2536F24O12L(N)	35
WC2218OL	16	WC226016B30B30L(N)	25	WC228416F42F42L(N)	28	WCM2536FL(N)	34
WC222416BL(N)	17	WC226016B30O30L(N)	24	WC228416O24B30B30L(N)	28	WCM2536O12B24L(N)	35
WC222416FL(N)	17	WC226016B36O24L(N)	24	WC228416O24O30B30L(N)	29	WCM2536O12F24L(N)	35
WC222416OL	17	WC226016B42O18L(N)	24	WC228416O24O30O30L	28	WCM2536O18B18L(N)	35
WC2224BL(N)	17	WC226016F30F30L(N)	25	WC228416O30O24O30L	28	WCM2536O18F18L(N)	35
WC2224FL(N)	17	WC226016F36O24L(N)	24	WC228416O30O30O24L	28	WCM2536OL	34
WC2224OL	17	WC226016F42O18L(N)	24	WC2284B30B30O24L(N)	28	WCM254216BL(N)	36
WC223016B18O12L(N)	19	WC226016O18B42L(N)	24	WC2284B30O24B30L(N)	28	WCM254216FL(N)	36
WC223016BL(N)	18	WC226016O18F42L(N)	24	WC2284B30O30O24L(N)	29	WCM254216OL	36
WC223016F18O12L(N)	19	WC226016O18O42L	24	WC2284B42B42L(N)	29	WCM2542BL(N)	36
WC223016FL(N)	18	WC226016O24B36L(N)	24	WC2284F30O24F30L(N)	28	WCM2542FL(N)	36
WC223016O12B18L(N)	19	WC226016O24F36L(N)	24	WC2284F42F42L(N)	28	WCM2542OL	36
WC223016O12F18L(N)	19	WC226016O24O36L	24	WC2284O24B30B30L(N)	28	WCM254816B30O18L(N)	37
WC223016OL	18	WC226016O30B30L(N)	24	WC2284O24O30B30L(N)	29	WCM254816F30O18L(N)	37
WC2230B18O12L(N)	19	WC226016O30O30L	24	WC2284O24O30O30L	28	WCM254816O18B30L(N)	37
WC2230BL(N)	18	WC226016O36O24L	24	WC2284O30O24O30L	28	WCM254816O18F30L(N)	37
WC2230F18O12L(N)	19	WC226016O42O18L	24	WC2284O30O30O24L	28	WCM254816O18O30L	37
WC2230FL(N)	18	WC2260B30B30L(N)	25	WCCT3018	44	WCM254816O30O18L	37
WC2230O12B18L(N)	19	WC2260B30O30L(N)	24	WCCT3618	44	WCM2548B30O18L(N)	37
WC2230O12F18L(N)	19	WC2260B36O24L(N)	25	WCM251816BL(N)	30	WCM2548F30O18L(N)	37
WC2230OL	18	WC2260B42O18L(N)	25	WCM251816FL(N)	30	WCM2548O18B30L(N)	37
WC223616B18O18L(N)	21	WC2260F30F30L(N)	25	WCM251816OL	30	WCM2548O18F30L(N)	37
WC223616B24O12L(N)	21	WC2260F36O24L(N)	24	WCM2518BL(N)	30	WCM2548O18O30L	37
WC223616BL(N)	20	WC2260F42O18L(N)	24	WCM2518FL(N)	30	WCM2548O30O18L	37
WC223616F18O18L(N)	21	WC2260O18B42L(N)	25	WCM2518OL	30	WCM256016B30B30L(N)	40
WC223616F24O12L(N)	21	WC2260O18F42L(N)	24	WCM252416BL(N)	31	WCM256016B30O30L(N)	39
WC223616FL(N)	20	WC2260O18O42L	24	WCM252416FL(N)	31	WCM256016B36O24L(N)	39
WC223616O12B24L(N)	21	WC2260O24B36L(N)	25	WCM252416OL	31	WCM256016B42O18L(N)	39
WC223616O12F24L(N)	21	WC2260O24F36L(N)	24	WCM2524BL(N)	31	WCM256016F30F30L(N)	39
WC223616O18B18L(N)	21	WC2260O24O36L	24	WCM2524FL(N)	31	WCM256016F36O24L(N)	38
WC223616O18F18L(N)	21	WC2260O30B30L(N)	25	WCM2524OL	31	WCM256016F42O18L(N)	38
WC223616OL	20	WC2260O30O30L	24	WCM253016B18O12L(N)	33	WCM256016O18B42L(N)	39
WC2236B18O18L(N)	21	WC2260O36O24L	24	WCM253016BL(N)	32	WCM256016O18F42L(N)	38
WC2236B24O12L(N)	21	WC2260O42O18L	24	WCM253016F18O12L(N)	33	WCM256016O18O42L	38
WC2236BL(N)	20	WC227216B36B36L(N)	27	WCM253016FL(N)	32	WCM256016O24B36L(N)	39
WC2236F18O18L(N)	21	WC227216B36O36L(N)	26	WCM253016O12B18L(N)	33	WCM256016O24F36L(N)	38
WC2236F24O12L(N)	21	WC227216B42O30L(N)	26	WCM253016O12F18L(N)	33	WCM256016O24O36L	38
WC2236FL(N)	20	WC227216F36F36L(N)	26	WCM253016OL	32	WCM256016O30B30L(N)	39
WC2236O12B24L(N)	21	WC227216F42O30L(N)	26	WCM2530B18O12L(N)	33	WCM256016O30O30L	38
WC2236O12F24L(N)	21	WC227216O30B42L(N)	26	WCM2530BL(N)	32	WCM256016O36O24L	38
WC2236O18B18L(N)	21	WC227216O30F42L(N)	26	WCM2530F18O12L(N)	33	WCM256016O42O18L	38
WC2236O18F18L(N)	21	WC227216O30O42L	26	WCM2530FL(N)	32	WCM2560B30B30L(N)	40
WC2236OL	20	WC227216O36B36L(N)	26	WCM2530O12B18L(N)	33	WCM2560B30O30L(N)	39
WC224216BL(N)	22	WC227216O36O36L	26	WCM2530O12F18L(N)	33	WCM2560B36O24L(N)	39
WC224216FL(N)	22	WC227216O42O30L	26	WCM2530OL	32	WCM2560B42O18L(N)	39

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
WCM2560F30F30L(N)	39	WE8AJE54	158	WL4224FDLHL(N)	139	WLSH1224L	143
WCM2560F36O24L(N)	38	WE8AJE60	158	WL4224FDRHL(N)	139	WLT1220L	142
WCM2560F42O18L(N)	38	WE8AJE66	158	WL4224FHLHL(N)	138	WLT1224L	142
WCM2560O18B42L(N)	39	WE8AJE72	158	WL4224FHRHL(N)	138	WLT1240L	142
WCM2560O18F42L(N)	38	WE8DC01	155	WL4224OSL	137	WLT1248L	142
WCM2560O18O42L	38	WE8DC10	155	WL5020FDLHL(N)	139	WLT2420L	142
WCM2560O24B36L(N)	39	WE8DC40	155	WL5020FDRHL(N)	139	WLT2424L	142
WCM2560O24F36L(N)	38	WE8DH8D2	155	WL5020FHLHL(N)	138	WLT2440L	142
WCM2560O24O36L	38	WE8DHED2	155	WL5020FHRHL(N)	138	WLT2448L	142
WCM2560O30B30L(N)	39	WE8J815	156	WL5020OSL	137	WLT3620L	142
WCM2560O30O30L	38	WE8J818	156	WL5024FDLHL(N)	139	WLT3624L	142
WCM2560O36O24L	38	WE8J824	156	WL5024FDRHL(N)	139	WLT3640L	142
WCM2560O42O18L	38	WE8J830	156	WL5024FHLHL(N)	138	WLT3648L	142
WCM257216B36B36L(N)	42	WE8J836	156	WL5024FHRHL(N)	138	WLT4820L	142
WCM257216B36O36L(N)	41	WE8J842	156	WL5024OSL	137	WLT4824L	142
WCM257216B42O30L(N)	41	WE8J848	156	WL5720FDLHL(N)	139	WLT4840L	142
WCM257216F36F36L(N)	41	WE8J854	156	WL5720FDRHL(N)	139	WLT4848L	142
WCM257216F42O30L(N)	41	WE8J860	156	WL5720FHLHL(N)	138	WLT6020L	142
WCM257216O30B42L(N)	41	WE8J866	156	WL5720FHRHL(N)	138	WLT6024L	142
WCM257216O30F42L(N)	41	WE8J872	156	WL5720OSL	137	WLT6040L	142
WCM257216O30O42L	41	WE8J878	156	WL5724FDLHL(N)	139	WLT6048L	142
WCM257216O36B36L(N)	41	WE8J884	156	WL5724FDRHL(N)	139	WLT7220L	142
WCM257216O36O36L	41	WE8J890	156	WL5724FHLHL(N)	138	WLT7224L	142
WCM257216O42O30L	41	WE8J896	156	WL5724FHRHL(N)	138	WLT7240L	142
WCM2572B36B36L(N)	42	WE8JE15	156	WL5724OSL	137	WLT7248L	142
WCM2572B36O36L(N)	41	WE8JE18	156	WL6420DDLHL(N)	140	WLT8420L	142
WCM2572B42O30L(N)	41	WE8JE24	156	WL6420DDRHL(N)	140	WLT8424L	142
WCM2572F36F36L(N)	41	WE8JE30	156	WL6420FDLHL(N)	139	WLT8440L	142
WCM2572F42O30L(N)	41	WE8JE36	156	WL6420FDRHL(N)	139	WLT8448L	142
WCM2572O30B42L(N)	41	WE8JE42	156	WL6420FHLHL(N)	138	WLT9620L	142
WCM2572O30F42L(N)	41	WE8JE48	156	WL6420FHRHL(N)	138	WLT9624L	142
WCM2572O30O42L	41	WE8JE54	156	WL6420OSL	137	WLT9640L	142
WCM2572O36B36L(N)	41	WE8JE60	156	WL6424DDLHL(N)	140	WLT9648L	142
WCM2572O36O36L	41	WE8JE66	156	WL6424DDRHL(N)	140	WLW421220FDLHL(N)	127
WCM2572O42O30L	41	WE8JE72	156	WL6424FDLHL(N)	139	WLW421220FDRHL(N)	127
WCWKIT01	43, 76	WE8JE78	156	WL6424FDRHL(N)	139	WLW421220OSL	126
WCWKIT02	43, 76	WE8JE84	156	WL6424FHLHL(N)	138	WLW421224FDLHL(N)	127
WCWKIT03	43, 76	WE8JE90	156	WL6424FHRHL(N)	138	WLW421224FDRHL(N)	127
WCWKIT04	43, 76	WE8JE96	156	WL6424OSL	137	WLW421224OSL	126
WCWKIT05	43, 76	WE8PI836	155	WL7120DDLHL(N)	140	WLW421230FDLHL(N)	128
WCWKIT06	43, 76	WE8PI872	155	WL7120DDRHL(N)	140	WLW421230FDRHL(N)	128
WCWKIT07	43, 76	WE8PIE36	155	WL7120FDLHL(N)	139	WLW421230OSL	126
WCWKIT08	43, 76	WE8PIE72	155	WL7120FDRHL(N)	139	WLW501220FDLHL(N)	127
WCWKIT09	43, 76	WE8PM2P2UB36	159	WL7120FHLHL(N)	138	WLW501220FDRHL(N)	127
WCWKIT10	43, 76	WE8PM2P2UB72	159	WL7120FHRHL(N)	138	WLW501220OSL	126
WDKEYH	148	WE8PM2P2UC36	159	WL7120OSL	137	WLW501224FDLHL(N)	127
WDKEYM	148	WE8PM2P2UC72	159	WL7120TDLHL(N)	140	WLW501224FDRHL(N)	127
WDKEYP	148	WE8PM2P2UH72	159	WL7120TDRHL(N)	140	WLW501224OSL	126
WDKEYR	148	WE8R1	157	WL7124DDLHL(N)	140	WLW501230FDLHL(N)	128
WDKEYU	148	WE8R2	157	WL7124DDRHL(N)	140	WLW501230FDRHL(N)	128
WDKEYV	148	WE8R3	157	WL7124FDLHL(N)	139	WLW501230OSL	126
WE8AJ824	158	WE8R4	157	WL7124FDRHL(N)	139	WLW571220FDLHL(N)	127
WE8AJ830	158	WE8R5	157	WL7124FHLHL(N)	138	WLW571220FDRHL(N)	127
WE8AJ836	158	WE8RC1	157	WL7124FHRHL(N)	138	WLW571220OSL	126
WE8AJ842	158	WE8RC2	157	WL7124OSL	137	WLW571224FDLHL(N)	127
WE8AJ848	158	WE8RC3	157	WL7124TDLHL(N)	141	WLW571224FDRHL(N)	127
WE8AJ854	158	WE8RC4	157	WL7124TDRHL(N)	141	WLW571224OSL	126
WE8AJ860	158	WE8RC5	157	WLCR12	144	WLW571230FDLHL(N)	128
WE8AJ866	158	WE8RO4	157	WLCRKIT1220L	143	WLW571230FDRHL(N)	128
WE8AJ872	158	WE8RO5	157	WLCRKIT1224L	143	WLW571230OSL	126
WE8AJE24	158	WL4220FDLHL(N)	139	WLCRTM12	144	WLW641220FDLHL(N)	127
WE8AJE30	158	WL4220FDRHL(N)	139	WLCWKIT09	132	WLW641220FDRHL(N)	127
WE8AJE36	158	WL4220FHLHL(N)	138	WLLB	144	WLW641220OSL	126
WE8AJE42	158	WL4220FHRHL(N)	138	WLSF1220L	143	WLW641224FDLHL(N)	127
WE8AJE48	158	WL4220OSL	137	WLSF1224L	143	WLW641224FDRHL(N)	127

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
WLW641224OSL	126	WOWSF3601L	95	WP282424FFL(N)	68	WPF281601L	62
WLW641230FDLHL(N)	128	WOWSF3604L	95	WP282424OBL(N)	66	WPF28160FL(N)	62
WLW641230FDRHL(N)	128	WOWSF4201L	95	WP282424OFL(N)	65	WPF2816RBL(N)	63
WLW641230OSL	126	WOWSF4204L	95	WP282424OSL	64	WPF281816CFL(N)	71
WLWF421220FDLHL(N)	130	WOWSF4801L	95	WP2824CFL(N)	67	WPF281816OFL(N)	70
WLWF421220FDRHL(N)	130	WOWSF4804L	95	WP2824FFL(N)	68	WPF281816OSL	69
WLWF421220OSL	129	WOWSF6001L	95	WP2824OBL(N)	66	WPF281824CFL(N)	71
WLWF421224FDLHL(N)	130	WOWSF6004L	95	WP2824OFL(N)	65	WPF281824OFL(N)	70
WLWF421224FDRHL(N)	130	WOWSF7201L	95	WP2824OSL	64	WPF281824OSL	69
WLWF421224OSL	129	WOWSF7204L	95	WP283016CFL(N)	67	WPF2818CFL(N)	71
WLWF421230FDLHL(N)	131	WP2812CBL(N)	57	WP283016FFL(N)	68	WPF2818OFL(N)	70
WLWF421230FDRHL(N)	131	WP2812CFL(N)	56	WP283016OBL(N)	66	WPF2818OSL	69
WLWF421230OSL	129	WP2812CSL(N)	57	WP283016OFL(N)	65	WPF282416CFL(N)	71
WLWF501220FDLHL(N)	130	WP2812F1LHL(N)	56	WP283016OSL	64	WPF282416OFL(N)	70
WLWF501220FDRHL(N)	130	WP2812F1RHL(N)	56	WP283024CFL(N)	67	WPF282416OSL	69
WLWF501220OSL	129	WP2812F2LHL(N)	56	WP283024FFL(N)	68	WPF282424CFL(N)	71
WLWF501224FDLHL(N)	130	WP2812F2RHL(N)	56	WP283024OBL(N)	66	WPF282424OFL(N)	70
WLWF501224FDRHL(N)	130	WP2812FDLHL(N)	56	WP283024OFL(N)	65	WPF282424OSL	69
WLWF501224OSL	129	WP2812FDRHL(N)	56	WP283024OSL	64	WPF2824CFL(N)	71
WLWF501230FDLHL(N)	131	WP2812FFL(N)	57	WP2830CFL(N)	67	WPF2824OFL(N)	70
WLWF501230FDRHL(N)	131	WP2812O1L	56	WP2830FFL(N)	68	WPF2824OSL	69
WLWF501230OSL	129	WP2812O2L	56	WP2830OBL(N)	66	WPF283016CFL(N)	71
WLWF571220FDLHL(N)	130	WP2812OBL(N)	65	WP2830OFL(N)	65	WPF283016OFL(N)	70
WLWF571220FDRHL(N)	130	WP2812OFL(N)	56	WP2830OSL	64	WPF283016OSL	69
WLWF571220OSL	129	WP2812OPL	56	WP283616CFL(N)	67	WPF283024CFL(N)	71
WLWF571224FDLHL(N)	130	WP2812SOLHL(N)	57	WP283616FFL(N)	68	WPF283024OFL(N)	70
WLWF571224FDRHL(N)	130	WP2812SORHL(N)	57	WP283616OBL(N)	66	WPF283024OSL	69
WLWF571224OSL	129	WP2816CBL(N)	59	WP283616OFL(N)	65	WPF2830CFL(N)	71
WLWF571230FDLHL(N)	131	WP2816CFL(N)	58	WP283616OSL	64	WPF2830OFL(N)	70
WLWF571230FDRHL(N)	131	WP2816CSL(N)	59	WP283624CFL(N)	67	WPF2830OSL	69
WLWF571230OSL	129	WP2816F1LHL(N)	58	WP283624FFL(N)	68	WPF283616CFL(N)	71
WLWF641220FDLHL(N)	130	WP2816F1RHL(N)	58	WP283624OBL(N)	66	WPF283616OFL(N)	70
WLWF641220FDRHL(N)	130	WP2816F2LHL(N)	58	WP283624OFL(N)	65	WPF283616OSL	69
WLWF641220OSL	129	WP2816F2RHL(N)	58	WP283624OSL	64	WPF283624CFL(N)	71
WLWF641224FDLHL(N)	130	WP2816FDLHL(N)	58	WP2836CFL(N)	67	WPF283624OFL(N)	70
WLWF641224FDRHL(N)	130	WP2816FDRHL(N)	58	WP2836FFL(N)	68	WPF283624OSL	69
WLWF641224OSL	129	WP2816FFL(N)	59	WP2836OBL(N)	66	WPF2836CFL(N)	71
WLWF641230FDLHL(N)	131	WP2816O1L	58	WP2836OFL(N)	65	WPF2836OFL(N)	70
WLWF641230FDRHL(N)	131	WP2816O2L	58	WP2836OSL	64	WPF2836OSL	69
WLWF641230OSL	129	WP2816OBL(N)	58	WP284216CFL(N)	67	WPF284216CFL(N)	71
WLWSF122001L	133	WP2816OFL(N)	58	WP284216FFL(N)	68	WPF284216OFL(N)	70
WLWSF122004L	133	WP2816OPL	58	WP284216OBL(N)	66	WPF284216OSL	69
WLWSF122401L	133	WP2816SOLHL(N)	59	WP284216OFL(N)	65	WPF284224CFL(N)	71
WLWSF122404L	133	WP2816SORHL(N)	59	WP284216OSL	64	WPF284224OFL(N)	70
WLWSF123001L	133	WP281816CFL(N)	67	WP284224CFL(N)	67	WPF284224OSL	69
WLWSF123004L	133	WP281816FFL(N)	68	WP284224FFL(N)	68	WPF2842CFL(N)	71
WLWSP1201L	133	WP281816OBL(N)	66	WP284224OBL(N)	66	WPF2842OFL(N)	70
WLWSP1204L	133	WP281816OFL(N)	65	WP284224OFL(N)	65	WPF2842OSL	69
WOWOP24L	94	WP281816OSL	64	WP284224OSL	64	WPL1224C	53
WOWOP30L	94	WP281824CFL(N)	67	WP2842CFL(N)	67	WPL1224N	53
WOWOP36L	94	WP281824FFL(N)	68	WP2842FFL(N)	68	WPL1624C	53
WOWOP42L	94	WP281824OBL(N)	66	WP2842OBL(N)	66	WPL1624N	53
WOWOP48L	94	WP281824OFL(N)	65	WP2842OFL(N)	65	WPM2412BFL(N)	49
WOWOP60L	94	WP281824OSL	64	WP2842OSL	64	WPM2412CML(N)	50
WOWOP72L	94	WP2818CFL(N)	67	WPF2812BFL(N)	60	WPM2412CSL(N)	49
WOWSD48LHL(N)	94	WP2818FFL(N)	68	WPF2812CSL(N)	60	WPM2412DTLHL(N)	50
WOWSD48RHL(N)	94	WP2818OBL(N)	66	WPF2812FDLHL(N)	60	WPM2412DTRHL(N)	50
WOWSD60LHL(N)	94	WP2818OFL(N)	65	WPF2812FDRHL(N)	60	WPM2412F1LHL(N)	49
WOWSD60RHL(N)	94	WP2818OSL	64	WPF2812O1L	60	WPM2412F1RHL(N)	49
WOWSD72LHL(N)	94	WP282416CFL(N)	67	WPF2812OFL(N)	60	WPM2412FDLHL(N)	49
WOWSD72RHL(N)	94	WP282416FFL(N)	68	WPF2812RBL(N)	61	WPM2412FDRHL(N)	49
WOWSF2401L	95	WP282416OBL(N)	66	WPF2816BFL(N)	62	WPM2412FTL(N)	50
WOWSF2404L	95	WP282416OFL(N)	65	WPF2816CSL(N)	62	WPM2412O1L	49
WOWSF3001L	95	WP282416OSL	64	WPF2816FDLHL(N)	62	WPM2412OFL(N)	49
WOWSF3004L	95	WP282424CFL(N)	67	WPF2816FDRHL(N)	62	WPM2412OPL	49

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
WPM2412SOLHL(N)	50	WPT7816L	74	WSPWFOM4236L	91	WSWSAY421230L	86
WPM2412SORHL(N)	50	WPT7820L	74	WSPWFOM4242L	91	WSWSAY501224L	86
WPM2416BFL(N)	51	WPT7824L	74	WSPWFOM5030L	91	WSWSAY501227L	86
WPM2416CML(N)	52	WPT8416L	74	WSPWFOM5036L	91	WSWSAY501230L	86
WPM2416CSL(N)	51	WPT8420L	74	WSPWFOM5042L	91	WSWSAY571224L	86
WPM2416DTLHL(N)	52	WPT8424L	74	WSPWFOM5730L	91	WSWSAY571227L	86
WPM2416DTRLHL(N)	52	WPTY3020L	75	WSPWFOM5736L	91	WSWSAY571230L	86
WPM2416F1LHL(N)	51	WPTY3620L	75	WSPWFOM5742L	91	WSWSAY641224L	86
WPM2416F1RHL(N)	51	WPTY4220L	75	WSPWFOM6430L	91	WSWSAY641227L	86
WPM2416FDLHL(N)	51	WPTY4820L	75	WSPWFOM6436L	91	WSWSAY641230L	86
WPM2416FDRHL(N)	51	WPTY5420L	75	WSPWFOM6442L	91	WSWSAYM421224L	87
WPM2416FTL(N)	52	WPTY6020L	75	WSPWT4230	92	WSWSAYM421227L	87
WPM2416O1L	51	WPTY6620L	75	WSPWT4236	92	WSWSAYM421230L	88
WPM2416OFL(N)	51	WPTY7220L	75	WSPWT4242	92	WSWSAYM501224L	87
WPM2416OPL	51	WPTY7820L	75	WSPWT5030	92	WSWSAYM501227L	87
WPM2416SOLHL(N)	52	WPTY8420L	75	WSPWT5036	92	WSWSAYM501230L	88
WPM2416SORHL(N)	52	WSPCF04230L	78	WSPWT5042	92	WSWSAYM571224L	87
WPMC12	54, 55	WSPCF04236L	78	WSPWT5730	92	WSWSAYM571227L	87
WPMC16	54, 55	WSPCF04242L	78	WSPWT5736	92	WSWSAYM571230L	88
WPM5F1201L	72	WSPCF05030L	78	WSPWT5742	92	WSWSAYM641224L	87
WPM5F1204L	72	WSPCF05036L	78	WSPWT6430	92	WSWSAYM641227L	87
WPM5F1601L	72	WSPCF05042L	78	WSPWT6436	92	WSWSAYM641230L	88
WPM5F1604L	72	WSPCF05730L	78	WSPWT6442	92	WSWT4220	85
WPSF1201L	72	WSPCF05736L	78	WSWSA421220L	81	WSWT4224	85
WPSF1204L	72	WSPCF05742L	78	WSWSA421230L	81	WSWT4230	85
WPSF1601L	72, 121	WSPCF06430L	78	WSWSA4212L	81	WSWT5020	85
WPSF1604L	72, 121	WSPCF06436L	78	WSWSA421630L	82	WSWT5024	85
WPSOB01	72, 101	WSPCF06442L	78	WSWSA4216L	81	WSWT5030	85
WPSOB05	72, 101	WSPCFOM4230L	79	WSWSA501220L	81	WSWT5720	85
WPSOH05	73, 101	WSPCFOM4236L	79	WSWSA501230L	81	WSWT5724	85
WPSOH40	73, 101	WSPCFOM4242L	79	WSWSA5012L	81	WSWT5730	85
WPSOHP01	72, 102	WSPCFOM5030L	79	WSWSA501630L	82	WSWT6420	85
WPSOTRC01	73, 101	WSPCFOM5036L	79	WSWSA5016L	81	WSWT6424	85
WPSOTRL01	72, 101	WSPCFOM5042L	79	WSWSA571220L	81	WSWT6430	85
WPSOTRS01	72, 101	WSPCFOM5730L	79	WSWSA571230L	81	WSWTY4224	89
WPT1816L	74	WSPCFOM5736L	79	WSWSA5712L	81	WSWTY4227	89
WPT1820L	74	WSPCFOM5742L	79	WSWSA571630L	82	WSWTY4230	89
WPT1824L	74	WSPCFOM6430L	79	WSWSA5716L	81	WSWTY5024	89
WPT2416L	74	WSPCFOM6436L	79	WSWSA641220L	81	WSWTY5027	89
WPT2420L	74	WSPCFOM6442L	79	WSWSA641230L	81	WSWTY5030	89
WPT2424L	74	WSPCT4230	80	WSWSA6412L	81	WSWTY5724	89
WPT3016L	74	WSPCT4236	80	WSWSA641630L	82	WSWTY5727	89
WPT3020L	74	WSPCT4242	80	WSWSA6416L	81	WSWTY5730	89
WPT3024L	74	WSPCT5030	80	WSWSAM421220L	83	WSWTY6424	89
WPT3616L	74	WSPCT5036	80	WSWSAM421230L	83	WSWTY6427	89
WPT3620L	74	WSPCT5042	80	WSWSAM4212L	83	WSWTY6430	89
WPT3624L	74	WSPCT5730	80	WSWSAM421630L	84	WTFD4224FDCBLHL(N)	114
WPT4216L	74	WSPCT5736	80	WSWSAM4216L	84	WTFD4224FDCBRHL(N)	114
WPT4220L	74	WSPCT5742	80	WSWSAM501220L	83	WTFD4224FDFFLHL(N)	114
WPT4224L	74	WSPCT6430	80	WSWSAM501230L	83	WTFD4224FDFRHL(N)	114
WPT4816L	74	WSPCT6436	80	WSWSAM5012L	83	WTFD4230FDCBLHL(N)	114
WPT4820L	74	WSPCT6442	80	WSWSAM501630L	84	WTFD4230FDCBRHL(N)	114
WPT4824L	74	WSPWFO4230L	90	WSWSAM5016L	84	WTFD4230FDFFLHL(N)	114
WPT5416L	74	WSPWFO4236L	90	WSWSAM571220L	83	WTFD4230FDFRHL(N)	114
WPT5420L	74	WSPWFO4242L	90	WSWSAM571230L	83	WTFD5024FDCBLHL(N)	115
WPT5424L	74	WSPWFO5030L	90	WSWSAM5712L	83	WTFD5024FDCBRHL(N)	115
WPT6016L	74	WSPWFO5036L	90	WSWSAM571630L	84	WTFD5024FDFFLHL(N)	115
WPT6020L	74	WSPWFO5042L	90	WSWSAM5716L	84	WTFD5024FDFRHL(N)	115
WPT6024L	74	WSPWFO5730L	90	WSWSAM641220L	83	WTFD5030FDCBLHL(N)	115
WPT6616L	74	WSPWFO5736L	90	WSWSAM641230L	83	WTFD5030FDCBRHL(N)	115
WPT6620L	74	WSPWFO5742L	90	WSWSAM6412L	83	WTFD5724FDCBLHL(N)	116
WPT6624L	74	WSPWFO6430L	90	WSWSAM641630L	84	WTFD5724FDCBRHL(N)	116
WPT7216L	74	WSPWFO6436L	90	WSWSAM6416L	84	WTFD5724FDFFLHL(N)	116
WPT7220L	74	WSPWFO6442L	90	WSWSAY421224L	86	WTFD5724FDFRHL(N)	116
WPT7224L	74	WSPWFOM4230L	91	WSWSAY421227L	86	WTFD5730FDCBLHL(N)	116

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
WTFD5730FDCBRHL(N)	117	WTFA5024FDBFLHL(N)	120	WTSO421530WNRHL(N)	98
WTFD5730FDFFLHL(N)	116	WTFA5024FDBFRHL(N)	120	WTSO421530WTLHL(N)	97
WTFD5730FDFFRHL(N)	117	WTLCRKIT2401L	121	WTSO421530WTRHL(N)	97
WTFD6424FDCBLHL(N)	118	WTLCRKIT2404L	121	WTSO421824SNLHL(N)	97
WTFD6424FDCBRHL(N)	118	WTLCRKIT3001L	121	WTSO421824SNRHL(N)	97
WTFD6424FDFFLHL(N)	118	WTLCRKIT3004L	121	WTSO421824STLHL(N)	97
WTFD6424FDFFRHL(N)	118	WTLCRTM24	122	WTSO421824STRHL(N)	97
WTFD6430FDCBLHL(N)	118	WTLCRTM30	122	WTSO421824WNLHL(N)	97
WTFD6430FDCBRHL(N)	118	WTLSF2401L	121	WTSO421824WNRHL(N)	97
WTFD6430FDFFLHL(N)	118	WTLSF2404L	121	WTSO421824WTLHL(N)	97
WTFD6430FDFFRHL(N)	118	WTLSF3001L	121	WTSO421824WTRHL(N)	97
WTFD4224FDBFLHL(N)	119	WTLSF3004L	121	WTSO421830SNLHL(N)	98
WTFD4224FDBFRHL(N)	119	WTLSP2401L	121	WTSO421830SNRHL(N)	98
WTFD5024FDBFLHL(N)	120	WTLSP2404L	121	WTSO421830STLHL(N)	97
WTFD5024FDBFRHL(N)	120	WTLSP3001L	121	WTSO421830STRHL(N)	97
WTFD4224FDBFLHL(N)	119	WTLSP3004L	121	WTSO421830WNLHL(N)	98
WTFD4224FDBFRHL(N)	119	WTLST2401L	121	WTSO421830WNRHL(N)	98
WTFD5024FDBFLHL(N)	120	WTLST2404L	121	WTSO421830WTLHL(N)	97
WTFD5024FDBFRHL(N)	120	WTLST3001L	121	WTSO421830WTRHL(N)	97
WTFD4224FDCBLHL(N)	110	WTLST3004L	121	WTSO501524SNLHL(N)	99
WTFD4224FDCBRHL(N)	110	WTSO4224FDCBLHL(N)	106	WTSO501524SNRHL(N)	99
WTFD4224FDFFLHL(N)	110	WTSO4224FDCBRHL(N)	106	WTSO501524STLHL(N)	99
WTFD4224FDFFRHL(N)	110	WTSO4224FDFFLHL(N)	106	WTSO501524STRHL(N)	99
WTFD4230FDCBLHL(N)	110	WTSO4224FDFFRHL(N)	106	WTSO501524WNLHL(N)	99
WTFD4230FDCBRHL(N)	110	WTSO4230FDCBLHL(N)	106	WTSO501524WNRHL(N)	99
WTFD4230FDFFLHL(N)	110	WTSO4230FDCBRHL(N)	106	WTSO501524WTLHL(N)	99
WTFD4230FDFFRHL(N)	110	WTSO4230FDFFLHL(N)	106	WTSO501524WTRHL(N)	99
WTFD5024FDCBLHL(N)	111	WTSO4230FDFFRHL(N)	106	WTSO501530SNLHL(N)	100
WTFD5024FDCBRHL(N)	111	WTSO5024FDCBLHL(N)	107	WTSO501530SNRHL(N)	100
WTFD5024FDFFLHL(N)	111	WTSO5024FDCBRHL(N)	107	WTSO501530STLHL(N)	99
WTFD5024FDFFRHL(N)	111	WTSO5024FDFFLHL(N)	107	WTSO501530STRHL(N)	99
WTFD5030FDCBLHL(N)	111	WTSO5024FDFFRHL(N)	107	WTSO501530WNLHL(N)	100
WTFD5030FDCBRHL(N)	111	WTSO5030FDCBLHL(N)	107	WTSO501530WNRHL(N)	100
WTFD5030FDFFLHL(N)	111	WTSO5030FDCBRHL(N)	107	WTSO501530WTLHL(N)	99
WTFD5030FDFFRHL(N)	111	WTSO5030FDFFLHL(N)	107	WTSO501530WTRHL(N)	99
WTFD5724FDCBLHL(N)	112	WTSO5030FDFFRHL(N)	107	WTSO501824SNLHL(N)	99
WTFD5724FDCBRHL(N)	112	WTSO5724FDCBLHL(N)	108	WTSO501824SNRHL(N)	99
WTFD5724FDFFLHL(N)	112	WTSO5724FDCBRHL(N)	108	WTSO501824STLHL(N)	99
WTFD5724FDFFRHL(N)	112	WTSO5724FDFFLHL(N)	108	WTSO501824STRHL(N)	99
WTFD5730FDCBLHL(N)	112	WTSO5724FDFFRHL(N)	108	WTSO501824WNLHL(N)	99
WTFD5730FDCBRHL(N)	112	WTSO5730FDCBLHL(N)	108	WTSO501824WNRHL(N)	99
WTFD5730FDFFLHL(N)	112	WTSO5730FDCBRHL(N)	108	WTSO501824WTLHL(N)	99
WTFD5730FDFFRHL(N)	112	WTSO5730FDFFLHL(N)	108	WTSO501824WTRHL(N)	99
WTFD6424FDCBLHL(N)	113	WTSO5730FDFFRHL(N)	108	WTSO501830SNLHL(N)	100
WTFD6424FDCBRHL(N)	113	WTSO6424FDCBLHL(N)	109	WTSO501830SNRHL(N)	100
WTFD6424FDFFLHL(N)	113	WTSO6424FDCBRHL(N)	109	WTSO501830STLHL(N)	99
WTFD6424FDFFRHL(N)	113	WTSO6424FDFFLHL(N)	109	WTSO501830STRHL(N)	99
WTFD6430FDCBLHL(N)	113	WTSO6424FDFFRHL(N)	109	WTSO501830WNLHL(N)	100
WTFD6430FDCBRHL(N)	113	WTSO6430FDCBLHL(N)	109	WTSO501830WNRHL(N)	100
WTFD6430FDFFLHL(N)	113	WTSO6430FDCBRHL(N)	109	WTSO501830WTLHL(N)	99
WTFD6430FDFFRHL(N)	113	WTSO6430FDFFLHL(N)	109	WTSO501830WTRHL(N)	99
WTFP42L	123	WTSO6430FDFFRHL(N)	109	WTSOSB1501L	101
WTFP42M	123	WTSO421524SNLHL(N)	97	WTSOSB1504L	101
WTFP42T	124	WTSO421524SNRHL(N)	97	WTSOSB1801L	101
WTFP50L	123	WTSO421524STLHL(N)	97	WTSOSB1804L	101
WTFP50M	123	WTSO421524STRHL(N)	97	WTSOT302401L	103
WTFP50T	124	WTSO421524WNLHL(N)	97	WTSOT302404L	103
WTFP57L	123	WTSO421524WNRHL(N)	97	WTSOT303001L	103
WTFP57M	123	WTSO421524WTLHL(N)	97	WTSOT303004L	103
WTFP57T	124	WTSO421524WTRHL(N)	97	WTSOT362401L	103
WTFP64L	123	WTSO421530SNLHL(N)	98	WTSOT362404L	103
WTFP64M	123	WTSO421530SNRHL(N)	98	WTSOT363001L	103
WTFP64T	124	WTSO421530STLHL(N)	97	WTSOT363004L	103
WTFA4224FDBFLHL(N)	119	WTSO421530STRHL(N)	97		
WTFA4224FDBFRHL(N)	119	WTSO421530WNLHL(N)	98		

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Rockwell Unscripted, Series 2 Storage, Template, Quoin and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, digital locks, upholstery, textiles and leathers, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Generation by Knoll, k. task, Life, Moment, MultiGeneration by Knoll, Ollo, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Anchor Storage except digital locks, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Rockwell Unscripted, Quoin wood components, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, k. lounge structural components, KnollStudio Pixel and Propeller, Tone bases and k.screens.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, Currents handcrank, KnollStudio, Rockwell Unscripted wire bases, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU holders and all universal storage drawers and Power Collection, k. bench (except changes in finish, see below) and k. stand bases (except changes in finish, see below).</i></p> <p><i>3 Years: Rockwell Unscripted upholstery (except textiles and leather), Office Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, KnollExtra Pop Up Screens.</i></p> <p><i>2 Years: Anchor Storage digital locks, Quoin digital locks, all other KnollExtra product and KnollTextiles Ultrasuede.</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered arm pads and soft arm pads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric. Rockwell Unscripted fabric and accessories, Spinneybeck leathers, and KnollTextiles upholstery except Ultrasuede.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Changes in surface finishes, including colorfastness due to aging or exposure to light.• Except as specifically noted above, textiles and upholstery supplied by KnollTextiles and Spinneybeck FilzFelt (consult current price lists for applicable warranties). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."