


VOX® TROUGH & POWER DRAWER

VOX® TROUGH & POWER DRAWER


VOX® TROUGH & POWER DRAWER	209-226
Table of Contents	210
VOX [®] TROUGH	211-213
Wire Trough Specifications	211
Trough Wiring Options, Cable Management	212
How to Order	213
VOX® TROUGH AND POWER DRAWER SIMPLE FORUM	214-220
Pre-Configured Simple Forum	214-217
Custom Simple Forum	218-220
VOX® POWER DRAWER	221-231
Power Drawer with Bases	221
Power Drawer Specifications	222
Power Drawer Typical Layouts	223-224
How to Order	225-226

Wire troughs specified with Vox® Tables are pre-sized according to table length. Troughs are standard with 2 power boxes (SIMPLE Forums). 30" and 36" troughs are available with 2 6-port SIMPLE Forums. 42" troughs are available with either 2 or 3 6-port SIMPLE Forums.


4 ports SIMPLE Forum is also available as an option. Please contact sutomer service at 1800 668 9318.







View of underside of table





Select your Wire Trough and Simple Forums (see page 228 - 235), add prices onto the List price of Vox Table. For inquires please contact customer service at 1-800-668-9318,

	Model Number	Price List
8 1/2"	#50061	\$ 1,110
36" Wire Trough 36"L x 8-1/2" W x 3 3/4" w/ 2 6-port SIMPLE Forums	H #50062	\$1,130
8 1/2"	«ЗЗ/4"Н #50063	\$1,155
## ## ## ## ## ## ## ## ## ## ## ## ##	«ЗЗ/4"Н #50064	\$1,220

List Price

Pre-configured SIMPLE Forum (4 ports 63/4" L x 2 "W)

Model # 39956/5	pre-wired power	1P 1P AO AO	\$500
		2 x pre-wired power with 10ft cord 2 x AMP CAT5E data with 9ft cord	
Model # 39956/6	pre-wired power	1P 1P A5 A5 2 x pre-wired power with 10ft cord 2 x SIEMON CAT6 data with 10ft cord	\$555
Model # 39957/5	site-wired power	1P-SW 1P-SW A0 A0 2 x site-wired power with 6ft metallic shielded cable 2 x AMP CAT5E data with 9ft cord	\$525
Model # 39957/6	site-wired power	1P-sw 1P-sw A5 A5 2 x site-wired power with 6ft metallic shielded cable 2 x SIEMON CAT6 data with 10ft cord	\$585
Model # 39958/5	pre-wired power	1P 1P 2U AO	\$605
		2 x pre-wired power with 10ft cord 1x stacked USB charger 1x AMP CAT5E data with 9ft cord	
Model # 39958/6	pre-wired power	1P 1P 2U A5 2 x pre-wired power with 10ft cord 1 x stacked USB charger 1 x SIEMON CAT6 data with 10ft cord	\$635
Model # 39959/5	site-wired power	1P-SW 1P-SW 2U A0	\$640

1x AMP CAT5E data with 9ft cord

1x stacked USB charger

2 x site-wired power with 6ft metallic shielded cable

Pre-configure	ed SIMPLE Fo	rum (4 ports, 6¾" L x 2 " W)	List Price
Model # 39959/6	site-wired power	1P-SW 1P-SW 2U A5 2 x site-wired power with 6ft metallic shielded cable 1 x stacked USB charger 1 x SIEMON CAT6 data with 10ft cord;	\$655
Model # 39961/5	pre-wired power	1P 1P A0 HD 2 x pre-wired power with 10ft cord 1 x AMP CAT5E data with 9ft cord 1 x HDMI coupler with 18" cord	\$575
Model # 39961/6	pre-wired power	1P 1P A5 HD 2 x pre-wired power with 10ft cord 1 x SIEMON CAT6 data with 10ft cord 1 x HDMI coupler with 18" cord	\$610
Model # 39962/5	site-wired power	1P-SW 1P-SW AO HD 2 x site-wired power with 6ft metallic shielded cable 1 x AMP CAT5E data with 9ft cord 1 x HDMI coupler with 18" cord	\$605
Model # 39962/6	site-wired power	1P-SW 1P-SW A5 HD 2 x site-wired power with 6ft metallic shielded cable 1 x SIEMON CAT6 data with 10ft cord; 1 x HDMI coupler with 18" cord	\$635
Model # 39963	pre-wired power	2 x pre-wired power with 10ft cord 1 x USB port 3.0 with 10ft cord 1 x HDMI coupler with 18" cord	\$565
Model # 39964	site-wired power	1P-SW 1P-SW H HD 2 x site-wired power with 6ft metallic shielded cable	\$590

1x USB port 3.0 with 10ft cord

Pre-configu	ured SIMPLE Fo	orum (4 ports, for client's own data fitting)	List Price
Model # 39956	pre-wired power	1P 1P 0 0 2 x pre-wired power with 10ft cord 2 x open port / data adapter to fit in client's own data fitting & cord	\$430
Model # 39957	site-wired power	1P-SW 1P-SW 0 0 2 x site-wired power with 6ft metallic shielded cable 2 x open port / data adapter to fit in client's own data fitting & cord	\$450
Model # 39958	pre-wired power	1P 1P 2U 0 2 x pre-wired power with 10ft cord 1 x stacked USB charger 1 x open port	\$530
Model # 39959	site-wired power	1P-SW 1P-SW 2U 0 2 x site-wired power with 6ft metallic shielded cable 1 x stacked USB charger 1 x open port	\$555
Model # 39961	pre-wired power	1P 1P 0 HD 2 x pre-wired power with 10ft cord 1 x open port 1 x HDMI coupler with 18" cord	\$565
Model # 39962	site-wired power	1P-SW 1P-SW 0 HD 2 x site-wired power with 6ft metallic shielded cable 1 x open port 1 x HDMI coupler with 18" cord	\$590

Pre-config	ured SIMPLE F	orum (6	port	s 9¾	i"Lx	2" W	()
Model # 39941/5	pre-wired power	1P	1P	AO	АО	В	В
Model # 39941/6	pre-wired power	1P	1P	A 5	A5	В	В
Model # 39942/5	pre-wired power				AO er with 6		
Model # 39942/6	pre-wired power		IP CA Ink plat		ta with	9ft co	rd B
			EMON	CAT6	er with 6 data w		
Model # 39943/5	pre-wired power	2 x AM 1 x HD	MP CAT -DB15	Γ5E da /VGA c	r with 1 ta with connecting stero	9ft co tor wit	rd h 10ft d
Model # 39943/6	pre-wired power				A5		
		1x HD	-DB15	/VGA c	data w connec ni stero	tor wit	h 10ft d
Model # 39944/5	site-wired power	2 x site		d powe	AO er with 6		
Model#	site-wired	1x HD	-DB15	/VGA c	connec ni stero	tor wit	h 10ft d
39944/6	power	2 x site 2 x SIE	EMON	d powe CAT6	A5 er with 6 data w	ith 10f1	cord
					connec ni stero		

Pre-configu	ured SIMPLE For	um (6	port	s 9¾	i"Lx	2" W	/)
Model # 39945/5	pre-wired power	1P	1P	AO	АО	HD	н
		2 x pre- 2 x AMI 1 x HDM 1 x USE	P CAT ⁄II cou	5E da pler wi	ta with ith 18" (9ft cord	
Model # 39945/6	pre-wired power	2 x pre- 2 x SIE 1 x HDM 1 x USE	MON MI cou	CAT6 pler wi	data w ith 18" (ith 10ft cord	
Model # 39946/5	site-wired power	1P-SW	1P-SW	AO	AO	HD	Н
		2 x site- 2 x AMF 1 x HDM 1 x USB	CAT II coup	5E dat oler wit	a with th 18" c	9ft cor ord	
Model # 39946/6	site-wired power	1P-SW	1P-SW	A 5	A 5	HD	н
		2 x site- 2 x SIEM 1 x HDM 1 x USB	MON (II coup	CAT6 o	data wi th 18" c	th 10ft ord	
Model # 39947/5	pre-wired power	1P	1P	1P	AO	AO	AO
		3 x pre- 3 x AMF					
Model # 39947/6	pre-wired power	1P	1P	1P	A 5	A 5	A5
		3 x pre- 3 x SIEM					
Model # 39948/5	site-wired power	1P-SW	1P-SW	1P-SW	AO	AO	AO
		3 x site- 3 x AMF					
Model # 39948/6	site-wired power	1P-SW	1P-SW	1P-SW	A 5	A 5	A5
		3 x site-	-wired	powe	r with 6	Sft meta	allic sh

Tyco SL Conpler Series

SIMPLE FORUM - SINGLE SIDED (SURFACE MOUNTED)

List Price Pre-configured SIMPLE Forum (6 ports, for client's own data fitting) Model #39951 pre-wired \$490 1P 1P 0 0 0 0 power 2 x pre-wired power with 10ft cord 4 x open port/data adapter to fit in clent's own data fitting and cord \$515 Model #39952 site-wired 1P-SW 0 0 0 0 1P-SW power 2 x site-wired power with 6ft metallic shielded cable 4 x open port/data adapter to fit in clent's own data fitting and cord Model #39953 pre-wired \$505 1P 1P 1P 0 0 0 power 3 x pre-wired power with 10ft cord 3 x open port/data adapter to fit in client's own data fitting and cord Model #39954 \$545 site-wired 1P-SW 1P-SW 1P-SW 0 0 0 power 3 x site-wired power with 6ft metallic shielded cable 3 x open port/data adapter to fit in client's own data fitting and cord

Each open port selected will be supplied with one set of data adapter kit contains 2 "AA", 2 "BB", 2 "CC", 2 "DD", 2 "EE", 2 "FF", 1 "GG" and 1 $\hbox{``HH". adapter. The data adapter can accommodate the following data fitting from manufacturer:}\\$

Adapter "AA"	Adapter "CC"	Adapter "FF"
Systimax/CommScope	Krone 6000 Series/ADC	Panduit Mini-Com Series
Uniprise/CommScope	Hubbell Xcelerator™ Keystone	
	Series	Adapter "GG"
Adapter "BB"		microphone jack / 3pin XLR, solder type
L-Com Keystone Modular	Adapter "DD"	only
Tyco SL/110 Connect Series Modular Jacks	blank	
Siemon Keystone Style		Adapter "HH"
Allen Tel Versa Tap Series	Adapter "EE"	Adapter "HH" - video monitor jack / DB-15,
Leviton Quick Port® Series	Ortronics TracJack Series	pand mount solder type.
Nordx Keystone Style		

CUSTOM SIMPLE FORUM	LIST PRICE
	\$270
CX4	
CX6-	\$290
CX6	

Select the elements as per below:

 	1P - 1 power receptacle with 10' white cord	\$110
[.I	1P-SW - 1 power receptacle hard wired with a 6' whip	\$130
	A0- AMP CAT5E data fitting with 9' connector cable A5 - SIEMON CAT 6 data fitting with 10' connector cable	\$125 \$145
•	C - Audio- 3.5mm Mini stereo Jack with 10' cord	\$70
	H - USB port 3.0 with 10ft cord	\$100
	2U - Stacked USB charger	\$135
. *	G - DB15HD, VGA connector, 10' cord	\$160
	HD - HDMI Coupler with 18" cord	\$160
	B - Blank plate	\$45
	O - Open port, for client's own data fitting. Each port selected will be supplied with one set of data adapter kit (see page 43)	\$45
	L - Belay 1" dia. hole opening rubber strain relief pass through cords	\$45

VOX® POWER DRAWER

POWER DRAWER WITH BASES

Vox® Power Drawers keep your table top clear and your technology tidy and discreet.


Power and connectivity have migrated from the top and into this sleek and concealed drawer. Introducing the Vox® Power Drawer, the latest addition to Vox® Connectivity.

The drawer is cleverly concealed within the table edge. International drawer clearance is 9.5" deep x 13 1/2" wide x 13/4" High. Once opened the drawer reveals a fully configurable, simple connectivity device and large area for containing excess cable.

Vox® table tops with Power Drawers are available with all Vox base styles. Power Drawers can be specified on Rectangular and Square shaped tables, and the straight sides of Racetrack and Boat shaped tables with a minimum table depth of 48" and up. (See typical layouts, pages 237-238)



Power Drawer with Access™ base



Edge Profile



Vox[®] Access™ base




Vox[®] T-leg[™] base



Vox[®] Duo™ base






The following are some examples of Power Drawer typical layouts on Vox® Rectangle, Racetrack, Boat and Square shape tables.

Note: 48" deep table tops must be in one piece (without support rails) in order to accommodate power drawers.


Rectangle shape:

Access base, Duo base, T-base, Taper base



Racetrack shape:

Access base, Duo base, T-base, Taper base





240"Lx54"D


with 12 Power Drawers


Boat shape:


Access base, Duo base, T-base, Taper base
















Square shape:


Square Access base, Quad base, Taper Legs




60"Lx60"D - Access base with 2 Power Drawers



66"L x 66"D - Quad base with 4 Power Drawers



72"Lx72"D - Quad base with 4 Power Drawers



72"L x 72"D - Taper Legs with 4 Power Drawers

VOX® POWER DRAWER

HOW TO ORDER

Step	One
------	-----

Select your model of Vox® Conference Table.

Vox® table tops with Power Drawers are available with all Vox® base styles (Access, Duo, T-Base, Taper & Tower). Power Drawers can be specified on Rectangular and Square shaped tables, and the straight sides of Racetrack and Boat shaped tables with a minimum table depth of 48" and up (see page 238-239).

Use this checklist to help select your Vox® conference table:

(a) Shape:	Rectangle	Racetrack	Boat	Square
------------	-----------	-----------	------	--------

(b) Dimension: L x _____ D x 30"H

(c) Edge: Taper Edge (only edge profile available for tables with Power Drawer)

(d) Finish: Standard Veneer Standard Post Forming Grade Plastic Laminate

(e) Base: Access Base Duo Base TBase Taper Base Tower Base Quad Base Square Access Base

Step Two

Add 3% upcharge to list price of the table selected in step one for additional cost of edge build up around perimeter of the table.

Step Three

Add the price of Vox® Power Drawer:


Model#	Dimension	List Price (per Drawer)
50070	Exterior: 151/2"W x 21"D x 43/8"H	\$1,090
	Interior: 13 ^{1/2} "W x 9 ^{1/2} "D x 1 ^{3/4} "H	

The drawer front is in solid wood finish to match veneer or P-Lam top of the table. Drawer is in silver powder coat finish (PC-01). Contact Nienkamper Customer Service at 1-800-668-9318 with any inquiries, or to request a quotation.

Step Four

Select pre-wired or site-wired power bar. Each power bar has 2 power and 1 stacked USB charger. Then configure your own required ports at Step Five.






Model#	Description	Base Model List Price (per power bar)
50071	PD-1P-1P-2U 2 pre-wired power with 120" cord & plug and 1 stacked USB charger	\$780
50072	PD-1PSW-1PSW-2U 2 site-wired power with 72" whip and 1 stacked USB charger	\$820

Step Five

Select fittings for 3 open ports with model #50071J (pre-wired power bar) or 50072J (site-wired power bar) that can be populated with and add the price to list price of power bar in step four.

	AO - AMP CAT5E data fitting with 9' connector cable A5 - SIEMON CAT 6 data fitting with 10' connector cable	\$125 \$145
•	C - Audio-3.5mm Mini stereo Jack with 10' cord	\$70
	H - USB port 3.0 with 10ft cord	\$100
. *	G - HDDB15, VGA connector, 10' cord	\$160
	HD - HDMI Coupler with 18" cord	\$160
	B - Blank plate	\$45
	O - Open port, for client's own data fitting. Each port selected will be supplied with one data adapter kit. See page 241	\$45
\bigcirc	L - Belay 1" dia. hole opening rubber strain relief pass through cords	\$45

Below is an example of power bar with model #50071&50071J-AO-AO-HD list price \$1,070.



YOUR CONFIGURATION

BASE:	Power Drawer
FINISH:	White
WIRING:	Pre wired with 120" whip
POSITION 1:	1P Power fitting
POSITION 2:	1P Power fitting
POSITION 3:	2U USB charging
POSITION 4:	AO AMP CAT5E data fitting with 9' cord
POSITION 5:	AO AMP CAT5E data fitting with 9' cord
POSITION 6:	HD HDMI couple with 18" cord