# **Vox® Folding Table**



## VOX° FOLDING TABLE | BASE, SURFACE, EDGE DETAILS

### **Surface Shapes**

Tops are 1" thick for Solid base and 3/4" thick for Tubular base. Two shapes are available for each base style.




#### **Finishes**


All standard Nienkämper veneer and laminates including white marker board laminate.

## **Edge Details**

Tubular base with 3/4" thick top



## Solid base with 1" thick top



The edge detail at the seam is always in self edge with same finish as the top i.e. veneer or P-Lam.


#### **Bases**

Two types of bases are available for Vox® Folding Conference Tables, Tubular Bases and Solid Bases. Tubular Bases have two sizes, small tubular bases for folding tables 96"l or below and large tubular bases for folding tables 111"L & 120"L. Solid bases accommodate tables from 111"L & 120"L.

Bases are available in polished chrome or Black Powder Coat finish.




#### **Side Elevation of Base**




#### **Sizes**

Vox Folding Conference Tables are available in the following sizes:

	Dimension					
Type of Base	Length	Width	Height			
Tubular Base	80", 84" & 96"	36" & 42"	28½"			
Tubular base	111" & 120"	42"	2072			
Solid Base	113" & 120"	42" & 48"	28¾"			





## **VENEERS**

All wood surfaces are protected with a durable polyurethane clear laquer with UV inhibitor. This finish is known for its exceptional durability, as well as abrasion, chemical, impact and scratch resistance. Standard sheen level is 45 degrees. Optional 10 and 35 degree sheen levels are available on request at no additional cost.


<b>Wood Species</b>	Order Code	Veneer/Stain	Upcharge
Maple	F-01	Natural Maple	No upcharge applies.
	F-02	Natural Curly Maple - Rotary Cut	Add 15%.
	F-03	Natural Bird's Eye Maple - Rotary Cut	Call Customer Service for pricing.
	F-04	Maple Stained Pear	No upcharge applies.
Cherry	F-05	Natural Cherry	No upcharge applies.
	F-06	Standard Cherry	No upcharge applies.
	F-07	Cherry Stained Amber	No upcharge applies.
	F-08	Cherry Stained Auburn	No upcharge applies.
	F-09	Cherry Stained Burgundy	No upcharge applies.
Mahogany	F-10	Light Mahogany	No upcharge applies.
	F-11	Medium Mahogany	No upcharge applies.
	F-12	Dark Mahogany	No upcharge applies.
	F-13	Red Mahogany	No upcharge applies.
Anagre	F-14	Natural Figured Anagre - Qtr. Cut Book-Match	Add 15%.
	F-15	Figured Anagre Stained Amber - Qtr. Cut Book-Match	Add 15%.
Sycamore	F-16	Natural Figured Sycamore - Qtr. Cut Book-Match	Add 15%.
Walnut	F-17	Burnt Walnut	No upcharge applies.
	F-19	Natural Walnut	No upcharge applies.
	F-24	Carbon Grey Walnut	No upcharge applies.
White Oak	F-18	Natural White Oak - Flat Cut Book-Match (10° sheen)	No upcharge applies.
		Natural White Oak - Rift Cut Slip-Match (10° sheen)	Add 5%
Sapele - Ribbon Stripe	F-20	Natural Ribbon Strip Sepele - Qtr. Cut Slip-Match	No upcharge applies.
Moabe (Cherry substitute)	F-21	Natural Moabe - Quarter - Qtr. Cut Book-Match	No upcharge applies.
Cape Coast Walnut	F-22	Dark Cape Coast Walnut - Qtr. Cut Slip-Match	No upcharge applies.
	F-23	Natural Cape Coast Walnut - Qtr. Cut Slip-Match	No upcharge applies.
Ash	F-25	Slate Grey Ash - Qtr. Cut Slip-Match	No upcharge applies.

### **VENEER GRAIN OPTIONS**


Nienkamper products utilize the best quality veneers available, and, combined with Nienkämper's patented veneering systems, create work environments of incredible quality and beauty.

All veneer furniture comes standard with flat cut book-match veneer; flat cut slip-match veneer can also be specified. Quarter cut slip-match and quarter cut book-match veneers are available at a 5% upcharge. Figured Anagre and Figured Sycamore veneers are Quarter cut book-matched. Bird's Eye Maple and Curly Maple are rotary cut.


Facet Edge, Taper edge and Flowform edge tops with veneer are manufactured with a solid wood edge. All edges are then veneer wrapped to create a seamless profile top.




Standard V Flat Cut Book-Match



Flat Cut Slip-Match V2



Quarter Cut Slip-Match V3 Add 5%



Quarter Cut Book-Match V4 Add 5%

#### Wood grain plastic laminate surfaces are available on table tops with Self and Taper edges.

Nienkämper has pre-selected a number of standard wood grain plastic laminates that represent a cross section of both color and species. Simply include the order code with the model number to make these selections. Alternatively wood grain plastic laminates selected outside of Nienkämper's standard selection can be made by specifying the manufacturer as well as the description and model number of the laminate at the time of order.

#### **Wood Edging**

These tops are manufactured with a solid wood edge that is applied prior to the laminate top surface. This method conceals the thickness of the wood edge, while providing the durability required. Wood edges are selected that most closely resemble both the species and the color of the laminate chosen.

Laminate Edging on Taper and Self edge tops. Edging will match the top surface and is applied prior to the surface laminate. By applying the laminate in this way the seam is positioned horizontally, is much less conspicuous as well as more durable.

**Translucent Edging** on Taper and Self edge tops is applied after the surface laminate. The translucent edge is very durable. Clear translucent edge provides a good match with most white colored laminates, while silver translucent edge provides a metallic look and contrast to colored plastic laminates.



Wood Grain Plastic Laminate Surfaces	<b>Order Code</b>	Manufacturer#	Finish
Champagne Sagawood	WL1	Nevamar WM8349T	Textured
Hardrock Maple	WL2	Pionite WM791-SD	Textured/Suede
Amber Curly Maple	WL3	Pionite WM221-SD	Textured/Suede
Anagre	WL4	Pionite WX041-SD	Textured/Suede
Monticello Maple	WL5	Wilsonart 7925-38	Fine Velvet Texture
Millwork Cherry	WL7	Pionite WC431PV	PV-Polished Velvet
Figured Anagre	WL8	Formica7284-58	Matte
Huntington Maple	WL9	Wilsonart 7929-38	Fine Velvet Texture
Wild Cherry	WL10	Formica 5904.43	Artisan
Amber Cherry	WL11	Wilsonart 7919.38	Fine Velvet Texture
Figured Mahogany	WL12	Wilsonart 7040A-60	Matte
Fusion Maple	WL13	Wilsonart 7909-78	Fine Grain
New Age Oak	WL14	Wilsonart 7938-78	Fine Grain
Natural Pear	WL15	Wilsonart 7061-78	Fine Grain
Tuscan Walnut	WL16	Wilsonart 7921-78	Fine Grain
Nepal Teak	WL17	Wilsonart 7209-78	Fine Grain
Wild Cherry	WL18	Wilsonart 7054-78	Fine Grani
River Cherry	WL19	Wilsonart 7937-78	Fine Grain
Montana Walnut	WL20	Wilsonart 7110-78	Fine Grain
Sanara	WL21	Wilsonart 7932-78	Fine Grain
Windsor Mahogany	WL22	Wilsonart 7039-78	Fine Grain
Williamsburg Cherry	WL23	Wilsonart 7936-78	Fine Grain
Florence Walnut	WL25	Wilsonart 7993-78	Fine Grain
Skyline Walnut	WL26	Wilsonart 7964K-12	Soft Grain
Sterling Ash	WL27	Wilsonart 7995-78	Fine Grain

To specify the wood grain laminate required simply add the Order Code WL\_ to the model number of the product.

Wood grain laminate samples are available from your local sales representative or by calling Nienkämper's customer service department at 1-800-668-9318.

## **VOX® FOLDING TABLE | LAMINATES**

#### **COLOURED P-LAM**

Both Taper and Self edge profiles are available with a colored laminate top.

Laminate Edging on Taper and Self edge tops. Edging will match the top surface and is applied prior to the surface laminate. By applying the laminate in this way the seam is positioned horizontally, is much less conspicuous as well as more durable.

**Wood Edging** on Taper and Self Edge tops is applied prior to the laminate. By applying the wood edge in this way the thickness of the wood edge is concealed, while providing the durability required. Wood species and finishes for edging, can be selected from page 3-4.

**Translucent Edging** on Taper and Self edge tops is applied after the surface laminate. The translucent edge is very durable. Clear translucent edge provides a good match with most white colored laminates, while silver translucent edge provides a metallic look and contrast to colored plastic laminates.

For laminates specified outside of Nienkämper's standard selection, specify the manufacturer as well as the description and model number of the laminate selected at time of order. Note upcharges may apply for non-standard P-Lam, please check with Customer Service at 1800 668 9318.

Coloured Plastic Laminates Surface	Order Code	Manufacturer#	Finish
Grey (Nienkämper - Light Grey/Putty)	CL-01	Wilsonart 1500-60	Matte
Platinum Gray (Nienkämper - Medium Grey/Clay)	CL-02	Nevamar S6023T	Textured
Slate Grey (Nienkämper - Dark Grey)	CL-03	Wilsonart D91-60	Matte
Black	CL-04	Wilsonart 1595-60	Matte
Angel White	CL-05	Pionite SW-826SD	Textured Suede
Frosty White	CL-06	Wilsonart 1573-60	Matte
White (for writable surfaces)	CL-07	Formica 949-90	Gloss

Add the order code behind the edge profile when specifying.

### NIENKÄMPER COLOURED "FINGERPRINT RESISTANCE" P-LAM

Fingerprint Resistance Plastic Laminate is an innovative material created for interior design applications and is suitable for both vertical and horizontal interior applications on our Nienkämper furniture.

The external surface of Fingerprint Resistance Plastic Laminate involves the use of nanotechnology made possible by next generation acrylic resins.

The unique composition offers extraordinary features coupled with a unique user experience. These include an ultra matt surface (eliminating glare), an ultra sofa feel, an anti-fingerprint surface, thermal healing of micro-scratches, increased durability as well as anti-bacterial and mold-resistant properties.

**Edgeband** with matching color to the Fingerprint Resistance Plastic Laminate is only available on taper edge. For 1" thick top with self edge, same Fingerprint Resistance Plastic Laminate can be specified or it can be in clear/silver translucent edge.

There is a 10% upcharge on our standard plastic laminate pricing for Fingerprint Resistance Plastic Laminate.

Colored "Fingerprint Resistance" Plastic Laminate Surface	Order Code	Finish
Black	RL-01	Matte
Gray	RL-02	Matte
Pure White	RL-03	Matte
Sand	RL-04	Matte
Bronze	RL-05	Matte

Order Code
RE-01
RE-02
RE-03
RE-04
RE-05

## **VOX° FOLDING TABLE**RECTANGLE SHAPE - TUBULAR BASES



## **Rectangle shape - Tubular Bases**

34" thick top, 281/2" H

34" thick 16 degree Taper Edge (TE-16) ¾" thick Self Edge (SE)





Polished Chrome Base



L" :	X D"	Sugg Seat Capacity	Top Finish	Top Sections	Model Number	List Price	L"	X D"	Sugg Seat Capacity	Top Finish	Top Sections	Model Number	List Price
													-
78	36	4-6	Veneer	2	57603/2	6,410	78	36	4-6	Veneer	2	57643/2	6,115
8	36	4-6	Laminate	2	57603/5	5,435	78	36	4-6	Laminate	2	57643/5	5,160
34	36	6-8	Veneer	2	57604/2	6,545	84	36	6-8	Veneer	2	57644/2	6,265
34	36	6-8	Laminate	2	57604/5	5,535	84	36	6-8	Laminate	2	57644/5	5,240
96	36	6-8	Veneer	2	57605/2	7,030	96	36	6-8	Veneer	2	57645/2	6,430
96	36	6-8	Laminate	2	57605/5	6,030	96	36	6-8	Laminate	2	57645/5	5,410
<b>'</b> 8	42	4-6	Veneer	2	57606/2	6,785	78	42	4-6	Veneer	2	57646/2	6,495
'8	42	4-6	Laminate	2	57606/5	5,675	78	42	4-6	Laminate	2	57646/5	5,380
34	42	6-8	Veneer	2	57607/2	6,825	84	42	6-8	Veneer	2	57647/2	6,540
34	42	6-8	Laminate	2	57607/5	5,780	84	42	6-8	Laminate	2	57647/5	5,505
96	42	6-8	Veneer	2	57608/2	7,395	96	42	6-8	Veneer	2	57648/2	7,030
96	42	6-8	Laminate	2	57608/5	6,260	96	42	6-8	Laminate	2	57648/5	5,905
111	42	6-8	Veneer	2	57609/2	7,755	111	42	6-8	Veneer	2	57649/2	7,395
11	42	6-8	Laminate	2	57609/5	6,415	111	42	6-8	Laminate	2	57649/5	6,060
20	42	6-8	Veneer	2	57610/2	8,065	120	42	6-8	Veneer	2	57650/2	7,710
20	42	6-8	Laminate	2	57610/5	6,675	120	42	6-8	Laminate	2	57650/5	6,320

## VOX° FOLDING TABLE RECTANGLE SHAPE - SOLID BASES



## **Rectangle shape - Solid Bases**

1" thick top, 28¾" H

1" thick 16 degree Taper Edge (TE-16) 1" thick Self Edge (SE)







Polished Chrome Base



L"	x	D"	Sugg Seat Capacity	Top Finish	Top Sections	Model Number	List Price	L"	х	<b>D</b> "	Sugg Seat Capacity	Top Finish	Top Sections	Model Number	List Price
111		42	6-8	Veneer	2	57612/2	8,785	111	4	12	6-8	Veneer	2	57652/2	7,810
111		42	6-8	Laminate	2	57612/5	7,605	111	4	12	6-8	Laminate	2	57652/5	6,635
111		48	6-8	Veneer	2	57613/2	9,310	111	4	48	6-8	Veneer	2	57653/2	8,330
111		48	6-8	Laminate	2	57613/5	7,875	111	4	48	6-8	Laminate	2	57653/5	6,900
120		42	6-8	Veneer	2	57615/2	9,020	120	4	12	6-8	Veneer	2	57655/2	8,045
120		42	6-8	Laminate	2	57615/5	7,695	120	4	12	6-8	Laminate	2	57655/5	6,720
120		48	8-10	Veneer	2	57616/2	9,520	120	4	48	8-10	Veneer	2	57656/2	8,540
120		48	8-10	Laminate	2	57616/5	7,955	120	4	18	8-10	Laminate	2	57656/5	6,985

## **VOX® FOLDING TABLE**

## RECTANGLE SHAPE WITH SOFT CORNERS - TUBULAR BASES



## Rectangle shape with soft corners (4" radius corner) - Tubular Bases

34" thick top, 281/2" H

34" thick 16 degree Taper Edge (TE-16) 34" thick Self Edge (SE)





Polished Chrome Base



_" >	( D"	Sugg Seat Capacity	Top Finish	Top Sections	Model Number	List Price	L" )	( D"	Sugg Seat Capacity	Top Finish	Top Sections	Model Number	List Price
78	36	4-6	Veneer	2	57623/2	6,720	78	36	4-6	Veneer	2	57663/2	6,430
78	36	4-6	Laminate	2	57623/5	5,720	78	36	4-6	Laminate	2	57663/5	5,410
34	36	6-8	Veneer	2	57624/2	6,880	84	36	6-8	Veneer	2	57664/2	6,585
34	36	6-8	Laminate	2	57624/5	5,805	84	36	6-8	Laminate	2	57664/5	5,515
96	36	6-8	Veneer	2	57625/2	7,390	96	36	6-8	Veneer	2	57665/2	6,745
96	36	6-8	Laminate	2	57625/5	6,320	96	36	6-8	Laminate	2	57665/5	5,690
78	42	4-6	Veneer	2	57626/2	7,125	78	42	4-6	Veneer	2	57666/2	6,825
78	42	4-6	Laminate	2	57626/5	5,950	78	42	4-6	Laminate	2	57666/5	5,645
34	42	6-8	Veneer	2	57627/2	7,170	84	42	6-8	Veneer	2	57667/2	6,875
34	42	6-8	Laminate	2	57627/5	6,080	84	42	6-8	Laminate	2	57667/5	5,770
96	42	6-8	Veneer	2	57628/2	7,765	96	42	6-8	Veneer	2	57668/2	7,390
96	42	6-8	Laminate	2	57628/5	6,575	96	42	6-8	Laminate	2	57668/5	6,200
111	42	6-8	Veneer	2	57629/2	8,145	111	42	6-8	Veneer	2	57669/2	7,765
11	42	6-8	Laminate	2	57629/5	6,730	111	42	6-8	Laminate	2	57669/5	6,350
20	42	6-8	Veneer	2	57630/2	8,475	120	42	6-8	Veneer	2	57670/2	8,100
20	42	6-8	Laminate	2	57630/5	7,015	120	42	6-8	Laminate	2	57670/5	6.645

## **VOX® FOLDING TABLE**

## RECTANGLE SHAPE WITH SOFT CORNERS - SOLID BASES



## Rectangle shape with soft corners (4" radius corner) - Solid Bases

1" thick top, 28¾" H

1" thick 16 degree Taper Edge (TE-16)







Polished Chrome Base



L"	x	D"	Sugg Seat Capacity	Top Finish	Top Sections	Model Number	List Price	L"	х	D"	Sugg Seat Capacity	Top Finish	Top Sections	Model Number	List Price
111		42	6-8	Veneer	2	57632/2	9,225	111		42	6-8	Veneer	2	57672/2	8,200
111		42	6-8	Laminate	2	57632/5	7,990	111		42	6-8	Laminate	2	57672/5	6,970
111		48	6-8	Veneer	2	57633/2	9,775	111		48	6-8	Veneer	2	57673/2	8,740
111		48	6-8	Laminate	2	57633/5	8,275	111		48	6-8	Laminate	2	57673/5	7,250
120		42	6-8	Veneer	2	57635/2	9,475	120		42	6-8	Veneer	2	57675/2	8,450
120		42	6-8	Laminate	2	57635/5	8,090	120		42	6-8	Laminate	2	57675/5	7,060
120		48	8-10	Veneer	2	57636/2	10,000	120		48	8-10	Veneer	2	57676/2	8,970
120		48	8-10	Laminate	2	57636/5	8,355	120		48	8-10	Laminate	2	57676/5	7,335

## **M&NSERIES FORUM**


M & N Series Forum are available in a wide range of configurations for power, data and audio/video requirement. Configure your require M & N Series Forum on our web site at this link www.nienkamper.com/vfc

## SIMPLE POP UP FORUM - Single sided (Surface mounted)



Pre-configu	red SIMPLE Pop l	Up Forum	List Price
Model # 85190	pre-wired power (2 ports)	1P 1P	\$515
		cutout dimension: 5"W x 4"D 2 x pre-wired power with 10ft cord	
Model # 85191	pre-wired power (3 ports)	1P 1P 1P	\$530
		cutout dimension: 61/2"W x 4"D 3 x pre-wired power with 10ft cord	
Model # 85192	pre-wired power (3 ports)	1P 1P AO	\$605
		cutout dimension: 61/2"W x 4"D 2 x pre-wired power with 10ft cord 1 x AMP CAT5E data with 9ft cord	
Model # 85193	pre-wired power (3 ports)	1P 1P A5	\$640
		cutout dimension: 61/2"W x 4"D 2 x pre-wired power with 10ft cord 1 x Siemon CAT6 data with 10ft cord	
Model # 85197	pre-wired power (4 ports)	1P 1P 0	\$530
		cutout dimension: 61/2"W x 4"D 2 x pre-wired power with 10ft cord 1 x open port / data adapter to fit in client's own data fitting and cord	
Model # 85194	pre-wired power (3 ports)	1P 1P 2U	\$610
		cutout dimension: 61/2"W x 4"D 2 x pre-wired power with 10ft cord 2 x USB-A charger (stacked)	
Model # 85195	pre-wired power (4 ports)	1P 1P AO AO	\$660
		cutout dimension: 8"W x 4"D 2 x pre-wired power with 10ft cord 2 x AMP CAT5E data with 9ft cord	

FORUMS List Price





## SIMPLE POP UP FORUM - DOUBLE SIDED (SURFACE MOUNTED)

## **Pre-configured SIMPLE Pop Up Forum**

**List Price** 

Model #85205 pre-wired power

(each side - 2 ports)

Side A: 1P 1P \$1,055

\$1,320

Side B:

cutout dimension: 5"W x 7-11/16"D Side A: 2 x pre-wired power with 10ft cord Side B: 2 x pre-wired power with 10ft cord (Provides a total of 4 x pre wired power)

Model #85206 pre-wired power

(each side - 3 ports)

Side A:

2U 1P

Side B:



cutout dimension: 6-1/2"W x 7-11/16"D

Side A: 2 x pre-wired power with 10ft cord

2 x USB-A Charger (stacked)

Side B: 2 x pre-wired power with 10ft cord

2 x USB-A Charger (stacked)

(Provides a total of 4 x pre wired power & 4 x USB Charger)

Model # 85208 pre-wired power Side A: \$1,495 1P 1P Α5 Α5 (each side - 4 ports) Side B: А5 cutout dimension: 8"W x 7-11/16"D Side A: 2 x pre-wired power with 10ft cord 2 x Siemon CAT6 data with 10ft cord Side B: 2 x pre-wired power with 10ft cord 2 x Siemon CAT6 data with 10ft cord (Provides a total of 4 x pre wired power & 4 x Siemon CAT6 data) Model # 85209 pre-wired power \$1,085 Side A: 1P 1P 0 0 (each side - 4 ports) Side B: 1P 1P 0 cutout dimension: 8"W x 7-11/16"D Side A: 2 x pre-wired power with 10ft cord 2 x open port/data adapter to fit in client's own data fitting and cord Side B: 2 x pre-wired power with 10ft cord 2 x open port/data adapter to fit in client's own data fitting and cord (Provides a total of 4 x pre wired power & 4 x open ports) Model # 85210 pre-wired power Side A: \$1,335 1P 1P 2U 0 (each side - 4 ports) Side B: 1P 1P 2U 0 cutout dimension: 8"W x 7-11/16"D Side A: 2 x pre-wired power with 10ft cord, 2 x USB-A Charger (stacked) 1x open port/data adapter to fit in client's own data fitting and cord Side B: 2 x pre-wired power with 10ft cord, 2 x USB-A Charger (stacked)

 $1 \times 0$  open port/data adapter to fit in client's own data fitting and cord (Provides a total of  $4 \times 0$  pre wired power,  $4 \times 0$  USB Charger  $2 \times 0$  open ports)

## FORUMS - SIMPLE POP UP FORUM

Note:

- Finish is standard in clear anodized aluminum.
- For power cord with 6ft long, please add a letter "B" at the end of model #.
- Site-wired / hard-wired power with 72" metallic shielded cable is available with an upcharge of \$60 list per 2 power. Please add a letter "H" at the end of model #.

Each open port selected will be supplied with one set of data adapter kit contains 2 "AA", 2 "BB", 2 "CC", 2 "DD", 2 "EE", 2 "FF", 1 "GG" and 1 "HH". adapter. The data adapter can accommodate the following data fitting from manufacturer:

## Adapter "AA"

Systimax/CommScope Uniprise/CommScope

#### Adapter "BB"

L-Com Keystone Modular
Tyco SL/110 Connect Series Modular Jacks
Siemon Keystone Style
Allen Tel Versa Tap Series
Leviton Quick Port® Series
Nordx Keystone Style
Tyco SL Conpler Series

## Adapter "CC"

Krone 6000 Series/ADC Hubbell Xcelerator™ Keystone Series

#### Adapter "DD"

blank

#### Adapter "EE"

Ortronics TracJack Series

### Adapter "FF"


Panduit Mini-Com Series

#### Adapter "GG"


microphone jack / 3pin XLR, solder type only

### Adapter "HH"


Adapter "HH" - video monitor jack / DB-15, pand mount solder type.



- Snap in fitting adapters are also provide for 3-pin XLR microphone jack (solder type only) and DB-15 video monitor jack (panel mount solder style only)
  - Snap in fitting adapters are also provide for 3-pin XLR microphone jack (solder type only) and DB-15 video monitor jack (panel mount solder style only)



Positioning of Simple Pop Up Forum (Single Sided - 4 Ports) on Vox® Folding Table with Tubular bases.



Positioning of Simple Pop Up Forum (Double Sided – Each Side with 4 Ports) on Vox\* Folding Table with Solid bases.

Client can configure their own SIMPLE Pop Up Forum by selecting a base model and require elements.

(4 Ports	lodel For Simple Pop Up Forum s) #: CX4P	<u>†</u>	\$450
(6 Ports	lodel For Simple Pop Up Forum s) #: CX6P	<u> </u>	\$505
(Each S	Iodel For Simple Pop Up Forum – Double Sided Side – 4 Ports) #: CX8PD-A (Side A) CX8PD-B (Side B)	Side A  Side B	\$960
(Each S	lodel For Simple Pop Up Forum – Side By Side Side – 4 Ports) #: CX8PS-1 (Side 1) CX8PS-2 (Side 2)	Side 2  Side 1	\$1,000
Select	the elements as per below:		
I.I	1P - 1 power receptacle with 10' white cord		\$110
[.]	1P-SW - 1 power receptacle hard wired with a 6' whip		\$130
	A0- AMP CAT5E data fitting with 9' connector cable A5 - SIEMON CAT 6 data fitting with 10' connector c		\$125 \$145
•	C - Audio- 3.5mm Mini stereo Jack with 10' cord		\$70
	H - USB port 3.0 with 10ft cord		\$100
	2U - Stacked USB charger		\$135
. <b>•</b>	G - DB15HD, VGA connector, 10' cord		\$160
	HD - HDMI Coupler with 18" cord		\$160
	B - Blank plate		\$45
	O - Open port, for client's own data fitting. Each port supplied with one set of data adapter kit (see page 4		\$45
$\bigcirc$	L - Belay 1" dia. hole opening rubber strain relief pass	through cords	\$45

Model Number	List Price	'Product Description

## **VOX® PLASTIC GROMMET**



70286 (black)	\$60
70287 (cool grey)	\$60
70288 (warm grey)	\$60

This large rectangular plastic grommet has capacity for the most demanding wire management needs. When not in use the hinged cover swings up to close the grommet. Overall dimension is  $4^nL \times 2^nW$  (interior clearance -  $3^{5/8}L \times 1^{5/8}W$ ).

Available in three colours to coordinate with a variety of top finishes.

## **VOX® CABLE CONDUIT**

Vox® Expandable Cable Conduit



55024-B black	\$970
55024-S silver	\$970
55024-C clear	\$970



The Vox® Expandable Cable Conduit is made of woven, flexible plastic wire. Its unique properties allow it to expand and contract to allow for different cable capacities.

A "U" bracket at the top attaches to the support rail.

An 8" diameter counter weight is incorporated at the base which can be positioned to accommodate core drills or receptacle positions. Inside hole diameter is 3.5".

Cable capacity range is from two inches to four inches.

Shipped with extra length, the Vox expandable cable conduit can easily be shortened on site if required.



## nienkämper

