

Vox[®] Monogram[™]

Mark Muller



nienkämper
International Inc.

www.nienkamperlibrary.com

Prices include freight charges, blanket wrapped, dock delivered, from the manufacturing source to any location in the contiguous United States. Packing and/or crating are available, if required, upcharges apply.

Vox[®] Monogram[™]

DESIGN - MARK MÜLLER

Libraries, learning centres and other public spaces aren't static environments; they require technologically advanced, computer-compatible furniture that can be easily reconfigured, added to, and set at just the right height for people – whatever their age and level of mobility. These venues also need to make efficient use of all available floor space, even awkwardly shaped spaces.

In response to the real furniture needs of libraries and other facilities, Nienkamper is proud to introduce Vox Monogram Tables.



NIENKÄMPER LIBRARY REPRESENTATIVES

California	Yamada Enterprises 16552 Burke Ln, Huntington Beach, CA 92647 info@yamadaenterprises.com	Tel Fax	(714) 843-9882 (714) 843-9202
Arizona	Arizona School Furnishings 7885 North Glen Harbor Blvd., Glendale, AR 85037 info@azschoolfurnishings.com	Tel	(602) 484-7331
Illinois	Library Furniture International 1945 Techny Rd #10, Northbrook, IL 60062 info@libraryfurniture-intl.com	Tel Fax	(847) 564-9497 (847) 564-9337
North/South Carolina & Georgia	SOURCEinteriors 420 Kingsgate Court, Simposonville, SC 29681 markpmall@bellsouth.net	Tel Fax	(864) 354-5093 (864) 751-1699
Virginia, Maryland, Washington, DC & Delaware	Douron 10 Painters Mill Rd, Owings Mills, MD 21117 John Davenport: jdavenport@douron.com	Tel	(410) 363-2600
Texas	Shelton-Keller Group 6301 East Stassney Lane, Building 9-100, Austin, TX 78744 dkeller@sheltonkeller.com	Tel Fax	(512) 481-1500 (512) 481-1550







SALES REPRESENTATIVES	4
TABLE OF CONTENTS	5
INTEGRATED FINISHES PROGRAM	6-7
VOX MONOGRAM	
Base Element – Fixed	8
Base Element – Height Adjustable	8
Top – Shroud	8
Joiner Bracket	8
Cable Manger	9
Wire Management Clips	9
CPU Holder – Loop	9
Monitor Arm – M2	9
Lap top Power Options	9
VOX CORE TOWER	
Core Tower – Hard-wired	10
Core Tower – Soft-wired	10
Supplementary Support Plate	10
Core Tower – Power details – Hard-wired	11
Core Tower – Power details – Soft-wired	12
INSTALLATION CABLING DETAILS: Hardwired Core Tower	
Small form factor CPU	13
Standard CPU below top	14
Laptop with desktop power element	15
INSTALLATION CABLING DETAILS: Softwired Power Strips	
Small form factor CPU	16
Standard CPU below top	17
CONFIGURATIONS	
Plan View Layouts with Core Towers	18
TERMS AND CONDITIONS	19

INTEGRATED FINISHES PROGRAM

The Integrated Finishes Program (IFP) is a collection of materials, surfaces, colours and species that all work together to provide the best possible combination of quality and value.

This program brings together the finest real wood finishes with a co-ordinated printed paper melamine and matching high pressure laminate palette.

These co-ordinated materials provide a wide range of contemporary finishes that ensure whatever your budget there is an option that will be beautiful, enduring and cost effective.




VENEER/LAMINATE/MELAMINE

Base Finish Code	Wood Species	Veneer Code *	Laminate Code	Base Finish Code	Wood Species	Veneer Code *	Laminate Code
IFP - 01	Maple	IFP - 01V	IFP - 01L	IFP - 09	Walnut	IFP - 09V	IFP - 09L
IFP - 02	Maple	IFP - 02V	IFP - 02L	IFP - 10	Walnut	IFP - 10V	IFP - 10L
IFP - 03	Cherry	IFP - 03V	IFP - 03L	IFP - 11	Walnut	IFP - 11V	IFP - 12L
IFP - 04	Cherry	IFP - 04V	IFP - 04L	IFP - 12	Walnut	IFP - 12V	IFP - 12L
IFP - 05	Cherry	IFP - 05V	IFP - 05L	IFP - 13	Walnut	IFP - 13V	IFP - 13L
IFP - 06	Cherry	IFP - 06V	IFP - 06L	IFP - 14	Anagre	IFP - 14V	IFP - 14L
IFP - 07	Cherry	IFP - 07V	IFP - 07L	IFP - 15	Walnut	IFP - 15V	IFP - 15L
IFP - 08	Cherry	IFP - 08V	IFP - 08L	IFP - 16	Walnut	IFP - 16V	IFP - 16L

IFP STANDARD VENEER GRAIN

All IFP finishes are standard with flat cut book-match veneer.



VOX MONOGRAM

DESIGN – MARK MÜLLER

	Top Finish	Model Number	W" x	D" x	H"	List Price	Product Description
FIXED HEIGHT	Wood	57501/1	40 ⁵ / ₈ "	30 ³ / ₄ "	29"	3,690	The Vox Monogram series is designed to provide a flexible computer workstation for libraries and public spaces.
	P-Lam	57501/2	40 ⁵ / ₈ "	30 ³ / ₄ "	29"	3,535	
PNEUMATIC HEIGHT	Wood	57502/1	40 ⁵ / ₈ "	30 ³ / ₄ "	26-42"	4,160	The basic element is a triangular top that is supported by a 2 ³ / ₄ " diameter leg and an 18" diameter counter balanced base. Monogram tables can be nested in a pentagonal shape with up to 5 individuals working around a single power /data source.
	P-Lam	57502/2	40 ⁵ / ₈ "	30 ³ / ₄ "	26-42"	4,000	
SHROUD	Wood	57503/1	38 ⁷ / ₈ "	20 ³ / ₄ "	10"	1,745	The shape of the table top also allows it to be rotated beside adjoining tops. This option provides the opportunity to join a series of tables in a large range of geometric configurations.
	P-Lam	57503/2	38 ⁷ / ₈ "	20 ³ / ₄ "	10"	1,535	
	Paint	57503/3	38 ⁷ / ₈ "	20 ³ / ₄ "	10"	1,515	
	Acrylic	57503/4	38 ⁷ / ₈ "	20 ³ / ₄ "	10"	2,645	
JOINER BRACKET	Paint	57504	15"	4 ⁷ / ₈ "	3 ⁹ / ₁₆ "	included	A pneumatic height adjustable column is also available adding flexibility for reducing heights in junior areas or standing height requirements. An optional lockout feature ensures that patrons do not access the height adjustable feature when it is not required.

Standard features include:

2" x 4" plastic grommet in warm or cool grey as well as black or white
 3/4" thick top with laminate and a 2 mm thick high impact acrylic edging.
 Or wood veneer with 1/8" solid wood edging
 Pencil round edges
 Metallic silver painted disc base and column

A thin wooden shroud is an optional feature that provides both a privacy screen as well as a substantial concealment for electrical components and cables that exit the backs of computer equipment. Shrouds have small aluminum pins attached to them that are then mounted into the top.

Joiner brackets connect Monogram table bases together, ensuring that spacing around tables as well as core towers is maintained when multiple tables are combined. This is particularly important to prevent pinching between height adjustable surfaces. Joiner plates are predrilled to accept any position possible for each table. Metallic Silver Paint

	Finish	Model Number	W" x	D" x	H"	List Price	Product Description
CABLE MANAGER							<p>When computer cables are routed through the grommet in the Monogram table they channel into this cable manager. It is attached under the top and directly below the grommet allowing cables to be fed into a flexible plastic mesh conduit. The silver coloured conduit has a large capacity for cables that are then placed into the vertical power element (Vox Core Tower).</p>
	Silver	57505	4"	2 1/2"	24"	included	
WIRE MANAGEMENT CLIPS							<p>Two wire-management clips are included with the table, two sided tape attaches them to the underside of the top. This is only required when tops are rotated away from one another and cabling must run along the side of a top and enter the Core Tower. ABS</p>
	Black	57506	2 1/2"	2"	7/8"	included	
CPU HOLDER - LOOP							<p>The Loop CPU holder uses a thin but very strong nylon strap to hold the CPU in place. The CPU strap is tightened with a ratchet mechanism, which prevents unauthorized loosening without the correct tool. Loop is ideal for Monogram tables because of its compact footprint which reduces obstruction.</p> <p>Adjust to fit CPU from 3 3/4" x 8 1/4" wide by 11 1/2" x 19 1/2" high</p>
	Black	70636	12"	6"	3"	495	
MONITOR ARM - M2							<p>Ultra thin profile with a clean aesthetic as well as superb functionality are the key features behind this monitor arm.</p> <p>An automatic spring mechanism offers dynamic and smooth adjustability with a lifetime warranty. Accommodates monitor 24" in size and up to 20lbs</p> <p>Integrated cable management</p> <p>Desktop bolt through mounting</p> <p>Finish option 1 - Polished aluminum with white accents</p> <p>Finish option 2 - Silver with black accents</p>
	Polished	57507				455	
	Acrylic	57508		"		455	
LAPTOP POWER / DATA OPTION							<p>When Monogram tables are intended for laptop use or temporary computer equipment is offered a surface mounted power system is required on the table.</p> <p>Two UL listed options are available both are mounted through the grommet in the top. For use with hard-wired Core Tower.</p> <p>See illustration on page 14</p> <p>Option 1- A duplex receptacle and a 6' power cord and plug.</p> <p>Option 2 - A single receptacle with a single cat 5e data jack and 6' power cord. Data is hardwired on site</p>
	Silver	57509	3 1/2"	2 13/16"	2 1/2"	460	
	Silver	57510	3 1/2"	2 13/16"	2 1/2"	370	

VOX CORE TOWER

DESIGN – MARK MÜLLER

Product Description

The Vox Core Tower acts as the hub of the Monogram Series, in part because of its geometric centre in the design but also because it provides all of the power and data connections for the system.


Hard-wired Power/Data

Removing the lid of the Core Tower reveals a vertical metal channel that houses 5 duplex receptacles and 5 data jacks that provide connections for up to 5 individual Monogram tables.

All of the connections that feed the Core Tower must be hard wired from the building source at the time of installation. The power system is supplied with 3 separate circuits, one or all of which may be used when connecting to the building feed.

Soft-wired Power without Data


Core towers may also be ordered with a pair of power bars (relocatable power taps). These units are mounted vertically inside the Core Tower and include a total of 10 individual power outlets and 25' cords for each power bar.

	Finish	Model Number	W" x	D" x	H"	List Price	Product Description
	Hard - Wired						
	Wood	57511/1	14"	13 1/2"	27 1/4"	1,910	5 Duplex power receptacles 3 Optional circuits 5 Data Jacks
	P-Lam	57511/5	14"	13 1/2"	27 1/4"	1,710	
	Paint	57511/5	14"	13 1/2"	27 1/4"	1,530	
	Soft Wired						
	Wood	57512/1	14"	13 1/2"	27 1/4"	1,770	2 - 5 outlet power bars 25' cord
	P-Lam	57512/2	14"	13 1/2"	27 1/4"	1,580	
	Paint	57512/5	14"	13 1/2"	27 1/4"	1,395	
	Lid						
	Wood	57512/1	14"	13 1/2"	3 1/4"	800	
	P-Lam	57513/2	14"	13 1/2"	3 1/4"	720	
	Paint	57513/5	14"	13 1/2"	3 1/4"	685	

*When selecting a veneer core tower an optional pie grain pattern is available on the lid.


Add \$150 list

SUPPLEMENTAL SUPPORT PLATE




Silver	57514	20"	19 1/2"	3/16"	515
Black	57515	20"	19 1/2"	3/16"	515



Core Tower support plates give Core Towers additional stability if it is not possible to fix core towers to floor surfaces. The plate is attached to the bottom of the core tower increasing its diameter to 20". Small guides on the underside of the plate compress into carpets preventing core towers from moving.




***LINE 1 RECEPTACLES**
POWER CHANNEL COMES EQUIPPED WITH
ALL RECEPTACLES ON CIRCUIT 1





***LINE 2 & 3 RECEPTACLES**
ALTERNATIVE CIRCUIT OUTLETS



CORE TOWER LID REMOVABLE
FOR ACCESS TO CONNECTIONS



EXTERIOR COVER - SLIDES
OVER THE INTERNAL BASE



*5 DUPLEX RECEPTACLES
COME STANDARD WITH
POWER CHANNEL

3 PORT - DATA(AMP) FACEPLATE
STANDARD WITH 5 CAT5e DATA JACKS

VERTICAL POWER/DATA DISTRIBUTION
UNIT HARDWIRED ON SITE


THE INTERNAL FRAME CAN
BE MOUNTED TO THE
BUILDING FLOOR AT ITS BASE

*CORE TOWER POWER PIG TAIL
JOINS BUILDING FEED INSIDE CHANNEL

PLASTIC GROMT FOR DATA WIRE

METALLIC STRAIN RELIEF


7 3/4" DIAMETER AREA FOR
TARGETING BUILDING FEEDS




SOFT-WIRED* - VOX CORE TOWER

DESIGN - MARK MÜLLER

*DATA IS HARD-WIRED ON SITE



HARD-WIRED POWER / DATA




* REFER TO INSTALLATION GUIDE FOR SPECIFIC WIRING INSTRUCTIONS


VOX MONOGRAM - CABLING DETAILS FOR CPU

DESIGN - MARK MÜLLER

HARD-WIRED POWER / DATA



HARD-WIRED POWER / DATA



VOX MONOGRAM - CABLING DETAILS FOR SMALL FORM FACTOR CPU



DESIGN - MARK MÜLLER

SOFT-WIRED POWER / HARD-WIRED DATA



This floor mounted cable manager "Power Bridge" is intended to protect and cover cables which may be placed over traffic areas. Made of aluminum and anodized clear it has a removable strip that allows for concealing attachment screws. It can also be mounted with 2 sided tape. This cable manager has two separate cavities that accommodate 10 data style cables or three 16 gauge power cables in each cavity.

NOTE: Custom lengths can be ordered. Contact Customer Service at 1.800.668.9318 for pricing.



CABLING DETAILS FOR CPU - VOX MONOGRAM


DESIGN - MARK MÜLLER

SOFT-WIRED POWER / HARD-WIRED DATA




This floor mounted cable manager "Power Bridge" is intended to protect and cover cables which may be placed over traffic areas. Made of aluminum and anodized clear it has a removable strip that allows for concealing attachment screws. It can also be mounted with 2 sided tape. This cable manager has two separate cavities that accommodate 10 data style cables or three 16 gauge power cables in each cavity.

NOTE: Custom lengths can be ordered. Contact Customer Service at 1.800.668.9318 for pricing.















55028-48	48"
55028-96	96"



* REFER TO INSTALLATION GUIDE FOR SPECIFIC WIRING INSTRUCTIONS

LAYOUTS - VOX MONOGRAM

DESIGN - MARK MÜLLER

	Model	A x B	Model
	LAYOUT 1	40 5/8" x 46 1/4"	
	LAYOUT 2	62 1/2" x 49"	
	LAYOUT 3	67 1/2" x 46 1/4"	
	LAYOUT 4	94 3/8" x 46 1/4"	
	LAYOUT 5	111 1/4" x 57 1/8"	
	LAYOUT 6	84 1/8" x 70 1/4"	
	LAYOUT 7	84 1/8" x 80 3/8"	
			
			
			
			
			

TERMS AND CONDITIONS OF SALE

PRICES

All prices are list prices, freight included, blanket-wrapped, dock delivered, from the manufacturing source to any location in the contiguous United States.

Brokerage is paid by Nienkämper for product shipped to the United States.

Due to existing conditions in regard to cost of labor and materials, we reserve the right to change prices without notice.

TERMS

Net 30 days from date of invoice to accredited buyers. Two per cent (2%) interest charged monthly on overdue accounts. Deposit of 50% is required with order. Terms will be established upon credit evaluation. Due to delays in processing references, first orders may be treated as C.B.D. orders.

ORDER CONFIRMATION

Orders are accepted upon issuance of our order confirmation and are subject to the terms set forth therein; notwithstanding any variance from the terms of the buyer's order form.

Nienkämper is not liable for any delay or failure to deliver caused by labor or transportation difficulties, accidents, acts of God, failure of sources of supply, or other causes beyond our control, and changes will affect the delivery date.

CHANGE OF ORDERS OR CANCELLATIONS

Changes or cancellations are subject to our ability to conform. A charge will be levied against cancelled or changed orders based on costs already incurred by Nienkämper. All changes must be in writing and submitted on a revised purchase order. Changes will affect the delivery date.

STORAGE

If goods cannot be accepted when ready, we may transfer them to storage (which is to be deemed as delivery for invoice purposes). The customer accepts risks and will be charged at prevailing rates.

FREIGHT

Prices include freight charges, blanket-wrapped, dock delivered, from the manufacturing source to any location in the contiguous United States. Packing and/or crating are available, if required, upcharges apply.

CLAIMS

All furniture is given to the carrier and signed for in good condition. It is the responsibility of the receiver to sign for the goods in the presence of the carrier and note the condition in which they are received. Freight claims should be filed with the carrier.

WARRANTY

There are no express or implied warranties, conditions and obligations of the manufacturer, whether statutory or otherwise that extend beyond the description on the face hereof. Our furniture is made to the highest standard and is warranted free from defects of material and workmanship for five years from the date of delivery. During the warranty period we will repair or replace such merchandise as shall prove to be defective, during normal usage in accordance with manufacturer's specifications. The manufacturer shall not be liable for defect wholly attributable to normal manufacturing process. Replacement or repair of the Product shall be the sole remedy of the Customer, and the manufacturer shall not be liable for any direct, indirect, incidental, or consequential loss or damage suffered by the Customer by reason of any defect in workmanship or manufacture of the Product or inability to use the Product. Moreover, this warranty does not cover accidental damage, abuse, alteration, ordinary wear and tear of Goods, negligence and misuse nor variations over which we have no control such as heat or humidity or damage to which the Goods are connected that is not attributable to the failure of the goods themselves. This warranty is null and void when the product is installed with hardware other than that supplied and/or when installed differently than recommended in the installation guide. Modification to the product or hardware may result in failure of the product and cause damage and/or injury.

WOOD FINISHES

Nienkämper offers a wide variety of standard light finishes on cherry, mahogany and figured anagré wood veneers, and a clear natural finish on figured anagré, figured sycamore, maple, bird's eye maple and curly maple.

Light finishes do not mask the grain and other characteristics of each wood species. It is important to understand that pieces of the same type of wood will not look identical when a light finish is used. The appearance of the finish will also depend on the natural color of the veneer. Cherry darkens over time as the wood ages. Pin knots and gum pockets are inherent traits.

Wood is a naturally variable raw material; its variances are not within the furniture manufacturer's control and are therefore not considered defects under this warranty.

FOX MONOGRAM © nienkämper

