

TABLES

Metronome™ Trestle Table design - Fig40

Model #	W"	D"	H"	Top Finish	Top Section	List Price	Model #	W"	D"	H"	Top Finish	Top Section	List Price
METRONOME TRESTLE TABLE RECTANGULAR SHAPE													
2 Bases / 29" Height							2 Bases / 38" Height						
26501/229	60	36	29	Veneer	2	4,550	26501/238	2	2	38	Veneer	2	7,305
26501/529	60	36	29	P-Lam	2	3,940	26501/538	2	2	38	P-Lam	2	6,780
26502/229	60	42	29	Veneer	2	4,725	26502/238	2	2	38	Veneer	2	7,460
26502/529	60	42	29	P-Lam	2	4,065	26502/538	2	2	38	P-Lam	2	6,890
26503/229	60	48	29	Veneer	2	5,005	26503/238	2	2	38	Veneer	2	7,700
26503/529	60	48	29	P-Lam	2	4,145	26503/538	2	2	38	P-Lam	2	6,955
26504/229	60	54	29	Veneer	2	5,335	26504/238	2	2	38	Veneer	2	7,990
26504/529	60	54	29	P-Lam	2	4,295	26504/538	2	2	38	P-Lam	2	7,085
26505/229	72	36	29	Veneer	2	4,800	26505/238	2	2	38	Veneer	2	7,560
26505/529	72	36	29	P-Lam	2	4,165	26505/538	2	2	38	P-Lam	2	7,010
26506/229	72	42	29	Veneer	2	5,205	26506/238	2	2	38	Veneer	2	7,910
26506/529	72	42	29	P-Lam	2	4,340	26506/538	2	2	38	P-Lam	2	7,165
26507/229	72	48	29	Veneer	2	5,305	26507/238	2	2	38	Veneer	2	8,000
26507/529	72	48	29	P-Lam	2	4,440	26507/538	2	2	38	P-Lam	2	7,250
26508/229	72	54	29	Veneer	2	5,510	26508/238	2	2	38	Veneer	2	8,175
26508/529	72	54	29	P-Lam	2	4,595	26508/538	2	2	38	P-Lam	2	7,385
26509/229	72	60	29	Veneer	2	5,765	26509/238	2	2	38	Veneer	2	8,395
26509/529	72	60	29	P-Lam	2	4,800	26509/538	2	2	38	P-Lam	2	7,560
26510/229	84	36	29	Veneer	2	5,250	26510/238	2	2	38	Veneer	2	7,985
26510/529	84	36	29	P-Lam	2	4,385	26510/538	2	2	38	P-Lam	2	7,240
26511/229	84	42	29	Veneer	2	5,505	26511/238	2	2	38	Veneer	2	8,205
26511/529	84	42	29	P-Lam	2	4,615	26511/538	2	2	38	P-Lam	2	7,435
26512/229	84	48	29	Veneer	2	5,655	26512/238	2	2	38	Veneer	2	8,340
26512/529	84	48	29	P-Lam	2	4,740	26512/538	2	2	38	P-Lam	2	7,545
26513/229	84	54	29	Veneer	2	5,960	26513/238	2	2	38	Veneer	2	8,605
26513/529	84	54	29	P-Lam	2	4,945	26513/538	2	2	38	P-Lam	2	7,725
26514/229	84	60	29	Veneer	2	6,315	26514/238	2	2	38	Veneer	2	8,910
26514/529	84	60	29	P-Lam	2	5,200	26514/538	2	2	38	P-Lam	2	7,945
26515/229	96	36	29	Veneer	2	5,500	26515/238	2	2	38	Veneer	2	8,240
26515/529	96	36	29	P-Lam	2	4,635	26515/538	2	2	38	P-Lam	2	7,490
26516/229	96	42	29	Veneer	2	5,805	26516/238	2	2	38	Veneer	2	8,505
26516/529	96	42	29	P-Lam	2	4,890	26516/538	2	2	38	P-Lam	2	7,710
26517/229	96	48	29	Veneer	2	6,035	26517/238	2	2	38	Veneer	2	8,700
26517/529	96	48	29	P-Lam	2	5,040	26517/538	2	2	38	P-Lam	2	7,845
26518/229	96	54	29	Veneer	2	6,390	26518/238	2	2	38	Veneer	2	9,010
26518/529	96	54	29	P-Lam	2	5,345	26518/538	2	2	38	P-Lam	2	8,105
26519/229	96	60	29	Veneer	2	6,695	26519/238	2	2	38	Veneer	2	9,275
26519/529	96	60	29	P-Lam	2	5,600	26519/538	2	2	38	P-Lam	2	8,325
26520/229	108	42	29	Veneer	2	6,185	26520/238	2	2	38	Veneer	2	8,870
26520/529	108	42	29	P-Lam	2	5,050	26520/538	2	2	38	P-Lam	2	7,890
26521/229	108	48	29	Veneer	2	6,560	26521/238	2	2	38	Veneer	2	9,195
26521/529	108	48	29	P-Lam	2	5,350	26521/538	2	2	38	P-Lam	2	8,145
26522/229	108	54	29	Veneer	2	6,690	26522/238	2	2	38	Veneer	2	9,305
26522/529	108	54	29	P-Lam	2	5,420	26522/538	2	2	38	P-Lam	2	8,205
26523/229	108	60	29	Veneer	2	6,940	26523/238	2	2	38	Veneer	2	9,525
26523/529	108	60	29	P-Lam	2	5,595	26523/538	2	2	38	P-Lam	2	8,360

Standard Features:

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

Model #26523/538 & #26523/529



TABLES

Metronome™ Trestle Table design - Fig40

Model #	W"	D"	H"	Top Finish	Top Section	List Price	Model #	W"	D"	H"	Top Finish	Top Section	List Price
METRONOME TRESTLE TABLE RECTANGULAR SHAPE													
3 Bases / 29" Height							3 Bases / 38" Height						
26524/229	120	42	29	Veneer	2	8,650	26524/238	120	42	38	Veneer	2	11,735
26524/529	120	42	29	P-Lam	2	7,475	26524/538	120	42	38	P-Lam	2	10,720
26525/229	120	48	29	Veneer	2	9,150	26525/238	120	48	38	Veneer	2	12,120
26525/529	120	48	29	P-Lam	2	7,760	26525/538	120	48	38	P-Lam	2	10,920
26526/229	120	54	29	Veneer	2	9,595	26526/238	120	54	38	Veneer	2	12,475
26526/529	120	54	29	P-Lam	2	8,025	26526/538	120	54	38	P-Lam	2	11,115
26527/229	120	60	29	Veneer	2	10,010	26527/238	120	60	38	Veneer	2	12,725
26527/529	120	60	29	P-Lam	2	8,255	26527/538	120	60	38	P-Lam	2	11,210
26528/229	132	42	29	Veneer	2	9,110	26528/238	132	42	38	Veneer	2	12,170
26528/529	132	42	29	P-Lam	2	7,810	26528/538	132	42	38	P-Lam	2	11,050
26529/229	132	48	29	Veneer	2	9,550	26529/238	132	48	38	Veneer	2	12,505
26529/529	132	48	29	P-Lam	2	8,055	26529/538	132	48	38	P-Lam	2	11,210
26530/229	132	54	29	Veneer	2	10,065	26530/238	132	54	38	Veneer	2	12,920
26530/529	132	54	29	P-Lam	2	8,220	26530/538	132	54	38	P-Lam	2	11,325
26531/229	132	60	29	Veneer	2	10,390	26531/238	132	60	38	Veneer	2	13,095
26531/529	132	60	29	P-Lam	2	8,535	26531/538	132	60	38	P-Lam	2	11,490
26532/229	144	48	29	Veneer	2	9,955	26532/238	144	48	38	Veneer	2	12,915
26532/529	144	48	29	P-Lam	2	8,325	26532/238	144	48	38	P-Lam	2	11,505
26533/229	144	54	29	Veneer	2	10,515	26533/238	144	54	38	Veneer	2	13,365
26533/529	144	54	29	P-Lam	2	8,585	26533/538	144	54	38	P-Lam	2	11,695
26534/229	144	60	29	Veneer	2	11,030	26534/238	144	60	38	Veneer	2	13,705
26534/529	144	60	29	P-Lam	2	8,960	26534/538	144	60	38	P-Lam	2	11,910
26535/229	156	48	29	Veneer	2	10,360	26535/238	156	48	38	Veneer	2	13,300
26535/529	156	48	29	P-Lam	2	8,650	26535/538	156	48	38	P-Lam	2	11,820
26536/229	156	54	29	Veneer	2	10,975	26536/238	156	54	38	Veneer	2	13,800
26536/529	156	54	29	P-Lam	2	8,945	26536/538	156	54	38	P-Lam	2	12,045
26537/229	156	60	29	Veneer	2	11,570	26537/238	156	60	38	Veneer	2	14,210
26537/529	156	60	29	P-Lam	2	9,360	26537/538	156	60	38	P-Lam	2	12,295
26538/229	168	48	29	Veneer	2	10,790	26538/238	168	48	38	Veneer	2	13,710
26538/529	168	48	29	P-Lam	2	8,945	26538/538	168	48	38	P-Lam	2	12,115
26539/229	168	54	29	Veneer	2	11,370	26539/238	168	54	38	Veneer	2	14,180
26539/529	168	54	29	P-Lam	2	9,270	26539/538	168	54	38	P-Lam	2	12,365
26540/229	168	60	29	Veneer	2	12,110	26540/238	168	60	38	Veneer	2	14,715
26540/529	168	60	29	P-Lam	2	9,685	26540/538	168	60	38	P-Lam	2	12,615
26541/229	180	48	29	Veneer	3	11,220	26541/238	180	48	38	Veneer	3	14,120
26541/529	180	48	29	P-Lam	3	9,270	26541/538	180	48	38	P-Lam	3	12,430
26542/229	180	54	29	Veneer	3	11,840	26542/238	180	54	38	Veneer	3	14,625
26542/529	180	54	29	P-Lam	3	9,595	26542/538	180	54	38	P-Lam	3	12,680
26543/229	180	60	29	Veneer	3	12,540	26543/238	180	60	38	Veneer	3	15,125
26543/529	180	60	29	P-Lam	3	10,040	26543/538	180	60	38	P-Lam	3	12,960

Standard Features:

- Tops are 1/4" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

Model #26543/538



TABLES

Metronome™ Trestle Table design - Fig40



Model #	W"	D"	H"	Top Finish	Top Section	List Price	Model #	W"	D"	H"	Top Finish	Top Section	List Price
---------	----	----	----	------------	-------------	------------	---------	----	----	----	------------	-------------	------------

METRONOME TRESTLE TABLE RECTANGULAR SHAPE

4 Bases / 29" Height							4 Bases / 38" Height						
26544/229	192	48	29	Veneer	4	13,910	26544/238	192	48	38	Veneer	4	17,200
26544/529	192	48	29	P-Lam	4	11,625	26544/538	192	48	38	P-Lam	4	15,220
26545/229	192	54	29	Veneer	4	14,540	26545/238	192	54	38	Veneer	4	17,745
26545/529	192	54	29	P-Lam	4	12,030	26545/538	192	54	38	P-Lam	4	15,570
26546/229	192	60	29	Veneer	4	15,150	26546/238	192	60	38	Veneer	4	18,275
26546/529	192	60	29	P-Lam	4	12,360	26546/538	192	60	38	P-Lam	4	15,855
26547/229	204	48	29	Veneer	4	14,310	26547/238	204	48	38	Veneer	4	17,595
26547/529	204	48	29	P-Lam	4	11,975	26547/538	204	48	38	P-Lam	4	15,570
26548/229	204	54	29	Veneer	4	14,970	26548/238	204	54	38	Veneer	4	18,165
26548/529	204	54	29	P-Lam	4	12,430	26548/538	204	54	38	P-Lam	4	15,965
26549/229	204	60	29	Veneer	4	15,605	26549/238	204	60	38	Veneer	4	18,715
26549/529	204	60	29	P-Lam	4	12,760	26549/538	204	60	38	P-Lam	4	16,250
26550/229	216	48	29	Veneer	4	14,765	26550/238	216	48	38	Veneer	4	18,010
26550/529	216	48	29	P-Lam	4	12,250	26550/538	216	48	38	P-Lam	4	15,835
26551/229	216	54	29	Veneer	4	15,425	26551/238	216	54	38	Veneer	4	18,585
26551/529	216	54	29	P-Lam	4	12,840	26551/538	216	54	38	P-Lam	4	16,350
26552/229	216	60	29	Veneer	4	16,075	26552/238	216	60	38	Veneer	4	19,145
26552/529	216	60	29	P-Lam	4	13,190	26552/538	216	60	38	P-Lam	4	16,650
26553/229	228	48	29	Veneer	4	15,090	26553/238	228	48	38	Veneer	4	18,340
26553/529	228	48	29	P-Lam	4	12,545	26553/538	228	48	38	P-Lam	4	16,140
26554/229	228	54	29	Veneer	4	15,865	26554/238	228	54	38	Veneer	4	19,015
26554/529	228	54	29	P-Lam	4	13,135	26554/538	228	54	38	P-Lam	4	16,650
26555/229	228	60	29	Veneer	4	16,660	26555/238	228	60	38	Veneer	4	19,700
26555/529	228	60	29	P-Lam	4	13,520	26555/538	228	60	38	P-Lam	4	16,980
26556/229	240	48	29	Veneer	4	15,525	26556/238	240	48	38	Veneer	4	18,730
26556/529	240	48	29	P-Lam	4	12,935	26556/538	240	48	38	P-Lam	4	16,485
26557/229	240	54	29	Veneer	4	16,255	26557/238	240	54	38	Veneer	4	19,365
26557/529	240	54	29	P-Lam	4	13,420	26557/538	240	54	38	P-Lam	4	16,910
26558/229	240	60	29	Veneer	4	17,080	26558/238	240	60	38	Veneer	4	20,075
26558/529	240	60	29	P-Lam	4	13,805	26558/538	240	60	38	P-Lam	4	17,240

Standard Features:

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

TABLES

Metronome™ Trestle Table design - Fig40



Model #	W"	D"	H"	Top Finish	Top Section	List Price	Model #	W"	D"	H"	Top Finish	Top Section	List Price
---------	----	----	----	------------	-------------	------------	---------	----	----	----	------------	-------------	------------

METRONOME TRESTLE TABLE SQUARE SHAPE

29" Height							38" Height						
26560/229	36	36	29	Veneer	1	4,185	26560/238	36	36	38	Veneer	1	6,855
26560/529	36	36	29	P-Lam	1	3,855	26560/538	36	36	38	P-Lam	1	6,570
26561/229	48	48	29	Veneer	1	4,665	26561/238	48	48	38	Veneer	1	7,350
26561/529	48	48	29	P-Lam	1	4,155	26561/538	48	48	38	P-Lam	1	6,910
26562/229	54	54	29	Veneer	1	5,120	26562/238	54	54	38	Veneer	1	7,825
26562/529	54	54	29	P-Lam	1	4,280	26562/538	54	54	38	P-Lam	1	7,095
26563/229	60	60	29	Veneer	1	5,525	26563/238	60	60	38	Veneer	1	8,370
26563/529	60	60	29	P-Lam	1	4,455	26563/538	60	60	38	P-Lam	1	7,445

Standard Features:

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

TABLES

Metronome™ Trestle Table design - Fig40

Model #	W"	D"	H"	Top Finish	Top Section	List Price	Model #	W"	D"	H"	Top Finish	Top Section	List Price
METRONOME TRESTLE TABLE RECTANGULAR SHAPE WITH 4" RADIUS SOFT CORNERS													
2 Bases / 29" Height							2 Bases / 38" Height						
26565/229	60	36	29	Veneer	2	4,665	26565/238	60	36	38	Veneer	2	7,490
26565/529	60	36	29	P-Lam	2	4,040	26565/538	60	36	38	P-Lam	2	6,950
26566/229	60	42	29	Veneer	2	4,845	26566/238	60	42	38	Veneer	2	7,650
26566/529	60	42	29	P-Lam	2	4,170	26566/538	60	42	38	P-Lam	2	7,065
26567/229	60	48	29	Veneer	2	5,135	26567/238	60	48	38	Veneer	2	7,895
26567/529	60	48	29	P-Lam	2	4,250	26567/538	60	48	38	P-Lam	2	7,130
26568/229	60	54	29	Veneer	2	5,470	26568/238	60	54	38	Veneer	2	8,190
26568/529	60	54	29	P-Lam	2	4,405	26568/538	60	54	38	P-Lam	2	7,265
26569/229	72	36	29	Veneer	2	4,920	26569/238	72	36	38	Veneer	2	7,750
26569/529	72	36	29	P-Lam	2	4,270	26569/538	72	36	38	P-Lam	2	7,190
26570/229	72	42	29	Veneer	2	5,340	26570/238	72	42	38	Veneer	2	8,110
26570/529	72	42	29	P-Lam	2	4,450	26570/538	72	42	38	P-Lam	2	7,345
26571/229	72	48	29	Veneer	2	5,440	26571/238	72	48	38	Veneer	2	8,200
26571/529	72	48	29	P-Lam	2	4,555	26571/538	72	48	38	P-Lam	2	7,435
26572/229	72	54	29	Veneer	2	5,650	26572/238	72	54	38	Veneer	2	8,380
26572/529	72	54	29	P-Lam	2	4,710	26572/538	72	54	38	P-Lam	2	7,570
26573/229	72	60	29	Veneer	2	5,910	26573/238	72	60	38	Veneer	2	8,605
26573/529	72	60	29	P-Lam	2	4,920	26573/538	72	60	38	P-Lam	2	7,750
26574/229	84	36	29	Veneer	2	5,385	26574/238	84	36	38	Veneer	2	8,185
26574/529	84	36	29	P-Lam	2	4,495	26574/538	84	36	38	P-Lam	2	7,425
26575/229	84	42	29	Veneer	2	5,645	26575/238	84	42	38	Veneer	2	8,415
26575/529	84	42	29	P-Lam	2	4,735	26575/538	84	42	38	P-Lam	2	7,625
26576/229	84	48	29	Veneer	2	5,800	26576/238	84	48	38	Veneer	2	8,550
26576/529	84	48	29	P-Lam	2	4,860	26576/538	84	48	38	P-Lam	2	7,735
26577/229	84	54	29	Veneer	2	6,110	26577/238	84	54	38	Veneer	2	8,825
26577/529	84	54	29	P-Lam	2	5,070	26577/538	84	54	38	P-Lam	2	7,920
26578/229	84	60	29	Veneer	2	6,475	26578/238	84	60	38	Veneer	2	9,135
26578/529	84	60	29	P-Lam	2	5,330	26578/538	84	60	38	P-Lam	2	8,145
26579/229	96	36	29	Veneer	2	5,640	26579/238	96	36	38	Veneer	2	8,450
26579/529	96	36	29	P-Lam	2	4,755	26579/538	96	36	38	P-Lam	2	7,680
26580/229	96	42	29	Veneer	2	5,955	26580/238	96	42	38	Veneer	2	8,720
26580/529	96	42	29	P-Lam	2	5,015	26580/538	96	42	38	P-Lam	2	7,905
26581/229	96	48	29	Veneer	2	6,190	26581/238	96	48	38	Veneer	2	8,920
26581/529	96	48	29	P-Lam	2	5,170	26581/538	96	48	38	P-Lam	2	8,045
26582/229	96	54	29	Veneer	2	6,550	26582/238	96	54	38	Veneer	2	9,240
26582/529	96	54	29	P-Lam	2	5,480	26582/538	96	54	38	P-Lam	2	8,310
26583/229	96	60	29	Veneer	2	6,865	26583/238	96	60	38	Veneer	2	9,510
26583/529	96	60	29	P-Lam	2	5,740	26583/538	96	60	38	P-Lam	2	8,535
26584/229	108	42	29	Veneer	2	6,340	26584/238	108	42	38	Veneer	2	9,095
26584/529	108	42	29	P-Lam	2	5,180	26584/538	108	42	38	P-Lam	2	8,090
26585/229	108	48	29	Veneer	2	6,725	26585/238	108	48	38	Veneer	2	9,425
26585/529	108	48	29	P-Lam	2	5,485	26585/538	108	48	38	P-Lam	2	8,350
26586/229	108	54	29	Veneer	2	6,860	26586/238	108	54	38	Veneer	2	9,540
26586/529	108	54	29	P-Lam	2	5,560	26586/538	108	54	38	P-Lam	2	8,415
26587/229	108	60	29	Veneer	2	7,115	26587/238	108	60	38	Veneer	2	9,765
26587/529	108	60	29	P-Lam	2	5,735	26587/538	108	60	38	P-Lam	2	8,570

Standard Features:

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

Model # 26587/538



TABLES

Metronome™ Trestle Table design - Fig40

Model #	W"	D"	H"	Top Finish	Top Section	List Price	Model #	W"	D"	H"	Top Finish	Top Section	List Price
METRONOME TRESTLE TABLE RECTANGULAR SHAPE WITH 4" RADIUS SOFT CORNERS													
3 Bases / 29" Height							3 Bases / 38" Height						
26588/229	120	42	29	Veneer	2	8,870	26588/238	120	42	38	Veneer	2	12,030
26588/529	120	42	29	P-Lam	2	7,665	26588/538	120	42	38	P-Lam	2	10,990
26589/229	120	48	29	Veneer	2	9,380	26589/238	120	48	38	Veneer	2	12,425
26589/529	120	48	29	P-Lam	2	7,955	26589/538	120	48	38	P-Lam	2	11,195
26590/229	120	54	29	Veneer	2	9,835	26590/238	120	54	38	Veneer	2	12,790
26590/529	120	54	29	P-Lam	2	8,230	26590/538	120	54	38	P-Lam	2	11,395
26591/229	120	60	29	Veneer	2	10,265	26591/238	120	60	38	Veneer	2	13,045
26591/529	120	60	29	P-Lam	2	8,465	26591/538	120	60	38	P-Lam	2	11,495
26592/229	132	42	29	Veneer	2	9,340	26592/238	132	42	38	Veneer	2	12,475
26592/529	132	42	29	P-Lam	2	8,010	26592/538	132	42	38	P-Lam	2	11,330
26593/229	132	48	29	Veneer	2	9,790	26593/238	132	48	38	Veneer	2	12,820
26593/529	132	48	29	P-Lam	2	8,260	26593/538	132	48	38	P-Lam	2	11,495
26594/229	132	54	29	Veneer	2	10,320	26594/238	132	54	38	Veneer	2	13,245
26594/529	132	54	29	P-Lam	2	77,360	26594/538	132	54	38	P-Lam	2	11,610
26595/229	132	60	29	Veneer	2	10,330	26595/238	132	60	38	Veneer	2	13,145
26595/529	132	60	29	P-Lam	2	8,620	26595/538	132	60	38	P-Lam	2	11,660
26596/229	144	48	29	Veneer	2	10,205	26596/238	144	48	38	Veneer	2	13,240
26596/529	144	48	29	P-Lam	2	8,535	26596/538	144	48	38	P-Lam	2	11,795
26597/229	144	54	29	Veneer	2	10,780	26597/238	144	54	38	Veneer	2	13,700
26597/529	144	54	29	P-Lam	2	8,800	26597/538	144	54	38	P-Lam	2	11,990
26598/229	144	60	29	Veneer	2	11,310	26598/238	144	60	38	Veneer	2	14,050
26598/529	144	60	29	P-Lam	2	9,185	26598/538	144	60	38	P-Lam	2	12,210
26599/229	156	48	29	Veneer	2	10,620	26599/238	156	48	38	Veneer	2	13,635
26599/529	156	48	29	P-Lam	2	8,870	26599/538	156	48	38	P-Lam	2	12,120
26600/229	156	54	29	Veneer	2	11,250	26600/238	156	54	38	Veneer	2	14,145
26600/529	156	54	29	P-Lam	2	9,170	26600/538	156	54	38	P-Lam	2	12,350
26601/229	156	60	29	Veneer	2	11,860	26601/238	156	60	38	Veneer	2	14,570
26601/529	156	60	29	P-Lam	2	9,595	26601/538	156	60	38	P-Lam	2	12,605
26602/229	168	48	29	Veneer	2	11,060	26602/238	168	48	38	Veneer	2	14,055
26602/529	168	48	29	P-Lam	2	9,170	26602/538	168	48	38	P-Lam	2	12,420
26603/229	168	54	29	Veneer	2	11,655	26603/238	168	54	38	Veneer	2	14,535
26603/529	168	54	29	P-Lam	2	9,505	26603/538	168	54	38	P-Lam	2	12,675
26604/229	168	60	29	Veneer	2	12,415	26604/238	168	60	38	Veneer	2	15,085
26604/529	168	60	29	P-Lam	2	9,930	26604/538	168	60	38	P-Lam	2	12,935
26605/229	180	48	29	Veneer	3	11,505	26605/238	180	48	38	Veneer	3	14,475
26605/529	180	48	29	P-Lam	3	9,505	26605/538	180	48	38	P-Lam	3	12,745
26606/229	180	54	29	Veneer	3	12,140	26606/238	180	54	38	Veneer	3	14,995
26606/529	180	54	29	P-Lam	3	9,835	26606/538	180	54	38	P-Lam	3	13,000
26607/229	180	60	29	Veneer	3	12,855	26607/238	180	60	38	Veneer	3	15,505
26607/529	180	60	29	P-Lam	3	10,295	26607/538	180	60	38	P-Lam	3	13,285

Standard Features:

- Tops are 1/4" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

Model # 26607/238



TABLES

Metronome™ Trestle Table design - Fig40



Model #	W"	D"	H"	Top Finish	Top Section	List Price	Model #	W"	D"	H"	Top Finish	Top Section	List Price
---------	----	----	----	------------	-------------	------------	---------	----	----	----	------------	-------------	------------

METRONOME TRESTLE TABLE RECTANGULAR SHAPE WITH 4" RADIUS SOFT CORNERS

4 Bases / 29" Height							4 Bases / 38" Height						
26608/229	192	48	29	Veneer	4	14,260	26608/238	192	48	38	Veneer	4	17,630
26608/529	192	48	29	P-Lam	4	11,920	26608/538	192	48	38	P-Lam	4	15,605
26609/229	192	54	29	Veneer	4	14,905	26609/238	192	54	38	Veneer	4	18,190
26609/529	192	54	29	P-Lam	4	12,335	26609/538	192	54	38	P-Lam	4	15,960
26610/229	192	60	29	Veneer	4	15,530	26610/238	192	60	38	Veneer	4	18,735
26610/529	192	60	29	P-Lam	4	12,670	26610/538	192	60	38	P-Lam	4	16,255
26611/229	204	48	29	Veneer	4	14,670	26611/238	204	48	38	Veneer	4	18,035
26611/529	204	48	29	P-Lam	4	12,275	26611/538	204	48	38	P-Lam	4	15,960
26612/229	204	54	29	Veneer	4	15,345	26612/238	204	54	38	Veneer	4	18,620
26612/529	204	54	29	P-Lam	4	12,745	26612/538	204	54	38	P-Lam	4	16,365
26613/229	204	60	29	Veneer	4	16,000	26613/238	204	60	38	Veneer	4	19,185
26613/529	204	60	29	P-Lam	4	13,080	26613/538	204	60	38	P-Lam	4	16,660
26614/229	216	48	29	Veneer	4	15,135	26614/238	216	48	38	Veneer	4	18,465
26614/529	216	48	29	P-Lam	4	12,560	26614/538	216	48	38	P-Lam	4	16,235
26615/229	216	54	29	Veneer	4	15,815	26615/238	216	54	38	Veneer	4	19,050
26615/529	216	54	29	P-Lam	4	13,165	26615/538	216	54	38	P-Lam	4	16,760
26616/229	216	60	29	Veneer	4	16,480	26616/238	216	60	38	Veneer	4	19,625
26616/529	216	60	29	P-Lam	4	13,520	26616/538	216	60	38	P-Lam	4	17,070
26617/229	228	48	29	Veneer	4	15,470	26617/238	228	48	38	Veneer	4	18,800
26617/529	228	48	29	P-Lam	4	12,860	26617/538	228	48	38	P-Lam	4	16,545
26618/229	228	54	29	Veneer	4	16,265	26618/238	228	54	38	Veneer	4	19,495
26618/529	228	54	29	P-Lam	4	13,465	26618/538	228	54	38	P-Lam	4	17,070
26619/229	228	60	29	Veneer	4	17,080	26619/238	228	60	38	Veneer	4	20,195
26619/529	228	60	29	P-Lam	4	13,860	26619/538	228	60	38	P-Lam	4	17,405
26620/229	240	48	29	Veneer	4	15,915	26620/238	240	48	38	Veneer	4	19,200
26620/529	240	48	29	P-Lam	4	13,260	26620/538	240	48	38	P-Lam	4	16,900
26621/229	240	54	29	Veneer	4	16,665	26621/238	240	54	38	Veneer	4	19,850
26621/529	240	54	29	P-Lam	4	13,760	26621/538	240	54	38	P-Lam	4	17,335
26622/229	240	60	29	Veneer	4	17,510	26622/238	240	60	38	Veneer	4	20,580
26622/529	240	60	29	P-Lam	4	14,155	26622/538	240	60	38	P-Lam	4	17,675

Standard Features:

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

TABLES

Metronome™ Trestle Table design - Fig40



Model #	W"	D"	H"	Top Finish	Top Section	List Price	Model #	W"	D"	H"	Top Finish	Top Section	List Price
---------	----	----	----	------------	-------------	------------	---------	----	----	----	------------	-------------	------------

METRONOME TRESTLE TABLE SQUARE SHAPE WITH 4" RADIUS SOFT CORNERS

29" Height							38" Height						
26625/229	36	36	29	Veneer	1	4,290	26625/238	36	36	38	Veneer	1	7,030
26625/529	36	36	29	P-Lam	1	3,955	26625/538	36	36	38	P-Lam	1	6,735
26626/229	48	48	29	Veneer	1	4,785	26626/238	48	48	38	Veneer	1	7,535
26626/529	48	48	29	P-Lam	1	4,260	26626/538	48	48	38	P-Lam	1	7,085
26627/229	54	54	29	Veneer	1	5,250	26627/238	54	54	38	Veneer	1	8,025
26627/529	54	54	29	P-Lam	1	4,390	26627/538	54	54	38	P-Lam	1	7,275
26628/229	60	60	29	Veneer	1	5,665	26628/238	60	60	38	Veneer	1	8,580
26628/529	60	60	29	P-Lam	1	4,570	26628/538	60	60	38	P-Lam	1	7,635

Standard Features:

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.