

Statement of Line

8

Product Details

Height-Adjustable	16
Bivi Tables: Basic Overview	22
Application Guidelines	26
Thought Starters	30
Grain Direction	39
Tables	40
Dual Height Tops	44
Cable Trough	46
Arches, Arch Accessories, and Screens	48
Rumble Seat and Hoodie	54
Electrical Components	56
How to Select Monitor Arms for Bivi Tables	64
Storage	78
Components and Accessories	80


Specifying

Height-Adjustable	88
Tables	98
Team Table	102
Team Theater	104
Dual Height Tops	106
Arches and Arch Accessories	109
Rumble Seat, Supports, and Hoodie	116
Trough-Mounted Data Access	119
Electrical Components	120
Storage	136
Components and Accessories	139
Eyesite	158

Surface Materials

160

Statement of Line




Understanding
 ▶ Page 16
 Specifying
 ▶ Page 88

Height-Adjustable Desks

	D	W
Basic Height	24", 25", 29", 30", 35", or 36"	54½", 60", 66½", or 72"
Extended Height	24", 25", 29", 30", 35", or 36"	54½", 60", 66½", or 72"

Tip: Widths are available parametrically in ¼" increments from 46"–76".




Understanding
 ▶ Page 16
 Specifying
 ▶ Page 90

Height-Adjustable Bases


	D	W
Basic Height	24", 25", 29", 30", 35", or 36"	54½", 60", 66½", or 72"
Extended Height	24", 25", 29", 30", 35", or 36"	54½", 60", 66½", or 72"

Soft Cable Drop




Understanding
 ▶ Page 17
 Specifying
 ▶ Page 91


Power Components



Under Worksurface Utility Power
Understanding
▶ Page 16
Specifying
▶ Page 92



Under Worksurface Utility Power and Clamp-On Accessory Power
Understanding
▶ Page 16
Specifying
▶ Page 93




Under Worksurface Utility Power and Clamp-On Accessory Power with Qi Wireless Charging
Understanding
▶ Page 16
Specifying
▶ Page 94

Utility Hook




Understanding
▶ Page 16
Specifying
▶ Page 95

Straight Screen



Understanding
▶ Page 17
Specifying
▶ Page 96




Understanding
▶ Page 40
Specifying
▶ Page 98

Table for One

	D	W
Table	42 ¹ / ₄ "	48", 60", or 72"

Tip: Nominal width is shown here.




Understanding
▶ Page 40
Specifying
▶ Page 99

Table plus One

	D	W
Table plus One	42 ¹ / ₄ "	48", 60", or 72"

Statement of Line, continued




Understanding
 ▶ Page 40
 Specifying
 ▶ Page 100

Table for Two

	D	W
Table for Two	48" or 60"	48", 60", or 72"


Tip: Nominal width is shown here.



Understanding
 ▶ Pages 40
 Specifying
 ▶ Page 101

Table plus Two

	D	W
Table plus Two	48" or 60"	48", 60", or 72"




Understanding
 ▶ Page 42
 Specifying
 ▶ Page 102

Team Table

	D	W
Table	60"	48", 60", or 72"

Tip: Total widths for the Team Table are 114", 138", or 162" which includes the 18"D Transaction Top.




Understanding
 ▶ Pages 43
 Specifying
 ▶ Page 104

Team Theater

	D	W
Theater	60"	48" or 60"

Tip: Total widths for the Team Table are 96" or 120".




Understanding
 ▶ Page 44
 Specifying
 ▶ Pages 106-108

Dual Height Tops

	D	W
Upper Dual Top	20 ⁵ / ₈ "	60" or 72"
Lower Dual Top	28 ¹ / ₂ "	60" or 72"

Tip: Nominal width is shown here.




Understanding
 ▶ Page 48
 Specifying
 ▶ Page 109

Arch

	D	W	H
Tall Arch	2"	32 ³ / ₈ "	44"
Short Arch	2"	32 ³ / ₈ "	13"

Arch Accessories



Side Storage

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 110



Monitor Mount

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 110




Bike Hook

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 111



Markerboards

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 111



Canopy

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 112



Board Rack

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 112




Holder

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 113




Planter

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 113




High Sit Bracket with Modesty Panel

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 114



Arch Infills


Understanding
 ▶ Page 48
 Specifying
 ▶ Page 115



Rumble Seat (with or without Exposed Bracket)

D	W	H
28"	34", 46", or 58"	16"


Understanding
 ▶ Page 54
 Specifying
 ▶ Page 116



Rumble Seat Supports

	D	W	H
Freestanding Legs	28"	34", 46", or 58"	12"
Table Frame Attachment Brackets	5½"	17"	16⅝"

Understanding
 ▶ Page 54
 Specifying
 ▶ Page 117



Hoodie

D	W	H
28"	58"	38⅛"


Understanding
 ▶ Page 54
 Specifying
 ▶ Page 118



Trough-Mounted Data Access


Understanding
 ▶ Page 46
 Specifying
 ▶ Page 119

Electrical Components, One Circuit




Plug and Play Power Strip – Package of One

Understanding
 ▶ Page 56
 Specifying
 ▶ Page 120




Plug and Play Power Strip – Package of Two

Understanding
 ▶ Page 56
 Specifying
 ▶ Page 120



Plug and Play Power Strip – Package of Four


Understanding
 ▶ Page 56
 Specifying
 ▶ Page 120



Accessory Power – Rectangular and Pyramid


Understanding
 ▶ Page 70
 Specifying
 ▶ Pages 121-122

Electrical Components, Two Circuit




Hardwire-to-Modular Power Infeed

Understanding
 ▶ Page 56
 Specifying
 ▶ Page 123




Hardwire-to-Modular Power Infeed, San Francisco

Understanding
 ▶ Page 56
 Specifying
 ▶ Page 123




Modular Powerways

Understanding
 ▶ Page 56
 Specifying
 ▶ Page 124



Hardwire Chicago Powerway


Understanding
 ▶ Page 56
 Specifying
 ▶ Page 124



Modular Harnesses – Two Circuit

Understanding
 ▶ Page 56
 Specifying
 ▶ Page 125

Electrical Components, Four Circuit



Modular Power Block – Standard Capacity

Understanding


- ▶ Page 70
- Specifying
- ▶ Page 126



Power Block Connector

Understanding

- ▶ Page 70
- Specifying
- ▶ Page 126



Chicago Hardwire Box

Understanding


- ▶ Page 70
- Specifying
- ▶ Page 126



Duplex Receptacle

Understanding

- ▶ Page 70
- Specifying
- ▶ Page 127



Modular Flexible Receptacle

Understanding


- ▶ Page 70
- Specifying
- ▶ Page 128



USB Receptacle

Understanding


- ▶ Page 70
- Specifying
- ▶ Page 129



Modular Powerway, Four Circuit

Understanding


- ▶ Page 70
- Specifying
- ▶ Page 130



Modular Harness

Understanding


- ▶ Page 70
- Specifying
- ▶ Page 131



Utility Pole

Understanding


- ▶ Page 76
- Specifying
- ▶ Page 132



Hardwire-to-Modular Power Infeed

Understanding


- ▶ Page 132
- Specifying
- ▶ Page 132



Power Infeed, New York

Understanding


- ▶ Page 76
- Specifying
- ▶ Page 133



Power Infeed, San Francisco

Understanding

- ▶ Page 76
- Specifying
- ▶ Page 133



Junction Box Faceplate – Modular

Understanding

- ▶ Page 76
- Specifying
- ▶ Page 134



Power Infeed Cover

Understanding

- ▶ Page 70
- Specifying
- ▶ Page 134




Bezel Receptacle Cover

Understanding


- ▶ Page 70
- Specifying
- ▶ Page 135

Statement of Line, continued

Electrical Components, Four Circuit, continued



Understanding
 ▶ Page 78
 Specifying
 ▶ Page 136




Understanding
 ▶ Page 78
 Specifying
 ▶ Page 137

Trunk

	D	H
48"W	14"	16"
60"W	14"	16"

Trunk Supports

	D	W	H
Table Frame Attachment Brackets	1/2"	5"	16 1/2"
Freestanding Legs	2"	42 1/4"	11 1/2"




Understanding
 ▶ Page 78
 Specifying
 ▶ Page 138

Depot

	28 1/2"H	41 1/2"H
13 7/8"D	●	●

Components and Accessories




Full Top
 Understanding
 ▶ Page 80
 Specifying
 ▶ Page 139



Half-Round Top
 Understanding
 ▶ Page 80
 Specifying
 ▶ Page 140




Mid Transaction Top
 Understanding
 ▶ Page 80
 Specifying
 ▶ Page 141




Transaction Top
 Understanding
 ▶ Page 80
 Specifying
 ▶ Page 141



Mini Transaction Top
 Understanding
 ▶ Page 44
 Specifying
 ▶ Page 142



End Hanging Top
 Understanding
 ▶ Page 80
 Specifying
 ▶ Page 143



Gallery Panel
 Understanding
 ▶ Page 80
 Specifying
 ▶ Page 144





Table-Mounted Monitor Arm Brace
 Understanding
 ▶ Page 80
 Specifying
 ▶ Page 145




Lower Footshelf
 Understanding
 ▶ Page 52
 Specifying
 ▶ Page 146



Upper Footshelf
 Understanding
 ▶ Page 52
 Specifying
 ▶ Page 147

Components and Accessories, continued



Cable Troughs

Understanding
 ▶ Page 46
 Specifying
 ▶ Page 148



Leg

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 148



Top Shelf

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 149



Bottom Shelf

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 149



Hooks

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 150



Metal Screen

Understanding
 ▶ Page 49
 Specifying
 ▶ Page 151



Freestanding



Trough mount

Tackable Screens

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 152



Organizer

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 154



Full



Half

Leg Covers

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 154



Trough End Covers

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 155




Trough Floor Covers

Understanding
 ▶ Page 48
 Specifying
 ▶ Page 155




Media Support Mount

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 156




Media Support Shroud

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 156



Media Support Shelf


Understanding
 ▶ Page 80
 Specifying
 ▶ Page 157



Media Support System Value Package


Understanding
 ▶ Page 80
 Specifying
 ▶ Page 157

Eyesite




Eyesite Single Display Support

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 158




Eyesite Dual Display Support

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 158



Eyesite Single Laptop Support

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 158



Eyesite Dual Laptop Support

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 159



Bivi Bracket

Understanding
 ▶ Page 80
 Specifying
 ▶ Page 159

Bivi Height-Adjustable Desk

Bivi Height-Adjustable

Desk is optimized to work with the Bivi desking system multi-functional frame, and works alone as a freestanding solution. Bivi Height-Adjustable Desk supports wellbeing at work by allowing users to move between seated and standing postures.

► Specifying, page 88

Top has a wood core with a Low-Pressure Laminate, High-Pressure Laminate, or wood veneer surface, and is 1 1/8" thick.

Internal motors with electronic synchronization drive.

Base supports a maximum distributed weight capacity of 250 pounds.

Tip: When calculating lifting capacity, subtract the weight of the worksurface.

► See page 20 for worksurface weights.

Push button controller adjusts height at a rate of 1 3/10" per second. Two options are available in up/down or 4 digital pre-set.

The basic height-adjustable base adjusts from 28 3/10"—46 9/10" in any increment.

The extended height-adjustable base adjusts from 22 3/5"—48 7/10" in any increment.


Back and side edges are available in 1 mm plastic edge band that defaults to match Low-Pressure Laminate and High-Pressure Laminate, and wood for veneer, with flat edge profile.

Legs are in a T-leg configuration with squared edge feet with the front and back edge flush to the floor.

Leveling glides adjust 1/2" when desk is installed on uneven floors.

User edge is available in 3 mm plastic edge band that defaults to match Low-Pressure Laminate and High-Pressure Laminate, and wood veneer, with flat or knife edge profile.

Straight Screen provides a privacy/modesty element for Height-Adjustable Desks. It can be used with Bivi Height-Adjustable Desks, Ology, Migration, Migration SE, Series 5 worksurfaces, Elective Elements, Universal tables, and turnstone Simple Tables.
 ►Specifying, page 96.



Straight Screens are available in one height: 19"H.

Straight Screens are available in seven widths: 30"W, 42"W, 48"W, 54"W, 60"W, 66"W, and 72"W.



Soft Cable Drop, ordered separately, ships with two utility hooks that attach to the underside of the Height-Adjustable Desks. With a slight teardrop shape, the Soft Cable Drop is a simple way to route cords and cables. It comes in one size; 36"W x 11"H.

Soft Cable Drop is felted PET and will stretch and conform, dependent on the weight of the cords stored.

Bivi Height-Adjustable Desk, continued


Product Details

Low-Pressure Laminate and High-Pressure Laminate Desks



Front (user's) edge is in PVC-free, 3 mm with a flat edge profile or an option for knife edge profile.

Front knife edge profile does not accept clamp-on accessories such as accessory power.



Back and side edges are PVC-free, 3 mm with a flat edge profile.


High-Pressure Laminate edge profile finishes are specified separately from laminate color.

Square corners are standard and have 90° corners on all four sides.


Wood Veneer Desks

Front (user's) edge is wood veneer with a 3 mm square radius.


Back and side edges are PVC-free, 3 mm with a flat edge profile.




T-leg configuration is available in 24"/25", 29"/30", and 35"/36" depth options.




Square-edge foot style offers a squared front and back edge flush to the floor. The glide adjustments on this foot are 1/2".




Bivi basic Height-Adjustable Desk adjusts from 28³/₁₀"–46⁹/₁₀" in any increment.



Bivi extended Height-Adjustable Desk adjusts from 22³/₅"–48⁷/₁₀" in any increment.



Up/down controller is available as an option and easily adjusts height of desk, at a rate of 1²/₃" per second, by simply pushing the up and down arrows.




4 pre-set programmable controller is available as an option. It allows users to set the seated and standing height positions, or pre-set heights for multiple users. When activated, the digital display will show the height of the desk.


Obstruction sensing technology is standard with all Bivi Height-Adjustable Desks. The worksurface will backtrack when it makes contact with an object.

Desk sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture/objects, eliminating any pinch points.

Tip: When using Height-Adjustable Desks near a wall or stationary product, leave a minimum of 1" clearance on each side to avoid pinch points.




Under Worksurface Utility Power installs underneath height-adjustable desk, and is a black steel box with optional four or six outlets.



Under Worksurface Utility and Clamp-on Accessory Power install below and above the worksurface and have optional power configurations:

- 3 power
- 2 power, 1 USB-A
- 2 power, 1 USB-C (18W), 1 USB-A
- 2 power, 1 USB-C (60W)



Under Worksurface Utility and Clamp-on Accessory Power with Qi Wireless Charging charges cell phones by setting on top of the accessory power which is installed below and above worksurface and comes in one power configuration:

- 2 power, 1 USB-A, Qi Wireless Charging

All Bivi Height-Adjustable Desk Power features optional tamper resistance, 6', 9', and 10' cord length options, and standard plastic or optional PVC-free braided cotton cords with solid and pattern choices.





Utility Hook installs underneath Height-Adjustable Desk on the right side or left side of user to hold laptop bags, backpacks, etc. Weight limit: 20 pounds.

Straight Screens to maintain a full width with minimal opening on each table side:


- 42¹/₂"W table = 42"W screen
- 54¹/₂"W table = 54"W screen
- 60"W table = 60"W screen
- 66¹/₂"W table = 66"W screen
- 72"W table = 72"W screen

Wiring & Cabling


Electric motor adjusts at $1\frac{3}{10}$ " per second. Motor is 24V DC and includes a 9' power cord. Motor also has 0.2W standby power.



Controller can be mounted on either the left- or right-hand side of the top and is field-installed.



Scallops come standard on Bivi tops for clamp-on monitor mounts and to allow cords and plugs to pass behind and route into the Soft Cable Drop when present.



Cable management includes clips and ties that ship with the Bivi Height-Adjustable Desk to help manage desk cables.

Surface Materials

Low-Pressure Laminate and High-Pressure Laminate Desks

- Low-Pressure Laminate
- High-Pressure Laminate
- Open Line Laminate (option)

A program including non-Steelcase laminates which are suitable for use on Steelcase products

► See *Surface Materials Reference Manual*.

3 mm edge profile

- Plastic

Wood Veneer Desks

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

3 mm edge profile

- Wood veneer to match desk

Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle

Under Worksurface Utility with Clamp-on Accessory Power

Price group 1: Standard plastics

- 6000 Black
- 6009 Arctic White

Price group 2: Accent paints

- 6BD1 Aubergine
- 6BD2 Peacock
- 6BD3 Jungle
- 6BD4 Merlot
- 6BD5 Honey
- 6BD6 Lagoon
- 6BD7 Saffron

Standard plastic cords

- White
- Black

Straight Screens

- Fabric

Braided cotton cords: option in solid of pattern

- 9005 Arctic White Braided Cord
- 9007 Sterling Braided Cord
- 9009 Black Braided Cord
- 9011 Seagull Braided Cord
- 9014 Arctic White/Black Pinstripe
- 9015 Arctic White/Seagull Pinstripe
- 9016 Arctic White/Seagull Chevron
- 9017 Arctic White/Sterling Chevron


Soft Cable Drop

P631 Dark Heather Grey

Application Topics

Tips when planning Bivi frames with a Height-Adjustable Desk

Bivi frames come in 48", 60", or 72" widths. They are measured from the center of one leg to the center of the next, with an inside width 2" smaller than the workstation size. For example, a 60" Bivi frame has an inside measurement of 58".




BIFMA safety guidelines require a minimum of 1" clearance between Height-Adjustable Desk and adjacent furniture.

Height-Adjustable Desk parallel to the frame without screens:

- 48" Bivi frames require the use of a 44" wide or smaller HAD
- 60" Bivi frames require the use of a 56" wide or smaller HAD
- 72" Bivi frames require the use of a 68" wide or smaller HAD


Height-Adjustable Desk parallel to the frame with screens:

- 48" Bivi frames require the use of a 42½" wide or smaller HAD
- 60" Bivi frames require the use of a 54½" wide or smaller HAD
- 72" Bivi frames require the use of a 66½" wide or smaller HAD




Height-Adjustable Desk can be any width when perpendicular to the frame.

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of Height-Adjustable Desk.




SOTO rail and SlatRail mount to desks to support worktools, freeing up desk space.

► See *Steelcase Worktools Specification Guide*.




Universal boundary screens are not permitted on Height-Adjustable Desks, as they do not pass minimum safety requirements, which could result in the desk tipping over.



On extended height-adjustable desks, any storage higher than 20" will impede height range on desk. On basic height-adjustable desks, any storage higher than 26" will impede the height range on the desk.

All assemblies meet or exceed ANSI/BIFMA standards.



Keyboard assemblies are not allowed on Height-Adjustable Desks. They do not meet minimum safety requirements.

WARNING

Read base only warranty limitations.

► See page 21 for *Workstation Design Guidelines and Requirements*.

Bivi Height-Adjustable Desk, continued

Installation

Desks ship with pre-drilled holes for mounting bases.

Height-adjustable base requires attachment to the worksurface.

Base supports a maximum distributed weight capacity of 250 pounds.


Tip: When calculating lifting capacity, subtract the weight of the worksurface.

Base supports a maximum distributed weight capacity of 250 pounds.

Tip: When calculating lifting capacity, subtract the weight of the worksurface.

Desk Weight

	W	D	Worksurface Weight
--	---	---	--------------------

T-Leg


Rectangular— 24" or 25"D	46"	24" or 25"	30 lb
	52"	24" or 25"	34 lb
	58"	24" or 25"	38 lb
	64"	24" or 25"	42 lb
	70"	24" or 25"	46 lb
	76"	24" or 25"	51.8 lb
Rectangular— 29" or 30"D	46"	29" or 30"	38 lb
	52"	29" or 30"	43 lb
	58"	29" or 30"	48 lb
	64"	29" or 30"	53 lb
	70"	29" or 30"	58 lb
	76"	29" or 30"	62.6 lb
Rectangular— 35" or 36"D	46"	35" or 36"	46 lb
	52"	35" or 36"	52 lb
	58"	35" or 36"	58 lb
	64"	35" or 36"	64 lb
	70"	35" or 36"	70 lb
	76"	35" or 36"	75.5 lb

Workstation Design Guidelines and Requirements

Overview

Designed for movement with dynamic seating, adjustable worktools and Height-Adjustable Desks are important for today's office workers. To determine the best height-adjustable solution, consider these four criteria:

1. **Adjustability Needed:**
What is the height range requirement? (seated or sit-to-stand)
2. **Worksurface Size Needed:**
What does the physical space look like? (work-surface configuration)
3. **Equipment/Tools Used:**
What type of computer equipment and other worktools are being used on the worksurface? (load capacity)
4. **Use:**
What is the Height-Adjustable Desk being used for (individual or shared, touchdown space or full workstation, sit-to-stand or seated)?



! WARNING

Risk of Serious Injury. If not used as intended, moving work-surfaces can pinch or injure people, or damage property. Always follow these Instructions:

1. Keep height-adjustment range free from obstructions above and below the worksurface.
2. Plan for a minimum 1" gap against a panel or wall.
3. Plan for a minimum 1" gap to adjacent furniture.

Tips

Obstructions

Moving worksurfaces can collide with other objects. Do not install overhead storage, stationary pedestals or components in the path of Height-Adjustable Desks.

Weight

The maximum allowable load (varies by height-adjustable desk) should be evenly distributed and must not be exceeded.

Width

Specify a minimum 1" gap to adjacent furniture. This eliminates any pinch points between a Height-Adjustable Desk and a fixed object.

Depth


When placing a Height-Adjustable Desk against a panel or wall specify the worksurface depth shorter to provide a minimum 1" gap. This eliminates pinch points and adds clearances for cable access.

Managing Technology

Design workstations with computer equipment in mind so that the height-adjustment range of the Height-Adjustable Desk is not impeded because of cables. Consider the addition of a cable riser, cable basket, or cableway to help harness these wires and cables.

Power

Plan easy and unobstructed access to electrical outlets for computer equipment and Height-Adjustable Desks (when applicable).



! WARNING

Risk of serious injury.

Bases-only warranty limitations and potential for injury: The use of worksurfaces that do not comply with the Steelcase defined criteria and limitations could cause personal injury or property damage due to pinch points, instability, or other problems, and voids all Steelcase Warranties, expressed or implied.

The use of worksurfaces that do not comply with Steelcase criteria voids any Steelcase claims of compliance with ANSI/ BIFMA, UL, LEED, or other applicable requirements. The use of non-Steelcase worksurfaces on Steelcase adjustable-height bases may not be accepted as compliant to municipal electrical codes or OSHA federal workplace standards, because this use does not create an NRTL (UL, ETL, etc.) listed product. Steelcase is not responsible for the ultimate determinations of compliance for height-adjustable bases with non-Steelcase worksurface, and assumes no liability for their compliance with standards when height adjustable bases are used without a Steelcase worksurface as intended.

Worksurface Criteria and Limitations

The use of non-Steelcase worksurfaces is not recommended. Any use of a non-Steelcase worksurface requires additional investigation by the customer regarding the appropriateness for use. It is the sole responsibility of the customer to determine the suitability and safety of the selected worksurface construction and attachment means. The following information is provided as a guideline, but does not address all potential issues. Customers should seek professional guidance as to the appropriateness of their chosen worksurface.



Tips

Height-adjustable bases include fasteners intended for use with Steelcase worksurfaces. These fasteners may be suitable for worksurfaces meeting the following criteria:


- Medium-density or higher particleboard or fiberboard cores, with High- or Low-Pressure Laminates and backers.
- Thickness of 1" or greater (Bivi Height-Adjustable Desk, Ology, Migration, and Migration SE)
- Thickness of 1 $\frac{3}{16}$ " or greater (Series 5 bases)
- Fasteners located a minimum distance of 1" from any edge

Bivi Tables: Basic Overview

Basic Bivi table components consist of a Trough, Leg(s), and Full Top(s).




The 26½" clearance underneath Bivi tables accounts for the 2" reinforcing channel located at the front edge underneath the Bivi Top.




The Bivi Full Top is designed to work on all Bivi tables, Table for One, Table plus One, Table for Two, Table plus Two, and at seated or standing heights.

Cable scallop is 2³/₄"D x 18"W.





The Trough acts as the center spine to Bivi tables; it attaches to the Legs and Full Tops and provides access to power and data.





The Bivi Leg has two T-slots on either side that are the connection point for everything from Full Tops, Rumble Seat, Arch accessories, etc. with different brackets.

The Bivi Leg is designed to support all of the Bivi tables.





Bivi Table for One is assembled with the Trough at one end of the legs and one Full Top installed.





Bivi Table for Two is assembled with the Trough centered between two Legs and two Full Tops placed on either side.

How to create larger settings:




A Bivi Table plus One can be added to a Bivi Table for One by sharing the inside Leg.




A Bivi Table plus Two can be added to a Bivi Table for Two by sharing the inside Leg.

Bivi Tables: Basic Overview, continued

How to create dual height settings:




How to create standing height settings:



How to reconfigure settings:

Bivi can be ordered as individual components (Full Top, Trough, and Legs) to create new configurations.



Bivi Table for One and a Full Top create a Table for Two.





Table for Two

Trough and Leg

Bivi Table for Two, a Trough, and a Leg create a Table for One with a Table plus One.




TS8TTWF
Bivi Table for Two


TS8RW
Bivi Half-Round Top

Bivi Table for Two and two Half-Round Tops create a conference table for six.


Application Guidelines



Bivi Table for One and a Table plus One can be attached with users sitting next to or across from each other.




When an architectural obstruction such as a column occurs, one Full Top can be left off.




The maximum number of Tables for Two and Tables plus Two, or Tables for One and Tables plus One, that can be connected is unlimited.

Note: Power is not unlimited. Additional power infeeds may be needed depending on the number of tables connected together.




When four dual height tops are grouped in the middle of a setting, it creates a standing meeting spot for functional teams.



When dual height tops are planned on the end of a setting with a Mini Transaction Top, it creates an impromptu or small meeting spot.

Thought Starters

Nomad 1




Workspaces where mobile workers can set up quickly, connect devices, and work alone or with others: One of the spaces allows the worker to quickly set the worksurface height with an Ology height-adjustable desk at it's most convenient, comfortable, and appropriate height for the task at hand.

Quantity	Style Number	Description	Options	Page for Ordering
1	TS8TTWF	Bivi Table for Two	60"W	100
1	TS8SDAF	Bivi Table plus One	60"W	99
1	TS8ARCH	Bivi Arch	Tall	109
2	TS8ARCH	Bivi Arch	Short	109
4	TS2HOLDER	Bivi Holder		113
4	TS2PLANTER	Bivi Planter		113
2	TS8SCREENM	Bivi Metal Screen (table mounted)		151
1	OELRQ	Ology High-Pressure Laminate desk	► See <i>Height-Adjustable Desks Specification Guide</i> .	

Tip: When using height adjustable desks near a wall or stationary product, leave a minimum of 1" clearance on each side to avoid pinch points.


Nomad 2



Workspaces where mobile workers can set up quickly, connect devices, and work alone or with others: Front and side-to-side privacy elements are tackable and help to eliminate work distractions for short term focus.

Quantity	Style Number	Description	Options	Page for Ordering
1	TS8TTWF	Bivi Table for Two	48"W	100
2	TS8TTAF	Bivi Table plus Two	48"W	101
4	TS8ARCH	Bivi Arch	Short	109
4	TS8ARCHFILL	Bivi Arch Infill	Lower	115
3	TS8HSMREV	Bivi High Sit Bracket w/ Modesty Panel	48"W	114
1	TS8P4IFH	Bivi Power Infeed, Hardwire-To-Modular		133
3	TS8PBS	Bivi Modular Power Block, standard capacity, 4-circuit, non-PVC		126
12	TS8PRD	Bivi Duplex Receptacle		127
2	TS8P4H	Bivi Modular Harness, 4-circuit		132
6	TS8PRCVR	Bivi Bezel Receptacle Cover		135
6	TS8PAREC	Bivi Accessory Power, USB strips, rectangular	Clamp-on mount & USB ports	121
2	TS2CTEC	Bivi Trough End Cover		154


Resident 4



Dedicated workspaces focused on individual work:
The Campfire Slim Table creates a secondary workspace and an extra power plug per person. The primary power solution in this setting is contained within the Bivi Trough, with desk height access, and provides three power plugs and two USB ports per person. Storage at the ends of the bench provides a place for personal items and extends the size of the workspace.

Quantity	Style Number	Description	Options	Page for Ordering
1	TS8TTWF	Bivi Table for Two	60"W	100
1	TS8TTAF	Bivi Table plus Two	60"W	101
2	TS8ARCH	Bivi Arch	Short	109
2	TS8ARCHFILL	Bivi Arch Infill	Lower	115
2	TS2HOLDER	Bivi Holder		113
2	TS2PLANTER	Bivi Planter		113
2	TS8SCREENTREV	Bivi Tackable Screen	13" X 48"W	152
2	TS8TRUNK	Bivi Trunk	Table frame attachment bracket	136
1	TS8P4IFH	Bivi Power Infeed, Hardwire-To-Modular		132
2	TS8PHBC	Bivi Modular Power Block Connector 4-circuit, non PVC		126
4	TS8P4QUAD	Bivi Modular Power, 4-circuit	USB ports	130
1	TS8P4H	Bivi Modular Harness, 4-circuit		131
2	FPAEC1BIVI	Eyesite single display support		158
3	FPAEC2BIVI	Eyesite dual display support		158
4	TS4TPST	Campfire Slim Table		276


Functional Team 1



Collaborative setting with individual workspaces and storage for workers from the same department:
End storage keeps shared materials nearby, and applications support standup collaboration. Footshelf is available for foot support when standing and user has convenient access to power and USB ports. The 2" gap between tops provide visual boundaries.

Quantity	Style Number	Description	Options	Page for Ordering
1	TS8TTWF	Bivi Table for Two	48"W	100
2	TS8TTAF	Bivi Table plus Two	48"W	101
4	TS8ARCH	Bivi Arch	Short	109
4	TS8ARCHFILL	Bivi Arch Infill	Lower	115
3	TS8HSMREV	Bivi High Sit Bracket with Modesty Panel	48"W	114
6	TS8FSL	Bivi Lower Footshelf	48"W	146
1	TS8P4IFH	Bivi Power Infeed, Hardwire-To-Modular		132
3	TS8PHBC	Bivi Modular Power Block Connector, 4-circuit		126
12	TS8PRD	Bivi Duplex Receptacle		127
2	TS8P4H	Bivi Modular Harness, 4-circuit		131
6	TS8PAREC	Bivi Accessory Power Data, USB strips, rectangular	Clamp-on mount & USB ports	121
3	TS8SCREENTREV	Bivi Tackable Screen	19"H X 36"W	152


Functional Team 2



Dedicated workspaces for a functional team, each team member has a focus zone with privacy elements that help to reduce visual distractions. The upper secondary tops act as a quick meeting space for the team or simply allow individuals to change posture throughout the day, contributing to well being in the office. Depots anchor each side to provide additional visual privacy and a place for storage.

Quantity	Style Number	Description	Options	Page for Ordering
2	TS8RPCT	Bivi Trough	72"W	148
3	TS8RPBSL	Bivi Leg		148
3	TS8ARCH	Bivi Arch	Short	109
3	TS8ARCHFILL	Bivi Arch Infill	Lower	115
2	TS8HSMREV	Bivi High Sit Bracket with Modesty Panel	72"W	114
2	TS8DHSET	Bivi Dual Top Set	72"W, Right-Hand Lower/ Left-Hand Upper	108
2	TS8DHSET	Bivi Dual Top Set	72"W, Left-Hand Lower/ Right-Hand Upper	108
2	TS8DEPOT	Bivi Depot	3 High	138

Functional Team, includes Meeting Space



This setting for a team of two provides each individual with a focus zone and a standing-height meeting space on the end to share ideas and meet with other team members as the need arises. The Trunk on one end provides storage for personal items.

Quantity	Style Number	Description	Options	Page for Ordering
1	TS8RPCT	Bivi Trough	72"W	148
2	TS8RPBSL	Bivi Leg		148
2	TS8ARCH	Bivi Arch	Short	109
2	TS8ARCHFILL	Bivi Arch Infill	Lower	115
1	TS8HSMREV	Bivi High Sit Bracket with Modesty Panel	72"W	114
1	TS8DHSET	Bivi Dual Top Set	72"W, Right-Hand Lower/ Left-Hand Upper	108
1	TS8DHSET	Bivi Dual Top Set	72"W, Left-Hand Lower/ Right-Hand Upper	108
1	TS8TRUNK	Bivi Trunk	Table Frame Attachment Bracket	136
1	TS8DHTT	Bivi Mini Transaction Top		145


Meeting Space 1



Team meeting space for project teams or impromptu meetings: Tall Arches define space and eliminate distractions. There is easy access to power for shared monitors and personal powering needs. Standing height provides seamless sharing with continued eye-to-eye contact, whether a coworker is sitting in a stool or standing.

Quantity	Style Number	Description	Options	Page for Ordering
1	TS8TTWF	Bivi Table for Two	60"W	100
1	TS8TTAF	Bivi Table plus Two	60"W	101
2	TS8ARCH	Bivi Arch	Tall	109
2	TS8ARCHFILL	Bivi Arch Infill	Upper	115
2	TS8ARCHFILL	Bivi Arch Infill	Lower	115
2	TS8HSMREV	Bivi High Sit Bracket W/ Modesty Panel	60"W	114
4	TS8FSL	Bivi Lower Footshelf	60"W	146
2	TS2HOLDER	Bivi Holder		113
2	TS2PLANTER	Bivi Planter		113
1	TS8P4IFH	Bivi Power Infeed, Hardwire-to-Modular		132
2	TS8PBS	Bivi Modular Power Block, standard capacity, 4-circuit, non-PVC		130
8	TS8PRD	Bivi Duplex Receptacle		127
1	TS8P4H	Bivi Modular Harness, 4-circuit		131
4	TS8PRCVR	Bivi Bezel Receptacle Cover		135
4	TS8PAREC	Bivi Accessory Power, USB strips, rectangular	Clamp-on mount & USB ports	121
2	TS2CTEC	Bivi Trough End Cover		154


Lounge Bench, Meeting Space 2



Small meeting space in a casual lounge environment: Freestanding trunk holds a monitor for information sharing and Campfire Personal Table can be used for a writing surface or to hold laptops. Secondary Rumble Seat allows additional lounge seating.

Quantity	Style Number	Description	Options	Page for Ordering
1	TS8RPCT	Bivi Trough	60"W	148
2	TS8RPBSL	Bivi Leg		148
1	TS8ARCH	Bivi Arch	Short	109
1	TS8SCREENTREV	Bivi Tackable Screen	48"W, Trough mounted	152
2	TS8RS	Bivi Rumble Seat	Table frame attachment bracket	116
2	TS8TRUNK	Bivi Trunk	Table frame attachment bracket	136
1	TS8TRUNK	Bivi Trunk	Freestanding Legs	136
1	TS2HOLDER	Bivi Holder		113
1	TS2PLANTER	Bivi Planter		113
1	TS4TWP	Campfire Personal Table		274


Lounge Meeting Space 3




Small meeting space in a casual lounge environment: Rumble Seats with Hoodies provide a semi-private meeting area, or can be used for individual focus in a lounge setting. Campfire Personal Tables can be used for a writing surface or to hold laptops.

Quantity	Style Number	Description	Options	Page for Ordering
2	TS8RS	Bivi Rumble Seat	Freestanding Legs	116
2	TS3RSH	Bivi Hoodie	Table frame attachment bracket	118
2	TS4TWP	Campfire Personal Table		274


The appearance of laminate may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90° angle with each other. Please refer to the following illustration for an understanding of grain direction on your installation.




Depot, 2 High,
and 3 High




Trunk




Side Storage




Full Tops



Half-Round Top



Transaction Top



Mini Transaction Top

Tables

Table for One, Table plus One, Table for Two, and Table plus Two Overview

Bivi Table for One


comes standard with a Cable Trough, two Legs, and a Full Top. Bivi Table plus One comes standard with a Cable Trough, one Leg, and a Full Top.

► Specifying, page 98

Bivi Table for Two

comes standard with a Cable Trough, two Legs, and two Full Tops. Bivi Table plus Two comes standard with a Cable Trough, one Leg, and two Full Tops.


► Specifying, page 100



Full Top is 1/2" thick with edge to match laminate color.

Table for Two and plus

Two Tops depths are 22 1/2" or 28 1/2" and are available in widths of either 48"W, 60"W, or 72"W.



Height of Bivi Full Tops to floor is 28 1/2".

Leveling glides have 1 1/2" adjustability range to install tables on uneven floors.






Table for One



48" Table for Two




60" Table for Two


Actual Dimensions

	Table for One	Table plus One	Table for Two	Table plus Two	Full Top
Depth	42 1/4"	42 1/4"	48" or 60"	48" or 60"	19 1/2", 22 1/2", or 28 1/2"
Width	50" or 62"	48" or 60"	50", 62", or 74"	48", 60", or 72"	46", 58", or 70"
Height	28 1/2"	28 1/2"	28 1/2"	28 1/2"	2"
Worksurface Thickness	1/2"	1/2"	1/2"	1/2"	1/2"

Product Details




Cable Troughs are used to hold power, wires, and blocks. Each Cable Trough has four areas for power. Two areas are in the floor of the Trough and one on each side. The power locations on the side of the Cable Trough have knock-outs that can be removed if power in these locations is desired for four-circuit power components.




Bivi Full Tops are available in three widths – 48"W, 60"W, and 72"W. The Bivi Full Top can be ordered as a separate component.

Bivi Full Tops are available in three nominal depths – 21"D, 24"D, and 30"D.

Cable scallops allow cords and plugs to pass behind the Full Top.




21"D and 24"D nominal Full Tops are not offered on Table for One or plus one due to the misalignment with the leg; it creates an undesirable visual and corner.



Full Tops have a reinforcing channel that runs along the front of the top. The Full Top cantilevers install in the Bivi Leg and tie into the reinforcing channel creating a steel under structure for added strength.

Connections



Plus tables come with one leg and adjustable glides with a 1 1/2" range. Tables can be connected to an existing table in order to create a benching application. Two tables share one leg.

Weight Capacities

Table for One: 200 pounds.

Table for Two: 400 pounds.

Surface Materials

Full Tops

- Low-Pressure Laminate, High-Pressure Laminate, and wood veneer


Legs, Cable Trough, and Full Top Attachment Brackets

- Paint

Team Table

Bivi Team Tables provide a highly functional, fully featured conference table with the Media Support System, Foot Support System, and space for 4-10 people.
 ▶ Specifying, page 102


One Circuit Plug and Play Power can be optioned on as an easy to install, convenient power solution with 16 power, or 12 power and 4 USB. Additional power available through specification.



Foot Support System provides the user with multiple postures while promoting ergonomic wellbeing and active standing.

Transaction Top utilizes the space at the end of an application to create a collaboration space, providing a place for two additional people.

Media Support System makes it easy to share digital information quickly and transparently. It is compatible with monitors 32"-43" and can support up to 50 pounds.



Size Recommendations

Team Table Size	Recommended Number of People	Total Table Width
48" Team Table	6 People	114"
60" Team Table	8 People	138"
72" Team Table	10 People	162"


Tip: Total table width includes the 18"D Transaction Top.

Bivi Team Theater


offers a tiered application where teams can come together to collaborate and share content.

► Specifying, page 104

One Circuit Plug and Play Power can be optioned on as an easy to install, convenient power solution with 16 power, or 12 power and 4 USB. Additional power available through specification.



Rumble Seat mounts to the Bivi frame providing lounge posture that is comfortable and durable.



Standing Height creates a tiered setting allowing users posture options and the ability to perch in the standing position.


Foot Support System provides the user with multiple postures while promoting ergonomic wellbeing and active standing.

Size Recommendations

Team Theater Size	Recommended Number of People	Total Theater Width
48" Team Theater	4–6 People	96"
96" Team Theater	6–8 People	120"


Dual Height Tops

Upper Dual Top, Lower Dual Top, Dual Top Set, and Mini Transaction Top




Height of Upper Dual Top to floor is 41¹/₂".


Height of Lower Dual Top to floor is 28¹/₂".



Upper Dual Top (Left-Hand shown)



Lower Dual Top (Left-Hand shown)



Mini Transaction Top

Actual Dimensions

	Upper Dual Top	Lower Dual Top	Mini Transaction Top
Depth 1	5"	20 ⁵ / ₈ "	18"
Depth 2	20 ⁵ / ₈ "	28 ¹ / ₂ "	N.A.
Back Edge Width	58" or 70"	58" or 70"	41 ¹ / ₄ "
Front User Edge Width	22"	37"	N.A.
Height with Brackets	2 ³ / ₄ "	2 ³ / ₄ "	2 ³ / ₄ "
Worksurface Thickness	1/2"	1/2"	1/2"

Upper Dual Tops attach to a combination of High Sit Bracket with Modesty Panel and Short or Tall Arches. There are two depths, 5"D at the shallow end and 20⁵/₈"D at the user end.

► Specifying, page 106


Lower Dual Tops attach to a combination of the Bivi Trough and Legs. There are two depths, 20⁵/₈"D at the shallow end and 28¹/₂"D at the user end.

► Specifying, page 107

Mini Transaction Top attaches at the end of a table with Upper Dual Tops to create a team table or easy collaboration spot.


► Specifying, page 142

Tops are 1/2" thick with edge to match laminate color.




21"D tops align with two Upper Dual Tops at standing height.

Product Details



Upper Dual Top comes with a 2" grommet opening for cord management. A black plastic grommet ring ships standard with the Upper Dual Tops.



Dual Top Sets contain an Upper Dual Top and a Lower Dual Top in matching surface materials. For contrasting tops or accent paints, order the tops separately.



Upper Dual Top can not be installed on a Bivi Table for One.



Upper Dual Top can only be installed in the top location of a setting; and the Lower Dual Top can only be installed in the bottom location of a setting.

Surface Materials

Tops

- Low-Pressure Laminate, High-Pressure Laminate, and wood veneer

Attachment brackets

- Paint


Cable Trough

Data ports can be set in the bottom half or the top half of the Trough and are accessed through the various cable routing openings.


► Specifying, page 148

The top half of the Cable Trough holds Power Strips and manages personal cords, such as a phone charger, iPod, or laptop cord.

The openings on the end of each Trough are for routing cables in and out.




Trough-Mounted Data Access, TS8DATA, snaps into a 48"W, 60"W, or 72"W Trough and provides an opening to fit standard sized communication modules.



Cable Trough End Dimensions


The bottom half of the Cable Trough manages the bigger cords, such as electrical cords and laptop power blocks.

The Cable Trough measuring 48"W, 60"W, or 72"W, has two openings for power in the center of the Trough. There are Trough Floor Covers (TS2CTFC, package of two) available if you do not choose to use both or either of these locations.




Trough-Mounted Data Access

Product Details



A Trough End Cover (TS2CTEC, package of two) is available if closed end is preferred.



72"W Troughs have a trough stiffener in the center of the trough that is factory installed to add more rigidity. The trough stiffener is 2 1/2"D x 3 1/4"W. The Metal Screen has been redesigned to work around this stiffener. Order style number TS8SCREENM for a Metal Screen to be used with a 72"W trough.

Surface Materials

- Paint

Arches, Arch Accessories, and Screens

Arches install onto Bivi Legs and become an extension of the Bivi frame.
 ▶ Specifying, page 109

Leveling glides have 1½" adjustability range to install tables on uneven floors.

Upper Arch Infills install in the top location of a Tall Arch. Lower Arch Infills install in the Short Arch or bottom location of a Tall Arch.
 ▶ Specifying, page 115

Upper Arch Infill available in tackable fabric or markerboard surfaces.

High Sit Bracket with Modesty Panel attaches to two Short Arches, or two Tall Arches, or a combination of one Short Arch and one Tall Arch.
 ▶ Specifying, page 114

Height of Full Top when using a High Sit Bracket with Modesty Panel is between 40½" to 42", depending on glide adjustment.

Actual Dimensions

Tackable Screens	Actual Width	Nominal Width and the Corresponding Table Width	Overall Height	Screen Insert Height
13"H x 36"W	33"W	48"W Tables with Side Storage	13"H	10"H
19"H x 36"W	33"W	48"W Tables with Side Storage	19"H	16"H
13"H x 48"W	45"W	48"W Tables without Side Storage and 60"W Table with Side Storage	13"H	10"H
19"H x 48"W	45"W	48"W Tables without Side Storage and 60"W Table with Side Storage	19"H	16"H
13"H x 60"W	57"W	60"W Tables without Side Storage and 72"W Table with Side Storage	13"H	10"H
19"H x 60"W	57"W	60"W Tables without Side Storage and 72"W Table with Side Storage	19"H	16"H
13"H x 72"W	69"W	72"W Table	13"H	10"H
19"H x 72"W	69"W	72"W Table	19"H	16"H

Side Storage is available in two widths, 48"W for use with two 24"D tops and 60"W for use with two 30"D tops.

48"W Side Storage can be used with two 30"D tops, but it is not recommended to use 60"W Side storage with two 24"D tops; it creates an undesirable condition sticking out beyond the table tops.

Side Storage

Holder measures 3"D x 26 $\frac{5}{8}$ "W x 3"H, and can be attached to the Tall Arch, Short Arch, Leg, a wall, or stand alone.

► Specifying, page 113

Bike Hooks measure 5 $\frac{1}{8}$ "D x 4"W x 60"H, and can be installed onto a Tall Arch or mounted onto a wall.

► Specifying, page 111

Board Rack measures 9"D x 17 $\frac{1}{2}$ "W x 23 $\frac{1}{4}$ "H, and can be attached to the Tall Arch, Short Arch, or a wall. It can support maximum of 50 pounds.


► Specifying, page 112

Monitor Mounts measure 2 $\frac{1}{2}$ "D x 12"W x 12 $\frac{1}{8}$ "H, and hold one monitor each up to 37" with a maximum of 50 pounds.

► Specifying, page 110

Metal Screens are shared between two users when installed on a Bivi Table for Two. Metal Screens can accept magnetic accessories on both sides. Metal Screens can be installed anywhere along the span of the Cable Trough.

► Specifying, page 151



Canopy is standard with attachment hardware to connect to a Tall Arch.

► Specifying, page 112







Table-Mounted Arm

Brace is installed into the cantilevers and back channel of either the Trough or High Sit Bracket under the Bivi Full Tops.




Product Details




Arches ship standard with screw covers, which are a modified version of the screw covers that ship with Bivi Legs. When installing Arches, the arch screw covers replace the leg screw covers.


Tip: Save leg screw covers for future configurations. Both leg screw covers and arch leg screw covers are supported as service parts.




Side Storage installs onto a Short Arch and is shared between adjacent users. Each end of the Side Storage has open cubbies that can be left open or filled in with Bivi Organizers.




Side Storage should not be installed next to a Rumble Seat because it overhangs into the user sitting area.



Organizers can be installed into each end of the Side Storage or be used freestanding on a Full Top.




Bike Hooks can be mounted onto a wall.




Two Bike Hooks can be installed on one Tall Arch as long as the two bikes do not exceed 100 pounds and the front tires and rear tires are alternated to avoid both sets of pedals in the same location.

Tip: When ordering Bike Hooks, there are separate style numbers depending on the desired application: TS2ARCHBH for arch mounted, and TS2WALLBH for wall mounted.




Monitor Mounts can be located at the top or bottom location of a Tall Arch and on a Short Arch.

Monitor Mounts hold one monitor each up to 37" with a maximum of 50 pounds.




Markerboards are available in two sizes and have magnetic backs that work with steel surfaces such as Bivi Metal Screens and the center of the Bivi Side Storage.


Metal Screen, style number TS2SCREEN, works with any 48"W or 60"W Trough. It does not work with 72"W Troughs due to a trough stiffener that is factory installed in the center of 72"W Troughs. Metal Screens with style number TS8SCREENM work with any size Trough.



Two canopies cannot be used side-by-side on the 48"W Bivi Tables.




Organizer can be placed by itself on a table or tucked inside Bivi Side Storage.




Planter is a waterproof insert that fits inside Holder to hold live plants.



Holder or Holder with Planter can be attached opposite of other Bivi accessories.




Board Racks can be attached at the bottom location of Tall Arch or a Short Arch.




Board Rack can not be attached at the top location of a Tall Arch.



Side Storage attaches over a Short Arch and creates storage space and a boundary between workers.




Board Rack can be attached to a wall.




Board Rack can be attached opposite of a monitor mount.

Arches, Arch Accessories, and Screens, continued


Connections




Metal Screens ship with Trough mounting brackets that assemble by screwing two halves together and snapping into the Bivi Cable Trough.




High Sit Bracket with Modesty Panel attaches to Arches and supports Full Tops at standing height applications. At seated height applications, the High Sit Bracket with Modesty Panel provides privacy.




Mini Hook assembles onto High Sit Bracket with Modesty Panels that are manufactured after 11/6/2017. There can be two Mini Hooks per side if other components are not in use. Assembly holes were added for the Upper Dual Top.



Modesty Panel is tackable and has two sides for cable management. Each side has an access pocket for cords to route into.




When an Upper Dual Top is installed, there is room for one Mini Hook.




Arch Infills are tackable with painted brackets to attach to the upper section of the Tall Arch and the lower section of the Tall Arch and/or Short Arch.


Upper Arch Infill is also available with non-tackable markerboard surface.




Tackable Screens are available as freestanding or Bivi Trough-mounted. Screens are not a tackboard, but they are tackable.




Freestanding, Tackable Screen stanchions and base come standard in three plastic color choices with a paint option upcharge.




Trough-mounted, Tackable Screen stanchions come standard in three plastic color choices with a paint option upcharge. The base is always painted and replaces the Bivi Trough End Attachment Cover.




Tall and Short Arches can be mounted on either ends of a Bivi Table or in between two tables. They provide slots for mounting other Bivi accessories.



Upper Footshelf is painted steel, available in 48", 60", and 72" widths. Upper Footshelf can be paired with the Lower Footshelf at standing height to create a footself from standing and sitting posture.




Leg Covers come in a quantity of one. They are used for aesthetic purposes to cover up strength ribs in Bivi Legs and are not structural. Leg Covers come in half size, when used on a leg that has a Bivi Footshelf, and full size, when no Footshelf is present.




Lower Footshelf is painted steel, available in 48", 60", and 72" widths. Footshelf is used for foot support when in a standing posture.


Lower Footshelf is not recommended to be used with 21"D standing height tops due to possible leg interference.




Footshelf bracket covers the lower half of the Bivi Leg. The footshelf bracket can be shared between two Footshelves. The first Footshelf should be specified with the two bracket option and the adjacent footshelves should be specified with the one bracket option.



To install Footshelf brackets onto legs manufactured on or before July 17, 2016, order adaptor package, TS8FRETROSR.



Side Storage cannot be installed where a High Sit Bracket with Modesty Panel is present, as they interfere with each other.



Monitor Mounts will support the following VESA* patterns:

- 75 mm x 75 mm
- 100 mm x 100 mm
- 200 mm x 200 mm
- 200 mm x 100 mm

Screws for mounting the monitor to the Bivi Monitor Mount are not included.

They should be included with the TV or monitor.

*VESA mount, is a family of standards defined by the Video Electronics Standards Association for mounting flat panel monitors, TVs, and other displays to stands or wall mounts.

Weight Capacities

- Short Arch:** 100 pounds per side maximum.
- Tall Arch:** 100 pounds per side maximum.
- Monitor Mount:** 50 pounds maximum.
- Side Storage:** 50 pounds bottom shelf/100 pounds top.
- Bike Hook:** 50 pounds maximum.
- Board Rack:** 50 pounds maximum.
- Holder:** 25 pounds maximum.

Surface Materials

- Arches, Arch Infills, High Sit Bracket with Modesty Panel, Monitor Mounts, Metal Screens, Tackable Screens, Upper and Lower Footshelf, Organizers, and Bike Hooks**
 - Paint
- Metal Screen, Tackable Screen stanchions, freestanding Screen bases, and Trough mounting brackets**
 - Plastic
- Side Storage top**
 - Low-Pressure Laminate
 - High-Pressure Laminate
- Monitor Mount**
 - Black paint




Rumble Seat and Hoodie

Rumble Seat comes with an option for either table frame attachment brackets or freestanding legs. Available in multiple standard and COM fabric options.

► Specifying, page 116


Rumble Seats are available in three widths – 36"W, 48"W, or 60"W.

Rumble Seat fabric relaxes with use creating comfort wrinkles. If the least amount of comfort wrinkles is desired, Cogent:Connect fabric is recommended.




Hoodie is standard with attachment hardware to connect to a Rumble Seat. Available in a single fabric option for the top and sides and a default mesh on the back panel.


► Specifying, page 118



Contrasting seat is available as an option on all sizes of the Rumble Seat. Inner back, outer back, and arms will match each other.



Rumble Seat




Hoodie

Actual Dimensions

	Rumble Seat with Freestanding Legs or Table Frame Attachment Brackets	Freestanding Legs	Hoodie	Rumble Seat with Hoodie
Height	28 ¹ / ₂ "	12"	38 ¹ / ₈ "	67 ⁵ / ₈ "
Seat Height	16 ³ / ₈ "	N.A.	N.A.	N.A.
Depth	28"	28"	28"	28"
Seat Depth	23 ¹ / ₂ "	N.A.	N.A.	N.A.
Width	33 ³ / ₄ ", 45 ³ / ₄ ", and 57 ³ / ₄ "	34", 46", and 58"	57 ³ / ₄ "	58"


Product Details




Freestanding Legs connect to the bottom of the 36"W, 48"W, and 60"W Rumble Seat.

Rumble Seats TS3RS and TS3RSBKT, manufactured on 5/21/2017 or before, work with Freestanding Legs TS3RSL2 and Table Frame Attachment Brackets TS3RSTA, manufactured on 5/21/2017 or before. These TS3RS style numbers are no longer available.


Rumble Seats TS8RS, manufactured on 5/22/2017 or after, work with Freestanding Legs TS8RSL2 and Table Frame Attachment Brackets TS8RSTA, manufactured on 5/22/17 or after.




48"W and 60"W Rumble Seats can be installed on one or both sides of a Bivi Table for Two. 36"W Rumble Seats are only available on Freestanding Legs. To create this setting, order a Bivi Table for One and move the Cable Trough to the center. Install the Full Top on one side and the Rumble Seat on the other side.



Rumble Seats can connect to a Bivi Table for Two on both sides. To create this setting, order a Rumble Seat with Table Frame Attachment Brackets, two Bivi Legs, and one Bivi Cable Trough.



Rumble Seats cannot be installed in place of a worksurface on a Bivi Table for One.
Tip: Rumble Seat cannot be installed on 48"W Bivi Table for One, but can be installed on a 48"W Bivi Table for Two manufactured on or after 5/22/2017.



Hoodie is only intended to be used attached to a Rumble Seat.

Hoodie comes with two fabric options for the sides and top.

Back panel on Hoodie is defaulted in mesh. Mesh material used on the Hoodie back panel offers semi-transparency.

Connections





Table Frame Attachment Brackets connect the Rumble Seat to the table frame in place of a Full Top on a Bivi Table for Two.



Rumble Seats have connectors that come standard to attach the Hoodie. These connectors need to be located and cut to expose them in order to attach the Hoodie. If you know ahead of time that a Hoodie will be installed, there is an accessory bracket option that supports the Rumble Seat with the connectors exposed from the factory.

Weight Capacity

48"W and 60"W Rumble Seat: Two people, up to 300 pounds each.

36"W Rumble Seat: One person, up to 300 pounds.

Surface Materials

Rumble Seat

- Fabric

Freestanding Leg

- Paint

Table Frame Attachment Brackets

- Paint

Hoodie

- Cogent: Connect
- 5S25 Graphite
- 5S26 Licorice
- Mesh: T615 Sultry Smoke


Electrical Components

Plug and Play Corded Power, One Circuit Hardwire-to-Modular Power, Two Circuit

Bivi electrical components are simple and easy to install. Power Strips and hardwired Powerways can be installed in the Cable Trough, which provides easy access.

► Specifying, pages 120-135


Bivi Power Strips and Modular and Chicago Hardwired Powerways have spill-proof technology to prevent electrical shorts.



Hardwired-to-Modular

Modular Powerways, TS8P260 and TS8P2CHI, have two sections with four receptacles each for a total of eight receptacles.


Steelcase products are designed and tested for code and standard compliance when installed and used as an integrated product solution in accordance with Steelcase application guidelines and installation instructions. However, the building owner or designated agent is responsible for verifying that the installation is in compliance with local codes and regulations.




Plug and Play

Plug and Play Power Strip package of two, TS8PS2PKREV, has two sections with four receptacles each for a total of eight receptacles.

Plug and Play Power Strip package of four, TS8PS4PKREV, has four sections with four receptacles each for a total of 16 receptacles.



Trough-Mounted Data Access, TS8DATA, snaps into a 48"W, 60"W, or 72"W Trough and provides an opening to fit standard sized communication modules.




Trough-Mounted Data Access


Plug and Play Power Strips have a 15-amp 10' cord that plugs into a building receptacle.

Product Details


Two-Pack and Four-Pack Power Strips do not connect together as this would cause a potential power failure and hazard. Power Strips must plug into an individual power source.



Power Strips have the first and last receptacle rotated out to accommodate larger power units.




Power Strips have four simplex plugs. The fourth position can have two USB ports optioned in place of the simplex plug.




For the standard Bivi Modular Hardwire Base Power, when using a 60"W table there is 22" of conduit with 6" of wire length once the power hits the floor for the electrician to work with and connect to the building power source. When using a 48"W table, there are 12" of additional conduit.

Bivi San Francisco Hardwired Modular Power can be used outside of San Francisco. If more conduit length is desired, it has 72" length of conduit from the point of coming straight out of the table.


The San Francisco Hardwired Base Power can be used in other areas of the country where local codes allow liquid tight conduit if additional conduit length is desired. Check with local electrical inspectors.



Modular Harnesses are used when connecting power between two Bivi tables or when two hard-wired Powerways are used in one Bivi table.



One circuit plug and play power strips, two circuit modular powerway, and Chicago two circuit hardwired powerway are compatible to install in the top half of the cable trough.



Plug and play power strips, two circuit modular powerway, and Chicago two circuit hardwired powerway do not work on the bottom half of Bivi cable troughs with style numbers beginning with TS8, manufactured on or after 08/31/2016.

Power Specifications

- Single circuit power
- 12-amp system rating
- 15-amp power cord with 15-amp over-current protection
- UL recognized Powered Table System component per UL962


Surface Materials

Power Strips


- Paint

Bivi Plug and Play Corded, One Circuit

Plug and Play Power have 6' of conduit between receptacle strips, that gives room to share power between multiple tables in some applications. Plug and Play Power Strips are color coded and connect into each other.




2-Pack Plug and Play Power Strips have maximum of one connection point. **4-Pack Plug and Play Power Strips** have maximum of three connection points.



Bivi tables do not have maximum table limit. An unlimited amount of tables can be connected together. Plug and Play Power will need to be plugged into a building outlet in the middle of runs when multiple tables are connected and power is used.


Openings can be skipped to stretch out the power to more users. There is 6' of cord length between Power Strips which allows this.

Tip: Skipping openings will reduce cost.



Six Person Example

Provides two (2) plugs per person at the Table for Two at each end and four (4) plugs per person at the Table for Two in the middle of the setting. Requires quantity of one (1) package of four (TS8PS4PKREV) and one (1) building outlet to power up table.




Eight Person Example


Provides two (2) plugs per person. Requires quantity of one (1) package of four (TS8PS4PKREV) and one (1) building outlet to power up table.

Bivi Modular-Hardwire Power, Two Circuit


Modular Powerways, TS8P260, have two Power Strips for a total of eight simplex receptacles (power outlets).



Bivi tables can fit one powerway per Trough, located at the top of the Trough.







When additional Bivi plus One or plus Two tables are added a Two Circuit Modular Harness will be required, TS8P2H.

Bivi Modular-Hardwire Power, Two Circuit, continued

Modular Hardwire Power can support a maximum of six (6) Powerways, TS8P260, per Power Infeed, Two Circuit, TS8PBT2. After six (6) Powerways, a new power infeed will be required.


Bivi Plug and Play and Modular Hardwire, Two Circuit, Power Routing Guide

Bivi Power Routing Guide	Plugs Per Person	Plug and Play Power Examples	Hardwired Power Examples (require authorized electrician)
	(1) Table for One 4 plugs per person	(1) Package of one, TS8PS1PKREV	N.A.
	(1) Table for One 8 plugs per person	(1) Package of two, TS8PS2PKREV	(1) Powerway, Two Circuit, TS8P260 (1) Base Power-In, Hardwired, 2-circuit, TS8PBT2
	(1) Table for Two 4 plugs per person	(1) Package of two, TS8PS2PKREV	(1) Powerway, Two Circuit, TS8P260 (1) Base Power-In, Hardwired, 2-circuit, TS8PBT2
	(1) Table for Two (1) Table plus Two 4 plugs per person	(1) Package of four, TS8PS4PKREV	(2) Powerway, Two Circuit, TS8P260 (1) Modular Harness, Two Circuit, TS8P2H (1) Base Power-In, Hardwired, 2-circuit, TS8PBT2


Bivi Two Circuit Modular Powerway to Powerway and Modular Harness Routing Chart

Two Circuit (Standard Routing)


- Two circuit modular powerway (TS8P260 to TS8P260)
- Two circuit modular harness (TS8P2H)




72" Harness Length




72" Harness Length




72" Harness Length




72" Harness Length




72" Harness Length




84" Harness Length




122" Harness Length




122" Harness Length




122" Harness Length




122" Harness Length




132" Harness Length




122" Harness Length



132" Harness Length



132" Harness Length



138" Harness Length


Tip: When using SmartTools to specify Bivi, the harness lengths will be determined by the SmartTools software.

Tip: For modular and hardwire powerways, see page 124.


Tip: For modular harnesses, see page 125.

Two Circuit (Non-Standard Routing)


- Two circuit modular powerway (TS8P260 to TS8P260)
- Two circuit modular harness (TS8P2H)



122" Harness Length



122" Harness Length



122" Harness Length

Tip: When using SmartTools to specify Bivi, the harness lengths will be determined by the SmartTools software.
Tip: For modular and hardwire powerways, see page 124.
Tip: For modular harnesses, see page 125.

How to Select Monitor Arms for Bivi Tables

Bivi Table-Mounted Monitor Arm Brace:

The new Bivi Table-Mounted Monitor Arm Brace, TS8TMBRAC, supports Steelcase worktools monitor arms on Bivi tables. This brace is compatible with 48", 60", and 72" Bivi seated, standing, and dual height applications (some limitations apply depending on the application). Below are step by step instructions on how to order your Bivi Table-Mounted Monitor Arm Brace for your Bivi tables.

1

Know what Bivi application you have and which monitor arms are applicable

Listed on page 82 are all of the monitor arm style numbers that are and are not compatible with particular Bivi applications.

► See page 82


2

Decide which monitor arm you want on your Bivi Table.

After you know your table size and Bivi application, you will need to select your monitor arm. Worktools has a wide range of monitor arms and the Bivi Table-Mounted Monitor Arm Brace is compatible with CF Series, CF Series Evolution, Eyesite, and FYI single monitor arms.

Example

CF Series Evolution single monitor arm:
CFESARM (Monitor arm style numbers can be found in the *Worktools Specification Guide*)



3

Order your Bivi Table-Mounted Monitor Arm Brace.

Once you know your Bivi application and the Monitor Arm you would like that is compatible you can order your Bivi Table-Mounted Monitor Arm Brace.

Style number: TS8TMBRAC (located in the *turnstone Specification Guide*)

Required selections:

- Width
 - 48"
 - 60"
 - 72"
- Mounting plate
 - Eyesite (additional ordering information at the end of page)
 - FYI Single
 - CF Series
 - CF Series Evolution Single
 - CF Series Evolution Dual

Example

Customer has a Bivi Standing Height Table for Two that is 60"W; and they are looking to have a CF Series Evolution dual monitor arms.

Steps 1 and 2: Confirm that monitor arm is compatible with the application.

Bivi Monitor Arm Brace Matrix, continued				
48" Seated and Standing	60" and 72" Seated and Standing 60" and 72" Lower Dual Top without Upper Dual Top	60" and 72" Upper and Lower Dual Top	60" and 72" Upper Dual Top without Lower Dual Top	
Monitor Arm				
CF Series, continued				
CF450MDDP	Yes	Yes	No	No
CF500MDDP	Yes	Yes	No	No
CF600MDDP	Yes	Yes	No	No
CF800MDDP	Yes	Yes	No	No
CF800DUALBARCTM	Yes	Yes	Yes	No
CF450MDDL	Yes	Yes	No	No
CF500MDDL	Yes	Yes	No	No
CF600MDDL	Yes	Yes	No	No
CF800MDDL	Yes	Yes	No	No
CFSHA	Yes	Yes	No	No
CFDHA	Yes	Yes	No	No
CFMTSP	No	Yes	No	No
CFMTSWP	No	Yes	No	No
CF Series Evolution				
CFESARM	Yes	Yes	Yes	No
CFEDARM	Yes	Yes	No	No

CF Series Evolution

CFESARM


CFEDARM

60" and 72" Seated and Standing, 60" and 72" Lower Dual Top without Upper Dual Top

Step 3: Select the Bivi Table-Mounted Monitor Arm Brace

Select a 60"W brace that comes with a CF Series Evolution Dual Plate

Table-Mounted Monitor Arm Brace



Tip: Bivi Monitor Arm Braces can be used at seated and standing height with no additional parts.

Tip: Does not include the monitor arm; must be ordered separately.

Tip: See Bivi Monitor Arm Brace Matrix to understand applications and limitations. See page 68.

Standard Includes

- Bivi monitor arm brace
- Mounting plate specific to monitor arm: paint price group 1
- Bracket: 0835 Black only
- Ships ready to assemble

Required to Specify

- 1 Style number
- 2 Width (see below under Required Selections)
- 3 Mounting plate type (see below under Required Selections)
- 4 Paint color number for mounting plate: 0835 Black, 4231 Arctic White, 4799 Platinum Metallic, 7018 Pewter
- 5 Options; if selected (see below) See Surface Materials, page 134.

Required

- 48"W
- 60"W
- 72"W

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 48"W • 60"W • 72"W 	Prices below Prices below Prices below	Specify with 48". Specify with 60". Specify with 72".
Mounting Plate	<ul style="list-style-type: none"> • Eyesite • FYI single • CF Series • CF Series Evolution Single • CF Series Evolution Dual 	No cost No cost No cost No cost No cost	Specify with Eyesite mount. Specify with FYI single mount. Specify with CF Series mount. Specify with CF Series Evolution Single mount. Specify with CF Series Evolution Dual mount.
Options			
Surface Materials	Mounting plate <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 	No cost +\$8	Specify paint color number. Specify paint color number.

Specification Information			
Dimensions	Style Number	U.S. Base Prices	
D H		48"W	60"W 72"W
15" 2"	TS8TMBRAC	\$215	\$230 \$235

• CF Series
 • CF Series Evolution Single
 • CF Series Evolution Dual

Step 4: Order your monitor arms and Table-Mounted Monitor Arm Brace

Specify:

- 1 CF Series Evolution Dual Arm: CFEDARM
- 2 Table-Mounted Monitor Arm Brace: TS8TMBRAC (select options 60" width and CF Series Evolution Dual Plate)

Eyesite Monitor Arm Ordering:

There are two different Eyesite Mounts that can be ordered for Bivi.

Through-mounted, works for seated height applications and assembles in the floor of the Bivi Trough. The trough-mount version does not work in conjunction with High Sit-Brackets with Modesty Panels.

The Eyesite monitor arm mount style numbers listed below provide both the monitor arm mount and the Bivi bracket to install into a Bivi Trough.

- FPAEC1BIVI
- FPAEC2BIVI
- FPAELC1BIVI
- FPAELC2BIVI

Table-mounted, works for both seated- and standing-height applications and assembles to the Bivi table and cantilevers. The table-mounted version is the most flexible of the two Eyesite options, supporting multiple postures and future reconfigurations.

The Eyesite monitor arm mount style numbers listed below only provides the Eyesite monitor arm mount. The Bivi Table-Mounted Monitor Arm Brace is ordered separately.

Tip: The Eyesite style numbers listed below come with a through-mount bracket that is required to be discarded when using a Bivi Table-Mounted Monitor Arm Brace. The Bivi Table-Mounted Monitor Arm Brace assembly instructions provides specific details.

- FPAC1TM
- FPAC2TM
- FPAEC1TM
- FPAEC2TM
- FPAELC1TM
- FPAELC2TM
- FPAFC3TM
- FPALC1TM
- FPALC2TM

Wiring Schematics

Details for the Electrician

Bivi Four-Circuit Modular-Hardwire Power

offers three different wiring schematics to allow you to match your specific wiring strategy to any typical building wiring plan.

Tip: All the components in an electrical system must use the same wiring schematic. The components are keyed and color coded to make it impossible to connect mismatched parts.

Black = Four-circuit, 3+1

Brown = Four-circuit, 2+2


Rust = Three-circuit, separate neutral (3SN)

Shared neutral = 10 gauge

Non-shared neutral = 12 gauge


Hot wires = 12 gauge

Four-Circuit, 3+1




In the four-circuit 3+1 schematic, circuits 1, 2, and 3 are distributed from the first circuit panel and are supported with one shared neutral and one shared ground. Circuit 4 is distributed from a second circuit panel and is supported with a separate neutral and ground.

Single 3-Phase Circuit Panel




On a single 3-phase circuit panel, all four circuits are distributed as shown.

Four-Circuit, 2+2




In the four-circuit 2+2 schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel and are supported with one shared neutral and one shared ground. Circuits 3 and 4 are distributed from a second circuit panel and are supported by their own shared neutral and ground.

Single 3-Phase Circuit Panel




On a single 3-phase circuit panel, all four circuits are distributed as shown.

Split-Phase Circuit Panel




On a split-phase circuit panel, all four circuits are distributed as shown.

Three-Circuit, Separate neutral




In the three-circuit, separate neutral schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel. Each circuit is supported with its own neutral and a common ground. Circuit 3 is distributed from the second circuit panel and is supported by its own neutral and ground.

Single 3-Phase Circuit Panel



On a single 3-phase circuit panel, three circuits are distributed as shown.

Split-Phase Circuit Panel



On a split-phase circuit panel, three circuits are distributed as shown.

How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

How to Calculate
Power Needs

When planning a power network,

you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance:

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in and 40 receptacles for each 4-circuit power-in.

If your usage is known in advance:

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) or 80 amps (20 amps times 4 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

► See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.


Approximate power consumption for common devices

• Device	• Wattage	• Amperage	• Voltage	• Number of Devices Supported on Single 20 Amp Circuit*
Laptop	90	0.8	110	20
CPU/Desktop Computer	120	1.1	110	15
Monitor	60	0.5	110	29
Phone	5	0.0	110	352
High Power Tablet (e.g. Surface Pro)	40	0.4	110	44
Low Power Tablet (e.g. iPad Air)	15	0.1	110	117
Desktop Printer	40	0.4	110	44
42" LCD Screen	210	1.9	110	8
DVD Player	25	0.2	110	70
Projector	175	1.6	110	10
Desktop Lamp	19	0.2	110	93
Large Printer/Copier (high)	1900	17.3	110	1
Large Printer/Copier (low)	850	7.7	110	2
Paper Shredder	360	3.3	110	5
Desktop Fan	20	0.2	110	88
Standing Fan	180	1.6	110	10
Coffee Maker (high)	1200	10.9	110	1
Coffee Maker (low)	600	5.5	110	3
Microwave (high)	400	13.6	110	1
Microwave (low)	150	5.5	110	3
Refrigerator (high)	1500	3.6	110	4
Refrigerator (low)	200	1.4	110	12
Vacuum (high)	1500	13.6	110	1
Vacuum (low)	200	1.8	110	9
Space Heater (high)	1500	13.6	110	1
Space Heater (low)	750	6.8	110	2

Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.

Cable Capacities

Four Circuit



	Outside Diameter of Cable = .223 (5E)			Outside Diameter of Cable = .310 (6A)		
	Max Capacity (5E) without Power	Max Capacity (5E) with 1- or 2-Circuit Power	Max Capacity (5E) with 4-Circuit Power	Max Capacity (6A) without Power	Max Capacity (6A) with 1- or 2-Circuit Power	Max Capacity (6A) with 4-Circuit Power
A Power Infeed Cover	149	144	141	98	94	92
B Trough	104	75	55	75	63	45
C Utility Pole	151	146	143	102	98	96

Note: The TIA recommends a maximum fill rate of 40%.

Note: When routing cables through any combination mentioned above, the capacity is equal to the smallest number.

Distribution and Access

Four Circuit

Power Blocks are placed in the bottom half of the Bivi Trough, are dual-sided, and are accessible on both sides of the Trough. Modular Harnesses are used to distribute power through the bench.

Standard-Capacity Power



includes one Power Block, provides back-to-back power, and accepts two receptacles per side. The Standard-Capacity Power Block allows access to power in the sides of the Bivi Trough.

Accessory Power Strips can be placed at seated or standing height tables for easy user access. Power and data, power and USB, or power only are available.


Modular Harness is used to connect power blocks and distribute power through the bench.

Four-Circuit Powerway

connects to a Four-Circuit Modular Power Block or Connector Power Block and is available in three wiring schematics with multiple line options. As with the Plug and Play Powerways and Modular-Hardwire Two-Circuit Powerways, the Four-Circuit Powerway mounts into the floor of the Trough.




Wiring and Cabling




Modular Power Block Standard-Capacity Power


includes one power block, provides back-to-back power, and accepts two receptacles per side.



Power Block Connector, Four-Circuit (TS8PHBC) may be used with a Four-Circuit Modular Powerway (TS8P4QUAD) in place of the Standard-Capacity Power Block to keep the sides of the Bivi Trough covered for a clean aesthetic.



Four-Circuit Modular Powerway (TS8P4QUAD) is available in three wiring schematics with multiple line options.



Chicago Hardwire Box is available. It accommodates two receptacles per side.




Duplex Receptacles are available in 15-amp, isolated, or system ground and are available in three wiring schematics with multiple line options. Receptacles have two outlets and are ordered separately.

Duplex Receptacles


are available in nine plastic colors:

6000	Black
6009	Arctic White
6249	Platinum Solid
6527	Merle
6651	Tungsten
6652	Titanium
6654	Sand
6697	Fog
6B03	Red



Modular Flexible Receptacles

are available in 15-amp, isolated or system ground, with multiple line options. Flexible Receptacles offer easy access to three outlets.



Controlled Receptacle must be indicated when tying into the building management system. Duplex Receptacles have an option for a factory permanent, pad stamp power icon symbol. Symbol aids in Title 24 compliance.


► See *Surface Materials*, page 160, for symbol ink colors.



USB Receptacles are 2.1 amperage quick charge which is a 50% faster charge than the 1.0 amperage version. USB Receptacles are available in three wiring schematics with multiple line options. USB Receptacles offer easy access to two charging ports. Each port provides 1 amperage of output. USB Receptacles conveniently charge a wide range of electronic devices. Some devices may not be compatible.



Bezel Receptacle Cover installs in the sides of Bivi Trough, providing access to the Four-Circuit Duplex Receptacles.



Modular Harnesses are used to connect power blocks.

► See *Power Routing Harness Chart*, page 72, to determine lengths needed.



Power Infeed Cover can be used to conceal conduit and cables along the floor.



Two Power Strips are available: rectangular and pyramid. Each have options of power, data, and USB ports. The Rectangular Power Strip has an option for clamp-on mount that works well in the Bivi table scallop at both seated and standing heights.

Rectangular Power Strip with clamp-on mount works on worksurfaces that range from 1/2" to 2 1/2" thick.



Trough-Mounted Data Access, TS8DATA, snaps into a 48"W, 60"W, or 72"W Trough and provides an opening to fit standard sized communication modules.

Three wiring schematics are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.

All electrical components are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.

Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Power Routing Harness Chart

From Unit to Unit, Four Circuit


Tip: When using SmartTools to specify Bivi, the harness lengths will be determined by the SmartTools software.

48"W	48"W		Harness Length
		A to A	51"
		B to B	45"

48"W	48"W		Harness Length
		A to B	48"


48"W	60"W	48"W	Harness Length	
			A to A	111"
			B to B	107"

48"W	60"W	48"W	Harness Length	
			B to A	107"

48"W	60"W		Harness Length
		A to A	57"
		B to B	51"

48"W	60"W		Harness Length
		B to A	54"

*Note: A = Connector Block, four-circuit
B = Standard-Capacity Power Block, four-circuit*



Harness Length


A to A 118"

B to B 111"



Harness Length


B to A 115"



Harness Length


A to A 63"

B to B 57"



Harness Length


B to A 60"



Harness Length

A to A 124"

B to B 115"




Harness Length

B to A 121"

Note: A = Connector Block, four-circuit
B = Standard-Capacity Power Block, four-circuit


Power Routing Harness Chart, From Unit to Unit, Four Circuit, continued



Harness Length


A to A 124"

B to B 115"



Harness Length


B to A 118"



Harness Length


A to A 118"

B to B 111"



Harness Length


B to A 115"



Harness Length

A to A 144"

B to B 121"



Harness Length


B to A 127"



Harness Length


A to A 84"

B to B 67"



Harness Length

B to A 72"




Harness Length

A to A 111"


B to B 107"

Note: A = H-Block Connector, style number TS8PHBC

B = Standard Capacity Power Block, style number TS8PBS


**Harness Length**

A to B 107"


**Harness Length**

A to A 124"

B to B 115"


**Harness Length**

B to A 121"


**Harness Length**

A to A 144"

B to B 127"


**Harness Length**

B to A 144"

**Harness Length**

A to A 63"

B to B 57"


**Harness Length**

B to A 60"

**Harness Length**

A to A 72"

B to B 63"

**Harness Length**


B to A 67"

Note: A = H-Block Connector, style number TS8PHBC
B = Standard Capacity Power Block, style number TS8PBS

Building Interface


Four Circuit

Building power and data can interface with Bivi tables from the floor, wall, column, or ceiling. Both modular and hard-wire infeeds are available.




Infeeds can enter Bivi tables at either end or anywhere along the Trough.

Infeed Cover



Wiring and Cabling



Hardwire-to-Modular Power Infeed is available in 6, 12, and 24 foot lengths. If a shorter harness is needed, it can be cut by the electrician. The hard-wired end is connected by an electrician to a junction box wherever it is located in the building. The harness is routed into the Trough and connected to a power block. Non-PVC is standard. PVC version can be optioned.




Straight/
Flush



90°

Modular Junction Box Faceplate can be ordered separately and used with any modular harness length when 12 and 24 foot lengths are not appropriate. Straight/flush and 90° faceplates are available. A 90° Junction Box Faceplate is recommended for use at a wall or column. Non-PVC is standard. PVC version can be optioned.




New York Power Infeeds are available. The junction box is mounted to the underside of the Trough. A 50" harness is included to reach the first power block in the Trough. If a shorter harness is needed, it can be cut by the electrician. Non-PVC is standard. PVC version can be optioned. Hardwire-to-Modular Infeeds can also be used.

Hardwired/Chicago Power Infeeds are supplied by the electrician.


San Francisco can use hardwire or modular infeeds. When infeed is coming from floor or wall, liquid tight metallic conduit may be required. In this case, order infeed specific to San Francisco.

Base Power Infeeds are not available.



Power and data can enter the Trough through the end or in the middle of a run. ▶ See *Cable Capacities*, page 68.

Three wiring schematics are available—3+1, 2+2, and three circuits with separate neutrals (3SN). All the components in an electrical distribution system must use the same wiring schematic. For safety, the components are keyed, labeled, and color-coded to make it impossible to connect mismatched parts.



Utility Pole connects to the T-slot in the Bivi Leg.

Non-PVC modular electrical components are the standard offering with the option to order PVC on some components. For those trying to gain the LEED Innovation and Design credit, non-PVC should be selected.

All electrical components are cULus listed to the appropriate industry standards in accordance with the National and Canadian Electrical code.

Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components.

Storage


Trunk storage attaches to the end of a Bivi Table for Two. It has storage on each end as well as additional storage in the middle. Trunks are also available with freestanding legs for a freestanding application.

► Specifying, pages 136-138


Depot storage is free-standing and comes in two high or three high. Depot is not approved to be stacked on top of each other and cannot be wall mounted.

Tip: 3611 Natural Oak is not available on Bivi Depots.


The plywood edges create an unacceptable visual when used on a Depot.




48" Trunk



60" Trunk




2 High




3 High


Trunk




2-High Depot




3-High Depot



48" Trunk with Freestanding Legs




60" Trunk with Freestanding Legs




The same Freestanding Legs are used on the 48"W and 60"W Trunk.


Product Details




Trunk storage attaches to the end of a Bivi Table for Two. It has storage on each end as well as additional storage in the middle.




Trunk cannot be used on a Bivi Table for One.



Trunk is not recommended to be used on a standing height Bivi Table for Two. The trunk table frame attachment brackets only work on the Bivi Leg, not on the Short or Tall Arch. Therefore, Trunk does not line up with the standing height Full Tops.



3-High Depot has the ability to turn the top section around so it faces the Full Top when placed against the end of the Bivi table.



Depot storage comes with feet on each end and a foot in the middle, all with adjustable glides.

Weight Capacities

Trunk: 200 pounds on top, 50 pounds per cubby, and 25 pounds per shelf.

Depots: 200 pounds on top (all sizes) and 50 pounds per cubby (all sizes).

Surface Materials

Trunk top and Depot storage

- Laminate

Trunk case and shelves

- Paint

Components and Accessories


Half-Round Top, Transaction Top, End Hanging Top, Gallery Panel, Top Shelf, Bottom Shelf, Hook, Media Support System, and Eyesite Monitor Mounts

Half-Round Top attaches to the end of a Bivi Table for Two
 ▶ Specifying, page 140


Eyesite monitor arms are available with Bivi Bracket to assemble into the Trough: style numbers **FPAEC1BIVI**, **FPAEC2BIVI**, **FPAELC1BIVI**, and **FPAELC2BIVI**.

Bottom Shelf attaches to the leg of a Bivi table. The Bottom Shelf can hold a CPU, backpack, computer bag, and other small items.
 ▶ Specifying, page 149

Hooks attach to the leg of a Bivi table either under the desk or on the outside. Hooks also attach to a Bivi Arch. Hooks come in two-packs or four-packs.
 ▶ Specifying, page 150




Leg



Bottom Shelf

Weight Capacities


Half-Round Top	200 pounds
Transaction Top	100 pounds
Mid Transaction Top	50 pounds
Mini Transaction Top	50 pounds
Hook	25 pounds
Top Shelf	30 pounds
Bottom Shelf	30 pounds
End Hanging Top	200 pounds




Adding a Half-Round Top at the ends of a Bivi Table for Two creates a conference table.

Top Shelf attaches to the Cable Trough. Three Top Shelves can span across a Bivi Table for One; up to six top shelves can be used on a Bivi Table for Two.
 ▶ Specifying, page 149


Bivi Leg is available to order separately for reconfiguration purposes. In an existing benching application, you can take apart the table and add a leg to create two freestanding tables.
 ▶ Specifying, page 148




Top Shelf




Half-Round Top




Transaction Top




Mid Transaction Top



Mini Transaction Top



End Hanging Top



Gallery Panel






Table-Mounted Monitor Arm Brace

Product Details




Single and dual Eyesite monitor arms are available with a Bivi Bracket that assembles in the Bivi Trough.



Half-Round Top will not work with a stand alone 48"W or 60"W Bivi Table for Two, due to stability test guidelines. Half-Round Top is approved to work with 72"W Bivi Table for Two.



Half-Round Top is not recommended to be used on a standing height Bivi Table for Two. The overall width is 4" wider than the span of two Full Top depths and the depth of a Bivi Trough. At standing height, the Half-Round Top will overhang the footprint of two Full Tops by 2" on either side.




Half-Round Top will work with 48"W, 60"W, or 72"W Bivi with additional product added to the other end. For example, add a Bivi table or Trunk to a 48" Bivi Table for Two.



Transaction Top attaches at the end of a 60"W Bivi Table for Two at standing height to create a team table or easy collaboration spot.


Mini Transaction Top attaches at the end of either two Upper Dual Tops or two 21"D Tops at standing height.



Transaction Top is not recommended to be used on a Bivi Table for One. It overhangs the Table for One footprint and creates unwelcome edges.



Transaction Top is not recommended to be used at a seated height Bivi Table for Two. The overall width is 56" to match the two Full Tops in a Bivi Table for Two at standing height. This is 4" narrower than a Half-Round Top due to no Trough in the center of a Bivi Table for Two at standing height.



Mini Transaction Top attaches at the end of two Upper Dual Tops to create a small collaboration spot.



End Hanging Top is a 60"W x 18"D top that attaches to the end of a seated height Bivi table run. It is designed to provide extra workstations in a smaller foot print, and to keep the square aesthetic of Bivi.




End Hanging Top is not recommended to be installed on a Bivi Standing Height Table for Two. Brackets are designed to attach into the leg and not the Short or Tall Arch.



End Hanging Top will not work with stand alone 48"W or 60"W Bivi Table for Two due to stabilizing guidelines. End Hanging Top is approved to work with 72"W Bivi Table for Two.




Mid Transaction Top attaches at the end of a 48"W Bivi Table for Two at standing height.




End Hanging Top cannot be installed on a Bivi Table For One. End Hanging Top overhangs past the Table for One and creates unwelcome edges.

Back and side edges of End Hanging Top have an edge band that is defaulted to match the laminate surface.




Grain direction of End Hanging Top is always side to side.

End Hanging Top works with 60"W Bivi Table for Two. It does not line up with 48"W Bivi Table for Two.




Gallery Panel is a panel that attaches to the Bivi Leg at the end of a run to conceal the understructure of the Bivi frame when a closed visual is desired.

Gallery Panel works with 60"W Bivi Table for Two. It does not line up with 48"W Bivi Table for Two.




Gallery Panel is not recommended to be installed on a Bivi Standing Height Table for Two. Gallery Panel is only 28½"H which would lead to a gap from the panel to the top at standing height.



Gallery Panel cannot be installed on a Bivi Table For One. The Gallery Panel overhangs past the Table for One and creates unwelcome edges.








Back and side edges of Gallery Panel have an edge band that is defaulted to match the laminate surface.



Grain direction is always specified up and down (waterfall) to work with the grain direction of the Bivi Full Tops.

Components and Accessories, Half-Round Top, Transaction Top, End Hanging Top, Gallery Panel, Top Shelf, Bottom Shelf, Hook, Media Support System, and Eyesite Monitor Mounts, continued

Bivi Monitor Arm Brace Matrix

	48" Seated and Standing	60" and 72" Seated and Standing, 60" and 72" Lower Dual Top without Upper Dual Top	60" and 72" Upper and Lower Tops Dual Tops	60" and 72" Upper Dual Top without Lower Dual Tops
				
				
				

Monitor Arm

FYI




FPASINGLE	Yes	Yes	Yes	No
-----------	-----	-----	-----	----

Eyesite

FPAC1TM	Yes	Yes	No	No
FPAC2TM	Yes	Yes	No	No
FPAEC1TM	Yes	Yes	No	No
FPAEC2TM	Yes	Yes	No	No
FPAELC1TM	Yes	Yes	No	No
FPAELC2TM	Yes	Yes	No	No
FPAFC3TM	No	Yes	No	No
FPALC1TM	Yes	Yes	No	No
FPALC2TM	Yes	Yes	No	No

CF Series

CF800	Yes	Yes	Yes	No
CF600	Yes	Yes	Yes	No
CF500	Yes	Yes	Yes	No
CF450	Yes	Yes	Yes	No
CF800MSP	Yes	Yes	No	No
CF600MSP	Yes	Yes	No	No
CF500MSP	Yes	Yes	No	No
CF450MSP	Yes	Yes	No	No
CFMDSP	Yes	Yes	No	No
CFMDSWP	Yes	Yes	No	No

Bivi Monitor Arm Brace Matrix, continued**48" Seated and Standing****60" and 72" Seated and Standing, 60" and 72" Lower Dual Top without Upper Dual Top****60" and 72" Upper and Lower Tops Dual Tops****60" and 72" Upper Dual Top without Lower Dual Tops****Monitor Arm
CF Series, continued**

CF450MDDP	Yes	Yes	No	No
CF500MDDP	Yes	Yes	No	No
CF600MDDP	Yes	Yes	No	No
CF800MDDP	Yes	Yes	No	No
CF800DUALBARCTM	Yes	Yes	Yes	No
CF450MDDL	Yes	Yes	No	No
CF500MDDL	Yes	Yes	No	No
CF600MDDL	Yes	Yes	No	No
CF800MDDL	Yes	Yes	No	No
CFSHA	Yes	Yes	No	No
CFDHA	Yes	Yes	No	No
CFMTSP	No	Yes	No	No
CFMTSWP	No	Yes	No	No

CF Series Evolution

CFESARM	Yes	Yes	Yes	No
CFEDARM	Yes	Yes	No	No

Components and Accessories, Half-Round Top, Transaction Top, End Hanging Top, Gallery Panel, Top Shelf, Bottom Shelf, Hook, Media Support System, and Eyesite Monitor Mounts, continued

Table-Mounted Monitor Arm Brace is used to attach monitor mounts such as Eyesite and FYI Single to Bivi. This brace is compatible with seated-, standing-, and dual-height applications of Bivi.




Table-Mounted Monitor Arm Brace is installed in the scallop of the top and does not interfere with the trough. This allows the brace to be used at seated height and standing height.






Table-Mounted Monitor Arm Brace can be used with a screen or a modesty panel installed.



Due to interference with the Bivi Upper Dual Tops, only the following monitor arms can be installed in applications with Upper Dual Top:


CF Series	Style Number
Single	CF800
Single	CF600
Single	CF500
Single	CF450
Single	CF800DUALBARCTM
CF Series Evolution	Style Number
Single	CFESARM
FYI	Style Number
Single	FPASINGLE



On a Bivi Table for One, the monitors cannot be rotated to where they are hanging over the other side due to possible tipping.

Triple wide monitor arms are available on Bivi Full Tops. The Eyesite and CF Series triple wide monitor arms can be specified on Bivi standing and seated height 60" and 72" applications. Triple wide monitor arms can not be used on dual-height applications due to interference.

Style numbers FPAEC1BIVI, FPAEC2BIVI, and FPAELC2BIVI can only be used at seated height without a modesty panel installed.




Media Support System consists of three parts — Monitor Mount, Shroud, and Shelf — that can have matching or contrasting paint colors. Each item can be ordered separately or as a full kit (package).

Attachment: Media Support System can only be attached to a Bivi Tall Arch. It cannot attach to a Bivi Short Arch or to the lower T-slot in a Bivi Tall Arch.


Monitor Dimensions and VESA Patterns:

Media Support System can accommodate monitors ranging from 32" to 43", and less than 50 pounds. System accommodates monitors with the following VESA Patterns:

- 75 mm x 75 mm
- 100 mm x 75 mm
- 100 mm x 100 mm
- 200 mm x 100 mm
- 200 mm x 200 mm
- 300 mm x 200 mm
- 300 mm x 300 mm
- 400 mm x 200 mm
- 400 mm x 400 mm




A grommet opening comes standard in the Media Support Shelf, and an additional grommet can be installed in the Bivi Full Top to manage cables and gain easier access to power.




Media Support Shelf can be used as a way to manage cords and hold small devices such as remotes, display devices, and electronics.

Bivi Trough Accessory Install Guide

48" Bivi Tables




48" Bivi Table Trough has eight (8) predrilled hole patterns in the Trough floor to accept accessories.




Tip: End locations are not recommended for Eyesite dual monitors in the 48" or 60" Bivi Tables.


Tip: End locations are not recommended for Eyesite single monitor arms if power is installed.



Possible Top Shelf locations.




Example of mixing Eyesite monitor arms and Top Shelf accessories.




Eyesite single or dual monitor arms with a Bivi Bracket take up two (2) of the holes across from each other.


60" and 72" Bivi Tables



Shelves take up two (2) of the holes side by side.




60" and 72" Bivi Tables Trough has twelve (12) predrilled hole patterns in the Trough floor to accept accessories.




Tip: End locations are not recommended for Eyesite dual monitors in the 48" or 60" Bivi Tables.


Tip: End locations are not recommended for Eyesite single monitor arms if power is installed.



Possible top shelf locations. Up to six (6) shelves can be installed in one 60" and 72" Bivi Trough.




Example of mixing Eyesite monitor arms and Top Shelf accessories.




Eyesite single or dual monitor arms with a Bivi Bracket take up two (2) of the holes across from each other.

Components and Accessories, Half-Round Top, Transaction Top, End Hanging Top, Gallery Panel, Top Shelf, Bottom Shelf, Hook, Media Support System, and Eyesite Monitor Mounts, continued


Application Topics




Conference setting can be created by a Bivi 4-pack with an End Hanging Top on both ends to make it into a 6-pack.




Collaboration setting can be created by a Bivi 2-pack with End Hanging Top on one end and with a Media Support Mount and Media Support Shroud on the other side to provide a meeting space.




Gallery Panels are used on each side of a setting when a closed finished visual is desired.




Tech seated setting can include a Bivi 6-pack at seated height with dual monitors on each top and with modesty panels attached.




Tech standing setting can include a Bivi 6-pack at standing height with dual monitors on each top and with modesty panels attached.



Focus zone setting can include a 4-pack of 72\"/>




Media Support System can support two full systems with monitors on a single Bivi Tall Arch.



Media Support System cannot be installed on a seated height Bivi For Table Two.

Bivi Height-Adjustable Desks

T-Leg



Tip: Wood group 2 and 3 upcharges are in addition to wood group 1 upcharge.

Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Only single and dual flat panel monitor arm applications are permitted for use with 2-leg height-adjustable desks.

► See Worktools Specification Guide.

Tip: Base supports a maximum distributed weight capacity of 250 lbs. When calculating lifting capacity, subtract the weight of the worksurface.

► See page 20 for worksurface weights.

Standard Includes		Required to Specify	
► Need help? Product details, page 16	<ul style="list-style-type: none"> • Worksurface: Low-Pressure Laminate price group 1 • 3 mm plastic edge band on front and 1 mm on back edge • Electric height-adjustable sit-to-stand base: paint price group 1 • Depth: 24", 25", 29", 30", 35", or 36" • Modular width: 54½", 60", 66½", or 72" • Parametric width: 46"–76" • Power cord: 9' • ½" adjustable glides • Square corners and feet • Attachment hardware 	1 Style number 2 Worksurface size type (see below under Required Selections) 3 Controller (see below under Required Selections) 4 Desk depth 5 Desk width 6 Low-Pressure Laminate color for worksurface 7 Plastic color number for profile edge 8 Paint color number for base: 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 9 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.	
Required Selections		U.S. Price	Required to Specify
Worksurface Size Type	• Modular	No cost	Specify with modular.
	• Parametric	No cost	Specify with parametric.
Controller	• Up/down controller	No cost	Specify with up/down controller.
	• 4 pre-set controller	+\$ 62	Specify with 4 pre-set controller.
Edge	• Flat edge	No cost	Specify with flat edge.
	• Knife edge	+\$105	Specify with knife edge.
Options		U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate top		Specify High-Pressure Laminate color number. ► See <i>Surface Materials Reference Manual</i> .
	• High-Pressure Laminate price group 2	+\$140	
	• Open Line laminate	+\$ 74	
	Wood veneer top		Specify wood color number. Specify wood color number. Specify with Customiz stain. ► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
	• Wood group 2	+\$ 88	
	• Wood group 3	+\$308	
	• Customiz stain	No cost	
	• Full-fill finish on wood group 1	+\$ 88	
	Base		Specify paint color number. Specify paint color number.
	• Paint price group 1	No cost	
	• Paint price group 2	+\$ 45	
Related Products	• Bivi Straight Screen		► Page 96
	• Bivi Utility And Clamp-On Power		► Page 93
	• Bivi Soft Cable Drop		► Page 91
	• Bivi Utility Hook		► Page 95



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specification Information

• Style Number	• Dimension Depth	• Modular Width	U.S. Base Prices				
			54½"W	60"W	66½"W	72"W	N.A.
		• Parametric Width	46"W – 54½"W	54¾"W – 60"W	60¼"W – 66½"W	66¾"W – 72"W	72½"W – 76"W

Low-Pressure Laminate Desks—Basic Height, T-Leg

TS8SLTRQ	24" or 25"	\$1167	\$1192	\$1217	\$1257	\$1287
	29" or 30"	\$1195	\$1220	\$1245	\$1285	\$1315
	35" or 36"	\$1220	\$1245	\$1270	\$1310	\$1340

High-Pressure Laminate Desks—Basic Height, T-Leg

TS8SLTRQ	24" or 25"	\$1262	\$1287	\$1312	\$1352	\$1382
	29" or 30"	\$1290	\$1315	\$1340	\$1380	\$1410
	35" or 36"	\$1315	\$1340	\$1365	\$1405	\$1435

Wood Group 1 Desks—Basic Height, T-Leg

TS8SLTRQ	24" or 25"	\$1969	\$1994	\$2019	\$2059	\$2089
	29" or 30"	\$1997	\$2022	\$2047	\$2087	\$2117
	35" or 36"	\$2022	\$2047	\$2072	\$2112	\$2142

Low-Pressure Laminate Desks—Extended Height, T-Leg

TS8ELTRQ	24" or 25"	\$1202	\$1227	\$1252	\$1292	\$1322
	29" or 30"	\$1230	\$1255	\$1280	\$1320	\$1350
	35" or 36"	\$1255	\$1280	\$1305	\$1345	\$1375

High-Pressure Laminate Desks—Extended Height, T-Leg

TS8ELTRQ	24" or 25"	\$1297	\$1322	\$1347	\$1387	\$1417
	29" or 30"	\$1325	\$1350	\$1375	\$1415	\$1445
	35" or 36"	\$1350	\$1375	\$1400	\$1440	\$1470

Wood Group 1 Desks—Extended Height, T-Leg

TS8ELTRQ	24" or 25"	\$2004	\$2029	\$2054	\$2094	\$2124
	29" or 30"	\$2032	\$2057	\$2082	\$2122	\$2152
	35" or 36"	\$2057	\$2082	\$2107	\$2147	\$2177




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Bivi Height-Adjustable Bases

T-Leg



Tip: Width has no upcharge associated with the Bivi Height-Adjustable Base.

Tip: Attachment hardware is intended for desks 1" to 1 3/16" thick.

Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: Only single and dual at panel monitor arm application are permitted for use with 2-leg height-adjustable desks.

► See *Worktools Specification Guide*.

Tip: Base supports a maximum distributed weight capacity of 250 lbs. When calculating lifting capacity, subtract the weight of the worksurface.

► See page 20 for worksurface weights.

Tip: Worksurface for use on this base needs to be 2" wider than the base.

⚠ WARNING

Read base only warranty limitations.

► See page 21 for *Workstation Design Guidelines and Requirements*.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

	Standard Includes	Required to Specify
► Need help? Product details, page 16	<ul style="list-style-type: none"> Electric height-adjustable sit-to-stand base: paint price group 1 Depth: 24", 25", 29", 30", 35", or 36" Modular width: 54 1/2", 60", 66 1/2", 72" Parametric width: 46"-76" Power cord: 9' 1/2" adjustable glides Attachment hardware 	1 Style number 2 Controller (see below under Required Selections) 3 Depth 4 Width 5 Paint color number for base: 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 6 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.

	Required Selections	U.S. Price	Required to Specify
Controller	<ul style="list-style-type: none"> Up/down controller 4 pre-set controller 	No cost +\$62	Specify with up/down controller. Specify with 4 pre-set controller.

	Options	U.S. Price	Required to Specify
Surface Materials	Base <ul style="list-style-type: none"> Paint price group 1 Paint price group 2 	No cost +\$45	Specify paint color number. Specify paint color number.
Related Products	<ul style="list-style-type: none"> Bivi straight screen Bivi utility and clamp-on power Bivi soft cable drop Bivi utility hook 		► Page 96 ► Page 93 ► Page 91 ► Page 95

Specification Information

Style Number	Dimension Depth	U.S. Base Prices
--------------	-----------------	------------------

Rectangular Bases – Basic Height


TS8SLTRQB	24" or 25"	\$1040
	29" or 30"	\$1040
	35" or 36"	\$1040

Rectangular Bases – Extended Height

TS8ELTRQB	24" or 25"	\$1075
	29" or 30"	\$1075
	35" or 36"	\$1075

Soft Cable Drop

For Bivi Height-Adjustable Desk



Standard Includes	Required to Specify
<div>▶ Need help? Product details, page 17</div> <div><ul style="list-style-type: none">• Cable management for Bivi Height-Adjustable Desks and bases:<ul style="list-style-type: none">— Soft PET in P631 Dark Heather Grey• Attachment hardware</div>	Style number


Specification Information			
• Dimensions		• Style	• U.S.
W	H	Number	Price
36"	11"	TS8HADCBLD	\$220
:	:	:	:

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.



Under Worksurface Utility Power

For Bivi Height-Adjustable Desk



► Need help?
Product details,
page 16

Standard Includes

- Underworksurface utility power: four outlets
- 6' standard cord: plastic
- Paint default: black
- Circuit breaker

Required to Specify

- 1 Style number
- 2 Tamper resistance (see below under Required Selections)
- 3 Under worksurface utility power configuration (see below under Required Selections)
- 4 Cord length (see below under Required Selections)
- 5 Cord type (see below under Required Selections)
- 6 Plastic or cotton color number for cord
- 7 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Tamper Resistance	<ul style="list-style-type: none"> • No tamper resistance • With tamper resistance 	No cost +\$42	Specify <i>with no tamper resistance</i> . Specify <i>with tamper resistance</i> .
Under Worksurface Utility Power Configuration	<ul style="list-style-type: none"> • 4 power • 6 power 	No cost +\$37	Specify <i>with 4 power</i> . Specify <i>with 6 power</i> .
Cord Length	<ul style="list-style-type: none"> • 6' cord • 9' cord: Chicago • 10' cord 	No cost +\$18 +\$20	Specify <i>with 6' cord</i> . Specify <i>with 9' cord</i> . Specify <i>with 10' cord</i> .
Cord Type	<ul style="list-style-type: none"> • Standard • Braided 	No cost +\$60	Specify <i>with standard cord</i> . Specify <i>with braided cord</i> .

Tip: Braided cord option is PVC-free.

	Options	U.S. Price	Required to Specify
Surface Materials	Cord <ul style="list-style-type: none"> • Standard plastic cord finish • Braided cotton cord finish 	No cost No cost	Specify standard cord color number. Specify braided cord color number.
Related Products	<ul style="list-style-type: none"> • Bivi Soft Cable Drop 		► Page 91

Specification Information

Style Number	U.S. Base Price
TS8HADPU	\$240



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Under Worksurface Utility and Clamp-On Accessory Power

For Bivi Height-Adjustable Desk

Under Worksurface Utility
and Clamp-On Accessory
Power

Bivi



► Need help?
Product details,
page 16

Standard Includes

- Underworksurface utility power: 4 power
- Underworksurface utility power: plastic 6' 15-amp power cord
- Underworksurface utility power: black steel
- Clamp-on accessory power: 3 power
- Clamp-on accessory power: hardwired to utility power
- Clamp-on accessory power: plastic price group 1

Required to Specify

- 1 Style number
- 2 Tamper resistance (see below under Required Selections)
- 3 Under worksurface utility power configuration (see below under Required Selections)
- 4 Clamp-on accessory power configuration (see below under Required Selections)
- 5 Cord length (see below under Required Selections)
- 6 Cord type (see below under Required Selections)
- 7 Plastic color number for cord
- 8 Plastic or cotton color number for clamp-on power
- 9 Options, if selected (see below)

Tip: USB-C (60W) best option is for charging compatible notebook devices such as MacBook, Dell and more. USB-C (18W) can fast charge mobile devices such as cell phones.

Tip: Braided cord option is PVC-free.

Tip: Plastic color number for the clamp-on accessory power box will default the paint finish to match.

	Required Selections	U.S. Price	Required to Specify
Tamper Resistance	<ul style="list-style-type: none"> • No tamper resistance • With tamper resistance 	No cost +\$ 63	Specify with no tamper resistance. Specify with tamper resistance.
Under Worksurface Utility Power Configuration	<ul style="list-style-type: none"> • 4 power • 6 power 	No cost +\$ 37	Specify with 4 power. Specify with 6 power.
Clamp-on Accessory Power Configuration	<ul style="list-style-type: none"> • 3 power • 2 power, 1 USB-A • 2 power, 1 USB-C (18W), 1 USB-A • 2 power, 1 USB-C (60W) 	No cost +\$100 +\$285 +\$300	Specify with 3 power. Specify with 2 power, 1 USB-A. Specify with 2 power, 1 USB-C (18W), 1 USB-A. Specify with 2 power, 1 USB-C (60W).
Cord Length	<ul style="list-style-type: none"> • 6' cord • 9' cord: Chicago • 10' cord 	No cost +\$ 18 +\$ 20	Specify with 6' cord. Specify with 9' cord. Specify with 10' cord.
Cord Type	<ul style="list-style-type: none"> • Standard • Braided 	No cost +\$ 60	Specify with standard cord. Specify with braided cord.

	Options	U.S. Price	Required to Specify
Surface Materials	Cord <ul style="list-style-type: none"> • Standard plastic cord finish • Braided cotton cord finish 	No cost No cost	Specify standard cord color number. Specify braided cord color number.
	Clamp-on accessory power box <ul style="list-style-type: none"> • Plastic price group 1 • Plastic price group 2 	No cost +\$ 35	Specify plastic color number. Specify plastic color number.
Related Products	<ul style="list-style-type: none"> • Bivi Soft Cable Drop 		► Page 91

Specification Information


Style Number	U.S. Base Price
TS8HADPUAC	\$469



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Under Worksurface Utility and Clamp-On Accessory Power with Qi Wireless Charging

For Bivi Height-Adjustable Desk



► Need help?
Product details,
page 16

Standard Includes

- Underworksurface utility power: 4 power
- Underworksurface utility power: 6' 15-amp power cord: plastic
- Underworksurface utility power: black steel
- Clamp-on accessory power: 2 power, 1 USB-A, Qi wireless
- Clamp-on accessory power: hardwired to utility power
- Clamp-on accessory power: plastic price group 1

Required to Specify

- 1 Style number
- 2 Tamper resistance (see below under Required Selections)
- 3 Under worksurface utility power configuration (see below under Required Selections)
- 4 Cord length (see below under Required Selections)
- 5 Cord type (see below under Required Selections)
- 6 Plastic or cotton color number for cord
- 7 Plastic color number for clamp-on power
- 8 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Tamper Resistance	<ul style="list-style-type: none"> • No tamper resistance • With tamper resistance 	No cost +\$63	Specify <i>with no tamper resistance</i> . Specify <i>with tamper resistance</i> .
Under Worksurface Utility Power Configuration	<ul style="list-style-type: none"> • 4 power • 6 power 	No cost +\$37	Specify <i>with 4 power</i> . Specify <i>with 6 power</i> .
Cord Length	<ul style="list-style-type: none"> • 6' cord • 9' cord: Chicago • 10' cord 	No cost +\$18 +\$20	Specify <i>with 6' cord</i> . Specify <i>with 9' cord</i> . Specify <i>with 10' cord</i> .
Cord Type	<ul style="list-style-type: none"> • Standard • Braided 	No cost +\$60	Specify <i>with standard cord</i> . Specify <i>with braided cord</i> .

Tip: Braided cord option is PVC-free.

	Options	U.S. Price	Required to Specify
Surface Materials	Cord <ul style="list-style-type: none"> • Standard plastic cord finish • Braided cotton cord finish 	No cost No cost	Specify standard cord color number. Specify braided cord color number.
	Clamp-on accessory power box <ul style="list-style-type: none"> • Plastic price group 1 • Plastic price group 2 	No cost +\$35	Specify plastic color number. Specify plastic color number.
Related Products	<ul style="list-style-type: none"> • Bivi Soft Cable Drop 		► Page 91

Tip: Plastic color number for the clamp-on accessory power box will default the paint finish to match.

Specification Information

Style Number	U.S. Base Price
TS8HADPUACQI	\$719



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Utility Hook

For Bivi Height-Adjustable Desk

Utility Hook



Tip: Weight limit is 20 pounds.

Standard Includes			Required to Specify	
▶ Need help? Product details, page 16			• Utility hook: steel painted black	Style number
Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
3"	1"	3¼"	TS8HADUHK	\$14




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Straight Screen

For Bivi Height-Adjustable Desk



Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 17 • 19"H screen: fabric price group 1 • Brackets: steel painted black 	<ol style="list-style-type: none"> 1 Style number 2 Width (see below under Required Selections) 3 Fabric color number <p>▶ See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 30"W • 42"W • 48"W • 54"W • 60"W • 66"W • 72"W 	Price below Price below Price below Price below Price below Price below Price below	Specify with 30"W. Specify with 42"W. Specify with 48"W. Specify with 54"W. Specify with 60"W. Specify with 66"W. Specify with 72"W.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> • Fabric price group 2 • Fabric price group 3 • Fabric price group 4 • Fabric price group 5 • Customer's Own Material (COM) 	+\$ 51 +\$ 72 +\$ 96 +\$134 +\$ 39	Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. ▶ See <i>Customer's Own Material (COM)</i> , page 161.

Specification Information							
U.S. Base Prices							
• Style Number	• 30"W	• 42"W	• 48"W	• 54"W	• 60"W	• 66"W	• 72"W
TS8HADSTR	\$454	\$475	\$500	\$524	\$547	\$570	\$593




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Tables

Table for One



Tip: Individual user depth is 28¼"D.

	Standard Includes	Required to Specify
► Need help? Product details, page 40	<ul style="list-style-type: none"> • ½"- thick top: Low-Pressure Laminate • 3 mm plastic edge band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected • Width: 48"W, 60"W, or 72"W • Two legs and Cable Trough: paint price group 1 • Ships ready to assemble 	<ol style="list-style-type: none"> 1 Style number 2 Table width (see below under Required Selections) 3 Low-Pressure Laminate color for number top 4 Paint color number for legs and Cable Trough 5 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 48"W • 60"W • 72"W 	Prices below Prices below Prices below	Specify <i>with 48"</i> . Specify <i>with 60"</i> . Specify <i>with 72"</i> .

	Options	U.S. Price			Required to Specify
Surface Materials	High-Pressure Laminate top	48"W	60"W	72"W	
	• High-Pressure Laminate price group 1	+\$ 95	+\$100	+\$105	Specify High-Pressure Laminate color number and select plastic for edge.
	• High-Pressure Laminate price group 2	See information at left			Specify High-Pressure Laminate color number and select plastic for edge.
	• Open Line laminate	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer top	48"W	60"W	72"W	
	• Wood group 1	+\$502	+\$528	+\$554	Specify wood color number.
	• Wood group 2	+\$590	+\$616	+\$642	Specify wood color number.
	• Wood group 3	+\$813	+\$839	+\$865	Specify wood color number.
	• Customiz stain	No cost	No cost	No cost	Specify <i>with Customiz stain</i> .
		► See <i>Surface Materials Reference Manual</i> .			
	• Full-fill finish on wood group 1	+\$590	+\$616	+\$642	Specify full-fill finish number.
	Legs and trough				
	• Paint price group 1	No cost			Specify paint color number.
	• Paint price group 2	+\$ 72			Specify paint color number.
	• Paint price group 3	+\$143			Specify paint color number.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tables have matching flat veneer self-edge.


Specification Information					
• Dimension		• Style	• U.S. Base Prices		
D	H	Number	48"W	60"W	72"W
42¼"	28½"	TS8SDWF	\$1701	\$1797	\$1953

Tip: For detailed dimensions information, refer to *Actual Dimensions*,
► Page 40.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Table plus One



Tip: Individual user depth is 28 1/4"D.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 40</p> <ul style="list-style-type: none"> • 1/2"- thick top: Low-Pressure Laminate • 3 mm plastic edge band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected • Width: 48"W, 60"W, or 72"W • One leg and Cable Trough: paint price group 1 • Ships ready to assemble 	<ul style="list-style-type: none"> 1 Style number 2 Table width (see below under Required Selections) 3 Low-Pressure Laminate color number for top 4 Paint color number for legs and Cable Trough 5 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 48"W • 60"W • 72"W 	Prices below Prices below Prices below	Specify with 48". Specify with 60". Specify with 72".

	Options	U.S. Price			Required to Specify
Surface Materials	High-Pressure Laminate top	48"W	60"W	72"W	
	<ul style="list-style-type: none"> • High-Pressure Laminate price group 1 	+\$ 95	+\$100	+\$105	Specify High-Pressure Laminate color number and select plastic for edge.
	<ul style="list-style-type: none"> • High-Pressure Laminate price group 2 	See information at left			Specify High-Pressure Laminate color number and select plastic for edge.
	<ul style="list-style-type: none"> • Open Line laminate 	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer top	48"W	60"W	72"W	
	• Wood group 1	+\$502	+\$528	+\$554	Specify wood color number.
	• Wood group 2	+\$590	+\$616	+\$642	Specify wood color number.
	• Wood group 3	+\$813	+\$839	+\$865	Specify wood color number.
	• Customiz stain	No cost	No cost	No cost	Specify with <i>Customiz stain</i> .
					► See <i>Surface Materials Reference Manual</i> .
	• Full-fill finish on wood group 1	+\$590	+\$616	+\$642	Specify full-fill finish number.
	Legs and trough				
	• Paint price group 1	No cost			Specify paint color number.
	• Paint price group 2	+\$ 60			Specify paint color number.
	• Paint price group 3	+\$121			Specify paint color number.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tables have matching flat veneer self-edge.

Specification Information					
Dimension		Style	U.S. Base Prices		
D	H	Number	48"W	60"W	72"W
42 1/4"	28 1/2"	TS8SDAF	\$1329	\$1411	\$1581


Tip: For detailed dimensions information, refer to *Actual Dimensions*,
► Page 40.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Tables, continued

Table for Two



Tip: Individual user depth for 30"D nominal is 28 1/4"D and individual user depth for 24"D nominal is 22 1/4"D.

	Standard Includes	Required to Specify
► Need help? Product details, page 40	<ul style="list-style-type: none"> Two 1/2"-thick tops: Low-Pressure Laminate 3 mm plastic edges band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected Width: 48"W, 60"W, or 72"W Two legs and Cable Trough: paint price group 1 Ships ready to assemble 	<ol style="list-style-type: none"> Style number Table width (see below under Required Selections) Table depth (see below under Required Selections) Low-Pressure Laminate color number for top Paint color number for legs and Cable Trough Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> 48"W 60"W 72"W 	Prices below Prices below Prices below	Specify with 48". Specify with 60". Specify with 72".
Depth	<ul style="list-style-type: none"> 24"D per user 30"D per user 	Prices below Prices below	Specify with 24". Specify with 30".

	Options	U.S. Price			Required to Specify
Surface Materials	High-Pressure Laminate top	48"W	60"W	72"W	
	<ul style="list-style-type: none"> High-Pressure Laminate price group 1 	+\$ 190	+\$ 200	+\$ 210	Specify High-Pressure Laminate color number and select plastic for edge.
	<ul style="list-style-type: none"> High-Pressure Laminate price group 2 	See information at left			Specify High-Pressure Laminate color number and select plastic for edge.
	<ul style="list-style-type: none"> Open Line laminate 	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer top	48"W	60"W	72"W	
	<ul style="list-style-type: none"> Wood group 1 Wood group 2 Wood group 3 Customiz stain 	+\$1004 +\$1180 +\$1626 No cost	+\$1056 +\$1232 +\$1678 No cost	+\$1108 +\$1284 +\$1730 No cost	Specify wood color number. Specify wood color number. Specify wood color number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
	<ul style="list-style-type: none"> Full-fill finish on wood group 1 	+\$1180	+\$1232	+\$1284	Specify full-fill finish number.
	Legs and trough				
	<ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$ 72 +\$ 143			Specify paint color number. Specify paint color number. Specify paint color number.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tables have matching flat veneer self-edge.


Tip: For detailed dimensions information, refer to *Actual Dimensions*,
► Page 40.

Specification Information					
Dimension D	H	Style Number	U.S. Base Prices		
			48"W	60"W	72"W
48"	28 1/2"	TS8TTWF	\$2076	\$2219	\$2439
60"	28 1/2"	TS8TTWF	\$2128	\$2271	\$2491



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Table plus Two



Tip: Individual user depth for 30"D nominal is 28 1/4"D and individual user depth for 24"D nominal is 22 1/4"D.

► Need help?
Product details,
page 40

Standard Includes

- Two 1/2"- thick tops: Low-Pressure Laminate
- 3 mm plastic edges band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
- Width: 48"W, 60"W, or 72"W
- One leg and Cable Trough: paint price group 1
- Ships ready to assemble

Required to Specify

- 1 Style number
 - 2 Table width (see below under Required Selections)
 - 3 Table depth (see below under Required Selections)
 - 4 Low-Pressure Laminate color number for top
 - 5 Paint color number for legs and Cable Trough
 - 6 Options, if selected (see below)
- See *Surface Materials*, page 160.

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 48"W • 60"W • 72"W 	Prices below Prices below Prices below	Specify with 48". Specify with 60". Specify with 72".
Depth	<ul style="list-style-type: none"> • 24"D per user • 30"D per user 	Prices below Prices below	Specify with 24". Specify with 30".

	Options	U.S. Price			Required to Specify
Surface Materials	High-Pressure Laminate top	48"W	60"W	72"W	
	• High-Pressure Laminate price group 1	+\$ 190	+\$ 200	+\$ 210	Specify High-Pressure Laminate color number and select plastic for edge.
	• High-Pressure Laminate price group 2	See information at left			Specify High-Pressure Laminate color number and select plastic for edge.
	• Open Line laminate	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer top	48"W	60"W	72"W	
	• Wood group 1	+\$1004	+\$1056	+\$1108	Specify wood color number.
	• Wood group 2	+\$1180	+\$1232	+\$1284	Specify wood color number.
	• Wood group 3	+\$1626	+\$1678	+\$1730	Specify wood color number.
	• Customiz stain	No cost	No cost	No cost	Specify with <i>Customiz stain</i> .
					► See <i>Surface Materials Reference Manual</i> .
	• Full-fill finish on wood group 1	+\$1180	+\$1232	+\$1284	Specify full-fill finish number.
	Legs and trough				
	• Paint price group 1	No cost			Specify paint color number.
	• Paint price group 2	+\$ 60			Specify paint color number.
	• Paint price group 3	+\$ 121			Specify paint color number.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tables have matching flat veneer self-edge.


Tip: For detailed dimensions information, refer to *Actual Dimensions*,
► Page 40.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Specification Information					
Dimension D H	Style Number	U.S. Base Prices			
		48"W	60"W	72"W	
48" 28 1/2"	TS8TTAF	\$1694	\$1821	\$2057	
60" 28 1/2"	TS8TTAF	\$1746	\$1873	\$2109	

Bivi Team Table



Tip: Total widths for the Team Table are 115⁷/₈", 139⁷/₈", and 163⁷/₈" which includes the 18"D Transaction Top.

► Need help?
Product details,
page 42

Standard Includes

- Four 1/2"- thick table tops: Low-Pressure Laminate
- 3 mm plastic edges band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected
- Legs, Cable Troughs, Footshelves, High Sit Brackets, Arches, and brackets: paint price group 1
- Media Support System shroud and tech shelf: paint price group 1
- Modesty Panels for High Sit Bracket: fabric price group 1
- Arch infills: fabric price group 1
- Monitor mount for Bivi Tall Arch: black
- Ships ready to assemble

Required to Specify

- 1 Style number
 - 2 Table width (see below under Required Selections)
 - 3 Low-Pressure Laminate color number for table tops
 - 4 Paint color number for frame components
 - 5 Paint color number for Media Support System
 - 6 Fabric color number for modesty panels
 - 7 Fabric color number for arch infills
 - 8 Options, if selected (see below)
- See *Surface Materials*, page 160.

	Required Selections	U.S. Price	Required to Specify
Width	• 48"	Prices at right	Specify with 48"W.
	• 60"	Prices at right	Specify with 60"W.
	• 72"	Prices at right	Specify with 72"W.

	Options	U.S. Price			Required to Specify
Surface Materials	Table tops	48"W	60"W	72"W	
	• High-Pressure Laminate price group 1	+\$ 480	+\$ 500	+\$ 520	Specify High-Pressure Laminate color number and select plastic for edge.
	• High-Pressure Laminate price group 2	See information at left			Specify High-Pressure Laminate color number and select plastic for edge.
	• Open Line laminate	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	• Wood group 1	+\$2536	+\$2640	+\$2744	Specify wood color number.
	• Wood group 2	+\$2976	+\$3080	+\$3184	Specify wood color number.
	• Wood group 3	+\$4091	+\$4195	+\$4299	Specify wood color number.
	• Customiz stain	No cost	No cost	No cost	Specify with <i>Customiz stain</i> .
	• Full-fill finish on wood group 1	+\$2976	+\$3080	+\$3184	► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.

Frame components

- Paint price group 1 No cost
- Paint price group 2 +\$ 538
- Paint price group 3 +\$1066

Specify paint color number.
Specify paint color number.
Specify paint color number.

Frame components with power

- Paint price group 1 No cost
- Paint price group 2 +\$ 546
- Paint price group 3 +\$1082

Specify paint color number.
Specify paint color number.
Specify paint color number.

Media Support System

- Paint price group 1 No cost
- Paint price group 2 +\$ 56
- Paint price group 3 +\$ 109

Specify paint color number.
Specify paint color number.
Specify paint color number.

► Options, continued on next page

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: When specifying frame component finish, it will be applied to all painted surfaces excluding the shroud which will be specified separately.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

► Options, continued from previous page

Options	U.S. Price	Required to Specify
Surface Materials, continued		
Modesty Panel upholstery		
• Fabric price group 1	No cost	Specify fabric color number.
• Fabric price group 2	+\$ 156	Specify fabric color number.
• Fabric price group 3	+\$ 216	Specify fabric color number.
• Fabric price group 4	+\$ 288	Specify fabric color number.
• Fabric price group 5	+\$ 400	Specify fabric color number.
• Customer's Own Material (COM)	+\$ 39	► See <i>Customer's Own Material (COM)</i> , page 558.
Arch Infill upholstery		
• Fabric price group 1	No cost	Specify fabric color number.
• Fabric price group 2	+\$ 164	Specify fabric color number.
• Fabric price group 3	+\$ 228	Specify fabric color number.
• Fabric price group 4	+\$ 312	Specify fabric color number.
• Fabric price group 5	+\$ 424	Specify fabric color number.
• Customer's Own Material (COM)	+\$ 39	► See <i>Customer's Own Material (COM)</i> , page 558.
Power		
• No power	No cost	Specify <i>with no power</i> .
• 16 power	+\$ 907	Specify <i>with 16 power</i> .
• 12 power/4USB	+\$1159	Specify <i>with 12 power/4 USB</i> .

Specification Information


Dimension D H	Style Number	U.S. Base Prices		
		48"W	60"W	72"W
60" 74"	TS8MEET	\$12,883	\$13,709	\$14,691

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Bivi Team Theater



Tip: Total widths for the Team Theater are 98" and 122".

	Standard Includes	Required to Specify
► Need help? Product details, page 43	<ul style="list-style-type: none"> Two 1/2"- thick table tops: Low-Pressure Laminate 3 mm plastic edges band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected Legs, Cable Troughs, Footshelves, High Sit Brackets, Arches, and brackets: paint price group 1 Upholstered Rumble Seats: fabric price group 1 Modesty Panels for High Sit Bracket: fabric price group 1 Arch infills: fabric price group 1 Rumble Seats shipped fully assembled Theater ships ready to assemble 	<ol style="list-style-type: none"> Style number Table width (see below under Required Selections) Low-Pressure Laminate color for number table tops Paint color number for components Fabric color number for Rumble Seats Fabric color number for modesty panels Fabric color number for arch infills Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> 48"W 60"W 	Prices at right Prices at right	Specify with 48"W. Specify with 60"W.

	Options	U.S. Price		Required to Specify
Surface Materials	Table tops <ul style="list-style-type: none"> High-Pressure Laminate price group 1 High-Pressure Laminate price group 2 Open Line laminate Wood group 1 Wood group 2 Wood group 3 Customiz stain Full-fill finish on wood group 1 	48"W +\$ 190 +\$ 74 plus cost of laminate +\$1004 +\$1180 +\$1626 No cost +\$1180	60"W +\$ 200 +\$ 74 plus cost of laminate +\$1056 +\$1232 +\$1678 No cost +\$1232	Specify High-Pressure Laminate color number and select plastic for edge. Specify High-Pressure Laminate color number and select plastic for edge ► See <i>Surface Materials Reference Manual</i> . Specify wood color number. Specify wood color number. Specify wood color number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
	Frame components <ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$ 438 +\$ 866		Specify paint color number. Specify paint color number. Specify paint color number.

Frame components with power

• Paint price group 1	No cost	
• Paint price group 2	+\$ 446	
• Paint price group 3	+\$ 882	

Rumble Seat upholstery

• Fabric price group 1	No cost	No cost
• Fabric price group 2	+\$ 256	+\$ 304
• Fabric price group 3	+\$ 376	+\$ 452
• Fabric price group 4	+\$ 506	+\$ 602
• Fabric price group 5	+\$ 674	+\$ 808
• Fabric price group 6	+\$ 948	+\$1142
• Fabric price group 7	+\$1228	+\$1474
• Fabric price group 8	+\$1584	+\$1904
• Fabric price group 9	+\$1902	+\$2282
• Fabric price group 10	+\$2180	+\$2012
• Customer's Own Material (COM)	+\$ 39	+\$ 39

Specify fabric color number.
 Specify fabric color number.
 Specify fabric color number.
 Specify fabric color number.
 Specify fabric color number.
 Specify fabric color number.
 Specify fabric color number.
 Specify fabric color number.
 Specify fabric color number.
 Specify fabric color number.
 Specify fabric color number.
 ► See *Customer's Own Material (COM)*, page 558.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: When specifying component finish, it will be applied to all painted surfaces.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.


► Options, continued on next page

► Options, continued from previous page

Options	U.S. Price	Required to Specify
Surface Materials, continued		
Modesty Panel upholstery		
• Fabric price group 1	No cost	Specify fabric color number.
• Fabric price group 2	+\$ 156	Specify fabric color number.
• Fabric price group 3	+\$ 216	Specify fabric color number.
• Fabric price group 4	+\$ 288	Specify fabric color number.
• Fabric price group 5	+\$ 400	Specify fabric color number.
• Customer's Own Material (COM)	+\$ 39	► See <i>Customer's Own Material (COM)</i> , page 558.
Arch Infill upholstery		
• Fabric price group 1	No cost	Specify fabric color number.
• Fabric price group 2	+\$ 123	Specify fabric color number.
• Fabric price group 3	+\$ 171	Specify fabric color number.
• Fabric price group 4	+\$ 234	Specify fabric color number.
• Fabric price group 5	+\$ 318	Specify fabric color number.
• Customer's Own Material (COM)	+\$ 39	► See <i>Customer's Own Material (COM)</i> , page 558.
Power		
• No power	No cost	Specify <i>with no power</i> .
• 16 power	+\$ 907	Specify <i>with 16 power</i> .
• 12 power/4USB	+\$1159	Specify <i>with 12 power/4 USB</i> .

Specification Information

Dimension		Style Number	U.S. Base Prices	
D	H		48"W	60"W
60"	42"	TS8THEATER	\$13,069	\$14,579




Tip: For detailed dimensions information, refer to *Actual Dimensions*,
► Page 40.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Dual Height Tops

Upper Dual Tops



Tip: Upper Dual Top attaches to the Tall or Short Arch, TS8ARCH.

Tip: Works only at standing height.

Tip: Add Mini Transaction Top to two Bivi Upper Dual Tops to create a standing height conference setting.

Tip: Only works with High Sit Bracket with Modesty Panel style number TS8HSMREV.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tops have matching flat veneer self-edge.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 44 • 1/2"-thick top: Low-Pressure Laminate • 3 mm plastic edge band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected • Width: 60" or 72" • Mounting bracket: paint price group 1 • Ships ready to assemble 	<ol style="list-style-type: none"> 1 Style number 2 Top width (see below under Required Selections) 3 Handedness (see below under Required Selections) 4 Low-Pressure Laminate color number for top 5 Paint color number for bracket 6 Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 60"W • 72"W 	Prices below Prices below	Specify <i>with 60"</i> . Specify <i>with 72"</i> .
Handedness	<ul style="list-style-type: none"> • Right-handed • Left-handed 	No cost No cost	Specify <i>with right hand</i> . Specify <i>with left hand</i> .

	Options	U.S. Price		Required to Specify
Surface Materials	High-Pressure Laminate top	60"W	72"W	
	• High-Pressure Laminate price group 1	+\$100	+\$105	Specify High-Pressure Laminate color number and select plastic for edge.
	• High-Pressure Laminate price group 2	See information at left		Specify High-Pressure Laminate color number and select plastic for edge.
	• Open Line laminate	+\$ 74 plus cost of laminate	+\$ 74 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
	Wood veneer top	60"W	72"W	
	• Wood group 1	+\$528	+\$554	Specify wood color number.
	• Wood group 2	+\$616	+\$642	Specify wood color number.
	• Wood group 3	+\$839	+\$865	Specify wood color number.
	• Customiz stain	No cost	No cost	Specify <i>with Customiz stain</i> .
				▶ See <i>Surface Materials Reference Manual</i> .
	• Full-fill finish on wood group 1	+\$616	+\$642	Specify full-fill finish number.
	Bracket			
	• Paint price group 1	No cost		Specify paint color number.
	• Paint price group 2	+\$ 24		Specify paint color number.
	• Paint price group 3	+\$ 46		Specify paint color number.

Specification Information				
• Dimensions D	H	• Style Number	• U.S. Base Prices	
			60"W	72"W
5" – 20 ⁵ / ₈ "	2 ³ / ₄ "	TS8DHUPR	\$596	\$652


Tip: Individual user depth is 20⁵/₈"D.

Tip: For detailed dimensions information, refer to *Actual Dimensions*,
▶ Page 44.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Lower Dual Tops



Tip: Lower Dual Top attaches to the Bivi Legs.

Tip: Works only at seated height.

	Standard Includes	Required to Specify
► Need help? Product details, page 44	<ul style="list-style-type: none"> • 1/2"-thick top: Low-Pressure Laminate • 3 mm plastic edge band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected • Width: 60" or 72" • Mounting bracket: paint price group 1 • Ships ready to assemble 	<ol style="list-style-type: none"> 1 Style number 2 Top width (see below under Required Selections) 3 Handedness (see below under Required Selections) 4 Low-Pressure Laminate color number for top 5 Paint color number for bracket 6 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 60"W • 72"W 	Prices below Prices below	Specify with 60". Specify with 72".
Handedness	<ul style="list-style-type: none"> • Right-handed • Left-handed 	No cost No cost	Specify with right hand. Specify with left hand.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate top	60"W 72"W	
	<ul style="list-style-type: none"> • High-Pressure Laminate price group 1 	+\$100 +\$105	Specify High-Pressure Laminate color number and select plastic for edge.
	<ul style="list-style-type: none"> • High-Pressure Laminate price group 2 	See information at left	Specify High-Pressure Laminate color number and select plastic for edge.
	<ul style="list-style-type: none"> • Open Line laminate 	+\$ 74 plus cost of laminate +\$ 74 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer top	60"W 72"W	
	<ul style="list-style-type: none"> • Wood group 1 • Wood group 2 • Wood group 3 • Customiz stain 	+\$528 +\$554 +\$616 +\$642 +\$839 +\$865 No cost No cost	Specify wood color number. Specify wood color number. Specify wood color number. Specify with Customiz stain.
			► See <i>Surface Materials Reference Manual</i> .
	<ul style="list-style-type: none"> • Full-fill finish on wood group 1 	+\$616 +\$642	Specify full-fill finish number.
	Bracket		
	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 24 +\$ 46	Specify paint color number. Specify paint color number. Specify paint color number.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tops have matching flat veneer self-edge.

Specification Information

• Dimensions D H	• Style Number	• U.S. Base Prices	
		60"W	72"W
20 ⁵ / ₈ " – 28 ¹ / ₂ " 23 ³ / ₄ "	TS8DHLWR	\$596	\$652

Tip: Individual user depth is 28¹/₂"D.


Tip: For detailed dimensions information, refer to *Actual Dimensions*,
► Page 44.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Dual Height Tops, continued

Dual Top Set



Tip: In a Dual Top Set, the Upper and Lower Dual Tops will have the same surface materials. For contrasting tops or accents paints, order the tops separately.

Tip: If Upper Dual Top is right handed, Lower Dual Top will be left handed. If Upper Dual Top is left handed, Lower Dual Top will be right handed.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tops have matching flat veneer self-edge.

Tip: Only works with High Sit Bracket with Modesty Panel style number TS8HSMREV.

Tip: In a 60"W set, the Upper and Lower Dual Tops will both be 60"W. In a 72"W set, the upper and lower tables will both be 72"W.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 44	<ul style="list-style-type: none"> Two 1/2"-thick tops: Low-Pressure Laminate 3 mm plastic edge band on front and 1 mm on back and sides default color to match, if Low-Pressure Laminate selected Width: 60" or 72" Mounting bracket: paint price group 1 Ships ready to assemble 	<ol style="list-style-type: none"> Style number Top width (see below under Required Selections) Handedness (see below under Required Selections) Low-Pressure Laminate color number for top Paint color number for bracket Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 160.</p>	

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> 60"W 72"W 	Prices below Prices below	Specify <i>with 60"</i> . Specify <i>with 72"</i> .
Handedness	<ul style="list-style-type: none"> Right-handed Left-handed 	No cost No cost	Specify <i>with right hand</i> . Specify <i>with left hand</i> .

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate top	60"W 72"W	
	<ul style="list-style-type: none"> High-Pressure Laminate price group 1 	+\$ 200 +\$ 210	Specify High-Pressure Laminate color number and select plastic for edge.
	<ul style="list-style-type: none"> High-Pressure Laminate price group 2 	See information at left	Specify High-Pressure Laminate color number and select plastic for edge.
	<ul style="list-style-type: none"> Open Line laminate 	+\$ 74 plus cost of laminate +\$ 74 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
	Wood veneer top	60"W 72"W	
	<ul style="list-style-type: none"> Wood group 1 Wood group 2 Wood group 3 Customiz stain 	+\$1056 +\$1108 +\$1232 +\$1284 +\$1678 +\$1730 No cost No cost	Specify wood color number. Specify wood color number. Specify wood color number. Specify <i>with Customiz stain</i> .
	<ul style="list-style-type: none"> Full-fill finish on wood group 1 	+\$1232 +\$1284	▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
	Bracket		
	<ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$ 47 +\$ 93	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

• Dimensions D H	• Style Number	• U.S. Base Prices	
		60"W	72"W
20 ⁵ / ₈ " – 30"	2 ³ / ₄ " TS8DHSET	\$1192	\$1302

*Tip: For detailed dimensions information, refer to Actual Dimensions,
▶ Page 44.*



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Arch



Short



Tall

Standard Includes	Required to Specify
-------------------	---------------------

▶ Need help? Product details, page 48	<ul style="list-style-type: none">• Arch: paint price group 1• Ships ready to assemble	<ul style="list-style-type: none">1 Style number2 Height (see below under Required Selections)3 Paint color number for arch4 Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 160.</p>
---	---	---

Required Selections	U.S. Price	Required to Specify
---------------------	------------	---------------------

Height	<ul style="list-style-type: none">• Short• Tall	<p>Prices below</p> <p>Prices below</p> <p>Specify <i>with short</i>.</p> <p>Specify <i>with tall</i>.</p>
---------------	--	--

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Surface Materials	<ul style="list-style-type: none">• Paint price group 1• Paint price group 2• Paint price group 3	<p>No cost</p> <p>+\$34</p> <p>+\$68</p> <p>Specify paint color number.</p> <p>Specify paint color number.</p> <p>Specify paint color number.</p>
--------------------------	---	---


Specification Information				
---------------------------	--	--	--	--

Dimensions		Style Number	U.S. Base Prices	
D	W		Short	Tall
			13"H	44"H
2"	32 ³ / ₈ "	TS8ARCH	\$464	\$652



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Side Storage



Tip: Side Storage is only used on the Bivi Short Arch. It is not designed to work freestanding.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer side storage has matching flat veneer self-edge.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 51</p> <ul style="list-style-type: none"> Side Storage top: Low-Pressure Laminate 1 mm plastic edge band default color to match, if Low-Pressure Laminate selected Metal case: paint price group 1 Ships fully assembled 	<ol style="list-style-type: none"> Style number Low-Pressure Laminate color number for side storage top Side Storage width (see below under Required Selections) Paint color number for metal case Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

Required Selections	U.S. Price	Required to Specify
Width <ul style="list-style-type: none"> 48"W 60"W 	Prices below Prices below	Specify <i>with 48"W.</i> Specify <i>with 60"W.</i>

Options	U.S. Price	Required to Specify
Surface Materials <p>High-Pressure Laminate side storage</p> <ul style="list-style-type: none"> High-Pressure Laminate price group 1 High-Pressure Laminate price group 2 Open Line laminate <p>Wood veneer side storage</p> <ul style="list-style-type: none"> Wood group 1 Wood group 2 Wood group 3 Customiz stain <p>Case finish</p> <ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	+\$ 25 See information at left +\$ 74 plus cost of laminate +\$184 +\$233 +\$337 No cost +\$233 No cost +\$ 34 +\$ 68	Specify High-Pressure Laminate color number and select plastic for edge. Specify High-Pressure Laminate color number and select plastic for edge. ► See <i>Surface Materials Reference Manual.</i> Specify wood color number. Specify wood color number. Specify wood color number. Specify <i>with Customiz stain.</i> ► See <i>Surface Materials Reference Manual.</i> Specify full-fill finish number. Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information				
Dimensions			Style Number	U.S. Base Price
D	W	H		
11 1/2"	48"	8"	TS8ARCHSIDE	\$638
11 1/2"	60"	8"	TS8ARCHSIDE	\$721

Monitor Mount



Standard Includes	Required to Specify
<p>► Need help? Product details, page 49</p> <ul style="list-style-type: none"> Monitor mount: black paint 	Style number

Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		
2 1/2"	12"	12 1/8"	TS2ARCHMM	\$464

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Bike Hook



Tip: A wall mount can be changed to an arch mount or vice versa via a service parts arch mount (TS2ARCHBHSR) or wall mount (TS2WALLBHSR) hardware package.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 49</p> <ul style="list-style-type: none"> • Bike Hook: paint price group 1 • Attachment hardware for wall mount or arch mount • Ships ready to assemble 	<p>1 Style number 2 Paint color number for Bike Hook 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 160.</p>

Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	<p>No cost +\$34 +\$68</p>	<p>Specify paint color number. Specify paint color number. Specify paint color number.</p>

Specification Information

Dimensions	Style	U.S. Base
D W H	Number	Price
.	.	.
.	.	.

Arch Mount

51/8"	4"	60"	TS2ARCHBH	\$302
.

Wall Mount

51/8"	4"	60"	TS2WALLBH	\$302
.

Markerboards



Standard Includes	Required to Specify
<p>► Need help? Product details, page 51</p> <ul style="list-style-type: none"> • Magnetic markerboard: 6650 Sodium 	<p>Style number</p>

Specification Information


Dimensions		Style	U.S. Price
W	H	Number	
14"	67/8"	TS2MB14	\$115
30"	6"	TS2MB30	\$138



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Arches and Arch Accessories, continued

Canopy



Tip: Canopy requires Tall Arch.

Tip: Two Canopies cannot be used side-by-side on the 48"W Bivi tables.

Standard Includes		Required to Specify
► Need help? Product details, page 50	<ul style="list-style-type: none"> Aluminum frame and mounting hardware White fabric: 5VD0 Bivi Canopy Fabric 	Style number

Specification Information

Dimensions			Style Number	U.S. Price
D	W	H		
32 1/2"	57 3/4"	47 1/8"	TS2ARCHC	\$511

Board Rack



Standard Includes		Required to Specify
► Need help? Product details, page 49	<ul style="list-style-type: none"> Board rack: paint price group 1 	1 Style number 2 Paint color number for board rack: 4140 Arctic White Gloss 4799 Platinum Metallic 7246 Midnight Metallic

Specification Information

Dimensions			Style Number	U.S. Price
D	W	H		
9"	17 1/2"	23 1/4"	TS2ARCHBR	\$511



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Holder



Standard Includes		Required to Specify	
► Need help? Product details, page 51	• Holder: paint price group 1	1 Style number 2 Paint color number for Holder 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.	
Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$24	Specify paint color number.
	• Paint price group 3	+\$46	Specify paint color number.
Specification Information			
• Dimensions		• Style	• U.S. Base
D	W	H	Number
			Price
3"	26 ⁷ / ₈ "	3"	TS2HOLDER
			\$209

Planter




Standard Includes			Required to Specify
► Need help? Product details, page 51	• Planter: black		Style number
Specification Information			
• Dimensions			• Style
D	W	H	Number
27 ¹ / ₈ "	26 ³ / ₄ "	27 ¹ / ₈ "	TS2PLANTER
			• U.S. Price



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

High Sit Bracket with Modesty Panel



	Standard Includes	Required to Specify
► Need help? Product details, page 48	<ul style="list-style-type: none"> • High sit bracket with modesty panel • Width: 48"W, 60"W, or 72"W • Modesty panel fabric: fabric price group 1 • Bracket: paint price group 1 • Ships ready to assemble 	1 Style number 2 Width (see below under Required Selections) 3 Fabric number for modesty panel 4 Paint color number for bracket 5 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 48"W • 60"W • 72"W 	Prices below Prices below Prices below	Specify <i>with 48"</i> . Specify <i>with 60"</i> . Specify <i>with 72"</i> .

	Options	U.S. Price	Required to Specify
Surface Materials	Upholstery <ul style="list-style-type: none"> • Fabric price group 1 • Fabric price group 2 • Fabric price group 3 • Fabric price group 4 • Fabric price group 5 • Customer's Own Material 	No cost +\$ 78 +\$108 +\$144 +\$200 +\$ 39	Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. ► See <i>Understanding Customer's Own Material (COM)</i> , page 558
	Bracket paint <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 8 +\$ 16	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information			
• Style Number	• U.S. Base Prices		
	48"W	60"W	72"W
TS8HSMREV	\$666	\$712	\$755




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Arch Infill



Standard Includes	Required to Specify
<p>► Need help? Product details, page 48</p> <ul style="list-style-type: none"> Arch infill fabric: fabric price group 1 Bracket: paint price group 1 Ships ready to assemble 	<ol style="list-style-type: none"> Style number Application (see below under Required Selections) Arch infill type (see below under Required Selections) Fabric number for arch infill Paint color number for bracket Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Application	<ul style="list-style-type: none"> Lower Upper 	Prices below Prices below	Specify <i>with lower</i> . Specify <i>with upper</i> .
Arch Infill Type	<ul style="list-style-type: none"> Fabric Markerboard 	Prices below Price below	Specify <i>with fabric</i> . Specify <i>with markerboard</i> .

	Options	U.S. Price	Required to Specify
Surface Materials	Infill <ul style="list-style-type: none"> Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 4 Fabric price group 5 Customer's Own Material 	No cost +\$ 41 +\$ 57 +\$ 78 +\$106 +\$ 39	Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. ► See <i>Understanding Customer's Own Material (COM)</i> , page 558. Specify <i>with markerboard</i> .
	Bracket paint <ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$ 8 +\$ 16	Specify paint color number. Specify paint color number. Specify paint color number.

Tip: Markerboard only available on Upper Arch Infill.


Specification Information		
Style Number	U.S. Base Prices	
	Lower	Upper
TS8ARCHFILL	\$283	\$317



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Rumble Seat, Supports, and Hoodie

Rumble Seat



Tip: Rumble Seat only fits within a 48"W or 60"W Bivi Table for Two or Table plus Two.

Tip: Rumble Seat fabric relaxes with use creating comfort wrinkles. If the least amount of comfort wrinkles is desired, Congent: Connect fabric is recommended.

Tip: Contrasting seat is available as an option on all sizes of the Rumble Seat. Inner back, outer back, and arms will match each other.

Tip: Table Frame Attachment Bracket is used to attach the 48"W or 60"W Rumble Seat to a Bivi table frame in place of a Full Top in a Table for Two or Table plus Two. 36"W Rumble Seats do not have Table Frame Attachment Bracket option since this size cannot be attached to a table frame.

Tip: 36"W, 48"W, and 60"W Rumble Seats have a Freestanding Legs option.

Tip: Rumble Seats TS8RS, manufactured on 5/22/2017 or after only work with Freestanding Legs TS8RSL2 and Table Frame Attachment Brackets TS8RSTA, manufactured on 5/22/2017 or after.

Standard Includes		Required to Specify	
► Need help? Product details, page 54	<ul style="list-style-type: none">Fully upholstered lounge: fabric price group 1Lounge shipped fully assembled	1 Style number 2 Fabric color number for lounge 3 Options, if selected (see below). ► See <i>Surface Materials</i> , page 160.	

Options	U.S. Price	Required to Specify
Surface Materials		
Upholstery - 36"W Rumble Seat		
Fabric price group 1	No cost	Specify fabric color number.
Fabric price group 2	+\$ 103	Specify fabric color number.
Fabric price group 3	+\$ 152	Specify fabric color number.
Fabric price group 4	+\$ 201	Specify fabric color number.
Fabric price group 5	+\$ 272	Specify fabric color number.
Fabric price group 6	+\$ 383	Specify fabric color number.
Fabric price group 7	+\$ 493	Specify fabric color number.
Fabric price group 8	+\$ 637	Specify fabric color number.
Fabric price group 9	+\$ 765	Specify fabric color number.
Fabric price group 10	+\$ 876	Specify fabric color number.
Customer's Own Material (COM)	+\$ 39	► See <i>Understanding Customer's Own Material (COM)</i> , page 161.
Upholstery - 48"W Rumble Seat		
Fabric price group 1	No cost	Specify fabric color number.
Fabric price group 2	+\$ 129	Specify fabric color number.
Fabric price group 3	+\$ 190	Specify fabric color number.
Fabric price group 4	+\$ 255	Specify fabric color number.
Fabric price group 5	+\$ 338	Specify fabric color number.
Fabric price group 6	+\$ 477	Specify fabric color number.
Fabric price group 7	+\$ 617	Specify fabric color number.
Fabric price group 8	+\$ 796	Specify fabric color number.
Fabric price group 9	+\$ 956	Specify fabric color number.
Fabric price group 10	+\$1096	Specify fabric color number.
Customer's Own Material (COM)	+\$ 39	► See <i>Understanding Customer's Own Material (COM)</i> , page 161
Upholstery - 60"W Rumble Seat		
Fabric price group 1	No cost	Specify fabric color number.
Fabric price group 2	+\$ 154	Specify fabric color number.
Fabric price group 3	+\$ 228	Specify fabric color number.
Fabric price group 4	+\$ 303	Specify fabric color number.
Fabric price group 5	+\$ 406	Specify fabric color number.
Fabric price group 6	+\$ 574	Specify fabric color number.
Fabric price group 7	+\$ 741	Specify fabric color number.
Fabric price group 8	+\$ 957	Specify fabric color number.
Fabric price group 9	+\$1147	Specify fabric color number.
Fabric price group 10	+\$1314	Specify fabric color number.
Customer's Own Material (COM)	+\$ 39	► See <i>Understanding Customer's Own Material (COM)</i> , page 161

Contrasting seat		
• Contrasting upholstery on seat	+\$ 72	Specify <i>with contrasting seat</i> and select fabric color number.

Supports	Brackets	Legs	
• Paint price group 1	No cost	No cost	Specify paint color number.
• Paint price group 2	+\$ 24	+\$38	Specify paint color number.
• Paint price group 3	+\$ 46	+\$75	Specify paint color number.
• Lux Coatings	N.A.	+\$75	Specify Lux Coatings color number.

Supports		
• No support	No cost	Specify <i>with no support</i> .
• Table Frame Attachment Bracket	+\$ 338	Specify <i>with Table Frame Attachment Bracket</i> and select paint color number.
• Freestanding Leg for Rumble Seat – 36"W	+\$ 728	Specify <i>with Freestanding Leg</i> and select paint color number.
– 48"W	+\$ 741	Specify <i>with Freestanding Leg</i> and select paint color number.
– 60"W	+\$ 751	Specify <i>with Freestanding Leg</i> and select paint color number.

► Options, continued on next page

► Options, continued on next page

► Options, continued from previous page

Options	U.S. Price	Required to Specify
Brackets		
Accessory bracket		
• Hidden accessory bracket	No cost	Specify with hidden accessory bracket.
• Exposed accessory bracket	No cost	Specify with exposed accessory bracket.

Specification Information

Dimensions		Style	U.S. Base Prices		
D	H	Number	36"W	48"W	60"W
28"	28 1/2"	TS8RS	\$1874	\$2202	\$2706

Tip: For 36"W, 48"W, and 60"W Rumble Seat actual dimensions, see Rumble Seat and Hoodie Understanding.

► Page 54

Rumble Seat Supports

Tip: For 36"W, 48"W, and 60"W Rumble Seat Freestanding Leg actual dimensions, see Rumble Seat and Hoodie Understanding.

► Page 54

Tip: Rumble Seats TS8RS, manufactured on 5/22/2017 or after only work with Freestanding Legs TS8RSL2 and Table Frame Attachment Brackets TS8RSTA, manufactured on 5/22/2017 or after.

Standard Includes	Required to Specify
► Need help? Product details, page 54	1 Style number 2 Paint color number for brackets or Legs 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.
• Table Frame Attachment Brackets, if selected: paint price group 1 • Freestanding Legs, if selected: paint price group 1 • Leveling glides • Attachment hardware • Shipped ready to assemble	


Options	U.S. Price	Required to Specify
Surface Materials		
Supports		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$24	Specify paint color number.
• Paint price group 3	+\$46	Specify paint color number.
• Lux Coatings	N.A.	Specify Lux Coatings color number.
Brackets		
Legs		
	No cost	
	+\$38	
	+\$75	
	+\$75	

Specification Information


Dimensions			Style	U.S. Base Price
D	W	H	Number	

Table Frame Attachment Brackets

5 1/2"	17"	16 1/2"	TS8RSTA	\$338
--------	-----	---------	---------	-------



Tip: Table Frame Attachment Bracket is used to attach the 48"W or 60"W Rumble Seat to a Bivi table frame in place of a Full Top in a Table for Two or Table plus Two. 36"W Rumble Seats do not have Table Frame Attachment Bracket option since this size cannot be attached to a table frame.



Specification Information


Dimensions		Style	U.S. Base Prices		
D	H	Number	36"W	48"W	60"W

Freestanding Legs

28"	12"	TS8RSL2	\$728	\$741	\$751
-----	-----	---------	-------	-------	-------

Rumble Seat, Supports, and Hoodie, continued

Hoodie



Standard Includes		Required to Specify
► Need help? Product details, page 54	<ul style="list-style-type: none"> Fully upholstered top and sides: Cogent: Connect: 5S25 Graphite or 5526 Licorice Mesh back panel: T615 Sultry Smoke Shipped ready to assemble 	1 Style number 2 Connect fabric color number for top and sides ► See <i>Surface Materials</i> , page 160.

Specification Information

• Dimensions			• Style	• U.S.
D	W	H	Number	Price
28"	58"	38 ¹ / ₈ "	TS3RSH	\$1565

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Trough-Mounted Data Access

Trough-Mounted Data
Access



Standard Includes	Required to Specify
<ul style="list-style-type: none">• Metal data access: paint price group 1	<ul style="list-style-type: none">1 Style number2 Paint color number for data access3 Options, if selected (see below)▶ See <i>Surface Materials</i>, page 160.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 8	Specify paint color number.
	• Paint price group 3	+\$16	Specify paint color number.

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Base
				Price
3 1/4"	3 1/2"	2 1/2"	TS8DATA	\$43



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.



Electrical Components

One Circuit

Plug and Play Power Strips, One Circuit

Tip: The Plug and Play Power Strips USB option provides three simplex receptacles and one USB port with two USB plugs per strip. The USB option is always located in the fourth port location.

Tip: Plug and Play Power Strips are a UL recognized powered table system component per UL962.

Tip: Plug and play power strips do not work on the bottom half of Bivi cable troughs with style numbers beginning with TS8, manufactured on or after 08/31/2016.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 56</p> <ul style="list-style-type: none"> Power Strip: paint price group 1 12-amp system rating 15-amp power cord with 15-amp over-current protection 10' long cord with wall plug 6' cord length between power strips 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for Power Strip 3 Power strip (see below under Required Selections) 4 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

Required Selections	U.S. Price	Required to Specify
Power Strips	Package of one Plug and Play Power Strip	
• 1 pack: 4 power	No cost	Specify with 4 power.
• 1 pack: 3 power and 1 USB	+\$ 63	Specify with 3 power/1 USB.
	Package of two Plug and Play Power Strips	
• 2 pack: 4 power	No cost	Specify with 8 power.
• 2 pack: 3 power and 1 USB	+\$126	Specify with 6 power/2 USB.
	Package of four Plug and Play Power Strips	
• 4 pack: 4 power	No cost	Specify with 16 power.
• 4 pack: 3 power and 1 USB	+\$252	Specify with 12 power/4 USB.

Options	U.S. Price	Required to Specify
Surface Materials		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 8	Specify paint color number.
• Paint price group 3	+\$ 16	Specify paint color number.

Specification Information		
Total Receptacles	Style Number	U.S. Base Price
•	•	•
•	•	•
•	•	•

Package of One


4	TS8PS1PKREV	\$256
•	•	•

Package of Two

8	TS8PS2PKREV	\$492
•	•	•

Package of Four

16	TS8PS4PKREV	\$907
•	•	•



Accessory Power - Rectangular



Tip: Rectangular Power Strip with clamp-on mount works on worksurfaces that range from 1/2" to 2 1/2" thick.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 70</p> <ul style="list-style-type: none"> Rectangular shaped power and USB strip: plastic price group 1 	<ol style="list-style-type: none"> Style number Cord length (see below under Required Selections) Mount type (see below under Required Selections) Power/USB/data schematics (see below under Required Selections) Plastic color number for rectangular shaped power Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Cord Length	<ul style="list-style-type: none"> 6' cord 10' cord 	No cost +\$ 34	Specify with 6' cord length. Specify with 10' cord length.
Mount Type	<ul style="list-style-type: none"> Freestanding mount Clamp-on mount 	No cost +\$ 24	Specify with freestanding mount. Specify with clamp-on mount.
Freestanding Mount Power/USB/Data Schematics	<ul style="list-style-type: none"> 4 power 3 power/1 USB 1 USB/2 power/1 USB 	No cost +\$ 63 +\$126	Specify with 4 power. Specify with 3 power/1 USB. Specify with 1 USB/2 power/1 USB.
Clamp-On Mount Power/USB/Data Schematics	<ul style="list-style-type: none"> 4 power 1 open data/2 power/1 open data 3 power/1 USB 1 USB/2 power/1 open data 1 USB/2 power/1 USB 	No cost No cost +\$ 63 +\$ 63 +\$126	Specify with 4 power. Specify with 1 open data/2 power/1 open data. Specify with 3 power/1 USB. Specify with 1 USB/2 power/1 open data. Specify with 1 USB/2 power/1 USB.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> Plastic price group 1 Plastic price group 2 	No cost +\$ 10	Specify plastic color number. Specify plastic color number.

Specification Information	
Style Number	U.S. Base Price
TS8PAREC	\$396



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Accessory Power - Pyramid



Standard Includes	Required to Specify
<p>► Need help? Product details, page 70</p> <ul style="list-style-type: none"> Freestanding pyramid shaped power and USB: plastic price group 1 	<ol style="list-style-type: none"> Style number Cord length (see below under Required Selections) Power/USB/data schematics (see below under Required Selections) Plastic color number for pyramid shaped power Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Cord Length	<ul style="list-style-type: none"> 6' cord 10' cord 	No cost +\$34	Specify with 6' cord length. Specify with 10' cord length.
Power/ USB/Data Schematics	<ul style="list-style-type: none"> 4 power 1 power/1 USB/1 power/1 blank 	No cost +\$63	Specify with 4 power. Specify with 1 power/1 USB/1 power/1 blank.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> Plastic price group 1 Plastic price group 2 	No cost +\$10	Specify plastic color number. Specify plastic color number.

Specification Information	
Style Number	U.S. Base Price
TS8PAPYR	\$331

**For Canadian Pricing**


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Electrical Components

Two Circuit

Hardwire-to-Modular Power Infeed, Two Circuit




Standard Includes	Required to Specify
<p>► Need help? Product details, page 56</p> <ul style="list-style-type: none"> 2-circuit hardwired base power-in, 3/8" diameter flexible galvanized steel conduit, liquid tight conduit outside of table Trough Modular connection for 2-circuit powerways In-line connector 	<ul style="list-style-type: none"> 1 Style number 2 Infeed length (see below under Required Selections)

Required Selections	U.S. Price	Required to Specify
Infeed Length		
• 6'	No cost	Specify with 6'.
• 12'	+\$46	Specify with 12'.
• 24'	+\$92	Specify with 24'.

Specification Information	
Style Number	U.S. Base Price
TS8PBT2	\$144

Hardwire-to-Modular Power Infeed, San Francisco



Standard Includes	Required to Specify
<p>► Need help? Product details, pages 57</p> <ul style="list-style-type: none"> 2-circuit hardwire-to-modular base power-in, 3/8" diameter flexible galvanized steel conduit, liquid tight conduit outside of Cable Trough Modular connection for 2-circuit powerways In-line connector to allow connection at middle of run San Francisco hardwired base power-in, 3/8" diameter flexible galvanized steel conduit, liquid tight conduit outside of Cable Trough 	<ul style="list-style-type: none"> Style number

Specification Information	
Style Number	U.S. Base Price
TS2PBT2SF	\$181



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Electrical Components, Two Circuit, continued



Modular and Hardwire Powerways, Two Circuit

Tip: The Modular Powerway USB option provides three simplex receptacles and one USB port with two USB plugs per strip.

Tip: The USB option is always located in the fourth port location and has two USB ports.

Tip: 48"W Bivi tables only allow for one Modular Powerway, TS8P260, or one Chicago Hardwired Powerway per Trough. Each powerway comes with two strips for a total of eight simplex receptacles.

Tip: Modular (TS8P260) and hardwire (TS8P2CHI) powerways do not work on the bottom half of Bivi cable troughs with style numbers beginning with TS8, manufactured on or after 08/31/2016.



	Standard Includes	Required to Specify
► Need help? Product details, page 56	<ul style="list-style-type: none"> 60" power with total eight simplex receptacles; if selected: paint price group 1 2-circuit powerway 60" powerway for 2-circuit with one line 1 and one line 2 receptacles Chicago hardwired junction boxes with eight total simplex receptacles if selected: 6000 Black plastic Shipped ready to install 	1 Style number 2 Infeed length (see below under Required Selections) 3 Paint color number for powerway 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.

	Required Selections	U.S. Price	Required to Specify
Infeed Length	Package of two Plug and Play Power Strips		
	• 2 pack: 8 power	No cost	Specify with 8 power.
	• 2 pack: 6 power and 2 USB	+\$126	Specify with 6 power/2 USB.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$ 8 +\$ 16	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

• Style Number	• U.S. Base Price
•	•
•	•
•	•

Modular Powerway, Two Circuit- Line 1 and Line 2

TS8P260	\$571
•	•

Hardwired Powerway, Chicago, Two Circuit- Line 1 and Line 2

TS8P2CHI	\$571
•	•




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Modular Harness, Two Circuit



Standard Includes		Required to Specify	
▶ Need help? Product details, page 57	• Modular harness	1 Style number	
		2 Infeed length (see below under Required Selections)	

Required Selections		U.S. Price	Required to Specify
Infeed Length	• 72"	No cost	Specify <i>with 72"</i> .
	• 84"	+\$10	Specify <i>with 84"</i> .
	• 122"	+\$70	Specify <i>with 122"</i> .
	• 132"	+\$70	Specify <i>with 132"</i> .
	• 138"	+\$70	Specify <i>with 138"</i> .


Specification Information	
• Style • Number • • •	• U.S. • Base • Price • •
TS8P2H	\$86
•	•

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Electrical Components

Four Circuit

Modular Power Block - Standard Capacity



Tip: Does not work on Bivi tables and Troughs with style numbers beginning with TS2, manufactured prior to 8/31/2016.


Standard Includes		Required to Specify	
► Need help? Product details, page 70	• Non-PVC power block	1 Style number 2 Wiring schematics (see below under Required Selections)	
Wiring	Required Selections	U.S. Price	Required to Specify
Schematics	• 3+1	No cost	Specify with 3+1.
	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
Specification Information			
Style Number	U.S. Price		
TS8PBS	\$237		

Power Block



Standard Includes		Required to Specify	
► Need help? Product details, page 70	• Non-PVC, four circuit power block	1 Style number 2 Wiring schematics (see below under Required Selections)	
Wiring	Required Selections	U.S. Price	Required to Specify
Schematics	• 3+1	No cost	Specify with 3+1.
	• 2+2	No cost	Specify with 2+2.
	• 3SN	No cost	Specify with 3SN.
Specification Information			
Style Number	U.S. Price		
TS8PHBC	\$44		

Chicago Hardwire Box



Standard Includes		Required to Specify	
► Need help? Product details, page 71	• Hardwire box: black	Style number	
Specification Information			
Style Number	U.S. Price		
TS8P4CHI	\$349		



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Duplex Receptacle



Tip: For designation of controlled receptacles, order permanent ink stamp with controlled icon; service part (1063909001SR). It includes a pair of stamps, one white and one black. Appropriate receptacles can be stamped at the job site during installation.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 71</p> <ul style="list-style-type: none"> 15-amp, system standard ground duplex receptacle: plastic 	<ul style="list-style-type: none"> 1 Style number 2 Plastic color number for receptacle: <ul style="list-style-type: none"> 6000 Black 6009 Arctic White 6249 Platinum Solid 6651 Tungsten 6652 Titanium 6654 Sand 6697 Fog 6B03 Red 3 Wiring schematics (see below under Required Selections) 4 Amperage (see below under Required Selections) 5 Ground type (see below under Required Selections) 6 Options, if selected (see below)

	Required Selections	U.S. Price	Required to Specify
Wiring Schematics	3+1		
	<ul style="list-style-type: none"> Line 1 Line 2 Line 3 Line 4 	No cost No cost No cost No cost	Specify with 3+1, Line 1. Specify with 3+1, Line 2. Specify with 3+1, Line 3. Specify with 3+1, Line 4.
	2+2		
	<ul style="list-style-type: none"> Line 1 Line 2 Line 3 Line 4 	No cost No cost No cost No cost	Specify with 2+2, Line 1. Specify with 2+2, Line 2. Specify with 2+2, Line 3. Specify with 2+2, Line 4.
	3SN		
	<ul style="list-style-type: none"> Line 1 Line 2 Line 3 Line 4 	No cost No cost No cost No cost	Specify with 3SN, Line 1. Specify with 3SN, Line 2. Specify with 3SN, Line 3. Specify with 3SN, Line 4.
Amperage	<ul style="list-style-type: none"> 15-amp 20-amp 	No cost +\$32	Specify with 15-amp. Specify with 20-amp.
	Ground Type		
	<ul style="list-style-type: none"> System Isolated 	No cost +\$17	Specify with system ground. Specify with isolated ground.

	Options	U.S. Price	Required to Specify
Controlled Stamp	<ul style="list-style-type: none"> No stamp Controlled stamp 	No cost +\$ 3	Specify with no stamp. Specify with controlled stamp.


Specification Information

Style Number	U.S. Base Price
TS8PRD	\$45



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Modular Flexible Receptacle



Tip: For designation of controlled receptacles, order permanent ink stamp with controlled icon; service part (1063909001SR). It includes a pair of stamps, one white and one black. Appropriate receptacles can be stamped at the job site during installation.

Tip: Does not work on Bivi tables and Troughs with style numbers beginning with TS2, manufactured prior to 8/31/2016.

Standard Includes		Required to Specify	
► Need help? Product details, page 71	<ul style="list-style-type: none"> 15-amp, system standard ground duplex receptacle: black 	1 Style number	2 Wiring schematics (see below under Required Selections)
		3 Ground type (see below under Required Selections)	

	Required Selections	U.S. Price	Required to Specify
Wiring Schematics	3+1		
	• Line 1	No cost	Specify with 3+1, Line 1.
	• Line 2	No cost	Specify with 3+1, Line 2.
	• Line 3	No cost	Specify with 3+1, Line 3.
	• Line 4	No cost	Specify with 3+1, Line 4.
	2+2		
	• Line 1	No cost	Specify with 2+2, Line 1.
	• Line 2	No cost	Specify with 2+2, Line 2.
	• Line 3	No cost	Specify with 2+2, Line 3.
	• Line 4	No cost	Specify with 2+2, Line 4.
	3SN		
	• Line 1	No cost	Specify with 3SN, Line 1.
	• Line 2	No cost	Specify with 3SN, Line 2.
	• Line 3	No cost	Specify with 3SN, Line 3.
	• Line 4	No cost	Specify with 3SN, Line 4.
Ground Type	• System	No cost	Specify with system ground.
	• Isolated	+\$17	Specify with isolated ground.

Specification Information

Style Number	U.S. Base Price
TS8PFR	\$125



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

USB Receptacle



Tip: Does not work on Bivi tables and Troughs with style numbers beginning with TS2, manufactured prior to 8/31/2016.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 71</p> <ul style="list-style-type: none"> 15-amp, system ground USB Receptacle: plastic 	<ul style="list-style-type: none"> 1 Style number 2 Plastic color number for USB Receptacle: <ul style="list-style-type: none"> 6000 Black 6009 Arctic White 6249 Platinum Solid 6651 Tungsten 6652 Titanium 6654 Sand 6697 Fog 6B03 Red 3 Wiring schematics (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Wiring Schematics	3+1		
	• Line 1	No cost	Specify with 3+1, Line 1.
	• Line 2	No cost	Specify with 3+1, Line 2.
	• Line 3	No cost	Specify with 3+1, Line 3.
	• Line 4	No cost	Specify with 3+1, Line 4.
	2+2		
	• Line 1	No cost	Specify with 2+2, Line 1.
	• Line 2	No cost	Specify with 2+2, Line 2.
	• Line 3	No cost	Specify with 2+2, Line 3.
	• Line 4	No cost	Specify with 2+2, Line 4.
	3SN		
	• Line 1	No cost	Specify with 3SN, Line 1.
	• Line 2	No cost	Specify with 3SN, Line 2.
	• Line 3	No cost	Specify with 3SN, Line 3.
	• Line 4	No cost	Specify with 3SN, Line 4.

Specification Information	
Style Number	U.S. Price
TS8PUSB	\$107




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Modular Power, Four Circuit



Standard Includes	Required to Specify
<p>► Need help? Product details, page 71</p> <ul style="list-style-type: none"> Single, four circuit powerway: paint price group 1 USB and power options 	<ol style="list-style-type: none"> Style number Paint color number for powerway Wiring schematics (see below under Required Selections) USB and power options (see below under Required Selections) Ground type (see below under Required Selections) Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Wiring Schematics	3+1		
	<ul style="list-style-type: none"> Line 1 Line 2 Line 3 Line 4 	No cost No cost No cost No cost	Specify with 3+1, Line 1. Specify with 3+1, Line 2. Specify with 3+1, Line 3. Specify with 3+1, Line 4.
	2+2		
	<ul style="list-style-type: none"> Line 1 Line 2 Line 3 Line 4 	No cost No cost No cost No cost	Specify with 2+2, Line 1. Specify with 2+2, Line 2. Specify with 2+2, Line 3. Specify with 2+2, Line 4.
	3SN		
	<ul style="list-style-type: none"> Line 1 Line 2 Line 3 Line 4 	No cost No cost No cost No cost	Specify with 3SN, Line 1. Specify with 3SN, Line 2. Specify with 3SN, Line 3. Specify with 3SN, Line 4.
USB and Power Options	<ul style="list-style-type: none"> 4 power 3 power/1 USB 	No cost +\$63	Specify with 4 power. Specify with 3 power/1 USB.
	Ground Type		
	<ul style="list-style-type: none"> System Isolated 	No cost +\$17	Specify with system ground. Specify with isolated ground.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$ 8 +\$16	Specify paint color number. Specify paint color number. Specify paint color number.


Specification Information	
• Style Number	• U.S. Base Price
•	•
•	•
•	•
TS8P4QUAD	\$298
•	•
•	•

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Modular Harness, Four Circuit



► Need help?
Product details,
page 70

Standard Includes

- Non-PVC modular harness

Required to Specify

- 1 Style number
- 2 Length (see below under Required Selections)
- 3 Wiring schematics (see below under Required Selections)
- 4 PVC (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Length	<ul style="list-style-type: none"> • 42" • 45" • 48" • 51" • 54" • 57" • 60" • 63" • 67" • 72" • 84" • 101" • 107" • 111" • 115" • 118" • 121" • 124" • 127" • 144" • 288" 	No cost +\$ 17 +\$ 17 +\$ 17 +\$ 17 +\$ 17 +\$ 44 +\$ 44 +\$ 44 +\$ 80 +\$ 80 +\$ 80 +\$ 80 +\$ 91 +\$ 91 +\$ 91 +\$ 91 +\$ 91 +\$ 91 +\$ 91 +\$120 +\$240	Specify <i>with 42"</i> . Specify <i>with 45"</i> . Specify <i>with 48"</i> . Specify <i>with 51"</i> . Specify <i>with 54"</i> . Specify <i>with 57"</i> . Specify <i>with 60"</i> . Specify <i>with 63"</i> . Specify <i>with 67"</i> . Specify <i>with 72"</i> . Specify <i>with 84"</i> . Specify <i>with 101"</i> . Specify <i>with 107"</i> . Specify <i>with 111"</i> . Specify <i>with 115"</i> . Specify <i>with 118"</i> . Specify <i>with 121"</i> . Specify <i>with 124"</i> . Specify <i>with 127"</i> . Specify <i>with 144"</i> . Specify <i>with 288"</i> .
Wiring Schematics	<ul style="list-style-type: none"> • 3+1 • 2+2 • 3SN 	No cost No cost No cost	Specify <i>with 3+1</i> . Specify <i>with 2+2</i> . Specify <i>with 3SN</i> .
PVC	<ul style="list-style-type: none"> • Non-PVC • PVC 	No cost -\$ 10	Specify <i>with non PVC</i> . Specify <i>with PVC</i> .

Specification Information

Style Number	U.S. Base Price
TS8P4H	\$158




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Electrical Components, Four Circuit, continued


Utility Pole



Tip: Utility pole reaches a maximum ceiling height of 10'.

Standard Includes		Required to Specify
► Need help? Product details, page 76	<ul style="list-style-type: none"> • Pole: 8043 Anodized Aluminum • Ceiling kit • Mounting brackets 	Style number
Specification Information		
Dimensions D W	Style Number	U.S. Price
3" 6"	TS8PUP	\$934

Power Infeed, Hardwire-to-Modular, Four Circuit



Standard Includes		Required to Specify
► Need help? Product details, page 76	<ul style="list-style-type: none"> • Non-PVC, modular harness • Straight/flush junction box faceplate 	1 Style number 2 Wiring schematics (see below under Required Selections) 3 Length (see below under Required Selections) 4 PVC (see below under Required Selections)
Required Selections	U.S. Price	Required to Specify
Wiring Schematics <ul style="list-style-type: none"> • 3+1 • 2+2 • 3SN 	No cost No cost No cost	Specify with 3+1. Specify with 2+2. Specify with 3SN.
Length <ul style="list-style-type: none"> • 6' • 12' • 24' 	No cost +\$ 86 +\$239	Specify with 6'. Specify with 12'. Specify with 24'.
PVC <ul style="list-style-type: none"> • Non-PVC • PVC 	No cost -\$ 10	Specify with non PVC. Specify with PVC.



Specification Information

Style Number	U.S. Base Price
TS8P4IFH	\$254



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Power Infeed, New York, Four Circuit




Standard Includes	Required to Specify
<p>► Need help? Product details, page 77</p> <ul style="list-style-type: none"> • 50" non-PVC infeed harness • Junction box • Strain relief brackets 	<ul style="list-style-type: none"> 1 Style number 2 Wiring schematics (see below under Required Selections) 3 PVC (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Wiring Schematics	<ul style="list-style-type: none"> • 3+1 • 2+2 • 3SN 	No cost No cost No cost	Specify <i>with 3+1</i> . Specify <i>with 2+2</i> . Specify <i>with 3SN</i> .
PVC	<ul style="list-style-type: none"> • Non-PVC • PVC 	No cost -\$10	Specify <i>with non PVC</i> . Specify <i>with PVC</i> .

Specification Information

Style Number	U.S. Base Price
TS8P4IFNY	\$265

Power Infeed, San Francisco, Four Circuit



Standard Includes	Required to Specify
<p>► Need help? Product details, page 77</p> <ul style="list-style-type: none"> • Non-PVC infeed harness, 144"L • Straight/flush junction box faceplate 	<ul style="list-style-type: none"> 1 Style number 2 Wiring schematic (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Wiring Schematics	<ul style="list-style-type: none"> • 3+1 • 2+2 • 3SN 	No cost No cost No cost	Specify <i>with 3+1</i> . Specify <i>with 2+2</i> . Specify <i>with 3SN</i> .

Specification Information


Style Number	U.S. Price
TS8P4IFSF	\$420



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Electrical Components, Four Circuit, continued

Modular Junction Box Faceplate, Four Circuit



Standard Includes		Required to Specify	
► Need help? Product details, page 77	<ul style="list-style-type: none"> Junction box faceplate 	1 Style number	2 Wiring schematics (see below under Required Selections)
		3 Faceplate (see below under Required Selections)	4 PVC (see below under Required Selections)

	Required Selections	U.S. Price	Required to Specify
Wiring Schematics	<ul style="list-style-type: none"> 3+1 2+2 3SN 	No cost No cost No cost	Specify with 3+1. Specify with 2+2. Specify with 3SN.
Faceplate	<ul style="list-style-type: none"> Straight 90° box faceplate 	No cost +\$52	Specify with straight faceplate. Specify with 90° box faceplate.
PVC	<ul style="list-style-type: none"> Non-PVC PVC 	No cost -\$10	Specify with non PVC. Specify with PVC.

Specification Information	
Style Number	U.S. Base Price
TS8PJFM	\$95

Power Infeed Cover



Standard Includes		Required to Specify	
► Need help? Product details, page 71	<ul style="list-style-type: none"> Power infeed cover: painted steel, price group 1 	1 Style number	2 Paint color number for power infeed cover
		3 Options, if selected (see below)	► See <i>Surface Materials</i> , page 160.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$24 +\$46	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information	
Style Number	U.S. Base Price
TS8PICVR	\$215



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Bezel Receptacle Cover




Standard Includes		Required to Specify
▶ Need help? Product details, page 71	• Bezel receptacle cover: plastic	1 Style number 2 Plastic color number for bezel receptacle cover ▶ See <i>Surface Materials</i> , page 160.

Specification Information	
• Style • Number • •	• U.S. • Price • •
TS8PRCVR	\$10
•	•


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Storage

Trunk



Tip: Trunk cannot be used on a Bivi Table for One.

Tip: Both Trunk widths 48"W and 60"W use the same Table Frame Attachment Bracket and Freestanding Legs.

Tip: High-Pressure Laminate trunks have a plastic edge. Please specify a plastic color number for the edge.

Tip: Wood veneer trunks have matching flat veneer self-edge.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Order Trunk with Table Frame Attachment Bracket to install at the end of a Bivi Table for Two.

Tip: Order Trunk with Freestanding Leg for a Freestanding Trunk.

	Standard Includes	Required to Specify
► Need help? Product details, page 78	<ul style="list-style-type: none"> Trunk top: Low-Pressure Laminate Case: paint price group 1 1 mm plastic edge band: <ul style="list-style-type: none"> – default color to match, if Low-Pressure Laminate selected – plastic, if High-Pressure Laminate selected Attachment hardware Ships assembled 	<ol style="list-style-type: none"> Style number Low-Pressure Laminate color number for Trunk top Trunk width (see below under Required Selections) Plastic color number for edge, if High-Pressure Laminate selected Paint color number for case Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> 48"W 60"W 	Prices below Prices below	Specify with 48"W. Specify with 60"W.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate Trunk top <ul style="list-style-type: none"> High-Pressure Laminate price group 1 High-Pressure Laminate price group 2 Open Line laminate 	+\$ 30 See information at left +\$ 74 plus cost of laminate	Specify High-Pressure Laminate color number. Specify High-Pressure Laminate color number. ► See <i>Surface Materials Reference Manual</i> .

Wood veneer Trunk top

• Wood group 1	+\$264	Specify wood color number.
• Wood group 2	+\$313	Specify wood color number.
• Wood group 3	+\$417	Specify wood color number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
• Full-fill finish on wood group 1	+\$313	► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.

Case paint

• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 34	Specify paint color number.
• Paint price group 3	+\$ 68	Specify paint color number.

Table Frame Attachment Bracket paint

• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 24	Specify paint color number.
• Paint price group 3	+\$ 46	Specify paint color number.

Freestanding Leg paint

• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 29	Specify paint color number.
• Paint price group 3	+\$ 57	Specify paint color number.

Supports	<ul style="list-style-type: none"> No support Table Frame Attachment Bracket Freestanding Leg 	No cost +\$140 +\$433	Specify with <i>no support</i> . Specify with <i>Table Frame Bracket</i> and select paint color number. Specify with <i>Freestanding Leg</i> and select paint color number.
-----------------	--	-----------------------------	---

Specification Information

Dimensions	Style Number	U.S. Base Price
D W H		
11 1/2" 48" 8"	TS8TRUNK	\$ 992
14" 60" 16"	TS8TRUNK	\$1120

Tip: Both Trunk widths 48"W and 60"W use the same Table Frame Attachment Bracket and Freestanding Legs.

Trunk Supports

Standard Includes		Required to Specify
► Need help? Product details, page 78	<ul style="list-style-type: none"> Freestanding Legs for trunk, if selected: paint price group 1 Table frame attachment brackets, if selected: paint price group 1 Leveling glides Ships ready to assemble 	1 Style number 2 Paint color number for supports 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.

Options		U.S. Price	Required to Specify
Surface Materials		Brackets Legs	
	• Paint price group 1	No cost	No cost
	• Paint price group 2	+\$24	+\$29
	• Paint price group 3	+\$46	+\$57
	• Lux Coatings	N.A.	+\$57
			Specify paint color number. Specify paint color number. Specify paint color number. Specify Lux Coatings color number.

Specification Information


Dimensions			Style	U.S.
D	W	H	Number	Base Price
.
.
.

Table Frame Attachment Brackets

1/2"	5"	16 1/2"	TS8STEHTA	\$140
.

Freestanding Legs for Trunk

2"	42 1/4"	11 1/2"	TS8STEHL2	\$433
.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Storage, continued

Depots



Tip: High-Pressure Laminate depots have a plastic edge. Please specify a plastic color number for the edge.

Tip: Wood veneer depots have matching flat veneer self-edge.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes		Required to Specify	
<p>► Need help? Product details, page 78</p>	<ul style="list-style-type: none"> Depot: Low-Pressure Laminate 1 mm plastic edge band: <ul style="list-style-type: none"> – default color to match, if Low-Pressure Laminate selected – plastic, if High-Pressure Laminate selected Feet with adjustable glides Attachment hardware 	<ul style="list-style-type: none"> 1 Style number 2 Laminate color number for depot 3 Plastic color number for edge, if High-Pressure Laminate selected 4 Height (see below under Required Selections) 5 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>	
Required Selections		U.S. Price	Required to Specify
Height	• 28½"H	Prices below	Specify <i>with 2 high</i> .
	• 41½"H	Prices below	Specify <i>with 3 high</i> .
Options		U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> High-Pressure Laminate price group 1 High-Pressure Laminate price group 2 Open Line laminate 	2 High +\$ 155 See information at left +\$ 74 plus cost of laminate	3 High +\$ 231 Specify High-Pressure Laminate color number. Specify High-Pressure Laminate color number. ► See <i>Surface Materials Reference Manual</i> . Specify paint color number.
	Wood veneer <ul style="list-style-type: none"> Wood group 1 Wood group 2 Wood group 3 Customiz stain Full-fill finish on wood group 1 	2 High +\$1597 +\$1864 +\$2586 No cost +\$1864	3 High +\$2575 +\$3013 +\$4172 No cost +\$3013 Specify wood color number. Specify wood color number. Specify wood color number. Specify <i>with Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.

Specification Information


Dimensions		Style Number	U.S. Base Prices	
D	W		2 High	3 High
			28½"H	41½"H
13⅞"	60"	TS8DEPOT	\$1361	\$2106

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Full Top



► Need help?
Product details,
page 80

Standard Includes

- 1/2"-thick Full Top: Low-Pressure Laminate
- 3 mm plastic edge band on front and 1 mm on back and sides:
 - default color to match, if Low-Pressure Laminate selected
 - plastic, if High-Pressure Laminate selected
- Mounting bracket: paint price group 1
- Width: 48"W, 60"W, or 72"W
- Ships ready to assemble

Required to Specify

- 1 Style number
 - 2 Table width (see below under Required Selections)
 - 3 Full Top depth (see below under Required Selections)
 - 4 Low-Pressure Laminate color number for Full Top
 - 5 Plastic color number for edge, if High-Pressure Laminate selected
 - 6 Paint for mounting bracket
 - 7 Options, if selected (see below)
- See *Surface Materials*, page 160.

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 48"W • 60"W • 72"W 	Prices below Prices below Prices below	Specify with 48". Specify with 60". Specify with 72".
Depth	<ul style="list-style-type: none"> • 21"D • 24"D • 30"D 	Prices below Prices below Prices below	Specify with 21". Specify with 24". Specify with 30".

Tip: High-Pressure Laminate tops have a plastic edge. Please specify a plastic color number for the edge.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price			Required to Specify
Surface Materials	High-Pressure Laminate top	48"W	60"W	72"W	
	<ul style="list-style-type: none"> • High-Pressure Laminate price group 1 • High-Pressure Laminate price group 2 • Open Line laminate 	+\$ 95 See information at left +\$ 74 plus cost of laminate	+\$100 +\$ 74 plus cost of laminate	+\$105 +\$ 74 plus cost of laminate	Specify High-Pressure Laminate color number. Specify High-Pressure Laminate color number. ► See <i>Surface Materials Reference Manual</i> .
	Wood veneer top	48"W	60"W	72"W	
	<ul style="list-style-type: none"> • Wood group 1 • Wood group 2 • Wood group 3 • Customiz stain 	+\$502 +\$590 +\$813 No cost	+\$528 +\$616 +\$839 No cost	+\$554 +\$642 +\$865 No cost	Specify wood color number. Specify wood color number. Specify wood color number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
	<ul style="list-style-type: none"> • Full-fill finish on wood group 1 	+\$590	+\$616	+\$642	Specify full-fill finish number.
	Bracket paint				
	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 24 +\$ 46			Specify paint color number. Specify paint color number. Specify paint color number.

Tip: Wood veneer tops have matching flat veneer self-edge.

Specification Information

Nominal Dimensions		Style Number	U.S. Base Prices		
D	H		48"W	60"W	72"W
21"	2"	TS8RPFWS	\$385	\$418	\$555
24"	2"	TS8RPFWS	\$399	\$432	\$569
30"	2"	TS8RPFWS	\$425	\$458	\$595



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Half-Round Top



	Standard Includes	Required to Specify
► Need help? Product details, page 80	<ul style="list-style-type: none"> • 1/2"-thick top: Low-Pressure Laminate • 3 mm plastic edge band on front and 1 mm on back and sides: <ul style="list-style-type: none"> – default color to match, if Low-Pressure Laminate selected – plastic, if High-Pressure Laminate selected • Mounting bracket: paint price group 1 • Ships ready to assemble 	<ol style="list-style-type: none"> 1 Style number 2 Low-Pressure Laminate color number for top 3 Plastic color number for edge, if High-Pressure Laminate selected 4 Paint for mounting bracket 5 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

Tip: Half-Round Top only works with a Table for Two at seated height.

Tip: High-Pressure Laminate tops have a plastic edge. Please specify a plastic color number for the edge.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: When placed at each end of a Bivi Table for Two, the Half-Round Top makes a conference table.

Tip: Wood veneer tops have matching flat veneer self-edge.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> • High-Pressure Laminate price group 1 	+\$100	Specify High-Pressure Laminate color number.
	<ul style="list-style-type: none"> • High-Pressure Laminate price group 2 	See information at left	Specify High-Pressure Laminate color number.
	<ul style="list-style-type: none"> • Open Line laminate 	+\$ 74 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer <ul style="list-style-type: none"> • Wood group 1 • Wood group 2 • Wood group 3 • Customiz stain 	+\$528 +\$616 +\$839 No cost	Specify wood color number. Specify wood color number. Specify wood color number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
	<ul style="list-style-type: none"> • Full-fill finish on wood group 1 	+\$616	Specify full-fill finish number.
	Bracket paint <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 24 +\$ 46	Specify paint color number. Specify paint color number. Specify paint color number.


Specification Information			
Dimensions		Style	U.S.
D	W	Number	Base Price
27"	60"	TS8RW	\$585

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Mid Transaction Top and Transaction Top



► Need help?
Product details,
page 80

Standard Includes

- 1/2"-thick top: Low-Pressure Laminate
- 3 mm plastic edge band on front and 1 mm on back and sides:
 - default color to match, if Low-Pressure Laminate selected
 - plastic, if High-Pressure Laminate selected
- Mounting bracket: paint price group 1
- Ships ready to assemble

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate color number for top
 - 3 Plastic color number for edge, if High-Pressure Laminate selected
 - 4 Paint for mounting bracket
 - 5 Options, if selected (see below)
- See *Surface Materials*, page 160.

Tip: Add Transaction Top to a standing height Bivi Table for Two to create a standing height conference setting.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: High-Pressure Laminate tops have a plastic edge. Please specify a plastic color number for the edge.

Tip: Wood veneer tops have matching flat veneer self-edge.

	Options	U.S. Price	Required to Specify
Surface Materials	• High-Pressure Laminate price group 1	+\$100	Specify High-Pressure Laminate color number.
	• High-Pressure Laminate price group 2	See information at left	Specify High-Pressure Laminate color number.
	• Open Line laminate	+\$ 74 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer		
	• Wood group 1	+\$528	Specify wood color number.
	• Wood group 2	+\$616	Specify wood color number.
	• Wood group 3	+\$839	Specify wood color number.
	• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
			► See <i>Surface Materials Reference Manual</i> .
	• Full-fill finish on wood group 1	+\$616	Specify full-fill finish number.
	Bracket paint		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 24	Specify paint color number.
	• Paint price group 3	+\$ 46	Specify paint color number.

Specification Information

Dimensions	Style	U.S.
D W	Number	Base Price
.	.	.
.	.	.
.	.	.

Mid Transaction Top

18"	48"	TS8MIDTT	\$658
.	.	.	.

Transaction Top

18"	57 1/4"	TS8HIGHTT	\$816
.	.	.	.

Tip: Mid Transaction Top is used at standing height with two 24"D tops. Transaction Top is used at standing height with two 30"D tops.

Tip: Only intended to be used at standing height at the end of two Full Tops.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Mini Transaction Top



Tip: Mini Transaction Tops are placed on the wide ends of two Upper Dual Tops.

	Standard Includes	Required to Specify
► Need help? Product details, page 44	<ul style="list-style-type: none"> • 1/2"-thick top: Low-Pressure Laminate • 3 mm plastic edge band on front and 1 mm on back and sides: <ul style="list-style-type: none"> – default color to match, if Low-Pressure Laminate selected – plastic, if High-Pressure Laminate selected • Mounting bracket: paint price group 1 • Ships ready to assemble 	<ol style="list-style-type: none"> 1 Style number 2 Low-Pressure Laminate color number for top 3 Plastic color number for edge, if High-Pressure Laminate selected 4 Paint color number for bracket 5 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

Tip: High-Pressure Laminate tops have a plastic edge. Please specify a plastic color number for the edge.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tops have matching flat veneer self-edge.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate top		
	<ul style="list-style-type: none"> • High-Pressure Laminate price group 1 • High-Pressure Laminate price group 2 • Open Line laminate 	+\$100 See information at left +\$ 74 plus cost of laminate	Specify High-Pressure Laminate color number. Specify High-Pressure Laminate color number. ► See <i>Surface Materials Reference Manual</i> .
	Wood veneer top		
	<ul style="list-style-type: none"> • Wood group 1 • Wood group 2 • Wood group 3 • Customiz stain 	+\$528 +\$616 +\$839 No cost	Specify wood color number. Specify wood color number. Specify wood color number. Specify <i>with Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
	<ul style="list-style-type: none"> • Full-fill finish on wood group 1 	+\$616	Specify full-fill finish number.
	Bracket		
	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 24 +\$ 46	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

• Dimensions			• Style	• U.S.
D	W	H	Number	Base Price
18"	41 1/4"	2"	TS8DHTT	\$442

Tip: Only intended to be used at standing height at the end of two Upper Dual Tops.

Tip: For detailed dimensions information, refer to Actual Dimensions, page 44.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

End Hanging Top



Tip: End Hanging Top can only be attached to the end of a Bivi run.

Tip: High-Pressure Laminate tops have a plastic edge. Please specify a plastic color number for the edge.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer tops have matching flat veneer self-edge.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 80</p> <ul style="list-style-type: none"> • 1/2"-thick top: Low-Pressure Laminate • 3 mm plastic edge band on front and 1 mm on back and sides: <ul style="list-style-type: none"> – default color to match, if Low-Pressure Laminate selected – plastic, if High-Pressure Laminate selected • Mounting bracket: paint price group 1 • Ships ready to assemble 	<ul style="list-style-type: none"> 1 Style number 2 Low-Pressure Laminate color number for top 3 Plastic color number for edge, if High-Pressure Laminate selected 4 Paint color number for mounting bracket 5 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

Options	U.S. Price	Required to Specify
Surface Materials		
High-Pressure Laminate top		
• High-Pressure Laminate price group 1	+\$100	Specify High-Pressure Laminate color number.
• High-Pressure Laminate price group 2	See information at left	Specify High-Pressure Laminate color number.
• Open Line laminate	+\$ 74 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
Wood veneer top		
• Wood group 1	+\$528	Specify wood color number.
• Wood group 2	+\$616	Specify wood color number.
• Wood group 3	+\$839	Specify wood color number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
		► See <i>Surface Materials Reference Manual</i> .
• Full-fill finish on wood group 1	+\$616	Specify full-fill finish number.
Mounting bracket		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 24	Specify paint color number.
• Paint price group 3	+\$ 46	Specify paint color number.


Specification Information			
Dimensions		Style	U.S.
D	W	Number	Base Price
18"	60"	TS8EHTT	\$827
:	:	:	:

Tip: End Hanging Top can only be attached at seated height.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Gallery Panel



Tip: Gallery Panel can only be attached to the end of a Bivi run.

Tip: Gallery Panel includes two gap fillers attached to the side of the panel.

Tip: Plywood finish is not available on Gallery Panel.

Tip: High-Pressure Laminate Gallery Panels have a plastic edge. Please specify a plastic color number for the edge.

For laminate price group 2 pricing, please refer to the electronic catalog or SmartTools.

Tip: Wood veneer Gallery Panels have matching flat veneer self-edge.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 80</p> <ul style="list-style-type: none"> • 1/2"-thick top: Low-Pressure Laminate • 3 mm plastic edge band on front and 1 mm on back and sides: <ul style="list-style-type: none"> – default color to match, if Low-Pressure Laminate selected – plastic, if High-Pressure Laminate selected • Two gap fillers and mounting bracket: paint price group 1 • Ships ready to assemble 	<ol style="list-style-type: none"> 1 Style number 2 Low-Pressure Laminate color number for panel 3 Plastic color number for edge, if High-Pressure Laminate selected 4 Paint color number for gap fillers and mounting bracket 5 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> • High-Pressure Laminate <ul style="list-style-type: none"> • High-Pressure Laminate price group 1 • High-Pressure Laminate price group 2 • Open Line laminate 	+\$100 See information at left +\$ 74 plus cost of laminate	Specify High-Pressure Laminate color number. Specify High-Pressure Laminate color number. ► See <i>Surface Materials Reference Manual</i> .
<ul style="list-style-type: none"> • Wood veneer <ul style="list-style-type: none"> • Wood group 1 • Wood group 2 • Wood group 3 • Customiz stain 	+\$528 +\$616 +\$839 No cost	Specify wood color number. Specify wood color number. Specify wood color number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
<ul style="list-style-type: none"> • Full-fill finish on wood group 1 	+\$616	Specify full-fill finish number.
Gap fillers and mounting bracket <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 8 +\$ 16	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

• Dimensions	• Style	• U.S.
W H	Number	Base Price
60" 28 1/2"	TS8EHGP	\$665




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Table-Mounted Monitor Arm Brace



Tip: Bivi Monitor Arm Braces can be used at seated and standing height with no additional parts.

Tip: Does not include the monitor arm; must be ordered separately.

Tip: See Bivi Monitor Arm Brace Matrix to understand applications and limitations.
► See page 82

Standard Includes	Required to Specify
► Need help? Product details, page 80 <ul style="list-style-type: none"> • Bivi monitor arm brace • Mounting plate specific to monitor arm: paint price group 1 • Bracket: 0835 Black only • Ships ready to assemble 	1 Style number 2 Width (see below under Required Selections) 3 Mounting plate type (see below under Required Selections) 4 Paint color number for mounting plate: 0835 Black 4231 Arctic White 4799 Platinum Metallic 7018 Pewter 5 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 48"W • 60"W • 72"W 	Prices below Prices below Prices below	Specify <i>with 48"</i> . Specify <i>with 60"</i> . Specify <i>with 72"</i> .
Mounting Plate	<ul style="list-style-type: none"> • Eyesite • FYI single • CF Series • CF Series Evolution Single • CF Series Evolution Dual 	No cost No cost No cost No cost No cost	Specify <i>with Eyesite mount</i> . Specify <i>with FYI single mount</i> . Specify <i>with CF Series mount</i> . Specify <i>with CF Series Evolution Single mount</i> . Specify <i>with CF Series Evolution Dual mount</i> .

	Options	U.S. Price	Required to Specify
Surface Materials	Mounting plate <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 	No cost +\$8	Specify paint color number. Specify paint color number.

Specification Information					
Dimensions		Style	U.S. Base Prices		
D	H	Number	48"W	60"W	72"W
15"	2"	TS8TMBRAC	\$231	\$248	\$253
.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Lower Footshelf



Tip: Use with high sit/stand tables.

Tip: The first Footshelf should be specified with two brackets and adjacent Footshelves should be specified with one bracket, as they share the inside bracket.

Tip: When adding a Footshelf to a Bivi Leg that was manufactured on or before 7/17/16 (style number TS2RPBSL), an adapter bracket is required to attach the Footshelf (TS8FRETROSR).

Standard Includes	Required to Specify
<p>► Need help? Product details, page 52</p> <ul style="list-style-type: none"> • Footshelf: paint price group 1 • Width: 48"W, 60"W, or 72"W • Ships ready to assemble • Bracket 	<ol style="list-style-type: none"> 1 Style number 2 Paint color number for Footshelf 3 Width (see below under Required Selections) 4 Bracket count (see below under Required Selections) 5 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 48"W • 60"W • 72"W 	Prices below Prices below Prices below	Specify with 48"W. Specify with 60"W. Specify with 72"W.
Bracket Count	<ul style="list-style-type: none"> • One bracket • Two brackets 	No cost +\$29	Specify with one bracket. Specify with two brackets.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$29 +\$57	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information					
Dimensions		Style	U.S. Base Prices		
D	H	Number	48"W	60"W	72"W
5 1/2"	2"	TS8FSL	\$315	\$373	\$428
.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Upper Footshelf



Tip: Use with high sit/stand tables.

Standard Includes	Required to Specify
<p>► Need help? Product details, page 52</p> <ul style="list-style-type: none"> Footshelf: paint price group 1 Width: 48"W, 60"W, or 72"W Ships ready to assemble Bracket 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for Footshelf 3 Width (see below under Required Selections) 4 Bracket count (see below under Required Selections) 5 Options, if selected (see below) <p>► See <i>Surface Materials</i>, page 160.</p>

Tip: The first Footshelf should be specified with two brackets and adjacent Footshelves should be specified with one bracket, as they share the inside bracket.


Required Selections	U.S. Price	Required to Specify
Width <ul style="list-style-type: none"> 48"W 60"W 72"W 	Prices below Prices below Prices below	Specify with 48"W. Specify with 60"W. Specify with 72"W.
Bracket Count <ul style="list-style-type: none"> One bracket Two brackets 	No cost +\$33	Specify with one bracket. Specify with two brackets.
Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> Paint Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$29 +\$57	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information					
Dimensions		Style	U.S. Base Prices		
D	H	Number	48"W	60"W	72"W
5 1/2"	2"	TS8FSU	\$347	\$405	\$460
.



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Cable Troughs



Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|---|---|
| <ul style="list-style-type: none"> ▶ Need help? Product details, pages 40 • Cable Trough: paint price group 1 • Width: 48"W, 60"W, or 72"W | <ul style="list-style-type: none"> 1 Style number 2 Paint color number for Cable Trough 3 Width (see below under Required Selections) 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 160. |
|---|---|

Required Selections	U.S. Price	Required to Specify
---------------------	------------	---------------------

Width	<ul style="list-style-type: none"> • 48"W • 60"W • 72"W 	Prices below Prices below Prices below	Specify with 48"W. Specify with 60"W. Specify with 72"W.
--------------	--	--	--

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Surface Materials	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$34 +\$68	Specify paint color number. Specify paint color number. Specify paint color number.
--------------------------	---	---------------------------	---

Specification Information

Dimensions			Style Number	U.S. Base Prices		
D at top	D at bottom	H		48"W	60"W	72"W
4"	6 ⁵ / ₈ "	8"	TS8RPCT	\$584	\$645	\$707

Leg



Tip: Leg is 42¹/₂" wide at bottom of 32¹/₂" wide at top. Count with the wider dimension when creating a setting of Bivi Table for One.

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|---|---|
| <ul style="list-style-type: none"> ▶ Need help? Product details, page 80 • Leg: paint price group 1 | <ul style="list-style-type: none"> 1 Style number 2 Paint color number for Leg 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 160. |
|---|---|

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Surface Materials	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$34 +\$68	Specify paint color number. Specify paint color number. Specify paint color number.
--------------------------	---	---------------------------	---

Specification Information

Dimensions			Style Number	U.S. Base Price
D	W	H		
2"	42 ¹ / ₂ "	28 ¹ / ₂ "	TS8RPBSL	\$474



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Bivì

Standard Includes			Required to Specify
<p>► Need help? Product details, page 80</p> <ul style="list-style-type: none"> • Bottom Shelf: paint price group 1 			<p>1 Style number 2 Paint color number for Bottom Shelf 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 160.</p>
Options	U.S. Price	Required to Specify	
<p>Surface Materials</p> <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	<p>No cost +\$24 +\$46</p>	<p>Specify paint color number. Specify paint color number. Specify paint color number.</p>	
Specification Information			
Dimensions D W H	Style Number	U.S. Base Price	
8 1/2" 18 1/2" 17"	TS2ACTH	\$222	



Components and Accessories, continued

Hooks



Tip: Hook attaches to a Bivi Leg, Arch, or wall.

Standard Includes		Required to Specify	
► Need help? Product details, page 80	• Hooks: paint price group 1	1 Style number 2 Paint color number for hook 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.	
Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 8	Specify paint color number.
	• Paint price group 3	+\$16	Specify paint color number.

Specification Information

Dimensions			Style Number	U.S. Base Price
D	W	H		

Package of Two

1 3/4"	2"	1"	TS2ACMH2	\$58

Package of Four

1 3/4"	2"	1"	TS2ACMH4	\$93

Mini Hook



Tip: Mini Hook attaches to Bivi High Sit Bracket with Modesty Panel, TS8HSMREV, manufactured on or after 11/6/2017.

Standard Includes		Required to Specify	
► Need help? Product details, page 80	• Mini Hook, quantity of one: paint price group 1	1 Style number 2 Paint color number 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.	
Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 8	Specify paint color number.
	• Paint price group 3	+\$16	Specify paint color number.

Specification Information

Dimensions			Style Number	U.S. Base Price
D	W	H		

2 3/4"	1 3/8"	3"	TS8HOOKMINI	\$24



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Metal Screen



Tip: Screens are not markerboards. Writing will not erase from the painted surface.

Tip: The Bivi Metal Screen has been redesigned to fit over the stability brace in the 72"W Bivi Trough. Previous Bivi Metal Screen style number TS2SCREEN only works with 48"W and 60"W Bivi Troughs.

Standard Includes		Required to Specify
► Need help? Product details, page 49	<ul style="list-style-type: none"> Steel screen: paint price group 1 Trough mounting brackets: plastic 	1 Style number 2 Paint color number for steel screen 3 Plastic color number for Trough mounting brackets: 6009 Arctic White 6249 Plastic Solid 6527 Merle 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$24 +\$46	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Base Price
3 1/8"	30"	14 1/4"	TS8SCREENM	\$231



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Tackable Screens



Freestanding



Trough mount

Tip: 36"W screens do not work on 60"W Bivi tables. 36"W screen is intended for 48"W Bivi tables. 48"W screen is intended for 60"W Bivi tables. 60"W screen is intended for 72"W Bivi tables. This leaves 6" on each side for a future side storage to be added without having to add a new screen insert.

Tip: Plastic is not available for Trough mount base.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 48 • Tackable fabric: fabric price group 1 • Mount base: plastic, if freestanding base selected or steel, paint price group 1, if trough mount base selected • Stanchions: plastic • Ships ready to assemble 	<ol style="list-style-type: none"> 1 Style number 2 Fabric color number for tackable screen 3 Height (see below under Required Selections) 4 Width (see below under Required Selections) 5 Mount option (see below under Required Selections) 6 Plastic color number for stanchions: <ul style="list-style-type: none"> 6009 Arctic White 6249 Platinum Solid 6527 Merle 7 Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 160.</p>

	Required Selections	U.S. Price	Required to Specify
Height	<ul style="list-style-type: none"> • 13" • 19" 	Prices below Prices below	Specify with 13". Specify with 19".
Width	<ul style="list-style-type: none"> • 36" • 48" • 60" • 72" 	Prices below Prices below Prices below Prices below	Specify with 36". Specify with 48". Specify with 60". Specify with 72".
Mount Option	<ul style="list-style-type: none"> • Trough mount • Freestanding 	No cost +\$ 23	Specify with Trough mount. Specify with freestanding.

	Options	U.S. Price	Required to Specify
Surface Materials	Upholstery <ul style="list-style-type: none"> • Fabric price group 1 • Fabric price group 2 • Fabric price group 3 • Fabric price group 4 • Fabric price group 5 • Customer's Own Material 	No cost +\$ 51 +\$ 72 +\$ 96 +\$134 +\$ 39	Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. ▶ See Understanding Customer's (COM) Own Material (COM), page 558
	Freestanding base <ul style="list-style-type: none"> • Plastic • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 31 +\$ 38 +\$ 47	Specify plastic color number. Specify paint color number. Specify paint color number. Specify paint color number.
	Trough mount base <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 10 +\$ 16	Specify paint color number. Specify paint color number. Specify paint color number.
	Stanchions <ul style="list-style-type: none"> • Plastic • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 31 +\$ 38 +\$ 47	Specify plastic color number. Specify paint color number. Specify paint color number. Specify paint color number.

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.



Freestanding



Trough mount

Specification Information

Style Number	Dimensions W H		U.S. Base Price
TS8SCREENTREV	36"	13"	\$346
	36"	19"	\$428
	48"	13"	\$428
	48"	19"	\$466
	60"	13"	\$466
	60"	19"	\$505
	72"	13"	\$505
	72"	19"	\$545

Organizer



Standard Includes		Required to Specify	
► Need help? Product details, page 48	<ul style="list-style-type: none"> Organizer: paint price group 1 	1 Style number 2 Paint color number for Organizer 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 160.	
Surface Materials	Options	U.S. Price	Required to Specify
	<ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$24 +\$46	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Dimensions D W H			Style Number	U.S. Base Price
11½"	14⅞"	7"	TS20ORGANIZE	\$184



For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Leg Covers



Full



Half

Tip: Half Cover for use with Footshelf.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ► Need help? Product details, page 48 • Leg Cover quantity of one: paint price group 1 • Half or full cover • Screws: black or silver (depending on paint color) 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for leg cover 3 Leg Cover application (see below under Required Selections) 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 160.

Required Selections	U.S. Price	Required to Specify
Application <ul style="list-style-type: none"> • Half • Full 	Prices below Prices below	Specify <i>with half</i> . Specify <i>with full</i> .

Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> • Package of one <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 • Package of eight <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 8 +\$16 No cost +\$48 +\$90	Specify paint color number. Specify paint color number. Specify paint color number. Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information				
• Dimensions		• Style • Number	• U.S. Base Prices	
• D	• W		• Half	• Full
•	•		•	•
Package of One				
7/8"	2"	TS8LEGCVR	\$ 64	\$ 87
•	•	•	•	•
Package of Eight				
7/8"	2"	TS8LEGCVR8PK	\$226	\$269
•	•	•	•	•



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Bivi

Bivi



Components and Accessories, continued

Media Support Mount




Tip: Media Support System can only be attached to the Bivi Tall Arch.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 84 • Monitor mount for Bivi Tall Arch: black • Mounting bracket • Ships ready to assemble 	Style number

Specification Information			
Dimensions		Style Number	U.S. Price
D	W		
22"	24"	TS8TECHMM	\$537

Media Support Shroud



Tip: A Media Support Mount is needed to be able to attach Shelf.

Tip: Media Support System can only be attached to the Bivi Tall Arch.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 84 • Aluminum shroud: paint price group 1 • Ships ready to assemble 	1 Style number 2 Paint color number for shroud 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 160

Options	U.S. Price	Required to Specify
Surface Materials	Shroud	
	• Paint price group 1	No cost
	• Paint price group 2	+\$32
	• Paint price group 3	+\$63

Specification Information			
Dimensions		Style Number	U.S. Base Price
D	W		
24½"	45½"	TS8TECHSHROUD	\$752




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Media Support Shelf



Tip: A Media Support Mount is needed to be able to attach Shelf.

► See below


Tip: Media Support System can only be attached to the Bivi Tall Arch.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ► Need help? Product details, page 84 Media Support Shelf: paint price group 1 Ships ready to assemble 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for shroud 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 160

Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> Shelf Paint price group 1 Paint price group 2 Paint price group 3 	<ul style="list-style-type: none"> No cost +\$24 +\$46 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information			
Dimensions	Style	U.S.	
D W	Number	Base Price	
10" 27"	TS8TECHSHELF	\$274	

Media Support System Value Package



Tip: Media Support System Value Package includes Monitor Mount, Shroud, and Shelf.

Tip: Shroud and shelf will be the same paint color. Order the components (TS8TECHSHROUD and TS8TECHSHELF) separately if different paint colors are needed.

Tip: Media Support System can only be attached to the Bivi Tall Arch.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ► Need help? Product details, page 84 Monitor mount for Bivi Tall Arch: black Aluminum shroud: paint price group 1 Tech shelf: paint price group 1 Mounting brackets Ships ready to assemble 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for shroud 3 Paint color number for shelf 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 160

Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> Shroud Paint price group 1 Paint price group 2 Paint price group 3 	<ul style="list-style-type: none"> No cost +\$32 +\$63 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify paint color number.
<ul style="list-style-type: none"> Shelf Paint price group 1 Paint price group 2 Paint price group 3 	<ul style="list-style-type: none"> No cost +\$24 +\$46 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify paint color number.


Specification Information			
Dimensions	Style	U.S.	
D W	Number	Base Price	
30½" 45½"	TS8TECHSY	\$1343	



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Eyesite

Eyesite Single Display Support with Extended Crank Adjustment Column




Tip: Eyesite monitor arms with Bivi Brackets can be installed at six different locations on the Cable Trough.

Tip: Supports displays up to 21 pounds and has a functional focal length of 16".

Standard Includes				Required to Specify
<ul style="list-style-type: none"> Monitor arm: 4799 Platinum Extended crank adjustment column with 12 1/2" vertical height adjustment 				Style number
Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		
6 5/8"	11 5/8"	20"	FPAEC1BIVI	\$552


Eyesite Dual Display Support with Extended Crank Adjustment Column



Tip: Eyesite dual display support is for use with two monitors up to 27" or less screens and up to 20 lb each. 27" monitors should be used with extended 18" column assemblies or taller.

Standard Includes				Required to Specify
<ul style="list-style-type: none"> Monitor arm: 4799 Platinum Extended crank adjustment column with 12 1/2" vertical height adjustment 				Style number
Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		
8 1/2"	31"	20"	FPAEC2BIVI	\$866

Eyesite Flat Panel Monitor Arm with Single Laptop Support and Extended Crank Adjustment Column




Tip: Eyesite monitor arms with Bivi Brackets can be installed at six different locations on the Cable Trough.

Tip: Functional focal length is 16".

Tip: Not recommended for use with docking stations.

Standard Includes				Required to Specify
<ul style="list-style-type: none"> Laptop support arm: 4799 Platinum Extended crank adjustment column with 12 1/2" vertical height adjustment 				Style number
Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		
16"	11 5/8"	19 7/8"	FPAELC1BIVI	\$583

Eyesite Flat Panel Monitor Arm with Dual Laptop Support and Extended Crank Adjustment Column



Tip: Eyesite dual laptop support is for use with monitor up to 24" screen and 25 pounds.

Tip: Eyesite flat panel monitor arms with laptop supports are not recommended for use with docking station.

Tip: Monitor cables can connect to the rear of the monitor near the VESA plate will not fit properly on Eyesite monitor arm.

Tip: Bivi Bracket to be used with Eyesite single support, dual display support, and dual laptop support with extended crank adjustment columns only.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> Laptop support monitor arm: 4799 Platinum Extended crank adjustment column with 12 1/2" vertical height adjustment 	1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Bracket		
<ul style="list-style-type: none"> Without pivot With pivot 	No cost +\$20	Specify <i>without pivot</i> . Specify <i>with pivot</i> .

Specification Information				
Dimensions			Style Number	U.S. Base Price
D	W	H		
17"	31"	19 7/8"	FPAELC2BIVI	\$923
.

Bivi Bracket



Tip: If you have any existing Eyesite monitor arms, you can order a Bivi Bracket to modify it to work with Bivi tables.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> Bivi mounting bracket: 4799 Platinum 	Style number

Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		
3"	4"	1/4"	FPCBIVI	\$141
.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Surface Materials

► For Surface Materials matrices for all product lines, see page 523.

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification tools are available to assist you in the specification process—the Surface Materials Binders.

The global surface materials palette is a core collection of finishes that is available across multiple geographies (Americas/EMEA – Europe, Middle East, and Africa/ APAC – Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the *Surface Materials Reference Manual*. Additional details, like product approvals by geography and finish number conversions, can also be found in the *Surface Materials Reference Manual* or see www.steelcase.com/surface-materials

Surface Materials

Binders include:

- *Surface Materials Reference Manual*
- A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating upholstery

Paint

Steelcase Surfaces

Applies to:

- Bivi Height-Adjustable Desks and Bases

Price Group 1

Textured Paint

- 7207 Black
- 7241 Arctic White
- 7360 Merle

Price Group 2

Smooth Metallic

- 4799 Platinum Metallic

Applies to:

- Bivi Team Table
- Bivi Team Theater
- Bivi Cable Troughs
- Bivi Table Legs
- Bivi Table Top Mounting Brackets
- Bivi High Sit Bracket with Modesty Panel
- Bivi Arches
- Bivi Arches Infill Bracket
- Bivi End Hanging Top
- Bivi Gallery Panel
- Bivi Lower Footshelf
- Bivi Upper Footshelf
- Bivi Top Shelf
- Bivi Bottom Shelf
- Bivi Leg Cover
- Bivi Tackable Screen Trough Mount Base
- Bivi Trough End Cover
- Bivi Trough Floor Cover
- Media Support Shroud
- Media Support Shelf
- Media Support System Value Package
- Bivi Trough-Mounted Data Access
- Bivi Trunk Case
- Bivi Trunk Table Attachment Bracket
- Bivi Side Storage
- Bivi Rumble Seat Attachment Bracket
- Bivi Power Strips

Price Group 1

Smooth Paint

- 4242 Milk

Textured Paint

- 7207 Black
- 7225 Sand
- 7236 Fog
- 7237 Slate
- 7238 Fieldstone
- 7239 Midnight
- 7241 Arctic White
- 7243 Seagull
- 7250 Sterling Dark Solid
- 7278 Dark Bronze
- 7360 Merle

Price Group 2

Smooth Paint

- 0835 Black **E**

Smooth Metallic

- 4728 Nickel Metallic
- 4743 Mineral Metallic
- 4744 Pearl Metallic
- 4750 Champagne Metallic
- 4752 Steel Metallic
- 4788 Gold Dust Metallic
- 4798 Sterling Metallic
- 4799 Platinum Metallic
- 4803 Near Black Metallic

Textured Paint

- 7245 Carbon Metallic
- 7246 Midnight Metallic

Select Surfaces

Price Group 3

Accent paint

Accent paints allow you to choose from a pre-matched color palette of trend driven colors. Refer to the *Surface Materials Reference Manual* for more information.

Custom Surfaces

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the *Surface Materials Reference Manual* for more information about this program.

Price Group 3

- 4990 PerfectMatch Paint

Steelcase Surfaces

Applies to:

- Eyesite monitor arms
- Bivi Eyesite Bracket
- 4799 Platinum Metallic

Applies to:

- Bivi Bike Hook
- Bivi Holder
- Bivi Hook
- Bivi Metal Screen
- Bivi Tackable Screen Stanchions
- Bivi Organizer
- Bivi Rumble Seat Freestanding Legs
- Bivi Trunk Freestanding Legs

Price Group 1

Smooth Paint

- 4242 Milk

Textured Paint

- 7207 Black
- 7225 Sand
- 7236 Fog
- 7237 Slate
- 7238 Fieldstone
- 7239 Midnight
- 7243 Seagull
- 7250 Sterling Dark Solid
- 7278 Dark Bronze
- 7360 Merle

Price Group 2

Accessory Paint

- 4140 Arctic White Gloss
- 4144 Black Gloss

Smooth Paint

- 0835 Black **E**

Smooth Metallic

- 4728 Nickel Metallic
- 4743 Mineral Metallic
- 4744 Pearl Metallic
- 4750 Champagne Metallic
- 4752 Steel Metallic
- 4788 Gold Dust Metallic
- 4798 Sterling Metallic
- 4799 Platinum Metallic
- 4803 Near Black Metallic

Textured Paint

- 7245 Carbon Metallic
- 7246 Midnight Metallic

Select Surfaces

Price Group 3

Accent paint

Accent paints allow you to choose from a pre-matched color palette of trend driven colors. Refer to the *Surface Materials Reference Manual* for more information.

Applies to:

- Bivi Side Storage
- Bivi Rumble Freestanding Legs
- Bivi Trunk
- Bivi Trunk Freestanding Legs

Lux Coatings

- 4B20 Obsidian
- 4B22 Matte Brass
- 4B23 Burnished Bronze
- 4B24 Night Bronze
- 4B25 Matte Copper
- 4B26 Smoked Mica
- 4B27 Blue Steel
- 4B28 Silver Lilac
- 4B29 Cast Iron
- 4B30 Bright Gold

Custom Surfaces

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the *Surface Materials Reference Manual* for more information about this program.

Price Group 3

- 4990 PerfectMatch Paint

Plastic

Applies to:

- Bivi Metal Screen Trough Mounting Brackets
- Bivi Bezel Receptacle Cover
- Bivi Tackable Screen Freestanding Base
- Bivi Tackable Screen Stanchions
- 6009 Arctic White
- 6249 Platinum Solid
- 6527 Merle

Applies to:

- Under Worksurface Utility Accessory Power
- 6000 Black
- 6009 Arctic White

Applies to:

- Duplex Receptacles
- USB Receptacles
- 6000 Black
- 6009 Arctic White
- 6249 Platinum Solid
- 6527 Merle
- 6651 Tungsten
- 6652 Titanium
- 6654 Sand
- 6697 Fog
- 6B03 Red

Applies to:

- Rectangular power
- Pyramid power

Price Group 1

- 6BD8 Snow

Price Group 2

- 6BD1 Aubergine
- 6BD2 Peacock
- 6BD3 Jungle
- 6BD4 Merlot
- 6BD5 Honey
- 6BD6 Lagoon
- 6BD7 Saffron

E = Established

Seating Upholstery

Applies to:

- Rumble Seat
- Bivi Team Theater

Price Group 1

Buzz2

Era

Link

New Black: Henry

Playground

Price Group 2

Cogent: Connect

New Black: Harley

New Black: James

Price Group 3

Billiard Multi-Use by

Designtex

Gaja — Cradle to Cradle

Certified™ Silver

New Black: Jack

Price Group 5

Bo Peep

Remix

Silk

Price Group 6

Brisa

Price Group 7

Steelcut Trio

Custom Surfaces**Price Group COM
(Customer's Own
Material)****Fabric Approval and
Yardage**

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

- Visit www.steelcase.com

For additional information regarding Customer's Own Material, call 1.888.STEELCASE.

**Steelcase
Graded-In Program:
Upholstery**

Applies to:

- Bivi High Sit Bracket with Modesty Panel
- Bivi Arch Infill
- Bivi Tackable Screen

**Steelcase Graded-In
Program Partners:**

Architex

Arc-Corn

CF Stinson

Designtex

Mayer

Momentum

Ultrafabrics

A collection of textiles are available as part of a Graded-In Program. The collection from the leading suppliers in the market consists of high-performance textiles. Note that not all fabrics can be applied to all products. Refer to the Steelcase COM database for the most current application information.

To order these fabrics, enter the finish code which corresponds with the fabric price group.

Price Group	Finish Code
2	59DB
3	59DC
4	59DD
5	59DE
6	59DF
7	59DG
8	59DH
9	59DJ
10	59DK

Then enter the fabric information in the Special Fabric Information pop up window.

Fabric application direction must be specified: For additional information, refer to the *Surface Materials Reference Manual*.

Panel Fabric

Applies to:

- Hoodie top and sides

Cogent: Connect

5S25 Graphite

5S26 Licorice

Applies to:

- High Sit Bracket with Modesty Panel
- Arch Infills
- Tackable Screens
- Straight Screens

Price Group 1

Abacus

Link

New Black: Bruce

New Black: Henry

Price Group 2

Cogent: Connect

New Black: Harley

New Black: Jack

New Black: James

Price Group 3

Billiard Multi-Use by

Designtex

Applies to:

- Canopy
- 5VD0 Bivi Canopy fabric

Mesh

Applies to:

- Hoodie back panel
- T615 Sultry Smoke

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit www.steelcase.com/surface-materials under the Select Surfaces section.

For additional information regarding Customer's Own Material, call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Laminate

Applies to:

- Bivi Height-Adjustable Desk
- Bivi Team Table
- Bivi Team Theater
- Bivi tables and Table Tops
- Bivi Trunk
- Bivi Side Storage
- Bivi Depots

Steelcase Surfaces**Low-Pressure
Laminate****Price Group 1****Woodgrain Laminate**

25L1 Winter on Maple

25L5 Virginia Walnut

25L6 Blackwood

25L8 Clear Walnut

25L9 Warm Oak

262L Marbled Maple

264L Chocolate Walnut

267L Marbled Cherry

26L1 Natural Cherry

2L09 Clear Maple

2LAN Ash Noce

2LAT Acacia

2LAW Ash Wenge

2LBN Bisque Noce

2LBW Bisque Wenge

2LCN Clay Noce

2LCW Clay Wenge

2LSN Storm Noce

2LSW Storm Wenge

Fiber Laminate

2L50 Vanadium Fiber

2L52 Tungsten Fiber

Solid Laminate

247L Black

2L83 Seagull

2L85 Dune

2LMG Merle

Metallic Laminate2L03 Brushed Silver **E**

Applies to:

- Bivi tables and Table Tops
- Bivi Trunk
- Bivi Side Storage
- Bivi Depots

Tip: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

Steelcase Surfaces**High-Pressure
Laminate****Price Group 1****Woodgrain Laminate**

2406 Clear Cherry

2409 Clear Maple

2410 Graphite Walnut

2412 Natural Cherry

2422 Medium Cherry

2511 Winter on Maple

2535 Virginia Walnut

2536 Blackwood

2538 Clear Walnut

2539 Warm Oak

2592 Blonde on Maple

2612 Marble Maple

2614 Chocolate Walnut

2615 Marbled Cherry

2714 Natural Walnut

2772 Medium Mahogany on Walnut

2HAK Clear Oak

2HAN Ash Noce

2HAT Acadia

2HAW Ash Wenge

2HBN Bisque Noce

2HBW Bisque Wenge

2HCN Clay Noce

2HCW Clay Wenge

2HSN Storm Noce

2HSW Storm Wenge

Fiber Laminate

2850 Vanadium Fiber

2851 Rhyme Fiber

2852 Tungsten Fiber

2854 Vellum Fiber

2859 Novell Fiber

2860 Granite Fiber

2861 Coconut Fiber

2862 Stucco Fiber

Micro Laminate

2920 Marl Micro

2921 Gypsum Micro

2922 Clay Micro

2923 Shadow Micro

Patina Laminate

2870 Blonde Bronze Patina

2871 Blackened Bronze Patina

2873 Instant Iron Patina

Solid Laminate

2722 Cream

2730 Arctic White

2746 Black

2759 Warm White

2811 Mist

2883 Seagull

2884 Milk

2885 Dune

2HMG Merle

Metallic Laminate2503 Brushed Silver **E****E** = Established

Surface Materials, continued

Speckle Laminate

- 2820 Coffee Speckle **E**
- 2822 Woodrose Speckle **E**
- 2823 Driftwood Speckle
- 2824 Smoke Speckle
- 2825 Vanadium Speckle

Select Surfaces**High-Pressure Laminate****Price Group 2****Textured Woodgrain Laminate**

- 2TH2 Fawn Cypress
- 2TH3 Weathered Char
- 2TH4 Saddle Oak
- 2TH5 Veranda Teak
- 2TH6 Persian Cherry
- 2TH7 Walnut Heights

Textured Industrial Laminate

- 2UH1 Reclaimed Aggregate
- 2UH2 Reclaimed Gravel
- 2UH4 Cement
- 2UH6 Sheetrock

Custom Surfaces**Open Line Laminate (OLL)**

This service allows you to order non-standard laminate at an additional processing fee of \$74 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

When processing orders for Open Line laminate on Bivi, specify 2900 in the laminate finish field and enter the OLL manufacturer information.

Enter the required edge finish as you would a standard laminate. Laminate Approval and Material Requirements to confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements: For additional information, refer to the *Surface Materials Reference Manual*.

Wood

Applies to:

- Bivi Height-Adjustable Desks
- Bivi Team Table
- Bivi Team Theater
- Bivi tables and Table Tops
- Bivi Trunk
- Bivi Side Storage
- Bivi Depots

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer.

We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- Do not store products in trailers.
- Store products in areas that simulate office temperatures (60°F to 90°F).
- Store products in areas that maintain constant, office-like humidity levels.
- Keep product away from light. Cover products to make sure they are not exposed to light.

Veneer

Veneers are matched for proper balance and consistency. Veneers are available quarter cut, except for Oak, which is rift cut. Refer to the *Surface Materials Reference Manual* for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

Flat-cut open-pore finish choices**Wood Group 1**

- 3062 FC/OP Graphite Walnut
- 3402 FC/OP Clear Cherry (Aged)
- 3412 FC/OP Natural Cherry
- 3422 FC/OP Medium Cherry
- 3442 FC/OP MS-Medium Cherry
- 3522 FC/OP Clear Maple*
- 3572 FC/OP Amber on Maple
- 3582 FC/OP Winter on Maple
- 3592 FC/OP Blonde on Maple
- 3702 FC/OP Clear Walnut
- 3712 FC/OP Natural Walnut
- 3722 FC/OP Dark Mahogany on Walnut
- 3752 FC/OP Medium Walnut
- 3762 FC/OP Dark Walnut
- 3772 FC/OP Medium Mahogany on Walnut

Quarter-cut open-pore finish choices**Wood Group 1**

- 3042 QC/OP Ash
- 3222 QC/OP Clear Maple
- 3272 QC/OP Amber on Maple
- 3292 QC/OP Blonde on Maple
- 3302 QC/OP Clear Walnut
- 3312 QC/OP Natural Walnut
- 3322 QC/OP Dark Mahogany on Walnut
- 3352 QC/OP Medium Walnut
- 3362 QC/OP Dark Walnut
- 3372 QC/OP Medium Mahogany on Walnut
- 3382 QC/OP Graphite Walnut

Rift-cut open-pore finish choices**Wood Group 1**

- 3602 RC/OP Desert Oak
- 3611 RC/OP Natural Oak
- 3612 RC/OP Warm Oak
- 3692 RC/OP Espresso Oak

Full-fill finish is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on worksurfaces only.

Flat-cut full-fill finish choices**Wood Group 1**

- 3064 FC/FF Graphite Walnut
- 3404 FC/FF Clear Cherry (Aged)
- 3414 FC/FF Natural Cherry
- 3424 FC/FF Medium Cherry
- 3524 FC/FF Clear Maple*
- 3544 FC/FF Blonde on Maple
- 3574 FC/FF Amber on Maple
- 3704 FC/FF Clear Walnut
- 3714 FC/FF Natural Walnut
- 3724 FC/FF Dark Mahogany on Walnut
- 3754 FC/FF Medium Walnut
- 3764 FC/FF Dark Walnut
- 3774 FC/FF Medium Mahogany on Walnut

Quarter-cut full-fill finish choices**Wood Group 1**

- 3224 QC/FF Clear Maple*
- 3274 QC/FF Amber on Maple
- 3294 QC/FF Blonde on Maple
- 3304 QC/FF Clear Walnut
- 3314 QC/FF Natural Walnut
- 3324 QC/FF Dark Mahogany on Walnut
- 3354 QC/FF Medium Walnut
- 3364 QC/FF Dark Walnut
- 3374 QC/FF Medium Mahogany on Walnut
- 3384 QC/FF Graphite Walnut

Rift-cut full-fill finish choices**Wood Group 1**

- 3604 RC/FF Desert Oak
- 3614 RC/FF Warm Oak
- 3694 RC/FF Espresso Oak

* To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clearcoat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000756 for 3042, form number 05-0001370 for 3222 and 3224.

E = Established

Premium Veneer

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is Graded-In as Wood Group 2 and Wood Group 3, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat.

Quarter-cut open-pore finish choices

Wood Group 2

- 3032 QC/OP Dark Thin Line Bamboo
- 3052 QC/OP Ribbon Sapele

Wood Group 3

- 3832 QC/OP Figured Anegre
- 3842 QC/OP Figured Makore

Tip: Full-fill finish is not available on Premium veneers as a standard. To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish.

The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000755 for 3032, form number 09-0000757 for 3052, form number 09-0000758 for 3832, and form number 09-0000759 for 3842.

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit steelcase.com/surface-materials under the Select Surfaces section.

Composite Veneer

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Graded-In as Wood Group 1 pricing.

Flat-cut open-pore finish choices

Wood Group 1

- 3JDX FC/OP Oak Composite
- 3JFX FC/OP Maple Composite
- 3JHX FC/OP Cherry Composite
- 3JXX FC/OP Walnut Composite

Ⓔ = Established

Quarter-cut open-pore finish choices

Wood Group 1

- 3F8X QC/OP European Walnut Composite
- 3GAX QC/OP Gold Teak Composite
- 3GFX QC/OP Rosewood Composite
- 3GGX QC/OP Zebrano Composite
- 3HJX QC/OP Oak Composite
- 3HVX QC/OP Walnut Composite
- 3JEX QC/OP Maple Composite
- 3JGX QC/OP Cherry Composite
- 3ZNX QC/OP Night Cerused Oak Composite

Tip: To understand more about composite ordering, lead-times, and pricing, please consult the composite sign-off sheet available through Steelcase advertising stock, form number 14-0000141. A sign-off sheet is required prior to orders being accepted for composite projects.

Natural Veneer

Natural veneer is available in the Select Surfaces offering. Natural veneer may have extended lead-times. Place your order as you normally would for any other finish, calling out the appropriate finish code.

The following finishes are available through the natural veneer offering:

Flat-cut open-pore finish choices

Wood Group 1

- 3342 FC/OP Black Walnut
- 35A2 FC/OP Blanch Maple
- 37A2 FC/OP Thunder Walnut

Wood Group 3

- 3082 FC/OP Washed Walnut

Flat-cut full-fill finish choices

Wood Group 1

- 3734 FC/FF Black Walnut

Wood Group 3

- 3084 FC/FF Washed Walnut

Quarter-cut open-pore finish choices

Wood Group 1

- 32A2 QC/OP Blanch Maple
- 33A2 QC/OP Thunder Walnut
- 3392 QC/OP Black Walnut

Quarter-cut full-fill finish choices

Wood Group 1

- 3394 QC/FF Black Walnut

Rift-cut open-pore finish choices

Wood Group 1

- 36A2 RC/OP Volcanic Oak

Planked Veneer

Planked veneer is available in the Select Surfaces offering. Planked veneer may have extended lead-times. Place your order as you normally would for any other finish, calling out the appropriate finish code.

The following finishes are available through the planked veneer offering:

Wood Group 1

- 3P41 OP Planked Cherry
- 3P51 OP Planked Maple
- 3P61 OP Planked Oak
- 3P71 OP Planked Walnut

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

Custom Surface

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Colesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed. In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation fee was paid.

If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges on products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the *Surface Materials Reference Manual* for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the *Surface Materials Reference Manual*.

Surface Materials, continued

Plastic

Applies to:

- Bivi Team Table
- Bivi Team Theater
- Bivi tables and Table Tops
- Bivi Trunk
- Bivi Side Storage
- 6000 Black
- 6001 Coffee
- 6009 Arctic White
- 6034 Natural Cherry
- 6036 Medium Cherry
- 6037 Winter on Maple
- 6038 Blonde on Maple
- 6041 Natural Walnut
- 6045 Medium Mahogany on Walnut **E**
- 6052 Milk
- 6053 Seagull
- 6213 Acacia
- 6219 Clear Oak
- 6231 Graphite Walnut
- 6234 Clear Cherry
- 6237 Clear Maple
- 6242 Virginia Walnut
- 6243 Blackwood
- 6245 Clear Walnut
- 6246 Warm Oak **E**
- 6249 Platinum Solid
- 6271 Plywood
- 6527 Merle
- 6615 Grey V5
- 6619 Ice
- 6631 Cream
- 6635 Dawn **E**
- 6636 Mist
- 6654 Sand
- 6655 Warm White
- 6676 Marbled Maple
- 6677 Chocolate Walnut
- 6678 Marbled Cherry
- 6689 Brushed Silver
- 6694 Slate
- 6695 Midnight
- 6697 Fog
- 6698 Fieldstone
- 6703 Ash Wenge
- 6704 Storm Wenge
- 6705 Bisque Wenge
- 6706 Clay Wenge
- 6707 Ash Noce
- 6708 Bisque Noce
- 6709 Clay Noce
- 6710 Storm Noce

Select Surfaces

- 6T02 Fawn Cypress
- 6T03 Weathered Char
- 6T04 Saddle Oak
- 6T05 Veranda Teak
- 6T06 Persian Cherry
- 6T07 Walnut Heights
- 6T08 Aggregate
- 6T09 Gravel
- 6T10 Cement
- 6T12 Sheetrock

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Controlled Receptacle Pad Stamp Power Icon Symbol**Steelcase Surfaces**

Controlled receptacle pad stamp power icon symbol ink color defaults based on the plastic selection.

Cabinet paint:	Default Ink:
6000 Black	White
6009 Arctic White	Black
6249 Platinum Solid	Black
6257 Merle	White
6651 Tungsten	Black
6652 Titanium	Black
6654 Sand	Black
6697 Fog	Black
6B03 Red	Black

E = Established