



FOLDING CHAIRS & STOOLS

PRICE LIST

January 3, 2011

[Updated March 31, 2022](#)

800.424.2432

Contents

Refer to KI Terms & Conditions document or visit ki.com.



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M., C.O.L., and C.O.V.	
Bonduel, Green Bay, Ontario, and Tupelo	2
Shipping Location	4
Specifications Form	5
Intellectual Property Authorization	6
400 Series Folding Chairs	
General Information	7
400 Series	
Product Color Options	8
Folding Chairs (Delivered Pricing)	9
Folding Chairs (Freight Excluded Pricing)	10
600 Series Folding Chairs	
General Information	11
600 Series	
Product Color Options	13
Folding Chairs (Delivered Pricing)	14
Folding Chairs (Freight Excluded Pricing)	16
ValueLite®	
General Information	18
Folding Chairs (Delivered Pricing)	19
Folding Chairs (Freight Excluded Pricing)	20
Industrial Adjustable Stools	
General Information	21
Product Color Options	23
600 Series	
Industrial Stools (Delivered Pricing)	24
Industrial Stools (Freight Excluded Pricing)	25
Industrial Stools (Delivered Pricing)	26
Industrial Stools (Freight Excluded Pricing)	27
Industrial Stools (Delivered Pricing)	28
Industrial Stools (Freight Excluded Pricing)	29
800 Series	
Industrial Stools (Delivered Pricing)	30
Industrial Stools (Freight Excluded Pricing)	31
Folding Chair Storage and Accessories	
General Information	32
Product Color Options	33
Folding Chairs (Delivered Pricing)	34
Folding Chairs (Freight Excluded Pricing)	35
Folding Chairs (Delivered Pricing)	36
Folding Chairs (Freight Excluded Pricing)	37
Folding Chair and Stool Accessories	
Folding Chairs and Stools (Delivered Pricing)	38
Folding Chairs and Stools (Freight Excluded Pricing)	39

Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, La Palma, Ontario and Shipping Locations



Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, La Palma, Ontario and Shipping Locations

How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive, Gate 3
Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Purchasing Agent (Dealer or buying organization)

Attention

Address


City State Zip

Project Name

Type of seating and number of units of each type

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot
Attn: C.O.M. Storage
1110 S. Mildred Ave.
Ontario, CA 91761

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.


Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.



Center on backrest
Center left to right & top to bottom on seat
Diagram B

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders
KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

Please see information below and check the appropriate box.

Submitted for testing.

Test approved. Submitted for production.

Purchase Order Number


KI Acknowledgement Number

In all instances, send this form to the C.O.M. Specialist.

A Selvage Top and Bottom



B Selvage Side and Side



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000.....	MN	Katera Guest Chair.....	GB
Evoke.....	Universal Overheads.....	MN	Kurv Benches.....	HN
Genius Walls.....	Wireworks	MN	LaResta Day Beds	HN
	Unite.....	MN	Lyra Lounge Seating.....	HN
Casegoods			Maestro Stack Chairs	GB
Aristotle Tackboards.....	Residence Hall Furniture	MN	Matrix Stack Chairs.....	GB
Likha Tackboards.....	RoomScape Furniture	MN	Medical & Laboratory Stools.....	OM
Classroom Furniture			MyPlace Lounge Seating.....	HN
Intellect Wave Chairs.....	Screens	KP	MyWay Seating.....	HN
Learn2	All Terrain.....	KP	Oath Task Chairs and Stools.....	GB
Ruckus.....	Connection Zone.....	BW	Opt4	GB
Desking	True/Volition	KP	Perth Guest & Healthcare Seating.....	HN
700 Series Desking	Genesis.....	KP	Pilot Task Chairs.....	OM
Balance Overheads.....	Tattoo.....	MN	Promenade Seating System	BW
Genesis Desking.....	Universal.....	BW	Ruckus.....	GB
True Desking.....			Sela Lounge Seating	HN
Universal Overheads.....	Seating		Sift Task Chairs	GB
WorkZone Desking	400 Series Folding Chairs.....	BW	Soltice Metal Collection.....	HN
Files & Storage	600 Series Folding Chairs.....	BW	Soltice Multiple, Healthcare & Guest	HN
700 Series Pedestal Cushion.....	600 Series Stools.....	BW	Soltice II Healthcare Seating.....	HN
Connection Zone Pads.....	Affina Collection.....	HN	Strive Multiple, Stack & Task	GB
U-Series Pedestal Cushion.....	Arissa Lounge.....	HN	Sway	BW
Tattoo.....	Altus Task Chairs.....	GB	Tattoo	HN
Fixed Seating	Apply Stack Chairs.....	GB	Tea Cup Lounge Seating	HN
Concerto Auditorium Seating.....	Auditorium Folding Chairs	BW	Torsion-on-the-Go! Nesting Chairs	GB
Single Pedestal Seating	Avail Task Chairs.....	OM	Torsion Air Stack and Task Seating	GB
Jury Base Seating.....	Calida Lounge Seating	HN	Torsion Stack and Task Seating	GB
Lancaster Auditorium Seating	Diem Task Chairs.....	OM	Zoetry	HN
Sequence Seating.....	Doni Collection.....	GB		
University Seating.....	FourC Seating.....	GB		
Panel Systems	Gladly Lounge Seating	VQ		
All Terrain.....	Grazie Seating	GB		
Balance Overheads	Hiatus Sleeper Bench	HN		
	Hub Modular Lounge Seating	HN		
	Impress Task Chairs.....	OM		
	Impress Ultra Task Chairs	OM		
	Jessa Lounge Seating	HN		
	Jubilee Lounge Seating	VQ		

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

HN
KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

VQ
KI
Attn: COM Fabrics
6892 Marlin Circle
La Palma, CA 90623

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

OM
KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761



634FC Screen Print ■

Artwork Request Form

January 2022

Please note:

- All logos require camera ready art in Adobe Illustrator .eps, .ai or .pdf format in the measurements below.* Additional charges will apply to each proof change (size, color or font).
- For specific pricing details, see Folding Chairs Price List.
- Once complete, submit this form and the signed "Intellectual Property Authorization" agreement along with your order.
- Contact KI customer service with additional questions.

Chair Model # _____ Qty Ordered _____

Frame Color _____

Feet/Bumper Colors _____

Vinyl Color _____

*Group 2 vinyls cannot be screen printed.

Cushion Back Description _____

Seat Back Pantone Colors**

Color #1 _____

Color #2 _____

Color #3 _____

Lettering Style _____

Common Effects _____

**Total number of ink colors per logo is three. Contact customer service for orders requiring more than three ink colors per logo.

Seat Cushion Description _____

Seat Cushion Pantone Colors**

Color #1 _____

Color #2 _____

Color #3 _____

Lettering Style _____

Common Effects _____

**Total number of ink colors per logo is three. Contact customer service for orders requiring more than three ink colors per logo.

PO# _____

Project or School Name _____

Contact Name _____

Email for Proof _____

KI Internal Information

KI Order Number _____

KI Sales Rep _____

Artwork File Name _____

If logo/lettering is not predetermined, below is a list of popular lettering styles and common effects.

Script & Calligraphic

- Brody**
- Brush Script**
- Kauffman**
- Sanvito**
- Snell Roundhand**

Athletic

- ALLSTAR**
- EUROSTYLE**
- JERSEY**
- MACHINE**
- ROCKWELL**

Block and San Serif

- IMPACT**
- ARIAL BLACK**
- TEMPEST GILL**
- SERPENTINE**
- OPTIMA**

Serif and Misc.

- COOPER BLACK**
- PLAYBILL**
- STENCIL**
- TIMES**
- MARKER**

Common Effects

- SHADOW**
- SLANTED**
- ARCHED**
- UPPER ARCH**

*Max size for artwork on back: 14" wide x 5.5" high
 Max size for artwork on seating: 12" wide x 12" high
 Sized to maximum unless otherwise stated.



Furnishing Knowledge®



Copyright/Logo/Trademark Release Form
(Intellectual Property)

I, _____, am the owner of the entire rights, title, and interests in the Intellectual Property identified in "Exhibit A" attached and grant Krueger International, Inc. ("KI") the right to use and display Intellectual Property on products produced and manufactured by KI.

I warrant and represent that I am the owner of the Intellectual Property in Exhibit A and have the necessary legal rights and permissions to use said materials and/or convey their use to others.

I agree that I will not infringe or violate the Intellectual Property Rights of any party. I agree to indemnify, defend, and hold KI harmless against any claims, actions, judgements, losses, and/or damages (including, but not limited to, reasonable attorney's fees) which may arise from any claims by any third party of an alleged or actual infringement out of the use and display of Intellectual Property on products.

I warrant I am of full legal age and have a right to contract in my name for the attached Intellectual Property. I have read the above authorization and release, before its execution, and I am familiar with the contents thereof. This authorization and release shall be binding upon me, my heirs, legal representatives, and/or assignees.

PRINT NAME

SIGNATURE

COMPANY/ORGANIZATION

ADDRESS

PHONE

EMAIL



PRODUCT SPECIFICATIONS

400 Series Folding Chair

February 2020



TECHNICAL SPECIFICATIONS

The KI 400 Series Folding Chairs deliver optimum quality at a minimum price.

- KI Model 401 - no upholstery
- KI Model 404 - vinyl upholstered seat and backrest

400 Series Frames

Frames are electrically seam-welded 19-gauge, $\frac{7}{8}$ " O.D. tubular steel. The two leg braces are 19-gauge, $\frac{5}{8}$ " O.D. tubular steel.

Steel Backrests

Backrests are $7\frac{1}{2}$ " deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

404 Upholstered Backrest

Vinyl upholstered backrest panel of $\frac{1}{2}$ " polyfoam is stapled to plastic base. Attached to backrest by rivets. Backrests are not field replaceable.

401 Steel Seat

One piece 21-gauge cold-rolled drawn and shaped steel. Seat pivots on $\frac{1}{4}$ " tempered steel rivets.

404 Upholstered Seats

20-gauge recessed steel seat pan. Vinyl upholstered 1.25" polyfoam stapled to hardboard panel attached by rivets. Upholstered Seats are not field replaceable.


Feet

Replaceable non-marring linear polypropylene.

Frame Finish


Chair frames are finished with baked-on, electrostatically-applied epoxy powder-coat paint.

DIMENSIONS




400 Series Folding Chair

DIMENSIONS cont.



400 Series Upholstered Folding Chair

STATEMENT OF LINE




Furnishing Knowledge®

**Frame Color**

Beige	BE
Black	BL
Grey	GE

**Frame/
Upholstery Color**

Black	BL
Grey	GE



MODEL	Features	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Frame Color	Frame/Upholstery Color		
FC4	Steel • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 double riveted crossbraces--front and rear	Unupholstered	401D	<input type="checkbox"/> <input type="checkbox"/>	11.0#	\$ 64
FC4U	Upholstered Seat and Back • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 double riveted crossbraces--front and rear • 1-1/4" polyfoam seat pad • 1/2" polyfoam backrest	Upholstered	404D	<input type="checkbox"/> <input type="checkbox"/>	13.0#	\$ 89

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.
• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select frame color.
Refer to the **Product Color Options** page in this price list.

C Select frame/upholstery color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping
Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

400 Series

Folding Chairs (Freight Excluded Pricing)



400 Series

Folding Chairs (Freight Excluded Pricing)

MODEL	Features	MODEL NUMBER			Approx. Weight	Freight Excluded Pricing
		Basic Model	Frame Color	Frame/Upholstery Color		
FC4	Steel • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 double riveted crossbraces--front and rear	Unupholstered	401D	<input type="checkbox"/> <input type="checkbox"/>	11.0#	\$ 50
FC4U	Upholstered Seat and Back • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 double riveted crossbraces--front and rear • 1-1/4" polyfoam seat pad • 1/2" polyfoam backrest	Upholstered	404D	<input type="checkbox"/> <input type="checkbox"/>	13.0#	\$ 66

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
B Select frame color.
 Refer to the **Product Color Options** page in this price list.
C Select frame/upholstery color.
 Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
 Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Specifications and prices are subject to change without prior notice.

PRODUCT SPECIFICATIONS

600 Series Folding Chair

February 2020

TECHNICAL SPECIFICATIONS

The KI 600 Series Folding Chairs deliver optimum quality at a minimum price.

- KI Model 601 - no upholstery
- KI Model 604 - upholstered seat and backrest
- KI Model 634 - screen printed vinyl

600 Series Frames

Frames are electrically seam-welded 19-gauge, $\frac{7}{8}$ " O.D. tubular steel. The two leg braces are 19-gauge, $\frac{5}{8}$ " O.D. tubular steel.

Steel Backrests

Backrests are $7\frac{1}{2}$ " deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

604 Upholstered Backrest

Vinyl or fabric upholstered backrest panel of $\frac{1}{2}$ " polyfoam is stapled to plastic base. Attached to backrest by rivets. Backrests are not field replacable.

601 Steel Seat

One piece 21-gauge cold-rolled drawn and shaped steel. Seat pivots on $\frac{1}{4}$ " tempered steel rivets.

604 Upholstered Seats

20-gauge recessed steel seat pan. 1.25" polyfoam stapled to hardboard panel attached by rivets. Upholstered Seats are not field replaceable.


Feet

Replaceable non-marring linear polypropylene.

Frame Finish

Chair frames are finished with baked-on, electrostatically-applied epoxy powder-coat paint.


DIMENSIONS



600 Series Folding Chair



DIMENSIONS cont.



600 Series Upholstered Folding Chair

STATEMENT OF LINE





Screen Print Charges

	Seat or Back Only			Seat and Back		
	1-Color Logo	2-Color Logo	3-Color Logo	1-Color Logo	2-Color Logo	3-Color Logo
Screen Print Charge (list/one time per order)	\$66	\$133	\$195	\$133	\$267	\$384
Screen Print Charge (per chair)						
25-50 Chairs	8	15	24	15	34	50
51-100 Chairs	5	10	13	11	20	28
101+ Chairs	3	7	10	9	11	17
Artwork Charge (list/one time per logo)	\$195					

Minimum order of 25 chairs.

Please complete the 634FC Screen Print Artwork Request Form and Intellectual Property Authorization Form located at the front of this price list.

Reorders: No artwork charge if ordered within 1 year of initial order. All other charges apply.

**Frame Color**

Azure Grey	AGM
Beige	BE
Black	BL
Blue Grey	GR
Brown	BR
Cayenne	CY
Earthen Clay	EY
Nordic	ND
Sand	SA
Warm Grey	WG

Feet/Bumper Color

Beige feet/bumpers	BEF
Black feet/bumpers	BLF
Grey feet/bumpers	GRF

600 Series

Folding Chairs (Delivered Pricing)



600 Series

Folding Chairs (Delivered Pricing)

MODEL	Features	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Vinyl Group 1	
		Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color					
FC6	Steel • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 double riveted crossbraces--front and rear	Unupholstered	601FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			□ □ □	9.5#	\$ 71		
FC6U	Upholstered Seat and Back • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 double riveted crossbraces--front and rear • 1-1/4" polyfoam seat pad • 1/2" polyfoam backrest	Upholstered	604FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12.0#	N/A	\$ 120	\$ 120			

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select frame color.
Refer to the **Product Color Options** page in this price list.
- Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- Select upholstery grade/color.
Refer to ki.com/fabrics
- Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model = 604FC

Added Lead Time=1 Week

Added List Price=\$9

Model = 634FC

Added Lead Time=1 Week

Added List Price=\$17

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



Features	MODEL NUMBER								Approx. Packaged Weight	Delivered Pricing C.O.M.	Delivered Pricing Vinyl Group 1
	Basic Model	Screen Print Placement	No. of Seat Ink Colors	No. of Back Ink Colors	Frame Color	Fire Code	Upholstery Color	Feet/Bumper Color			
Upholstered, Screen Print	634FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	12.0#	\$ 120	\$ 120
FC6S											
Upholstered Seat and Back, Screen Print											
• Double hinge											
• Seam-welded tubular steel frame											
• Heavy-duty steel seat and backrest											
• 2 double riveted crossbraces--front and rear											
• 1-1/4" polyfoam seat pad											
• 1/2" polyfoam backrest											
• Artwork screen printed on seat and back											
• Additional screen print charges apply; see "Screen Printing Charges" on the General Information page											

A **B** **C** **D** **E** **F** **G** **H**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
 634FC

B Select screen print placement.
 SSS - Seat only
 SSB - Back only
 SSSB - Seat and back

C Select number of seat ink colors.
 NSIK - No seat ink colors
 1INKST - 1 seat ink color
 2INKST - 2 seat ink colors
 3INKST - 3 seat ink colors

D Select number of back ink colors.
 NBIK - No back ink colors
 1INKBK - 1 back ink color
 2INKBK - 2 back ink colors
 3INKBK - 3 back ink colors

E Select frame color.
Refer to the **Product Color Options** page in this price list.

F

Select fire code.
 NFR - Compliance to TB 117-2013
 FR - Compliance to TB 133

See Options for TB133 upcharge.

G Select upholstery grade/color.
Refer to ki.com/fabrics

H Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model = 604FC
Added Lead Time=1 Week
Added List Price=\$9
Model = 634FC
Added Lead Time=1 Week
Added List Price=\$17

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



MODEL	Features	MODEL NUMBER					Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1 & C.O.M.	Freight Excluded Pricing Vinyl Group 1	
		Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color					
FC6	Steel • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 double riveted crossbraces--front and rear	Unupholstered	601FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	9.5#	\$ 63		
FC6U	Upholstered Seat and Back • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 double riveted crossbraces--front and rear • 1-1/4" polyfoam seat pad • 1/2" polyfoam backrest	Upholstered	604FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12.0#	N/A	\$ 104	\$ 104			

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select frame color.
Refer to the **Product Color Options** page in this price list.
- Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- Select upholstery grade/color.
Refer to ki.com/fabrics
- Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model = 604FC

Added Lead Time=1 Week

Added List Price=\$9

Model = 634FC

Added Lead Time=1 Week

Added List Price=\$17

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Specifications and prices are subject to change without prior notice.



Features	MODEL NUMBER								Approx. Packaged Weight	Freight Excluded Pricing COM	Freight Excluded Pricing Vinyl Group 1
	Basic Model	Screen Print Placement	No. of Seat Ink Colors	No. of Back Ink Colors	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color			
Upholstered, Screen Print	634FC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	12.0#	\$ 104	\$ 104
FC6S											
Upholstered Seat and Back, Screen Print											
• Double hinge											
• Seam-welded tubular steel frame											
• Heavy-duty steel seat and backrest											
• 2 double riveted crossbraces--front and rear											
• 1-1/4" polyfoam seat pad											
• 1/2" polyfoam backrest											
• Artwork screen printed on seat and back											
• Additional screen print charges apply; see "Screen Printing Charges" on the General Information page											

A **B** **C** **D** **E** **F** **G** **H**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
 634FC

B Select screen print placement.
 SSS - Seat only
 SSB - Back only
 SSSB - Seat and back

C Select number of seat ink colors.
 NSIK - No seat ink colors
 1INKST - 1 seat ink color
 2INKST - 2 seat ink colors
 3INKST - 3 seat ink colors

D Select number of back ink colors.
 NBIK - No back ink colors
 1INKBK - 1 back ink color
 2INKBK - 2 back ink colors
 3INKBK - 3 back ink colors

E Select frame color.
Refer to the **Product Color Options** page in this price list.

F

Select fire code.
 NFR - Compliance to TB 117-2013
 FR - Compliance to TB 133

See Options for TB133 upcharge.

G Select upholstery grade/color.
Refer to ki.com/fabrics

H Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model = 604FC

Added Lead Time=1 Week

Added List Price=\$9

Model = 634FC

Added Lead Time=1 Week

Added List Price=\$17

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Specifications and prices are subject to change without prior notice.



Value Lite Single Hinge (VL.100)

Features

Seam-welded tubular steel frame	•
Single hinge	•
Wallsaver design	•

General Dimensions

Seat height	17-3/4"
Overall width	18-1/2"
Overall depth	21-1/8"
Overall height	33-3/8"
Folded depth	3"

SPECIFICATIONS**Frame**

Electrically seam-welded 17-gauge x 1-1/8" o.d. tubular steel. 13-gauge "ribbed" linkage, 2-1/4" 11-gauge under seat support brace, 13-gauge side seat support 3/4" arched welded crossbraces.

Seat and Backrest

1-1/4" thick high-density polyethylene plastic.

INFORMATION**Warranty**

Refer to KI Terms & Conditions document or visit ki.com

MODEL	MODEL NUMBER	Basic Model	Approx. Packaged Weight	Delivered Pricing
	ValueLite Single Hinge			
	VL.100.BL.WH	13.0#		\$ 89

A

HRDPT

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION**Cartoning**

Model VL.100 - shipped 4 units per carton

SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



MODEL	MODEL NUMBER	Basic Model	Approx. Packaged Weight	Freight Excluded Pricing
	ValueLite Single Hinge			
HRDPT	VL.100.BL.WH	13.0#		\$ 76

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION**Cartoning**

Model VL.100 - shipped 4 units per carton

SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Specifications and prices are subject to change without prior notice.

Steel Seat Stool
(630)

Upholstered Seat Stool (618U)

Wood Seat Stool
(624WA)

Features

Three height ranges available	•	•	•
Adjustable height legs optional	•	•	•
Masonite hardboard seat	•		
Wood seat		•	
Upholstered seat		•	

General Dimensions

Seat height	18", 24", 30"	18" - 38"	19" - 39"
Seat diameter	14"	14"	14"
Base spread	23-1/5"	19-1/4"	20-9/10"

Features

Three height ranges available	•	•	•
Adjustable height legs optional	•	•	•
Masonite hardboard seat	•		
Wood seat			•
Upholstered seat		•	
Steel backrest	•		•
Polypropylene seat			•
Upholstered backrest		•	

General Dimensions

Seat height	18" - 38"	18" - 38"	18" - 38"	18" - 38"
Seat diameter	14"	14"	14"	14"
Backrest height	13-3/8" - 15-3/8"	13-3/8" - 15-3/8"	13-3/8" - 15-3/8"	13-3/8" - 15-3/8"
Backrest width	11-3/4"	11-3/4"	11-3/4"	11-3/4"
Base spread	19-1/4"	21-1/5"	20-9/10"	20-9/10"

600 SERIES INDUSTRIAL STOOLS
SPECIFICATIONS

Frames

Two leg sections of 18-gauge, 7/8" o.d. seam-welded tubular steel are crossed and welded together. Footring and leg frame are welded into a single unit. Footrings are 18-gauge, 5/8" o.d.; shaped for an enlarged weld area at point of contact with leg. Replaceable polyethylene feet.

Steel Seat

20-gauge die-formed steel pan with fully curled edges for strength and safety. 14" diameter. Tempered hardboard Masonite inset riveted into seat recess.

Upholstered Seat

20-gauge die-formed steel pan. 14" diameter. Replaceable 5/8" foam pad mounted to linerboard, fastened into seat recess with mechanical fasteners. Upholstered in vinyl.

Wood Seat

14" diameter, 1-1/4" hardwood (rubberwood) with

clear lacquer finish. Attached to seat with screws. coating.

Polypropylene Stool Seats

Injection-molded thermoplastic with integral rib construction for strength. 13" diameter. Color permeates throughout. White marks may occur at four spots on the front edge of seat but does not alter the structural integrity of the chair.

Nonstandard Steel Stool Seat Heights

Minimum order of 10 stools. Minimum height is 15". Specify standard model with next greater height than required.

Base Spreads

Base spread for 18" stools are 14"; 24" stools are 15-1/4"; 30" stools are 15-1/2".

Glides

Glides are available on standard or adjustable stools. Glides are optional on non-adjustable stools.

Frame Finish

Baked-on, electrostatically-applied epoxy powder

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



**Upholstered Seat Stool
(830A)**



**Upholstered Seat/Back Stool
(830BA)**

Features

Three height ranges available	•	•
Adjustable height legs optional	•	•
Upholstered seat	•	•
Upholstered backrest		•

General Dimensions

Seat height	19" - 39"	18" - 38"
Seat diameter	14"	14"
Backrest height from seat		13-3/8" - 15-3/8"
Backrest width		11-3/4"
Base spread	15-1/2"	15-1/2"

**800 SERIES INDUSTRIAL STOOLS
SPECIFICATIONS**

Frames

Two leg sections of 18-gauge, 7/8" o.d. seam-welded tubular steel are crossed and welded together. Footring and leg frame are welded into a single unit. Footrings are 18-gauge, 5/8" o.d. Footrings are shaped for an enlarged weld area at point of contact with leg. Replaceable polyethylene feet.

Steel Backrest

18-gauge curved steel back with 6-gauge steel support. 2" height and 2" depth adjustment range.

Upholstered Backrest

18-gauge curved steel back with 6-gauge steel support. 5/8" foam pad upholstered in vinyl. Replaceable. 2" height and 2" depth adjustment range.

800 Series Steel Seat

Heavy-gauge die-formed steel pan, 14" diameter. 1-1/8" foam pad upholstered in vinyl, fastened to

linerboard.

Adjustable Legs

Nickel-plated telescoping leg section is drilled and tapped for set screw. The height range is 8" in 1" increments. Self-leveling stainless steel capped glides.

Base Spreads

Base spread are 13-1/2" (718); 15" (724); 15" (730); 14" (818); 14-1/2" (824); 15-1/2" (830).

Frame Finish

Baked-on, electrostatically-applied epoxy powder coating.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

**Frame Color**

Azure Grey	AGM
Beige	BE
Black	BL
Blue Grey	GR
Brown	BR
Cayenne	CY
Nordic	ND
Sand	SA
Warm Grey	WG

Feet/Bumper Color

Beige	BEF
Black	BLF
Grey	GRF

Seat Color - Polypropylene

Black	PBL
Cayenne	PCY
Blue Grey	PGR
Light Tone	PLG
Nordic	PND
Sand	PSA
Hazy Jade	PHJ



MODEL	Features	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Vinyl Group 1 & C.O.V.
		Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color			
600	Steel Rimmed Seat Stool <ul style="list-style-type: none"> • Seam-welded tubular steel frame with steel seat pan • Fixed leg or adjustable height leg models available • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter steel seat with tempered hardboard Masonite inset 	Fixed Height, 18"H	618	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.0#	\$ 82
		Adjustable Height, 19"-27"H	618A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	112
		Fixed Height, 24"H	624	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.0#	96
		Adjustable Height, 25"-33"H	624A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.0#	123
		Fixed Height, 30"H	630	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	112
		Adjustable Height, 31"-39"H	630A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.0#	147
600U	Upholstered Seat Stool <ul style="list-style-type: none"> • Seam-welded tubular steel frame with steel seat pan • Fixed leg or adjustable height leg models available • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter steel seat with upholstered seat pad 	Fixed Height, 18"H	618U	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.0#	N/A \$ 113
		Adjustable Height, 19"-27"H	618UA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	N/A 145
		Fixed Height, 24"H	624U	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.0#	N/A 124
		Adjustable Height, 25"-33"H	624UA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.0#	N/A 153
		Fixed Height, 30"H	630U	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	N/A 133
		Adjustable Height, 31"-39"H	630UA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.0#	N/A 159

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- D** Select upholstery grade/color.
Refer to ki.com/fabrics
- E** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered

Added Lead Time-1 Week

Added List Price=\$10

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached. Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.



MODEL	Features	MODEL NUMBER					Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
		Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color			
600	Steel Rimmed Seat Stool • Seam-welded tubular steel frame with steel seat pan • Fixed leg or adjustable height leg models available • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter steel seat with tempered hardboard Masonite inset	Fixed Height, 18"H	618	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.0#	\$ 68	
		Adjustable Height, 19"-27"H	618A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	90	
		Fixed Height, 24"H	624	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.0#	78	
		Adjustable Height, 25"-33"H	624A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.0#	99	
		Fixed Height, 30"H	630	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	88	
		Adjustable Height, 31"-39"H	630A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.0#	120	
600U	Upholstered Seat Stool • Seam-welded tubular steel frame with steel seat pan • Fixed leg or adjustable height leg models available • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter steel seat with upholstered seat pad	Fixed Height, 18"H	618U	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8.0#	N/A	\$ 93
		Adjustable Height, 19"-27"H	618UA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	N/A	117
		Fixed Height, 24"H	624U	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.0#	N/A	98
		Adjustable Height, 25"-33"H	624UA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.0#	N/A	122
		Fixed Height, 30"H	630U	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	N/A	105
		Adjustable Height, 31"-39"H	630UA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.0#	N/A	126

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- D** Select upholstery grade/color.
Refer to ki.com/fabrics
- E** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model = Upholstered
 Added Lead Time-1 Week
 Added List Price=\$10

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached. Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.



MODEL	Features	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Vinyl Group 1 & C.O.V.
		Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color			
600	Wood Seat <ul style="list-style-type: none">• Seam-welded tubular steel frame with steel seat pan• Fixed legs have polyethylene feet• Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides• Nickel-plated telescoping leg section locks with set screws• 14" diameter, 1-1/4" rubberwood seat with clear lacquer finish	Fixed Height, 18"H	618W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	\$ 145
		Adjustable Height, 19"-27"H	618WA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	186
		Fixed Height, 24"H	624W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17.0#	155
		Adjustable Height, 25"-33"H	624WA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19.0#	189
		Fixed Height, 30"H	630W	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	155
		Adjustable Height, 31"-39"H	630WA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20.0#	193
600	Steel Rimmed Seat/Backrest <ul style="list-style-type: none">• Seam-welded tubular steel frame with steel seat pan• Fixed legs have polyethylene feet• Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides• Nickel-plated telescoping leg section locks with set screws• 14" diameter steel seat with tempered hardboard Masonite inset• Steel backrest with 2" vertical and 2" horizontal adjustment	Fixed Height, 18"H	618B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#	\$ 137
		Adjustable Height, 19"-27"H	618BA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17.0#	165
		Fixed Height, 24"H	624B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	143
		Adjustable Height, 25"-33"H	624BA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	174
		Fixed Height, 30"H	630B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17.0#	158
		Adjustable Height, 31"-39"H	630BA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19.0#	196
600U	Upholstered Seat/Backrest <ul style="list-style-type: none">• Seam-welded tubular steel frame with steel seat pan• Fixed legs have polyethylene feet• Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides• Nickel-plated telescoping leg section locks with set screws• 14" diameter steel seat with vinyl upholstered seat and back pads• Backrest with 2" vertical and 2" horizontal adjustment	Fixed Height, 18"H	618BU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14.0#	N/A
		Adjustable Height, 19"-27"H	618BUA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	N/A
		Fixed Height, 24"H	624BU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	N/A
		Adjustable Height, 25"-33"H	624BUA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	N/A
		Fixed Height, 30"H	630BU	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	N/A
		Adjustable Height, 31"-39"H	630BUA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	N/A

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.
• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select frame color.
Refer to the **Product Color Options** page in this price list.
- Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- Select upholstery grade/color.
Refer to ki.com/fabrics
- Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$10

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached. Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.



MODEL	Features	MODEL NUMBER					Approx. Packaged Weight	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
		Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color			
600	Wood Seat • Seam-welded tubular steel frame with steel seat pan • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter, 1-1/4" rubberwood seat with clear lacquer finish	Fixed Height, 18"H	618W	□□□		□□□	16.0#	\$ 112	
		Adjustable Height, 19"-27"H	618WA	□□□		□□□	18.0#	145	
		Fixed Height, 24"H	624W	□□□		□□□	17.0#	119	
		Adjustable Height, 25"-33"H	624WA	□□□		□□□	19.0#	150	
		Fixed Height, 30"H	630W	□□□		□□□	18.0#	120	
		Adjustable Height, 31"-39"H	630WA	□□□		□□□	20.0#	154	
600	Steel Rimmed Seat/Backrest • Seam-welded tubular steel frame with steel seat pan • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter steel seat with tempered hardboard Masonite inset • Steel backrest with 2" vertical and 2" horizontal adjustment	Fixed Height, 18"H	618B	□□□		□□□	15.0#	\$ 105	
		Adjustable Height, 19"-27"H	618BA	□□□		□□□	17.0#	123	
		Fixed Height, 24"H	624B	□□□		□□□	16.0#	112	
		Adjustable Height, 25"-33"H	624BA	□□□		□□□	18.0#	134	
		Fixed Height, 30"H	630B	□□□		□□□	17.0#	134	
		Adjustable Height, 31"-39"H	630BA	□□□		□□□	19.0#	159	
600U	Upholstered Seat/Backrest • Seam-welded tubular steel frame with steel seat pan • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter steel seat with vinyl upholstered seat and back pads • Backrest with 2" vertical and 2" horizontal adjustment	Fixed Height, 18"H	618BU	□□□	□□□	□□□□□	14.0#	N/A	\$ 135
		Adjustable Height, 19"-27"H	618BUA	□□□	□□□	□□□□□	16.0#	N/A	161
		Fixed Height, 24"H	624BU	□□□	□□□	□□□□□	16.0#	N/A	146
		Adjustable Height, 25"-33"H	624BUA	□□□	□□□	□□□□□	18.0#	N/A	167
		Fixed Height, 30"H	630BU	□□□	□□□	□□□□□	16.0#	N/A	174
		Adjustable Height, 31"-39"H	630BUA	□□□	□□□	□□□□□	18.0#	N/A	205

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.
• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select frame color.
Refer to the **Product Color Options** page in this price list.
- Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- Select upholstery grade/color.
Refer to ki.com/fabrics
- Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$10

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached. Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.



MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing Unupholstered
		Basic Model	Frame Color	Seat Color	Feet/ Bumper Color		
600	Wood Seat/Backrest Stool • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter, 1-1/4" rubberwood seat with clear lacquer finish • Steel backrest with 2" vertical and 2" horizontal adjustment	Fixed Height, 18"H	618BW	□□□	□□□	16.0#	\$ 213
		Adjustable Height, 19"-27"H	618BWA	□□□	□□□	18.0#	251
		Fixed Height, 24"H	624BW	□□□	□□□	17.0#	225
		Adjustable Height, 25"-33"H	624BWA	□□□	□□□	19.0#	244
		Fixed Height, 30"H	630BW	□□□	□□□	18.0#	201
		Adjustable Height, 31"-39"H	630BWA	□□□	□□□	20.0#	242
600	Polycarbonate Seat • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 13" diameter polycarbonate seat attaches to steel mounting plate which is welded to legs	Fixed Height, 18"H	618P	□□□	□□□	16.0#	\$ 107
		Adjustable Height, 19"-27"H	618PA	□□□	□□□	18.0#	147
		Fixed Height, 24"H	624P	□□□	□□□	17.0#	113
		Adjustable Height, 25"-33"H	624PA	□□□	□□□	19.0#	150
		Fixed Height, 30"H	630P	□□□	□□□	18.0#	118
		Adjustable Height, 31"-39"H	630PA	□□□	□□□	20.0#	160

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.
• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select frame color.
Refer to the **Product Color Options** page in this price list.
- Select seat color.
Refer to the **Product Color Options** page in this price list.
- Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached. Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.

600 Series

Industrial Stools (Freight Excluded Pricing)



600



600 Series

Industrial Stools (Freight Excluded Pricing)

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	Freight Excluded Pricing
		Basic Model	Frame Color	Seat Color	Feet/ Bumper Color		
600	Wood Seat/Backrest Stool • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter, 1-1/4" rubberwood seat with clear lacquer finish • Steel backrest with 2" vertical and 2" horizontal adjustment	Fixed Height, 18"H	618BW	□□□	□□□	16.0#	\$ 165
		Adjustable Height, 19"-27"H	618BWA	□□□	□□□	18.0#	186
		Fixed Height, 24"H	624BW	□□□	□□□	17.0#	179
		Adjustable Height, 25"-33"H	624BWA	□□□	□□□	19.0#	189
		Fixed Height, 30"H	630BW	□□□	□□□	18.0#	158
		Adjustable Height, 31"-39"H	630BWA	□□□	□□□	20.0#	192
600	Polycarbonate Seat • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 13" diameter polycarbonate seat attaches to steel mounting plate which is welded to legs	Fixed Height, 18"H	618P	□□□	□□□	16.0#	\$ 83
		Adjustable Height, 19"-27"H	618PA	□□□	□□□	18.0#	120
		Fixed Height, 24"H	624P	□□□	□□□	17.0#	88
		Adjustable Height, 25"-33"H	624PA	□□□	□□□	19.0#	123
		Fixed Height, 30"H	630P	□□□	□□□	18.0#	92
		Adjustable Height, 31"-39"H	630PA	□□□	□□□	20.0#	134

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.
• Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select frame color.
Refer to the **Product Color Options** page in this price list.
- Select seat color.
Refer to the **Product Color Options** page in this price list.
- Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached. Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 125. Adjustable legs and back require assembly.

Specifications and prices are subject to change without prior notice.

800 Series

Industrial Stools (Delivered Pricing)



800 Series

Industrial Stools (Delivered Pricing)

	MODEL	Features	MODEL NUMBER					Approx. Packaged Weight	Delivered Pricing Vinyl Group 1 & C.O.V.
			Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color		
800U	Upholstered Seat Stool • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter seat • Foam cushioned seat upholstered in vinyl upholstery	Fixed, 18"H	818	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9.0#	\$ 167
		Adjustable, 19"-27"H	818A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	202
		Fixed, 24"H	824	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.0#	175
		Adjustable, 25"-33"H	824A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.0#	214
		Fixed, 30"H	830	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.0#	183
		Adjustable, 31"-39"H	830A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14.0#	211
800U	Upholstered Seat/Backrest • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Fixed legs have polyethylene feet • Adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter seat • Foam cushioned seat and backrest upholstered in vinyl upholstery • Backrest has 2" vertical and 2" horizontal adjustment	Fixed, 18"H	818B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#	\$ 220
		Adjustable, 19"-27"H	818BA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17.0#	261
		Fixed, 24"H	824B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	235
		Adjustable, 25"-33"H	824BA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	267
		Fixed, 30"H	830B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	235
		Adjustable, 31"-39"H	830BA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20.0#	273

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select frame color.
Refer to the **Product Color Options** page in this price list.
- Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- Select upholstery grade/color.
Refer to ki.com/fabrics
- Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model = Upholstered
Added Lead Time-1 Week
Added List Price=\$14

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components

800 Series Adjustable Legs: May be added to any stool except 828SB. Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.

Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

800 Series

Industrial Stools (Freight Excluded Pricing)



800 Series

Industrial Stools (Freight Excluded Pricing)

	MODEL	Features	MODEL NUMBER					Approx. Packaged Weight	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
			Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/ Bumper Color		
800U	Upholstered Seat Stool  • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter seat • Foam cushioned seat upholstered in vinyl upholstery	Fixed, 18"H	818	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9.0#	\$ 138
		Adjustable, 19"-27"H	818A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	165
		Fixed, 24"H	824	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.0#	146
		Adjustable, 25"-33"H	824A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.0#	183
		Fixed, 30"H	830	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.0#	150
		Adjustable, 31"-39"H	830A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14.0#	174
800U	Upholstered Seat/Backrest  • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Fixed legs have polyethylene feet • Adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter seat • Foam cushioned seat and backrest upholstered in vinyl upholstery • Backrest has 2" vertical and 2" horizontal adjustment	Fixed, 18"H	818B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#	\$ 192
		Adjustable, 19"-27"H	818BA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17.0#	209
		Fixed, 24"H	824B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	192
		Adjustable, 25"-33"H	824BA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	219
		Fixed, 30"H	830B	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	196
		Adjustable, 31"-39"H	830BA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20.0#	219

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:
 1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See Options for TB133 upcharge.
- D** Select upholstery grade/color.
Refer to ki.com/fabrics
- E** Select feet/bumper color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
 Model = Upholstered
 Added Lead Time-1 Week
 Added List Price=\$14

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=\$17 each

Steel Stool Adjustable Leg Components

800 Series Adjustable Legs: May be added to any stool except 828SB. Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
 Specify #13.0700.x \$29/Set of 4 legs

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI
 54107, freight excluded Freight class 125.

Specifications and prices are subject to change without prior notice.



Vertical Storage Caddy
KV25

KV35

KV50

Features (Capacity)

VL100 (Value Lite)	21 Chairs	30 Chairs	42 Chairs
400	25 Chairs	35 Chairs	50 Chairs
600	25 Chairs	35 Chairs	50 Chairs

General Dimensions

Length	56-1/2"	80-1/2"	106-1/2"
Width	20-7/8"	20-7/8"	20-7/8"
Height from floor	30"	30"	30"
Casters on center	15-1/2"	15-1/2"	15-1/2"



Horizontal Storage Caddy
KH50

KH51



Double-Tier Storage Caddy
KDT84

Features (Capacity)

400	50 Chairs	50 Chairs	84 Chairs
600	50 Chairs	50 Chairs	84 Chairs

General Dimensions

Length	106-1/2"	106-1/2"	62-1/4"
Width	35-3/8"	33-3/8"	34-1/4"
Height from floor	22"	22"	67-5/8"
Casters on center	15-1/2"	15-1/2"	30"

SPECIFICATIONS

The capacity listed in the above chart is for non-tablet arm chairs. Tablet arm chairs require double the space. Replacement feet and bumpers are available.

KV Series Vertical Storage Caddy

One-piece bed of 16-gauge steel with sides channeled to 1-1/2" high. To each end, a 4-1/2" x 1-1/2" angle steel member is electrically welded. To each outside corner of the bed is welded a 14-gauge, 1-1/4" o.d. end post socket to support removable 1-1/8" o.d., 18-gauge end posts. Loading stops are stamped into the bed. 4" high x 1-1/4" wide roller-bearing wheels.

Optional adjustable end post sockets are constructed of welded steel. Sockets and removable end post are positioned against partial loads to eliminate load from shifting.

KH Series Horizontal Storage Caddy

One-piece bed of 16-gauge steel with sides channeled to 1-1/2" high. Side rails are fitted into sockets welded to end posts. Distance between

side rails is equal to folded height of chairs from top to bottom crossbrace for snug storage. 4" high x 1-1/4" wide roller-bearing wheels.

KDT84 Caddy

Legs, uprights and crossbrace are fabricated of 11-gauge, 1" x 2" tubular steel. Legs are welded to uprights; crossbraces are bolted. Open tubing ends are covered with plastic end caps. Chair suspension tines of 14-gauge, 1" o.d. round tubing. 5" high x 1-3/8" wide roller bearing wheels.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com


Storage
Frame Color

Beige

BE

Finish Cards

View color swatches for items listed within this document.

[Paints](#)[Wood/Veneer](#)[Molded Edges](#)[Hard Plastics](#)[Plastics/Poly](#)[Laminates](#)[Edge Styles](#)[Glass](#)

Certain options referenced may not be available on GSA Schedule.

Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)



Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Frame Color	Base		
CCAD	Vertical Storage Caddy <ul style="list-style-type: none"> One-piece solid bed design All steel construction 4" wheels: 2 fixed, 3 swivel 50 chair caddies have swivel wheel in bed center Beige finish standard (other colors available at an upcharge) 30" high from floor-empty; 44" high-loaded Tablet arm chairs require double the space of non-tablet arm chairs <p>CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.</p>	KV25	BE	<input type="checkbox"/> <input type="checkbox"/>	44.0#	\$ 540
		Adjustable Middle Post	KV25A	BE	<input type="checkbox"/> <input type="checkbox"/>	596
			KV35	BE	<input type="checkbox"/> <input type="checkbox"/>	602
		Adjustable Middle Post	KV35A	BE	<input type="checkbox"/> <input type="checkbox"/>	659
			KV50	BE	<input type="checkbox"/> <input type="checkbox"/>	707
		Adjustable Middle Post	KV50A	BE	<input type="checkbox"/> <input type="checkbox"/>	764
CCAD	Horizontal Storage Caddy <ul style="list-style-type: none"> One-piece solid bed design All steel construction 4" wheels: 2 fixed, 3 swivel Swivel wheel in bed center Models for #100, #300 and #700 chairs Beige finish standard (others available at an upcharge) 22" high from floor-empty; 24-1/2" high-loaded; 40-1/8" wide loaded Tablet arm chairs require double the space of non-tablet arm chairs <p>CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.</p>	KH50	BE	<input type="checkbox"/> <input type="checkbox"/>	68.0#	\$ 834
		Adjustable End Post	KH50A	BE	<input type="checkbox"/> <input type="checkbox"/>	889
			KH51	BE	<input type="checkbox"/> <input type="checkbox"/>	834
		Adjustable End Post	KH51A	BE	<input type="checkbox"/> <input type="checkbox"/>	889

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
B Select frame color.
 Refer to the **Product Color Options** page in this price list.
C Select base option.
 C - Standard swivel/fixed wheels
 SC - All swivel wheels; add \$26

OPTIONS

Adjustable End post and Sockets
 Adapts to KV, KH50 and KH51 series chair caddies. Allows end posts to be repositioned to prevent partial loads from shifting. Specialty #86.5002 for a KV caddy, and #86.5003 for a KH caddy for field-installable parts. Add #10 weight. Upcharge is \$56

Folding Chair Caddy Brake Kits
 KV and KH folding chair caddies only. Kit adapts to swivel wheels only; for two wheels. Specify #09.0050
 Upcharge is \$13

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
 Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)



CCAD

Vertical Storage Caddy

- One-piece solid bed design
- All steel construction
- 4" wheels: 2 fixed, 3 swivel
- 50 chair caddies have swivel wheel in bed center
- Beige finish standard (other colors available at an upcharge)
- 30" high from floor-empty; 44" high-loaded
- Tablet arm chairs require double the space of non-tablet arm chairs

CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.



CCAD

Horizontal Storage Caddy

- One-piece solid bed design
- All steel construction
- 4" wheels: 2 fixed, 3 swivel
- Swivel wheel in bed center
- Models for #100, #300 and #700 chairs
- Beige finish standard (others available at an upcharge)
- 22" high from floor-empty; 24-1/2" high-loaded; 40-1/8" wide loaded
- Tablet arm chairs require double the space of non-tablet arm chairs

CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.

MODEL NUMBER

Basic Model	Frame Color	Base	Approx. Packaged Weight	Freight Excluded Pricing
KV25	BE	<input type="checkbox"/>	44.0#	\$ 426
KV25A	BE	<input type="checkbox"/>	54.0#	483
KV35	BE	<input type="checkbox"/>	52.0#	476
KV35A	BE	<input type="checkbox"/>	62.0#	532
KV50	BE	<input type="checkbox"/>	63.0#	555
KV50A	BE	<input type="checkbox"/>	73.0#	611

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select frame color.
Refer to the **Product Color Options** page in this price list.
- Select base option.

C	- Standard swivel/fixed wheels
SC	- All swivel wheels; add \$26

OPTIONS

Adjustable End post and Sockets
Adapts to KV, KH50 and KH51 series chair caddies. Allows end posts to be repositioned to prevent partial loads from shifting. Specialty #86.5002 for a KV caddy, and #86.5003 for a KH caddy; for field-installable parts. Add #10 weight. Upcharge is \$56

Folding Chair Caddy Brake Kits
KV and KH folding chair caddies only. Kit adapts to swivel wheels only; for two wheels. Specify #09.0050
Upcharge is \$13

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight excluded. Freight class 85.

Specifications and prices are subject to change without prior notice.



Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)

Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)



CCAD

Double-Tier Storage Caddy
 • Rectangular and square tubular steel construction
 • Chairs suspended from tines
 • 5" wheels: 2 fixed, 2 swivel
 • Beige finish standard (other colors available at an upcharge)
 • 67-7/8" high from floor, empty

CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.

MODEL NUMBER

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight	Delivered Pricing
		Basic Model	Frame Color	Base		
		KDT84	BE	□□	100.0#	\$ 1941

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.
 • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
B Select frame color.
 Refer to the **Product Color Options** page in this price list.
C Select base option.
C - Standard swivel/fixed wheels
SC - All swivel wheels; add \$26

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
 Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.



Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)



CCAD

Double-Tier Storage Caddy
 • Rectangular and square tubular steel construction
 • Chairs suspended from tines
 • 5" wheels: 2 fixed, 2 swivel
 • Beige finish standard (other colors available at an upcharge)
 • 67-7/8" high from floor, empty

CONSULT GENERAL INFORMATION PAGE FOR APPROPRIATE CADDY FOR SELECTED CHAIRS.



Folding Chair Storage and Accessories

Folding Chairs (Freight Excluded Pricing)

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight	Freight Excluded Pricing
		Basic Model	Frame Color	Base		
	Double-Tier Storage Caddy • Rectangular and square tubular steel construction • Chairs suspended from tines • 5" wheels: 2 fixed, 2 swivel • Beige finish standard (other colors available at an upcharge) • 67-7/8" high from floor, empty	KDT84	BE	□□	100.0#	\$ 1528

A **B** **C**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select frame color.
 Refer to the **Product Color Options** page in this price list.

C Select base option.

C - Standard swivel/fixed wheels
SC - All swivel wheels; add \$26

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
 Ships knocked down, FOB Bonduel, WI 54107, freight excluded. Freight class 70.

Specifications and prices are subject to change without prior notice.

Folding Chair and Stool Accessories

Folding Chairs and Stools (Delivered Pricing)



Folding Chair and Stool Accessories

Folding Chairs and Stools (Delivered Pricing)

MODEL	Features	Basic Model	MODEL NUMBER	Approx. Packaged Weight	Delivered Pricing
HRDPT	Chair and Stool Replacement Feet • High-impact polypropylene	400, 600 Chairs; 600, 800 Stools	53.6152.BE.I.WY	0.0#	\$ 1
		400, 600 Chairs; 600, 800 Stools	53.6152.BL.I.WY	0.0#	1
		400, 600 Chairs; 600, 800 Stools	53.6152.GR.I.WY	0.0#	1
HRDPT	Chair Replacement Bumpers (Cap) • Plastic bumper fits into top end of rear leg above hinge	400, 600 Chairs	53.6154.BE.I.WY	0.0#	\$ 1
		400, 600 Chairs	53.6154.BL.I.WY	0.0#	1
		400, 600 Chairs	53.6154.GR.I.WY	0.0#	1

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.

- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 70.

Specifications and prices are subject to change without prior notice.

Folding Chair and Stool Accessories

Folding Chairs and Stools (Freight Excluded Pricing)



Folding Chair and Stool Accessories

Folding Chairs and Stools (Freight Excluded Pricing)

MODEL	Features	Basic Model	MODEL NUMBER	Approx. Packaged Weight	Freight Excluded Pricing
 HRDPT	Chair and Stool Replacement Feet • High-impact polypropylene	400, 600 Chairs; 600, 800 Stools	53.6152.BE.I.WY	0.0#	\$ 1
		400, 600 Chairs; 600, 800 Stools	53.6152.BL.I.WY	0.0#	1
		400, 600 Chairs; 600, 800 Stools	53.6152.GR.I.WY	0.0#	1
 HRDPT	Chair Replacement Bumpers (Cap) • Plastic bumper fits into top end of rear leg above hinge	400, 600 Chairs	53.6154.BE.I.WY	0.0#	\$ 1
		400, 600 Chairs	53.6154.BL.I.WY	0.0#	1
		400, 600 Chairs	53.6154.GR.I.WY	0.0#	1

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.

- The absence of the indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight excluded. Freight class 70.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
800.424.2432
ki.com

KI and Furnishing Knowledge are registered
trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc.
All Rights Reserved.
Code KI-PLW-000239/KI/PDF



Furnishing Knowledge®