

PRODUCT SPECIFICATIONS ■

Athens[®] Table

May 2021

TECHNICAL SPECIFICATIONS

Fixed-Height Table Bases

Tapered Base with 3" Diameter Column (ATH3)

Tapered round pedestal base is .07" thick steel. Tapered base is 26" in diameter for 36" square and 42" round tops only. Tapered base is 22" diameter for all other top sizes. 3" diameter column is constructed of 14-gauge steel. Table mounting plate is 7-gauge steel, and attaches to the underside of the worksurface using eight #12 Phillips pan head screws. Adjustable glides are 1" diameter, nickel plated with $\frac{5}{16}$ " stems. No tools are required for glide adjustment.

Disc Base with 4" Diameter Column (ATH4)

Flat round pedestal base is a .07" thick steel cover over a $\frac{1}{4}$ " thick steel plate. Base is 20" diameter for all 24" and 30" round table units and for all 24" square table units. Base is 24" diameter for all 36" round table units, for 42" round table units at 29" OTH (overall table height), and for all 30" square table units. Base is 32" diameter for 42" round table units at 42" OTH, and for all 36" and 42" square table units. 4" diameter column is constructed of 14-gauge steel. Table mounting plate is 7-gauge steel, and attaches to the underside of the worksurface using eight #12 Phillips pan head screws. Adjustable glides are 1" diameter nickel plated with $\frac{5}{16}$ " stems. No tools are required for glide adjustment.

Disc Base with 5" or 6" Diameter Column (ATH5)

Flat round pedestal base is a .07" thick steel cover over a $\frac{1}{4}$ " thick steel plate. Base is 32" diameter for all round and square table units. 5" diameter column is constructed of 14-gauge steel and is used for all 48" and 54" round table units and all square table units. 6" diameter column is used on 60" round table units and is constructed of 14-gauge steel. Table mounting plate is 7-gauge steel, and attaches to the underside of the worksurface with eight #12 Phillips pan head screws. Adjustable glides are 1" diameter nickel plated with $\frac{5}{16}$ " stems. No tools are required for glide adjustment.

Adjustable-Height Table Bases

Tapered Base with Adjustable-Height 3" Diameter Column (AH3A)

Tapered round pedestal base is 22" diameter and constructed of a spun .07" thick steel cover over a $\frac{1}{4}$ " thick round disk, specified for 30" and 36" round tops. Pneumatic adjustable column assembly is constructed of a 70 mm diameter, 14-gauge lower tube and a 63 mm diameter, 14-gauge upper tube, and allows table height adjustment from 26 $\frac{3}{8}$ " to 44". Table mounting plate is $\frac{1}{4}$ " thick steel, and attaches to the underside of the worksurface using eight #12 Phillips pan head screws. Adjustable glides have 1" diameter nickel plated bases with $\frac{5}{16}$ " threaded stems. No tools are required for glide adjustment.

Fixed-Height Booth Table Base

Heavy-Weight Disc Base with 4" Diameter Column (AHDAA & AHDAC)

Heavy round pedestal base consists of a 14-gauge spun steel cover adhered to two $\frac{1}{4}$ " thick steel plates. Heavy-weight base is 20" in diameter for all 24" deep booth table units, is 24" in diameter for 26", 30" and 36" deep booth table units, and is 32" in diameter for 42" and 48" deep booth table units. 4" diameter column is constructed of 14-gauge steel. Table mounting plate is 7-gauge steel, and attaches to the underside of the worksurface using eight #12 Phillips pan head screws. Adjustable glides are 1" diameter nickel plated with $\frac{5}{16}$ " stems. No tools are required for glide adjustment.

Base Finishes

Standard base finishes include electroplated chrome and powder-coated, oven-cured paint.

Laminate Table Surfaces

Laminate tops feature a 1 $\frac{1}{8}$ " thick high-density particleboard core with high-pressure laminate top and phenolic backing sheet. Total thickness of table top is 1 $\frac{1}{4}$ ". Tops are pre-drilled.

Veneer Table Surfaces

Veneer tops feature a 1 $\frac{1}{8}$ " thick high-density particleboard core with wood veneer and backing sheet, and finished with a catalyzed varnish finish. Total thickness of table top is 1 $\frac{1}{4}$ ". Tops are pre-drilled.





DIMENSIONS

Athens Fixed-Height Square Tables

Model Number	A Table Depth	B Table Width	C Table Height	D Base Diameter	E Column Diameter
AH3S2429	24"	24"	29"	22"	3"
AH3S3029	30"	30"	29"	22"	3"
AH3S3629	36"	36"	29"	26"	3"
AH3S2442	24"	24"	42"	22"	3"
AH3S3042	30"	30"	42"	22"	3"
AH4S2429	24"	24"	29"	20"	4"
AH4S3029	30"	30"	29"	24"	4"
AH4S3629	36"	36"	29"	32"	4"
AH4S4229	42"	42"	29"	32"	4"
AH4S2442	24"	24"	42"	20"	4"
AH4S3042	30"	30"	42"	24"	4"
AH4S3642	36"	36"	42"	32"	4"
AH4S4242	42"	42"	42"	32"	4"
AH5S3629	36"	36"	29"	32"	5"
AH5S4229	42"	42"	29"	32"	5"
AH5S4829	48"	48"	29"	32"	5"
AH5S3642	36"	36"	42"	32"	5"
AH5S4242	42"	42"	42"	32"	5"
AH5S4842	48"	48"	42"	32"	5"

(model AH4S2429 with disc base (ATH4) shown)



CODE COMPLIANCE





DIMENSIONS

Athens Fixed-Height Round Tables

Model Number	A Table Diameter	B Table Height	C Base Diameter	D Column Diameter
AH3R2429	24"	29"	22"	3"
AH3R3029	30"	29"	22"	3"
AH3R3629	36"	29"	22"	3"
AH3R4229	42"	29"	26"	3"
AH3R2442	24"	42"	22"	3"
AH3R3042	30"	42"	22"	3"
AH3R3642	36"	42"	22"	3"
AH4R2429	24"	29"	20"	4"
AH4R3029	30"	29"	20"	4"
AH4R3629	36"	29"	24"	4"
AH4R4229	42"	29"	24"	4"
AH4R2442	24"	42"	20"	4"
AH4R3042	30"	42"	20"	4"
AH4R3642	36"	42"	24"	4"
AH4R4242	42"	42"	32"	4"
AH5R4829	48"	29"	32"	5"
AH5R5429	54"	29"	32"	5"
AH5R6029	60"	29"	32"	5"
AH5R4842	48"	42"	32"	5"

(model AH4R2429 with disc base (ATH4) shown)



CODE COMPLIANCE





DIMENSIONS

Athens Adjustable-Height Round Tables

Model Number	A Table Diameter	B Table Height	C Base Diameter	D Column Diameter
AH3R30ABB	30"	26 ³ / ₈ " - 44"	22"	3"
AH3R30ACH				
AH3R36ABB	36"			
AH3R36ACH				

(model AH3R30ABB with tapered base (AH3A) shown)



CODE COMPLIANCE





DIMENSIONS

Athens Fixed-Height Rectangular & Square Booth Tables

Model Number	A Table Depth	B Table Width	C Table Height	D Base Diameter	E Column Diameter
AHDAA2448	24"	48"	29"	20"	4"
AHDAA2648	26"				
AHDAA3048	30"				
AHDAA3648	36"				
AHDAA4248	42"				
AHDAC48	48"				

(model AHDAA2448 with heavy-weight disc base (AHDAA) shown)




CODE COMPLIANCE




STATEMENT OF LINE


Athens Fixed-Height Square Tables



Square Table, 3" Column, 29" H
AH3S2429
AH3S3029
AH3S3629



Square Table, 3" Column, 42" H
AH3S2442
AH3S3042




Square Table, 4" Column, 29" H
AH4S2429
AH4S3029
AH4S3629
AH4S4229



Square Table, 4" Column, 42" H
AH4S2442
AH4S3042
AH4S3642
AH4S4242



Square Table, 5" Column, 29" H
AH5S3629
AH5S4229
AH5S4829




Square Table, 5" Column, 42" H
AH5S3629
AH5S4229
AH5S4829

Athens Fixed-Height Round Tables



Round Table, 3" Column, 29" H
AH3R2429
AH3R3029
AH3R3629
AH3R4229



Square Table, 3" Column, 42" H
AH3R2442
AH3R3042
AH3R3642




Round Table, 4" Column, 29" H
AH4R2429
AH4R3029
AH4R3629
AH4R4229



Round Table, 4" Column, 42" H
AH4R2442
AH4R3042
AH4R3642
AH4R4242



Round Table, 5" Column, 29" H
AH5R4829
AH5R5429



Round Table, 5" Column, 42" H
AH5R4842



Round Table, 6" Column, 29" H
AH6R6029

CODE COMPLIANCE




STATEMENT OF LINE

Athens Adjustable-Height Round Tables




Round Table, 3" Column,
Height-Adjustable
AH3R30ABB
AH3R30ACH
AH3R36ABB
AH3R36ACH


Athens Fixed-Height Rectangular Booth Tables




Rectangular Booth Table,
4" Column, 29"H
AHDAA2448




Rectangular Booth Table,
4" Column, 29"H
AHDAA2648



Rectangular Booth Table,
4" Column, 29"H
AHDAA3048




Rectangular Booth Table,
4" Column, 29"H
AHDAA3648



Rectangular Booth Table,
4" Column, 29"H
AHDAA4248

Athens Fixed-Height Square Booth Tables



Square Booth Table,
4" Column, 29"H
AHDAC48

CODE COMPLIANCE

