

Striations BBT: T3627 Dark Night, Migrations BBT: T3528 Oz, T3548 Vanilla Extract



Migrations® BBT™ | Striations BBT™
PVC-Free Bio-Flooring



PVC-Free, Inspired by Nature

Migrations® BBT™ and Striations BBT™ collections are PVC-free and made with rapidly renewable plant-based materials. The innovative structure reduces reliance on fossil fuels and lowers the product's carbon footprint.

Drawing inspiration from the bio-based composition, the collections feature complementary palettes of subdued, organic tones in modular format for ease of installation.




Striations BBT: T3610 Haze, T3608 Warm Gray, Migrations BBT: T3531 Emblem



Migrations® BBT™ and Striations BBT™ were carefully curated as complementary collections – a sophisticated palette of organic tones coupled with modular installation options to give you optimum design flexibility.

Migrations® BBT™ is a non-directional tone on tone visual and is available in 12 in. x 12 in. tiles.



T3548 Vanilla Extract




T3503 Ashen Gray



T3537 Decaf



T3531 Emblem



T3533 Overcast



T3547 Hail



T3509 Mushroom Beige




T3529 Seaside



T3535 Chowder



T3534 Early Evening



T3544 Turtle Dove



T3528 Oz



T3542 Sleet



T3540 Nightfall



T3546 Shiraz



Striations BBT: T3608 Warm Gray, T3610 Haze, Migrations BBT: T3529 Seaside, T3531 Emblem, T3548 Vanilla Extract

Building Better

BBT is designed with the principles of circular economy in mind. Each tile has a carbon footprint of 0.25 kg CO₂e, which is about the same greenhouse gas emissions as 0.1 gallons of gasoline. The low carbon footprint of BBT can be attributed to efficient manufacturing processes and its bio-based product composition that incorporates rapidly renewable plant-based materials* and 40% pre-consumer recycled content.

- Free of Plasticizers, Ortho-Phthalates, Halogens, Isocyanates and Red List Chemicals of Concern
- Third-party certified Declare label available, verifying Red List Free status and disclosing material ingredients to 100 parts per million
- Third-party certified Environmental product Declaration (EPD) available
- Low VOC & FloorScore® certified
- Recyclable through the On&On® Recycling Program
- Made in the USA with global and domestic content

Source: Greenhouse Gas Equivalencies Calculator | Energy and the Environment | US EPA

*This product contains 2% rapidly renewable material which can be regenerated annually.



T3628 Iceberg



T3610 Haze



T3614 Bisque



T3627 Dark Night



T3601 Atmosphere



T3619 Mocha



T3615 Honey



T3618 Banner Blue



T3616 Tea Time



T3611 Mushroom



T3608 Warm Gray



T3632 Caribbean Sea



T3622 Sunflower



T3609 Malted Milk



T3602 Steel



T3621 Emerald City



T3604 Midnight




T3603 Twilight




T3625 Espresso




T3623 Green Leaf



T3631 Jet Stream



T3624 Merlot



T3626 Rust

Striations BBT™ is a soothing linear visual available in a 12 in. x 24 in. tile.







Striations BBT: T3632 Caribbean Sea, T3603 Twilight



1. Exclusive Fast Start® Factory Finish

Designed to protect the tile prior to installation and make initial maintenance quick and easy. It provides a smooth and even surface.

2. Through-Color/Pattern Wear Layer

Durable structure that retains its beauty despite impact from high traffic and rolling loads. If the surface wears or becomes damaged, the same color and pattern will be visible throughout the structure.

10 Year Commercial Limited Warranty

Supported by a 10 Year Commercial Limited Warranty.

Add 10 years of overall warranty coverage by using Strong System™ subfloor preparation products. Visit ArmstrongFlooring.com for more information.

Product Information

Construction - PVC-Free Bio-Flooring

International Specifications - ASTM F2982,
Polyester composition floor tile, Through Pattern

Overall Thickness - 1/8 in. (3.2 mm)

Wear Layer Thickness - 1/8 in. (3.2 mm)

Size - Striations BBT™ – 12 in. x 24 in.

Migrations® BBT™ – 12 in. x 12 in.

Factory Finish - Fast Start®

Installation - S-515, S-525

Maintenance Options - Polish

Color and visual variation is inherent in all resilient products. Prior to installation, we recommend reviewing multiple tiles.

ArmstrongFlooring™

Walk On. Walk Strong.™



Visit [ArmstrongFlooring.com](https://www.armstrongflooring.com)
for complete Product, Technical,
Adhesives, Installation and
Maintenance recommendations.



Print#: FP7440F9716A-921

Printed in USA. | Armstrong and the Armstrong logo are under license from AWI Licensing LLC. | All other trademarks are owned by AFI Licensing LLC. | © 2021 AFI Licensing LLC.
FloorScore® is a registered trademark of the Resilient Floor Covering Institute.